

## DURACELL

#### Alkaline - Bulk Packaged

**DURACELL PROCELL** Alkaline batteries provide the same performance and quality as DURACELL COPPERTOP batteries and deliver outstanding performance and reliability. Some major advantages are:

- Long service life at high drain discharges
- Operates reliably in temperature extremes of -20 C to 54 C
- Date coded to ensure freshness
- Economical bulk packaging



| SIZE   | PART # | VOLTS | MEASUREMENTS                                | PKG. QTY. | *MOQ  |
|--------|--------|-------|---|-----------|-------|
| AA     | PC1500 | 1.5   | 0.571" (max diameter) X 1.988" (max height) | 24/box    | 1 box |
| AAA    | PC2400 | 1.5   | 0.413" (max diameter) X 1.752" (max height) | 24/box    | 1 box |
| С      | PC1400 | 1.5   | 1.031" (max diameter) X 1.969" (max height) | 12/box    | 1 box |
| D      | PC1300 | 1.5   | 1.346" (max diameter) X 2.421" (max height) | 12/box    | 1 box |
| 9 VOLT | PC1604 | 9     | 1.043" (max diameter) X 1.909" (max height) | 12/box    | 1 box |
| Ν      | PC9100 | 1.5   | 0.472" (max diameter) x 1.189" (max height) | 12/box    | each  |
| J      | PC7K67 | 6     | 0.362" Long x 1.402" Wide x 1.909" High     | 6/box     | each  |

The items displayed above are only a small portion of our product availability. Should you require a product that is not seen here, please call us for full details. We will be more than happy to assist you.



## DURACELL

## Photo/Electronic/Home Medical

| MN21 | PX284    | A N   | /N175    | MX2500           | PX32A         |           |         |            |    |
|------|----------|-------|----------|------------------|---------------|-----------|---------|------------|----|
|      | DURACELL |       | DURACELL | DURACELL         | DURACELL      | PX62      | 5A PX76 | A / PX675. | AB |
| SIZE | PART #   | VOLTS |          | MEASUREMENTS     |               | PKG. QTY. | *MOQ    |            |    |
| MN21 | MN21     | 12    | 0.406″   | (max diameter) X | (1.122" (max  | (height)  | 1/card  | 1 card     |    |
| 28A  | PX28A    | 6     | 0.512″   | (max diameter) X | ( 0.992" (max | (height)  | 6/box   | each       |    |

| SIZE  | PART #  | VOLTS | MEASUREMENTS                                | PKG. QTY. | *MOQ   |
|-------|---------|-------|---|-----------|--------|
| MN21  | MN21    | 12    | 0.406" (max diameter) X 1.122" (max height) | 1/card    | 1 card |
| 28A   | PX28A   | 6     | 0.512" (max diameter) X 0.992" (max height) | 6/box     | each   |
| 175   | MN175   | 7.5   | 0.500" (max diameter) X 1.093" (max height) | 1/card    | 1 card |
| AAAA  | MX2500  | 1.5   | 0.327" (max diameter) X 1.673" (max height) | 2/card    | 1 card |
| 625A  | PX625A  | 1.5   | 0.630" (max diameter) X 0.244" (max height) | 6/box     | each   |
| 76A   | PX76A   | 1.5   | 0.457" (max diameter) X 0.213" (max height) | 6/box     | each   |
| 675AB | PX675AB | 1.5   | 0.457" (max diameter) X 0.213" (max height) | 6/box     | each   |

#### Lantern Batteries

**DURACELL PROCELL and COPPERTOP** Alkaline Lantern batteries last up to twice as long as super heavy duty batteries and provide an extra measure of leak resistance for critical applications.



| SIZE  | PART # | VOLTS | MEASUREMENTS                                | PKG. QTY. | *MOQ |
|-------|--------|-------|---|-----------|------|
| PC903 | PC903  | 7.5   | 7.250" L x 4.062" W x 3.749" H (screw top)  | 6/box     | each |
| MN908 | MN908  | 6     | 2.685" L x 2.685" W x 4.528" H (spring top) | 6/box     | each |
| PC915 | PC915  | 6     | 2.685" L x 2.685" W x 4.409" H (screw top)  | 6/box     | each |
| MN918 | MN918  | 6     | 2.874" L x 5.370" W x 5.00" H (screw top)   | 4/box     | each |



## **CP** Batteries

### Alkaline - Carded (High Voltage)

**GP Ultra** Alkaline batteries are especially formulated to meet the increasing demands of today's new generation of high power devices. These batteries are most commonly used in garage door openers, remote controls, lighters, car alarms and other high drain electronic devices.


| 23AE<br>CP UItra<br>CCP UItra<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correction<br>Correctio | 12V                                   | GR     | VOLTAGE<br>BATTERY<br>SUPER |           |        | VOLTAGE TEV |
|--|---------------------------------------|--------|-----------------------------|-----------|--------|-------------|
|  | SIZE                                  | PART # | VOLTS                       | PKG. QTY. | *MOQ   |             |
|  | 23AE<br>A23<br>VA23GA<br>MS21<br>MN21 | 23AE   | 12                          | 1/card    | 1 card |             |
|  | 25A                                   | 25A    | 9                           | 1/card    | 1 card | ]           |
|  | 27A<br>MN27                           | 27A    | 12                          | 1/card    | 1 card |             |



#### Alkaline - Carded

**Ultralast Alkaline Carded** batteries are available in AA, AAA, C, D and 9 Volt sizes. They are designed to provide maximum power and longevity. These batteries offer the convenience of carded packaging, so that you can take them with you where ever you go.

| SIZE   | PART #    | VOLTS | PKG. QTY. | *MOQ   |
|--------|-----------|-------|-----------|--------|
| AA     | ULA2AA    | 1.5   | 2/card    | 1 card |
| AA     | ULA4AA    | 1.5   | 4/card    | 1 card |
| AA     | ULA8AA    | 1.5   | 8/card    | 1 card |
| AA     | ULA10AAVP | 1.5   | 10/box    | 1 box  |
| AAA    | ULA2AAA   | 1.5   | 2/card    | 1 card |
| AAA    | ULA4AAA   | 1.5   | 4/card    | 1 card |
| С      | ULA2C     | 1.5   | 2/card    | 1 card |
| D      | ULA2D     | 1.5   | 2/card    | 1 card |
| 9 VOLT | ULA9V     | 9     | 1/card    | 1 card |









**Panasonic**<sup>®</sup> Alkaline - Carded

Panasonic Alkaline batteries provide outstanding performance and reliability for great value. These batteries are carded for your convenience.



| SIZE   | PART #  | VOLTS | PKG. QTY. | *MOQ   |
|--------|---------|-------|-----------|--------|
| AA     | AA2PAN  | 1.5   | 2/card    | 1 card |
| AA     | AA4PAN  | 1.5   | 4/card    | 1 card |
| AAA    | AAA2PAN | 1.5   | 2/card    | 1 card |
| AAA    | AAA4PAN | 1.5   | 4/card    | 1 card |
| С      | C2PAN   | 1.5   | 2/card    | 1 card |
| D      | D2PAN   | 1.5   | 2/card    | 1 card |
| 9 VOLT | 9V1PAN  | 9     | 1/card    | 1 card |



#### Alkaline - Carded (High Voltage)

GP Ultra Alkaline batteries are especially formulated to meet the increasing demands of today's new generation of high power devices. These batteries are most commonly used in garage door openers, remote controls, lighters, car alarms and other high drain electronic devices.

23AE






| SIZE                                  | PART # | VOLTS | PKG. QTY. | *MOQ   |
|---------------------------------------|--------|-------|-----------|--------|
| 23AE<br>A23<br>VA23GA<br>MS21<br>MN21 | 23AE   | 12    | 1/card    | 1 card |
| 25A                                   | 25A    | 9     | 1/card    | 1 card |
| 27A<br>MN27                           | 27A    | 12    | 1/card    | 1 card |



## SONY & Maxell

### Coin Cells - Carded and Bulk Packaged

**Sony and Maxell** Alkaline Magnese Coin Cell batteries are most commonly used for watches, calculators, lasers, mini-flashlights, toys and much more.



| SIZE   | VOLTS | PKG. QTY.                | *MOQ   |
|--------|-------|--------------------------|--------|
| LR41   | 1.5   | 1/card, 5/strip, 100/box | 1 card |
| LR43   | 1.5   | 1/card, 5/strip, 100/box | 1 card |
| LR44   | 1.5   | 1/card, 5/strip, 100/box | 1 card |
| LR1120 | 1.5   | 1/card, 5/strip, 100/box | 1 card |
| LR1130 | 1.5   | 1/card, 5/strip, 100/box | 1 card |

## **Custom Battery Packs**

<u>We specialize in battery pack assembly</u>. Our state of the art spot welding equipment enables us to assemble battery packs using almost any type of battery. Alkaline battery packs are a non-rechargeable source of power for many applications including door locks and instruments. Please contact us for a quotation on all of your battery pack needs. Our quality and pricing is sure to impress you.



The items displayed above are only a small portion of our product availability. Should you require a product that is not seen here, please call us for full details. We will be more than happy to assist you.

## **Heavy Duty Batteries**



## DURACELL

## Heavy Duty - Bulk Packaged

Duracell Mallory Super Heavy Duty (Carbon Zinc) batteries:

- Are appropriate for low drain, intermittent and infrequent usage applications
- Are free of any added mercury and require no special method of disposal
- Are economically priced and bulk packaged



| SIZE   | PART # | VOLTS | MEASUREMENTS                                | PKG. QTY. | *MOQ  |
|--------|--------|-------|---|-----------|-------|
| AA     | SHD15  | 1.5   | 0.571" (max diameter) X 1.988" (max height) | 12/box    | 1 box |
| AAA    | SHD24  | 1.5   | 0.413" (max diameter) X 1.752" (max height) | 12/box    | 1 box |
| С      | SHD14  | 1.5   | 1.031" (max diameter) X 1.969" (max height) | 12/box    | 1 box |
| D      | SHD13  | 1.5   | 1.346" (max diameter) X 2.421" (max height) | 12/box    | 1 box |
| 9 VOLT | SHD16  | 9     | 0.689" Long x 1.043" Wide x 1.909" Deep     | 12/box    | 1 box |

## **Panasonic**<sup>®</sup>

#### Heavy Duty - Carded

**Panasonic Super Heavy Duty** (Carbon Zinc) batteries have many advantages, including:

- Excellent leak resistance for a longer service life
- Are 99.999% Mercury free



| SIZE   | PART #    | VOLTS | PKG. QTY. | *MOQ   |
|--------|-----------|-------|-----------|--------|
| AA     | UM3NPA2B  | 1.5   | 2/card    | 1 card |
| AA     | UM3NPA2B  | 1.5   | 4/card    | 1 card |
| AAA    | UM4NPA2B  | 1.5   | 2/card    | 1 card |
| AAA    | UM4NPA4B  | 1.5   | 4/card    | 1 card |
| С      | UM2NPA2B  | 1.5   | 2/card    | 1 card |
| D      | UM1NPA2B  | 1.5   | 2/card    | 1 card |
| 9 VOLT | 006PNPA1B | 9     | 1/card    | 1 card |

SUPER

MALLORY SUPER ENERGIE PLUS

| <u>Heavy Duty Lantern</u> |   | No. of Concession, Name |
|---------------------------|---|-------------------------|
|                           | IEAVY DUTT<br>N B A T T E R<br>ALLORY<br>L A R T E R N<br>NERGIE PLUY |                         |
|                           |   | PILE                    |

PM4DF

SHD918

| SIZE   | PART # | VOLTS | MEASUREMENTS                   | PKG. QTY.    | *MOQ  |        |
|--------|--------|-------|--------------------------------|--------------|-------|--------|
| PM4DF  | PM4DF  | 6     | 4.4″L x 2.6″W x 2.6″D          | (spring top) | 6/box | 1 each |
| SHD908 | SHD908 | 6     | 2.685″L x 2.685″W x 4.528″ H ( | (spring top) | 6/box | 1 each |
| SHD918 | SHD918 | 6     | 2.874″L x 5.370″W x 5.00″ H    | (screw top)  | 6/box | 1 each |

2 IS

SHD908

2. 2.





#### Cylindrical Lithium

**Saft Cylindrical Lithium Thionyl Chloride** batteries are preferred by many for their unrivaled nominal capacities. These cells operate efficiently in temperatures ranging from –60 C to 80 C.

| • | SAFT        |  |
|---|-------------|--|
| ι | 5           |  |
|   | •RJ<br>3.6V |  |
| Ę | LI-SOCH     |  |

| PART #  | SIZE  | VOLTS | PKG. QTY. | *MOQ   |
|---------|-------|-------|-----------|--------|
| LS14250 | 1/2AA | 3.6   | 1000/box  | 1 each |
| LS14500 | AA    | 3.6   | 600/box   | 1 each |
| LS26500 | С     | 3.6   | 64/box    | 1 each |
| LS33600 | D     | 3.6   | 80/box    | 1 each |

**Please Note:** These are only some of the lithium batteries offered by Saft. Please call for pricing and availability on products not listed above



#### Cylindrical Lithium

**Sanyo Laser Lithium** batteries meet market needs with their high technology and superior quality. These cells offer;

- High operating voltage of 3V and
- High energy density
- Wide operating temperature range of -40 C to 85 C





| PART #    | VOLTS | MEASUREMENTS                    | *MOQ   |
|-----------|-------|---------------------------------|--------|
| CR12600SE | 3     | 12 mm diameter x 60.0 mm high   | 1 each |
| CR14250SE | 3     | 14.5 mm diameter x 25.0 mm high | 1 each |
| CR17450SE | 3     | 17 mm diameter x 45.0 mm high   | 1 each |
| CR17335SE | 3     | 17 mm diameter x 33.5 mm high   | 1 each |
| CR23500SE | 3     | 23 mm diameter x 50.0 mm high   | 1 each |

<u>Please Note</u>: These are only some of the lithium batteries offered by Sanyo. Please call for pricing and availability on products not listed above



<u>Please Note</u>: All Electrochem batteries are special order items. Please call for pricing and availability.



## **Panasonic**<sup>®</sup>

#### Cylindrical Lithium

**Panasonic Cylindrical Lithium** batteries are notable for their high voltage, energy density, durability, and stable operation. Some features include;

- Stable operation at a high rate of discharge
- Wide operating temperatures (-40°C~85°C)
- Strong leakage resistance and excellent durability



| PART # | SIZE | VOLTS MEASUREMENTS |                               | *MOQ   |
|--------|------|--------------------|-------------------------------|--------|
| BR2/3A | 2/3A | 3                  | 17 mm diameter x 33.5 mm high | 1 each |
| BRA    | А    | 3                  | 17 mm diameter x 45.5 mm high | 1 each |
| BRC    | С    | 3                  | 26 mm diameter x 50.5 mm high | 1 each |

## **Panasonic**<sup>®</sup>

Coin Cells - Bulk Packaged

#### Panasonic BR Poly-Carbon Monoflouride

**coin cell** lithium batteries are high energy, high reliability batteries for a variety of applications. The full 3 volts in these high energy density batteries is about twice that of conventional dry batteries. These BR Series batteries are recommended for uses that require extended reliability and safety.



| PART # | VOLTS | САРАСІТУ | DIAMETER<br>(mm) | HEIGHT |
|--------|-------|----------|------------------|--------|
| BR1216 | 3     | 25 mah   | 12.5             | 1.60   |
| BR1220 | 3     | 35 mah   | 12.5             | 2.00   |
| BR1225 | 3     | 48 mah   | 12.5             | 2.50   |
| BR1616 | 3     | 48 mah   | 16.0             | 1.60   |
| BR1632 | 3     | 120 mah  | 16.0             | 3.20   |
| BR2016 | 3     | 75 mah   | 20.0             | 1.60   |
| BR2020 | 3     | 100 mah  | 20.0             | 2.00   |
| BR2032 | 3     | 190 mah  | 20.0             | 3.20   |
| BR2320 | 3     | 110 mah  | 23.0             | 2.00   |
| BR2325 | 3     | 165 mah  | 23.0             | 2.50   |
| BR2330 | 3     | 255 mah  | 23.0             | 3.00   |
| BR3032 | 3     | 500 mah  | 30.0             | 3.20   |

Please Note: Most of the BR coin cells listed above are special order items. Please call for pricing and availability.

#### The items displayed above are only a small portion of our product availability. Should you require a product that is not seen here, please call us for full details. We will be more than happy to assist you.



## Panasonic & SONY

### Coin Cells - Bulk Packaged

Panasonic and Sony CR Manganese Dioxide

**coin cell** lithium batteries are high energy, high reliability batteries for a variety of applications. The full 3 volts in these high energy density batteries is about twice that of conventional dry batteries. These CR series batteries are recommended for uses that require high voltage and strong load pulse characteristics.



| PART # | VOLTS | CAPACITY | DIAMETER | HEIGHT  |
|--------|-------|----------|----------|---------|
| CR1025 | 3     | 30 mah   | 10.0 mm  | 2.50 mm |
| CR1216 | 3     | 25 mah   | 12.5 mm  | 1.60 mm |
| CR1220 | 3     | 35 mah   | 12.5 mm  | 2.00 mm |
| CR1612 | 3     | 40 mah   | 16.0 mm  | 1.20 mm |
| CR1616 | 3     | 55 mah   | 16.0 mm  | 1.60 mm |
| CR1620 | 3     | 75 mah   | 16.0 mm  | 2.00 mm |
| CR1632 | 3     | 125 mah  | 16.0 mm  | 3.20 mm |
| CR2012 | 3     | 55 mah   | 20.0 mm  | 1.20 mm |
| CR2016 | 3     | 90 mah   | 20.0 mm  | 1.60 mm |
| CR2025 | 3     | 165 mah  | 20.0 mm  | 2.50 mm |
| CR2032 | 3     | 220 mah  | 20.0 mm  | 3.20 mm |
| CR2320 | 3     | 130 mah  | 23.0 mm  | 2.00 mm |
| CR2330 | 3     | 265 mah  | 23.0 mm  | 3.00 mm |
| CR2354 | 3     | 560 mah  | 23.0 mm  | 5.40 mm |
| CR2412 | 3     | 100 mah  | 24.5 mm  | 1.20 mm |
| CR2450 | 3     | 620 mah  | 24.5 mm  | 5.00 mm |
| CR2477 | 3     | 1000 mah | 24.5 mm  | 7.70 mm |
| CR3032 | 3     | 500 mah  | 30.0 mm  | 3.20 mm |

## SONY & Maxell

Coin Cells - Carded

**Sony and Maxell** Lithium Coin Cell batteries are commonly used for watches, keyless door entry, small electronics, PDA Mem-backup, motherboard clock backup, toll pass, and medical devices.



| SIZE   | VOLTS | PKG. QTY.                | *MOQ   |
|--------|-------|--------------------------|--------|
| CR1025 | 3     | 1/card, 5/strip, 100/box | 1 card |
| CR1216 | 3     | 1/card, 5/strip, 100/box | 1 card |
| CR1220 | 3     | 1/card, 5/strip, 100/box | 1 card |
| CR1616 | 3     | 1/card, 5/strip, 100/box | 1 card |
| CR1620 | 3     | 1/card, 5/strip, 100/box | 1 card |
| CR2016 | 3     | 1/card, 5/strip, 100/box | 1 card |
| CR2025 | 3     | 1/card, 5/strip, 100/box | 1 card |
| CR2032 | 3     | 1/card, 5/strip, 100/box | 1 card |
| CR2430 | 3     | 1/card, 5/strip, 100/box | 1 card |
| CR2450 | 3     | 1/card, 5/strip, 100/box | 1 card |
| CR2477 | 3     | 1/card, 5/strip, 100/box | 1 card |



## DURACELL

#### Photo - Carded


**Duracell Photo Lithium** batteries represent one of the largest advances in primary battery technology. These photo batteries are ideal for modern high drain cameras.



# **Panasonic**<sup>®</sup>

**Panasonic Photo Lithium** batteries offer superior performance and longevity in high drain photography equipment.

| SIZE  | VOLTS | PKG. QTY.      | *MOQ   |
|-------|-------|----------------|--------|
| CR123 | 3     | 1/card, 12/box | 1 card |
| 2CR5  | 6     | 1/card, 12/box | 1 card |
| CR2   | 3     | 1/card, 12/box | 1 card |
| CRP2  | 6     | 1/card, 12/box | 1 card |
| CR-V3 | 3     | 1/card, 12/box | 1 card |







**Ultralast Photo Lithium** batteries are designed for a broad range of camera applications, delivering reliable power and rapid recycling at an affordable price.




| SIZE  | VOLTS | PKG. QTY. | *MOQ   |
|-------|-------|-----------|--------|
| CR123 | 3     | 1/card    | 1 card |
| 2CR5  | 6     | 1/card    | 1 card |
| CR2   | 3     | 1/card    | 1 card |
| CRP2  | 6     | 1/card    | 1 card |
| CR-V3 | 3     | 1/card    | 1 card |





## **Custom Battery Packs**

<u>We specialize in battery pack assembly</u>. Our state of the art spot welding equipment enables us to assemble battery packs using almost any type of battery. Lithium battery packs are a non-rechargeable source of power for a large variety of applications. Please contact us for a quotation on all of your battery pack needs. Our quality and pricing is sure to impress you.





### **Lithium-Ion Batteries**





#### **Camcorder Batteries**

**Again & Again and Empire Scientific Camcorder** batteries offer maximum power and quality. Again & Again and Empire Scientific continue to be leaders in the camcorder market by providing longer run times and faster charge times.



| PART # | FITS         | VOLTS | CAPACITY | *MOQ   |
|--------|--------------|-------|----------|--------|
| CL530  | Sony NP-F550 | 7.2   | 1850 mah | 1 each |
| CL730  | Sony NP-F750 | 7.2   | 3700 mah | 1 each |


#### **Cellular Phone Batteries**

We offer a wide variety of cellular phone batteries. Please note that all cell phone batteries are special order items. Please call for pricing and availability.



#### Laptop Batteries

We offer a wide variety of laptop batteries compatible with the many models of laptops available on the market. Please note that all laptop computer batteries are special order items. Please call for pricing and availability.





## **Nickel Cadmium Batteries**

## **Panasonic**<sup>®</sup>

#### Rechargeable - Bulk

**Panasonic Rechargeable Nickel Cadmium** batteries feature the performance, high-power, and reliability needed for today's high-technology equipment. This ranges from audio visual and communications equipment to motorized devices and hobby equipment.

#### Features By Product Type:

#### Standard "N" Type

- Low internal resistance and excellent discharge performance
- Reliability over a wide range of operating temperatures

#### High Capacity "S" Type

- Higher capacity compared to standard type
- Compact dimensions and faster recharge time

#### Rapid Charge "R" Type

• 1-hour rapid charge

#### High Rate Discharge & Rapid Charge "P" Type

• Super high rate discharge



| PART #       | SIZE  | TYPE | VOLTS | CAPACITY | DIAMETER (mm) | HEIGHT (mm) |
|--------------|-------|------|-------|----------|---------------|-------------|
| P-11AA       | 1/3AA | N    | 1.2   | 120 mah  | 14.5+0/-0.7   | 17.5+0/-1.0 |
| P-18N        | Ν     | N    | 1.2   | 190 mah  | 12.0+0/-0.7   | 30.0+0/-1.0 |
| P-25AAAR/FT  | AAA   | R    | 1.2   | 280 mah  | 10.5+0/-0.7   | 44.5+0/-1.0 |
| P-30AAR      | 2/3AA | R    | 1.2   | 330 mah  | 14.5+0/-0.7   | 28.2+0/-1.0 |
| P-70AA/B     | AA    | N    | 1.2   | 740 mah  | 14.5+0/-0.7   | 50.0+0/-1.0 |
| P-70AARC/FT  | AA    | R    | 1.2   | 740 mah  | 14.5+0/-0.7   | 48.3+0/-1.0 |
| P-100AASJ/B  | AA    | S    | 1.2   | 1080 mah | 14.5+0/-0.7   | 50.0+0/-1.0 |
| P-100AASJ/FT | AA    | S    | 1.2   | 1080 mah | 14.5+0/-0.7   | 50.0+0/-1.0 |
| P-110AS      | 4/5A  | S    | 1.2   | 1180 mah | 17.0+0/-0.7   | 43.0+0/-1.5 |
| P-120AS      | 4/5A  | S    | 1.2   | 1280 mah | 17.0+0/-0.7   | 43.0+0/-1.5 |
| P-120AAS     | L-AA  | S    | 1.2   | 1280 mah | 14.5+0/-0.7   | 65.0+0/-1.0 |
| P-120SCJS    | 4/5SC | Р    | 1.2   | 1350 mah | 23.0+/-1.0    | 34.0+0/-1.5 |
| P-140AS      | А     | S    | 1.2   | 1530 mah | 17.0+0/-0.7   | 50.0+0/-1.5 |
| P-150AS      | 4/5A  | S    | 1.2   | 1530 mah | 17.0+0/-0.7   | 43.0+0/-1.5 |
| P-140SCC     | CSC   | R    | 1.2   | 1550 mah | 23.0+0/-1.0   | 42.0+0/-1.5 |
| P-150SCS     | SC    | Р    | 1.2   | 1600 mah | 23.0+/-1.0    | 43.0+0/-1.5 |
| P-170SCS     | SC    | Р    | 1.2   | 1800 mah | 23.0+/-1.0    | 43.0+0/-1.5 |
| P-200SCS     | SC    | Р    | 1.2   | 2100 mah | 23.0+/-1.0    | 43.0+0/-1.5 |
| P-230SCS     | L-SC  | S    | 1.2   | 2490 mah | 23.0+0/-1.0   | 50.0+0/-1.5 |
| P-240C       | С     | N    | 1.2   | 2600 mah | 25.8+0/-1.0   | 50.0+0/-1.5 |
| P-500DR      | D     | R    | 1.2   | 5500 mah | 33.0+0/-1.0   | 61.0+0/-1.5 |

Please call for pricing and availability on all products listed above.





#### Rechargeable - Bulk

**Saft Rechargeable Nickel Cadmium** batteries are known for their superior performance. Saft offers a variety of batteries to meet modern day requirements. Saft batteries offer;

- Constant voltage during discharge
- Extremely high reliability
- Long cycle life (over 500 charge discharge cycles)

The **VRE Series** is well-adapted for applications requiring a permanent charge at temperatures of up to +35°C. The **VSE Series** is an "ultra-high energy" battery, fully recommended for the wide range of portable electronic applications.



| PART #     | SIZE  | VOLTS | CAPACITY | DIAMETER | HEIGHT  |
|------------|-------|-------|----------|----------|---------|
| VRE AA 700 | AA    | 1.2   | 700 mah  | 14.0 mm  | 49.2 mm |
| VRE CS     | SUB C | 1.2   | 1600 mah | 22.2 mm  | 42.2 mm |
| VRE 1/2 D  | 1/2 D | 1.2   | 2400 mah | 32.3 mm  | 36.8 mm |
| VRE D      | D     | 1.2   | 4500 mah | 32.3 mm  | 58.6 mm |
| VSE AA     | AA    | 1.2   | 940 mah  | 14.0 mm  | 49.2 mm |
| VSE 4/5A   | 4/5A  | 1.2   | 1300 mah | 16.7 mm  | 42.3 mm |
| VT F       | F     | 1.2   | 7500 mah | 32.15 mm | 91.1 mm |

<u>Please note</u>: These are only a few types of the Saft cells available. Please call for pricing and availability.

## SANYO

#### Rechargeable - Bulk

**Sanyo Rechargeable Nickel Cadmium** batteries have earned high acclaim for their inventive technology and superior quality. Features include;

- Discharge voltage remains stable even in conditions of high-rate discharge current
- Wide operating temperature range (-20°C to 60°C)
- Performance doesn't deteriorate even after long-term storage
- Designed to withstand overcharge and over discharge



| PART #     | SIZE  | VOLTS | CAPACITY | DIAMETER | HEIGHT  |
|------------|-------|-------|----------|----------|---------|
| KR-600AE   | 2/3A  | 1.2   | 600 mah  | 17.0 mm  | 28.5 mm |
| KR-800AAE  | AA    | 1.2   | 800 mah  | 14.3 mm  | 50.3 mm |
| KR-1800SCE | SUB C | 1.2   | 1800 mah | 23.0 mm  | 43 mm   |
| KR-5000DEL | D     | 1.2   | 5400 mah | 33.2 mm  | 59.5 mm |

Please note: These are only a few types of the Sanyo cells available. Please call for pricing and availability.



### Flashlight Battery Packs

These battery packs are custom built to fit the most popular types of Streamlight and Maglite flashlights. We specialize in battery pack assembly. Please contact us for pricing and availability on all battery packs.



| PICTURE       | DESCRIPTION                         | FITS FLASHLIGHT MODELS   |
|---------------|-------------------------------------|--|
| RIGHIDES RITH | 3.6 Volts, 1,600 mAh<br>NiCad Stick | Stinger, Stinger HP, Stinger XT,<br>and the PolyStinger<br>Also fits: 25170 and 75175  |
| 1             | 6 Volts, 1,600 mAh<br>NiCad Stick   | Super Stinger and the Ultra Stinger<br>Also fits: 77175 and 9926J  |
|               | 6 Volts, 1,600 mAh<br>NiCad Stick   | <b>SL20XP, SL20XP LED, SL15X</b><br>Also fits: 15X1701, 201701, 40070131<br>and 405462100  |
|               | 6 Volts, 2,500 mAh<br>NiCad Stick   | SL20, SL20S, SL20X and the Mini Stinger<br>Also fits: 200394, 20X1701, 40070149,<br>41B038AF00101, 9032, ARXX075, MA5,<br>ML500, ML5000 and RX1019 |



### Two-Way (FRS) Radio Packs

**Again & Again Two-Way Radio** packs fit most Motorola and Cobra models. We also specialize in battery pack assembly and can custom build packs to your specifications. Please contact us for pricing and availability on all two -way radio battery packs.

|   | 1     | 2      |   | 1 |
|---|-------|--------|---|---|
| 1 | AGAIN | AG     |   |   |
|   |       | MTACTS |   |   |
| 6 | FACIN | G OUT  | B |   |
|   | 9     | 0      | 9 |   |

| PART #    | DESCRIPTION                                   | REPLACES                                   |
|-----------|---|--|
| FRS 4002A | 3.6 Volt, 700 mah<br>NiCad battery pack       | Replaces Motorola:<br>HKNN 4002A AND 53615 |
| FA-BP     | 4.8 Volt, 700 mah<br><u>NiMh</u> battery pack | Fits most Cobra FRS Radios                 |



**Nickel Cadmium Batteries** 





#### **Cordless Phone Battery**

Again & Again and Empire Scientific offer Cordless Phone batteries to fit most types of cordless phones on the market. Please note that the battery packs listed below are only a few of the types available. Please call for pricing and availability on all cordless phone batteries.



| PART #   | BRAND             | TYPE  | VOLTS | CAPACITY |
|----------|-------------------|-------|-------|----------|
| STB-104  | AGAIN & AGAIN     | NiMh  | 3.6   | 830 mah  |
| STB-114  | AGAIN & AGAIN     | NiCad | 3.6   | 700 mah  |
| STB-509  | AGAIN & AGAIN     | NiMh  | 2.4   | 1500 mah |
| STB-935  | AGAIN & AGAIN     | NiCad | 2.4   | 350 mah  |
| CPB-400B | Empire Scientific | NiCad | 3.6   | 900 mAh  |
| CPB-400D | Empire Scientific | NiCad | 3.6   | 900 mAh  |
| CPH-496  | Empire Scientific | NiMh  | 3.6   | 850 mAh  |
| CPH-515D | Empire Scientific | NiMh  | 2.4   | 700 mAh  |

## **Custom Battery Packs**

<u>We specialize in battery pack assembly</u>. Our state of the art spot welding equipment enables us to assemble battery packs using almost any type of battery. Nickel Cadmium battery packs are a rechargeable source of power for a large variety of applications. Please contact us for a quotation on all of your battery pack needs. Our quality and pricing is sure to impress you.





## Nickel Metal Hydride Batteries

## **Panasonic**<sup>®</sup>

#### Rechargeable - Bulk

**Panasonic Rechargeable Nickel Metal Hydride** batteries were developed to meet the requirement for increasingly higher levels of energy demanded by today's electronic products. These Nickel Metal Hydride batteries can offer up to three times the capacity of the same size standard Nickel Cadmium batteries. Due to their increased capacity and energy density features, users can expect a longer time between charges and longer running time.



| PART #               | SIZE            | VOLTS | CAPACITY | DIAMETER (mm) | HEIGHT (mm) |
|----------------------|-----------------|-------|----------|---------------|-------------|
| HHR60AAAH            | AAA             | 1.2   | 500      | 10.5+0/-0.07  | 44.5+0/-1.0 |
| HHR70AAA/B           | AAA             | 1.2   | 650      | 10.5+0/-0.07  | 44.5+0/-1.0 |
| HHR75AAA             | L-AAA           | 1.2   | 750      | 10.5+0/-0.07  | 50.0+0/-1.0 |
| HHR120AA             | 4/5AA           | 1.2   | 1150     | 14.5+0/-0.07  | 43.0+0/-1.0 |
| HHR150AAP            | AA              | 1.2   | 1500     | 14.5+0/-0.07  | 50.0+0/-1.0 |
| HHR150AA             | AA              | 1.2   | 1500     | 14.5+0/-0.07  | 50.0+0/-1.0 |
| HHR210AA/B           | AA              | 1.2   | 2000     | 14.5+0/-0.07  | 50.5+0/-1.0 |
| HHR200A              | 4/5A            | 1.2   | 2000     | 17.0+0/-0.07  | 43.0+0/-1.5 |
| HHR210A              | А               | 1.2   | 2100     | 17.0+0/-0.07  | 50.0+0/-1.5 |
| HHR210AH             | А               | 1.2   | 1900     | 17.0+0/-0.07  | 50.0+0/-1.5 |
| HHR370AH             | 18670 (L-FAT-A) | 1.2   | 3500     | 18.2+0/-0.07  | 67.0+0/-1.5 |
| HHR380A              | L-A             | 1.2   | 3700     | 17.0+0/-0.07  | 67.0+0/-1.5 |
| HHR450A              | 18670 (L-FAT A) | 1.2   | 4200     | 18.2+0/-0.07  | 67.0+0/-1.5 |
| HHR200SCP            | 4/5SC           | 1.2   | 1900     | 23.0+0/-1.0   | 34.0+0/-1.5 |
| HHR250SCH            | SC              | 1.2   | 2500     | 23.0+0/-1.0   | 43.0+0/-1.5 |
| HHR300SCP            | SC              | 1.2   | 2800     | 23.0+0/-1.0   | 43.0+0/-1.5 |
| HHR650D <sup>3</sup> | D               | 1.2   | 6500     | 33.0+0/-1.0   | 60.8+0/-2.0 |





#### Rechargeable - Bulk

Saft Rechargeable Nickel Metal Hydride VH series batteries are well-adapted for any application where power and long autonomy are required. They offer:

- Constant voltage during discharge •
- High power and high reliability •
- Long cycle life (over 500 charge discharge cycles) •
- Excellent long term storage .



| PART # | SIZE  | VOLTS | CAPACITY | DIAMETER | HEIGHT  |
|--------|-------|-------|----------|----------|---------|
| VH AA  | AA    | 1.2   | 1500 mah | 13.9 mm  | 48.9 mm |
| VH Cs  | Sub C | 1.2   | 3200 mah | 22.0 mm  | 42.4 mm |
| VH D   | D     | 1.2   | 8500 mah | 32.15 mm | 58.2 mm |

## SA

#### Rechargeable - Bulk

Sanyo Twicell Rechargeable Nickel Metal Hydride **batteries** can save twice as much energy as an ordinary CADNICA battery. Sanyo Twicell has developed a strong reputation for high capacity, high performance and high quality.



| ТҮРЕ     | SIZE | VOLTS | CAPACITY | DIAMETER | HEIGHT |
|----------|------|-------|----------|----------|--------|
| HR-AAU   | AA   | 1.2   | 1650     | 0.56"    | 1.99″  |
| HR-AAAUT | AAA  | 1.2   | 760      | 0.41"    | 1.75″  |
| HR-AUX   | А    | 1.2   | 2700     | 0.67"    | 1.97″  |



Varta Nickel Metal Hydride special application batteries are known for their superior performance and reliability. Please call for pricing and availability on all Varta batteries.





3/V150H-SLF

7/8H

Please note: These are only a few types of the Saft, Sanyo and Varta cells available. Please call for pricing and availability on all Nickel Metal Hydride batteries.

### Nickel Metal Hydride Batteries



#### Charger Kits

**Duracell, Empire and Ultralast** Rehcargeable batteries offer an economic alternate to one-time-use disposable batteries. These rechargeable batteries are ideal for modern day, high drain electronics such as digital cameras.

## DURACELL

3 hr. Quick Charger Combo This combo includes a **Nimh/ Nicad** AA/AAA size battery charger with a 4/pack of AA 2050 mah Nimh batteries.



3 hr. Quick Charger Kit This combo includes a travel wall charger and car charger, making it convenient and affordable for the end user.



90 min. Rapid Smart Charger Kit This Rapid Smart Charger Kit includes a **Nimh/Nicad** AA/AAA battery charger with 4 AA 2300mah Nimh batteries and a *DC car adapter* for convenient on-the-go charging.







### Rechargeable Batteries - Carded

**Duracell, Empire and Ultralast** offer Rechargeable Nickel Metal Hydride batteries. These batteries are ideal for use in high drain electronics. Please call for current pricing and availability on all rechargeable batteries and chargers.








## **Custom Battery Packs**

<u>We specialize in battery pack assembly</u>. Our state of the art spot welding equipment enables us to assemble battery packs using almost any type of battery. Nickel Metal Hydride battery packs are a rechargeable source of power for a large variety of applications. Please contact us for a quotation on all of your battery pack needs. Our quality and pricing is sure to impress you.





## **Sealed Lead Acid Batteries**

## **Panasonic**<sup>®</sup>

**Panasonic Sealed Lead Acid Rechargeable** batteries are designed to provide outstanding performance in withstanding overcharge, overdischarge, and resisting vibration and shock. Compact, these batteries save installation space, while providing full and reliable power. The use of special sealing epoxies, tongue and groove case and cover construction, and long-sealing paths for posts and connectors, assures that the Valve Regulated Lead Acid battery will offer exceptional leak resistance, and allows them to be used in any position.



| PART #        | VOLTS | САРАСІТҮ | LENGTH<br>mm (in) | WIDTH<br>mm (in) | HEIGHT<br>mm (in) | WEIGHT               |
|---------------|-------|----------|-------------------|------------------|-------------------|----------------------|
| LC-R061R3PU   | 6     | 1.3      | 97 mm / 3.819″    | 24 mm / 0.945″   | 50 mm / 1.969″    | 0.3 kg / 0.66 lbs.   |
| LC-R063R4P    | 6     | 3.4      | 134 mm / 5.28″    | 34.0 mm / 1.34″  | 59.9 mm / 2.36)"  | 0.62 kg/ 1.37 lbs.   |
| LC-R064R2P    | 6     | 4.2      | 70.1 mm / 2.76″   | 48.0 mm / 1.89″  | 107 mm / 4.02"    | 0.78 kg / 1.72 lbs.  |
| LC-R067R2P    | 6     | 7.2      | 151 mm / 5.95″    | 34.0 mm / 1.34″  | 93.4 mm / 3.70″   | 1.26 kg / 2.78 lbs.  |
| LC-P067R2P    | 6     | 7.2      | 151 mm / 5.95″    | 34.0 mm / 1.34″  | 93.9 mm / 3.70″   | 1.30 kg / 2.87 lbs.  |
| LC-P0612P     | 6     | 12.0     | 151 mm / 5.95″    | 50.0 mm / 1.97″  | 93.9 mm / 3.70″   | 2.0 kg / 4.41 lbs.   |
| LC-R0612P     | 6     | 12.0     | 151 mm / 5.95″    | 50.0 mm / 1.97″  | 93.9 mm / 3.70″   | 1.95 kg / 4.30 lbs.  |
| LC-R121R3PU   | 12    | 1.3      | 97 mm / 3.819″    | 47.5 mm / 1.87″  | 50 mm / 1.969″    | 0.59 kg / 1.3 lbs.   |
| LC-R122R2P    | 12    | 2.2      | 177 mm / 6.97"    | 34.0 mm / 1.34″  | 59.9 mm / 2.36″   | 0.80 kg / 1.76 lbs.  |
| LC-R123R4P    | 12    | 3.4      | 134 mm / 5.28″    | 67.0 mm / 2.64″  | 59.9 mm / 2.36″   | 1.20 kg / 2.65 lbs.  |
| LC-R127R2P    | 12    | 7.2      | 151 mm / 5.95″    | 64.5 mm / 2.54″  | 93.9 mm / 3.70″   | 2.48 kg / 5.45 lbs.  |
| LC-P127R2P    | 12    | 7.2      | 151 mm / 5.95″    | 64.5 mm / 2.54″  | 93.9 mm / 3.70″   | 2.50 kg / 5.51 lbs.  |
| LC-RA1212P    | 12    | 12.0     | 151 mm / 5.95″    | 98.0 mm / 3.86″  | 93.9 mm / 3.70″   | 3.79 kg / 8.36 lbs.  |
| LC-RD1217P    | 12    | 17.0     | 181 mm / 7.13″    | 75.9 mm / 2.99″  | 167 mm / 6.57″    | 5.35 kg / 14.34 lbs. |
| LC-X1220P     | 12    | 20.0     | 181 mm / 7.13″    | 75.9 mm / 2.99″  | 167 mm / 6.57″    | 6.6 kg / 14.56 lbs.  |
| LC-XB1228P    | 12    | 28.0     | 165 mm / 6.50″    | 125.0 mm / 4.92″ | 175.3 mm / 6.90″  | 110 kg / 24.34 lbs.  |
| LC-XC1228P/AP | 12    | 28.0     | 165 mm / 6.50″    | 124.5 mm / 4.90″ | 175.3 mm / 6.90″  | 11.0 kg / 24.34 lbs. |
| LC-LA1233P    | 12    | 33.0     | 196 mm / 7.70″    | 130 mm / 5.12″   | 155 mm / 6.10″    | 12.0 kg / 26.50 lbs. |

<u>Please Note:</u> These are only some of the Panasonic Sealed Lead Acid batteries offered. Please call for pricing and availability on all Sealed Lead Acid batteries

### **Sealed Lead Acid Batteries**





**Ritar Sealed Lead Acid** batteries offer an affordable power source for many of your rechargeable battery requirements. With the combination of AGM and Mulriple Gel in all their batteries, they have proven to be a long lasting power solution. As well, Ritar batteries are beneficial to environmental protection, as all their batteries use recycled tin and lead in their plates and are free of the dangerous toxin, Cadmium.

| PART #       | VOLTS | САРАСІТҮ | LENGTH (in) | WIDTH (in) | HEIGHT (in) | WEIGHT     |
|--------------|-------|----------|-------------|------------|-------------|------------|
| RT613-F1     | 6     | 1.3      | 3.82″       | 0.98″      | 2.05″       | 0.7 lbs.   |
| RT650-F1     | 6     | 5.0      | 2.76″       | 1.89″      | 4.02″       | 2.0 lbs.   |
| RT680-F1     | 6     | 8.0      | 5.95        | 1.34″      | 3.70″       | 3.0 lbs.   |
| RT6120-F1    | 6     | 12.0     | 5.95″       | 2.00″      | 3.70″       | 4.6 lbs.   |
| RT1250-F1    | 12    | 5.0      | 3.54″       | 2.76″      | 3.98″       | 4.2 lbs.   |
| RT1272-F1/F2 | 12    | 7.2      | 5.95″       | 2.56″      | 3.74″       | 6.2 lbs.   |
| WP12-12      | 12    | 12.0     | 5.98″       | 3.90″      | 3.74″       | 9.4 lbs.   |
| RT12200-F3   | 12    | 20.0     | 7.13″       | 2.99″      | 6.57″       | 13.0 lbs.  |
| RT12260-F3   | 12    | 26.0     | 6.54″       | 6.89″      | 4.92″       | 18.0 lbs.  |
| RA12-33      | 12    | 33.0     | 7.68″       | 5.12″      | 6.26″       | 22.5 lbs.  |
| RA12-40      | 12    | 40.0     | 7.79″       | 6.54″      | 6.73″       | 31.1 lbs.  |
| RA12-55      | 12    | 55.0     | 9.02″       | 5.43″      | 9.25″       | 39.6 lbs.  |
| RA12-70S     | 12    | 70.0     | 10.0″       | 6.70″      | 8.60″       | 57.0 lbs.  |
| RA12-100     | 12    | 100.0    | 12.90″      | 6.77″      | 9.53″       | 72.7 lbs.  |
| RA12-120     | 12    | 120.0    | 20.55″      | 9.45″      | 8.66″       | 135.1 lbs. |

<u>Please Note:</u> These are only some of the Enerwatt Sealed Lead Acid batteries offered. Please call for pricing and availability on all Sealed Lead Acid batteries

#### **Camcorder Batteries**

**Sealed Lead Acid Camcorder** batteries are offered in a variety of sizes to meet your camcorder requirements. Please call for pricing and availability on all camcorder batteries.



## **Sealed Lead Acid Batteries**





#### **Cylindrical Cells**

Hawker Energy Cyclon Rechargeable Sealed Lead Acid cylindrical batteries offer outstanding performance and reliability. Please call for pricing and availability on all Hawker batteries.

| PART #    | SIZE     | VOLTS | CAPACITY |
|-----------|----------|-------|----------|
| 0800-0004 | "X" cell | 2     | 5 Ah     |
| 0810-0004 | D cell   | 2     | 2.5 Ah   |



#### Monoblocks (Exit Sign Lighting)

Hawker Energy Sealed Lead Acid Monoblocks are most commonly used in exit lighting applications. Please call for pricing and availability on all of your Monoblock requirements.

| PART #    | ТҮРЕ      | VOLTS | CAPACITY |
|-----------|-----------|-------|----------|
| 0809-0010 | MONOBLOCK | 4     | 5 Ah     |
| 0809-0012 | MONOBLOCK | 6     | 5 Ah     |
| 0819-0010 | MONOBLOCK | 4     | 2.5 Ah   |
| 0819-0012 | MONOBLOCK | 6     | 2.5 Ah   |



0809-0012



0819-0012

<u>Please Note:</u> These are only some of the Hawker Sealed Lead Acid cylindrical cells and monoblocks offered. Please call for pricing and availability for all of your Sealed Lead Acid battery requirements.



## **Custom Battery Packs**

<u>We specialize in battery pack assembly</u>. Our state of the art spot welding equipment enables us to assemble battery packs using almost any type of battery. Sealed Lead Acid battery packs are a rechargeable source of power for a large variety of applications. Please contact us for a quotation on all of your battery pack needs. Our quality and pricing is sure to impress you.





## **Panasonic**<sup>®</sup>

### Uninterruptible Power Supply Battery Back-Up Kits

These RBC Kits are assembled on site using Panasonic brand Sealed Lead Acid batteries. Please note that all APC models are not listed here, so please call for more information. Please call for pricing and availability on all RBC Kits.

| RBC # | PICTURE | KIT<br>DETAILS      | FITS APC MODELS  |
|-------|---------|---------------------|--|
| RBC 1 |         | 12 Volts<br>4.2 Amp | BK200, BK200B  |
| RBC 2 |         | 12 Volts<br>7.2 Amp | BK250B, BK300C, BK350, BK400, BK400B, BK500, BK500MC,<br>BP280, BP280BPNP, BP280C, BP280PNP, BP280S, BP350UC,<br>BP420, BP420C, BP420PNP, BP420S, BP500CLR, BP500UC,<br>CP15U48D, CP36U52, PCPER, PCPRO, SP500DR, SU420NET,<br>SUV420, |
| RBC 3 |         | 12 Volts<br>12 Amp  | BK450, BK600, BK600C, PCNET  |
| RBC 4 |         | 12 Volt s<br>12 Amp | BK600MC, BK650M, BK650MC, BK650MUS, BP650PNP,<br>BP650S, BP650SC, BP650SUS, SU620NET, SUV620   |
| RBC 5 |         | 24 Volts<br>7.2 Amp | SU450, SU450NET, SU700, SU700NET   |
| RBC 6 |         | 24 Volts<br>12 Amp  | BP1000, SU1000, SU1000NET, SU1000RM, SUA1000,<br>SUVS1000  |



## **Panasonic**<sup>®</sup>

### Uninterruptible Power Supply Battery Back-Up Kits

These RBC Kits are assembled on site using Panasonic brand Sealed Lead Acid batteries. Please note that all APC models are not listed here, so please call for more information. Please call for pricing and availability on all RBC Kits.

| RBC #  | PICTURE | KIT<br>DETAILS      | FITS APC MODELS   |
|--------|---------|---------------------|---|
| RBC 7  |         | 24 Volts<br>17 Amp  | BP1400, RG1000EL120, RG1000EL277, SU1000XL,<br>SU1000XLNET, SU1400, SU1400NET, SU700XL, SU700XLNET,<br>SUVS1400   |
| RBC 8  |         | 48 Volts<br>7.2 Amp | SU1000RMNET, SU1400RM, SU1400RMNET  |
| RBC 9  |         | 24 Volts<br>7.2 Amp | SU700RM, RM700RMNET   |
| RBC 10 |         | 12 Volts<br>4.2 Amp | BF250, BF280, BF350, BF350U   |
| RBC 11 |         | 24 Volts<br>17 Amp  | SU1400RMXLT, SU1400RMXLTNET, SU1400XLT, SUXLTNET,<br>SU2200, SU2200NET, SU2200RM, SU2200RMNET,<br>SU2200RMXLT, SU2200RMXLTNET, SU2200XL, SU2200XLNET,<br>SU2200XLT, SU2200XLTNET, SU3000, SU3000NET,<br>SU3000RM, SU3000RMNET, SU3000T, SU3000TNET, SUA1500 |



## **Panasonic**<sup>®</sup>

### Uninterruptible Power Supply Battery Back-Up Kits

These RBC Kits are assembled on site using Panasonic brand Sealed Lead Acid batteries. Please note that all APC models are not listed here, so please call for more information. Please call for pricing and availability on all RBC Kits.

| RBC #  | PICTURE                              | KIT<br>DETAILS      | FITS APC MODELS                                  |
|--------|--------------------------------------|---------------------|--|
| RBC 12 |                                      | 48 Volts<br>7.2 Amp | SU2200RM3U, SU2200RMT3U, SU3000RM3U, SU3000RMT3U |
| RBC 21 |                                      | 12 Volts<br>5.5 Amp | BF500  |
| RBC 22 | Casing & connectors<br>not included. | 24 Volts<br>7.2 Amp | SU700RM2U  |
| RBC 23 | Casing & connectors<br>not included. | 48 Volts<br>7.2 Amp | SU1000RM2U                                       |
| RBC 24 | Casing & connectors<br>not included. | 48 Volts<br>7.2 Amp | SU1400RMJ2U                                      |



#### **Silver Oxide Batteries**

## SONY

SR43SW - 301 SR44SW - 303 SR716W - 314 SR716SW - 315 SR516SW - 317 SR527SW - 319 SR616SW - 321

SR731SW - 329 SR512SW - 335

SR416SW - 337

SR614SW - 339

SR714SW - 341

SR712SW - 346

SR421SW - 348

SR44W - 357

SR721W - 361

SR721SW - 362

SR621SW - 364

SR1116W - 365

SR1116SW - 366

### Coin Cells - Carded

**Sony Silver Oxide coin cells** are most commonly used in watches, calculators, small electronics, toys, lasers and medical devices.

1.55

1.55

1.55

1.55

1.55

1.55

1.55

1.55

1.55

1.55

1.55

1.55 1.55



| VOLTS | PKG. QTY.                |
|-------|--------------------------|
| 1.55  | 1/card, 5/strip, 100/box |
|       |                          |

1/card, 5/strip, 100/box

1/card, 5/strip, 100/box

1/card, 5/strip, 100/box 1/card, 5/strip, 100/box

1/card, 5/strip, 100/box

1/card, 5/strip, 100/box 1/card, 5/strip, 100/box

1/card, 5/strip, 100/box 1/card, 5/strip, 100/box

1/card, 5/strip, 100/box

1/card, 5/strip, 100/box 1/card, 5/strip, 100/box

1/card, 5/strip, 100/box

| SIZE           | VOLTS | PKG. QTY.                |
|----------------|-------|--------------------------|
| SR920W - 370   | 1.55  | 1/card, 5/strip, 100/box |
| SR920SW - 371  | 1.55  | 1/card, 5/strip, 100/box |
| SR916SW - 373  | 1.55  | 1/card, 5/strip, 100/box |
| SR626W - 376   | 1.55  | 1/card, 5/strip, 100/box |
| SR626SW - 377  | 1.55  | 1/card, 5/strip, 100/box |
| SR521SW - 379  | 1.55  | 1/card, 5/strip, 100/box |
| SR1120SW - 381 | 1.55  | 1/card, 5/strip, 100/box |
| SR41SW - 384   | 1.55  | 1/card, 5/strip, 100/box |
| SR43W - 386    | 1.55  | 1/card, 5/strip, 100/box |
| SR1130W - 389  | 1.55  | 1/card, 5/strip, 100/box |
| SR1130SW - 390 | 1.55  | 1/card, 5/strip, 100/box |
| SR1120W - 391  | 1.55  | 1/card, 5/strip, 100/box |
| SR41W - 392    | 1.55  | 1/card, 5/strip, 100/box |
| SR48W - 393    | 1.55  | 1/card, 5/strip, 100/box |
| SR936SW - 394  | 1.55  | 1/card, 5/strip, 100/box |
| SR927SW - 395  | 1.55  | 1/card, 5/strip, 100/box |
| SR726W - 396   | 1.55  | 1/card, 5/strip, 100/box |
| SR726SW - 397  | 1.55  | 1/card, 5/strip, 100/box |
| SR927W - 399   | 1.55  | 1/card, 5/strip, 100/box |

<u>Please Note:</u> The Minimum Order Quantity for the coin cells listed above is 1 card. Please call for pricing and availability on all coin cells.

AZZ BATTERIES PLUS

Zinc Air Batteries



#### Hearing Aid Batteries

**Panasonic Hearing Aid Batteries** are extremely reliable and have the best anti -leakage design in the market today.

| PART # | TYPE     | VOLTS | PACKAGE QTY.         | *MOQ   |
|--------|----------|-------|----------------------|--------|
| PR13H  | Zinc Air | 1.4   | 6/pack, 10 packs/box | 1 pack |
| PR230H | Zinc Air | 1.4   | 6/pack, 10 packs/box | 1 pack |
| PR312H | Zinc Air | 1.4   | 6/pack, 10 packs/box | 1 pack |
| PR675H | Zinc Air | 1.4   | 6/pack, 10 pack/box  | 1 pack |







#### Hearing Aid Batteries

**Renata Hearing Aid batteries** are super long lasting and will give any brand a run for its money. These batteries offer reliability at a great price.

| PART # | ΤΥΡΕ     | VOLTS | PACKAGE QTY                 | *MOQ   |
|--------|----------|-------|-----------------------------|--------|
| ZA10   | Zinc Air | 1.4   | 6/card (dial), 10 cards/box | 1 card |
| ZA13   | Zinc Air | 1.4   | 6/card (dial), 10 cards/box | 1 card |
| ZA312  | Zinc Air | 1.4   | 6/card (dial), 10 cards/box | 1 card |
| ZA675  | Zinc Air | 1.4   | 6/card (dial), 10 cards/box | 1 card |





## **CNC + PLC Replacement Batteries - Page 2**

| PART #  | DETAILS             | IMAGE          | PART #   | DETAILS             | IMAGE                          |
|---|---------------------|----------------|--|---------------------|--------------------------------|
| B9631T<br>(1745-B1)<br>"2/3 A"<br>1.40"x0.68"<br><u>BTL-B9631T</u>                    | 3V, 1200MAH         | ſ              | 14500BA-057<br>"AA"<br>2.00"x0.58<br><u>BTX-1131</u>                                       | 3.6V,2250MAH        |                                |
| B9670MC<br>(ER17330V)<br>W/3PIN<br>CONNECTOR<br><u>BTX-B9670MC</u>                    | 3.6V                |                | 17335SE-C<br>"2/3 A"<br><u>BTX-1145S</u><br>Sanyo cells                                    | <b>3</b> V, 1800MAH | <b>P</b>                       |
| B9670MC<br>(ER17330V)<br>W/2PIN<br>CONNECTOR<br>BTX-B9670MC-2P                        | 3.6V                |                | 2/3A-C<br>"2/3 A"<br><u>BTX-1145P</u><br>Panasonic cells                                   | <b>3</b> V, 1200MAH |                                |
| BR-CCF2TE<br>1x2 "C"<br>w/thermal cut off<br>1.98"x1.04"x2.08"<br><u>BTX-1120T</u>    | 6V, 5000MAH         |                | B9670AB<br>17335SE-C1<br>"2/3 A"<br><u>BTX-1146S-</u> Sanyo<br><u>BTX-1146P-</u> Panasonic | 3V, 1800MAH         |                                |
| BR-CCF2TH<br>1x2 "C"<br>w/thermal cut off<br>1.98"x1.04"x2.08"<br><u>BTX-1120T</u>    | <b>6</b> V, 5000MAH | Budgetter      | 17335SE-F2C<br>1X2 "2/3 A"<br>1.38"x0.68"x1.36"<br><u>BTX-1147S</u><br>Sanyo cells         | <b>6</b> V, 1800MAH | C autro                        |
| 17450ER-CX<br>"A" w/resister<br><u>BTX-1121S-Sanyo</u><br><u>BTX-1121P-</u> Panasonic | <b>3</b> V, 2200MAH | o generativo e | 2/3A-F2C<br>1X2 "2/3 A"<br>1.38"x0.68"x1.36"<br><u>BTX-1147P</u><br>Panasonic cells        | 6V, 1200MAH         |                                |
| 17450ER-F2C<br>1X2 "A"<br><u>BTX-11228-</u> Sanyo<br><u>BTX-1122P-</u> Panasonic      | <b>6</b> V, 2200MAH |                | 1770-XYC<br>BRA-C<br>"A"<br><u>BTX-1148</u>  | 3V, 1800MAH         | P                              |
| 14250BA-CNC<br>"1/2 AA"<br>2.00"x0.58"<br><u>BTX-1124</u>                             | 3.6V,1100MAH        |                | BR-AGCF2P<br>1X2 "A"<br>1.82"x0.68"x1.36"<br><u>BTX-1149</u>                               | <b>6</b> V, 1800MAH |                                |
| B9650T<br>14250SE-C<br>"1/2 AA"<br><u>BTX-1126</u>                                    | 3V, 850MAH          | autres.        | BR-ACF2P<br>1X2 "A"<br>1.82"x0.68"x1.36"<br><u>BTX-1149</u>                                | <b>6</b> V, 1800MAH |                                |
| 14500BA-CNC<br>"AA"<br>2.00"x0.58<br><u>BTX-1127</u>                                  | 3.6V,2250MAH        |                | BR-CCF1TH<br>"C"<br>1.98"x1.04"<br><u>BTX-1150</u>   | <b>3</b> V, 5000MAH | Pracet<br>Lichiur<br>Brc<br>Sy |