

United States Department of Agriculture


**Forest Service** 

Forest Products Laboratory

Resource Bulletin FPL 7

1979

Hardboard and Insulation Board Plants in the United States— Capacity, Production, and Raw Material Requirements, 1955-1978



Distribution Unlimited

**5** 0

2 19 053

# **Abstract**

This report provides estimates of plant capacities for hardboard and insulation board plants in the United States in 1978. The location, type, and estimated capacity of each plant is enumerated. Industry capacity and production for 1955, 1960, 1965, 1970, 1976, and 1978 are compared. Imports and exports from 1955 and raw material requirements in 1976 are also reported.

# **Definitions of Terms**

## Structural Insulating Board

A generic term for a homogeneous panel made from lignocellulosic fibers (usually wood or cane) characterized by an integral bond produced by interfeiting of the fibers, to which other materials may have been added during manufacture to improve certain properties, but which has not been consolidated under heat and pressure as a separate stage in manufacture, said board having a density of less than 31 lb 'ft<sup>1</sup> (specific gravity 0.50) but having a density of more than 10 lb 'ft<sup>1</sup> (specific gravity 0.16).

### Hardboard

A generic term for a panel manufactured primarily from interfeited lignocellulosic fibers (usually wood), consolidated under heat and pressure in a hot-press to density of 31 lb/ft<sup>3</sup> (specific gravity 0.50) or greater, and to which other materials may have been added during manufacture to improve certain properties.

From the American Society for Testing and Materials.


# Highlights and Expectations

## Hardboard Industry

- In 1978, the 28 hardboard plants in the United States had a combined annual capacity of 7 9 billion square feet (%-inch basis), over 4 times the 1955 capacity
- Since 1955, the number of hardboard plants has more than doubled.
- Hardboard production has averaged approximately 80 percent of capacity since 1955.
- Imports of hardboard are expected to return to the strong position experienced throughout the 1960's and early 1970's. Exports of hardboard have traditionally been of little importance and are not expected to change.
- No dramatic changes are expected in the hardboard industry in the near future. Moderate increases in capacity and production following historical trends are expected.

### Insulation Board Industry

- Insulation board capacity has changed very little since 1955, standing at an estimated 4.5 billion square feet (½-inch basis) in 1978, an increase of 50 percent.
- The number of fiber-based insulation board plants since 1955 has increased by only 4 to 24 in
- Insulation board production has averaged approximately 85 percent of capacity since 1955.
- Imports and exports of insulation board have traditionally been of little importance and are not expected to change.
- Competition from the new styrofoam sheathing boards are resulting in a decrease in demand for insulation board sheathing, which represents some 65 percent of the industry's output. This could be especially harmful to the industry if building codes are altered to favor these newer, better insulating styrofoam boards.



Forest Products Laboratory,'
Forest Service
U.S. Department of Agriculture

Hardboard and Insulation Board Plants in the United States— Capacity, Production, and Raw Material Requirements, 1955-1978

HFSRB-FPL-7

(I) 2979 /

DAVID B. MCKEEVER) Research Forester

9) FORest Service Resource bulletins

# Introduction

Hardboard and structural insulating board are the generic terms applied to the two types of fibrous-felted boards currently classified by the American Society for Testing and Materials (ASTM) (3). The definitions of hardboard and insulation board (3.4) are given on the inside front cover of this report.

This report provides estimates of hardboard and insulation board plant capacities for 1978 as well as industry capacity and production for the years 1955, 1960, 1965, 1970, 1976, and 1978. Imports and exports of hardboard and insulation board, as well as raw material requirements, are also discussed.

Capacity is defined here as the square foot quantity of hardboard

(1/a-inch basis) or insulation board (1/a-inch basis) that can be produced under normal operating conditions with continuous shifts 24 hours a day during a production year of approximately 350 days per year.

# **Hardboard Industry**

In 1972, the latest year for which detailed hardboard product data is available, approximately 65 percent of the hardboard produced in the United States was used for prefinished paneling—including siding and wall panels (table 1). One third of this was processed by secondary manufacturers who purchased unfinished panel stock. Nearly 25 percent of the hardboard

'Maintained at Madison, Wis., in cooperation with the University of Wisconsin

\*Underlined numbers in parentheses refer to literature cited at the end of this report

produced was used for dimension stock and parts, including cut-to-size and molded products, 8 percent went into other fabricated products and 2 percent was used as perforated board.

# **Plant Capacity and Production Trends**

In 1978 there were 28 active hardboard plants in the United States (tables 2 and 3, fig. 1). This includes seven establishments that produced both hardboard and insulation board. The 28 hardboard plants had a combined annual capacity of 7.9 billion square feet (1/a-inch basis) and averaged 285 million square feet of capacity per plant. The average capacity of 285 million square feet is somewhat deceiving because one plant, the Masonite Corporation plant in Laurel, Mississippi, had an estimated 1978 capacity of nearly 2 billion square feet, or 23 percent of the total hardboard industry capacity (table 4). When the Laurel, Miss., plant is excluded from the industry totals, average hardboard plant capacity decreases to 227 million square feet (1/4-inch basis) per year.

The total number of plants producing hardboard in the United States increased from 13 plants in 1955 to 28 plants in 1978 (table 2, fig. 1). Hardboard capacity increased fourfold during the same period of time, from 1.9 billion square feet (%-inch basis) in 1955 to 7.9 billion in 1978 (fig. 2). This represents a 6.4 percent per year average increase. Average plant size nearly doubled during the 23 year period.

Production of hardboard has been traditionally below capacity, except for brief periods of strong demand (fig. 3). In 1978, total hardboard production in




Figure 1 —Number of hardboard and insulation board plants in the United States, 1955-1978 (M.148 145)

the United States was estimated to be 7.2 billion square feet (\*a-inch basis), 90 percent of industry capacity (table 5) Over the 23-year period, 1955 through 1978, hardboard production averaged 82 percent of capacity. The growth in production over this period averaged 7.2 percent per year, slightly higher than the 6.4 percent average annual growth in capacity. Production of hardboard in million square feet and tons per year is shown in table 6

Individual plant locations and capacities are shown in table 4 and the map at the end of the report.

### **Regional Capacity**

The South has traditionally led all regions in hardboard capacity, both




Figure 2 — Cumulative hardboard capacity in the United States, by region, 1955-1978 (M148 146




Figure 3 —Annual capacity and annual production of hardboard in the United States, 1955-1978. (M 146 147)

total capacity and average per-plant capacity (tables 2 and 3, fig. 2). This can be attributed mainly to the Masonite Corporation plant in Laurel, Miss. In 1978, the South had a capacity of nearly 4.0 billion square feet (1/4-inch basis). followed by the North at 2.2 billion square feet and the West at 1.8 billion square feet. The West has, throughout the years, had more but much smaller plants than any other region (fig. 4). The North currently has fewer plants than any other region. In terms of growth in capacity, the North led all regions from 1955 through 1978, increasing capacity at an average rate of 7.7 percent per




Figure 4.—Number of hardboard plants in the United States, by region, 1955-1978

year, 1.3 percent faster than the national average. The South increased capacity at an average rate of 6.8 percent per year, while the West increased capacity at only 4.6 percent per year, 1.8 percent below the national average.

### **Projected Annual Capacity**

Projections of annual hardboard and insulation board capacity made by the American Paper Institute (2) based on announced alterations to plants and equipment show little change through 1980. Hardboard capacity increases of 31 thousand tons, or approximately 90 thousand square feet (12-in. basis), between 1978 and 1980 are expected This represents only a 0.5 percent per year increase.

# Imports and Exports

Imported hardboard has historically contributed significantly to total United States consumption. In 1955, 55 thousand tons (10 percent of domestic production) of hardboard was imported (table 7). Overall, the volume of hardboard steadily increased throughout the 1960's and into the 1970's, peaking at nearly 370 thousand tons in 1972 and 1973, just under 20 percent of domestic production. During the recession years of 1974-1975, the volume of imports dropped dramatically. In 1975 only 95 thousand tons were imported, just 5 percent of

domestic production. In 1978, imports are expected to reach 250 thousand tons, 10 percent of production.

The exportation of hardboard has never been very great. In 1955, 6 thousand tons, 1 percent of domestic production, was shipped to foreign markets (table 7). In 1978 an estimated 55 thousand tons or 2 percent of domestic production was exported.

# **Insulation Board Industry**

The major use for insulation board in 1976 was for exterior products, including sheathing, shingle backer, and root decking. Fifty-three percent of all production went into these products (table 1). Interior products such as building board, wall board, sound-deadening board, and acoustical and nonacoustical tiles accounted for 34 percent of production and 13 percent of total production went for other industrial uses.

### **Plant Capacity and Production Trends**

In 1978 there were 24 active fiber-based insulation board plants in the United States (tables 2 and 3, fig. 1). This includes seven establishments capable of producing both hardboard and insulation board. The fiber-based insulation board industry in 1978 had a total annual capacity of 4.5 billion square feet (12-inch basis) and averaged 186 million square feet of capacity per plant.




Figure 5 — Cumulative insulation board capacity in the United States, by region, 1955-1978 (M.148.149




Figure 6 —Annual capacity and annual production of insulation board in the United States, 1955-1978. (M 148 150)

The insulation board industry, unlike the hardboard industry, has changed very little since 1955 when there were 20 active fiber-based plants having a total annual capacity of 3.0 billion square feet (1/2-inch basis) (table 2, figs. 1 and 5). By 1978, the number of plants had increased by only 4 to 24 and capacity increased by 50 percent to 4.5 billion square feet (1/2-inch basis). This capacity change represents only a 1.7 percent per year increase. Capacity growth during the 1960's was virtually stagnant, increasing only 0.71 percent per year for the decade. Average plant size increased by 35 million square feet




Figure 7 —Number of insulation board plants in the United States, by region, 1978.

to 186 million square feet (12-inch basis) in 1978

Production of insulation board, like that of hardboard, has been traditionally below capacity except for brief periods of strong demand (fig. 6). In 1978, insulation board production of 3.3 billion square feet (1/2-inch basis) is expected, which represents 74 percent of industry capacity (table 5). In 1955, a strong demand for insulation board resulted in a 98 percent utilization of industry capacity. The industry reacted to this strong demand by increasing capacity 20 percent during the next 5 years only to find a weakened demand and a 79 percent utilization of capacity in 1960. Over the 23-year period, 1955 through 1978, the insulation board industry operated at an average 83 percent of capacity. Growth in production averaged only 0.5 percent per year over the 23 years. Production of insulation board in million square feet and tons per year is shown in table 6.

Individual plant locations and capacities are shown in table 4 and the map at the end of the report.

# Regional Capacity

in 1978, over half of the Nation's insulation board capacity was located in the South. The 11 plants in the South had a combined capacity of just over 2.4 billion square feet per year (½-inch basis) (table 2 and 3, fig. 5). The North, with 10 plants, had a combined capacity

of just over 1.6 billion square feet (fig. 7). The West had only 3 insulation board plants in 1978 with a total capacity of only 350 million square feet per year

(½-inch basis). Since 1955, the South has led all regions in insulation board capacity, with the North being second and the West a distant third.

## **Projected Annual Capacity**

Based on projections from the American Paper Institute (2), insulation board capacity is expected to increase by only 1,000 tons by 1980. This projected increase in capacity may not be realized due to increasing competition from foamed plastic sheathing boards. Sheathing represents approximately 65 percent of the insulation board industry's output and any major shift away from fiber-based sheathing will have dramatic adverse effects in the industry. A decrease in capacity would not be entirely unexpected.

## **Imports and Exports**

Imports and exports of insulation board have been relatively small and not very important over the past 23 years. Imports rose from 9 thousand tons in 1955 and held fairly constant at approximately 35 thousand tons in the late 1960's and early 1970's (table 7). As with hardboard, imports of insulation board dropped off dramatically in the

past few years. Exports of insulation board have remained fairly constant ranging from a low of 14 to a high of 40 thousand tons in 1974.

# Hardboard and Insulation Board Raw Material Requirements

Woodpulp (from logs, bolts, and mill wastes) constitutes approximately 80 to 85 percent of the fibrous materials consumed in the production of hardboard and insulation board. The remaining 15 to 20 percent of fibrous materials (used primarily in insulation board production) are derived from wastepaper, bagasse, rag, straw, and other materials. The combined hardboard and insulation board production of 3.6 million tons in 1976 therefore required approximately 3 million tons of wastepaper and other fibrous materials.

Based on data from the 1976 edition of Lockwood's Directory of the Paper and Allied Trades (14), nearly 75 percent of the reported volumes of woodpulp produced for manufacture into hardboard and insulation board were from the defibrated / exploded pulping process (table 8). In 1963, only 56 percent of the woodpulp consumed was from this process (15). Groundwood woodpulp accounted for 21 percent and semichemical woodpulp for 4 percent of the reported woodpulp consumption in 1976. The pulpwood equivalent of the woodpulp consumed amounted to nearly 2.6 million cords or 0.86 cords per ton of hardboard or insulation board produced. The pulpwood consumed in the manufacture of hardboard and insulation board in 1976 was approximately 3.5 percent of the total 75.8 million cords of pulpwood consumed in United States mills during that year (10).

### Literature Cited

- American Hardboard Association.
   1978. Company Plant Capacity Survey, 1978. American Board Products.
   Assoc., Park Ridge, III.
- American Paper Institute, Inc 1977. 1976-1979 Capacity: Paper, paperboard, and woodpulp. API, New York, NY
- American Society for Testing and Materials.
   1973. Standard definitions of terms relating to wood-base fiber and particle panel materials. ASTM Desig. D 1554-67. ASTM, Philadelphia, Pa
- Dickerhoof, H. Edward.
   1975. Insulation board, hardboard, and particleboard industries: past accomplishments, future problems, and opportunities. For Prod. J. 25(4):10-16.
- Forest Industries.
   1976. Directory of panel plants—USA. For. Ind. 103(3):122-133
- Forest Industries.
   1977. Directory of panel plants—USA. For. Ind. 104(3).94-112
- 7. Forest Industries.
  1978. Directory of panel plants—USA. For. Ind 105(3) 106-130
- The Lumberman.
   1958. Lumberman's 1958 directory of board producers. The Lumberman 85(7):88-101.
- McKeever, David B. 1977. Woodpulp mills in the United States in 1974. USDA For. Serv. Res. Rep. FPL-1. For. Prod. Lab., Madison, Wis.
- Phelps, Robert B.
   1977. The demand and price situation for forest products, 1976-1977.
   USDA For. Serv. Misc. Pub. No. 1357. U.S. Dep. Agric., Washington, D.C.
- U.S. Department of Commerce, Bureau of the Census.
   1975. Bureau of the census. 1972 census of manufactures. Wooden Cont. and Misc. Wood Prod. MC72(2)-24C. U.S. Dep. Comm., Bur Census, Washington, D.C.
- U.S. Department of Commerce, Bureau of the Census.
   1977. Bureau of the census. Pulp, paper, and board. Summary for 1976
   Series M26A(76)-13. U.S. Dep. Comm., Bur. Census, Washington, D.C. 19 p.
- U.S. Department of Commerce. 1978. Industry and trade administration. Construction Review. 24(3):50.
   Vance Publishing Corporation.
- 1978. Lockwood's directory of the paper and allied trades. Vance
  Publishing Corp. New York, N.Y.
- Wright, M.G., and R.B. Phelps.
   1967. Particleboard, insulation board, and hardboard industry trends, 1956-66. USDA For. Serv. Res. Pap. WO-5. U.S. Dep. Agric., Washington, D.C.

# **List of Tables**

# Table

- 1. Uses of hardboard and insulation board in the United States, by type.
- Number, total annual and average annual capacity of active hardboard and insulation board plants in the United States, 1955-1978.
- Number, total annual and average annual capacity of active hardboard and insulation board plants in the United States, by region, state and type, 1978.
- Hardboard and insulation board plants in the United States, by location, type of plant and capacity, 1978
- Annual capacity, annual production, and production as a percent of capacity for the hardboard and insulation board industries in the United States, 1955-1978.
- Hardboard and insulation board production in the United States, by year, 1955-1978.
- United States production, imports and exports of hardboard and insulation board, 1955-1978.
- Consumption of woodpulp and pulpwood in the production of hardboard and insulation board in the United States, 1976.

Table 1.—Uses of hardboard and insulation board in the United States, by type

Use	Percent
HARDBOARD (1972)	
Prefinished paneling, including siding and wall panels	65
Dimension stock and parts, including cut to size and molded products	25
Other fabricated products	8
Perforated board Total	100
INSULATION BOARD (1976)	
Exterior products, including sheathing, roof decking, and shingle backer	53
Interior products, including building board, wallboard, sound-dead- ening board, and acoustical and nonacoustical tile	34
Industriał uses	13
Total	100

Source: U.S. Department of Commerce, Bureau of the Census (11,12).

Table 2.—Number, total annual and average annual capacity of active hardboard and insulation board plants in the United States, 1955-1978

	United States			North			South			West		
Year		Annual	capacity	<del></del>	Annual	capacity		Annual	capacity		Annual	capacity
	Plants	All plants	Average plant	Plants	Ali plants	Average plants	Plants	All plants	Average plant	Plants	All plants	Average plant
	No.	Millio	n sq ft	No.	Millio	n sq ft	No.	Millio	n sq ft	No.	Millio	n sq ft
					HARDBOA	RD (1/8-IN.	BASIS)					
1955	13	2,112	163	3	610	203	i	870	870	9	632	70
1960	18	3,017	168	5	955	191	4	1,305	326	9	757	84
1965	21	3,949	188	6	1,260	210	6	1,663	277	9	1,026	114
1970	25	5,355	214	7	1.637	234	9	2,501	278	9	1,217	135
1978	28	8,284	296	7	2,506	358	11	3,997	363	10	1,781	178
				ı	NSULATION	BOARD (1/4-1	N. BASIS)					
1955	120	2.803	148	19	857	107	6	1,441	240	5	505	101
1960	124	3,407	148	'11	1,013	101	9	1,989	221	4	405	101
1965	123	3,547	161	111	1,130	113	9	2,123	236	3	294	98
1976	123	3,673	167	'10	1,165	129	10	2,210	221	3	298	99
1978	<sup>2</sup> 23	3,999	190	110	1,318	146	111	2,451	245	2	230	115

Includes 1 active plant with capacity unknown; excluded from calculation of average plant capacity. Includes 2 active plants with capacity unknown; excluded from calculation of average plant capacity.

Sources: Selected issues of Forest Industries, Lockwood's Directory of the Paper and Allied Trades, and The Lumberman.

# U.S. Forest Products Laboratory.

Hardboard and insulation board plants in the United States - Capacity, production, and raw material requirements, 1955-1978, by David B. McKeever, Madison, Wis., For. Prod. Lab., 1979.
12 p. (USDA For Serv. Res. Bull. FPL 7).

Estimates of plant capacities for hardboard and insulation board plants in the United States in 1978 are provided. The location, type and estimated capacity of each plant is enumerated. Industry capacity and production for specific years are compared. Also reported are imports and exports from 1955 and raw material requirements in 1976.

# U.S. Forest Products Laboratory.

Hardboard and insulation board plants in the United States - Capacity, production, and raw material requirements, 1955-1978, by David B. McKeever, Madison, Wis., For. Prod. Lab., 1979.

12 p. (USDA For Serv. Res. Bull. FPL 7).

Estimates of plant capacities for hardboard and insulation board plants in the United States in 1978 are provided. The location, type and estimated capacity of each plant is enumerated. Industry capacity and production for specific years are compared. Also reported are imports and exports from 1955 and raw material requirements in 1976.

# COM 1-1, 1-3

# U.S. Forest Products Laboratory.

Hardboard and insulation board plants in the United States - Capacity, production, and raw material requirements, 1955-1978, by David B. McKeever, Madison, Wis., For. Prod. Lab., 1979.

12 p. (USDA For Serv. Res. Bull. FPL 7).

Estimates of plant capacities for hardboard and insulation board plants in the United States in 1978 are provided. The location, type and estimated capacity of each plant is enumerated. Industry capacity and production for specific years are compared. Also reported are imports and exports from 1955 and raw material requirements in 1976.

# U.S. Forest Products Laboratory.

Hardboard and insulation board plants in the United States - Capacity, production, and raw material requirements, 1955-1978, by David B. McKeever, Madison, Wis., For. Prod. Lab., 1979.

12 p. (USDA For Serv. Res. Bull. FPL 7).

Estimates of plant capacities for hardboard and insulation board plants in the United States in 1978 are provided. The location, type and estimated capacity of each plant is enumerated. Industry capacity and production for specific years are compared. Also reported are imports and exports from 1955 and raw material requirements in 1976.

Table 3.—Number, total annual and average annual capacity of active hardboard and insulation board plants in the United States, by region, state, and type, 1976

	Hardboard (¾-in. basis)			Insulation board (½in. basis)		
Region and state		Annual capacity			Annual capacity	
	Plants	Ali plants	Average plant	Plants	All plants	Average plant
	No.	Millio	n sq ft	No.	Millio	n sq ft
North	_			_		
lowa	0	0.0	0.0	1	150.0	150.0
Maine	0	.0	.0	1	125.0	125.0
Michigan	1	528.4	528.4	1	155.0	155.0
Minnesota	3	1,182.0	394.0	'2	290.0	290.0
Missouri	0	.0	.0	1	<b>55.0</b>	55.0
New Jersey	0	.0	.0	1	125.0	125.0
New York	0	.0	.0	1	160.0	160.0
Pennsylvania	1	550.0	550.0	l	200.0	200.0
Rhode Island	0	.0	.0	1	58.0	58.0
Wisconsin	2	245.6	122.8	0	.0	.0
Total	7	2,506.0	358.0	19	1,318.0	146.0
South						
Alabama	0	.0	.0	1	188.0	188.0
Arkansas	I	144.0	144.0	0	.0	.0
Florida	0	.0	.0	1	120.0	120.0
Georgia	0	.0	.0	1	570.0	570.0
Louisiana	0	.0	.0	1	470.0	470.0
Mississippi	2	1.940.0	970.0	2	265.0	132.5
North Carolina	2	523.0	261.5	1	140.0	140.0
Oklahoma	1	175.0	175.0	1	218.0	218.0
South Carolina	ī	229.0	229.0	Ō	.0	0.
Tennessee	ī	180.0	180.0	Ö	.0	.0
Texas	ī	266.0	266.0	ì	230.0	230.0
Virginia	2	540.0	270.0	12	250.0	250.0
Total	11	3,997.0	363.4	'11	2,451.0	245.1
Vest						
California	2	705.0	352.5	Q	.0	.0
Oregon	7	1,026.1	146.6	2	230.0	115.0
Washington	1	50.0	50.0	0	.0	.0
Total	10	1,781.1	178.1	2	230.0	115.0
United States	28	8,284.1	295.9	²23	3,999.0	190.4

Includes 1 active plant with capacity unknown; excluded from calculation of average plant capacity. Includes 2 active plants with capacity unknown; excluded from calculation of average plant capacity.

Table 4.—Hardboard and insulation board plants in the United States, by location, type of plant, and capacity, 1978

			Annual	capacity
Plant No.'	Plant name	Plant location	Hardboard (¼-in. basis)	Insulatio board (½-in. basis)
orth	<del></del>		Millio	n sq ft
	lowa:			
1	Celotex Corp.	Dubuque	-	²150.0
2	Maine: U.S. Gypsum Co.	Lisbon Falls	-	²125.0
	Michigan:			
3	Abitibi Corp.	Alpena	528.4	-
4	Celotex Corp.	L'Anse	-	155.0
	Minnesota:			
5	Boise Cascade Corp.	International Falls	³690.0	3.0
6	Conwed Corp.	Cloquet	_	²2 <b>9</b> 0.0
7	Superwood Corp.	Bemidji	96.0	-
8	Superwood Corp.	Duluth	396.0	-
9	Missouri: Huebert Fiberboard Inc.	Boonville	_	55.0
	New Jersey:			
10	Homasote Co.	Trenton	-	125.0
11	New York: Upson Co.	Lockport	-	4.5160.0
	Pennsylvania:			
12	Celotex Corp.	Sunbury		200.0
13	Masonite Corp.	Towanda	550.0	-
14	Rhode Island: Bird & Son	Phillipsdale	_	4.558.0
	Wisconsin:	,		
15	Boise Cascade Corp.	Phillips	77.6	
16	Superior Fiber Products Inc.	Superior	168.0	_
••	Total, North	ouperior	2,506.0	1,318.0
uth				
	Alabama:			
17	National Gypsum Co.	Mobile	-	188.0
18	Arkansas: Superwood Corp.	N. Little Rock	144.0	_
19	Florida: Abitibi Corp.	Błountstown	-	²120.0
20	Georgia: Armstrong Cork Co.	Масоп		*570.0
	Louisiana:		-	
21	Celotex Corp.	Marrero	_	²470.0
	Mississippi:			
22	Flintkote Co.	Meridan		220.0
23	Masonite Corp.	Laurel	1,850.0	-
24	U.S. Gypsum Co.	Greenville	90.0	45.0

Table 4.—Hardboard and insulation board plants in the United States, by location, type of plant, and capacity, 1978 cont.

-			Annual (	capacity
Plant No	Plant name	Plant location	Hardboard (¹n-in basis)	insulation board (1 <sub>2</sub> -in basis)
			Million	n sq ft
25	North Carolina Abitibi Corp	Roaring River	315.0	140.0
26	Georgia Pacific Corp	Conway	208.0	140.0
	Oklahoma	•		
27	Weyerhaeuser Co	Broken Bow	175.0	°218.0
	South Carolina			
28	Champion International	Catawba	229.0	-
	Tennessee			
29	Celotex Corp	Paris	180.0	-
	Texas			
30	Temple Eastex Inc.	Diboll	266.0	230.0
	Virginia.			
31	Georgia-Pacific Corp.	Jarratt	2050.0	250.0
32	U.S. Gypsum Co.	Danville	³250.0	3.0
33	Weyerhaeuser Co. Total, South	Doswell	315.0 3.997.0	2,451.0
Nest			,	_,
	California			
34	Louisiana-Pacific Corp.	Oroville	145.0	_
35	Masonite Corp.	Ukiah	560.0	-
	Oregon.			
36	Champion International	Hood River	76.0	_
37	Champion International	Lebanon	107.0	_
38	Evans Products Co.	Corvallis	120.0	-
39	Georgia Pacific Corp.	Coos Bay	252.0	_
40	Kaiser Gypsum Co., Inc.	St. Helens		150.0
41	Stimson Lumber Co.	Forest Grove	114.1	_
42	U.S. Gypsum Co.	Pilot Rock	31.0	²80.0
43	Weyerhaeuser Co.	Klamath Falls	326.0	-
	Washington:			
44	Publishers Forest Products Co.	Anacortes	50.0	_
	Total, West		1,781.1	230.0

Source: Hardboard—American Hardboard Association, 1978 (1); Insulation board—Forest Industries, March 1978 (7); exceptions as noted.

Plant number refers to location on capacity map at end of report. \*Forest Industries. March 1977 (§). \*Capacity combined at this location. \*Lockwood's Directory of the Paper and Allied Trades, 1978 (14). \*USDA Forest Service estimate. \*Forest Industries, March 1976 (§).

Table 5.—Annual capacity, annual production and production as a percent of capacity for the hardboard and insulation board industries in the United States, 1955-1978

Year	Annual capacity	Annual production	Production as a percent of capacity
		Million sq ft-	Pct
	HARDBO	ARD (1/8-IN. BASIS)	
1955	2,112	1,470	70
1960	3.017	1,930	64
1965	3,949	2,917	74
1970	5,355	'4,340	81
1978	8,284	7,200	87
	INSULATION	BOARD (1/2-IN. BASIS)	
1955	²2,803	2,949	105
1960	²3,407	2,848	84
1965	<sup>2</sup> 3,547	3,362	95
1970	²3,673	3,194	87
1978	33,999	3,300	83

Includes a small, unknown quantity of medium-density fiberboard production. Includes 1 plant with capacity unknown. Includes 2 plants with capacity unknown.

Table 6.—Hardboard and insulation board production in the United States, by year, 1955-1978

Year	Hardb (⅓-in.		Insulation board (½-in. basis)		
	Thousand tons	Million sq ft	Thousand tons	Million sq f	
1955	530	1,470	1,093	2,949	
1956	540	1,497	1,102	2,973	
1957	569	1,556	989	2,679	
1958	609	1,693	1.057	2,884	
1959	734	2,021	1,171	3.114	
1960	686	1,930	1,098	2,848	
1961	762	2,154	1,084	2,850	
1962	865	2,510	1,080	2,885	
1963	959	2,709	1,139	3,039	
1964	1,050	2,867	1,215	3,262	
1965	1,093	2,917	1,259	3,362	
1966	1,089	3,089	1,155	3,079	
1967	1,074	3,002	1,176	3,209	
1968	1,282	3,693	1,133	3,476	
1969	1,421	4,182	1,352	3,623	
1970	1,463	4,340	1,219	3,194	
1971	1,718	5,126	1,446	3,839	
1972	1,908	5,671	1,529	3,918	
1973	2,001	6,049	1,547	3,914	
1974	1,978	5,845	1,295	3,282	
1975	1,823	5,201	1,205	2,856	
1976	2,145	6,125	1,441	3,407	
1977	2,279	6,508	1,409	3,331	
<sup>2</sup> 1978	2,500	7,200	1,400	3,300	

<sup>\*</sup>Includes a small, unknown quantity of medium-density fiberboard production for 1966 through 1974. 
\*Preliminary, USDA Forest Service estimate.

Sources: The Lumberman (§).
U.S. Department of Commerce, Bureau of the Census (12).
U.S. Department of Commerce, Industry and Trade Administration (13).
Wright, Maurice G., and Robert B. Phelps (15).

Table 7.-- United States production, imports and exports of hardboard and insulation board, 1955-1978

-	Hardboard'			Insulation board			
Year	United States production	Imports	Exports	United States production	Imports	Exports	
			-Thous	and tons –			
1955	530	55	6	1,093	9	20	
1956	540	76	7	1,102	11	22	
1957	569	72	7	989	6	20	
1958	609	70	6	1,057	9	18	
1959	734	117	6	1,171	15	14	
1960	686	94	6	1,098	12	14	
1961	762	100	6	1,084	9	16	
1962	865	128	6	1,080	15	16	
1963	959	161	8	1,139	22	19	
1964	1,050	190	11	1,215	23	19	
1965	1,093	221	13	1,259	23	19	
1966	1,089	163	16	1,155	24	18	
1967	1,074	163	15	1,176	25	16	
1968	1,282	217	18	1,133	36	17	
1969	1,421	238	21	1,352	34	24	
1970	1.463	156	26	1,219	35	19	
1971	1,718	219	28	1,446	35	25	
1972	1,908	369	34	1,529	35	26	
1973	2,001	367	43	1,547	34	31	
1974	1.978	262	59	1,295	17	40	
1975	1,823	95	55	1,205	13	32	
1976	2,145	185	75	1,441	15	35	
1977	2,279	232	59	1,409	21	34	
1978	2,500	250	55	1,400	20	35	

Includes a small, unknown quantity of medium-density fiberboard production for 1966 through 1974 Preliminary, USDA Forest Service estimate

Sources The Lumberman, July 1958 (§)
Phelps, Robert B. (10)
Wright, Maurice G., and Robert B. Phelps (15)
U.S. Department of Commerce, Bureau of the Census (12)

Table 8.—Consumption of woodpulp and pulpwood in the production of hardboard and insulation board in the United States, 1976

Woodpulp type	Percent of woodpulp type consumed in board production	Equivalent volume consumed	Pulpwood consumption per ton of woodpulp produced	Total pulpwood consumption
		Thousand	Cord	Thousand
		tons		cords
Groundwood	20	600	0.94	564
Defibrated/				
exploded	75	2.250	.83	1.868
Semichemical	5	150	1.02	153
Total	100	3,000		2,585
"Feetors based	on date for 1974			

'Factors based on data for 1974

Sources Lockwood's Directory of the Paper and Allied Trades (14) McKeever, David B. (9) Phelps, Robert B. (10).

# Acknowledgment

Appreciation is expressed to Mr James E. Nolan of the American Hardboard Association for his advice and assistance throughout the course of this study.

