



Approval body for construction products and types of construction

Bautechnisches Prüfamt

An institution established by the Federal and Laender Governments



European Technical Assessment

ETA-19/0670 of 29 October 2019

English translation prepared by DIBt - Original version in German language

General Part

Technical Assessment Body issuing the Deutsches Institut für Bautechnik European Technical Assessment: Trade name of the construction product Wedge anchor SMART S-BZ and SMART S-BZ IG Product family Mechanical fastener for use in concrete to which the construction product belongs Manufacturer pgb - Polska Sp. z o.o. ul. Fryderyka Wilhelma Redena 3 41-807 ZABRZE POLEN Manufacturing plant pgb-Polska plant 4 This European Technical Assessment 36 pages including 3 annexes which form an integral part contains of this assessment EAD 330232-00-0601 This European Technical Assessment is issued in accordance with Regulation (EU) No 305/2011, on the basis of



European Technical Assessment ETA-19/0670 English translation prepared by DIBt

Page 2 of 36 | 29 October 2019

The European Technical Assessment is issued by the Technical Assessment Body in its official language. Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and shall be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full. However, partial reproduction may only be made with the written consent of the issuing Technical Assessment Body. Any partial reproduction shall be identified as such.

This European Technical Assessment may be withdrawn by the issuing Technical Assessment Body, in particular pursuant to information by the Commission in accordance with Article 25(3) of Regulation (EU) No 305/2011.



Page 3 of 36 | 29 October 2019

Specific Part

1 Technical description of the product

The Wedge Anchor SMART S-BZ and SMART S-BZ IG is an fastener made of zinc plated steel, stainless steel or high corrosion resistant steel which is placed into a drilled hole and anchored by torque-controlled expansion. The following fastener types are covered:

- Fastener type Wedge Anchor SMART S-BZ with external thread, washer and hexagon nut, sizes M8 to M27,
- Fastener type Wedge Anchor SMART S-BZ IG S with internal thread, hexagon head nut and washer S-IG, sizes M6 to M12,
- Fastener type Wedge Anchor SMART S-BZ IG SK with internal thread, countersunk head screw and countersunk washer SK-IG, sizes M6 to M12,
- Fastener type Wedge Anchor SMART S-BZ IG B with internal thread, hexagon nut and washer MU-IG, sizes M6 to M12.

The product description is given in Annex A.

2 Specification of the intended use in accordance with the applicable European Assessment Document

The performances given in Section 3 are only valid if the fastener is used in compliance with the specifications and conditions given in Annex B.

The verifications and assessment methods on which this European Technical Assessment is based lead to the assumption of a working life of the fastener of at least 50 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

3 Performance of the product and references to the methods used for its assessment

3.1 Mechanical resistance and stability (BWR 1)

Essential characteristic	Performance
Characteristic resistance to tension load (static and quasi-static loading)	SMART S-BZ see Annex C1 to C4 SMART S-BZ IG see Annex C11 to C12
Characteristic resistance to shear load (static and quasi-static loading)	SMART S-BZ see Annex C5 SMART S-BZ IG see Annex C13
Displacements (static and quasi-static loading)	SMART S-BZ see Annex C9 to C10 SMART S-BZ IG see Annex C15
Characteristic resistance and displacements for seismic performance categories C1 and C2	SMART S-BZ see Annex C6, C9 and C10
Durability	See Annex B1



European Technical Assessment ETA-19/0670

Page 4 of 36 | 29 October 2019

English translation prepared by DIBt

Safety in case of fire (BWR 2) 3.2

Essential characteristic	Performance
Reaction to fire	Class A1
Resistance to fire	SMART S-BZ see Annex C7 to C8 SMART S-BZ IG see Annex C14

4 Assessment and verification of constancy of performance (AVCP) system applied, with reference to its legal base

In accordance with the European Assessment Document EAD 330232-00-0601 the applicable European legal act is: [96/582/EC].

The system to be applied is: 1

5 Technical details necessary for the implementation of the AVCP system, as provided for in the applicable European Assessment Document

Technical details necessary for the implementation of the AVCP system are laid down in the control plan deposited with Deutsches Institut für Bautechnik.

Issued in Berlin on 29 October 2019 by Deutsches Institut für Bautechnik

BD Dipl.-Ing. Andreas Kummerow Head of Department


beglaubigt: G. Lange

Page 5 of European Technical Assessment ETA-19/0670 of 29 October 2019



Fastener version	Product description	Intended use	Pe	erformance
SMART S-BZ	Annex A1 - Annex A4	Annex B1 – Annex B7	Annex	C1 – Annex C10
SMART S-BZ IG	Annex A1 Annex A5 – Annex A7	Anhang B1 – Anhang B2 Anhang B8 – Anhang B10	Anhang (C11 – Anhang C15
Vedge Anchor SN	IART S-BZ			
Conical bolt	Expansion sleeve	WasherH	exagon nut	
	 		<u> </u>	/18 to M20
			 N	//8 to M20
Vedge anchor SM	ART S-BZ IG M6 to M12	2	/∏ (//24 to M27 M27 zinc plated only)
astener system				
SMART S-BZ IG S		Washer		Hexagon head screw
SMART S-BZ IG SK	onical bolt	Countersunk washer		Countersunk head screw
SMART S-BZ IG B	Expansion sleeve	Washer Hexagon nut		nmerical dard rod
Wedge Anchor SM	ART S-BZ and SMART S-	BZIG		
Theage Anchor SM	ALL O'DE ANG SWALL S			Annex A1





Wedge Anchor SMART S-BZ

Product description Installation situation SMART S-BZ Annex A2



Fastener size SMART S-	BZ M8	to M20:										
Marking 1 e.g.: ◇BZ 15	/35							Mark	ing 1 e.q	g.: 🔿	BZ 15/3	5
1 2 ⇒ ⇒ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓		on L		3	a 4	Markir of leng		BZ 15 35 M8 <u>Additi</u> A4	identifyin plant fastener max. thic max. thic thread di <u>onal mar</u> stainless high cor	identity ckness o kness o ameter <u>king</u> : s steel	of fixture	for h _{ef} for h _{ef,red}
Marking 2 e.g.: BZ 15	; <u> </u>			- Marking anchor	g of age depth	1		Markir	1 g 2 e.g.	.: 🔷 E	SZ 15	
		↓↓ �書	<					∼ r	dentifying blant astener ic		f manufa	acturing
Cold forme	ad versio		<					15 m	naximum	thickne	ss of fixt	ure for h _{ef}
				Г				Additic	nread dia onal mark	<u>king:</u>		
		- 0	<u> </u>						stainless nigh corre		sistant s	teel
Free cut v	ersion											
The cut vi	5131011				-							
			07.						ng3 e.g	•		
Fastener size SMART S-	BZ M24	and M	27:		— —			\sim	dentifying plant		or manuta	acturing
			E						astener i hread dia			
						- 🎽		30 r	naximum	1 thickne	ess of fix	ture
					=	_₽			onal marł stainless			
								HCR	high corr	osion re	sistant s	teel
Marking of length	C (c)	D (d)	E (e)	F (f)	G (g)	H (h)	I (i)	J (j)	K (k)	L (I)	M (m)	N (n)
Length of fastener min ≥	63,5	76,2	88,9	101,6	114,3	127,0	139,7	152,4	165,1	177,8	190,5	203,2
Length of fastener max <	76,2	88,9	101,6	114,3	127,0	139,7	152,4	165,1	177,8	190,5	203,2	215,9
Marking of length	O (o)	Р (р)	Q (q)	R (r)	S (s)	T (t)	U (u)	V (v)	W (w)	X (x)	Y (y)	Z (z)
Length of fastener min ≥	215,9	228,6	241,3	254,0	279,4	304,8	330,2	355,6	381,0	406,4	431,8	457,2
Length of fastener max <	228,6	241,3	254,0	279,4	304,8	330,2	355,6	381,0	406,4	431,8	457,2	483,0
Filling washer and reduc	ing ada	apter fo	or filling	g the ar	nnular g	gap bet	ween fa	astene	r and fix	cture		
0												
3b		-						}				
Wedge Anchor SMAF	RT S-B	Z										
.											Anne	v A2
Product description Fastener sizes and mark	ina										Anne	Y HO



Faste	ener size				M8	M10	М	12	M16	M20) M24	ŀ	M27		
Conic	al bolt			Thread	M8	M10	М	12	M16	M20) M24	ŀ	M27		
				Ø d _k =	7,9	9,8	12	2,0	15,7	19,7	' 24		28		
		Steel, zinc p	olated	L	65 + t _{fix}	80 + t _{fix}	96,	5+t _{fix}	118+t _{fix}	137+1	t _{fix} 161+	lfix	178+t _{fi}		
Lengt		A4, HCR		L	65 + t _{fix}	80 + t _{fix}	96,	5+t _{fix}	118+t _{fix}	137+1	t _{fix} 168+	lfix	-		
faster	her")	reduced anchorage	depth	L _{hef,red}	54 + t _{fix}	60 + t _{fix}	76,	5+t _{fix}	98+t _{fix}	-	-		_		
Hexa	gon nut			SW	13	17	1	9	24	30	36		41		
		use of filling w Materials		he usable thick	ness of fix	ture will rec	luce 5	imm			Dim	ens	ions in m		
				SMA	RT S-BZ			SM	ART S-B	Z A4	SMART	S-I	BZ HCF		
No.	o. Part Steel,		Steel, z	inc plate	ed		St	ainless s	teel	High corrosion resistant steel					
			galvar	ni zed ≥ 5µm	sherar	dized \geq 40)µm		A 4						
1	Conical	bolt	<u>M8 to M</u> Cold for machine galvaniz cone pla	med or ed steel,	<u>M8 to M</u> Cold for machine sherardi cone pla	med or ed steel,	d	Stainless steel I (e.g. 1.4401, 1.4404, 1.4578, 1.4571) 1.4578, 1.4571) EN 10088:2014, I I		1.4529 or 1.4565, EN 10088:2014,		el 565, 14,			
	Threade	d bolt	M24 and	4 and M27: <u>M24 and M27:</u> steel, sherardized			M24: Stainless steel			M24: High corrosion					
	Threade	d cone		alvanized	<u>M24 and</u> Steel, ga	<u>d M27:</u> alvanized		(e.g. 1.4401, 1.4404) EN 10088:2014			resistant steel 1.4529 or 1.4565, EN 10088:2014				
2	Expansi	on sleeve	1.4401)	.g. 1.4301 or 38:2014, <u>d M27</u> : c. to	1.4401)	.g. 1.4301 38:2014, <u>1 M27:</u> c. to	or	(e.g. 1.45	iless steel 1.4401, 1 71) 0088:2014	.4404,	Stainless (e.g. 1.44 1.4571) EN 10088	01,	1.4404,		
3a	Washer		Steel, g	alvanized	Steel, zinc plated				lless steel 1.4401,		High corrosion resistant steel 1.45				
3b	Filling w	asher				·		1.45 ⁻ EN 1	/1) 0088:2014	4	or 1.4565 EN 10088		14		
4	Hexagor	n nut	Steel, ga coated	alvanized,	Steel, zi	, zinc plated		nc plated		Stainless steel (e.g. 1.4401, 1.4571) EN 10088:2014			High corrosion resistant steel or 1.4565, EN 10088:2014		el 1.4529

coated


Table A1: Fastener dimensions SMART S-BZ

Wedge Anchor SMART S-BZ

Product description Dimensions and materials Annex A4

coated






Page 10 of European Technical Assessment ETA-19/0670 of 29 October 2019

English translation prepared by DIBt





Wedge Anchor SMART S-BZ IG

Product description

Fastener parts, marking and dimensions SMART S-BZ IG

Annex A6



		SMART S-BZ IG	SMART S-BZ IG A4	SMART S-BZ IG HCR	
No.	Part	Steel, galvanized ≥ 5 µm acc. to EN ISO 4042:1999	Stainless steel A4	High corrosion resistant steel HCR	
1	Conical bolt SMART S-BZ IG with internal thread	Machined steel, Cone plastic coated	Stainless steel (e.g. 1.4401, 1.4404, 1.4571, 1.4362) EN 10088:2014, Cone plastic coated	High corrosion resistant steel, 1.4529, 1.4565, EN 10088:2014, Cone plastic coated	
2	Expansion sleeve SMART S-BZ IG	Stainless steel (e.g. 1.4301, 1.4401) EN 10088:2014	Stainless steel (e.g. 1.4401, 1.4571) EN 10088:2014	Stainless steel (e.g. 1.4401, 1.4571) EN 10088:2014	
3	Washer S-IG / MU-IG	Steel, galvanized	Stainless steel (e.g. 1.4401, 1.4571) EN 10088:2014	High corrosion resistant steel, 1.4529, 1.4565, EN 10088:2014	
4	Hexagon head screw S-IG	Steel, galvanized, coated	Stainless steel (e.g. 1.4401, 1.4571) EN 10088:2014, coated	High corrosion resistant steel, 1.4529, 1.4565, EN 10088:2014, coated	
5	Countersunk washer SK-IG	Steel, galvanized	Stainless steel (e.g. 1.4401, 1.4404, 1.4571) EN 10088:2014, zinc plated, coated	High corrosion resistan steel, 1.4529, 1.4565, EN 10088:2014, zinc plated, coated	
6	Countersunk head screw SK-IG	Steel, galvanized coated	Stainless steel (e.g. 1.4401, 1.4571) EN 10088:2014, coated	High corrosion resistan steel, 1.4529, 1.4565, EN 10088:2014, coated	
7	Hexagon nut MU-IG	Steel, galvanized coated	Stainless steel (e.g. 1.4401, 1.4571) EN 10088:2014, coated	High corrosion resistan steel, 1.4529, 1.4565, EN 10088:2014, coated	
8	Commercial standard rod	Property class 8.8, EN ISO 898-1:2013 $A_5 > 8$ % ductile	Stainless steel (e.g. 1.4401, 1.4571) EN 10088:2014, property class 70, EN ISO 3506:2009	High corrosion resistan steel, 1.4529, 1.4565, EN 10088:2014, property class 70, EN ISO 3506:2009	

Wedge Anchor SMART SMART S-BZ IG

Product description Materials SMART S-BZ IG Annex A7

Page 12 of European Technical Assessment ETA-19/0670 of 29 October 2019

English translation prepared by DIBt



Specifications of intended use							
Wedge Anchor SMART S-BZ							
Standard anchorage depth	M8	M10	M12	M16	M20	M24	M27
Steel, galvanized		·	·	~	·	•	
Steel, sherardized				√			
Stainless steel A4 and high corrosion resistant steel HCR			١	/			-
Static or quasi-static action				✓			
Fire exposure				✓			
Seismic action (C1 and C2) ¹⁾			✓			-	-
Reduced anchorage depth 1)	M8	M10	M12	M16			
Steel, galvanized			✓				
Steel, sherardized			✓				
Stainless steel A4 and high corrosion resistant steel HCR			✓				
Static or quasi-static action			✓				
Fire exposure			✓				
Seismic action (C1 and C2)			-				
⁾ only cold formed anchors acc. to Annex A3					-		
Wedge Anchor SMART S-BZ IG	M6	M8	M10	M12			
Steel, galvanized			 ✓ 				
Stainless steel A4 and high corrosion resistant steel HCR			✓				
Static or quasi-static action			✓				
Fire exposure			✓				
Seismic action (C1 and C2)			-				

Base materials:

- Compacted, reinforced or unreinforced normal weight concrete (without fibers) according to EN 206:2013
- Strength classes C20/25 to C50/60 according to EN 206:2013
- · Cracked or uncracked concrete

Use conditions (Environmental conditions):

- Structures subject to dry internal conditions (steel zinc plated, stainless steel or high corrosion resistant steel).
- Structures subject to external atmospheric exposure including industrial and marine environment or exposure to
 permanently damp internal condition, if no particular aggressive conditions exist
 (stainless steel or high corrosion resistant steel).
- Structures subject to external atmospheric exposure and to permanently damp internal condition, if other particular aggressive conditions (high corrosion resistant steel)

Note: Particular aggressive conditions are e.g. permanent, alternating immersion in seawater or the splash zone of seawater, chloride atmosphere of indoor pools or atmosphere with extreme chemical pollution (e.g. in desulphurization plants or road tunnels where de-icing materials are used.)

Wedge Anchor SMART S-BZ and SMART S-BZ IG

Intended use Specifications Annex B1



Specifications of intended use

Design:

- Anchorages are designed under the responsibility of an engineer experienced in anchorages and concrete work
- Verifiable calculation notes and drawings are prepared taking account of the loads to be anchored. The position of the fastener is indicated on the design drawings (e.g. position of the fastener relative to reinforcement or to supports, etc.).
- Dimensioning of fasteners under static or quasi-static action, seismic action or fire exposure according to EN 1992-4: 2018 in conjunction with TR 055

Installation:


- Fastener installation carried out by appropriately qualified personnel and under the supervision of the person responsible for technical matters of the site
- Hole drilling by hammer drill bit or vacuum drill bit
- Use of the fastener only as supplied by the manufacturer without exchanging the components of the fastener
- Optionally, the annular gap between fixture and stud of the SMART S-BZ can be filled to reduce the hole. For this purpose, the filling washer (3b) must be used in addition to the supplied washer (3a). For filling use high-strength mortar with compressive strength ≥ 50N/mm².
- In case of aborted hole: new drilling at a minimum distance away of twice the depth of the aborted hole or smaller distance if the aborted drill hole is filled with high strength mortar and if under shear or oblique tension load it is not in the direction of load application

Wedge Anchor SMART S-BZ and SMART S-BZ IG

Intended use Specifications Annex B2



Table B1:	Installation par	ameter	s, SM	ART S-	BZ					
Fastener siz	e			M8	M10	M12	M16	M20	M24	M27
Nominal drill I	nole diameter	d_0	[mm]	8	10	12	16	20	24	28
Cutting diame	eter of drill bit	$d_{\text{cut}} \leq$	[mm]	8,45	10,45	12,5	16,5	20,55	24,55	28,55
	Steel, galvanized	T _{inst}	[Nm]	20	25	45	90	160	200	300
Installation torque	Steel, sherardized	T _{inst}	[Nm]	16	22	40	90	160	260	300
loique	Stainless steel A4, HCR	T _{inst}	[Nm]	20	35	50	110	200	290	-
Diameter of c hole in the fix		$d_{\rm f} \leq$	[mm]	9	12	14	18	22	26	30
Standard and	chorage depth					-				
Depth of	Steel, zinc plated	$h_1 \geq$	[mm]	60	75	90	110	125	145	160
drill hole	Stainless steel A4, HCR	$h_1 \geq$	[mm]	60	75	90	110	125	155	-
Effective	Steel, zinc plated	h _{ef}	[mm]	46	60	70	85	100	115	125
anchorage depth	Stainless steel A4, HCR	h _{ef}	[mm]	46	60	70	85	100	125	-
Reduced and	chorage depth									
Depth of drill	hole	$h_{1,\text{red}} \geq$	[mm]	49	55	70	90			
Reduced effe depth	ctive anchorage	h _{ef,red}	[mm]	35	40	50	65	-	-	-





Fastener size			M8	M10	M12	M16	M20	M24	M27
Standard thickness of concrete	e member			-				-	-
Steel zinc plated									
Standard thickness of member	h _{min,1}	[mm]	100	120	140	170	200	230	250
Cracked concrete				1			I	1	1
Minimum spacing	Smin	[mm]	40	45	60	60	95	100	125
	für c ≥	[mm]	70	70	100	100	150	180	300
Vinimum edge distance	Cmin	[mm]	40	45	60	60	95	100	180
	für s ≥	[mm]	80	90	140	180	200	220	540
Jncracked concrete	C .	[mm]	40	45	60	65	90	100	125
Vinimum spacing	s _{min} für c ≥	[mm] [mm]	80	70	120	120	180	180	300
	Cmin	[mm]	50	50	75	80	130	100	180
Vinimum edge distance	für s ≥	[mm]	100	100	150	150	240	220	540
Stainless steel A4, HCR		[]		100	100		2.0	0	0.0
Standard thickness of member	h _{min,1}	[mm]	100	120	140	160	200	250	-
Cracked concrete	• • • • • • • • • • • • • • • • • • • •	L]		3					1
	Smin	[mm]	40	50	60	60	95	125	
Minimum spacing	für c ≥	[mm]	70	75	100	100	150	125	
	Cmin	[mm]	40	55	60	60	95	125	1 -
Minimum edge distance	für s ≥	[mm]	80	90	140	180	200	125	
Uncracked concrete									
Minimum spacing	Smin	[mm]	40	50	60	65	90	125	
winning spacing	für c ≥	[mm]	80	75	120	120	180	125	
Minimum edge distance	Cmin	[mm]	50	60	75	80	130	125	_
Minimum edge distance	für s ≥	[mm]	100	120	150	150	240	125	
Minimum thickness of concret	e member								
Steel zinc plated, stainless ste	el A4, HC	R							
Minimum thickness of member	h _{min,2}	[mm]	80	100	120	140	-	-	-
Cracked concrete				1			I	1	
Minimum spacing	Smin	[mm]	40	45	60	70			
g	für c ≥	[mm]	70	90	100	160	-	-	-
Minimum edge distance	Cmin	[mm]	40	50	60	80			
-	für s ≥	[mm]	80	115	140	180			
Uncracked concrete	-	[mama]	40	<u> </u>	<u> </u>	00		1	1
Minimum spacing	Smin	[mm]	40	60	60	80			
	für c ≥	[mm]	80	140	120	180	-	-	-
Minimum edge distance	Cmin	[mm]	50	90	75	90			
-	für s ≥	[mm]	100	140	150	200			
Fire exposure from one side			-		-				
Minimum spacing	Smin,fi	[mm]					ient tempe		
Minimum edge distance	Cmin,fi	[mm]		-	See no	ormal amb	ient tempe	erature	
Fire exposure from more than	one side								
Minimum spacing	Smin,fi	[mm]			See no		ient tempe	erature	
Minimum edge distance	Cmin,fi	[mm]				≥ 300	mm		
termediate values by linear interpola	ation.								
Wedge Anchor SMART S-I	BZ								



Table B3:Minimum spacings and edge distances, reduced anchorage depth,SMART S-BZ


Fastener size			M8	M10	M12	M16
Minimum thickness of concrete member	h _{min,3}	[mm]	80	80	100	140
Cracked concrete						
Minimum anaging	Smin	[mm]	50	50	50	65
Minimum spacing	für c ≥	[mm]	60	100	160	170
Minimum odgo distonoo	Cmin	[mm]	40	65	65	100
Minimum edge distance	für s ≥	[mm]	185	180	250	250
Uncracked concrete						
Minimum angoing	Smin	[mm]	50	50	50	65
Minimum spacing	für c ≥	[mm]	60	100	160	170
Minimum odgo diotopoo	Cmin	[mm]	40	65	100	170
Minimum edge distance	für s ≥	[mm]	185	180	185	65
Fire exposure from one side					-	
Minimum spacing	Smin,fi	[mm]	:	See normal amb	ient temperatur	e
Minimum edge distance	Cmin,fi	[mm]		See normal amb	ient temperatur	e
Fire exposure from more than one side	•					
Minimum spacing	Smin,fi	[mm]		See normal amb	ient temperatur	e
Minimum edge distance	Cmin,fi	[mm]		≥ 300) mm	

Intermediate values by linear interpolation.


Wedge Anchor SMART S-BZ

Intended use Minimum spacings and edge distances for reduced anchorage depth Annex B5











able B4: Installation parameter	ers 51	MART S	-BZ IC	4			
Fastener size				M6	M8	M10	M12
Effective anchorage depth		h _{ef}	[mm]	45	58	65	80
Drill hole diameter		d_0	[mm]	8	10	12	16
Cutting diameter of drill bit		$d_{\text{cut}} \leq$	[mm]	8,45	10,45	12,5	16,5
Depth of drill hole		$h_1 \geq$	[mm]	60	75	90	105
Screwing depth of threaded rod		$L_{\text{sd}}{}^{2)} \geq$	[mm]	9	12	15	18
		S	[Nm]	10	30	30	55
Installation torque, steel zinc plated	T _{inst}	SK	[Nm]	10	25	40	50
		В	[Nm]	8	25	30	45
		S	[Nm]	15	40	50	100
Installation torque, stainless steel A4, HCR	Tinst	SK	[Nm]	12	25	45	60
Stamless steel A4, HOR		В	[Nm]	8	25	40	80
Pre-setting installation							
Diameter of clearance hole in the fixture		$d_{\rm f} \leq$	[mm]	7	9	12	14
		S	[mm]	1	1	1	1
Minimum thickness of fixture	t _{fix} ≥	SK	[mm]	5	7	8	9
		В	[mm]	1	1	1	1
Through-setting installation							
Diameter of clearance hole in the fixture		$d_{\rm f} \leq$	[mm]	9	12	14	18
		S	[mm	5	7	8	9
Minimum thickness of fixture 1)	t _{fix} ≥	SK	[mm]	9	12	14	16
		В	[mm]	5	7	8	9

¹⁾ The minimum thickness of fixture can be reduced to the value of Pre-setting installation, if the shear load at steel failure is designed with lever arm.

²⁾ see Annex A5

Table B5: Minimum spacings and edge distances SMART S-BZ IG

Fastener size			M6	M8	M10	M12
Minimum thickness of concrete member	h _{min}	[mm]	100	120	130	160
Cracked concrete						
Minimum angoing	Smin	[mm]	50	60	70	80
Minimum spacing	für c ≥	[mm]	60	80	100	120
Minimum odgo distance	Cmin	[mm]	50	60	70	80
Minimum edge distance	für s ≥	[mm]	75	100	100	120
Uncracked concrete						
Minimum opening	Smin	[mm]	50	60	65	80
Minimum spacing	für c ≥	[mm]	80	100	120	160
Minimum edge distance	Cmin	[mm]	50	60	70	100
Minimum edge distance	für s ≥	[mm]	115	155	170	210
Fire exposure from one side						
Minimum spacing	Smin,fi	[mm]		See normal	temperature	
Minimum edge distance	Cmin,fi	[mm]		See normal	temperature	
Fire exposure from more than one side						
Minimum spacing	Smin,fi	[mm]		See normal	temperature	
Minimum edge distance	Cmin,fi	[mm]		≥ 300) mm	


Wedge Anchor SMART S-BZ IG

Intended use


Installation parameters, minimum spacings and edge distances SMART S-BZ IG

Annex B8











Fastener size			M8	M10	M12	M16	M20	M24	M27
Installation factor	γinst	[-]				1,0		^	
Steel failure									
Characteristic resistance	N _{Rk,s}	[kN]	16	27	40	60	86	126	196
Partial factor	γMs	[-]	1,	53	1	,5	1,6	1	,5
Pull-out				-		-		-	
Standard anchorage depth									
Characteristic resistance in cracked concrete C20/25	N _{Rk,p}	[kN]	5	9	16	25	1)	1)	1)
Reduced anchorage depth							•		
Characteristic resistance in cracked concrete C20/25	N _{Rk,p}	[kN]	5	7,5	1)	1)	-	-	-
Increasing factor for $N_{Rk,p}$	ψс	[-]				$\left(\frac{f_{ck}}{20}\right)^{0,5}$			
Concrete cone failure									
Effective anchorage depth	h _{ef}	[mm]	46	60	70	85	100	115	125
Reduced anchorage depth	$h_{\text{ef,red}}$	[mm]	35 ²⁾	40	50	65	-	-	-
Factor for cracked concrete	$k_1 = k_{cr,N}$	[-]				7,7	-		-

¹⁾ Pull-out is not decisive

²⁾ Use restricted to anchoring of structural components which are statically indeterminate and subject to internal exposure conditions only

Wedge Anchor SMART S-BZ

Performance

Characteristic values for tension loads, SMART S-BZ zinc plated, cracked concrete, static and quasi-static action



Table C2: Characteristic values for tension loads, SMART S-BZ A4 / HCR, cracked concrete, static and quasi-static action Μ8 M10 M12 M16 M20 M24 **Fastener size** 1,0 Installation factor [-] γinst Steel failure $N_{\mathsf{Rk},\mathsf{s}}$ Characteristic resistance [kN] 16 27 40 64 108 110 Partial factor [-] 1,5 1,68 1,5 γMs Pull-out Standard anchorage depth Characteristic resistance in 1) $N_{\mathsf{Rk},\mathsf{p}}$ [kN] 5 9 16 25 40 cracked concrete C20/25 **Reduced anchorage depth** Characteristic resistance in 1) 1) $\mathbf{N}_{\mathsf{Rk},\mathsf{p}}$ [kN] 5 7,5 cracked concrete C20/25 0,5 $\left(\frac{f_{ck}}{20}\right)$ Increasing factor for NRK,p ψc [-] Concrete cone failure Effective anchorage depth h_{ef} [mm] 46 60 70 85 100 125 35 ²⁾ 40 50 65 Reduced anchorage depth $h_{\text{ef,red}}$ [mm] _ _ Factor for cracked concrete 7,7 $k_1 = k_{cr,N}$ [-]

1) Pull-out is not decisive

²⁾ Use restricted to anchoring of structural components which are statically indeterminate and subject to internal exposure conditions only

Wedge Anchor SMART S-BZ

Performance

Characteristic values for tension loads, SMART S-BZ A4 / HCR, cracked concrete, static and quasi-static action



$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Fastener size			M8	M10	M12	M16	M20	M24	M27	
Steel failure Characteristic resistance $N_{BK,0}$ [KN] 16 27 40 60 86 126 19 Partial factor γ_{ME} [] 1,53 1,5 1,6 1,5 Standard anchorage depth Characteristic resistance in uncracked concrete C20/25 $N_{BK,p}$ [KN] 7,5 9 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') 1') Characteristic resistance in	Installation factor	γinst	[-]				1,0		1		
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Steel failure										
Pull-outStandard anchorage depthCharacteristic resistance in uncracked concrete C20/25 $N_{Rk,p}$ $[kN]$ 12162535101111Reduced anchorage depthCharacteristic resistance in uncracked concrete C20/25 $N_{Rk,p}$ $[kN]$ 7,591111SplittingStandard anchorage depthSandard thickness of concrete member (The higher resistance of case 1 and case 2 may be applied; cover may be intervity interplotted for the member thickness $h_{min,2} < h_{min,1}$ (Case 2); $\psi_{hoge} = 1.0$).Standard thickness of concrete member (The higher resistance of case 1 and case 2 may be applied; cover may be intervity interplotted for the member thickness $h_{min,2} < h_{min,1}$ (Case 2); $\psi_{hoge} = 1.0$)Standard anchorage depthCharacteristic resistance in uncracked concrete C20/25 $N^0_{Rk,gp}$ $[kN]$ 91220304062,350Carso [mm]2 her2,2 her1,5 her2,5Splitting for minimum thickness of concrete memberMinimum thickness of concrete memberMinimum thickness of concrete $h_{min,2 < [mm]$ 80100120140Characteristic resistance in uncracked concrete C20/25 $N^0_{Rk,gp}$ $[kN]$ 12162535Splitting for minimum thickness of concrete $h_{min,2 < [mm]$ 80 <t< td=""><td>Characteristic resistance</td><td>N_{Rk,s}</td><td>[kN]</td><td>16</td><td>27</td><td>40</td><td>60</td><td>86</td><td>126</td><td>196</td></t<>	Characteristic resistance	N _{Rk,s}	[kN]	16	27	40	60	86	126	196	
Standard anchorage depthCharacteristic resistance in uncracked concrete C20/25 $N_{Bk,p}$ $[KN]$ 121625351)1)1)Reduced anchorage depthCharacteristic resistance in uncracked concrete C20/25 $N_{Bk,p}$ $[KN]$ 7,591)1)Standard anchorage depthStandard thickness of concrete member (The higher resistance of case 1 and case 2 may be applied; tar,g may be linearly interpolated for the member thickness heat, 2 <h (case="" 1="" 2);="" <="" <math="" here,="">\psi_{h,s,p}= 1,0))Standard thickness of concrete hem.1 2(Inm)10012014017020023025Case 1Characteristic resistance in uncracked concrete C20/25$N^0_{Bk,sp}$$[KN]$91220304062,350Edge distance car.sp$C_{ar.sp}$$[mm]$1,5 herCharacteristic resistance in uncracked concrete C20/25$N^0_{Bk,sp}$$[KN]$1216253550,562,370,Characteristic resistance in uncracked concrete C20/25$N^0_{Bk,sp}$$[KN]$1216253550,562,370,Characteristic resistance in uncracked concrete C20/25$N^0_{Bk,sp}$$[KN]$12162535Characteristic resistance in uncracked concrete C20/25</h>	Partial factor	γMs	[-]	1,	,53	1	,5	1,6	1	,5	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Pull-out								l		
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Standard anchorage depth										
$\begin{array}{c c c c c c c c c c c c c c c c c c c $		$N_{Rk,p}$	[kN]	12	16	25	35	1)	1)	1)	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $											
Standard anchorage depthSplitting for standard thickness of concrete member(The higher resistance of case 1 and case 2 may be applied; c_{arson} may be linearly interpolated for the member thickness $h_{min,2} < h < h_{min,1}$ (Case 2); $\psi_{hap} = 1.0$))Standard thickness of concrete $h_{min,1} \ge [mm]$ 100 120 140 170 200 230 250Case 1Characteristic resistance in uncracked concrete C20/25 $N^0_{Rk,sp}$ [kN]91220304062,350Characteristic resistance corsep mm]100120140170200230250Characteristic resistance in uncracked concrete C20/25 $N^0_{Rk,sp}$ [kN]91220304062,350Characteristic resistance in uncracked concrete C20/25 $N^0_{Rk,sp}$ [kN]1216253550,562,370,Edge distanceC _{cr.sp} [mm]80100120140140Characteristic resistance in uncracked concrete M _{min,2} ≥ [mm]80100120140Characteristic resistance in uncracked concrete C20/25 $N^0_{Rk,sp}$ [kN]12162535Splitting for minimum thickness of concrete hmin,2 ≥ [mm]80100120140140Characteristic resistance in uncracked concrete C20/25 $N^0_{Rk,sp}$ [kN]12162535 <th colsp<="" td=""><td></td><td>$N_{Rk,p}$</td><td>[kN]</td><td>7,5</td><td>9</td><td>1)</td><td>1)</td><td>-</td><td>-</td><td>-</td></th>	<td></td> <td>$N_{Rk,p}$</td> <td>[kN]</td> <td>7,5</td> <td>9</td> <td>1)</td> <td>1)</td> <td>-</td> <td>-</td> <td>-</td>		$N_{Rk,p}$	[kN]	7,5	9	1)	1)	-	-	-
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Splitting										
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$											
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Splitting for standard thickness of	of concrete	membe	er (The hi	gher resista	ance of cas	e 1 and ca	se 2 may b	e applied;		
Case 1 Characteristic resistance in uncracked concrete C20/25 $\mathbb{N}^{0}_{PlK,SP}$ $[KN]$ 9 12 20 30 40 62,3 50 Edge distance $\mathbb{C}_{\text{ors}P}$ $[mm]$ 1,5 her 50 Characteristic resistance in uncracked concrete C20/25 $\mathbb{N}^{0}_{Rl,SP}$ $[kN]$ 12 16 25 35 50,5 62,3 70, Characteristic resistance cor.rsp $[mm]$ 2 her 2,2 her 1,5 her 2,5 Splitting for minimum thickness of concrete $mmn_2 \ge$ $[mm]$ 80 100 120 140 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>200</td><td>230</td><td>250</td></td<>								200	230	250	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $			[[[11111]]]	100	120	140	170	200	230	230	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $		0									
Case 2 Characteristic resistance in uncracked concrete C20/25 $\mathbb{N}^{0}_{Rk,sp}$ [kN] 12 16 25 35 50,5 62,3 70, Edge distance $C_{cr,sp}$ [mm] 2 hef 2,2 hef 1,5 hef 2,5 Splitting for minimum thickness of concrete mmm,2 ≥ [mm] 80 100 120 140 Characteristic resistance $N^{0}_{Rk,sp}$ [kN] 12 16 25 35 - - - Edge distance Cor,rsp [mm] 80 100 120 140 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -		$N^0_{Rk,sp}$	[kN]	9	12	20	30	40	62,3	50	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Edge distance	C _{cr,sp}	[mm]	1,5 h _{ef}							
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Case 2							-		_	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	in uncracked concrete C20/25	$N^{0}_{Rk,sp}$	[kN]	12	_		35	50,5	62,3	70,6	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	<u> </u>				2	h _{ef}		2,2 h _{ef}	1,5 h _{ef}	2,5 h	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $		of concrete	memb	er	1						
$\begin{array}{c c c c c c c c c c c c c c c c c c c $		h _{min,2} ≥	[mm]	80	100	120	140				
Reduced anchorage depthMinimum thickness of concrete $h_{min,3} \ge [mm]$ 8080100140Characteristic resistance n uncracked concrete C20/25 $N^0_{Rk,sp}$ $[kN]$ 7,5917,926,5Edge distance $c_{cr,sp}$ $[mm]$ 100100125150Edge distance $c_{cr,sp}$ $[mm]$ 100100125150Increasing factor for N _{Rk,p} and N ⁰ _{Rk,sp} ψ_c $[-]$ $\left(\frac{f_{ck}}{20}\right)^{0,5}$ Concrete cone failureEffective anchorage depthhef[mm]4660708510011512Reduced anchorage depthhef_f,red[mm]35 ² 405065	in uncracked concrete C20/25			12			35	-	-	-	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	<u> </u>	Ccr,sp	[mm]		2,5	h _{ef}					
$\begin{array}{c c c c c c c c c c c c c c c c c c c $					1	1		1		1	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $		h _{min,3} ≥	[mm]	80	80	100	140	-			
Edge distance $c_{cr,sp}$ [mm] 100 100 125 150 Image: constraint of the second sec		$N^0_{Rk,sp}$	[kN]	7,5	9	17,9	26,5	-	-	-	
$\begin{array}{c c} \psi_{c} & \left[-\right] & \left(\frac{1_{ck}}{20}\right) \end{array}$ Concrete cone failure Effective anchorage depth hef [mm] 46 60 70 85 100 115 122 Reduced anchorage depth hef,red [mm] 35 ² 40 50 65 - - -		C _{cr,sp}	[mm]	100	100	125	150	-			
Concrete cone failure Effective anchorage depth hef [mm] 46 60 70 85 100 115 124 Reduced anchorage depth hef,red [mm] 35 ²) 40 50 65 - - -		ψс	[-]		•	•	$\left(\frac{f_{ck}}{20}\right)^{0.5}$		L	1	
Reduced anchorage depth h _{ef,red} [mm] 35 ²⁾ 40 50 65											
Reduced anchorage depth h _{ef,red} [mm] 35 ²⁾ 40 50 65	Effective anchorage depth	h _{ef}	[mm]	46	60	70	85	100	115	125	
				35 ²⁾	40	50	65	-	-	-	
-actor for uncracked concrete $K_1 = K_{ucr,N} [-]$	Factor for uncracked concrete	$k_1 = k_{ucr,N}$	[-]		1		11,0				

Performance

Characteristic values for tension loads, SMART S-BZ zinc plated, uncracked concrete, static and quasi-static action



Fastener size			M8	M10	M12	M16	M20	M24
nstallation factor	γinst	[-]		I	1,	,0	1	
Steel failure								
Characteristic resistance	N _{Rk,s}	[kN]	16	27	40	64	108	110
Partial factor	γMs	[-]		1	,5		1,68	1,5
Pull-out					-			
Standard anchorage depth								
Characteristic resistance in	NI		12	16	25	35	1)	1)
Incracked concrete C20/25	N _{Rk,p}	[kN]	12	10	25	35	-,	.,
Reduced anchorage depth								
Characteristic resistance in Incracked concrete C20/25	N _{Rk,p}	[kN]	7,5	9	1)	1)	-	-
Splitting								
Standard anchorage depth								
Splitting for standard thickness of	concrete mer	nber (T	he higher re	esistance of	case 1 and	case 2 may	be applied.	
c _{cr,sp} may be linearly interpolated for the						oabo z may	be applied,	
Standard thickness of concrete	h _{min,1} ≥	[mm]	100	120	140	160	200	250
Case 1		•						
Characteristic resistance in Incracked concrete C20/25	$N^0_{Rk,sp}$	[kN]	9	12	20	30	40	-
Edge distance	Ccr,sp	[mm]			1,5	h _{ef}		
Case 2								
Characteristic resistance in uncracked concrete C20/25	$N^0_{Rk,sp}$	[kN]	12	16	25	35	50,5	70,6
Edge distance	Ccr,sp	[mm]	115	125	140	200	220	250
Splitting for minimum thickness of	concrete me	<u>mber</u>						
Minimum thickness of concrete	h _{min,2} ≥	[mm]	80	100	120	140		
Characteristic resistance in uncracked concrete C20/25	$N^0_{Rk,sp}$	[kN]	12	16	25	35	-	-
Edge distance	C _{cr,sp}	[mm]		2,5	h _{ef}			
Reduced anchorage depth								
Vinimum thickness of concrete	h _{min,3} ≥	[mm]	80	80	100	140		
Characteristic resistance in uncracked concrete C20/25	$N^0_{Rk,sp}$	[kN]	7,5	9	17,9	26,5	-	-
Edge distance	Ccr,sp	[mm]	100	100	125	150		
ncreasing factor or N _{Rk,p} and N ⁰ _{Rk,sp}	ψc	[-]			$\left(\frac{f_{ck}}{20}\right)$	-) ^{0,5}		
Concrete cone failure					(10	,		
Effective anchorage depth	h _{ef}	[mm]	46	60	70	85	100	125
Reduced anchorage depth	h _{ef,red}	[mm]	35 ²⁾	40	50	65	-	-
Factor for uncracked concrete	$k_1 = k_{ucr,N}$	[-]		I	11		I	
Pull-out is not decisive Use restricted to anchoring of structural c			ically indete	rminate and			ure condition	s only

Characteristic values for tension loads, SMART S-BZ A4 / HCR, uncracked concrete, static and quasi-static action



Installation factor				M8	M10	M12	M16	M20	M24	M27
moralialion lacion		γinst	[-]				1,0			1
Steel failure withou	it lever arm, Steel :	zinc pla	ted							
Characteristic resista	ance	$V^0_{Rk,s}$	[kN]	12,2	20,1	30	55	69	114	169,4
Ductility factor		k 7	[-]				1,0			
Partial factor		γMs	[-]		1,	25		1,33	1,25	1,25
Steel failure withou	ıt lever arm, Stainl	ess ste	el A4, H	ICR						
Characteristic resista	ance	$V^0_{Rk,s}$	[kN]	13	20	30	55	86	123,6	
Ductility factor		k 7	[-]				1,0			-
Partial factor		γMs	[-]		1,	25		1,4	1,25	
Steel failure with le	ver arm, Steel zind	c plated								
Characteristic bendir	ng resistance	$M^0_{Rk,s}$	[Nm]	23	47	82	216	363	898	1331,5
Partial factor		γMs	[-]		1,	25		1,33	1,25	1,25
Steel failure with le	ver arm, Stainless	steel A	4, HCR							
Characteristic bendir	ng resistance	$M^0_{Rk,s}$	[Nm]	26	52	92	200	454	785,4	_
Partial factor		γMs	[-]		1,	25		1,4	1,25	
Concrete pry-out fa	ailure									
Pry-out factor		k ₈	[-]		2,	4			2,8	
Concrete edge failu	Jre								1	
Effective length of fastener in shear	Steel zinc plated	lf	[mm]	46	60	70	85	100	115	125
loading with hef	Stainless steel A4, HCR	lf	[mm]	46	60	70	85	100	125	-
Effective length of fastener in shear	Steel zinc plated	$I_{f,red}$	[mm]	35 ¹⁾	40	50	65			_
loading with hef,red	Stainless steel A4, HCR	$I_{\rm f,red}$	[mm]	35 ¹⁾	40	50	65	-	_	
Outside diameter of	fastener	d_{nom}	[mm]	8	10	12	16	20	24	27

Wedge Anchor SMART S-BZ

Performance

Characteristic values for shear loads, SMART S-BZ, cracked and uncracked concrete, static or quasi static action



Fastener siz	е			M8	M10	M12	M16	M20		
Tension load	S				-	-	-	-		
Installation fac	ctor	γinst	[-]			1,0				
Steel failure,	Steel zinc plate	d								
Characteristic	resistance C1	N _{Rk,s,eq,C1}	[kN]	16	27	40	60	86		
Characteristic	resistance C2	N _{Rk,s,eq,C2}	[kN]	16	27	40	60	86		
Partial factor		γMs	[-]	1	1,53 1,5					
Steel failure,	Stainless steel	A4, HCR								
Characteristic	resistance C1	$N_{Rk,s,eq,C1}$	[kN]	16	27	40	64	108		
Characteristic	resistance C2	N _{Rk,s,eq,C2}	[kN]	16	27	40	64	108		
Partial factor		γMs	[-]		1	,5		1,68		
Pull-out (stee	el zinc plated, sta	inless steel	A4 an	d HCR)						
Characteristic	resistance C1	N _{Rk,p,eq,C1}	[kN]	5	9	16	25	36		
Characteristic	resistance C2	$N_{Rk,p,eq,C2}$	[kN]	2,3	3,6	10,2	13,8	24,4		
Shear loads							-	-		
Steel failure	without lever ar	m, Steel zi	nc pla	ted						
Characteristic	resistance C1	$V_{Rk,s,eq,C1}$	[kN]	9,3	20	27	44	69		
Characteristic	resistance C2	$V_{Rk,s,eq,C2}$	[kN]	6,7	14	16,2	35,7	55,2		
Partial factor		γMs	[-]		1	, 25		1,33		
Steel failure	without lever ar	m, Stainles	ss stee	el A4, HCR						
Characteristic	resistance C1	$V_{Rk,s,eq,C1}$	[kN]	9,3	20	27	44	69		
Characteristic	resistance C2	$V_{Rk,s,eq,C2}$	[kN]	6,7	14	16,2	35,7	55,2		
Partial factor		γMs	[-]		1	, 25		1,4		
Factor for	without filling of annular gap	$lpha_{ ext{gap}}$	[-]	0,5						
annular gap	with filling of annular gap	αgap	[-]			1,0				

Wedge Anchor SMART S-BZ

Performance Characteristic resistance for seismic loading, SMART S-BZ, standard anchorage depth, performance category C1 and C2



	standard a	anchora	ige aep	otn, crac	ked and	uncrac	ked cond	crete C2	0/25 to 0	-50/60
Fastener size				M8	M10	M12	M16	M20	M24	M27
Tension load					-	-	-	-		
Steel failure										
Steel, zinc plate	ed									
	R30			1,5	2,6	4,1	7,7	9,4	13,6	17,6
Characteristic	R60		[kN]	1,1	1,9	3,0	5,6	8,2	11,8	15,3
resistance	R90	– N _{Rk,s,fi}		0,8	1,4	2,4	4,4	6,9	10,0	13,0
	R120			0,7	1,2	2,2	4,0	6,3	9,1	11,8
Stainless steel	A4, HCR									
	R30			3,8	6,9	12,7	23,7	33,5	48,2	
Characteristic	R60			2,9	5,3	9,4	17,6	25,0	35,9	
resistance	R90	– N _{Rk,s,fi}	[kN]	2,0	3,6	6,1	11,5	16,4	23,6	-
	R120	_		1,6	2,8	4,5	8,4	12,1	17,4	
Shear load	-				2	-	-	2	-	-
Steel failure wit	hout lever a	rm								
Steel, zinc plate	ed									
	R30			1,6	2,6	4,1	7,7	11	16	20,6
Characteristic	R60	-		1,5	2,5	3,6	6,8	11	15	19,8
resistance	R90	– V _{Rk,s,fi}	[kN]	1,2	2,1	3,5	6,5	10	15	19,0
	R120	-		1,0	2,0	3,4	6,4	10	14	18,6
Stainless steel	A4, HCR									
	R30			3,8	6,9	12,7	23,7	33,5	48,2	
Characteristic	R60	-		2,9	5,3	9,4	17,6	25,0	35,9	
resistance	R90	– V _{Rk,s,fi}	[kN]	2,0	3,6	6,1	11,5	16,4	23,6	-
	R120	-		1,6	2,8	4,5	8,4	12,1	17,4	
Steel failure wit	h lever arm	I	I			1	1		1	
Steel, zinc plate	ed									
· ·	R30			1,7	3,3	6,4	16,3	29	50	75
Characteristic	R60	-		1,6	3,2	5,6	14	28	48	72
resistance	R90	− M ⁰ Rk,s,fi	[Nm]	1,2	2,7	5,4	14	27	47	69
	R120	-		1,1	2,5	5,3	13	26	46	68
Stainless steel				-	1	. ,	I	L	I	
	R30			3,8	9,0	19,7	50,1	88,8	153,5	
Characteristic	R60	-		2,9	6,8	14,6	37,2	66,1	114,3	
resistance	R90	− M ⁰ Rk,s,fi	[Nm]	2,1	4,7	9,5	24,2	43,4	75,1	-
	R120	-	. _	1,6	3,6	7,0	17,8	32,1	55,5	

Wedge Anchor SMART S-BZ

Performance

Characteristic values for tension and shear load under fire exposure, SMART S-BZ, standard anchorage depth, cracked and uncracked concrete C20/25 to C50/60



Table C8:	Characteristic val SMART S-BZ ,					•	
	reduced anchora	age depth, o	cracked ar	nd uncrack	ed concrete	e C20/25 to	C50/60
Fastener size	9			M8	M10	M12	M16
Fension load							
Steel failure							
Steel, zinc pla	ated						
	R30			1,5	2,6	4,1	7,7
Characteristic	R60	 NI	TLAND	1,1	1,9	3,0	5,6
resistance	R90		[kN]	0,8	1,3	1,9	3,5
	R120			0,6	1,0	1,3	2,5
Stainless stee	el A4, HCR				•	•	
	R30			3,2	6,9	12,7	23,7
Characteristic	R60	—		2,5	5,3	9,4	17,6
resistance	R90	— N _{Rk,s,fi}	[kN]	1,9	3,6	6,1	11,5
	R120		-	1,6	2,8	4,5	8,4
Shear load	-	-			L	<u>L</u>	<u>L</u>
Steel failure v	vithout lever arm						
Steel, zinc pla	ated						
-	R30			1,5	2,6	4,1	7,7
Characteristic	R60	— V _{Rk,s,fi}		1,1	1,9	3,0	5,6
resistance	R90		[kN]	0,8	1,3	1,9	3,5
	R120		-	0,6	1,0	1,3	2,5
Stainless stee	el A4, HCR						
	R30			3,2	6,9	12,7	23,7
Characteristic	R60			2,5	5,3	9,4	17,6
resistance	R90		[kN]	1,9	3,6	6,1	11,5
	R120		-	1,6	2,8	4,5	8,4
Steel failure v	vith lever arm			,	,	,	,
Steel, zinc pla							
, p	R30			1,5	3,3	6,4	16,3
Characteristic	R60			1,2	2,5	4,7	11,9
resistance	R90	— M ⁰ Rk,s,fi	[Nm]	0,8	1,7	3,0	7,5
	R120			0,6	1,2	2,1	5,3
Stainless stee				-,-	· , _	,.	. 0,0
	R30			3,2	8,9	19,7	50,1
Characteristic	R60			2,6	6,8	14,6	37,2
resistance	R90	— M ⁰ Rk,s,fi	[Nm]	2,0	4,7	9,5	24,2
	R120			1,6	3,6	7,0	17,8

Wedge Anchor SMART S-BZ

Performance

Characteristic values for tension and shear load under fire exposure, SMART S-BZ, reduced anchorage depth, cracked and uncracked concrete C20/25 to C50/60



Fastener size			M8	M10	M12	M16	M20	M24	M27
Standard anchorage depth		-	<u>_</u>	_	<u> </u>	<u>.</u>	-		_
Steel zinc plated					_	_	_		
Tension load in cracked concrete	N	[kN]	2,4	4,3	7,6	11,9	17,1	21,1	24
Displacement	δΝΟ	[mm]	0,6	1,0	0,4	1,0	0,9	0,7	0,9
Displacement	δ _{N∞}	[mm]	1,4	1,2	1,4	1,3	1,0	1,2	1,4
Tension load in uncracked concrete	Ν	[kN]	5,7	7,6	11,9	16,7	23,8	29,6	34
Displacement	δνο	[mm]	0,4	0,5	0,7	0,3	0,4	0,5	0,3
Displacement	δ _{N∞}	[mm]	0,	8	1,4		0,8		1,4
Displacements under seismic tension lo	ads C2								
Displacements for DLS	$\delta_{\text{N,eq,(DLS)}}$	[mm]	2,3	4,1	4,9	3,6	5,1		
Displacements for ULS	$\delta_{N,eq(ULS)}$	[mm]	8,2	13,8	15,7	9,5	15,2	-	-
Stainless steel A4, HCR									
Tension load in cracked concrete	Ν	[kN]	2,4	4,3	7,6	11,9	17,1	19,0	
5 1 1 1	δ _{N0}	[mm]	0,7	1,8	0,4	0,7	0,9	0,5	-
Displacement	δ _{N∞}	[mm]	1,2	1,4	1,4	1,4	1,0	1,8	
Tension load in uncracked concrete	N	[kN]	5,8	7,6	11,9	16,7	23,8	33,5	
	δησ	[mm]	0,6	0,5	0,7	0,2	0,4	0,5	-
Displacement	δ _{N∞}	[mm]	1,2	1,0	1,4	0,4	0,8	1,1	
Displacements under seismic tension lo	ads C2					1		I	
Displacements for DLS	$\delta_{\text{N,eq}(\text{DLS})}$	[mm]	2,3	4,1	4,9	3,6	5,1		
Displacements for ULS	$\delta_{\text{N},\text{eq}(\text{ULS})}$	[mm]	8,2	13,8	15,7	9,5	15,2	-	-
Reduced anchorage depth			L		<u>1</u>	4		<u> </u>	-
Steel zinc plated, stainless steel A4,	HCR								
Tension load in cracked concrete	N	[kN]	2,4	3,6	6,1	9,0			
	δησ	[mm]	0,8	0,7	0,5	1,0	-	-	-
Displacement	δ _{N∞}	[mm]	1,2	1,0	0,8	1,1	1		
Tension load in uncracked concrete	N	[kN]	3,7	4,3	8,5	12,6			
	δ _{N0}	[mm]	0,1	0,2	0,2	0,2		-	_
Displacement	δ _{N∞}	[mm]	0,7	0,7	0,7	0,7	1		

Wedge Anchor SMART S-BZ

Performance Displacements under tension load



Fastener size			M8	M10	M12	M16	M20	M24	M27
Standard anchorage depth	1		-	-	-		-	-	
Steel zinc plated									
Shear load in cracked and uncracked concrete	V	[kN]	6,9	11,4	17,1	31,4	36,8	64,9	96,8
Displacement	δνο	[mm]	2,0	3,2	3,6	3,5	1,8	3,5	3,6
Displacement	δv∞	[mm]	3,0	4,7	5,5	5,3	2,7	5,3	5,4
Displacements under seismi	c shear loa	.ds C2							
Displacements for DLS	$\delta v_{\text{,eq(DLS)}}$	[mm]	3,0	2,7	3,5	4,3	4,7		
Displacements for ULS	$\delta_{\text{V,eq}(\text{ULS})}$	[mm]	5,9	5,3	9,5	9,6	10,1		-
Stainless steel A4, HCR									
Shear load in cracked and uncracked concrete	V	[kN]	7,3	11,4	17,1	31,4	43,8	70,6	
Displacement	δνο	[mm]	1,9	2,4	4,0	4,3	2,9	2,8	-
	δv∞	[mm]	2,9	3,6	5,9	6,4	4,3	4,2	
Displacements under seismi	c shear loa	ds C2							
Displacements for DLS	$\delta v_{\text{,eq(DLS)}}$	[mm]	3,0	2,7	3,5	4,3	4,7		
Displacements for ULS	$\delta_{V,eq(\text{ULS})}$	[mm]	5,9	5,3	9,5	9,6	10,1	_	-
Reduced anchorage depth									
Steel zinc plated									
Shear load in cracked and uncracked concrete	V	[kN]	6,9	11,4	17,1	31,4			
Displacement	δνο	[mm]	2,0	3,2	3,6	3,5	-	-	-
	δν∞	[mm]	3,0	4,7	5,5	5,3			
Stainless steel A4, HCR									
Shear load in cracked and uncracked concrete	V	[kN]	7,3	11,4	17,1	31,4			
Displacement	δνο	[mm]	1,9	2,4	4,0	4,3	-	-	-
Displacement	δv∞	[mm]	2,9	3,6	5,9	6,4			

Wedge Anchor SMART S-BZ

Performance

Displacements under shear load



Table C11:Characteristic values for tension loads, SMART S-BZ IG,
cracked concrete, static and quasi-static action

Fastener size			M6	M8	M10	M12
Installation factor	γinst	[-]		1,	2	
Steel failure		·				
Characteristic resistance, steel zinc plated	$N_{Rk,s}$	[kN]	16,1	22,6	26,0	56,6
Partial factor	γMs	[-]		1	,5	
Characteristic resistance, stainless steel A4, HCR	$N_{Rk,s}$	[kN]	14,1	25,6	35,8	59,0
	γMs	[-]		1,	87	
Pull-out failure						
Characteristic resistance in cracked concrete C20/25	$N_{Rk,p}$	[kN]	5	9	12	20
Increasing factor for $N_{Rk,p}$	ψс	[-]		$\left(\frac{f_{ck}}{20}\right)$	$\frac{1}{1}$	
Concrete cone failure		· · · · · · · · · · · · · · · · · · ·				
Effective anchorage depth	h _{ef}	[mm]	45	58	65	80
Factor for cracked concrete	$k_1 = k_{cr,N}$	[-]		7	,7	

Wedge Anchor SMART S-BZ IG

Performance

Characteristic values for **tension loads**, **SMART S-BZ IG**, **cracked concrete**, static and quasi-static action



able C12: Characteristic values uncracked concrete				•		
Fastener size			M6	M8	M10	M12
Installation factor	γinst	[-]		1,	2	•
Steel failure						
Characteristic resistance, steel zinc plated	$N_{Rk,s}$	[kN]	16,1	22,6	26,0	56,6
Partial factor	γMs	[-]		1	,5	_
Characteristic resistance, stainless steel A4, HCR	$N_{Rk,s}$	[kN]	14,1	25,6	35,8	59,0
Partial factor	γMs	[-]		1,	87	
Pull-out						
Characteristic resistance in uncracked concrete C20/25	N _{Rk,p}	[kN]	12	16	20	30
Splitting (the higher resistance of Case 1 and	d Case 2 may	y be applied	I)			
Minimum thickness of concrete member	h _{min}	[mm]	100	120	130	160
Case 1						
Characteristic resistance in uncracked concrete C20/25	$N^0_{Rk,sp}$	[kN]	9	12	16	25
Edge distance	Ccr,sp	[mm]		1,5	h _{ef}	
Case 2						
Characteristic resistance in uncracked concrete C20/25	$N^0_{Rk,sp}$	[kN]	12	16	20	30
Edge distance	C _{cr,sp}	[mm]		2,5	h _{ef}	
Increasing factor for $N_{\text{Rk},\text{p}}$ and $N^0_{\text{Rk},\text{sp}}$	ψс	[-]		$\left(\frac{f_{ck}}{20}\right)$	-) ^{0,5}	
Concrete cone failure						
Effective anchorage depth	h _{ef}	[mm]	45	58	65	80
Factor for uncracked concrete	$k_1 = k_{ucr,N}$	[-]		11	,0	

Wedge Anchor SMART S-BZ IG

Performance

Characteristic values for **tension loads**, **SMART S-BZ IG**, **uncracked concrete**, static and quasi-static action



Fastener size			M6	M8	M10	M12
Installation factor	γinst	[-]		1	,0	
SMART S-BZ IG, steel zinc plated				-		-
Steel failure without lever arm, Pre-setting	installati	ion				
Characteristic resistance	$V^0_{Rk,s}$	[kN]	5,8	6,9	10,4	25,8
Steel failure without lever arm, Through-se	etting ins	tallation				
Characteristic resistance	$V^0_{Rk,s}$	[kN]	5,1	7,6	10,8	24,3
Steel failure with lever arm, Pre-setting ins	stallation					•
Characteristic bending resistance	$M^0_{Rk,s}$	[Nm]	12,2	30,0	59,8	104,6
Steel failure with lever arm, Through-setting	ng install	ation				
Characteristic bending resistance	$M^0_{Rk,s}$	[Nm]	36,0	53,2	76,0	207
Partial factor for $V_{Rk,s}$ and $M^0{}_{Rk,s}$	γMs	[-]		1,	,25	
Ductility factor	k 7	[-]		1	,0	
SMART S-BZ IG, stainless steel A4, HCR						
Steel failure without lever arm, Pre-setting	installati	ion				
Characteristic resistance	$V^0_{Rk,s}$	[kN]	5,7	9,2	10,6	23,6
Partial factor	γMs	[-]		1,	,25	
Steel failure without lever arm, Through-se	etting ins	tallation				
Characteristic resistance	$V^0_{Rk,s}$	[kN]	7,3	7,6	9,7	29,6
Partial factor	γMs	[-]		1,	,25	
Steel failure with lever arm, Pre-setting ins	stallation					
Characteristic bending resistance	$M^0_{Rk,s}$	[Nm]	10,7	26,2	52,3	91,6
Partial factor	γMs	[-]		1,	,56	
Steel failure with lever arm, Through-setting	ng installa	ation				
Characteristic bending resistance	$M^0_{Rk,s}$	[Nm]	28,2	44,3	69,9	191,2
Partial factor	γMs	[-]		1,	,25	
Ductility factor	k 7	[-]		1	,0	
Concrete pry-out failure						
Pry-out factor	k ₈	[-]	1,5	1,5	2,0	2,0
Concrete edge failure						
Effective length of fastener in shear loading	lf	[mm]	45	58	65	80
Effective diameter of fastener	dnom	[mm]	8	10	12	16

Wedge Anchor SMART S-BZ IG

Performance

Characteristic values for **shear loads**, **SMART S-BZ IG**, **cracked and uncracked concrete**, static and quasi-static action



Table C14: Characteristic values for tension and shear load under fire exposure, SMART S-BZ IG, cracked and uncracked concrete C20/25 to C50/60 M6 **M8** M10 M12 **Fastener size Tension load** Steel failure Steel zinc plated R30 0.7 1,4 2,5 3,7 R60 0,6 1,2 2,0 2,9 Characteristic N_{Rk,s,fi} [kN] resistance R90 0,5 0,9 2,2 1,5 1,8 R120 0,4 0,8 1,3 Stainless steel A4, HCR 12,6 R30 2,9 5,4 8,7 R60 1,9 3,8 6,3 9,2 Characteristic [kN] N_{Rk,s,fi} resistance R90 1.0 2.1 3.9 5.7 R120 0,5 1,3 2.7 4,0 Shear load Steel failure without lever arm Steel zinc plated R30 0.7 1,4 2,5 3.7 R60 0,6 1,2 2,0 2,9 Characteristic V_{Rk.s.fi} [kN] resistance R90 0,5 0,9 1,5 2,2 R120 0.8 1,3 1,8 0.4 Stainless steel A4, HCR R30 12,6 2,9 5,4 8,7 9,2 R60 1,9 3,8 6,3 Characteristic [kN] V_{Rk,s,fi} resistance R90 1,0 2,1 3,9 5,7 R120 0,5 1,3 2,7 4,0 Steel failure with lever arm Steel zinc plated R30 0,5 5,7 1,4 3,3 1,2 R60 0,4 2,6 4,6 Characteristic $M^0{}_{\mathsf{Rk},\mathsf{s},\mathsf{fi}}$ [Nm] resistance R90 0.4 0.9 2.0 3.4 R120 0,8 2,8 0,3 1,6 Stainless steel A4, HCR R30 2,2 5.5 11.219.6 14,3 R60 1,5 3,9 8,1 Characteristic $M^0{}_{\mathsf{Rk},\mathsf{s},\mathsf{fi}}$ [Nm] resistance R90 0,7 2,2 5,1 8,9 R120 1,3 6,2 0,4 3,5

Wedge Anchor SMART S-BZ IG

Performance

Characteristic values for **tension** and **shear loads** under **fire exposure**, **SMART S-BZ IG** cracked and uncracked concrete C20/25 to C50/60



Table C15: Displacements under tension load, S	SMART S-BZ IG
------------------------------------------------	----------------------

Fastener size			M6	M8	M10	M12	
Tension load in cracked concrete	Ν	[kN]	2,0	3,6	4,8	8,0	
Displacements	δνο	[mm]	0,6	0,6	0,8	1,0	
	δ _{N∞}	[mm]	0,8	0,8	1,2	1,4	
Tension load in uncracked concrete	Ν	[kN]	4,8	6,4	8,0	12,0	
Displacements	δνο	[mm]	0,4	0,5	0,7	0,8	
	δ _{N∞}	[mm]	0,8	0,8	1,2	1,4	

Table C16: Displacements under shear load, SMART S-BZ IG

Fastener size		M6	M8	M10	M12	
Shear load in cracked and uncracked concrete	V	[kN]	4,2	5,3	6,2	16,9
Displacements	δνο	[mm]	2,8	2,9	2,5	3,6
	δv∞	[mm]	4,2	4,4	3,8	5,3

Wedge Anchor SMART S-BZ IG

Performance Displacements under tension load and under shear load SMART S-BZ IG