

CATALOGUE 2019

Avionic Service

 **MIDLAND**[®]

ANNIVERSARY
1959-2019

6 

YEARS



DUALMIKE

THE SMART MICROPHONE THAT MODULATES FOR TWO

Dual Mike revolutionises the modulation rules, the first CB microphone to allow a dual connection: with the CB, via 4 PIN 48/68 connector (4 PIN, 6 PIN) and with the smartphone, via Bluetooth.

Combined with the CBTalk app, to talk whoever you want, where you want, without distance limits and with an excellent sound quality. Change channel, switch to Dual.

THE FIRST DUAL PTT:

press at the top and transmit on the CB



COMPATIBLE WITH EVERY CB

DUALMIKE is available in 3 versions so that it can be used with many CB models, even not Midland's.

* Check the list of compatibility with competitors' CBs on the midlandeurope.com website



DUALMIKE can be recharged via the USB socket on the microphone or from the CB socket connected to the USB socket of the cable.



CUSTOMIZE THE LIGHT RING OF YOUR DUALMIKE (5 COLOURS)



CB MICROPHONE

Dual mike is compatible with all Midland and the majority of CBs available on the market: choose between the 4 Pin 48, 4 Pin and 6 Pin version.

Choose your favourite color for the Light Ring and start talking with your travel friends.



ANALOG PTT



PREAMPLIFIED MICROPHONE



LIGHT RING FOR NOTIFICATIONS



LONG BATTERY LIFE



DUAL USB RECHARGE SOCKET





DUALMIKE

It combines the analog and digital world thanks to the Bluetooth connection, turning into a multi-purpose instrument: speakerphone, loudspeaker and the first CB (connected to CBTalk) that can communicate without any distance limit.



DUALMIKE has a 3W Super Bass loudspeaker to listen to excellent quality music.

DSP FILTER TO ANSWER YOUR PHONE HANDS-FREE

DSP technology eliminates up to 80% environmental noise. Stop the noise from both windows and engine.

BLUETOOTH MICROPHONE

The CB debuts online! Connect DUAL MIKE to your smartphone via Bluetooth, answer your phone in hands-free mode or listen to your favourite music, thanks to the 3W Bluetooth speaker integrated in the DUALMIKE.



DIGITAL PTT

3W

EXTRA LOUD SPEAKER

DSP

FOR AN EXCELLENT VOICE IN TX



HANDS-FREE PHONE



LISTEN TO MUSIC





CBTALK App allows you to add to the analogue channels another 80 digital channels up to 100 km away*.
 Alternatively, select group mode, choose the one of your language and communicate with online users without distance limits.
 You can see them in real time on the map and report speed cameras, traffic or accidents, thanks to the geolocalized voice emergency signal.

* Exclusive features for DUAL MIKE owners.

CBTALK APP

The App that enhances your CB with all the functions listed above.
 You will finally be able to start modulating* both analogically and digitally, with no more distance limits,
 blocking all unwanted users. All in total safety while driving, through the DUALMIKE.



ANDROID/IOS



NO DISTANCE
LIMITS



MAP WITH
USERS' POSITION



EMERGENCY
ALERT



BLOCK
UNWANTED USERS

*For all TIM users, data traffic is free, all over Italy.



DOWNLOAD
THE APP
CBTALK

INDEX

CB AND RADIO

VEHICLE AND PORTABLE CB

MIDLAND M-5	4
MIDLAND M-MINI	5
DUAL MIKE	6
MIDLAND M-10	7
MIDLAND M-20	8
MIDLAND M-30	9
MIDLAND M ZERO PLUS	10
ALAN 100 PLUS B	10
ALAN QUARANTOTTO	11
ALAN SESSANTOTTO	12
ALAN 48 PLUS MULTI B	13
ALAN 78 PLUS MULTI B	13
ALAN 42 DS	14

WALKIE TALKIE

LEISURE

XT10	15
XT30	15
XT50 /XT50 ADVENTURE	16
XT60	17
XT70 / XT70 ADVENTURE	18
MIDLAND G5C	19
MIDLAND G7 PRO	20
MIDLAND G9 PRO	21
MIDLAND G10	22
MIDLAND G11V	23
MIDLAND G15	24
MIDLAND G18	25
MIDLAND GB1-R	26

TOURISM

MIDLAND ONDA	27
--------------	----

BUSINESS

MIDLAND BR01	28
MIDLAND BR02	29
MIDLAND BR03	30

AMATEUR VHF/UHF

MIDLAND CT590 S	31
MIDLAND CT 890	32

MIDLAND CT 990	33
MIDLAND CT 2000	34
MIDLAND CT 3000	35

PROFESSIONAL VHF/UHF

ALAN HP108/408L	36
ALAN HM135/70	37
ALAN HM106	37

MARINE VHF

MIDLAND ARCTIC	38
----------------	----

CB ACCESSORIES AND RADIO

CB

MICROPHONES	40
MICROPHONE HOLDERS, BRACKETS, CABLES	41
LOUDSPEAKERS, REDUCERS, AMPLIFIERS	42
SWR METERS WATTMETERS, CHARGERS	43
CAR & TRUCK CB ANTENNAS	44
MAGNETIC CB ANTENNAS	46
MAGNETIC BASES, VHF/UHF ANTENNAS	47
BASIC, BALCONY, WIDE BAND ANTENNAS	48
BRACKETS, CONNECTIONS	49
CONNECTORS, CABLES	50
ANTENNA TECHNICAL FEATURES	51
SUMMARY TABLES	53

RADIO

HEADSET MICROPHONES	55
HEADSETS FOR SOFTGUNNERS	57
SOFTAIR, PAINTBALL TACTICAL MASKS	58
HIFI STEREO HEADPHONES	
WALKIE TALKIE CHARGERS	59
WALKIE TALKIE SUPPLY	60
VHF/UHF RADIO ACCESSORIES	61
PROFESSIONAL RADIO ACCESSORIES	61
ANTENNAS, CONNECTORS	62
BLUETOOTH	63
USB RECHARGER	63
WALKIE TALKIE SUMMARY TABLES	64
VHF/UHF SUMMARY TABLES	66

CAMCORDERS

DASH CAM

BIKE GUARDIAN	68
STREET GUARDIAN FLAT	69
STREET GUARDIAN GPS+	70
STREET GUARDIAN DUAL	71
TRUCK GUARDIAN WIRELESS	72
SUMMARY TABLE	73

ACTION CAM

MIDLAND H9	74
MIDLAND H5+	75
MIDLAND H360 SMART	76
ACCESSORIES	77
SUMMARY TABLE	79

STARTERS AND POWER BANK

ENERJUMP MINI	81
ENERJUMP	81
ENERJUMP WORK	82
ER300	83

MOTORCYCLE INTERCOMS

2019 NEWS	85
MIDLAND INTERCOM RANGE	86

MIDLAND GROUP

ABOUT US	88
----------	----

CB & RADIO

CB
WALKIE TALKIE
AMATEUR VHF/UHF
PROFESSIONAL VHF/UHF
MARINE VHF

Avion Service



 **MIDLAND®**

MIDLAND M-5

THE CB "IN THE MIKE"



BAND



EMERGENCY



DIGITAL SQUELCH



NOISE BLANKER



DUAL SPEAKER



USB PORT



2 PIN KENWOOD



EXTRA SMALL: 102x100x25mm

USB PORT

The CB world finds a new style with the **Midland M-5**, the "CB in the mike" to have everything on hand all the time, thanks to the buttons placed directly on the microphone with an LCD display to see channels, bands and settings.

The compact size and its particular configuration allow the radio to be placed in the storage compartment or even in the boot (with accessory cable extension).

A new way to enjoy the CB that allows you to drive with a minimal cabin.

FEATURES

- Band: Multi (see page 54)
- 40 AM/FM channels
- Output power: 4W AM/FM
- Die-cast metal body
- "Handy" controls on the mike
- Selectable multicolour backlight (7 colours)
- Manual squelch 28 levels
- Digital squelch at 5 levels
- RF gain
- Scan
- Indication S-meter RX-TX
- Sliding mounting bracket

- Lighter power supply
- USB socket for charging electrical devices
- 2 pin Kenwood socket (microphone)

PACKAGING AND CODES

1 radio, microphone with UP/DOWN keys, fixing screws, mounting bracket, power cord with cigarette lighter socket
code C1277

**EXPORT VERSION:
10W AM/FM - 400CH**

R74574

2 mt. long microphone extension cord for M-5/M-30/CT3000

MIDLAND M-MINI

THE MULTIMEDIA KIT

USE YOUR WIRELESS CB WITH WA ACCESSORIES

WA-CB C1276
Bluetooth adapter for M-Mini (optional)



EXTRA SMALL: 102x100x25mm



BAND



EMERGENCY



DIGITAL SQUELCH



NOISE BLANKER



BLUETOOTH READY



2 PIN



WIRELESS COMMUNICATION



THE BLISTER VERSION CB GO, READY IN JUST A FEW MINUTES.

A complete pack, containing: M-Mini, the Midland multimedia mini-transceiver, power cord with cigarette lighter plug and Midland LC29 high-performance antenna, fitted with a magnetic base. Become a part of the CB community.

The first CB that opens the door to the Bluetooth connection (with WA CB adapter) giving the opportunity of combining the CB with a microphone or a wireless headset. Completely redesigned in both design and electronics **M-Mini** is so small that it can simply be placed inside the cabin, without complicated installations.

For hands-free CB communication, in complete safety.

FEATURES

- 40 AM/FM channels
- Selectable frequency bands: I, I2, D4, EU, EC, PL, UK, IN (see page 54)
- Output power: 4W AM/FM
- UP/DOWN keys on the microphone
- Channels scan
- LCD display with S/meter
- Double squelch mode (9 and 28 levels)
- Adjustable reception attenuator (RF gain)
- Emergency channel 9/19
- External loudspeaker socket
- Midland 2-pin socket for external mic/spk (bluetooth accessories compatible)

PACKAGING AND CODES

Box M-Mini:

1 radio, microphone with UP/DOWN keys, fixing screws, mounting bracket
code C1262

Blister CB GO:

CB M-Mini, power cord with cigarette lighter socket, LC29 antenna, magnetic base.
code C1262.02

**EXPORT VERSION:
9W AM/FM - 400CH**

DUAL MIKE

THE FIRST DIGITAL PRE-AMPLIFIED MIKE

NEW



ANALOGUE PTT
DIGITAL PTT



BLUETOOTH 4.2



PRE-AMPLIFIED



SUPER BASS
LOUDSPEAKER



HANDS-FREE PHONE



FOR A PERFECT
VOICE IN TX



LISTEN TO MUSIC



LIGHT RING FOR
NOTIFICATIONS



LONG LASTING
BATTERY



DOUBLE USB
RECHARGE SOCKET



4 PIN *48/68*



4 PIN



6 PIN



THE CB MIKE BECOMES DUAL.

Replace your mike with DUAL MIKE and boost your CB.

DUAL MIKE contains in just one microphone:

- the **dual PTT** to use with the analogue CB and with the CBTalk App,
- a **hands-free facility** to answer calls without having to use your hands,
- a **superb speaker** to listen to music via Bluetooth.

See all the details inside the cover, page 1

FEATURES

- Bluetooth 4.2
- Dual USB Micro Recharge socket
- 6 hours life with volume at 80%
- 15 hours life with CB use only
- 3W Audio Superbass
- Dual PTT
- Multifunction key
- Connecting cable to the traditional CB (available in 4Pin 48, 4Pin, 6Pin versions)
- Customisable Light Ring, with light indications
- Expansion of the CBTalk App functions

PACKAGING AND CODES

Microphone, micro-USB recharge cable, microphone holder with adhesive support

code C1283 DualMike 4 Pin 48

code C1283.01 DualMike 4 Pin

code C1283.02 DualMike 6 Pin

ACCESSORIES



VM-DUAL
code C1407

Air vent fixed support



AM-DUAL
code C1408

Dual Mike adhesive support kit



KS-DUAL
code C1413

Dual Mike adhesive support and air vent fixed support



ST DUAL
code C1422

Support with 12V power unit and 2 USB sockets



AL-DUAL
code C1403

Voltage reducer 12V-5V Alan 48 and Micro USB

MIDLAND M-10

THE FIRST MULTIMEDIA CB

USE YOUR WIRELESS CB WITH WA ACCESSORIES

WA-CB C1276
Bluetooth adapter (option)



BAND



EMERGENCY



DIGITAL SQUELCH



NOISE BLANKER



BLUETOOTH READY



USB PORT



2 PIN



4 PIN



Avionics Service

The first multimedia CB launched on the market in 2016, allows hands-free Bluetooth communication (with optional adapter). Full compatibility with traditional Midland accessories and a USB socket to charge any device. Find below the features of the **Midland M-10**, the first multimedia CB produced by the people who have made CB history, Midland.

FEATURES

- Band: Multi (see page 54)
- LCD display, White Bright Light™
- White Bright Light™ backlight
- AM/FM switch
- Automatic digital squelch
- Selectable audio: internal, from earphones, both
- ANL: automatic noise limiter
- Noise Blanker System
- Emergency channel 9-19
- USB socket for smartphone and tablet recharging
- 2 pin socket for accessories

- External loudspeaker socket
- 4 pin microphone connector

PACKAGING AND CODES

1 radio, microphone, fixing screws, mounting bracket, power cable with car power supply
code C1185

EXPORT VERSION:
10W AM/FM - 400CH

THE FIRST CB RADIO ALLOWING WIRELESS COMMUNICATION THANKS TO MIDLAND BLUETOOTH DONGLES

See Radio Accessories Section, page 63

WA-MIKE C1263

The first Bluetooth microphone



WA31 C1202

Bluetooth microphone with air tube earpiece and PTT



WA21 C1201

Bluetooth headset microphone with PTT



WA29 C1203

Bluetooth headset microphone with neckband and PTT



MIDLAND M-20

THE ADVANCED MULTIMEDIA CB

USE YOUR WIRELESS CB
WITH WA ACCESSORIES

WA-CB C1276
Bluetooth adapter
(option)



BAND



EMERGENCY



DIGITAL SQUELCH



NOISE BLANKER



BLUETOOTH READY



USB PORT



2 PIN



6 PIN

MOBILE & PORTABLE CB



USB PORT

WIRELESS
COMMUNICATION

Even more functions than its predecessor M10. Large LCD screen, knob to **change channel** (also on the mike), **display indicator** of the operating band are the three features that make the **M-20** model a really efficient multimedia CB. Like all Midland multimedia CBs, with this product communication is possible in wireless mode, thanks to the **Bluetooth WA accessories**, connected to the 2-pin socket.

FEATURES

- Band: Multi (see page 54)
- Large LCD display, White Bright Light™
- White Bright Light™ backlight
- AM/FM switch
- Automatic digital squelch, digital S-Meter
- Selectable audio: internal, from earphones, both
- ANL and Noise Blunker System that can be selected and disabled
- 9-19 emergency channel and selectable priority channel
- Microphone with Up/Down and priority channel

- USB socket for smartphone and tablet recharging
- 2 pin socket for accessories
- External loudspeaker socket
- External S-Meter socket
- 6 pin microphone connector

PACKAGING AND CODES

1 radio, microphone, fixing screws, mounting bracket, power cable
code C1186

EXPORT VERSION:
10W AM/FM - 400CH

MIDLAND M-30

THE TOP-OF-THE-RANGE M SERIES CB



BAND



EMERGENCY



DIGITAL SQUELCH



NOISE BLANKER



ROSMETER
S-METER



AUDIO EQUALIZER



DUAL WATCH



8 MEMORY
CHANNELS



TOT



12/24V



RJ45



If you are looking for a multi-function CB, this is the model for you.

Ready to give you the best of the M series, thanks to **6 programmable keys**, wide **multi-colour TFT display**, with **Dual Watch** function to monitor two channels at the same time. Automatic switch-on, display of the channel number or channel number plus frequency, make it **the perfect tool for communication professionals**.

FEATURES

- Band: AM/FM Multi (see page 54)
- 6 programmable keys
- Wide colour TFT display
- Supply 12V-24V
- Metal alloy radio body for better heat

- dissipation
- Display of the channel number or channel number + frequency.
- Automatic adjustable Digital Squelch on 9 levels
- S-Meter/SWR Meter
- RF attenuator
- Scan function
- Dual Watch
- Customizable Roger Beep
- 9/19 emergency channels and priority channel
- Noise Blanker
- Audio equalizer
- Protection against polarity inversion
- 8 customizable memory channels
- TOT (Time Out Timer)

- Adjustable backlight
- Automatic switch-on
- Keypad lock
- Microphone with RJ45 connector with keys
- UP/DOWN/Priority channel

PACKAGING AND CODES

1 radio, microphone, mounting bracket, fixing screws
code **C1313**

EXPORT VERSION:
AMATEUR BAND 26-28MHZ 400CH 8W (AM)/15W (FM)

R74574

2 mt. long microphone extension cord for M-5/M-30/CT3000

PROGRAMMING SOFTWARE PRG-30 C1318

Complete with USB connection for PC

MIDLAND M ZERO PLUS

THE 40-AM-FM-CHANNEL CB



BAND



CHANNELS



EMERGENCY



POWER 12V



4 PIN



Evolution of the excellent Midland M-ZERO, the new PLUS version adds the **FM band**. **ABS body** for practical and light use and with **SMD technology** for the electronic structure. With its **40 AM/FM channels**, this CB is extremely easy to use. **M-ZERO PLUS is definitely the best compromise between quality and price of the M line.**

FEATURES

- Band: AM-FM (Poland-Italy)
- Channel display, black background with white texts
- UP/DOWN buttons
- Squelch
- Emergency memory channel: to immediately select the emergency channel (set by the user)
- RF Gain: sensitivity control in RX
- Quick Scan

- On/Off keypad beep
- 4-pin microphone connector

PACKAGING AND CODES

1 radio, microphone, mounting bracket, fixing screws
code **C1169.01**

EXPORT VERSION: 120CH

ALAN 100 PLUS B

THE ENTRY LEVEL CB



BAND



CHANNELS



EMERGENCY



POWER 12V



4 PIN



The CB that has accompanied car, caravan and truck drivers since 1998. An excellent product to enter the CB world with everything that is required to communicate. **An easy communication tool for everyone.**

FEATURES

- Band: AM-FM
- Emergency channel 9-19
- Display channels
- Up/down buttons
- Squelch
- Transmission and reception led
- External speaker socket
- 4-pin microphone connector

PACKAGING AND CODES

1 radio, microphone, mounting bracket, fixing screws
code **C442.09**

ALAN QUARANTOTTO

THE KING OF CB

SINCE 1986
THE BEST SELLER
40CH CB

ONLY FOR
ITALIAN MARKET

AM
FM

BAND

40

CHANNELS



NOISE BLANKER
SYSTEM



S-METER



POWER 12V



4 PIN "48"



The CB that made the communication history, returns completely renewed, but still faithful to the DNA of the historical product. Thanks to its fame, very easy use and its **complete range of functions**, it has been the Italian best-seller for over 30 years. A travelling companion and an **irreplaceable work tool for those who are driving every day**.

FEATURES

- Band: AM-FM
- Noise blanker System
- MIC Gain: Mic gain control for a always perfect modulation
- RF Gain: set the gain of the antenna preamplifier
- FIL: set the intonation of the incoming signal
- ANL: automatic noise cut down
- Squelch
- PA: activating this switch the CB becomes a low frequency amplifier (with additional speaker)
- White LED backlight, for every light condition
- 4-pin microphone connector

PACKAGING AND CODES

1 radio, microphone, mounting bracket, fixing screws
code **C217.09**

ALAN SESSANTOTTO

THE MYTHICAL 34-CHANNEL CB

SINCE 1983
THE BEST SELLER
34CH CB

ONLY FOR
ITALIAN MARKET

AM
FM

BAND

34

CHANNELS



NOISE BLANKER
SYSTEM



S-METER



POWER 12V



4 PIN "48"



The brother of the mythical Alan Quarantotto, that made communication history, returns completely renewed, but still faithful to the DNA of the historical product. Since 1983 the **sales champion** in its category.

FEATURES

- Band: AM-FM
- Noise blanker System
- MIC Gain: Mic gain control for a always perfect modulation
- RF Gain: set the gain of the antenna preamplifier
- FIL: set the intonation of the incoming signal
- ANL: automatic noise cut down
- Squelch
- PA: activating this switch the CB becomes a low frequency amplifier (with additional speaker)
- White LED backlight, for every light condition
- 4-pin microphone connector

PACKAGING AND CODES

1 radio, microphone, mounting bracket, fixing screws
code C025.09

ALAN 48 PLUS MULTI B

THE TOP-OF-THE-RANGE MULTIBAND



BAND



SIGNAL



EMERGENCY



MEMORY




DUAL WATCH



POWER
12V



6 PIN



The best-seller in Europe

Its classical design and advanced technology make the **Alan 48 plus Multi B** a cornerstone in the CB world.

FEATURES

- Band: Multi (see page 54)
- Power: 1W/4W depending on the country
- Blue back-lit multifunction display
- "Precision series" microphone with Up/Down/Lock buttons
- Squelch
- RF Gain: sensitivity control in RX
- MIC Gain: microphone amplification
- 4 memory positions
- Emergency channel
- SCAN function

- Dual watch
- External speaker socket
- 6-pin microphone connector

PACKAGING AND CODES

1 radio, microphone, mounting bracket, fixing screws
code **C422.15**

EXPORT VERSION: 400CH

ALAN 78 PLUS MULTI B

THE COMPACT MULTIBAND



BAND



SIGNAL




EMERGENCY



POWER 12V



6 PIN



Its compact size and cutting-edge technology make it a **must in the CB world**.

FEATURES

- Band: Multi (see page 54)
- Power: 1W/4W depending on the country
- Blue back-lit multifunction display
- "Precision series" microphone with Up/Down/Lock buttons
- Emergency channel
- Squelch
- External speaker socket
- SCAN function
- 6-pin microphone connector

PACKAGING AND CODES


1 radio, microphone, mounting bracket, fixing screws
code **C423.15**

EXPORT VERSION: 400CH

ALAN 42 DS

THE PORTABLE CB IS RENEWED WITH DS

N° 1
WORLD
PORTABLE CB



Avionic Services

The portable CB transceiver "par excellence", **ALAN 42 DS**, with new electronic components to give a unique audio experience. It is fitted with **digital squelch, ANL filters and Noise Blanker** that removes all annoying noises caused by sources outside the vehicle. A multistandard transceiver that allows selecting **any European band and operate in all EU countries.**

FEATURES

- Band: Multi (see page 54)
- Power: 1W/4W depending on the country
- Emergency channel (EMG)
- Keypad lock (LOCK)
- Battery status indicator
- High-lower power (H-L)
- Display back-lighting button
- AM-FM button selection
- SCAN function, Dualwatch
- Antenna socket: BNC
- Powered by 8 AA batteries or 12V
- 2-pin accessory socket

PACKAGING AND CODES

1 radio, wall charger for 8 AA battery pack, empty battery pack for 6 AA Alkaline battery, empty battery pack for 8 AA rechargeable batteries with charging socket, adapter for car use with external SO 239 antenna socket, scratch resistant case, antenna, belt clip, wrist strap
code C1267

EXPORT VERSION: 400CH

OPTIONAL ACCESSORIES

Alan 42 DS is compatible with straight 2-pin accessories socket, see Radio Accessories Section page 55



PB E42 - C602
Empty battery pack to charge 8 AA battery (not included)



R74593 (Alan 42 DS/Multi)
R17363 (only Alan 42 Multi)
Car adapter with socket for external antenna SO2399



R17365
Wall adapter




ANT 42 - C611
Antenna

CB FLEX B- C394
Flex antenna 53 cm

XT10

4 KM RANGE*



Light, very simple to use, coloured in order to avoid the usual "Hey, where did I put the walkie-talkie?", that's the **Midland XT10**. The entry level that combines technique, offering communications up to 4km, with simplicity and saving.

Version: PMR446
Colour: Black/Red
Channels: 8 + 8 preprogrammed
Tones: 38 CTCSS

FEATURES

- Communications up to 4 Km*
- Side tone: end transmission tone muffler
- Keypad lock
- Auto power save: automatic battery saving
- Low battery indicator
- VOX, CALL, SCAN
- Power supply: 3 AAA batteries



PACKAGING AND CODES


Blister with 2 radios, 2 belt clips
code C1176



* In optimal environmental and atmospheric conditions

XT30

6 KM RANGE*



The **XT30** walkie-talkie concentrates in a light and easy to use tool everything you need to communicate up to 6 Km away. By means of a 5 hours battery life and a recharge via USB, this emerald-green jewel will make you run!

Version: PMR446
Colour: Black/Green
Channels: 8 + 8 preprogrammed
Tones: 38 CTCSS

FEATURES

- Communications up to 6 Km*
- Rechargeable via USB
- Side tone: end transmission tone muffler
- Auto power save: automatic battery saving
- Low battery indicator
- Keypad lock, VOX, CALL, SCAN
- Power supply: 3 rechargeable AAA batteries (**up to 5 hours battery life**)
- 2-pin accessory jack/USB for charging



PACKAGING AND CODES

Blister with 2 radios, 2 belt clips, 6 AAA rechargeable batteries, 2 way USB cable
code C1177



* In optimal environmental and atmospheric conditions

AVIOMATIC Service

WALKIE TALKIE - LEASURE TIME

XT50 / XT50 ADVENTURE

8 KM RANGE*, WITH DESKTOP CHARGER

24

PMR446

38

CTCSS



VOX 3 LEVELS



SCAN



SIDE TONE



CALL



BATTERY LEVEL



BATTERY PACK
BATTERY LIFE 12H



USB CHARGE



2 PIN



Avionic Service

24 channels, 38 tones, communications up to 8 Km and 12 hours autonomy are just some of the features that make this **Midland XT50** walkie-talkie a real jewel of free radio-communications. Available also in the practical Adventure version with premium case!

Version: PMR446
Colour: Blister Black/Gray
 Valibox Black/Yellow
Channels: 8 + 16 preprogrammed
Tones: 38 CTCSS

FEATURES

- Communications up to 8 Km*
- Rechargeable via USB
- Side tone: end transmission tone muffler
- Keypad lock
- Auto power save: automatic battery saving
- Low battery indicator
- VOX with 3 levels of sensitivity
- CALL
- SCAN
- Power supply: Rechargeable battery pack (up to 12 hours battery life)
- 2-pin accessory jack/USB for charging

PACKAGING AND CODES

Blister:
 with 2 radios, 2 belt clips, 1 double desktop charger, 2 rechargeable battery packs, USB cable
code C1178

Valibox:
 with 2 radios, 2 belt clips, 1 double desktop charger, 2 rechargeable battery packs, USB cable, 1 wall adapter, 2 earphones MA21L
code C1178.01

* In optimal environmental and atmospheric conditions

XT60

10 KM RANGE*, WITH VOLUME KNOB
AND QUICK DESKTOP CHARGER



69 LICENCE FREE LPD CHANNELS

When things get serious, when requirements increase, Midland responds and it does it with the **Midland XT60**, a dual band walkie-talkie that guarantees communications up to 10 km over 69 LPD and 24 PMR446 channels. Freedom and technology in just one tool.

Version: PMR446/LPD
Colour: Black/Light blue
Channels: 69 LPD + 24 PMR446
(8 + 16 preprogrammed)
Tones: 38 CTCSS + 83 DCS

FEATURES

- Communications up to 10 Km*
- Advanced radio with volume knob
- Rechargeable via USB
- Night vision display
- Side tone: end transmission tone muffler
- Keypad lock
- Auto power save: automatic battery saving
- Low battery indicator
- VOX with 9 levels of sensitivity
- CALL with 5 selectable tones
- SCAN
- High/low power selection
- Fast charger (3 hours)
- Power supply: Rechargeable battery pack (up to 12 hours battery life)
- 2-pin accessory jack/USB for charging

PACKAGING AND CODES

Blister with 2 radios, 2 belt clips, 1 double desktop charger, 2 rechargeable battery packs, USB cable
code C1179


* In optimal environmental and atmospheric conditions

Avionic Service

WALKIE TALKIE - LEASURE TIME

XT 70 / XT 70 ADVENTURE

12 KM RANGE*, WITH EARPHONES, VOLUME KNOB AND QUICK DESKTOP CHARGER



69 LICENCE FREE LPD CHANNELS

69 LPD and 24 PMR446 channels, 38 tones, communications up to 12 km and 18 hours autonomy. That's what the dual band **Midland XT70** walkie-talkie is, a perfect choice to communicate freely and safely. If you are also looking for an exceptional packaging, there's the Adventure version with premium case!

Version: PMR446/LPD
Colour: Blister Black/Dark gray
 Valibox Black/Yellow
Channels: 69 LPD + 24 PMR446
 (8 + 16 preprogrammed)
Tones: 38 CTCSS + 83 DCS

FEATURES

- Communications up to 12 km*
- Premium Radio with Volume Knob
- Rechargeable via USB
- Side tone: end transmission tone muffler
- Wide display
- Out of range
- Baby-Sitting function
- Keypad lock
- Auto power save: automatic battery saving
- Low battery indicator
- VOX with 9 levels of sensitivity
- CALL with 5 selectable tones
- SCAN
- High/low power selection
- Fast charger (4 hours)
- Power supply: Rechargeable battery pack (up to 18 hours battery life)
- 2-pin accessory jack/USB for charging

PACKAGING AND CODES


Blister:
 with 2 radios, 2 professional belt clips, 1 double desktop charger, 2 rechargeable battery packs, USB cable, 2 earpiece microphones MA21-L
code C1180

Valibox:
 with 2 radios, 2 professional belt clips, 1 single desktop fast charger, 2 rechargeable battery packs, 2 wall adapters, 2 USB cables, earpiece microphones MA21-L
code C1180.01

* In optimal environmental and atmospheric conditions

MIDLAND G5C

WALKIE-TALKIE FOR THE FAMILY



Valibox version
G5C WORK&HOBBY - C1192.03



Family, passion, work. Three essential elements that make a meaningful life. To help you manage them better, we have created the **Midland G5C** walkie-talkie that combines modern and practical design with an extraordinary performance thanks to two practical versions: **Work&Hobby**, designed for work and leisure, and **Baby Monitoring**, enhanced with the BabySitter function.

Version: PMR446
Colour: Black
Channels: 8 + 16 preprogrammed
Tones: 38 CTCSS

FEATURES

- Baby Sitting function with dedicated channels
- Out of range
- Side tone
- Keypad lock
- Auto power save: automatic battery saving
- Low battery indicator
- VOX + Vox Talk Back
- Monitor
- CALL with 3 selectable tones
- Roger beep: end call tone
- Power supply: 3 AAA batteries
- 2-pin accessory jack
- Compatible wall charger: MW904


PACKAGING AND CODES

Blister:
with 2 radios, 2 wall chargers, 6 rechargeable Ni-MH AAA 800 mAh batteries, 2 belt clips
code C1192

Valibox:
with 2 radios, 2 wall chargers, 6 rechargeable AAA batteries, 2 microphones with adjustable earphones and PTT, 2 travel power supplies 12V
code C1192.03

MIDLAND G7 PRO

THE BEST-SELLER IN THE WHOLE WORLD



69 LICENCE FREE LPD CHANNELS

Midland G7 PRO is the radio for those who love outdoor activities. Hiking, airsoft, climbing, hunting are just a few examples of the perfect use of this walkie-talkie. A compact and elegant design that always accompanies you in your passions. Among the optional accessories you can choose the lithium battery pack to make it even lighter and more durable.

Versions: Dual band PMR446/LPD PMR446
Color: Gray/Black - Mimetic Mossy Oak
Channels: PMR446 8 - LPD 69
Tones: 38 CTCSS + 104 DCS

FEATURES

- Dual watch: to monitor 2 different channels at the same time
- Double PTT hi/low power
- Vibracall
- Keypad lock
- Auto power save: automatic battery saving
- Low battery indicator
- 3 types of VOX (Vox standard - Vox Baby-Sitting - Vox Bike) adjustable to 2 levels, for hands-free communication
- CALL with 5 different melodies
- SCAN
- TOT (Time Out Timer)
- Roger beep end call switchable
- Power supply: battery pack Ni-Mh 800 mAh or Li-Ion 1200 mAh (optional), 4 AA batteries
- 2-pin accessory socket
- Compatible wall charger: MW 904

PACKAGING AND CODES

Box single pack:
 1 radio, wall charger, 4 rechargeable Ni-MH AA 1.2V/1800 mAh batteries, belt clip
code C1090.14 Dual band black version
code C1090.15 Dual band mimetic version

Box twin pack:
 2 radios, double desktop charger, wall adapter, 2800 mAh battery packs, belt clip
code C1090.06 Dual band black version
code C1090.01 PMR446 only, version "E"

EXPORT VERSION 3W

MIDLAND G9 PRO

HIGH-PERFORMANCE

NEW



69 LICENCE FREE LPD CHANNELS

Midland G9 evolves and becomes **PRO**. The excellent radio used in any outdoor context. With a 30% larger display, audio improved by 30%, a more powerful antenna and a dual PTT that allows you to instantly select high and low power, your communication becomes easier and more fun. **G9 PRO** is the first to introduce the 8 new frequencies of the PMR 446 band, which are freely used all over Europe, for communications free of overlaps and congestion by other users. Among the optional accessories you can choose the lithium battery pack to make it even lighter and more durable.

Versions: Dual band PMR446/LPD
Colour: Black/Mimetic Mossy Oak®
Channels: PMR446 16 +16 mem LPD 69

FEATURES

- 8 new PMR446 channels
- 101 channels: 32 PMR446 (16+16 pre-programmed) + 69 LPD
- Extended frequency band: from 446.00625 to 446.19375MHz
- 38 CTCSS tones and 104 DCS codes
- High-performance loudspeaker
- Wide LCD display (30% wider than the previous version)
- Weatherproof IPX4
- Double PTT button for high/low power
- Emergency function
- Out of range function
- VOX with TalkBack™
- Side tone: end of transmission tone silencer
- Vibracall, Dual Watch
- Keypad lock, Scan, Monitor
- TOT (Time Out Timer)
- Low battery indicator and power save

- 12cm antenna to make the most of the full radio transmission power
- High-low power selection
- CALL button with 5 available tones
- Roger Beep: end of call tone (can be deactivated)
- Power supply: batteries or battery pack Ni-MH/Li-Ion (optional)
- 2-pin accessory socket
- Compatible wall charger: MW904

PACKAGING AND CODES

1 radio, desktop charger with wall adapter, 4 rechargeable AA batteries (1800 mAh), belt clip
code C1385 Dual band black version
code C1385.01 Dual band mimetic version

EXPORT VERSION 5W

WALKIE TALKIE – LEASURE TIME

MIDLAND G10

SIMPLE AND STRONG

08

PMR446

08

PREPROGR.
CHANNELS



SCAN



VOICE
ANNOUNCEMENT



BATTERY PACK



PROGRAMMABLE



2 PIN KENWOOD



MULTI CA PB-G10 - C1218
6 position multicharger (optional)



Avionic Service

Clean and compact design, technical performance, perfect also for professional communications in low-complexity environments, this is the **Midland G10** walkie-talkie. An entry level with great performance. Thanks to an immediate signalling of the selected channel and the programming software, the **G10** will be the perfect partner for all your needs.

Version: PMR446
Colour: Black
Channels: 8 + 8 pre-set sub-channels
Tones: 51 CTCSS + 83 DCS normal/inverted

FEATURES

- Output power: 500mW
- Channel spacing: 12.5KHz
- Channel scanning
- Function button beeps
- Monitor
- Auto power save
- Power supply: 1200 mAh Li-Ion battery pack
- 2-pin Kenwood accessory socket

PACKAGING AND CODES

1 radio, desktop charger, wall adapter, Li-Ion rechargeable battery pack (1200 mAh), belt clip
code C1107


EXPORT VERSION: 5W

PROGRAMMING SOFTWARE PRG 10 - C974.01

Customisation of channels and frequencies.

MIDLAND G11V

INCOMPARABLE AUDIO



A huge attention to the smallest details is the key to guarantee high performance and maximum robustness to the **Midland G11V** walkie-talkie, that is equipped also with a metal chassis that enhances its strength, the "voice announcement" function to signal the selected channel vocally and a clear and ringing audio, for high quality communications

Version: PMR446
Colour: Black
Channels: 8 + 8 pre-set sub-channels
Tones: 50 CTCSS + 105 DCS normal/inverted

FEATURES

- Aluminium chassis
- Output power: 500mW
- Channel spacing: 12.5KHz
- VOX function (hands-free transmission)
- Voice announcement
- Channel scanning
- Function button beeps
- Roger beep
- Monitor
- TOT (Time Out Timer)
- Busy channel lock
- Auto power save
- Power supply: 1600 mAh Li-Ion battery pack
- 2-pin Kenwood accessory socket

PACKAGING AND CODES

1 radio, desktop charger, wall adapter, rechargeable Li-Ion battery pack (1600 mAh), belt clip
code C966.04

EXPORT VERSION: 5W

PROGRAMMING SOFTWARE PRG 10 - C974.01


Customisation of channels and frequencies.



Avionic Service

MIDLAND G15

THE INDESTRUCTIBLE



MULTI CA PB-G15 - C1251
6 position multicharger (optional)



WATERPROOF

Avionic Service

Extreme sports, airsoft, work environments with low complexity but a high risk of damage to walkie-talkies, here are the situations where the **Midland G15** gives its best.

In fact, its metal chassis not only guarantees high impact strength but also withstands dust and immersion in water (up to 1 meter depth for 30 minutes).

Version: PMR446
Colour: Black
Channels: 8 + 8 pre-set sub-channels
Tones: 50 CTCSS + 105 DCS normal/inverted

FEATURES

- Aluminium chassis
- IP67 certified
- Output power: ≤500mW ERP
- Channel spacing: 12.5KHz
- Channel scanning
- Voice announcement
- Roger Beep, Auto power save
- Monitor, Squelch, Vox
- Power supply: Li-Ion 1600 mAh battery pack
- 2-pin Motorola accessory socket

PACKAGING AND CODES

1 radio, desktop charger, wall adapter, rechargeable Li-Ion battery pack (1600 mAh), belt clip
code C1127

EXPORT VERSION 5W

PROGRAMMING SOFTWARE PRG-G15 - C1131

Customisation of channels and frequencies.

MIDLAND G18

TOP OF THE RANGE



MULTI CA PB-G15 C1251
6 position multicharger (optional)



WATERPROOF

WALKIE TALKIE - LEASURE TIME

Sometimes in your radio communication you need an extra gear, and for this reason we have created the **G18** walkie-talkie which, in addition to the metal chassis, is IP67 certified to withstand dust and immersion in water (up to 1 meter depth for 30 minutes). Add to this an LCD display an FM radio to guarantee superior performance to our top of the range.

Version: PMR446
Colour: Black
Channels: 8+91 (G18)
pre-set sub-channels
Tones: 50 CTCSS + 105 DCS
normal/inverted

FEATURES

- Aluminium chassis
- IP67 certified
- Output power: ≤500mW ERP
- Channel spacing: 12.5KHz
- Channel scanning
- Voice announcement
- FM radio
- Roger Beep, Auto power save
- Monitor, Squelch, Vox
- Scrambler and Compander
- Power supply: Li-Ion 1600 mAh battery pack
- 2-pin Motorola accessory socket

PACKAGING AND CODES

1 radio, desktop charger, wall adapter, rechargeable Li-Ion battery pack (1600 mAh), belt clip
code C1145

EXPORT VERSION 5W

PROGRAMMING SOFTWARE PRG-G15 - C1131

Customisation of channels and frequencies.

MIDLAND GB1-R

THE PMR446 THAT LOOKS LIKE A CB

NEW

PLEASE CHECK YOUR
COUNTRY USE RESTRICTIONS



VERY SMALL: 100x85x22mm

GB1-R guarantees wide-ranging communications and radio contact with other users equipped with PMR446 equipment. Superb solution for those who **travel by car or caravan**, above all due to the fact that, operating on PMR446 frequencies, it is not affected by disturbances generated by the engine of your vehicle. **GB1-R**, thanks to its very small size, integrated magnetic antenna and the supplied 12V cigarette lighter plug, can be installed and removed quickly without having to be fixed in the special compartment of the dashboard. The metal chassis makes it very robust to ensure excellent performance over the years.

Version: PMR446
Colour: Black
Channels: PMR446 8 + 91 progr.
Tones: 50 CTCSS + 104 DCS

FEATURES

- Microprocessor-controlled frequency
- 'Flip' function: the transceiver can be fitted with the speaker aimed downwards or vice-versa, the display is inverted by pressing a button
- Adjustable squelch on 9 levels
- SCAN function
- LCD display
- Integrated magnetic antenna
- TOT (Time out timer)*
- Side tone: noise blanker at end of transmission
- Monitor function
- Busy channel (BCLO-Busy Channel Lockout)*
- Broad/narrow band selection 25KHz/12.5KHz (only export version)*
- High/low power (only export version)*

PACKAGING AND CODES

1 radio, microphone, microphone holder, integrated wired magnetic antenna, mounting bracket, fixing screws, supply cable with 12V car charger
code C1198.02

EXPORT VERSION 5W

* Software programmable only Extra UE countries

PROGRAMMING SOFTWARE PRG-GB1 - C1227

Complete with USB cable to connect to a PC.

MIDLAND ONDA

FOR TOURIST GUIDES AND GROUP TOURS



MULTIPLE CHARGER CASE C922
Suitcase 15 positions (optional)



POCKET SIZE: 86x16x42mm

Midland Onda manages up to 100 groups simultaneously. (Different regulatory requirements may apply depending on the country in which Onda is sold).

FEATURES

- Channels: 100 - Frequency: 472-474MHz
- 8 volume level
- Reception only for users
- Continuous transmission guaranteed to guide only, thanks to the dedicated accessory (MA28-TR)
- Auto power save: automatic battery saving
- Low battery indicator, Backlit LCD display
- Battery life up to 8 hours with battery pack
- Weight: 58g (without batteries)
- Dimensions: 86x16x42mm
- Power supply: Li-Ion battery pack (650mA)
- Dimensions: 86x16x42mm
- 1-pin stereo accessory socket

PACKAGING AND CODES

Carton 50 receivers code C1069.01

50 receivers, waist clips, battery packs Li-Ion 3.7V 650 mAh and neck collars

Single pack code C1069

1 receiver, battery, waist clips and neck collar

Desktop charger 25pz code C921 (777 series)

Carton 25 double desktop chargers with relevant wall adaptors

Multiple charger case code C922

Rigid black suitcase to recharge 30 receivers with wall adaptor cable

OPTIONAL ACCESSORIES

PB 777 C783

3,7V-650mAh Li-Ion battery pack

AL777 C803

Cigarette lighter power lead

R71968

Battery charger 220V for 2 desktop chargers/radios

R71969/R73579

2 positions desktop charger (no wall charger)

MW905 C887

Wall charger

A-777 TR C987

Earphone listening only, mono (1 pc)

A-777 TR C987.01

Earphone listening only, mono (100pcs)

S-777 TR C988.02

Protection sponge (500 pcs)

MA28-TR C559.05

Speak/listen microphone (PTT blocked in TX)


Rotating clip C1029

To rotate the radio when it is attached to the belt




EARPHONE FOR ONDA C1209.01

Earphone listening only, mono, 2,5mm



MIDLAND BR01

FOR SMALL BUSINESSES



* Depends on usage conditions



BUSINESS



RESTAURANTS



HOSPITALITY



WAREHOUSING



PMR446



PREPROGR.
CHANNELS



VOICE
ANNOUNCEMENT



BATTERY PACK
BATTERY LIFE 37H



PROGRAMMABLE



2 PIN KENWOOD

Avionic Service



Midland introduces the **BizTalk™** line, designed mainly for small businesses. Robustness, high mechanical and electronic reliability and an easy use make BR radios the perfect choice for those who need to communicate at work.

Midland BR01 stands out for its extremely compact design and simple and clean lines that allow the radio to be used in a simple and immediate way.

Version: PMR446
Colour: Black
Channels: 8 + 8 pre-programmed
Tones: 50 CTCSS + 232 DCS

FEATURES

- Monitor function
- SCAN
- Squelch with 10 selectable levels
- Voice announcement
- **37 hours of battery life**
- Li-Ion 2800 mAh 3.7V battery
- Microphone/loudspeaker jack
- 2 pin Kenwood accessories socket

PACKAGING AND CODES

1 radio, USB cable, rechargeable Li-Ion battery pack (2800 mAh), belt clip, wrist strap
code C1315

EXPORT VERSION 2W


DISCOVER THE HI PERFORMANCE ACCESSORIES PAGE 55-56

PROGRAMMING SOFTWARE PRG-10 - C974.01


Customizing channels and subtones, activation/deactivation of specific functionalities.

MIDLAND BR02

FOR ALL TYPES OF BUSINESS



* Depends on usage conditions



Avionic Service



MULTI CA PB-BR02 C1295
6 position multicharger (optional)



The Midland BR02 is designed for those who want something extra for their work. The aluminium chassis, guaranteed 5000 insertions headset jack and lithium battery with **21 hours autonomy**, make it the ideal partner to communicate at work. It also has a 6-position multiple charger for simultaneous recharge, to have multiple radios always ready.

Version: PMR446
Colour: Black
Channels: 8 + 8 pre-programmed
Tones: 38 CTCSS + 104 DCS

FEATURES

- Aluminium chassis
- Monitor function
- SCAN
- Squelch with 10 selectable levels
- Voice announcement
- Microphone/loudspeaker jack
- Low battery indication
- Li-Ion 1800 mAh 3.7V battery pack
- Programmable from PC
- 2 pin Kenwood accessories socket

PACKAGING AND CODES

1 radio with belt clip, desktop charger, wall adapter, Li-Ion 1800 mAh battery pack
code C1292



DISCOVER THE HI PERFORMANCE ACCESSORIES PAGE 55-56

PROGRAMMING SOFTWARE PRG-10 - C974.01
Customisation of channels and frequencies.

MIDLAND BR03 FOR FASHION BUSINESSES

NEW

Range*

Up to 22 floors* Up to 25.000 mq*

* Depends on usage conditions



RESTAURANTS



FASHION STORES



HOSPITALITY

08 PMR446

91 PREPROGR. CHANNELS



SPLASHPROOF IPX2



VOICE ANNOUNCEMENT



VOX



SCAN



BATTERY PACK



PROGRAMMABLE



2 PIN KENWOOD



MULTI CA PB-BR03 C1353
6+6 position multicharger (optional)



BR03 is the top-of-the-range in the **BizTalk™** line. The most "fashionable" Business Radio of the BR series, by means of its refined and elegant look & feel meets all the specific needs of the "Luxury" world. Fashion stores, hotels and high-end restaurants are the perfect environments where you can communicate while maintaining rigour and style. The peculiarity of the **Midland BR03** is the customizable LED dynamic matrix display.

Version: PMR446
Colour: Black
Channels: 8 + 91 pre-programmed
Tones: 38 CTCSS + 104 DCS

FEATURES

- Splashproof IPX2
- Output power: 500mW
- Voice announcement
- VOX adjustable to 10 levels
- SCAN
- Function key beep on/off
- Roger beep
- Auto Power Save
- Squelch adjustable to 10 levels
- LED dynamic matrix display with adjustable light intensity
- Battery level audio indicator
- **33 hours of battery life**
- Li-Ion 2300 mAh 3.7V battery pack

- Programmable from PC
- 2 pin Kenwood accessories socket

PACKAGING AND CODES

1 radio with rotating belt clip, desktop charger, Li-Ion 2300 mAh 3.7V battery pack, wall adaptor with mini USB connector
code C1323



CUSTOMIZE THE DISPLAY

LED dynamic matrix with the name of your company or yours.

PROGRAMMING SOFTWARE PRG-10 - C974.01


Customisation of channels and frequencies.

WALKIE TALKIE - BUSINESS

MIDLAND CT590 S

ENTRY LEVEL

NEW



Avionic Serv

AMATEUR VHF/UHF

Version: VHF/UHF
Colour: Black
Frequency: 144-146MHz
 (Exp. 136-174MHz)
 430-440MHz
 (Exp. 400-480MHz)
Output power: 5W VHF/UHF

FEATURES

- 50 tones CTCSS and 208 codes DCS
- 128 channels can be stored
- 1750Hz tone for repeater bridges
- Emergency SOS function
- Channel and dual band VHF/UHF displayed
- Operation mode: UHF/VHF, UHF/UHF, VHF/VHF
- Output power: 5W UHF/VHF
- 3-colour LCD display with selectable backlight

- FM radio receiver (87.5-108MHz)
- Scan, Dual Watch
- Channel Spacing: 25KHz/12.5KHz
- VOX adjustable on 10 levels
- Channel or frequency mode selection
- TOT (Time Out Timer)
- DTMF Function
- Reverse function
- Emergency alarm function
- Setting up and storing channel names
- CTCSS and DCS code search function
- PTT-ID
- BCL0 (Busy Channel Lockout function): busy channel lock function
- High/low power selection
- Frequency step: 2.5/5/6.25/10/12.5/25KHz
- Adjustable frequency offsets: 0-69.990MHz
- Adjustable Offset Direction

- Squelch adjustable on 9 levels
- Voice announcement of the selected function
- Keypad lock
- Power Save (battery economy)
- Programmable from PC
- Li-Ion 1500 mAh battery pack
- 2-pin Kenwood Accessory socket

PACKAGING AND CODES

Radio, 1500 mAh 7.4V Li-Ion battery pack, desktop fast charger, wall adapter, antenna, belt clip
code C1354

PROGRAMMING SOFTWARE PRG10 - C974.01

Complete with USB connection cable for PC.

MIDLAND CT 890

INCOMPARABLE DISPLAY

VERSION WITH
SCRAMBLER
COMPANDER



Avionic Service

Version: Dual Band VHF/UHF
Colour: Black
Frequency: 144-146MHz
 (Export 136-174MHz)
 430-440MHz
 (Export 400-470MHz)
Output power: 5W VHF/UHF

FEATURES

- 105+105 (I-N) codes DCS/50 CTCSS tones
- 999 channels to store
- Channel spacing: 25KHz/12.5KHz
- SOS emergency function
- Operating mode: UHF-UHF, VHF-VHF and VHF-UHF
- Full duplex, repeater function
- Channel and dual band VHF/UHF displayed
- FM 88÷108 MHz radio receiver
- Scrambler, Compander
- Chronometer
- Built-in torch
- Frequency step: 5/6.25/10/12.5/25 kHz, 50/100 kHz
- Roger Beep tone at start/end of conversation
- Frequency scan with CTCSS/DCS
- DTMF
- Shift repeater
- Vox and Scan functions
- Back-lit display
- Optional displaying of channel number, channel number + frequency or frequency only
- TOT (Time Out Timer)
- Busy channel lockout (BCLO) function
- Squelch adjustable to 9 levels
- Keypad lock
- Hi/Low power selection
- Frequency setting and keypad channels
- Voice announcement of the selected function
- Inverted frequency function
- Frequency offset: 0-69.950 MHz
- Function/channel reset
- 2-pin Kenwood accessory socket

PACKAGING AND CODES

Radio, 2600 mAh Li-Ion battery pack, desktop charger, wall adapter, antenna, belt clip, wrist strap
code C1170.01


PROGRAMMING SOFTWARE PRG10 - C974.01

Complete with USB connection cable for PC.

MIDLAND CT990

POWER NEVER SEEN BEFORE

NEW



10W ULTRA POWER TRANSMISSION

SUPPLIED WITH 2 ANTENNAS

- **Long antenna:** enhances the radio performance in TX/RX
- **Short antenna:** allows better handling

CT990 is fitted with the Dead Man function, useful when you are on your own or isolated. This function constantly monitors the status of the person wearing the radio: if a change in position of the radio from vertical to horizontal (due to illness or injury) is recorded **CT990** emits an alarm that is sent to all users tuned to its frequency.

Version: Dual Band VHF/UHF
Colour: Black
Frequency: 144-146MHz
 (Export 136-174MHz)
 430-440MHz
 (Export 400-470MHz)
Output power: 10W VHF/UHF

FEATURES

- 257 memory channels
- 83 + 83 DCS codes and 38 CTCSS tones
- Selectable channel spacing 25kHz/12.5 kHz
- Dual band VHF/UHF displayed
- Frequency band (settable according to

- country/area of use): 144-146 MHz & 430-440MHz (Rx/Tx).
- Operating mode: UHF/VHF, VHF/VHF or UHF/UHF
- Selectable channel step 25kHz/12.5 kHz
- IP67 certificate
- Dead Man function
- **DQT function (private conversation)**
- Wide colour LCD display
- Activation tones for repeater bridges
- Individual/group selective calls
- Side tone: end of transmission tone silencer
- VOX function
- Voice indication of the selected function "VOICE"
- Optional display of the channel number, channel number and frequency, channel name
- Inverted frequency function
- Scan function
- FM radio receiver
- Selectable transmission power: high (10W) or low (5W)

- Frequency offset
- Shift repeater
- "Busy channel lock" function
- Output power level indicator on the display
- Roger beep
- TOT (Time Out Timer)
- Keypad lock
- Reset of functions/channels
- Low battery voice announcement
- Li-Ion 2800mAh battery pack
- Accessory socket: 2 pin Kenwood

PACKAGING AND CODES

Radio, **long and short antennas**, Li-Ion 2800mAh battery pack, belt clip, table charger, wrist strap, wall adapter.

code C1339

PROGRAMMING SOFTWARE PRG10 - C974.01

Complete with USB connection cable for PC.



AMATEUR VHF/UHF

MIDLAND CT2000

THE FIRST VEHICULAR VHF/UHF



WATERPROOF
IP54



POWER
25/10/5W



CHANNELS



TFT GRAPHIC
DISPLAY



TOT



SCAN



REPEATER
FUNCTION



EXTRA LOUD
SPEAKER



PROGRAMMABLE



SUPERCOMPACT 115x125x43mm

CT2000 is an amateur bi-band transceiver that works in VHF and UHF.

With a **25W output power** (adjustable), comparable to the power of professional transmitters, in spite of its very small size, a **powerful 3W loudspeaker** guaranteeing an excellent audio and a **wide multicolour graphic display** that allows seeing all set parameters clearly. **CT2000** stores up to **203 channels**, has **51 CTCSS tones and 208 DCS codes as well as the 1750/2100/1000/1450Hz tones to access repeater bridges**; it can also make selective calls. It is **IP54 certified** (protection against dust and splashes) to allow use even outdoors, such as on motorcycles or quads (ATVs). With a **compact multifunction microphone** with which the set functions can be quickly recalled.

Programmable using the optional software thanks to which you can customize the functions and buttons on the front of the radio.

Version: Dual Band VHF/UHF
Colour: Black
Frequency: 144-146MHz
(Export 136-174MHz)
430-440MHz
(Export 400-470MHz)
Output power: 25/10/5W

FEATURES

- Resistant to splashes and dust, IP54 protection.
- Operating mode: UHF/VHF, VHF/VHF or UHF/UHF
- Selectable transmission power: high (25W) medium (10W) or low (5W)
- 104 + 104 DCS codes and 51 CTCSS tones
- 203 channels can be stored
- Dual band display (VHF / UHF), channel number or channel number and frequency, transmission power level
- Colour graphic display

- Activation tones for repeaters (1000/1450/1750/2100Hz)
- Bandwidth selectable on three levels 12.5 kHz/20 kHz/25 kHz
- Frequency inversion function
- Scan function
- Frequency offset and selectable offset direction
- TOT (Time Out Timer)
- Keypad lock
- Socket for external earphone

PACKAGING AND CODES

Transceiver, microphone with keypad, fixing bracket, power cable, microphone holder
code C1321

PROGRAMMING SOFTWARE PRG-510 - C1104

Complete with USB connection cable for PC.

MIDLAND CT3000

THE PROFESSIONAL AMATEUR RADIO

NEW



WATERPROOF
IP54



POWER
25/10/5W



CHANNELS



TFT GRAPHIC
DISPLAY



TOT



SCAN



REPEATER
FUNCTION



EXTRA LOUD
SPEAKER



"FLIP" DISPLAY



CUSTOMIZED
BUTTONS



PROGRAMMABLE



Unlike the other models, **CT3000** can be defined "**professional**" as it has 6 customizable buttons on the front (P1-P6) through which you can set various functions, and not only: 2 functions can be associated to these 6 keys at the same time, divided into 2 groups of menus. To guarantee excellent communications even long range, CT3000 boasts high selectable **transmission power: 25W (high), 10W (medium) and 5W (low)**.

Its metal chassis makes it an extremely robust radio, suitable for extreme situations, which also ensures better heat dissipation, very useful to prevent the radio from overheating. The IP54 certification ensures high protection against dust and splashes and also allows using the radio outdoors.

CT3000 boasts the "**flip**" function: the radio can be rotated by 180° and the display will still be correct. The display is wide and multicolour.

Version: Dual Band VHF/UHF
Colour: Black
Frequency: 144-146MHz
(Export 136-174MHz)
430-440MHz
(Export 400-470MHz)
Output power: 25/10/5W

FEATURES

- Operating mode: UHF/VHF, VHF/VHF or UHF/UHF
- Dual band display (VHF/UHF), channel number or channel number and frequency.
- Wide colour TFT display, rotating by 180°
- Scan of the stored channels
- Automatic adjustable Digital Squelch on multiple levels
- Scan function, Dual Watch, Roger Beep
- 200 customizable memory channels
- 104 + 104 DCS inverted codes and 51 CTCSS tones
- TOT (Time out Timer)
- Adjustable backlight

- Automatic switch ON/OFF
- Keypad lock
- Activation tones for repeaters (1000/1450/1750/2100 Hz)
- Bandwidth selectable on three levels 12.5 kHz/20 kHz/25 kHz
- Frequency inversion function
- Frequency step: 2,5 kHz-5 KHz 6,25 kHz-10 kHz-12,5kHz-20 kHz-25 kHz 30kHz-50 kHz.
- Frequency offset and selectable offset direction
- Output power level indicator on the display
- 12.6V+/- 10% power supply
- Microphone with RJ45 multifunction keypad

PACKAGING AND CODES

Transceiver, microphone with keypad, fixing bracket, power cable, microphone holder, screws and protection fuse
code C1325

PROGRAMMING SOFTWARE PRG-3000 C1352


Complete with USB connection cable for PC.

R74574

2 mt. long microphone extension cord for M-5/M-30/CT3000

ALAN HP108/408L

QUALITY AND HIGH PROFESSIONAL
PERFORMANCE AT A COMPETITIVE PRICE



Avionic Service



SIZE: 97x53x33mm

HP108: VHF 136-174 MHz
HP408L: UHF 400-470 MHz

FEATURES

- Protection IP54
- 256 CH (HP108); 298 CH (HP408L)
- Breakdown of channels according to groups
- Customisable switch on message
- Backlit LCD display
- Backlit keypad
- Standard CTCSS tones and digital DCS
- Selective calling 5 tones, 5+5 tones in the various standard formats
- Signal intensity indicator
- Built-in scrambler with 8 different selectable frequency codes
- Compander, Transponder function
- Adjustable power: max. 5W programmable at High/Low/Medium
- Battery life: up to 12 hours
- Built-in vox adjustable to 8 different sensitivity levels and 4 different delay levels
- 2-pin accessory socket

PACKAGING AND CODES

Radio, quick desktop battery charger, Li-Ion 1600 mAh rechargeable battery, antenna, belt clip
HP108 code G1176.01 VHF 136-174MHz
HP408L code G1177.04 UHF 400-470MHz

PROGRAMMING SOFTWARE PRG08 SERIE HP08 - G1184

Complete with USB connection cable for PC.

ALAN HM135/70

FOR ADVANCED COMMUNICATION SYSTEMS



EMERGENCY



SCAN



SCRAMBLER



HI/LOW POWER



HM135: VHF 136-174MHz
HM70: 66-88MHz

FEATURES

- 4 - 25W output power
- MIL STD 810 C D,E, F and IP54 (front panel only)
- More than 250 channels with usable settings
- CTCSS/DCS
- Programmable channelling

- Graphic LCD display
- 4 function buttons
- Phone book
- Standard and customised selective call
- Scrambler
- Kill/revive
- Remote use front panel
- 4W front speaker
- Standard and priority channel scan
- Talk around - Public Address function
- Flash memory
- programmable through PC

- Data transmission (compliant with ETS300-113)
- Standard DB25 accessories connector

PACKAGING AND CODES

HM135 code G934 VHF 136-174MHz
Radio, power lead and support bracket

HM70 code G1101 66-88MHz
Radio, power lead, support bracket and microphone

PROGRAMMING SOFTWARE PRG35 FOR HM06, HM35 AND HM70 - G968

Complete with USB connection cable for PC.

ALAN HM106

REASONABLE PRICE PROFESSIONAL PERFORMANCE



EMERGENCY



SCAN



HI/LOW POWER



HM106: VHF 136-174MHz

FEATURES

- Output power 4 - 25W
- MIL STD 810 C D,E, F and IP54 (front panel only)
- 99 channels

- CTCSS/DCS
- Programmable channelling
- 2-digit LED display
- 4 function buttons
- Selective Call
- 4W front speaker
- Standard and priority channel scan
- Talk around

- Public Address function
- Flash memory
- PC programmable

PACKAGING AND CODES


Radio, standard microphone, power lead and support bracket
HM106 code G997 VHF 136-174MHz

PROGRAMMING SOFTWARE PRG35 FOR HM06, HM35 AND HM70 - G968

Complete with USB connection cable for PC.

MIDLAND ARCTIC

THE MARINE RADIO



MULTI CA PB-G15 - C1251
6 position multicharger (optional)



WATERPROOF

Midland Arctic is a VHF marine portable transceiver combining professional technical features with sturdiness and reliability. Its functions are all at hand, including the **button to access emergency channel 16 straight away**. The antenna can be removed and thanks to the standard **SMA connector**, it is possible to use other types of antenna. The management of the Charlie and Alpha channels and functions takes place via optional programming software.

FEATURES

- IP67 waterproof certification
- Aluminium chassis
- Transmission power: 5W
- High/low power selection (5W/1W)
- 57 international channels
- Programmable channels (through software)
- Backlit wide LCD display
- Instant access to the emergency channel 16
- VOX, SCAN function
- Dual Watch/Triple Watch
- 10 different Squelch levels
- Priority channel
- Keypad lock
- Roger Beep (end of call tone)

- Keypad beep
- Flat battery indicator and automatic battery saver
- Power supply: Li-Ion battery pack
- 2-pin Motorola accessory socket

PACKAGING AND CODES

Radio, desktop charger, wall adapter, Li-Ion 1600 mAh rechargeable battery pack, belt clip
code C1240

**EXPORT VERSION:
USA/CANADA CHANNELS**

PROGRAMMING SOFTWARE PRG-G15 - C1131

Complete with USB connection cable for PC.

*CB & RADIO
ACCESSORIES*

Avionic Service



MIDLAND[®]

CB ACCESSORIES

MICROPHONES

CB MICROPHONES 4-PIN "48" CONNECTOR



NEW

DUALMIKE

C1283

Bluetooth preamplified CB microphone.
For Alan 48/68 and Midland 8001-XT



MIDLAND F48

C1022

Preamplified microphone with echo.
For Alan 48/68 and Midland 8001-XT



MIKE MIDLAND

T059.01

Omni directional dynamic microphone.
Impedance 500 Ohm.
For Alan 48, Alan 68S, Midland 8001-XT

FOR ITALIAN MARKET ONLY



MDL4190

C074

Omni directional dynamic microphone.
Impedance 500 Ohm.
For Alan 48, Alan 68S, Midland 8001-XT

FOR ITALIAN MARKET ONLY



MDL-NC

C1155

Omni directional dynamic microphone.
Noise-cancelling broadband microphone capsule.
Impedance 460 Ohm.
For Alan 48, Alan 68S, Midland 8001-XT

CB MICROPHONES 6-PIN CONNECTOR



NEW

DUALMIKE

C1283.02

Bluetooth preamplified microphone for CB Multi Standard radios



MIDLAND F MULTI

C1023

Preamplified microphone with echo for CB Multi Standard radios



MR120

C404.01

Electret microphone with Up/Down buttons.
For series Plus Multi, Excel, Midland 248, 248 XL, 278, Alan 121 and Midland 220 (no channel change)



MIKE MULTI

C714

"Precision series" microphone with Up/down buttons, Lock button.
For series Plus Multi, Excel, Midland 248, 248 XL, 278, Alan 121 and Midland 220 (no channel change)



MIKE M20

C1266

Microphone with a stylish design with Up/Down/Priority buttons for M-20. Compatible also with Plus Multi B, Excel, Midland 248, 248XL, 278 and Alan 121 (for these models the Priority button becomes Lock).

CB ACCESSORIES

MICROPHONES, HOLDERS, BRACKETS, CABLES

CB MICROPHONES 4-PIN CONNECTOR



**DUALMIKE
C1283.01**
Bluetooth preamplified CB microphone.
For Midland M-10, M Zero/Plus, Alan 100 Plus B, Midland 200, Midland 203

NEW



R51504
Original microphone Alan 100 Plus B/Midland 203. For Alan 100 Plus B, Midland 203, Alan 199, Midland 210 DSs



**MIDLAND F100
C1021**
Preamplified microphone with echo.
For Alan 100 Plus B, Midland 200, Midland 203

MICROPHONE HOLDERS



**PM3
T431**
Microphone-holder with screw fastening and bi-adhesive



**PMF
T570**
Microphone-holder with screw fastening and bi-adhesive, fluorescent

BRACKETS



**SPM-48 DIN
C791**
DIN bracket for Alan 48 Plus Multi B/Excel Multi, Midland248/248XL




**SPM-78 DIN
C792**
DIN bracket for Alan 78 Plus Multi B, Midland 278, Midland M20



**SPM-100 DIN
C807**
DIN bracket for Alan 100 Plus, 100 Plus Euro, Alan 100 Plus B, 199-A, Midland 203, Midland 210, Midland M10



**SA 48
T769**
Complete with 1 bracket, 2 slides, 2 handles, 2 screws for Alan 48, 68S



G1020.01
Dashboard kit white New Neptune

CABLES



R74574
2 mt. long mic extension cord for M-5/M-30/CT3000



**PRG-30
C1318**
Programming cable for M-30



T060
3-pole lead with fuse-holder. Length: 160 cm. For Alan 48, Alan 68S

CB AND RADIO ACCESSORIES

SPEAKERS, VOLTAGE REDUCERS, AMPLIFIER

SPEAKERS



**AU 20
T775**
External speaker 5W max



**AU 25E
T681.01**
External speaker 5W max.
Recommended for VHF
professional mobile transceivers
Alan HM35/70/06



**AU 30
T682**
External speaker 12W max



**EH 800
P348**
External speaker 10W max

SUITABLE FOR OUTDOOR USE

SPECIFICATIONS	AU 20	AU 25E	SPECIFICATIONS	AU 30	EH 800
Impedance	8 Ohm	8 Ohm	Impedance	8 Ohm	8 Ohm
Rated power	2 W	3 W	Rated power	7 W	-
Maximum power	5 W	5 W	Maximum power	12 W	10 W
Size in mm	65x55x65	100x60x60	Size in mm	110x140x60	90x85x110

VOLTAGE REDUCERS



**RDT 14/A
C531**
AUTOMOTIVE approval no.:
e3 02 1050



**RDT 10/A
C589**
AUTOMOTIVE approval no.:
e3 02 1049

SPECIFICATIONS	RDT 10/A	RDT 14/A	SPECIFICATIONS	RDT 10/A	RDT 14/A
Switching technology	No	No	Weight	670 g	580 g
Input voltage	24-28 Vcc	24-28 Vcc	Continuous	6 A	6 A
Output voltage	13,8 Vcc	13,8 Vcc	6'/3'	10 A/-	8 A/-
Size in mm	64x120x112	64x120x112	Max peak	10 A	10 A

HF AMPLIFIER



**HF747
C882**
HF power amplifier AM-FM-SSB-CW
(for amateur use only)



**BLW60
T388.01**
Replacement transistor for
amplifiers (VHF and BS22)

SPECIFICATIONS	HF747
Frequency	HF
Power supply	12-14 Vcc
Current drain	8/10 A
Input power	0,5/10 W
Output power	100 W max
Mode	AM-FM-SSB-CW
Fuse	2 x 12 A
Size/Weight	109x210x35 mm/605 g

SWR METER WATTMETERS, POWER SUPPLIES

SWR METER WATTMETERS

KW 505

C1165

KW 505 is a 2-function measurement instrument that operates on 1.5 - 150 MHz frequency range to constantly monitor any antenna.
Power reading on two levels: 0-10W and 0-100W.



KW 520

C530

Suitable for checking transmitter power and antenna adaptation, with two separate measuring lines, one from 1.8 to 200 MHz and the other from 140 to 525 MHz. This enables the simultaneous connection of 2 systems: one in HF/VHF and the other in VHF/UHF and select which to use to take the measurements with the specific switch. The measurement line selected is seen by the specific LED. With the possibility of measuring peak or medium value > Fine calibration of the index > Base scale duplicator button of power from 200 to 400 W.



SPECIFICATIONS

RF power	10W - 100W
R.O.S.	1:1 / ∞
Impedance	52 Ohm
Frequency range	1.5 - 150 MHz
Size	135x60x70 mm
Weight	280 g
Connector	SO239

SPECIFICATIONS

RF power	5W - 20W - 200W - 400W
R.O.S.	1:1 / ∞
Impedance	52 Ohm
Frequency range	1.8 - 200 MHz/140 - 525 MHz
Size	155x100x60 mm
Weight	730 g
Connector	SO239

POWER SUPPLIES



SW35
47500



SW57
47510



SW79
47520



SW102
47530

The power supplies protected from short-circuit that can be used for radio applications and in electronics laboratories.

SPECIFICATIONS	SW35	SW57	SW79	SW102
Input voltage	220-230Vca-50Hz			
Output voltage	13,8Vcc			
Rated output current	Max 3-5A	Max 5-7A	Max 7-9A	10-12A

CAR & TRUCK ANTENNAS

SPACE ANTENNAS: ILLUMINATE WHEN TRANSMITTING

Midland Lux is the genesis of a new line of CB antennas, designed to make the installation of the best "CB radio" on vehicles. The antenna base is fitted with a waveguide that glows when it is crossed by radio frequency. It automatically illuminates when the radio is transmitting, thus signalling the correct operation of the device. It does not need any power and is totally waterproof. LUX1500-S and LUX 1000-S: Anti-theft and protection hinge. LUX 1500-PL e LUX 700-PL suitable for gutter, mirror, centre roof mount (accessories not included). With the KIT they become magnetic (see page 46).



LUX 1000-S
C1258



LUX 1500-S
C1259



LUX 700-PL
C1330



LUX 1500-PL
C1257



X-TURBO 60
C871



X-TURBO 80
C872



ML143
C1164



ML 145
T562.01

Avionic Service

CAR & TRUCK ANTENNAS



ALAN PC 4
T739



ALAN PC 6
T736



ALAN PC 8
T701



ALAN S9 PLUS
T638



FUNK 90
T638.04



FUNK 130
T638.05



FUNK 150
T638.06



MINI
C593

Avionic Service

MAGNETIC CB ANTENNAS



KIT 226
LUX700-PL+120/PL



KIT 224
LUX1500-PL+120/PL



KIT 212
ML143+BASE M



KIT 007
ML145 + 120/PL
High power antenna with
magnetic base Ø 120 mm



MIDLAND 18-244M
T788
Small antenna complete with
lead and connector



LC29
C1018



LC65
C1020

Avionic Service

CB AND VHF/UHF RADIO ACCESSORIES

MAGNETIC BASES, VHF/UHF ANTENNAS

MAGNETIC BASES



**BM-MP
C1182**
Developed for the MP120 antenna, it is designed to withstand high speeds. Equipped with scratch resistant magnet-covering cap. Supplied with universal DV 27 base (already installed).



**BM-MLC143
C1183**
Developed for the ML 143 antenna, it is designed to withstand high speed. Equipped with scratch resistant magnet-covering cap. Supplied with PL mount (already installed).



**BM 120/DV
T057**
BM 120 DV is designed to withstand high speeds. Equipped with scratch resistant magnet-covering cap. Supplied with universal DV 27 base (already installed).



**120/PL
T036**
Designed to withstand high speeds. Equipped with scratch resistant magnet-covering cap. Supplied with attachment for PL (already installed).



**BM 150/PL
6782**
Designed to withstand high speeds. Equipped with scratch resistant magnet-covering cap. Supplied with attachment for PL (already installed). Diameter: 15 cm.



**MINI MAGNETIC BASE
6677**
Mini BNC magnetic base (Ø35mm) with enormous adhesive force to accommodate shorter rubber antennas. with 2.40m-long RG 174 cable, BNC terminal connector.

NEW

NEW

VHF/UHF CAR & TRUCK ANTENNAS



**NW-2000
C623**
F.O.W.*



**NR-770R
C626**
F.O.W.*



**NR-770S
C625**



**M-285
C631**



**M-150 GSA
C632**



**VH 1
F092**

* F.O.W.: Reclining structure. The reclining style guarantees that the antenna can move extensively in all directions, enabling the convenient parking of the car in the garage without removing the antenna. Equipped with a safety block for safe driving.

BASIC, BALCONY, WIDE BAND ANTENNAS



CB BASE ANTENNAS,
EQUIPPED WITH A
SYSTEM TO PROTECT
AGAINST WATER LEAK

ENERGY NEW 1/2

T241.02

Energy New 1/2 is telescopic base antenna, ground plane at 1/2 lambda, operating on 27MHz, built in anti-corrosion aluminium. All elements are telescopic and facilitate installation.




CB BASE ANTENNAS,
EQUIPPED WITH A
SYSTEM TO PROTECT
AGAINST WATER LEAK

ENERGY NEW 5/8

T242.02

Energy New 5/8 is telescopic base antenna, ground plane at 5/8 lambda, operating on 27MHz, built in anti-corrosion aluminium. All elements are telescopic and facilitate installation.



BASE STATION
BALCONY ANTENNA

BOOMERANG

6350

Balcony/fix station 1/2 wave antenna for roof or balcony fitting. The aluminium radiants are 300cm in length. ROS calibration with adjustment of the whip on the shortest radian. Supplied with assembly kit. ROS: <1.2



BASE STATION
BALCONY ANTENNA

MINI BOOMERANG

6360

Balcony/fix station 1/4 dipole antenna. Aluminium radiants 172cm, 173cm in radial length. Supplied with assembly kit.



BALCONY/STATION
ANTENNA

HURRICANE-STORM 27

63570

1/2 wave fixed station/balcony antenna. It can be installed in attics, balconies etc. The ROS calibration is not required but the connecting cable must have the length specified in the user manual. Supplied with assembly kit.




WIDE BAND ANTENNA

SKY BAND

6161

Sky Band allows you to receive continuous coverage up to 1300 MHz and to broadcast on all amateur bands from 144 MHz upwards. It is therefore very useful for multiband devices and "dualbanders" for Full Duplex transmissions. Stainless steel whips.



WIDE BAND ANTENNA

ALL BAND

61700

High performance antenna, usable both as receiving antenna and for transmission on various amateur radio frequencies. Made of stainless steel, chromed brass and anodised aluminium. Easy to install.

ANTENNAS ACCESSORIES

MOUNTS

ANTENNA MOUNTS



AB-DAF XF106
C1430
CB antenna holding BRACKET

NEW



**AB-SCANIA
NEW GENERATION**
C1430.01
CB antenna holding bracket

NEW



AB-RENAULT T
C1430.02
CB antenna holding bracket

NEW



AB-SCANIA R2/R3
C1430.03
CB antenna holding bracket

NEW



AB-VOLVO FH4
C1430.04
CB antenna holding bracket

NEW



AB-MERCEDES MP4
C1430.05
CB antenna holding bracket

NEW



AB-MAN TGX E5-E6
C1430.06
CB antenna holding bracket

NEW



AB-IVECO HIWAY
C1430.07
CB antenna holding bracket

NEW



GR-L
C1047
Stainless steel mount.
Size: 38x64x99mm

NEW



GR-XL
C1048
Stainless steel mount
Size: 38x100x180mm

NEW



GR PLUS
T786
Gutter mount. Enables the Gutter
mount installation of any mobile
antenna without piercing the bodywork



GR-F INOX
T751
Gutter mount. In stainless steel for
vehicle antennas, with fixing hole
reducer



GR-S INOX
T753
Gutter mount. In stainless steel
with double inclination for vehicle
antennas, with fixing hole reducer



DOWNPIPE 27
T054
Gutter mount. Enables the Gutter
mount installation of any mobile
antenna without piercing the
bodywork.
The special rubber suction pad
guarantees perfect adherence to the
vehicle roof

CB ACCESSORIES

MOUNTS, CONNECTORS, CABLES



**SP-S INOX
T752**
Gutter mount. In stainless steel for vehicle antennas, with adjustable inclination and fixing hole reducer



**SP 21
T390**
Mirror mount. Enables the installation of any mobile antenna on the rear view mirror, avoiding unsightly holes in the bodywork



**DV 27 PL
T599**
Roof centre adapter DV/SO239



SC 27
T441 Specific screw (1)
LC 27/10-N
T370.01 Connector (2)
FC 27
T478 Base for antennas (3)
Screws, connector for FC 27 and base for Midland antennas

CONNECTORS



**PL259/R
T292.02**



**UG 255
F076**
Connector for BNC/SO239



**PL 259/RL
T377**



**SA 95
T211**
SO239 connector RCA plug



**PL 259
T205**
Connector for RG8/RG213 cable

CABLES



RG58 T633 - R73895
3-piece lead for roof centre mount.
Lead type: RG58 Length: 4m
R73895 for PC antennas



CENTRE ROOF MOUNT T301
Centre-roof mount for US antennas
Lead type: RG58 Length: 3,5 m



R 45/58-U T194
Connection lead for CB transceivers.
Lead type: RG58 Length: 45 cm



R 90/58-U T193
Connection lead for CB transceivers.
Lead type: RG58 Length: 90 cm



7581
1.5m coaxial cable extension with 2 PL259 connectors



75820
10m coaxial cable extension with 2 PL259 connectors

NEW

NEW



**RG 213-U
7462**
100m roll



**RG 58-U
7460**
100m roll

Avionic Service

ANTENNAS SPECIFICATIONS

CAR & TRUCK CB ANTENNAS

SPECIFICATIONS	LUX 1000-S/LUX 1500-S	X-TURBO 60/80	ALAN PC 4/6/8
Operating frequency	26-30MHz	26-28 MHz	25-30 MHz
Number of channels	120	200	150/240/130
Maximum applicable power	600/800	800 W (max 1500)/ 1000 W (max 1700)	400/600/800 W
R.O.S. min.in centre band	<1.2	<1.2	<1.2
Length (cm)	1200/1700	160/ 180	115/160/163
Impedance (Ohm)	50	50	50
Weight (g)	503/525	670/ 690	450
Whip material	Stainless steel	Steel	Stainless steel
Antenna connection type	3 pieces	3 pieces	3 pieces
Hole diameter (mm)	12,5	10	10
Lead (m)	4	4	4

SPECIFICATIONS	ALAN S9 PLUS	FUNK 90/130/150	MINI
Operating frequency	25-30 MHz	26-28 MHz	26÷28 MHz
Number of channels	200	-	40
Maximum applicable power	300 W	200/250/300 W	80 W
R.O.S. min. in centre band	<1.2	<1.2	1.2:1
Length (cm)	155	90/130/150	680
Impedance (Ohm)	50	50	50
Weight (g)	390	160/190/200	210
Whip material	Steel	Steel	Stainless steel
Antenna connection type	DV	DV	3 pieces
Hole diameter (mm)	12,5	10	12,5
Lead (m)	4	4/4/4	4 with PL259

You can find the LUX 700-PL, LUX 1500-PL, ML143 and ML145 technical specifications in the CB magnetic antennas table.

MAGNETIC CB ANTENNAS

SPECIFICATIONS	KIT226 (LUX700-PL)	KIT224 (LUX1500-PL)	KIT212 (ML143)	KIT 007 (ML145)
Operating frequency	26-28 MHz	26-28 MHz	26-28 MHz	26-28 MHz
Number of channels	40	120	120	90
Maximum applicable power	600 W pep	1000 W pep	300 W pep	400 W pep
R.O.S. min. in centre band	<1.2	<1.2	<1.2	<1.2
Length (cm)	900	1645	170	146
Impedance (Ohm)	50	50	50	50
Weight (g)	330	358	1500	1600
Whip material	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Mount	Magn. base 120mm with PL (SO239 antenna only)	Magn. base 120mm with PL (SO239 antenna only)	Magn. base 120mm with PL (SO239 antenna only)	Magn. base 120mm with PL (SO239 antenna only)
Hole diameter without magn. base (mm)	16	16	16	16
Lead (m)	4	4	4	2,9

SPECIFICATIONS	KIT 007 (ML145)	MIDLAND 18-244M	LC29	LC65
Operating frequency	26-28 MHz	26.965-27.405 MHz	26-28 MHz	26.965-27.405 MHz
Number of channels	90	40	40	40
Maximum applicable power	400 W pep	100 W	10/30 W (peak)	60/300 W (peak)
R.O.S. min. in centre band	<1.2	1:1,2	≤1.2:1	≤1.2:1
Length (cm)	146	66	29	115
Impedance (Ohm)	50	50	50	50
Weight (g)	1600	500	400	1000
Whip material	Stainless steel inox	Stainless steel inox	Stainless steel inox	Stainless steel inox
Mount	Magn. base 120mm with PL (SO239 antenna only)	Magn. base Ø 90 mm	Magn. base Ø 68 mm with PL	Magn. base Ø 120mm with PL
Hole diameter without magn. base (mm)	16	-	-	-
Lead (m)	2,9	2,75	4	4

MAGNETIC BASES

SPECIFICATIONS	BM-MP	BM-MLC143	BM 120/DV	120/PL	BM-150PL	BM MINI
Frequency range	26-460 MHz	26-460 MHz	26-460 MHz	26-460 MHz	26-460 MHz	26-460 MHz
Max. speed	80/130 Km/h	80/130 Km/h	80/130 Km/h	80/130 Km/h	80/130 Km/h	80/130 Km/h
Base diameter	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 120 mm	Ø 150 mm	Ø 35 mm
Weight	830 gr	940 gr	750 gr	700 gr	800 gr	100 gr
Lead	4m	4m	3m	3m	3.9m	2.4m

ANTENNAS SPECIFICATIONS

VHF/UHF CAR & TRUCK ANTENNAS

SPECIFICATIONS	NW-2000	NR-770R	NR-770S	M-285	M150-GSA
Frequency	144/430 MHz	144/430 MHz	144/430 MHz	138-174 MHz	138-174 MHz
Type	1/2λ(144 MHz) 2x5/8λ(430 MHz)	1/23λ(144 MHz) 2x5/8λ(430 MHz)	1/4λ(144 MHz) 1/2λ(430 MHz)	5/8λ	1/4λ
Power	200 W	200 W	100 W	200 W	200 W
Length (cm)	98	98	43	100	51
Connector type	PL	PL	PL	PL	PL

BASE CB ANTENNAS

SPECIFICATIONS	VH 1
Operating frequency	140:175 MHz
Maximum applicable power	100W
R.O.S. min. in centre band	1:1,2
Length (cm)	51
Impedance	50 Ohm
Weight	300 g
Whip material	Stainless steel
Connector type	PL259 (not supplied)
Hole diameter	12 mm
Lead	4m

SPECIFICATIONS	ENERGY NEW 1/2	ENERGY NEW 5/8
Operating frequency	25-29 MHz	144-430 MHz
Number of channels		
Maximum applicable power	500 W PEP	200 W
Impedance	50 Ohm	50 Ohm
Band R.O.S.	1.2:1	1.5:1
Length	5750/ 6500 mm	1700 mm
Weight	2,1/ 2,5 Kg	0.9 Kg
Ø support pole	30-40 mm	30-35 mm
Connector	SO 239	SO239
Whip	Aluminium	Fibreglass/steel

BALCONY/STATION AND WIDE BAND ANTENNAS

SPECIFICATIONS	BOOMERANG	MINI BOOMERANG	HURRICANE STORM27	SKY BAND	ALL BAND
Operating frequency	27-30 MHz	27-30 MHz	25-29 MHz	RX only 70-1300MHz	25 - 1300 49,5...50,5, 120...180, 215...300, 415...465, 610...650, 700...1000, 1130...1300
Number of channels	200	150	100	-	-
Maximum applicable power	600W	450W	300W		300W (200W VHF/UHF)
Impedance	50 Ohm	50 Ohm	50 Ohm	50 Ohm	50 Ohm
Band R.O.S.	1:1,2	1:1,2	1:1,5		1:1,5
Length	275cm	172cm	96 cm	66 cm	160cm
Weight	880g	800g	700g		1140g
Ø support pole	-	-	-	1044g	25-54mm
Connector type	UHF Female	UHF Female	UHF Female		SD 1300 N = N-Female SD 1300 U = UHF-Female
Whip	Aluminium	Fibreglass	Aluminium	Aluminium	Aluminium, chromed brass, stainless steel, nylon

SKY BAND: since its bandwidth cannot assure a good SWR and this leads to a low TX performance, on the above table only the RX operating mode has been indicated (suitable for SCANNERS).

VHF/UHF PORTABLES ANTENNAS (SEE PAGE 62)

SPECIFICATIONS	RH-707 FLEX	RH-701	RH-771	RH-775
Frequency	TX: 144/430 MHz	TX: 144/430 MHz	TX: 144/430 MHz	TX: 144/430 MHz
Type	1/4λ	1/4λ	1/4λ(144MHz) 1/2λ(430MHz)	1/4λ (144 MHz) 1/2λ (430 MHz)
Band	120-150/300-450 MHz 800-900 Mhz RX only	120-150/300-450 MHz 800-900 Mhz RX only	120-150/300-450 MHz 800-900 Mhz sRX only	120-150/300-450 MHz 800-900 MHz RX only
Length (cm)	21	21	40	14-41
Connector type	BNC	BNC	BNC	BNC

SPECIFICATIONS	RH-779	RH-519	RH-536	SRH-536	SRH-701
Frequency	TX: 144/430 MHz	TX: 144/430 MHz	TX: 144/430 MHz	TX: 144/430 MHz	TX: 144/430 MHz
Type	1/4λ - (144 MHz) 1/2λ - (430 MHz)	1/4λ - 2m/70cm	1/4λ - (144 MHz) 1/2λ - (430 MHz)	1/4λ - (144 MHz) 1/2λ - (430 MHz)	1/4λ
Band	120-150/300-450 MHz 800-900 Mhz RX only	120-150/300-450 MHz 800-900 MHz RX only	120-150/300-450 MHz 800-900 MHz RX only	300/800 MHz 900 MHz RX only	120-150/300-450 MHz 800-900 Mhz RX only
Length (cm)	14-41	20	36	37	21
Connector type	BNC	BNC	BNC	SMA	SMA

N.B.: Midland cannot advise on the gain of its antenna models, as this cannot be unambiguously defined. It varies according to various types of factors, such as installation position, length, system calibration, environmental conditions, etc.

CB OVERVIEW TABLES

MODEL	MIDLAND M-5	MIDLAND M-MINI	MIDLAND M-10	MIDLAND M-20
Type	Vehicle multi-band CB	Vehicle multi-band CB	Vehicle multi-band CB	Vehicle multi-band CB
General				
Channels/Bands	see multi equipment table*	see multi equipment table*	see multi equipment table*	see multi equipment table*
Frequency range	26.565 - 27.99125 MHz	26.565 - 27.99125 MHz	26.565 - 27.99125 MHz	26.565 - 27.99125 MHz
Power supply voltage	12.6 V DC \pm 10%	12.6 V DC \pm 10%	12.6 V DC \pm 10%	12,6 Vcc \pm 10%
Size (WxHxD)/weight	110x120x25 mm/380 g	102x100x25 mm/450 g	122x35x195 mm/820 g	137x35x210 mm/930 g
Mic. connector	RJ45	-	4 pin	6 pin
Receiver				
Sensitivity for 20dB SINAD	<1 μ V	<1 μ V	<1 μ V	<1 μ V
Audio output power	3W+2W	4W max	4W max	4W max
Audio distortion	< 5%@1KHz	< 5%@1KHz	< 5%@1KHz	< 5%@1KHz
Transmitter				
Output power	1W/4W AM-FM	1W/4W AM-FM	1W/4W AM-FM	1W/4W AM-FM
Modulation	AM: 90% \pm 5%, FM: 2KHz	AM: 90% \pm 5%, FM: 2KHz	AM: 90% \pm 5%, FM: 2KHz	AM: 90% \pm 5%, FM: 2KHz
Max. current drain	<1600mA	<1600mA	<1600mA	<1600mA

MODEL	MIDLAND M-30	M ZERO PLUS	ALAN QUARANTOTTO	ALAN SESSANTOTTO
Type	Vehicle multi-band CB	Vehicle AM-FM CB	Vehicle AM-FM CB	Vehicle AM-FM CB
General				
Channels/Bands	see multi equipment table*	40 AM/40 AM -40 FM	40 AM -40 FM	34 AM-FM
Frequency range	26.565 - 27.99125 MHz	26.965 - 27.405 MHz	26.965 - 27.405 MHz	26.875 MHz - 27.265 MHz
Power supply voltage	12 \pm 24V	12,6 Vcc \pm 10%	12.6 V DC \pm 10%	12,6 Vcc \pm 10%
Size (WxHxD)/weight	120x37x160 mm/820 g	110 x 45 x 140 mm/665 g	165 x 55 x 205 mm/1,650Kg	165 x 55 x 205 mm/1,500Kg
Mic. connector	RJ	4 pin	4 pin "48"	4 pin "48"
Receiver				
Sensitivity for 20dB SINAD	<1 μ V	<1 μ V	<1 μ V	<1 μ V
Audio output power	4W max	2W max	4W max	4W max
Audio distortion	< 5%@1KHz	< 5% @ 1KHz	< 5%@1KHz	< 5%@1KHz
Transmitter				
Output power	4W AM-FM	4W AM-FM	4W AM-FM	4W AM-FM
Modulation	AM: 90% \pm 5%, FM: 2KHz	AM: 90% - FM: 2KHz	AM: 90% \pm 5%, FM: 2KHz	AM: 90% \pm 5%, FM: 2KHz
Max. current drain	2000mA	1500mA	1500mA	1500mA

CB OVERVIEW TABLES - TABLE OF CHANNELS/POWER/BAND FOR MULTI CB

MODEL	ALAN 100 PLUS B	ALAN 48 PLUS MULTI B	ALAN 78 PLUS MULTI B	ALAN 42 DS
Type	Vehicle AM-FM CB	Vehicle multi-band CB	Vehicle multiband CB	Portable multiband CB
General				
Channels/Bands	40 AM-40 FM	see multi equipment table*	see multi equipment table*	see multi equipment table*
Frequency range	26.965 - 27.405 MHz	26.565 - 27.99125 MHz	26.565 - 27.99125 MHz	26.565 MHz - 27.99125 MHz
Power supply voltage	12,6 Vcc ± 10%	12,6 Vcc ± 10%	12,6 Vcc ± 10%	12,6 Vcc ± 10%
Size (WxHxD)/weight	124x38x190 mm/1.2 Kg	180 x 50 x 150 mm/1 Kg	180 x 35 x 140 mm/0,850 Kg	70 x 140 x 30 mm/220 g (- batt)
Mic. connector	4 pin	6 pin	6 pin	2 pin Midland
Receiver				
Sensitivity for 20dB SINAD	< 1 µV	0,5±1 µV	< 1 µV	< 1 µV
Audio output power	4,5 W max	> 3W	> 2W	0.5W
Audio distortion	< 8% @ 1KHz	< 8% @ 1KHz	< 8% @ 1 KHz	3% @ 1KHz
Transmitter				
Output power	4W AM-FM	1W/4W AM-FM	1W/4W AM-FM	1W/4W AM-FM
Modulation	AM: 90%, FM: 2 KHz	AM: 90%, FM: 1.8 KHz +/- 0.2 KHz	AM: 90%, FM: 1.8 KHz +/- 0.2 KHz	AM: 90% ±5%, FM: 2KHz
Max. current drain	1100mA	1100mA	1100mA	900mA

TABLE OF CHANNELS/POWER/BAND FOR MULTI CB

CODE	COUNTRY	MHZ
I	Italy 40 CH AM / FM 4 Watt	26.965-27.405
I2	Italy 34 CH AM / FM 4 Watt	26.875-27.265
D4	Germany 80 CH FM 4 Watt / 40 CH AM 4 Watt	26.565-27.405
EU	Europe 40 CH FM 4 Watt / 40 CH AM 1 Watt	26.965-27.405
EC	CEPT 40 CH FM 4 Watt	26.965-27.405
E	Spain 40 CH AM/FM 4 Watt	26.965-27.405
F	France 40 CH FM 4 Watt / 40 CH AM 4 Watt	26.965-27.405
PL	Poland 40 CH AM/FM 4 Watt	26.960-27.400
UK	England 40 CH FM 4 Watt + EC (40 CH FM 4Watt CEPT) or + 1 Italy 40CH AM/FM 4W (it depends on the radio model)	27.60125-27.99125 + 26.965-27.405
Sigla	Export Version	MHz
RU	Russia 400 CH AM/FM 4 Watt	25.615-30.105
PX	Poland 400 CH AM/FM 4 Watt Polish frequencies	25.610-30.100
SW	Sweden 24 CH FM 4 Watt 31 MHz	30.930-31.570
AU	Australia 40 CH AM 4 Watt	26.965-27.405
AM	Australia 10 CH AM 4 Watt	27.680-27.980
NZ	New Zealand 40 CH AM 4 Watt	26.330-26.770

NB: the multi CB radios can have different bands, as in the above table. For further information, please check the user manuals that can be downloaded on www.midlandeurope.com in the **Support** section.

RADIO ACCESSORIES

MICROPHONES

MICROPHONES/EARPHONES WITH L-SHAPED 2-PIN ACCESSORY SOCKET



MA 21-L
C709.03
Microphone with adjustable earpiece and selectable PTT/VOX, with curly cord



MA 21-Li
C709.07
Microphone with earpiece (no VOX)



MA 24-L
C517.02
Speak/listen microphone with selectable PTT/VOX



MA 26 - L
C515.01
Speaker microphone with volume control and earpiece socket



MA 28 - L
C559.03
Speak/listen microphone with selectable PTT/VOX
NB: MA28-G5 except Alan421-G5XT



MA 30 - L
C648.03
Microphone with adjustable arm and selectable PTT/VOX



MA 31 - L
C732.03
Microphone with pneumatic earpiece and selectable PTT/VOX



MA 35 - L
C652.02
Headphone with microphone

MICROPHONES/EARPHONES WITH STRAIGHT 2-PIN ACCESSORY SOCKET



AE30
C851
Microphone with arm and selectable PTT/VOX



MA31
C732
Microphone with pneumatic earpiece and selectable PTT/VOX (OUT OF PRODUCTION)



AE38
C823
Throat microphone with earphone, PTT and finger PTT

MICROPHONES/EARPHONES WITH 2-PIN KENWOOD ACCESSORY SOCKET



BA21
C1298
Adjustable earpiece microphone and PTT. Ergonomic and comfortable, extremely robust cable for professional use. 2-pin "L" jack

HIGH PERFORMANCE



BA24
C1296
Headset microphone. Ergonomic and comfortable, extremely robust cable for professional use. 2-pin "L" jack

HIGH PERFORMANCE



BA22
C1297
Speaker microphone with PTT and rotating clip. Performant speaker with PTT and 360° rotating clip. 2-pin "L" jack

HIGH PERFORMANCE

RADIO ACCESSORIES

HIGH PERFORMANCE



BA31
C1299
Microphone with pneumatic headset and PTT. Comfortable to wear, discreet and flexible, high quality transparent hose. Extremely rugged cable for professional use. 2-pin "L" jack



MA 21-LK
C709.04
Microphone with adjustable earpiece and PTT, with curly cord. L-shaped 2-pin accessory socket

MA 21-LKI
C1306
Microphone with adjustable earpiece curly cord, competitive price.



MA 21-XX
C709.06
Microphone with adjustable earpiece and PTT. 2-pin "L" jack



MA26 - LK
C515.04
Speaker microphone with volume control and earpiece socket. L-shaped 2-pin accessory socket



MA31-LK
C732.04
Microphone with pneumatic earpiece. L-shaped 2-pin accessory socket

MICROPHONES/EARPHONES WITH 1-PIN ACCESSORY SOCKET



MA 21-SX
C709.02
Microphone with adjustable earpiece and selectable PTT/VOX, with curly cord



MA-NC1
C983
Fabric neck collar with integrated headset and selectable PTT/VOX

MICROPHONES/EARPHONES WITH 2-PIN MOTOROLA ACCESSORY SOCKET



MA 25-M
C1129
Waterproof speaker microphone, compatible with Midland G15/G18. 2-pin "L" jack



MA 27-M
C1130
Microphone with PTT, compatible with Midland G15/G18. 2-pin "L" jack



MA 31-M
C732.06
Microphone with pneumatic earpiece, compatible with Midland G15/G18. 2-pin "L" jack

EARPHONES ONLY LISTENING TOURISTIC USE (1 USE)



C1209
Earphone double ear pavilion, 3,5mm




C1209.01
Earphone mono, 2,5mm



C987.01
Earphone mono, 2,5mm



C1243
Iphone style earphone, mono, 3,5mm



C1282
Iphone style earphone, double ear pavilion, 3,5 mm




C1324
Earphone, double ear pavilion, cable length 140 cm, 3,5 mm




EARPIECE ACCESSORIES FOR SOFTGUNNERS

Action Line accessories stand out for their hard-wearing design, technical specifications, practicality and quality of materials. The Action Line is not compatible with Vox functions.



Speaker




Air tube earpiece


TO LISTEN WITHOUT BEING HEARD

Military headset with detachable boom microphone (it can be worn on the right or on the left), tactical PTT and dual sound system (traditional speaker or air tube earpiece).

<p>BOW-M EVO C1046.02 2-Pin Midland</p>	<p>BOW-M EVO K C1046.03 2-Pin Kenwood</p>
--	--



ABM TACTICAL
C855.01
Earpiece microphone with adjustable arm and tactical PTT
2-Pin Midland



A21M
C858
Earpiece microphone with standard PTT. 2-Pin Midland



PTT+CLIP MIDLAND FOR BOW-M
C1088
2-Pin Midland

PTT+CLIP KENWOOD FOR BOW-M
C1088.01
2-Pin Kenwood



EP21
C859
Earpiece 3,5mm jack socket (not compatible with Midland 777).

LISTENING ONLY

ACTION LINE ACCESSORIES

RECOMMENDED
BY US ASSOCIATIONS
OF PAINT BALL AND
SOFT AIR

SAVE PHACE TACTICAL MASKS

DOPE SERIES

Voodoo Magic C1058.05

Diablo C1058.06

Ghost Stalker C1058.07

SPECIFICATIONS:

Polycarbonate thermal pane clear lens with AF/AS/UV coating
Material: tough, durable high impact plastic;
interior: standard foam (not replaceable)
Adjustable strap with sure grip technology
Forehead protector and visor included
Awesome custom SP exclusive graphic design



OU812 SERIES

Flesh Phace C1058.09

Carnage C1058.10

Lazarus C1058.11

SPECIFICATIONS:

Material: specially formulated high impact plastic;
interior: plush replaceable, washable and interchangeable foam.
Adjustable strap with sure grip technology Visor and cloth stuff sack included



SO PHAT SERIES

War Lord C1058.15

Boo C1058.17

Digi C1058.18

SPECIFICATIONS:

Polycarbonate lens with AF/AS/UV coating
Material: specially formulated high impact plastic;
interior: soft plush replaceable, washable and interchangeable foam
Adjustable strap with sure grip technology
Included: visor, forehead protector, cloth stuff sack,
1 clear lens and 1 additional replacement
Colored lens



DISS SERIES

Intimidator C1058.02

Scar Phace C1058.04

SPECIFICATIONS:

Polycarbonate thermal pane clear lens with AF/AS/UV coating
Material: high impact special formulated plastic;
interior: "plush" foam (not replaceable)
Adjustable strap with sure grip technology
Forehead protector and visor included



MARKS A LOT SERIES

Sharpie C1058.13

Assassin C1058.14

SPECIFICATIONS:

PC single pane clear lens with AF/AS/UV coating
Material: high impact plastic; interior: sweat absorbent,
replaceable, washable and interchangeable foam
Comes in one color-bone; can be air brushed or painted
Forehead protector and nice stuff bag included



ACCESSORIES



Clear thermal lens
C1059



Dark smoked thermal lens
C1059.01



Yellow thermal lens
C1059.02



Mirrored yellow lens
C1059.04



RWI (Replaceable/
Washable/Interchangeable)
foam C1060

WALKIE TALKIE ACCESSORIES

HI-FI STEREO HEADPHONES, CHARGERS



Subzero is a Hi-Fi stereo headset with waterproof fabric on the outside and warm eco fur lining, integrated into a cosy adjustable ear warmer system to be worn on the back of the neck. Answer your phone calls and listen to music with great sound quality.

Also available in the summer version, SubzeroSun, with breathable fabric on the outside and fresh cotton on the inside. **Included in the package:** cable with microphone and Command/Answer function for mobile phones or Play/Pause for music (iPod, iPhone, MP3 and the best mobile phones), cable with microphone and PTT for connection to 2-Pin Midland transceivers.

WINTER SUBZERO

Colours available for the winter:

Black	C936.03
Camouflage	C936.07
Yellow	C936.08
Black leather	C936.13
Black pierced fabric	C936.19

SUBZERO SUN FOR THE SUMMER SEASON

Colours available in a pierced fabric:

Black	C936.17
Orange	C936.18

DESKTOP CHARGERS




R73713
Double desktop charger
Attention: to be used only with R73168 wall charger.

G7 Pro

R73579
Double desktop charger

Midland 777
Onda


MULTIPLE DESKTOP CHARGERS



MULTI CA PB-BR03
C1353
6+6 position multicharger

BR03

NEW



MULTI CA PB-BR02
C1295
6 position multicharger

BR02



MULTI CA PB-G15
C1251
6 position multicharger

Midland G15,
G18, Arctic



MULTI CA PB-G10
C1218
6 position multicharger

Midland G10

WALL CHARGERS



MW904
C689
Wall charger

G9/G9 Plus,
G7XT/Pro,
G6XT, G5XT,
G8, M24-48-99

MW905
C887
Wall charger

Midland/
Alan777, Onda,
Midland G12,
G5 R1, Pacific

R71968
Wall charger with double jack

Midland/
Alan777, Onda

WALKIE TALKIE ACCESSORIES

POWER, ADAPTERS

BATTERIES



PB-PRO
C1148
1200mAh Li-Ion rechargeable battery pack
Midland G7 Pro

PB-X6
C1300
3,6V 700 mAh Ni-MH rechargeable battery pack
XT-50/60

NEW

PB-X7
C1301
3,6V 1000 mAh Ni-MH rechargeable battery pack
XT-70

NEW

PB-BR01
R74611
2800mAh Li-Ion rechargeable battery pack
BR-01

NEW

PB-BR02
C1305
1800mAh Li-Ion rechargeable battery pack
BR-02

NEW

PB-BR03
R01916
2300mAh Li-Ion rechargeable battery pack
BR-03

NEW

PB D-200
C1265
1800mAh Li-Ion rechargeable battery pack
Midland D-200

PB G6/G8
C881
800mAh Ni-MH rechargeable battery pack
Midland G8, G6, M24/48/99-S

PB-ATL/G7
C784
800mAh Ni-MH rechargeable battery pack
Midland G7, G9, Pacific

PB-777
C783
650mAh Li-Ion rechargeable battery pack
Midland/Alan 777 and Onda



PB-G10
C1126
1200mAh Li-Ion rechargeable battery pack
Midland G10

R74421
1200mAh Li-Ion rechargeable battery pack
Midland G10 Mimetic

PB-G11
C967
1600mAh Li-Ion rechargeable battery pack
Midland G11

PB-G15/18
C1128
1600mAh Li-Ion rechargeable battery pack
Midland G15/ G18/Arctic

PB200/400
C846
1200mA Li-Ion rechargeable battery pack
Midland G14



BATTERY ELIMINATOR
C1406
Battery eliminator with power supply cable (cigarette lighter plug)
Midland G15
Midland G18
Arctic

NEW

CIGARETTE LIGHTERS



AL777
C803
Cigarette lighter power lead
Midland/ Alan777, Midland G5 R1, G12, Pacific

ALG7
C814
Cigarette lighter power lead
Midland G9, G8, G7, G6, G5XT

ADAPTER



C829
To ensure the compatibility of all equipment with 1-pin - 2,5mm stereo equipment with 2-pin accessories.
Midland G5/777

VHF/UHF - PROFESSIONAL RADIO ACCESSORIES

VHF/UHF

MICROPHONES



R73725 CT 510

Microphone with earpiece

See other earpieces/
microphones with 2-pin
Kenwood accessory
socket, page 55

DESKTOP CHARGERS



CA-CT 790 CT 790
R72767

Quick desktop charger with wall
adapter

R73642 CT 510

Desktop battery charger (to be
used with the USB cable, code
R73644)

R74116 CT 890

Quick desktop charger with wall
adapter

CABLES



R73644 CT 510
USB cable



CLONING CABLE CT 710
R73727 CT 890

It allows the transfer of data/
settings from one radio to
another (not included) CT 590
CT 690

BATTERIES



PB-AA890 CT 890
C1212

Empty battery pack to charge
5 AA battery (not included)

PB200/400 CT 200/400
C846 CT 210/410/710

7,4Vcc - 1200mAh Li-Ion
rechargeable battery

R73645 CT 510

1300mAh Li-Ion rechargeable
battery pack

PB CT 890 CT 890
C1172

2600mAh Li-Ion rechargeable
battery pack

PROFESSIONALS

MICROPHONES



MK35-K HM35, HM70
G1003.01

Microphone with keypad

SPEAKER



AU25E HM35, HM70,
T681.01 HM06

External speaker max. 5W

REMOTE CONTROL



G1016 HM35, HM70

Remote control kit including
5 m extension lead with
connectors, brackets, screws.

CHARGER



RC45 HP450-2A
G1066

Quick desktop charger

BATTERIES



BP0518 HP06, HP70,
G811.03 HP446 extra

1800mAh Ni-MH
rechargeable battery

BP08 HP08
G1192

1600mAh Li-Ion rechargeable
battery

BP 4522 HP450 2A
G1068

2200mAh Li-Ion rechargeable
battery

WALKIE TALKIE, PROFESSIONALS, VHF/UHF RADIO ACCESSORIES

ANTENNAS, ADAPTERS

WALKIE TALKIE ANTENNAS



G7 FLEX
C646.01
Flex antenna with adapter. Length: 35cm. For Midland **G7** line, **G8, G9, G14, G11, G15, G18**



R72770
Short antenna. Length: 9 cm. For Midland **G11, G14, G15, G18**



R73197
Long antenna. Length: 16 cm. For Midland **G11, G14, G15, G18**



ANT710
C1051
For CT510, CT710, CT890



R74455
For CT690, CT590, CT790, CT200, CT400



RH-707 FLEX
C635
Flex-Tilt

PROFESSIONAL ANTENNAS



HA105-LB1
G885.01
Antenna 136-146MHz For **HP105**



HAUN-VM
G952
Antenna 150-161MHz For **HP 06/35**



HAUN-VH
G953
Antenna 161-174 MHz For **HP06/35**



RH-701
C634
Flex



RH-771
C637
Flex



RH-775
C638
Telescopic



RH-779
C640
Telescopic-Tilt

ADAPTER



51640
Adapter
SMA (male)/BNC (female) compatible with **CT510/CT710/CT890/G15/G18/G11V/D-200/ARCTIC**



58610
Adapter
SMA (female)/BNC (female) Compatible with **CT790/CT590/CT690/G10**



RH-519
C641
Super Flex



RH-536
C644
Super Flex



SRH-536
C646
Super Flex-SMA



SRH-701
C645
Super Flex-SMA

WALKIE TALKIE, CB, OTHER ACCESSORIES

BLUETOOTH, USB/LIGHTER RECHARGE

ADAPTERS AND WIRELESS HEADSETS



WA-DONGLE M C1199.02

Bluetooth adapter for Motorola 2-pin radio

WA-DONGLE K C1199.01

Bluetooth adapter for Kenwood 2-pin radio



WA-CB C1276

Bluetooth mini-adapter for M-10, M-20, M-Mini



WA MIKE C1263

Bluetooth microphone



WA21 C1201

Bluetooth headset microphone with PTT for WA-DONGLE/WA-CB



WA29 C1203

Bluetooth headset microphone with neckband and PTT for WA-DONGLE/WA-CB



WA31 C1202

Bluetooth microphone with air tube earpiece and PTT for WA-DONGLE/WA-CB

ADAPTERS, USB CHARGERS



MP-H 2USB

C1195

Dual USB DIN 12V adaptor (hooking handlebar). Input: DC 12V; Output: DC 5V/2A



ERCLP04U

Power supply kit with DIN adapter (BMW) for handlebar with dual USB port - Output: 5V/3.3A



MP-W ADAPTER

C1197

12V cigarette lighter/Din adapter (BMW)



KIT243

12V power supply with cigarette lighter socket and hook to fix it to the handlebar



C1348

Ua-Hella Micro 2A charger with USB SOCKET

Fitted with DIN, BMW-compatible socket



C1349

Ua-Hella A8 iPhone charger

Fitted with DIN, BMW-compatible socket

MIDLAND WIRELESS "WA" ACCESSORIES

The Midland Wireless "WA" range of accessories allows to use any Midland transceiver (fitted with 2 Pins) wireless. All devices have a rechargeable lithium battery, with USB cable for charging.

The WA series includes:

- **WA-DONGLE Bluetooth Adapter for 2-pin radio, including Kenwood/Motorola;**
- **Mini-WA-CB Bluetooth Adapter for M-10, M-20, M-Mini:** when connected to the portable or vehicular transceiver socket, you can choose the most suitable WA Series earphone according to your needs.
- **Bluetooth earphones WA21/WA31/WA29:** each earphone comes with a small PTT. With the WA Series earphones you can also pair any Bluetooth-equipped phone.
- **WA-MIKE Bluetooth Microphone:** communicating with your CB wirelessly (up to a distance of 10 meters)

WALKIE TALKIE OVERVIEW TABLES

MODEL	XT10-XT30	XT50-XT50 ADVENTURE	XT60	XT70-XT 70 ADVENTURE
Band	PMR446	PMR446	PMR446-LPD (Dual-band)	PMR446-LPD (Dual-band)
Channels	8 + 8 pre-programmed	8 + 16 pre-programmed	8 + 16 pre-programmed 69 LPD	8 + 16 pre-programmed 69 LPD
CTCSS and DCS	38 CTCSS	38 CTCSS	38 CTCSS	38 CTCSS
Vox	1 sensitivity level	3 sensitivity levels	9 sensitivity levels	9 sensitivity levels
Power supply	3 AAA Ni-MH rechargeable batteries	3 AAA rechargeable batt. or 700mAh battery pack	3 AAA rechargeable batt. or 700mAh battery pack	3 AA rechargeable batteries or 1000mAh battery pack
Autonomy 5/5/90	Up to 5h (XT30)	Up to 12h	Up to 12h	Up to 17h
Display	Multifunction back-lit LCD	Multifunction back-lit LCD	Multifunction back-lit LCD	Multifunction back-lit LCD
Transmission power	500 mW ERP	500 mW ERP	500 mW ERP	500 mW ERP
Operating temperature	-20° +55°C	-20° +55°C	-20° +55°C	-20° +55°C
Weight (without batteries)	XT10: 73 g; XT30: 75 g	93 g	112 g	113 g
Size (WxHxD)	XT10: 48x85x30 mm XT30: 48x90x32 mm	54x103x33 mm	54x120x33 mm	58x120x33 mm
Connections	Audio accessories and USB socket (XT30)	Audio accessories and USB socket	Audio accessories and USB socket	Audio accessories and USB socket
Accessory socket type	2 pin (only XT30)	2 pin	2 pin	2 pin
Compatible wall charger	R73487	R73487	R73487	C1254

MODEL	MIDLAND G5 C	MIDLAND G7 PRO	MIDLAND G9 PRO	MIDLAND G10
Band	PMR446	PMR446-LPD (Dual-band)	PMR446-LPD (Dual-band)	PMR446
Channels	8 + 16 pre-programmed	8 PMR446/69 LPD	PMR446+16 progr/69 LPD	8+8 pre-programmed
CTCSS and DCS	38 CTCSS	38 CTCSS/104 DCS	38 CTCSS, 104 DCS	51 CTCSS, 83 DCS
Vox	3 sensitivity levels + talk back	6 sensitivity levels	3 sensitivity levels + talk back	-
Power supply	3 AAA Ni-MH rechargeable batteries	800mAh/1200mAh Li-Ion (opt) battery pack or 4 AA rechargeable batteries	4 AA 1800mAh rechargeable batteries or 4 AA alkaline batteries (opt)	Li-Ion 1200mAh battery pack
Autonomy 5/5/90	Up to 35h with alkaline batteries	Up to 18h with 800mAh battery pack	23h with 4 batteries (1800mAh)	16h
Display	Multifunction back-lit LCD	Multifunction back-lit LCD	Multifunction back-lit LCD	-
Transmission power	500 mW ERP	PMR446 500/10mW ERP (high/low) LPD 10mW	PMR446 500/10mW ERP (high/low) LPD 10mW	500mW ERP
Operating temperature	-20° +55°C	-20° +55°C	-20° +55°C	-20° +55°C
Weight (without batteries)	74 g	123 g	114 g	121 g
Size (WxHxD)	50x85x25 mm	58x122x34 mm	68x120x35mm	114x58x33 mm
Connections	Socket for audio accessories, charger	Socket for audio accessories, charger	Socket for audio accessories, charger	Socket for audio accessories
Accessory socket type	2 pin	2 pin	2 pin	2 pin Kenwood
Compatible wall charger	MW904	MW904	MW904	desktop charger only

WALKIE TALKIE OVERVIEW TABLES

MODEL	MIDLAND G11V	MIDLAND G15	MIDLAND G18	MIDLAND GB 1-R
Band	PMR446	PMR446	PMR446	PMR446
Channels	8+8 pre-set sub-channels	8+8 pre-set channels	8+91 pre-set channels	8+91 pre-set channels
CTCSS and DCS	50 CTCSS, 105 DCS	50 CTCSS, 105 DCS	50 CTCSS, 105 DCS	50 CTCSS, 104 DCS
Vox	9 sensitivity levels	9 sensitivity levels	9 sensitivity levels	-
Power supply	1600mAh Li-Ion rechargeable battery pack	1600mAh Li-Ion rechargeable battery pack	1600mAh Li-Ion rechargeable battery pack	12Vdc +/-10%
Autonomy 5/5/90	22h	22h	22h	-
Display	-	-	Multifunction back-lit LCD	Multifunction back-lit LCD
Transmission power	500mW ERP	500mW ERP	500mW ERP (high/low)	≤ 500mW ERP
Operating temperature	-20° +55°C	-20° +55°C	-20° +55°C	-20° +55°C
Weight (without batteries)	209 g	192 g	240 g	220 g
Size (WxHxD)	112x58x34 mm	100x58x33 mm	113x56x38 mm	100x85x22 mm
Connections	Socket for audio accessories	Socket for audio accessories	Socket for audio accessories	Socket for external speaker
Accessory socket type	2 pin Kenwood	2 pin Motorola	2 pin Motorola	3.5 mm mono
Compatible wall charger	desktop charger only	desktop charger only	desktop charger only	-

MODEL	MIDLAND ONDA	BR01	BR02	BR03
Band	wireless radio mike 472÷474 MHz	PMR446	PMR446	PMR446
Channels	100	8 + 8 pre-programmed	8 + 8 pre-programmed	8+91 pre-programmed
CTCSS and DCS	-	50 CTCSS/232 DCS	38 CTCSS/104 DCS	50 CTCSS/104 DCS (N) 104 DCS (I)
Vox	-	-	-	10 sensitivity levels
Power supply	3,7V 650mAh Li-Ion rechargeable battery pack	2800mAh Li-Ion rechargeable battery pack	1800mAh Li-Ion rechargeable battery pack	2300 mAh rechargeable battery pack
Autonomy 5/5/90	Up to 8h	Up to 37h	Up to 24h	33h
Display	Multifunction back-lit LCD	-	-	Dynamic LED matrix
Transmission power	2mW ERP	500mW ERP	500mW ERP	500 mW erp
Operating temperature	-10° +45° C	-20° +55°C	-20° +55°C	-20 +55°
Weight (battery included)	58 g	101 g	126 g	83 g
Size (WxHxD)	42x86x16 mm	57x117x33 mm	57x117x33 mm	57x126x28mm
Connections	Socket for audio accessories, wall charger	Socket for audio accessories	Socket for audio accessories	Socket for audio accessories and USB
Accessory socket type	1 pin – 2,5 mm stereo	2 pin Kenwood	2 pin Kenwood	2 pin Kenwood
Compatible wall charger	MW905	USB cable	desktop charger only	C1254

PMR446 equipment operates on frequencies of up to 446 Mhz (8 channels) and have 500mW transmission power. **Dual band equipment** also operate on the LPD band of up to 433 Mhz (69 channels), with 10 mW transmission power; free use of channels 1 to 20. Both the PMR446 and the Dual band are subject to a general authorisation according to current legislation. Once purchased, two simple bureaucratic procedures must be fulfilled, an annual contribution of 12 euros paid, and a notice sent by recorded delivery to the Regional Inspectorate of the Ministry for Communication.

VHF/UHF RADIO OVERVIEW TABLES

MODEL	CT590S	CT 890	CT990
Frequency	144-146MHz 430-440MHz	144-146MHz 430-440MHz	144-146MHz 430-440MHz
Operating temperature	-20°-+55°	-20°-+55°	-20°-+55°
Voltage supply	7.4V	7.4V	7.4V
Operating mode	Simplex or Semi-duplex	Full duplex	Simplex or Semi-duplex
Size (whitout antenna)	115x58x35,5mm	125x61x40mm	140x60x35mm
Weight (battery included)	230g	278g	310g
Antenna impedance	50Ω	50Ω	50Ω
Use cycle	5/5/90	5/5/90	5/5/90
Transmitter			
Frequency stability	±2.5PPM	±2.5PPM	±2.5PPM
Output power	VHF: 5W UHF:5W	VHF: 5W UHF:5W	10W (UHF/VHF)
Max. frequency deviation	5KHz	5KHz	5KHz
Audio distortion	≤ 3%	≤ 3%	≤ 3%
Receiver			
RF sensitivity	< 0.2μV	< 0.2μV	< 0.2μV
Audio distortion	≤ 3%	≤ 3%	≤ 3%
Audio response	300Hz ÷ 3KHz	300Hz ÷ 3KHz	300Hz ÷ 3KHz

MODEL	CT3000	CT2000	MODEL	ARCTIC
Frequency	144-146MHz 430-440MHz	144-146MHz 430-440MHz	Channels	57 international
Operating temperature	-20°-+55°	-20°-+55°	TX frequency coverage	156.025 - 157.425 MHz
Voltage supply	12.6V	12.6V	RX frequency coverage	156.300 - 162.000 MHz
Operating mode	Simplex or Semi-duplex	Simplex or Semi-duplex	Operating temperature	from -15°C to +55°C
Size (without antenna)	115x43x125mm	115x43x125mm	Size (WxHxD)	115 x 55 x 37mm
Weight (battery included)	809g	858g	Weight (transceiver only)	230 g
Antenna impedance	50Ω	50Ω	Accessory socket type	Motorola 2,5mm/3,5mm
Use cycle	5/5/90	5/5/90	Programmable	Via software (PRG-G15)
Transmitter			Water protection grade	IP67
Frequency stability	±2.5PPM	±2.5PPM	Transmitter	
Output power	25W (UHF/VHF)	25W (UHF/VHF)	Output power	1W or 5W selectable
Max. frequency deviation	5KHz	5KHz	Frequency stability	±2.5PPM
Audio distortion	≤ 3%	≤ 3%	Audio distortion	≤ 3%
Receiver			Receiver	
RF sensitivity	< 0.2μV	< 0.2μV	Sensitivity 20dB Sinad	0,3 μV
Audio distortion	≤ 3%	≤ 3%	Audio output power	300mW @ 10% THD
Audio response	300Hz ÷ 3KHz	300Hz ÷ 3KHz	Audio distortion	< 10%



CAMERAS

DASH CAM
ACTION CAM

MIDLAND[®]

BIKE GUARDIAN

MOTORCYCLE CAMERA

NEW

Full HD
1080



CYCLE
RECORDING



WIDE ANGLE
120°



RAINPROOF IP54



1920X1080P
(27FPS)

RAINPROOF



Aviomatic Service

Bike Guardian, the new motorcycle camera with FullHD resolution, designed and made to be another "eye" that records everything that happens while you are riding.

Highly useful in the event of an accident to prove who was involved and who was to blame Bike Guardian is the first motorcycle camera with continuous recording.

Connected to the motorcycle USB socket with the cable supplied, **it starts recording automatically when the bike is switched on and turns itself off when it is switched off.**

Bike guardian can be used also as a traditional **action cam** and, thanks to its integrated battery, allows up to 2 hours recording. Integrated microphone and speaker.

RAINPROOF

Bike Guardian is able to withstand bad weather, mud and dust, ensuring a video without interruptions. Even the cable, which connects the camera to the bike socket, is rainproof.

PACKAGING AND CODES

Camera, lock mount, handlebar mount, bi-adhesive flat mount, bi-adhesive curved mount, quick mount, screw, GO-PRO adaptor, strap mount, USB cable, USB rainproof cable, wrist belt.

code C1415



DASH CAM

STREET GUARDIAN *FLAT*

CAR CAMCORDER

NEW

Full HD
1080



WI-FI



BLACK BOX



CYCLE RECORDING



WIDE ANGLE
130°



MOTION SENSOR



PARKING FUNCTION



1920X1080P
(30FPS)



12 MP

Avionics



INCLUDES 2 ADHESIVE SUPPORTS



VERY THIN 92x69x33mm



REAL SIZE

DASH CAM

Street Guardian Flat is the thin **FullHD** camera with a discreet design for those who want to feel safe while driving, thanks to **video recordings complete with sounds**, without giving up a clean windscreen with complete vision.

Integrated microphone and speaker.

It connects to the cigarette lighter socket via the 12 V cable and can be easily installed on two cars, thanks to the adhesives included in the package.

WI-FI

It is possible to use the Wi-fi to place the camera and set it up during the assembly/ installation on the car.

The Wi-fi also allows the review and download of the clips directly onto the smartphone without having to connect the camera to a PC (thus avoiding removal from the vehicle).

Recommended apps: FinalCam and LuckyCam.

BLACK BOX AND MOTION DETECTION

The Black Box function makes the camera save and automatically protect the clips in case of an accident. The Motion Detection function allows the camera to start recording every time it detects a motion in the viewing range (requires the camera to be powered).

PARKING FUNCTION

The parking function enables the camcorder to automatically start recording whenever it detects a collision. No more unpleasant surprises for your parked car!

PACKAGING AND CODES

Camcorder, **2 adhesive supports**, cable with 12V cigarette lighter socket, USB cable to connect to a PC.

code C1409



STREET GUARDIAN GPS+

CAR CAMCORDER WITH BUILT-IN GPS

Full HD
1080



BLACK BOX



CYCLE RECORDING



WIDE-ANGLE
160°



MOTION DETECTION



WITH GPS



1920X1080P
(30FPS)



12 MP



REAL SIZE

Street Guardian GPS + is the car camcorder with **built-in GPS** that identifies geographically every second of your route on a dedicated map, containing the **coordinates of all recordings**. Safety is therefore guaranteed not only by video and audio recordings (with integrated speaker and microphone) but also by monitoring the route. Quick to install, it is placed in the centre of the windscreen thanks to the handy suction cup and connects to the power supply with the 12 V cigarette lighter socket.

BLACK BOX AND MOTION DETECTION

Like the other Street Guardian models, it is equipped with Black Box technology, which automatically saves and protects videos in the event of an accident and with Motion Detection, that starts recording any external movement within the camera range.

POSITION SIGNALLING

The built-in GPS indicates the location where you are, the speed you are going to and follows you step by step along the way.

PACKAGING AND CODES

Camcorder, suction cup mount with GPS, 12 V cigarette lighter socket, USB cable for PC connection.
code C1284.01



STREET GUARDIAN *DUAL*

DUAL CAR CAMCORDER

NEW

Full HD
1080



BLACK BOX



NIGHT VISION
4 IR LED



CYCLE
RECORDING



WIDE ANGLE
150° OUT+120° IN



MOTION DETECTOR
(OUT)



WITH GPS



1920X1080P (OUT)
1920X1080P (IN)



12 MP



REAL SIZE

Avionic
SECRET

DASH CAM

**TWO CAMERAS RECORDING WHAT IS HAPPENING IN AND OUT THE CAR.
IDEAL FOR TAXIS AND PUBLIC TRANSPORT.**

The **Street Guardian Dual** is double; in fact it has **two cameras**, to film what is happening inside and outside the car. Designed to record automatically even without light, it is equipped with Night Vision technology and 4 infrared LEDs (the latter for internal shooting).
Integrated microphone and speaker.

BLACK BOX AND MOTION DETECTION

In case of an accident, the Black Box function automatically saves the videos. The Motion Detection function uses the vision range to start recording any movements outside the car.

GPS

The built-in GPS indicates the location where you are and follows you step by step along the way.

PACKAGING AND CODES

Camcorder, suction cup mount with GPS, 12V cigarette lighter socket, USB cable for PC connection.

code C1285



TRUCK GUARDIAN WIRELESS

TRUCK AND CARAVAN VIDEO-SURVEILLANCE SYSTEM



WIRELESS UP TO 150M



IP67 (CAMERA)



7" MONITOR



NIGHT VISION 12 IR LED



CYCLE RECORDING



WIDE-ANGLE 120°



2/24V DUAL SUPPLY




REMOTE CONTROL



VIDEO RESOL. 800X480P (60FPS)

CONNECT UP TO 4 CAMERAS



SYSTEM SUITABLE FOR VEHICLES FOR THE TRANSPORT OF ANIMALS



Truck Guardian Wireless is the camera for trucks and caravans, designed and made to help during manoeuvres and to record what is happening around you. Highly useful when reversing and in the event of an accident to prove causes and responsibilities.

WIRELESS

Wireless technology makes installation extremely easy, as camera and monitor do not need to be connected. Just find a 12 or 24V power source. If you want to add an additional camera (up to 4), simply power it and it will automatically be coupled to the monitor.

7" MONITOR AND REMOTE CONTROL

The large wireless monitor with recorder located inside the truck cabin, is equipped with a remote control, to control the monitor functions remotely.

NIGHT VISION THAT IS NOT AFRAID OF BAD WEATHER

The water resistant (IP67) video camera has a 120° viewing angle and it is equipped with 12 infrared LEDs for night viewing, which light up automatically

CYCLIC RECORDING

Cyclic recording allows to record continuously from one to four cameras even simultaneously.

PACKAGING AND CODES

Truck Guardian Wireless

Monitor, camera, power cable with cigarette lighter socket (for monitor), power cable (for video camera), 3 Wi-Fi antennas (2 for monitor, 1 for video camera), remote control, sunshade frame, mounting support.

code C1331

Additional wireless truck camera

Camera, power cable, Wi-Fi antenna.

code C1332



DASH CAM

CAR/BIKE CAMERAS

OVERVIEW

MODEL	BIKE GUARDIAN	STREET GUARDIAN DUAL	STREET GUARDIAN FLAT
Resolution	1920x1080p (27fps)	Front 1920x1080p Back: 1920x1080p	1920x1080p (30fps)
Sensor	Sony 2 MP	4 MP/2 MP	2 MP
Aspect Ratio	16:9	16:9	16:9
Format	MOV	MP4	MP4
Lens	-	7 elements - 5 elements	6 elements
Lens angle	120°	160° - 120°	130°
Sd Card	128 GB (Class 10)	128 GB	32 GB
Battery	680mAh up to 180'	Only for finalizing video files	Only for finalizing video files
Wi-Fi	No	No	Yes
Photo	2 MP	12 MP	12 MP
Tripod mount	Yes	No	No
Weight	78g	87g	72g
Dimensions (WxHxD)	86mm Ø27mm	102x42x42mm	92x69x33mm
Operating systems	Win XP, SP2, Vista 7&8, Mac OSX 10.4+	Win XP, SP2, Vista 7&8, Mac OSX 10.4+	Win XP, SP2, Vista 7&8, Mac OSX 10.4+

MODEL	STREET GUARDIAN GPS+	TRUCK GUARDIAN WIRELESS	
		Monitor	Camera
Resolution	1920x1080p	800x480	756x504
Sensor	3 MP	-	CMOS
Aspect Ratio	16:9	16:9	16:9
Format	MOV	-	-
Lens	6 elements	-	-
Lens angle	160°	-	120°
Sd Card	64 GB	128 GB	-
Battery	Only for finalizing video files	-	-
Wi-Fi	No	2.4 GHz encrypted transmission	2.4 GHz encrypted transmission
Photo	12 MP	-	-
Tripod mount	No	Support bracket	Support bracket
Weight	70g	430g	500g
Dimensions (WxHxD)	88x48x34mm	180x125x25mm	85x50x40mm
Operating systems	Win XP, SP2, Vista 7&8, Mac OSX 10.4+	Win XP, SP2, Vista 7&8, Mac OSX 10.4+	

MIDLAND H9

THE NEW 4K ACTION CAM

NEW

4K HDR
ULTRA HD



WI-FI



SUBMERSIBLE
CASE 30M



2" LCD DISPLAY



VIDEO/PHOTO



TIME LAPSE PHOTO



TIME LAPSE VIDEO



WIDE ANGLE
170°



H9 is an extra-slim camera with a compact design and excellent resolution: **Real 4K!** **H9** can record films with resolution up to 4K@30fps; moreover the built-in chipset Ambarella guarantees the best ever videos! Thanks to the Panasonic sensor, H9 can take high quality photos up to 14MP.

DISPLAY LCD 2" INTEGRATED

H9 has an integrated display for framing and easily adjusting settings as well as reproducing photos and videos.

TIME LAPSE

It produces exceptional videos with advanced features: Photo Time Lapse (sequence of photos at a set time interval) and Time Lapse Video (creates accelerated videos).

REMOTE CONTROL

It is equipped with a 2.4 Ghz wrist wireless remote control, its buttons enable the switch on and off of the camera and to take videos and photos.

WATERPROOF CASE 30M

The submersible case supplied protects the action cam from water up to a depth of 30 meters, but also from mud and dust.

WI-FI

Thanks to the built-in wi-fi and high-performance chipset, H9 connects to smartphones and tablets to watch again and share films and photos with the dedicated "Midland H9" App (iOS and Android).

PACKAGING AND CODES

Camera, 30m waterproof case, remote control, 3.7V/1000mAh Li-ion battery pack, frame (to be used without case), curved base, flat base, 2 quick-release couplings, 90° support, handlebar support, clamp, USB cable, screw, screw coupling.
code C1405



MIDLAND H5+

UHD BEST SELLER



WI-FI



SUBMERSIBLE CASE 30M



2" LCD DISPLAY



VIDEO/PHOTO



CAR DVR



TIME LAPSE



WIDE ANGLE 140°



ALL ACCESSORIES IN THE PACKAGE



Avionics

ACTION CAM

The very small dimensions, weight - only 60 gr. - practicality and 3840x2160@25fps resolution make H5+ perfect for the needs of all athletes and outdoor enthusiasts.

BUILT-IN 2" LCD DISPLAY

Midland H5+ introduces the integrated display for framing, adjusting easily the settings and playing video and photos.

CAR DVR FUNCTION

Fitted with Cycle recording, it can be easily installed in the car and record continuously what is happening while you drive.

TIME LAPSE

Produces exceptional videos with advanced Time Lapse function (photo sequence at a time interval).

WIDE-ANGLE

Fitted with 140° wide-angle lens for excellent videos.

30M SUBMERSIBLE CASE

The submersible case supplied protects the action cam from water up to a depth of 30 meters, but also from mud and dust.

WI-FI

Midland H5+ thanks to built-in wi-fi connects to smartphones and tablets to see, watch again, and share movies and photos with the dedicated App "Ez i Cam" (iOS and Android).

PACKAGING AND CODES

Camera, submersible case 30 m, coloured front, 1050 mAh Li-ion battery pack, USB cable and 20 elements to be combined to create the mounting solution that best suits your needs (ex: helmet support, bicycle helmet, etc)

code **C1208.02**



MIDLAND H360 SMART

THE 360° SOCIAL ACTION CAM

Full HD
1080



ROUNDIE VIEW



VIRTUAL REALITY
READY



ANDROID (OTG)



Live a 360° social experience with the action cam that, via built-in USB, connects directly to your smartphone and allows you to film your best moments, sharing them in real time. 360° cameras are the vanguard among the latest action cams and allow you to shoot in full immersion and share your favorite moments. **Live Facebook and YouTube with your smartphone with only 40mm more.**

360° FULL HD FOR BEAUTIFUL VIDEOS

With a maximum resolution of 2048x1024@25fps which guarantees you excellent quality videos. It is necessary to download the dedicated «EZ-PANO» APP, available on Play Store.

H360 SMART is compatible with Android phones with USB OTG (On-The-Go) function. Photos and videos in Sphere and Little Planet modes.

FEATURES

- Weight: 36g, diameter: 40mm
- Compatible Android models: **Samsung** Note 4/Note 5/Note8/J5/J7/S6/S7/ S7 Edge/ S8/S8 Plus/A8/A9/ C5 Pro/C7 Pro/C9 Pro. **LG** G3/G4/G5/G6/V10/V20/V30/ Stylo 3Plus. **Sony** Z3/Z5/ XZ/ XZs/ XA1/ XA. **Huawei** Honor 6/Honor 7/Mate S/ Mate 8/Mate 9/P8/P8 Lite/P9/P10. **HTC** M8et/M8t/A9W/10/One M9+/One M9/ One M8/U11. **Asus** ZenFone 3/ZenFone Zoom/ZenFone Selfie/ZE553KL/ZC521TL/ ZE552KL/ZU680KL/Zs550KL/Zs570KL/

X005/X008. **Google** Pixel XL/Pixel/Nexus 5X/Nexus 6P. **ZTE** ZMAX Pro/BladeV8/V7 Max/A910 ZTE7/ZTE7 Max. **Motorola** Moto Z Droid/Moto Z Force Droid/G Plus/G. **Xiaomi** Mi: Mi3S/Mi4/Mi5/Mi5S/Mi Max / Note 1/Note 3/Note 4. **Oppo** R9/R9s/R11. **Nubia** Z11. **Lenovo** ZUK. **Meizu** M1 Metal.

Download the updated list from: midlandeurope.com

PACKAGING AND CODES

H360 SMART videocamera, Micro USB/Type C connector.
code C1338

CAMERAS

ACTION CAM ACCESSORIES

KIT

H5



ACC-H5
C1245
Accessory set

H3



ACC-H3
C1244
Accessory set

REMOTE CONTROLS

H9



R01487
Remote control suitable for H9

NEW

H7
H7+



RC-H7/H7+
C1248
Remote control suitable for H7, H7+

H180
H360



RC-H180
C1320
Remote control suitable for H180, compatible with H360

SURFACE

H
SERIES
GO PRO

GO PRO



TURNABLE HOOK
360°
C1268
Rotating hook mount 360° for base with double-sided tape

H3
H5/H5+
H7/H7+
H9
GOPRO



BASIC
C1273
Base fixing system (4 pieces)

GO PRO

XTC400
XTC450



BASIC
C1108
Base fixing system (4 pieces)

XTC400
XTC450



MINISPIDER
C1109
Small base with 3M adhesive and 45° slide

XTC400
XTC450



SPIDER
C1110
Large base with 3M adhesive and 45° slide for surf/snowboard

XTC280
XTC270



HELMET MOUNT
C990
Bi-adhesive helmet mount.

XTC280
XTC270



SURF SNOW BOARD MOUNT
C1038
270° Adjustable ABS and stainless steel mount with safety device to be fixed to a surfboard or snowboard

WEARABLE

XTC400
XTC450



BELT MOUNT
C1111
Belt mount

XTC400
XTC450



VENTED HELMET MOUNT
C1112
Bicycle helmet mount

XTC400
XTC450



HEAD STRAP MOUNT
C1113
Headband mount

XTC400
XTC450



GOGGLES MOUNT
C1114
Mount for goggles (ski, motocross)

XTC280
XTC270



GOGGLES MOUNT
C989
Mount for goggles (ski, motocross)

ALL*



CAP MOUNT
C1012
Cap mount

CAMERAS

XTC280
XTC270



HEAD STRAP MOUNT
C1040
Headband mount

ALL*



UNIVERSAL RIFLE MOUNT
C1064.01
Universal mount for rifles

XTC280
XTC270



VENTED HELMET MOUNT
C991
Universal Velcro band for bicycle helmet, rucksack, etc.

ALL*



BOW MOUNT
C1068
Bow mount

TREE MOUNT
C1062
Tree mount

VEHICLE

XTC400
XTC450



HANDLEBAR MOUNT
C1117
Mount for handlebars

POD

ALL*



XT-POD
C1116
Multicam Monopod – Aluminum body (18cm)

GO PRO

ALL*



SUCTION CAP MOUNT C980.01
Suction mount for cars and motorcycles for stable recording on a vehicle, ideal for smooth (bodywork) and rough surfaces (dashboard)

ALL*



XT-POD 2S
C1116.01
Telescopic multicam 2-section Monopod 100% Carbon fiber (80cm)

GO PRO

ALL*



HANDLEBAR MOUNT
C992
Mount for handlebars and tubes

ALL*



XT-POD 3S
C1116.02
Telescopic multicam 3-section Monopod 100% Carbon fiber (112cm)

GO PRO

PROFESSIONAL/RAM

ALL*



RAM ROLL BAR MOUNT
C1042
Professional mount for tubular handlebar with a diameter from 1 to 3 cm

ADAPTERS

H
SERIES,
GO PRO



TRIPOD MOUNT
C1270
Adapter for GOPRO. *This adapter allows to use all screw-type accessories with H series action cams*

GO PRO

ALL*



RAM MOTO QUAD MOUNT
C1052
Professional mount suitable for all vehicles with tubes with a diameter from 3 to 6 cm

XTC400
XTC450



TRIPOD MOUNT
C1120
Side adapter to transform any screw mount into a side attachment

TACTICAL/WEAPONS

XTC400
XTC450



PICATINNY MOUNT
C1118
Mount for rifles and guns with Picatinny Rail

XTC280
XTC270



TRIPOD MOUNT
R73161
Side adapter to transform any screw mount into a side attachment

XTC280
XTC270



PICATINNY MOUNT
C1039
Mount for rifles and guns with Picatinny Rail

XTC
SERIES
H180
H360



GOPRO ADAPTER
101854
This adapter allows the use of GOPRO mounts with XTC MIDLAND cameras

CAMERAS

SUBMERSIBLE CASES/LENS KIT

H9		WPC-H9 R01488 Submersible case 30 m	NEW
H5+		WPC-H5+ C1335 Submersible case 30 m	
H5 H3		WPC-H5 C1247 Submersible case 30 m	
H7+		WPC-H7+ C1336 Submersible case 30 m	
H360		WPC-H360 C1319 Submersible case 30 m	
H180		R74447 Submersible case 30 m	
XTC400 XTC450		CC-XTC400 C1121 Submersible case 85 m	
XTC300		CC-XTC300 C1031 Case with flat lens, up to 60 m	
XTC280 XTC270		CC-XTC280 C976.01 Case with flat lens, up to 60 m	

XTC SERIES



ANTI CONDENSATION INSERTS
C1171
18 inserts and one humidity indicator

XTC300



LENS KIT C1074
camera lens, spherical lens, flat lens
60 m of case and seals

XTC300



FLAT LENS
R73453
60 m flat lens

BATTERIES

H3 H5 H5+ H9



PB-H5
C1246
900 mAh 3,7V Li-Ion battery pack

H7+

R74538
1050 mAh Li-Ion battery pack

H180

R74537
1000 mAh Li-Ion battery pack

XTC400 XTC450

BATTERY
C1124
1700 mAh 3,7V Li-Ion battery pack

XTC280 XTC270

BATTERY
R72963
900 mAh Li-Ion battery pack

* Compatible with action cam H series using Tripod Mount Adapter C1270

OVERVIEW

MODEL	H9	H5+	H360 SMART
Resolution	4K (30fps)	4K (25fps) - 2,7K(30fps) - 1920 x 1080p(60fps)	2048x1024 (25fps)
Sensor	Panasonic 14 MP	4 Mp	2 Mp
Aspect Ratio	16:9	16:9	2:1
Format	MP4	MOV	H.264 - MP4
Lens	7 elements	-	6 elements
Lens angle	170°	140°	220° x 2
Sd Card	64 GB	Up to 32 GB	-
Battery	1050 mAh, up to 90 minutes	Li-Ion 1050 mAh, up to 90 minutes	-
Wi-Fi	Yes	Yes	-
Photo	14 MP	12 Mp (interpolated)	2 Mp
Tripod mount	No	No	-
Weight	65	58g	36g
Dimensions (WxHxD)	58x41x30mm	59,3x41x30mm	Ø 41
Operating systems	Win XP, SP2, Vista 7&8, Mac OSX 10.4+	Win XP, SP2, Vista 7&8, Mac OSX 10.4+	Android 5.0 or superior, OTG Function support

JUMP STARTER & POWER BANK



MIDLAND®

ENERJUMP MINI

JUMP STARTER 12V - POWER BANK



BATTERY CABLES



USB PORT



CURRENT PEAK 400A



CAPACITY 6000MAH



100L LED FLASHLIGHT



BATTERY LEVEL



SMART JUMP START SYSTEM: WITH INTELLIGENT CLAMPS

Your energy reserve when you don't have the Battery you deserve.

Jump Starter for cars, bikes, ATV, etc.:

Enerjump Mini is small but powerful enough to start vehicles fitted with a 12V battery (3000cc petrol / 2000cc diesel).

The power bank suitable for all devices with a **USB plug:** Enerjump Mini has 1 USB socket to recharge smartphones, tablets, cameras, MP3 readers, etc.

Thanks to its capacity (6000mAh) it recharges your iPhone up to 2 times.

SMART JUMP START SYSTEM™

Enerjump Mini is fitted with Smart Jump Start System™ that allows automatic detection of the battery charge, protection against short circuits and polarity reversal.



17x8,1x1,7 cm: EXTRA THIN!

LED TORCH AND CHARGE INDICATOR

Enerjump is fitted with a powerful LED 100L torch and charge indicator (4 signaling levels).

PACKAGING AND CODES

Enerjump Mini, starting clamps with "Smart jump start system", USB/microUSB cable. **code C1355**

ENERJUMP

JUMP STARTER 12V - POWER BANK



BATTERY CABLES



USB PORT



CURRENT PEAK 400A



CAPACITY 8000MAH



LED FLASHLIGHT



BATTERY LEVEL



The power bank suitable for all devices with a **USB plug:** Enerjump has 1 USB socket to recharge smartphones, tablets, cameras, MP3 readers, etc. Thanks to its capacity (8000mAh) it recharges your iPhone up to 3 times. Enerjump starts vehicles with 12 V battery (3000cc petrol / 2000 cc diesel).

LED TORCH AND CHARGE INDICATOR

Enerjump is fitted with a powerful LED torch and charge indicator.

In an emergency also a luminous SOS can be launched.



13x7,5x2,5cm: IT FITS IN YOUR POCKET!

PACKAGING AND CODES

Enerjump, starting clamps, car 12V battery, wall supply, USB/microUSB cable, soft case. **code C1184**

ENERJUMP WORK

JUMP STARTER 12V - POWER BANK

WATCH THE VIDEO ON
YOUTUBE
**ON THE ROAD WITH
ENERJUMP**



BATTERY
CABLES



USB
PORT



CURRENT PEAK
600A



CAPACITY
18000MAH



LED
FLASHLIGHT



BATTERY
LEVEL

Avionics
Service



SIZE: 23x8,7x2,7cm

The power bank and jump starter for **vans, Off-road vehicles**, etc...
Enerjump Work is ideal for work vehicles with 12V battery (**5000cc petrol / 3000cc diesel**).

IT SIMULTANEOUSLY RECHARGES 2 DEVICES WITH USB

Enerjump Work has 2 USB sockets that simultaneously recharge portable devices, such as smartphones, tablets, cameras, MP3 readers, etc. Thanks to its capacity (18000mAh) it recharges your iPhone up to 6 times. Enerjump Work also has a 12 V socket to supply fridges and other car accessories and a 19V socket to recharge your laptop. Enerjump Work is fitted with a powerful LED torch and charge indicator. In an emergency also a luminous SOS can be launched.

SMART JUMP START SYSTEM™

Enerjump Work is fitted with Smart Jump Start System™ that allows automatic detection of the battery charge, protection against short circuits and polarity reversal.

PACKAGING AND CODES

Enerjump Work, starting clamps with Smart Jump Start System™, car 12V battery, wall supply, USB/microUSB cable, Notebook connector set, semirigid case.
code C1184.01



ER300

EMERGENCY POWER BANK



AM/FM RADIO



POWER SOURCE
DYNAMO CRANK



POWER SOURCE
SOLAR PANEL



LED
FLASHLIGHT



CHARGE
THE DEVICE
WITH USB



BATTERY
UP TO 25 HOURS



DOG WHISTLE FOR
RESCUE TEAMS



AM/FM Radio



Dynamo recharge



Charge the device with USB port

SOLAR PANEL



ER300 is a powerful powerbank capable of recharging portable devices and an **emergency device** equipped with an AM/FM receiver, designed for emergency situations, disasters and safety in which keeping in touch is essential. ER300 is a versatile solution also for everyday use, for outdoor activities, camping or in leisure time. Rechargeable via dynamo, solar panel, batteries and USB socket. With ultrasonic call for dogs, torch.

Frequency: 531-1629KHz (AM)
87,5-108MHz (FM)

Colour: Red/Black

FEATURES

- 4 power sources: dynamo crank, solar panel, internal Li-Ion 2000 mAh battery pack or simply rechargeable batteries
- It charges external electronic devices with USB port
- Power bank with long life rechargeable battery 3,7Vdc Li-Ion 2000 mAh, lasting up to 25 hours of normal use
- It also works with 6 AA battery (not included)
- Powerful flashlight with Cree® led 130L*
- SOS Morse code flashlight beacon
- Ultrasonic dog whistle useful for rescue teams
- AM/FM radio
- Digital clock
- Headphone jack
- Telescopic antenna
- Wide, bright LCD with backlight

PACKAGING AND CODES

Radio, 2000 mAh Li-Ion battery pack, USB/micro USB cable
code C1173

* Cree® is a registered trademark of Cree Inc

INTERCOM



MIDLAND®

13 YEARS OF INTERCOM COMMUNICATION.

Since 2006 Midland has specialized in intercom devices improving motorcycle communication. After the launch of the revolutionary firmware MWE in 2018, which erases background noise, Midland introduces an important **innovation in 2019**.



MIDLAND MESH CONFERENCE

Midland Mesh Conference™ is the technology that allows a perfect intercom communication in full duplex up to 10 people at the same time.

Each user can exit from the conversation and join it again whenever he desires, through an automatic connection with the complete group without “chains”.



BT MESH.

THE INTERCOM WITH MMC™ TECHNOLOGY

















Communication up to 10 people in full duplex.
Up to 1.4 km.

Compatible with every Midland model via Bluetooth.

Compatible with other brand models through the **Universal Intercom function**.

MIDLAND INTERCOM RANGE



FEATURES	BT MESH	BT NEXT PRO UR	BTX2 PRO
 Mesh Full duplex	Up to 10 people	-	-
Conference	-	4 bikes (8 people)	4 people
 One to One Midland	3 people	4 people	4 people
One to One Universal Intercom	1 person	2 people	1 person
 Unlimited communication with BTT Button	-	Yes	-
 Range	1400 m	1600 m	1000 m
 Music share	Yes	Yes	Yes
 Emergency stop light	-	Yes	Yes
 FM Radio	Yes	Yes	Yes
 Mobile connection	2	2	2
 Waterproof	IPX6	IPX6	IPX6
 BT SET APP	Yes	Yes	Yes
 Voice messages	Yes	Yes	Yes
 Stereo background	Yes	Yes	-
 Helmets compatibility	All	All	All
 Battery life	23 h	23 h	23 h
 AGC Automatic volume control	Yes	Yes	Yes
 Single pack code	C1412	C1222.04	C1231.02
 Twin pack code	C1412.01	C1222.05	C1231.03



BTX1 PRO

BTX1 FM PLUS

BT GO UNI

BT GO JET

-	-	-	-
-	-	-	-
2 people	2 people	2 people	2 people
1 person	1 person	-	-
-	-	-	-
300 m	10 m	200 m	200 m
Yes	-	-	-
Yes	-	-	-
Yes	Yes	-	-
2	2	1	1
IPX6	IPX4	IPX6	IPX6
Yes	Yes	-	-
Yes	Yes	Yes	Yes
-	-	-	-
All	All	modular and integral helmets	Jet helmets
23 h	10 h	8 h	8 h
Yes	Yes	-	-
C1230.02	C1142.04	C1310.01	C1310
C1230.03	C1142.05	-	-



ANNIVERSARY | 60 YEARS
1959-2019

MIDLAND, born in 1959 in a small factory in Kansas City, is today world leader in the radiocommunication and consumer electronics.

CTE International became part of Midland history in the 1970s thanks to an European commercial strategy and, in the 1990s, by acquiring a significant share of the American company, contributing to the brand success, all over the world.

A Group composed by over **15 branches and strategic partners**, and a network in over 90 countries, all under the leadership of the **Italian Headquarters**, based in Reggio Emilia.

It is the heart of Research and Development Department that has been carrying on the mission with a strong commitment:

“To realize a world where communicating is easy, fun and approachable to everybody”.

Midland produces with passion products of quality, technologically innovative. Products that respond to the real need of all of us: to communicate.

A success that has been going on for 60 years.



A HISTORY OF INNOVATION

- 1977**
1ST APPROVED CB ON THE EUROPEAN MARKET
- 1998**
1ST LPD WALKIE-TALKIE DESIGNED IN THE WORLD
- 2008**
1ST BIKE TO BIKE INTERCOM IN THE WORLD
- 2013**
1ST WI-FI ACTION CAM WITH REMOTE CONTROL
- 2018**
1ST DIGITAL CB MIKE

MIDLAND GROUP

USA
Midland Radio Corporation
Kansas City
www.midlandusa.com

ITALY
Cte International
Reggio Emilia
www.midlandeurope.com

Germany
Alan Electronics
Dreieich
info@alan-electronics.de
www.alan-electronics.de

Spain
Midland Iberia
Barcelona
info@alan.es
www.midland.es

France
Alan France
Ennery
infos@alanfrance.fr
www.alan-midland.fr

Bulgaria
Alan Telecommunication
Sofia
alan.bulgaria@me.com
www.midlandeurope.com

Poland
Alan Telekomunikacja
Warsaw
info@alan.pl
www.alan.pl

Romania
SC Online Shop
Piatra Neamt
comenzi@statie-radio.ro
www.statie-radio.ro

Russia
Alan-Sviaz
Moscow
info@midland.ru
www.midland.ru

Japan
Links Of Japan
Osaka
info@midlandradio.jp
www.midlandradio.jp

United Kingdom
Alan - Nevada UK
Portsmouth
sales@nevada.co.uk
www.nevadaradio.co.uk

Turkey
DNS
İstanbul
ocagman@dnsticaret.com
www.dnsonlineshop.com

Greece
Cobra Center Ltd
Athens
techdep@cobra-center.gr
www.cobra-center.gr

Australia
AudioXtra International
Sydney
info@audioxtra.com.au
www.audioxtra.com.au

Israel
SHCHORI Cellular Communication
Tel-Aviv
info@midland.co.il
www.midland.co.il

WARRANTY

All our products are covered by a 24-month warranty, as long as they are sent to our **Technical Service Centres** together with the tax receipt. Contact our **Authorised Retailer** who will tell you where the nearest **Service Centre** is located.

N.B. we accept returns of material only if carriage paid and with the **Sales Dept's** (0522 509411), **Customer Technical Service Dept's** (0522 509535) or **Intercoms Dept.'s** (0522 509446) **prior authorization**. The lack of said authorization will cause the products to be immediately returned to the sender.

CERTIFICATIONS

ETSI: CTE International is a credited member of ETSI - the European Telecommunications Standards Institute - which it helps define standardised technical specifications for telecommunication products and services.

ISO 9001 2015: for the design, production and installation of telecommunication systems and equipment for industrial, military, civil, marine and consumer use.

ANITEC-ASSINFORM: CTE International is part of the ANIE Federation research and innovation commission, a member of Confindustria and represents the electro-technical and electronic businesses operating in Italy.



Anitec - Assinform

Member of Confindustria and Confindustria Digitale Italian Association for Information and Communication Technology

Photo: Enrico Coppola - Art Direction: Roberta Saccon

We would like to thank: Vittorio Spinelli, called lo Zingaro.

This catalogue replaces and cancels the previous ones.

We reserve the right to modify and improve at any time and without notice the technical and aesthetic features of the equipment. All trademarks shown belong to their respective owners.

Avionic Service

CTE INTERNATIONAL srl

Via R. Sevardi 7 - 42124 Reggio Emilia - Italy
Tel. +39 0522 509411 • info@midlandeuropa.com
www.midlandeuropa.com

Download this catalogue



Follow us:

 @Midland World

 @Midland World

 Midland World

Dealer

Avionic sale and customer service
Two-way radio and telecommunication technology



AVIONIC SERVICE GmbH / Srl
L.-Galvani-Str. 6/E Via L. Galvani | I-39100 Bozen / Bolzano
Tel. +39 0471 506 963 | Fax +39 0471 921 418
info@avionic-service.eu | avionic@pec.it | www.avionic-service.eu