


# CONVENTION ON INTERNATIONAL TRADE IN ENDANGERED SPECIES OF WILD FAUNA AND FLORA

EC ANNUAL REPORT 1988



COMMISSION  
OF THE EUROPEAN  
COMMUNITIES

This document has been prepared for use within the Commission. It does not necessarily represent the Commission's official position.

Cataloguing data can be found at the end of this publication.

Luxembourg: Office for Official Publications of the European Communities, 1990

ISBN 92-825-9500-5

Catalogue number: CM-60-90-305-EN-C

© ECSC-EEC-EAEC, Brussels • Luxembourg, 1990

Reproduction is authorized, except for commercial purposes, provided the source is acknowledged.

*Printed in Belgium*

**Commission of the European Communities**

**CONVENTION ON INTERNATIONAL TRADE**

**IN ENDANGERED SPECIES OF WILD FAUNA AND FLORA**

**EC ANNUAL REPORT 1988**

**Document**

This document has been prepared for use within the Commission. It does not necessarily represent the Commission's official position.

Copyright ECSC-EEC-EAEC, Brussel - Luxembourg, 1990  
Reproduction is authorized, except for commercial purposes, provided the source is acknowledged.

CONTENTS :

CONTENU :

INDICE :

|    |  |            |
|----|--|------------|
| 1. | - Presentation and Introduction to the<br>EC 1987 annual report to CITES<br>- Présentation et introduction du rapport<br>annuel 1987 de la CE à CITES<br>- Presentación y introducción del informe<br>anual de 1987 de la CE para el CITES | P. 1 - 4   |
| 2. | - Imports<br>- Importations<br>- Importaciones   | P. 1 - 320 |
| 3. | - Exports - Re-exports<br>- Exportations - Réexportation<br>- Exportaciones - Reexportaciones  | P. 1 - 244 |
| 4. | - Index of country codes used<br>- Liste des codes de pays utilisés<br>- Índice de los códigos de países utilizados  | P. 1 - 5   |

## PRESENTATION OF THE EEC 1988 ANNUAL REPORT TO CITES

In accordance with art. 8 par e) of the EC Reg. 3626/82<sup>1</sup> and with regard to Art. VIII (6) and (7) of the Convention the Commission of the European Communities gathered the necessary trade data from all Member States and charged the Wildlife Trade Monitoring Unit with the production of the annual report.

The Community's 1988 CITES report, which consists of a cumulative report showing all trade in CITES specimens between the Community and the rest of the world, is the fifth annual report of the EC to CITES since the EC Reg. 3626/82 on the implementation of CITES in the Community came into force (1.1.1984).

Annexes with information on each Member State's individual trade with third countries have been established as well. These annexes contain to the extent possible for each shipment:

- The States with which such trade occurred;
- the number or quantities and types of specimens;
- the latin names of the specimens
- size and sex of the specimens, where applicable;
- purpose of the exportation, re-exportation, importation or introduction from the sea,
  - permit numbers.

Because of the volume of these annexes it has not been possible to publish them together with the Community report. They were, however, made available to the Community Member States and the Convention Secretariat. Requests from parties for information on individual shipments can be addressed to the Commission of the European Communities, 200, rue de la Loi, Directorate General for the Environment, Consumer Protection and Nuclear Safety, telex n°. 21877 COMEU - B

---

<sup>1</sup> OJ N° L 384 of 31.12.1982, p.1

## INTRODUCTION TO THE EEC 1988 ANNUAL REPORT TO CITES

### 1. LEGISLATION

In the process of the development of a common environmental policy, Member States' competences have increasingly been transferred to the Community as it was recognised that common action was more efficient than individual action by Member States.

In the case of CITES there is an additional Community aspect : CITES mainly employs commercial policy instruments to attain its objectives and ever since the establishment of the EEC, international trade regulations have fallen in the competence of the Community.

The progressive removal of the controls at the internal borders in the framework of the Community integration process implies that the Community Member States are not in a position to carry out all of the obligations under the Convention in the absence of a common implementation system.

Therefore the European Community has adopted autonomous measures to implement CITES per 1.1.1984 under two EC Regulations (3626/82<sup>1</sup> and 3418/83<sup>2</sup>). These regulations, have been followed by a number of subsequent amendment regulations, mainly with a view to adapting them to changes to the Appendices to the Convention and its own Annexes listing the species to be controlled.

The regulations on CITES, which are directly applicable in all Member States, establish a detailed set of provisions for the common implementation of CITES in the Community and bind its Member States to respect the objectives and principles of the Convention. The regulations brought also two countries, who have at present not yet ratified or acceded to the Convention, within the ambit of CITES.

<sup>1</sup> OJ N° L 384 of 31.12.82, p.1

<sup>2</sup> OJ N° L 344 of 7.12.83, p.1

## 2. STRICTER COMMUNITY MEASURES

Regulation 3626/82 contains a number of stricter measures regarding the conditions for trade of specimens of species included in the Appendices to the Convention, which are allowed for under Article XIV of the Convention.

- 2.1. Annex C part 1 of the Regulation contains 66 (sub)species, 6 groups of species, 1 family and 3 orders of fauna and 110 species of flora listed in Appendices II or III of the Convention, which shall be considered as species listed in Appendix I to the Convention (Article 3 (1)).
- 2.2. Annex C part 2 of the Regulation covers 43 (sub)species, 8 groups of species, 4 families and 2 orders of fauna as well as 3 species of flora from Appendices II and III of the Convention for which stricter criteria for the issue of import permits shall apply (Articles 3 (2) and 10 (1) (b). These criteria are :

Import permits shall only be issued where

- it is clear, or where the applicant presents trustworthy evidence, that the capture or collection of the specimens in the wild will not have a harmful effect on the conservation of species or on the extent of the territory occupied by the populations in question of the species;
- the applicant provides proof that the specimen has been obtained in accordance with the legislation on protection of the species in question
- the recipient of live animals possesses adequate facilities suitable for accomodating the species and suited to its behaviour
- there are no other requirements relating to conservation of the species which militate against issue.

2.3. Any introduction into the Community, except where specimens are placed under either a customs transit or temporary storage procedure, is subject to the presentation of an import permit or import certificate (Article 5 (1) and 10). The Convention only requires import permits for specimens of Appendix I species. In case of the transit or temporary storage procedure, presentation of the relevant export documentation or satisfactory proof of its existence may be required (Article 5 (4)).

2.4. Article 6 of the Regulation prohibits

- display to the public for commercial purposes
- sale
- keeping for sale
- offering for sale or
- transporting for sale

of (a) Appendix I and Annex C part I specimens as well as of (b) Appendices II and III and Annex C part II specimens that have been imported without an import permit or certificate.

Member States may grant exemptions for specimens mentioned under (a) above in the case of "pre-Regulation" specimens entered in accordance with the Convention; bred in captivity or artificially propagated specimens; for research, teaching, breeding or propagation and for specimens originating from a Member State in accordance with legal provisions or approval of the competent authorities.

2.5. Transportation within the Community of live animals of the species included in Appendix I or Annex C 1 from their address specified in the import permit shall be subject to prior authorization from the management authority (authorities concerned) (Article 13.2).

## PRESENTATION DU RAPPORT ANNUEL 1988 DE LA CE A LA CITES

Conformément à l'article 8, paragraphe e), du Règlement CEE 3626/82<sup>1</sup> et par rapport à l'article VIII (6) et (7) de la Convention sur le commerce international des espèces de faune et de flore sauvages menacées d'extinction (CITES), la Commission des Communautés européennes a recueilli les données commerciales nécessaires auprès de tous les Etats membres et a chargé l'unité de surveillance continue du commerce des espèces sauvages (Wildlife Trade Monitoring Unit) d'établir le rapport annuel.

Le rapport CITES 1988 de la Communauté existant d'un rapport cumulé indiquant tous les échanges d'espèces CITES entre la Communauté et le reste du monde, est le cinquième rapport annuel de la CE à la CITES depuis que le Règlement CEE 3626/82 sur l'application de la CITES dans la Communauté est entré en vigueur (1.1.1984).

Des annexes contenant des informations sur le commerce individuel de chaque Etat membre avec les pays tiers ont également été rédigée. Dans la mesure du possible, ces annexes contiennent par expédition des informations sur :

- les Etats avec lesquels le commerce a eu lieu;
- le nombre ou les quantités et les types de spécimens;
- le nom latin des spécimens;
- la taille et le sexe des spécimens, le cas échéant;
- le but de l'exportation, de la réexportation, de l'importation ou de la capture en mer;
- les numéros des permis

Etant donné le volume de ces annexes, il n'a pas été possible de les publier en même temps que le rapport de la Communauté. Elles ont cependant été mises à la disposition des Etats membres de la Communauté et du Secrétariat de la Convention. Les parties peuvent adresser les demandes d'information concernant des envois individuels à la Commission des Communautés européennes, 200, rue de la Loi, 1040 Bruxelles Direction générale de l'environnement, de la protection des consommateurs et de la sécurité nucléaire, n° de télex 21 877 COMEU-B.

<sup>1</sup> JO L 384 du 31.12.1982, page 1.

## INTRODUCTION AU RAPPORT ANNUEL 1988 DE LA CE A LA CITES

### 1. LEGISLATION

Avec le développement de la politique environnementale commune, les compétences des Etats membres ont été progressivement transférées à la Communauté, l'action commune étant plus efficace que les actions individuelles des Etats membres. Dans le cas de la CITES, il existe un aspect communautaire supplémentaire : la CITES utilise essentiellement des instruments commerciaux pour atteindre ses objectifs et, depuis la création de la CEE, la réglementation du commerce international relève de la compétence de la Communauté.

L'élimination progressive des contrôles aux frontières intérieures dans le cadre du processus d'intégration de la Communauté signifie que les Etats membres ne sont pas en mesure de s'acquitter de toutes les obligations prévues par la Convention, en l'absence d'un système de mise en oeuvre commun.

C'est pourquoi la Communauté a adopté des mesures autonomes pour mettre la CITES en vigueur à partir du 1.1.1984 et ce, dans le cadre de deux règlements (3626/82<sup>1</sup> et 3418/83<sup>2</sup>). Ces règlements ont été suivis de plusieurs amendements dont le but essentiel était de les adapter aux modifications apportées aux annexes à la Convention et à ses propres annexes énumérant les espèces à contrôler.

Les règlements concernant la CITES, qui sont directement applicables dans tous les Etats membres, établissent un jeu détaillé de prescriptions pour la mise en vigueur commune de la CITES dans la Communauté et imposent aux Etats membres le respect des objectifs et des principes de la Convention. Ces règlements ont fait entrer deux pays, qui n'ont pas encore ratifié la Convention ou qui n'y ont pas encore adhéré, dans le champ d'action de la CITES.

<sup>1</sup> JO N° L 384 du 31.12.1982, page 1.

<sup>2</sup> JO N° L 344 du 7.12.1983, page 1.

## 2. MESURES COMMUNAUTAIRES PLUS STRICTES

Le règlement 3626/82 prévoit un certain nombre de mesures plus strictes concernant les conditions d'échange des spécimens d'espèces incluses dans les annexes à la Convention, dont il est question à l'article XIV de la Convention.

- 2.1. L'annexe C, partie 1, du Règlement contient 66 sous-espèces, six groupes d'espèces, une famille et trois ordres de faune ainsi que 110 espèces de flore énumérées aux annexes II ou III à la Convention, qui sont considérées comme des espèces énumérées à l'annexe I à la Convention (article 3 (1)).
- 2.2. L'annexe C, partie 2, du règlement couvre 43 sous-espèces, huit groupes d'espèces, 4 familles et 2 ordres de faune ainsi que 3 espèces de flore des annexes II et III à la Convention, auxquels des critères plus stricts de délivrance de permis d'importation sont appliqués (articles 3 (2) et 10 (1) (b)). Ces critères sont les suivants :

Des permis d'importation ne sont délivrés que

- lorsqu'il est clair ou lorsqu'il est prouvé par le demandeur que la capture ou la collecte des spécimens à l'état sauvage n'exerce aucun effet nuisible sur la conservation des espèces ou sur la superficie du territoire occupé par les populations en question de l'espèce;
- lorsque le demandeur prouve que le spécimen a été obtenu conformément à la législation sur la protection des espèces en question;
- lorsque le destinataire d'animaux vivants possède des possibilités adéquates d'hébergement de l'espèce, adaptées à son comportement;
- lorsqu'il n'existe pas d'autres prescriptions concernant la conservation de l'espèce qui milite contre la délivrance du permis.

2.3. Toute introduction dans la Communauté, sauf quand les spécimens font l'objet d'une procédure de transit ou de dépôt provisoire, est assujettie à la présentation d'un permis ou d'un certificat d'importation (articles 5 (1) et 10). La Convention exige uniquement des permis d'importation pour les spécimens des espèces de l'annexe I en cas de transit ou de dépôt temporaire, la présentation du document d'exportation pertinent ou d'une preuve convaincante de son existence peut être exigée (article 5 (4)).

2.4. L'article 6 du Règlement interdit :

- la présentation au public à des fins commerciales
- la vente
- l'élevage en vue de la vente
- la mise en vente
- le transport en vue de la vente

de (a) spécimens de l'annexe I et de l'annexe C, partie I, et (b) de spécimens des annexes II et III et de l'annexe C, partie II, qui ont été importés sans permis ou certificat d'importation.

Les Etats membres peuvent accorder des dérogations pour les spécimens mentionnés en (a) ci-dessus dans le cas de spécimens "pré-réglementation" importés conformément à la Convention, élevés en captivité ou reproduits artificiellement pour la recherche, l'enseignement, l'élevage ou la reproduction et des spécimens provenant d'un Etat membre conformément aux dispositions juridiques ou à l'approbation des autorités compétentes.

2.5. Le transport dans la Communauté d'animaux vivants d'espèces incluses à l'annexe I ou à l'annexe C 1, à partir de l'adresse qui figure sur le permis d'importation doit faire l'objet d'une autorisation préalable de l'autorité de gestion (autorités concernées (Article 13.2)).

## PRESENTACIÓN DEL INFORME ANUAL DE 1988 DE LAS COMUNIDADES EUROPEAS PARA EL CITES

De conformidad con el apartado e) del artículo 8 del Reglamento (CEE) nº 3626/82 (1) y en relación con los apartados 6 y 7 del artículo VIII del Convenio Internacional sobre Comercio de Especies Amenazadas de Fauna y Flora Silvestres (CITES), la Comisión de las Comunidades Europeas reunió los datos comerciales necesarios de todos los Estados miembros y encargó a la Unidad de Control del comercio de la fauna y flora silvestres la elaboración del informe anual.

El informe de 1988 de la Comunidad para el CITES, que consiste en un informe acumulativo que muestra todo el comercio de ejemplares del CITES entre la Comunidad y el resto del mundo, es el quinto informe anual de las Comunidades Europeas para el CITES desde la entrada en vigor del Reglamento (CEE) nº 3626/82 sobre la aplicación del CITES en la Comunidad (1.1.1984).

Asimismo, se han elaborado Anexos con información sobre el comercio de cada Estado miembro con terceros países. Dichos Anexos contienen, en la medida de lo posible, para cada envío:

- los Estados con los que tiene lugar dicho comercio;
- el número o cantidades y tipos de ejemplares;
- los nombres latinos de los ejemplares;
- tamaño y sexo de los ejemplares, en su caso;
- objetivo de la exportación, reexportación, importación o introducción a partir del mar;
- números de los permisos.

Debido al volumen de dichos Anexos, no ha sido posible publicarlos junto con el informe de la Comunidad. Sin embargo, se pusieron a disposición de los Estados miembros de la Comunidad y de la Secretaría del Convenio. Las Partes pueden solicitar información sobre envíos particulares a la Comisión de las Comunidades Europeas, 200 rue de la Loi, Dirección General de Medio Ambiente, Protección de los Consumidores y Seguridad Nuclear, télex nº 21877, COMEU-B.

(1) DO nº L 384 de 31.12.1982, p. 1

## INTRODUCCIÓN DEL INFORME ANUAL DE 1988 DE LAS COMUNIDADES EUROPEAS PARA EL CITES

### 1. LEGISLACION

En el proceso del desarrollo de una política ambiental común, las competencias de los Estados miembros han ido transfiriéndose a la Comunidad según se iba reconociendo que una acción conjunta resultaba más eficaz que la acción de los Estados miembros por separado.

En el caso del CITES existe un aspecto comunitario complementario: el CITES utiliza principalmente instrumentos de política comercial para alcanzar sus objetivos y, desde la creación de la CEE, la normativa comercial internacional ha pasado a ser competencia de la Comunidad.

La eliminación progresiva de los controles en las fronteras internas, con arreglo al proceso de integración de la Comunidad, implica que los Estados miembros de la Comunidad no pueden cumplir todas las obligaciones que se derivan del Convenio sin un sistema de aplicación común.

Por consiguiente, la Comunidad Europea ha adoptado medidas autónomas para aplicar el CITES para el 1.1.1984 con arreglo a dos Reglamentos comunitarios (3626/82 (1) y 3418/83 (2)). Estos Reglamentos han sido modificados por una serie de reglamentos posteriores, principalmente a fin de adaptarlos a los cambios de los Apéndices del Convenio y a fin de controlar las especies inscritas en sus propios Anexos.

La normativa sobre el CITES, que se aplica directamente en todos los Estados miembros, establece una serie detallada de disposiciones para la aplicación conjunta del CITES en la Comunidad y obliga a sus Estados miembros a respetar los objetivos y principios del Convenio. Asimismo, la normativa incorpora dos países, que hasta el momento no han ratificado o accedido al Convenio, en el ámbito del CITES.

---

(1) DO nº L 384 de 31.12.82, p. 1

(2) DO nº L 344 de 7.12.83, p. 1

## 2. MEDIDAS COMUNITARIAS MÁS ESTRICITAS

El Reglamento nº 3626/82 contiene una serie de medidas más estrictas relativas a las condiciones del comercio de ejemplares de especies incluidas en los Apéndices del Convenio, autorizadas con arreglo al artículo XIV del Convenio.

2.1. La parte 1 del Anexo C del Reglamento contiene 66 subespecies, 6 grupos de especies, una familia y tres órdenes de fauna y 110 especies de flora registrados en los Apéndices II o III del Convenio, que se considerarán como especies registradas en el Apéndice 1 del Convenio (apartado 1 del artículo 3).

2.2. La parte 2 del Anexo C del Reglamento incluye 43 subespecies, 8 grupos de especies, 4 familias y dos órdenes de fauna y 3 especies de flora de los Apéndices II y III del Convenio para los que se aplicarán criterios más estrictos para la expedición de los permisos de importación (apartado 2 del artículo 3 y letra b) del apartado 1 del artículo 10. Estos criterios son:

Los permisos de importación se expedirán únicamente cuando

- el solicitante presente pruebas fidedignas o resulte claro que la captura o recogida de ejemplares silvestres no tiene un efecto perjudicial sobre la conservación de especies o sobre la extensión del territorio ocupado por las poblaciones de que se trate de estas especies;
- el solicitante proporcione pruebas de que el ejemplar ha sido obtenido de conformidad con la legislación sobre protección de las especies de que se trate;
- el destinatario de animales vivos posea instalaciones adecuadas para alojar las especies y adaptadas a su comportamiento;
- no existan otros requisitos relativos a la conservación de las especies que vayan en contra de la expedición del permiso.

2.3. Cualquier introducción en la Comunidad está sujeta a la presentación de un permiso de importación o de un certificado de importación (apartado 1 del artículo 5 y artículo 10), excepto cuando los ejemplares estén sometidos a un procedimiento aduanero de tránsito o de almacenamiento temporal. El Convenio exige permisos de importación únicamente para los ejemplares de las especies del Apéndice I. En caso de procedimiento de tránsito o de almacenamiento temporal, podrá exigirse la presentación de los documentos de exportación pertinentes o pruebas satisfactorias de su existencia (apartado 4 del artículo 5).

2.4. El artículo 6 del Reglamento prohíbe

- la exhibición al público con propósitos comerciales
- la venta
- el mantenimiento para la venta
- el ofrecimiento para la venta, o
- el transporte para la venta

de (a) ejemplares de la parte I del Anexo C y del Apéndice I y de (b) ejemplares de la parte II del Anexo de los Apéndices II y III que hayan sido importados sin un permiso o certificado de importación.

Los Estados miembros pueden conceder exenciones para los ejemplares mencionados en el punto (a) arriba citado en el caso de ejemplares anteriores al Reglamento introducidos de conformidad con el Convenio; ejemplares criados en cautividad o reproducidos artificialmente; ejemplares para investigación, enseñanza, cría o reproducción y ejemplares procedentes de un Estado miembro, de conformidad con las disposiciones legales o la aprobación de las autoridades competentes.

2.5. El transporte dentro de la Comunidad de animales vivos de las especies incluidas en el Apéndice I o en el Anexo C 1, desde la dirección especificada en el permiso de importación, estará sujeto a la autorización previa de la autoridad administrativa (autoridades pertinentes) (apartado 2 del artículo 13).

European Economic Community

1988 Annual Report to CITES

Imports

## European Economic Community Imports 1988

1

| CITES EEC<br>App. Annex | Taxon                         | Description         | Quantity | Country of<br>Export Origin Import |
|-------------------------|-------------------------------|---------------------|----------|------------------------------------|
| I                       | <i>Bettongia penicillata</i>  | live (captive bred) | 2        | AU ES                              |
|                         | <i>Lemur catta</i>            | live (captive bred) | 2        | Jersey GB                          |
|                         | <i>Lemur fulvus albifrons</i> | live (captive bred) | 2        | DD NL                              |
|                         | <i>Lemur macaco</i>           | live                | 2        | MG FR                              |
|                         | <i>Lemur rubriventer</i>      | live                | 2        | MG FR                              |
|                         | <i>Varecia variegata</i>      | live (captive bred) | 2        | CH FR                              |
|                         |                               |                     | 1        | Jersey GB                          |
|                         |                               |                     | 6        | US DE                              |
|                         |                               |                     | 1        | US GB                              |
|                         | <i>Leontopithecus rosalia</i> | live (captive bred) | 1        | SE DE                              |
|                         |                               |                     | 1        | US DE                              |
|                         |                               |                     | 1        | US GB                              |
|                         | <i>Saguinus oedipus</i>       | live (captive bred) | 1        | CH FR                              |
|                         |                               |                     | 3        | CH GB FR                           |
|                         |                               |                     | 2        | DD DE                              |
|                         |                               |                     | 2        | Jersey GB                          |
|                         |                               |                     | 1        | Jersey N Ireland                   |
|                         | <i>Callimico goeldii</i>      | live (captive bred) | 1        | SE GB                              |
|                         |                               | live                | 1        | SE NL                              |
|                         |                               |                     | 1        | Jersey XX GB                       |
|                         | <i>Cercopithecus diana</i>    | live (captive bred) | 1        | DD CS GB                           |
|                         |                               | live                | 8        | TG FR                              |
|                         | <i>Macaca silenus</i>         | live (captive bred) | 2        | US GB                              |
|                         |                               |                     | 1        | US CA GB                           |
|                         | <i>Papio sphinx</i>           | live (captive bred) | 2        | US DE                              |

| CITES EEC<br>App. Annex | TAXON                             | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|-----------------------------------|---------------------|----------|------------------------------------|----|----|
| I                       | <i>Pygathrix nemaeus</i>          | live                | 1        | PL                                 | LA | DE |
|                         | <i>Hylobates concolor</i>         | live                | 1        | AT                                 | XX | DE |
|                         | <i>Hylobates lar</i>              | live (captive bred) | 1        | SE                                 | DE |    |
|                         |                                   |                     | 6        | US                                 | DE |    |
|                         |                                   | live                | 1        | CH                                 | XX | FR |
|                         |                                   |                     | 3        | US                                 | TH | DE |
|                         | <i>Hylobates syndactylus</i>      | live                | 2        | US                                 |    | ES |
|                         | <i>Gorilla gorilla</i>            | live (captive bred) | 1        | CH                                 | DE |    |
|                         |                                   | live                | 1        | CS                                 | CM | DE |
|                         | <i>Pan troglodytes</i>            | live (captive bred) | 3        | CH                                 | DE |    |
|                         |                                   |                     | 4        | CH                                 | FR |    |
|                         |                                   |                     | 4        | CH                                 | IT |    |
|                         |                                   |                     | 2        | CS                                 | DE | FR |
|                         |                                   |                     | 1        | HU                                 | FR |    |
|                         |                                   |                     | 1        | SE                                 | DE |    |
|                         |                                   |                     | 1        | SE                                 | GB |    |
|                         |                                   | live                | 1        | CH                                 | LR | DE |
|                         |                                   |                     | 2        | CH                                 | NG | DE |
|                         | <i>Pongo pygmaeus</i>             | live (captive bred) | 1        | CS                                 | DE | FR |
|                         |                                   |                     | 1        | DD                                 | GB |    |
|                         |                                   |                     | 1        | SU                                 | NL |    |
|                         | <i>Chinchilla lanigera</i>        | skins               | 30       | CL                                 | DE |    |
|                         | <i>Physeter macrocephalus</i>     | bone carvings       | 13       | GL                                 | GB |    |
|                         |                                   | carvings            | 360      | GL                                 | DK |    |
|                         | <i>Balaenoptera acutorostrata</i> | tissue samples      | 200      | JP                                 | GB |    |

| CITES EEC<br>App. Annex | Taxon                                    | Description         | Quantity         | Country of<br>Export Origin Import |                      |
|-------------------------|--|---------------------|------------------|------------------------------------|----------------------|
| I                       | <i>Balaenoptera physalus</i>             | bones<br>carvings   | 3<br>1           | GL<br>GL                           | DK<br>DK             |
|                         | <i>Balaena mysticetus</i>                | bones               | 1<br>4           | CA<br>GL                           | DK<br>DK             |
|                         | <i>Helarctos malayanus</i>               | live (captive bred) | 1<br>1           | CH<br>MY                           | FR<br>NL             |
|                         |  | live                | 1                | PL                                 | MY<br>NL             |
|                         | <i>Selenarctos thibetanus</i>            | live (captive bred) | 3<br>2           | DD<br>DD                           | SU<br>DE             |
|                         | <i>Tremarctos ornatus</i>                | live (captive bred) | 1                | DD                                 | GB                   |
|                         | <i>Lutra lutra</i>                       | live (captive bred) | 1<br>4<br>1<br>1 | AT<br>CH<br>CH<br>PL               | DE<br>DE<br>IT<br>DE |
|                         | <i>Pteronura brasiliensis</i>            | live (captive bred) | 2                | BR                                 | DE                   |
|                         | <i>Acinonyx jubatus</i>                  | live (captive bred) | 3<br>2           | ZA<br>ZA                           | BE<br>DE             |
|                         |  | live                | 13<br>3<br>12    | NA<br>NA<br>ZA                     | FR<br>NL<br>FR       |
|                         |  | skins               | 2                | NA                                 | BE                   |
|                         |  |                     | 16               | NA                                 | DE                   |
|                         |  |                     | 1                | ZA                                 | BE                   |
|                         |  |                     | 2                | ZA                                 | GB                   |
|                         |  | trophies            | 3                | NA                                 | ES                   |
|                         | <i>Felis bengalensis<br/>bengalensis</i> | live (captive bred) | 1                | DD                                 | DE                   |

| CITES EEC<br>App. Annex | TAXON                    | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|--------------------------|---------------------|----------|------------------------------------|----|----|
| I                       | <i>Felis nigripes</i>    | live                | 2        | ZA                                 | DE |    |
|                         | <i>Neofelis nebulosa</i> | live (captive bred) | 1        | US                                 | DE |    |
|                         |                          |                     | 3        | US                                 | CN | GB |
|                         | <i>Panthera onca</i>     | live (captive bred) | 1        | DD                                 | DE |    |
|                         |                          | skins               | 1        | GY                                 | GB |    |
|                         |                          | skulls              | 1        | VE                                 | GB |    |
|                         | <i>Panthera pardus</i>   | bodies              | 1        | ZA                                 | DE |    |
|                         |                          |                     | 2        | ZA                                 | IT |    |
|                         |                          |                     | 1        | ZA                                 | PT |    |
|                         |                          | live (captive bred) | 4        | AT                                 | DE | DE |
|                         |                          |                     | 1        | CS                                 | GB |    |
|                         |                          |                     | 1        | DD                                 | DE |    |
|                         |                          |                     | 2        | MA                                 | NL |    |
|                         |                          |                     | 1        | US                                 | FR |    |
|                         |                          |                     | 2        | US                                 | IT |    |
|                         |                          | skins               | 3        | BW                                 | DE |    |
|                         |                          |                     | 3        | BW                                 | GB |    |
|                         |                          |                     | 6        | CF                                 | FR |    |
|                         |                          |                     | 1        | CS                                 | XX | DE |
|                         |                          |                     | 1        | ET                                 | DE |    |
|                         |                          |                     | 1        | ET                                 | FR |    |
|                         |                          |                     | 2        | MW                                 | GB |    |
|                         |                          |                     | 1        | MW                                 | PT |    |
|                         |                          |                     | 5        | NA                                 | DE |    |
|                         |                          |                     | 1        | NZ                                 | ZW | GB |
|                         |                          |                     | 1        | PL                                 | ZR | GB |
|                         |                          |                     | 26       | TZ                                 |    | DE |
|                         |                          |                     | 3        | TZ                                 |    | ES |
|                         |                          |                     | 8        | TZ                                 |    | FR |
|                         |                          |                     | 1        | TZ                                 |    | GB |
|                         |                          |                     | 1        | TZ                                 |    | IT |
|                         |                          |                     | 1        | XX                                 | ZW | GB |

| CITES EEC<br>App. Annex | Taxon                  | Description | Quantity |       | Country of<br>Export Origin Import |
|-------------------------|------------------------|-------------|----------|-------|------------------------------------|
| I                       | <i>Panthera pardus</i> | skins       | 8        |       | ZA DE                              |
|                         |                        |             | 1        | ZA    | GB                                 |
|                         |                        |             | 2        | ZA    | PT                                 |
|                         |                        |             | 1        | ZA ZM | GB                                 |
|                         |                        |             | 3        | ZM    | DE                                 |
|                         |                        |             | 10       | ZM    | FR                                 |
|                         |                        |             | 5        | ZM    | GB                                 |
|                         |                        |             | 1        | ZM    | IT                                 |
|                         |                        |             | 1        | ZR XX | IT                                 |
|                         |                        |             | 4        | ZW    | BE                                 |
|                         |                        |             | 21       | ZW    | DE                                 |
|                         |                        |             | 1        | ZW    | ES                                 |
|                         |                        |             | 4        | ZW    | FR                                 |
|                         |                        |             | 1        | ZW    | GB                                 |
|                         |                        |             | 4        | ZW    | IT                                 |
|                         |                        | skin pieces | 1        | ZA KE | GB                                 |
|                         |                        | skin scraps | 4 kg     | AT XX | GR                                 |
|                         |                        | skulls      | 1        | NA    | DE                                 |
|                         |                        |             | 3        | TZ    | DE                                 |
|                         |                        |             | 2        | TZ    | ES                                 |
|                         |                        |             | 1        | ZA    | DE                                 |
|                         |                        |             | 1        | ZM    | DE                                 |
|                         |                        |             | 7        | ZW    | DE                                 |
|                         |                        |             | 1        | ZW    | ES                                 |
|                         |                        | teeth       | 1        | TZ    | ES                                 |
|                         |                        | trophies    | 1        | AT ZW | ES                                 |
|                         |                        |             | 1        | KE    | IT                                 |
|                         |                        |             | 8        | TZ    | ES                                 |
|                         |                        |             | 1        | TZ    | IT                                 |
|                         |                        |             | 2        | XX TZ | ES                                 |
|                         |                        |             | 1        | ZA    | DE                                 |
|                         |                        |             | 1        | ZA    | ES                                 |
|                         |                        |             | 1        | ZA    | GR                                 |
|                         |                        |             | 1        | ZA    | IT                                 |
|                         |                        |             | 2        | ZA ZM | GB                                 |

| CITES EEC<br>App. Annex | TAXON                          | DESCRIPTION   | QUANTITY  | COUNTRY OF<br>EXPORT ORIGIN IMPORT           |  |  |
|-------------------------|--------------------------------|---|---|--|--|--|
| I                       | <i>Panthera pardus</i>         | trophies  | 1<br>1<br>1<br>6<br>2<br>1                        | ZM<br>ZM<br>ZW<br>ZW<br>ZW<br>ZW             | DE<br>IT<br>DE<br>ES<br>GB<br>IT                   |  |
|                         | <i>Panthera tigris</i>         | bodies<br>live (captive bred)                           | 1<br>4  | ZA<br>US                                     | IT<br>GB   |  |
|                         | <i>Panthera tigris altaica</i> | live (captive bred)                                     | 4<br>1<br>1<br>1                                  | AT<br>CH<br>DD<br>DD                         | DE<br>FR<br>DK<br>FR                               |  |
|                         | <i>Panthera tigris tigris</i>  | live (captive bred)                                     | 2   | DD   | NL   |  |
|                         | <i>Panthera uncia</i>          | live (captive bred)                                     | 3<br>1<br>1                                       | CH<br>FI<br>US                               | FR<br>FR<br>IT                                     |  |
|                         | <i>Elephas maximus</i>         | ivory carvings<br>live (captive bred)<br>live specimens | 500 g<br>3 kg<br>15 kg<br>8<br>1<br>1<br>1<br>1 l | IN<br>HK<br>US<br>BU<br>CS<br>DD<br>SU<br>LK | IN<br>IN<br>IN<br>NL<br>VN<br>CH<br>IN<br>FR<br>GB | GB<br>GB<br>GB<br>NL<br>DE<br>GB<br>FR<br>GB |
|                         | <i>Equus africanus</i>         | live (captive bred)                                     | 1   | IL   | DE   |  |
|                         | <i>Equus przewalskii</i>       | live (captive bred)                                     | 1<br>3<br>3                                       | AT<br>CS<br>US                               | DE<br>DE<br>DE                                     |  |

| CITES EEC<br>App. Annex | TAXON                            | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----------------------------------|---------------------|----------|------------------------------------|----|----|
| I                       | <i>Tapirus indicus</i>           | live (captive bred) | 1        | SE                                 | NL | DK |
|                         |                                  |                     | 1        | TH                                 | DE |    |
|                         | <i>Rhinocerotidae</i> spp.       | horn carvings       | 3        | HK                                 | XX | GB |
|                         |                                  |                     | 2        | US                                 |    | GB |
|                         |                                  | skulls              | 1        | ZA                                 |    | PT |
|                         | <i>Ceratotherium simum</i>       | horns               | 1        | ZA                                 |    | PT |
|                         |                                  | skulls              | 2        | ZA                                 |    | PT |
|                         |                                  | trophies            | 1        | CA                                 | ZA | GB |
|                         |                                  |                     | 2        | HK                                 | KE | GB |
|                         |                                  |                     | 5        | ZA                                 |    | FR |
|                         |                                  |                     | 2        | ZA                                 |    | GR |
|                         |                                  |                     | 2        | ZA                                 |    | IT |
|                         |                                  |                     | 2        | ZA                                 |    | PT |
|                         | <i>Ceratotherium simum simum</i> | bodies              | 10       | ZA                                 |    | DE |
|                         |                                  | feet                | 6        | ZA                                 |    | DE |
|                         |                                  | horns               | 8        | ZA                                 |    | DE |
|                         |                                  | live (captive bred) | 4        | US                                 |    | DE |
|                         |                                  | skins               | 2        | ZA                                 |    | DE |
|                         |                                  | skin pieces         | 5        | ZA                                 |    | DE |
|                         |                                  | skulls              | 1        | NA                                 |    | DE |
|                         |                                  |                     | 2        | ZA                                 |    | DE |
|                         |                                  | trophies            | 6        | ZA                                 |    | ES |
|                         | <i>Dicerorhinus sumatrensis</i>  | live                | 1        | ID                                 |    | GB |
|                         | <i>Diceros bicornis</i>          | live (captive bred) | 1        | AU                                 |    | DE |
|                         |                                  | live                | 1        | DD                                 | KE | DE |
|                         | <i>Rhinoceros unicornis</i>      | live                | 1        | NP                                 |    | DE |
|                         | <i>Babyrousa babyrussa</i>       | live (captive bred) | 2        | Jersey                             |    | GB |

| CITES EEC<br>App. Annex | Taxon                            | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----------------------------------|---------------------|----------|------------------------------------|----|----|
| I                       | <i>Vicugna vicugna</i>           | hair                | 140 g    | JP                                 | XX | GB |
|                         | <i>Addax nasomaculatus</i>       | bodies              | 1        | US                                 |    | FR |
|                         |                                  | live (captive bred) | 1        | DD                                 | US | DE |
|                         |                                  | skins               | 2        | US                                 |    | FR |
|                         | <i>Bubalus depressicornis</i>    | live (captive bred) | 1        | DD                                 |    | BE |
|                         | <i>Gazella dama</i>              | live (captive bred) | 3        | DD                                 |    | DE |
|                         | <i>Hippotragus niger variani</i> | skins               | 1        | TZ                                 |    | ES |
|                         |                                  | skulls              | 1        | TZ                                 |    | ES |
|                         |                                  | trophies            | 3        | TZ                                 |    | ES |
|                         | <i>Oryx dammah</i>               | skins               | 2        | US                                 |    | FR |
|                         | <i>Oryx leucoryx</i>             | live (captive bred) | 4        | US                                 |    | BE |
|                         | <i>Struthio camelus</i>          | live (captive bred) | 6        | MA                                 |    | FR |
|                         |                                  |                     | 4        | MA                                 |    | NL |
|                         | <i>Spheniscus humboldti</i>      | live (captive bred) | 5        | DD                                 |    | DE |
|                         |                                  |                     | 5        | DD                                 |    | DK |
|                         | <i>Geronticus eremita</i>        | live (captive bred) | 7        | AT                                 |    | DE |
|                         |                                  |                     | 5        | AT                                 |    | IT |
|                         |                                  |                     | 4        | CH                                 |    | DE |
|                         |                                  |                     | 8        | MA                                 |    | GB |
|                         | <i>Branta sandvicensis</i>       | live (captive bred) | 2        | CH                                 |    | DE |
|                         |                                  |                     | 2        | CH                                 | XX | FR |
|                         |                                  |                     | 3        | US                                 |    | DE |
|                         | <i>Haliaeetus albicilla</i>      | bodies              | 4        | GL                                 |    | DK |
|                         |                                  | live (captive bred) | 4        | DD                                 |    | DE |

| CITES EEC<br>App. Annex | Taxon                            | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----------------------------------|---------------------|----------|------------------------------------|----|----|
| I                       | <i>Haliaeetus albicilla</i>      | live (captive bred) | 2        |                                    | DD | GB |
|                         | <i>Haliaeetus leucocephalus</i>  | live (captive bred) | 1        |                                    | CA | GB |
|                         |                                  | live                | 4        |                                    | CA | GB |
|                         | <i>Falco hybrid</i>              | live (captive bred) | 2        |                                    | AT | DE |
|                         | <i>Falco peregrinus</i>          | eggs                | 10       |                                    | GL | DK |
|                         |                                  | feathers            | 5        |                                    | GL | DK |
|                         |                                  | live (captive bred) | 2        |                                    | AT | DE |
|                         |                                  |                     | 1        |                                    | AT | IT |
|                         |                                  |                     | 2        |                                    | SA | ES |
|                         |                                  |                     | 1        |                                    | SA | IT |
|                         |                                  |                     | 1        |                                    | SE | DK |
|                         |                                  |                     | 1        |                                    | SE | DK |
|                         |                                  | live                | 1        |                                    | GI | GB |
|                         | <i>Falco rusticolus</i>          | bodies              | 2        |                                    | GL | DK |
|                         |                                  | live (captive bred) | 4        |                                    | CA | GB |
|                         | <i>Crossoptilon mantchuricum</i> | live (captive bred) | 2        |                                    | DD | BE |
|                         |                                  |                     | 4        |                                    | US | DE |
|                         | <i>Lophura edwardsi</i>          | live (captive bred) | 5        | Jersey                             |    | GB |
|                         | <i>Polyplectron emphanum</i>     | live (captive bred) | 5        | Jersey                             |    | GB |
|                         |                                  |                     | 1        | US                                 |    | ES |
|                         | <i>Syrmaticus ellioti</i>        | live (captive bred) | 4        | US                                 |    | DE |
|                         | <i>Tragopan blythii</i>          | live (captive bred) | 6        | CA                                 |    | BE |
|                         | <i>Tragopan caboti</i>           | live (captive bred) | 12       | CA                                 |    | BE |
|                         |                                  |                     | 2        | CA                                 |    | GB |

| CITES EEC<br>App. Annex | TAXON                              | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|------------------------------------|---------------------|----------|------------------------------------|----|----|
| I                       | <i>Grus japonensis</i>             | live (captive bred) | 2        | DD                                 | DE |    |
|                         | <i>Grus leucogeranus</i>           | live (captive bred) | 2        | US                                 | DE |    |
|                         | <i>Caloenas nicobarica</i>         | live (captive bred) | 1        | CH                                 | DE |    |
|                         | <i>Amazona barbadensis</i>         | live (captive bred) | 2        | US                                 | GB |    |
|                         | <i>Amazona leucocephala</i>        | live (captive bred) | 4        | CH                                 | IT |    |
|                         |                                    |                     | 1        | CS                                 | GB |    |
|                         |                                    |                     | 2        | DD                                 | DE |    |
|                         |                                    | live                | 1        | AT                                 | XX | DE |
|                         |                                    |                     | 1        | HK                                 | XX | DE |
|                         | <i>Anodorhynchus hyacinthinus</i>  | live                | 1        | CH                                 | BR | DE |
|                         | <i>Ara glaucogularis</i>           | live (captive bred) | 2        | US                                 | DE |    |
|                         | <i>Ara macao</i>                   | live (captive bred) | 2        | DD                                 | NL |    |
|                         |                                    | live                | 1        | CR                                 | MX | IT |
|                         |                                    |                     | 2        | GB                                 | XX | IE |
|                         |                                    |                     | 1        | PA                                 |    | DE |
|                         | <i>Ara militaris</i>               | live (captive bred) | 1        | US                                 | DE |    |
|                         | <i>Ara rubrogenys</i>              | live (captive bred) | 4        | US                                 | GB |    |
|                         |                                    |                     | 1        | US                                 | IT |    |
|                         | <i>Cyanopsitta spixii</i>          | live                | 1        | DO                                 | XX | DE |
|                         | <i>Cyanoramphus novaezelandiae</i> | live (captive bred) | 5        | CS                                 |    | DE |
|                         | <i>Probosciger aterrimus</i>       | live                | 2        | CH                                 | XX | DE |

| CITES EEC<br>App. Annex | TAXON                                 | Description         | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|---------------------------------------|---------------------|----------|------------------------------------|----|
| I                       | <i>Psephotus chrysopterygius</i>      | live (captive bred) | 2        | CH                                 | DE |
|                         |                                       |                     | 2        | CH                                 | ES |
|                         | <i>Pyrrhura cruentata</i>             | live (captive bred) | 2        | CH                                 | DE |
|                         | <i>Rhynchopsitta<br/>pachyrhyncha</i> | live (captive bred) | 1        | Jersey                             | GB |
|                         | <i>Leucopsar rothschildi</i>          | live (captive bred) | 1        | CH                                 | DE |
|                         |                                       |                     | 2        | CH                                 | DK |
|                         |                                       |                     | 2        | Jersey                             | GB |
|                         | <i>Geochelone elephantopus</i>        | live (captive bred) | 1        | US                                 | ES |
|                         | <i>Cheloniidae</i> spp.               | bodies              | 1        | PH                                 | GB |
|                         |                                       |                     | 1        | US                                 | SC |
|                         |                                       | carvings            | 2 kg     | MT                                 | GB |
|                         |                                       | live                | 5        | SG                                 | XX |
|                         |                                       |                     | 1        | US                                 | IT |
|                         |                                       | shells              | 1        | AE                                 | GB |
|                         |                                       |                     | 5        | CA                                 | XX |
|                         |                                       |                     | 2        | CH                                 | GB |
|                         |                                       |                     | 2        | CH                                 | XX |
|                         |                                       |                     | 2        | PG                                 | GB |
|                         |                                       |                     | 1        | SC                                 | GB |
|                         |                                       |                     | 1        | US                                 | GB |
|                         |                                       |                     | 1        | VU                                 | FR |
|                         |                                       |                     | 1        | VU                                 | GB |
|                         | <i>Caretta caretta</i>                | shells              | 1        | ID                                 | GB |
|                         |                                       |                     | 1        | US                                 | XX |
|                         | <i>Chelonia mydas</i>                 | bodies              | 1        | KY                                 | GB |
|                         |                                       | live (captive bred) | 12       | KY                                 | GB |
|                         |                                       | oil                 | 1088 kg  | KY                                 | IT |

| CITES EEC<br>App. Annex | TAXON                          | Description  | Quantity  | Country of<br>Export Origin Import                 |  |                      |
|-------------------------|--------------------------------|--|---|--|--|----------------------|
| I                       | <i>Chelonia mydas</i>          | oil scales shells                                  | 364 l<br>2<br>2<br>1                            | KY<br>SO<br>KY<br>PG                               | XX   | GB<br>IT<br>GB<br>GB |
|                         | <i>Eretmochelys imbricata</i>  | scales shells                                      | 34 kg<br>234 kg<br>1                            | HT<br>LC<br>VU                                     | VC   | FR<br>FR<br>GB       |
|                         | <i>Lepidochelys olivacea</i>   | shells   | 1   | AO   |  | BE                   |
|                         | <i>Crocodylus acutus</i>       | bodies   | 2   | CU   |  | IT                   |
|                         | <i>Crocodylus cataphractus</i> | watchstraps  | 2   | CH   | NG   | DK                   |
|                         | <i>Crocodylus niloticus</i>    | bodies<br><br>live (captive bred)<br>live<br>skins | 1<br>1<br>50<br>2<br>2<br>80<br>890<br>570<br>1 | GA<br>ZA<br>ZA<br>ZA<br>NA<br>ZA<br>ZA<br>ZA<br>ZA | FR<br>GB<br>IT<br>GB<br>BE<br>DE<br>FR<br>IT<br>PT |                      |
|                         | <i>Crocodylus siamensis</i>    | handbags<br>skins                                  | 5<br>400  | JP<br>TH   | TH   | DE<br>IT             |
|                         | <i>Osteolaemus tetraspis</i>   | bodies<br>live (captive bred)                      | 1<br>5  | NG<br>CS   |  | GB<br>DE             |
|                         | <i>Sphenodon punctatus</i>     | bodies   | 31  | NZ   |  | DK                   |

| CITES EEC<br>App. Annex | TAXON                               | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|-------------------------------------|---------------------|----------|------------------------------------|----|----|
| I                       | <i>Cyclura cornuta</i>              | live                | 6        | AU                                 | DK |    |
|                         | <i>Acrantophis dumerili</i>         | live (captive bred) | 6        | CH                                 | DE |    |
|                         | <i>Boa constrictor occidentalis</i> | live (captive bred) | 12       | US                                 | NL |    |
|                         |                                     | live                | 8        | US                                 | DK |    |
|                         | <i>Epicrates inornatus</i>          | live (captive bred) | 2        | Jersey                             | GB |    |
|                         | <i>Python molurus molurus</i>       | live (captive bred) | 12       | AT                                 | DE |    |
|                         |                                     |                     | 2        | CS                                 | DE |    |
|                         |                                     |                     | 5        | PL                                 | IT |    |
|                         | <i>Sanzinia madagascariensis</i>    | live (captive bred) | 4        | CH                                 | DE |    |
|                         | <i>Dyscophus antongilii</i>         | live (captive bred) | 200      | SU                                 | DE |    |
|                         | <i>Scleropages formosus</i>         | live                | 11       | HK                                 | XX | DK |
|                         | <i>Agave parviflora</i>             | live (art. prop.)   | 1        | XX                                 | GB |    |
|                         | <i>Ariocarpus agavooides</i>        | live (art. prop.)   | 1        | XX                                 | GB |    |
|                         | <i>Ariocarpus trigonus</i>          | live (art. prop.)   | 1        | US                                 | GB |    |
|                         |                                     |                     | 1        | XX                                 | GB |    |
|                         | <i>Astrophytum asterias</i>         | live (art. prop.)   | 1180     | BR                                 | DE |    |
|                         |                                     |                     | 5450     | BR                                 | NL |    |
|                         | <i>Coryphantha minima</i>           | live (art. prop.)   | 1        | US                                 | GB |    |
|                         | <i>Coryphantha sneedii</i>          | live (art. prop.)   | 1        | US                                 | GB |    |
|                         | <i>Mammillaria pectinifera</i>      | live (art. prop.)   | 1        | US                                 | GB |    |

| CITES EEC<br>App. Annex | Taxon                                | Description                | Quantity  | Country of<br>Export Origin Import |          |
|-------------------------|--------------------------------------|----------------------------|-----------|------------------------------------|----------|
| I                       | <i>Mammillaria plumosa</i>           | live (art. prop.)          | 2850<br>1 | BR<br>XX                           | NL<br>GB |
|                         | <i>Mammillaria solisioides</i>       | live (art. prop.)          | 51        | US                                 | GB       |
|                         | <i>Obregonia denegrii</i>            | live (art. prop.)          | 1         | US                                 | GB       |
|                         | <i>Pediocactus knowltonii</i>        | live (art. prop.)          | 1         | US                                 | GB       |
|                         | <i>Pediocactus papyracanthus</i>     | seeds                      | 1000      | US                                 | DE       |
|                         | <i>Pediocactus paradinei</i>         | live (art. prop.)          | 1         | US                                 | GB       |
|                         | <i>Pediocactus winkleri</i>          | live (art. prop.)          | 4         | CS                                 | DE       |
|                         | <i>Pelecyphora aselliformis</i>      | live (art. prop.)          | 8<br>9    | US<br>XX                           | GB<br>GB |
|                         | <i>Sclerocactus glaucus</i>          | live (art. prop.)          | 6         | CS                                 | DE       |
|                         | <i>Sclerocactus mesae-verdae</i>     | live (art. prop.)          | 4         | CS                                 | DE       |
|                         | <i>Sclerocactus wrightiae</i>        | live (art. prop.)          | 6         | CS                                 | DE       |
|                         | <i>Strombocactus disciformis</i>     | live (art. prop.)<br>seeds | 1<br>2000 | US<br>US                           | GB<br>DE |
|                         | <i>Turbinicarpus schmiedickeanus</i> | live (art. prop.)          | 1         | XX                                 | GB       |
|                         | <i>Wilcoxia schmollii</i>            | live (art. prop.)          | 2050      | BR                                 | NL       |
|                         | <i>Cattleya skinneri</i>             | live (art. prop.)          | 4<br>5    | TH                                 | DE<br>NL |
|                         |                                      | live                       | 1         | CR                                 | DK       |

| CITES EEC<br>App. Annex | Taxon                             | Description         | Quantity | Country of<br>Export Origin Import |
|-------------------------|-----------------------------------|---------------------|----------|------------------------------------|
| I                       | <i>Cattleya trianae</i>           | live (art. prop.)   | 11       | BR DE                              |
|                         | <i>Laelia lobata</i>              | live (art. prop.)   | 63       | BR DE                              |
|                         | <i>Vanda coerulea</i>             | live (art. prop.)   | 53       | TH DE                              |
|                         |                                   |                     | 70       | TH GB                              |
|                         |                                   |                     | 21       | TH NL                              |
|                         | <i>Podocarpus costalis</i>        | live (art. prop.)   | 450      | TW DE                              |
|                         | <i>Stangeria eriopus</i>          | live (art. prop.)   | 7        | ZA GB                              |
|                         | <i>Encephalartos caffer</i>       | live (art. prop.)   | 2        | ZA GB                              |
| II                      | C2 <i>Galago alleni</i>           | live                | 2        | CM FR                              |
|                         | C2 <i>Galago demidovii</i>        | live                | 25       | TG FR                              |
|                         | C2 <i>Galago elegantulus</i>      | live                | 2        | CM FR                              |
|                         | C2 <i>Galago senegalensis</i>     | live                | 5        | TG FR                              |
|                         |                                   |                     | 20       | ZA IT                              |
|                         |                                   | trophies            | 1        | ZW GB                              |
|                         | C2 <i>Otolemur crassicaudatus</i> | live                | 26       | TZ GB                              |
|                         | C2 <i>Callithrix spp.</i>         | live (captive bred) | 7        | CH DE                              |
|                         | C2 <i>Callithrix argentata</i>    | live (captive bred) | 6        | BR GB                              |
|                         |                                   |                     | 2        | Jersey GB                          |
|                         |                                   |                     | 1        | US GB                              |
|                         | C2 <i>Callithrix humeralifer</i>  | live (captive bred) | 6        | BR GB                              |

| CITES EEC<br>App. Annex | TAXON                          | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|--------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 Callithrix jacchus          | bodies              | 1        | AU                                 | GB |    |
|                         |                                | live (captive bred) | 21       | AU                                 | GB |    |
|                         |                                |                     | 1        | CA                                 | GB |    |
|                         |                                |                     | 2        | FI                                 | GB |    |
|                         |                                |                     | 1        | SE                                 | GB |    |
|                         |                                |                     | 10       | US                                 | FR |    |
|                         |                                | live                | 1        | ZA                                 | GB |    |
| C2                      | Callithrix jacchus penicillata | live                | 2        | CH                                 | BR | DE |
| C2                      | Saguinus fuscicollis           | live (captive bred) | 1        | CH                                 |    | DE |
|                         |                                | live                | 1        | CH                                 | XX | DE |
| C2                      | Saguinus imperator             | live (captive bred) | 1        | CH                                 | GB | FR |
| C2                      | Saguinus midas                 | live (captive bred) | 6        | BR                                 | GB |    |
|                         |                                | live                | 8        | GY                                 | GB |    |
| C2                      | Alouatta caraya                | live                | 10       | AR                                 |    | NL |
| C2                      | Aotus trivirgatus              | live (captive bred) | 3        | AT                                 |    | IT |
|                         |                                | live                | 10       | US                                 | PE | FR |
| C2                      | Ateles geoffroyi               | live (captive bred) | 5        | PL                                 | NI | DE |
| C2                      | Cebus apella                   | live (captive bred) | 2        | XX                                 |    | GB |
|                         |                                | live                | 20       | GY                                 |    | GB |
|                         |                                |                     | 20       | GY                                 |    | NL |
|                         |                                |                     | 10       | US                                 | GY | GB |
| C2                      | Cebus capucinus                | live (captive bred) | 1        | AT                                 |    | IT |
|                         |                                | live                | 26       | HIN                                |    | BE |
| C2                      | Saimiri sciureus               | live (captive bred) | 5        | CH                                 |    | FR |

| CITES EEC<br>App. Annex |    | Taxon                          | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----|--------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Saimiri sciureus</i>        | live (captive bred) | 19       |                                    | US | PE |
|                         |    |                                | live                | 92       |                                    | GY | DE |
|                         |    |                                |                     | 125      |                                    | GY | GB |
|                         |    |                                |                     | 20       |                                    | US | NL |
|                         |    |                                |                     | 34       |                                    | GY | BE |
|                         |    |                                |                     | 60       |                                    | US | FR |
|                         |    |                                |                     |          |                                    | GY | NL |
|                         | C2 | <i>Cercocebus albigena</i>     | live                | 2        |                                    | ZR | BE |
|                         | C2 | <i>Cercocebus torquatus</i>    | live                | 4        |                                    | GH | PT |
|                         | C2 | <i>Cercopithecus aethiops</i>  | bodies              | 1        |                                    | ZA | DE |
|                         |    |                                | live (captive bred) | 260      |                                    | BB | IT |
|                         |    |                                |                     | 60       |                                    | KN | IT |
|                         |    |                                | live                | 317      |                                    | BB | BE |
|                         |    |                                |                     | 40       |                                    | BB | FR |
|                         |    |                                |                     | 24       |                                    | ET | DK |
|                         |    |                                |                     | 2        |                                    | GH | PT |
|                         |    |                                |                     | 1325     |                                    | KE | NL |
|                         |    |                                |                     | 2        |                                    | MZ | PT |
|                         |    |                                |                     | 120      |                                    | TZ | BE |
|                         |    |                                |                     | 1        |                                    | TZ | IT |
|                         |    |                                | skins               | 3        |                                    | ZA | DE |
|                         |    |                                | skulls              | 2        |                                    | ZA | DE |
|                         |    |                                |                     | 5        |                                    | ZW | DE |
|                         |    |                                | specimens           | 320 ml   |                                    | US | FR |
|                         |    |                                |                     | 1650 ml  |                                    | US | TZ |
|                         |    |                                | trophies            | 1        |                                    | ZA | FR |
|                         | C2 | <i>Cercopithecus ascanius</i>  | live                | 8        |                                    | ZR | DE |
|                         |    |                                |                     | 50       |                                    | ZR | BE |
|                         | C2 | <i>Cercopithecus campbelli</i> | live                | 1        |                                    | CH | FR |

| CITES EEC<br>App. Annex | Taxon                              | Description         | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|------------------------------------|---------------------|----------|------------------------------------|----|
| II                      | C2 <i>Cercopithecus cebus</i>      | live (captive bred) | 1        | DD                                 | DE |
|                         |                                    | live                | 6        | GQ                                 | DE |
| C2                      | <i>Cercopithecus erythrogaster</i> | live                | 6        | TG                                 | FR |
| C2                      | <i>Cercopithecus mitis</i>         | live                | 20       | TZ                                 | BE |
| C2                      | <i>Cercopithecus mona</i>          | live (captive bred) | 1        | ZW                                 | GB |
|                         |                                    | live                | 4        | GN                                 | PT |
| C2                      | <i>Cercopithecus petaurista</i>    | live                | 1        | CH                                 | NL |
|                         |                                    |                     | 8        | GH                                 | BE |
|                         |                                    |                     | 20       | GH                                 | GB |
|                         |                                    |                     | 13       | GH                                 | PT |
| C2                      | <i>Cercopithecus talapoin</i>      | live                | 102      | CM                                 | BE |
| C2                      | <i>Colobus angolensis</i>          | live                | 40       | TZ                                 | BE |
|                         |                                    |                     | 20       | TZ                                 | GB |
|                         |                                    | skins               | 1        | ZW                                 | GB |
| C2                      | <i>Colobus guereza</i>             | live (captive bred) | 2        | CS                                 | DE |
|                         |                                    | trophies            | 1        | ET                                 | IT |
| C2                      | <i>Erythrocebus patas</i>          | live (captive bred) | 2        | DD                                 | DE |
|                         |                                    |                     | 1        | MA                                 | PT |
|                         |                                    | live                | 3        | GN                                 | PT |
|                         |                                    |                     | 120      | SN                                 | GB |
|                         |                                    |                     | 43       | US                                 | SN |
| C2                      | <i>Macaca arctoides</i>            | live (captive bred) | 6        | SU                                 | NL |
| C2                      | <i>Macaca fascicularis</i>         | live (captive bred) | 50       | ID                                 | GB |
|                         |                                    |                     | 48       | US                                 | FR |

| CITES EEC<br>App. Annex |    | Taxon                      | Description         | Quantity   | Country of<br>Export Origin Import   |  |  |
|-------------------------|----|----------------------------|---------------------|--|--|--|--|
| II                      | C2 | <i>Macaca fascicularis</i> | live                | 1<br>200<br>850<br>24<br>534<br>52<br>2<br>522<br>3692<br>80<br>24<br>1<br>186<br>50<br>222<br>327<br>5<br>326<br>50 | CH<br>ID<br>ID<br>MU<br>MU<br>PH<br>PH<br>PH<br>PH<br>PH<br>PH<br>PH<br>US<br>US<br>US<br>US<br>US<br>US<br>US<br>US | PH<br>BE<br>GB<br>FR<br>GB<br>BE<br>DE<br>FR<br>GB<br>IT<br>NL<br>ES<br>ID<br>DE<br>FR<br>ID<br>IT<br>PH<br>FR<br>PH<br>IT | FR<br>BE<br>GB<br>FR<br>GB<br>BE<br>DE<br>FR<br>GB<br>IT<br>NL<br>ES<br>BE<br>DE<br>FR<br>ID<br>DE |
|                         |    |                            | specimens           | 122 ml   | US   | ID   | DE   |
| C2                      |    | <i>Macaca mulatta</i>      | live (captive bred) | 127<br>296<br>2<br>36<br>186<br>118  | CN<br>CN<br>DD<br>SU<br>US<br>US   |  | DE<br>GB<br>DE<br>NL<br>DE<br>FR   |
|                         |    |                            | live                | 32<br>65   | BU<br>US   | CN   | NL<br>FR   |
| C2                      |    | <i>Macaca nemestrina</i>   | live (captive bred) | 1  | HU   |  | DE   |
|                         |    |                            | live                | 4<br>4<br>6  | ID<br>US<br>ID   | IT<br>ES<br>FR   |  |

| CITES EEC<br>App. Annex | Taxon                  | Description         | Quantity | Country of<br>Export Origin Import |    |          |
|-------------------------|------------------------|---------------------|----------|------------------------------------|----|----------|
| <b>II</b>               |                        |                     |          |                                    |    |          |
| C2                      | Macaca nigra           | live (captive bred) | 4<br>7   | Jersey<br>HK                       | XX | GB<br>GB |
| C2                      | Macaca sylvanus        | live (captive bred) | 12       | MA                                 |    | NL       |
| C2                      | Papio hamadryas        | bodies              | 1        | NA                                 |    | DE       |
|                         |                        | bones               | 2        | NA                                 |    | DE       |
|                         |                        | garments            | 2        | NA                                 |    | DE       |
|                         |                        | skeletons           | 2        | NA                                 |    | DE       |
|                         |                        | skins               | 7        | NA                                 |    | DE       |
|                         |                        |                     | 1        | TZ                                 |    | DE       |
|                         |                        |                     | 6        | ZW                                 |    | DE       |
|                         |                        |                     | 7        | ZW                                 |    | IT       |
|                         |                        | skulls              | 1        | CF                                 |    | DE       |
|                         |                        |                     | 22       | NA                                 |    | DE       |
|                         |                        |                     | 3        | ZA                                 |    | DE       |
|                         |                        |                     | 9        | ZW                                 |    | DE       |
|                         |                        | trophies            | 2        | ET                                 |    | IT       |
|                         |                        |                     | 1        | NA                                 |    | DE       |
|                         |                        |                     | 1        | ZA                                 |    | DE       |
|                         |                        |                     | 1        | ZA                                 | ZM | GB       |
|                         |                        |                     | 2        | ZM                                 |    | IT       |
|                         |                        |                     | 13       | ZW                                 |    | DE       |
|                         |                        |                     | 2        | ZW                                 |    | GB       |
|                         |                        |                     | 1        | ZW                                 |    | IT       |
| C2                      | Papio hamadryas anubis | derivatives         | 3 kg     | ET                                 |    | FR       |
|                         |                        | live                | 371      | ET                                 |    | GB       |
|                         |                        |                     | 48       | KE                                 |    | GB       |
|                         |                        |                     | 22       | US                                 | KE | FR       |
|                         |                        |                     | 148      | US                                 | KE | GB       |
|                         |                        | skulls              | 1        | TZ                                 |    | DE       |
|                         |                        | trophies            | 10       | CF                                 |    | FR       |
|                         |                        |                     | 3        | CM                                 |    | FR       |

| CITES EEC<br>App. Annex | Taxon                          | Description         | Quantity | Country of<br>Export Origin Import |          |
|-------------------------|--------------------------------|---------------------|----------|------------------------------------|----------|
| II C2                   | <i>Papio hamadryas papio</i>   | live trophies       | 442<br>9 | SN<br>CF                           | FR<br>ES |
| C2                      | <i>Papio hamadryas ursinus</i> | skins               | 1        | NA                                 | BE       |
|                         |                                |                     | 11       | ZW                                 | BE       |
|                         |                                | skulls              | 1        | ZW                                 | ES       |
|                         |                                | trophies            | 1        | NA                                 | FR       |
|                         |                                |                     | 1        | SE                                 | NA DK    |
|                         |                                |                     | 1        | ZA                                 | ES       |
|                         |                                |                     | 1        | ZA                                 | FR       |
|                         |                                |                     | 1        | ZA                                 | GB       |
|                         |                                |                     | 1        | ZA                                 | GR       |
|                         |                                |                     | 3        | ZW                                 | DK       |
|                         |                                |                     | 1        | ZW                                 | ES       |
|                         |                                |                     | 3        | ZW                                 | FR       |
| C2                      | <i>Presbytis cristata</i>      | live                | 6        | ID                                 | GB       |
| C1                      | <i>Myrmecophaga tridactyla</i> | live (captive bred) | 1        | US                                 | DE       |
|                         |                                | live                | 1        | BR                                 | DE       |
|                         |                                |                     | 2        | US                                 | GY DK    |
| C1                      | <i>CETACEA</i> spp.            | bone carvings       | 37       | CA                                 | FR       |
|                         |                                |                     | 2        | CA                                 | GB       |
|                         |                                | bones               | 1        | NZ                                 | GB       |
|                         | <i>Monodon monoceros</i>       | carvings            | 145      | GL                                 | DK       |
|                         |                                |                     | 1 set    | GL                                 | DK       |
|                         |                                | teeth               | 200 g    | GL                                 | DK       |
|                         |                                | tusks               | 31       | GL                                 | DK       |
|                         |                                |                     | 2        | GL                                 | GB       |
|                         |                                |                     | 1865 g   | GL                                 | DK       |
|                         |                                |                     | 563 kg   | GL                                 | DK       |
| C1                      |                                | trophies            | 3        | CA                                 | IT       |



| CITES EEC<br>App. Annex |    | Taxon                        | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----|------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Canis lupus</i>           | skins               | 1477     |                                    | FI | SU |
|                         |    |                              |                     | 2        |                                    | MN | GB |
|                         |    |                              |                     | 1        |                                    | NO | PT |
|                         |    |                              |                     | 51       |                                    | SU | CA |
|                         |    |                              |                     | 4        |                                    | US | GB |
|                         |    |                              |                     | 1        |                                    | US | IT |
|                         |    |                              | skulls              | 2        |                                    | CA | DE |
|                         | C2 | <i>Chrysocyon brachyurus</i> | live (captive bred) | 2        |                                    | CS | FR |
|                         |    | <i>Dusicyon culpaeus</i>     | garments            | 3        |                                    | AR | DE |
|                         |    |                              |                     | 34       |                                    | AR | ES |
|                         |    |                              | plates              | 8        |                                    | AR | DE |
|                         |    |                              | skins               | 45       |                                    | AR | ES |
|                         |    | <i>Dusicyon griseus</i>      | garments            | 2126     |                                    | AR | DE |
|                         |    |                              |                     | 150      |                                    | AR | ES |
|                         |    |                              |                     | 2        |                                    | AR | FR |
|                         |    |                              |                     | 1        |                                    | AR | IT |
|                         |    |                              | plates              | 3317     |                                    | AR | DE |
|                         |    |                              |                     | 2        |                                    | CH | AR |
|                         |    |                              |                     | 1        |                                    | US | DE |
|                         |    |                              | skins               | 11039    |                                    | AR | DE |
|                         |    |                              |                     | 1492     |                                    | AR | ES |
|                         |    |                              |                     | 213      |                                    | AR | FR |
|                         |    |                              |                     | 983      |                                    | AR | IT |
|                         |    |                              |                     | 18 kg    |                                    | AR | IT |
|                         |    | <i>Vulpes zerda</i>          | live (captive bred) | 1        |                                    | AT | DE |
|                         |    |                              |                     | 6        |                                    | EG | NL |
|                         |    | <i>Ursus arctos</i>          | bodies              | 2        |                                    | CA | DE |
|                         |    |                              |                     | 4        |                                    | CS | DE |
|                         |    |                              | live (captive bred) | 36       |                                    | DD | DE |
|                         |    |                              |                     | 2        |                                    | SE | DE |

| CITES EEC<br>App. Annex | TAXON                             | Description    | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|-----------------------------------|----------------|----------|------------------------------------|----|----|
| II                      | <i>Ursus arctos</i>               | live           | 1        | AT                                 | DE | DE |
|                         |                                   |                | 1        | SE                                 |    | DK |
|                         |                                   | skins          | 12       | CA                                 |    | DE |
|                         |                                   |                | 1        | CA                                 |    | LU |
|                         |                                   |                | 2        | US                                 |    | BE |
|                         |                                   |                | 16       | US                                 |    | DE |
|                         |                                   |                | 3        | US                                 |    | ES |
|                         |                                   |                | 1        | US                                 |    | IT |
|                         |                                   |                | 1        | US                                 | CA | IT |
|                         |                                   |                | 3        | YU                                 |    | DE |
|                         |                                   | skulls         | 1        | CA                                 |    | DE |
|                         |                                   | trophies       | 1        | BG                                 |    | GR |
|                         |                                   |                | 1        | CA                                 |    | DK |
|                         |                                   |                | 2        | CA                                 |    | GB |
|                         |                                   |                | 1        | CS                                 |    | DK |
|                         |                                   |                | 3        | US                                 |    | IT |
|                         |                                   |                | 7        | YU                                 |    | IT |
|                         | <i>Ursus arctos middendorffii</i> | bodies         | 1        | US                                 |    | BE |
| C2                      | <i>Ursus maritimus</i>            | bodies         | 1        | CA                                 |    | DE |
|                         |                                   |                | 1        | NO                                 | CA | FR |
|                         |                                   | carvings       | 2        | GL                                 |    | DK |
|                         |                                   | feet           | 4        | CA                                 |    | GB |
|                         |                                   | pairs of shoes | 1        | GL                                 |    | DK |
|                         |                                   | skins          | 21       | CA                                 |    | DE |
|                         |                                   |                | 1        | CA                                 |    | ES |
|                         |                                   |                | 1        | CA                                 |    | FR |
|                         |                                   |                | 1        | CA                                 |    | GB |
|                         |                                   |                | 1        | FI                                 | GL | FR |
|                         |                                   |                | 52       | GL                                 |    | DK |
|                         |                                   | skulls         | 1        | CA                                 |    | ES |
|                         |                                   |                | 14       | GL                                 |    | DK |
|                         |                                   | tissue samples | 60       | CA                                 |    | GB |
|                         |                                   | trophies       | 2        | CA                                 |    | IT |

| CITES EEC<br>App. Annex |    | Taxon                       | Description         | Quantity   | Country of<br>Export Origin Import   |  |    |
|-------------------------|----|-----------------------------|---------------------|--|--|--|----|
| II                      | C2 | <i>Ursus maritimus</i>      | trophies            | 3<br>8<br>4 sets   | DK   | GL   | DK |
|                         |    |                             |                     |  | GL   | DK   |    |
|                         |    |                             |                     |  | GL   | DK   |    |
|                         | C2 | <i>Ailurus fulgens</i>      | live (captive bred) | 1<br>2<br>1<br>2   | AU<br>CN<br>SE<br>US   | NL<br>DE<br>NL<br>GB   |    |
|                         |    |                             |                     |  |  |  |    |
|                         |    | <i>Conepatus humboldtii</i> | garments            | 32   | AR   | ES   |    |
|                         |    | <i>Lutra canadensis</i>     | bodies              | 1  | US   | GB   |    |
|                         |    |                             | garments            | 7  | FI   | US   | GB |
|                         |    |                             |                     | 2  | JP   | CA   | DE |
|                         |    |                             |                     | 2  | US   | DE   |    |
|                         |    |                             | live (captive bred) | 1<br>3   | CA<br>CA   | DE<br>FR   |    |
|                         |    |                             | live skins          | 1<br>113<br>53<br>461<br>35<br>15<br>105<br>384<br>67<br>1<br>14<br>22<br>151<br>skin scraps | CA<br>CA<br>CA<br>CA<br>CA<br>CH<br>CA<br>US<br>US<br>US<br>US<br>US<br>US<br>US<br>US<br>CA | DE<br>FR<br>DE<br>IT<br>US<br>IT<br>CA<br>IT<br>DE<br>DK<br>FR<br>GB<br>GR<br>IT<br>FR<br>CA<br>GR |    |
|                         | C2 | <i>Felis bengalensis</i>    | garments            | 6  | CN   | ES   |    |
|                         |    |                             | plates              | 100<br>320   | CN   | IT   |    |
|                         |    |                             |                     |  | CN   | FR   |    |

| CITES EEC<br>App. Annex |    | TAXON                    | Description  | Quantity                                  | Country of<br>Export Origin Import                 |  |  |
|-------------------------|----|--------------------------|--|---|--|--|--|
| II                      | C2 | <i>Felis bengalensis</i> | skins  | 1750<br>20<br>1<br>1735                   | CN<br>CN<br>PK<br>SU                               | XX<br>KR   | GB<br>IT<br>GB<br>IT   |
|                         |    | <i>Felis caracal</i>     | live (captive bred)<br>skins<br>skulls<br>trophies | 2<br>1<br>3<br>1<br>1<br>1<br>1           | ZA<br>BW<br>NA<br>ZW<br>ZA<br>ZA<br>ZW             | NA<br>DE<br>DE<br>BE<br>DE<br>FR<br>FR                         | IT<br>DE<br>DE<br>BE<br>DE<br>FR<br>FR                         |
|                         |    | <i>Felis chaus</i>       | skins  | 1   | ZA   |  | FR   |
| C2                      |    | <i>Felis concolor</i>    | bodies<br>live (captive bred)<br>skins<br>trophies | 3<br>1<br>2<br>2<br>2<br>1<br>2<br>3<br>4 | CA<br>CA<br>DD<br>DD<br>SU<br>CA<br>US<br>CA<br>CA | CA<br>IT<br>DE<br>NL<br>FR<br>DE<br>GB<br>DE<br>DE<br>GB<br>IT | DE<br>IT<br>DE<br>NL<br>FR<br>DE<br>GB<br>DE<br>DE<br>GB<br>IT |
| C2                      |    | <i>Felis lynx</i>        | garments<br>live (captive bred)                    | 2<br>2<br>1<br>2<br>1<br>2<br>1<br>2      | CA<br>CA<br>CH<br>CH<br>US<br>US<br>US<br>AT       | SU<br>SU<br>CA<br>CA<br>US<br>SU<br>SU<br>DK                   | DE<br>GB<br>BE<br>FR<br>GB<br>DE<br>DK<br>DE                   |

| CITES EEC<br>App. Annex | Taxon                           | Description         | Quantity | Country of<br>Export Origin Import |
|-------------------------|---------------------------------|---------------------|----------|------------------------------------|
| II                      | C2 <i>Felis lynx</i>            | live (captive bred) | 1        | CH            FR                   |
|                         |                                 |                     | 1        | DD            DE                   |
|                         |                                 | skins               | 3        | AT    CN    DE                     |
|                         |                                 |                     | 55       | CA    CN    DK                     |
|                         |                                 |                     | 16       | CA    SU    GB                     |
|                         |                                 |                     | 10       | CH    SU    FR                     |
|                         |                                 |                     | 42       | DD    MN    ES                     |
|                         |                                 |                     | 50       | DD    MN    IT                     |
|                         |                                 |                     | 334      | SU            DE                   |
|                         |                                 |                     | 244      | SU            ES                   |
|                         |                                 |                     | 69       | SU            FR                   |
|                         |                                 |                     | 327      | SU            GR                   |
|                         |                                 |                     | 595      | SU            IT                   |
|                         |                                 |                     | 144      | SU    MN    IT                     |
|                         |                                 |                     | 34       | US    SU    ES                     |
|                         |                                 |                     | 69       | US    SU    FR                     |
|                         |                                 |                     | 63       | US    SU    GB                     |
|                         | C2 <i>Felis lynx canadensis</i> | garments            | 1        | CA            BE                   |
|                         |                                 |                     | 7        | CA            DE                   |
|                         |                                 |                     | 3        | CA            GB                   |
|                         |                                 |                     | 2        | CH    CA    DE                     |
|                         |                                 |                     | 14       | CH    CA    GR                     |
|                         |                                 |                     | 2        | US    CA    DE                     |
|                         |                                 |                     | 1        | US    XX    GB                     |
|                         |                                 | plates              | 26       | US    CA    DE                     |
|                         |                                 | skins               | 2        | CA            BE                   |
|                         |                                 |                     | 276      | CA            DE                   |
|                         |                                 |                     | 65       | CA            DK                   |
|                         |                                 |                     | 93       | CA            FR                   |
|                         |                                 |                     | 167      | CA            IT                   |
|                         |                                 |                     | 1        | US            DE                   |
|                         |                                 |                     | 27       | US            DK                   |
|                         |                                 |                     | 14       | US            ES                   |
|                         |                                 |                     | 1        | US            GB                   |

| CITES EEC<br>App. Annex | TAXON                           | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|---------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 <i>Felis lynx canadensis</i> | skins               | 30       | US                                 | CA | ES |
|                         |                                 |                     | 89       | US                                 | CA | FR |
|                         |                                 | skin pieces         | 598      | US                                 |    | DE |
|                         |                                 | skin scraps         | 384 kg   | CA                                 |    | GR |
|                         |                                 | trophies            | 1        | CA                                 |    | DE |
|                         | <i>Felis manul</i>              | garments            | 1        | PK                                 |    | DE |
| C2                      | <i>Felis pardalis</i>           | live (captive bred) | 2        | CS                                 |    | FR |
|                         |                                 | skin scraps         | 77 kg    | AT                                 | XX | GR |
|                         |                                 |                     | 231 kg   | CA                                 |    | GR |
|                         | <i>Felis rufa</i>               | bodies              | 1        | US                                 |    | BE |
|                         |                                 | garments            | 2        | AT                                 | US | DE |
|                         |                                 |                     | 6        | CA                                 |    | DE |
|                         |                                 |                     | 7        | CA                                 | US | DE |
|                         |                                 |                     | 3        | CH                                 | CA | DE |
|                         |                                 |                     | 1        | CH                                 | CA | FR |
|                         |                                 |                     | 10       | CH                                 | US | DE |
|                         |                                 |                     | 11       | JP                                 | US | DE |
|                         |                                 |                     | 3        | JP                                 | US | FR |
|                         |                                 |                     | 6        | TN                                 | US | DE |
|                         |                                 |                     | 12       | US                                 |    | DE |
|                         |                                 |                     | 1        | US                                 |    | FR |
|                         |                                 | live (captive bred) | 2        | CA                                 |    | NL |
|                         |                                 | live                | 1        | CA                                 |    | DE |
|                         |                                 | skins               | 33       | AT                                 | CA | DE |
|                         |                                 |                     | 10       | AT                                 | US | DE |
|                         |                                 |                     | 8131     | CA                                 |    | DE |
|                         |                                 |                     | 150      | CA                                 |    | ES |
|                         |                                 |                     | 215      | CA                                 |    | FR |
|                         |                                 |                     | 781      | CA                                 |    | IT |
|                         |                                 |                     | 215      | CA                                 | US | IT |
|                         |                                 |                     | 253      | CA                                 | XX | GR |
|                         |                                 |                     | 28       | CH                                 | US | DE |

| CITES EEC<br>App. Annex | TAXON                   | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|-------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | <i>Felis rufa</i>       | 'skins              | 180      | CH                                 | US | IT |
|                         |                         |                     | 36       | DD                                 | CA | IT |
|                         |                         |                     | 70       | TN                                 | US | DE |
|                         |                         |                     | 270      | US                                 | BE |    |
|                         |                         |                     | 13774    | US                                 | DE |    |
|                         |                         |                     | 1533     | US                                 | ES |    |
|                         |                         |                     | 51       | US                                 | FR |    |
|                         |                         |                     | 842      | US                                 | GR |    |
|                         |                         |                     | 926      | US                                 | IT |    |
|                         |                         |                     | 44       | US                                 | CA | GR |
|                         |                         | skin scraps         | 144 kg   | CA                                 | GR |    |
|                         |                         |                     | 1061 kg  | US                                 | GR |    |
| C2                      | <i>Felis serval</i>     | bodies              | 2        | SG                                 | XX | GB |
|                         |                         |                     | 1        | UG                                 | XX | IT |
|                         |                         | live (captive bred) | 1        | Jersey                             |    | GB |
|                         |                         |                     | 2        | PL                                 | DK |    |
|                         |                         |                     | 2        | US                                 | DE |    |
|                         |                         |                     | 2        | XX                                 | GB |    |
|                         |                         | live                | 1        | CH                                 | FR |    |
|                         |                         | skins               | 1        | ET                                 | DE |    |
|                         |                         |                     | 1        | ET                                 | GB |    |
|                         |                         |                     | 59       | GW                                 | ES |    |
|                         |                         |                     | 1        | TZ                                 | DE |    |
|                         |                         |                     | 1        | ZA                                 | GB |    |
|                         |                         |                     | 1        | ZW                                 | DE |    |
| C2                      | <i>Felis silvestris</i> | live (captive bred) | 3        | AT                                 | DE |    |
|                         |                         |                     | 4        | CH                                 | DE |    |
|                         |                         |                     | 1        | DD                                 | DE |    |
|                         |                         |                     | 2        | SA                                 | DE |    |
|                         |                         |                     | 2        | ZA                                 | IT |    |
|                         |                         | skins               | 1        | BW                                 | DK |    |
|                         |                         |                     | 380      | DD                                 | BG | ES |
|                         |                         |                     | 1        | IN                                 | GB |    |

| CITES EEC<br>App. Annex | Taxon | Description               | Quantity            | Country of<br>Export Origin Import |    |    |
|-------------------------|-------|---------------------------|---------------------|------------------------------------|----|----|
| II                      | C2    | <i>Felis silvestris</i>   | skins               | 2                                  | NA | DE |
|                         |       |                           | 1                   | ZA                                 | DE |    |
|                         |       |                           | 1                   | ZA                                 | ZW | FR |
|                         |       | skin scraps               | 6 kg                | AT                                 | XX | GR |
|                         |       | trophies                  | 1                   | US                                 | ET | GB |
|                         |       | <i>Felis viverrina</i>    | live (captive bred) | 2                                  | LK | GB |
|                         |       |                           | 1                   | US                                 |    | GB |
|                         | C2    | <i>Felis yagouaroundi</i> | live                | 1                                  | BR | DE |
|                         |       | <i>Panthera leo</i>       | bodies              | 1                                  | XX | KE |
|                         |       |                           | 2                   | ZA                                 | IT |    |
|                         |       | feet                      | 4                   | CF                                 | FR |    |
|                         |       | live (captive bred)       | 1                   | DD                                 | DE |    |
|                         |       |                           | 2                   | NE                                 | FR |    |
|                         |       | skins                     | 2                   | BW                                 | FR |    |
|                         |       |                           | 2                   | BW                                 | GB |    |
|                         |       |                           | 1                   | CF                                 | BE |    |
|                         |       |                           | 36                  | CF                                 | FR |    |
|                         |       |                           | 4                   | CM                                 | FR |    |
|                         |       |                           | 2                   | ET                                 | DE |    |
|                         |       |                           | 2                   | NA                                 | BE |    |
|                         |       |                           | 7                   | NA                                 | DE |    |
|                         |       |                           | 9                   | TZ                                 | DE |    |
|                         |       |                           | 2                   | TZ                                 | DK |    |
|                         |       |                           | 1                   | TZ                                 | ES |    |
|                         |       |                           | 5                   | TZ                                 | FR |    |
|                         |       |                           | 1                   | TZ                                 | IT |    |
|                         |       |                           | 4                   | ZA                                 | DE |    |
|                         |       |                           | 8                   | ZA                                 | FR |    |
|                         |       |                           | 3                   | ZA                                 | GB |    |
|                         |       |                           | 2                   | ZM                                 | DE |    |
|                         |       |                           | 2                   | ZM                                 | FR |    |
|                         |       |                           | 1                   | ZM                                 | GB |    |

| CITES EEC<br>App. Annex | Taxon                          | Description         | Quantity | Country of<br>Export Origin Import |
|-------------------------|--------------------------------|---------------------|----------|------------------------------------|
| II                      | <i>Panthera leo</i>            | skins               | 5        | ZW BE                              |
|                         |                                |                     | 3        | ZW DE                              |
|                         |                                |                     | 4        | ZW FR                              |
|                         |                                |                     | 1        | ZW GB                              |
|                         |                                |                     | 3        | ZW IT                              |
|                         |                                |                     | 1        | ZW NL                              |
|                         |                                | skulls              | 1        | CF FR                              |
|                         |                                |                     | 1        | TZ ES                              |
|                         |                                |                     | 2        | ZA BW DE                           |
|                         |                                |                     | 2        | ZW DE                              |
|                         |                                | trophies            | 1        | BW GB                              |
|                         |                                |                     | 5        | CF ES                              |
|                         |                                |                     | 1        | CF IT                              |
|                         |                                |                     | 3        | NA DE                              |
|                         |                                |                     | 1        | SE NA DK                           |
|                         |                                |                     | 16       | TZ ES                              |
|                         |                                |                     | 4        | TZ GB                              |
|                         |                                |                     | 2        | TZ IT                              |
|                         |                                |                     | 1        | ZA DE                              |
|                         |                                |                     | 2        | ZA ES                              |
|                         |                                |                     | 3        | ZA IT                              |
|                         |                                |                     | 2        | ZM GB                              |
|                         |                                |                     | 4        | ZM IT                              |
|                         |                                |                     | 1        | ZW GB                              |
|                         | <i>Arctocephalus australis</i> | live                | 2        | BR US PT                           |
|                         |                                |                     | 7        | UY GB                              |
|                         |                                |                     | 3        | UY NL                              |
|                         | <i>Arctocephalus gazella</i>   | specimens           | 1 1      | FK GB                              |
|                         | <i>Arctocephalus pusillus</i>  | live (captive bred) | 9        | ZA IT                              |
|                         |                                | live                | 4        | ZA IT                              |
|                         |                                | skins               | 2        | AT ZA DE                           |
|                         |                                |                     | 810      | NO NA DE                           |

| CITES EEC<br>App. Annex | TAXON                         | Description    | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|-------------------------------|----------------|----------|------------------------------------|----|----|
| II                      | <i>Arctocephalus pusillus</i> | skins          | 906      | NO                                 | NA | DK |
|                         | <i>Orycteropus afer</i>       | skins          | 1        | ZW                                 |    | BE |
| C2                      | <i>Elephantidae</i> spp.      | feet           | 1        | AU                                 | XX | GB |
|                         |                               | ivory carvings | 5 g      | AT                                 | XX | GB |
|                         |                               |                | 250 g    | AU                                 | XX | GB |
|                         |                               |                | 100 g    | HK                                 | XX | GB |
|                         |                               |                | 100 g    | IN                                 | XX | GB |
|                         |                               |                | 700 g    | JP                                 | XX | GB |
|                         |                               |                | 100 g    | SG                                 | XX | GB |
|                         |                               |                | 100 g    | TH                                 | XX | GB |
|                         |                               |                | 1350 g   | US                                 | XX | GB |
|                         |                               |                | 1 kg     | AR                                 | XX | GB |
|                         |                               |                | 4 kg     | AU                                 | XX | GB |
|                         |                               |                | 1 kg     | BR                                 | XX | GB |
|                         |                               |                | 1 kg     | CA                                 |    | GB |
|                         |                               |                | 1 kg     | CA                                 | XX | GB |
|                         |                               |                | 4 kg     | CH                                 | XX | GB |
|                         |                               |                | 4 kg     | EG                                 | XX | GB |
|                         |                               |                | 4 kg     | HK                                 | XX | GB |
|                         |                               |                | 1 kg     | MA                                 | XX | GB |
|                         |                               |                | 3 kg     | MC                                 | XX | GB |
|                         |                               |                | 1 kg     | NZ                                 | XX | GB |
|                         |                               |                | 2 kg     | SG                                 | XX | GB |
|                         |                               |                | 16 kg    | US                                 | XX | GB |
|                         |                               | tusks          | 3        | Jersey                             | XX | GB |
|                         |                               |                | 2        | KW                                 | XX | GB |
| C2                      | <i>Loxodonta africana</i>     | belts          | 41       | US                                 | ZW | IT |
|                         |                               |                | 14       | ZA                                 |    | DE |
|                         |                               |                | 1        | ZW                                 |    | GB |
|                         |                               | bone carvings  | 6        | ZW                                 |    | DE |
|                         |                               | bodies         | 14       | ZW                                 |    | DE |
|                         |                               |                | 6        | ZW                                 |    | GB |

| CITES EEC<br>App. Annex | TAXON | Description               | Quantity | Country of<br>Export Origin Import |
|-------------------------|-------|---------------------------|----------|------------------------------------|
| II                      | C2    | <i>Loxodonta africana</i> |          |                                    |
|                         |       | bones                     | 1        | TZ FR                              |
|                         |       | carvings                  | 2        | ZW GB                              |
|                         |       | ears                      | 4        | CM FR                              |
|                         |       |                           | 1        | ET FR                              |
|                         |       |                           | 9        | TZ DE                              |
|                         |       |                           | 10       | TZ FR                              |
|                         |       |                           | 7        | ZW DE                              |
|                         |       |                           | 2        | ZW FR                              |
|                         |       | feet                      | 3        | BW FR                              |
|                         |       |                           | 1        | BW GB                              |
|                         |       |                           | 2        | BW PT                              |
|                         |       |                           | 11       | CM FR                              |
|                         |       |                           | 2        | CM GR                              |
|                         |       |                           | 2        | ET FR                              |
|                         |       |                           | 4        | ET GB                              |
|                         |       |                           | 2        | NA FR                              |
|                         |       |                           | 2        | TZ DE                              |
|                         |       |                           | 22       | TZ FR                              |
|                         |       |                           | 1        | ZA BE                              |
|                         |       |                           | 2        | ZA DE                              |
|                         |       |                           | 1        | ZA LU                              |
|                         |       |                           | 2        | ZA KE GB                           |
|                         |       |                           | 2        | ZW BE                              |
|                         |       |                           | 21       | ZW DE                              |
|                         |       |                           | 5        | ZW FR                              |
|                         |       |                           | 1        | ZW GB                              |
|                         |       | hair                      | 30 items | ZR ES                              |
|                         |       |                           | 1 kg     | ZW GB                              |
|                         |       | handbags                  | 1        | ZA DE                              |
|                         |       |                           | 1        | ZA GB                              |
|                         |       |                           | 1        | ZW GB                              |
|                         |       | ivory carvings            | 112      | BF FR                              |
|                         |       |                           | 6        | BW GB                              |
|                         |       |                           | 29       | CA CI BE                           |
|                         |       |                           | 146      | CA CI FR                           |

| CITES EEC<br>App. Annex | TAXON | Description               | Quantity       | Country of<br>Export Origin Import |       |
|-------------------------|-------|---------------------------|----------------|------------------------------------|-------|
| II                      | C2    | <i>Loxodonta africana</i> | ivory carvings | 25                                 | CF FR |
|                         |       |                           | 12             | CF                                 | IT    |
|                         |       |                           | 190            | CF                                 | PT    |
|                         |       |                           | 4              | CF FR                              | GB    |
|                         |       |                           | 6              | CG                                 | FR    |
|                         |       |                           | 11             | CH KE                              | NL    |
|                         |       |                           | 6              | CH XF                              | NL    |
|                         |       |                           | 72             | CI                                 | FR    |
|                         |       |                           | 226            | CM                                 | FR    |
|                         |       |                           | 9              | CM                                 | GR    |
|                         |       |                           | 8              | CM                                 | PT    |
|                         |       |                           | 62             | CN                                 | BE    |
|                         |       |                           | 48             | CN BI                              | ES    |
|                         |       |                           | 346            | CN KE                              | ES    |
|                         |       |                           | 282            | CN KE                              | FR    |
|                         |       |                           | 27             | CN KE                              | NL    |
|                         |       |                           | 22             | CN XX                              | ES    |
|                         |       |                           | 90             | GA                                 | FR    |
|                         |       |                           | 10             | GA                                 | PT    |
|                         |       |                           | 8              | GN                                 | FR    |
|                         |       |                           | 265            | HK BI                              | ES    |
|                         |       |                           | 758            | HK CF                              | ES    |
|                         |       |                           | 60             | HK CF                              | NL    |
|                         |       |                           | 3566           | HK CG                              | ES    |
|                         |       |                           | 90             | HK CG                              | PT    |
|                         |       |                           | 17             | HK KE                              | ES    |
|                         |       |                           | 1              | HK KE                              | FR    |
|                         |       |                           | 3              | HK KE                              | NL    |
|                         |       |                           | 18             | HK KE                              | PT    |
|                         |       |                           | 300            | HK MZ                              | ES    |
|                         |       |                           | 2556           | HK SD                              | ES    |
|                         |       |                           | 35             | HK SD                              | GR    |
|                         |       |                           | 209            | HK SD                              | NL    |
|                         |       |                           | 27             | HK SD                              | PT    |
|                         |       |                           | 654            | HK SO                              | ES    |

| CITES EEC<br>App. Annex | Taxon | Description               | Quantity       | Country of<br>Export Origin Import |    |       |
|-------------------------|-------|---------------------------|----------------|------------------------------------|----|-------|
| II                      | C2    | <i>Loxodonta africana</i> | ivory carvings | 472                                | HK | SO PT |
|                         |       |                           | 6              | HK                                 | TZ | IT    |
|                         |       |                           | 786            | HK                                 | UG | ES    |
|                         |       |                           | 1101           | HK                                 | UG | GR    |
|                         |       |                           | 194            | HK                                 | XX | ES    |
|                         |       |                           | 1664           | HK                                 | ZA | ES    |
|                         |       |                           | 166            | HK                                 | ZM | ES    |
|                         |       |                           | 114            | HK                                 | ZM | GI    |
|                         |       |                           | 83             | HK                                 | ZM | IT    |
|                         |       |                           | 171            | HK                                 | ZR | ES    |
|                         |       |                           | 492            | HK                                 | ZW | ES    |
|                         |       |                           | 50             | IN                                 | CG | ES    |
|                         |       |                           | 59             | IN                                 | SO | ES    |
|                         |       |                           | 2              | IN                                 | SO | FR    |
|                         |       |                           | 442            | IN                                 | SO | GR    |
|                         |       |                           | 1325           | IN                                 | XX | ES    |
|                         |       |                           | 30             | IN                                 | XX | NL    |
|                         |       |                           | 117            | JP                                 | CF | FR    |
|                         |       |                           | 2              | JP                                 | MZ | ES    |
|                         |       |                           | 1305           | JP                                 | SD | FR    |
|                         |       |                           | 25             | MW                                 |    | FR    |
|                         |       |                           | 1              | MW                                 |    | GR    |
|                         |       |                           | 67             | SD                                 |    | ES    |
|                         |       |                           | 3              | SG                                 | CF | FR    |
|                         |       |                           | 1              | SN                                 |    | FR    |
|                         |       |                           | 14             | TD                                 |    | FR    |
|                         |       |                           | 7              | TD                                 | XX | FR    |
|                         |       |                           | 140            | TG                                 |    | FR    |
|                         |       |                           | 8              | TH                                 |    | FR    |
|                         |       |                           | 882            | TH                                 | ZR | FR    |
|                         |       |                           | 7              | US                                 | CF | FR    |
|                         |       |                           | 8              | US                                 | CF | NL    |
|                         |       |                           | 2              | US                                 | CG | NL    |
|                         |       |                           | 5              | US                                 | KE | NL    |
|                         |       |                           | 3              | US                                 | TZ | NL    |

| CITES EEC<br>App. Annex | Taxon | Description               | Quantity       | Country of<br>Export | Origin Import |
|-------------------------|-------|---------------------------|----------------|----------------------|---------------|
| II                      | C2    | <i>Loxodonta africana</i> | ivory carvings |                      |               |
|                         |       |                           | 1              | US                   | XX DK         |
|                         |       |                           | 1              | US                   | ZR NL         |
|                         |       |                           | 8              | US                   | ZW FR         |
|                         |       |                           | 2              | XX                   | ES            |
|                         |       |                           | 4              | ZA                   | BE            |
|                         |       |                           | 23             | ZA                   | DE            |
|                         |       |                           | 1              | ZA                   | FR            |
|                         |       |                           | 10             | ZA                   | GB            |
|                         |       |                           | 464            | ZA                   | PT            |
|                         |       |                           | 238            | ZM                   | BE            |
|                         |       |                           | 2              | ZR                   | BE            |
|                         |       |                           | 35             | ZR                   | ES            |
|                         |       |                           | 1              | ZR                   | FR            |
|                         |       |                           | 3              | ZR                   | GR            |
|                         |       |                           | 1772           | ZR                   | PT            |
|                         |       |                           | 9              | ZW                   | DK            |
|                         |       |                           | 18             | ZW                   | FR            |
|                         |       |                           | 3              | ZW                   | GB            |
|                         |       |                           | 4              | ZW                   | NL            |
|                         |       |                           | 537            | ZW                   | PT            |
|                         |       |                           | 250 g          | AR                   | XX GB         |
|                         |       |                           | 9450 g         | AT                   | KE DE         |
|                         |       |                           | 33300 g        | AT                   | ZA DE         |
|                         |       |                           | 850 g          | AU                   | XX GB         |
|                         |       |                           | 100 g          | BJ                   | GB            |
|                         |       |                           | 700 g          | BR                   | XX GB         |
|                         |       |                           | 50 g           | BW                   | DK            |
|                         |       |                           | 1010 g         | BW                   | GB            |
|                         |       |                           | 885 g          | CF                   | FR            |
|                         |       |                           | 20 g           | CF                   | GB            |
|                         |       |                           | 300 g          | CH                   | TZ DE         |
|                         |       |                           | 2180 g         | CH                   | XX DE         |
|                         |       |                           | 300 g          | CM                   | DK            |
|                         |       |                           | 50 g           | CM                   | GB            |
|                         |       |                           | 840 g          | CN                   | XX GB         |

| CITES EEC<br>App. Annex |    | TAXON                     | Description    | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----|---------------------------|----------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Loxodonta africana</i> | ivory carvings | 500 g    | CO                                 | XX | GB |
|                         |    |                           |                | 100 g    | EG                                 | ZA | GB |
|                         |    |                           |                | 700 g    | ET                                 |    | DE |
|                         |    |                           |                | 650 g    | GA                                 |    | FR |
|                         |    |                           |                | 471 g    | GH                                 |    | GB |
|                         |    |                           |                | 700 g    | HK                                 | CF | BE |
|                         |    |                           |                | 800 g    | HK                                 | CF | DK |
|                         |    |                           |                | 1580 g   | HK                                 | CF | FR |
|                         |    |                           |                | 100 g    | HK                                 | CF | GB |
|                         |    |                           |                | 800 g    | HK                                 | CF | LU |
|                         |    |                           |                | 280 g    | HK                                 | CG | BE |
|                         |    |                           |                | 840 g    | HK                                 | CG | DK |
|                         |    |                           |                | 980 g    | HK                                 | CG | GB |
|                         |    |                           |                | 920 g    | HK                                 | CN | BE |
|                         |    |                           |                | 450 g    | HK                                 | KE | DK |
|                         |    |                           |                | 560 g    | HK                                 | KE | FR |
|                         |    |                           |                | 690 g    | HK                                 | MZ | DE |
|                         |    |                           |                | 1700 g   | HK                                 | SD | BE |
|                         |    |                           |                | 8998 g   | HK                                 | SD | DE |
|                         |    |                           |                | 4010 g   | HK                                 | SD | FR |
|                         |    |                           |                | 800 g    | HK                                 | SD | GB |
|                         |    |                           |                | 870 g    | HK                                 | SO | BE |
|                         |    |                           |                | 2070 g   | HK                                 | SO | DE |
|                         |    |                           |                | 6310 g   | HK                                 | TZ | FR |
|                         |    |                           |                | 4480 g   | HK                                 | XX | FR |
|                         |    |                           |                | 6913 g   | HK                                 | XX | GB |
|                         |    |                           |                | 1281 g   | HK                                 | ZA | DE |
|                         |    |                           |                | 1600 g   | HK                                 | ZA | DK |
|                         |    |                           |                | 4840 g   | HK                                 | ZA | FR |
|                         |    |                           |                | 1350 g   | HK                                 | ZA | GB |
|                         |    |                           |                | 1440 g   | HK                                 | ZM | DE |
|                         |    |                           |                | 1160 g   | HK                                 | ZM | DK |
|                         |    |                           |                | 2670 g   | HK                                 | ZM | FR |
|                         |    |                           |                | 500 g    | ID                                 | XX | GB |
|                         |    |                           |                | 500 g    | IN                                 | SG | BE |

| CITES EEC<br>App. Annex |    | Taxon                     | Description    | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----|---------------------------|----------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Loxodonta africana</i> | ivory carvings | 410 g    | IN                                 | SO | DE |
|                         |    |                           |                | 1025 g   | IN                                 | TZ | DE |
|                         |    |                           |                | 990 g    | IN                                 | XX | DE |
|                         |    |                           |                | 1265 g   | IN                                 | XX | GB |
|                         |    |                           |                | 50 g     | KE                                 |    | GB |
|                         |    |                           |                | 250 g    | KW                                 | XX | GB |
|                         |    |                           |                | 51 g     | LK                                 | XX | GB |
|                         |    |                           |                | 750 g    | LR                                 | NG | GB |
|                         |    |                           |                | 50 g     | MU                                 | XX | GB |
|                         |    |                           |                | 700 g    | MW                                 |    | DK |
|                         |    |                           |                | 7226 g   | MW                                 |    | GB |
|                         |    |                           |                | 300 g    | MW                                 | XX | GB |
|                         |    |                           |                | 400 g    | MY                                 | XX | GB |
|                         |    |                           |                | 1250 g   | NG                                 |    | GB |
|                         |    |                           |                | 110 g    | NZ                                 | XX | GB |
|                         |    |                           |                | 250 g    | PH                                 | XX | GB |
|                         |    |                           |                | 250 g    | PK                                 | XX | GB |
|                         |    |                           |                | 350 g    | SD                                 |    | GB |
|                         |    |                           |                | 100 g    | SG                                 | CG | GB |
|                         |    |                           |                | 100 g    | SG                                 | NG | GB |
|                         |    |                           |                | 3351 g   | SG                                 | XX | GB |
|                         |    |                           |                | 200 g    | SG                                 | ZM | FR |
|                         |    |                           |                | 100 g    | SN                                 |    | DK |
|                         |    |                           |                | 3044 g   | TH                                 | CG | DK |
|                         |    |                           |                | 2375 g   | TH                                 | SO | DK |
|                         |    |                           |                | 20 g     | TH                                 | XX | DK |
|                         |    |                           |                | 3501 g   | TH                                 | XX | GB |
|                         |    |                           |                | 200 g    | TH                                 | ZA | GB |
|                         |    |                           |                | 16156 g  | TH                                 | ZR | DK |
|                         |    |                           |                | 640 g    | TH                                 | ZR | FR |
|                         |    |                           |                | 180 g    | TH                                 | ZR | GB |
|                         |    |                           |                | 50 g     | TZ                                 |    | GB |
|                         |    |                           |                | 50 g     | UG                                 |    | GB |
|                         |    |                           |                | 430 g    | US                                 | KE | DE |
|                         |    |                           |                | 6 g      | US                                 | TZ | GB |

| CITES EEC<br>App. Annex |    | Taxon                     | Description    | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----|---------------------------|----------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Loxodonta africana</i> | ivory carvings | 500 g    | US                                 | XX | DE |
|                         |    |                           |                | 2441 g   | US                                 | XX | GB |
|                         |    |                           |                | 351 g    | US                                 | ZA | GB |
|                         |    |                           |                | 1880 g   | ZA                                 |    | DE |
|                         |    |                           |                | 6217 g   | ZA                                 |    | GB |
|                         |    |                           |                | 50 g     | ZA                                 | ZW | GB |
|                         |    |                           |                | 1000 g   | ZR                                 |    | GB |
|                         |    |                           |                | 11507 g  | ZW                                 |    | GB |
|                         |    |                           |                | 100 g    | ZW                                 | TZ | GB |
|                         |    |                           |                | 1 g      | ZW                                 | ZA | GB |
|                         |    |                           |                | 1 kg     | AE                                 | XX | GB |
|                         |    |                           |                | 3 kg     | AO                                 | XX | GB |
|                         |    |                           |                | 8 kg     | AT                                 | XX | GB |
|                         |    |                           |                | 30 kg    | AT                                 | ZA | GB |
|                         |    |                           |                | 1 kg     | BI                                 | XX | GB |
|                         |    |                           |                | 5 kg     | BJ                                 |    | IT |
|                         |    |                           |                | 2 kg     | BW                                 |    | DK |
|                         |    |                           |                | 3 kg     | BW                                 |    | FR |
|                         |    |                           |                | 52 kg    | BW                                 |    | GB |
|                         |    |                           |                | 1 kg     | BW                                 | ZW | GB |
|                         |    |                           |                | 1 kg     | CA                                 | NG | GB |
|                         |    |                           |                | 3 kg     | CA                                 | XX | GB |
|                         |    |                           |                | 1 kg     | CA                                 | ZR | GB |
|                         |    |                           |                | 93 kg    | CF                                 |    | FR |
|                         |    |                           |                | 2 kg     | CF                                 |    | GB |
|                         |    |                           |                | 9 kg     | CF                                 |    | IT |
|                         |    |                           |                | 2 kg     | CF                                 | XX | IT |
|                         |    |                           |                | 75 kg    | CG                                 |    | FR |
|                         |    |                           |                | 5 kg     | CG                                 | XX | FR |
|                         |    |                           |                | 2 kg     | CG                                 | XX | IT |
|                         |    |                           |                | 17 kg    | CH                                 | XX | DE |
|                         |    |                           |                | 21 kg    | CH                                 | XX | GB |
|                         |    |                           |                | 65 kg    | CI                                 |    | FR |
|                         |    |                           |                | 3 kg     | CI                                 | XX | IT |
|                         |    |                           |                | 10 kg    | CM                                 |    | DK |

| CITES EEC<br>App. Annex | Taxon | Description               | Quantity       | Country of<br>Export | Origin Import |
|-------------------------|-------|---------------------------|----------------|----------------------|---------------|
| II                      | C2    | <i>Loxodonta africana</i> | ivory carvings |                      |               |
|                         |       |                           | 2.2 kg         | CM                   | FR            |
|                         |       |                           | 3 kg           | CM                   | IT            |
|                         |       |                           | 1 kg           | CM                   | ZM GB         |
|                         |       |                           | 40 kg          | CN                   | CF DE         |
|                         |       |                           | 80 kg          | CN                   | KE BE         |
|                         |       |                           | 123 kg         | CN                   | KE FR         |
|                         |       |                           | 5 kg           | CN                   | KE GB         |
|                         |       |                           | 102 kg         | CN                   | KE IT         |
|                         |       |                           | 1 kg           | CN                   | XX GB         |
|                         |       |                           | 5 kg           | DD                   | KE GB         |
|                         |       |                           | 10 kg          | DD                   | XX GB         |
|                         |       |                           | 1 kg           | EG                   | XX GB         |
|                         |       |                           | 2 kg           | ET                   | GB            |
|                         |       |                           | 9 kg           | ET                   | IT            |
|                         |       |                           | 8 kg           | ET                   | XX IT         |
|                         |       |                           | 198 kg         | GA                   | FR            |
|                         |       |                           | 1 kg           | GH                   | DE            |
|                         |       |                           | 7 kg           | GN                   | FR            |
|                         |       |                           | 119 kg         | HK                   | BE            |
|                         |       |                           | 380 kg         | HK                   | BI BE         |
|                         |       |                           | 17 kg          | HK                   | BI GB         |
|                         |       |                           | 2 kg           | HK                   | BI LU         |
|                         |       |                           | 12 kg          | HK                   | BW FR         |
|                         |       |                           | 1 kg           | HK                   | BW IT         |
|                         |       |                           | 207 kg         | HK                   | CF BE         |
|                         |       |                           | 19 kg          | HK                   | CF DE         |
|                         |       |                           | 29 kg          | HK                   | CF DK         |
|                         |       |                           | 708 kg         | HK                   | CF FR         |
|                         |       |                           | 36 kg          | HK                   | CF GB         |
|                         |       |                           | 58 kg          | HK                   | CF IT         |
|                         |       |                           | 2 kg           | HK                   | CF LU         |
|                         |       |                           | 68 kg          | HK                   | CG BE         |
|                         |       |                           | 35 kg          | HK                   | CG DE         |
|                         |       |                           | 10 kg          | HK                   | CG DK         |
|                         |       |                           | 379 kg         | HK                   | CG FR         |

| CITES EEC<br>App. Annex |    | TAXON                     | Description    | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----|---------------------------|----------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Loxodonta africana</i> | ivory carvings | 17 kg    | HK                                 | CG | GB |
|                         |    |                           |                | 3 kg     | HK                                 | CG | IT |
|                         |    |                           |                | 1 kg     | HK                                 | CN | BE |
|                         |    |                           |                | 17 kg    | HK                                 | ET | FR |
|                         |    |                           |                | 406 kg   | HK                                 | KE | BE |
|                         |    |                           |                | 41 kg    | HK                                 | KE | DE |
|                         |    |                           |                | 191 kg   | HK                                 | KE | FR |
|                         |    |                           |                | 20 kg    | HK                                 | KE | GB |
|                         |    |                           |                | 2 kg     | HK                                 | KE | IT |
|                         |    |                           |                | 18 kg    | HK                                 | MZ | BE |
|                         |    |                           |                | 33 kg    | HK                                 | MZ | DE |
|                         |    |                           |                | 30 kg    | HK                                 | MZ | IT |
|                         |    |                           |                | 294 kg   | HK                                 | SD | BE |
|                         |    |                           |                | 642 kg   | HK                                 | SD | DE |
|                         |    |                           |                | 81 kg    | HK                                 | SD | DK |
|                         |    |                           |                | 656 kg   | HK                                 | SD | FR |
|                         |    |                           |                | 46 kg    | HK                                 | SD | GB |
|                         |    |                           |                | 253 kg   | HK                                 | SD | IT |
|                         |    |                           |                | 11 kg    | HK                                 | SG | BE |
|                         |    |                           |                | 203 kg   | HK                                 | SO | BE |
|                         |    |                           |                | 42 kg    | HK                                 | SO | DE |
|                         |    |                           |                | 429 kg   | HK                                 | SO | FR |
|                         |    |                           |                | 9 kg     | HK                                 | SO | IT |
|                         |    |                           |                | 39 kg    | HK                                 | SO | LU |
|                         |    |                           |                | 6 kg     | HK                                 | TD | DE |
|                         |    |                           |                | 1 kg     | HK                                 | TD | GB |
|                         |    |                           |                | 3 kg     | HK                                 | TZ | BE |
|                         |    |                           |                | 28 kg    | HK                                 | TZ | DE |
|                         |    |                           |                | 103 kg   | HK                                 | TZ | FR |
|                         |    |                           |                | 7 kg     | HK                                 | TZ | GB |
|                         |    |                           |                | 4 kg     | HK                                 | UG | BE |
|                         |    |                           |                | 34 kg    | HK                                 | UG | DK |
|                         |    |                           |                | 11 kg    | HK                                 | XF | BE |
|                         |    |                           |                | 5 kg     | HK                                 | XX | DK |
|                         |    |                           |                | 2346 kg  | HK                                 | XX | FR |

| CITES EEC<br>App. Annex | Taxon | Description               | Quantity       | Country of<br>Export | Origin Import |
|-------------------------|-------|---------------------------|----------------|----------------------|---------------|
| II                      | C2    | <i>Loxodonta africana</i> | ivory carvings |                      |               |
|                         |       |                           | 31 kg          | HK                   | XX GB         |
|                         |       |                           | 54 kg          | HK                   | XX IT         |
|                         |       |                           | 41 kg          | HK                   | ZA BE         |
|                         |       |                           | 236 kg         | HK                   | ZA DE         |
|                         |       |                           | 49 kg          | HK                   | ZA DK         |
|                         |       |                           | 548 kg         | HK                   | ZA FR         |
|                         |       |                           | 477 kg         | HK                   | ZA GB         |
|                         |       |                           | 48 kg          | HK                   | ZA IT         |
|                         |       |                           | 1 kg           | HK                   | ZA LU         |
|                         |       |                           | 2 kg           | HK                   | ZM BE         |
|                         |       |                           | 36 kg          | HK                   | ZM DE         |
|                         |       |                           | 10 kg          | HK                   | ZM DK         |
|                         |       |                           | 229 kg         | HK                   | ZM FR         |
|                         |       |                           | 3 kg           | HK                   | ZM GB         |
|                         |       |                           | 22 kg          | HK                   | ZR BE         |
|                         |       |                           | 3 kg           | HK                   | ZR DE         |
|                         |       |                           | 19 kg          | HK                   | ZR DK         |
|                         |       |                           | 161 kg         | HK                   | ZR FR         |
|                         |       |                           | 2 kg           | HK                   | ZR IT         |
|                         |       |                           | 3 kg           | HK                   | ZW DE         |
|                         |       |                           | 1 kg           | IL                   | XX GB         |
|                         |       |                           | 70 kg          | IN                   | BI DK         |
|                         |       |                           | 8 kg           | IN                   | BI IT         |
|                         |       |                           | 4 kg           | IN                   | CF FR         |
|                         |       |                           | 3 kg           | IN                   | CG BE         |
|                         |       |                           | 3 kg           | IN                   | CG DE         |
|                         |       |                           | 8 kg           | IN                   | CG DK         |
|                         |       |                           | 7 kg           | IN                   | SD GB         |
|                         |       |                           | 22 kg          | IN                   | SG BE         |
|                         |       |                           | 7 kg           | IN                   | SO BE         |
|                         |       |                           | 15 kg          | IN                   | SO DE         |
|                         |       |                           | 19 kg          | IN                   | SO FR         |
|                         |       |                           | 25 kg          | IN                   | SO GB         |
|                         |       |                           | 26 kg          | IN                   | TZ BE         |
|                         |       |                           | 1 kg           | IN                   | TZ DE         |

| CITES EEC<br>App. Annex | Taxon | Description               | Quantity       | Country of<br>Export | Origin Import |
|-------------------------|-------|---------------------------|----------------|----------------------|---------------|
| II                      | C2    | <i>Loxodonta africana</i> | ivory carvings |                      |               |
|                         |       |                           | 26 kg          | IN                   | TZ GB         |
|                         |       |                           | 4 kg           | IN                   | XX BE         |
|                         |       |                           | 29 kg          | IN                   | XX DK         |
|                         |       |                           | 88 kg          | IN                   | XX FR         |
|                         |       |                           | 3 kg           | IN                   | XX GB         |
|                         |       |                           | 27 kg          | IN                   | XX IT         |
|                         |       |                           | 7 kg           | IN                   | ZM DE         |
|                         |       |                           | 6 kg           | IN                   | ZM GB         |
|                         |       |                           | 10 kg          | IN                   | ZR DK         |
|                         |       |                           | 1 kg           | JP                   | BW FR         |
|                         |       |                           | 9 kg           | JP                   | CG GB         |
|                         |       |                           | 2 kg           | JP                   | XX IT         |
|                         |       |                           | 102 kg         | JP                   | ZR DE         |
|                         |       |                           | 5 kg           | JP                   | ZR GB         |
|                         |       |                           | 3 kg           | KE                   | ZW GB         |
|                         |       |                           | 16 kg          | LR                   | GB            |
|                         |       |                           | 2 kg           | MC                   | XX GB         |
|                         |       |                           | 1 kg           | ML                   | XX IT         |
|                         |       |                           | 2 kg           | MW                   | DK            |
|                         |       |                           | 70 kg          | MW                   | GB            |
|                         |       |                           | 4 kg           | MW                   | IT            |
|                         |       |                           | 4 kg           | MW                   | XX GB         |
|                         |       |                           | 3 kg           | MY                   | XX GB         |
|                         |       |                           | 2 kg           | NA                   | DE            |
|                         |       |                           | 97 kg          | NG                   | GB            |
|                         |       |                           | 1 kg           | NG                   | IT            |
|                         |       |                           | 12 kg          | NG                   | XX IT         |
|                         |       |                           | 1 kg           | NZ                   | XX GB         |
|                         |       |                           | 2 kg           | NZ                   | ZM GB         |
|                         |       |                           | 1 kg           | PK                   | XX IT         |
|                         |       |                           | 5 kg           | SD                   | GB            |
|                         |       |                           | 3 kg           | SD                   | KE GB         |
|                         |       |                           | 1 kg           | SD                   | XX IT         |
|                         |       |                           | 10 kg          | SE                   | XX GB         |
|                         |       |                           | 1 kg           | SG                   | HK FR         |

| CITES EEC<br>App. Annex | Taxon | Description               | Quantity       | Country of<br>Export | Origin Import |
|-------------------------|-------|---------------------------|----------------|----------------------|---------------|
| II                      | C2    | <i>Loxodonta africana</i> | ivory carvings |                      |               |
|                         |       |                           | 2 kg           | SG                   | XX FR         |
|                         |       |                           | 1 kg           | SG                   | XX GB         |
|                         |       |                           | 1 kg           | SG                   | XX IT         |
|                         |       |                           | 2 kg           | SG                   | ZA GB         |
|                         |       |                           | 13 kg          | SN                   | FR            |
|                         |       |                           | 2 kg           | SO                   | GB            |
|                         |       |                           | 3 kg           | SO                   | XX IT         |
|                         |       |                           | 5 kg           | TD                   | FR            |
|                         |       |                           | 3 kg           | TG                   | DE            |
|                         |       |                           | 3 kg           | TH                   | CG DK         |
|                         |       |                           | 2 kg           | TH                   | CG FR         |
|                         |       |                           | 3 kg           | TH                   | XX GB         |
|                         |       |                           | 1 kg           | TH                   | XX IT         |
|                         |       |                           | 134 kg         | TH                   | ZR FR         |
|                         |       |                           | 2 kg           | TZ                   | DE            |
|                         |       |                           | 15 kg          | TZ                   | GB            |
|                         |       |                           | 1 kg           | UG                   | GB            |
|                         |       |                           | 1 kg           | UG                   | XX GB         |
|                         |       |                           | 3 kg           | UG                   | XX IT         |
|                         |       |                           | 2 kg           | US                   | KE GB         |
|                         |       |                           | 2 kg           | US                   | MW GB         |
|                         |       |                           | 10 kg          | US                   | XX DE         |
|                         |       |                           | 144 kg         | US                   | XX FR         |
|                         |       |                           | 48 kg          | US                   | XX GB         |
|                         |       |                           | 11 kg          | XX                   | GB            |
|                         |       |                           | 13 kg          | ZA                   | BE            |
|                         |       |                           | 81 kg          | ZA                   | DE            |
|                         |       |                           | 60 kg          | ZA                   | GB            |
|                         |       |                           | 8 kg           | ZA                   | IT            |
|                         |       |                           | 1 kg           | ZA                   | MW GB         |
|                         |       |                           | 5 kg           | ZA                   | XX GB         |
|                         |       |                           | 3 kg           | ZA                   | XX IT         |
|                         |       |                           | 3 kg           | ZA                   | ZM GB         |
|                         |       |                           | 1 kg           | ZA                   | ZR GB         |
|                         |       |                           | 25 kg          | ZA                   | ZW GB         |

| CITES EEC<br>App. Annex | TAXON | Description               | Quantity | Country of<br>Export Origin Import |
|-------------------------|-------|---------------------------|----------|------------------------------------|
| II                      | C2    | <i>Loxodonta africana</i> |          |                                    |
|                         |       | ivory carvings            |          |                                    |
|                         |       |                           | 11 kg    | ZM GB                              |
|                         |       |                           | 2 kg     | ZM IT                              |
|                         |       |                           | 1 kg     | ZM XX IT                           |
|                         |       |                           | 13 kg    | ZR BE                              |
|                         |       |                           | 2 kg     | ZR DE                              |
|                         |       |                           | 58 kg    | ZR FR                              |
|                         |       |                           | 4 kg     | ZR GB                              |
|                         |       |                           | 21 kg    | ZR IT                              |
|                         |       |                           | 6 kg     | ZR XX IT                           |
|                         |       |                           | 67 kg    | ZW DE                              |
|                         |       |                           | 66 kg    | ZW GB                              |
|                         |       |                           | 2 kg     | ZW IT                              |
|                         |       |                           | 1 kg     | ZW MW GB                           |
|                         |       |                           | 3 kg     | ZW XX GB                           |
|                         |       |                           | 2 sets   | AT ZA FR                           |
|                         |       |                           | 150 sets | HK CG DK                           |
|                         |       |                           | 63 sets  | HK ZM GI                           |
|                         |       |                           | 15 sets  | HK ZR DK                           |
|                         |       |                           | 1 set    | ZW GB                              |
|                         |       | ivory pieces              | 2771     | HK ZA ES                           |
|                         |       | ivory scraps              | 1 kg     | US KE DE                           |
|                         |       | live (captive bred)       | 2        | IL GB                              |
|                         |       | live                      | 2        | IL TZ GB                           |
|                         |       |                           | 5        | NA PT                              |
|                         |       |                           | 2        | ZW FR                              |
|                         |       |                           | 31       | ZW BE                              |
|                         |       |                           | 4        | ZW FR                              |
|                         |       |                           | 8        | ZW GB                              |
|                         |       |                           | 2        | ZW IT                              |
|                         |       | pairs of shoes            | 198      | MX ZW FR                           |
|                         |       |                           | 17       | US ZA FR                           |
|                         |       |                           | 3        | US ZW DE                           |
|                         |       |                           | 163      | US ZW FR                           |
|                         |       |                           | 9        | ZW FR                              |
|                         |       |                           | 2        | ZW GB                              |

| CITES EEC<br>App. Annex | Taxon | Description               | Quantity    | Country of<br>Export Origin Import |    |    |
|-------------------------|-------|---------------------------|-------------|------------------------------------|----|----|
| II                      | C2    | <i>Loxodonta africana</i> | skins       |                                    |    |    |
|                         |       |                           | 1           | JP                                 | ZW | FR |
|                         |       |                           | 2           | ZA                                 |    | DE |
|                         |       |                           | 2           | ZA                                 |    | IT |
|                         |       |                           | 4           | ZW                                 |    | DE |
|                         |       |                           | 2           | ZW                                 |    | ES |
|                         |       |                           | 12          | ZW                                 |    | IT |
|                         |       |                           | 500 g       | ZW                                 |    | GB |
|                         |       |                           | 2 kg        | ZA                                 |    | GB |
|                         |       |                           | 18 kg       | ZA                                 | ZW | IT |
|                         |       |                           | 3 kg        | ZW                                 |    | GB |
|                         |       |                           | 39 kg       | ZW                                 |    | IT |
|                         |       |                           | 2000 sq.ft  | BW                                 |    | FR |
|                         |       |                           | 15000 sq.ft | BW                                 |    | GB |
|                         |       |                           | 2508 sq.ft  | ZA                                 |    | FR |
|                         |       |                           | 67 sq.ft    | ZA                                 |    | GB |
|                         |       |                           | 3726 sq.ft  | ZA                                 | ZW | FR |
|                         |       |                           | 3543 sq.ft  | ZA                                 | ZW | IT |
|                         |       |                           | 54 sq.ft    | ZW                                 |    | DE |
|                         |       |                           | 1003 sq.ft  | ZW                                 |    | FR |
|                         |       |                           | 101 sq.m    | ZA                                 | ZW | DE |
|                         |       | skin/leather items        | 1           | KE                                 |    | GB |
|                         |       |                           | 12          | MW                                 | ZW | GB |
|                         |       |                           | 36          | ZA                                 |    | GB |
|                         |       |                           | 25          | ZW                                 |    | GB |
|                         |       | skin pieces               | 3           | CM                                 |    | FR |
|                         |       |                           | 6           | ET                                 |    | GB |
|                         |       |                           | 1           | TZ                                 |    | DE |
|                         |       |                           | 6           | TZ                                 |    | FR |
|                         |       |                           | 9           | ZA                                 |    | DE |
|                         |       |                           | 30          | ZW                                 |    | GB |
|                         |       |                           | 89 sq.m     | ZA                                 | ZW | DE |
|                         |       | skulls                    | 1           | ZA                                 |    | DE |
|                         |       |                           | 2           | ZW                                 |    | DE |
|                         |       | tails                     | 3           | CM                                 |    | FR |
|                         |       |                           | 2           | ET                                 |    | DE |

| CITES EEC<br>App. Annex | Taxon | Description               | Quantity | Country of<br>Export Origin Import |       |
|-------------------------|-------|---------------------------|----------|------------------------------------|-------|
| II                      | C2    | <i>Loxodonta africana</i> |          |                                    |       |
|                         |       | tails                     | 1        | ET                                 | FR    |
|                         |       |                           | 2        | TZ                                 | DE    |
|                         |       |                           | 1        | TZ                                 | FR    |
|                         |       |                           | 1        | ZA                                 | DE    |
|                         |       |                           | 14       | ZW                                 | DE    |
|                         |       | teeth                     | 3        | TZ                                 | FR    |
|                         |       |                           | 1        | ZA                                 | DE    |
|                         |       |                           | 4        | ZW                                 | DE    |
|                         |       |                           | 2        | ZW                                 | FR    |
|                         |       | trophies                  | 1        | AU                                 | GB    |
|                         |       |                           | 1        | BW                                 | IT    |
|                         |       |                           | 21       | CM                                 | ES    |
|                         |       |                           | 3        | ET                                 | DE    |
|                         |       |                           | 2        | ET                                 | IT    |
|                         |       |                           | 1        | TZ                                 | DE    |
|                         |       |                           | 70       | TZ                                 | ES    |
|                         |       |                           | 9        | TZ                                 | GB    |
|                         |       |                           | 3        | TZ                                 | IT    |
|                         |       |                           | 3        | ZA                                 | GB    |
|                         |       |                           | 1        | ZA                                 | IT    |
|                         |       |                           | 1        | ZA                                 | XX GB |
|                         |       |                           | 86       | ZW                                 | DE    |
|                         |       |                           | 78       | ZW                                 | ES    |
|                         |       |                           | 13       | ZW                                 | GB    |
|                         |       |                           | 7        | ZW                                 | IT    |
|                         |       | tusks                     | 1        | BW                                 | XX IT |
|                         |       |                           | 2        | CA                                 | KE GB |
|                         |       |                           | 2        | CA                                 | MZ GB |
|                         |       |                           | 2        | CF                                 | FR    |
|                         |       |                           | 8        | CF                                 | IT    |
|                         |       |                           | 1        | CG                                 | ES    |
|                         |       |                           | 10       | CG                                 | IT    |
|                         |       |                           | 1        | CH                                 | XX GB |
|                         |       |                           | 2        | CI                                 | ES    |
|                         |       |                           | 183      | CI                                 | CG ES |

| CITES EEC<br>App. Annex | Taxon                     | Description | Quantity | Country of<br>Export Origin Import |
|-------------------------|---------------------------|-------------|----------|------------------------------------|
| II C2                   | <i>Loxodonta africana</i> | tusks       | 1        | CI XX IT                           |
|                         |                           |             | 4        | CM ES                              |
|                         |                           |             | 2        | ET ES                              |
|                         |                           |             | 2        | ET FR                              |
|                         |                           |             | 6        | ET GB                              |
|                         |                           |             | 103      | ET IT                              |
|                         |                           |             | 16       | HK SD IT                           |
|                         |                           |             | 1        | HK SD LU                           |
|                         |                           |             | 14       | HK SO ES                           |
|                         |                           |             | 4        | JP XX IT                           |
|                         |                           |             | 4        | KE GB                              |
|                         |                           |             | 35       | KE IT                              |
|                         |                           |             | 1        | KE XX IT                           |
|                         |                           |             | 1        | MW FR                              |
|                         |                           |             | 4        | MW GB                              |
|                         |                           |             | 10       | MW IT                              |
|                         |                           |             | 2        | SA XX IT                           |
|                         |                           |             | 1        | TG DK                              |
|                         |                           |             | 2        | TZ DE                              |
|                         |                           |             | 14       | TZ ES                              |
|                         |                           |             | 2        | TZ FR                              |
|                         |                           |             | 63       | ZA GB                              |
|                         |                           |             | 10       | ZA MW GB                           |
|                         |                           |             | 32       | ZW ES                              |
|                         |                           |             | 2        | ZW FR                              |
|                         |                           |             | 164      | ZW GB                              |
|                         |                           |             | 1        | ZW NL                              |
|                         |                           | 164 kg      |          | CF FR                              |
|                         |                           | 146 kg      |          | CG FR                              |
|                         |                           | 20 kg       | CI CG    | FR                                 |
|                         |                           | 25 kg       | CM       | DK                                 |
|                         |                           | 476 kg      | CM       | FR                                 |
|                         |                           | 307 kg      | ET       | DE                                 |
|                         |                           | 10310 kg    | GA BE    |                                    |
|                         |                           | 2533 kg     | GA FR    |                                    |

| CITES EEC<br>App. Annex | TAXON                  | Description               | Quantity | Country of<br>Export Origin Import |    |       |
|-------------------------|------------------------|---------------------------|----------|------------------------------------|----|-------|
| II                      | C2                     | <i>Loxodonta africana</i> | tusks    | 6 kg                               | HK | SD BE |
|                         |                        |                           |          | 3 kg                               | NA | DE    |
|                         |                        |                           |          | 1526 kg                            | SD | BE    |
|                         |                        |                           |          | 1 kg                               | SO | XX IT |
|                         |                        |                           |          | 2 kg                               | TG | IT    |
|                         |                        |                           |          | 178 kg                             | TZ | DE    |
|                         |                        |                           |          | 454 kg                             | TZ | FR    |
|                         |                        |                           |          | 125 kg                             | TZ | IT    |
|                         |                        |                           |          | 43 kg                              | ZA | BE    |
|                         |                        |                           |          | 86 kg                              | ZA | DE    |
|                         |                        |                           |          | 40 kg                              | ZA | IT    |
|                         |                        |                           |          | 1 kg                               | ZA | XX IT |
|                         |                        |                           |          | 997 kg                             | ZM | BE    |
|                         |                        |                           |          | 9380 kg                            | ZR | BE    |
|                         |                        |                           |          | 2 kg                               | ZR | XX IT |
|                         |                        |                           |          | 20 kg                              | ZW | BE    |
|                         |                        |                           |          | 853 kg                             | ZW | DE    |
|                         |                        |                           |          | 20 kg                              | ZW | DK    |
|                         |                        |                           |          | 66 kg                              | ZW | FR    |
|                         |                        |                           |          | 412 kg                             | ZW | IT    |
|                         |                        | wallets                   |          | 14                                 | ZA | DE    |
|                         |                        |                           |          | 9                                  | ZA | ZW DE |
|                         |                        | watchstraps               |          | 42                                 | CH | ZW BE |
|                         |                        |                           |          | 44                                 | CH | ZW DE |
|                         |                        |                           |          | 43                                 | CH | ZW ES |
|                         |                        |                           |          | 608                                | CH | ZW FR |
|                         |                        |                           |          | 750                                | HK | SD ES |
|                         |                        |                           |          | 233                                | HK | XX ES |
| C1                      | Equus hemionus         | live (captive bred)       | 5        | CN                                 | DE |       |
| C1                      | Equus zebra hartmannae | feet                      | 36       | NA                                 | DE |       |
|                         |                        | live (captive bred)       | 4        | US                                 | DE |       |
|                         |                        | skins                     | 2        | NA                                 | BE |       |
|                         |                        |                           | 123      | NA                                 | DE |       |

| CITES EEC<br>App. Annex | TAXON | Description                   | Quantity            | Country of<br>Export Origin Import |    |    |    |
|-------------------------|-------|-------------------------------|---------------------|------------------------------------|----|----|----|
| II                      | C1    | <i>Equus zebra hartmannae</i> | skins               | 2                                  | NA | ES |    |
|                         |       |                               | 1                   | NA                                 | FR |    |    |
|                         |       |                               | 1                   | ZA                                 | BE |    |    |
|                         |       |                               | 3                   | ZA                                 | DE |    |    |
|                         |       |                               | 1                   | ZA                                 | GB |    |    |
|                         |       |                               | 4                   | ZA                                 | IT |    |    |
|                         |       |                               | 1                   | ZA                                 | NA | DE |    |
|                         |       |                               | 1                   | ZA                                 | NA | IT |    |
|                         |       | skulls                        | 1                   | NA                                 | DE |    |    |
|                         |       | trophies                      | 5                   | NA                                 | DE |    |    |
|                         |       |                               | 2                   | NA                                 | FR |    |    |
| C1                      |       | <i>Tapirus terrestris</i>     | live (captive bred) | 1                                  | CH | DE |    |
|                         |       |                               | 1                   | MA                                 | NL |    |    |
|                         |       |                               | 1                   | SE                                 | DE |    |    |
|                         |       | <i>Tayassu spp.</i>           | watchstraps         | 120                                | AT | AR | BE |
|                         |       | <i>Tayassu pecari</i>         | skins               | 700                                | BO | DE |    |
|                         |       |                               | 4371                | PE                                 | DE |    |    |
|                         |       |                               | 215 sq.ft           | PE                                 | DE |    |    |
|                         |       | <i>Tayassu tajacu</i>         | garments            | 200                                | AR | DE |    |
|                         |       |                               | 349                 | HU                                 | AR | DE |    |
|                         |       |                               | plates              | 1800                               | AR | DE |    |
|                         |       |                               | skins               | 105365                             | AR | DE |    |
|                         |       |                               | 764                 | AR                                 | FR |    |    |
|                         |       |                               | 4500                | AR                                 | IT |    |    |
|                         |       |                               | 1323                | AT                                 | AR | DE |    |
|                         |       |                               | 5330                | AT                                 | PE | DE |    |
|                         |       |                               | 9300                | BO                                 | DE |    |    |
|                         |       |                               | 44726               | PE                                 | DE |    |    |
|                         |       |                               | 2600                | PE                                 | IT |    |    |
|                         |       |                               | 7100                | PY                                 | DE |    |    |
|                         |       |                               | 558                 | US                                 | AR | FR |    |

| CITES EEC<br>App. Annex | TAXON                         | Description         | Quantity  | Country of<br>Export Origin Import |    |    |
|-------------------------|-------------------------------|---------------------|-----------|------------------------------------|----|----|
| II                      | <i>Tayassu tajacu</i>         | skins               | 50        | US                                 | PE | FR |
|                         |                               | 1000 pairs          |           | AR                                 |    | DE |
|                         |                               | 185 sq.ft           |           | PE                                 |    | DE |
|                         |                               | 400 sq.m            |           | PE                                 |    | DE |
|                         |                               | watchstraps         | 312       | AT                                 | AR | BE |
|                         |                               |                     | 12209     | AT                                 | AR | DE |
|                         |                               |                     | 5         | AT                                 | AR | ES |
|                         |                               |                     | 15        | CH                                 | PY | DE |
| C2                      | <i>Choeropsis liberiensis</i> | live (captive bred) | 1         | AU                                 |    | NL |
|                         |                               |                     | 1         | DD                                 |    | DE |
|                         | <i>Lama guanicoe</i>          | cloth garments      | 101 items | AR                                 |    | DE |
|                         |                               | 8                   |           | AR                                 |    | ES |
|                         |                               | 51                  |           | AR                                 |    | IT |
|                         |                               | live (captive bred) | 1         | CH                                 | DE | FR |
|                         |                               |                     | 7         | DD                                 |    | DE |
|                         |                               |                     | 5         | DD                                 |    | NL |
|                         |                               |                     | 1         | PL                                 |    | BE |
|                         |                               | plates              | 60        | AR                                 |    | DE |
|                         |                               |                     | 96        | AR                                 |    | FR |
|                         |                               | skins               | 1809      | AR                                 |    | DE |
|                         |                               |                     | 50        | AR                                 |    | ES |
|                         |                               |                     | 5         | AR                                 |    | GB |
|                         |                               |                     | 40        | AR                                 |    | IT |
|                         |                               | skin/leather items  | 1         | CH                                 | AR | FR |
|                         | <i>Moschus moschiferus</i>    | musk                | 14 kg     | HK                                 | SU | FR |
|                         |                               |                     | 1 kg      | SG                                 | SU | FR |
|                         | <i>Ammotragus lervia</i>      | bodies              | 1         | US                                 |    | FR |
|                         |                               | skins               | 1         | ZA                                 |    | DE |
|                         |                               | skulls              | 1         | US                                 |    | FR |
|                         |                               |                     | 1         | ZA                                 |    | DE |
|                         |                               | trophies            | 1         | SD                                 |    | IT |

| CITES EEC<br>App. Annex | Taxon                           | Description | Quantity | Country of<br>Export Origin Import |
|-------------------------|---------------------------------|-------------|----------|------------------------------------|
| II                      | <i>Ammotragus lervia</i>        | trophies    | 4        | US FR                              |
|                         | <i>Cephalophus</i> spp.         | trophies    | 11       | CF FR                              |
|                         |                                 |             | 2        | CM ES                              |
|                         | <i>Cephalophus monticola</i>    | skins       | 3        | CF BE                              |
|                         |                                 |             | 2        | ZA DE                              |
|                         |                                 | trophies    | 2        | CF IT                              |
|                         | <i>Cephalophus ogilbyi</i>      | trophies    | 1        | CF IT                              |
|                         | <i>Cephalophus sylvicultor</i>  | skins       | 3        | CF BE                              |
|                         |                                 |             | 2        | CF DE                              |
|                         |                                 | trophies    | 2        | CF IT                              |
|                         | <i>Damaliscus dorcas dorcas</i> | bodies      | 1        | ZA IT                              |
|                         |                                 | trophies    | 1        | ZA FR                              |
|                         |                                 |             | 2        | ZA IT                              |
|                         |                                 |             | 1        | ZA PT                              |
|                         | <i>Hippotragus equinus</i>      | skins       | 1        | CF BE                              |
|                         |                                 |             | 1        | CF DE                              |
|                         |                                 |             | 5        | TZ DE                              |
|                         |                                 |             | 2        | ZA DE                              |
|                         |                                 |             | 1        | ZM DE                              |
|                         |                                 | skulls      | 1        | CM ES                              |
|                         |                                 |             | 3        | ZM DE                              |
|                         |                                 | trophies    | 4        | BF FR                              |
|                         |                                 |             | 1        | CF DE                              |
|                         |                                 |             | 6        | CF ES                              |
|                         |                                 |             | 156      | CF FR                              |
|                         |                                 |             | 3        | CF IT                              |
|                         |                                 |             | 3        | CM FR                              |
|                         |                                 |             | 1        | TZ FR                              |
|                         |                                 |             | 1        | ZA ES                              |

| CITES EEC<br>App. Annex | TAXON                      | Description         | Quantity              | Country of<br>Export Origin Import |
|-------------------------|----------------------------|---------------------|-----------------------|------------------------------------|
| II                      | <i>Hippotragus equinus</i> | trophies            | 1<br>1<br>1<br>5<br>1 | ZA<br>ZM<br>ZM<br>ZM<br>ZW         |
|                         |                            |                     |                       | IT<br>FR<br>GB<br>IT<br>FR         |
| Kobus leche             |                            | horns               | 2                     | NA                                 |
|                         |                            | live (captive bred) | 4                     | CS                                 |
|                         |                            | skins               | 2                     | NA                                 |
|                         |                            |                     | 1                     | DE                                 |
|                         |                            |                     | 9                     | ZM                                 |
|                         |                            |                     | 1                     | DE                                 |
|                         |                            | skulls              | 3                     | BW                                 |
|                         |                            |                     | 2                     | NA                                 |
|                         |                            |                     | 2                     | ZM                                 |
|                         |                            |                     | 1                     | DE                                 |
|                         |                            |                     | 3                     | ZM                                 |
|                         |                            | trophies            | 1                     | FR                                 |
|                         |                            |                     | 1                     | BW                                 |
|                         |                            |                     | 4                     | IT                                 |
|                         |                            |                     | 3                     | CF                                 |
|                         |                            |                     | 7                     | NA                                 |
|                         |                            |                     | 1                     | DE                                 |
|                         |                            |                     | 10                    | ZM                                 |
|                         |                            | 2 sets              |                       | GB                                 |
|                         |                            | 2 sets              |                       | ZM                                 |
|                         |                            |                     |                       | FR                                 |
|                         |                            |                     |                       | ZM                                 |
|                         |                            |                     |                       | GB                                 |
|                         |                            |                     |                       | ZM                                 |
|                         |                            |                     |                       | IT                                 |
|                         |                            |                     |                       | ZM                                 |
|                         |                            |                     |                       | DK                                 |
|                         |                            |                     |                       | ZM                                 |
|                         |                            |                     |                       | DK                                 |
| Kobus leche kafuensis   |                            | trophies            | 2                     | ZA                                 |
|                         |                            |                     |                       | PT                                 |
| Kobus leche smithemani  |                            | trophies            | 1                     | ZM                                 |
|                         |                            |                     |                       | DK                                 |
| C2                      | <i>Ovis ammon</i>          | skins               | 2                     | MN                                 |
|                         |                            |                     | 5                     | SU                                 |
|                         |                            |                     |                       | PT                                 |
|                         |                            |                     |                       | DE                                 |
| C2                      | <i>Ovis ammon musimon</i>  | live                | 107                   | YU                                 |
|                         |                            |                     |                       | ES                                 |

| CITES EEC<br>App. Annex | Taxon                           | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|---------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | <i>Rhea americana</i>           | feathers            | 170 kg   | AR                                 | FR |    |
|                         |                                 | live (captive bred) | 4        | MA                                 | NL |    |
|                         |                                 | skins               | 1        | AR                                 | GB |    |
|                         |                                 |                     | 2        | JP                                 | AR | FR |
|                         |                                 |                     | 3924     | US                                 | AR | FR |
|                         | <i>Rhea americana albescens</i> | skins               | 40       | JP                                 | AR | BE |
|                         |                                 |                     | 772      | PA                                 | PY | IT |
|                         |                                 | watchstraps         | 1        | AT                                 | AR | BE |
|                         |                                 |                     | 3350     | AT                                 | AR | DE |
|                         |                                 |                     | 1        | AT                                 | AR | ES |
| C1                      | <i>Spheniscus demersus</i>      | live                | 20       | US                                 | XX | DE |
|                         |                                 |                     | 16       | ZA                                 |    | PT |
|                         | <i>Ciconia ciconia</i>          | live (captive bred) | 1        | AT                                 |    | DE |
| C1                      | <i>Ciconia nigra</i>            | live                | 4        | IL                                 |    | IT |
|                         | <i>Eudocimus ruber</i>          | live (captive bred) | 7        | CH                                 |    | DK |
|                         | <i>Phoeniconaias minor</i>      | feathers            | 500 g    | KE                                 | GB |    |
|                         |                                 |                     | 25 kg    | KE                                 | GB |    |
|                         |                                 | live                | 10       | TZ                                 | BE |    |
|                         |                                 |                     | 65       | TZ                                 | DE |    |
|                         |                                 |                     | 20       | TZ                                 | ES |    |
|                         |                                 |                     | 221      | TZ                                 | FR |    |
|                         |                                 |                     | 58       | TZ                                 | GB |    |
|                         |                                 |                     | 1533     | TZ                                 | NL |    |
|                         |                                 |                     | 4        | TZ                                 | PT |    |
|                         | <i>Phoenicopterus roseus</i>    | live (captive bred) | 24       | TZ                                 | DE |    |
|                         |                                 | live                | 20       | TZ                                 | BE |    |
| C1                      | <i>Phoenicopterus ruber</i>     | live                | 60       | TZ                                 |    | IT |

| CITES EEC<br>App. Annex |    | Taxon                      | Description         | Quantity | Country of<br>Export Origin Import |    |          |
|-------------------------|----|----------------------------|---------------------|----------|------------------------------------|----|----------|
| II                      | C1 | <i>Branta ruficollis</i>   | live (captive bred) | 2<br>3   | CH<br>DD                           | XX | FR<br>DE |
| III                     |    | <i>Dendrocygna arborea</i> | live (captive bred) | 10       | DD                                 |    | DE       |
|                         |    | <i>Sarcoramphus papa</i>   | live (captive bred) | 2        | US                                 |    | DE       |
| C1                      |    | <i>Accipiter gentilis</i>  | live (captive bred) | 1        | AT                                 | IT |          |
|                         |    |                            | live                | 2        | FI                                 | DE |          |
|                         |    |                            |                     | 2        | HU                                 | FR |          |
|                         |    |                            |                     | 76       | HU                                 | GB |          |
| C1                      |    | <i>Aquila audax</i>        | live (captive bred) | 4        | AU                                 |    | DE       |
| C1                      |    | <i>Aquila chrysaetos</i>   | bodies              | 1        | PK                                 | GB |          |
|                         |    |                            | live (captive bred) | 2        | SU                                 | DE |          |
|                         |    |                            | live                | 1        | SU                                 | FR |          |
| C1                      |    | <i>Aquila rapax</i>        | live (captive bred) | 3        | DD                                 | GB |          |
|                         |    |                            |                     | 2        | SU                                 | DE |          |
|                         |    |                            | live                | 2        | AT                                 | TZ | IT       |
| C1                      |    | <i>Buteo albicaudatus</i>  | live                | 1        | AT                                 | BE |          |
|                         |    |                            |                     | 1        | DD                                 | CO | BE       |
| C1                      |    | <i>Buteo buteo</i>         | live                | 1        | SU                                 |    | FR       |
| C1                      |    | <i>Buteo magnirostris</i>  | live                | 1        | PE                                 |    | ES       |
| C1                      |    | <i>Buteo polyosoma</i>     | live                | 4        | PE                                 |    | ES       |
| C1                      |    | <i>Circaetus gallicus</i>  | bodies              | 1        | TR                                 | XX | IT       |
| C1                      |    | <i>Circus aeruginosus</i>  | live                | 2        | MT                                 | XX | IT       |

| CITES EEC<br>App. Annex |    | Taxon                           | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----|---------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C1 | <i>Elanus spp.</i>              | live                | 4        | CH                                 | XX | DE |
|                         | C1 | <i>Geranoaetus melanoleucus</i> | live                | 2        | PE                                 |    | ES |
|                         | C1 | <i>Gypaetus barbatus</i>        | live (captive bred) | 1        | AT                                 |    | DE |
|                         |    |                                 |                     | 4        | AT                                 |    | FR |
|                         |    |                                 |                     | 2        | DD                                 | SU | DE |
|                         |    |                                 |                     | 4        | SU                                 |    | DE |
|                         | C1 | <i>Gyps fulvus</i>              | live (captive bred) | 4        | AT                                 | IL | IT |
|                         |    |                                 |                     | 1        | SU                                 |    | BE |
|                         |    |                                 |                     | 2        | SU                                 |    | DE |
|                         | C1 | <i>Haliaeetus leucogaster</i>   | live                | 4        | SG                                 |    | GB |
|                         | C1 | <i>Haliastur indus</i>          | live                | 2        | SG                                 |    | GB |
|                         | C1 | <i>Hieraetus fasciatus</i>      | live                | 1        | ZA                                 |    | GB |
|                         | C1 | <i>Milvus migrans</i>           | live (captive bred) | 2        | DD                                 |    | DE |
|                         | C1 | <i>Parabuteo unicinctus</i>     | live (captive bred) | 4        | CA                                 | US | DE |
|                         |    |                                 |                     | 2        | US                                 |    | DE |
|                         |    |                                 |                     | 2        | US                                 |    | ES |
|                         |    |                                 |                     | 28       | US                                 |    | GB |
|                         | C1 | <i>Polemaetus bellicosus</i>    | live                | 1        | ZA                                 |    | GB |
|                         | C1 | <i>Spizaetus cirrhatus</i>      | live                | 2        | SG                                 | MY | GB |
|                         | C1 | <i>Terathopius ecaudatus</i>    | live (captive bred) | 2        | AT                                 | DD | IT |
|                         |    |                                 | live                | 2        | ZA                                 |    | GB |
|                         | C1 | <i>Falco biarmicus</i>          | live (captive bred) | 4        | AT                                 |    | IT |

| CITES EEC<br>App. Annex |    | Taxon                            | Description         | Quantity | Country of<br>Export Origin | Import |
|-------------------------|----|----------------------------------|---------------------|----------|-----------------------------|--------|
| II                      | C1 | <i>Falco cherrug</i>             | live                | 1        | SA                          | GB     |
|                         | C1 | <i>Falco sparverius</i>          | live (captive bred) | 4        | DD                          | DE     |
|                         | C1 | <i>Falco tinnunculus</i>         | live                | 1        | SU                          | FR     |
|                         | C1 | <i>Phalcoboenus australis</i>    | live (captive bred) | 4        | DD                          | DE     |
|                         | C1 | <i>Argusianus argus</i>          | live (captive bred) | 1        | US                          | ES     |
|                         | C1 | <i>Polyptilona bicalcaratum</i>  | live (captive bred) | 2        | DD                          | DE     |
|                         |    | <i>Anthropoides paradisea</i>    | live (captive bred) | 3        | ZA                          | GB     |
|                         |    | <i>Anthropoides virgo</i>        | live                | 50       | BT                          | BE     |
|                         |    |                                  |                     | 90       | SU                          | BE     |
|                         |    |                                  |                     | 40       | SU                          | FR     |
|                         |    | <i>Balearica pavonina</i>        | live                | 80       | TZ                          | BE     |
|                         |    |                                  |                     | 34       | TZ                          | DE     |
|                         |    |                                  |                     | 34       | TZ                          | IT     |
|                         |    | <i>Balearica regulorum</i>       | live                | 318      | TZ                          | NL     |
|                         | C1 | <i>Grus canadensis pratensis</i> | live (captive bred) | 2        | US                          | IT     |
|                         |    | <i>Grus grus</i>                 | live                | 17       | BT                          | BE     |
|                         |    |                                  |                     | 6        | FI                          | DE     |
|                         | C2 | <i>Gallicolumba luzonica</i>     | live                | 20       | PH                          | DK     |
|                         | C2 | Psittacidae spp.                 | live (captive bred) | 92       | CH                          | PT     |
|                         | C2 | <i>Agapornis cana</i>            | live                | 2800     | MG                          | BE     |
|                         |    |                                  |                     | 750      | MG                          | DE     |

| CITES EEC<br>App. Annex |    | Taxon                      | Description         | Quantity  | Country of<br>Export Origin Import   |  |
|-------------------------|----|----------------------------|---------------------|---|--|--|
| II                      | C2 | <i>Agapornis cana</i>      | live                | 900<br>700  | MG<br>MG   | FR<br>NL   |
|                         | C2 | <i>Agapornis fischeri</i>  | live (captive bred) | 120<br>129<br>20<br>10<br>1<br>2<br>180<br>1305<br>live<br>2<br>40<br>1870<br>2098<br>1000<br>3002<br>2100<br>500<br>1300<br>2135<br>1450 | AU<br>CS<br>CS<br>DD<br>GI<br>HK<br>TW<br>TW<br>TW<br>OM<br>TW<br>TZ<br>TZ<br>TZ<br>TZ<br>TZ<br>TZ<br>TZ<br>TZ<br>TZ<br>TZ<br>PT<br>BE<br>DE<br>ES<br>GR<br>GB<br>PT<br>BE<br>DE<br>ES<br>FR<br>GB<br>GR<br>IT<br>NL<br>PT | GB<br>DE<br>FR<br>DE<br>GB<br>TW<br>ES<br>GR<br>GB<br>PT<br>BE<br>DE<br>ES<br>FR<br>GB<br>GR<br>IT<br>NL<br>PT |
|                         | C2 | <i>Agapornis lilianae</i>  | live (captive bred) | 60<br>109   | ZA<br>ZA   | BE<br>NL   |
|                         | C2 | <i>Agapornis personata</i> | live (captive bred) | 120<br>5<br>127<br>75<br>10<br>8<br>230<br>860<br>1   | AU<br>CH<br>CS<br>CS<br>DD<br>OM<br>TW<br>TW<br>US   | GB<br>FR<br>DE<br>FR<br>DE<br>GB<br>ES<br>GR<br>DE   |

| CITES EEC<br>App. Annex | Taxon                         | Description         | Quantity | Country of<br>Export Origin Import |       |
|-------------------------|-------------------------------|---------------------|----------|------------------------------------|-------|
| II                      | C2 <i>Agapornis personata</i> | live                | 2        | OM                                 | GB    |
| C2                      | <i>Agapornis pullaria</i>     | live                | 23       | GN                                 | DE    |
|                         |                               |                     | 78       | GN                                 | DK    |
|                         |                               |                     | 200      | GN                                 | GB    |
|                         |                               |                     | 500      | GN                                 | NL    |
|                         |                               |                     | 2        | SA                                 | XX DE |
|                         |                               |                     | 200      | SN                                 | GN DE |
|                         |                               |                     | 90       | SN                                 | GN DK |
|                         |                               |                     | 100      | SN                                 | GN FR |
|                         |                               |                     | 200      | SN                                 | GN GB |
|                         |                               |                     | 35       | SN                                 | GN IT |
| C2                      | <i>Agapornis roseicollis</i>  | live (captive bred) | 4        | AU                                 | DE    |
|                         |                               |                     | 500      | AU                                 | GB    |
|                         |                               |                     | 5        | BR                                 | DE    |
|                         |                               |                     | 28       | CH                                 | FR    |
|                         |                               |                     | 388      | CS                                 | DE    |
|                         |                               |                     | 185      | CS                                 | FR    |
|                         |                               |                     | 20       | DD                                 | DE    |
|                         |                               |                     | 1        | OM                                 | GB    |
|                         |                               |                     | 45       | TW                                 | ES    |
|                         |                               |                     | 100      | TW                                 | GR    |
|                         |                               |                     | 3        | US                                 | GB    |
|                         |                               |                     | 1        | ZA                                 | DE    |
|                         |                               | live                | 200      | CU                                 | ES    |
|                         |                               |                     | 1        | SE                                 | XX DK |
|                         |                               |                     | 30       | TW                                 | PT    |
|                         |                               |                     | 1        | US                                 | XX DE |
| C2                      | <i>Agapornis taranta</i>      | live (captive bred) | 6        | DD                                 | DE    |
| C2                      | <i>Alisterus amboinensis</i>  | live                | 197      | ID                                 | DE    |
|                         |                               |                     | 10       | ID                                 | DK    |
|                         |                               |                     | 2        | ID                                 | ES    |

| CITES EEC<br>App. Annex | Taxon | Description                   | Quantity            | Country of<br>Export Origin Import |       |       |
|-------------------------|-------|-------------------------------|---------------------|------------------------------------|-------|-------|
| II                      | C2    | <i>Alisterus amboinensis</i>  | live                | 6                                  | ID    | FR    |
|                         |       |                               |                     | 4                                  | ID    | IT    |
|                         |       |                               |                     | 13                                 | SG    | ID NL |
|                         |       |                               |                     | 2                                  | SG    | ID PT |
|                         | C2    | <i>Alisterus chloropterus</i> | live                | 201                                | ID    | DE    |
|                         |       |                               |                     | 20                                 | ID    | DK    |
|                         |       |                               |                     | 8                                  | ID    | FR    |
|                         |       |                               |                     | 4                                  | ID    | GB    |
|                         |       |                               |                     | 6                                  | SG    | ID NL |
|                         | C2    | <i>Amazona aestiva</i>        | live (captive bred) | 1                                  | BR    | ZA DE |
|                         |       |                               |                     | 1                                  | CA    | GB    |
|                         |       |                               |                     | 4                                  | GB    | IE    |
|                         |       |                               |                     | 1                                  | US    | DE    |
|                         |       |                               |                     | 1                                  | US    | GB    |
|                         |       | live                          | 6645                | AR                                 | DE    |       |
|                         |       |                               | 50                  | AR                                 | DK    |       |
|                         |       |                               | 300                 | AR                                 | ES    |       |
|                         |       |                               | 1696                | AR                                 | FR    |       |
|                         |       |                               | 1360                | AR                                 | GB    |       |
|                         |       |                               | 110                 | AR                                 | GR    |       |
|                         |       |                               | 543                 | AR                                 | IT    |       |
|                         |       |                               | 2024                | AR                                 | PT    |       |
|                         |       |                               | 2                   | AR                                 | XX IT |       |
|                         |       |                               | 1                   | BO                                 | DE    |       |
|                         |       |                               | 1                   | BR                                 | DE    |       |
|                         |       |                               | 1                   | BR                                 | XX DE |       |
|                         |       |                               | 2                   | CH                                 | XX FR |       |
|                         |       |                               | 1                   | EC                                 | ES    |       |
|                         |       |                               | 2                   | GL                                 | XX DK |       |
|                         |       |                               | 2                   | HK                                 | AR GB |       |
|                         |       |                               | 1                   | HK                                 | XX GB |       |
|                         |       |                               | 1                   | SA                                 | XX DE |       |
|                         |       |                               | 1                   | SA                                 | XX GB |       |

| CITES EEC<br>App. Annex | Taxon                     | Description         | Quantity | Country of<br>Export | Origin Import |
|-------------------------|---------------------------|---------------------|----------|----------------------|---------------|
| II                      | C2 <i>Amazona aestiva</i> | live                | 1        | SE                   | XX DK         |
|                         |                           |                     | 3        | US                   | XX DE         |
|                         |                           |                     | 1        | US                   | XX GB         |
| C2                      | <i>Amazona albifrons</i>  | live (captive bred) | 1        | US                   | GB            |
|                         |                           | live                | 40       | CR                   | BE            |
|                         |                           |                     | 430      | CR                   | DE            |
|                         |                           |                     | 25       | CR                   | GB            |
|                         |                           |                     | 350      | CR                   | NL            |
|                         |                           |                     | 25       | HN                   | BE            |
|                         |                           |                     | 267      | HN                   | DE            |
|                         |                           |                     | 90       | HN                   | DK            |
|                         |                           |                     | 472      | HN                   | GB            |
|                         |                           |                     | 28       | NI                   | DE            |
|                         |                           |                     | 2        | US                   | XX DE         |
| C2                      | <i>Amazona amazonica</i>  | live                | 1        | CA                   | XX DE         |
|                         |                           |                     | 80       | GY                   | BE            |
|                         |                           |                     | 1397     | GY                   | DE            |
|                         |                           |                     | 10       | GY                   | DK            |
|                         |                           |                     | 1767     | GY                   | GB            |
|                         |                           |                     | 80       | GY                   | IT            |
|                         |                           |                     | 150      | GY                   | NL            |
|                         |                           |                     | 150      | GY                   | PT            |
|                         |                           |                     | 154      | SR                   | BE            |
|                         |                           |                     | 478      | SR                   | NL            |
|                         |                           |                     | 1        | US                   | XX IT         |
|                         |                           |                     | 1        | VE                   | DE            |
| C2                      | <i>Amazona autumnalis</i> | live (captive bred) | 2        | DO                   | DE            |
|                         |                           |                     | 6        | GB                   | IE            |
|                         |                           | live                | 1        | EC                   | DE            |
|                         |                           |                     | 40       | HN                   | BE            |
|                         |                           |                     | 756      | HN                   | DE            |
|                         |                           |                     | 70       | HN                   | DK            |

| CITES EEC<br>App. Annex | Taxon                          | Description                 | Quantity   | Country of<br>Export Origin Import   |  |
|-------------------------|--------------------------------|-----------------------------|--|--|--|
| II                      | C2 <i>Amazona autumnalis</i>   | live                        | 250<br>135   | HN<br>NI   | GB<br>DE   |
|                         | C2 <i>Amazona dufresniana</i>  | live                        | 6<br>4   | GY<br>US   | GB<br>ES   |
|                         | C2 <i>Amazona farinosa</i>     | live                        | 251<br>9<br>226<br>10<br>35<br>6<br>1<br>2<br>13                               | GY<br>GY<br>GY<br>GY<br>NI<br>NI<br>NI<br>SR<br>SR                                     | DE<br>DK<br>GB<br>PT<br>BE<br>DE<br>ES<br>BE<br>NL                                     |
|                         | C2 <i>Amazona festiva</i>      | live                        | 85<br>10   | GY<br>GY   | DE<br>GB   |
|                         | C2 <i>Amazona ochrocephala</i> | live (captive bred)<br>live | 1<br>1<br>1<br>10<br>233<br>7<br>140<br>30<br>20<br>1<br>1<br>3<br>3<br>1<br>2 | US<br>CH<br>CH<br>GY<br>GY<br>GY<br>GY<br>GY<br>GY<br>HK<br>NI<br>SR<br>SR<br>US<br>US | DE<br>DE<br>FR<br>BE<br>DE<br>DK<br>GB<br>IT<br>NL<br>GB<br>ES<br>BE<br>NL<br>FR<br>ES |

| CITES EEC<br>App. Annex | Taxon   | Description                 | Quantity                                     | Country of<br>Export Origin Import           |  |                |
|-------------------------|---|-----------------------------|--|--|--|----------------|
| II                      | C2 <i>Amazona ochrocephala</i><br><i>europalliata</i> | live                        | 60<br>70                                     | NI   | BE   | DE             |
|                         | C2 <i>Amazona ochrocephala</i><br><i>oratrix</i>      | live                        | 18   | US   | MX   | GB             |
|                         | C2 <i>Amazona tucumana</i>                            | live (captive bred)<br>live | 4<br>428<br>83<br>289<br>665<br>150          | CH<br>AR<br>AR<br>AR<br>AR<br>AR             | IT<br>DE<br>DK<br>FR<br>GB<br>PT                   |                |
|                         | C2 <i>Amazona viridigenalis</i>                       | live (captive bred)         | 2  | US   | GB   |                |
|                         | C2 <i>Aprosmictus erythropterus</i>                   | live                        | 94<br>10                                     | BN<br>ID                                     | ID   | GB<br>FR       |
|                         | C2 <i>Aprosmictus jonquillaceus</i>                   | live                        | 15<br>5                                      | ID   | DE<br>DK   |                |
|                         | C2 <i>Ara</i> spp.                                    | live (captive bred)         | 2  | ZA   | FR   |                |
|                         | C2 <i>Ara ararauna</i>                                | live (captive bred)         | 1<br>2<br>2                                  | AE<br>BR<br>OM                               | XX   | DE<br>DE<br>GB |
|                         |   | live                        | 1<br>1<br>190<br>279<br>5<br>10<br>22<br>135 | EC<br>GB<br>GY<br>GY<br>GY<br>GY<br>SR<br>SR | ES<br>XX<br>IE<br>DE<br>GB<br>IT<br>PT<br>BE<br>NL |                |

| CITES EEC<br>App. Annex | Taxon                 | Description         | Quantity | Country of<br>Export | Origin Import |
|-------------------------|-----------------------|---------------------|----------|----------------------|---------------|
| II                      | C2 Ara chloroptera    | live (captive bred) | 2        | BR                   | DE            |
|                         |                       | live                | 2        | GB                   | XX IE         |
|                         |                       |                     | 147      | GY                   | DE            |
|                         |                       |                     | 285      | GY                   | GB            |
|                         |                       |                     | 20       | GY                   | IT            |
|                         |                       |                     | 10       | GY                   | PT            |
|                         |                       |                     | 1        | SA                   | XX GB         |
|                         |                       |                     | 1        | VE                   | XX IT         |
| C2                      | Ara manilata          | live                | 30       | GY                   | BE            |
|                         |                       |                     | 54       | GY                   | DE            |
|                         |                       |                     | 111      | GY                   | GB            |
|                         |                       |                     | 20       | GY                   | NL            |
|                         |                       |                     | 66       | SR                   | NL            |
| C2                      | Ara nobilis           | live                | 2        | CH                   | XX FR         |
|                         |                       |                     | 18       | GY                   | BE            |
|                         |                       |                     | 47       | GY                   | DE            |
|                         |                       |                     | 33       | GY                   | GB            |
|                         |                       |                     | 16       | GY                   | NL            |
|                         |                       |                     | 11       | SR                   | NL            |
| C2                      | Ara severa            | live (captive bred) | 4        | US                   | GB            |
|                         |                       | live                | 10       | SR                   | NL            |
| C2                      | Aratinga acuticaudata | live                | 408      | AR                   | DE            |
|                         |                       |                     | 120      | AR                   | FR            |
|                         |                       |                     | 450      | AR                   | GB            |
|                         |                       |                     | 123      | AR                   | PT            |
|                         |                       |                     | 50       | GY                   | IT            |
|                         |                       |                     | 1        | HK                   | XX GB         |
| C2                      | Aratinga aurea        | live                | 3        | SR                   | BE            |
|                         |                       |                     | 7        | SR                   | NL            |

| CITES EEC<br>App. Annex | Taxon                            | Description         | Quantity | Country of<br>Export Origin Import |
|-------------------------|----------------------------------|---------------------|----------|------------------------------------|
| II                      | C2 <i>Aratinga canicularis</i>   | live                | 40       | CR BE                              |
|                         |                                  |                     | 107      | CR DE                              |
|                         |                                  |                     | 30       | CR GB                              |
|                         |                                  |                     | 200      | CR NL                              |
|                         |                                  |                     | 20       | HN DE                              |
|                         |                                  |                     | 18       | HN GB                              |
|                         | C2 <i>Aratinga chloroptera</i>   | live (captive bred) | 3        | US ES                              |
|                         | C2 <i>Aratinga erythrogenys</i>  | live                | 330      | PE DE                              |
|                         |                                  |                     | 20       | PE DK                              |
|                         |                                  |                     | 561      | PE ES                              |
|                         |                                  |                     | 45       | PE NL                              |
|                         | C2 <i>Aratinga euops</i>         | live                | 1        | NO XX DE                           |
|                         | C2 <i>Aratinga finschi</i>       | live                | 160      | CR DE                              |
|                         |                                  |                     | 25       | CR GB                              |
|                         |                                  |                     | 45       | CR NL                              |
|                         | C2 <i>Aratinga holochlora</i>    | live (captive bred) | 2        | US ES                              |
|                         |                                  | live                | 10       | HN BE                              |
|                         |                                  |                     | 30       | HN DE                              |
|                         |                                  |                     | 9        | HN GB                              |
|                         | C2 <i>Aratinga leucophthalma</i> | live                | 193      | AR DE                              |
|                         |                                  |                     | 510      | AR GB                              |
|                         |                                  |                     | 46       | AR PT                              |
|                         |                                  |                     | 25       | SR BE                              |
|                         |                                  |                     | 104      | SR NL                              |
|                         | C2 <i>Aratinga mitrata</i>       | live (captive bred) | 3        | US IT                              |
|                         |                                  | live                | 466      | AR DE                              |
|                         |                                  |                     | 300      | AR ES                              |
|                         |                                  |                     | 196      | AR FR                              |

| CITES EEC<br>App. Annex | Taxon                          | Description         | Quantity | Country of<br>Export Origin Import |       |
|-------------------------|--------------------------------|---------------------|----------|------------------------------------|-------|
| II                      | C2 <i>Aratinga mitrata</i>     | live                | 300      | AR                                 | GB    |
|                         |                                |                     | 30       | AR                                 | GR    |
|                         |                                |                     | 251      | AR                                 | PT    |
|                         |                                |                     | 1        | CH                                 | XX DE |
|                         |                                |                     | 1        | HK                                 | XX GB |
|                         |                                |                     | 1        | US                                 | XX GB |
| C2                      | <i>Aratinga nana</i>           | live                | 40       | HN                                 | BE    |
| C2                      | <i>Aratinga nana astec</i>     | live                | 20       | HN                                 | DE    |
|                         |                                |                     | 56       | HN                                 | DK    |
| C2                      | <i>Aratinga pertinax</i>       | live (captive bred) | 2        | US                                 | ES    |
|                         |                                | live                | 110      | SR                                 | BE    |
|                         |                                |                     | 112      | SR                                 | NL    |
| C2                      | <i>Aratinga wagleri</i>        | live                | 1        | PE                                 | DE    |
|                         |                                |                     | 20       | PE                                 | DK    |
|                         |                                |                     | 200      | PE                                 | ES    |
| C2                      | <i>Bolborhynchus aurifrons</i> | live (captive bred) | 38       | CL                                 | NL    |
|                         |                                | live                | 20       | AR                                 | DE    |
|                         |                                |                     | 100      | CL                                 | DK    |
|                         |                                |                     | 70       | PE                                 | DK    |
|                         |                                |                     | 30       | PE                                 | NL    |
| C2                      | <i>Bolborhynchus aymara</i>    | live                | 475      | AR                                 | DE    |
|                         |                                |                     | 100      | AR                                 | GB    |
| C2                      | <i>Brotogeris chrysopterus</i> | live                | 3        | GY                                 | DE    |
|                         |                                |                     | 15       | GY                                 | GB    |
|                         |                                |                     | 59       | SR                                 | BE    |
|                         |                                |                     | 135      | SR                                 | NL    |
| C2                      | <i>Brotogeris cyanoptera</i>   | live                | 3        | EC                                 | DE    |

| CITES EEC<br>App. Annex |    | TAXON                          | DESCRIPTION                 | QUANTITY   | COUNTRY OF<br>EXPORT ORIGIN IMPORT                                   |  |    |
|-------------------------|----|--------------------------------|-----------------------------|--|--|--|----|
| II                      | C2 | <i>Brotogeris jugularis</i>    | live                        | 180<br>30<br>239<br>20<br>8                          | CR<br>CR<br>CR<br>HN<br>HN   | DE<br>GB<br>NL<br>DE<br>GB   |    |
|                         | C2 | <i>Brotogeris pyrrhopterus</i> | live                        | 1  | CH   | XX   | GB |
|                         | C2 | <i>Brotogeris versicolorus</i> | live (captive bred)<br>live | 3<br>493<br>365<br>106                               | US<br>AR<br>AR<br>AR   | GB<br>DE<br>GB<br>PT   |    |
|                         | C2 | <i>Cacatua alba</i>            | live (captive bred)<br>live | 6<br>10<br>1<br>12<br>40<br>400                      | ID<br>TW<br>BM<br>BN<br>ID<br>SG                                     | ES<br>FR<br>GB<br>GB<br>GB<br>ID<br>GB   |    |
|                         | C2 | <i>Cacatua galerita</i>        | live (captive bred)<br>live | 4<br>1<br>1<br>1<br>1<br>1<br>1<br>2<br>60<br>5<br>6 | AU<br>CS<br>OM<br>PH<br>US<br>US<br>US<br>AE<br>AU<br>ID<br>SA<br>US | DE<br>DE<br>GB<br>AU<br>GB<br>BE<br>GB<br>XX<br>GR<br>FR<br>XX<br>GB<br>ID<br>ES |    |
|                         | C2 | <i>Cacatua goffini</i>         | live (captive bred)<br>live | 6<br>60<br>40  | ID<br>ID<br>MY   | ES<br>FR<br>ID   |    |

| CITES EEC<br>App. Annex | Taxon                     | Description         | Quantity   | Country of<br>Export Origin Import   |          |  |
|-------------------------|---------------------------|---------------------|--|--|----------|--|
| II                      | C2 Cacatua goffini        | live                | 1<br>9   | SA<br>SG   | XX<br>ID | GB<br>FR   |
|                         | C2 Cacatua haematuropygia | live                | 148<br>64  | PH<br>PH   |          | DE<br>NL   |
|                         | C2 Cacatua leadbeateri    | live                | 5  | CH   | AU       | DE   |
|                         | C2 Cacatua moluccensis    | live (captive bred) | 6<br>10<br>1<br>1<br>1<br>40<br>1<br>1<br>2<br>150<br>50<br>1<br>2 | ID<br>TW<br>HK<br>HK<br>ID<br>ID<br>SA<br>SE<br>SG<br>SG<br>SG<br>SG<br>US<br>US |          | ES<br>FR<br>DE<br>GB<br>DE<br>GB<br>GB<br>DK<br>ID<br>DE<br>GB<br>IT<br>DE<br>XX<br>DE |
|                         | C2 Cacatua ophthalmica    | live (captive bred) | 10   | TW   |          | FR   |
|                         | C2 Cacatua sulphurea      | live (captive bred) | 1<br>2<br>1<br>1<br>1<br>live                                      | AE<br>ID<br>OM<br>US<br>US<br>BN<br>HK<br>HK<br>1307<br>20<br>27                 |          | GB<br>ES<br>GB<br>BE<br>GB<br>GB<br>ID<br>ID<br>XX<br>GB<br>DE<br>DK<br>ES             |

| CITES EEC<br>App. Annex | Taxon | Description                     | Quantity            | Country of<br>Export Origin Import |          |
|-------------------------|-------|---------------------------------|---------------------|------------------------------------|----------|
| II                      | C2    | <i>Cacatua sulphurea</i>        | live                | 692                                | ID FR    |
|                         |       |                                 | 570                 | ID                                 | GB       |
|                         |       |                                 | 65                  | ID                                 | GR       |
|                         |       |                                 | 279                 | ID                                 | IT       |
|                         |       |                                 | 40                  | MY ID                              | DE       |
|                         |       |                                 | 1                   | SA AU                              | GB       |
|                         |       |                                 | 54                  | SG                                 | PT       |
|                         |       |                                 | 60                  | SG                                 | ID DE    |
|                         |       |                                 | 10                  | SG                                 | ID ES    |
|                         |       |                                 | 29                  | SG                                 | ID FR    |
|                         |       |                                 | 100                 | SG                                 | ID GB    |
|                         |       |                                 | 37                  | SG                                 | ID IT    |
|                         |       |                                 | 357                 | SG                                 | ID NL    |
|                         |       |                                 | 20                  | SG                                 | ID PT    |
|                         |       |                                 | 40                  | SG                                 | XX FR    |
|                         |       |                                 | 1                   | SG                                 | XX IT    |
|                         |       |                                 | 20                  | SG                                 | XX PT    |
|                         | C2    | <i>Cacatua tenuirostris</i>     | live                | 1                                  | AU BE    |
|                         |       |                                 | 3                   | CH AU                              | DE       |
|                         | C2    | <i>Callocephalon fimbriatum</i> | live (captive bred) | 2                                  | AU DE    |
|                         |       |                                 | 1                   | US ES                              |          |
|                         | C2    | <i>Chalcopsitta atra</i>        | live                | 46                                 | BN ID GB |
|                         |       |                                 | 101                 | ID                                 | DE       |
|                         |       |                                 | 80                  | ID                                 | FR       |
|                         |       |                                 | 14                  | SG ID                              | DE       |
|                         |       |                                 | 6                   | SG ID                              | ES       |
|                         |       |                                 | 6                   | SG ID                              | FR       |
|                         |       |                                 | 33                  | SG ID                              | GB       |
|                         |       |                                 | 30                  | SG ID                              | NL       |
|                         | C2    | <i>Chalcopsitta duivenbodei</i> | live                | 80                                 | BN ID GB |
|                         |       |                                 | 30                  | ID                                 | DE       |

| CITES EEC<br>App. Annex | TAXON                              | Description | Quantity                                    | Country of<br>Export Origin                                     | Import                                       |
|-------------------------|------------------------------------|-------------|---|---|--|
| II                      | C2 <i>Chalcopsitta duivenbodei</i> | live        | 10<br>6<br>12<br>48<br>46                   | ID<br>ID<br>SG    ID<br>SG    ID<br>SG    ID                    | DK<br>GB<br>FR<br>GB<br>NL                   |
|                         | C2 <i>Chalcopsitta sintillata</i>  | live        | 16<br>40<br>50<br>40<br>10<br>145<br>10     | BN<br>ID<br>ID<br>ID<br>ID<br>SG    ID<br>SG    ID              | GB<br>DE<br>FR<br>GB<br>IT<br>GB<br>NL       |
|                         | C2 <i>Charmosyna josefinae</i>     | live        | 25  | SG  | ID    NL                                     |
|                         | C2 <i>Charmosyna papou</i>         | live        | 84<br>32<br>20<br>80<br>4<br>10<br>77<br>21 | ID<br>ID<br>ID<br>ID*<br>ID<br>SG    ID<br>SG    ID<br>SG    ID | DE<br>DK<br>FR<br>GB<br>IT<br>FR<br>GB<br>NL |
|                         | C2 <i>Charmosyna placentis</i>     | live        | 100<br>185<br>10<br>80<br>40<br>40          | BN<br>ID<br>ID<br>ID<br>ID<br>SG    ID                          | GB<br>DE<br>DK<br>FR<br>GB<br>NL             |
|                         | C2 <i>Charmosyna pulchella</i>     | live        | 100<br>220<br>60                            | BN<br>ID<br>ID  | GB<br>DE<br>FR                               |

| CITES EEC<br>App. Annex | TAXON | Description                   | Quantity            | Country of<br>Export Origin Import |          |
|-------------------------|-------|-------------------------------|---------------------|------------------------------------|----------|
| II                      | C2    | <i>Charmosyna pulchella</i>   | live                | 30                                 | ID GB    |
|                         |       |                               |                     | 10                                 | ID IT    |
|                         |       |                               |                     | 4                                  | SG ID FR |
|                         |       |                               |                     | 40                                 | SG ID NL |
|                         | C2    | <i>Charmosyna rubronotata</i> | live                | 81                                 | ID DE    |
|                         |       |                               |                     | 20                                 | ID DK    |
|                         |       |                               |                     | 20                                 | SG ID NL |
|                         |       |                               |                     | 10                                 | SG ID PT |
|                         | C2    | <i>Charmosyna wilhelminae</i> | live                | 26                                 | ID DE    |
|                         | C2    | <i>Coracopsis nigra</i>       | live                | 20                                 | MG BE    |
|                         |       |                               |                     | 30                                 | MG DE    |
|                         | C2    | <i>Coracopsis vasa</i>        | live                | 1                                  | BF MG FR |
|                         |       |                               |                     | 40                                 | MG BE    |
|                         |       |                               |                     | 20                                 | MG DE    |
|                         | C2    | <i>Cyanoliseus patagonus</i>  | live                | 50                                 | AR DE    |
|                         |       |                               |                     | 180                                | AR FR    |
|                         |       |                               |                     | 400                                | AR GB    |
|                         |       |                               |                     | 200                                | AR IT    |
|                         |       |                               |                     | 310                                | AR PT    |
|                         | C2    | <i>Deroptyus accipitrinus</i> | live                | 22                                 | GY DE    |
|                         |       |                               |                     | 42                                 | GY GB    |
|                         |       |                               |                     | 6                                  | SR BE    |
|                         |       |                               |                     | 18                                 | SR NL    |
|                         |       |                               |                     | 2                                  | US GY ES |
|                         | C2    | <i>Eclectus roratus</i>       | live (captive bred) | 2                                  | CH DE    |
|                         |       |                               | live                | 10                                 | CH XX DE |
|                         |       |                               |                     | 4                                  | SA XX GB |
|                         |       |                               |                     | 2                                  | SG ID DE |

| CITES EEC<br>App. Annex |    | TAXON                             | Description         | Quantity | Country of<br>Export Origin Import |       |
|-------------------------|----|-----------------------------------|---------------------|----------|------------------------------------|-------|
| II                      | C2 | <i>Eclectus roratus</i>           | skin/leather items  | 2        | PG                                 | NL    |
|                         | C2 | <i>Enicognathus ferrugineus</i>   | live                | 37       | CL                                 | DK    |
|                         |    |                                   |                     | 25       | CL                                 | NL    |
|                         | C2 | <i>Enicognathus leptorhynchus</i> | live                | 7        | CL                                 | DK    |
|                         |    |                                   |                     | 100      | CL                                 | ES    |
|                         |    |                                   |                     | 131      | CL                                 | NL    |
|                         | C2 | <i>Eolophus roseicapillus</i>     | live (captive bred) | 3        | AU                                 | DE    |
|                         |    |                                   |                     | 1        | AU                                 | GB    |
|                         |    |                                   | live                | 2        | AU                                 | GR    |
|                         | C2 | <i>Eos bornea</i>                 | live (captive bred) | 20       | ID                                 | ES    |
|                         |    |                                   | live                | 2        | CH                                 | XX FR |
|                         |    |                                   |                     | 80       | ID                                 | DE    |
|                         |    |                                   |                     | 215      | ID                                 | FR    |
|                         |    |                                   |                     | 100      | ID                                 | GR    |
|                         |    |                                   |                     | 110      | ID                                 | IT    |
|                         |    |                                   |                     | 1        | QA                                 | XX GB |
|                         |    |                                   |                     | 10       | SG                                 | PT    |
|                         |    |                                   |                     | 80       | SG                                 | ID ES |
|                         |    |                                   |                     | 15       | SG                                 | ID FR |
|                         |    |                                   |                     | 100      | SG                                 | ID GB |
|                         |    |                                   |                     | 40       | SG                                 | ID NL |
|                         |    |                                   |                     | 60       | SG                                 | PT    |
|                         | C2 | <i>Eos cyanogenia</i>             | live                | 88       | BN                                 | ID GB |
|                         |    |                                   |                     | 77       | ID                                 | DE    |
|                         |    |                                   |                     | 10       | SG                                 | PT    |
|                         | C2 | <i>Eos reticulata</i>             | live                | 50       | ID                                 | GB    |
|                         | C2 | <i>Eos squamata</i>               | live                | 60       | ID                                 | FR    |

| CITES EEC<br>App. Annex |    | Taxon                         | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----|-------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Eos squamata</i>           | live                | 10       | ID                                 | IT |    |
|                         |    |                               |                     | 10       | SG                                 | PT |    |
|                         |    |                               |                     | 260      | SG                                 | ID | GB |
|                         |    |                               |                     | 16       | SG                                 | ID | PT |
|                         | C2 | <i>Eunymphicus cornutus</i>   | live (captive bred) | 2        | CH                                 | ES |    |
|                         |    |                               | live                | 8        | NC                                 | FR |    |
|                         | C2 | <i>Forpus coelestis</i>       | live                | 1        | US                                 | XX | DE |
|                         | C2 | <i>Forpus passerinus</i>      | live                | 8        | GY                                 | DK |    |
|                         |    |                               |                     | 38       | GY                                 | GB |    |
|                         |    |                               |                     | 47       | SR                                 | BE |    |
|                         |    |                               |                     | 660      | SR                                 | NL |    |
|                         | C2 | <i>Forpus xanthopterygius</i> | live                | 30       | AR                                 | DE |    |
|                         |    |                               |                     | 44       | AR                                 | DK |    |
|                         |    |                               |                     | 87       | AR                                 | IT |    |
|                         | C2 | <i>Geoffroyus simplex</i>     | live                | 1        | US                                 | ES |    |
|                         | C2 | <i>Loriculus galgulus</i>     | live                | 20       | ID                                 | FR |    |
|                         |    |                               |                     | 39       | ID                                 | GB |    |
|                         |    |                               |                     | 230      | MY                                 | DE |    |
|                         |    |                               |                     | 200      | MY                                 | DK |    |
|                         |    |                               |                     | 100      | MY                                 | FR |    |
|                         |    |                               |                     | 100      | MY                                 | NL |    |
|                         |    |                               |                     | 140      | SG                                 | MY | NL |
|                         | C2 | <i>Loriculus philippensis</i> | live                | 60       | PH                                 | DE |    |
|                         |    |                               |                     | 58       | PH                                 | DK |    |
|                         |    |                               |                     | 150      | PH                                 | NL |    |
|                         | C2 | <i>Loriculus stigmatus</i>    | live                | 20       | ID                                 | DE |    |
|                         |    |                               |                     | 18       | ID                                 | DK |    |

| CITES EEC<br>App. Annex |    | Taxon                      | Description         | Quantity                                       | Country of<br>Export Origin Import     |  |          |
|-------------------------|----|----------------------------|---------------------|--|--|--|----------|
| II                      | C2 | <i>Loriculus stigmatus</i> | live                | 6<br>26  | SG<br>SG                               | ID<br>ID                               | ES<br>NL |
|                         | C2 | <i>Lorius amabilis</i>     | live                | 10   |  | SG                                     | ID PT    |
|                         | C2 | <i>Lorius domicellus</i>   | live (captive bred) | 2  |  | US                                     | ES       |
|                         | C2 | <i>Lorius garrulus</i>     | live (captive bred) | 15   |  | ID                                     | ES       |
|                         |    |                            | live                | 25   |  | ID                                     | DE       |
|                         |    |                            |                     | 10   |  | ID                                     | ES       |
|                         |    |                            |                     | 510  |  | ID                                     | GB       |
|                         |    |                            |                     | 3  |  | SA XX                                  | DE       |
|                         |    |                            |                     | 5  |  | SG ID                                  | FR       |
|                         |    |                            |                     | 100  |  | SG ID                                  | GB       |
|                         | C2 | <i>Myiopsitta monachus</i> | live                | 418<br>250<br>900<br>300<br>160<br>4845<br>300 | AR<br>AR<br>AR<br>AR<br>AR<br>UY<br>UY | DE<br>FR<br>GB<br>IT<br>PT<br>ES<br>NL |          |
|                         | C2 | <i>Nandayus nenday</i>     | live                | 304<br>200<br>550<br>260<br>70                 | AR<br>AR<br>AR<br>AR<br>AR             | DE<br>FR<br>GB<br>IT<br>PT             |          |
|                         | C2 | <i>Neophema bourkii</i>    | live (captive bred) | 15   | CS                                     | DE                                     |          |
|                         | C2 | <i>Neophema pulchella</i>  | live (captive bred) | 1<br>8<br>5                                    | CH<br>CS<br>CS                         | FR<br>DE<br>FR                         |          |

| CITES EEC<br>App. Annex |    | Taxon   | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----|---|---------------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Neophema splendida</i>                     | live (captive bred) | 1        |                                    | CH | FR |
|                         | C2 | <i>Neopsittacus</i><br><i>musschenbroekii</i> | live                | 10       | ID                                 |    |    |
|                         |    |   |                     | 12       | SG                                 | ID | NL |
|                         | C2 | <i>Neopsittacus pullicauda</i>                | live                | 10       | ID                                 |    | DE |
|                         | C2 | <i>Nestor notabilis</i>                       | live (captive bred) | 2        | AT                                 |    | DE |
|                         | C2 | <i>Oropsitta diophthalma</i>                  | live                | 20       | BN                                 | ID | GB |
|                         |    |   |                     | 217      | ID                                 |    | DE |
|                         |    |   |                     | 40       | ID                                 |    | FR |
|                         |    |   |                     | 10       | ID                                 |    | IT |
|                         |    |   |                     | 21       | SG                                 | ID | NL |
|                         | C2 | <i>Oropsitta gulielmitertii</i>               | live                | 15       | ID                                 |    | DE |
|                         | C2 | <i>Pionites melanocephala</i>                 | live                | 37       | GY                                 |    | DE |
|                         |    |   |                     | 101      | GY                                 |    | GB |
|                         |    |   |                     | 10       | GY                                 |    | IT |
|                         |    |   |                     | 29       | SR                                 |    | BE |
|                         |    |   |                     | 94       | SR                                 |    | NL |
|                         | C2 | <i>Pionopsitta haematotis</i>                 | live                | 6        | HN                                 |    | BE |
|                         | C2 | <i>Pionus fuscus</i>                          | live                | 19       | GY                                 |    | DE |
|                         |    |   |                     | 8        | GY                                 |    | DK |
|                         |    |   |                     | 21       | GY                                 |    | GB |
|                         |    |   |                     | 11       | SR                                 |    | BE |
|                         | C2 | <i>Pionus maximiliani</i>                     | live                | 523      | AR                                 |    | DE |
|                         |    |   |                     | 41       | AR                                 |    | FR |
|                         |    |   |                     | 765      | AR                                 |    | GB |
|                         |    |   |                     | 43       | AR                                 |    | PT |

| CITES EEC<br>App. Annex | Taxon                               | Description         | Quantity | Country of<br>Export Origin | Import |
|-------------------------|-------------------------------------|---------------------|----------|-----------------------------|--------|
| II                      | C2 <i>Pionus menstruus</i>          | live                | 101      | GY                          | DE     |
|                         |                                     |                     | 5        | GY                          | DK     |
|                         |                                     |                     | 95       | GY                          | GB     |
|                         |                                     |                     | 20       | SR                          | BE     |
|                         |                                     |                     | 75       | SR                          | NL     |
|                         | C2 <i>Pionus senilis</i>            | live                | 40       | CR                          | NL     |
|                         |                                     |                     | 40       | NI                          | BE     |
|                         |                                     |                     | 5        | NI                          | DE     |
|                         | C2 <i>Platycercus adscitus</i>      | live (captive bred) | 2        | AU                          | DE     |
|                         |                                     |                     | 80       | CS                          | DE     |
|                         |                                     |                     | 50       | CS                          | FR     |
|                         | C2 <i>Platycercus elegans</i>       | live (captive bred) | 43       | CS                          | DE     |
|                         |                                     |                     | 55       | CS                          | FR     |
|                         |                                     | live                | 10       | CS                          | DE     |
|                         |                                     |                     | 1        | HU                          | XX     |
|                         | C2 <i>Platycercus eximius</i>       | live (captive bred) | 187      | CS                          | DE     |
|                         |                                     |                     | 110      | CS                          | FR     |
|                         |                                     |                     | 1        | DD                          | DE     |
|                         |                                     | live                | 60       | CS                          | DE     |
|                         | C2 <i>Platycercus icterotis</i>     | live (captive bred) | 5        | CS                          | DE     |
|                         |                                     |                     | 15       | CS                          | FR     |
|                         |                                     | live                | 2        | CH                          | XX     |
|                         | C2 <i>Poicephalus cryptoxanthus</i> | live                | 80       | TZ                          | DE     |
|                         |                                     |                     | 40       | TZ                          | DK     |
|                         |                                     |                     | 20       | TZ                          | GB     |
|                         |                                     |                     | 100      | TZ                          | IT     |
|                         |                                     |                     | 350      | TZ                          | NL     |
|                         |                                     |                     | 65       | TZ                          | PT     |

| CITES EEC<br>App. Annex | TAXON                      | Description         | Quantity   | Country of<br>Export Origin Import   |  |
|-------------------------|----------------------------|---------------------|--|--|--|
| II                      | C2 Poicephalus gulielmi    | live                | 1<br>50<br>100<br>100<br>20<br>170   | CM<br>CM<br>TZ<br>TZ<br>TZ<br>TZ   | DE<br>GB<br>DK<br>FR<br>IT<br>NL   |
|                         | C2 Poicephalus meyeri      | live                | 274<br>40<br>173<br>230<br>590<br>135  | TZ<br>TZ<br>TZ<br>TZ<br>TZ<br>TZ   | DE<br>DK<br>FR<br>GB<br>NL<br>PT   |
|                         | C2 Poicephalus robustus    | live (captive bred) | 4  | ZA   | FR   |
|                         | C2 Poicephalus rufiventris | live                | 60<br>1<br>10  | TZ<br>TZ<br>TZ   | DK<br>ES<br>GB   |
|                         | C2 Poicephalus senegalus   | live                | 2<br>2<br>30<br>75<br>1<br>300<br>4713<br>280<br>1110<br>3650<br>1810<br>104<br>1335 | BF<br>CH<br>GN<br>GN<br>ML<br>ML<br>SN<br>SN<br>SN<br>SN<br>SN<br>SN<br>SN | ML<br>XX<br>FR<br>ES<br>NL<br>DE<br>FR<br>DE<br>DK<br>ES<br>FR<br>GB<br>IT<br>PT |
|                         | C2 Prioniturus discurus    | live                | 15   | PH   | DE   |

| CITES EEC<br>App. Annex | Taxon                            | Description         | Quantity | Country of<br>Export Origin Import |       |
|-------------------------|----------------------------------|---------------------|----------|------------------------------------|-------|
| II                      | C2 <i>Prioniturus discurus</i>   | live                | 2        | PH                                 | DK    |
|                         | C2 <i>Prosopeia tabuensis</i>    | live (captive bred) | 1        | CH                                 | ES    |
|                         | C2 <i>Psephotus haematonotus</i> | live (captive bred) | 1        | CH                                 | ES    |
|                         | C2 <i>Psephotus haematonotus</i> | live (captive bred) | 40       | CS                                 | DE    |
|                         |                                  |                     | 10       | CS                                 | FR    |
|                         | C2 <i>Pseudeos fuscata</i>       | live (captive bred) | 10       | ID                                 | ES    |
|                         |                                  | live                | 50       | BN                                 | ID GB |
|                         |                                  |                     | 10       | ID                                 | DE    |
|                         |                                  |                     | 120      | ID                                 | FR    |
|                         |                                  |                     | 40       | ID                                 | GB    |
|                         |                                  |                     | 160      | ID                                 | IT    |
|                         |                                  |                     | 40       | SG                                 | ID ES |
|                         |                                  |                     | 10       | SG                                 | ID FR |
|                         |                                  |                     | 220      | SG                                 | ID GB |
|                         |                                  |                     | 40       | SG                                 | ID IT |
|                         |                                  |                     | 14       | SG                                 | ID NL |
|                         |                                  |                     | 10       | SG                                 | ID PT |
|                         | C2 <i>Psittacula alexandri</i>   | live                | 30       | ID                                 | DK    |
|                         |                                  |                     | 20       | ID                                 | FR    |
|                         |                                  |                     | 200      | IN                                 | BE    |
|                         |                                  |                     | 54       | IN                                 | DK    |
|                         |                                  |                     | 103      | IN                                 | FR    |
|                         |                                  |                     | 50       | IN                                 | GB    |
|                         |                                  |                     | 40       | IN                                 | GR    |
|                         |                                  |                     | 15       | IN                                 | IT    |
|                         |                                  |                     | 200      | IN                                 | NL    |
|                         |                                  |                     | 40       | SG                                 | ID PT |
|                         |                                  |                     | 240      | TH                                 | DE    |
|                         |                                  |                     | 44       | TH                                 | PT    |
|                         |                                  |                     | 88       | TZ                                 | FR    |

| CITES EEC<br>App. Annex | Taxon                          | Description         | Quantity | Country of<br>Export Origin Import |       |
|-------------------------|--------------------------------|---------------------|----------|------------------------------------|-------|
| II                      | C2 <i>Psittacula alexandri</i> | live                | 500      | VN                                 | IT    |
| C2                      | <i>Psittacula calthorae</i>    | live                | 4        | LK                                 | ES    |
| C2                      | <i>Psittacula cyanocephala</i> | live (captive bred) | 8        | IN                                 | GB    |
|                         |                                | live                | 2        | CH                                 | XX FR |
|                         |                                |                     | 100      | IN                                 | BE    |
|                         |                                |                     | 300      | IN                                 | DE    |
|                         |                                |                     | 53       | IN                                 | DK    |
|                         |                                |                     | 343      | IN                                 | FR    |
|                         |                                |                     | 50       | IN                                 | GB    |
|                         |                                |                     | 300      | IN                                 | GR    |
|                         |                                |                     | 222      | IN                                 | IT    |
|                         |                                |                     | 627      | IN                                 | NL    |
|                         |                                |                     | 50       | IN                                 | PT    |
| C2                      | <i>Psittacula eupatria</i>     | live                | 138      | IN                                 | BE    |
|                         |                                |                     | 380      | IN                                 | DE    |
|                         |                                |                     | 60       | IN                                 | DK    |
|                         |                                |                     | 178      | IN                                 | FR    |
|                         |                                |                     | 50       | IN                                 | GB    |
|                         |                                |                     | 45       | IN                                 | GR    |
|                         |                                |                     | 71       | IN                                 | IT    |
|                         |                                |                     | 161      | IN                                 | NL    |
|                         |                                |                     | 2        | IN                                 | XX IT |
|                         |                                |                     | 1        | PK                                 | DE    |
|                         |                                |                     | 1        | SA                                 | IN GB |
|                         |                                |                     | 2        | SA                                 | XX GB |
| C2                      | <i>Psittacula himalayana</i>   | live (captive bred) | 1        | US                                 | GB    |
|                         |                                | live                | 120      | TH                                 | DE    |
| C2                      | <i>Psittacula longicauda</i>   | live                | 10       | SG                                 | ID FR |
|                         |                                |                     | 18       | SG                                 | MY ES |
|                         |                                |                     | 95       | SG                                 | MY NL |

| CITES EEC<br>App. Annex |    | TAXON                                    | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----|--|---------------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Psittacula longicauda</i>             | live                | 100      | SG                                 | MY | PT |
|                         | C2 | <i>Psittacula roseata</i>                | live                | 60       | TH                                 | DE |    |
|                         |    |  |                     | 500      | VN                                 | IT |    |
|                         | C2 | <i>Psittaculirostris<br/>desmarestii</i> | live                | 10       | ID                                 |    | IT |
|                         | C2 | <i>Psittaculirostris<br/>edwardsii</i>   | live                | 10       | ID                                 |    | IT |
|                         | C2 | <i>Psittacus erithacus</i>               | live (captive bred) | 1        | CA                                 | GB |    |
|                         |    |  |                     | 1        | CH                                 | DE |    |
|                         |    |  |                     | 1        | EG                                 | DE |    |
|                         |    |  |                     | 1        | NA                                 | DE |    |
|                         |    |  |                     | 1        | SA                                 | GB |    |
|                         |    |  |                     | 100      | SN                                 | ES |    |
|                         |    |  |                     | 1        | US                                 | DE |    |
|                         |    |  |                     | 2        | US                                 | GB |    |
|                         |    |  |                     | 2        | US                                 | IT |    |
|                         |    |  | live                | 1        | AE                                 | XX | DE |
|                         |    |  |                     | 2        | AO                                 | GB |    |
|                         |    |  |                     | 1        | AO                                 | IT |    |
|                         |    |  |                     | 5        | BF                                 | GA | FR |
|                         |    |  |                     | 1        | BI                                 | FR |    |
|                         |    |  |                     | 160      | BN                                 | CM | GB |
|                         |    |  |                     | 462      | CF                                 |    | FR |
|                         |    |  |                     | 1        | CH                                 | CM | DE |
|                         |    |  |                     | 1        | CH                                 | XX | DE |
|                         |    |  |                     | 1        | CH                                 | XX | FR |
|                         |    |  |                     | 1        | CI                                 |    | FR |
|                         |    |  |                     | 1        | CI                                 |    | IT |
|                         |    |  |                     | 1        | CI                                 | XX | IT |
|                         |    |  |                     | 2587     | CM                                 |    | BE |
|                         |    |  |                     | 2354     | CM                                 |    | DE |

| CITES EEC<br>App. Annex | TAXON                      | Description | Quantity | Country of<br>Export Origin Import |
|-------------------------|----------------------------|-------------|----------|------------------------------------|
| II C2                   | <i>Psittacus erithacus</i> | live        | 3        | CM DK                              |
|                         |                            |             | 1350     | CM FR                              |
|                         |                            |             | 250      | CM GB                              |
|                         |                            |             | 200      | CM IT                              |
|                         |                            |             | 1000     | CM NL                              |
|                         |                            |             | 150      | CM PT                              |
|                         |                            |             | 2        | CM XX IT                           |
|                         |                            |             | 1        | CN XX DE                           |
|                         |                            |             | 1        | CY XX DE                           |
|                         |                            |             | 1        | CY XX GB                           |
|                         |                            |             | 1        | FI NG PT                           |
|                         |                            |             | 1        | GA FR                              |
|                         |                            |             | 4        | GB XX IE                           |
|                         |                            |             | 4        | GH DE                              |
|                         |                            |             | 1        | GH GB                              |
|                         |                            |             | 4        | GH IT                              |
|                         |                            |             | 466      | GN DE                              |
|                         |                            |             | 50       | GN DK                              |
|                         |                            |             | 92       | GN ES                              |
|                         |                            |             | 450      | GN GB                              |
|                         |                            |             | 303      | GN NL                              |
|                         |                            |             | 30       | GN PT                              |
|                         |                            |             | 1        | HK XX GB                           |
|                         |                            |             | 1        | ID NG DE                           |
|                         |                            |             | 2        | IN NG GB                           |
|                         |                            |             | 1        | KE DE                              |
|                         |                            |             | 1270     | LR DE                              |
|                         |                            |             | 1        | LR DK                              |
|                         |                            |             | 650      | LR GB                              |
|                         |                            |             | 300      | LR IT                              |
|                         |                            |             | 2        | LY XX DE                           |
|                         |                            |             | 150      | ML GN FR                           |
|                         |                            |             | 1        | MX XX GB                           |
|                         |                            |             | 1        | NA XX DE                           |
|                         |                            |             | 7        | NG DE                              |

| CITES EEC<br>App. Annex | TAXON | Description                | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|-------|----------------------------|----------|------------------------------------|----|----|
| II                      | C2    | <i>Psittacus erithacus</i> | live     | 2                                  | NG | GB |
|                         |       |                            | 1        | NG                                 | XX | DE |
|                         |       |                            | 1        | SA                                 |    | GB |
|                         |       |                            | 3        | SA                                 | XX | DE |
|                         |       |                            | 1        | SA                                 | XX | GB |
|                         |       |                            | 1        | SG                                 | XX | NL |
|                         |       |                            | 1        | SL                                 | GH | GB |
|                         |       |                            | 60       | SN                                 |    | DK |
|                         |       |                            | 351      | SN                                 |    | ES |
|                         |       |                            | 101      | SN                                 |    | IT |
|                         |       |                            | 88       | SN                                 |    | PT |
|                         |       |                            | 3670     | SN                                 | GN | DE |
|                         |       |                            | 287      | SN                                 | GN | ES |
|                         |       |                            | 2455     | SN                                 | GN | FR |
|                         |       |                            | 2550     | SN                                 | GN | GB |
|                         |       |                            | 260      | SN                                 | GN | IT |
|                         |       |                            | 214      | SN                                 | GN | PT |
|                         |       |                            | 2        | TG                                 |    | DE |
|                         |       |                            | 1        | TG                                 |    | IT |
|                         |       |                            | 100      | TG                                 | CF | FR |
|                         |       |                            | 75       | TG                                 | GN | FR |
|                         |       |                            | 2        | UG                                 |    | GB |
|                         |       |                            | 1        | US                                 | GH | GB |
|                         |       |                            | 1        | US                                 | TG | FR |
|                         |       |                            | 1        | US                                 | XX | DE |
|                         |       |                            | 1        | US                                 | XX | GB |
|                         |       |                            | 2        | ZA                                 | XX | DE |
|                         |       |                            | 1        | ZA                                 | XX | GB |
|                         |       |                            | 5        | ZM                                 |    | GB |
|                         |       |                            | 1        | ZM                                 | XX | GB |
|                         |       |                            | 3        | ZR                                 |    | BE |
|                         |       |                            | 3        | ZR                                 |    | DE |
|                         |       |                            | 7        | ZR                                 |    | GB |
|                         |       |                            | 3        | ZR                                 |    | IT |
|                         |       |                            | 4        | ZR                                 |    | PT |

| CITES EEC<br>App. Annex |    | Taxon                                | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----|--------------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Psittacus erithacus</i>           | live                | 2        | ZR                                 | XX | IT |
|                         | C2 | <i>Psittacus erithacus</i><br>timneh | live                | 100      | GN                                 | BE |    |
|                         |    |                                      |                     | 325      | GN                                 | NL |    |
|                         |    |                                      |                     | 200      | LR                                 | BE |    |
|                         |    |                                      |                     | 410      | LR                                 | DE |    |
|                         |    |                                      |                     | 390      | LR                                 | NL |    |
|                         |    |                                      |                     | 100      | ML                                 | LR | BE |
|                         |    |                                      |                     | 100      | SN                                 | GN | DE |
|                         |    |                                      |                     | 25       | SN                                 | GN | FR |
|                         |    |                                      |                     | 200      | SN                                 | GN | GB |
|                         | C2 | <i>Psittinus cyanurus</i>            | live                | 18       | MY                                 | DK |    |
|                         |    |                                      |                     | 59       | SG                                 | MY | NL |
|                         |    |                                      |                     | 35       | SG                                 | MY | PT |
|                         | C2 | <i>Pyrrhura frontalis</i>            | live (captive bred) | 200      | AR                                 | GB |    |
|                         |    |                                      | live                | 218      | AR                                 | DE |    |
|                         |    |                                      |                     | 166      | AR                                 | FR |    |
|                         |    |                                      |                     | 300      | AR                                 | GB |    |
|                         |    |                                      |                     | 43       | AR                                 | PT |    |
|                         | C2 | <i>Pyrrhura leucotis</i>             | live (captive bred) | 2        | CH                                 | DE |    |
|                         | C2 | <i>Pyrrhura molinae</i>              | live                | 70       | AR                                 | DE |    |
|                         |    |                                      |                     | 15       | AR                                 | PT |    |
|                         | C2 | <i>Pyrrhura picta</i>                | live                | 20       | SR                                 | BE |    |
|                         |    |                                      |                     | 50       | SR                                 | NL |    |
|                         | C2 | <i>Pyrrhura rhodogaster</i>          | live (captive bred) | 2        | CH                                 | DE |    |
|                         | C2 | <i>Tanygnathus lucionensis</i>       | live                | 85       | PH                                 | DE |    |
|                         |    |                                      |                     | 20       | PH                                 | DK |    |

| CITES EEC<br>App. Annex | Taxon | Description                                 | Quantity            | Country of<br>Export Origin Import |    |       |
|-------------------------|-------|---|---------------------|------------------------------------|----|-------|
| II                      | C2    | <i>Tanygnathus megalorynchos</i>            | live                | 38                                 | ID | DE    |
|                         |       |   |                     | 10                                 | ID | DK    |
|                         |       |   |                     | 40                                 | ID | GB    |
|                         |       |   |                     | 2                                  | ID | IT    |
|                         |       |   |                     | 14                                 | SG | ID NL |
|                         |       |   |                     | 10                                 | SG | ID PT |
|                         |       |   |                     | 6                                  | US | ID ES |
|                         | C2    | <i>Tanygnathus sumatranus</i>               | live                | 6                                  | PH | DK    |
|                         | C2    | <i>Touit huetii</i>                         | live (captive bred) | 2                                  | US | ES    |
|                         | C2    | <i>Trichoglossus euteles</i>                | live                | 15                                 | SG | ID NL |
|                         | C2    | <i>Trichoglossus</i><br><i>flavoviridis</i> | live                | 48                                 | ID | DE    |
|                         |       |   |                     | 10                                 | SG | ID NL |
|                         | C2    | <i>Trichoglossus goldiei</i>                | live                | 5                                  | SG | FR    |
|                         |       |   |                     | 60                                 | SG | ID GB |
|                         | C2    | <i>Trichoglossus haematodus</i>             | live (captive bred) | 3                                  | CH | XX FR |
|                         |       |   |                     | 30                                 | ID | ES    |
|                         |       |   |                     | 10                                 | NC | FR    |
|                         |       |   |                     | 1                                  | US | ES    |
|                         |       | live  |                     | 1                                  | BF | NC FR |
|                         |       |   |                     | 90                                 | ID | DE    |
|                         |       |   |                     | 20                                 | ID | FR    |
|                         |       |   |                     | 65                                 | ID | GB    |
|                         |       |   |                     | 6                                  | MY | ID DE |
|                         |       |   |                     | 10                                 | SG | PT    |
|                         |       |   |                     | 4                                  | SG | ID FR |
|                         |       |   |                     | 190                                | SG | ID GB |
|                         |       |   |                     | 40                                 | SG | ID PT |
|                         |       |   |                     | 2                                  | US | ID ES |

| CITES EEC<br>App. Annex |    | TAXON                     | Description         | Quantity | Country of<br>Export Origin Import |        |       |
|-------------------------|----|---------------------------|---------------------|----------|------------------------------------|--------|-------|
| II                      | C2 | <i>Trichoglossus iris</i> | live (captive bred) | 2        |                                    | US     | ES    |
|                         |    |                           | live                | 2        |                                    | ID     | DE    |
|                         |    |                           |                     | 6        |                                    | SG     | ID ES |
|                         |    |                           |                     | 16       |                                    | SG     | ID NL |
| C1                      | C1 | <i>Tyto alba</i>          | bodies              | 1        |                                    | TR     | XX IT |
|                         |    |                           | live (captive bred) | 4        |                                    | AT     | DE    |
|                         |    |                           |                     | 26       |                                    | CH     | DE    |
|                         |    |                           |                     | 6        |                                    | ZA     | GB    |
| C1                      | C1 | <i>Aegolius funereus</i>  | live (captive bred) | 1        |                                    | CH     | DE    |
|                         |    |                           |                     | 3        |                                    | CH     | IT    |
| C1                      | C1 | <i>Asio otus</i>          | live (captive bred) | 3        |                                    | DD     | GB    |
| C1                      | C1 | <i>Athene noctua</i>      | live (captive bred) | 4        |                                    | AT     | DE    |
|                         |    |                           |                     | 4        |                                    | IL     | GB    |
| C1                      | C1 | <i>Bubo africanus</i>     | live (captive bred) | 2        |                                    | YU     | BE    |
|                         |    |                           |                     | 10       |                                    | ZA     | GB    |
|                         |    |                           |                     | 15       |                                    | ZA     | IT    |
| C1                      | C1 | <i>Bubo bubo</i>          | live (captive bred) | 2        |                                    | AT     | DE    |
|                         |    |                           |                     | 6        |                                    | FI     | DE    |
|                         |    |                           |                     | 8        |                                    | IL     | GB    |
|                         |    |                           |                     | 4        |                                    | PL     | IT    |
|                         |    |                           | live                | 1        |                                    | CH     | FR    |
|                         |    |                           |                     | 10       |                                    | FI     | DE    |
| C1                      | C1 | <i>Bubo lacteus</i>       | live (captive bred) | 6        |                                    | DD     | DE    |
| C1                      | C1 | <i>Bubo virginianus</i>   | live (captive bred) | 2        |                                    | AT     | IT    |
| C1                      | C1 | <i>Ciccaba woodfordii</i> | live (captive bred) | 1        |                                    | Jersey | GB    |
|                         |    |                           | live                | 2        |                                    | Jersey | SL GB |

| CITES EEC<br>App. Annex |    | TAXON                          | Description         | Quantity | Country of<br>Export Origin Import |       |
|-------------------------|----|--------------------------------|---------------------|----------|------------------------------------|-------|
| II                      | C1 | <i>Ketupa ketupu</i>           | live                | 2        | SG                                 | GB    |
|                         | C1 | <i>Nyctea scandiaca</i>        | live (captive bred) | 12       | DD                                 | GB    |
|                         |    |                                |                     | 2        | FI                                 | GB    |
|                         |    |                                |                     | 5        | SE                                 | GB    |
|                         |    |                                | live                | 2        | AT                                 | TZ IT |
|                         | C1 | <i>Otus scops</i>              | live (captive bred) | 1        | CH                                 | IT    |
|                         |    | live                           |                     | 2        | SG                                 | GB    |
|                         | C1 | <i>Pulsatrix perspicillata</i> | live (captive bred) | 2        | DD                                 | DE    |
|                         | C1 | <i>Strix aluco</i>             | live (captive bred) | 5        | SE                                 | GB    |
|                         | C1 | <i>Strix hylophila</i>         | live (captive bred) | 1        | DD                                 | BE    |
|                         | C1 | <i>Strix nebulosa</i>          | live (captive bred) | 6        | CH                                 | DE    |
|                         |    |                                |                     | 2        | CH                                 | FR    |
|                         |    |                                |                     | 2        | FI                                 | GB    |
|                         |    |                                |                     | 1        | FI                                 | IT    |
|                         | C1 | <i>Strix uralensis</i>         | live (captive bred) | 10       | AT                                 | DE    |
|                         |    |                                |                     | 4        | CH                                 | DE    |
|                         | C1 | <i>Surnia ulula</i>            | live (captive bred) | 4        | CH                                 | IT    |
|                         |    | <i>Trochilidae spp.</i>        | live                | 30       | PE                                 | FR    |
|                         |    | <i>Amazilia amazilia</i>       | live                | 15       | PE                                 | DK    |
|                         |    |                                |                     | 35       | PE                                 | GB    |
|                         |    |                                |                     | 120      | PE                                 | NL    |
|                         |    | <i>Calypte anna</i>            | live                | 24       | US                                 | DE    |
|                         |    | <i>Colibri coruscans</i>       | live                | 15       | PE                                 | DK    |

| CITES EEC<br>App. Annex | Taxon                         | Description         | Quantity       | Country of<br>Export Origin Import |                |
|-------------------------|-------------------------------|---------------------|----------------|------------------------------------|----------------|
| II                      | <i>Colibri coruscans</i>      | live                | 60<br>85       | PE<br>PE                           | GB<br>NL       |
|                         | <i>Leucippus taczanowskii</i> | live                | 55             | PE                                 | NL             |
|                         | <i>Mellisuga minima</i>       | live                | 6              | DO                                 | DE             |
|                         | <i>Metallura phoebe</i>       | live                | 8              | PE                                 | GB             |
|                         | <i>Metallura tyrianthina</i>  | live                | 6              | PE                                 | GB             |
|                         | <i>Myrtis fanny</i>           | live                | 10<br>55<br>60 | PE<br>PE<br>PE                     | DK<br>GB<br>NL |
|                         | <i>Patagona gigas</i>         | live                | 4<br>4         | PE<br>PE                           | GB<br>NL       |
|                         | <i>Polyonymus caroli</i>      | live                | 15<br>50<br>50 | PE<br>PE<br>PE                     | DK<br>GB<br>NL |
|                         | <i>Rhodopis vesper</i>        | live                | 10<br>45<br>20 | PE<br>PE<br>PE                     | DK<br>GB<br>NL |
|                         | <i>Thaumastura cora</i>       | live                | 25<br>40<br>20 | PE<br>PE<br>PE                     | GB<br>NL<br>GB |
|                         | <i>Buceros rhinoceros</i>     | live (captive bred) | 6              | BN                                 | IT             |
| C2                      | <i>Chersina angulata</i>      | live                | 25             | ZA                                 | IT             |
| C2                      | <i>Geochelone carbonaria</i>  | live (captive bred) | 2              | Jersey                             | GB             |

| CITES EEC<br>App. Annex |    | Taxon                         | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----|-------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Geochelone carbonaria</i>  | live                | 40       |                                    | GY | DE |
|                         |    |                               |                     | 100      |                                    | GY | GB |
|                         |    |                               |                     | 26       |                                    | US | GY |
|                         |    |                               |                     | 2        |                                    | US | IT |
|                         | C2 | <i>Geochelone chilensis</i>   | live                | 1        |                                    | CH | AR |
|                         | C2 | <i>Geochelone denticulata</i> | live                | 38       |                                    | GY | DE |
|                         |    |                               |                     | 100      |                                    | GY | GB |
|                         |    |                               |                     | 20       |                                    | US | GY |
|                         |    |                               |                     | 2        |                                    | US | IT |
|                         | C2 | <i>Geochelone elegans</i>     | live                | 2        |                                    | CA | LK |
|                         | C2 | <i>Geochelone gigantea</i>    | live (captive bred) | 1        |                                    | US | DE |
|                         |    |                               | live                | 6        |                                    | SC | GB |
|                         | C2 | <i>Geochelone pardalis</i>    | live (captive bred) | 5        |                                    | ZA | IT |
|                         |    |                               | live                | 165      |                                    | TZ | DE |
|                         |    |                               |                     | 100      |                                    | TZ | GB |
|                         |    |                               |                     | 14       |                                    | US | TZ |
|                         |    |                               |                     | 35       |                                    | ZA | IT |
|                         | C2 | <i>Geochelone sulcata</i>     | live                | 10       |                                    | SN | FR |
|                         |    |                               |                     | 60       |                                    | TG | FR |
|                         | C2 | <i>Indotestudo elongata</i>   | live                | 132      |                                    | MY | DE |
|                         |    |                               |                     | 20       |                                    | MY | GB |
|                         |    |                               |                     | 16       |                                    | MY | IT |
|                         |    |                               |                     | 49       |                                    | MY | NL |
|                         |    |                               |                     | 13       |                                    | TH | FR |
|                         | C2 | <i>Indotestudo forstenii</i>  | live                | 100      |                                    | ID | NL |
|                         | C2 | <i>Kinixys belliana</i>       | live                | 46       |                                    | GH | DE |

| CITES EEC<br>App. Annex |    | Taxon                         | Description | Quantity   | Country of<br>Export Origin Import                 |  |          |
|-------------------------|----|-------------------------------|-------------|--|--|--|----------|
| II                      | C2 | <i>Kinixys belliana</i>       | live        | 17<br>100<br>3<br>428<br>1498<br>50<br>30<br>15<br>142 | GH<br>GH<br>RW<br>TG<br>TG<br>TG<br>TG<br>TZ<br>TZ | GB<br>NL<br>DE<br>DE<br>FR<br>GB<br>NL<br>DE<br>GB |          |
|                         | C2 | <i>Kinixys erosa</i>          | live        | 12<br>182<br>30<br>30<br>15                            | GH<br>TG<br>TG<br>TG<br>ZR                         | ES<br>DE<br>DK<br>NL<br>BE                         |          |
|                         | C2 | <i>Kinixys homeana</i>        | live        | 60<br>258<br>80<br>32<br>125<br>375<br>50              | GH<br>GH<br>GH<br>GH<br>TG<br>TG<br>TG             | DE<br>ES<br>GB<br>NL<br>DE<br>FR<br>GB             |          |
|                         | C2 | <i>Malacochersus tornieri</i> | live        | 9<br>6   | TZ<br>US   | TZ   | DE<br>IT |
|                         | C2 | <i>Manouria emys</i>          | live        | 30<br>22<br>9<br>12<br>10<br>7                         | MY<br>MY<br>MY<br>MY<br>TH<br>TH                   | DE<br>GB<br>IT<br>NL<br>FR<br>NL                   |          |
|                         | C2 | <i>Manouria impressa</i>      | live        | 3  | MY   | IT   |          |

| CITES EEC<br>App. Annex |    | Taxon                             | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----|-----------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Manouria impressa</i>          | live                | 10       |                                    | MY | NL |
|                         | C1 | <i>Testudo graeca</i>             | live (captive bred) | 1        | Jersey                             | GB |    |
|                         |    |                                   |                     | 3        | SN                                 | FR |    |
|                         |    |                                   | live                | 2        | AE                                 | GB |    |
|                         |    |                                   |                     | 1        | CH                                 | XX | GB |
|                         |    |                                   |                     | 4        | Alderney                           | XX | GB |
|                         |    |                                   |                     | 4        | Jersey                             | XX | GB |
|                         |    |                                   |                     | 12       | TR                                 |    | DE |
|                         | C1 | <i>Testudo hermanni</i>           | live (captive bred) | 4        | SN                                 | FR |    |
|                         |    |                                   | live                | 1        | Jersey                             | XX | GB |
|                         |    |                                   |                     | 1        | NO                                 | GB |    |
|                         |    |                                   |                     | 2        | SA                                 | XX | DE |
|                         |    |                                   |                     | 2        | TN                                 |    | GB |
|                         | C1 | <i>Testudo marginata</i>          | live (captive bred) | 10       | CH                                 |    | IT |
|                         |    | <i>Pelomedusa subrufa</i>         | live                | 300      | TG                                 |    | FR |
|                         | C2 | <i>Peltocephalus dumeriliana</i>  | live                | 6        | VE                                 |    | DE |
|                         | C2 | <i>Podocnemis erythrocephala</i>  | live                | 8        | VE                                 |    | DE |
|                         | C2 | <i>Podocnemis unifilis</i>        | live                | 6        | VE                                 |    | DE |
|                         | C2 | <i>Podocnemis vogli</i>           | live                | 4        | VE                                 |    | DE |
|                         | C2 | <i>CROCODYLIA</i> spp.            | bodies              | 1        | ZR                                 |    | GB |
|                         |    |                                   | handbags            | 2        | HK                                 | XX | GB |
|                         |    |                                   |                     | 2        | NG                                 |    | GB |
|                         |    |                                   | live                | 1        | ZM                                 |    | GB |
|                         |    |                                   | watchstraps         | 1        | US                                 | XX | GB |
|                         | C2 | <i>Alligator mississippiensis</i> | belts               | 682      | MX                                 | US | FR |

| CITES EEC<br>App. Annex | Taxon                         | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|-------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 Alligator mississippiensis | belts               | 59       | US                                 | DE |    |
|                         |                               |                     | 147      | US                                 | FR |    |
|                         |                               |                     | 177      | US                                 | GB |    |
|                         |                               |                     | 49       | US                                 | IT |    |
|                         |                               | eggs                | 860      | US                                 | GB |    |
|                         |                               | handbags            | 1        | AT                                 | US | DE |
|                         |                               |                     | 1        | US                                 | DE |    |
|                         |                               |                     | 4        | US                                 | GB |    |
|                         |                               | live (captive bred) | 6        | IL                                 | GB |    |
|                         |                               |                     | 8        | US                                 | GB |    |
|                         |                               | meat                | 2 kg     | US                                 | DE |    |
|                         |                               |                     | 45 kg    | US                                 | FR |    |
|                         |                               |                     | 3833 kg  | US                                 | GB |    |
|                         |                               | pairs of shoes      | 29       | US                                 | FR |    |
|                         |                               |                     | 1        | US                                 | IT |    |
|                         |                               | skins               | 4        | JP                                 | US | FR |
|                         |                               |                     | 22985    | US                                 | FR |    |
|                         |                               |                     | 729      | US                                 | GB |    |
|                         |                               |                     | 6897     | US                                 | IT |    |
|                         |                               | skin/leather items  | 89       | US                                 | FR |    |
|                         |                               |                     | 133      | US                                 | GB |    |
|                         |                               |                     | 3        | XX                                 | US | GB |
|                         |                               | skulls              | 5        | US                                 | GB |    |
|                         |                               | wallets             | 24       | US                                 | DE |    |
|                         |                               | watchstraps         | 1        | US                                 | GB |    |
| C2                      | Caiman crocodilus             | belts               | 4        | CH                                 | GY | GB |
|                         |                               | bodies              | 1        | VE                                 |    | GB |
|                         |                               | handbags            | 1        | AU                                 | XX | GB |
|                         |                               |                     | 1        | TH                                 | SV | GB |
|                         |                               |                     | 1        | ZA                                 | GY | GB |
|                         |                               | live                | 40       | US                                 | GY | DK |
|                         |                               |                     | 145      | US                                 | GY | GB |
|                         |                               |                     | 2        | US                                 | GY | IT |

| CITES EEC<br>App. Annex | Taxon | Description              | Quantity           | Country of<br>Export Origin Import |    |    |
|-------------------------|-------|--------------------------|--------------------|------------------------------------|----|----|
| II                      | C2    | <i>Caiman crocodilus</i> | pairs of shoes     | 1                                  | HK | GB |
|                         |       |                          |                    | 1                                  | US | GY |
|                         |       |                          | skins              | 2000                               | VE | GB |
|                         |       |                          | skin/leather items | 1                                  | TH | GB |
|                         |       |                          | wallets            | 1                                  | AU | XX |
|                         |       |                          |                    | 1                                  | ZA | GB |
|                         |       |                          | watchstraps        | 693                                | AT | ES |
|                         |       |                          |                    | 2019                               | AT | FR |
|                         |       |                          |                    | 1552                               | AT | FR |
|                         |       |                          |                    | 1020                               | AT | NL |
|                         |       |                          |                    | 680                                | CH | FR |
|                         |       |                          |                    | 979                                | CH | FR |
|                         |       |                          |                    | 180                                | CH | FR |
|                         |       |                          |                    | 699                                | CH | GB |
|                         |       |                          |                    | 600                                | CH | ES |
|                         |       |                          |                    | 36                                 | CH | GB |
|                         |       |                          |                    | 4                                  | CH | LU |
|                         |       |                          |                    | 128                                | HK | FR |
|                         |       |                          |                    | 350                                | HK | GB |
|                         |       |                          |                    | 4752                               | MA | FR |
|                         |       |                          |                    | 750                                | MU | FR |
|                         |       |                          |                    | 5954                               | MU | FR |
|                         |       |                          |                    | 366                                | MU | FR |
|                         | C2    | <i>Caiman crocodilus</i> | belts              | 1                                  | AT | DE |
|                         |       | <i>crocodilus</i>        |                    | 5                                  | AT | FR |
|                         |       |                          |                    | 5                                  | CH | BE |
|                         |       |                          |                    | 85                                 | CH | DE |
|                         |       |                          |                    | 3                                  | CH | BE |
|                         |       |                          |                    | 67                                 | CH | DE |
|                         |       |                          |                    | 7                                  | CH | GB |
|                         |       |                          |                    | 15                                 | CH | DE |
|                         |       |                          |                    | 4                                  | CH | FR |
|                         |       |                          |                    | 8                                  | US | FR |

| CITES EEC<br>App. Annex | TAXON | Description              | Quantity  | Country of<br>Export Origin Import |
|-------------------------|-------|--------------------------|-----------|------------------------------------|
| II                      | C2    | <i>Caiman crocodilus</i> |           |                                    |
|                         |       | crocodilus               |           |                                    |
|                         |       | belts                    | 1200      | VE FR                              |
|                         |       | bodies                   | 9         | GY GB                              |
|                         |       |                          | 1         | TT XX IT                           |
|                         |       |                          | 2         | VE IT                              |
|                         |       | handbags                 | 4         | AT CO DE                           |
|                         |       |                          | 7         | AT GY DE                           |
|                         |       |                          | 1         | CH CO DE                           |
|                         |       |                          | 2         | CH GY DE                           |
|                         |       |                          | 18        | HK GY DE                           |
|                         |       |                          | 1         | JP GY DE                           |
|                         |       |                          | 80        | JP ZA DE                           |
|                         |       |                          | 1         | ZA GY GB                           |
|                         |       | live                     | 568       | GY DE                              |
|                         |       |                          | 6         | US GY IT                           |
|                         |       | pairs of shoes           | 1         | HK VE GB                           |
|                         |       |                          | 60        | TH SV FR                           |
|                         |       |                          | 1         | US GY GB                           |
|                         |       |                          | 1         | US VE GB                           |
|                         |       | sides                    | 524       | US VE IT                           |
|                         |       |                          | 27        | AT CO FR                           |
|                         |       |                          | 1715      | CH CO FR                           |
|                         |       |                          | 10000     | CH GY FR                           |
|                         |       |                          | 21        | CH GY IT                           |
|                         |       |                          | 500       | CH SV FR                           |
|                         |       |                          | 16949     | CO FR                              |
|                         |       |                          | 585       | GY FR                              |
|                         |       |                          | 3610      | US VE IT                           |
|                         |       |                          | 39190     | VE FR                              |
|                         |       |                          | 61406     | VE IT                              |
|                         |       |                          | 600 kg    | VE IT                              |
|                         |       |                          | 389 sq.ft | CH CO FR                           |
|                         |       |                          | 360 sq.ft | CH VE FR                           |
|                         |       | skins                    | 5600      | AR BO IT                           |
|                         |       |                          | 339       | AT PY FR                           |

| CITES EEC<br>App. Annex | TAXON                    | Description        | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|--------------------------|--------------------|----------|------------------------------------|----|----|
| II C2                   | <i>Caiman crocodilus</i> |                    |          |                                    |    |    |
|                         | <i>crocodilus</i>        | skins              | 1800     | BO                                 | IT |    |
|                         |                          |                    | 15       | CH                                 | AR | DE |
|                         |                          |                    | 400      | CH                                 | GY | DE |
|                         |                          |                    | 5000     | CH                                 | GY | FR |
|                         |                          |                    | 1000     | CO                                 | DE |    |
|                         |                          |                    | 4539     | CO                                 | FR |    |
|                         |                          |                    | 35001    | CO                                 | IT |    |
|                         |                          |                    | 1500     | GY                                 | ES |    |
|                         |                          |                    | 1500     | GY                                 | FR |    |
|                         |                          |                    | 2780     | GY                                 | IT |    |
|                         |                          |                    | 420      | PA                                 | GT | IT |
|                         |                          |                    | 2        | SG                                 | XX | GB |
|                         |                          |                    | 43       | US                                 | GY | FR |
|                         |                          |                    | 613      | US                                 | VE | ES |
|                         |                          |                    | 4000     | VE                                 | GB |    |
|                         |                          | skin/leather items | 650      | CH                                 | CO | IT |
|                         |                          |                    | 547      | CH                                 | GY | IT |
|                         |                          |                    | 15       | CH                                 | VE | IT |
|                         |                          |                    | 6        | JP                                 | CO | FR |
|                         |                          | skin scraps        | 1000 kg  | VE                                 | IT |    |
|                         |                          | wallets            | 1        | CH                                 | XX | DE |
|                         |                          | watchstraps        | 212      | AT                                 | PT |    |
|                         |                          |                    | 533      | AT                                 | BO | BE |
|                         |                          |                    | 3127     | AT                                 | BO | DE |
|                         |                          |                    | 401      | AT                                 | BO | DK |
|                         |                          |                    | 128      | AT                                 | BO | ES |
|                         |                          |                    | 13683    | AT                                 | CO | BE |
|                         |                          |                    | 14766    | AT                                 | CO | DE |
|                         |                          |                    | 2823     | AT                                 | CO | DK |
|                         |                          |                    | 630      | AT                                 | CO | ES |
|                         |                          |                    | 3945     | AT                                 | CO | FR |
|                         |                          |                    | 1710     | AT                                 | CO | GB |
|                         |                          |                    | 614      | AT                                 | CO | PT |
|                         |                          |                    | 940      | AT                                 | GY | DE |

| CITES EEC<br>App. Annex | TAXON | Description                                   | Quantity    | Country of<br>Export Origin Import |    |    |    |
|-------------------------|-------|---|-------------|------------------------------------|----|----|----|
| II                      | C2    | <i>Caiman crocodilus</i><br><i>crocodilus</i> | watchstraps | 50                                 | AT | GY | GB |
|                         |       |   | 3033        | AT                                 | VE | BE |    |
|                         |       |   | 22768       | AT                                 | VE | DE |    |
|                         |       |   | 5359        | AT                                 | VE | DK |    |
|                         |       |   | 751         | AT                                 | VE | ES |    |
|                         |       |   | 156         | AT                                 | VE | FR |    |
|                         |       |   | 455         | AT                                 | VE | PT |    |
|                         |       |   | 628         | CH                                 | BO | DE |    |
|                         |       |   | 105         | CH                                 | BO | DK |    |
|                         |       |   | 2887        | CH                                 | BO | FR |    |
|                         |       |   | 5575        | CH                                 | BO | GB |    |
|                         |       |   | 765         | CH                                 | CO | BE |    |
|                         |       |   | 16122       | CH                                 | CO | DE |    |
|                         |       |   | 564         | CH                                 | CO | DK |    |
|                         |       |   | 61          | CH                                 | CO | ES |    |
|                         |       |   | 4392        | CH                                 | CO | FR |    |
|                         |       |   | 7492        | CH                                 | CO | GB |    |
|                         |       |   | 578         | CH                                 | CO | PT |    |
|                         |       |   | 75          | CH                                 | GN | PT |    |
|                         |       |   | 100         | CH                                 | GT | GB |    |
|                         |       |   | 1266        | CH                                 | GY | BE |    |
|                         |       |   | 24102       | CH                                 | GY | DE |    |
|                         |       |   | 721         | CH                                 | GY | DK |    |
|                         |       |   | 791         | CH                                 | GY | ES |    |
|                         |       |   | 12969       | CH                                 | GY | FR |    |
|                         |       |   | 6097        | CH                                 | GY | GB |    |
|                         |       |   | 5           | CH                                 | GY | NL |    |
|                         |       |   | 298         | CH                                 | GY | PT |    |
|                         |       |   | 200         | CH                                 | HN | FR |    |
|                         |       |   | 6           | CH                                 | HT | FR |    |
|                         |       |   | 20          | CH                                 | PA | DK |    |
|                         |       |   | 96          | CH                                 | PA | PT |    |
|                         |       |   | 15          | CH                                 | PY | BE |    |
|                         |       |   | 132         | CH                                 | PY | DE |    |

| CITES EEC<br>App. Annex | Taxon                              | Description | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|------------------------------------|-------------|----------|------------------------------------|----|----|
| II                      | C2 Caiman crocodilus<br>crocodilus | watchstraps | 206      | CH                                 | PY | DK |
|                         |                                    |             | 1639     | CH                                 | PY | FR |
|                         |                                    |             | 126      | CH                                 | PY | GB |
|                         |                                    |             | 645      | CH                                 | PY | PT |
|                         |                                    |             | 1129     | CH                                 | SV | FR |
|                         |                                    |             | 19       | CH                                 | VE | BE |
|                         |                                    |             | 516      | CH                                 | VE | DE |
|                         |                                    |             | 108      | CH                                 | VE | DK |
|                         |                                    |             | 4308     | CH                                 | VE | FR |
|                         |                                    |             | 1433     | CH                                 | VE | GB |
|                         |                                    |             | 94       | CH                                 | VE | PT |
|                         |                                    |             | 4054     | CH                                 | XX | DE |
|                         |                                    |             | 39       | HK                                 | VE | DE |
|                         |                                    |             | 985      | JP                                 | BO | FR |
|                         |                                    |             | 10       | JP                                 | VE | FR |
|                         |                                    |             | 1070     | MA                                 | BO | FR |
|                         |                                    |             | 750      | MU                                 | BO | FR |
|                         |                                    |             | 21743    | MU                                 | CO | FR |
|                         |                                    |             | 2203     | MU                                 | GY | FR |
|                         |                                    |             | 1000     | MU                                 | VE | FR |
|                         |                                    |             | 389      | US                                 | GY | FR |
|                         |                                    |             | 1        | US                                 | GY | GB |
|                         | C2 Caiman crocodilus fuscus        | belts       | 33       | CH                                 | NI | BE |
|                         |                                    |             | 8        | CH                                 | NI | DE |
|                         |                                    |             | 15       | GT                                 | XX | IT |
|                         |                                    |             | 2        | ZA                                 | CO | GB |
|                         |                                    | handbags    | 2        | CH                                 | CO | DE |
|                         |                                    |             | 1        | HK                                 | CO | DE |
|                         |                                    | sides       | 36       | CH                                 | HN | FR |
|                         |                                    |             | 9        | CH                                 | SV | FR |
|                         |                                    |             | 723      | PA                                 | SV | IT |
|                         |                                    | skins       | 4983     | AR                                 | HN | FR |
|                         |                                    |             | 69       | AT                                 | CO | FR |

| CITES EEC<br>App. Annex | Taxon | Description                     | Quantity | Country of<br>Export Origin Import |    |    |    |
|-------------------------|-------|---------------------------------|----------|------------------------------------|----|----|----|
| II                      | C2    | <i>Caiman crocodilus fuscus</i> | skins    | 240                                | CH | SV | FR |
|                         |       |                                 | 15255    | HN                                 | FR |    |    |
|                         |       |                                 | 4922     | PA                                 | GT | IT |    |
|                         |       |                                 | 292      | VE                                 |    | IT |    |
|                         |       | skin pieces                     | 4952     | AR                                 | HN | FR |    |
|                         |       | skin scraps                     | 10841    | PA                                 | SV | IT |    |
|                         |       | watchstraps                     | 1819     | CH                                 | GT | DE |    |
|                         |       |                                 | 19       | CH                                 | GT | DK |    |
|                         |       |                                 | 463      | CH                                 | GT | FR |    |
|                         |       |                                 | 25       | CH                                 | GT | GB |    |
|                         |       |                                 | 16       | CH                                 | GT | PT |    |
|                         |       |                                 | 1223     | CH                                 | HN | FR |    |
|                         |       |                                 | 75       | CH                                 | PA | BE |    |
|                         |       |                                 | 1        | CH                                 | PA | DK |    |
|                         |       |                                 | 15       | CH                                 | PA | FR |    |
|                         |       |                                 | 801      | CH                                 | SV | DE |    |
|                         |       |                                 | 26       | CH                                 | SV | DK |    |
|                         |       |                                 | 1535     | CH                                 | SV | FR |    |
|                         |       |                                 | 240      | CH                                 | SV | GB |    |
|                         |       |                                 | 12       | CH                                 | SV | PT |    |
|                         | C2    | <i>Caiman crocodilus yacare</i> | belts    | 8                                  | CH | PY | BE |
|                         |       |                                 | 21       | CH                                 | PY | DE |    |
|                         |       | handbags                        | 1        | AT                                 | PY | DE |    |
|                         |       | pairs of shoes                  | 3        | HK                                 | AR | DE |    |
|                         |       |                                 | 1        | HK                                 | AR | GB |    |
|                         |       | sides                           | 10706    | BO                                 |    | FR |    |
|                         |       |                                 | 30475    | BO                                 |    | IT |    |
|                         |       |                                 | 72491    | CH                                 | PY | FR |    |
|                         |       |                                 | 6042     | CH                                 | XX | FR |    |
|                         |       | skins                           | 44325    | BO                                 |    | IT |    |
|                         |       |                                 | 60       | CH                                 | AR | DE |    |
|                         |       | skin scraps                     | 14137    | AR                                 | PY | IT |    |
|                         |       |                                 | 4105     | BO                                 |    | IT |    |
|                         |       |                                 | 485 kg   | BO                                 |    | IT |    |

| CITES EEC<br>App. Annex | Taxon | Description                     | Quantity            | Country of<br>Export Origin Import |       |       |
|-------------------------|-------|---------------------------------|---------------------|------------------------------------|-------|-------|
| II                      | C2    | <i>Caiman crocodilus yacare</i> | watchstraps         | 7                                  | CH    | AR BE |
|                         |       |                                 | 654                 | CH                                 | AR    | DE    |
|                         |       |                                 | 2579                | CH                                 | PY    | DE    |
|                         |       |                                 | 93                  | CH                                 | PY    | DK    |
|                         |       |                                 | 1022                | CH                                 | PY    | FR    |
|                         |       |                                 | 365                 | CH                                 | PY    | GB    |
|                         |       |                                 | 215                 | CH                                 | PY    | PT    |
|                         |       |                                 | 7379                | JP                                 | BO    | FR    |
|                         |       |                                 | 3011                | MA                                 | PY    | FR    |
|                         |       |                                 | 54455               | MU                                 | PY    | FR    |
|                         | C2    | <i>Paleosuchus palpebrosus</i>  | live (captive bred) | 5                                  | CH    | DE    |
|                         |       |                                 | live                | 23                                 | GY    | DE    |
|                         |       |                                 | 4                   | SU                                 |       | DE    |
|                         | C2    | <i>Paleosuchus trigonatus</i>   | live                | 13                                 | GY    | DE    |
|                         | C2    | <i>Crocodylus cataphractus</i>  | skins               | 1193                               | CG    | FR    |
|                         | C2    | <i>Crocodylus niloticus</i>     | belts               | 26                                 | EG SD | BE    |
|                         |       |                                 | 1                   | ZM                                 | ZW    | GB    |
|                         |       |                                 | 1                   | KE                                 | ZW    | GB    |
|                         |       |                                 | 6                   | ZW                                 |       | DE    |
|                         |       |                                 | 2                   | ZW                                 |       | DK    |
|                         |       |                                 | 1                   | ZW                                 |       | FR    |
|                         |       |                                 | 1                   | ZW                                 |       | GB    |
|                         |       | handbags                        | 5                   | EG SD                              | BE    |       |
|                         |       |                                 | 1                   | CH ZW                              | DE    |       |
|                         |       |                                 | 1                   | HK TZ                              | DE    |       |
|                         |       |                                 | 4                   | JP SD                              | DE    |       |
|                         |       |                                 | 1                   | JP ZM                              | DE    |       |
|                         |       |                                 | 2                   | JP ZW                              | DE    |       |
|                         |       |                                 | 3                   | JP ZW                              | FR    |       |
|                         |       | skins                           | 1                   | BW                                 | BE    |       |
|                         |       |                                 | 30                  | BW                                 | FR    |       |
|                         |       |                                 | 150                 | CG                                 | FR    |       |
|                         |       |                                 | 100                 | CH ZW                              | FR    |       |

| CITES EEC<br>App. Annex | Taxon | Description                 | Quantity | Country of<br>Export Origin Import |
|-------------------------|-------|-----------------------------|----------|------------------------------------|
| II                      | C2    | <i>Crocodylus niloticus</i> | skins    |                                    |
|                         |       |                             | 800      | KE FR                              |
|                         |       |                             | 600      | KE IT                              |
|                         |       |                             | 3067     | MG FR                              |
|                         |       |                             | 100      | MG IT                              |
|                         |       |                             | 44       | MW DE                              |
|                         |       |                             | 517      | MW FR                              |
|                         |       |                             | 766      | MW IT                              |
|                         |       |                             | 795      | MZ FR                              |
|                         |       |                             | 1000     | SD BE                              |
|                         |       |                             | 1500     | SD FR                              |
|                         |       |                             | 2        | SD IT                              |
|                         |       |                             | 4        | TZ DE                              |
|                         |       |                             | 1408     | TZ FR                              |
|                         |       |                             | 600      | TZ GB                              |
|                         |       |                             | 1        | TZ IT                              |
|                         |       |                             | 1        | ZA BW DE                           |
|                         |       |                             | 5        | ZM DE                              |
|                         |       |                             | 2698     | ZM FR                              |
|                         |       |                             | 2        | ZM IT                              |
|                         |       |                             | 10       | ZW DE                              |
|                         |       |                             | 6715     | ZW FR                              |
|                         |       |                             | 26       | ZW GB                              |
|                         |       |                             | 1937     | ZW IT                              |
|                         |       | skulls                      | 1        | ZM DE                              |
|                         |       |                             | 1        | ZM GB                              |
|                         |       |                             | 1        | ZW DE                              |
|                         |       |                             | 1        | ZW GB                              |
|                         |       | teeth                       | 12       | ZW DE                              |
|                         |       | trophies                    | 1        | KE IT                              |
|                         |       |                             | 8        | TZ ES                              |
|                         |       |                             | 9        | ZM DE                              |
|                         |       |                             | 5        | ZM ES                              |
|                         |       |                             | 3        | ZM IT                              |
|                         |       |                             | 2        | ZW DE                              |
|                         |       | watchstraps                 | 2        | CH SD DE                           |

| CITES EEC<br>App. Annex |    | Taxon   | Description        | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----|---|--------------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Crocodylus niloticus</i>                           | watchstraps        | 1        | CH                                 | XX | DE |
|                         | C2 | <i>Crocodylus novaeguineae</i>                        | belts              | 30       | US                                 | PG | GB |
|                         |    |   | pairs of shoes     | 2        | HK                                 | PG | GB |
|                         |    |   |                    | 1        | US                                 | PG | GB |
|                         |    |   | skin/leather items | 8        | AT                                 | PG | GB |
|                         |    |   |                    | 4        | US                                 | PG | GB |
|                         |    |   | watchstraps        | 1        | CH                                 | PG | DE |
|                         |    |   |                    | 2        | CH                                 | PG | DK |
|                         |    |   |                    | 30       | CH                                 | XX | DK |
|                         | C2 | <i>Crocodylus novaeguineae</i><br><i>novaeguineae</i> | belts              | 20       | JP                                 | PG | FR |
|                         |    |   |                    | 40       | US                                 | PG | FR |
|                         |    |   | handbags           | 1        | CH                                 | PG | DE |
|                         |    |   |                    | 1        | HK                                 | PG | DE |
|                         |    |   |                    | 35       | JP                                 | PG | DE |
|                         |    |   |                    | 1        | US                                 | PG | FR |
|                         |    |   | pairs of shoes     | 31       | US                                 | PG | FR |
|                         |    |   | skins              | 4307     | ID                                 |    | FR |
|                         |    |   |                    | 155      | ID                                 |    | IT |
|                         |    |   |                    | 2        | JP                                 | PG | FR |
|                         |    |   |                    | 3387     | PG                                 |    | FR |
|                         |    |   |                    | 300      | SG                                 | ID | FR |
|                         |    |   |                    | 800      | US                                 | PG | IT |
|                         |    |   | skin/leather items | 5        | AT                                 | PG | GB |
|                         |    |   |                    | 20       | CH                                 | PG | IT |
|                         |    |   | wallets            | 12       | HK                                 | PG | DE |
|                         |    |   | watchstraps        | 10       | CH                                 | PG | BE |
|                         |    |   |                    | 50       | CH                                 | PG | DE |
|                         |    |   |                    | 28       | CH                                 | PG | DK |
|                         |    |   |                    | 200      | CH                                 | PG | GB |
|                         |    |   |                    | 6        | CH                                 | PG | NL |
|                         |    |   |                    | 2        | CH                                 | XX | DE |
|                         |    |   |                    | 1379     | JP                                 | PG | FR |

| CITES EEC<br>App. Annex | Taxon                        | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 <i>Crocodylus porosus</i> | skins               | 1221     | ID                                 | FR |    |
|                         |                              |                     | 2        | JP                                 | PG | FR |
|                         |                              |                     | 1301     | PG                                 |    | FR |
|                         |                              | skin/leather items  | 20       | AT                                 | PG | FR |
|                         |                              |                     | 189      | AT                                 | PG | GB |
|                         |                              |                     | 3        | JP                                 | PG | FR |
|                         |                              | wallets             | 6        | AT                                 | PG | DE |
|                         |                              | watchstraps         | 36       | CH                                 | PG | DE |
| C2                      | <i>Osteolaemus tetraspis</i> | bodies              | 2        | CG                                 | FR |    |
|                         |                              | skins               | 10       | CG                                 |    | FR |
| C2                      | <i>Phelsuma spp.</i>         | live                | 75       | KM                                 | DE |    |
|                         |                              |                     | 28       | MG                                 | DE |    |
|                         |                              |                     | 200      | MG                                 |    | FR |
| C2                      | <i>Phelsuma abbotti</i>      | live                | 100      | MG                                 | DE |    |
| C2                      | <i>Phelsuma barbouri</i>     | live                | 50       | MG                                 | DE |    |
| C2                      | <i>Phelsuma comorensis</i>   | live                | 80       | KM                                 | DE |    |
| C2                      | <i>Phelsuma dubia</i>        | live                | 75       | KM                                 | DE |    |
|                         |                              |                     | 50       | MG                                 | DE |    |
| C2                      | <i>Phelsuma flavigularis</i> | live                | 11       | MG                                 | DE |    |
| C2                      | <i>Phelsuma guentheri</i>    | live (captive bred) | 2        | GB                                 | FR |    |
| C2                      | <i>Phelsuma guttata</i>      | live                | 35       | MG                                 | DE |    |
| C2                      | <i>Phelsuma laticauda</i>    | live                | 450      | KM                                 | DE |    |
|                         |                              |                     | 140      | MG                                 | BE |    |
|                         |                              |                     | 1095     | MG                                 | DE |    |
|                         |                              |                     | 500      | MG                                 | DK |    |

| CITES EEC<br>App. Annex | TAXON                               | Description | Quantity                                      | Country of<br>Export Origin Import                          |
|-------------------------|-------------------------------------|-------------|---|---|
| II                      | C2 <i>Phelsuma laticauda</i>        | live        | 170<br>250<br>50<br>260                       | MG FR<br>MG GB<br>MG IT<br>MG NL                            |
|                         | C2 <i>Phelsuma lineata</i>          | live        | 140<br>1592<br>600<br>120<br>300<br>50<br>460 | MG BE<br>MG DE<br>MG DK<br>MG FR<br>MG GB<br>MG IT<br>MG NL |
|                         | C2 <i>Phelsuma madagascariensis</i> | live        | 60<br>1268<br>450<br>250<br>375<br>50<br>330  | MG BE<br>MG DE<br>MG DK<br>MG FR<br>MG GB<br>MG IT<br>MG NL |
|                         | C2 <i>Phelsuma mutabilis</i>        | live        | 50  | MG DE   |
|                         | C2 <i>Phelsuma quadriocellata</i>   | live        | 140<br>1370<br>600<br>80<br>50<br>185         | MG BE<br>MG DE<br>MG DK<br>MG FR<br>MG IT<br>MG NL          |
|                         | C2 <i>Phelsuma serraticauda</i>     | live        | 345   | MG DE   |
|                         | C2 <i>Phelsuma standingi</i>        | live        | 40<br>270<br>215                              | MG BE<br>MG DE<br>MG DK                                     |

| CITES EEC<br>App. Annex |    | Taxon                         | Description | Quantity                    | Country of<br>Export Origin Import |                            |  |
|-------------------------|----|-------------------------------|-------------|-----------------------------|------------------------------------|----------------------------|--|
| II                      | C2 | <i>Phelsuma standingi</i>     | live        | 40<br>100                   | MG                                 | FR                         |  |
|                         | C2 | <i>Phelsuma v-nigra</i>       | live        | 60                          | KM                                 | DE                         |  |
|                         | C2 | <i>Uromastyx acanthinurus</i> | live        | 90                          | EG                                 | DE                         |  |
|                         | C2 | <i>Uromastyx aegyptius</i>    | live        | 30<br>20<br>156<br>156<br>9 | CH<br>CH<br>EG<br>EG<br>SA         | FR<br>IT<br>DE<br>GB<br>DE |  |
|                         | C2 | <i>Uromastyx ocellatus</i>    | live        | 25                          | EG                                 | DE                         |  |
|                         | C2 | <i>Uromastyx ornatus</i>      | live        | 103                         | EG                                 | DE                         |  |
|                         |    | <i>Chamaeleo spp.</i>         | live        | 6                           | MG                                 | DE                         |  |
|                         |    | <i>Chamaeleo bitaeniatus</i>  | live        | 5                           | TZ                                 | GB                         |  |
|                         |    | <i>Chamaeleo boettgeri</i>    | live        | 5                           | MG                                 | DE                         |  |
|                         |    | <i>Chamaeleo brevicornis</i>  | live        | 27                          | MG                                 | DE                         |  |
|                         |    | <i>Chamaeleo campani</i>      | live        | 10                          | MG                                 | DE                         |  |
|                         |    | <i>Chamaeleo cephalolepis</i> | live        | 8                           | KM                                 | DE                         |  |
|                         |    | <i>Chamaeleo cristatus</i>    | live        | 3                           | CM                                 | DE                         |  |
|                         |    | <i>Chamaeleo dilepis</i>      | live        | 5<br>10                     | TZ<br>ZR                           | GB<br>DE                   |  |
|                         |    | <i>Chamaeleo gastrotaenia</i> | live        | 5                           | MG                                 | DE                         |  |

| CITES EEC<br>App. Annex | TAXON                         | Description | Quantity                      | Country of<br>Export Origin Import |                            |    |
|-------------------------|-------------------------------|-------------|-------------------------------|------------------------------------|----------------------------|----|
| II                      | <i>Chamaeleo gracilis</i>     | live        | 30<br>100                     | GH                                 | GB                         | NL |
|                         | <i>Chamaeleo johnstoni</i>    | live        | 6                             | ZR                                 | RW                         | DE |
|                         | <i>Chamaeleo lateralis</i>    | live        | 204<br>6<br>230<br>300<br>175 | MG<br>MG<br>MG<br>MG<br>MG         | DE<br>DK<br>FR<br>GB<br>NL |    |
|                         | <i>Chamaeleo monoceras</i>    | live        | 6                             | MG                                 | DE                         |    |
|                         | <i>Chamaeleo montium</i>      | live        | 6                             | CM                                 | DE                         |    |
|                         | <i>Chamaeleo oustaleti</i>    | live        | 43<br>18<br>50<br>50<br>135   | MG<br>MG<br>MG<br>MG<br>MG         | DE<br>DK<br>FR<br>GB<br>NL |    |
|                         | <i>Chamaeleo pardalis</i>     | live        | 5<br>100                      | MG<br>MG                           | DE<br>GB                   |    |
|                         | <i>Chamaeleo parsonii</i>     | live        | 10<br>70                      | MG<br>MG                           | DE<br>FR                   |    |
|                         | <i>Chamaeleo polleni</i>      | live        | 8                             | KM                                 | DE                         |    |
|                         | <i>Chamaeleo rufus</i>        | live        | 2                             | ZR                                 | RW                         | DE |
|                         | <i>Chamaeleo senegalensis</i> | live        | 140<br>1060<br>180<br>400     | TG<br>TG<br>TG<br>TG               | DK<br>FR<br>GB<br>NL       |    |

| CITES EEC<br>App. Annex | TAXON                         | Description         | Quantity | Country of<br>Export Origin Import |       |
|-------------------------|-------------------------------|---------------------|----------|------------------------------------|-------|
| II                      | <i>Chamaeleo verrucosus</i>   | live                | 20       | MG                                 | NL    |
|                         | <i>Chamaeleo wiedersheimi</i> | live                | 2        | CM                                 | DE    |
|                         | <i>Iguana</i> spp.            | live                | 174      | HN                                 | GB    |
|                         | <i>Iguana iguana</i>          | bodies              | 1        | EC                                 | IT    |
|                         |                               | handbags            | 1        | SG                                 | XX DK |
|                         |                               | live (captive bred) | 1        | CA                                 | XX GB |
|                         |                               | live                | 1310     | GY                                 | DE    |
|                         |                               |                     | 528      | GY                                 | GB    |
|                         |                               |                     | 150      | HN                                 | BE    |
|                         |                               |                     | 4774     | HN                                 | DE    |
|                         |                               |                     | 250      | HN                                 | FR    |
|                         |                               |                     | 2680     | HN                                 | GB    |
|                         |                               |                     | 1000     | NI                                 | NL    |
|                         |                               |                     | 971      | PE                                 | DE    |
|                         |                               |                     | 50       | PE                                 | ES    |
|                         |                               |                     | 670      | PE                                 | GB    |
|                         |                               |                     | 1000     | PE                                 | NL    |
|                         |                               |                     | 6        | SA                                 | XX DE |
|                         |                               |                     | 1335     | SR                                 | DE    |
|                         |                               |                     | 18       | US                                 | GY DK |
|                         |                               |                     | 10       | US                                 | GY ES |
|                         |                               |                     | 285      | US                                 | GY GB |
|                         |                               |                     | 8        | US                                 | GY GR |
|                         |                               |                     | 20       | US                                 | GY IT |
|                         |                               |                     | 150      | US                                 | HN DK |
|                         |                               |                     | 70       | US                                 | HN GB |
|                         |                               |                     | 100      | US                                 | HN IT |
|                         |                               |                     | 11       | US                                 | SR GR |
|                         |                               |                     | 1        | US                                 | XX GB |
|                         |                               | pairs of shoes      | 3        | US                                 | GB    |
|                         |                               | skins               | 174      | XX                                 | ES    |

| CITES EEC<br>App. Annex | TAXON                          | Description        | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|--------------------------------|--------------------|----------|------------------------------------|----|----|
| II                      | <i>Cordylus cataphractus</i>   | live               | 6        |                                    | ZA | DE |
|                         | <i>Cordylus cordylus</i>       | live               | 58       |                                    | TZ | DE |
|                         |                                |                    | 150      |                                    | TZ | NL |
|                         | <i>Cordylus tropidosternum</i> | live               | 320      |                                    | TZ | GB |
|                         | <i>Dracaena guianensis</i>     | pairs of shoes     | 3        |                                    | US | FR |
|                         | <i>Tupinambis</i> spp.         | belts              | 1643     |                                    | MX | FR |
|                         |                                |                    | 1897     |                                    | US | FR |
|                         |                                | pairs of shoes     | 5124     |                                    | MX | FR |
|                         |                                |                    | 2843     |                                    | US | FR |
|                         |                                |                    | 8        |                                    | US | FR |
|                         |                                | skins              | 77274    |                                    | AR | FR |
|                         |                                |                    | 7183     |                                    | CO | FR |
|                         |                                |                    | 1000     |                                    | US | FR |
|                         |                                | skin/leather items | 200      |                                    | AR | FR |
|                         |                                | skin pieces        | 4500     |                                    | AR | FR |
|                         |                                |                    | 10       |                                    | US | FR |
|                         |                                | watchstraps        | 121      |                                    | AT | FR |
|                         |                                |                    | 70       |                                    | CH | FR |
|                         |                                |                    | 9        |                                    | CH | GB |
|                         |                                |                    | 31400    |                                    | HK | FR |
|                         |                                |                    | 1842     |                                    | MU | FR |
|                         | <i>Tupinambis rufescens</i>    | belts              | 497      |                                    | US | IT |
|                         |                                | live               | 97       |                                    | AR | DE |
|                         |                                |                    | 34       |                                    | AR | GB |
|                         |                                |                    | 4        |                                    | US | DK |
|                         |                                | skins              | 2000     |                                    | AR | DE |
|                         |                                |                    | 7500     |                                    | AR | ES |
|                         |                                |                    | 5000     |                                    | AR | GB |
|                         |                                |                    | 137145   |                                    | AR | IT |

| CITES EEC<br>App. Annex | TAXON                      | Description        | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----------------------------|--------------------|----------|------------------------------------|----|----|
| II                      | <i>Tupinambis teguixin</i> | belts              | 19       | AR                                 | DE |    |
|                         |                            |                    | 1        | AT                                 | AR | DE |
|                         |                            |                    | 31       | US                                 | AR | DE |
|                         |                            |                    | 55       | US                                 | AR | GB |
|                         |                            |                    | 6        | US                                 | AR | IT |
|                         |                            |                    | 2        | US                                 | XX | GB |
|                         |                            | handbags           | 57       | AR                                 | DE |    |
|                         |                            |                    | 2        | AT                                 | AR | DE |
|                         |                            |                    | 22       | CH                                 | AR | DE |
|                         |                            |                    | 2        | HK                                 | XX | GB |
|                         |                            |                    | 1        | US                                 |    | GB |
|                         |                            | live               | 125      | AR                                 |    | DE |
|                         |                            |                    | 12       | AR                                 |    | GB |
|                         |                            |                    | 20       | US                                 | GY | GB |
|                         |                            | pairs of shoes     | 29       | AR                                 |    | BE |
|                         |                            |                    | 720      | AR                                 |    | ES |
|                         |                            |                    | 2        | HK                                 |    | GB |
|                         |                            |                    | 3        | HK                                 | XX | GB |
|                         |                            |                    | 1697     | MX                                 | AR | DE |
|                         |                            |                    | 14       | US                                 | AR | DE |
|                         |                            |                    | 7        | US                                 | AR | GB |
|                         |                            |                    | 2        | US                                 | XX | GB |
|                         |                            | skins              | 91926    | AR                                 |    | ES |
|                         |                            |                    | 30800    | AR                                 |    | GB |
|                         |                            |                    | 56609    | AR                                 |    | IT |
|                         |                            |                    | 35       | CH                                 | AR | DE |
|                         |                            |                    | 8        | CH                                 | BR | IT |
|                         |                            |                    | 2400     | HK                                 | XX | GB |
|                         |                            |                    | 396      | PA                                 | PY | IT |
|                         |                            |                    | 31       | US                                 | AR | DE |
|                         |                            |                    | 6856     | US                                 | AR | ES |
|                         |                            |                    | 200      | US                                 | AR | GB |
|                         |                            |                    | 50       | US                                 | AR | GR |
|                         |                            |                    | 20127    | US                                 | AR | IT |
|                         |                            | skin/leather items | 6        | HK                                 | XX | GB |

| CITES EEC<br>App. Annex | Taxon   | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|---|---------------------|----------|------------------------------------|----|----|
| II                      | <i>Tupinambis teguixin</i>                          | skin/leather items  | 1        | US                                 | AR | GB |
|                         |   | wallets             | 15       | AT                                 | AR | DE |
|                         |   | watchstraps         | 1000     | AR                                 |    | DE |
|                         |   |                     | 2262     | AT                                 | AR | BE |
|                         |   |                     | 9625     | AT                                 | AR | DE |
|                         |   |                     | 8        | AT                                 | AR | DK |
|                         |   |                     | 144      | AT                                 | AR | ES |
|                         |   |                     | 13616    | AT                                 | AR | NL |
|                         |   |                     | 53       | AU                                 | AR | DE |
|                         |   |                     | 4        | CH                                 | AR | BE |
|                         |   |                     | 7764     | CH                                 | AR | DE |
|                         |   |                     | 6        | CH                                 | AR | DK |
|                         |   |                     | 4073     | CH                                 | AR | ES |
|                         |   |                     | 1083     | CH                                 | AR | NL |
|                         |   |                     | 250      | CH                                 | PY | DE |
|                         |   |                     | 3000     | CH                                 | PY | ES |
|                         |   |                     | 77165    | HK                                 | AR | DE |
|                         |   |                     | 1400     | HK                                 | AR | ES |
|                         | <i>Tupinambis teguixin</i><br><i>nigropunctatus</i> | live                | 70       | GY                                 |    | DE |
|                         |   |                     | 20       | SR                                 |    | DE |
|                         |   |                     | 4        | US                                 | AR | DK |
|                         |   |                     | 10       | US                                 | GY | DK |
|                         |   |                     | 8        | US                                 | GY | ES |
|                         |   |                     | 20       | US                                 | GY | IT |
| C1                      | <i>Heloderma horridum</i>                           | live (captive bred) | 4        | US                                 |    | GB |
|                         |   |                     | 6        | US                                 |    | NL |
| C1                      | <i>Heloderma suspectum</i>                          | live (captive bred) | 7        | US                                 |    | GB |
|                         |   |                     | 6        | US                                 |    | NL |
| C2                      | <i>Varanus</i> spp.                                 | skins               | 2        | GW                                 |    | ES |
|                         |   | watchstraps         | 355      | CH                                 | PH | PT |

| CITES EEC<br>App. Annex | TAXON                    | Description        | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|--------------------------|--------------------|----------|------------------------------------|----|
| II                      | C2 Varanus caudolineatus | live               | 1        | AU                                 | DE |
| C2                      | Varanus dumerilii        | live               | 9        | MY                                 | DE |
|                         |                          |                    | 5        | MY                                 | GB |
|                         |                          |                    | 15       | MY                                 | IT |
|                         |                          |                    | 10       | MY                                 | NL |
|                         |                          |                    | 2        | TH                                 | NL |
| C2                      | Varanus exanthematicus   | handbags           | 6        | SD                                 | GB |
|                         |                          | live               | 150      | GH                                 | DE |
|                         |                          |                    | 40       | GH                                 | GB |
|                         |                          |                    | 8        | GH                                 | GR |
|                         |                          |                    | 100      | GH                                 | IT |
|                         |                          |                    | 50       | GN                                 | PT |
|                         |                          |                    | 20       | TG                                 | DE |
|                         |                          |                    | 50       | TG                                 | FR |
|                         |                          |                    | 37       | TG                                 | GB |
|                         |                          |                    | 15       | TZ                                 | GB |
|                         |                          | skins              | 5        | GW                                 | ES |
|                         |                          |                    | 1500     | ML                                 | ES |
|                         |                          |                    | 282      | XX                                 | ES |
|                         |                          | skin/leather items | 2        | NG                                 | GB |
|                         |                          | watchstraps        | 20       | CH                                 | NG |
| C2                      | Varanus gouldii          | live               | 3        | AU                                 | DE |
| C2                      | Varanus indicus          | live               | 50       | ID                                 | DE |
|                         |                          | skin pieces        | 1        | PG                                 | GB |
| C2                      | Varanus indicus kalabekk | live               | 10       | ID                                 | NL |
| C2                      | Varanus karlschmidti     | live               | 16       | ID                                 | NL |
|                         |                          |                    | 2        | US                                 | ID |
| C2                      | Varanus niloticus        | belts              | 548      | SD                                 | EG |
|                         |                          |                    |          |                                    | BE |

| CITES EEC<br>App. Annex | Taxon | Description              | Quantity | Country of<br>Export Origin Import |       |
|-------------------------|-------|--------------------------|----------|------------------------------------|-------|
| II                      | C2    | <i>Varanus niloticus</i> | belts    | 9                                  | SN BE |
|                         |       |                          | 20       | SN FR                              |       |
|                         |       | handbags                 | 39       | CI BE                              |       |
|                         |       |                          | 1        | NG GB                              |       |
|                         |       |                          | 85       | SD EG BE                           |       |
|                         |       |                          | 69       | SN BE                              |       |
|                         |       | live                     | 4        | GN PT                              |       |
|                         |       |                          | 1        | RW DE                              |       |
|                         |       |                          | 127      | TG DE                              |       |
|                         |       |                          | 10       | TG DK                              |       |
|                         |       |                          | 320      | TG FR                              |       |
|                         |       |                          | 50       | TG GB                              |       |
|                         |       |                          | 84       | TG NL                              |       |
|                         |       |                          | 10       | TZ DK                              |       |
|                         |       |                          | 2        | US TG ES                           |       |
|                         |       | pairs of shoes           | 159      | CH NG DE                           |       |
|                         |       | skins                    | 320      | AT SD DE                           |       |
|                         |       |                          | 2257     | BJ GB                              |       |
|                         |       |                          | 7500     | CM ES                              |       |
|                         |       |                          | 141000   | CM FR                              |       |
|                         |       |                          | 3547     | GN ES                              |       |
|                         |       |                          | 859      | GW ES                              |       |
|                         |       |                          | 17000    | ML ES                              |       |
|                         |       |                          | 374649   | ML FR                              |       |
|                         |       |                          | 20000    | SD BE                              |       |
|                         |       |                          | 30200    | SD DE                              |       |
|                         |       |                          | 28000    | SD FR                              |       |
|                         |       |                          | 15000    | SD IT                              |       |
|                         |       |                          | 3832     | SN ES                              |       |
|                         |       |                          | 35710    | TD FR                              |       |
|                         |       |                          | 300      | TG BE                              |       |
|                         |       |                          | 10000    | TG ES                              |       |
|                         |       |                          | 362      | US BJ FR                           |       |
|                         |       | skin/leather items       | 189      | AT SD GB                           |       |
|                         |       |                          | 500      | CH NG GB                           |       |

| CITES EEC<br>App. Annex | Taxon | Description       | Quantity           | Country of<br>Export | Origin Import |
|-------------------------|-------|-------------------|--------------------|----------------------|---------------|
| II                      | C2    | Varanus niloticus | skin/leather items | 2                    | CH XX IT      |
|                         |       |                   | 140                | SN                   | BE            |
|                         |       |                   | 10                 | SN                   | ES            |
|                         |       |                   | 140                | SN                   | FR            |
|                         |       | wallets           | 2                  | CH SD                | DE            |
|                         |       |                   | 110                | CI                   | BE            |
|                         |       |                   | 14                 | SN                   | BE            |
|                         |       | watchstraps       | 361                | CH                   | PT            |
|                         |       |                   | 133                | CH CM                | BE            |
|                         |       |                   | 124                | CH CM                | DE            |
|                         |       |                   | 2722               | CH CM                | FR            |
|                         |       |                   | 117                | CH CM                | PT            |
|                         |       |                   | 741                | CH ML                | BE            |
|                         |       |                   | 589                | CH ML                | DE            |
|                         |       |                   | 2176               | CH ML                | DK            |
|                         |       |                   | 1895               | CH ML                | FR            |
|                         |       |                   | 1828               | CH ML                | GB            |
|                         |       |                   | 29                 | CH ML                | NL            |
|                         |       |                   | 264                | CH ML                | PT            |
|                         |       |                   | 10                 | CH MW                | DE            |
|                         |       |                   | 362                | CH NG                | BE            |
|                         |       |                   | 572                | CH NG                | DE            |
|                         |       |                   | 811                | CH NG                | DK            |
|                         |       |                   | 426                | CH NG                | FR            |
|                         |       |                   | 622                | CH NG                | GB            |
|                         |       |                   | 427                | CH SD                | BE            |
|                         |       |                   | 160                | CH SD                | DE            |
|                         |       |                   | 14                 | CH SD                | FR            |
|                         |       |                   | 60                 | CH TD                | BE            |
|                         |       |                   | 1                  | CH XX                | BE            |
|                         |       |                   | 2991               | CH XX                | DE            |
|                         |       |                   | 200                | HK NG                | FR            |
|                         |       |                   | 64                 | HK NG                | GB            |
|                         |       |                   | 74520              | MA CM                | FR            |
|                         |       |                   | 59799              | MA SD                | FR            |

| CITES EEC<br>App. Annex | Taxon | Description                       | Quantity    | Country of<br>Export Origin Import |       |       |
|-------------------------|-------|-----------------------------------|-------------|------------------------------------|-------|-------|
| II                      | C2    | <i>Varanus niloticus</i>          | watchstraps | 54570                              | MU    | CM FR |
|                         |       |                                   | 170121      |                                    | MU    | ML FR |
|                         |       |                                   | 111673      |                                    | MU    | NG FR |
|                         |       |                                   | 42030       |                                    | MU    | SD FR |
|                         |       |                                   | 23652       |                                    | MU    | TD FR |
|                         | C2    | <i>Varanus prasinus</i>           | live        | 48                                 | ID    | DE    |
|                         |       |                                   | 30          |                                    | ID    | IT    |
|                         |       |                                   | 44          |                                    | ID    | NL    |
|                         | C2    | <i>Varanus prasinus beccarii</i>  | live        | 2                                  | ID    | FR    |
|                         | C2    | <i>Varanus prasinus kordensis</i> | live        | 6                                  | ID    | FR    |
|                         | C2    | <i>Varanus rosenbergi</i>         | live        | 5                                  | AU    | DE    |
|                         | C2    | <i>Varanus rudicollis</i>         | live        | 8                                  | MY    | DE    |
|                         |       |                                   | 15          |                                    | MY    | IT    |
|                         |       |                                   | 10          |                                    | MY    | NL    |
|                         | C2    | <i>Varanus salvadorii</i>         | live        | 5                                  | ID    | NL    |
|                         |       |                                   | 4           | US                                 | ID    | NL    |
|                         | C2    | <i>Varanus salvator</i>           | belts       | 300                                | AT    | ID DE |
|                         |       |                                   | 10          | CH                                 | ID BE |       |
|                         |       |                                   | 30          | CH                                 | ID DE |       |
|                         |       |                                   | 30          | CH                                 | ID FR |       |
|                         |       |                                   | 36          | CH                                 | TH BE |       |
|                         |       |                                   | 95          | CH                                 | TH DE |       |
|                         |       |                                   | 75          | CH                                 | TH FR |       |
|                         |       |                                   | 570         | TW                                 | ID DE |       |
|                         |       |                                   | 20          | US                                 | ID FR |       |
|                         |       | garments                          | 35          | CH                                 | TH DE |       |
|                         |       | handbags                          | 20          | AT                                 | ID DE |       |

| CITES EEC<br>App. Annex | TAXON | Description      | Quantity | Country of<br>Export Origin Import |       |       |
|-------------------------|-------|------------------|----------|------------------------------------|-------|-------|
| II                      | C2    | Varanus salvator | handbags | 1010                               | CH    | PH DE |
|                         |       |                  | 49       | ID                                 | DE    |       |
|                         |       |                  | 60       | ID                                 | GB    |       |
|                         |       |                  | 1        | JP                                 | TH DE |       |
|                         |       |                  | 1        | TH                                 | DE    |       |
|                         |       |                  | 11       | US                                 | ID GB |       |
|                         |       | live             | 10       | ID                                 | DE    |       |
|                         |       |                  | 10       | ID                                 | FR    |       |
|                         |       |                  | 30       | LA                                 | BE    |       |
|                         |       |                  | 108      | MY                                 | DE    |       |
|                         |       |                  | 6        | MY                                 | DK    |       |
|                         |       |                  | 15       | MY                                 | FR    |       |
|                         |       |                  | 6        | MY                                 | GB    |       |
|                         |       |                  | 35       | MY                                 | IT    |       |
|                         |       |                  | 11       | MY                                 | NL    |       |
|                         |       |                  | 118      | TH                                 | DE    |       |
|                         |       |                  | 171      | TH                                 | FR    |       |
|                         |       |                  | 227      | TH                                 | GB    |       |
|                         |       |                  | 2        | TH                                 | GR    |       |
|                         |       |                  | 4        | TH                                 | IT    |       |
|                         |       |                  | 12       | TH                                 | NL    |       |
|                         |       |                  | 4        | US                                 | MY ES |       |
|                         |       | pairs of shoes   | 369      | ID                                 | DE    |       |
|                         |       |                  | 6        | ID                                 | ES    |       |
|                         |       |                  | 6        | KR                                 | TH DE |       |
|                         |       |                  | 59       | TH                                 | DE    |       |
|                         |       |                  | 1066     | TH                                 | FR    |       |
|                         |       |                  | 2        | TH                                 | GB    |       |
|                         |       |                  | 1        | TH                                 | XX GB |       |
|                         |       |                  | 5        | US                                 | ID FR |       |
|                         |       | skins            | 1637     | CA                                 | ID GB |       |
|                         |       |                  | 146      | CH                                 | ID IT |       |
|                         |       |                  | 10       | ID                                 | DE    |       |
|                         |       |                  | 5500     | ID                                 | ES    |       |
|                         |       |                  | 9000     | ID                                 | FR    |       |

| CITES EEC<br>App. Annex | TAXON | Description        | Quantity | Country of<br>Export Origin Import |    |       |
|-------------------------|-------|--------------------|----------|------------------------------------|----|-------|
| II                      | C2    | Varanus salvator   | skins    | 5000                               | ID | GB    |
|                         |       |                    |          | 5000                               | ID | IT    |
|                         |       |                    |          | 5200                               | JP | ID GB |
|                         |       |                    |          | 500                                | KR | PH GB |
|                         |       |                    |          | 22508                              | MY | GB    |
|                         |       |                    |          | 500                                | MY | IT    |
|                         |       |                    |          | 1732                               | PA | ID IT |
|                         |       |                    |          | 42500                              | SG | ES    |
|                         |       |                    |          | 6000                               | SG | ID DE |
|                         |       |                    |          | 180542                             | SG | ID FR |
|                         |       |                    |          | 119315                             | SG | ID GB |
|                         |       |                    |          | 47600                              | SG | ID IT |
|                         |       |                    |          | 3000                               | SG | ID NL |
|                         |       |                    |          | 27518                              | TH | FR    |
|                         |       |                    |          | 4600                               | TH | IT    |
|                         |       | skin/leather items |          | 12                                 | AT | ID FR |
|                         |       |                    |          | 131                                | AT | ID GB |
|                         |       |                    |          | 1                                  | CH | TH GB |
|                         |       |                    |          | 1128                               | JP | ID FR |
|                         |       |                    |          | 2                                  | PG | GB    |
|                         |       |                    |          | 8                                  | US | TH BE |
|                         |       |                    |          | 17                                 | US | TH FR |
|                         |       | skin pieces        |          | 8                                  | KR | PH GB |
|                         |       | wallets            |          | 5                                  | CH | ID DE |
|                         |       |                    |          | 1                                  | CH | TH DE |
|                         |       |                    |          | 3                                  | SA | GB GB |
|                         |       | watchstraps        |          | 430                                | AT | PT    |
|                         |       |                    |          | 33057                              | AT | ID BE |
|                         |       |                    |          | 59280                              | AT | ID DE |
|                         |       |                    |          | 22154                              | AT | ID DK |
|                         |       |                    |          | 6087                               | AT | ID ES |
|                         |       |                    |          | 7639                               | AT | ID FR |
|                         |       |                    |          | 2185                               | AT | ID GB |
|                         |       |                    |          | 1350                               | AT | ID NL |
|                         |       |                    |          | 1037                               | AT | ID PT |

| CITES EEC<br>App. Annex | Taxon | Description             | Quantity                     | Country of<br>Export Origin Import |    |       |
|-------------------------|-------|-------------------------|------------------------------|------------------------------------|----|-------|
| II                      | C2    | <i>Varanus salvator</i> | watchstraps                  | 2172                               | AT | MY BE |
|                         |       |                         | 21441                        | AT                                 | PH | BE    |
|                         |       |                         | 394                          | AT                                 | PH | DE    |
|                         |       |                         | 602                          | CH                                 | ID | BE    |
|                         |       |                         | 536                          | CH                                 | ID | DE    |
|                         |       |                         | 180                          | CH                                 | ID | DK    |
|                         |       |                         | 442                          | CH                                 | ID | FR    |
|                         |       |                         | 18839                        | CH                                 | ID | GB    |
|                         |       |                         | 280                          | CH                                 | ID | NL    |
|                         |       |                         | 189                          | CH                                 | ID | PT    |
|                         |       |                         | 110                          | CH                                 | PH | FR    |
|                         |       |                         | 12                           | CH                                 | TH | BE    |
|                         |       |                         | 2726                         | CH                                 | TH | DE    |
|                         |       |                         | 358                          | CH                                 | TH | DK    |
|                         |       |                         | 156                          | CH                                 | TH | FR    |
|                         |       |                         | 1                            | CH                                 | TH | GB    |
|                         |       |                         | 378                          | CH                                 | TH | NL    |
|                         |       |                         | 2400                         | HK                                 | ID | DE    |
|                         |       |                         | 1255                         | HK                                 | ID | GB    |
|                         |       |                         | 1268                         | HK                                 | TH | GB    |
|                         |       |                         | 27                           | JP                                 | ID | FR    |
|                         |       |                         | 3520                         | JP                                 | TH | FR    |
|                         |       |                         | 13686                        | MA                                 | TH | FR    |
|                         |       |                         | 3100                         | MU                                 | ID | FR    |
|                         | C2    | <i>Boa constrictor</i>  | belts<br>live (captive bred) | 15                                 | GT | XX IT |
|                         |       |                         | 1                            | AU                                 |    | GB    |
|                         |       |                         | 6                            | CH                                 |    | FR    |
|                         |       |                         | 55                           | CS                                 |    | DE    |
|                         |       |                         | 275                          | DD                                 |    | DE    |
|                         |       |                         | 60                           | DD                                 |    | DK    |
|                         |       |                         | 10                           | DD                                 |    | NL    |
|                         |       |                         | 50                           | HN                                 |    | FR    |
|                         |       |                         | 44                           | PL                                 |    | GB    |
|                         |       |                         | 3                            | SA                                 | DE | DE    |

| CITES EEC<br>App. Annex | Taxon                            | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 <i>Boa constrictor</i>        | live (captive bred) | 1        | US                                 | GB |    |
|                         |                                  | live                | 54       | GY                                 | DE |    |
|                         |                                  |                     | 18       | GY                                 | GB |    |
|                         |                                  |                     | 60       | HN                                 | BE |    |
|                         |                                  |                     | 60       | HN                                 | GB |    |
|                         |                                  |                     | 1        | SE                                 | US | DK |
|                         |                                  |                     | 10       | US                                 | GY | GB |
|                         |                                  |                     | 4        | US                                 | HN | DE |
|                         |                                  |                     | 4        | US                                 | HN | DK |
|                         |                                  |                     | 40       | US                                 | HN | FR |
|                         |                                  |                     | 2        | US                                 | SR | GR |
|                         |                                  | skins               | 500      | CH                                 | GY | FR |
|                         |                                  | skin/leather items  | 1        | US                                 | PY | FR |
| C2                      | <i>Boa constrictor imperator</i> | live (captive bred) | 144      | CH                                 | FR |    |
|                         |                                  | live                | 281      | HN                                 | DE |    |
|                         |                                  |                     | 10       | US                                 | GY | GB |
|                         | <i>Calabaria reinhardtii</i>     | live                | 10       | GH                                 | DE |    |
|                         |                                  |                     | 8        | GH                                 | DK |    |
|                         |                                  |                     | 20       | GH                                 | GB |    |
|                         |                                  |                     | 2        | GH                                 | GR |    |
|                         |                                  |                     | 4        | GN                                 | PT |    |
|                         |                                  |                     | 3        | TG                                 | DE |    |
|                         |                                  |                     | 10       | TG                                 | FR |    |
|                         | <i>Candoia bibroni</i>           | live (captive bred) | 2        | CH                                 | DE |    |
|                         |                                  | live                | 38       | SB                                 | DK |    |
|                         | <i>Candoia carinata</i>          | live                | 20       | SB                                 | DE |    |
|                         |                                  |                     | 40       | SB                                 | DK |    |
|                         | <i>Corallus annulatus</i>        | live                | 12       | HN                                 | FR |    |
|                         | <i>Corallus caninus</i>          | live (captive bred) | 4        | US                                 | GB |    |

| CITES EEC<br>App. Annex | TAXON                            | Description         | Quantity | Country of<br>Export Origin Import |       |
|-------------------------|----------------------------------|---------------------|----------|------------------------------------|-------|
| II                      | <i>Corallus caninus</i>          | live                | 15       | GY                                 | DE    |
|                         |                                  |                     | 5        | GY                                 | GB    |
|                         |                                  |                     | 50       | SR                                 | DE    |
|                         |                                  |                     | 9        | US                                 | SR DE |
|                         |                                  |                     | 2        | US                                 | SR ES |
|                         | <i>Corallus enydris</i>          | live (captive bred) | 10       | CH                                 | DE    |
|                         |                                  |                     | 16       | US                                 | DE    |
|                         |                                  | live                | 1        | GF                                 | XX IT |
|                         |                                  |                     | 61       | GY                                 | DE    |
|                         |                                  |                     | 85       | GY                                 | GB    |
|                         |                                  |                     | 76       | SR                                 | DE    |
|                         |                                  |                     | 10       | SR                                 | NL    |
|                         |                                  |                     | 12       | US                                 | GY DK |
|                         |                                  |                     | 2        | US                                 | GY ES |
|                         |                                  |                     | 6        | US                                 | GY GB |
|                         |                                  |                     | 4        | US                                 | SR GR |
|                         | <i>Epicrates angulifer</i>       | live (captive bred) | 13       | CR                                 | DE    |
|                         |                                  |                     | 4        | CS                                 | DE    |
|                         |                                  |                     | 2        | CS                                 | CU DE |
|                         |                                  |                     | 8        | DD                                 | DE    |
|                         |                                  |                     | 2        | Jersey                             |       |
|                         | <i>Epicrates cenchria</i>        | live (captive bred) | 4        | CH                                 | DE    |
|                         |                                  |                     | 6        | DD                                 | DE    |
|                         |                                  |                     | 12       | US                                 | DE    |
|                         |                                  | live                | 25       | AR                                 | DE    |
|                         |                                  |                     | 52       | AR                                 | GB    |
|                         |                                  |                     | 13       | GY                                 | DE    |
|                         |                                  |                     | 60       | GY                                 | GB    |
|                         |                                  |                     | 6        | SR                                 | DE    |
|                         | <i>Epicrates cenchria maurus</i> | live                | 8        | US                                 | DK    |

| CITES EEC<br>App. Annex | Taxon                     | Description         | Quantity | Country of<br>Export Origin Import |       |
|-------------------------|---------------------------|---------------------|----------|------------------------------------|-------|
| II                      | <i>Epicrates gracilis</i> | live (captive bred) | 10       | HN                                 | FR    |
|                         | <i>Epicrates striatus</i> | live (captive bred) | 25       | HN                                 | FR    |
|                         |                           |                     | 19       | US                                 | DE    |
|                         |                           | live                | 29       | US                                 | DK    |
|                         |                           |                     | 22       | US                                 | HT GB |
|                         | <i>Eryx colubrinus</i>    | live (captive bred) | 7        | CH                                 | DE    |
|                         |                           | live                | 9        | CH                                 | EG FR |
|                         |                           |                     | 96       | EG                                 | DE    |
|                         |                           |                     | 87       | EG                                 | GB    |
|                         |                           |                     | 3        | TZ                                 | DE    |
|                         |                           |                     | 30       | TZ                                 | DK    |
|                         |                           |                     | 315      | TZ                                 | GB    |
| C2                      | <i>Eryx jaculus</i>       | live                | 5        | EG                                 | DE    |
|                         | <i>Eryx tataricus</i>     | live (captive bred) | 15       | SU                                 | DE    |
| C2                      | <i>Eunectes murinus</i>   | live (captive bred) | 2        | SR                                 | BE    |
|                         |                           | live                | 6        | GY                                 | DE    |
|                         |                           |                     | 8        | US                                 | GY GB |
|                         |                           |                     | 2        | US                                 | SR GR |
|                         |                           | skins               | 500      | CH                                 | FR    |
|                         |                           |                     | 1        | GY                                 | GB    |
|                         |                           | skin/leather items  | 14       | US                                 | AR FR |
|                         |                           |                     | 4        | US                                 | GY FR |
|                         |                           |                     | 16       | US                                 | PY FR |
| C2                      | <i>Eunectes notaeus</i>   | live (captive bred) | 18       | AT                                 | DE    |
|                         |                           |                     | 2        | CH                                 | FR    |
|                         |                           |                     | 28       | PL                                 | GB    |
|                         | <i>Loxocemus bicolor</i>  | live (captive bred) | 1        | HN                                 | DE    |
|                         |                           |                     | 5        | US                                 | HN DE |

| CITES EEC<br>App. Annex | Taxon                      | Description         | Quantity | Country of<br>Export Origin Import |       |
|-------------------------|----------------------------|---------------------|----------|------------------------------------|-------|
| II                      | <i>Loxocemus bicolor</i>   | live                | 45       | HN                                 | DE    |
|                         |                            |                     | 3        | HN                                 | FR    |
|                         |                            |                     | 56       | HN                                 | GB    |
|                         | <i>Morelia albertisii</i>  | live (captive bred) | 4        | US                                 | DE    |
|                         |                            |                     | 4        | US                                 | AU GB |
|                         |                            | live                | 1        | ID                                 | DE    |
|                         |                            |                     | 12       | ID                                 | IT    |
|                         |                            |                     | 6        | ID                                 | NL    |
|                         |                            |                     | 4        | US                                 | DK    |
|                         |                            |                     | 2        | US                                 | ID NL |
| C2                      | <i>Morelia amethystina</i> | live                | 77       | ID                                 | DE    |
|                         |                            |                     | 6        | ID                                 | FR    |
|                         |                            |                     | 40       | ID                                 | IT    |
|                         |                            |                     | 20       | ID                                 | NL    |
|                         |                            |                     | 2        | US                                 | DK    |
|                         |                            |                     | 4        | US                                 | ID NL |
|                         | <i>Morelia boa</i>         | live (captive bred) | 4        | US                                 | DE    |
|                         | <i>Morelia childreni</i>   | live (captive bred) | 2        | US                                 | AU GB |
|                         |                            | live                | 8        | US                                 | DK    |
|                         | <i>Morelia mackloti</i>    | live                | 3        | AU                                 | GB    |
|                         |                            |                     | 6        | ID                                 | FR    |
|                         |                            |                     | 10       | ID                                 | IT    |
|                         | <i>Morelia olivacea</i>    | live (captive bred) | 2        | CA                                 | NL    |
|                         |                            |                     | 4        | US                                 | NL    |
| C2                      | <i>Morelia spilota</i>     | live (captive bred) | 1        | AU                                 | DE    |
|                         |                            |                     | 1        | CH                                 | DE    |
|                         |                            |                     | 12       | US                                 | NL    |
|                         |                            | live                | 2        | AU                                 | GB    |

| CITES EEC<br>App. Annex |    | TAXON                            | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----|----------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Morelia spilota</i>           | skins               | 13       | CH                                 | ID | ES |
|                         |    | <i>Morelia viridis</i>           | live (captive bred) | 1        | CH                                 |    | DE |
|                         |    |                                  | live                | 6        | US                                 |    | DK |
|                         | C2 | <i>Python curtus</i>             | live (captive bred) | 2        | CH                                 | IT | FR |
|                         |    |                                  | live                | 1        | CH                                 | MY | FR |
|                         |    |                                  |                     | 48       | MY                                 |    | DE |
|                         |    |                                  |                     | 9        | MY                                 |    | GB |
|                         |    |                                  |                     | 10       | MY                                 |    | IT |
|                         |    |                                  |                     | 18       | MY                                 |    | NL |
|                         |    |                                  |                     | 50       | TH                                 |    | FR |
|                         |    |                                  | skins               | 1000     | ID                                 |    | IT |
|                         |    |                                  |                     | 10       | JP                                 | ID | FR |
|                         |    |                                  |                     | 1000     | SG                                 | ID | DE |
|                         |    |                                  |                     | 22507    | SG                                 | ID | FR |
|                         |    |                                  |                     | 2000     | SG                                 | ID | GB |
|                         | C2 | <i>Python molurus bivittatus</i> | bodies              | 1        | AT                                 |    | DE |
|                         |    |                                  | live (captive bred) | 2        | AT                                 | DE | DE |
|                         |    |                                  |                     | 7        | CH                                 |    | FR |
|                         |    |                                  |                     | 3        | CH                                 |    | IT |
|                         |    |                                  |                     | 64       | DD                                 |    | DE |
|                         |    |                                  |                     | 8        | US                                 |    | NL |
|                         |    |                                  | live                | 344      | MY                                 |    | DE |
|                         |    |                                  |                     | 150      | MY                                 |    | GB |
|                         |    |                                  |                     | 50       | TH                                 |    | FR |
|                         |    |                                  |                     | 200      | TH                                 |    | NL |
|                         |    |                                  |                     | 1        | US                                 | MY | IT |
|                         |    |                                  |                     | 100      | VN                                 |    | BE |
|                         |    |                                  |                     | 100      | VN                                 |    | IT |
|                         |    |                                  | skins               | 10       | CH                                 | TH | IT |
|                         |    |                                  |                     | 945      | SG                                 |    | ES |
|                         |    |                                  |                     | 630      | SG                                 | MY | ES |
|                         |    |                                  |                     | 6497     | SG                                 | TH | FR |

| CITES EEC<br>App. Annex | Taxon | Description                      | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|-------|----------------------------------|----------|------------------------------------|----|----|
| II                      | C2    | <i>Python molurus bivittatus</i> | skins    | 2429                               | TH | ES |
|                         |       |                                  | 10       | US                                 | ID | GB |
|                         |       |                                  | 6561 m   | VN                                 |    | IT |
|                         |       | skin/leather items               | 11       | AT                                 | TH | FR |
|                         |       |                                  | 4        | US                                 | TH | FR |
|                         | C2    | <i>Python regius</i>             | live     | 40                                 | CH | FR |
|                         |       |                                  | 358      | GH                                 |    | DE |
|                         |       |                                  | 140      | GH                                 |    | DK |
|                         |       |                                  | 223      | GH                                 |    | GB |
|                         |       |                                  | 8        | GH                                 |    | GR |
|                         |       |                                  | 190      | GH                                 |    | IT |
|                         |       |                                  | 91       | GH                                 |    | NL |
|                         |       |                                  | 80       | GN                                 |    | PT |
|                         |       |                                  | 1646     | TG                                 |    | DE |
|                         |       |                                  | 98       | TG                                 |    | DK |
|                         |       |                                  | 2994     | TG                                 |    | FR |
|                         |       |                                  | 1169     | TG                                 |    | GB |
|                         |       |                                  | 100      | TG                                 |    | IT |
|                         |       |                                  | 390      | TG                                 |    | NL |
|                         |       |                                  | 2        | US                                 | GH | ES |
|                         |       |                                  | 10       | US                                 | GH | IT |
|                         |       |                                  | 5        | US                                 | TG | DE |
|                         |       |                                  | 2        | US                                 | TG | ES |
|                         |       |                                  | 1        | US                                 | XX | DE |
|                         | C2    | <i>Python reticulatus</i>        | belts    | 64                                 | ID | DE |
|                         |       |                                  | 236      | MX                                 | TH | FR |
|                         |       |                                  | 6        | US                                 | ID | FR |
|                         |       |                                  | 1        | ZA                                 | ID | GB |
|                         |       | garments                         | 23       | AR                                 | SG | ES |
|                         |       | handbags                         | 1        | AT                                 | ID | DE |
|                         |       |                                  | 2        | HK                                 | XX | IT |
|                         |       |                                  | 42       | ID                                 |    | DE |
|                         |       |                                  | 60       | ID                                 |    | GB |

| CITES EEC<br>App. Annex | Taxon | Description               | Quantity | Country of<br>Export Origin | Import |
|-------------------------|-------|---------------------------|----------|-----------------------------|--------|
| II                      | C2    | <i>Python reticulatus</i> | handbags | 1                           | TH GB  |
|                         |       |                           |          | 1                           | US GB  |
|                         |       | live (captive bred)       | 24       | CH FR                       |        |
|                         |       |                           | 4        | CS DE                       |        |
|                         |       |                           | 5        | PL IT                       |        |
|                         |       | live                      | 83       | ID DE                       |        |
|                         |       |                           | 50       | ID FR                       |        |
|                         |       |                           | 70       | ID NL                       |        |
|                         |       |                           | 150      | LA BE                       |        |
|                         |       |                           | 194      | MY DE                       |        |
|                         |       |                           | 17       | MY FR                       |        |
|                         |       |                           | 2005     | MY GB                       |        |
|                         |       |                           | 45       | MY IT                       |        |
|                         |       |                           | 80       | MY NL                       |        |
|                         |       |                           | 2000     | SG ID GB                    |        |
|                         |       |                           | 50       | TH FR                       |        |
|                         |       |                           | 130      | TH NL                       |        |
|                         |       |                           | 2        | US MY ES                    |        |
|                         |       |                           | 6        | US MY GR                    |        |
|                         |       |                           | 1        | US MY IT                    |        |
|                         |       |                           | 50       | VN BE                       |        |
|                         |       |                           | 100      | VN IT                       |        |
|                         |       | pairs of shoes            | 37       | ID DE                       |        |
|                         |       |                           | 1001     | TH GB                       |        |
|                         |       |                           | 1        | US DE                       |        |
|                         |       |                           | 19       | US ID DE                    |        |
|                         |       |                           | 161      | US ID FR                    |        |
|                         |       |                           | 5        | US ID GB                    |        |
|                         |       |                           | 1        | US XX GB                    |        |
|                         |       |                           | 1        | ZA ID FR                    |        |
|                         |       | skins                     | 15       | CH ID ES                    |        |
|                         |       |                           | 22       | CH ID IT                    |        |
|                         |       |                           | 20       | CH TH IT                    |        |
|                         |       |                           | 4292     | HK TH GB                    |        |
|                         |       |                           | 619      | HK TH NL                    |        |

| CITES EEC<br>App. Annex | Taxon | Description               | Quantity            | Country of<br>Export | Origin Import |
|-------------------------|-------|---------------------------|---------------------|----------------------|---------------|
| II                      | C2    | <i>Python reticulatus</i> | skins               | 4469                 | ID ES         |
|                         |       |                           | 32641               | ID FR                |               |
|                         |       |                           | 4000                | ID GB                |               |
|                         |       |                           | 900                 | ID IT                |               |
|                         |       |                           | 100                 | KR PH                | GB            |
|                         |       |                           | 36910               | MY                   | GB            |
|                         |       |                           | 900                 | MY                   | IT            |
|                         |       |                           | 23538               | SG                   | ES            |
|                         |       |                           | 9326                | SG                   | ID DE         |
|                         |       |                           | 8140                | SG                   | ID ES         |
|                         |       |                           | 41215               | SG                   | ID FR         |
|                         |       |                           | 108223              | SG                   | ID GB         |
|                         |       |                           | 15002               | SG                   | ID IT         |
|                         |       |                           | 3309                | SG                   | ID NL         |
|                         |       |                           | 64                  | US                   | ID FR         |
|                         |       |                           | 2050                | US                   | ID GB         |
|                         |       |                           | 99                  | US                   | TH DE         |
|                         |       |                           | 1000                | VN                   | IT            |
|                         |       |                           | 77                  | ZA                   | ID DE         |
|                         |       |                           | 3500 m              | ID                   | IT            |
|                         |       |                           | 5000 m              | SG                   | ID IT         |
|                         |       |                           | 5230 m              | VN                   | IT            |
|                         |       | skin/leather items        | 55                  | ID                   | IT            |
|                         |       |                           | 3589                | US                   | ID GB         |
|                         |       |                           | 30                  | US                   | TH FR         |
|                         |       | skin pieces               | 1027                | US                   | ID GB         |
|                         |       | wallets                   | 441                 | AT                   | ID DE         |
|                         |       |                           | 33                  | ID                   | DE            |
|                         |       | watchstraps               | 3500                | AR                   | XX FR         |
| C2                      |       | <i>Python sebae</i>       | handbags            | 5                    | SD GB         |
|                         |       |                           | 550                 | SN FR                |               |
|                         |       |                           | live (captive bred) | 1                    | ZR BE         |
|                         |       |                           | live                | 20                   | GH DE         |
|                         |       |                           |                     | 2                    | GH DK         |

| CITES EEC<br>App. Annex | Taxon | Description         | Quantity | Country of<br>Export | Origin Import |    |
|-------------------------|-------|---------------------|----------|----------------------|---------------|----|
| II                      | C2    | <i>Python sebae</i> | live     | 50                   | GH            | GB |
|                         |       |                     | 4        | GH                   | GR            |    |
|                         |       |                     | 8        | GH                   | IT            |    |
|                         |       |                     | 5        | GH                   | NL            |    |
|                         |       |                     | 30       | GN                   | PT            |    |
|                         |       |                     | 1        | NG                   | XX IT         |    |
|                         |       |                     | 29       | TG                   | DE            |    |
|                         |       |                     | 10       | TG                   | DK            |    |
|                         |       |                     | 156      | TG                   | FR            |    |
|                         |       |                     | 1        | TG                   | GB            |    |
|                         |       |                     | 2        | US                   | GH ES         |    |
|                         |       |                     | 2        | US                   | TG GR         |    |
|                         |       |                     | 5        | ZA                   | IT            |    |
|                         |       |                     | 5        | ZR                   | BE            |    |
|                         |       | skins               | 1212     | BJ                   | GB            |    |
|                         |       |                     | 1        | CI                   | FR            |    |
|                         |       |                     | 1        | CI                   | XX IT         |    |
|                         |       |                     | 1        | GA                   | GB            |    |
|                         |       |                     | 14883    | GN                   | ES            |    |
|                         |       |                     | 66       | GW                   | ES            |    |
|                         |       |                     | 10900    | ML                   | ES            |    |
|                         |       |                     | 2        | NG                   | GB            |    |
|                         |       |                     | 1        | NG                   | XX IT         |    |
|                         |       |                     | 2850     | SD                   | DE            |    |
|                         |       |                     | 146      | SD                   | GR            |    |
|                         |       |                     | 4        | SD                   | IT            |    |
|                         |       |                     | 5130     | SN                   | ES            |    |
|                         |       |                     | 1700     | TG                   | ES            |    |
|                         |       |                     | 1        | UG                   | ZR GB         |    |
|                         |       |                     | 35       | US                   | BJ GB         |    |
|                         |       |                     | 1        | ZR                   | PT            |    |
|                         |       | skin/leather items  | 197      | CI                   | BE            |    |
|                         |       |                     | 3        | EG                   | GB            |    |
|                         |       |                     | 45       | HK                   | SN ES         |    |
|                         |       |                     | 13       | NG                   | GB            |    |

| CITES EEC<br>App. Annex |    | Taxon                            | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----|----------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Python sebae</i>              | skin/leather items  | 250      | SE                                 | BE |    |
|                         |    |                                  |                     | 110      | SN                                 | ES |    |
|                         |    |                                  |                     | 785      | SN                                 | FR |    |
|                         |    |                                  | trophies            | 1        | ZA                                 | GR |    |
|                         |    |                                  | wallets             | 213      | SN                                 | DE |    |
|                         | C2 | <i>Python timoriensis</i>        | live (captive bred) | 3        | US                                 | DE |    |
|                         |    | <i>Tropidophis melanurus</i>     | live (captive bred) | 3        | CS                                 | DE |    |
|                         |    | <i>Ungaliophis continentalis</i> | live                | 7        | HN                                 | DE |    |
|                         |    | <i>Clelia clelia</i>             | live                | 10       | AR                                 | GB |    |
|                         |    |                                  |                     | 1        | HN                                 | DE |    |
|                         |    | <i>Dendrobates auratus</i>       | live                | 4        | CR                                 | NL |    |
|                         |    |                                  |                     | 200      | NI                                 | NL |    |
|                         |    | <i>Dendrobates granuliferus</i>  | bodies              | 10       | CR                                 | NL |    |
|                         |    |                                  | live                | 11       | CR                                 | NL |    |
|                         |    | <i>Dendrobates pumilio</i>       | live                | 2        | CR                                 | NL |    |
|                         |    |                                  |                     | 500      | NI                                 | NL |    |
|                         |    | <i>Dendrobates tinctorius</i>    | live                | 30       | SR                                 | NL |    |
|                         |    | <i>Phyllobates lugubris</i>      | live                | 3        | CR                                 | NL |    |
|                         |    | <i>Phyllobates vittatus</i>      | live                | 2        | CR                                 | NL |    |
|                         |    | <i>Rana tigrina</i>              | legs                | 91225    | US                                 | BD | NL |
|                         |    |                                  |                     | 77243 kg | BD                                 | BE |    |
|                         |    |                                  |                     | 39000 kg | BD                                 | NL |    |
|                         |    |                                  |                     | 3103 kg  | CA                                 | BD | BE |
|                         |    |                                  |                     | 47557 kg | US                                 | BD | NL |

| CITES EEC<br>App. Annex | Taxon                                    | Description                           | Quantity   | Country of<br>Export Origin Import     |          |  |
|-------------------------|--|---------------------------------------|--|--|----------|--|
| II                      | <i>Rana tigerina</i>                     | legs                                  | 21900 lbs<br>222270 lbs<br>61720 lbs                                       | BD<br>BD<br>US                         | BD       | BE<br>NL<br>NL                         |
| C2                      | <i>Ornithoptera spp.</i>                 | bodies                                | 80   | PG                                     |          | IT                                     |
| C2                      | <i>Ornithoptera caelestis</i>            | bodies                                | 20   | CH                                     | PG       | FR                                     |
| C2                      | <i>Ornithoptera priamus</i>              | bodies                                | 7<br>2<br>593<br>40 pairs<br>live (captive bred)<br>4<br>18<br>live<br>110 | CH<br>CH<br>PG<br>PG<br>ID<br>PG<br>PG | PG<br>SB | FR<br>FR<br>DE<br>DE<br>GB<br>GB<br>GB |
| C2                      | <i>Ornithoptera priamus admiraltatis</i> | bodies                                | 20   | CH                                     | PG       | FR                                     |
| C2                      | <i>Ornithoptera priamus poseidon</i>     | bodies<br>live (captive bred)<br>live | 300<br>400<br>300  | PG<br>PG<br>PG                         |          | FR<br>GB<br>GB                         |
| C2                      | <i>Ornithoptera urvillianus</i>          | bodies                                | 209<br>71<br>200 pairs   | PG<br>SB<br>PG                         |          | DE<br>FR<br>DE                         |
| C2                      | <i>Ornithoptera victoriae</i>            | bodies                                | 169<br>52<br>670   | CH<br>PG<br>SB                         | SB       | FR<br>DE<br>FR                         |
| C2                      | <i>Trogonoptera brookiana</i>            | bodies                                | 1<br>430<br>4  | BN<br>MY<br>MY                         |          | GB<br>FR<br>GB                         |

| CITES EEC<br>App. Annex |    | Taxon                           | Description         | Quantity   | Country of<br>Export Origin Import |       |
|-------------------------|----|---------------------------------|---------------------|------------|------------------------------------|-------|
| II                      | C2 | <i>Trogonoptera brookiana</i>   | live                | 2          | MY                                 | GB    |
|                         | C2 | <i>Troides</i> spp.             | bodies              | 8          | MY                                 | GB    |
|                         |    |                                 |                     | 20         | MY                                 | IT    |
|                         |    |                                 |                     | 4          | PG                                 | IT    |
|                         |    |                                 | live (captive bred) | 15         | ID                                 | GB    |
|                         | C2 | <i>Troides aeacus</i>           | bodies              | 40         | MY                                 | FR    |
|                         | C2 | <i>Troides cuneifer</i>         | bodies              | 10         | MY                                 | FR    |
|                         | C2 | <i>Troides helena</i>           | bodies              | 50         | MY                                 | FR    |
|                         | C2 | <i>Troides oblongomaculatus</i> | bodies              | 20 pairs   | PG                                 | DE    |
|                         |    |                                 | live                | 225        | PG                                 | GB    |
|                         | C2 | <i>Troides rhadamantus</i>      | live (captive bred) | 100        | PH                                 | GB    |
|                         |    | <i>Hirudo medicinalis</i>       | bodies              | 85 kg      | TR                                 | DE    |
|                         |    |                                 |                     | 60 kg      | YU                                 | DE    |
|                         |    |                                 | extract             | 150 flasks | CH                                 | FR    |
|                         |    |                                 |                     | 290 flasks | CH                                 | XX FR |
|                         |    |                                 |                     | 20 kg      | CH                                 | TR DE |
|                         |    |                                 | live                | 2 kg       | CH                                 | YU FR |
|                         |    |                                 |                     | 30 kg      | MY                                 | FR    |
|                         |    |                                 |                     | 493 kg     | TR                                 | DE    |
|                         |    |                                 |                     | 128 kg     | YU                                 | DE    |
|                         |    |                                 | specimens           | 254 kg     | CH                                 | TR DE |
|                         |    | <i>Tridacnidae</i> spp.         | live                | 20         | ID                                 | IT    |
|                         |    |                                 |                     | 8          | SG                                 | XX IT |
|                         |    |                                 | shells              | 33478      | PH                                 | IT    |
|                         |    |                                 |                     | 13372 kg   | PH                                 | IT    |
|                         |    | <i>Hippopus</i> spp.            | carvings            | 1500       | PH                                 | BE    |

| CITES EEC<br>App. Annex | TAXON                       | Description | Quantity   | Country of<br>Export Origin Import |
|-------------------------|-----------------------------|-------------|------------|------------------------------------|
| II                      | <i>Hippopus spp.</i>        | carvings    | 543 kg     | PH BE                              |
|                         | <i>Hippopus hippopus</i>    | carvings    | 4553       | PH BE                              |
|                         |                             |             | 1320       | PH DE                              |
|                         |                             |             | 5254 kg    | PH BE                              |
|                         |                             | live shells | 23200      | PH GB                              |
|                         |                             |             | 22477      | PH DE                              |
|                         |                             |             | 418        | PH ES                              |
|                         |                             |             | 18154      | PH NL                              |
|                         |                             |             | 600 kg     | PH DE                              |
|                         |                             |             | 1515 pairs | PH FR                              |
|                         | <i>Hippopus porcellanus</i> | carvings    | 7312 kg    | PH BE                              |
|                         |                             | shells      | 900        | PH DE                              |
|                         |                             |             | 8150       | PH NL                              |
|                         | <i>Tridacna crocea</i>      | carvings    | 4160       | PH BE                              |
|                         | <i>Tridacna gigas</i>       | carvings    | 175 pairs  | PH BE                              |
|                         |                             | shells      | 91         | PH DE                              |
|                         |                             |             | 6          | PH DK                              |
|                         |                             |             | 948        | PH NL                              |
|                         |                             |             | 615 kg     | PH DE                              |
|                         |                             |             | 862 kg     | PH NL                              |
|                         |                             |             | 550 pairs  | PH FR                              |
|                         | <i>Tridacna maxima</i>      | shells      | 33         | PH DK                              |
|                         |                             |             | 240        | PH NL                              |
|                         | <i>Tridacna squamosa</i>    | live shells | 29000      | PH GB                              |
|                         |                             |             | 312        | PH DE                              |
|                         |                             |             | 146        | PH DK                              |
|                         |                             |             | 125 kg     | PH DE                              |
|                         |                             |             | 1680 pairs | PH FR                              |

| CITES EEC<br>App. Annex | Taxon | Description                   | Quantity   | Country of<br>Export Origin Import |
|-------------------------|-------|-------------------------------|------------|------------------------------------|
| II                      | C2    | <i>ANTIPATHARIA</i> spp.      | carvings   | 15                                 |
|                         |       |                               | 49         | BZ PH BE                           |
|                         |       |                               | raw corals | 197 TW DE                          |
|                         | C2    | <i>Antipathes</i> spp.        | raw corals | 1 kg CU NL                         |
|                         |       | Stony Corals                  | raw corals | 27040 PH FR                        |
|                         |       | <i>Scleractinia</i> spp.      | carvings   | 500 TW BE                          |
|                         |       |                               | 2700 kg    | TW BE                              |
|                         |       |                               | live       | 461 ID IT                          |
|                         |       |                               | 66         | ID XX IT                           |
|                         |       |                               | 18         | LK XX IT                           |
|                         |       |                               | 112        | SG XX IT                           |
|                         |       |                               | shells     | 16450 PH IT                        |
|                         |       | <i>Pocillopora</i> spp.       | carvings   | 177 PH BE                          |
|                         |       |                               | raw corals | 46887 PH DE                        |
|                         |       |                               | live       | 1400 TW GB                         |
|                         |       | <i>Pocillopora damicornis</i> | raw corals | 3453 PH NL                         |
|                         |       | <i>Pocillopora danae</i>      | raw corals | 1503 PH NL                         |
|                         |       | <i>Pocillopora verrucosa</i>  | raw corals | 2784 PH DE                         |
|                         |       | <i>Seriatopora</i> spp.       | carvings   | 70 PH BE                           |
|                         |       | <i>Stylophora</i> spp.        | raw corals | 273 PH DE                          |
|                         |       |                               | 1928 kg    | TW PT                              |
|                         |       | <i>Acropora</i> spp.          | carvings   | 358 PH BE                          |
|                         |       |                               | 2          | TW DE                              |
|                         |       |                               | raw corals | 9 AE GB                            |
|                         |       |                               | 19431      | PH DE                              |

| CITES EEC<br>App. Annex | Taxon                        | Description            | Quantity     | Country of<br>Export Origin Import |             |
|-------------------------|------------------------------|------------------------|--------------|------------------------------------|-------------|
| II                      | <i>Acropora</i> spp.         | raw corals<br>live     | 12<br>5      | TW<br>AE                           | DE<br>GB    |
|                         | <i>Acropora humilis</i>      | raw corals             | 103          | PH                                 | NL          |
|                         | <i>Pavona</i> spp.           | raw corals             | 217          | PH                                 | DE          |
|                         | <i>Halomitra</i> spp.        | carvings               | 41           | PH                                 | BE          |
|                         | <i>Favia pallida</i>         | raw corals             | 2500         | TW                                 | NL          |
|                         | <i>Platygyra</i> spp.        | raw corals             | 6572<br>3500 | PH<br>TW                           | DE<br>DE    |
|                         | <i>Merulina</i> spp.         | carvings               | 75           | PH                                 | BE          |
|                         | <i>Lobophyllia</i> spp.      | carvings<br>raw corals | 166<br>13000 | PH<br>TW                           | BE<br>FR    |
|                         | <i>Pectinia</i> spp.         | carvings<br>raw corals | 18<br>1417   | PH<br>PH                           | BE<br>DE    |
|                         | <i>Pectinia lactuca</i>      | raw corals             | 403          | PH                                 | NL          |
|                         | <i>Euphyllia glabrescens</i> | raw corals             | 739          | PH                                 | NL          |
|                         | <i>Millepora</i> spp.        | raw corals             | 2379         | PH                                 | DE          |
|                         | <i>Millepora platyphylla</i> | raw corals             | 741          | PH                                 | NL          |
|                         | <i>Coenothecalia</i> spp.    | live                   | 10<br>10     | ID<br>ID                           | IT<br>XX IT |
|                         | <i>Heliopora</i> spp.        | carvings<br>raw corals | 29<br>914    | PH<br>PH                           | BE<br>NL    |

| CITES EEC<br>App. Annex | TAXON                          | Description       | Quantity  | Country of<br>Export Origin Import |    |
|-------------------------|--------------------------------|-------------------|-----------|------------------------------------|----|
| II                      | <i>Heliopora</i> spp.          | raw corals        | 310 pairs | PH                                 | DE |
|                         | <i>Tubipora</i> spp.           | carvings          | 26        | PH                                 | BE |
|                         |                                | raw corals        | 3156      | PH                                 | DE |
|                         |                                | live              | 15        | ID                                 | IT |
|                         | <i>Agave victoriae-reginae</i> | live (art. prop.) | 2         | US                                 | DE |
|                         |                                |                   | 1         | XX                                 | GB |
|                         | <i>Pachypodium</i> spp.        | live (art. prop.) | 20        | MT                                 | GB |
|                         |                                |                   | 600       | US                                 | GB |
|                         |                                |                   | 5         | ZA                                 | DE |
|                         |                                |                   | 500       | ZA                                 | GB |
|                         |                                |                   | 150       | ZA                                 | IT |
|                         | <i>Pachypodium baronii</i>     | live              | 10        | MG                                 | DE |
|                         | <i>Pachypodium bispinosum</i>  | live (art. prop.) | 1         | XX                                 | GB |
|                         |                                |                   | 510       | ZA                                 | DE |
|                         |                                |                   | 8         | ZA                                 | GB |
|                         | <i>Pachypodium brevicaule</i>  | live              | 25        | MG                                 | DE |
|                         | <i>Pachypodium decaryi</i>     | live              | 30        | MG                                 | DE |
|                         | <i>Pachypodium densiflorum</i> | live (art. prop.) | 2         | US                                 | GB |
|                         | <i>Pachypodium geayi</i>       | live (art. prop.) | 310       | ZA                                 | DE |
|                         |                                |                   | 200       | ZA                                 | NL |
|                         | <i>Pachypodium lamerei</i>     | live (art. prop.) | 50        | ZA                                 | DE |
|                         | <i>Pachypodium lealii</i>      | live (art. prop.) | 30        | US                                 | GB |
|                         |                                |                   | 785       | ZA                                 | DE |
|                         |                                |                   | 200       | ZA                                 | NL |

| CITES EEC<br>App. Annex | Taxon  | Description       | Quantity  | Country of<br>Export Origin Import  |
|-------------------------|--|-------------------|---|---|
| II                      | <i>Pachypodium succulentum</i>                   | live (art. prop.) | 10<br>8   | ZA ZA DE GB   |
|                         | <i>Panax quinquefolius</i>                       | roots             | 106 kg  | US DE   |
|                         | <i>Ceropegia</i> spp.                            | live (art. prop.) | 2<br>8<br>220   | US IT<br>XX GB<br>ZA DE   |
|                         | <i>Cactaceae</i> spp.                            | live (art. prop.) | 60<br>4<br>12400<br>9000<br>228600<br>580500<br>250<br>92<br>65<br>12172<br>117<br>100<br>23<br>live<br>seeds | CS GB<br>CU ES<br>JP DE<br>JP IT<br>JP NL<br>KR NL<br>MT GB<br>US BE<br>US DE<br>US GB<br>US IT<br>US NL<br>ZA NL<br>US GB<br>US DE |
|                         | <i>Cactaceae</i> hybrid                          | live (art. prop.) | 2<br>375<br>16  | US TH DE<br>US XX GB  |
|                         | <i>Acanthorhipsalis</i><br><i>paranganiensis</i> | live (art. prop.) | 1   | XX GB   |
|                         | <i>Ancistrocactus</i> spp.                       | live (art. prop.) | 2   | US DE   |

| CITES EEC<br>App. Annex | TAXON                                | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|--------------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Aporocactus</i> spp.              | live (art. prop.) | 22       | US                                 | DE |
|                         | <i>Aporocactus flagelliformis</i>    | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Aporocactus martianus</i>         | live (art. prop.) | 8        | XX                                 | GB |
|                         | <i>Ariocarpus fissuratus</i>         | live (art. prop.) | 1        | US                                 | GB |
|                         | <i>Ariocarpus kotschoubeyanus</i>    | live (art. prop.) | 1        | US                                 | GB |
|                         |                                      |                   | 1        | US                                 | NL |
|                         | <i>Astrophytum</i> spp.              | live (art. prop.) | 50       | JP                                 | DE |
|                         |                                      |                   | 4000     | ZA                                 | NL |
|                         | <i>Astrophytum capricorne</i>        | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Astrophytum myriostigma</i>       | live (art. prop.) | 2060     | BR                                 | DE |
|                         |                                      |                   | 12461    | BR                                 | NL |
|                         |                                      |                   | 100      | CS                                 | GB |
|                         |                                      |                   | 200      | JP                                 | DE |
|                         |                                      |                   | 6100     | JP                                 | NL |
|                         |                                      |                   | 1        | XX                                 | GB |
|                         | <i>Astrophytum ornatum</i>           | live (art. prop.) | 830      | BR                                 | DE |
|                         |                                      |                   | 2880     | BR                                 | NL |
|                         |                                      |                   | 50       | CS                                 | GB |
|                         |                                      |                   | 3250     | JP                                 | NL |
|                         |                                      |                   | 1        | US                                 | GB |
|                         |                                      |                   | 30       | ZA                                 | NL |
|                         | <i>Austrocephalocereus purpureus</i> | live (art. prop.) | 1        | XX                                 | GB |

| CITES EEC<br>App. Annex | TAXON                             | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|-----------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Calymmanthium substerile</i>   | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Carnegiea gigantea</i>         | live (art. prop.) | 20       | US                                 | GB |
|                         |                                   | live              | 1        | XX                                 | GB |
|                         |                                   | live              | 55       | US                                 | NL |
|                         | <i>Cephalocereus</i> spp.         | live (art. prop.) | 1000     | ZA                                 | NL |
|                         | <i>Cephalocereus senilis</i>      | live (art. prop.) | 4250     | BR                                 | DE |
|                         |                                   |                   | 31449    | BR                                 | NL |
|                         |                                   | 50                | US       | DE                                 |    |
|                         |                                   | 1                 | XX       | GB                                 |    |
|                         | <i>Cereus</i> spp.                | live (art. prop.) | 800      | JP                                 | DE |
|                         |                                   |                   | 3        | XX                                 | GB |
|                         |                                   | live              | 16       | PY                                 | DE |
|                         | <i>Cleistocactus</i> spp.         | live (art. prop.) | 1000     | JP                                 | DE |
|                         |                                   |                   | 8960     | JP                                 | NL |
|                         |                                   | 1                 | US       | DE                                 |    |
|                         |                                   | 1                 | XX       | GB                                 |    |
|                         |                                   | 1000              | ZA       | NL                                 |    |
|                         | <i>Cleistocactus baumannii</i>    | live (art. prop.) | 4        | US                                 | GB |
|                         | <i>Cleistocactus hildegardiae</i> | live (art. prop.) | 27       | US                                 | GB |
|                         | <i>Cleistocactus krahnii</i>      | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Cleistocactus samaipatanus</i> | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Cleistocactus sextonianus</i>  | live (art. prop.) | 14       | US                                 | GB |

| CITES EEC<br>App. Annex | Taxon                                      | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|--|-------------------|----------|------------------------------------|----|
| II                      | <i>Cleistocactus winteri</i>               | live (art. prop.) | 806      | BR                                 | NL |
|                         | <i>Coleocephalocereus aureus</i>           | live (art. prop.) | 76       | US                                 | DE |
|                         |  |                   | 1        | XX                                 | GB |
|                         | <i>Coleocephalocereus brevicylindricus</i> | live (art. prop.) | 1        | US                                 | DE |
|                         | <i>Coleocephalocereus buxbaumianus</i>     | live (art. prop.) | 6        | US                                 | GB |
|                         | <i>Coleocephalocereus fluminensis</i>      | live (art. prop.) | 7        | US                                 | GB |
|                         | <i>Coleocephalocereus pluricostatus</i>    | live (art. prop.) | 10       | US                                 | GB |
|                         | <i>Coleocephalocereus purpureus</i>        | live (art. prop.) | 18       | US                                 | DE |
|                         | <i>Copiapoa</i> spp.                       | live (art. prop.) | 122      | US                                 | DE |
|                         |  |                   | 31       | US                                 | GB |
|                         |  | live              | 4        | CL                                 | XX |
|                         |  |                   |          |                                    | DE |
|                         | <i>Copiapoa calderana</i>                  | live              | 2        | CL                                 | XX |
|                         | <i>Copiapoa cinerea</i>                    | live              | 5        | CL                                 | XX |
|                         | <i>Copiapoa humilis</i>                    | live (art. prop.) | 2110     | BR                                 | DE |
|                         |  |                   | 19144    | BR                                 | NL |
|                         |  |                   | 100      | US                                 | DE |
|                         |  | live              | 2        | CL                                 | XX |
|                         |  |                   |          |                                    | DE |
|                         | <i>Copiapoa hypogaea</i>                   | live (art. prop.) | 30       | US                                 | GB |

| CITES EEC<br>App. Annex | Taxon                              | Description       | Quantity | Country of<br>Export | Origin Import |
|-------------------------|------------------------------------|-------------------|----------|----------------------|---------------|
| II                      | <i>Coryphantha</i> spp.            | live (art. prop.) | 30       | CS                   | GB            |
|                         |                                    |                   | 12       | US                   | DE            |
|                         |                                    |                   | 6        | US                   | GB            |
|                         |                                    |                   | 1        | XX                   | GB            |
|                         | <i>Coryphantha andreae</i>         | live (art. prop.) | 1        | XX                   | GB            |
|                         | <i>Coryphantha asterias</i>        | live (art. prop.) | 1        | XX                   | GB            |
|                         | <i>Coryphantha bergeriana</i>      | live (art. prop.) | 1        | US                   | DE            |
|                         | <i>Coryphantha bumamma</i>         | live (art. prop.) | 40       | US                   | GB            |
|                         | <i>Coryphantha calipensis</i>      | live (art. prop.) | 50       | US                   | GB            |
|                         |                                    |                   | 1        | US                   | NL            |
|                         |                                    |                   | 1        | XX                   | GB            |
|                         | <i>Coryphantha cornifera</i>       | live (art. prop.) | 11       | US                   | GB            |
|                         | <i>Coryphantha daimonoceras</i>    | live (art. prop.) | 1        | US                   | DE            |
|                         | <i>Coryphantha delaetiana</i>      | live (art. prop.) | 1        | XX                   | GB            |
|                         | <i>Coryphantha echinus</i>         | live (art. prop.) | 1        | US                   | DE            |
|                         | <i>Coryphantha elephantidens</i>   | live (art. prop.) | 2        | US                   | DE            |
|                         | <i>Coryphantha erecta</i>          | live (art. prop.) | 1        | US                   | DE            |
|                         | <i>Coryphantha guerkeana</i>       | live (art. prop.) | 1        | US                   | DE            |
|                         | <i>Coryphantha macromeris</i>      | live (art. prop.) | 2        | US                   | DE            |
|                         | <i>Coryphantha pseudonickelsae</i> | live (art. prop.) | 1        | US                   | GB            |

| CITES EEC<br>App. Annex | Taxon                            | Description       | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|----|----|
| II                      | <i>Coryphantha retusa</i>        | live              | 1        | CL                                 | XX | DE |
|                         | <i>Coryphantha salm-dyckiana</i> | live (art. prop.) | 5        | US                                 |    | GB |
|                         | <i>Coryphantha sulcata</i>       | live (art. prop.) | 1972     | BR                                 |    | NL |
|                         |                                  |                   | 1        | US                                 |    | GB |
|                         | <i>Discocactus spp.</i>          | live (art. prop.) | 56       | US                                 |    | GB |
|                         | <i>Discocactus hartmannii</i>    | live (art. prop.) | 18       | US                                 |    | DE |
|                         | <i>Discocactus horstii</i>       | live (art. prop.) | 150      | US                                 |    | DE |
|                         |                                  |                   | 150      | US                                 |    | GB |
|                         | <i>Echinocactus spp.</i>         | live (art. prop.) | 8        | ZA                                 |    | DE |
|                         |                                  |                   | 3000     | ZA                                 |    | NL |
|                         | <i>Echinocactus grusonii</i>     | live (art. prop.) | 900      | BR                                 |    | DE |
|                         |                                  |                   | 4700     | BR                                 |    | NL |
|                         |                                  |                   | 400      | JP                                 |    | DE |
|                         |                                  |                   | 20       | US                                 |    | GB |
|                         |                                  |                   | 1095     | ZA                                 |    | DE |
|                         |                                  |                   | 745      | ZA                                 |    | NL |
|                         | <i>Echinocactus polycephalus</i> | live              | 200      | US                                 |    | NL |
|                         | <i>Echinocereus spp.</i>         | live (art. prop.) | 1151     | US                                 |    | DE |
|                         |                                  |                   | 520      | XX                                 |    | GB |
|                         | <i>Echinocereus adustus</i>      | live (art. prop.) | 16       | US                                 |    | DE |
|                         |                                  |                   | 2        | XX                                 |    | GB |
|                         | <i>Echinocereus amoenus</i>      | live (art. prop.) | 80       | US                                 |    | GB |

| CITES EEC<br>App. Annex | Taxon                              | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|------------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Echinocereus barthelowianus</i> | live (art. prop.) | 1        | US DE                              |
|                         | <i>Echinocereus bristolii</i>      | live (art. prop.) | 10       | US GB                              |
|                         | <i>Echinocereus chloranthus</i>    | live (art. prop.) | 3        | XX GB                              |
|                         | <i>Echinocereus fendleri</i>       | live (art. prop.) | 2        | US DE                              |
|                         |                                    | live              | 150      | US NL                              |
|                         | <i>Echinocereus knippelianus</i>   | live (art. prop.) | 1        | XX GB                              |
|                         | <i>Echinocereus laui</i>           | live (art. prop.) | 1        | US XX DE                           |
|                         |                                    |                   | 1        | GB                                 |
|                         | <i>Echinocereus palmeri</i>        | live (art. prop.) | 30       | US GB                              |
|                         | <i>Echinocereus pamanesiorum</i>   | live (art. prop.) | 24       | US GB                              |
|                         | <i>Echinocereus pectinatus</i>     | live (art. prop.) | 1300     | BR NL                              |
|                         |                                    |                   | 301      | US DE                              |
|                         | <i>Echinocereus polyacanthus</i>   | live (art. prop.) | 1        | XX GB                              |
|                         | <i>Echinocereus pulchellus</i>     | live (art. prop.) | 224      | US DE                              |
|                         |                                    |                   | 30       | US GB                              |
|                         | <i>Echinocereus reichenbachii</i>  | live (art. prop.) | 68       | US DE                              |
|                         |                                    |                   | 4        | US GB                              |
|                         |                                    |                   | 1        | XX GB                              |
|                         | <i>Echinocereus sciurus</i>        | live (art. prop.) | 1        | US DE                              |
|                         |                                    |                   | 1        | XX GB                              |

| CITES EEC<br>App. Annex | TAXON                               | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|-------------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Echinocereus stramineus</i>      | live (art. prop.) | 2        | US                                 | DE |
|                         | <i>Echinocereus subinermis</i>      | live (art. prop.) | 50       | US                                 | GB |
|                         | <i>Echinocereus triglochidiatus</i> | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Echinocereus viereckii</i>       | live (art. prop.) | 50       | US                                 | GB |
|                         |                                     |                   | 1        | XX                                 | GB |
|                         | <i>Echinocereus viridiflorus</i>    | live (art. prop.) | 2        | US                                 | DE |
|                         |                                     |                   | 150      | US                                 | GB |
|                         |                                     |                   | 3        | XX                                 | GB |
|                         | <i>Echinopsis spp.</i>              | live (art. prop.) | 70       | BO                                 | DE |
|                         |                                     |                   | 500      | JP                                 | DE |
|                         |                                     |                   | 9200     | JP                                 | NL |
|                         |                                     |                   | 328      | US                                 | DE |
|                         |                                     |                   | 7        | US                                 | NL |
|                         |                                     |                   | 16       | XX                                 | GB |
|                         |                                     |                   | 350      | ZA                                 | DE |
|                         |                                     | live              | 54       | AR                                 | DE |
|                         |                                     |                   | 11       | PY                                 | DE |
|                         | <i>Echinopsis ancistrophora</i>     | live (art. prop.) | 350      | BR                                 | NL |
|                         |                                     |                   | 1        | US                                 | NL |
|                         |                                     |                   | 3        | XX                                 | GB |
|                         | <i>Echinopsis arachnacantha</i>     | live (art. prop.) | 3388     | BR                                 | NL |
|                         | <i>Echinopsis atacamensis</i>       | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Echinopsis aurea</i>             | live (art. prop.) | 850      | BR                                 | NL |
|                         |                                     |                   | 1        | US                                 | GB |
|                         |                                     |                   | 2        | XX                                 | GB |

| CITES EEC<br>App. Annex | TAXON                            | Description       | Quantity | Country of<br>Export Origin | Import |
|-------------------------|----------------------------------|-------------------|----------|-----------------------------|--------|
| II                      | <i>Echinopsis backebergii</i>    | live (art. prop.) | 2        | US                          | NL     |
|                         | <i>Echinopsis bridgesii</i>      | live (art. prop.) | 1130     | BR                          | DE     |
|                         |                                  |                   | 9187     | BR                          | NL     |
|                         |                                  |                   | 1        | XX                          | GB     |
|                         | <i>Echinopsis cajasensis</i>     | live (art. prop.) | 1        | XX                          | GB     |
|                         | <i>Echinopsis calochlora</i>     | live (art. prop.) | 1620     | BR                          | NL     |
|                         | <i>Echinopsis camarguensis</i>   | live (art. prop.) | 1        | XX                          | GB     |
|                         | <i>Echinopsis cardenasiana</i>   | live (art. prop.) | 10       | US                          | DE     |
|                         | <i>Echinopsis chamaecereus</i>   | live (art. prop.) | 36020    | BR                          | DE     |
|                         |                                  |                   | 504089   | BR                          | NL     |
|                         |                                  |                   | 500      | KR                          | NL     |
|                         | <i>Echinopsis chiloensis</i>     | live (art. prop.) | 1        | XX                          | GB     |
|                         | <i>Echinopsis chrysantha</i>     | live (art. prop.) | 2        | US                          | NL     |
|                         |                                  |                   | 1        | XX                          | GB     |
|                         | <i>Echinopsis cochabambensis</i> | live (art. prop.) | 1        | XX                          | GB     |
|                         | <i>Echinopsis famatimensis</i>   | live (art. prop.) | 1800     | JP                          | NL     |
|                         | <i>Echinopsis formosa</i>        | live (art. prop.) | 1        | XX                          | GB     |
|                         | <i>Echinopsis grisea</i>         | live (art. prop.) | 2        | US                          | NL     |
|                         | <i>Echinopsis haematantha</i>    | live (art. prop.) | 150      | BR                          | DE     |
|                         |                                  |                   | 1420     | BR                          | NL     |
|                         |                                  |                   | 1        | US                          | NL     |
|                         |                                  |                   | 1        | XX                          | GB     |

| CITES EEC<br>App. Annex | TAXON                            | Description       | Quantity  | Country of<br>Export | Country of<br>Origin Import |
|-------------------------|----------------------------------|-------------------|-----------|----------------------|-----------------------------|
| II                      | <i>Echinopsis huascha</i>        | live (art. prop.) | 2<br>1    | US<br>XX             | NL<br>GB                    |
|                         | <i>Echinopsis lageniformis</i>   | live (art. prop.) | 1         | XX                   | GB                          |
|                         | <i>Echinopsis mamillosa</i>      | live (art. prop.) | 1         | XX                   | GB                          |
|                         | <i>Echinopsis maximiliana</i>    | live (art. prop.) | 1         | XX                   | GB                          |
|                         | <i>Echinopsis melanopotamica</i> | live (art. prop.) | 2         | XX                   | GB                          |
|                         | <i>Echinopsis oxygona</i>        | live (art. prop.) | 2<br>1    | US<br>XX             | NL<br>GB                    |
|                         | <i>Echinopsis pachanoi</i>       | live (art. prop.) | 1         | XX                   | GB                          |
|                         | <i>Echinopsis pamparuizii</i>    | live (art. prop.) | 1         | XX                   | GB                          |
|                         | <i>Echinopsis pentlandii</i>     | live (art. prop.) | 1         | US                   | DE                          |
|                         | <i>Echinopsis purpureopilosa</i> | live (art. prop.) | 1         | XX                   | GB                          |
|                         | <i>Echinopsis rauschii</i>       | live (art. prop.) | 1         | US                   | NL                          |
|                         | <i>Echinopsis saltensis</i>      | live (art. prop.) | 2<br>2    | US<br>XX             | DE<br>GB                    |
|                         | <i>Echinopsis santiaguensis</i>  | live (art. prop.) | 1         | XX                   | GB                          |
|                         | <i>Echinopsis spachiana</i>      | live (art. prop.) | 1         | XX                   | GB                          |
|                         | <i>Echinopsis thionantha</i>     | live (art. prop.) | 3         | XX                   | GB                          |
|                         | <i>Echinopsis tiegeliana</i>     | live (art. prop.) | 152<br>50 | US<br>US             | DE<br>GB                    |

| CITES EEC<br>App. Annex | Taxon                            | Description       | Quantity | Country of<br>Export Origin Import |       |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|-------|
| II                      | <i>Echinopsis tiegeliana</i>     | live (art. prop.) | 2        | XX                                 | GB    |
|                         | <i>Echinopsis tunariensis</i>    | live (art. prop.) | 1        | XX                                 | GB    |
|                         | <i>Echinopsis vellegradensis</i> | live (art. prop.) | 1        | XX                                 | GB    |
|                         | <i>Echinopsis walteri</i>        | live (art. prop.) | 5        | XX                                 | GB    |
|                         | <i>Epiphyllum</i> spp.           | live (art. prop.) | 881      | US                                 | DE    |
|                         |                                  |                   | 121      | US                                 | TH DE |
|                         |                                  |                   | 1        | XX                                 | GB    |
|                         |                                  | live              | 15       | PY                                 | DE    |
|                         | <i>Epiphyllum anguliger</i>      | live (art. prop.) | 22       | US                                 | DE    |
|                         |                                  |                   | 1        | XX                                 | GB    |
|                         | <i>Epiphyllum cartagense</i>     | live (art. prop.) | 1        | XX                                 | GB    |
|                         | <i>Epiphyllum crenatum</i>       | live (art. prop.) | 1        | XX                                 | GB    |
|                         | <i>Epiphyllum oxypetalum</i>     | live (art. prop.) | 1        | XX                                 | GB    |
|                         | <i>Epiphyllum phyllanthus</i>    | live (art. prop.) | 1        | XX                                 | GB    |
|                         | <i>Epithelantha</i> spp.         | live (art. prop.) | 3        | US                                 | GB    |
|                         | <i>Epithelantha micromeris</i>   | live (art. prop.) | 300      | BR                                 | DE    |
|                         |                                  |                   | 1610     | BR                                 | NL    |
|                         |                                  |                   | 400      | JP                                 | NL    |
|                         |                                  |                   | 3        | US                                 | DE    |
|                         |                                  |                   | 1        | US                                 | GB    |
|                         |                                  |                   | 1        | US                                 | NL    |
|                         | <i>Escobaria</i> spp.            | live (art. prop.) | 7        | US                                 | DE    |

| CITES EEC<br>App. Annex | Taxon                           | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Escobaria chihuahuensis</i>  | live (art. prop.) | 1        | US                                 | NL |
|                         | <i>Escobaria gigantea</i>       | live (art. prop.) | 1        | US                                 | DE |
|                         | <i>Escobaria hesteri</i>        | live (art. prop.) | 3        | US                                 | DE |
|                         | <i>Escobaria missouriensis</i>  | live (art. prop.) | 1        | US                                 | NL |
|                         | <i>Escobaria orcuttii</i>       | live (art. prop.) | 6        | US                                 | DE |
|                         |                                 |                   | 3        | US                                 | NL |
|                         | <i>Escobaria roseana</i>        | live (art. prop.) | 1        | US                                 | NL |
|                         | <i>Escobaria strobiliformis</i> | live (art. prop.) | 3        | US                                 | DE |
|                         | <i>Escobaria vivipara</i>       | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Escobaria zilziana</i>       | live (art. prop.) | 1        | US                                 | DE |
|                         | <i>Epostoa guentheri</i>        | live (art. prop.) | 2        | US                                 | DE |
|                         | <i>Epostoa lanata</i>           | live (art. prop.) | 2710     | BR                                 | DE |
|                         |                                 |                   | 9467     | BR                                 | NL |
|                         |                                 |                   | 1        | XX                                 | GB |
|                         | <i>Epostoa melanostele</i>      | live (art. prop.) | 810      | BR                                 | NL |
|                         |                                 |                   | 2000     | JP                                 | NL |
|                         | <i>Epostoa senilis</i>          | live (art. prop.) | 2        | US                                 | DE |
|                         |                                 |                   | 1        | XX                                 | GB |
|                         | <i>Eulychnia spp.</i>           | live              | 1        | CL                                 | XX |
|                         | <i>Ferocactus spp.</i>          | live (art. prop.) | 70       | ZA                                 | DE |
|                         |                                 |                   | 3020     | ZA                                 | NL |

| CITES EEC<br>App. Annex | Taxon                           | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Ferocactus chrysacanthus</i> | live (art. prop.) | 4        | US GB                              |
|                         | <i>Ferocactus cylindraceus</i>  | live              | 100      | US NL                              |
|                         | <i>Ferocactus glaucescens</i>   | live (art. prop.) | 350      | ZA DE                              |
|                         |                                 |                   | 100      | ZA NL                              |
|                         | <i>Ferocactus gracilis</i>      | live (art. prop.) | 20       | US GB                              |
|                         | <i>Ferocactus hamatacanthus</i> | live (art. prop.) | 300      | BR DE                              |
|                         |                                 |                   | 200      | BR NL                              |
|                         | <i>Ferocactus histrix</i>       | live (art. prop.) | 7        | US GB                              |
|                         | <i>Ferocactus johnstonianus</i> | live (art. prop.) | 130      | ZA NL                              |
|                         | <i>Ferocactus latispinus</i>    | live (art. prop.) | 300      | BR DE                              |
|                         |                                 |                   | 1000     | JP NL                              |
|                         |                                 |                   | 7        | US DE                              |
|                         |                                 |                   | 40       | US GB                              |
|                         | <i>Ferocactus pilosus</i>       | live (art. prop.) | 979      | BR NL                              |
|                         |                                 |                   | 1        | XX GB                              |
|                         |                                 |                   | 20       | ZA DE                              |
|                         |                                 |                   | 125      | ZA NL                              |
|                         | <i>Ferocactus robustus</i>      | live (art. prop.) | 20       | ZA NL                              |
|                         | <i>Ferocactus schwarzii</i>     | live (art. prop.) | 1        | XX GB                              |
|                         | <i>Ferocactus viridescens</i>   | live (art. prop.) | 1        | XX GB                              |
|                         | <i>Ferocactus wislizeni</i>     | live (art. prop.) | 1        | XX GB                              |
|                         |                                 |                   | 500      | ZA DE                              |
|                         |                                 | live              | 25       | US NL                              |

| CITES EEC<br>App. Annex | Taxon                              | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|------------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Frailea</i> spp.                | live              | 231      | PY DE                              |
|                         | <i>Frailea pseudograhiana</i>      | live (art. prop.) | 2        | XX GB                              |
|                         | <i>Frailea pygmaea</i>             | live (art. prop.) | 1        | XX GB                              |
|                         | <i>Gymnocalycium</i> spp.          | live (art. prop.) | 3250     | JP DE                              |
|                         |                                    |                   | 125900   | JP NL                              |
|                         |                                    |                   | 867      | US DE                              |
|                         |                                    |                   | 30       | US GB                              |
|                         |                                    |                   | 2        | XX GB                              |
|                         |                                    | live              | 192      | AR DE                              |
|                         |                                    |                   | 143      | PY DE                              |
|                         | <i>Gymnocalycium andreae</i>       | live (art. prop.) | 59       | US DE                              |
|                         |                                    | live              | 40       | AR DE                              |
|                         | <i>Gymnocalycium baldianum</i>     | live (art. prop.) | 1930     | BR DE                              |
|                         |                                    |                   | 7150     | BR NL                              |
|                         |                                    |                   | 35650    | JP DE                              |
|                         |                                    |                   | 25       | US DE                              |
|                         |                                    | live              | 6        | AR DE                              |
|                         | <i>Gymnocalycium bayrianum</i>     | live (art. prop.) | 1        | XX GB                              |
|                         | <i>Gymnocalycium capillaense</i>   | live (art. prop.) | 1        | XX GB                              |
|                         | <i>Gymnocalycium cardenasianum</i> | live (art. prop.) | 30       | US GB                              |
|                         | <i>Gymnocalycium castellanosii</i> | live (art. prop.) | 10       | US GB                              |
|                         | <i>Gymnocalycium chiquitanum</i>   | live (art. prop.) | 30       | US GB                              |

| CITES EEC<br>App. Annex | TAXON                                   | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|---|-------------------|----------|------------------------------------|----|
| II                      | <i>Gymnocalycium denudatum</i>          | live (art. prop.) | 25       | US                                 | GB |
|                         | <i>Gymnocalycium eytianum</i>           | live (art. prop.) | 1        | US                                 | GB |
|                         | <i>Gymnocalycium<br/>fleischerianum</i> | live (art. prop.) | 7        | US                                 | DE |
|                         |   |                   | 1        | US                                 | NL |
|                         | <i>Gymnocalycium gibbosum</i>           | live (art. prop.) | 30       | CS                                 | GB |
|                         |   |                   | 1        | XX                                 | GB |
|                         | <i>Gymnocalycium horstii</i>            | live (art. prop.) | 630      | BR                                 | DE |
|                         |   |                   | 200      | US                                 | DE |
|                         |   |                   | 30       | US                                 | GB |
|                         |   |                   | 1        | XX                                 | GB |
|                         | <i>Gymnocalycium leeanaum</i>           | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Gymnocalycium<br/>mihanovichii</i>   | live (art. prop.) | 18950    | BR                                 | DE |
|                         |   |                   | 27202    | BR                                 | NL |
|                         |   |                   | 850850   | JP                                 | NL |
|                         |   |                   | 31000    | KR                                 | NL |
|                         | <i>Gymnocalycium multiflorum</i>        | live (art. prop.) | 6        | US                                 | GB |
|                         |   |                   | 1        | XX                                 | GB |
|                         | <i>Gymnocalycium pflanzii</i>           | live (art. prop.) | 146      | US                                 | DE |
|                         | <i>Gymnocalycium piltziorum</i>         | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Gymnocalycium pungens</i>            | live (art. prop.) | 30       | US                                 | GB |
|                         | <i>Gymnocalycium quehlianum</i>         | live (art. prop.) | 1        | US                                 | NL |

| CITES EEC<br>App. Annex | Taxon                                | Description       | Quantity  | Country of<br>Export Origin Import |          |
|-------------------------|--------------------------------------|-------------------|-----------|------------------------------------|----------|
| II                      | <i>Gymnocalycium ragonesei</i>       | live (art. prop.) | 1         | XX                                 | GB       |
|                         | <i>Gymnocalycium saglionis</i>       | live (art. prop.) | 7         | US                                 | GB       |
|                         | <i>Gymnocalycium schickendantzii</i> | live (art. prop.) | 2         | XX                                 | GB       |
|                         | <i>Gymnocalycium spegazzinii</i>     | live (art. prop.) | 55<br>375 | US<br>ZA                           | GB<br>NL |
|                         | <i>Gymnocalycium stellatum</i>       | live (art. prop.) | 2         | XX                                 | GB       |
|                         | <i>Gymnocalycium uruguayanense</i>   | live (art. prop.) | 2         | XX                                 | GB       |
|                         | <i>Gymnocalycium valnicekianum</i>   | live (art. prop.) | 1         | XX                                 | GB       |
|                         | <i>Haageocereus aureispinus</i>      | live (art. prop.) | 1         | XX                                 | GB       |
|                         | <i>Haageocereus pectinatus</i>       | live (art. prop.) | 2         | XX                                 | GB       |
|                         | <i>Haageocereus versicolor</i>       | live (art. prop.) | 1         | XX                                 | GB       |
|                         | <i>Hatiora salicornioides</i>        | live (art. prop.) | 1         | XX                                 | GB       |
|                         | <i>Helicocereus speciosus</i>        | live (art. prop.) | 2         | XX                                 | GB       |
|                         | <i>Homalocephala texensis</i>        | live (art. prop.) | 100<br>2  | JP<br>US                           | DE<br>DE |
|                         | <i>Hylocereus purpusii</i>           | live (art. prop.) | 1         | XX                                 | GB       |
|                         | <i>Hylocereus undatus</i>            | live (art. prop.) | 1         | XX                                 | GB       |
|                         | <i>Lophophora williamsii</i>         | live (art. prop.) | 7500      | JP                                 | NL       |

| CITES EEC<br>App. Annex | Taxon                            | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Lophophora williamsii</i>     | live (art. prop.) | 9        | XX                                 | GB |
|                         | <i>Mammillaria</i> spp.          | live (art. prop.) | 1324     | BR                                 | NL |
|                         |                                  |                   | 400      | JP                                 | DE |
|                         |                                  |                   | 1992     | US                                 | DE |
|                         |                                  |                   | 239      | US                                 | GB |
|                         |                                  |                   | 5        | XX                                 | GB |
|                         |                                  |                   | 12       | ZA                                 | DE |
|                         |                                  |                   | 20       | ZA                                 | NL |
|                         | <i>Mammillaria albicans</i>      | live (art. prop.) | 622      | BR                                 | NL |
|                         | <i>Mammillaria albilanata</i>    | live (art. prop.) | 600      | BR                                 | NL |
|                         |                                  |                   | 1000     | JP                                 | DE |
|                         |                                  |                   | 3        | US                                 | GB |
|                         |                                  |                   | 1        | US                                 | NL |
|                         | <i>Mammillaria angelensis</i>    | live (art. prop.) | 1        | US                                 | DE |
|                         | <i>Mammillaria anniana</i>       | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Mammillaria armillata</i>     | live (art. prop.) | 1        | US                                 | DE |
|                         | <i>Mammillaria aureilanata</i>   | live (art. prop.) | 25       | US                                 | GB |
|                         | <i>Mammillaria backebergiana</i> | live (art. prop.) | 2        | US                                 | DE |
|                         | <i>Mammillaria baxteriana</i>    | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Mammillaria beneckei</i>      | live (art. prop.) | 1        | US                                 | DE |
|                         |                                  |                   | 1        | US                                 | NL |
|                         | <i>Mammillaria blossfeldiana</i> | live (art. prop.) | 4        | US                                 | DE |
|                         |                                  |                   | 1        | XX                                 | GB |

| CITES EEC<br>App. Annex | Taxon                           | Description       | Quantity                   | Country of<br>Export Origin Import |
|-------------------------|---------------------------------|-------------------|----------------------------|------------------------------------|
| II                      | <i>Mammillaria bocasana</i>     | live (art. prop.) | 800<br>5022<br>2           | BR<br>BR<br>US                     |
|                         | <i>Mammillaria bombycina</i>    | live (art. prop.) | 3600<br>13944<br>5         | BR<br>BR<br>US                     |
|                         | <i>Mammillaria boolii</i>       | live (art. prop.) | 9<br>2                     | US<br>XX                           |
|                         | <i>Mammillaria brandegei</i>    | live (art. prop.) | 1                          | XX                                 |
|                         | <i>Mammillaria camptotricha</i> | live (art. prop.) | 3750                       | BR                                 |
|                         | <i>Mammillaria candida</i>      | live (art. prop.) | 2030<br>2049<br>1000<br>28 | BR<br>BR<br>JP<br>US               |
|                         | <i>Mammillaria canelensis</i>   | live (art. prop.) | 1                          | XX                                 |
|                         | <i>Mammillaria carretii</i>     | live (art. prop.) | 1                          | US                                 |
|                         | <i>Mammillaria columbiana</i>   | live (art. prop.) | 1                          | US                                 |
|                         | <i>Mammillaria decipiens</i>    | live (art. prop.) | 4280<br>14492<br>15<br>1   | BR<br>BR<br>US<br>XX               |
|                         | <i>Mammillaria deherdtiana</i>  | live (art. prop.) | 1<br>151                   | US<br>US                           |
|                         | <i>Mammillaria densispina</i>   | live (art. prop.) | 1                          | XX                                 |

| CITES EEC<br>App. Annex | Taxon                            | Description       | Quantity                  | Country of<br>Export Origin Import |                      |
|-------------------------|----------------------------------|-------------------|---------------------------|------------------------------------|----------------------|
| II                      | <i>Mammillaria</i>               |                   |                           |                                    |                      |
|                         | <i>dixanthocentron</i>           | live (art. prop.) | 950<br>6244               | BR<br>BR                           | DE<br>NL             |
|                         | <i>Mammillaria elongata</i>      | live (art. prop.) | 1710<br>7218<br>1500<br>1 | BR<br>BR<br>JP<br>US               | DE<br>NL<br>DE<br>NL |
|                         | <i>Mammillaria eriacantha</i>    | live (art. prop.) | 616<br>6                  | BR<br>US                           | NL<br>GB             |
|                         | <i>Mammillaria erythrosperma</i> | live (art. prop.) | 1                         | XX                                 | GB                   |
|                         | <i>Mammillaria geminispina</i>   | live (art. prop.) | 1000<br>1350<br>25        | BR<br>BR<br>US                     | DE<br>NL<br>DE       |
|                         | <i>Mammillaria glassii</i>       | live (art. prop.) | 25<br>1                   | US<br>XX                           | GB<br>GB             |
|                         | <i>Mammillaria goodridgii</i>    | live (art. prop.) | 3                         | US                                 | DE                   |
|                         | <i>Mammillaria gracilis</i>      | live (art. prop.) | 1                         | XX                                 | GB                   |
|                         | <i>Mammillaria grahamii</i>      | live (art. prop.) | 1                         | US                                 | DE                   |
|                         | <i>Mammillaria guelzowiana</i>   | live (art. prop.) | 900<br>120<br>3           | BR<br>US<br>XX                     | DE<br>DE<br>GB       |
|                         | <i>Mammillaria guerreronis</i>   | live (art. prop.) | 1                         | US                                 | NL                   |
|                         | <i>Mammillaria hahniana</i>      | live (art. prop.) | 2850<br>11634             | BR<br>BR                           | DE<br>NL             |

| CITES EEC<br>App. Annex | Taxon                                | Description       | Quantity          | Country of<br>Export Origin Import |                      |
|-------------------------|--------------------------------------|-------------------|-------------------|------------------------------------|----------------------|
| II                      | <i>Mammillaria hahniana</i>          | live (art. prop.) | 1000<br>28        | JP<br>US                           | NL<br>DE             |
|                         | <i>Mammillaria halei</i>             | live (art. prop.) | 1                 | US                                 | DE                   |
|                         | <i>Mammillaria heyderi</i>           | live (art. prop.) | 1                 | US                                 | DE                   |
|                         | <i>Mammillaria huiztizilopochtli</i> | live (art. prop.) | 1                 | US                                 | DE                   |
|                         | <i>Mammillaria humboldtii</i>        | live (art. prop.) | 1<br>151          | US<br>US                           | DE<br>GB             |
|                         | <i>Mammillaria insularis</i>         | live (art. prop.) | 3                 | US                                 | DE                   |
|                         | <i>Mammillaria johnstonii</i>        | live (art. prop.) | 1<br>1            | US<br>XX                           | NL<br>GB             |
|                         | <i>Mammillaria karwinskiana</i>      | live (art. prop.) | 25                | US                                 | DE                   |
|                         | <i>Mammillaria kraehenbuehlii</i>    | live (art. prop.) | 1                 | US                                 | DE                   |
|                         | <i>Mammillaria lasiacantha</i>       | live (art. prop.) | 3<br>18<br>3<br>2 | US<br>US<br>US<br>XX               | DE<br>GB<br>NL<br>GB |
|                         | <i>Mammillaria lenta</i>             | live (art. prop.) | 1<br>30           | US<br>US                           | DE<br>GB             |
|                         | <i>Mammillaria lindsayi</i>          | live (art. prop.) | 4                 | US                                 | GB                   |
|                         | <i>Mammillaria longiflora</i>        | live (art. prop.) | 1                 | XX                                 | GB                   |

| CITES EEC<br>App. Annex | Taxon                            | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Mammillaria magallanii</i>    | live (art. prop.) | 1        | US NL                              |
|                         | <i>Mammillaria magnifica</i>     | live (art. prop.) | 14       | US GB                              |
|                         | <i>Mammillaria magnimamma</i>    | live (art. prop.) | 2500     | BR DE                              |
|                         |                                  |                   | 7205     | BR NL                              |
|                         |                                  |                   | 500      | JP DE                              |
|                         |                                  |                   | 1        | US NL                              |
|                         | <i>Mammillaria marksiana</i>     | live (art. prop.) | 5        | US DE                              |
|                         | <i>Mammillaria matudae</i>       | live (art. prop.) | 30       | US GB                              |
|                         |                                  |                   | 1        | XX GB                              |
|                         | <i>Mammillaria mazatlanensis</i> | live (art. prop.) | 3        | US DE                              |
|                         | <i>Mammillaria melaleuca</i>     | live (art. prop.) | 1        | US DE                              |
|                         | <i>Mammillaria microhelia</i>    | live (art. prop.) | 2310     | BR NL                              |
|                         | <i>Mammillaria miegiana</i>      | live (art. prop.) | 5        | US GB                              |
|                         | <i>Mammillaria milleri</i>       | live (art. prop.) | 3        | US DE                              |
|                         |                                  |                   | 1        | XX GB                              |
|                         | <i>Mammillaria nana</i>          | live (art. prop.) | 4        | US GB                              |
|                         |                                  |                   | 1        | XX GB                              |
|                         | <i>Mammillaria nunezii</i>       | live (art. prop.) | 1        | US DE                              |
|                         | <i>Mammillaria pennispinosa</i>  | live (art. prop.) | 500      | BR DE                              |
|                         |                                  |                   | 3809     | BR NL                              |
|                         | <i>Mammillaria phitauiana</i>    | live (art. prop.) | 1        | US NL                              |

| CITES EEC<br>App. Annex | Taxon                             | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|-----------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Mammillaria pilcayensis</i>    | live (art. prop.) | 784      | BR NL                              |
|                         | <i>Mammillaria pondii</i>         | live (art. prop.) | 1        | US DE                              |
|                         | <i>Mammillaria prolifera</i>      | live (art. prop.) | 3        | XX GB                              |
|                         | <i>Mammillaria rekoi</i>          | live (art. prop.) | 5        | US DE                              |
|                         |                                   |                   | 30       | US GB                              |
|                         | <i>Mammillaria rhodantha</i>      | live (art. prop.) | 1        | US NL                              |
|                         | <i>Mammillaria rubrograndis</i>   | live (art. prop.) | 12       | US DE                              |
|                         | <i>Mammillaria saboae</i>         | live (art. prop.) | 233      | US DE                              |
|                         |                                   |                   | 1        | US NL                              |
|                         |                                   |                   | 1        | XX GB                              |
|                         | <i>Mammillaria schiedeana</i>     | live (art. prop.) | 30       | US GB                              |
|                         |                                   |                   | 2        | XX GB                              |
|                         | <i>Mammillaria schumannii</i>     | live (art. prop.) | 1        | US DE                              |
|                         | <i>Mammillaria schwarzii</i>      | live (art. prop.) | 50       | US GB                              |
|                         |                                   |                   | 5        | XX GB                              |
|                         | <i>Mammillaria scrippsiana</i>    | live (art. prop.) | 1        | US NL                              |
|                         | <i>Mammillaria sempervivi</i>     | live (art. prop.) | 1        | XX GB                              |
|                         | <i>Mammillaria sheldonii</i>      | live (art. prop.) | 1        | US DE                              |
|                         | <i>Mammillaria sinistrohamata</i> | live (art. prop.) | 1        | US NL                              |
|                         | <i>Mammillaria spinosissima</i>   | live (art. prop.) | 1750     | BR DE                              |

| CITES EEC<br>App. Annex | Taxon                              | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|------------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Mammillaria spinosissima</i>    | live (art. prop.) | 3978     | BR                                 | NL |
|                         |                                    |                   | 500      | JP                                 | NL |
|                         |                                    |                   | 5        | US                                 | DE |
|                         | <i>Mammillaria standleyi</i>       | live (art. prop.) | 8        | US                                 | GB |
|                         | <i>Mammillaria surculosa</i>       | live (art. prop.) | 250      | BR                                 | NL |
|                         |                                    |                   | 13       | US                                 | GB |
|                         | <i>Mammillaria swinglei</i>        | live (art. prop.) | 2        | US                                 | DE |
|                         | <i>Mammillaria tayloriorum</i>     | live (art. prop.) | 8        | US                                 | GB |
|                         |                                    |                   | 1        | US                                 | NL |
|                         | <i>Mammillaria tetrancistra</i>    | live (art. prop.) | 3        | US                                 | DE |
|                         | <i>Mammillaria theresae</i>        | live (art. prop.) | 2        | US                                 | DE |
|                         | <i>Mammillaria tonalensis</i>      | live (art. prop.) | 1        | US                                 | NL |
|                         | <i>Mammillaria winterae</i>        | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Mammillaria wrightii</i>        | live (art. prop.) | 2        | US                                 | DE |
|                         |                                    |                   | 17       | US                                 | GB |
|                         |                                    |                   | 1        | US                                 | NL |
|                         |                                    |                   | 1        | XX                                 | GB |
|                         | <i>Mammillaria zeilmanniana</i>    | live (art. prop.) | 800      | BR                                 | DE |
|                         |                                    |                   | 700      | BR                                 | NL |
|                         |                                    |                   | 1        | XX                                 | GB |
|                         | <i>Mammillaria zephyranthoides</i> | live (art. prop.) | 150      | US                                 | GB |
|                         | <i>Matucana aureiflora</i>         | live (art. prop.) | 147      | US                                 | DE |

| CITES EEC<br>App. Annex | Taxon                                  | Description       | Quantity      | Country of<br>Export Origin Import |                |
|-------------------------|--|-------------------|---------------|------------------------------------|----------------|
| II                      | <i>Matucana haynei</i>                 | live (art. prop.) | 2             | XX                                 | GB             |
|                         | <i>Matucana intertexta</i>             | live (art. prop.) | 1             | US                                 | DE             |
|                         | <i>Matucana madisoniorum</i>           | live (art. prop.) | 1             | XX                                 | GB             |
|                         | <i>Matucana oreodoxa</i>               | live (art. prop.) | 32            | US                                 | DE             |
|                         | <i>Melocactus spp.</i>                 | live (art. prop.) | 830<br>6      | BR<br>US                           | DE<br>GB       |
|                         | <i>Melocactus azureus</i>              | live (art. prop.) | 200<br>500    | BR<br>BR                           | DE<br>NL       |
|                         | <i>Melocactus glaucescens</i>          | live (art. prop.) | 30            | US                                 | GB             |
|                         | <i>Melocactus matanzanus</i>           | live (art. prop.) | 1<br>100<br>1 | US<br>US<br>XX                     | DE<br>GB<br>GB |
|                         | <i>Melocactus neryi</i>                | live (art. prop.) | 500<br>200    | ZA<br>ZA                           | DE<br>NL       |
|                         | <i>Melocactus oreas</i>                | live (art. prop.) | 900<br>1300   | BR<br>BR                           | DE<br>NL       |
|                         | <i>Melocactus paucispinus</i>          | live (art. prop.) | 12            | US                                 | GB             |
|                         | <i>Micranthocereus<br/>densiflorus</i> | live (art. prop.) | 1             | US                                 | DE             |
|                         | <i>Mila caespitosa</i>                 | live (art. prop.) | 7<br>1        | US<br>US                           | GB<br>NL       |
|                         | <i>Monvillea phatnosperma</i>          | live (art. prop.) | 500           | JP                                 | NL             |

| CITES EEC<br>App. Annex | Taxon                            | Description       | Quantity | Country of<br>Export Origin Import |       |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|-------|
| II                      | <i>Monvillea spegazzinii</i>     | live (art. prop.) | 5000     | JP                                 | NL    |
|                         | <i>Neolloydia conoidea</i>       | live (art. prop.) | 8        | US                                 | GB    |
|                         | <i>Neolloydia horripila</i>      | live (art. prop.) | 1        | XX                                 | GB    |
|                         | <i>Neolloydia saueri</i>         | live (art. prop.) | 1        | US                                 | NL    |
|                         | <i>Neoporteria spp.</i>          | live (art. prop.) | 465      | US                                 | DE    |
|                         |                                  | live              | 30       | AR                                 | DE    |
|                         |                                  |                   | 2        | CL                                 | XX DE |
|                         | <i>Neoporteria chilensis</i>     | live (art. prop.) | 2        | XX                                 | GB    |
|                         | <i>Neoporteria coimasensis</i>   | live (art. prop.) | 1        | XX                                 | GB    |
|                         | <i>Neoporteria eriocephala</i>   | live (art. prop.) | 1        | XX                                 | GB    |
|                         | <i>Neoporteria horrida</i>       | live (art. prop.) | 500      | BR                                 | DE    |
|                         |                                  |                   | 762      | BR                                 | NL    |
|                         | <i>Neoporteria napina</i>        | live (art. prop.) | 1        | XX                                 | GB    |
|                         | <i>Neoporteria nidus</i>         | live (art. prop.) | 2150     | BR                                 | DE    |
|                         |                                  |                   | 6350     | BR                                 | NL    |
|                         | <i>Neoporteria paucicostata</i>  | live (art. prop.) | 1        | XX                                 | GB    |
|                         | <i>Neoporteria subgibbosa</i>    | live (art. prop.) | 4        | BR                                 | DE    |
|                         |                                  |                   | 1        | XX                                 | GB    |
|                         | <i>Neoporteria villosa</i>       | live (art. prop.) | 2        | XX                                 | GB    |
|                         | <i>Neoporteria wagenknechtii</i> | live (art. prop.) | 1        | XX                                 | GB    |

| CITES EEC<br>App. Annex | Taxon                          | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Notocactus</i> spp.         | live (art. prop.) | 3655     | BR NL                              |
|                         |                                |                   | 650      | JP DE                              |
|                         |                                |                   | 1000     | JP NL                              |
|                         |                                |                   | 45       | US DE                              |
|                         |                                |                   | 2000     | ZA NL                              |
|                         |                                | live              | 90       | PY DE                              |
|                         | <i>Notocactus bimmeljei</i>    | live (art. prop.) | 150      | US GB                              |
|                         | <i>Notocactus brevihamatus</i> | live (art. prop.) | 40       | US GB                              |
|                         | <i>Notocactus buiningii</i>    | live (art. prop.) | 330      | BR DE                              |
|                         |                                |                   | 300      | BR NL                              |
|                         |                                |                   | 1        | XX GB                              |
|                         | <i>Notocactus concinnus</i>    | live (art. prop.) | 2        | XX GB                              |
|                         | <i>Notocactus crassigibbus</i> | live (art. prop.) | 1000     | JP DE                              |
|                         | <i>Notocactus graessneri</i>   | live (art. prop.) | 1        | XX GB                              |
|                         | <i>Notocactus haselbergii</i>  | live (art. prop.) | 2000     | BR DE                              |
|                         |                                |                   | 6750     | BR NL                              |
|                         |                                |                   | 1000     | JP NL                              |
|                         | <i>Notocactus herteri</i>      | live (art. prop.) | 3        | XX GB                              |
|                         | <i>Notocactus horstii</i>      | live (art. prop.) | 15       | US DE                              |
|                         | <i>Notocactus leninghausii</i> | live (art. prop.) | 2800     | BR DE                              |
|                         |                                |                   | 7090     | BR NL                              |
|                         |                                |                   | 2600     | JP NL                              |
|                         |                                |                   | 12       | US DE                              |
|                         | <i>Notocactus magnificus</i>   | live (art. prop.) | 1530     | BR DE                              |

| CITES EEC<br>App. Annex | Taxon   | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|---|-------------------|----------|------------------------------------|----|
| II                      | <i>Notocactus magnificus</i>                    | live (art. prop.) | 9406     | BR                                 | NL |
|                         |   |                   | 700      | JP                                 | DE |
|                         |   |                   | 4        | US                                 | DE |
|                         |   |                   | 25       | US                                 | GB |
|                         |   |                   | 500      | ZA                                 | DE |
|                         |   |                   | 200      | ZA                                 | NL |
|                         | <i>Notocactus mammulosus</i>                    | live (art. prop.) | 900      | BR                                 | DE |
|                         |   |                   | 1750     | BR                                 | NL |
|                         | <i>Notocactus megalanthus</i>                   | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Notocactus mueller-</i><br><i>melchersii</i> | live (art. prop.) | 50       | US                                 | GB |
|                         | <i>Notocactus ottonis</i>                       | live (art. prop.) | 1150     | BR                                 | DE |
|                         |   |                   | 3050     | BR                                 | NL |
|                         |   |                   | 1150     | JP                                 | DE |
|                         |   |                   | 14       | US                                 | DE |
|                         | <i>Notocactus rechensis</i>                     | live (art. prop.) | 30       | US                                 | GB |
|                         | <i>Notocactus roseiflorus</i>                   | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Notocactus roseoluteus</i>                   | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Notocactus scopa</i>                         | live (art. prop.) | 10110    | BR                                 | DE |
|                         |   |                   | 60856    | BR                                 | NL |
|                         |   |                   | 2190     | JP                                 | DE |
|                         |   |                   | 2300     | JP                                 | NL |
|                         | <i>Notocactus succineus</i>                     | live (art. prop.) | 2200     | BR                                 | DE |
|                         |   |                   | 1133     | BR                                 | NL |
|                         | <i>Notocactus veenianus</i>                     | live (art. prop.) | 1        | XX                                 | GB |

| CITES EEC<br>App. Annex | Taxon                            | Description       | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|----|----|
| II                      | <i>Opuntia</i> spp.              | live (art. prop.) | 4        | US                                 |    | DE |
|                         |                                  | live              | 3        | CL                                 | XX | DE |
|                         | <i>Opuntia caribaea</i>          | live (art. prop.) | 4        | US                                 |    | GB |
|                         | <i>Opuntia verschaffeltii</i>    | live (art. prop.) | 1        | XX                                 |    | GB |
|                         | <i>Oreocereus celsianus</i>      | live (art. prop.) | 231      | BR                                 |    | NL |
|                         | <i>Oreocereus fossulatus</i>     | live (art. prop.) | 20       | ZA                                 |    | NL |
|                         | <i>Oreocereus hempelianus</i>    | live (art. prop.) | 1        | XX                                 |    | GB |
|                         | <i>Oreocereus trollii</i>        | live (art. prop.) | 1        | XX                                 |    | GB |
|                         | <i>Oroya peruviana</i>           | live (art. prop.) | 109      | US                                 |    | DE |
|                         |                                  |                   | 1        | XX                                 |    | GB |
|                         | <i>Ortegocactus macdougallii</i> | live (art. prop.) | 1        | US                                 |    | DE |
|                         | <i>Pachycereus pringlei</i>      | live (art. prop.) | 30       | ZA                                 |    | NL |
|                         | <i>Parodia</i> spp.              | live (art. prop.) | 120      | BO                                 |    | DE |
|                         |                                  |                   | 358      | US                                 |    | DE |
|                         |                                  |                   | 1        | XX                                 |    | GB |
|                         |                                  | live              | 72       | AR                                 |    | DE |
|                         | <i>Parodia aureicentra</i>       | live (art. prop.) | 1        | XX                                 |    | GB |
|                         | <i>Parodia carrerana</i>         | live (art. prop.) | 1        | US                                 |    | DE |
|                         | <i>Parodia chrysacanthion</i>    | live (art. prop.) | 1        | XX                                 |    | GB |
|                         | <i>Parodia comarapana</i>        | live (art. prop.) | 7        | US                                 |    | DE |

| CITES EEC<br>App. Annex | Taxon                        | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Parodia dichroacantha</i> | live (art. prop.) | 1        | US DE                              |
|                         | <i>Parodia erythrantha</i>   | live (art. prop.) | 1        | XX GB                              |
|                         | <i>Parodia formosa</i>       | live (art. prop.) | 50       | US DE                              |
|                         | <i>Parodia hausteiniana</i>  | live (art. prop.) | 1        | XX GB                              |
|                         | <i>Parodia laui</i>          | live (art. prop.) | 1        | US DE                              |
|                         | <i>Parodia maassii</i>       | live (art. prop.) | 7        | US DE                              |
|                         | <i>Parodia microsperma</i>   | live (art. prop.) | 60       | JP DE                              |
|                         |                              |                   | 77       | US DE                              |
|                         |                              |                   | 3        | XX GB                              |
|                         | <i>Parodia multicostata</i>  | live (art. prop.) | 1        | XX GB                              |
|                         | <i>Parodia napina</i>        | live (art. prop.) | 1200     | BR DE                              |
|                         | <i>Parodia nivosa</i>        | live (art. prop.) | 1        | XX GB                              |
|                         | <i>Parodia penicillata</i>   | live (art. prop.) | 3        | US GB                              |
|                         | <i>Parodia punae</i>         | live (art. prop.) | 1        | US NL                              |
|                         | <i>Parodia rubellihamata</i> | live (art. prop.) | 1        | US DE                              |
|                         | <i>Parodia rubriflora</i>    | live (art. prop.) | 462      | BR NL                              |
|                         | <i>Parodia schwebsiana</i>   | live (art. prop.) | 1        | US NL                              |
|                         | <i>Parodia subterranea</i>   | live (art. prop.) | 2        | XX GB                              |
|                         | <i>Parodia tuberculata</i>   | live (art. prop.) | 1        | US DE                              |

| CITES EEC<br>App. Annex | TAXON                            | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Parodia tuberculata</i>       | live (art. prop.) | 1        | US NL                              |
|                         | <i>Parodia yamparaezi</i>        | live (art. prop.) | 2        | XX GB                              |
|                         | <i>Pediocactus simpsonii</i>     | live (art. prop.) | 2        | US GB                              |
|                         |                                  |                   | 1        | US NL                              |
|                         | <i>Pilosocereus</i> spp.         | live (art. prop.) | 6        | US GB                              |
|                         | <i>Pilosocereus arrabidae</i>    | live (art. prop.) | 1        | XX GB                              |
|                         | <i>Pilosocereus fulvilanatus</i> | live (art. prop.) | 1        | XX GB                              |
|                         | <i>Pilosocereus gounellei</i>    | live (art. prop.) | 1        | XX GB                              |
|                         | <i>Pseudorhipsalis macrantha</i> | live (art. prop.) | 1        | XX GB                              |
|                         | <i>Pterocactus fischeri</i>      | live (art. prop.) | 1        | US NL                              |
|                         | <i>Pygmaeocereus akersii</i>     | live (art. prop.) | 2        | US DE                              |
|                         | <i>Pygmaeocereus bylesianus</i>  | live (art. prop.) | 1        | US DE                              |
|                         | <i>Quiabentia chacoensis</i>     | live (art. prop.) | 2        | US GB                              |
|                         | <i>Rebutia</i> spp.              | live (art. prop.) | 1790     | BO DE                              |
|                         |                                  |                   | 1000     | JP NL                              |
|                         |                                  |                   | 37       | US DE                              |
|                         |                                  |                   | 2        | XX GB                              |
|                         |                                  | live              | 14       | AR DE                              |
|                         | <i>Rebutia aureiflora</i>        | live (art. prop.) | 2        | US DE                              |
|                         |                                  |                   | 1        | US NL                              |
|                         |                                  |                   | 1        | XX GB                              |

| CITES EEC<br>App. Annex | TAXON                        | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Rebutia buiningiana</i>   | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Rebutia cintiensis</i>    | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rebutia diersiana</i>     | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rebutia donaldiana</i>    | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rebutia fabrisii</i>      | live (art. prop.) | 2        | US                                 | NL |
|                         | <i>Rebutia fiebrigii</i>     | live (art. prop.) | 32       | US                                 | DE |
|                         | <i>Rebutia freidrichiana</i> | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rebutia fulviseta</i>     | live (art. prop.) | 1        | US                                 | GB |
|                         |                              |                   | 1        | XX                                 | GB |
|                         | <i>Rebutia heliosa</i>       | live (art. prop.) | 36       | US                                 | DE |
|                         |                              |                   | 1        | US                                 | NL |
|                         | <i>Rebutia hoffmannii</i>    | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Rebutia krainziana</i>    | live (art. prop.) | 1260     | BR                                 | DE |
|                         |                              |                   | 700      | BR                                 | NL |
|                         | <i>Rebutia kupperiana</i>    | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rebutia mamillosa</i>     | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rebutia maxima</i>        | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rebutia minuscula</i>     | live (art. prop.) | 1380     | BR                                 | DE |
|                         |                              |                   | 700      | BR                                 | NL |
|                         |                              |                   | 3        | XX                                 | GB |

| CITES EEC<br>App. Annex | TAXON                           | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Rebutia narvaecensis</i>     | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rebutia perplexa</i>         | live (art. prop.) | 2        | US                                 | DE |
|                         | <i>Rebutia potosina</i>         | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rebutia pseudodeminuta</i>   | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Rebutia pulvinosa</i>        | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rebutia pygmaea</i>          | live (art. prop.) | 1        | US                                 | DE |
|                         |                                 |                   | 1        | XX                                 | GB |
|                         | <i>Rebutia senilis</i>          | live (art. prop.) | 18       | US                                 | DE |
|                         |                                 |                   | 4        | XX                                 | GB |
|                         | <i>Rebutia spegazziniana</i>    | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rebutia spinosissima</i>     | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rebutia tuberosa</i>         | live (art. prop.) | 1        | US                                 | GB |
|                         | <i>Rebutia wessneriana</i>      | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rhipsalis</i> spp.           | live              | 2        | CR                                 | NL |
|                         | <i>Rhipsalis neves-armondii</i> | live (art. prop.) | 15       | US                                 | GB |
|                         | <i>Rhipsalis pulchra</i>        | live (art. prop.) | 16       | US                                 | GB |
|                         | <i>Schlumbergera</i> spp.       | live (art. prop.) | 2        | US                                 | DE |
|                         |                                 |                   | 220      | US                                 | DE |
|                         |                                 |                   | 7        | XX                                 | GB |

| CITES EEC<br>App. Annex | TAXON                             | Description       | Quantity         | Country of<br>Export Origin Import |
|-------------------------|-----------------------------------|-------------------|------------------|------------------------------------|
| II                      | <i>Sclerocactus polyancistrus</i> | live (art. prop.) | 4                | CS DE                              |
|                         | <i>Sclerocactus warnockii</i>     | live (art. prop.) | 2                | US DE                              |
|                         | <i>Selenicereus atropilosus</i>   | live (art. prop.) | 1                | XX GB                              |
|                         | <i>Selenicereus coniflorus</i>    | live (art. prop.) | 6                | US GB                              |
|                         | <i>Selenicereus grandiflorus</i>  | live (art. prop.) | 1                | XX GB                              |
|                         | <i>Selenicereus hamatus</i>       | live (art. prop.) | 1                | XX GB                              |
|                         | <i>Selenicereus nycticaulis</i>   | live (art. prop.) | 2                | XX GB                              |
|                         | <i>Selenicereus testudo</i>       | live (art. prop.) | 1                | XX GB                              |
|                         | <i>Selenicereus urbanianus</i>    | live (art. prop.) | 3                | XX GB                              |
|                         | <i>Stenocactus crispatus</i>      | live (art. prop.) | 11               | US GB                              |
|                         | <i>Stenocactus hastatus</i>       | live (art. prop.) | 1160<br>6038     | BR DE<br>BR NL                     |
|                         | <i>Stenocactus obvallatus</i>     | live (art. prop.) | 1                | XX GB                              |
|                         | <i>Stenocactus zacatecasensis</i> | live (art. prop.) | 1100             | JP NL                              |
|                         | <i>Stenocereus spp.</i>           | live (art. prop.) | 1000             | ZA NL                              |
|                         | <i>Sulcorebutia spp.</i>          | live (art. prop.) | 1020<br>159<br>6 | BO DE<br>US DE<br>XX GB            |

| CITES EEC<br>App. Annex | Taxon                            | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Sulcorebutia alba</i>         | live (art. prop.) | 1        | US DE                              |
|                         | <i>Sulcorebutia arenacea</i>     | live (art. prop.) | 1        | US DE                              |
|                         | <i>Sulcorebutia candiae</i>      | live (art. prop.) | 462      | BR NL                              |
|                         |                                  |                   | 2        | US DE                              |
|                         |                                  |                   | 50       | US GB                              |
|                         | <i>Sulcorebutia canigueralii</i> | live (art. prop.) | 40       | US DE                              |
|                         | <i>Sulcorebutia crispata</i>     | live (art. prop.) | 44       | US DE                              |
|                         |                                  |                   | 1        | XX GB                              |
|                         | <i>Sulcorebutia cylindrica</i>   | live (art. prop.) | 1        | US DE                              |
|                         | <i>Sulcorebutia glomeriseta</i>  | live (art. prop.) | 1        | US DE                              |
|                         | <i>Sulcorebutia hoffmanniana</i> | live (art. prop.) | 1        | US DE                              |
|                         | <i>Sulcorebutia krugeri</i>      | live (art. prop.) | 1        | US DE                              |
|                         | <i>Sulcorebutia menesesii</i>    | live (art. prop.) | 1        | US DE                              |
|                         | <i>Sulcorebutia mentosa</i>      | live (art. prop.) | 3        | US DE                              |
|                         |                                  |                   | 50       | US GB                              |
|                         | <i>Sulcorebutia oenantha</i>     | live (art. prop.) | 1        | US DE                              |
|                         |                                  |                   | 2        | XX GB                              |
|                         | <i>Sulcorebutia rauschii</i>     | live (art. prop.) | 3000     | JP NL                              |
|                         |                                  |                   | 2        | US DE                              |
|                         |                                  |                   | 30       | US GB                              |
|                         | <i>Sulcorebutia steinbachii</i>  | live (art. prop.) | 12       | US DE                              |
|                         |                                  |                   | 1        | XX GB                              |

| CITES EEC<br>App. Annex | Taxon                                | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|--------------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Sulcorebutia taratensis</i>       | live (art. prop.) | 2        | US DE                              |
|                         | <i>Sulcorebutia tiraquensis</i>      | live (art. prop.) | 66       | US DE                              |
|                         |                                      |                   | 2        | XX GB                              |
|                         | <i>Sulcorebutia vanbaellii</i>       | live (art. prop.) | 1        | XX GB                              |
|                         | <i>Sulcorebutia vasqueziana</i>      | live (art. prop.) | 1        | XX GB                              |
|                         | <i>Sulcorebutia verticillacantha</i> | live (art. prop.) | 2        | US DE                              |
|                         | <i>Sulcorebutia zavaletae</i>        | live (art. prop.) | 2        | US DE                              |
|                         | <i>Thelocactus spp.</i>              | live (art. prop.) | 1000     | JP DE                              |
|                         |                                      |                   | 137      | US DE                              |
|                         |                                      |                   | 1        | US GB                              |
|                         |                                      |                   | 1000     | ZA NL                              |
|                         | <i>Thelocactus beguinii</i>          | live (art. prop.) | 1        | XX GB                              |
|                         | <i>Thelocactus bicolor</i>           | live (art. prop.) | 1130     | BR DE                              |
|                         |                                      |                   | 7900     | BR NL                              |
|                         |                                      |                   | 9        | US DE                              |
|                         |                                      |                   | 26       | US GB                              |
|                         | <i>Thelocactus conothelos</i>        | live (art. prop.) | 20       | US GB                              |
|                         |                                      |                   | 1        | XX GB                              |
|                         | <i>Thelocactus heterochromus</i>     | live (art. prop.) | 1        | US DE                              |
|                         | <i>Thelocactus rinconensis</i>       | live (art. prop.) | 1        | US DE                              |
|                         | <i>Thelocactus setispinus</i>        | live (art. prop.) | 450      | BR DE                              |
|                         |                                      |                   | 2120     | BR NL                              |

| CITES EEC<br>App. Annex | Taxon                               | Description       | Quantity                              | Country of<br>Export Origin Import                 |
|-------------------------|-------------------------------------|-------------------|---------------------------------------|--|
| II                      | <i>Uebelmannia</i> spp.             | live (art. prop.) | 70<br>100                             | US<br>US DE<br>GB                                  |
|                         | <i>Uebelmannia buiningii</i>        | live (art. prop.) | 150<br>1                              | US<br>US GB<br>NL                                  |
|                         | <i>Uebelmannia flavigaster</i>      | live (art. prop.) | 51                                    | US GB  |
|                         | <i>Uebelmannia gummifera</i>        | live (art. prop.) | 2                                     | US GB  |
|                         | <i>Uebelmannia pectinifera</i>      | live (art. prop.) | 261                                   | US GB  |
|                         | <i>Weberbauerocereus longicomus</i> | live (art. prop.) | 1                                     | US IT  |
|                         | <i>Weingartia</i> spp.              | live (art. prop.) | 58                                    | US DE  |
|                         | <i>Weingartia fidaiana</i>          | live (art. prop.) | 2                                     | US NL  |
|                         | <i>Weingartia neocumingii</i>       | live (art. prop.) | 50<br>1                               | US XX GB<br>GB                                     |
|                         | <i>Weingartia neumanniana</i>       | live (art. prop.) | 1                                     | US NL  |
|                         | <i>Cyathea</i> spp.                 | live<br>timber    | 10<br>35 kg                           | TW VU<br>DE DK                                     |
|                         | <i>Trichipteris resiotica</i>       | live              | 1                                     | TH DE  |
|                         | <i>Cycadaceae</i> spp.              | live (art. prop.) | 150<br>6000<br>48<br>2<br>26920<br>55 | AU FR<br>BR IT<br>CR IT<br>CU ES<br>IL IT<br>JP IT |

| CITES EEC<br>App. Annex | Taxon                            | Description       | Quantity   | Country of<br>Export Origin Import |       |
|-------------------------|----------------------------------|-------------------|------------|------------------------------------|-------|
| II                      | <i>Cycadaceae</i> spp.           | live (art. prop.) | 200        | TW                                 | IT    |
|                         |                                  |                   | 10         | ZA                                 | GB    |
|                         |                                  | timber            | 23500 kg   | BR                                 | IT    |
|                         | <i>Cycas circinalis</i>          | live (art. prop.) | 1          | TH                                 | DE    |
|                         | <i>Cycas revoluta</i>            | live (art. prop.) | 200        | BR                                 | NL    |
|                         |                                  |                   | 42999      | IL                                 | DE    |
|                         |                                  |                   | 1146       | IL                                 | TH DE |
|                         |                                  |                   | 40000      | JP                                 | DE    |
|                         |                                  |                   | 850        | LK                                 | DE    |
|                         |                                  |                   | 53625      | TW JP                              | DE    |
|                         |                                  |                   | 2          | US                                 | FR    |
|                         |                                  | live              | 4760       | IL                                 | DE    |
|                         |                                  |                   | 1          | TH                                 | DE    |
|                         |                                  |                   | 39660      | TW JP                              | DE    |
|                         |                                  | seeds             | 20000      | JP                                 | NL    |
|                         | <i>Cycas rumphii</i>             | live (art. prop.) | 4          | SG                                 | BE    |
|                         | <i>Cycas siamensis</i>           | live (art. prop.) | 1          | TH                                 | DE    |
|                         | <i>Dicksonia sellowiana</i>      | flowers           | 126        | BR                                 | DE    |
|                         |                                  | live (art. prop.) | 126        | BR                                 | DE    |
|                         |                                  | live              | 126        | BR                                 | DE    |
|                         |                                  | other             | 4400       | BR                                 | DE    |
|                         |                                  | timber            | 28 cu.m    | BR                                 | BE    |
|                         |                                  |                   | 397 pieces | BR                                 | NL    |
|                         | <i>Alluaudia comosa</i>          | live              | 10000      | MG                                 | DE    |
|                         | <i>Alluaudiopsis marnieriana</i> | live (art. prop.) | 1          | US                                 | GB    |
|                         | <i>Decaryia madagascariensis</i> | live (art. prop.) | 2          | US                                 | GB    |

| CITES EEC<br>App. Annex | Taxon                          | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Euphorbia</i> spp.          | live (art. prop.) | 4000     | BR DE                              |
|                         |                                |                   | 2000     | BR NL                              |
|                         |                                |                   | 900      | CS DE                              |
|                         |                                |                   | 120      | US DE                              |
|                         |                                |                   | 1036     | US GB                              |
|                         |                                |                   | 1        | US IT                              |
|                         |                                |                   | 4        | US NL                              |
|                         |                                |                   | 9        | XX GB                              |
|                         |                                |                   | 1469     | ZA DE                              |
|                         |                                |                   | 512      | ZA GB                              |
|                         |                                | live              | 2        | CL XX DE                           |
|                         |                                |                   | 30       | MG DE                              |
|                         |                                |                   | 312      | ZA DE                              |
|                         | <i>Euphorbia abdelkuri</i>     | live (art. prop.) | 2        | US GB                              |
|                         | <i>Euphorbia actinoclada</i>   | live (art. prop.) | 1        | US DE                              |
|                         | <i>Euphorbia arbuscula</i>     | live (art. prop.) | 1        | US DE                              |
|                         | <i>Euphorbia arida</i>         | live (art. prop.) | 1        | US NL                              |
|                         | <i>Euphorbia asthenacantha</i> | live (art. prop.) | 1        | US DE                              |
|                         |                                |                   | 1        | US GB                              |
|                         | <i>Euphorbia ballyana</i>      | live (art. prop.) | 2        | US DE                              |
|                         | <i>Euphorbia bupleurifolia</i> | live (art. prop.) | 70       | US GB                              |
|                         |                                |                   | 20       | ZA NL                              |
|                         | <i>Euphorbia burmannii</i>     | live              | 1        | ZA DE                              |
|                         | <i>Euphorbia buruana</i>       | live (art. prop.) | 1        | US DE                              |
|                         | <i>Euphorbia cactus</i>        | live (art. prop.) | 1        | XX GB                              |

| CITES EEC<br>App. Annex | Taxon                                | Description               | Quantity       | Country of<br>Export Origin Import |                |
|-------------------------|--------------------------------------|---------------------------|----------------|------------------------------------|----------------|
| II                      | <i>Euphorbia cap-saintemariensis</i> | live (art. prop.)<br>live | 1<br>18000     | US<br>MG                           | DE<br>DE       |
|                         | <i>Euphorbia caput-medusae</i>       | live (art. prop.)         | 2              | ZA                                 | NL             |
|                         | <i>Euphorbia chersina</i>            | live                      | 2              | ZA                                 | DE             |
|                         | <i>Euphorbia clava</i>               | live (art. prop.)         | 1<br>2         | US<br>ZA                           | NL<br>NL       |
|                         | <i>Euphorbia clavigera</i>           | live (art. prop.)         | 1              | US                                 | DE             |
|                         | <i>Euphorbia coerulescens</i>        | live (art. prop.)         | 30             | ZA                                 | NL             |
|                         | <i>Euphorbia columnaris</i>          | live (art. prop.)         | 2              | US                                 | GB             |
|                         | <i>Euphorbia crispa</i>              | live (art. prop.)         | 25<br>21       | ZA<br>ZA                           | DE<br>NL       |
|                         | <i>Euphorbia croizatii</i>           | live (art. prop.)         | 1              | US                                 | DE             |
|                         | <i>Euphorbia cylindrica</i>          | live (art. prop.)         | 4              | ZA                                 | NL             |
|                         | <i>Euphorbia cylindrifolia</i>       | live (art. prop.)         | 8<br>10        | ZA<br>ZA                           | GB<br>NL       |
|                         | <i>Euphorbia decaryi</i>             | live (art. prop.)<br>live | 4<br>2<br>4560 | US<br>US<br>MG                     | DE<br>NL<br>DE |
|                         | <i>Euphorbia decepta</i>             | live (art. prop.)         | 1              | US                                 | NL             |
|                         | <i>Euphorbia decidua</i>             | live (art. prop.)         | 2              | US                                 | GB             |

| CITES EEC<br>App. Annex | TAXON                         | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Euphorbia delphinensis</i> | live (art. prop.) | 1        | US GB                              |
|                         | <i>Euphorbia didieroides</i>  | live (art. prop.) | 10       | US GB                              |
|                         | <i>Euphorbia ephedroides</i>  | live              | 2        | ZA DE                              |
|                         | <i>Euphorbia fasciculata</i>  | live (art. prop.) | 180      | US GB                              |
|                         | <i>Euphorbia filiflora</i>    | live (art. prop.) | 2        | US GB                              |
|                         | <i>Euphorbia flanaganii</i>   | live (art. prop.) | 1        | US DE                              |
|                         | <i>Euphorbia fortuita</i>     | live (art. prop.) | 1        | US NL                              |
|                         | <i>Euphorbia globosa</i>      | live (art. prop.) | 12       | ZA NL                              |
|                         | <i>Euphorbia golisana</i>     | live (art. prop.) | 2        | US NL                              |
|                         |                               |                   | 1        | US NL                              |
|                         | <i>Euphorbia gorgonis</i>     | live (art. prop.) | 1        | US NL                              |
|                         |                               |                   | 50       | ZA NL                              |
|                         |                               | live              | 2        | ZA NL                              |
|                         | <i>Euphorbia grandicornis</i> | live (art. prop.) | 400      | ZA NL                              |
|                         | <i>Euphorbia greenwayi</i>    | live (art. prop.) | 1        | US GB                              |
|                         | <i>Euphorbia groenewaldii</i> | live (art. prop.) | 1        | US GB                              |
|                         | <i>Euphorbia heterochroma</i> | live (art. prop.) | 1        | US GB                              |
|                         | <i>Euphorbia horombensis</i>  | live (art. prop.) | 1        | US NL                              |
|                         |                               |                   | 1        | US NL                              |
|                         | <i>Euphorbia horwoodii</i>    | live (art. prop.) | 2        | US GB                              |

| CITES EEC<br>App. Annex | Taxon                           | Description       | Quantity | Country of<br>Export Origin | Import |
|-------------------------|---------------------------------|-------------------|----------|-----------------------------|--------|
| II                      | <i>Euphorbia inermis</i>        | live (art. prop.) | 1        | US                          | NL     |
|                         | <i>Euphorbia kamerunica</i>     | live (art. prop.) | 2        | US                          | NL     |
|                         | <i>Euphorbia keithii</i>        | live (art. prop.) | 1        | US                          | DE     |
|                         | <i>Euphorbia lactea</i>         | live (art. prop.) | 14000    | BR                          | NL     |
|                         |                                 |                   | 2        | US                          | NL     |
|                         | <i>Euphorbia louwii</i>         | live (art. prop.) | 1        | US                          | DE     |
|                         | <i>Euphorbia lydenburgensis</i> | live (art. prop.) | 1        | US                          | GB     |
|                         | <i>Euphorbia mahafalensis</i>   | live (art. prop.) | 1        | US                          | DE     |
|                         | <i>Euphorbia mauritanica</i>    | live (art. prop.) | 2        | US                          | NL     |
|                         |                                 | live              | 2        | ZA                          | DE     |
|                         | <i>Euphorbia meloformis</i>     | live (art. prop.) | 20       | ZA                          | NL     |
|                         | <i>Euphorbia milii</i>          | live (art. prop.) | 2        | US                          | GB     |
|                         |                                 | live              | 6000     | MG                          | DE     |
|                         | <i>Euphorbia monteiri</i>       | live (art. prop.) | 2        | ZA                          | NL     |
|                         | <i>Euphorbia mosaica</i>        | live (art. prop.) | 2        | US                          | GB     |
|                         | <i>Euphorbia muirii</i>         | live (art. prop.) | 10       | ZA                          | NL     |
|                         | <i>Euphorbia nesemannii</i>     | live (art. prop.) | 3        | ZA                          | NL     |
|                         | <i>Euphorbia nubigena</i>       | live (art. prop.) | 1        | US                          | GB     |
|                         | <i>Euphorbia obesa</i>          | live (art. prop.) | 50       | ZA                          | DE     |

| CITES EEC<br>App. Annex | TAXON                           | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Euphorbia opuntioides</i>    | live (art. prop.) | 1        | US DE                              |
|                         | <i>Euphorbia pachypodioides</i> | live (art. prop.) | 80       | US GB                              |
|                         | <i>Euphorbia pedilanthoides</i> | live (art. prop.) | 2        | US DE                              |
|                         | <i>Euphorbia peltigera</i>      | live              | 1        | ZA DE                              |
|                         | <i>Euphorbia perangusta</i>     | live (art. prop.) | 1        | US DE                              |
|                         |                                 |                   | 2        | US NL                              |
|                         | <i>Euphorbia persistens</i>     | live (art. prop.) | 2        | US DE                              |
|                         |                                 |                   | 2        | US NL                              |
|                         | <i>Euphorbia phillipsiae</i>    | live (art. prop.) | 2        | US GB                              |
|                         | <i>Euphorbia polygona</i>       | live (art. prop.) | 8        | ZA GB                              |
|                         | <i>Euphorbia primulifolia</i>   | live (art. prop.) | 2        | US GB                              |
|                         |                                 | live              | 4000     | MG DE                              |
|                         | <i>Euphorbia pseudotuberosa</i> | live (art. prop.) | 2        | ZA NL                              |
|                         | <i>Euphorbia quadrispina</i>    | live (art. prop.) | 1        | US NL                              |
|                         | <i>Euphorbia restricta</i>      | live (art. prop.) | 1        | US NL                              |
|                         | <i>Euphorbia richardsiae</i>    | live (art. prop.) | 1        | US DE                              |
|                         | <i>Euphorbia robecchii</i>      | live (art. prop.) | 1        | US NL                              |
|                         | <i>Euphorbia schizacantha</i>   | live (art. prop.) | 2        | US GB                              |
|                         | <i>Euphorbia schoenlandii</i>   | live (art. prop.) | 1        | US NL                              |
|                         |                                 |                   | 50       | ZA NL                              |

| CITES EEC<br>App. Annex | Taxon                         | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Euphorbia sepulta</i>      | live (art. prop.) | 2        | US                                 | GB |
|                         | <i>Euphorbia silenifolia</i>  | live (art. prop.) | 600      | ZA                                 | DE |
|                         |                               |                   | 20       | ZA                                 | NL |
|                         |                               | live              | 2        | ZA                                 | NL |
|                         | <i>Euphorbia squarrosa</i>    | live (art. prop.) | 150      | ZA                                 | DE |
|                         |                               |                   | 23       | ZA                                 | NL |
|                         |                               | live              | 100      | ZA                                 | DE |
|                         |                               |                   | 2        | ZA                                 | NL |
|                         | <i>Euphorbia stapelioides</i> | live              | 1        | ZA                                 | DE |
|                         | <i>Euphorbia stellata</i>     | live (art. prop.) | 600      | ZA                                 | DE |
|                         |                               |                   | 8        | ZA                                 | GB |
|                         |                               |                   | 40       | ZA                                 | NL |
|                         |                               | live              | 100      | ZA                                 | DE |
|                         |                               |                   | 2        | ZA                                 | NL |
|                         | <i>Euphorbia stellispina</i>  | live (art. prop.) | 50       | ZA                                 | DE |
|                         |                               |                   | 2        | ZA                                 | NL |
|                         | <i>Euphorbia subsalsa</i>     | live (art. prop.) | 1        | US                                 | NL |
|                         | <i>Euphorbia sudanica</i>     | live (art. prop.) | 1        | US                                 | NL |
|                         | <i>Euphorbia tirucallii</i>   | live (art. prop.) | 2        | US                                 | NL |
|                         | <i>Euphorbia trichadenia</i>  | live (art. prop.) | 10       | ZA                                 | NL |
|                         |                               | live              | 2        | ZA                                 | NL |
|                         | <i>Euphorbia tridentata</i>   | live (art. prop.) | 1        | ZA                                 | NL |
|                         | <i>Euphorbia tuberculata</i>  | live              | 2        | ZA                                 | DE |

| CITES EEC<br>App. Annex | TAXON                             | Description       | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|-----------------------------------|-------------------|----------|------------------------------------|----|----|
| II                      | <i>Euphorbia tuberculatooides</i> | live (art. prop.) | 1        |                                    | US | NL |
|                         | <i>Euphorbia turbiniformis</i>    | live (art. prop.) | 2        |                                    | US | GB |
|                         | <i>Euphorbia viguieri</i>         | live (art. prop.) | 1        |                                    | US | DE |
|                         |                                   |                   | 4        |                                    | US | NL |
|                         | <i>Euphorbia vittata</i>          | live (art. prop.) | 1        |                                    | US | DE |
|                         | <i>Euphorbia vulcanorum</i>       | live (art. prop.) | 1        |                                    | US | DE |
|                         | <i>Euphorbia williamsonii</i>     | live (art. prop.) | 1        |                                    | US | GB |
|                         | <i>Aloe</i> spp.                  | live (art. prop.) | 10000    |                                    | CA | US |
|                         |                                   |                   | 50       |                                    | US | DE |
|                         |                                   |                   | 5019     |                                    | US | GB |
|                         |                                   |                   | 331      |                                    | ZA | DE |
|                         |                                   |                   | 569      |                                    | ZA | IT |
|                         |                                   |                   | 1        |                                    | ZW | IT |
|                         |                                   | live              | 13       |                                    | MG | DE |
|                         |                                   |                   | 50       |                                    | ZA | DE |
|                         | <i>Aloe</i> hybrid                | live (art. prop.) | 1        |                                    | XX | GB |
|                         |                                   |                   | 90       |                                    | ZA | DE |
|                         | <i>Aloe aristata</i>              | live (art. prop.) | 1        |                                    | US | GB |
|                         | <i>Aloe bakeri</i>                | live (art. prop.) | 1        |                                    | XX | GB |
|                         |                                   | live              | 1        |                                    | ZA | NL |
|                         | <i>Aloe bellatula</i>             | live (art. prop.) | 1        |                                    | US | GB |
|                         | <i>Aloe conifera</i>              | live (art. prop.) | 1        |                                    | US | NL |
|                         | <i>Aloe dinteri</i>               | live (art. prop.) | 24       |                                    | US | GB |

| CITES EEC<br>App. Annex | Taxon                     | Description        | Quantity        | Country of<br>Export Origin Import |    |
|-------------------------|---------------------------|--------------------|-----------------|------------------------------------|----|
| II                      | <i>Aloe dinteri</i>       | live               | 1               | US                                 | NL |
|                         | <i>Aloe divaricata</i>    | live (art. prop.)  | 1               | US                                 | GB |
|                         | <i>Aloe dorotheae</i>     | live (art. prop.)  | 6               | US                                 | GB |
|                         |                           |                    | 1               | US                                 | NL |
|                         | <i>Aloe ferox</i>         | extract<br>flowers | 6589 kg<br>8017 | ZA                                 | DE |
|                         |                           | live (art. prop.)  | 1               | XX                                 | GB |
|                         | <i>Aloe gariepensis</i>   | live               | 1               | GY                                 | DE |
|                         |                           |                    | 1               | ZA                                 | DE |
|                         | <i>Aloe harlana</i>       | live (art. prop.)  | 1               | US                                 | GB |
|                         | <i>Aloe haworthioides</i> | live (art. prop.)  | 30              | US                                 | GB |
|                         | <i>Aloe jacksonii</i>     | live               | 1               | ZA                                 | NL |
|                         | <i>Aloe jucunda</i>       | live               | 1               | ZA                                 | NL |
|                         | <i>Aloe juvenna</i>       | live (art. prop.)  | 1               | XX                                 | GB |
|                         |                           | live               | 1               | ZA                                 | NL |
|                         | <i>Aloe laeta</i>         | live (art. prop.)  | 33              | US                                 | GB |
|                         | <i>Aloe mcloughlinii</i>  | live (art. prop.)  | 1               | US                                 | GB |
|                         | <i>Aloe ortholopha</i>    | live (art. prop.)  | 1               | US                                 | GB |
|                         | <i>Aloe pretoriensis</i>  | live (art. prop.)  | 4               | US                                 | GB |
|                         |                           | live               | 1               | US                                 | NL |
|                         | <i>Aloe ramosissima</i>   | live (art. prop.)  | 8               | US                                 | GB |

| CITES EEC<br>App. Annex | TAXON                        | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Aloe rauhii</i>           | live (art. prop.) | 1        | US                                 | GB |
|                         | <i>Aloe simii</i>            | live (art. prop.) | 2        | US                                 | FR |
|                         | <i>Aloe sinkatana</i>        | live (art. prop.) | 12       | US                                 | GB |
|                         | <i>Aloe sladeniana</i>       | live (art. prop.) | 1        | US                                 | GB |
|                         | <i>Aloe vallaris</i>         | live              | 1        | US                                 | NL |
|                         | <i>Aloe variegata</i>        | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Aloe verecunda</i>        | live (art. prop.) | 1        | US                                 | GB |
|                         | <i>Nepenthes spp.</i>        | live (art. prop.) | 230      | BN                                 | DE |
|                         |                              |                   | 112      | BN                                 | FR |
|                         |                              |                   | 1        | TH                                 | DE |
|                         |                              |                   | 12       | US                                 | DE |
|                         |                              |                   | 8        | US                                 | GB |
|                         |                              | live              | 60       | BN                                 | FR |
|                         | <i>Nepenthes burkei</i>      | live (art. prop.) | 5        | US                                 | DE |
|                         | <i>Nepenthes fusca</i>       | live (art. prop.) | 2        | US                                 | DE |
|                         | <i>Nepenthes gracilis</i>    | live (art. prop.) | 1        | US                                 | DE |
|                         | <i>Nepenthes hamatus</i>     | live (art. prop.) | 2        | US                                 | DE |
|                         | <i>Nepenthes hirsuta</i>     | live (art. prop.) | 2        | US                                 | DE |
|                         | <i>Nepenthes merrilliana</i> | live (art. prop.) | 1        | US                                 | DE |
|                         | <i>Nepenthes mirabilis</i>   | live (art. prop.) | 1        | TH                                 | DE |
|                         |                              |                   | 2        | US                                 | DE |

| CITES EEC<br>App. Annex | TAXON                        | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Nepenthes petiolata</i>   | live (art. prop.) | 2        | US DE                              |
|                         | <i>Nepenthes trichocarpa</i> | live (art. prop.) | 2        | US DE                              |
|                         | <i>Nepenthes truncata</i>    | live (art. prop.) | 2        | US DE                              |
|                         | Orchidaceae spp.             | live (art. prop.) | 10       | AU DE                              |
|                         |                              |                   | 750      | BR BE                              |
|                         |                              |                   | 23       | BR DE                              |
|                         |                              |                   | 217      | BR FR                              |
|                         |                              |                   | 1716     | BR GB                              |
|                         |                              |                   | 4035     | BR IT                              |
|                         |                              |                   | 6500     | BR XX GB                           |
|                         |                              |                   | 100      | CO IT                              |
|                         |                              |                   | 4        | CU ES                              |
|                         |                              |                   | 300      | Jersey GB                          |
|                         |                              |                   | 40       | GH GB                              |
|                         |                              |                   | 580      | HK IT                              |
|                         |                              |                   | 30       | HN DE                              |
|                         |                              |                   | 20       | HN GB                              |
|                         |                              |                   | 483      | HN IT                              |
|                         |                              |                   | 1050     | ID FR                              |
|                         |                              |                   | 25       | ID GB                              |
|                         |                              |                   | 1990     | ID IT                              |
|                         |                              |                   | 4        | JP IT                              |
|                         |                              |                   | 580      | MX GB                              |
|                         |                              |                   | 40       | MY GB                              |
|                         |                              |                   | 1000     | NZ GB                              |
|                         |                              |                   | 31       | PH BE                              |
|                         |                              |                   | 5368     | PH IT                              |
|                         |                              |                   | 14       | SG BE                              |
|                         |                              |                   | 6        | SG GB                              |
|                         |                              |                   | 39       | TH BE                              |
|                         |                              |                   | 37       | TH DE                              |
|                         |                              |                   | 5442     | TH FR                              |

| CITES EEC<br>App. Annex | TAXON              | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|--------------------|-------------------|----------|------------------------------------|
| II                      | Orchidaceae spp.   | live (art. prop.) | 573      | TH GB                              |
|                         |                    |                   | 8142     | TH IT                              |
|                         |                    |                   | 25121    | TH NL                              |
|                         |                    |                   | 80       | TH XX GB                           |
|                         |                    |                   | 283      | TW FR                              |
|                         |                    |                   | 520      | TW GB                              |
|                         |                    |                   | 1023     | TW IT                              |
|                         |                    |                   | 436      | US DE                              |
|                         |                    |                   | 2762     | US FR                              |
|                         |                    |                   | 12370    | US GB                              |
|                         |                    |                   | 364      | US IT                              |
|                         |                    |                   | 5960     | US NL                              |
|                         |                    |                   | 156      | US XX GB                           |
|                         |                    |                   | 1000     | XX GB                              |
|                         |                    |                   | 12       | XX US GB                           |
|                         |                    |                   | 500      | ZA GB                              |
|                         |                    | live              | 200      | AU GB                              |
|                         |                    |                   | 4        | BR GB                              |
|                         |                    |                   | 21       | CR DK                              |
|                         |                    |                   | 5        | CR NL                              |
|                         |                    |                   | 87       | EC DE                              |
|                         |                    |                   | 350      | PH GB                              |
|                         |                    |                   | 16       | SG GB                              |
|                         |                    |                   | 605      | TH DE                              |
|                         |                    |                   | 4387     | TH FR                              |
|                         |                    |                   | 548      | TH GB                              |
|                         |                    |                   | 179      | TH XX GB                           |
|                         |                    |                   | 196      | US GB                              |
|                         |                    |                   | 2        | US EC GB                           |
|                         |                    |                   | 172      | US XX GB                           |
|                         | Orchidaceae hybrid | live (art. prop.) | 1178     | BR DE                              |
|                         |                    |                   | 20       | BR DK                              |
|                         |                    |                   | 15       | SG DE                              |
|                         |                    |                   | 2        | TH BE                              |

| CITES EEC<br>App. Annex | Taxon                                  | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|--|-------------------|----------|------------------------------------|
| II                      | <i>Orchidaceæ hybrid</i>               | live (art. prop.) | 4356     | TH DE                              |
|                         |  |                   | 2        | TH DK                              |
|                         |  |                   | 4050     | TH NL                              |
|                         |  |                   | 1748     | US DE                              |
|                         |  |                   | 1140     | US NL                              |
|                         |  |                   | 1153     | XX GB                              |
|                         |  | 67 flasks         |          | XX GB                              |
|                         |  | live              | 8        | BR NL                              |
|                         | <i>Acacallis cyanea</i>                | live (art. prop.) | 20       | BR DE                              |
|                         |  |                   | 1        | BR NL                              |
|                         |  | live              | 50       | PE DE                              |
|                         | <i>Acampe ochracea</i>                 | live (art. prop.) | 25       | TH DE                              |
|                         |  | live              | 16       | TH DE                              |
|                         |  |                   | 50       | TH GB                              |
|                         | <i>Acampe papillosa</i>                | live              | 3        | TH DE                              |
|                         |  |                   | 3        | TH NL                              |
|                         | <i>Acampe rigida</i>                   | live (art. prop.) | 1        | TH DE                              |
|                         |  | live              | 22       | TH DE                              |
|                         | <i>Acanthephippium<br/>mantinianum</i> | live (art. prop.) | 5        | PH NL                              |
|                         | <i>Acianthus exsertus</i>              | live (art. prop.) | 3        | AU NL                              |
|                         | <i>Acoridium cobbianum</i>             | live (art. prop.) | 10       | PH NL                              |
|                         | <i>Acoridium glumaceum</i>             | live (art. prop.) | 10       | PH NL                              |
|                         | <i>Acostaea costaricense</i>           | live              | 8        | CR NL                              |
|                         | <i>Acriopsis indica</i>                | live (art. prop.) | 9        | TH NL                              |

| CITES EEC<br>App. Annex | TAXON                        | Description       | Quantity             | Country of<br>Export Origin Import |                      |
|-------------------------|------------------------------|-------------------|----------------------|------------------------------------|----------------------|
| II                      | <i>Acriopsis indica</i>      | live              | 4<br>32              | TH<br>TH                           | DE<br>NL             |
|                         | <i>Acriopsis javanica</i>    | live (art. prop.) | 10<br>1<br>1         | PH<br>TH<br>TH                     | NL<br>DE<br>NL       |
|                         |                              | live              | 60<br>75<br>50<br>20 | TH<br>TH<br>TH<br>TH               | BE<br>DE<br>GB<br>NL |
|                         | <i>Adenoncos parviflora</i>  | live              | 61                   | TH                                 | DE                   |
|                         | <i>Adenoncos sumatrana</i>   | live              | 1                    | TH                                 | DE                   |
|                         | <i>Adenoncos vesiculosus</i> | live (art. prop.) | 1                    | TH                                 | DE                   |
|                         |                              | live              | 1                    | TH                                 | DE                   |
|                         | <i>Aerangis spp.</i>         | live (art. prop.) | 1                    | US                                 | DE                   |
|                         |                              | live              | 5                    | US                                 | DE                   |
|                         | <i>Aerangis biloba</i>       | live (art. prop.) | 1                    | US                                 | DE                   |
|                         | <i>Aerangis brachycarpa</i>  | live (art. prop.) | 1                    | US                                 | DE                   |
|                         | <i>Aerangis mystacidii</i>   | live (art. prop.) | 1<br>1               | BR<br>US                           | NL<br>DE             |
|                         | <i>Aeranthes spp.</i>        | live (art. prop.) | 2                    | US                                 | DE                   |
|                         |                              | live              | 2                    | US                                 | DE                   |
|                         | <i>Aeranthes grandiflora</i> | live (art. prop.) | 1                    | US                                 | DE                   |
|                         | <i>Aerides spp.</i>          | live (art. prop.) | 150<br>5             | JP<br>TH                           | DE<br>DE             |

| CITES EEC<br>App. Annex | TAXON                      | Description       | Quantity | Country of<br>Export Origin Import |       |
|-------------------------|----------------------------|-------------------|----------|------------------------------------|-------|
| II                      | <i>Aerides</i> spp.        | live (art. prop.) | 1        | US                                 | DE    |
|                         |                            | live              | 75       | TH                                 | DE    |
|                         | <i>Aerides crassifolia</i> | live (art. prop.) | 15       | TH                                 | DE    |
|                         |                            | live              | 259      | TH                                 | DE    |
|                         |                            |                   | 2        | TH                                 | DK    |
|                         |                            |                   | 60       | TH                                 | GB    |
|                         |                            |                   | 99       | TH                                 | NL    |
|                         | <i>Aerides falcata</i>     | live (art. prop.) | 4        | TH                                 | DE    |
|                         |                            | live              | 190      | TH                                 | DE    |
|                         |                            |                   | 11       | TH                                 | DK    |
|                         |                            |                   | 60       | TH                                 | GB    |
|                         |                            |                   | 65       | TH                                 | NL    |
|                         | <i>Aerides fieldingii</i>  | live (art. prop.) | 4        | TH                                 | DE    |
|                         |                            |                   | 70       | TH                                 | GB    |
|                         |                            | live              | 114      | TH                                 | DE    |
|                         |                            |                   | 60       | TH                                 | GB    |
|                         |                            |                   | 10       | TH                                 | NL    |
|                         | <i>Aerides flabellata</i>  | live (art. prop.) | 13       | TH                                 | DE    |
|                         |                            | live              | 36       | TH                                 | DE    |
|                         |                            |                   | 1        | TH                                 | DK    |
|                         |                            |                   | 60       | TH                                 | GB    |
|                         |                            |                   | 60       | TH                                 | NL    |
|                         |                            |                   | 10       | TH                                 | XX GB |
|                         | <i>Aerides houletteana</i> | live (art. prop.) | 13       | TH                                 | DE    |
|                         |                            | live              | 112      | TH                                 | DE    |
|                         |                            |                   | 1        | TH                                 | DK    |
|                         |                            |                   | 110      | TH                                 | GB    |
|                         |                            |                   | 52       | TH                                 | NL    |
|                         | <i>Aerides jarckiana</i>   | live (art. prop.) | 10       | PH                                 | NL    |

| CITES EEC<br>App. Annex | Taxon                           | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Aerides krabiensis</i>       | live (art. prop.) | 3        | TH DE                              |
|                         |                                 | live              | 85       | TH DE                              |
|                         |                                 |                   | 110      | TH GB                              |
|                         |                                 |                   | 79       | TH NL                              |
|                         | <i>Aerides lawrenceae</i>       | live (art. prop.) | 15       | PH NL                              |
|                         | <i>Aerides multiflora</i>       | live (art. prop.) | 6        | TH DE                              |
|                         |                                 |                   | 50       | TH GB                              |
|                         |                                 | live              | 328      | TH DE                              |
|                         |                                 |                   | 22       | TH DK                              |
|                         |                                 |                   | 60       | TH GB                              |
|                         |                                 |                   | 94       | TH NL                              |
|                         | <i>Aerides odorata</i>          | live (art. prop.) | 3        | TH DE                              |
|                         |                                 | live              | 60       | TH BE                              |
|                         |                                 |                   | 207      | TH DE                              |
|                         |                                 |                   | 22       | TH DK                              |
|                         |                                 |                   | 60       | TH GB                              |
|                         |                                 |                   | 97       | TH NL                              |
|                         | <i>Aerides quinquevulnera</i>   | live (art. prop.) | 10       | PH NL                              |
|                         | <i>Aganisia fimbriata</i>       | live              | 20       | PE DE                              |
|                         | <i>Agrostophyllum majus</i>     | live              | 1        | TH DE                              |
|                         | <i>Amblostoma armeniacum</i>    | live              | 50       | PE DE                              |
|                         |                                 |                   | 2        | TH DE                              |
|                         | <i>Amesiella philippinensis</i> | live (art. prop.) | 50       | PH DK                              |
|                         |                                 |                   | 15       | PH NL                              |
|                         | <i>Amparoa costaricensis</i>    | live              | 1        | CR NL                              |

| CITES EEC<br>App. Annex | Taxon                         | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Angraecopsis tenerrima</i> | live (art. prop.) | 1        | US DE                              |
|                         | <i>Angraecum</i> spp.         | live (art. prop.) | 1        | BR DE                              |
|                         |                               |                   | 65       | US DE                              |
|                         |                               | live              | 8        | US DE                              |
|                         | <i>Angraecum erectum</i>      | live (art. prop.) | 1        | US DE                              |
|                         | <i>Angraecum magdalena</i> e  | live              | 1        | US DE                              |
|                         | <i>Anguloa uniflora</i>       | live              | 18       | PE DE                              |
|                         | <i>Ania hongkongensis</i>     | live (art. prop.) | 5        | JP DE                              |
|                         | <i>Anoectochilus</i> spp.     | live (art. prop.) | 2        | TH DE                              |
|                         |                               | live              | 5        | TH DE                              |
|                         | <i>Appendicula cornuta</i>    | live (art. prop.) | 1        | TH DE                              |
|                         | <i>Appendicula koenigii</i>   | live              | 2        | TH DE                              |
|                         | <i>Appendicula undulata</i>   | live              | 2        | TH DE                              |
|                         | <i>Arachnis</i> spp.          | live (art. prop.) | 175      | TH DE                              |
|                         |                               |                   | 380      | TH NL                              |
|                         | <i>Arachnis flos-aeris</i>    | live (art. prop.) | 5        | PH NL                              |
|                         |                               |                   | 1        | TH DE                              |
|                         |                               | live              | 50       | PH GB                              |
|                         |                               |                   | 20       | TH DE                              |
|                         |                               |                   | 6        | TH NL                              |
|                         | <i>Arachnis hookeriana</i>    | live (art. prop.) | 1        | TH DE                              |
|                         | <i>Arachnis maingayi</i>      | live (art. prop.) | 1        | TH DE                              |

| CITES EEC<br>App. Annex | TAXON                             | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|-----------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Arachnis siamensis</i>         | live (art. prop.) | 1        | TH DE                              |
|                         | <i>Arachnis storiei</i>           | live (art. prop.) | 1        | TH DE                              |
|                         | <i>Arpophyllum spp.</i>           | live              | 2        | CR NL                              |
|                         | <i>Arundina graminifolia</i>      | live (art. prop.) | 2        | TH DE                              |
|                         |                                   |                   | 20       | TH NL                              |
|                         |                                   | live              | 15       | TH DE                              |
|                         |                                   |                   | 1        | TH DK                              |
|                         |                                   |                   | 1        | TH GB                              |
|                         |                                   |                   | 12       | TH NL                              |
|                         | <i>Ascocentrum spp.</i>           | live (art. prop.) | 300      | JP DE                              |
|                         |                                   |                   | 92       | TH NL                              |
|                         |                                   | live              | 220      | TH DE                              |
|                         |                                   |                   | 6        | TH NL                              |
|                         | <i>Ascocentrum ampullaceum</i>    | live (art. prop.) | 20       | TH GB                              |
|                         |                                   | live              | 60       | TH BE                              |
|                         |                                   |                   | 493      | TH DE                              |
|                         |                                   |                   | 10       | TH DK                              |
|                         |                                   |                   | 50       | TH GB                              |
|                         |                                   |                   | 22       | TH NL                              |
|                         | <i>Ascocentrum curvifolium</i>    | live (art. prop.) | 1        | TH DE                              |
|                         |                                   |                   | 20       | TH GB                              |
|                         |                                   | live              | 60       | TH BE                              |
|                         |                                   |                   | 247      | TH DE                              |
|                         |                                   |                   | 22       | TH DK                              |
|                         |                                   |                   | 50       | TH GB                              |
|                         |                                   |                   | 18       | TH NL                              |
|                         | <i>Ascocentrum hendersonianum</i> | live (art. prop.) | 30       | MY DE                              |

| CITES EEC<br>App. Annex | TAXON                           | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Ascocentrum miniatum</i>     | flowers           | 2        | TH DE                              |
|                         |                                 | live (art. prop.) | 5        | MY DE                              |
|                         |                                 |                   | 21       | TH DE                              |
|                         |                                 |                   | 20       | TH GB                              |
|                         |                                 |                   | 1        | TH NL                              |
|                         |                                 | live              | 1112     | TH DE                              |
|                         |                                 |                   | 54       | TH DK                              |
|                         |                                 |                   | 220      | TH NL                              |
|                         | <i>Ascoglossum calopterum</i>   | live (art. prop.) | 5        | PH NL                              |
|                         | <i>Aspasia lunata</i>           | live (art. prop.) | 59       | BR DE                              |
|                         |                                 |                   | 40       | BR GB                              |
|                         |                                 |                   | 13       | BR NL                              |
|                         |                                 | live              | 1        | BR GB                              |
|                         | <i>Barbosella spp.</i>          | live              | 3        | CR NL                              |
|                         | <i>Barbosella australis</i>     | live (art. prop.) | 10       | BR DE                              |
|                         | <i>Barbosella cucullata</i>     | live              | 50       | PE DE                              |
|                         | <i>Barbosella riograndensis</i> | live (art. prop.) | 2        | BR DE                              |
|                         | <i>Barkeria spp.</i>            | live (art. prop.) | 10       | HN DE                              |
|                         | <i>Barkeria spectabilis</i>     | live (art. prop.) | 200      | MX GB                              |
|                         | <i>Batemannia ciliata</i>       | live (art. prop.) | 1        | BR NL                              |
|                         | <i>Bifrenaria atropurpurea</i>  | live (art. prop.) | 1        | BR DE                              |
|                         |                                 |                   | 20       | BR GB                              |
|                         |                                 | live              | 1        | BR GB                              |
|                         | <i>Bifrenaria harrisoniae</i>   | live (art. prop.) | 128      | BR DE                              |

| CITES EEC<br>App. Annex | TAXON                            | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Bifrenaria harrisoniae</i>    | live (art. prop.) | 20       | BR                                 | GB |
|                         |                                  |                   | 3        | BR                                 | NL |
|                         |                                  | live              | 2        | BR                                 | GB |
|                         | <i>Bifrenaria inodora</i>        | live (art. prop.) | 15       | BR                                 | DE |
|                         |                                  |                   | 10       | BR                                 | DK |
|                         | <i>Bifrenaria magnicalcarata</i> | live (art. prop.) | 1        | BR                                 | DE |
|                         | <i>Bifrenaria tetragona</i>      | live (art. prop.) | 1        | BR                                 | DE |
|                         | <i>Bifrenaria tyrianthina</i>    | live (art. prop.) | 21       | BR                                 | DE |
|                         |                                  |                   | 5        | BR                                 | DK |
|                         |                                  |                   | 3        | BR                                 | NL |
|                         | <i>Bollea coelestis</i>          | live              | 50       | PE                                 | DE |
|                         | <i>Bollea violacea</i>           | live (art. prop.) | 3        | VE                                 | DE |
|                         | <i>Brachycorythis helferi</i>    | live (art. prop.) | 4        | TH                                 | DE |
|                         |                                  | live              | 6        | TH                                 | DE |
|                         | <i>Brassavola spp.</i>           | live (art. prop.) | 1        | BR                                 | DE |
|                         | <i>Brassavola acaulis</i>        | live              | 6        | CR                                 | NL |
|                         | <i>Brassavola cucullata</i>      | live (art. prop.) | 10       | HN                                 | DE |
|                         | <i>Brassavola flagellaris</i>    | live (art. prop.) | 75       | BR                                 | DE |
|                         |                                  |                   | 10       | BR                                 | DK |
|                         |                                  |                   | 20       | BR                                 | GB |
|                         |                                  |                   | 21       | BR                                 | NL |
|                         |                                  | live              | 1        | BR                                 | GB |
|                         | <i>Brassavola nodosa</i>         | live (art. prop.) | 50       | HN                                 | GB |

| CITES EEC<br>App. Annex | Taxon                          | Description       | Quantity | Country of<br>Export Origin Import |       |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|-------|
| II                      | <i>Brassavola nodosa</i>       | live (art. prop.) | 51       | TH                                 | DE    |
|                         |                                |                   | 60       | TH                                 | GB    |
|                         |                                | live              | 8        | CR                                 | NL    |
|                         | <i>Brassavola perrinii</i>     | live (art. prop.) | 47       | BR                                 | DE    |
|                         |                                |                   | 10       | BR                                 | DK    |
|                         |                                |                   | 18       | BR                                 | NL    |
|                         |                                |                   | 20       | BR                                 | TH GB |
|                         | <i>Brassia</i> spp.            | live (art. prop.) | 15       | HN                                 | DE    |
|                         |                                |                   | 101      | US                                 | DE    |
|                         |                                | live              | 10       | PE                                 | DE    |
|                         | <i>Brassia arcuigera</i>       | live              | 2        | CR                                 | NL    |
|                         | <i>Brassia longissima</i>      | live              | 100      | PE                                 | DE    |
|                         | <i>Brassia maculata</i>        | live              | 3        | CR                                 | NL    |
|                         | <i>Brassia ochroleuca</i>      | live (art. prop.) | 146      | BR                                 | DE    |
|                         |                                |                   | 10       | BR                                 | NL    |
|                         | <i>Brassia verrucosa</i>       | live (art. prop.) | 100      | HN                                 | GB    |
|                         |                                |                   | 200      | MX                                 | GB    |
|                         | <i>Bromheadia aporooides</i>   | live              | 29       | TH                                 | DE    |
|                         |                                |                   | 2        | TH                                 | NL    |
|                         | <i>Broughtonia negrilensis</i> | live (art. prop.) | 3        | US                                 | DE    |
|                         | <i>Bulbophyllum</i> spp.       | live (art. prop.) | 14       | BR                                 | DE    |
|                         |                                |                   | 8        | TH                                 | DE    |
|                         |                                |                   | 20       | TW                                 | NL    |
|                         |                                |                   | 3        | US                                 | DE    |
|                         |                                |                   | 20       | US                                 | GB    |

| CITES EEC<br>App. Annex | TAXON                             | Description       | Quantity | Country of<br>Export Origin Import |          |
|-------------------------|-----------------------------------|-------------------|----------|------------------------------------|----------|
| II                      | <i>Bulbophyllum</i> spp.          | live              | 619      | TH                                 | DE       |
|                         | <i>Bulbophyllum acuminatum</i>    | live (art. prop.) | 1        | TH                                 | DE       |
|                         | <i>Bulbophyllum affine</i>        | live              | 134<br>4 | TH<br>TH                           | DE<br>NL |
|                         | <i>Bulbophyllum alcicorne</i>     | live              | 3<br>1   | TH<br>TH                           | DE<br>NL |
|                         | <i>Bulbophyllum alsiosum</i>      | live (art. prop.) | 5        | PH                                 | NL       |
|                         | <i>Bulbophyllum bittnerianum</i>  | live              | 3<br>2   | TH<br>TH                           | DE<br>NL |
|                         | <i>Bulbophyllum careyanum</i>     | live              | 100      | PE                                 | DE       |
|                         | <i>Bulbophyllum ciliatoides</i>   | live (art. prop.) | 1        | TH                                 | DE       |
|                         | <i>Bulbophyllum coccineum</i>     | live              | 3        | TH                                 | DE       |
|                         | <i>Bulbophyllum congestum</i>     | live              | 15<br>3  | TH<br>TH                           | DE<br>NL |
|                         | <i>Bulbophyllum dayanum</i>       | live              | 349<br>6 | TH<br>TH                           | DE<br>NL |
|                         | <i>Bulbophyllum dearei</i>        | live (art. prop.) | 10       | PH                                 | NL       |
|                         | <i>Bulbophyllum dissitiflorum</i> | live              | 2<br>2   | TH<br>TH                           | DE<br>NL |
|                         | <i>Bulbophyllum elisae</i>        | live              | 1        | CR                                 | NL       |

| CITES EEC<br>App. Annex | Taxon                           | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Bulbophyllum emiliorum</i>   | live (art. prop.) | 5        | PH NL                              |
|                         | <i>Bulbophyllum fasciatum</i>   | live              | 4        | TH NL                              |
|                         | <i>Bulbophyllum glutinosum</i>  | live (art. prop.) | 1        | BR DE                              |
|                         | <i>Bulbophyllum haniffii</i>    | live              | 2        | TH DE                              |
|                         |                                 |                   | 2        | TH NL                              |
|                         | <i>Bulbophyllum hastatum</i>    | live (art. prop.) | 1        | TH DE                              |
|                         | <i>Bulbophyllum hirtum</i>      | live              | 15       | TH DE                              |
|                         |                                 |                   | 1        | TH NL                              |
|                         | <i>Bulbophyllum kanburiense</i> | live              | 64       | TH DE                              |
|                         |                                 |                   | 1        | TH NL                              |
|                         | <i>Bulbophyllum lasiochilum</i> | live (art. prop.) | 2        | TH DE                              |
|                         |                                 |                   | 3        | TH NL                              |
|                         |                                 | live              | 1        | TH DE                              |
|                         |                                 |                   | 2        | TH NL                              |
|                         | <i>Bulbophyllum laxiflorum</i>  | live (art. prop.) | 1        | TH DE                              |
|                         |                                 | live              | 1        | TH DE                              |
|                         |                                 |                   | 2        | TH NL                              |
|                         | <i>Bulbophyllum leopardinum</i> | live (art. prop.) | 5        | TH DE                              |
|                         |                                 |                   | 4        | TH NL                              |
|                         |                                 | live              | 13       | TH DE                              |
|                         | <i>Bulbophyllum leysianum</i>   | live (art. prop.) | 5        | PH NL                              |
|                         | <i>Bulbophyllum lobbii</i>      | live (art. prop.) | 5        | TH DE                              |
|                         |                                 |                   | 20       | TH GB                              |
|                         |                                 |                   | 12       | TH NL                              |

| CITES EEC<br>App. Annex | Taxon                                       | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|---|-------------------|----------|------------------------------------|----|
| II                      | <i>Bulbophyllum lobbii</i>                  | live              | 60       | TH                                 | BE |
|                         |   |                   | 432      | TH                                 | DE |
|                         |   |                   | 29       | TH                                 | NL |
|                         | <i>Bulbophyllum macranthum</i>              | live (art. prop.) | 3        | TH                                 | DE |
|                         |   | live              | 60       | TH                                 | BE |
|                         |   |                   | 41       | TH                                 | DE |
|                         |   |                   | 10       | TH                                 | DK |
|                         |   |                   | 12       | TH                                 | NL |
|                         | <i>Bulbophyllum moniliforme</i>             | live              | 61       | TH                                 | DE |
|                         | <i>Bulbophyllum</i><br><i>muscarirubrum</i> | live              | 8        | TH                                 | DE |
|                         |   |                   | 2        | TH                                 | NL |
|                         | <i>Bulbophyllum napellii</i>                | live (art. prop.) | 2        | BR                                 | DE |
|                         |   |                   | 40       | BR                                 | GB |
|                         | <i>Bulbophyllum nigrescens</i>              | live              | 1        | TH                                 | DE |
|                         |   |                   | 2        | TH                                 | NL |
|                         | <i>Bulbophyllum</i><br><i>odoratissimum</i> | live (art. prop.) | 1        | TH                                 | DE |
|                         |   | live              | 168      | TH                                 | DE |
|                         |   |                   | 4        | TH                                 | NL |
|                         | <i>Bulbophyllum orientale</i>               | live              | 161      | TH                                 | DE |
|                         | <i>Bulbophyllum</i><br><i>pachyrhachis</i>  | live              | 1        | CR                                 | NL |
|                         | <i>Bulbophyllum patens</i>                  | live (art. prop.) | 4        | TH                                 | DE |
|                         |   |                   | 11       | TH                                 | NL |
|                         |   | live              | 1        | TH                                 | DE |

| CITES EEC<br>App. Annex | TAXON                               | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|-------------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Bulbophyllum patens</i>          | live              | 10<br>2  | TH                                 | DK |
|                         |                                     |                   |          | TH                                 | NL |
|                         | <i>Bulbophyllum pectinatum</i>      | live (art. prop.) | 12       | TH                                 | NL |
|                         |                                     | live              | 497      | TH                                 | DE |
|                         |                                     |                   | 4        | TH                                 | NL |
|                         | <i>Bulbophyllum propinquum</i>      | live              | 28<br>2  | TH                                 | DE |
|                         |                                     |                   |          | TH                                 | NL |
|                         | <i>Bulbophyllum psittacoglossum</i> | live              | 13<br>3  | TH                                 | DE |
|                         |                                     |                   |          | TH                                 | NL |
|                         | <i>Bulbophyllum repens</i>          | live              | 3        | TH                                 | DE |
|                         | <i>Bulbophyllum rufilabrum</i>      | live              | 2        | TH                                 | NL |
|                         | <i>Bulbophyllum rufinum</i>         | live (art. prop.) | 1        | TH                                 | DE |
|                         |                                     |                   | 50       | TH                                 | GB |
|                         |                                     | live              | 50       | TH                                 | GB |
|                         |                                     |                   | 2        | TH                                 | NL |
|                         | <i>Bulbophyllum rupicolum</i>       | live (art. prop.) | 1        | BR                                 | NL |
|                         | <i>Bulbophyllum sessile</i>         | live              | 8<br>2   | TH                                 | DE |
|                         |                                     |                   |          | TH                                 | NL |
|                         | <i>Bulbophyllum stenobulbon</i>     | live              | 32       | TH                                 | NL |
|                         | <i>Bulbophyllum tricorne</i>        | live              | 4        | TH                                 | NL |
|                         | <i>Bulbophyllum tricornoides</i>    | live (art. prop.) | 6        | TH                                 | DE |
|                         |                                     | live              | 2        | TH                                 | NL |

| CITES EEC<br>App. Annex | Taxon                           | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Bulbophyllum tridentatum</i> | live              | 2        | TH NL                              |
|                         | <i>Bulbophyllum weddellii</i>   | live (art. prop.) | 27       | BR DE                              |
|                         | <i>Bulbophyllum xylophyllum</i> | live              | 154<br>2 | TH TH DE NL                        |
|                         | <i>Bulbophyllum ypanamense</i>  | live (art. prop.) | 15<br>1  | BR BR DE NL                        |
|                         | <i>Caladenia menziesii</i>      | live (art. prop.) | 3        | AU NL                              |
|                         | <i>Calanthe spp.</i>            | live (art. prop.) | 21<br>1  | JP TH DE                           |
|                         |                                 |                   | 200      | TH NL                              |
|                         |                                 | live              | 61       | TH GB                              |
|                         | <i>Calanthe cardioglossa</i>    | live              | 60<br>9  | TH TH BE DE                        |
|                         | <i>Calanthe discolor</i>        | live (art. prop.) | 500      | JP NL                              |
|                         | <i>Calanthe gracilis</i>        | live (art. prop.) | 1        | TH DE                              |
|                         | <i>Calanthe lyroglossa</i>      | live              | 2        | TH NL                              |
|                         | <i>Calanthe rosea</i>           | live (art. prop.) | 1        | TH DE                              |
|                         |                                 |                   | 12       | TH NL                              |
|                         |                                 | live              | 60       | TH BE                              |
|                         |                                 |                   | 11       | TH DE                              |
|                         |                                 |                   | 5        | TH DK                              |
|                         |                                 |                   | 61       | TH GB                              |
|                         |                                 |                   | 31       | TH NL                              |
|                         | <i>Calanthe rubens</i>          | live (art. prop.) | 1        | TH DE                              |

| CITES EEC<br>App. Annex | TAXON                                  | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|--|-------------------|----------|------------------------------------|
| II                      | <i>Calanthe rubens</i>                 | live (art. prop.) | 2        | NL                                 |
|                         |  | live              | 9        | DE                                 |
|                         |  |                   | 61       | GB                                 |
|                         |  |                   | 6        | NL                                 |
|                         | <i>Calanthe triplicata</i>             | live (art. prop.) | 100      | DK                                 |
|                         |  |                   | 1        | DE                                 |
|                         |  |                   | 6        | NL                                 |
|                         | <i>Calanthe vestita</i>                | live (art. prop.) | 2        | DE                                 |
|                         |  | live              | 60       | BE                                 |
|                         |  |                   | 7        | DE                                 |
|                         |  |                   | 5        | DK                                 |
|                         |  |                   | 61       | GB                                 |
|                         |  |                   | 29       | NL                                 |
|                         | <i>Campylocentrum spp.</i>             | live (art. prop.) | 1        | DE                                 |
|                         |  |                   | 5        | DE                                 |
|                         |  | live              | 18       | NL                                 |
|                         | <i>Campylocentrum burchellii</i>       | live (art. prop.) | 1        | NL                                 |
|                         | <i>Campylocentrum micranthum</i>       | live              | 1        | DK                                 |
|                         |  |                   | 50       | DE                                 |
|                         | <i>Campylocentrum ornithorrhynchum</i> | live (art. prop.) | 1        | NL                                 |
|                         | <i>Capanemia micromera</i>             | live (art. prop.) | 1        | DE                                 |
|                         | <i>Capanemia superflua</i>             | live (art. prop.) | 105      | DE                                 |
|                         |  |                   | 12       | NL                                 |
|                         | <i>Catasetum spp.</i>                  | live (art. prop.) | 1        | DE                                 |
|                         |  |                   | 6        | DE                                 |

| CITES EEC<br>App. Annex | Taxon                           | Description                   | Quantity  | Country of<br>Export Origin Import   |  |
|-------------------------|---------------------------------|-------------------------------|---|--|--|
| II                      | <i>Catasetum</i> spp.           | live<br>seeds                 | 15<br>1   | PE<br>CR   | DE<br>DK   |
|                         | <i>Catasetum appendiculatum</i> | live (art. prop.)             | 1   | BR   | DE   |
|                         | <i>Catasetum araguaiense</i>    | live (art. prop.)             | 100   | BR   | DE   |
|                         | <i>Catasetum cernuum</i>        | live (art. prop.)<br>live     | 1<br>55   | BR<br>PE   | DE<br>DE   |
|                         | <i>Catasetum fimbriatum</i>     | live (art. prop.)<br><br>live | 10<br>2<br>3<br>50  | BR<br>BR<br>US<br>PE   | DE<br>NL<br>DE<br>DE   |
|                         | <i>Catasetum pileatum</i>       | live (art. prop.)             | 2   | US   | DE   |
|                         | <i>Catasetum saccatum</i>       | live                          | 50  | PE   | DE   |
|                         | <i>Cattleya</i> spp.            | live (art. prop.)             | 723<br>20<br>504<br>1<br>2<br>5<br>30<br>400<br>3760<br>50<br>1<br>1467<br>19<br>1020<br>30<br>40 | BR<br>BR<br>BR<br>BR<br>JP<br>LK<br>MY<br>MY<br>MY<br>SE<br>TH<br>TH<br>TH<br>TH<br>TH<br>XX | DE<br>DK<br>GB<br>CO<br>GB<br>NL<br>NL<br>DE<br>DK<br>NL<br>DE<br>BE<br>DE<br>DK<br>GB<br>NL<br>NL<br>GB<br>GB<br>XX<br>GB |

| CITES EEC<br>App. Annex | Taxon                           | Description       | Quantity | Country of<br>Export Origin | Import |
|-------------------------|---------------------------------|-------------------|----------|-----------------------------|--------|
| II                      | <i>Cattleya</i> spp.            | live (art. prop.) | 21       | TW                          | NL     |
|                         |                                 |                   | 2563     | US                          | DE     |
|                         |                                 |                   | 3        | US                          | DK     |
|                         |                                 |                   | 4309     | US                          | GB     |
|                         |                                 |                   | 15527    | US                          | NL     |
|                         |                                 |                   | 130      | VE                          | DE     |
|                         |                                 |                   | 300      | VE                          | FR     |
|                         |                                 |                   | 19       | XX                          | GB     |
|                         |                                 | 247 flasks        |          | US                          | NL     |
|                         |                                 | 15 sets           |          | TH                          | NL     |
|                         |                                 | 3 sets            |          | TW                          | NL     |
|                         |                                 | live              | 200      | TH                          | XX     |
|                         |                                 |                   | 7        | US                          | GB     |
|                         |                                 |                   | 120      | US                          | XX     |
|                         |                                 |                   | 65       | VE                          | DE     |
|                         | <i>Cattleya aclandiae</i>       | live (art. prop.) | 824      | BR                          | DE     |
|                         |                                 |                   | 30       | BR                          | NL     |
|                         | <i>Cattleya amethystoglossa</i> | live (art. prop.) | 505      | BR                          | DE     |
|                         |                                 |                   | 30       | BR                          | DK     |
|                         |                                 |                   | 3        | BR                          | GB     |
|                         |                                 |                   | 17       | BR                          | NL     |
|                         |                                 |                   | 10       | US                          | DE     |
|                         | <i>Cattleya araguaiensis</i>    | live (art. prop.) | 102      | BR                          | DE     |
|                         |                                 |                   | 15       | BR                          | DK     |
|                         |                                 |                   | 18       | BR                          | NL     |
|                         | <i>Cattleya aurantiaca</i>      | live (art. prop.) | 5        | BR                          | DK     |
|                         |                                 |                   | 10       | US                          | DE     |
|                         |                                 | live              | 2        | TH                          | DK     |
|                         | <i>Cattleya bicolor</i>         | live (art. prop.) | 181      | BR                          | DE     |
|                         |                                 |                   | 30       | BR                          | DK     |

| CITES EEC<br>App. Annex | Taxon                       | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|-----------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Cattleya bicolor</i>     | live (art. prop.) | 1        | BR GB                              |
|                         |                             |                   | 30       | BR NL                              |
|                         |                             |                   | 2        | US DE                              |
|                         |                             | live              | 1        | BR GB                              |
|                         | <i>Cattleya bowringiana</i> | live (art. prop.) | 1        | TH DE                              |
|                         | <i>Cattleya dormaniana</i>  | live (art. prop.) | 364      | BR DE                              |
|                         |                             |                   | 1        | BR GB                              |
|                         |                             |                   | 6        | BR NL                              |
|                         | <i>Cattleya dowiana</i>     | live (art. prop.) | 1        | US DK                              |
|                         |                             |                   | 2        | US GB                              |
|                         |                             | live              | 1        | CR DK                              |
|                         | <i>Cattleya eldorado</i>    | live (art. prop.) | 14       | BR DE                              |
|                         |                             |                   | 2        | BR GB                              |
|                         | <i>Cattleya elongata</i>    | live (art. prop.) | 188      | BR DE                              |
|                         |                             |                   | 5        | BR DK                              |
|                         |                             | live              | 9        | BR NL                              |
|                         | <i>Cattleya forbesii</i>    | live (art. prop.) | 138      | BR DE                              |
|                         |                             | live              | 8        | BR NL                              |
|                         | <i>Cattleya gaskelliana</i> | live (art. prop.) | 3        | VE GB                              |
|                         | <i>Cattleya granulosa</i>   | live (art. prop.) | 211      | BR DE                              |
|                         |                             |                   | 20       | BR DK                              |
|                         |                             |                   | 1        | BR GB                              |
|                         |                             | live              | 21       | BR NL                              |
|                         | <i>Cattleya guttata</i>     | live (art. prop.) | 178      | BR DE                              |
|                         |                             |                   | 15       | BR DK                              |
|                         |                             | live              | 19       | BR NL                              |

| CITES EEC<br>App. Annex | Taxon                          | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Cattleya harrisoniana</i>   | live (art. prop.) | 111      | BR                                 | DE |
|                         |                                |                   | 10       | BR                                 | DK |
|                         |                                | live              | 4        | BR                                 | NL |
|                         | <i>Cattleya intermedia</i>     | live (art. prop.) | 334      | BR                                 | DE |
|                         |                                |                   | 25       | BR                                 | DK |
|                         |                                |                   | 2        | BR                                 | GB |
|                         |                                |                   | 1        | TH                                 | DE |
|                         |                                | live              | 8        | BR                                 | NL |
|                         | <i>Cattleya iricolor</i>       | live              | 140      | PE                                 | DE |
|                         | <i>Cattleya jenmanii</i>       | live (art. prop.) | 2        | VE                                 | GB |
|                         | <i>Cattleya labiata</i>        | live (art. prop.) | 423      | BR                                 | DE |
|                         |                                |                   | 10       | BR                                 | DK |
|                         |                                |                   | 4        | BR                                 | GB |
|                         |                                |                   | 170      | VE                                 | DE |
|                         |                                | live              | 2        | BR                                 | GB |
|                         |                                |                   | 18       | BR                                 | NL |
|                         | <i>Cattleya leopoldii</i>      | live (art. prop.) | 1        | US                                 | BR |
|                         | <i>Cattleya loddigesii</i>     | live (art. prop.) | 132      | BR                                 | DE |
|                         |                                |                   | 10       | BR                                 | DK |
|                         |                                |                   | 2        | BR                                 | GB |
|                         |                                | live              | 1        | BR                                 | GB |
|                         |                                |                   | 8        | BR                                 | NL |
|                         | <i>Cattleya lueddemanniana</i> | live (art. prop.) | 80       | VE                                 | DE |
|                         |                                |                   | 5        | VE                                 | GB |
|                         |                                | live              | 50       | VE                                 | DE |
|                         | <i>Cattleya luteola</i>        | live (art. prop.) | 20       | BR                                 | DE |
|                         |                                |                   | 1        | US                                 | DE |

| CITES EEC<br>App. Annex | TAXON                          | DESCRIPTION       | QUANTITY | COUNTRY OF<br>EXPORT ORIGIN IMPORT |    |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Cattleya luteola</i>        | live              | 80       | PE                                 | DE |
|                         | <i>Cattleya maxima</i>         | live (art. prop.) | 3        | US                                 | DE |
|                         |                                | live              | 160      | PE                                 | DE |
|                         | <i>Cattleya mossiae</i>        | live (art. prop.) | 5        | VE                                 | GB |
|                         | <i>Cattleya nobilior</i>       | live (art. prop.) | 128      | BR                                 | DE |
|                         |                                |                   | 4        | BR                                 | GB |
|                         | <i>Cattleya porphyroglossa</i> | live (art. prop.) | 74       | BR                                 | DE |
|                         |                                |                   | 10       | BR                                 | DK |
|                         |                                | live              | 6        | BR                                 | NL |
|                         | <i>Cattleya rex</i>            | live (art. prop.) | 10       | BR                                 | DE |
|                         |                                |                   | 10       | BR                                 | DK |
|                         |                                | live              | 140      | PE                                 | DE |
|                         | <i>Cattleya schilleriana</i>   | live (art. prop.) | 319      | BR                                 | DE |
|                         |                                |                   | 20       | BR                                 | DK |
|                         |                                | live              | 17       | BR                                 | NL |
|                         | <i>Cattleya schroederiana</i>  | live (art. prop.) | 4        | US CO                              | GB |
|                         | <i>Cattleya velutina</i>       | live (art. prop.) | 337      | BR                                 | DE |
|                         |                                |                   | 15       | BR                                 | DK |
|                         |                                | live              | 18       | BR                                 | NL |
|                         | <i>Cattleya violacea</i>       | live (art. prop.) | 15       | BR                                 | DE |
|                         |                                |                   | 1        | JP BR                              | GB |
|                         |                                |                   | 20       | VE                                 | DE |
|                         |                                |                   | 3        | VE                                 | GB |
|                         |                                | live              | 120      | PE                                 | DE |
|                         |                                |                   | 83       | VE                                 | DE |

| CITES EEC<br>App. Annex | Taxon                              | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|------------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Cattleya walkeriana</i>         | live (art. prop.) | 756      | BR                                 | DE |
|                         |                                    |                   | 10       | BR                                 | DK |
|                         |                                    |                   | 52       | BR                                 | GB |
|                         |                                    |                   | 1        | JP                                 | BR |
|                         |                                    |                   | 1        | US                                 | DE |
|                         |                                    | live              | 1        | BR                                 | GB |
|                         |                                    |                   | 25       | BR                                 | NL |
|                         | <i>Caularthon spp.</i>             | live              | 2        | VE                                 | DE |
|                         | <i>Caularthon bicornutum</i>       | live (art. prop.) | 1        | US                                 | DE |
|                         | <i>Caularthon bilamellatum</i>     | live              | 3        | CR                                 | NL |
|                         | <i>Centroglossa macroceras</i>     | live (art. prop.) | 1        | BR                                 | DE |
|                         | <i>Centropetalum spp.</i>          | live              | 7        | CR                                 | NL |
|                         | <i>Centropetalum ionantherum</i>   | live              | 10       | PE                                 | DE |
|                         | <i>Ceratostylis ampullacea</i>     | live              | 10       | TH                                 | DE |
|                         | <i>Ceratostylis philippinensis</i> | live (art. prop.) | 10       | PH                                 | NL |
|                         | <i>Ceratostylis retisquama</i>     | live (art. prop.) | 100      | PH                                 | DK |
|                         |                                    |                   | 10       | PH                                 | NL |
|                         | <i>Ceratostylis subulata</i>       | live (art. prop.) | 10       | PH                                 | NL |
|                         | <i>Chaenanthè barkeri</i>          | live (art. prop.) | 1        | BR                                 | DE |
|                         | <i>Chiloglottis reflexa</i>        | live (art. prop.) | 3        | AU                                 | NL |
|                         | <i>Chiloschista spp.</i>           | live              | 113      | TH                                 | DE |

| CITES EEC<br>App. Annex | TAXON                           | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Chiloschista exuperei</i>    | live (art. prop.) | 25       | TH DE                              |
|                         |                                 | live              | 522      | TH DE                              |
|                         | <i>Chiloschista lunifera</i>    | live (art. prop.) | 2        | TH DE                              |
|                         |                                 |                   | 100      | TH GB                              |
|                         |                                 | live              | 60       | TH BE                              |
|                         |                                 |                   | 334      | TH DE                              |
|                         |                                 |                   | 50       | TH GB                              |
|                         |                                 |                   | 15       | TH NL                              |
|                         | <i>Chiloschista pusilla</i>     | live              | 3        | TH DE                              |
|                         | <i>Chiloschista trudelii</i>    | live              | 124      | TH DE                              |
|                         | <i>Chiloschista usneoides</i>   | live (art. prop.) | 3        | TH DE                              |
|                         |                                 | live              | 60       | TH BE                              |
|                         |                                 |                   | 574      | TH DE                              |
|                         |                                 |                   | 90       | TH NL                              |
|                         | <i>Chondrorhyncha flaveola</i>  | live              | 50       | PE DE                              |
|                         | <i>Cirrhaea dependens</i>       | live (art. prop.) | 25       | BR DE                              |
|                         |                                 |                   | 20       | BR GB                              |
|                         |                                 | live              | 4        | BR GB                              |
|                         |                                 |                   | 2        | BR NL                              |
|                         | <i>Cirrhopetalum spp.</i>       | live (art. prop.) | 1        | BR NL                              |
|                         |                                 | live              | 50       | TH DE                              |
|                         | <i>Cirrhopetalum andersonii</i> | live              | 3        | TH DE                              |
|                         | <i>Cirrhopetalum auratum</i>    | live (art. prop.) | 2        | TH DE                              |
|                         |                                 | live              | 7        | TH DE                              |
|                         |                                 |                   | 30       | TH NL                              |

| CITES EEC<br>App. Annex | TAXON                             | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|-----------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Cirrhopetalum blepharistes</i> | live (art. prop.) | 2        | TH DE                              |
|                         |                                   | live              | 3        | TH DE                              |
|                         |                                   |                   | 10       | TH NL                              |
|                         | <i>Cirrhopetalum capillipes</i>   | live              | 160      | TH DE                              |
|                         |                                   |                   | 8        | TH NL                              |
|                         | <i>Cirrhopetalum cornutum</i>     | live (art. prop.) | 1        | TH DE                              |
|                         |                                   | live              | 6        | TH DE                              |
|                         |                                   |                   | 4        | TH NL                              |
|                         | <i>Cirrhopetalum curtisi</i>      | live              | 10       | TH BE                              |
|                         |                                   |                   | 46       | TH DE                              |
|                         |                                   |                   | 6        | TH NL                              |
|                         | <i>Cirrhopetalum dentiferum</i>   | live              | 2        | TH DE                              |
|                         |                                   |                   | 2        | TH NL                              |
|                         | <i>Cirrhopetalum gracillimum</i>  | live (art. prop.) | 1        | TH DE                              |
|                         |                                   |                   | 13       | TH NL                              |
|                         |                                   | live              | 120      | TH BE                              |
|                         |                                   |                   | 56       | TH DE                              |
|                         |                                   |                   | 28       | TH NL                              |
|                         | <i>Cirrhopetalum lepidum</i>      | live (art. prop.) | 2        | TH DE                              |
|                         |                                   |                   | 1        | TH NL                              |
|                         |                                   | live              | 22       | TH DE                              |
|                         |                                   |                   | 10       | TH NL                              |
|                         | <i>Cirrhopetalum medusae</i>      | live (art. prop.) | 10       | MY DK                              |
|                         |                                   |                   | 2        | TH DE                              |
|                         |                                   |                   | 40       | TH GB                              |
|                         |                                   |                   | 12       | TH NL                              |
|                         |                                   | live              | 60       | TH BE                              |

| CITES EEC<br>App. Annex | TAXON                                 | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|---------------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Cirrhopetalum medusae</i>          | live              | 1074     | TH                                 | DE |
|                         |                                       |                   | 10       | TH                                 | DK |
|                         |                                       |                   | 12       | TH                                 | NL |
|                         | <i>Cirrhopetalum<br/>ornatissimum</i> | live (art. prop.) | 2        | TH                                 | DE |
|                         |                                       |                   | 2        | TH                                 | NL |
|                         | <i>Cirrhopetalum papillosum</i>       | live              | 161      | TH                                 | DE |
|                         |                                       |                   | 55       | TH                                 | NL |
|                         | <i>Cirrhopetalum picturatum</i>       | live              | 17       | TH                                 | DE |
|                         |                                       |                   | 20       | TH                                 | NL |
|                         | <i>Cirrhopetalum planibulbe</i>       | live              | 9        | TH                                 | DE |
|                         |                                       |                   | 11       | TH                                 | NL |
|                         | <i>Cirrhopetalum<br/>proboscideum</i> | live (art. prop.) | 1        | TH                                 | DE |
|                         | <i>Cirrhopetalum pulchellum</i>       | live (art. prop.) | 1        | TH                                 | DE |
|                         | live                                  |                   | 48       | TH                                 | DE |
|                         |                                       |                   | 30       | TH                                 | NL |
|                         | <i>Cirrhopetalum pulchrum</i>         | live              | 25       | TH                                 | DK |
|                         | <i>Cirrhopetalum<br/>purpurascens</i> | live (art. prop.) | 1        | TH                                 | DE |
|                         | live                                  |                   | 6        | TH                                 | DE |
|                         |                                       |                   | 2        | TH                                 | NL |
|                         | <i>Cirrhopetalum putidum</i>          | live (art. prop.) | 6        | TH                                 | DE |
|                         |                                       |                   | 20       | TH                                 | GB |
|                         | live                                  |                   | 91       | TH                                 | DE |
|                         |                                       |                   | 55       | TH                                 | DK |

| CITES EEC<br>App. Annex | TAXON                               | Description       | Quantity             | Country of<br>Export Origin Import |                      |
|-------------------------|-------------------------------------|-------------------|----------------------|------------------------------------|----------------------|
| II                      | <i>Cirrhopetalum putidum</i>        | live              | 60<br>26             | TH                                 | GB<br>NL             |
|                         | <i>Cirrhopetalum spathulatum</i>    | live              | 6                    | TH                                 | NL                   |
|                         | <i>Cirrhopetalum sutepense</i>      | live              | 2                    | TH                                 | NL                   |
|                         | <i>Cirrhopetalum trichocephalum</i> | live (art. prop.) | 1<br>1               | TH<br>TH                           | DE<br>NL             |
|                         | <i>Cirrhopetalum vaginatum</i>      | live (art. prop.) | 1<br>1<br>1          | BR<br>TH<br>TH                     | DE<br>DE<br>NL       |
|                         |                                     | live              | 20<br>60             | TH                                 | DE<br>GB             |
|                         | <i>Cirrhopetalum wendlandianum</i>  | live (art. prop.) | 1                    | TH                                 | NL                   |
|                         |                                     | live              | 60<br>569<br>60<br>4 | TH<br>TH<br>TH<br>TH               | BE<br>DE<br>GB<br>NL |
|                         | <i>Cischweinfia dasyandra</i>       | live              | 8                    | CR                                 | NL                   |
|                         | <i>Cleisomeria lanatus</i>          | live              | 48                   | TH                                 | DE                   |
|                         | <i>Cleisomeria pilosulum</i>        | live              | 3                    | TH                                 | DE                   |
|                         | <i>Cleisostoma spp.</i>             | live              | 350                  | TH                                 | DE                   |
|                         | <i>Cleisostoma appendiculatum</i>   | live              | 60<br>96             | TH<br>TH                           | BE<br>DE             |

| CITES EEC<br>App. Annex | TAXON                             | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|-----------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Cleisostoma appendiculatum</i> | live              | 9        | TH NL                              |
|                         | <i>Cleisostoma arietinum</i>      | live (art. prop.) | 1        | TH DE                              |
|                         |                                   | live              | 706      | TH DE                              |
|                         |                                   |                   | 9        | TH NL                              |
|                         | <i>Cleisostoma aspersum</i>       | live (art. prop.) | 1        | TH DE                              |
|                         | <i>Cleisostoma capricorne</i>     | live              | 3        | TH DE                              |
|                         | <i>Cleisostoma chantaburiense</i> | live              | 503      | TH DE                              |
|                         | <i>Cleisostoma crassifolium</i>   | live              | 60       | TH BE                              |
|                         |                                   |                   | 427      | TH DE                              |
|                         | <i>Cleisostoma crochetti</i>      | live (art. prop.) | 54       | TH DE                              |
|                         |                                   | live              | 1200     | TH BE                              |
|                         |                                   |                   | 954      | TH DE                              |
|                         | <i>Cleisostoma discolor</i>       | live              | 81       | TH DE                              |
|                         | <i>Cleisostoma duplicitlobum</i>  | live              | 3        | TH DE                              |
|                         | <i>Cleisostoma filiforme</i>      | live              | 81       | TH DE                              |
|                         |                                   |                   | 9        | TH NL                              |
|                         | <i>Cleisostoma kerrii</i>         | live (art. prop.) | 1        | TH DE                              |
|                         | <i>Cleisostoma krabiense</i>      | live (art. prop.) | 1        | TH DE                              |
|                         | <i>Cleisostoma linearilobatum</i> | live (art. prop.) | 2        | TH DE                              |
|                         |                                   | live              | 201      | TH DE                              |

| CITES EEC<br>App. Annex | TAXON                           | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Cleisostoma pachyphyllum</i> | live (art. prop.) | 5        | PH NL                              |
|                         | <i>Cleisostoma racemiferum</i>  | live (art. prop.) | 1        | TH DE                              |
|                         |                                 | live              | 1        | TH DE                              |
|                         | <i>Cleisostoma rolfeanum</i>    | live              | 10       | TH DE                              |
|                         | <i>Cleisostoma simondii</i>     | live (art. prop.) | 63       | TH DE                              |
|                         |                                 | live              | 1400     | TH BE                              |
|                         |                                 |                   | 225      | TH DE                              |
|                         | <i>Cleisostoma subulatum</i>    | live (art. prop.) | 1        | TH DE                              |
|                         |                                 | live              | 6        | TH DE                              |
|                         | <i>Cleisostoma tenuifolium</i>  | live              | 30       | TH NL                              |
|                         | <i>Cleisostoma williamsonii</i> | live              | 72       | TH DE                              |
|                         | <i>Cochleanthes candida</i>     | live (art. prop.) | 10       | BR DE                              |
|                         | <i>Cochleanthes discolor</i>    | live              | 1        | CR NL                              |
|                         | <i>Cochleanthes wailesiana</i>  | live (art. prop.) | 20       | BR DE                              |
|                         | <i>Cochlioda noezliana</i>      | live (art. prop.) | 1        | US DE                              |
|                         | <i>Coelogyne spp.</i>           | live (art. prop.) | 300      | PH DE                              |
|                         |                                 |                   | 4        | TH DE                              |
|                         |                                 |                   | 20       | US DE                              |
|                         |                                 | live              | 60       | TH BE                              |
|                         |                                 |                   | 67       | TH DE                              |
|                         |                                 |                   | 241      | TH GB                              |
|                         |                                 |                   | 3        | TH NL                              |
|                         | <i>Coelogyne brachyptera</i>    | live (art. prop.) | 3        | TH DE                              |

| CITES EEC<br>App. Annex | TAXON                         | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Coelogyne confusa</i>      | live (art. prop.) | 10       | PH NL                              |
|                         | <i>Coelogyne cumingii</i>     | live (art. prop.) | 3        | TH DE                              |
|                         |                               |                   | 10       | TH GB                              |
|                         |                               | live              | 65       | TH DE                              |
|                         |                               |                   | 120      | TH GB                              |
|                         |                               |                   | 2        | TH NL                              |
|                         | <i>Coelogyne fimbriata</i>    | live (art. prop.) | 3        | TH DE                              |
|                         |                               |                   | 10       | TH GB                              |
|                         |                               | live              | 3        | TH DE                              |
|                         |                               |                   | 120      | TH GB                              |
|                         |                               |                   | 5        | TH NL                              |
|                         | <i>Coelogyne flaccida</i>     | live              | 1        | TH DE                              |
|                         | <i>Coelogyne flava</i>        | live              | 60       | TH GB                              |
|                         | <i>Coelogyne fuscescens</i>   | live (art. prop.) | 24       | TH DE                              |
|                         |                               | live              | 1030     | TH BE                              |
|                         | <i>Coelogyne huettneriana</i> | live (art. prop.) | 10       | TH GB                              |
|                         |                               | live              | 1        | TH GB                              |
|                         | <i>Coelogyne lactea</i>       | live (art. prop.) | 4        | TH DE                              |
|                         |                               | live              | 22       | TH DE                              |
|                         |                               |                   | 20       | TH NL                              |
|                         | <i>Coelogyne lentiginosa</i>  | live              | 2        | TH DE                              |
|                         |                               |                   | 170      | TH GB                              |
|                         |                               |                   | 7        | TH NL                              |
|                         | <i>Coelogyne marmorata</i>    | live (art. prop.) | 20       | PH NL                              |
|                         | <i>Coelogyne merrillii</i>    | live (art. prop.) | 10       | PH NL                              |

| CITES EEC<br>App. Annex | TAXON                        | Description       | Quantity | Country of<br>Export | Origin Import |
|-------------------------|------------------------------|-------------------|----------|----------------------|---------------|
| II                      | <i>Coelogyne ovalis</i>      | live (art. prop.) | 3        | TH                   | DE            |
|                         |                              | live              | 9        | TH                   | DE            |
|                         |                              |                   | 120      | TH                   | GB            |
|                         |                              |                   | 3        | TH                   | NL            |
|                         | <i>Coelogyne pandurata</i>   | live (art. prop.) | 1        | US                   | DE            |
|                         |                              |                   | 2        | US                   | GB            |
|                         | <i>Coelogyne parishii</i>    | live              | 19       | TH                   | DE            |
|                         |                              |                   | 180      | TH                   | GB            |
|                         |                              |                   | 10       | TH                   | NL            |
|                         | <i>Coelogyne prolifera</i>   | live              | 4        | TH                   | DE            |
|                         |                              |                   | 2        | TH                   | NL            |
|                         | <i>Coelogyne rigida</i>      | live (art. prop.) | 3        | TH                   | DE            |
|                         |                              |                   | 10       | TH                   | GB            |
|                         | <i>Coelogyne rochussenii</i> | live (art. prop.) | 20       | PH                   | NL            |
|                         | <i>Coelogyne speciosa</i>    | live              | 3        | TH                   | DE            |
|                         | <i>Coelogyne trinervis</i>   | live (art. prop.) | 3        | TH                   | DE            |
|                         |                              |                   | 10       | TH                   | GB            |
|                         |                              | live              | 7        | TH                   | DE            |
|                         |                              |                   | 120      | TH                   | GB            |
|                         |                              |                   | 5        | TH                   | NL            |
|                         | <i>Coelogyne virescens</i>   | live (art. prop.) | 2        | TH                   | DE            |
|                         |                              |                   | 70       | TH                   | GB            |
|                         |                              | live              | 51       | TH                   | GB            |
|                         | <i>Coelogyne viscosa</i>     | live (art. prop.) | 3        | TH                   | DE            |
|                         |                              | live              | 16       | TH                   | DE            |
|                         |                              |                   | 3        | TH                   | NL            |

| CITES EEC<br>App. Annex | Taxon                                 | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|---------------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Comparettia</i> spp.               | live              | 20       | PE DE                              |
|                         | <i>Comparettia coccinea</i>           | live (art. prop.) | 102      | BR DE                              |
|                         |                                       |                   | 1        | US DE                              |
|                         |                                       | live              | 8        | BR NL                              |
|                         | <i>Comparettia macroplectrum</i>      | live (art. prop.) | 1        | US DE                              |
|                         | <i>Comparettia speciosa</i>           | live              | 150      | PE DE                              |
|                         | <i>Constantia cipoensis</i>           | live (art. prop.) | 113      | BR DE                              |
|                         |                                       |                   | 3        | BR DK                              |
|                         |                                       | live              | 5        | BR NL                              |
|                         | <i>Cryptophoranthus</i> spp.          | live              | 8        | CR NL                              |
|                         | <i>Cryptophoranthus atropurpureus</i> | live              | 1        | BR NL                              |
|                         | <i>Cyclopogon</i> spp.                | live              | 3        | CR NL                              |
|                         | <i>Cynchos egertonianum</i>           | live              | 30       | PE DE                              |
|                         | <i>Cymbidium</i> spp.                 | live (art. prop.) | 10       | AU DE                              |
|                         |                                       |                   | 8        | CN DE                              |
|                         |                                       |                   | 200      | PH DE                              |
|                         |                                       |                   | 5        | US DE                              |
|                         |                                       |                   | 20       | US NL                              |
|                         |                                       |                   | 4        | XX GB                              |
|                         |                                       | live              | 1        | TH DE                              |
|                         | <i>Cymbidium aliciae</i>              | live (art. prop.) | 5        | PH NL                              |
|                         | <i>Cymbidium atropurpureum</i>        | live (art. prop.) | 5        | PH NL                              |

| CITES EEC<br>App. Annex | Taxon                           | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Cymbidium cyperifolium</i>   | live (art. prop.) | 50       | TH                                 | NL |
|                         |                                 | live              | 112      | TH                                 | DE |
|                         | <i>Cymbidium dayanum</i>        | live (art. prop.) | 100      | PH                                 | DE |
|                         |                                 | live              | 60       | TH                                 | BE |
|                         |                                 |                   | 28       | TH                                 | DE |
|                         | <i>Cymbidium devonianum</i>     | live              | 55       | TH                                 | DE |
|                         | <i>Cymbidium ensifolium</i>     | live              | 18       | TH                                 | DE |
|                         | <i>Cymbidium finlaysonianum</i> | live (art. prop.) | 5        | PH                                 | NL |
|                         |                                 | live              | 1        | TH                                 | DE |
|                         | <i>Cymbidium insigne</i>        | live              | 2        | TH                                 | DE |
|                         | <i>Cymbidium lowianum</i>       | live (art. prop.) | 2        | TH                                 | DE |
|                         | <i>Cymbidium simulans</i>       | live (art. prop.) | 10       | TH                                 | GB |
|                         |                                 | live              | 2        | TH                                 | DE |
|                         |                                 |                   | 2        | TH                                 | NL |
|                         | <i>Cymbidium tracyanum</i>      | live (art. prop.) | 2        | TH                                 | DE |
|                         |                                 |                   | 10       | TH                                 | GB |
|                         |                                 | live              | 1        | TH                                 | DE |
|                         | <i>Cypripedium spp.</i>         | live (art. prop.) | 1500     | TW                                 | NL |
| C1                      | <i>Cypripedium calceolus</i>    | live (art. prop.) | 710      | AT                                 | DE |
|                         | <i>Cypripedium debile</i>       | live (art. prop.) | 100      | JP                                 | DK |
|                         |                                 |                   | 1000     | JP                                 | NL |
|                         | <i>Cyrtopodium andersonii</i>   | live (art. prop.) | 6        | BR                                 | DE |

| CITES EEC<br>App. Annex | Taxon                         | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Cyrtopodium punctatum</i>  | live              | 1        | DO                                 | DK |
| C1                      | <i>Dactylorhiza fistulosa</i> | live (art. prop.) | 260      | AT                                 | DE |
| C1                      | <i>Dactylorhiza latifolia</i> | live (art. prop.) | 160      | AT                                 | DE |
|                         | <i>Dendrobium</i> spp.        | live (art. prop.) | 122      | AU                                 | DE |
|                         |                               |                   | 511      | JP                                 | NL |
|                         |                               |                   | 85       | LK                                 | DE |
|                         |                               |                   | 5        | MY                                 | DE |
|                         |                               |                   | 30       | MY                                 | NL |
|                         |                               |                   | 100      | PH                                 | DE |
|                         |                               |                   | 20       | SE                                 | DE |
|                         |                               |                   | 18       | SG                                 | DE |
|                         |                               |                   | 1271     | TH                                 | BE |
|                         |                               |                   | 7327     | TH                                 | DE |
|                         |                               |                   | 96       | TH                                 | DK |
|                         |                               |                   | 179      | TH                                 | FR |
|                         |                               |                   | 695      | TH                                 | GB |
|                         |                               |                   | 14302    | TH                                 | NL |
|                         |                               |                   | 80       | TH                                 | XX |
|                         |                               |                   | 435      | US                                 | GB |
|                         |                               |                   | 686      | US                                 | DE |
|                         |                               |                   | 3000     | US                                 | GB |
|                         |                               |                   | 1        | US                                 | NL |
|                         |                               |                   | 400      | US                                 | PG |
|                         |                               | 1 flask           |          | AU                                 | GB |
|                         |                               | 1 set             |          | TH                                 | XX |
|                         |                               | live              | 10       | PH                                 | GB |
|                         |                               |                   | 550      | TH                                 | BE |
|                         |                               |                   | 950      | TH                                 | DE |
|                         |                               |                   | 7        | TH                                 | DK |
|                         |                               |                   | 1116     | TH                                 | GB |
|                         |                               |                   | 7        | TH                                 | NL |
|                         |                               |                   | 50       | TH                                 | XX |
|                         |                               |                   |          |                                    | GB |

| CITES EEC<br>App. Annex | Taxon                           | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|----|
| II                      | Dendrobium spp.                 | live              | 6        | US                                 | GB |
|                         | Dendrobium acerosum             | live (art. prop.) | 1        | TH                                 | DE |
|                         |                                 | live              | 20       | TH                                 | BE |
|                         |                                 |                   | 25       | TH                                 | DE |
|                         |                                 |                   | 60       | TH                                 | GB |
|                         |                                 |                   | 5        | TH                                 | NL |
|                         | Dendrobium acinaciforme         | live              | 17       | TH                                 | DE |
|                         |                                 |                   | 1        | TH                                 | NL |
|                         | Dendrobium adae                 | live (art. prop.) | 10       | AU                                 | DE |
|                         | Dendrobium aduncum              | live              | 2        | TH                                 | NL |
|                         | Dendrobium aggregatum           | live (art. prop.) | 26       | TH                                 | DE |
|                         |                                 | live              | 138      | TH                                 | DE |
|                         |                                 |                   | 50       | TH                                 | DK |
|                         |                                 |                   | 1        | TH                                 | GB |
|                         |                                 |                   | 110      | TH                                 | NL |
|                         | Dendrobium albo--<br>sanguineum | live              | 19       | TH                                 | DE |
|                         |                                 |                   | 60       | TH                                 | GB |
|                         |                                 |                   | 2        | TH                                 | NL |
|                         | Dendrobium aloefolium           | live (art. prop.) | 10       | TH                                 | GB |
|                         | Dendrobium alterum              | live              | 1        | TH                                 | DE |
|                         |                                 |                   | 1        | TH                                 | NL |
|                         | Dendrobium<br>amethystoglossum  | live (art. prop.) | 100      | PH                                 | DK |
|                         |                                 |                   | 10       | PH                                 | NL |

| CITES EEC<br>App. Annex | Taxon                        | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Dendrobium anceps</i>     | live (art. prop.) | 1        | TH                                 | DE |
|                         | <i>Dendrobium anosmum</i>    | live (art. prop.) | 20       | BR                                 | DE |
|                         |                              |                   | 10       | PH                                 | NL |
|                         |                              |                   | 10       | TH                                 | GB |
|                         |                              | live              | 13       | TH                                 | DE |
|                         |                              |                   | 1        | TH                                 | GB |
|                         |                              |                   | 3        | TH                                 | NL |
|                         | <i>Dendrobium antennatum</i> | live (art. prop.) | 14       | TH                                 | DE |
|                         |                              |                   | 60       | TH                                 | GB |
|                         |                              |                   | 11       | TH                                 | NL |
|                         |                              | live              | 15       | TH                                 | DE |
|                         | <i>Dendrobium aphrodite</i>  | live (art. prop.) | 1        | TH                                 | DE |
|                         |                              |                   | 20       | TH                                 | GB |
|                         |                              | live              | 43       | TH                                 | DE |
|                         |                              |                   | 1        | TH                                 | DK |
|                         |                              |                   | 1        | TH                                 | GB |
|                         |                              |                   | 120      | TH                                 | NL |
|                         | <i>Dendrobium aphyllum</i>   | live (art. prop.) | 20       | BR                                 | DE |
|                         |                              |                   | 10       | PH                                 | NL |
|                         |                              |                   | 3        | TH                                 | DE |
|                         |                              | live              | 27       | TH                                 | DE |
|                         |                              |                   | 25       | TH                                 | DK |
|                         |                              |                   | 10       | TH                                 | GB |
|                         |                              |                   | 60       | TH                                 | NL |
|                         | <i>Dendrobium arachnites</i> | live (art. prop.) | 2        | TH                                 | DE |
|                         |                              |                   | 10       | TH                                 | GB |
|                         |                              | live              | 50       | TH                                 | DK |
|                         |                              |                   | 1        | TH                                 | GB |
|                         | <i>Dendrobium bairdianum</i> | live (art. prop.) | 10       | AU                                 | DE |

| CITES EEC<br>App. Annex | Taxon                           | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Dendrobium bambusifolium</i> | live              | 1        | TH                                 | GB |
|                         | <i>Dendrobium batanense</i>     | live (art. prop.) | 10       | PH                                 | NL |
|                         | <i>Dendrobium bellatulum</i>    | live (art. prop.) | 1        | TH                                 | DE |
|                         |                                 | live              | 20       | TH                                 | BE |
|                         |                                 |                   | 678      | TH                                 | DE |
|                         |                                 |                   | 20       | TH                                 | DK |
|                         |                                 |                   | 61       | TH                                 | GB |
|                         |                                 |                   | 112      | TH                                 | NL |
|                         | <i>Dendrobium bensoniae</i>     | live              | 60       | TH                                 | BE |
|                         |                                 |                   | 25       | TH                                 | DE |
|                         | <i>Dendrobium bicaudatum</i>    | live (art. prop.) | 1        | AU                                 | NL |
|                         | <i>Dendrobium bifarium</i>      | live (art. prop.) | 1        | TH                                 | DE |
|                         | <i>Dendrobium bigibbum</i>      | live              | 1        | TH                                 | DE |
|                         | <i>Dendrobium blumii</i>        | live              | 1        | TH                                 | DE |
|                         | <i>Dendrobium brymerianum</i>   | live (art. prop.) | 1        | TH                                 | DE |
|                         |                                 |                   | 10       | TH                                 | GB |
|                         |                                 | live              | 2        | TH                                 | BE |
|                         |                                 |                   | 36       | TH                                 | DE |
|                         |                                 |                   | 5        | TH                                 | DK |
|                         |                                 |                   | 61       | TH                                 | GB |
|                         |                                 |                   | 144      | TH                                 | NL |
|                         | <i>Dendrobium bullenianum</i>   | live (art. prop.) | 5        | AU                                 | DE |
|                         |                                 |                   | 10       | PH                                 | NL |
|                         |                                 |                   | 3        | US                                 | DE |
|                         |                                 | live              | 1        | TH                                 | DE |

| CITES EEC<br>App. Annex | TAXON                    | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|--------------------------|-------------------|----------|------------------------------------|
| II                      | Dendrobium canaliculatum | live (art. prop.) | 20       | AU DE                              |
|                         |                          |                   | 10       | TH NL                              |
|                         |                          | 1 flask           |          | AU NL                              |
|                         | Dendrobium capillipes    | live (art. prop.) | 1        | US DE                              |
|                         |                          | live              | 60       | TH BE                              |
|                         |                          |                   | 64       | TH DE                              |
|                         |                          |                   | 1        | TH GB                              |
|                         |                          |                   | 154      | TH NL                              |
|                         | Dendrobium cerinum       | live (art. prop.) | 10       | PH NL                              |
|                         | Dendrobium chameleon     | live (art. prop.) | 10       | PH NL                              |
|                         | Dendrobium christyanum   | live              | 22       | TH DE                              |
|                         |                          |                   | 6        | TH NL                              |
|                         | Dendrobium chrysanthum   | live (art. prop.) | 3        | TH DE                              |
|                         |                          | live              | 12       | TH DE                              |
|                         |                          |                   | 11       | TH GB                              |
|                         |                          |                   | 2        | TH NL                              |
|                         | Dendrobium chrysotoxum   | live (art. prop.) | 63       | TH DE                              |
|                         |                          |                   | 30       | TH GB                              |
|                         |                          | live              | 60       | TH BE                              |
|                         |                          |                   | 227      | TH DE                              |
|                         |                          |                   | 33       | TH DK                              |
|                         |                          |                   | 101      | TH GB                              |
|                         |                          |                   | 74       | TH NL                              |
|                         | Dendrobium compactum     | live (art. prop.) | 1        | TH DE                              |
|                         |                          | live              | 60       | TH BE                              |
|                         |                          |                   | 594      | TH DE                              |
|                         |                          |                   | 10       | TH GB                              |

| CITES EEC<br>App. Annex | TAXON                   | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|-------------------------|-------------------|----------|------------------------------------|
| II                      | Dendrobium concinnum    | live (art. prop.) | 1        | TH DE                              |
|                         |                         | live              | 2        | TH DE                              |
|                         |                         |                   | 40       | TH NL                              |
|                         | Dendrobium crepidatum   | live (art. prop.) | 2        | TH DE                              |
|                         |                         |                   | 20       | TH GB                              |
|                         |                         | live              | 22       | TH DE                              |
|                         |                         |                   | 3        | TH DK                              |
|                         |                         |                   | 11       | TH GB                              |
|                         |                         |                   | 10       | TH NL                              |
|                         | Dendrobium cruentum     | live (art. prop.) | 12       | TH DE                              |
|                         |                         |                   | 20       | TH GB                              |
|                         |                         | live              | 145      | TH DE                              |
|                         |                         |                   | 3        | TH DK                              |
|                         |                         |                   | 60       | TH GB                              |
|                         |                         |                   | 7        | TH NL                              |
|                         | Dendrobium crumenatum   | live (art. prop.) | 10       | PH NL                              |
|                         |                         |                   | 1        | TH DE                              |
|                         |                         | live              | 25       | TH DE                              |
|                         |                         |                   | 70       | TH GB                              |
|                         |                         |                   | 2        | TH NL                              |
|                         | Dendrobium crystallinum | live (art. prop.) | 1        | TH DE                              |
|                         |                         | live              | 15       | TH DE                              |
|                         |                         |                   | 11       | TH GB                              |
|                         | Dendrobium cucumerinum  | live (art. prop.) | 20       | AU DE                              |
|                         |                         |                   | 1        | US DE                              |
|                         | Dendrobium cumulatum    | live (art. prop.) | 1        | TH NL                              |
|                         |                         | live              | 1200     | TH BE                              |
|                         |                         |                   | 7        | TH DE                              |
|                         |                         |                   | 10       | TH GB                              |

| CITES EEC<br>App. Annex | TAXON                  | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|------------------------|-------------------|----------|------------------------------------|
| II                      | Dendrobium dearei      | live (art. prop.) | 10       | PH NL                              |
|                         | Dendrobium delacourii  | live (art. prop.) | 4        | TH DE                              |
|                         |                        |                   | 30       | TH NL                              |
|                         |                        | live              | 508      | TH DE                              |
|                         |                        |                   | 100      | TH DK                              |
|                         |                        |                   | 1        | TH GB                              |
|                         |                        |                   | 92       | TH NL                              |
|                         | Dendrobium densiflorum | live (art. prop.) | 26       | TH DE                              |
|                         |                        |                   | 20       | TH GB                              |
|                         |                        | live              | 12       | TH DE                              |
|                         |                        |                   | 61       | TH GB                              |
|                         |                        |                   | 2        | TH NL                              |
|                         | Dendrobium devonianum  | live (art. prop.) | 1        | TH DE                              |
|                         |                        | live              | 60       | TH BE                              |
|                         |                        |                   | 40       | TH DE                              |
|                         |                        |                   | 100      | TH GB                              |
|                         |                        |                   | 2        | TH NL                              |
|                         | Dendrobium distichum   | live (art. prop.) | 30       | PH DK                              |
|                         |                        |                   | 10       | PH NL                              |
|                         | Dendrobium dixanthum   | live (art. prop.) | 1        | TH DE                              |
|                         |                        |                   | 20       | TH GB                              |
|                         |                        | live              | 7        | TH DE                              |
|                         |                        |                   | 1        | TH DK                              |
|                         |                        |                   | 1        | TH GB                              |
|                         |                        |                   | 18       | TH NL                              |
|                         | Dendrobium draconis    | live (art. prop.) | 1        | TH NL                              |
|                         |                        | live              | 204      | TH DE                              |
|                         |                        |                   | 78       | TH DK                              |
|                         |                        |                   | 11       | TH GB                              |

| CITES EEC<br>App. Annex | TAXON                     | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|---------------------------|-------------------|----------|------------------------------------|
| II                      | Dendrobium draconis       | live              | 33       | TH NL                              |
|                         | Dendrobium ellipsophyllum | live (art. prop.) | 7        | TH DE                              |
|                         |                           | live              | 2        | TH DE                              |
|                         |                           |                   | 42       | TH NL                              |
|                         | Dendrobium exile          | live (art. prop.) | 1        | TH DE                              |
|                         |                           | live              | 30       | TH BE                              |
|                         | Dendrobium fairchildae    | live (art. prop.) | 10       | PH DK                              |
|                         | Dendrobium falconeri      | live              | 21       | TH BE                              |
|                         |                           |                   | 170      | TH DE                              |
|                         |                           |                   | 1        | TH GB                              |
|                         |                           |                   | 35       | TH NL                              |
|                         | Dendrobium falcorostrum   | live (art. prop.) | 1        | AU DE                              |
|                         | Dendrobium farmeri        | live (art. prop.) | 4        | TH DE                              |
|                         |                           |                   | 10       | TH GB                              |
|                         |                           |                   | 2        | TH NL                              |
|                         |                           | live              | 122      | TH DE                              |
|                         |                           |                   | 41       | TH DK                              |
|                         |                           |                   | 71       | TH GB                              |
|                         |                           |                   | 4        | TH NL                              |
|                         | Dendrobium fimbriatum     | live (art. prop.) | 9        | TH DE                              |
|                         |                           | live              | 60       | TH BE                              |
|                         |                           |                   | 43       | TH DE                              |
|                         |                           |                   | 50       | TH GB                              |
|                         |                           |                   | 27       | TH NL                              |
|                         | Dendrobium findleyanum    | live              | 45       | TH DE                              |
|                         |                           |                   | 1        | TH DK                              |
|                         |                           |                   | 11       | TH GB                              |

| CITES EEC<br>App. Annex | TAXON   | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|---|-------------------|----------|------------------------------------|
| II                      | <i>Dendrobium findleyanum</i>                 | live              | 110      | TH NL                              |
|                         | <i>Dendrobium fleckeri</i>                    | live (art. prop.) | 10       | AU DE                              |
|                         | <i>Dendrobium formosum</i>                    | live (art. prop.) | 55       | TH DE                              |
|                         |   |                   | 10       | TH GB                              |
|                         |   | live              | 205      | TH BE                              |
|                         |   |                   | 60       | TH DE                              |
|                         |   |                   | 12       | TH DK                              |
|                         |   |                   | 1        | TH GB                              |
|                         |   |                   | 114      | TH NL                              |
|                         | <i>Dendrobium</i><br><i>friedericksianum</i>  | live (art. prop.) | 4        | TH DE                              |
|                         |   |                   | 10       | TH GB                              |
|                         |   | live              | 32       | TH DE                              |
|                         |   |                   | 11       | TH GB                              |
|                         |   |                   | 8        | TH NL                              |
|                         | <i>Dendrobium</i><br><i>fuerstenbergianum</i> | live              | 1230     | TH BE                              |
|                         |   |                   | 105      | TH DE                              |
|                         |   |                   | 30       | TH NL                              |
|                         | <i>Dendrobium gibsonii</i>                    | live (art. prop.) | 20       | TH GB                              |
|                         |   | live              | 6        | TH DE                              |
|                         | <i>Dendrobium gonzalesii</i>                  | live (art. prop.) | 10       | PH NL                              |
|                         | <i>Dendrobium gracilicaule</i>                | live (art. prop.) | 1        | AU DE                              |
|                         | <i>Dendrobium gratiosissimum</i>              | live (art. prop.) | 1        | TH DE                              |
|                         |   | live              | 60       | TH BE                              |
|                         |   |                   | 268      | TH DE                              |
|                         |   |                   | 11       | TH GB                              |

| CITES EEC<br>App. Annex | Taxon                            | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Dendrobium gratiosissimum</i> | live              | 30       | TH                                 | NL |
|                         | <i>Dendrobium griffithianum</i>  | live (art. prop.) | 20       | TH                                 | DE |
|                         |                                  | live              | 60       | TH                                 | BE |
|                         |                                  |                   | 73       | TH                                 | DE |
|                         |                                  |                   | 60       | TH                                 | GB |
|                         |                                  |                   | 2        | TH                                 | NL |
|                         | <i>Dendrobium guerreroi</i>      | live (art. prop.) | 10       | PH                                 | NL |
|                         | <i>Dendrobium harveyanum</i>     | live (art. prop.) | 12       | TH                                 | DE |
|                         |                                  |                   | 16       | TH                                 | NL |
|                         |                                  | live              | 1        | TH                                 | BE |
|                         |                                  |                   | 201      | TH                                 | DE |
|                         |                                  |                   | 60       | TH                                 | GB |
|                         |                                  |                   | 20       | TH                                 | NL |
|                         | <i>Dendrobium hercoglossum</i>   | live (art. prop.) | 1        | TH                                 | DE |
|                         |                                  | live              | 60       | TH                                 | BE |
|                         |                                  |                   | 216      | TH                                 | DE |
|                         |                                  |                   | 11       | TH                                 | GB |
|                         |                                  |                   | 86       | TH                                 | NL |
|                         | <i>Dendrobium heterocarpum</i>   | live (art. prop.) | 10       | PH                                 | NL |
|                         |                                  |                   | 1        | TH                                 | DE |
|                         |                                  | live              | 60       | TH                                 | BE |
|                         |                                  |                   | 76       | TH                                 | DE |
|                         |                                  |                   | 11       | TH                                 | GB |
|                         |                                  |                   | 64       | TH                                 | NL |
|                         | <i>Dendrobium hildebrandii</i>   | live (art. prop.) | 20       | TH                                 | GB |
|                         |                                  | live              | 60       | TH                                 | BE |
|                         |                                  |                   | 40       | TH                                 | DE |
|                         |                                  |                   | 4        | TH                                 | NL |

| CITES EEC<br>App. Annex | TAXON                          | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Dendrobium hymenopterum</i> | live (art. prop.) | 1        | TH DE                              |
|                         | <i>Dendrobium indivisum</i>    | live (art. prop.) | 3        | TH DE                              |
|                         |                                | live              | 20       | TH BE                              |
|                         |                                |                   | 14       | TH DE                              |
|                         |                                |                   | 20       | TH NL                              |
|                         | <i>Dendrobium infundibulum</i> | live (art. prop.) | 1        | TH DE                              |
|                         |                                |                   | 30       | TH GB                              |
|                         |                                | live              | 60       | TH BE                              |
|                         |                                |                   | 259      | TH DE                              |
|                         |                                |                   | 50       | TH DK                              |
|                         |                                |                   | 82       | TH NL                              |
|                         | <i>Dendrobium juncinum</i>     | live (art. prop.) | 10       | PH NL                              |
|                         | <i>Dendrobium keithii</i>      | live              | 2        | TH DE                              |
|                         | <i>Dendrobium kingianum</i>    | live (art. prop.) | 1        | AU DE                              |
|                         |                                |                   | 1        | US DE                              |
|                         | <i>Dendrobium lamellatum</i>   | live              | 151      | TH DE                              |
|                         | <i>Dendrobium leonis</i>       | live (art. prop.) | 2        | TH DE                              |
|                         |                                | live              | 28       | TH DE                              |
|                         |                                |                   | 22       | TH DK                              |
|                         | <i>Dendrobium lituiflorum</i>  | live (art. prop.) | 2        | TH DE                              |
|                         |                                | live              | 211      | TH DE                              |
|                         |                                |                   | 60       | TH GB                              |
|                         | <i>Dendrobium macrophyllum</i> | live (art. prop.) | 10       | PH NL                              |
|                         | <i>Dendrobium mannii</i>       | live (art. prop.) | 1        | TH DE                              |
|                         |                                | live              | 2        | TH DE                              |

| CITES EEC<br>App. Annex | TAXON                    | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|--------------------------|-------------------|----------|------------------------------------|
| II                      | Dendrobium mannii        | live              | 1        | TH GB                              |
|                         | Dendrobium margaritaceum | live (art. prop.) | 3        | TH DE                              |
|                         |                          |                   | 20       | TH GB                              |
|                         |                          | live              | 180      | TH DE                              |
|                         |                          |                   | 1        | TH DK                              |
|                         |                          |                   | 120      | TH NL                              |
|                         | Dendrobium metachilinum  | live (art. prop.) | 1        | TH DE                              |
|                         |                          | live              | 1        | TH DE                              |
|                         | Dendrobium monophyllum   | live (art. prop.) | 1        | AU DE                              |
|                         |                          |                   | 3 flasks | AU NL                              |
|                         | Dendrobium monticola     | live              | 30       | TH NL                              |
|                         | Dendrobium mortii        | live (art. prop.) | 3        | US DE                              |
|                         | Dendrobium moschatum     | live (art. prop.) | 2        | BR NL                              |
|                         |                          |                   | 1        | TH DE                              |
|                         |                          | live              | 10       | TH DE                              |
|                         |                          |                   | 11       | TH GB                              |
|                         |                          |                   | 2        | TH NL                              |
|                         | Dendrobium nathanielis   | live              | 1        | TH DE                              |
|                         |                          |                   | 61       | TH GB                              |
|                         | Dendrobium nobile        | live (art. prop.) | 101      | BR DE                              |
|                         |                          |                   | 30       | TH DE                              |
|                         |                          |                   | 10       | TH NL                              |
|                         |                          |                   | 60       | US GB                              |
|                         |                          | live              | 6        | TH DE                              |
|                         |                          |                   | 25       | TH NL                              |
|                         | Dendrobium ochreatum     | live (art. prop.) | 30       | TH GB                              |

| CITES EEC<br>App. Annex | Taxon                          | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Dendrobium ochreatum</i>    | live              | 4        | TH                                 | DE |
|                         |                                |                   | 61       | TH                                 | GB |
|                         |                                |                   | 2        | TH                                 | NL |
|                         | <i>Dendrobium oligophyllum</i> | live              | 1850     | TH                                 | BE |
|                         |                                |                   | 37       | TH                                 | DE |
|                         |                                |                   | 10       | TH                                 | NL |
|                         | <i>Dendrobium pachyglossum</i> | live              | 40       | TH                                 | NL |
|                         | <i>Dendrobium palpebrae</i>    | live (art. prop.) | 11       | TH                                 | DE |
|                         |                                | live              | 8        | TH                                 | DE |
|                         |                                |                   | 2        | TH                                 | NL |
|                         | <i>Dendrobium papilio</i>      | live (art. prop.) | 10       | PH                                 | NL |
|                         | <i>Dendrobium parcum</i>       | live              | 1        | TH                                 | DE |
|                         | <i>Dendrobium parishii</i>     | live (art. prop.) | 24       | TH                                 | DE |
|                         |                                |                   | 6        | TH                                 | NL |
|                         |                                | live              | 174      | TH                                 | DE |
|                         |                                |                   | 1        | TH                                 | DK |
|                         |                                |                   | 10       | TH                                 | GB |
|                         |                                |                   | 156      | TH                                 | NL |
|                         | <i>Dendrobium peguanum</i>     | live (art. prop.) | 50       | TH                                 | GB |
|                         | <i>Dendrobium pendulum</i>     | live (art. prop.) | 1        | TH                                 | DE |
|                         |                                | live              | 180      | TH                                 | DE |
|                         |                                |                   | 110      | TH                                 | NL |
|                         | <i>Dendrobium platycaulon</i>  | live (art. prop.) | 10       | PH                                 | NL |
|                         | <i>Dendrobium podagraria</i>   | live              | 1        | TH                                 | DE |

| CITES EEC<br>App. Annex | TAXON                            | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Dendrobium primulinum</i>     | live (art. prop.) | 1        | TH DE                              |
|                         |                                  | live              | 146      | TH DE                              |
|                         |                                  |                   | 3        | TH DK                              |
|                         |                                  |                   | 10       | TH GB                              |
|                         |                                  |                   | 28       | TH NL                              |
|                         | <i>Dendrobium pulchellum</i>     | live (art. prop.) | 2        | TH DE                              |
|                         |                                  |                   | 10       | TH GB                              |
|                         |                                  |                   | 1        | TH NL                              |
|                         |                                  | live              | 39       | TH DE                              |
|                         |                                  |                   | 1        | TH DK                              |
|                         |                                  |                   | 10       | TH GB                              |
|                         |                                  |                   | 31       | TH NL                              |
|                         | <i>Dendrobium quadrangulare</i>  | live              | 14       | TH DE                              |
|                         |                                  |                   | 60       | TH GB                              |
|                         |                                  |                   | 1        | TH NL                              |
|                         | <i>Dendrobium rhodostele</i>     | live              | 2        | TH DE                              |
|                         | <i>Dendrobium ruppiatum</i>      | live (art. prop.) | 10       | AU DE                              |
|                         | <i>Dendrobium sanderae</i>       | live (art. prop.) | 30       | PH NL                              |
|                         | <i>Dendrobium sanguinolentum</i> | live (art. prop.) | 1        | TH DE                              |
|                         | <i>Dendrobium scabringue</i>     | live (art. prop.) | 7        | TH DE                              |
|                         |                                  | live              | 4500     | TH BE                              |
|                         |                                  |                   | 56       | TH DE                              |
|                         |                                  |                   | 10       | TH DK                              |
|                         |                                  |                   | 270      | TH NL                              |
|                         | <i>Dendrobium schuetzei</i>      | live (art. prop.) | 15       | PH NL                              |
|                         |                                  | live              | 10       | PH GB                              |

| CITES EEC<br>App. Annex | TAXON                         | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Dendrobium secundum</i>    | live (art. prop.) | 10       | PH NL                              |
|                         |                               |                   | 20       | TH DE                              |
|                         |                               |                   | 10       | TH GB                              |
|                         |                               | live              | 161      | TH DE                              |
|                         |                               |                   | 51       | TH GB                              |
|                         |                               |                   | 60       | TH NL                              |
|                         | <i>Dendrobium senile</i>      | live (art. prop.) | 2        | TH DE                              |
|                         |                               |                   | 10       | TH GB                              |
|                         |                               | live              | 32       | TH DE                              |
|                         |                               |                   | 1        | TH GB                              |
|                         |                               |                   | 39       | TH NL                              |
|                         | <i>Dendrobium speciosum</i>   | live (art. prop.) | 1 flask  | AU NL                              |
|                         |                               | live              | 11       | TH DE                              |
|                         | <i>Dendrobium stuposum</i>    | live              | 29       | TH NL                              |
|                         | <i>Dendrobium subulatum</i>   | live              | 2        | TH DE                              |
|                         | <i>Dendrobium sulcatum</i>    | live              | 100      | TH DE                              |
|                         | <i>Dendrobium sutepense</i>   | live (art. prop.) | 1        | TH DE                              |
|                         |                               |                   | 2        | TH NL                              |
|                         |                               | live              | 60       | TH BE                              |
|                         |                               |                   | 55       | TH DE                              |
|                         |                               |                   | 20       | TH DK                              |
|                         |                               |                   | 61       | TH GB                              |
|                         |                               |                   | 10       | TH NL                              |
|                         | <i>Dendrobium taurinum</i>    | live (art. prop.) | 10       | PH NL                              |
|                         |                               | live              | 10       | PH GB                              |
|                         | <i>Dendrobium tenuissimum</i> | live (art. prop.) | 5        | AU DE                              |

| CITES EEC<br>App. Annex | Taxon                          | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Dendrobium teretifolium</i> | live (art. prop.) | 1        | US                                 | DE |
|                         | <i>Dendrobium terminale</i>    | live              | 1        | TH                                 | DE |
|                         | <i>Dendrobium thyrsiflorum</i> | live (art. prop.) | 23       | TH                                 | DE |
|                         |                                |                   | 10       | TH                                 | GB |
|                         |                                | live              | 60       | TH                                 | BE |
|                         |                                |                   | 73       | TH                                 | DE |
|                         |                                |                   | 35       | TH                                 | DK |
|                         |                                |                   | 1        | TH                                 | GB |
|                         |                                |                   | 126      | TH                                 | NL |
|                         | <i>Dendrobium tixieri</i>      | live (art. prop.) | 2        | TH                                 | DE |
|                         | <i>Dendrobium tortile</i>      | live              | 15       | TH                                 | DE |
|                         |                                |                   | 10       | TH                                 | GB |
|                         |                                |                   | 8        | TH                                 | NL |
|                         | <i>Dendrobium trigonopus</i>   | live (art. prop.) | 1        | TH                                 | DE |
|                         |                                | live              | 21       | TH                                 | DE |
|                         |                                |                   | 77       | TH                                 | NL |
|                         | <i>Dendrobium unicum</i>       | live (art. prop.) | 3        | TH                                 | DE |
|                         |                                |                   | 1        | US                                 | DE |
|                         |                                | live              | 410      | TH                                 | BE |
|                         |                                |                   | 506      | TH                                 | DE |
|                         |                                |                   | 1        | TH                                 | GB |
|                         |                                |                   | 205      | TH                                 | NL |
|                         | <i>Dendrobium uniflorum</i>    | live (art. prop.) | 10       | PH                                 | NL |
|                         | <i>Dendrobium venustum</i>     | live (art. prop.) | 10       | TH                                 | GB |
|                         |                                | live              | 78       | TH                                 | DE |
|                         |                                |                   | 6        | TH                                 | NL |

| CITES EEC<br>App. Annex | TAXON                               | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|-------------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Dendrobium victoriae-reginae</i> | live (art. prop.) | 15       | PH NL                              |
|                         | <i>Dendrobium virgineum</i>         | live              | 1260     | TH BE                              |
|                         |                                     |                   | 59       | TH DE                              |
|                         |                                     |                   | 40       | TH NL                              |
|                         | <i>Dendrobium wardianum</i>         | live              | 1        | TH GB                              |
|                         | <i>Dendrobium wattii</i>            | live              | 1200     | TH BE                              |
|                         |                                     |                   | 2        | TH DE                              |
|                         |                                     |                   | 10       | TH NL                              |
|                         | <i>Dendrobium wenzelii</i>          | live (art. prop.) | 10       | PH NL                              |
|                         | <i>Dendrobium williamsianum</i>     | live              | 300      | TH BE                              |
|                         |                                     |                   | 1        | TH GB                              |
|                         | <i>Dendrobium williamsonii</i>      | live (art. prop.) | 1        | TH DE                              |
|                         |                                     | live              | 60       | TH BE                              |
|                         |                                     |                   | 356      | TH DE                              |
|                         |                                     |                   | 5        | TH DK                              |
|                         |                                     |                   | 162      | TH NL                              |
|                         | <i>Dendrobium wilmsianum</i>        | live (art. prop.) | 2        | TH DE                              |
|                         |                                     | live              | 18       | TH DE                              |
|                         |                                     |                   | 4        | TH NL                              |
|                         | <i>Dendrochilum spp.</i>            | live              | 50       | PH GB                              |
|                         | <i>Dendrochilum arachnites</i>      | live (art. prop.) | 10       | PH NL                              |
|                         | <i>Dendrochilum filiforme</i>       | live (art. prop.) | 10       | PH NL                              |
|                         | <i>Dendrochilum magnum</i>          | live (art. prop.) | 1        | US DE                              |

| CITES EEC<br>App. Annex | TAXON                   | Description       | Quantity      | Country of<br>Export Origin Import |
|-------------------------|-------------------------|-------------------|---------------|------------------------------------|
| II                      | Dichaea spp.            | live              | 7             | CR NL                              |
|                         | Dichaea cogniauxiana    | live (art. prop.) | 6<br>10       | BR BR DE NL                        |
|                         | Dichaea glauca          | live              | 1             | DO DK                              |
|                         | Dichaea hystricina      | live              | 8<br>2        | CR DO NL DK                        |
|                         | Dichaea morrisii        | live              | 8             | CR NL                              |
|                         | Dichaea muricata        | live              | 8             | CR NL                              |
|                         | Dichaea panamensis      | live              | 4             | CR NL                              |
|                         | Dichaea pendula         | live (art. prop.) | 11            | BR DE                              |
|                         |                         | live              | 1             | BR NL                              |
|                         | Dipodium paludosum      | live (art. prop.) | 5             | PH NL                              |
|                         | Dipteranthes duchii     | live (art. prop.) | 1             | BR DE                              |
|                         | Dipteranthes pellucidus | live (art. prop.) | 12            | BR DE                              |
|                         | Dipteranthes pustulatus | live (art. prop.) | 31<br>20<br>3 | BR GB<br>BR GB                     |
|                         | Diuris aurea            | live (art. prop.) | 1             | AU NL                              |
|                         | Doritis spp.            | live (art. prop.) | 71            | TH DE                              |
|                         | Doritis pulcherrima     | live (art. prop.) | 92<br>90      | TH TH DE GB                        |

| CITES EEC<br>App. Annex | TAXON                              | Description       | Quantity | Country of<br>Export | Origin Import |
|-------------------------|------------------------------------|-------------------|----------|----------------------|---------------|
| II                      | <i>Doritis pulcherrima</i>         | live (art. prop.) | 23       | TH                   | NL            |
|                         |                                    | 1                 |          | US                   | DE            |
|                         |                                    | live              | 60       | TH                   | BE            |
|                         |                                    |                   | 193      | TH                   | DE            |
|                         |                                    |                   | 155      | TH                   | DK            |
|                         |                                    |                   | 50       | TH                   | GB            |
|                         |                                    |                   | 55       | TH                   | NL            |
|                         | <i>Dracula spp.</i>                | live              | 6        | CR                   | NL            |
|                         |                                    |                   | 7        | EC                   | DE            |
|                         | <i>Dracula chimaera</i>            | live              | 200      | PE                   | DE            |
|                         | <i>Dracula dalstroemii</i>         | live (art. prop.) | 2        | US                   | NL            |
|                         | <i>Dracula erythrochaete</i>       | live (art. prop.) | 1        | XX                   | GB            |
|                         |                                    | live              | 5        | CR                   | NL            |
|                         | <i>Dracula vampira</i>             | live (art. prop.) | 2        | US                   | NL            |
|                         | <i>Dryadella edwallii</i>          | live (art. prop.) | 76       | BR                   | DE            |
|                         |                                    |                   | 14       | BR                   | DK            |
|                         |                                    |                   | 13       | BR                   | NL            |
|                         | <i>Dryadella gomes-ferreiraiae</i> | live (art. prop.) | 1        | BR                   | DE            |
|                         | <i>Dryadella lilliputiana</i>      | live (art. prop.) | 7        | BR                   | NL            |
|                         | <i>Drymoda siamensis</i>           | live              | 152      | TH                   | DE            |
|                         |                                    |                   | 50       | TH                   | GB            |
|                         |                                    |                   | 23       | TH                   | NL            |
|                         | <i>Elleanthus capitatus</i>        | live              | 1        | DO                   | DK            |
|                         | <i>Encyclia spp.</i>               | live (art. prop.) | 61       | BR                   | DE            |

| CITES EEC<br>App. Annex | Taxon                        | Description       | Quantity | Country of<br>Export | Origin Import |
|-------------------------|------------------------------|-------------------|----------|----------------------|---------------|
| II                      | <i>Encyclia</i> spp.         | live (art. prop.) | 40       | BR                   | GB            |
|                         |                              |                   | 100      | HN                   | GB            |
|                         |                              |                   | 2        | US                   | DE            |
|                         |                              | live              | 1        | BR                   | GB            |
|                         |                              |                   | 3        | CR                   | NL            |
|                         | <i>Encyclia abbreviata</i>   | live              | 4        | CR                   | NL            |
|                         | <i>Encyclia advena</i>       | live (art. prop.) | 42       | BR                   | DE            |
|                         |                              |                   | 1        | BR                   | NL            |
|                         | <i>Encyclia alata</i>        | live (art. prop.) | 5        | HN                   | DE            |
|                         | <i>Encyclia albaxanthina</i> | live (art. prop.) | 5        | BR                   | DE            |
|                         |                              |                   | 5        | BR                   | DK            |
|                         |                              | live              | 1        | BR                   | NL            |
|                         | <i>Encyclia allemanoides</i> | live (art. prop.) | 126      | BR                   | DE            |
|                         |                              | live              | 3        | BR                   | NL            |
|                         | <i>Encyclia amicta</i>       | live (art. prop.) | 87       | BR                   | DE            |
|                         |                              | live              | 11       | BR                   | NL            |
|                         | <i>Encyclia baculus</i>      | live (art. prop.) | 10       | HN                   | DE            |
|                         | <i>Encyclia bracteata</i>    | live (art. prop.) | 216      | BR                   | DE            |
|                         |                              |                   | 1        | BR                   | NL            |
|                         |                              | live              | 13       | BR                   | NL            |
|                         | <i>Encyclia bractescens</i>  | live (art. prop.) | 5        | HN                   | DE            |
|                         | <i>Encyclia brassavolae</i>  | live (art. prop.) | 5        | HN                   | DE            |
|                         |                              |                   | 100      | HN                   | GB            |
|                         | <i>Encyclia bulbosa</i>      | live (art. prop.) | 1        | BR                   | DE            |

| CITES EEC<br>App. Annex | Taxon                         | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Encyclia calamaria</i>     | live (art. prop.) | 10       | BR                                 | DE |
|                         | <i>Encyclia campylostalix</i> | live              | 2        | CR                                 | NL |
|                         | <i>Encyclia ceratistes</i>    | live              | 4        | CR                                 | NL |
|                         | <i>Encyclia chacaoensis</i>   | live              | 1        | CR                                 | DK |
|                         | <i>Encyclia citrina</i>       | live (art. prop.) | 200      | MX                                 | GB |
|                         | <i>Encyclia cochleata</i>     | live (art. prop.) | 20       | HN                                 | GB |
|                         |                               |                   | 200      | MX                                 | GB |
|                         |                               | live              | 2        | CR                                 | NL |
|                         | <i>Encyclia dichroma</i>      | live (art. prop.) | 1033     | BR                                 | DE |
|                         |                               | live              | 5        | BR                                 | NL |
|                         | <i>Encyclia fausta</i>        | live (art. prop.) | 16       | BR                                 | DE |
|                         | <i>Encyclia flabellifera</i>  | live (art. prop.) | 16       | BR                                 | DE |
|                         |                               | live              | 1        | BR                                 | NL |
|                         | <i>Encyclia fragrans</i>      | live (art. prop.) | 106      | BR                                 | DE |
|                         |                               |                   | 20       | BR                                 | DK |
|                         | <i>Encyclia gallopavina</i>   | live (art. prop.) | 5        | BR                                 | DE |
|                         | <i>Encyclia mariae</i>        | live (art. prop.) | 200      | MX                                 | GB |
|                         |                               | live              | 1        | US                                 | MX |
|                         | <i>Encyclia megalantha</i>    | live (art. prop.) | 267      | BR                                 | DE |
|                         |                               | live              | 4        | BR                                 | NL |
|                         | <i>Encyclia mooreana</i>      | live              | 2        | CR                                 | NL |

| CITES EEC<br>App. Annex | Taxon                         | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Encyclia ochracea</i>      | live (art. prop.) | 100      | HN                                 | GB |
|                         |                               | live              | 2        | CR                                 | NL |
|                         | <i>Encyclia patens</i>        | live (art. prop.) | 118      | BR                                 | DE |
|                         |                               |                   | 15       | BR                                 | DK |
|                         |                               | live              | 7        | BR                                 | NL |
|                         | <i>Encyclia pauciflora</i>    | live (art. prop.) | 1        | BR                                 | NL |
|                         | <i>Encyclia polybulbon</i>    | live (art. prop.) | 1        | BR                                 | DE |
|                         |                               |                   | 10       | HN                                 | DE |
|                         | <i>Encyclia prismatocarpa</i> | live              | 5        | CR                                 | NL |
|                         | <i>Encyclia radiata</i>       | live (art. prop.) | 200      | MX                                 | GB |
|                         | <i>Encyclia serpens</i>       | live              | 30       | PE                                 | DE |
|                         | <i>Encyclia serroniana</i>    | live (art. prop.) | 1        | BR                                 | NL |
|                         | <i>Encyclia vespa</i>         | live              | 4        | CR                                 | NL |
|                         |                               |                   | 2        | DO                                 | DK |
|                         | <i>Encyclia vitellina</i>     | live (art. prop.) | 200      | MX                                 | GB |
|                         |                               | live              | 13       | BR                                 | NL |
|                         | <i>Epidanthus spp.</i>        | live              | 4        | CR                                 | NL |
|                         | <i>Epidanthus paranthicus</i> | live              | 4        | CR                                 | NL |
|                         | <i>Epidendrum spp.</i>        | live (art. prop.) | 13       | BR                                 | DE |
|                         |                               |                   | 60       | BR                                 | GB |
|                         |                               |                   | 16       | HN                                 | DE |
|                         |                               |                   | 2        | TH                                 | DE |
|                         |                               |                   | 19       | US                                 | DE |

| CITES EEC<br>App. Annex | Taxon                             | Description       | Quantity | Country of<br>Export Origin Import |       |
|-------------------------|-----------------------------------|-------------------|----------|------------------------------------|-------|
| II                      | <i>Epidendrum</i> spp.            | live (art. prop.) | 40       | VE                                 | DE    |
|                         |                                   | live              | 7        | CR                                 | DK    |
|                         |                                   |                   | 17       | CR                                 | NL    |
|                         | <i>Epidendrum addae</i>           | live              | 7        | TH                                 | DE    |
|                         | <i>Epidendrum anaglossoides</i>   | live              | 3        | CR                                 | NL    |
|                         | <i>Epidendrum atropurpureum</i>   | live              | 1        | US                                 | XX GB |
|                         | <i>Epidendrum capricornu</i>      | live              | 100      | PE                                 | DE    |
|                         | <i>Epidendrum ciliare</i>         | live (art. prop.) | 10       | HN                                 | DE    |
|                         | <i>Epidendrum cinnabarinum</i>    | live              | 2        | TH                                 | DE    |
|                         | <i>Epidendrum cristatum</i>       | live (art. prop.) | 1        | BR                                 | NL    |
|                         | <i>Epidendrum difforme</i>        | live (art. prop.) | 10       | HN                                 | GB    |
|                         |                                   | live              | 5        | CR                                 | NL    |
|                         | <i>Epidendrum endresii</i>        | live              | 4        | CR                                 | NL    |
|                         | <i>Epidendrum equitantifolium</i> | live              | 2        | CR                                 | NL    |
|                         | <i>Epidendrum harrisonianum</i>   | live (art. prop.) | 10       | BR                                 | DE    |
|                         | <i>Epidendrum laucheanum</i>      | live              | 2        | CR                                 | NL    |
|                         | <i>Epidendrum longispathum</i>    | live (art. prop.) | 5        | BR                                 | DE    |
|                         | <i>Epidendrum nocturnum</i>       | live (art. prop.) | 20       | BR                                 | DE    |
|                         |                                   |                   | 35       | BR                                 | DK    |
|                         |                                   |                   | 5        | HN                                 | DE    |

| CITES EEC<br>App. Annex | TAXON   | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|---|-------------------|----------|------------------------------------|----|
| II                      | <i>Epidendrum nocturnum</i>                       | live              | 1        | DO                                 | DK |
|                         | <i>Epidendrum obesum</i>                          | live              | 3        | CR                                 | NL |
|                         | <i>Epidendrum pachyceras</i>                      | live              | 2        | CR                                 | NL |
|                         | <i>Epidendrum pallens</i>                         | live              | 2        | CR                                 | NL |
|                         | <i>Epidendrum paniculatum</i>                     | live (art. prop.) | 10       | BR                                 | DE |
|                         | <i>Epidendrum pansamalae</i>                      | live              | 4        | CR                                 | NL |
|                         | <i>Epidendrum parkinsonianum</i>                  | live (art. prop.) | 5        | HN                                 | DE |
|                         |   |                   | 100      | HN                                 | GB |
|                         | <i>Epidendrum pinniferum</i>                      | live              | 8        | CR                                 | NL |
|                         | <i>Epidendrum polyanthum</i>                      | live (art. prop.) | 5        | HN                                 | DE |
|                         | <i>Epidendrum</i><br><i>pseudepidendrum</i>       | live (art. prop.) | 3        | US                                 | DE |
|                         |   | live              | 4        | CR                                 | NL |
|                         | <i>Epidendrum pseudo-</i><br><i>schumannianum</i> | live              | 4        | CR                                 | NL |
|                         | <i>Epidendrum ramosum</i>                         | live (art. prop.) | 5        | HN                                 | DE |
|                         |   | live              | 2        | DO                                 | DK |
|                         | <i>Epidendrum randii</i>                          | live (art. prop.) | 23       | BR                                 | DE |
|                         |   |                   | 1        | BR                                 | NL |
|                         | <i>Epidendrum repens</i>                          | live (art. prop.) | 5        | HN                                 | DE |

| CITES EEC<br>App. Annex | Taxon                             | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|-----------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Epidendrum schlechterianum</i> | live              | 8        | CR NL                              |
|                         | <i>Epidendrum scutella</i>        | live              | 150      | PE DE                              |
|                         | <i>Epidendrum stamfordianum</i>   | live (art. prop.) | 10       | HN DE                              |
|                         |                                   |                   | 100      | HN GB                              |
|                         |                                   |                   | 1        | US DE                              |
|                         |                                   | live              | 4        | CR NL                              |
|                         |                                   |                   | 4        | VE DE                              |
|                         | <i>Epidendrum stenopetalum</i>    | live (art. prop.) | 1        | BR DE                              |
|                         |                                   |                   | 15       | HN DE                              |
|                         |                                   | live              | 8        | CR NL                              |
|                         | <i>Epidendrum wrightii</i>        | live              | 1        | DO DK                              |
|                         | <i>Epigeneium acuminatum</i>      | live (art. prop.) | 10       | PH NL                              |
|                         | <i>Epigeneium coelogynne</i>      | live (art. prop.) | 1        | TH DE                              |
|                         |                                   | live              | 157      | TH DE                              |
|                         |                                   |                   | 11       | TH NL                              |
|                         | <i>Epigeneium fargesii</i>        | live              | 18       | TH DE                              |
|                         |                                   |                   | 10       | TH NL                              |
|                         | <i>Epigeneium lyonii</i>          | live (art. prop.) | 10       | PH NL                              |
| C1                      | <i>Epipactis palustris</i>        | live (art. prop.) | 35       | AT DE                              |
|                         | <i>Eria spp.</i>                  | live (art. prop.) | 10       | BR DE                              |
|                         |                                   |                   | 1        | TH DE                              |
|                         |                                   | live              | 11       | TH DE                              |
|                         | <i>Eria albidotomentosa</i>       | live (art. prop.) | 1        | TH DE                              |

| CITES EEC<br>App. Annex | TAXON                       | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|-----------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Eria albidotomentosa</i> | live              | 100      | TH                                 | NL |
|                         | <i>Eria aporooides</i>      | live (art. prop.) | 10       | PH                                 | NL |
|                         | <i>Eria biflora</i>         | live (art. prop.) | 1        | TH                                 | DE |
|                         | <i>Eria bractescens</i>     | live (art. prop.) | 2        | TH                                 | DE |
|                         |                             | live              | 20       | TH                                 | NL |
|                         | <i>Eria concolor</i>        | live (art. prop.) | 1        | TH                                 | DE |
|                         | <i>Eria dasyphylla</i>      | live              | 6        | TH                                 | DE |
|                         | <i>Eria discolor</i>        | live (art. prop.) | 1        | TH                                 | DE |
|                         | <i>Eria floribunda</i>      | live (art. prop.) | 5        | PH                                 | NL |
|                         | <i>Eria javanica</i>        | live (art. prop.) | 1        | TH                                 | DE |
|                         |                             |                   | 50       | TH                                 | GB |
|                         |                             | live              | 60       | TH                                 | BE |
|                         |                             |                   | 58       | TH                                 | DE |
|                         |                             |                   | 60       | TH                                 | GB |
|                         | <i>Eria langbianensis</i>   | live (art. prop.) | 1        | BR                                 | DE |
|                         | <i>Eria marginata</i>       | live              | 19       | TH                                 | BE |
|                         | <i>Eria ornata</i>          | live (art. prop.) | 2        | TH                                 | DE |
|                         |                             | live              | 2        | TH                                 | DE |
|                         |                             |                   | 50       | TH                                 | GB |
|                         | <i>Eria pachystachya</i>    | live (art. prop.) | 1        | TH                                 | DE |
|                         | <i>Eria pannea</i>          | live (art. prop.) | 1        | TH                                 | DE |
|                         |                             | live              | 2        | TH                                 | DE |

| CITES EEC<br>App. Annex | TAXON                           | Description       | Quantity            | Country of<br>Export Origin Import |                      |
|-------------------------|---------------------------------|-------------------|---------------------|------------------------------------|----------------------|
| II                      | <i>Eria pannaea</i>             | live              | 119<br>2            | TH                                 | GB<br>NL             |
|                         | <i>Eria philippinensis</i>      | live (art. prop.) | 5                   | PH                                 | NL                   |
|                         | <i>Eria pilifera</i>            | live (art. prop.) | 1                   | TH                                 | DE                   |
|                         | <i>Eria pulchella</i>           | live (art. prop.) | 1                   | TH                                 | DE                   |
|                         | <i>Eria spicata</i>             | live              | 60                  | TH                                 | GB                   |
|                         | <i>Eria stricta</i>             | live (art. prop.) | 1                   | TH                                 | DE                   |
|                         | <i>Eria tomentosiflora</i>      | live              | 50                  | TH                                 | GB                   |
|                         | <i>Eriochilus cucullatus</i>    | live (art. prop.) | 1                   | AU                                 | NL                   |
|                         | <i>Erycina echinata</i>         | live (art. prop.) | 1                   | BR                                 | NL                   |
|                         | <i>Euanthe sanderiana</i>       | live (art. prop.) | 1<br>10<br>16<br>70 | PH<br>TH<br>TH<br>TH               | NL<br>BE<br>DE<br>GB |
|                         | <i>Eulophia andamanensis</i>    | live              | 50<br>2             | TH                                 | GB<br>NL             |
|                         | <i>Eulophia dufossei</i>        | live              | 4                   | TH                                 | DE                   |
|                         | <i>Eulophia nuda</i>            | live              | 8<br>2              | TH<br>TH                           | DE<br>NL             |
|                         | <i>Eurychone rothschildiana</i> | live (art. prop.) | 3                   | US                                 | DE                   |
|                         | <i>Flickingeria fimbriata</i>   | live (art. prop.) | 10                  | PH                                 | NL                   |

| CITES EEC<br>App. Annex | Taxon                           | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Flickingeria fimbriata</i>   | live (art. prop.) | 2        | TH DE                              |
|                         |                                 | live              | 1        | TH DE                              |
|                         | <i>Flickingeria pardalina</i>   | live              | 2        | TH DE                              |
|                         | <i>Flickingeria scopula</i>     | live (art. prop.) | 10       | PH NL                              |
|                         | <i>Galeandra baueri</i>         | live (art. prop.) | 10       | HN DE                              |
|                         | <i>Galeandra dives</i>          | live (art. prop.) | 62       | BR DE                              |
|                         |                                 |                   | 20       | BR DK                              |
|                         |                                 | live              | 1        | BR NL                              |
|                         | <i>Gastrochilus spp.</i>        | live (art. prop.) | 200      | JP DE                              |
|                         |                                 | live              | 40       | TH DE                              |
|                         | <i>Gastrochilus bellinus</i>    | live (art. prop.) | 52       | TH DE                              |
|                         |                                 | live              | 60       | TH BE                              |
|                         |                                 |                   | 394      | TH DE                              |
|                         |                                 |                   | 25       | TH DK                              |
|                         |                                 |                   | 24       | TH NL                              |
|                         | <i>Gastrochilus calceolaris</i> | live (art. prop.) | 2        | TH DE                              |
|                         | <i>Gastrochilus dasypogon</i>   | flowers           | 4        | TH DE                              |
|                         |                                 | live (art. prop.) | 61       | TH DE                              |
|                         |                                 |                   | 31       | TH NL                              |
|                         |                                 | live              | 1261     | TH BE                              |
|                         |                                 |                   | 187      | TH DE                              |
|                         |                                 |                   | 27       | TH DK                              |
|                         |                                 |                   | 14       | TH NL                              |
|                         | <i>Gastrochilus intermedius</i> | live (art. prop.) | 9        | TH DE                              |
|                         |                                 | live              | 12       | TH NL                              |

| CITES EEC<br>App. Annex | TAXON                            | Description       | Quantity       | Country of<br>Export Origin Import |                |
|-------------------------|----------------------------------|-------------------|----------------|------------------------------------|----------------|
| II                      | <i>Gastrochilus patinatus</i>    | live              | 2<br>10        | TH<br>TH                           | DE<br>NL       |
|                         | <i>Gastrochilus quisumbingii</i> | live (art. prop.) | 50<br>10       | PH<br>PH                           | DK<br>NL       |
|                         | <i>Geodorum citrinum</i>         | live (art. prop.) | 1              | TH                                 | DE             |
|                         |                                  | live              | 4              | TH                                 | DE             |
|                         | <i>Geodorum densiflorum</i>      | live (art. prop.) | 3              | TH                                 | DE             |
|                         |                                  | live              | 9              | TH                                 | DE             |
|                         | <i>Geodorum siamense</i>         | live (art. prop.) | 1              | TH                                 | DE             |
|                         | <i>Gomesa crispa</i>             | live (art. prop.) | 151<br>2       | BR<br>BR                           | DE<br>NL       |
|                         |                                  | live              | 6              | BR                                 | NL             |
|                         | <i>Gomesa planifolia</i>         | live (art. prop.) | 3              | BR                                 | NL             |
|                         | <i>Gomesa recurva</i>            | live (art. prop.) | 61<br>20<br>60 | BR<br>BR<br>BR                     | DE<br>DK<br>GB |
|                         | <i>Gomesa sessilis</i>           | live (art. prop.) | 1              | BR                                 | NL             |
|                         | <i>Gongora</i> spp.              | live (art. prop.) | 2<br>5         | HN<br>VE                           | DE<br>DE       |
|                         |                                  | live              | 2              | CR                                 | NL             |
|                         | <i>Gongora armeniaca</i>         | live              | 4              | CR                                 | NL             |
|                         | <i>Gongora quinquenervis</i>     | live              | 5<br>50        | CR<br>PE                           | NL<br>DE       |

| CITES EEC<br>App. Annex | Taxon                                       | Description               | Quantity                    | Country of<br>Export Origin Import |
|-------------------------|---|---------------------------|-----------------------------|------------------------------------|
| II                      | <i>Goodyera</i><br><i>schlechtendaliana</i> | live (art. prop.)         | 5                           | JP DE                              |
|                         | <i>Grammatophyllum elegans</i>              | live (art. prop.)         | 5                           | PH NL                              |
|                         | <i>Grammatophyllum scriptum</i>             | live (art. prop.)         | 20<br>5                     | PH PH DE<br>NL                     |
|                         | <i>Grammatophyllum speciosum</i>            | live (art. prop.)<br>live | 1<br>2                      | TH TH DE<br>NL                     |
|                         | <i>Grammatophyllum<br/>stapeliiflorum</i>   | live (art. prop.)         | 5                           | PH NL                              |
|                         | <i>Grobya</i> spp.                          | live (art. prop.)         | 20                          | BR DE                              |
|                         | <i>Grobya amherstiae</i>                    | live (art. prop.)         | 11<br>5<br>40<br>10<br>live | BR BR GB<br>NL<br>GB               |
| C1                      | <i>Gymnadenia conopsea</i>                  | live (art. prop.)         | 170                         | AT DE                              |
|                         | <i>Habenaria</i> spp.                       | live (art. prop.)<br>live | 8<br>5<br>1<br>21<br>3      | TH DE<br>NL<br>NL<br>DE<br>NL      |
|                         | <i>Habenaria carnea</i>                     | live                      | 2                           | TH BE                              |
|                         | <i>Habenaria chlorina</i>                   | live                      | 2<br>4                      | TH BE<br>TH DE                     |

| CITES EEC<br>App. Annex | Taxon                            | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Habenaria columbae</i>        | live              | 3        | TH BE                              |
|                         | <i>Habenaria medioflexa</i>      | live (art. prop.) | 4        | TH DE                              |
|                         | <i>Habenaria rhodocheila</i>     | live (art. prop.) | 104      | TH DE                              |
|                         |                                  |                   | 14520    | TH NL                              |
|                         |                                  | live              | 132      | TH BE                              |
|                         |                                  |                   | 224      | TH DE                              |
|                         |                                  |                   | 500      | TH DK                              |
|                         |                                  |                   | 109      | TH NL                              |
|                         | <i>Habenaria rhynchocarpa</i>    | live              | 3        | TH BE                              |
|                         | <i>Habenaria roseata</i>         | live (art. prop.) | 4        | TH DE                              |
|                         |                                  | live              | 3        | TH DE                              |
|                         | <i>Haraella odorata</i>          | live (art. prop.) | 200      | JP DE                              |
|                         | <i>Hexadesmia spp.</i>           | live              | 6        | CR NL                              |
|                         | <i>Hexadesmia crurigera</i>      | live              | 1        | CR NL                              |
|                         | <i>Hexisea bidentata</i>         | live              | 2        | CR NL                              |
|                         | <i>Hexisea hondurensis</i>       | live              | 3        | CR NL                              |
|                         | <i>Holcoglossum spp.</i>         | live (art. prop.) | 1        | CN DE                              |
|                         | <i>Holcoglossum kimballianum</i> | live (art. prop.) | 2        | TH DE                              |
|                         |                                  | live              | 460      | TH DE                              |
|                         |                                  |                   | 39       | TH NL                              |
|                         | <i>Holothrix spp.</i>            | live              | 3        | ZA DE                              |
|                         | <i>Homalopetalum spp.</i>        | live (art. prop.) | 4        | HN DE                              |

| CITES EEC<br>App. Annex | TAXON                             | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|-----------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Homalopetalum</i> spp.         | live              | 4        | CR NL                              |
|                         | <i>Homalopetalum pumilio</i>      | live              | 4        | CR NL                              |
|                         | <i>Houlettea brocklehurstiana</i> | live (art. prop.) | 10       | BR DE                              |
|                         | <i>Huntleya</i> spp.              | live (art. prop.) | 20       | BR DE                              |
|                         | <i>Huntleya meleagris</i>         | live (art. prop.) | 96       | BR DE                              |
|                         |                                   |                   | 20       | BR GB                              |
|                         |                                   |                   | 8        | BR NL                              |
|                         |                                   | live              | 2        | BR GB                              |
|                         | <i>Ionopsis satyrioides</i>       | live              | 1        | CR NL                              |
|                         | <i>Ionopsis utricularioides</i>   | live (art. prop.) | 242      | BR DE                              |
|                         |                                   |                   | 8        | BR NL                              |
|                         |                                   | live              | 4        | CR NL                              |
|                         |                                   |                   | 100      | PE DE                              |
|                         | <i>Isabelia virginalis</i>        | live (art. prop.) | 4        | BR NL                              |
|                         | <i>Isochilus</i> spp.             | live              | 1        | CR DK                              |
|                         | <i>Isochilus linearis</i>         | live (art. prop.) | 2        | BR DE                              |
|                         |                                   | live              | 2        | CR NL                              |
|                         | <i>Jacquiniella</i> spp.          | live              | 1        | CR DK                              |
|                         | <i>Jacquiniella globosa</i>       | live              | 1        | CR DK                              |
|                         |                                   |                   | 2        | CR NL                              |
|                         |                                   |                   | 1        | DO DK                              |
|                         | <i>Jacquiniella teretifolia</i>   | live              | 4        | CR NL                              |

| CITES EEC<br>App. Annex | Taxon                           | Description       | Quantity                           | Country of<br>Export Origin Import |                                  |
|-------------------------|---------------------------------|-------------------|------------------------------------|------------------------------------|----------------------------------|
| II                      | <i>Jacquiniella teretifolia</i> | live              | 1                                  | DO                                 | DK                               |
|                         | <i>Jumellea arachnantha</i>     | live (art. prop.) | 1                                  | US                                 | DE                               |
|                         | <i>Kefersteinia spp.</i>        | live              | 6<br>20                            | CR<br>EC                           | NL<br>DE                         |
|                         | <i>Kefersteinia lactea</i>      | live              | 6                                  | CR                                 | NL                               |
|                         | <i>Kefersteinia pusilla</i>     | live              | 10                                 | PE                                 | DE                               |
|                         | <i>Kingidium decumbens</i>      | live (art. prop.) | 4                                  | TH                                 | DE                               |
|                         |                                 | live              | 120                                | TH                                 | BE                               |
|                         |                                 |                   | 297                                | TH                                 | DE                               |
|                         |                                 |                   | 55                                 | TH                                 | DK                               |
|                         |                                 |                   | 55                                 | TH                                 | NL                               |
|                         | <i>Kingidium taenialis</i>      | live (art. prop.) | 10<br>2                            | PH<br>TH                           | NL<br>DE                         |
|                         | <i>Laelia spp.</i>              | live (art. prop.) | 1864<br>70<br>1<br>4<br>24<br>live | BR<br>BR<br>TH<br>US<br>US<br>BR   | DE<br>GB<br>DE<br>DE<br>GB<br>GB |
|                         | <i>Laelia anceps</i>            | live (art. prop.) | 506<br>200<br>14                   | BR<br>MX<br>US                     | DE<br>GB<br>DE                   |
|                         | <i>Laelia angereri</i>          | live (art. prop.) | 430<br>2<br>live                   | BR<br>BR<br>BR                     | DE<br>NL<br>GB                   |

| CITES EEC<br>App. Annex | Taxon                        | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Laelia autumnalis</i>     | live (art. prop.) | 2        | US DE                              |
|                         | <i>Laelia bahiensis</i>      | live (art. prop.) | 20       | BR DE                              |
|                         |                              |                   | 3        | BR NL                              |
|                         | <i>Laelia blumenscheinii</i> | live (art. prop.) | 160      | BR DE                              |
|                         |                              |                   | 14       | BR NL                              |
|                         | <i>Laelia bradei</i>         | live (art. prop.) | 1095     | BR DE                              |
|                         |                              |                   | 5        | BR NL                              |
|                         |                              | live              | 3        | BR GB                              |
|                         | <i>Laelia briegeri</i>       | live (art. prop.) | 1420     | BR DE                              |
|                         |                              |                   | 1        | BR NL                              |
|                         |                              |                   | 1        | US DE                              |
|                         |                              | live              | 4        | BR GB                              |
|                         |                              |                   | 1        | US BR GB                           |
|                         | <i>Laelia cinnabrina</i>     | live (art. prop.) | 756      | BR DE                              |
|                         |                              |                   | 15       | BR DK                              |
|                         |                              |                   | 50       | BR GB                              |
|                         |                              |                   | 5        | BR NL                              |
|                         | <i>Laelia crispula</i>       | live (art. prop.) | 110      | BR DE                              |
|                         |                              |                   | 13       | BR NL                              |
|                         | <i>Laelia crispata</i>       | live (art. prop.) | 346      | BR DE                              |
|                         |                              | live              | 3        | BR GB                              |
|                         | <i>Laelia dayana</i>         | live (art. prop.) | 22       | BR DE                              |
|                         |                              |                   | 10       | BR NL                              |
|                         | <i>Laelia endsfeldzii</i>    | live (art. prop.) | 80       | BR DE                              |
|                         |                              |                   | 50       | BR GB                              |
|                         |                              | live              | 3        | BR GB                              |

| CITES EEC<br>App. Annex | Taxon                     | Description       | Quantity                           | Country of<br>Export Origin Import                       |
|-------------------------|---------------------------|-------------------|------------------------------------|--|
| II                      | <i>Laelia esalqueana</i>  | live (art. prop.) | 1127<br>2                          | BR<br>BR<br>DE<br>NL                                     |
|                         | <i>Laelia fidelensis</i>  | live (art. prop.) | 35<br>2                            | BR<br>BR<br>DE<br>NL                                     |
|                         | <i>Laelia flava</i>       | live (art. prop.) | 519<br>24<br>13                    | BR<br>BR<br>BR<br>DE<br>DK<br>NL                         |
|                         |                           | live              | 3                                  | BR<br>GB   |
|                         | <i>Laelia ghillanyi</i>   | live (art. prop.) | 1032                               | BR<br>DE   |
|                         | <i>Laelia gloedeniana</i> | live (art. prop.) | 135<br>3                           | BR<br>BR<br>DE<br>NL                                     |
|                         |                           | live              | 2                                  | BR<br>GB   |
|                         | <i>Laelia gouldiana</i>   | live (art. prop.) | 200                                | MX<br>GB   |
|                         | <i>Laelia grandis</i>     | live (art. prop.) | 89<br>5<br>9                       | BR<br>BR<br>BR<br>DE<br>DK<br>NL                         |
|                         | <i>Laelia harpophylla</i> | live (art. prop.) | 296<br>40<br>20<br>20<br>live<br>4 | BR<br>BR<br>BR<br>BR<br>BR<br>DE<br>DK<br>GB<br>NL<br>GB |
|                         | <i>Laelia itambana</i>    | live (art. prop.) | 564<br>30<br>2                     | BR<br>BR<br>BR<br>DE<br>GB<br>NL                         |
|                         | <i>Laelia kettieana</i>   | live (art. prop.) | 556<br>50                          | BR<br>BR<br>DE<br>GB                                     |

| CITES EEC<br>App. Annex | TAXON                      | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|----------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Laelia kettieana</i>    | live              | 3        | BR GB                              |
|                         | <i>Laelia longipes</i>     | live (art. prop.) | 1383     | BR DE                              |
|                         |                            |                   | 30       | BR GB                              |
|                         |                            |                   | 2        | BR NL                              |
|                         |                            | live              | 3        | BR GB                              |
|                         | <i>Laelia lucasiana</i>    | live (art. prop.) | 1978     | BR DE                              |
|                         |                            |                   | 14       | BR DK                              |
|                         |                            |                   | 30       | BR GB                              |
|                         |                            | live              | 4        | BR GB                              |
|                         | <i>Laelia lundii</i>       | live (art. prop.) | 148      | BR DE                              |
|                         |                            |                   | 30       | BR GB                              |
|                         |                            |                   | 6        | BR NL                              |
|                         |                            | live              | 3        | BR GB                              |
|                         | <i>Laelia mantiqueirae</i> | live (art. prop.) | 456      | BR DE                              |
|                         |                            |                   | 5        | BR NL                              |
|                         |                            | live              | 4        | BR GB                              |
|                         | <i>Laelia milleri</i>      | live (art. prop.) | 1569     | BR DE                              |
|                         |                            |                   | 10       | BR DK                              |
|                         |                            |                   | 20       | BR GB                              |
|                         |                            |                   | 7        | BR NL                              |
|                         |                            | live              | 1        | BR GB                              |
|                         | <i>Laelia perrinii</i>     | live (art. prop.) | 155      | BR DE                              |
|                         |                            |                   | 3        | BR NL                              |
|                         |                            | live              | 1        | BR GB                              |
|                         | <i>Laelia pfisteri</i>     | live (art. prop.) | 128      | BR DE                              |
|                         |                            |                   | 1        | BR NL                              |
|                         | <i>Laelia praestans</i>    | live (art. prop.) | 173      | BR DE                              |

| CITES EEC<br>App. Annex | TAXON                         | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Laelia praestans</i>       | live              | 1        | BR                                 | GB |
|                         | <i>Laelia pumila</i>          | live (art. prop.) | 552      | BR                                 | DE |
|                         |                               |                   | 20       | BR                                 | DK |
|                         |                               |                   | 20       | BR                                 | GB |
|                         |                               |                   | 11       | BR                                 | NL |
|                         |                               |                   | 1        | US                                 | DE |
|                         | <i>Laelia purpurata</i>       | live (art. prop.) | 262      | BR                                 | DE |
|                         |                               |                   | 40       | BR                                 | DK |
|                         |                               |                   | 19       | BR                                 | NL |
|                         |                               |                   | 1        | US                                 | DE |
|                         |                               |                   | 20       | VE                                 | DE |
|                         |                               | live              | 20       | TH                                 | XX |
|                         | <i>Laelia reginae</i>         | live (art. prop.) | 1141     | BR                                 | DE |
|                         |                               |                   | 30       | BR                                 | GB |
|                         |                               |                   | 2        | BR                                 | NL |
|                         |                               | live              | 4        | BR                                 | GB |
|                         | <i>Laelia rubescens</i>       | live (art. prop.) | 10       | HN                                 | DE |
|                         | <i>Laelia sincorana</i>       | live (art. prop.) | 2759     | BR                                 | DE |
|                         |                               |                   | 17       | BR                                 | NL |
|                         | <i>Laelia tenebrosa</i>       | live (art. prop.) | 127      | BR                                 | DE |
|                         |                               |                   | 10       | BR                                 | DK |
|                         |                               |                   | 25       | BR                                 | NL |
|                         | <i>Laelia xanthina</i>        | live (art. prop.) | 72       | BR                                 | DE |
|                         | <i>Laeliopsis domingensis</i> | live              | 1        | DO                                 | DK |
|                         | <i>Lanium avicula</i>         | live (art. prop.) | 16       | BR                                 | DE |
|                         |                               |                   | 20       | BR                                 | GB |

| CITES EEC<br>App. Annex | Taxon                           | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Lanium avicula</i>           | live (art. prop.) | 4        | BR NL                              |
|                         | <i>Lankesterella spp.</i>       | live (art. prop.) | 10       | BR DE                              |
|                         |                                 |                   | 1        | BR NL                              |
|                         | <i>Leochilus spp.</i>           | live (art. prop.) | 20       | HN DE                              |
|                         |                                 | live              | 1        | CR DK                              |
|                         | <i>Leochilus labiatus</i>       | live              | 2        | CR NL                              |
|                         | <i>Leochilus scriptus</i>       | live              | 1        | CR DK                              |
|                         | <i>Lepanthes spp.</i>           | live              | 32       | CR NL                              |
|                         | <i>Lepanthes rotundifolia</i>   | live              | 1        | CR DK                              |
|                         | <i>Lepanthes wendlandii</i>     | live              | 8        | CR NL                              |
|                         | <i>Lepanthopsis spp.</i>        | live              | 1        | CR DK                              |
|                         | <i>Lepanthopsis floripecten</i> | live (art. prop.) | 1        | BR DE                              |
|                         | <i>Leptotes bicolor</i>         | live (art. prop.) | 632      | BR DE                              |
|                         |                                 |                   | 10       | BR DK                              |
|                         |                                 |                   | 35       | BR NL                              |
|                         | <i>Leptotes tenuis</i>          | live (art. prop.) | 66       | BR DE                              |
|                         |                                 |                   | 10       | BR DK                              |
|                         |                                 |                   | 20       | BR GB                              |
|                         |                                 |                   | 7        | BR NL                              |
|                         | <i>Leptotes unicolor</i>        | live (art. prop.) | 62       | BR DE                              |
|                         |                                 |                   | 10       | BR DK                              |
|                         |                                 |                   | 16       | BR NL                              |

| CITES EEC<br>App. Annex | TAXON                       | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|-----------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Liparis</i> spp.         | live              | 24       | TH DE                              |
|                         | <i>Liparis gibbosa</i>      | live              | 10       | TH BE                              |
|                         |                             |                   | 16       | TH DE                              |
|                         | <i>Liparis viridiflora</i>  | live              | 2        | TH DE                              |
|                         | <i>Lockhartia</i> spp.      | live              | 8        | CR NL                              |
|                         | <i>Lockhartia ludibunda</i> | live (art. prop.) | 1        | BR DE                              |
|                         | <i>Lockhartia lunifera</i>  | live (art. prop.) | 35       | BR DE                              |
|                         |                             |                   | 10       | BR DK                              |
|                         |                             |                   | 10       | BR NL                              |
|                         | <i>Luisia</i> spp.          | live              | 69       | TH DE                              |
|                         |                             |                   | 10       | TH NL                              |
|                         | <i>Luisia amesiana</i>      | live              | 60       | TH BE                              |
|                         |                             |                   | 3        | TH DE                              |
|                         | <i>Luisia psyche</i>        | live              | 56       | TH DE                              |
|                         | <i>Luisia recurva</i>       | live              | 18       | TH DE                              |
|                         | <i>Luisia teretifolia</i>   | live (art. prop.) | 5        | PH NL                              |
|                         | <i>Luisia thailandica</i>   | live (art. prop.) | 1        | TH DE                              |
|                         |                             | live              | 42       | TH DE                              |
|                         | <i>Luisia zollingeri</i>    | live (art. prop.) | 1        | TH DE                              |
|                         |                             | live              | 3        | TH DE                              |
|                         | <i>Lycaste</i> spp.         | live (art. prop.) | 1        | US DE                              |
|                         |                             | live              | 4        | EC DE                              |

| CITES EEC<br>App. Annex | TAXON                           | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Lycaste aromatica</i>        | live (art. prop.) | 1        | US DE                              |
|                         | <i>Lycaste cruenta</i>          | live (art. prop.) | 4        | HN DE                              |
|                         |                                 |                   | 1        | US DE                              |
|                         | <i>Lycaste deppei</i>           | live (art. prop.) | 1        | US DE                              |
|                         | <i>Lycaste locusta</i>          | live (art. prop.) | 1        | US DE                              |
|                         |                                 | live              | 200      | PE DE                              |
|                         | <i>Lycaste matogrossensis</i>   | live (art. prop.) | 1        | BR DE                              |
|                         | <i>Lycaste mitchelli</i>        | live (art. prop.) | 1        | US DE                              |
|                         | <i>Hyperanthus suaveolens</i>   | live (art. prop.) | 1        | AU NL                              |
|                         | <i>Malleola dentifera</i>       | live              | 81       | TH DE                              |
|                         |                                 |                   | 3        | TH NL                              |
|                         | <i>Masdevallia</i> spp.         | live (art. prop.) | 10       | BR DE                              |
|                         |                                 |                   | 20       | HN DE                              |
|                         |                                 |                   | 300      | SE DE                              |
|                         |                                 |                   | 11       | US DE                              |
|                         |                                 |                   | 7        | US NL                              |
|                         |                                 |                   | 1        | XX GB                              |
|                         |                                 | live              | 2        | CR NL                              |
|                         |                                 |                   | 70       | EC DE                              |
|                         |                                 |                   | 20       | PE DE                              |
|                         | <i>Masdevallia bottae</i>       | live (art. prop.) | 1        | US NL                              |
|                         | <i>Masdevallia caesia</i>       | live (art. prop.) | 2        | US NL                              |
|                         | <i>Masdevallia chontalensis</i> | live              | 4        | CR NL                              |

| CITES EEC<br>App. Annex | TAXON                          | Description       | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|----|----|
| II                      | <i>Masdevallia cinnamomea</i>  | live              | 100      | PE                                 | DE |    |
|                         | <i>Masdevallia citrinella</i>  | live (art. prop.) | 1        | US                                 | NL |    |
|                         | <i>Masdevallia cryptocopis</i> | live              | 4        | CR                                 | NL |    |
|                         | <i>Masdevallia davisii</i>     | live              | 1        | US                                 | PE | GB |
|                         | <i>Masdevallia deorsum</i>     | live (art. prop.) | 400      | BR                                 | NL |    |
|                         | <i>Masdevallia elegans</i>     | live              | 100      | PE                                 | DE |    |
|                         | <i>Masdevallia ephippium</i>   | live              | 100      | PE                                 | DE |    |
|                         | <i>Masdevallia erinacea</i>    | live              | 2        | CR                                 | NL |    |
|                         | <i>Masdevallia exaltata</i>    | live              | 200      | PE                                 | DE |    |
|                         | <i>Masdevallia heteroptera</i> | live (art. prop.) | 2        | US                                 | NL |    |
|                         | <i>Masdevallia hymenantha</i>  | live              | 100      | PE                                 | DE |    |
|                         | <i>Masdevallia infracta</i>    | live (art. prop.) | 99       | BR                                 | DE |    |
|                         |                                |                   | 70       | BR                                 | GB |    |
|                         |                                |                   | 8        | BR                                 | NL |    |
|                         | <i>Masdevallia kuhnorum</i>    | live              | 50       | PE                                 | DE |    |
|                         | <i>Masdevallia lata</i>        | live              | 8        | CR                                 | NL |    |
|                         | <i>Masdevallia laucheana</i>   | live              | 4        | CR                                 | NL |    |
|                         | <i>Masdevallia limax</i>       | live              | 100      | PE                                 | DE |    |
|                         | <i>Masdevallia lucernula</i>   | live              | 100      | PE                                 | DE |    |

| CITES EEC<br>App. Annex | Taxon                             | Description       | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|-----------------------------------|-------------------|----------|------------------------------------|----|----|
| II                      | <i>Masdevallia medusa</i>         | live              | 100      | PE                                 | DE |    |
|                         | <i>Masdevallia mezae</i>          | live              | 100      | PE                                 | DE |    |
|                         | <i>Masdevallia minuta</i>         | live              | 100      | PE                                 | DE |    |
|                         | <i>Masdevallia molossoides</i>    | live              | 3        | CR                                 | NL |    |
|                         | <i>Masdevallia nidifica</i>       | live              | 4        | CR                                 | NL |    |
|                         | <i>Masdevallia patula</i>         | live (art. prop.) | 1        | US                                 | NL |    |
|                         | <i>Masdevallia pernix</i>         | live              | 200      | PE                                 | DE |    |
|                         | <i>Masdevallia prodigiosa</i>     | live              | 50       | PE                                 | DE |    |
|                         | <i>Masdevallia prosatema</i>      | live              | 100      | PE                                 | DE |    |
|                         | <i>Masdevallia pygmaea</i>        | live              | 8        | CR                                 | NL |    |
|                         | <i>Masdevallia rafaeliana</i>     | live              | 8        | CR                                 | NL |    |
|                         | <i>Masdevallia sanchezii</i>      | live (art. prop.) | 1        | US                                 | NL |    |
|                         | <i>Masdevallia schmidt-mummii</i> | live              | 1        | US                                 | CO | GB |
|                         | <i>Masdevallia stenorhynchos</i>  | live (art. prop.) | 1        | US                                 | NL |    |
|                         | <i>Masdevallia strobelii</i>      | live              | 50       | PE                                 | DE |    |
|                         | <i>Masdevallia urosalpinx</i>     | live              | 40       | PE                                 | DE |    |
|                         | <i>Masdevallia ventricularia</i>  | live (art. prop.) | 1        | US                                 | NL |    |

| CITES EEC<br>App. Annex | TAXON  | Description       | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|--|-------------------|----------|------------------------------------|----|----|
| II                      | <i>Masdevallia</i> <i>wurdackii</i>          | live              | 1        | US                                 | PE | GB |
|                         | <i>Maxillaria</i> spp.                       | live (art. prop.) | 12       | BR                                 | DE |    |
|                         |  | live              | 5        | CR                                 | DK |    |
|                         |  |                   | 28       | CR                                 | NL |    |
|                         |  |                   | 4        | DO                                 | DK |    |
|                         |  |                   | 15       | EC                                 | DE |    |
|                         | <i>Maxillaria</i> <i>camaridii</i>           | live              | 1        | CR                                 | NL |    |
|                         | <i>Maxillaria</i> <i>chartacifolia</i>       | live              | 4        | CR                                 | NL |    |
|                         | <i>Maxillaria</i> <i>coccinea</i>            | live              | 2        | DO                                 | DK |    |
|                         | <i>Maxillaria</i> <i>cogniauxiana</i>        | live (art. prop.) | 1        | BR                                 | DE |    |
|                         |  |                   | 70       | BR                                 | GB |    |
|                         | <i>Maxillaria</i> <i>dendrobioides</i>       | live              | 8        | CR                                 | NL |    |
|                         | <i>Maxillaria</i> <i>floribunda</i>          | live              | 5        | PE                                 | DE |    |
|                         | <i>Maxillaria</i><br><i>friedrichsthalii</i> | live              | 1        | CR                                 | DK |    |
|                         |  |                   | 8        | CR                                 | NL |    |
|                         | <i>Maxillaria</i> <i>gracilis</i>            | live (art. prop.) | 5        | BR                                 | DE |    |
|                         |  |                   | 10       | BR                                 | DK |    |
|                         |  |                   | 2        | BR                                 | NL |    |
|                         | <i>Maxillaria</i> <i>guadalupensis</i>       | live              | 4        | CR                                 | NL |    |
|                         | <i>Maxillaria</i> <i>horichii</i>            | live              | 8        | CR                                 | NL |    |
|                         | <i>Maxillaria</i> <i>lepidota</i>            | live              | 50       | PE                                 | DE |    |

| CITES EEC<br>App. Annex | Taxon                             | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|-----------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Maxillaria luteo-alba</i>      | live              | 8        | CR NL                              |
|                         | <i>Maxillaria minuta</i>          | live (art. prop.) | 1        | BR DE                              |
|                         | <i>Maxillaria mosenii</i>         | live (art. prop.) | 1        | BR DE                              |
|                         | <i>Maxillaria ochroleuca</i>      | live (art. prop.) | 70       | BR GB                              |
|                         |                                   |                   | 1        | BR NL                              |
|                         | <i>Maxillaria picta</i>           | live (art. prop.) | 35       | BR DE                              |
|                         |                                   |                   | 25       | BR DK                              |
|                         |                                   |                   | 20       | BR GB                              |
|                         |                                   |                   | 5        | BR NL                              |
|                         | <i>Maxillaria reichenbachiana</i> | live              | 5        | PE DE                              |
|                         | <i>Maxillaria reichenheimiana</i> | live              | 8        | CR NL                              |
|                         | <i>Maxillaria rufescens</i>       | live (art. prop.) | 12       | BR DE                              |
|                         |                                   |                   | 20       | BR GB                              |
|                         |                                   |                   | 4        | BR NL                              |
|                         | <i>Maxillaria sanderiana</i>      | live              | 200      | PE DE                              |
|                         | <i>Maxillaria tenuifolia</i>      | live              | 1        | CR DK                              |
|                         | <i>Maxillaria trinitatis</i>      | live              | 8        | CR NL                              |
|                         | <i>Maxillariä uncata</i>          | live              | 4        | CR NL                              |
|                         | <i>Maxillaria valenzuelana</i>    | live (art. prop.) | 1        | BR DE                              |
|                         |                                   |                   | 5        | BR DK                              |
|                         |                                   |                   | 15       | BR NL                              |

| CITES EEC<br>App. Annex | TAXON                           | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Maxillaria variabilis</i>    | live              | 1        | CR                                 | DK |
|                         | <i>Maxillaria verna</i>         | live (art. prop.) | 21       | BR                                 | DE |
|                         |                                 |                   | 20       | BR                                 | GB |
|                         | <i>Maxillaria wrightii</i>      | live              | 6        | CR                                 | NL |
|                         | <i>Micropera</i> spp.           | live (art. prop.) | 1        | TH                                 | DE |
|                         | <i>Micropera apiculata</i>      | live (art. prop.) | 2        | TH                                 | DE |
|                         |                                 |                   | 9        | TH                                 | NL |
|                         |                                 | live              | 24       | TH                                 | DE |
|                         | <i>Micropera obtusa</i>         | live              | 26       | TH                                 | DE |
|                         |                                 |                   | 3        | TH                                 | NL |
|                         | <i>Micropera philippinensis</i> | live              | 5        | PH                                 | NL |
|                         | <i>Micropera rostrata</i>       | live (art. prop.) | 7        | TH                                 | DE |
|                         |                                 | live              | 89       | TH                                 | DE |
|                         |                                 |                   | 3        | TH                                 | NL |
|                         | <i>Micropera thailandica</i>    | live              | 24       | TH                                 | DE |
|                         | <i>Microsaccus brevifolius</i>  | live              | 1        | TH                                 | NL |
|                         | <i>Miltonia</i> spp.            | live (art. prop.) | 10       | BR                                 | DK |
|                         |                                 |                   | 5        | US                                 | DE |
|                         |                                 |                   | 271      | US                                 | GB |
|                         |                                 | live              | 105      | PE                                 | DE |
|                         | <i>Miltonia candida</i>         | live (art. prop.) | 91       | BR                                 | DE |
|                         |                                 |                   | 10       | BR                                 | DK |
|                         |                                 |                   | 2        | BR                                 | NL |

| CITES EEC<br>App. Annex | Taxon                            | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Miltonia clowesii</i>         | live (art. prop.) | 31       | BR DE                              |
|                         |                                  |                   | 10       | BR DK                              |
|                         |                                  |                   | 2        | BR NL                              |
|                         | <i>Miltonia cuneata</i>          | live (art. prop.) | 28       | BR DE                              |
|                         |                                  |                   | 2        | BR NL                              |
|                         | <i>Miltonia flavescens</i>       | live (art. prop.) | 12       | BR DE                              |
|                         |                                  |                   | 10       | BR DK                              |
|                         |                                  |                   | 1        | BR NL                              |
|                         | <i>Miltonia regnellii</i>        | live (art. prop.) | 2        | BR DE                              |
|                         |                                  |                   | 5        | BR DK                              |
|                         |                                  |                   | 1        | BR NL                              |
|                         | <i>Miltonia russelliana</i>      | live (art. prop.) | 8        | BR DE                              |
|                         |                                  |                   | 2        | BR NL                              |
|                         | <i>Miltonia spectabilis</i>      | live (art. prop.) | 76       | BR DE                              |
|                         |                                  |                   | 10       | BR DK                              |
|                         |                                  |                   | 21       | BR NL                              |
|                         |                                  |                   | 1        | US DE                              |
|                         | <i>Miltonia warszewiczii</i>     | live              | 15       | PE DE                              |
|                         | <i>Miltoniopsis vexillaria</i>   | live              | 105      | PE DE                              |
|                         | <i>Miltoniopsis warszewiczii</i> | live (art. prop.) | 1        | US DE                              |
|                         |                                  | live              | 7        | CR NL                              |
|                         | <i>Mormodes spp.</i>             | live              | 14       | VE DE                              |
|                         | <i>Mormodes revolutum</i>        | live              | 5        | PE DE                              |
|                         | <i>Mormodes rolfeanum</i>        | live              | 120      | PE DE                              |

| CITES EEC<br>App. Annex | Taxon                         | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Mormolyca ringens</i>      | live (art. prop.) | 3        | US                                 | DE |
|                         | <i>Mystacidium brayboniae</i> | live (art. prop.) | 1        | US                                 | DE |
|                         | <i>Mystacidium millarii</i>   | live (art. prop.) | 1        | US                                 | DE |
|                         | <i>Nageliella spp.</i>        | live (art. prop.) | 5        | HN                                 | DE |
|                         | <i>Nageliella purpurea</i>    | live (art. prop.) | 200      | MX                                 | GB |
|                         | <i>Nanodes medusae</i>        | live              | 450      | PE                                 | DE |
|                         | <i>Neofinetia falcata</i>     | live (art. prop.) | 400      | JP                                 | DE |
|                         |                               |                   | 30       | JP                                 | DK |
|                         |                               |                   | 10       | TH                                 | GB |
|                         |                               |                   | 1        | US                                 | DE |
|                         | <i>Neogardneria murrayana</i> | live (art. prop.) | 13       | BR                                 | DE |
|                         |                               |                   | 2        | BR                                 | NL |
|                         | <i>Neolauchea pulchella</i>   | live (art. prop.) | 61       | BR                                 | DE |
|                         |                               |                   | 20       | BR                                 | GB |
|                         |                               |                   | 9        | BR                                 | NL |
|                         | <i>Neolehmannia porpax</i>    | live (art. prop.) | 1        | US                                 | DE |
|                         |                               | live              | 7        | CR                                 | NL |
|                         | <i>Notylia spp.</i>           | live (art. prop.) | 10       | HN                                 | DE |
|                         |                               | live              | 4        | CR                                 | NL |
|                         | <i>Notylia barkeri</i>        | live              | 4        | CR                                 | NL |
|                         |                               |                   | 2        | TH                                 | DE |
|                         | <i>Notylia bicolor</i>        | live              | 7        | CR                                 | NL |

| CITES EEC<br>App. Annex | TAXON                             | Description               | Quantity   | Country of<br>Export Origin Import           |  |
|-------------------------|-----------------------------------|---------------------------|--|--|--|
| II                      | <i>Notylia longispicata</i>       | live (art. prop.)         | 118<br>13  | BR<br>BR                                     | DE<br>NL                               |
|                         | <i>Notylia lyrata</i>             | live (art. prop.)         | 1<br>4   | BR<br>BR                                     | DE<br>NL                               |
|                         | <i>Notylia peruviana</i>          | live                      | 50   | PE   | DE                                     |
|                         | <i>Oberonia anthropophora</i>     | live                      | 4  | TH   | DE                                     |
|                         | <i>Oberonia iridifolia</i>        | live (art. prop.)<br>live | 5<br>10  | PH<br>TH                                     | NL<br>NL                               |
|                         | <i>Octomeria spp.</i>             | live (art. prop.)         | 74   | BR   | DE                                     |
|                         | <i>Octomeria gracilis</i>         | live (art. prop.)         | 35   | BR   | DE                                     |
|                         | <i>Octomeria subalpina</i>        | live (art. prop.)         | 21   | US   | DE                                     |
|                         | <i>Odontoglossum spp.</i>         | live (art. prop.)         | 1000<br>22<br>21<br>2<br>6<br>live<br>90<br>20<br>13 | NZ<br>TH<br>US<br>US<br>VE<br>EC<br>PE<br>VE | GB<br>DE<br>DE<br>GB<br>DE<br>DE<br>DE |
|                         | <i>Odontoglossum angustatum</i>   | live                      | 14   | PE   | DE                                     |
|                         | <i>Odontoglossum anthoxanthum</i> | live                      | 50   | PE   | DE                                     |
|                         | <i>Odontoglossum aureum</i>       | live                      | 100  | PE   | DE                                     |

| CITES EEC<br>App. Annex | Taxon                              | Description       | Quantity | Country of<br>Export Origin Import |          |
|-------------------------|------------------------------------|-------------------|----------|------------------------------------|----------|
| II                      | <i>Odontoglossum bictoniense</i>   | live (art. prop.) | 200<br>3 | MX<br>US                           | GB<br>DE |
| III                     | <i>Odontoglossum cariniferum</i>   | live              | 3        | CR                                 | NL       |
|                         | <i>Odontoglossum cervantesii</i>   | live (art. prop.) | 200      | MX                                 | GB       |
|                         | <i>Odontoglossum confusum</i>      | live (art. prop.) | 201      | US                                 | BE       |
|                         | <i>Odontoglossum cordatum</i>      | live (art. prop.) | 20<br>1  | HN<br>US                           | DE<br>DE |
|                         | <i>Odontoglossum digitatum</i>     | live              | 100      | PE                                 | DE       |
|                         | <i>Odontoglossum epidendroides</i> | live              | 150      | PE                                 | DE       |
|                         | <i>Odontoglossum harryanum</i>     | live              | 100      | PE                                 | DE       |
|                         | <i>Odontoglossum kramerii</i>      | live              | 8        | CR                                 | NL       |
|                         | <i>Odontoglossum laeve</i>         | live (art. prop.) | 200      | MX                                 | GB       |
|                         | <i>Odontoglossum maculatum</i>     | live (art. prop.) | 1        | US                                 | DE       |
|                         | <i>Odontoglossum majale</i>        | live (art. prop.) | 2        | US                                 | DE       |
|                         | <i>Odontoglossum nebulosum</i>     | live (art. prop.) | 1        | US                                 | DE       |
|                         | <i>Odontoglossum oerstedii</i>     | live              | 10       | CR                                 | NL       |
|                         | <i>Odontoglossum praestans</i>     | live              | 150      | PE                                 | DE       |
|                         | <i>Odontoglossum rossii</i>        | live (art. prop.) | 1        | US                                 | DE       |

| CITES EEC<br>App. Annex | Taxon                                  | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|--|-------------------|----------|------------------------------------|
| II                      | <i>Odontoglossum<br/>stenoglossum</i>  | live (art. prop.) | 5        | HN DE                              |
|                         | <i>Odontoglossum<br/>subcruciforme</i> | live (art. prop.) | 10       | HN DE                              |
|                         | <i>Odontoglossum trilobum</i>          | live              | 100      | PE DE                              |
|                         | <i>Odontoglossum uroskinneri</i>       | live (art. prop.) | 5        | US DE                              |
|                         | <i>Oeceoclades maculata</i>            | live              | 2        | DO DK                              |
|                         | <i>Oncidium</i> spp.                   | live (art. prop.) | 228      | BR DE                              |
|                         |  |                   | 80       | BR GB                              |
|                         |  |                   | 1        | BR NL                              |
|                         |  |                   | 6430     | LK NL                              |
|                         |  |                   | 15       | SE DE                              |
|                         |  |                   | 6        | SG DE                              |
|                         |  |                   | 7000     | SG NL                              |
|                         |  |                   | 362      | TH DE                              |
|                         |  |                   | 13       | TH DK                              |
|                         |  |                   | 10       | TH GB                              |
|                         |  |                   | 13042    | TH NL                              |
|                         |  |                   | 118      | US DE                              |
|                         |  |                   | 20       | US GB                              |
|                         |  |                   | 30       | VE DE                              |
|                         |  |                   | 20       | VE FR                              |
|                         |  | live              | 30       | AR DE                              |
|                         |  |                   | 3        | CR DK                              |
|                         |  |                   | 4        | CR NL                              |
|                         |  |                   | 75       | EC DE                              |
|                         | <i>Oncidium abortivum</i>              | live              | 55       | PE DE                              |
|                         | <i>Oncidium altissimum</i>             | live (art. prop.) | 4        | BR NL                              |

| CITES EEC<br>App. Annex | TAXON                          | Description       | Quantity | Country of<br>Export | Origin Import |
|-------------------------|--------------------------------|-------------------|----------|----------------------|---------------|
| II                      | <i>Oncidium barbatum</i>       | live (art. prop.) | 340      | BR                   | DE            |
|                         |                                |                   | 20       | BR                   | GB            |
|                         |                                |                   | 6        | BR                   | NL            |
|                         |                                | live              | 3        | BR                   | GB            |
|                         | <i>Oncidium baueri</i>         | live (art. prop.) | 2        | BR                   | DE            |
|                         |                                |                   | 50       | BR                   | GB            |
|                         | <i>Oncidium blanchetii</i>     | live (art. prop.) | 33       | BR                   | DE            |
|                         |                                |                   | 1        | BR                   | NL            |
|                         | <i>Oncidium brachyandrum</i>   | live (art. prop.) | 5        | HN                   | DE            |
|                         | <i>Oncidium bracteatum</i>     | live              | 3        | CR                   | NL            |
|                         | <i>Oncidium brunleesianum</i>  | live (art. prop.) | 1        | BR                   | NL            |
|                         | <i>Oncidium cabagraise</i>     | live              | 6        | CR                   | NL            |
|                         | <i>Oncidium carthaginense</i>  | live (art. prop.) | 5        | BR                   | DE            |
|                         | <i>Oncidium cavendishianum</i> | live (art. prop.) | 1        | US                   | DE            |
|                         | <i>Oncidium cebolleta</i>      | live (art. prop.) | 50       | BR                   | DE            |
|                         |                                |                   | 9        | BR                   | NL            |
|                         |                                | live              | 2        | CR                   | NL            |
|                         | <i>Oncidium cheirophorum</i>   | live              | 2        | CR                   | DK            |
|                         |                                |                   | 6        | CR                   | NL            |
|                         | <i>Oncidium concolor</i>       | live (art. prop.) | 354      | BR                   | DE            |
|                         |                                |                   | 10       | BR                   | DK            |
|                         |                                |                   | 20       | BR                   | GB            |
|                         |                                |                   | 10       | BR                   | NL            |

| CITES EEC<br>App. Annex | TAXON                         | Description       | Quantity | Country of<br>Export | Origin Import |
|-------------------------|-------------------------------|-------------------|----------|----------------------|---------------|
| II                      | <i>Oncidium crispum</i>       | live (art. prop.) | 158      | BR                   | DE            |
|                         |                               |                   | 10       | BR                   | DK            |
|                         |                               |                   | 50       | BR                   | GB            |
|                         |                               |                   | 14       | BR                   | NL            |
|                         |                               |                   | 2        | US                   | DE            |
|                         |                               | live              | 2        | BR                   | GB            |
|                         | <i>Oncidium crista-gallii</i> | live (art. prop.) | 40       | HN                   | DE            |
|                         |                               | live              | 4        | CR                   | NL            |
|                         | <i>Oncidium croesus</i>       | live (art. prop.) | 41       | BR                   | DE            |
|                         |                               |                   | 1        | BR                   | NL            |
|                         | <i>Oncidium curtum</i>        | live (art. prop.) | 21       | BR                   | DE            |
|                         |                               |                   | 1        | BR                   | NL            |
|                         | <i>Oncidium dasystyle</i>     | live (art. prop.) | 187      | BR                   | DE            |
|                         |                               |                   | 20       | BR                   | DK            |
|                         |                               |                   | 2        | BR                   | NL            |
|                         | <i>Oncidium divaricatum</i>   | live (art. prop.) | 201      | BR                   | DE            |
|                         |                               |                   | 6        | BR                   | NL            |
|                         | <i>Oncidium duveenii</i>      | live (art. prop.) | 11       | BR                   | DE            |
|                         | <i>Oncidium edwallii</i>      | live (art. prop.) | 1        | BR                   | NL            |
|                         | <i>Oncidium enderianum</i>    | live (art. prop.) | 314      | BR                   | DE            |
|                         |                               |                   | 2        | BR                   | NL            |
|                         |                               |                   | 2        | US                   | DE            |
|                         | <i>Oncidium fimbriatum</i>    | live (art. prop.) | 762      | BR                   | DE            |
|                         |                               |                   | 30       | BR                   | DK            |
|                         |                               |                   | 15       | BR                   | NL            |
|                         |                               | live              | 4        | BR                   | GB            |

| CITES EEC<br>App. Annex | Taxon                         | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Oncidium flexuosum</i>     | live (art. prop.) | 324      | BR DE                              |
|                         |                               |                   | 20       | BR GB                              |
|                         |                               |                   | 4        | BR NL                              |
|                         | <i>Oncidium floridanum</i>    | live (art. prop.) | 5        | HN DE                              |
|                         | <i>Oncidium forbesii</i>      | live (art. prop.) | 460      | BR DE                              |
|                         |                               |                   | 10       | BR DK                              |
|                         |                               |                   | 20       | BR GB                              |
|                         |                               |                   | 6        | BR NL                              |
|                         |                               |                   | 5        | US DE                              |
|                         |                               | live              | 1        | BR GB                              |
|                         | <i>Oncidium fuscopetalum</i>  | live (art. prop.) | 50       | BR DE                              |
|                         | <i>Oncidium gardneri</i>      | live (art. prop.) | 65       | BR DE                              |
|                         |                               |                   | 10       | BR DK                              |
|                         |                               |                   | 20       | BR GB                              |
|                         |                               |                   | 10       | BR NL                              |
|                         |                               |                   | 1        | US DE                              |
|                         |                               | live              | 1        | BR GB                              |
|                         | <i>Oncidium globuliferum</i>  | live              | 100      | PE DE                              |
|                         | <i>Oncidium goldianum</i>     | live (art. prop.) | 8000     | TH NL                              |
|                         | <i>Oncidium gracile</i>       | live (art. prop.) | 20       | BR DE                              |
|                         |                               |                   | 3        | BR NL                              |
|                         |                               | live              | 3        | BR GB                              |
|                         | <i>Oncidium gravesianum</i>   | live (art. prop.) | 15       | BR DE                              |
|                         |                               |                   | 3        | BR NL                              |
|                         | <i>Oncidium haematochilum</i> | live (art. prop.) | 2        | TH DE                              |

| CITES EEC<br>App. Annex | Taxon                         | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Oncidium harrisonianum</i> | live (art. prop.) | 129      | BR DE                              |
|                         |                               |                   | 25       | BR DK                              |
|                         |                               |                   | 2        | BR NL                              |
|                         |                               |                   | 1        | US DE                              |
|                         | <i>Oncidium hydrophilum</i>   | live (art. prop.) | 12       | BR DE                              |
|                         |                               |                   | 1        | BR NL                              |
|                         |                               | live              | 1        | BR GB                              |
|                         | <i>Oncidium jonesianum</i>    | live (art. prop.) | 120      | BR DE                              |
|                         |                               |                   | 10       | BR DK                              |
|                         |                               |                   | 19       | BR NL                              |
|                         | <i>Oncidium kautskyi</i>      | live (art. prop.) | 1        | BR NL                              |
|                         | <i>Oncidium kramerianum</i>   | live (art. prop.) | 1        | BR DE                              |
|                         |                               |                   | 1        | US DE                              |
|                         | <i>Oncidium lanceanum</i>     | live (art. prop.) | 10       | TH GB                              |
|                         |                               |                   | 1        | US GB                              |
|                         |                               | live              | 15       | VE DE                              |
|                         | <i>Oncidium lietzii</i>       | live (art. prop.) | 11       | BR DE                              |
|                         |                               |                   | 30       | BR DK                              |
|                         |                               |                   | 9        | BR NL                              |
|                         | <i>Oncidium limminghei</i>    | live (art. prop.) | 44       | BR DE                              |
|                         |                               |                   | 10       | BR DK                              |
|                         |                               |                   | 20       | BR GB                              |
|                         |                               |                   | 8        | BR NL                              |
|                         |                               | live              | 1        | BR GB                              |
|                         | <i>Oncidium lionetianum</i>   | live (art. prop.) | 75       | BR DE                              |
|                         |                               |                   | 3        | BR NL                              |

| CITES EEC<br>App. Annex | TAXON                            | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Oncidium longicornu</i>       | live (art. prop.) | 10       | BR                                 | DE |
|                         |                                  | live              | 1        | BR                                 | GB |
|                         | <i>Oncidium longipes</i>         | live (art. prop.) | 142      | BR                                 | DE |
|                         |                                  |                   | 10       | BR                                 | DK |
|                         |                                  |                   | 20       | BR                                 | GB |
|                         |                                  |                   | 1        | BR                                 | NL |
|                         | <i>Oncidium luridum</i>          | live (art. prop.) | 10       | HN                                 | DE |
|                         |                                  |                   | 2        | TH                                 | DE |
|                         | <i>Oncidium macranthum</i>       | live              | 100      | PE                                 | DE |
|                         | <i>Oncidium macronyx</i>         | live (art. prop.) | 1        | BR                                 | DE |
|                         |                                  |                   | 1        | BR                                 | NL |
|                         | <i>Oncidium macropetalum</i>     | live (art. prop.) | 55       | BR                                 | DE |
|                         |                                  |                   | 2        | BR                                 | NL |
|                         | <i>Oncidium marshallianum</i>    | live (art. prop.) | 306      | BR                                 | DE |
|                         |                                  |                   | 1        | US                                 | GB |
|                         | <i>Oncidium micropogon</i>       | live (art. prop.) | 43       | BR                                 | DE |
|                         |                                  |                   | 1        | BR                                 | NL |
|                         | <i>Oncidium nubigenum</i>        | live              | 1250     | PE                                 | DE |
|                         |                                  |                   | 1        | US                                 | GB |
|                         | <i>Oncidium obryzatum</i>        | live              | 6        | CR                                 | NL |
|                         | <i>Oncidium onustum</i>          | live              | 1010     | PE                                 | DE |
|                         | <i>Oncidium ornithorrhynchum</i> | live (art. prop.) | 200      | MX                                 | GB |
|                         |                                  |                   | 1        | US                                 | DE |

| CITES EEC<br>App. Annex | Taxon                         | Description       | Quantity       | Country of<br>Export Origin Import |                |
|-------------------------|-------------------------------|-------------------|----------------|------------------------------------|----------------|
| II                      | <i>Oncidium orthostates</i>   | live (art. prop.) | 100            | MY                                 | DK             |
|                         | <i>Oncidium papilio</i>       | live (art. prop.) | 1              | BR                                 | DE             |
|                         | <i>Oncidium phymatochilum</i> | live (art. prop.) | 11             | BR                                 | DE             |
|                         | <i>Oncidium pittieri</i>      | live              | 7              | CR                                 | NL             |
|                         | <i>Oncidium praetextum</i>    | live (art. prop.) | 11<br>3        | BR<br>BR                           | DE<br>NL       |
|                         | <i>Oncidium pubes</i>         | live (art. prop.) | 22<br>3        | BR<br>BR                           | DE<br>NL       |
|                         | <i>Oncidium pulvinatum</i>    | live (art. prop.) | 92<br>3        | BR<br>BR                           | DE<br>NL       |
|                         | <i>Oncidium pumilum</i>       | live (art. prop.) | 229<br>20<br>4 | BR<br>BR<br>BR                     | DE<br>GB<br>NL |
|                         |                               | live              | 2              | BR                                 | GB             |
|                         | <i>Oncidium raniferum</i>     | live (art. prop.) | 72<br>1        | BR<br>BR                           | DE<br>NL       |
|                         |                               | live              | 2              | BR                                 | GB             |
|                         | <i>Oncidium robustissimum</i> | live (art. prop.) | 13<br>4        | BR<br>BR                           | DE<br>NL       |
|                         | <i>Oncidium salvadorensse</i> | live (art. prop.) | 4              | BR                                 | NL             |
|                         | <i>Oncidium sanderae</i>      | live (art. prop.) | 1              | BR                                 | NL             |
|                         |                               | live              | 260            | PE                                 | DE             |
|                         | <i>Oncidium sarcodes</i>      | live (art. prop.) | 110            | BR                                 | DE             |

| CITES EEC<br>App. Annex | TAXON                       | Description       | Quantity                    | Country of<br>Export Origin Import |                            |
|-------------------------|-----------------------------|-------------------|-----------------------------|------------------------------------|----------------------------|
| II                      | <i>Oncidium sarcodes</i>    | live (art. prop.) | 10<br>4<br>1                | BR<br>BR<br>US                     | DK<br>NL<br>DE             |
|                         | <i>Oncidium sphacelatum</i> | live (art. prop.) | 1<br>30                     | BR<br>VE                           | NL<br>DE                   |
|                         | <i>Oncidium sphegiferum</i> | live (art. prop.) | 11                          | BR                                 | DE                         |
|                         | <i>Oncidium spilopterum</i> | live (art. prop.) | 66<br>10<br>20<br>2<br>live | BR<br>BR<br>BR<br>BR<br>1          | DE<br>DK<br>GB<br>NL<br>GB |
|                         | <i>Oncidium suscephalum</i> | live (art. prop.) | 28<br>5                     | BR<br>BR                           | DE<br>NL                   |
|                         | <i>Oncidium tigrinum</i>    | live (art. prop.) | 200<br>1                    | MX<br>US                           | GB<br>DE                   |
|                         | <i>Oncidium trulliferum</i> | live (art. prop.) | 52<br>10<br>1<br>live       | BR<br>BR<br>BR<br>BR               | DE<br>DK<br>NL<br>GB       |
|                         | <i>Oncidium varicosum</i>   | live (art. prop.) | 1493<br>20<br>20<br>3       | BR<br>BR<br>BR<br>US               | DE<br>DK<br>NL<br>DE       |
|                         | <i>Oncidium variegatum</i>  | live (art. prop.) | 1                           | BR                                 | DE                         |
|                         |                             | live              | 2                           | DO                                 | DK                         |
|                         | <i>Oncidium waluewa</i>     | live (art. prop.) | 60                          | BR                                 | DE                         |

| CITES EEC<br>App. Annex | Taxon                                   | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|---|-------------------|----------|------------------------------------|
| II                      | <i>Oncidium warmingii</i>               | live (art. prop.) | 30       | BR DE                              |
|                         |   |                   | 1        | BR NL                              |
|                         |   | live              | 1        | BR GB                              |
| C1                      | <i>Orchis morio</i>                     | live (art. prop.) | 140      | AT DE                              |
|                         | <i>Ornithocephalus spp.</i>             | live (art. prop.) | 10       | BR DE                              |
|                         |   | live              | 1        | CR DK                              |
|                         |   |                   | 1        | CR NL                              |
|                         |   |                   | 5        | EC DE                              |
|                         | <i>Ornithocephalus<br/>grandiflorus</i> | live (art. prop.) | 90       | BR DE                              |
|                         |   |                   | 10       | BR DK                              |
|                         | <i>Ornithocephalus myrticola</i>        | live (art. prop.) | 15       | BR DE                              |
|                         |   |                   | 20       | BR GB                              |
|                         |   | live              | 3        | BR GB                              |
|                         | <i>Ornithocephalus reitzii</i>          | live (art. prop.) | 3        | BR NL                              |
|                         | <i>Ornithochilus difformis</i>          | live (art. prop.) | 2        | TH DE                              |
|                         |   |                   | 10       | TH GB                              |
|                         |   | live              | 3        | TH DE                              |
|                         |   |                   | 36       | TH NL                              |
|                         | <i>Ornithophora radicans</i>            | live (art. prop.) | 33       | BR DE                              |
|                         | <i>Otochilus porrecta</i>               | live              | 30       | TH NL                              |
|                         | <i>Pabstia jugosa</i>                   | live (art. prop.) | 61       | BR DE                              |
|                         |   |                   | 24       | BR DK                              |
|                         |   | live              | 12       | BR NL                              |
|                         | <i>Pabstia viridis</i>                  | live (art. prop.) | 47       | BR DE                              |

| CITES EEC<br>App. Annex | Taxon                           | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Pabstia viridis</i>          | live (art. prop.) | 20       | BR                                 | DK |
|                         |                                 | live              | 9        | BR                                 | NL |
|                         | <i>Pabstiella mirabilis</i>     | live (art. prop.) | 74       | BR                                 | DE |
|                         |                                 |                   | 20       | BR                                 | GB |
|                         |                                 |                   | 8        | BR                                 | NL |
|                         | <i>Pachystoma senile</i>        | live              | 18       | TH                                 | DE |
|                         | <i>Panisea uniflora</i>         | live              | 50       | TH                                 | GB |
|                         | <i>Paphinia cristata</i>        | live              | 50       | PE                                 | DE |
|                         | <i>Paphiopedilum</i> spp.       | live (art. prop.) | 396      | CH                                 | DE |
|                         |                                 |                   | 100      | NZ                                 | GB |
|                         |                                 |                   | 2960     | SE                                 | DE |
|                         |                                 |                   | 3        | TH                                 | DE |
|                         |                                 |                   | 25       | TH                                 | GB |
|                         |                                 |                   | 878      | US                                 | DE |
|                         |                                 |                   | 523      | US                                 | GB |
|                         |                                 |                   | 1150     | US                                 | NL |
|                         |                                 |                   | 307      | US                                 | XX |
|                         |                                 |                   | 500      | US                                 | XX |
|                         |                                 |                   | 60       | XX                                 | GB |
|                         |                                 | live              | 15       | PH                                 | GB |
|                         |                                 |                   | 72       | TH                                 | DE |
|                         |                                 |                   | 6        | TH                                 | NL |
|                         |                                 |                   | 16       | US                                 | DE |
|                         | <i>Paphiopedilum acmodontum</i> | live (art. prop.) | 10       | PH                                 | GB |
|                         |                                 |                   | 10       | PH                                 | NL |
|                         |                                 | live              | 10       | PH                                 | GB |
|                         | <i>Paphiopedilum argus</i>      | live (art. prop.) | 10       | PH                                 | GB |
|                         |                                 |                   | 10       | PH                                 | NL |

| CITES EEC<br>App. Annex | Taxon                               | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|-------------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Paphiopedilum argus</i>          | live              | 10       | PH                                 | GB |
|                         | <i>Paphiopedilum armeniacum</i>     | live (art. prop.) | 5        | JP                                 | DE |
|                         |                                     |                   | 100      | JP                                 | DK |
|                         | <i>Paphiopedilum barbatum</i>       | live              | 10       | TH                                 | DE |
|                         |                                     |                   | 1        | TH                                 | GB |
|                         | <i>Paphiopedilum barbigerum</i>     | live (art. prop.) | 5        | JP                                 | DE |
|                         | <i>Paphiopedilum bellatulum</i>     | live              | 60       | TH                                 | BE |
|                         |                                     |                   | 80       | TH                                 | DE |
|                         |                                     |                   | 102      | TH                                 | DK |
|                         |                                     |                   | 1        | TH                                 | GB |
|                         |                                     |                   | 482      | TH                                 | NL |
|                         | <i>Paphiopedilum callosum</i>       | live (art. prop.) | 10550    | TH                                 | NL |
|                         |                                     | live              | 54       | TH                                 | DE |
|                         |                                     |                   | 1011     | TH                                 | DK |
|                         |                                     |                   | 1        | TH                                 | GB |
|                         |                                     |                   | 30149    | TH                                 | NL |
|                         | <i>Paphiopedilum charlesworthii</i> | live (art. prop.) | 5        | JP                                 | DE |
|                         | <i>Paphiopedilum ciliolare</i>      | live (art. prop.) | 10       | PH                                 | GB |
|                         |                                     |                   | 10       | PH                                 | NL |
|                         |                                     | live              | 10       | PH                                 | GB |
|                         | <i>Paphiopedilum concolor</i>       | live              | 87       | TH                                 | DE |
|                         |                                     |                   | 250      | TH                                 | DK |
|                         |                                     |                   | 1        | TH                                 | GB |
|                         |                                     |                   | 533      | TH                                 | NL |
|                         | <i>Paphiopedilum emersonii</i>      | live (art. prop.) | 5        | JP                                 | DE |

| CITES EEC<br>App. Annex | TAXON  | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|--|-------------------|----------|------------------------------------|----|
| II                      | <i>Paphiopedilum emersonii</i>               | live (art. prop.) | 10       | JP                                 | DK |
|                         | <i>Paphiopedilum exul</i>                    | live (art. prop.) | 25       | TH                                 | GB |
|                         |  | live              | 12       | TH                                 | DE |
|                         |  |                   | 11       | TH                                 | DK |
|                         |  |                   | 1        | TH                                 | GB |
|                         |  |                   | 96       | TH                                 | NL |
|                         | <i>Paphiopedilum godefroyae</i>              | live              | 60       | TH                                 | BE |
|                         |  |                   | 168      | TH                                 | DE |
|                         |  |                   | 72       | TH                                 | DK |
|                         |  |                   | 1        | TH                                 | GB |
|                         |  |                   | 647      | TH                                 | NL |
|                         | <i>Paphiopedilum</i><br><i>haynaldianum</i>  | live (art. prop.) | 10       | PH                                 | GB |
|                         |  |                   | 10       | PH                                 | NL |
|                         |  | live              | 10       | PH                                 | GB |
|                         | <i>Paphiopedilum hennisianum</i>             | live (art. prop.) | 4        | BN                                 | DE |
|                         |  |                   | 20       | PH                                 | GB |
|                         |  |                   | 20       | PH                                 | NL |
|                         |  | live              | 10       | PH                                 | GB |
|                         |  |                   | 60       | TH                                 | BE |
|                         | <i>Paphiopedilum henryanum</i>               | live (art. prop.) | 5        | JP                                 | DE |
|                         |  |                   | 10       | JP                                 | DK |
|                         | <i>Paphiopedilum</i><br><i>hirsutissimum</i> | live              | 46       | TH                                 | DE |
|                         |  |                   | 1        | TH                                 | DK |
|                         |  |                   | 1        | TH                                 | GB |
|                         |  |                   | 56       | TH                                 | NL |
|                         | <i>Paphiopedilum malipoense</i>              | live (art. prop.) | 5        | JP                                 | DE |

| CITES EEC<br>App. Annex | Taxon                              | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|------------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Paphiopedilum malipoense</i>    | live (art. prop.) | 50       | JP                                 | DK |
|                         | <i>Paphiopedilum micranthum</i>    | live (art. prop.) | 5        | JP                                 | DE |
|                         |                                    |                   | 100      | JP                                 | DK |
|                         |                                    | live              | 10       | TH                                 | NL |
|                         | <i>Paphiopedilum niveum</i>        | live (art. prop.) | 25       | TH                                 | GB |
|                         |                                    | live              | 60       | TH                                 | BE |
|                         |                                    |                   | 115      | TH                                 | DE |
|                         |                                    |                   | 1        | TH                                 | GB |
|                         |                                    |                   | 692      | TH                                 | NL |
|                         | <i>Paphiopedilum parishii</i>      | live (art. prop.) | 25       | TH                                 | GB |
|                         |                                    | live              | 26       | TH                                 | DE |
|                         |                                    |                   | 1        | TH                                 | GB |
|                         |                                    |                   | 1282     | TH                                 | NL |
|                         | <i>Paphiopedilum philippinense</i> | live (art. prop.) | 110      | PH                                 | DK |
|                         |                                    |                   | 30       | PH                                 | GB |
|                         |                                    |                   | 30       | PH                                 | NL |
|                         |                                    | live              | 20       | PH                                 | GB |
|                         |                                    |                   | 1        | TH                                 | DK |
|                         | <i>Paphiopedilum purpuratum</i>    | live (art. prop.) | 10       | JP                                 | DE |
|                         |                                    |                   | 50       | JP                                 | DK |
|                         | <i>Paphiopedilum randsii</i>       | live              | 15       | PH                                 | GB |
|                         | <i>Paphiopedilum sukhakulii</i>    | live              | 80       | TH                                 | DE |
|                         |                                    |                   | 700      | TH                                 | DK |
|                         |                                    |                   | 1        | TH                                 | GB |
|                         |                                    |                   | 316      | TH                                 | NL |
|                         | <i>Paphiopedilum urbanianum</i>    | live (art. prop.) | 10       | PH                                 | GB |

| CITES EEC<br>App. Annex | TAXON                            | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Paphiopedilum urbanianum</i>  | live (art. prop.) | 10       | PH NL                              |
|                         |                                  | live              | 10       | PH GB                              |
|                         |                                  |                   | 1        | TH DK                              |
|                         | <i>Paphiopedilum villosum</i>    | live (art. prop.) | 25       | TH GB                              |
|                         |                                  | live              | 4        | TH DE                              |
|                         |                                  |                   | 101      | TH DK                              |
|                         |                                  |                   | 1        | TH GB                              |
|                         |                                  |                   | 16       | TH NL                              |
|                         | <i>Paphiopedilum wardii</i>      | live (art. prop.) | 100      | JP DK                              |
|                         | <i>Papilionanthe hookeriana</i>  | live (art. prop.) | 31       | TH DE                              |
|                         |                                  |                   | 33       | TH NL                              |
|                         |                                  | live              | 63       | TH DE                              |
|                         |                                  |                   | 9        | TH NL                              |
|                         | <i>Papilionanthe teres</i>       | flowers           | 3        | TH DE                              |
|                         |                                  | live (art. prop.) | 1        | BR DE                              |
|                         |                                  |                   | 2        | TH DE                              |
|                         |                                  | live              | 48       | TH DE                              |
|                         |                                  |                   | 1        | TH DK                              |
|                         |                                  |                   | 15       | TH NL                              |
|                         | <i>Pecteilis sagarikii</i>       | live (art. prop.) | 4        | TH DE                              |
|                         |                                  | live              | 6        | TH DE                              |
|                         | <i>Pecteilis susannae</i>        | live (art. prop.) | 8        | TH DE                              |
|                         |                                  |                   | 10       | TH NL                              |
|                         |                                  | live              | 12       | TH BE                              |
|                         |                                  |                   | 6        | TH DE                              |
|                         | <i>Pelatantheria</i> spp.        | live              | 39       | TH DE                              |
|                         | <i>Pelatantheria bicuspidata</i> | live              | 3        | TH DE                              |

| CITES EEC<br>App. Annex | TAXON                             | Description               | Quantity   | Country of<br>Export Origin Import   |  |
|-------------------------|-----------------------------------|---------------------------|--|--|--|
| II                      | <i>Pelatantheria ctenoglossum</i> | live (art. prop.)<br>live | 50<br>147  | TH<br>TH   | GB<br>DE   |
|                         | <i>Pelatantheria insectifera</i>  | live                      | 3  | TH   | NL   |
|                         | <i>Peristylus goodyeroides</i>    | live                      | 3  | TH   | DE   |
|                         | <i>Pescatoria spp.</i>            | live                      | 3  | EC   | DE   |
|                         | <i>Pescatoria cerina</i>          | live                      | 8  | CR   | NL   |
|                         | <i>Phaius spp.</i>                | live (art. prop.)         | 3  | CN   | DE   |
|                         | <i>Phaius grandifolius</i>        | live (art. prop.)<br>live | 1<br>50<br>4   | TH<br>PH<br>TH   | DE<br>GB<br>NL   |
|                         | <i>Phaius tankervilleae</i>       | live (art. prop.)<br>live | 11<br>103  | TH<br>TH   | DE<br>DE   |
|                         | <i>Phalaenopsis spp.</i>          | live (art. prop.)         | 3965<br>3<br>1000<br>10000<br>1<br>100<br>59<br>4549<br>60<br>5000<br>169003<br>150<br>825<br>3042 | LK<br>MY<br>MY<br>MY<br>PH<br>SE<br>SG<br>TH<br>TH<br>TH<br>TW<br>US<br>US<br>US | NL<br>DE<br>DK<br>NL<br>DE<br>DE<br>DE<br>DE<br>GB<br>NL<br>NL<br>BE<br>DE<br>GB |

| CITES EEC<br>App. Annex | Taxon                             | Description       | Quantity | Country of<br>Export Origin | Import |
|-------------------------|-----------------------------------|-------------------|----------|-----------------------------|--------|
| II                      | <i>Phalaenopsis</i> spp.          | live (art. prop.) | 2        | US                          | NL     |
|                         |                                   |                   | 5 sets   | TH                          | NL     |
|                         |                                   | live              | 10       | TH                          | DE     |
|                         |                                   |                   | 120      | TH                          | GB     |
|                         | <i>Phalaenopsis amabilis</i>      | live (art. prop.) | 30       | PH                          | DE     |
|                         |                                   |                   | 5        | PH                          | NL     |
|                         |                                   | live              | 10       | PH                          | GB     |
|                         | <i>Phalaenopsis aphrodite</i>     | live (art. prop.) | 5        | PH                          | NL     |
|                         | <i>Phalaenopsis cornu-cervi</i>   | live (art. prop.) | 25       | MY                          | DE     |
|                         |                                   |                   | 5        | PH                          | NL     |
|                         |                                   |                   | 4        | TH                          | DE     |
|                         |                                   |                   | 10       | TH                          | GB     |
|                         |                                   | live              | 671      | TH                          | DE     |
|                         |                                   |                   | 200      | TH                          | DK     |
|                         |                                   |                   | 120      | TH                          | GB     |
|                         |                                   |                   | 130      | TH                          | NL     |
|                         | <i>Phalaenopsis equestris</i>     | live (art. prop.) | 80       | PH                          | DE     |
|                         |                                   |                   | 125      | PH                          | DK     |
|                         |                                   |                   | 76       | PH                          | NL     |
|                         |                                   |                   | 1        | US                          | DE     |
|                         |                                   | live              | 2        | TH                          | DK     |
|                         | <i>Phalaenopsis fasciata</i>      | live (art. prop.) | 5        | PH                          | NL     |
|                         | <i>Phalaenopsis gertrudeae</i>    | live              | 10       | PH                          | GB     |
|                         | <i>Phalaenopsis hieroglyphica</i> | live              | 3        | CR                          | NL     |
|                         | <i>Phalaenopsis intermedia</i>    | live (art. prop.) | 15       | PH                          | NL     |

| CITES EEC<br>App. Annex | Taxon                              | Description       | Quantity | Country of<br>Export Origin Import |       |
|-------------------------|------------------------------------|-------------------|----------|------------------------------------|-------|
| II                      | <i>Phalaenopsis leucorrhoda</i>    | live (art. prop.) | 5        | PH                                 | NL    |
|                         | <i>Phalaenopsis lindenii</i>       | live (art. prop.) | 200      | PH                                 | DE    |
|                         |                                    |                   | 100      | PH                                 | DK    |
|                         |                                    |                   | 25       | PH                                 | NL    |
|                         |                                    | live              | 5        | PH                                 | XX GB |
|                         | <i>Phalaenopsis lueddemanniana</i> | live (art. prop.) | 70       | PH                                 | DE    |
|                         |                                    | live              | 10       | PH                                 | GB    |
|                         | <i>Phalaenopsis mariae</i>         | live (art. prop.) | 15       | PH                                 | NL    |
|                         | <i>Phalaenopsis pallens</i>        | live (art. prop.) | 5        | PH                                 | NL    |
|                         | <i>Phalaenopsis parishii</i>       | live              | 20       | TH                                 | DE    |
|                         | <i>Phalaenopsis sanderiana</i>     | live (art. prop.) | 15       | PH                                 | NL    |
|                         | <i>Phalaenopsis schilleriana</i>   | live (art. prop.) | 15       | PH                                 | NL    |
|                         | <i>Phalaenopsis stuartiana</i>     | live (art. prop.) | 15       | PH                                 | NL    |
|                         | <i>Phalaenopsis sumatrana</i>      | live (art. prop.) | 1        | MY                                 | DE    |
|                         | <i>Phalaenopsis violacea</i>       | live (art. prop.) | 6        | TH                                 | NL    |
|                         | <i>Pholidota articulata</i>        | live (art. prop.) | 1        | TH                                 | DE    |
|                         |                                    | live              | 60       | TH                                 | GB    |
|                         | <i>Pholidota imbricata</i>         | live              | 1        | TH                                 | DE    |
|                         |                                    |                   | 60       | TH                                 | GB    |
|                         | <i>Pholidota pallida</i>           | live (art. prop.) | 1        | TH                                 | DE    |

| CITES EEC<br>App. Annex | Taxon                              | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|------------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Phragmipedium</i> spp.          | live              | 15       | PE                                 | DE |
|                         | <i>Phragmipedium besseae</i>       | live              | 600      | PE                                 | DE |
|                         | <i>Phragmipedium boissierianum</i> | live              | 420      | PE                                 | DE |
|                         | <i>Phragmipedium caudatum</i>      | live              | 1165     | PE                                 | DE |
|                         | <i>Phragmipedium lindenii</i>      | live              | 100      | PE                                 | DE |
|                         | <i>Phragmipedium sargentianum</i>  | live (art. prop.) | 126      | BR                                 | DE |
|                         |                                    |                   | 10       | BR                                 | DK |
|                         |                                    |                   | 26       | BR                                 | NL |
|                         | <i>Phragmipedium wallisii</i>      | live              | 300      | PE                                 | DE |
|                         | <i>Phreatia densiflora</i>         | live (art. prop.) | 5        | PH                                 | NL |
|                         | <i>Phymatidium delicatulum</i>     | live (art. prop.) | 100      | BR                                 | DE |
|                         |                                    |                   | 2        | BR                                 | NL |
|                         | <i>Phymatidium tillandsioides</i>  | live (art. prop.) | 71       | BR                                 | DE |
|                         |                                    |                   | 20       | BR                                 | GB |
|                         |                                    |                   | 7        | BR                                 | NL |
| C1                      | <i>Platanthera bifolia</i>         | live (art. prop.) | 100      | AT                                 | DE |
|                         | <i>Platystele</i> spp.             | live              | 7        | CR                                 | NL |
|                         | <i>Platystele stenostachya</i>     | live              | 3        | CR                                 | DK |
|                         |                                    |                   | 7        | CR                                 | NL |

| CITES EEC<br>App. Annex | TAXON   | Description       | Quantity | Country of<br>Export Origin Import |       |
|-------------------------|---|-------------------|----------|------------------------------------|-------|
| II                      | <i>Platythelys querceticola</i>               | live              | 1        | CR                                 | DK    |
|                         | <i>Plectrelminthus caudatus</i>               | live (art. prop.) | 20       | TH                                 | NL    |
|                         | <i>Pleione</i> spp.                           | live (art. prop.) | 79       | XX                                 | GB    |
|                         |   | live              | 70       | HK                                 | XX DE |
|                         | <i>Pleione formosana</i>                      | live (art. prop.) | 20       | JP                                 | DK    |
|                         |   |                   | 126800   | TW                                 | GB    |
|                         |   |                   | 17520    | TW                                 | NL    |
|                         | <i>Pleione forrestii</i>                      | live (art. prop.) | 1000     | JP                                 | DE    |
|                         | <i>Pleione limprichtii</i>                    | live (art. prop.) | 1070     | SE                                 | NL    |
|                         | <i>Pleione maculata</i>                       | live              | 3400     | TH                                 | BE    |
|                         |   |                   | 139      | TH                                 | DE    |
|                         |   |                   | 12       | TH                                 | NL    |
|                         | <i>Pleione scopulorum</i>                     | live (art. prop.) | 400      | JP                                 | DE    |
|                         | <i>Pleione yunnanensis</i>                    | live (art. prop.) | 250      | JP                                 | NL    |
|                         | <i>Pleurothallis</i> spp.                     | live (art. prop.) | 14       | BR                                 | DE    |
|                         |   | live              | 7        | CR                                 | DK    |
|                         |   |                   | 31       | CR                                 | NL    |
|                         |   |                   | 10       | EC                                 | DE    |
|                         | <i>Pleurothallis</i><br><i>alligatorifera</i> | live (art. prop.) | 79       | BR                                 | DE    |
|                         |   |                   | 6        | BR                                 | NL    |
|                         | <i>Pleurothallis alpina</i>                   | live              | 1        | CR                                 | DK    |
|                         |   |                   | 1        | CR                                 | NL    |

| CITES EEC<br>App. Annex | Taxon                                | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|--------------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Pleurothallis aristata</i>        | live              | 2        | DO                                 | DK |
|                         | <i>Pleurothallis bicornis</i>        | live              | 30       | PE                                 | DE |
|                         | <i>Pleurothallis brighamii</i>       | live              | 8        | CR                                 | NL |
|                         | <i>Pleurothallis caespitosa</i>      | live (art. prop.) | 88       | BR                                 | DE |
|                         |                                      |                   | 90       | BR                                 | DK |
|                         |                                      |                   | 20       | BR                                 | GB |
|                         |                                      |                   | 5        | BR                                 | NL |
|                         | <i>Pleurothallis calyptrostele</i>   | live              | 3        | CR                                 | NL |
|                         | <i>Pleurothallis cardiothallis</i>   | live              | 6        | CR                                 | NL |
|                         | <i>Pleurothallis convallarioides</i> | live              | 7        | CR                                 | NL |
|                         | <i>Pleurothallis corticicola</i>     | live (art. prop.) | 1        | BR                                 | NL |
|                         | <i>Pleurothallis crenata</i>         | live (art. prop.) | 2        | BR                                 | DE |
|                         | <i>Pleurothallis deregularis</i>     | live (art. prop.) | 1        | BR                                 | DE |
|                         | <i>Pleurothallis grandiflora</i>     | live (art. prop.) | 10       | BR                                 | DE |
|                         | <i>Pleurothallis grobyi</i>          | live (art. prop.) | 33       | BR                                 | DE |
|                         |                                      |                   | 20       | BR                                 | GB |
|                         |                                      |                   | 10       | BR                                 | NL |
|                         | <i>Pleurothallis lappiformis</i>     | live              | 3        | CR                                 | NL |

| CITES EEC<br>App. Annex | TAXON                             | Description       | Quantity      | Country of<br>Export Origin Import |                |
|-------------------------|-----------------------------------|-------------------|---------------|------------------------------------|----------------|
| II                      | <i>Pleurothallis linearifolia</i> | live (art. prop.) | 12<br>20      | BR<br>BR                           | DE<br>GB       |
|                         | <i>Pleurothallis miqueliana</i>   | live              | 5             | CR                                 | NL             |
|                         | <i>Pleurothallis oblongifolia</i> | live              | 3             | DO                                 | DK             |
|                         | <i>Pleurothallis pectinata</i>    | live (art. prop.) | 1             | US                                 | DE             |
|                         | <i>Pleurothallis pterophora</i>   | live (art. prop.) | 42<br>20<br>9 | BR<br>BR<br>BR                     | DE<br>GB<br>NL |
|                         | <i>Pleurothallis rhodoglossa</i>  | live              | 1             | CR                                 | DK             |
|                         | <i>Pleurothallis ruscifolia</i>   | live              | 1             | DO                                 | DK             |
|                         | <i>Pleurothallis schiedei</i>     | live (art. prop.) | 10            | HN                                 | DE             |
|                         | <i>Pleurothallis sonderana</i>    | live (art. prop.) | 42<br>20<br>9 | BR<br>BR<br>BR                     | DE<br>GB<br>NL |
|                         | <i>Pleurothallis trifida</i>      | live (art. prop.) | 1             | BR                                 | NL             |
|                         | <i>Pleurothallis trisetella</i>   | live              | 6             | CR                                 | NL             |
|                         | <i>Pleurothallis truxillensis</i> | live              | 4             | CR                                 | NL             |
|                         | <i>Pleurothallis warmingii</i>    | live (art. prop.) | 1             | BR                                 | NL             |
|                         | <i>Polycycnis breviloba</i>       | live (art. prop.) | 1             | BR                                 | DE             |

| CITES EEC<br>App. Annex | Taxon                           | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Polycycnis muscifera</i>     | live              | 5        | PE                                 | DE |
|                         | <i>Polystachya</i> spp.         | live              | 1        | CR                                 | DK |
|                         | <i>Polystachya flavescens</i>   | live (art. prop.) | 50       | TH                                 | GB |
|                         |                                 | live              | 35       | TH                                 | GB |
|                         | <i>Polystachya masayensis</i>   | live              | 1        | CR                                 | DK |
|                         | <i>Polystachya pubescens</i>    | live (art. prop.) | 1        | US                                 | DE |
|                         |                                 | live              | 1        | US                                 | GB |
|                         | <i>Pomatocalpa</i> spp.         | live              | 66       | TH                                 | DE |
|                         | <i>Pomatocalpa bicolor</i>      | live (art. prop.) | 5        | PH                                 | NL |
|                         | <i>Pomatocalpa latifolium</i>   | live (art. prop.) | 5        | PH                                 | NL |
|                         |                                 | live              | 106      | TH                                 | DE |
|                         | <i>Pomatocalpa setulense</i>    | live              | 46       | TH                                 | DE |
|                         | <i>Porroglossum rodrigoi</i>    | live (art. prop.) | 2        | US                                 | NL |
|                         | <i>Promenaea ovatiloba</i>      | live (art. prop.) | 1        | BR                                 | DE |
|                         |                                 |                   | 1        | BR                                 | NL |
|                         | <i>Promenaea stapelioides</i>   | live (art. prop.) | 81       | BR                                 | DE |
|                         |                                 |                   | 20       | BR                                 | DK |
|                         |                                 |                   | 11       | BR                                 | NL |
|                         | <i>Promenaea xanthina</i>       | live (art. prop.) | 254      | BR                                 | DE |
|                         |                                 |                   | 20       | BR                                 | DK |
|                         |                                 |                   | 26       | BR                                 | NL |
|                         | <i>Pseudolaelia vellozicola</i> | live (art. prop.) | 37       | BR                                 | DE |

| CITES EEC<br>App. Annex | Taxon                            | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Psygmorchis pumilio</i>       | live              | 2        | CR NL                              |
|                         | <i>Psygmorchis pusilla</i>       | live (art. prop.) | 30       | HN DE                              |
|                         | <i>Pteroceras spp.</i>           | live              | 6        | TH DE                              |
|                         | <i>Pteroceras longicalcareus</i> | live (art. prop.) | 5        | PH DK                              |
|                         |                                  |                   | 5        | PH NL                              |
|                         | <i>Pteroceras pallidum</i>       | live (art. prop.) | 5        | PH DK                              |
|                         |                                  |                   | 15       | PH NL                              |
|                         | <i>Pterostylis abrupta</i>       | live (art. prop.) | 4        | AU NL                              |
|                         | <i>Pterostylis truncata</i>      | live (art. prop.) | 3        | AU NL                              |
|                         | <i>Rangaeris amaniensis</i>      | live (art. prop.) | 2        | US DE                              |
|                         | <i>Renanthera spp.</i>           | live (art. prop.) | 5        | TH DE                              |
|                         |                                  |                   | 20       | TH GB                              |
|                         | <i>Renanthera coccinea</i>       | live (art. prop.) | 3        | TH DE                              |
|                         |                                  | live              | 36       | TH DE                              |
|                         |                                  |                   | 60       | TH GB                              |
|                         |                                  |                   | 3        | TH NL                              |
|                         | <i>Renanthera isosepala</i>      | live (art. prop.) | 1        | TH DE                              |
|                         |                                  | live              | 34       | TH DE                              |
|                         |                                  |                   | 1        | TH DK                              |
|                         |                                  |                   | 60       | TH GB                              |
|                         |                                  |                   | 3        | TH NL                              |
|                         | <i>Renanthera matutina</i>       | live (art. prop.) | 10       | PH NL                              |
|                         | <i>Renanthera monachica</i>      | live (art. prop.) | 30       | PH NL                              |

| CITES EEC<br>App. Annex | TAXON                            | Description       | Quantity                           | Country of<br>Export Origin Import |                                  |
|-------------------------|----------------------------------|-------------------|------------------------------------|------------------------------------|----------------------------------|
| II                      | <i>Renanthera monachica</i>      | live              | 50<br>2                            | PH<br>TH                           | GB<br>DE                         |
|                         | <i>Renanthera philippinensis</i> | live (art. prop.) | 20                                 | TH                                 | GB                               |
|                         | <i>Renanthera storiei</i>        | live (art. prop.) | 30                                 | PH                                 | NL                               |
|                         |                                  | live              | 50                                 | PH                                 | GB                               |
|                         | <i>Renata</i> spp.               | live              | 3                                  | CR                                 | NL                               |
|                         | <i>Restrepia</i> spp.            | live              | 4                                  | EC                                 | DE                               |
|                         | <i>Restrepia angustilabia</i>    | live              | 1                                  | CR                                 | NL                               |
|                         | <i>Restrepia antennifera</i>     | live              | 20                                 | PE                                 | DE                               |
|                         | <i>Restrepia pernix</i>          | live (art. prop.) | 2                                  | US                                 | NL                               |
|                         | <i>Restrepia xanthophthalma</i>  | live              | 2                                  | CR                                 | NL                               |
|                         | <i>Rhyncholaelia glauca</i>      | live (art. prop.) | 20                                 | HN                                 | DE                               |
|                         | <i>Rhynchosystylis</i> spp.      | live (art. prop.) | 25<br>10                           | TH<br>TH                           | DE<br>DK                         |
|                         | <i>Rhynchosystylis coelestis</i> | live (art. prop.) | 44<br>60                           | TH<br>TH                           | DE<br>GB                         |
|                         |                                  | live              | 120<br>364<br>13<br>50<br>70<br>10 | TH<br>TH<br>TH<br>TH<br>TH<br>TH   | BE<br>DE<br>DK<br>GB<br>NL<br>GB |
|                         | <i>Rhynchosystylis gigantea</i>  | live (art. prop.) | 50                                 | TH                                 | DE                               |

| CITES EEC<br>App. Annex | Taxon                              | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|------------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Rhynchosylistis gigantea</i>    | live (art. prop.) | 31       | TH                                 | NL |
|                         |                                    | live              | 120      | TH                                 | BE |
|                         |                                    |                   | 110      | TH                                 | DE |
|                         |                                    |                   | 52       | TH                                 | DK |
|                         |                                    |                   | 156      | TH                                 | NL |
|                         |                                    |                   | 1        | US                                 | XX |
|                         |                                    |                   |          |                                    | GB |
|                         | <i>Rhynchosylistis retusa</i>      | live (art. prop.) | 4        | TH                                 | DE |
|                         |                                    | live              | 50       | PH                                 | GB |
|                         |                                    |                   | 120      | TH                                 | BE |
|                         |                                    |                   | 91       | TH                                 | DE |
|                         |                                    |                   | 1        | TH                                 | DK |
|                         |                                    |                   | 25       | TH                                 | GB |
|                         |                                    |                   | 62       | TH                                 | NL |
|                         | <i>Rhynchosylistis violacea</i>    | live (art. prop.) | 5        | PH                                 | NL |
|                         | <i>Robiquetia compressa</i>        | live (art. prop.) | 10       | PH                                 | NL |
|                         | <i>Robiquetia fuerstenbergiana</i> | live              | 1        | TH                                 | DE |
|                         | <i>Robiquetia merrillii</i>        | live (art. prop.) | 10       | PH                                 | NL |
|                         | <i>Robiquetia spathulata</i>       | live (art. prop.) | 10       | PH                                 | NL |
|                         |                                    | live              | 3        | TH                                 | DE |
|                         | <i>Robiquetia succisa</i>          | live              | 7        | TH                                 | DE |
|                         | <i>Rodriguezia spp.</i>            | live (art. prop.) | 22       | BR                                 | DE |
|                         |                                    | live              | 5        | PE                                 | DE |
|                         | <i>Rodriguezia decora</i>          | live (art. prop.) | 10       | BR                                 | DE |
|                         |                                    | live              | 2        | BR                                 | GB |

| CITES EEC<br>App. Annex | Taxon                              | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|------------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Rodriguezia ensiformis</i>      | live              | 100      | PE DE                              |
|                         | <i>Rodriguezia obtusifolia</i>     | live (art. prop.) | 5        | BR DE                              |
|                         |                                    |                   | 8        | BR NL                              |
|                         | <i>Rodriguezia secunda</i>         | live (art. prop.) | 145      | BR DE                              |
|                         |                                    |                   | 8        | VE DE                              |
|                         |                                    | live              | 300      | PE DE                              |
|                         | <i>Rodriguezia venusta</i>         | live (art. prop.) | 442      | BR DE                              |
|                         |                                    |                   | 15       | BR DK                              |
|                         |                                    |                   | 15       | BR NL                              |
|                         |                                    | live              | 4        | BR GB                              |
|                         | <i>Rodrigueziella gomezoides</i>   | live (art. prop.) | 43       | BR DE                              |
|                         | <i>Rodrigueziella verboonensis</i> | live (art. prop.) | 52       | BR DE                              |
|                         |                                    | live              | 2        | BR NL                              |
|                         | <i>Rossioglossum grande</i>        | live (art. prop.) | 12       | US DE                              |
|                         | <i>Rudolfiella saxicola</i>        | live              | 3        | PE DE                              |
|                         | <i>Saccolabium spp.</i>            | live              | 33       | TH DE                              |
|                         | <i>Sarcanthus elegans</i>          | live (art. prop.) | 1        | TH DE                              |
|                         | <i>Sarcochilus fitzgeraldii</i>    | live (art. prop.) | 10       | AU DE                              |
|                         | <i>Sarothrochilus dawsonianus</i>  | live (art. prop.) | 2        | TH DE                              |
|                         |                                    | live              | 2        | TH DE                              |
|                         |                                    |                   | 1        | TH DK                              |

| CITES EEC<br>App. Annex | Taxon                              | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|------------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Saundersia paniculata</i>       | live (art. prop.) | 1        | BR DE                              |
|                         | <i>Scaphosepalum swertiifolium</i> | live (art. prop.) | 10       | BR DE                              |
|                         |                                    |                   | 1        | US NL                              |
|                         | <i>Scaphyglottis spp.</i>          | live              | 1        | CR DK                              |
|                         |                                    |                   | 1        | CR NL                              |
|                         | <i>Scaphyglottis bilobulata</i>    | live (art. prop.) | 1        | BR DE                              |
|                         | <i>Scaphyglottis lindeniana</i>    | live              | 5        | CR NL                              |
|                         | <i>Scelochilus latipetalus</i>     | live              | 30       | PE DE                              |
|                         | <i>Schoenorchis spp.</i>           | live              | 200      | TH NL                              |
|                         | <i>Schoenorchis fragrans</i>       | live              | 935      | TH DE                              |
|                         |                                    |                   | 15       | TH NL                              |
|                         | <i>Schoenorchis gemmata</i>        | live (art. prop.) | 7        | TH DE                              |
|                         |                                    | live              | 60       | TH BE                              |
|                         |                                    |                   | 85       | TH DE                              |
|                         | <i>Schoenorchis micrantha</i>      | live (art. prop.) | 7        | TH DE                              |
|                         | <i>Schoenorchis pachyacris</i>     | live (art. prop.) | 3        | TH NL                              |
|                         |                                    | live              | 120      | TH BE                              |
|                         |                                    |                   | 264      | TH DE                              |
|                         | <i>Schomburgkia gloriosa</i>       | live (art. prop.) | 21       | BR DE                              |
|                         | <i>Schomburgkia tibiciniflora</i>  | live (art. prop.) | 5        | HN DE                              |
|                         | <i>Scuticaria hadwenii</i>         | live (art. prop.) | 90       | BR DE                              |

| CITES EEC<br>App. Annex | TAXON                        | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Scuticaria hadwenii</i>   | live (art. prop.) | 10       | BR                                 | DK |
|                         |                              |                   | 20       | BR                                 | GB |
|                         |                              | live              | 4        | BR                                 | GB |
|                         | <i>Scuticaria irwiniana</i>  | live (art. prop.) | 21       | BR                                 | DE |
|                         | <i>Scuticaria kautskyi</i>   | live (art. prop.) | 10       | BR                                 | DE |
|                         | <i>Scuticaria mooreana</i>   | live              | 100      | PE                                 | DE |
|                         | <i>Scuticaria steelei</i>    | live              | 10       | PE                                 | DE |
|                         | <i>Seidenfadenia mitrata</i> | live (art. prop.) | 5        | TH                                 | DE |
|                         |                              | live              | 424      | TH                                 | DE |
|                         |                              |                   | 21       | TH                                 | DK |
|                         |                              |                   | 60       | TH                                 | GB |
|                         |                              |                   | 89       | TH                                 | NL |
|                         | <i>Sigmatostalix</i> spp.    | live (art. prop.) | 1        | US                                 | DE |
|                         |                              | live              | 15       | CR                                 | NL |
|                         | <i>Smitinandia helferi</i>   | live (art. prop.) | 1        | TH                                 | DE |
|                         |                              | live              | 20       | TH                                 | DE |
|                         |                              |                   | 9        | TH                                 | NL |
|                         | <i>Smitinandia micrantha</i> | live (art. prop.) | 3        | TH                                 | DE |
|                         |                              | live              | 58       | TH                                 | DE |
|                         |                              |                   | 100      | TH                                 | NL |
|                         | <i>Sobennikoffia</i> spp.    | live              | 1        | US                                 | DE |
|                         | <i>Sobralia</i> spp.         | live (art. prop.) | 1        | BR                                 | DE |
|                         | <i>Sobralia macrantha</i>    | live (art. prop.) | 20       | HN                                 | GB |
|                         |                              |                   | 1        | US                                 | DE |

| CITES EEC<br>App. Annex | Taxon                           | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Sophronitella violacea</i>   | live (art. prop.) | 497      | BR                                 | DE |
|                         |                                 |                   | 10       | BR                                 | DK |
|                         |                                 | live              | 1        | US                                 | BR |
|                         |                                 |                   |          | BR                                 | GB |
|                         | <i>Sophronitis</i>              |                   |          |                                    |    |
|                         | <i>brevipedunculata</i>         | live (art. prop.) | 638      | BR                                 | DE |
|                         |                                 |                   | 20       | BR                                 | DK |
|                         |                                 |                   | 220      | BR                                 | GB |
|                         |                                 | live              | 3        | BR                                 | GB |
|                         | <i>Sophronitis cernua</i>       | live (art. prop.) | 472      | BR                                 | DE |
|                         |                                 |                   | 30       | BR                                 | DK |
|                         |                                 |                   | 220      | BR                                 | GB |
|                         |                                 | live              | 4        | BR                                 | GB |
|                         | <i>Sophronitis coccinea</i>     | live (art. prop.) | 2491     | BR                                 | DE |
|                         |                                 |                   | 50       | BR                                 | DK |
|                         |                                 |                   | 370      | BR                                 | GB |
|                         |                                 |                   | 10       | US                                 | DE |
|                         |                                 | live              | 4        | BR                                 | GB |
|                         | <i>Sophronitis mantiqueirae</i> | live (art. prop.) | 358      | BR                                 | DE |
|                         |                                 |                   | 10       | BR                                 | DK |
|                         |                                 |                   | 220      | BR                                 | GB |
|                         |                                 | live              | 3        | BR                                 | GB |
|                         | <i>Sophronitis rosea</i>        | live (art. prop.) | 193      | BR                                 | DE |
|                         | <i>Sophronitis wittigiana</i>   | live (art. prop.) | 10       | BR                                 | DE |
|                         | <i>Spathoglottis</i> spp.       | live (art. prop.) | 200      | TH                                 | NL |
|                         | <i>Spathoglottis lobbii</i>     | live (art. prop.) | 20       | TH                                 | NL |
|                         |                                 | live              | 26       | TH                                 | DE |
|                         |                                 |                   | 3        | TH                                 | DK |

| CITES EEC<br>App. Annex | Taxon                          | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Spathoglottis plicata</i>   | live (art. prop.) | 20       | TH                                 | NL |
|                         |                                | live              | 60       | TH                                 | BE |
|                         |                                |                   | 27       | TH                                 | DE |
|                         |                                |                   | 1        | TH                                 | DK |
|                         |                                |                   | 50       | TH                                 | GB |
|                         | <i>Spathoglottis pubescens</i> | live              | 24       | TH                                 | DE |
|                         | <i>Spiranthes purpurea</i>     | live              | 100      | PE                                 | DE |
|                         | <i>Stanhopea</i> spp.          | live (art. prop.) | 2        | US                                 | DE |
|                         |                                | live              | 5        | PE                                 | DE |
|                         | <i>Stanhopea hernandezii</i>   | live (art. prop.) | 1        | US                                 | DE |
|                         | <i>Stanhopea oculata</i>       | live (art. prop.) | 48       | BR                                 | DE |
|                         |                                |                   | 10       | BR                                 | DK |
|                         |                                |                   | 100      | HN                                 | GB |
|                         | <i>Stanhopea wardii</i>        | live (art. prop.) | 10       | VE                                 | DE |
|                         |                                | live              | 30       | PE                                 | DE |
|                         | <i>Stelis</i> spp.             | live (art. prop.) | 5        | BR                                 | DE |
|                         |                                | live              | 2        | CR                                 | DK |
|                         |                                |                   | 4        | CR                                 | NL |
|                         |                                |                   | 3        | DO                                 | DK |
|                         | <i>Stelis drosophila</i>       | live (art. prop.) | 1        | BR                                 | DE |
|                         | <i>Stelis gemma</i>            | live              | 50       | PE                                 | DE |
|                         | <i>Stelis guttifera</i>        | live (art. prop.) | 1        | BR                                 | DE |
|                         | <i>Stelis repens</i>           | live              | 4        | DO                                 | DK |

| CITES EEC<br>App. Annex | TAXON                           | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Stenocoryne aureo-fulva</i>  | live (art. prop.) | 161      | BR                                 | DE |
|                         |                                 | live              | 1        | BR                                 | GB |
|                         | <i>Stenocoryne racemosa</i>     | live (art. prop.) | 40       | BR                                 | DE |
|                         | <i>Stenocoryne villosula</i>    | live (art. prop.) | 30       | BR                                 | DE |
|                         | <i>Stenocoryne vitellina</i>    | live (art. prop.) | 19       | BR                                 | DE |
|                         |                                 |                   | 5        | BR                                 | DK |
|                         | <i>Stenocoryne wendlandiana</i> | live (art. prop.) | 1        | BR                                 | DE |
|                         | <i>Stenoglottis woodii</i>      | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Stenorrhynchos speciosus</i> | live              | 50       | PE                                 | DE |
|                         | <i>Sunipia grandiflora</i>      | live              | 8        | TH                                 | DE |
|                         |                                 |                   | 10       | TH                                 | NL |
|                         | <i>Telipogon</i> spp.           | live              | 12       | PE                                 | DE |
|                         | <i>Telipogon costaricensis</i>  | live              | 7        | CR                                 | NL |
|                         | <i>Telipogon gracilipes</i>     | live              | 3        | CR                                 | NL |
|                         | <i>Telipogon hauschildianus</i> | live              | 50       | PE                                 | DE |
|                         | <i>Telipogon vargasii</i>       | live              | 100      | PE                                 | DE |
|                         | <i>Thecostele alata</i>         | live (art. prop.) | 12       | TH                                 | DE |
|                         |                                 | live              | 38       | TH                                 | DE |
|                         |                                 |                   | 2        | TH                                 | NL |
|                         | <i>Thelymitra aristata</i>      | live (art. prop.) | 1        | AU                                 | NL |

| CITES EEC<br>App. Annex | Taxon                               | Description       | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|-------------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Thelymitra nuda</i>              | live (art. prop.) | 1        | AU                                 | NL |
|                         | <i>Thrixspermum acuminatissimum</i> | live (art. prop.) | 2        | TH                                 | DE |
|                         |                                     | live              | 27       | TH                                 | DE |
|                         |                                     |                   | 3        | TH                                 | NL |
|                         | <i>Thrixspermum arachnites</i>      | live (art. prop.) | 37       | TH                                 | DE |
|                         |                                     |                   | 25       | TH                                 | GB |
|                         |                                     | live              | 24       | TH                                 | DE |
|                         |                                     |                   | 50       | TH                                 | GB |
|                         |                                     |                   | 9        | TH                                 | NL |
|                         | <i>Thrixspermum calceolus</i>       | live              | 9        | TH                                 | DE |
|                         |                                     |                   | 6        | TH                                 | NL |
|                         | <i>Thrixspermum elongatum</i>       | live (art. prop.) | 5        | PH                                 | NL |
|                         | <i>Thrixspermum japonicum</i>       | live (art. prop.) | 200      | JP                                 | DE |
|                         | <i>Thrixspermum recurvum</i>        | live (art. prop.) | 3        | TH                                 | DE |
|                         |                                     | live              | 11       | TH                                 | DE |
|                         | <i>Thrixspermum rubrocallysum</i>   | live (art. prop.) | 1        | TH                                 | DE |
|                         | <i>Thunia bracteata</i>             | live (art. prop.) | 2        | TH                                 | DE |
|                         |                                     | live              | 5        | TH                                 | DE |
|                         |                                     |                   | 2        | TH                                 | NL |
|                         | <i>Thunia marshalliana</i>          | live              | 2        | TH                                 | DE |
|                         |                                     |                   | 2        | TH                                 | DK |
|                         |                                     |                   | 1        | TH                                 | GB |
|                         | <i>Triaristella spp.</i>            | live              | 150      | PE                                 | DE |

| CITES EEC<br>App. Annex | Taxon                             | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|-----------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Triaristella reichenbachii</i> | live              | 4        | CR NL                              |
|                         | <i>Trias intermedia</i>           | live              | 2        | TH DE                              |
|                         |                                   |                   | 100      | TH NL                              |
|                         | <i>Trias oblonga</i>              | live              | 9        | TH DE                              |
|                         | <i>Trias vitrina</i>              | live              | 21       | TH DE                              |
|                         | <i>Trichocentrum caloceras</i>    | live              | 7        | CR NL                              |
|                         | <i>Trichocentrum fuscum</i>       | live (art. prop.) | 106      | BR DE                              |
|                         |                                   |                   | 10       | BR DK                              |
|                         | <i>Trichocentrum pfavii</i>       | live              | 4        | CR NL                              |
|                         | <i>Trichocentrum pulchrum</i>     | live              | 20       | PE DE                              |
|                         | <i>Trichocentrum tenuiflorum</i>  | live (art. prop.) | 1        | BR DE                              |
|                         | <i>Trichocentrum tigrinum</i>     | live              | 120      | PE DE                              |
|                         | <i>Trichoceros muralis</i>        | live              | 200      | PE DE                              |
|                         | <i>Trichoglottis spp.</i>         | live              | 5        | TH DE                              |
|                         | <i>Trichoglottis cirrhifera</i>   | live              | 4        | TH DE                              |
|                         | <i>Trichoglottis fasciata</i>     | live (art. prop.) | 2        | TH DE                              |
|                         |                                   | live              | 59       | TH DE                              |
|                         |                                   |                   | 3        | TH DK                              |
|                         |                                   |                   | 2        | TH NL                              |

| CITES EEC<br>App. Annex | TAXON                               | Description       | Quantity      | Country of<br>Export Origin Import |                |          |
|-------------------------|-------------------------------------|-------------------|---------------|------------------------------------|----------------|----------|
| II                      | <i>Trichoglottis philippinensis</i> | live              | 50<br>10      | PH<br>PH                           | XX             | GB<br>GB |
|                         | <i>Trichoglottis retusa</i>         | live              | 2             |                                    | TH             | DE       |
|                         | <i>Trichoglottis sagarikii</i>      | live              | 28<br>1<br>10 | TH<br>TH<br>TH                     | DE<br>DK<br>NL |          |
|                         | <i>Trichoglottis tamesisii</i>      | live (art. prop.) | 5             | PH                                 |                | NL       |
|                         | <i>Trichopilia fragrans</i>         | live (art. prop.) | 1             | US                                 |                | DE       |
|                         | <i>Trichopilia marginata</i>        | live              | 7             | CR                                 |                | NL       |
|                         | <i>Trichopilia oicophylax</i>       | live (art. prop.) | 6             | VE                                 |                | DE       |
|                         | <i>Trichopilia santos-limae</i>     | live (art. prop.) | 10<br>1       | BR<br>BR                           |                | DE<br>NL |
|                         | <i>Trichopilia suavis</i>           | live (art. prop.) | 1             | US                                 |                | DE       |
|                         | <i>Trichotosia pulvinata</i>        | live (art. prop.) | 1             | TH                                 |                | DE       |
|                         | <i>Trichotosia velutina</i>         | live (art. prop.) | 1             | TH                                 |                | DE       |
|                         |                                     | live              | 4             | TH                                 |                | NL       |
|                         | <i>Tridactyle teretifolia</i>       | live              | 4             | CR                                 |                | NL       |
|                         | <i>Trigonidium egertonianum</i>     | live              | 7             | CR                                 |                | NL       |
|                         | <i>Trigonidium obtusum</i>          | live (art. prop.) | 25            | BR                                 |                | DE       |
|                         | <i>Trizeuxis falcata</i>            | live (art. prop.) | 1             | BR                                 |                | DE       |

| CITES EEC<br>App. Annex | TAXON                     | Description       | Quantity | Country of<br>Export Origin Import |       |
|-------------------------|---------------------------|-------------------|----------|------------------------------------|-------|
| II                      | <i>Trizeuxis falcata</i>  | live              | 8        | CR                                 | NL    |
|                         | <i>Vanda</i> spp.         | live (art. prop.) | 15       | PH                                 | GB    |
|                         |                           |                   | 4        | SG                                 | DE    |
|                         |                           |                   | 5242     | TH                                 | DE    |
|                         |                           |                   | 17       | TH                                 | DK    |
|                         |                           |                   | 804      | TH                                 | GB    |
|                         |                           |                   | 3092     | TH                                 | NL    |
|                         |                           |                   | 400      | TH                                 | XX GB |
|                         |                           |                   | 12       | US                                 | DE    |
|                         |                           |                   | 8        | US                                 | GB    |
|                         |                           | live              | 250      | TH                                 | DE    |
|                         |                           |                   | 1        | TH                                 | GB    |
|                         | <i>Vanda bensonii</i>     | live (art. prop.) | 2        | TH                                 | DE    |
|                         |                           |                   | 20       | TH                                 | GB    |
|                         |                           | live              | 51       | TH                                 | DE    |
|                         |                           |                   | 1        | TH                                 | GB    |
|                         |                           |                   | 70       | TH                                 | NL    |
|                         | <i>Vanda brunnea</i>      | live (art. prop.) | 1        | TH                                 | DE    |
|                         |                           | live              | 23       | TH                                 | DE    |
|                         |                           |                   | 1        | TH                                 | DK    |
|                         |                           |                   | 1        | TH                                 | GB    |
|                         |                           |                   | 44       | TH                                 | NL    |
|                         | <i>Vanda coerulescens</i> | live (art. prop.) | 5        | TH                                 | DE    |
|                         |                           |                   | 20       | TH                                 | GB    |
|                         |                           | live              | 36       | TH                                 | DE    |
|                         |                           |                   | 1        | TH                                 | DK    |
|                         |                           |                   | 1        | TH                                 | GB    |
|                         |                           |                   | 82       | TH                                 | NL    |
|                         | <i>Vanda concolor</i>     | live (art. prop.) | 1        | BR                                 | DE    |

| CITES EEC<br>App. Annex | TAXON                     | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|---------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Vanda denisoniana</i>  | live (art. prop.) | 15       | TH DE                              |
|                         |                           | live              | 60       | TH BE                              |
|                         |                           |                   | 175      | TH DE                              |
|                         |                           |                   | 22       | TH DK                              |
|                         |                           |                   | 1        | TH GB                              |
|                         |                           |                   | 20       | TH NL                              |
|                         | <i>Vanda lamellata</i>    | live (art. prop.) | 25       | PH NL                              |
|                         | <i>Vanda lilacina</i>     | live (art. prop.) | 45       | TH DE                              |
|                         |                           | live              | 86       | TH DE                              |
|                         |                           |                   | 1        | TH DK                              |
|                         |                           |                   | 1        | TH GB                              |
|                         |                           |                   | 50       | TH NL                              |
|                         | <i>Vanda luzonica</i>     | live (art. prop.) | 13       | PH NL                              |
|                         |                           |                   | 4        | TH DE                              |
|                         |                           | live              | 50       | PH GB                              |
|                         |                           |                   | 3        | TH DE                              |
|                         | <i>Vanda merrilli</i>     | live (art. prop.) | 8        | PH NL                              |
|                         | <i>Vanda pumila</i>       | live (art. prop.) | 2        | TH NL                              |
|                         |                           | live              | 30       | TH DE                              |
|                         |                           |                   | 20       | TH NL                              |
|                         | <i>Vanda roeblingiana</i> | live (art. prop.) | 5        | PH NL                              |
|                         | <i>Vanda subulifolia</i>  | live              | 18       | TH DE                              |
|                         | <i>Vanda vipanii</i>      | live (art. prop.) | 1        | TH DE                              |
|                         | <i>Vanda watsonii</i>     | live              | 162      | TH DE                              |
|                         |                           |                   | 1        | TH DK                              |
|                         |                           |                   | 1        | TH GB                              |

| CITES EEC<br>App. Annex | Taxon                            | Description       | Quantity | Country of<br>Export Origin Import |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Vanda watsonii</i>            | live              | 5        | TH NL                              |
|                         | <i>Vandopsis gigantea</i>        | live (art. prop.) | 2        | BR DE                              |
|                         |                                  |                   | 1        | TH DE                              |
|                         |                                  | live              | 10       | TH DE                              |
|                         |                                  |                   | 2        | TH NL                              |
|                         | <i>Vandopsis lissochilooides</i> | live (art. prop.) | 10       | PH NL                              |
|                         |                                  |                   | 2        | TH DE                              |
|                         |                                  | live              | 2        | TH DE                              |
|                         |                                  |                   | 1        | TH NL                              |
|                         | <i>Vandopsis parishii</i>        | live (art. prop.) | 1        | TH DE                              |
|                         |                                  |                   | 2        | TH NL                              |
|                         |                                  | live              | 44       | TH DE                              |
|                         |                                  |                   | 10       | TH DK                              |
|                         |                                  |                   | 20       | TH NL                              |
|                         | <i>Vanilla aphylla</i>           | live (art. prop.) | 10       | HN DE                              |
|                         |                                  | live              | 20       | TH DE                              |
|                         |                                  |                   | 50       | TH GB                              |
|                         |                                  |                   | 3        | TH NL                              |
|                         | <i>Warmingia spp.</i>            | live (art. prop.) | 1        | TH DE                              |
|                         | <i>Warmingia eugenii</i>         | live (art. prop.) | 1        | BR DE                              |
|                         | <i>Warrea warreana</i>           | live (art. prop.) | 41       | BR DE                              |
|                         |                                  |                   | 5        | BR DK                              |
|                         | <i>Xylobium variegatum</i>       | live (art. prop.) | 22       | BR DE                              |
|                         | <i>Zygopetalum spp.</i>          | live (art. prop.) | 1        | BR DE                              |
|                         |                                  | live              | 5        | PE DE                              |

| CITES EEC<br>App. Annex | Taxon                            | Description       | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|----|----|
| II                      | <i>Zygopetalum brachypetalum</i> | live (art. prop.) | 1        |                                    | BR | DE |
|                         | <i>Zygopetalum crinitum</i>      | live (art. prop.) | 36       |                                    | BR | DE |
|                         |                                  |                   | 25       |                                    | BR | DK |
|                         | <i>Zygopetalum intermedium</i>   | live (art. prop.) | 28       |                                    | BR | DE |
|                         |                                  |                   | 200      |                                    | BR | GB |
|                         | <i>Zygopetalum mackayi</i>       | live (art. prop.) | 1        |                                    | BR | DE |
|                         | <i>Zygopetalum maxillare</i>     | live (art. prop.) | 120      |                                    | BR | DE |
|                         | <i>Zygopetalum pustulatum</i>    | live (art. prop.) | 30       |                                    | BR | DE |
|                         | <i>Zygostates spp.</i>           | live (art. prop.) | 1        |                                    | BR | DE |
|                         | <i>Zygostates lunata</i>         | live (art. prop.) | 1        |                                    | BR | DE |
|                         | <i>Chrysaliocarpus lutescens</i> | live (art. prop.) | 1        |                                    | TH | DE |
|                         | <i>Neodopsis decaryi</i>         | live (art. prop.) | 25       |                                    | SG | BE |
|                         |                                  |                   | 11       |                                    | SG | NL |
|                         |                                  |                   | 1        |                                    | US | BE |
|                         | <i>Anacampseros spp.</i>         | live (art. prop.) | 180      |                                    | ZA | IT |
|                         |                                  | live              | 418      |                                    | ZA | DE |
| C2                      | <i>Cyclamen spp.</i>             | live              | 1020     |                                    | CS | DE |
|                         |                                  |                   | 200      |                                    | TR | NL |
|                         |                                  |                   | 45000    |                                    | XX | TR |
|                         |                                  |                   |          |                                    |    | GB |
| C2                      | <i>Cyclamen cilicium</i>         | live              | 150000   |                                    | TR | NL |
| C2                      | <i>Cyclamen coum</i>             | live              | 98000    |                                    | TR | NL |

| CITES EEC<br>App. Annex |    | Taxon                           | Description         | Quantity             | Country of<br>Export Origin Import |                |                |
|-------------------------|----|---------------------------------|---------------------|----------------------|------------------------------------|----------------|----------------|
| II                      | C1 | <i>Cyclamen graecum</i>         | live (art. prop.)   | 250                  |                                    | NZ             | DE             |
|                         | C2 | <i>Cyclamen hederifolium</i>    | live                | 12000<br>1073350     |                                    | TR<br>TR       | FR<br>NL       |
|                         | C2 | <i>Cyclamen persicum</i>        | live (art. prop.)   | 1000<br>3200<br>6870 |                                    | CS<br>IL<br>PL | DE<br>FR<br>DE |
|                         |    | <i>Darlingtonia californica</i> | live (art. prop.)   | 2500                 |                                    | US             | NL             |
|                         |    | <i>Sarracenia</i> spp.          | live (art. prop.)   | 165<br>1000          |                                    | US<br>US       | GB<br>NL       |
|                         |    | <i>Sarracenia leucophylla</i>   | live (art. prop.)   | 8000                 |                                    | US             | NL             |
|                         |    | <i>Sarracenia psittacina</i>    | live (art. prop.)   | 50                   |                                    | US             | NL             |
|                         |    | <i>Sarracenia purpurea</i>      | live (art. prop.)   | 1000                 |                                    | US             | NL             |
|                         |    | <i>Zamiaceae</i> spp.           | live                | 698                  |                                    | ZA             | PT             |
|                         |    | <i>Zamia</i> spp.               | live (art. prop.)   | 1500                 |                                    | US             | BE             |
| III                     |    | <i>Tamandua tetradactyla</i>    | live                | 2<br>4               |                                    | GY<br>US       | GY<br>DE       |
|                         |    | <i>Sphiggurus mexicanus</i>     | live                | 9                    |                                    | HN             | DE             |
|                         |    | <i>Agouti paca</i>              | live (captive bred) | 2                    |                                    | US             | GB             |
|                         |    |                                 | live                | 1                    |                                    | HN             | DE             |
|                         |    | <i>Dasyprocta punctata</i>      | live (captive bred) | 1                    |                                    | US             | GB             |

| CITES EEC<br>App. Annex | TAXON                         | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|-------------------------------|---------------------|----------|------------------------------------|----|----|
| III                     | <i>Nasua nasua</i>            | live (captive bred) | 8        | PL                                 | DK |    |
|                         |                               | live                | 24       | HN                                 | DE |    |
|                         | <i>Potos flavus</i>           | live                | 11       | HN                                 | DE |    |
|                         | <i>Civettictis civetta</i>    | live                | 4        | TG                                 | DK |    |
|                         |                               | skins               | 1        | ZA                                 | DE |    |
|                         |                               |                     | 4        | ZW                                 | DE |    |
|                         | <i>Odobenus rosmarus</i>      | bone carvings       | 32       | CH                                 | XX | DE |
|                         |                               |                     | 1        | ZA                                 | XX | GB |
|                         |                               | bones               | 10       | GL                                 | DK |    |
|                         |                               | carvings            | 144      | GL                                 | DK |    |
|                         |                               |                     | 4 sets   | GL                                 | DK |    |
|                         |                               | ivory carvings      | 66 g     | CA                                 | GB | GB |
|                         |                               |                     | 171 g    | US                                 | GB |    |
|                         |                               |                     | 1 kg     | CA                                 | GB |    |
|                         |                               |                     | 1 kg     | US                                 | GB |    |
|                         |                               |                     | 1 kg     | US                                 | XX | GB |
|                         |                               | skulls              | 2        | GL                                 | DK |    |
|                         |                               | teeth               | 3 kg     | GL                                 | DK |    |
|                         |                               | trophies            | 6        | GL                                 | DK |    |
|                         |                               | tusks               | 11       | GL                                 | DK |    |
|                         |                               |                     | 2        | GL                                 | GB |    |
|                         |                               |                     | 1        | US                                 | GB |    |
|                         |                               |                     | 1700 g   | GL                                 | DK |    |
|                         |                               |                     | 63 kg    | GL                                 | DK |    |
|                         |                               |                     | 1 pair   | GL                                 | DK |    |
| C2                      | <i>Hippopotamus amphibius</i> | carvings            | 1        | UG                                 | DK |    |
|                         |                               | feet                | 5        | ZW                                 | DE |    |
|                         |                               | live (captive bred) | 2        | CS                                 | DE |    |
|                         |                               |                     | 1        | DD                                 | DE |    |
|                         |                               | skin pieces         | 1        | TZ                                 | DE |    |
|                         |                               | skulls              | 2        | TZ                                 | DE |    |

| CITES EEC<br>App. Annex | Taxon                         | Description | Quantity  | Country of<br>Export Origin Import |
|-------------------------|-------------------------------|-------------|-----------|------------------------------------|
| III C2                  | <i>Hippopotamus amphibius</i> | skulls      | 1         | ZW DE                              |
|                         |                               | tails       | 1         | ZM DE                              |
|                         |                               |             | 1         | ZW DE                              |
|                         |                               | teeth       | 50        | TZ DE                              |
|                         |                               |             | 12        | ZA DE                              |
|                         |                               |             | 44        | ZM DE                              |
|                         |                               |             | 60        | ZW DE                              |
|                         |                               |             | 2 kg      | TZ DK                              |
|                         |                               | trophies    | 4         | CM ES                              |
|                         |                               |             | 3         | RW DE                              |
|                         |                               |             | 16        | TZ DE                              |
|                         |                               |             | 18        | ZW DE                              |
|                         | <i>Boocercus eurycerus</i>    | skins       | 2         | CF DE                              |
|                         |                               | trophies    | 2         | CM ES                              |
|                         | <i>Bubalus bubalis</i>        | belts       | 108       | TH DE                              |
|                         |                               | carvings    | 332       | ID DK                              |
|                         |                               | handbags    | 1008      | HK DE                              |
|                         |                               |             | 4152      | HK CN DE                           |
|                         |                               |             | 540       | TH DE                              |
|                         |                               | horn pieces | 1         | PH DE                              |
|                         |                               |             | 158       | TH DE                              |
|                         |                               |             | 592 pairs | PH DE                              |
|                         |                               | horns       | 600       | IN DE                              |
|                         |                               |             | 190       | TH DE                              |
|                         |                               |             | 18        | TH ES                              |
|                         |                               | horn scraps | 1004      | PH DE                              |
|                         |                               | live        | 20        | IN PT                              |
|                         |                               | skins       | 649       | IN PT                              |
|                         |                               |             | 20        | PK DE                              |
|                         |                               |             | 5358      | PK ES                              |
|                         |                               |             | 500       | TH DE                              |
|                         |                               |             | 470 kg    | PK PT                              |
|                         |                               |             | 12 sq.ft  | IN GB                              |

| CITES EEC<br>App. Annex | Taxon                     | Description         | Quantity    | Country of<br>Export Origin Import |       |
|-------------------------|---------------------------|---------------------|-------------|------------------------------------|-------|
| III                     | <i>Bubalus bubalis</i>    | skins               | 22806 sq.ft | IN                                 | PT    |
|                         |                           |                     | 65777 sq.ft | TH                                 | DE    |
|                         |                           | skin/leather items  | 1550        | US                                 | IN GB |
|                         |                           | skulls              | 1           | CA                                 | AU GB |
|                         |                           | trophies            | 1           | XX                                 | BW ES |
|                         |                           | wallets             | 400         | HK                                 | CN DE |
|                         | <i>Damaliscus lunatus</i> | horns               | 2           | NA                                 | DE    |
|                         |                           | skins               | 3           | BW                                 | DE    |
|                         |                           |                     | 2           | NA                                 | BE    |
|                         |                           |                     | 2           | RW                                 | DE    |
|                         |                           |                     | 6           | TZ                                 | DE    |
|                         |                           |                     | 1           | TZ                                 | ES    |
|                         |                           |                     | 5           | ZW                                 | DE    |
|                         |                           | skulls              | 4           | BW                                 | DE    |
|                         |                           |                     | 1           | ET                                 | GB    |
|                         |                           |                     | 1           | NA                                 | DE    |
|                         |                           |                     | 5           | RW                                 | DE    |
|                         |                           |                     | 3           | TZ                                 | DE    |
|                         |                           |                     | 2           | TZ                                 | ES    |
|                         |                           |                     | 8           | ZW                                 | DE    |
|                         |                           | trophies            | 2           | BW                                 | GB    |
|                         |                           |                     | 4           | ET                                 | DE    |
|                         |                           |                     | 2           | ET                                 | GB    |
|                         |                           |                     | 8           | NA                                 | DE    |
|                         |                           |                     | 1           | US                                 | ET GB |
|                         |                           |                     | 1           | ZA                                 | DE    |
|                         |                           |                     | 2           | ZW                                 | ES    |
|                         |                           |                     | 3           | ZW                                 | GB    |
|                         |                           |                     | 3 sets      | BW                                 | DK    |
|                         |                           |                     | 1 set       | ZM                                 | DK    |
|                         | <i>Tragelaphus spekei</i> | live (captive bred) | 4           | CH                                 | NL    |
|                         |                           | skins               | 1           | MA                                 | PT    |
|                         |                           |                     | 1           | NA                                 | BE    |

| CITES EEC<br>App. Annex | TAXON                                    | Description         | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|--|---------------------|----------|------------------------------------|----|----|
| III                     | <i>Tragelaphus spekei</i>                | trophies            | 1        | CM                                 | ES |    |
|                         | <i>Rhea americana</i>                    | watchstraps         | 220      | AT                                 | BD | DE |
|                         | <i>Ardea goliath</i>                     | live                | 2        | TZ                                 | NL |    |
|                         | <i>Ephippiorhynchus<br/>senegalensis</i> | live                | 31       | TZ                                 | NL |    |
|                         | <i>Leptoptilos crumeniferus</i>          | live                | 86       | TZ                                 | NL |    |
|                         |  |                     | 2        | TZ                                 | PT |    |
|                         | <i>Hagedashia hagedash</i>               | live                | 6        | TZ                                 | NL |    |
|                         | <i>Threskiornis aethiopicus</i>          | live                | 147      | TZ                                 | NL |    |
|                         |  |                     | 2        | TZ                                 | PT |    |
|                         | <i>Anas acuta</i>                        | live (captive bred) | 8        | CH                                 | DE |    |
|                         | <i>Anas crecca</i>                       | live (captive bred) | 3        | CH                                 | DE |    |
|                         | <i>Anas penelope</i>                     | live (captive bred) | 2        | CH                                 | DE |    |
|                         | <i>Nettapus auritus</i>                  | live<br>skins       | 398      | GN                                 | NL |    |
|                         |  |                     | 2        | ZA                                 | ZM | GB |
|                         | <i>Plectropterus gambensis</i>           | live                | 14       | TZ                                 | NL |    |
| C2                      | <i>Crax rubra</i>                        | live (captive bred) | 5        | US                                 | BE |    |
|                         |  |                     | 2        | US                                 | NL |    |
|                         | <i>Penelope purpurascens</i>             | live                | 1        | HN                                 | GB |    |
|                         | <i>Agriocharis ocellata</i>              | live (captive bred) | 4        | US                                 | BE |    |

| CITES EEC<br>App. Annex | Taxon                            | Description         | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|----------------------------------|---------------------|----------|------------------------------------|----|
| III                     | <i>Columba guinea</i>            | live                | 10       | SN                                 | PT |
| C1                      | <i>Columba livia</i>             | live (captive bred) | 14       | CH                                 | DE |
|                         | <i>Oena capensis</i>             | live                | 500      | BW                                 | GB |
|                         |                                  |                     | 475      | SN                                 | BE |
|                         |                                  |                     | 50       | SN                                 | ES |
|                         |                                  |                     | 1350     | SN                                 | GB |
|                         |                                  |                     | 750      | SN                                 | NL |
|                         |                                  |                     | 801      | SN                                 | PT |
|                         |                                  |                     | 50       | TZ                                 | GB |
|                         | <i>Streptopelia decipiens</i>    | live                | 50       | SN                                 | BE |
|                         | <i>Streptopelia semitorquata</i> | live                | 250      | SN                                 | BE |
|                         | <i>Streptopelia senegalensis</i> | live                | 50       | SN                                 | BE |
|                         |                                  |                     | 50       | SN                                 | GB |
|                         |                                  |                     | 40       | SN                                 | NL |
|                         |                                  |                     | 50       | TZ                                 | GB |
|                         | <i>Streptopelia turtur</i>       | live                | 50       | SN                                 | BE |
|                         | <i>Turtur afer</i>               | live                | 35       | GN                                 | NL |
|                         |                                  |                     | 40       | ML                                 | NL |
|                         |                                  |                     | 20       | SN                                 | GB |
|                         |                                  |                     | 172      | SN                                 | NL |
|                         |                                  |                     | 1        | ZR                                 | NL |
|                         | <i>Turtur tympanistria</i>       | live                | 50       | GN                                 | NL |
|                         |                                  |                     | 100      | LR                                 | NL |
|                         |                                  |                     | 11       | SN                                 | BE |
|                         | <i>Psittacula krameri</i>        | live (captive bred) | 37       | CH                                 | NL |
|                         |                                  |                     | 10       | CH                                 | PT |

| CITES EEC<br>App. Annex | Taxon                        | Description         | Quantity | Country of<br>Export Origin Import |
|-------------------------|------------------------------|---------------------|----------|------------------------------------|
| III                     | <i>Psittacula krameri</i>    | live (captive bred) | 5        | US GB                              |
|                         |                              | live                | 1        | BD GB                              |
|                         |                              |                     | 99       | IN BE                              |
|                         |                              |                     | 265      | IN DK                              |
|                         |                              |                     | 250      | IN NL                              |
|                         |                              |                     | 50       | IN PT                              |
|                         |                              |                     | 1        | KW XX GB                           |
|                         |                              |                     | 100      | ML NL                              |
|                         |                              |                     | 1        | SA DK                              |
|                         |                              |                     | 30       | SN ES                              |
|                         |                              |                     | 1510     | SN GB                              |
|                         |                              |                     | 920      | SN PT                              |
|                         |                              |                     | 2        | US BE                              |
|                         | <i>Musophaga violacea</i>    | live                | 70       | GN BE                              |
|                         |                              |                     | 4        | GN DK                              |
|                         |                              |                     | 59       | GN NL                              |
|                         |                              |                     | 21       | LR NL                              |
|                         |                              |                     | 6        | SN BE                              |
|                         | <i>Ramphastos sulfuratus</i> | live                | 1        | EC ES                              |
|                         | <i>Serinus spp.</i>          | live                | 338      | TZ NL                              |
|                         | <i>Serinus gularis</i>       | live                | 20       | BW BE                              |
|                         |                              |                     | 600      | GN BE                              |
|                         |                              |                     | 620      | SN BE                              |
|                         |                              |                     | 23       | UG BE                              |
|                         | <i>Serinus leucopygius</i>   | live                | 80       | ML DK                              |
|                         |                              |                     | 1215     | ML NL                              |
|                         |                              |                     | 4750     | SN BE                              |
|                         |                              |                     | 50       | SN DK                              |
|                         |                              |                     | 2500     | SN GB                              |
|                         |                              |                     | 10920    | SN NL                              |

| CITES EEC<br>App. Annex | TAXON                      | Description | Quantity | Country of<br>Export Origin Import |
|-------------------------|----------------------------|-------------|----------|------------------------------------|
| III                     | <i>Serinus leucopygius</i> | live        | 45       | SN PT                              |
|                         |                            |             | 50       | TZ BE                              |
|                         |                            |             | 515      | TZ NL                              |
|                         | <i>Serinus mozambicus</i>  | live        | 160      | BW BE                              |
|                         |                            |             | 500      | BW GB                              |
|                         |                            |             | 639      | GN BE                              |
|                         |                            |             | 100      | GN DK                              |
|                         |                            |             | 5374     | GN NL                              |
|                         |                            |             | 90       | LB DK                              |
|                         |                            |             | 260      | LR BE                              |
|                         |                            |             | 3100     | ML BE                              |
|                         |                            |             | 400      | ML DK                              |
|                         |                            |             | 14700    | ML NL                              |
|                         |                            |             | 13425    | SN BE                              |
|                         |                            |             | 900      | SN ES                              |
|                         |                            |             | 9450     | SN GB                              |
|                         |                            |             | 24000    | SN NL                              |
|                         |                            |             | 2665     | SN PT                              |
|                         |                            |             | 765      | TZ BE                              |
|                         |                            |             | 80       | TZ DK                              |
|                         |                            |             | 700      | TZ GB                              |
|                         |                            |             | 980      | TZ NL                              |
|                         |                            |             | 81       | ZR NL                              |
|                         | <i>Amadina fasciata</i>    | live        | 500      | BW GB                              |
|                         |                            |             | 1900     | ML BE                              |
|                         |                            |             | 150      | ML DK                              |
|                         |                            |             | 2500     | ML NL                              |
|                         |                            |             | 6785     | SN BE                              |
|                         |                            |             | 200      | SN ES                              |
|                         |                            |             | 6750     | SN GB                              |
|                         |                            |             | 3300     | SN NL                              |
|                         |                            |             | 4485     | SN PT                              |
|                         |                            |             | 46       | TZ DK                              |

| CITES EEC<br>App. Annex | TAXON                    | Description | Quantity   | Country of<br>Export Origin Import   |  |
|-------------------------|--------------------------|-------------|--|--|--|
| III                     | <i>Amadina fasciata</i>  | live        | 2350<br>1210   | TZ<br>TZ   | GB<br>NL   |
|                         | <i>Amandava subflava</i> | live        | 1125<br>375<br>1000<br>2840<br>764<br>400<br>940<br>2900<br>1300<br>3700<br>1700<br>560<br>60<br>150<br>480<br>4 | GN<br>GN<br>GN<br>GN<br>LR<br>ML<br>ML<br>ML<br>SN<br>SN<br>SN<br>SN<br>SN<br>TZ<br>TZ<br>TZ<br>UG | BE<br>DK<br>GB<br>NL<br>BE<br>BE<br>DK<br>NL<br>BE<br>GB<br>NL<br>PT<br>DK<br>GB<br>NL<br>BE |
|                         | <i>Estrilda spp.</i>     | live        | 250  | TZ   | NL   |
|                         | <i>Estrilda astrild</i>  | live        | 60<br>650<br>650<br>2180<br>800<br>400<br>3010<br>350<br>1115<br>421<br>2800<br>6090<br>28                       | BW<br>GN<br>GN<br>LR<br>ML<br>ML<br>SN<br>SN<br>TZ<br>TZ<br>TZ<br>TZ<br>UG                         | BE<br>BE<br>NL<br>BE<br>BE<br>NL<br>BE<br>NL<br>BE<br>DK<br>GB<br>NL<br>BE                   |

| CITES EEC<br>App. Annex | Taxon                        | Description | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|------------------------------|-------------|----------|------------------------------------|----|
| III                     | <i>Estrilda astrild</i>      | live        | 2        | ZR                                 | NL |
|                         | <i>Estrilda caerulescens</i> | live        | 497      | GN                                 | NL |
|                         |                              |             | 400      | ML                                 | BE |
|                         |                              |             | 680      | ML                                 | DK |
|                         |                              |             | 3000     | ML                                 | NL |
|                         |                              |             | 1575     | SN                                 | BE |
|                         |                              |             | 50       | SN                                 | DK |
|                         |                              |             | 25       | SN                                 | ES |
|                         |                              |             | 5500     | SN                                 | GB |
|                         |                              |             | 1090     | SN                                 | NL |
|                         |                              |             | 300      | SN                                 | PT |
|                         | <i>Estrilda melpoda</i>      | live        | 1562     | GN                                 | BE |
|                         |                              |             | 100      | GN                                 | DK |
|                         |                              |             | 1000     | GN                                 | GB |
|                         |                              |             | 2080     | GN                                 | NL |
|                         |                              |             | 2983     | LR                                 | BE |
|                         |                              |             | 1500     | ML                                 | BE |
|                         |                              |             | 400      | ML                                 | DK |
|                         |                              |             | 2660     | ML                                 | NL |
|                         |                              |             | 4380     | SN                                 | BE |
|                         |                              |             | 200      | SN                                 | ES |
|                         |                              |             | 3300     | SN                                 | GB |
|                         |                              |             | 3325     | SN                                 | NL |
|                         |                              |             | 840      | SN                                 | PT |
|                         |                              |             | 50       | ZR                                 | BE |
|                         |                              |             | 21       | ZR                                 | NL |
|                         | <i>Estrilda troglodytes</i>  | live        | 60       | BW                                 | BE |
|                         |                              |             | 250      | GN                                 | BE |
|                         |                              |             | 175      | GN                                 | DK |
|                         |                              |             | 950      | GN                                 | NL |
|                         |                              |             | 1200     | ML                                 | BE |
|                         |                              |             | 300      | ML                                 | DK |

| CITES EEC<br>App. Annex | Taxon                         | Description | Quantity   | Country of<br>Export Origin Import     |  |
|-------------------------|-------------------------------|-------------|--|--|--|
| III                     | <i>Estrilda troglodytes</i>   | live        | 4000<br>3925<br>570<br>8650<br>3200<br>2270<br>100 | ML<br>SN<br>SN<br>SN<br>SN<br>SN<br>TZ | NL<br>BE<br>ES<br>GB<br>NL<br>PT<br>BE |
|                         | <i>Lagonosticta spp.</i>      | live        | 10<br>25<br>82<br>200<br>30<br>50                  | GN<br>GN<br>LR<br>ML<br>SN<br>TZ       | BE<br>NL<br>BE<br>NL<br>NL<br>BE       |
|                         | <i>Lagonosticta larvata</i>   | live        | 32<br>200<br>20                                    | GN<br>ML<br>UG                         | NL<br>BE<br>BE                         |
|                         | <i>Lagonosticta rara</i>      | live        | 50   | TZ                                     | BE                                     |
|                         | <i>Lagonosticta rubricata</i> | live        | 250<br>645<br>550<br>117<br>1350<br>5610           | GN<br>GN<br>TZ<br>TZ<br>TZ<br>TZ       | DK<br>NL<br>BE<br>DK<br>GB<br>NL       |
|                         | <i>Lagonosticta senegala</i>  | live        | 30<br>500<br>130<br>1454<br>1020<br>2250<br>1000   | BW<br>BW<br>GN<br>GN<br>ML<br>ML<br>SN | BE<br>GB<br>BE<br>NL<br>DK<br>NL<br>BE |

| CITES EEC<br>App. Annex | TAXON                         | Description | Quantity | Country of<br>Export Origin Import |
|-------------------------|-------------------------------|-------------|----------|------------------------------------|
| III                     | <i>Lagonosticta senegala</i>  | live        | 50       | SN DK                              |
|                         |                               |             | 200      | SN ES                              |
|                         |                               |             | 300      | SN NL                              |
|                         |                               |             | 780      | TZ BE                              |
|                         |                               |             | 230      | TZ DK                              |
|                         |                               |             | 600      | TZ GB                              |
|                         |                               |             | 1360     | TZ NL                              |
|                         | <i>Lonchura spp.</i>          | live        | 100      | SN NL                              |
|                         | <i>Lonchura bicolor</i>       | live        | 716      | GN BE                              |
|                         |                               |             | 50       | GN DK                              |
|                         |                               |             | 1000     | GN GB                              |
|                         |                               |             | 335      | GN NL                              |
|                         |                               |             | 100      | LB DK                              |
|                         |                               |             | 1662     | LR BE                              |
|                         |                               |             | 1050     | TZ GB                              |
|                         |                               |             | 120      | TZ NL                              |
|                         |                               |             | 143      | ZR BE                              |
|                         | <i>Lonchura cucullata</i>     | live        | 200      | GN BE                              |
|                         |                               |             | 100      | GN NL                              |
|                         |                               |             | 500      | ML BE                              |
|                         |                               |             | 50       | ML DK                              |
|                         |                               |             | 100      | ML NL                              |
|                         |                               |             | 1300     | SN BE                              |
|                         |                               |             | 1800     | SN GB                              |
|                         |                               |             | 800      | SN PT                              |
|                         |                               |             | 100      | SN XX PT                           |
|                         |                               |             | 105      | TZ BE                              |
|                         |                               |             | 90       | TZ DK                              |
|                         |                               |             | 650      | TZ GB                              |
|                         |                               |             | 230      | TZ NL                              |
|                         | <i>Lonchura fringilloides</i> | live        | 20       | GN DK                              |

| CITES EEC<br>App. Annex | Taxon                         | Description | Quantity | Country of<br>Export Origin Import |
|-------------------------|-------------------------------|-------------|----------|------------------------------------|
| III                     | <i>Lonchura fringilloides</i> | live        | 200      | LR BE                              |
|                         |                               |             | 100      | SN BE                              |
|                         |                               |             | 100      | SN NL                              |
|                         |                               |             | 383      | ZR BE                              |
|                         | <i>Lonchura malabarica</i>    | live        | 100      | ML BE                              |
|                         |                               |             | 100      | ML DK                              |
|                         |                               |             | 950      | ML NL                              |
|                         |                               |             | 1860     | SN BE                              |
|                         |                               |             | 50       | SN ES                              |
|                         |                               |             | 5250     | SN GB                              |
|                         |                               |             | 1300     | SN NL                              |
|                         |                               |             | 1476     | SN PT                              |
|                         |                               |             | 100      | TZ BE                              |
|                         |                               |             | 240      | TZ GB                              |
|                         |                               |             | 1340     | TZ NL                              |
|                         | <i>Mandingoa nitidula</i>     | live        | 600      | GN BE                              |
|                         |                               |             | 150      | GN DK                              |
|                         |                               |             | 900      | GN NL                              |
|                         |                               |             | 100      | LB DK                              |
|                         |                               |             | 1045     | LR BE                              |
|                         |                               |             | 160      | LR NL                              |
|                         |                               |             | 100      | TZ BE                              |
|                         |                               |             | 60       | TZ DK                              |
|                         |                               |             | 600      | TZ GB                              |
|                         |                               |             | 425      | TZ NL                              |
|                         | <i>Nesocharis capistrata</i>  | live        | 15       | GN DK                              |
|                         |                               |             | 34       | GN NL                              |
|                         | <i>Nigrita bicolor</i>        | live        | 15       | GN BE                              |
|                         |                               |             | 162      | GN NL                              |
|                         |                               |             | 200      | SN NL                              |
|                         |                               |             | 50       | TZ BE                              |

| CITES EEC<br>App. Annex | TAXON                         | Description         | Quantity | Country of<br>Export Origin Import |    |
|-------------------------|-------------------------------|---------------------|----------|------------------------------------|----|
| III                     | <i>Nigrita canicapilla</i>    | live                | 2        | TZ                                 | DK |
|                         | <i>Nigrita fusconota</i>      | live                | 50       | GN                                 | NL |
|                         | <i>Nigrita luteifrons</i>     | live                | 5        | GN                                 | NL |
|                         | <i>Ortygospiza atricollis</i> | live                | 115      | GN                                 | BE |
|                         |                               |                     | 350      | GN                                 | DK |
|                         |                               |                     | 270      | GN                                 | NL |
|                         | <i>Poephila cincta</i>        | live (captive bred) | 40       | TW                                 | ES |
|                         | <i>Pyrenestes ostrinus</i>    | live                | 400      | GN                                 | BE |
|                         |                               |                     | 100      | GN                                 | DK |
|                         |                               |                     | 200      | GN                                 | GB |
|                         |                               |                     | 56       | GN                                 | NL |
|                         |                               |                     | 70       | LR                                 | BE |
|                         | <i>Pytilia hypogrammica</i>   | live                | 100      | GN                                 | BE |
|                         |                               |                     | 287      | GN                                 | NL |
|                         |                               |                     | 100      | SN                                 | BE |
|                         |                               |                     | 70       | TZ                                 | BE |
|                         | <i>Pytilia phoenicoptera</i>  | live                | 663      | GN                                 | NL |
|                         |                               |                     | 100      | SN                                 | BE |
|                         |                               |                     | 50       | SN                                 | DK |
|                         |                               |                     | 500      | SN                                 | GB |
|                         |                               |                     | 300      | SN                                 | NL |
|                         | <i>Spermophaga haematina</i>  | live                | 27       | GN                                 | DK |
|                         |                               |                     | 110      | GN                                 | NL |
|                         |                               |                     | 170      | LB                                 | DK |
|                         |                               |                     | 100      | LR                                 | NL |
|                         | <i>Uraeginthus bengalus</i>   | live                | 112      | GN                                 | BE |

| CITES EEC<br>App. Annex | Taxon                         | Description | Quantity | Country of<br>Export Origin Import |
|-------------------------|-------------------------------|-------------|----------|------------------------------------|
| III                     | <i>Uraeginthus bengalus</i>   | live        | 35       | GN DK                              |
|                         |                               |             | 875      | GN NL                              |
|                         |                               |             | 110      | LR BE                              |
|                         |                               |             | 400      | ML BE                              |
|                         |                               |             | 1400     | ML DK                              |
|                         |                               |             | 2680     | ML NL                              |
|                         |                               |             | 4065     | SN BE                              |
|                         |                               |             | 50       | SN DK                              |
|                         |                               |             | 5950     | SN GB                              |
|                         |                               |             | 5030     | SN NL                              |
|                         |                               |             | 1635     | SN PT                              |
|                         |                               |             | 3045     | TZ BE                              |
|                         |                               |             | 764      | TZ DK                              |
|                         |                               |             | 3050     | TZ GB                              |
|                         |                               |             | 6508     | TZ NL                              |
|                         |                               |             | 11       | UG BE                              |
|                         |                               |             | 7        | ZR NL                              |
|                         | <i>Ploceidae</i> spp.         | live        | 154      | TZ NL                              |
|                         | <i>Amblyospiza albifrons</i>  | live        | 10       | TZ BE                              |
|                         |                               |             | 10       | TZ DK                              |
|                         | <i>Bubalornis albirostris</i> | live        | 10       | BW GB                              |
|                         | <i>Euplectes afer</i>         | live        | 40       | GN NL                              |
|                         |                               |             | 960      | SN BE                              |
|                         |                               |             | 1200     | SN GB                              |
|                         |                               |             | 650      | SN NL                              |
|                         |                               |             | 730      | SN PT                              |
|                         |                               |             | 300      | TZ GB                              |
|                         | <i>Euplectes ardens</i>       | live        | 20       | GN BE                              |
|                         |                               |             | 44       | GN NL                              |
|                         |                               |             | 240      | TZ BE                              |

| CITES EEC<br>App. Annex | TAXON                            | Description | Quantity | Country of<br>Export Origin Import |
|-------------------------|----------------------------------|-------------|----------|------------------------------------|
| III                     | <i>Euplectes hordeaceus</i>      | live        | 100      | GN NL                              |
|                         |                                  |             | 150      | SN BE                              |
|                         |                                  |             | 810      | TZ BE                              |
|                         |                                  |             | 157      | TZ DK                              |
|                         |                                  |             | 12       | ZR BE                              |
|                         | <i>Euplectes macrourus</i>       | live        | 84       | GN BE                              |
|                         |                                  |             | 106      | GN NL                              |
|                         |                                  |             | 60       | TZ BE                              |
|                         | <i>Euplectes orix</i>            | live        | 402      | GN BE                              |
|                         |                                  |             | 1020     | GN NL                              |
|                         |                                  |             | 355      | ML NL                              |
|                         |                                  |             | 1020     | SN BE                              |
|                         |                                  |             | 2000     | SN GB                              |
|                         |                                  |             | 1670     | SN NL                              |
|                         |                                  |             | 2020     | SN PT                              |
|                         |                                  |             | 480      | TZ BE                              |
|                         |                                  |             | 10       | TZ DK                              |
|                         |                                  |             | 600      | TZ GB                              |
|                         |                                  |             | 370      | TZ NL                              |
|                         |                                  |             | 1        | ZR BE                              |
|                         | <i>Passer griseus</i>            | live        | 200      | SN NL                              |
|                         |                                  |             | 110      | TZ BE                              |
|                         | <i>Plocepasser superciliosus</i> | live        | 100      | TZ BE                              |
|                         | <i>Ploceus</i> spp.              | live        | 1450     | TZ NL                              |
|                         | <i>Ploceus aurantius</i>         | live        | 150      | SN BE                              |
|                         |                                  |             | 40       | TZ DK                              |
|                         | <i>Ploceus cucullatus</i>        | live        | 150      | SN BE                              |
|                         |                                  |             | 100      | SN GB                              |

| CITES EEC<br>App. Annex | Taxon                         | Description | Quantity | Country of<br>Export Origin | Import |
|-------------------------|-------------------------------|-------------|----------|-----------------------------|--------|
| III                     | <i>Ploceus cucullatus</i>     | live        | 350      | SN                          | NL     |
|                         |                               |             | 880      | SN                          | PT     |
|                         |                               |             | 80       | TZ                          | DK     |
|                         |                               |             | 300      | TZ                          | GB     |
|                         | <i>Ploceus heuglini</i>       | live        | 150      | TZ                          | NL     |
|                         | <i>Ploceus luteolus</i>       | live        | 100      | SN                          | BE     |
|                         |                               |             | 250      | SN                          | NL     |
|                         |                               |             | 20       | TZ                          | NL     |
|                         | <i>Ploceus melanocephalus</i> | live        | 300      | SN                          | BE     |
|                         |                               |             | 200      | SN                          | GB     |
|                         |                               |             | 70       | SN                          | PT     |
|                         |                               |             | 10       | TZ                          | NL     |
|                         |                               |             | 10       | ZR                          | NL     |
|                         | <i>Ploceus tricolor</i>       | live        | 24       | GN                          | BE     |
|                         | <i>Ploceus velatus</i>        | live        | 400      | SN                          | GB     |
|                         |                               |             | 36       | TZ                          | DK     |
|                         |                               |             | 100      | TZ                          | NL     |
|                         | <i>Sporopipes frontalis</i>   | live        | 535      | TZ                          | NL     |
|                         | <i>Vidua</i> spp.             | live        | 48       | GN                          | NL     |
|                         |                               |             | 1070     | TZ                          | NL     |
|                         | <i>Vidua chalybeata</i>       | live        | 450      | GN                          | BE     |
|                         |                               |             | 500      | GN                          | NL     |
|                         |                               |             | 200      | ML                          | BE     |
|                         |                               |             | 300      | ML                          | NL     |
|                         |                               |             | 100      | SN                          | BE     |
|                         |                               |             | 1600     | SN                          | GB     |
|                         |                               |             | 700      | SN                          | NL     |

| CITES EEC<br>App. Annex | Taxon                   | Description | Quantity | Country of<br>Export Origin Import |
|-------------------------|-------------------------|-------------|----------|------------------------------------|
| III                     | <i>Vidua chalybeata</i> | live        | 740      | SN PT                              |
|                         | <i>Vidua interjecta</i> | live        | 38       | GN BE                              |
|                         |                         |             | 190      | SN BE                              |
|                         | <i>Vidua macroura</i>   | live        | 550      | GN BE                              |
|                         |                         |             | 110      | GN DK                              |
|                         |                         |             | 1640     | GN NL                              |
|                         |                         |             | 1500     | ML BE                              |
|                         |                         |             | 830      | ML NL                              |
|                         |                         |             | 1330     | SN BE                              |
|                         |                         |             | 1100     | SN GB                              |
|                         |                         |             | 1710     | SN NL                              |
|                         |                         |             | 130      | SN PT                              |
|                         |                         |             | 100      | TZ BE                              |
|                         |                         |             | 20       | TZ DK                              |
|                         |                         |             | 400      | TZ GB                              |
|                         |                         |             | 50       | TZ NL                              |
|                         | <i>Vidua paradisaea</i> | live        | 100      | GN BE                              |
|                         |                         |             | 22       | GN NL                              |
|                         |                         |             | 450      | ML NL                              |
|                         |                         |             | 1490     | SN BE                              |
|                         |                         |             | 600      | SN GB                              |
|                         |                         |             | 1400     | SN NL                              |
|                         |                         |             | 410      | SN PT                              |
|                         |                         |             | 176      | TZ BE                              |
|                         |                         |             | 36       | TZ DK                              |
|                         |                         |             | 200      | TZ GB                              |
|                         |                         |             | 205      | TZ NL                              |
|                         |                         |             | 1        | ZR BE                              |
|                         | <i>Vidua raricola</i>   | live        | 200      | SN BE                              |
|                         |                         |             | 5        | TZ BE                              |

| CITES EEC<br>App. Annex | Taxon                      | Description    | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----------------------------|----------------|----------|------------------------------------|----|----|
| III                     | <i>Pelusios castaneus</i>  | live           | 1        | RW                                 |    | DE |
|                         | <i>Atretium schistosum</i> | skins          | 25000    | AE                                 | BD | GB |
|                         | <i>Cerberus rhynchops</i>  | belts          | 619      | ID                                 |    | DE |
|                         |                            |                | 6        | TH                                 |    | DE |
|                         |                            |                | 200      | TW                                 | TH | DE |
|                         |                            |                | 1        | US                                 |    | GB |
|                         |                            | garments       | 8        | IN                                 |    | DE |
|                         |                            | handbags       | 537      | ID                                 |    | DE |
|                         |                            |                | 710      | ID                                 |    | NL |
|                         |                            |                | 3250     | PH                                 |    | DE |
|                         |                            |                | 2        | TH                                 |    | DE |
|                         |                            | pairs of shoes | 680      | PH                                 |    | DE |
|                         |                            | skins          | 8000     | SG                                 |    | ES |
|                         |                            |                | 30000    | SG                                 | ID | ES |
|                         |                            |                | 18300    | TH                                 |    | ES |
|                         |                            | wallets        | 52       | ID                                 |    | DE |
|                         | <i>Ptyas mucosus</i>       | belts          | 52       | AT                                 | BD | DE |
|                         |                            |                | 654      | IN                                 |    | NL |
|                         |                            |                | 15600    | TW                                 | ID | DE |
|                         |                            |                | 7000     | TW                                 | TH | DE |
|                         |                            |                | 3        | US                                 | XX | GB |
|                         |                            | garments       | 29       | IN                                 |    | DE |
|                         |                            |                | 7        | JP                                 | BD | DE |
|                         |                            |                | 4340     | TR                                 | ID | DE |
|                         |                            |                | 1020     | TR                                 | TH | DE |
|                         |                            | handbags       | 68       | AT                                 | BD | DE |
|                         |                            |                | 161      | HK                                 | CN | DE |
|                         |                            |                | 6683     | HK                                 | CN | GB |
|                         |                            |                | 20       | ID                                 |    | DE |
|                         |                            |                | 2744     | IN                                 |    | DE |
|                         |                            |                | 27       | IN                                 |    | FR |
|                         |                            |                | 25       | IN                                 |    | NL |

| CITES EEC<br>App. Annex | Taxon                | Description        | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|----------------------|--------------------|----------|------------------------------------|----|----|
| III                     | <i>Ptyas mucosus</i> | handbags           | 36       | KR                                 | CN | DE |
|                         |                      |                    | 1        | US                                 | GB |    |
|                         |                      | live               | 24       | HK                                 | CN | GB |
|                         |                      | pairs of shoes     | 320      | HK                                 | CN | DE |
|                         |                      |                    | 28286    | HK                                 | CN | GB |
|                         |                      |                    | 12       | KR                                 | CN | DE |
|                         |                      |                    | 500      | MO                                 | CN | GB |
|                         |                      |                    | 270      | TH                                 |    | ES |
|                         |                      |                    | 7        | TW                                 | ID | GB |
|                         |                      |                    | 516      | TW                                 | TH | DE |
|                         |                      |                    | 1113     | US                                 | CN | DE |
|                         |                      |                    | 3750     | US                                 | ID | DE |
|                         |                      | skins              | 42750    | AE                                 | CN | GB |
|                         |                      |                    | 343      | CA                                 | ID | GB |
|                         |                      |                    | 200      | CH                                 | BD | DE |
|                         |                      |                    | 250      | CH                                 | BD | ES |
|                         |                      |                    | 1000     | HK                                 |    | ES |
|                         |                      |                    | 650      | HK                                 | TH | DE |
|                         |                      |                    | 6000     | ID                                 |    | ES |
|                         |                      |                    | 2000     | ID                                 |    | GB |
|                         |                      |                    | 845      | IN                                 |    | NL |
|                         |                      |                    | 13       | SE                                 | ID | GB |
|                         |                      |                    | 118800   | SG                                 |    | ES |
|                         |                      |                    | 38000    | SG                                 | CN | GB |
|                         |                      |                    | 50000    | SG                                 | ID | BE |
|                         |                      |                    | 1500     | SG                                 | ID | DE |
|                         |                      |                    | 35000    | SG                                 | ID | ES |
|                         |                      |                    | 227664   | SG                                 | ID | GB |
|                         |                      |                    | 5000     | SG                                 | ID | NL |
|                         |                      |                    | 60       | TW                                 |    | GB |
|                         |                      |                    | 30000    | TW                                 | CN | GB |
|                         |                      |                    | 3141     | US                                 | CN | DE |
|                         |                      |                    | 2012     | US                                 | ID | DE |
|                         |                      |                    | 161      | US                                 | ID | GB |
|                         |                      | skin/leather items | 7134     | HK                                 | CN | GB |

| CITES EEC<br>App. Annex | Taxon                        | Description        | Quantity | Country of<br>Export Origin Import |       |
|-------------------------|------------------------------|--------------------|----------|------------------------------------|-------|
| III                     | <i>Ptyas mucosus</i>         | skin/leather items | 476      | IN                                 | ES    |
|                         |                              |                    | 758      | IN                                 | NL    |
|                         |                              |                    | 4        | TR                                 | IN GB |
|                         |                              |                    | 3        | TR                                 | TH GB |
|                         |                              | wallets            | 1384     | AT                                 | BD DE |
|                         |                              |                    | 179      | AT                                 | ID DE |
|                         |                              |                    | 343      | IN                                 | DE    |
|                         |                              |                    | 25       | IN                                 | NL    |
|                         |                              |                    | 250      | TW                                 | TH DE |
|                         | <i>Xenochrophis piscator</i> | bodies             | 5        | VN                                 | GB    |
|                         |                              | live               | 160      | TH                                 | GB    |
|                         |                              |                    | 68       | TH                                 | NL    |
|                         | <i>Micruurus diastema</i>    | live               | 1        | HN                                 | DE    |
|                         | <i>Naja naja</i>             | belts              | 56       | TH                                 | DE    |
|                         |                              |                    | 100      | TH                                 | DK    |
|                         |                              |                    | 200      | TH                                 | ES    |
|                         |                              |                    | 3        | TH                                 | GB    |
|                         |                              |                    | 2        | US                                 | MX GB |
|                         |                              | bodies             | 23       | CH                                 | XX GB |
|                         |                              |                    | 2        | TH                                 | GB    |
|                         |                              | handbags           | 1        | AU                                 | IN GB |
|                         |                              |                    | 15       | HK                                 | CN DE |
|                         |                              |                    | 962      | HK                                 | CN GB |
|                         |                              |                    | 223      | IN                                 | DE    |
|                         |                              |                    | 27       | IN                                 | FR    |
|                         |                              |                    | 1        | NG                                 | GB    |
|                         |                              |                    | 7        | TH                                 | DE    |
|                         |                              |                    | 1        | TH                                 | DK    |
|                         |                              | live               | 250      | HK                                 | CN GB |
|                         |                              |                    | 24       | TH                                 | DE    |
|                         |                              |                    | 20       | TH                                 | GB    |
|                         |                              |                    | 4        | TH                                 | GR    |

| CITES EEC<br>App. Annex | Taxon                       | Description        | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|-----------------------------|--------------------|----------|------------------------------------|----|----|
| III                     | <i>Naja naja</i>            | live               | 15       | TH                                 |    | NL |
|                         |                             | pairs of shoes     | 64       | HK                                 | CN | DE |
|                         |                             |                    | 1755     | HK                                 | CN | GB |
|                         |                             |                    | 1        | NG                                 |    | GB |
|                         |                             |                    | 52       | TH                                 |    | DE |
|                         |                             |                    | 2        | TH                                 |    | DK |
|                         |                             |                    | 3        | TH                                 |    | GB |
|                         |                             | skins              | 1        | CY                                 |    | GB |
|                         |                             |                    | 200      | TH                                 |    | DK |
|                         |                             |                    | 1265     | TH                                 |    | ES |
|                         |                             |                    | 2        | TH                                 |    | GB |
|                         |                             | skin/leather items | 125      | HK                                 | CN | GB |
|                         |                             |                    | 160      | IN                                 |    | NL |
|                         |                             |                    | 50       | TH                                 |    | ES |
|                         |                             |                    | 1        | TH                                 |    | GB |
|                         |                             | wallets            | 4        | IN                                 |    | DE |
|                         |                             |                    | 3        | PK                                 | SG | GB |
|                         |                             |                    | 80       | TH                                 |    | DE |
|                         | <i>Ophiophagus hannah</i>   | belts              | 210      | TH                                 |    | ES |
|                         |                             | live               | 5        | TH                                 |    | GB |
|                         |                             |                    | 3        | TH                                 |    | GR |
|                         | <i>Bothrops asper</i>       | live               | 3        | HN                                 |    | DE |
|                         | <i>Bothrops nasutus</i>     | live               | 7        | HN                                 |    | DE |
|                         | <i>Bothrops nummifer</i>    | live               | 9        | HN                                 |    | DE |
|                         | <i>Bothrops ophryomegas</i> | live               | 3        | HN                                 |    | DE |
|                         | <i>Bothrops schlegelii</i>  | live               | 57       | HN                                 |    | DE |
|                         |                             |                    | 4        | US                                 | HN | DE |
|                         | <i>Crotalus durissus</i>    | live               | 15       | HN                                 |    | DE |

| CITES EEC<br>App. Annex | TAXON                   | Description    | Quantity | Country of<br>Export Origin Import |    |    |
|-------------------------|-------------------------|----------------|----------|------------------------------------|----|----|
| III                     | <i>Vipera russellii</i> | belts          | 1        | TH                                 | DE |    |
|                         |                         | garments       | 18       | IN                                 | DE |    |
|                         |                         | live           | 12       | TH                                 | DE |    |
|                         |                         |                | 36       | TH                                 | GB |    |
|                         |                         | pairs of shoes | 1        | TH                                 | XX | GB |
|                         |                         | skins          | 100      | HK                                 | TH | DE |
|                         |                         |                | 6025     | SG                                 | ID | GB |

European Economic Community

1988 Annual Report to CITES

Exports/Re-exports

## European Economic Community Exports/Re-exports 1988

### Notes:

For the sake of consistency, data extracted from the annual reports of Member States have been adapted, wherever possible, to conform with the terminology and units listed in "Guidelines for the preparation of CITES annual reports" issued with Notification No. 205 of 22 March 1982 by the CITES Secretariat.

Declared re-exports have an entry in the 'Country of Origin' column to distinguish them from declared exports. When no country of origin has been recorded for a stated re-export the code "XX" (country unknown) has been entered.

Transactions that have been reported with an unknown quantity of items are distinguished by the symbol "?" in the 'Quantity' column.

### References used:

- Mammals Honacki, J.H., K.E. Kinman and J.W. Koeppel (eds) (1983). Mammal Species of the World - A Taxonomic and Geographic Reference. Allen Press and the Association of Systematics Collections. USA.  
Inskip, T. and J. Barzdo (1987). World checklist of threatened mammals. Nature Conservancy Council. UK.
- Birds Morony Jr, J.J., W.J. Bock and J. Farrand Jr (1975). Reference List of the Birds of the World. American Museum of Natural History. USA.
- Reptiles and Amphibians Groombridge, B. (1988). World checklist of threatened amphibians and reptiles. Nature Conservancy Council. UK.
- Plants Generic names have been checked against a complete list of genera of vascular plants prepared at the Royal Botanic Gardens, Kew, U.K.

| CITES EEC<br>App. Annex | TAXON                         | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|-------------------------------|---------------------|----------|------------------------------------|----|----|
| I                       | <i>Bettongia penicillata</i>  | live (captive bred) | 1        | DD                                 | BE |    |
|                         | <i>Lemur macaco</i>           | live (captive bred) | 6        | JP                                 | NL |    |
|                         |                               |                     | 1        | LY                                 | US | DE |
|                         | <i>Varecia variegata</i>      | live (captive bred) | 1        | CH                                 | DE |    |
|                         |                               |                     | 2        | CH                                 | US | DE |
|                         |                               |                     | 2        | CS                                 | DE |    |
|                         |                               |                     | 2        | JP                                 | DE |    |
|                         | <i>Leontopithecus rosalia</i> | live (captive bred) | 1        | DD                                 | GB |    |
|                         |                               |                     | 2        | US                                 | DE |    |
|                         |                               |                     | 3        | US                                 | GB |    |
|                         |                               |                     | 2        | US                                 | US | GB |
|                         | <i>Saguinus oedipus</i>       | live (captive bred) | 6        | CN                                 | GB |    |
|                         |                               |                     | 2        | HU                                 | NL |    |
|                         |                               |                     | 4        | JP                                 | GB |    |
|                         |                               |                     | 12       | JP                                 | NL |    |
|                         |                               |                     | 2        | SE                                 | GB |    |
|                         | <i>Callimico goeldii</i>      | live (captive bred) | 1        | CH                                 | DE |    |
|                         |                               |                     | 1        | SE                                 | NL |    |
|                         |                               |                     | 1        | XX                                 | GB |    |
|                         | <i>Cercopithecus diana</i>    | live (captive bred) | 1        | RO                                 | NL |    |
|                         |                               |                     | 1        | XX                                 | GB |    |
|                         | <i>Papio leucophaeus</i>      | live (captive bred) | 3        | US                                 | DE |    |
|                         | <i>Papio sphinx</i>           | live (captive bred) | 2        | BD                                 | GB |    |
|                         |                               |                     | 1        | JP                                 | DE |    |
|                         |                               |                     | 1        | JP                                 | NL | DE |
|                         |                               |                     | 1        | PL                                 | ES |    |
|                         | <i>Hylobates spp.</i>         | live (captive bred) | 3        | LY                                 | DE |    |

| CITES EEC<br>App. Annex | TAXON                        | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|------------------------------|---------------------|----------|------------------------------------|----|----|
| I                       | <i>Hylobates lar</i>         | live (captive bred) | 1        | DD                                 |    | NL |
|                         |                              | live                | 1        | EG                                 | XX | NL |
|                         | <i>Hylobates muelleri</i>    | live (captive bred) | 2        | US                                 | ID | GB |
|                         | <i>Hylobates syndactylus</i> | live (captive bred) | 2        | JP                                 | ID | GB |
|                         |                              |                     | 1        | NZ                                 |    | DE |
|                         | <i>Gorilla gorilla</i>       | live (captive bred) | 2        | CA                                 |    | DE |
|                         |                              |                     | 1        | CS                                 |    | GB |
|                         |                              | live                | 2        | TW                                 | CM | GB |
|                         | <i>Pan troglodytes</i>       | live (captive bred) | 1        | BU                                 |    | DE |
|                         |                              |                     | 1        | BU                                 | SE | DE |
|                         |                              |                     | 4        | CH                                 | CH | FR |
|                         |                              |                     | 4        | IL                                 |    | FR |
|                         |                              |                     | 2        | IN                                 | MC | NL |
|                         |                              |                     | 4        | JP                                 |    | FR |
|                         |                              |                     | 5        | JP                                 |    | NL |
|                         |                              |                     | 1        | JP                                 | HU | FR |
|                         |                              |                     | 2        | KP                                 | CU | NL |
|                         |                              |                     | 1        | LY                                 | DK | DE |
|                         |                              |                     | 1        | US                                 |    | NL |
|                         |                              | live                | 1        | BU                                 | LR | DE |
|                         |                              |                     | 1        | HU                                 | SL | NL |
|                         |                              |                     | 1        | LY                                 | LR | DE |
|                         |                              |                     | 3        | RO                                 | SL | NL |
|                         |                              |                     | 1        | RO                                 | XX | DK |
|                         | <i>Pongo pygmaeus</i>        | bodies              | 1        | TW                                 | XX | BE |
|                         |                              | live (captive bred) | 1        | BG                                 | DD | NL |
|                         |                              |                     | 1        | BU                                 | US | DE |
|                         |                              |                     | 1        | SE                                 |    | GB |
|                         |                              | live                | 1        | AU                                 | ID | DE |

| CITES EEC<br>App. Annex | TAXON                          | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|--------------------------------|---------------------|----------|------------------------------------|----|----|
| I                       | <i>Pongo pygmaeus abelii</i>   | live (captive bred) | 1        | AU                                 | DE |    |
|                         |                                |                     | 1        | SE                                 | DE |    |
|                         | <i>Pongo pygmaeus pygmaeus</i> | live (captive bred) | 1        | JP                                 | DD | DE |
|                         |                                | live                | 1        | BU                                 | ID | DE |
|                         | <i>Chinchilla lanigera</i>     | handbags            | 1        | JP                                 | DE | IT |
|                         | <i>Physeter macrocephalus</i>  | carvings            | 20       | GL                                 | GL | DK |
|                         |                                |                     | 12       | XX                                 | GL | DK |
|                         | <i>Canis lupus pallipes</i>    | live (captive bred) | 4        | SG                                 | DE |    |
|                         | <i>Speothos venaticus</i>      | live (captive bred) | 2        | BR                                 | DE |    |
|                         |                                |                     | 1        | CA                                 | DE |    |
|                         |                                |                     | 1        | JP                                 | DE |    |
|                         |                                |                     | 2        | LY                                 | DE |    |
|                         |                                |                     | 2        | ZA                                 | DE |    |
|                         | <i>Ailuropoda melanoleuca</i>  | live                | 1        | US                                 | CN | GB |
|                         | <i>Acinonyx jubatus</i>        | live (captive bred) | 1        | DD                                 | NL |    |
|                         |                                |                     | 1        | RO                                 | NL |    |
|                         |                                |                     | 2        | US                                 | NL |    |
|                         |                                | live                | 3        | KE                                 | NA | NL |
|                         |                                |                     | 1        | LY                                 | NA | DE |
|                         |                                |                     | 2        | MA                                 | NA | PT |
|                         | <i>Felis bengalensis</i>       |                     |          |                                    |    |    |
|                         | <i>bengalensis</i>             | live (captive bred) | 2        | CA                                 | DE |    |
|                         |                                |                     | 1        | US                                 | DE |    |
|                         | <i>Felis caracal</i>           | live (captive bred) | 1        | MY                                 | NL |    |
|                         |                                |                     | 1        | RO                                 | NL |    |

| CITES EEC<br>App. Annex | Taxon                    | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|--------------------------|---------------------|----------|------------------------------------|----|----|
| I                       | <i>Felis nigripes</i>    | bodies              | 1        | CH                                 | DE |    |
|                         |                          | live (captive bred) | 1        | DD                                 | DE | NL |
|                         |                          |                     | 1        | US                                 |    | DE |
|                         | <i>Neofelis nebulosa</i> | live (captive bred) | 1        | XX                                 | CH | DE |
|                         | <i>Panthera onca</i>     | live (captive bred) | 1        | HK                                 | DE |    |
|                         |                          |                     | 2        | JP                                 | GB |    |
|                         |                          |                     | 1        | RO                                 | NL |    |
|                         | <i>Panthera pardus</i>   | bodies              | 2        | AT                                 | ZA | DE |
|                         |                          |                     | 1        | CH                                 | KE | DE |
|                         |                          |                     | 1        | CH                                 | MZ | DE |
|                         |                          |                     | 2        | US                                 | TZ | DE |
|                         |                          |                     | 2        | VE                                 | TZ | DE |
|                         |                          | garments            | 2        | CH                                 | XX | DE |
|                         |                          | live (captive bred) | 2        | CH                                 |    | DE |
|                         |                          |                     | 3        | CH                                 |    | FR |
|                         |                          |                     | 1        | DD                                 |    | DE |
|                         |                          |                     | 1        | LY                                 |    | DE |
|                         |                          |                     | 2        | PL                                 |    | DE |
|                         |                          |                     | 5        | TW                                 |    | GB |
|                         |                          |                     | 1        | US                                 |    | DE |
|                         |                          | skins               | 1        | CH                                 | CF | FR |
|                         |                          |                     | 1        | CH                                 | ZA | DE |
|                         |                          |                     | 1        | NO                                 | XX | BE |
|                         |                          |                     | 1        | SA                                 | XX | DK |
|                         |                          | skulls              | 1        | CH                                 | ZA | DE |
|                         |                          | trophies            | 2        | AT                                 | ZW | DE |
|                         |                          |                     | 1        | CA                                 | IN | GB |
|                         | <i>Panthera tigris</i>   | live (captive bred) | 5        | AT                                 |    | DE |
|                         |                          |                     | 1        | CH                                 |    | FR |
|                         |                          |                     | 2        | MA                                 |    | FR |
|                         |                          |                     | 3        | MY                                 | BE | NL |

| CITES EEC<br>App. Annex | Taxon                            | Description                  | Quantity   | Country of<br>Import Origin Export          |  |  |
|-------------------------|----------------------------------|------------------------------|--|---|--|--|
| I                       | <i>Panthera tigris</i>           | live (captive bred)<br>skins | 2<br>1<br>5<br>1   | TG<br>HK<br>NO<br>US                        | VN<br>XX                                     | FR<br>DK<br>BE<br>GB                         |
|                         | <i>Panthera tigris altaica</i>   | live (captive bred)          | 3  | SE  |  | GB   |
|                         | <i>Panthera tigris sumatrae</i>  | live (captive bred)          | 3  | AT  |  | DE   |
|                         | <i>Panthera uncia</i>            | live (captive bred)          | 1<br>1<br>1  | DD<br>PL<br>SU                              | CH   | GB<br>FR<br>DE                               |
|                         | <i>Elephas maximus</i>           | ivory carvings               | 2<br>2<br>1<br>480 g<br>902 g<br>live (captive bred)<br>live | JP<br>SE<br>US<br>JP<br>US<br>CH<br>16<br>4 | IN<br>XX<br>XX<br>TH<br>XX<br>BU<br>PL<br>SE | IE<br>DK<br>DK<br>DE<br>DE<br>GB<br>IT<br>DK |
|                         | <i>Equus africanus</i>           | live (captive bred)          | 1  | IL  |  | DE   |
|                         | <i>Equus grevyi</i>              | live (captive bred)          | 1<br>7<br>1<br>2   | AE<br>AU<br>CS<br>SU                        |  | DE<br>GB<br>DE<br>DE                         |
|                         | <i>Equus przewalskii</i>         | live (captive bred)          | 1<br>11<br>5<br>2  | AT<br>AU<br>CN<br>DD                        |  | DE<br>GB<br>DE<br>BE                         |
|                         | <i>Ceratotherium simum simum</i> | bodies                       | 1  | CH  | ZA   | DE   |

| CITES EEC<br>App. Annex | Taxon                            | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------------------|---------------------|----------|------------------------------------|----|----|
| I                       | <i>Ceratotherium simum simum</i> | live (captive bred) | 1        | ZA                                 |    | DE |
|                         |                                  |                     | 5        | ZA                                 | US | DE |
|                         |                                  | live                | 2        | ZA                                 | ZA | DE |
|                         | <i>Diceros bicornis</i>          | bodies              | 20       | AT                                 | KE | DE |
|                         | <i>Rhinoceros unicornis</i>      | horn pieces         | 1        | US                                 | XX | DE |
|                         | <i>Babiroussa babirussa</i>      | live (captive bred) | 3        | US                                 |    | BE |
|                         | <i>Vicugna vicugna</i>           | hair                | 571 g    | HK                                 | BO | GB |
|                         |                                  |                     | 472 g    | HK                                 | XX | GB |
|                         |                                  |                     | 3860 g   | JP                                 | BO | GB |
|                         |                                  |                     | 221 g    | JP                                 | XX | BE |
|                         |                                  |                     | 3373 g   | JP                                 | XX | GB |
|                         |                                  |                     | 7 g      | KR                                 | BO | GB |
|                         |                                  |                     | 64 kg    | HK                                 | BO | GB |
|                         |                                  |                     | 1 kg     | HK                                 | XX | GB |
|                         |                                  |                     | 162 kg   | JP                                 | XX | GB |
|                         |                                  | live (captive bred) | 2        | DD                                 |    | DE |
|                         | <i>Cervus dama mesopotamica</i>  | live (captive bred) | 7        | NZ                                 |    | DE |
|                         | <i>Cervus duvaucelii</i>         | live (captive bred) | 4        | PL                                 |    | DE |
|                         | <i>Cervus eldi</i>               | specimens           | 120 ml   | CA                                 |    | FR |
|                         | <i>Cervus porcinus kuhli</i>     | live (captive bred) | 1        | US                                 |    | DE |
|                         |                                  |                     | 5        | US                                 | SG | DE |
|                         | <i>Addax nasomaculatus</i>       | live (captive bred) | 2        | AU                                 |    | GB |
|                         |                                  |                     | 2        | CS                                 |    | DE |
|                         |                                  | live                | 3        | SE                                 |    | DK |
|                         | <i>Bos mutus</i>                 | cloth               | 45       | JP                                 | CN | IT |

| CITES EEC<br>App. Annex | TAXON                           | Description                           | Quantity         | Country of<br>Import Origin Export |                |                      |
|-------------------------|---------------------------------|---------------------------------------|------------------|------------------------------------|----------------|----------------------|
| I                       | <i>Bos mutus</i>                | cloth                                 | 51 kg<br>533 m   | JP                                 | CN             | IT                   |
|                         | <i>Bubalus depressicornis</i>   | live (captive bred)                   | 1                | US                                 |                | BE                   |
|                         | <i>Oryx dammah</i>              | bodies<br>live (captive bred)<br>live | 1<br>1<br>3      | CH<br>US<br>SE                     | MZ<br>DE<br>DK |                      |
|                         | <i>Struthio camelus</i>         | live (captive bred)                   | 2<br>2           | DD<br>PL                           | MA<br>MA       | NL<br>NL             |
|                         | <i>Spheniscus humboldti</i>     | live (captive bred)                   | 4<br>8<br>6      | AT<br>IL<br>JP                     |                | GB<br>GB<br>NL       |
|                         | <i>Pelecanus crispus</i>        | live                                  | 1<br>1           | AT<br>AT                           | BG<br>XX       | DE<br>DE             |
|                         | <i>Ciconia ciconia boyciana</i> | live (captive bred)                   | 1                | SU                                 |                | DE                   |
|                         | <i>Geronticus eremita</i>       | live (captive bred)                   | 6                | ZA                                 |                | DE                   |
|                         | <i>Nipponia nippon</i>          | live (captive bred)                   | 2                | JP                                 | CH             | NL                   |
|                         | <i>Anas laysanensis</i>         | live (captive bred)                   | 4<br>4           | SE<br>XX                           |                | DK<br>GB             |
|                         | <i>Branta sandvicensis</i>      | live (captive bred)                   | 2<br>2<br>3<br>4 | BG<br>CH<br>JP<br>SE               |                | DE<br>NL<br>NL<br>DK |
|                         | <i>Falco hybrid</i>             | live (captive bred)                   | 4<br>2           | AT<br>CH                           | DK             | DE<br>FR             |

| CITES EEC<br>App. Annex | Taxon                            | Description                   | Quantity  | Country of<br>Import Origin Export                                  |  |
|-------------------------|----------------------------------|-------------------------------|---|---|--|
| I                       | <i>Falco hybrid</i>              | live (captive bred)           | 1<br>2<br>5<br>2<br>2<br>2<br>8                     | HU<br>PK<br>SA<br>SA<br>SU<br>SY<br>SY                              | FR<br>DE<br>FR<br>DE<br>DE<br>DE<br>DE   |
|                         | <i>Falco jugger</i>              | live (captive bred)           | 4<br>1  | DD<br>SG  | DE<br>GB   |
|                         | <i>Falco peregrinus</i>          | live (captive bred)           | 10<br>8<br>3<br>4<br>2<br>16<br>6<br>1<br>5<br>live | AE<br>AT<br>AT<br>CA<br>CH<br>DD<br>PL<br>SG<br>ZA<br>SE<br>25<br>1 | DE<br>DE<br>DK<br>DE<br>DE<br>DE<br>DE<br>GB<br>GB<br>DK<br>SE<br>DK<br>ZA<br>ZW<br>GB |
|                         | <i>Falco rusticolus</i>          | bodies<br>live (captive bred) | 1<br>9  | GL<br>SA  | GL<br>DE   |
|                         | <i>Catreus wallichii</i>         | eggs<br>live (captive bred)   | 300<br>240<br>6<br>4                                | PK<br>PK<br>PK<br>PK  | BE<br>GB<br>GB<br>NL   |
|                         | <i>Crossoptilon crossoptilon</i> | live (captive bred)           | 2<br>10<br>2  | SU<br>SU<br>TH  | BE<br>NL<br>DE   |

| CITES EEC<br>App. Annex | Taxon                            | Description                   | Quantity                        | Country of<br>Import Origin Export |
|-------------------------|----------------------------------|-------------------------------|---------------------------------|------------------------------------|
| I                       | <i>Crossoptilon mantchuricum</i> | live (captive bred)           | 2<br>2<br>2<br>2<br>2<br>2<br>2 | EG<br>MY<br>SU<br>TH<br>TW<br>VE   |
|                         |                                  |                               |                                 | NL<br>NL<br>BE<br>DE<br>BE<br>BE   |
|                         | <i>Lophophorus impejanus</i>     | live (captive bred)           | 4<br>6<br>2<br>6<br>6<br>4      | CL<br>JP<br>PK<br>SU<br>TH<br>TW   |
|                         |                                  |                               |                                 | BE<br>NL<br>NL<br>NL<br>DE<br>BE   |
|                         | <i>Lophura edwardsi</i>          | live (captive bred)           | 8<br>2<br>2<br>2<br>6           | CA<br>EG<br>LB<br>MY<br>TW         |
|                         |                                  |                               |                                 | DE<br>NL<br>NL<br>NL<br>BE         |
|                         | <i>Lophura swinhoii</i>          | live (captive bred)           | 3<br>4<br>2<br>15               | CA<br>EG<br>LB<br>PK               |
|                         |                                  |                               |                                 | NL<br>NL<br>NL<br>NL               |
|                         | <i>Syrmaticus ellioti</i>        | live (captive bred)           | 2<br>3<br>2<br>16               | EG<br>LB<br>MY<br>PK               |
|                         |                                  |                               |                                 | NL<br>NL<br>NL<br>NL               |
|                         | <i>Syrmaticus humiae</i>         | bodies<br>live (captive bred) | 1<br>2<br>2<br>3<br>9           | NO<br>AE<br>EG<br>LB<br>PK         |
|                         |                                  |                               |                                 | DK<br>NL<br>NL<br>NL<br>NL         |

| CITES EEC<br>App. Annex | Taxon                                   | Description         | Quantity | Country of<br>Import Origin Export |       |
|-------------------------|---|---------------------|----------|------------------------------------|-------|
| I                       | <i>Syrmaticus humiae</i>                | live (captive bred) | 10       | TW                                 | BE    |
|                         | <i>Syrmaticus mikado</i>                | bodies              | 1        | NO                                 | DK    |
|                         |   | live (captive bred) | 3        | LB                                 | NL    |
|                         |   |                     | 4        | MY                                 | NL    |
|                         |   |                     | 18       | PK                                 | NL    |
|                         |   |                     | 34       | TW                                 | BE    |
|                         | <i>Tragopan caboti</i>                  | live (captive bred) | 2        | JP                                 | NL    |
|                         | <i>Grus vipio</i>                       | live (captive bred) | 2        | HK                                 |       |
|                         |   |                     | 6        | JP                                 | DE NL |
|                         |   |                     | 8        | MX                                 | DE    |
|                         |   |                     | 2        | SU                                 | DE    |
|                         | <i>Amazona leucocephala</i>             | live (captive bred) | 1        | DO                                 | DD DE |
|                         | <i>Ara macao</i>                        | live (captive bred) | 1        | US                                 | GB    |
|                         | <i>Ara militaris</i>                    | live (captive bred) | 2        | CH                                 | ES    |
|                         | <i>Ara rubrogenys</i>                   | live (captive bred) | 1        | US                                 | DE    |
|                         | <i>Aratinga guarouba</i>                | live (captive bred) | 8        | US                                 | BE    |
|                         | <i>Cyanoramphus<br/>novaeseelandiae</i> | live (captive bred) | 2        | BH                                 | NL    |
|                         |   |                     | 130      | CA                                 | NL    |
|                         |   |                     | 14       | CY                                 | DE    |
|                         |   |                     | 10       | IL                                 | BE    |
|                         |   |                     | 20       | JP                                 | NL    |
|                         |   |                     | 21       | LK                                 | NL    |
|                         |   |                     | 17       | MT                                 | BE    |
|                         |   |                     | 2        | SZ                                 | DE    |
|                         |   |                     | 129      | US                                 | BE    |

European Economic Community Exports/Re-exports 1988

11

| CITES EEC<br>App. Annex | TAXON                                       | Description                             | Quantity                   | Country of<br>Import Origin Export |                                  |                                  |
|-------------------------|---|---|----------------------------|------------------------------------|----------------------------------|----------------------------------|
| I                       | <i>Cyanoramphus novaezelandiae</i>          | live (captive bred)                     | 74<br>799<br>150           | US<br>ZA<br>ZA                     | NL<br>BE<br>NL                   |                                  |
|                         | <i>Psephotus chrysopterygius</i>            | live (captive bred)                     | 1<br>2                     | CH<br>JP                           | DE<br>NL                         |                                  |
|                         | <i>Psephotus chrysopterygius dissimilis</i> | live (captive bred)                     | 4<br>4                     | JP<br>TH                           | NL<br>NL                         |                                  |
|                         | <i>Rhinoplax vigil</i>                      | trophies                                | 1                          | HK                                 | XX                               | GB                               |
|                         | <i>Carduelis cucullata</i>                  | live (captive bred)                     | 3<br>8                     | AT<br>CA                           | DE<br>NL                         |                                  |
|                         | <i>Kachuga tecta tecta</i>                  | live (captive bred)                     | 5                          | CH                                 | DE                               |                                  |
|                         | <i>Geochelone radiata</i>                   | live (captive bred)                     | 4                          | US                                 | NL                               |                                  |
|                         | <i>Cheloniidae</i> spp.                     | carvings                                | 1                          | CH                                 | XX                               | FR                               |
|                         |   | shells                                  | 1<br>1<br>1<br>1<br>1<br>1 | US<br>AU<br>AU<br>CA<br>JP<br>US   | XX<br>TT<br>XX<br>CG<br>US<br>GB | GB<br>GB<br>GB<br>FR<br>GB<br>GB |
|                         | <i>Chelonia mydas</i>                       | belts<br>bodies<br>carvings<br>handbags | 12<br>1<br>1<br>355<br>1   | HK<br>CH<br>US<br>HK<br>US         | KY<br>XX<br>XX<br>KY<br>KY       | IT<br>NL<br>NL<br>IT<br>IT       |
|                         |   | soup                                    | 480 cans<br>80 cans        | AU<br>HK                           | KY<br>KY                         | FR<br>GB                         |

| CITES EEC<br>App. Annex | Taxon                            | Description         | Quantity  | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------------------|---------------------|-----------|------------------------------------|----|----|
| I                       | <i>Chelonia mydas</i>            | soup                | 4872 cans | JP                                 | KY | FR |
|                         |                                  |                     | 381 cans  | XX                                 | KY | GB |
|                         |                                  |                     | 1 can     | ZA                                 | KY | GB |
|                         |                                  | wallets             | 43        | HK                                 | KY | IT |
|                         | <i>Eretmochelys imbricata</i>    | carvings            | 16        | CH                                 | MG | FR |
|                         |                                  |                     | 11        | JP                                 | MG | FR |
|                         | <i>Crocodylus cataphractus</i>   | live                | 3         | RO                                 | XX | NL |
|                         | <i>Crocodylus niloticus</i>      | belts               | 32        | JP                                 | ZA | IT |
|                         |                                  | carvings            | 1         | US                                 | EG | GB |
|                         |                                  | handbags            | 2         | AT                                 | ZA | DE |
|                         |                                  |                     | 1         | SG                                 | XX | DE |
|                         |                                  | live (captive bred) | 2         | KW                                 | DK | DE |
|                         |                                  |                     | 2         | LY                                 |    | DE |
|                         |                                  |                     | 3         | SE                                 |    | DK |
|                         | <i>Crocodylus rhombifer</i>      | live                | 1         | RO                                 | XX | NL |
|                         | <i>Crocodylus siamensis</i>      | handbags            | 1         | CH                                 | TH | DE |
|                         |                                  |                     | 6         | JP                                 | TH | DE |
|                         |                                  | skins               | 7         | ZA                                 | TH | IT |
|                         |                                  | wallets             | 24        | JP                                 | TH | DE |
|                         | <i>Acrantophis dumerili</i>      | live                | 1         | AT                                 | CH | DE |
|                         | <i>Epicrates subflavus</i>       | live (captive bred) | 2         | CH                                 |    | DE |
|                         | <i>Python molurus molurus</i>    | live (captive bred) | 2         | CH                                 | IN | DE |
|                         | <i>Sanzinia madagascariensis</i> | live (captive bred) | 10        | CH                                 |    | IT |
|                         |                                  |                     | 2         | CS                                 | IT | DE |
|                         |                                  |                     | 3         | US                                 |    | IT |
|                         |                                  |                     | 3         | US                                 |    | NL |

| CITES EEC<br>App. Annex | TAXON                           | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|---------------------------------|---------------------|----------|------------------------------------|----|----|
| I                       | <i>Dyscophus antongilii</i>     | live (captive bred) | 3        | CH                                 | US | DE |
|                         | <i>Agave parviflora</i>         | live (art. prop.)   | 1        | XX                                 |    | GB |
|                         | <i>Alocasia spp.</i>            | live (art. prop.)   | 188      | AT                                 |    | NL |
|                         |                                 |                     | 36       | FI                                 |    | NL |
|                         | <i>Alocasia sanderiana</i>      | live (art. prop.)   | 606      | AT                                 |    | NL |
|                         |                                 |                     | 119      | CH                                 |    | NL |
|                         |                                 |                     | 1        | HK                                 |    | NL |
|                         |                                 |                     | 20       | SA                                 | TR | NL |
|                         |                                 |                     | 6        | TW                                 |    | NL |
|                         | <i>Ariocarpus agavooides</i>    | live (art. prop.)   | 4        | XX                                 |    | GB |
|                         | <i>Ariocarpus trigonus</i>      | live (art. prop.)   | 6        | XX                                 |    | GB |
|                         | <i>Coryphantha sneedii</i>      | live (art. prop.)   | 4        | XX                                 |    | GB |
|                         | <i>Leuchtenbergia principis</i> | live (art. prop.)   | 455      | CH                                 |    | NL |
|                         |                                 |                     | 3        | XX                                 |    | GB |
|                         | <i>Mammillaria pectinifera</i>  | live (art. prop.)   | 5        | XX                                 |    | GB |
|                         | <i>Mammillaria plumosa</i>      | live (art. prop.)   | 1980     | AT                                 |    | NL |
|                         |                                 |                     | 13       | BM                                 |    | NL |
|                         |                                 |                     | 11754    | CH                                 |    | NL |
|                         |                                 |                     | 145      | HK                                 |    | NL |
|                         |                                 |                     | 1323     | NO                                 |    | NL |
|                         |                                 |                     | 15       | SA                                 |    | NL |
|                         |                                 |                     | 6500     | TR                                 |    | NL |
|                         |                                 |                     | 112      | TW                                 |    | NL |
|                         |                                 |                     | 3        | XX                                 |    | GB |
|                         | <i>Mammillaria solisioides</i>  | live (art. prop.)   | 15       | XX                                 |    | GB |

| CITES EEC<br>App. Annex | TAXON                                    | Description         | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|--|---------------------|----------|------------------------------------|----|
| I                       | <i>Pelecyphora aselliformis</i>          | live (art. prop.)   | 19       | XX                                 | GB |
|                         | <i>Turbinicarpus lophophoroides</i>      | live (art. prop.)   | 11       | XX                                 | GB |
|                         | <i>Turbinicarpus pseudomacrochele</i>    | live (art. prop.)   | 10       | XX                                 | GB |
|                         | <i>Turbinicarpus pseudopectinatus</i>    | live (art. prop.)   | 5        | XX                                 | GB |
|                         | <i>Turbinicarpus schmiedickeanus</i>     | live (art. prop.)   | 31       | XX                                 | GB |
|                         | <i>Wilcoxia schmollii</i>                | live (art. prop.)   | 1        | AT                                 | DE |
|                         |  |                     | 3        | CH                                 | DE |
|                         | <i>Fouquieria fasciculata</i>            | live (art. prop.)   | 10       | CH                                 | ES |
|                         | <i>Cattleya skinneri</i>                 | live (art. prop.)   | 3300     | CH                                 | NL |
|                         | <i>Encephalartos</i> spp.                | live (art. prop.)   | 1        | XX                                 | GB |
|                         | <i>Encephalartos barteri</i>             | live (art. prop.)   | 1        | XX                                 | GB |
|                         | <i>Encephalartos friderici-guilielmi</i> | live (art. prop.)   | 2        | XX                                 | GB |
| II                      | C2 <i>Dendrolagus bennettianus</i>       | live (captive bred) | 3        | MA                                 | FR |
|                         | C2 <i>Tupaia glis</i>                    | live (captive bred) | 2        | DD                                 | DE |
|                         | C2 <i>Nycticebus coucang</i>             | live                | 1        | PL                                 | LA |
|                         |  |                     |          |                                    | GB |

| CITES EEC<br>App. Annex | Taxon   | Description                     | Quantity    | Country of<br>Import Origin Export |                |
|-------------------------|---|---------------------------------|-------------|------------------------------------|----------------|
| II                      | <i>Galago senegalensis</i>                      | live (captive bred)             | 1           | DD                                 | DE             |
| C2                      | <i>Otolemur crassicaudatus</i>                  | live (captive bred)<br>trophies | 4<br>3      | SU<br>ZW                           | NL<br>MW<br>GB |
| C2                      | <i>Callithrix argentata</i>                     | live (captive bred)             | 1           | PL                                 | GB             |
| C2                      | <i>Callithrix jacchus</i>                       | live (captive bred)             | 2           | BN                                 | GB             |
|                         |   |                                 | 35          | CH                                 | DE             |
|                         |   |                                 | 12          | CH                                 | GB             |
|                         |   |                                 | 8           | CN                                 | DE             |
|                         |   |                                 | 3           | DD                                 | DE             |
|                         |   |                                 | 79          | JP                                 | GB             |
|                         |   |                                 | 4           | JP                                 | NL             |
|                         |   |                                 | 10          | SE                                 | GB             |
|                         |   |                                 | 49          | US                                 | DE             |
|                         |   |                                 | 84          | US                                 | GB             |
|                         |   |                                 | 142         | XX                                 | GB             |
|                         |   | live                            | 2           | HU                                 | DK             |
| C2                      | <i>Callithrix jacchus</i><br><i>geoffroyi</i>   | live (captive bred)             | 1           | SE                                 | DE             |
| C2                      | <i>Callithrix jacchus</i><br><i>penicillata</i> | live (captive bred)             | 2<br>2      | LY<br>US                           | DE<br>ES       |
| C2                      | <i>Cebuella pygmaea</i>                         | live (captive bred)             | 2<br>2<br>2 | JP<br>JP<br>SE                     | GB<br>NL<br>GB |
| C2                      | <i>Saguinus fuscicollis</i>                     | live (captive bred)             | 1<br>2      | JP<br>XX                           | GB<br>GB       |
| C2                      | <i>Saguinus imperator</i>                       | live (captive bred)             | 1           | JP                                 | GB             |

| CITES EEC<br>App. Annex |    | Taxon                        | Description         | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|----|------------------------------|---------------------|----------|------------------------------------|----|-------|
| II                      | C2 | <i>Saguinus imperator</i>    | live                | 1        |                                    | JP | BO GB |
|                         | C2 | <i>Saguinus labiatus</i>     | live (captive bred) | 5        |                                    | JP | NL    |
|                         |    |                              |                     | 1        |                                    | SE | GB    |
|                         |    |                              |                     | 2        |                                    | ZA | FR    |
|                         |    |                              |                     | 1        |                                    | ZA | GB    |
|                         | C2 | <i>Saguinus midas</i>        | live                | 1        |                                    | JP | GY GB |
|                         | C2 | <i>Saguinus nigricollis</i>  | live                | 1        |                                    | JP | EC GB |
|                         | C2 | <i>Aotus trivirgatus</i>     | live                | 1        |                                    | TW | BO GB |
|                         | C2 | <i>Cebus albifrons</i>       | live                | 2        |                                    | TW | GY GB |
|                         | C2 | <i>Cebus apella</i>          | live (captive bred) | 2        |                                    | PL | DE    |
|                         |    |                              | live                | 1        |                                    | HU | XX NL |
|                         |    |                              |                     | 8        |                                    | PL | BO DE |
|                         |    |                              |                     | 12       |                                    | SU | GY NL |
|                         | C2 | <i>Cebus capucinus</i>       | live (captive bred) | 2        |                                    | LY | CS DE |
|                         | C2 | <i>Lagothrix lagothricha</i> | live (captive bred) | 1        |                                    | US | GB    |
|                         | C2 | <i>Pithecia pithecia</i>     | live (captive bred) | 1        |                                    | PL | NL    |
|                         | C2 | <i>Saimiri sciureus</i>      | live (captive bred) | 5        |                                    | AT | DE    |
|                         |    |                              |                     | 2        |                                    | HU | NL    |
|                         |    |                              |                     | 2        |                                    | LY | DE    |
|                         |    |                              |                     | 2        |                                    | RO | NL    |
|                         |    |                              | live                | 40       |                                    | CH | GY NL |
|                         |    |                              |                     | 2        |                                    | LK | GF FR |
|                         |    |                              |                     | 80       |                                    | SE | GY NL |
|                         |    |                              |                     | 10       |                                    | SU | GY NL |

| CITES EEC<br>App. Annex | Taxon                                  | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|--|---------------------|----------|------------------------------------|----|----|
| II                      | C2 <i>Saimiri sciureus boliviensis</i> | live (captive bred) | 6        | SE                                 | NL |    |
|                         | C2 <i>Allenopithecus nigroviridis</i>  | live                | 1        | HU                                 | XX | NL |
|                         | C2 <i>Cercocebus aterrimus</i>         | live (captive bred) | 2        | US                                 | NL | GB |
|                         |  | live                | 2        | HU                                 | XX | NL |
|                         |  |                     | 1        | JP                                 | XX | GB |
|                         | C2 <i>Cercocebus torquatus</i>         | live (captive bred) | 2        | CA                                 | FR |    |
|                         |  |                     | 1        | RO                                 | IT | NL |
|                         |  |                     | 3        | US                                 | DE |    |
|                         |  | live                | 1        | US                                 | XX | DE |
|                         | C2 <i>Cercopithecus aethiops</i>       | live (captive bred) | 1        | HU                                 | NL |    |
|                         |  |                     | 1        | HU                                 | DE | NL |
|                         |  |                     | 2        | TW                                 | GB |    |
|                         |  | live                | 15       | CS                                 | KE | NL |
|                         |  |                     | 12       | PL                                 | KE | NL |
|                         |  |                     | 1        | RO                                 | XX | NL |
|                         |  |                     | 1290     | SU                                 | KE | NL |
|                         |  |                     | 44       | SU                                 | TZ | NL |
|                         |  |                     | 10       | TW                                 | TZ | BE |
|                         |  |                     | 100      | US                                 | KE | NL |
|                         |  | specimens           | 16       | US                                 | ET | DK |
|                         | C2 <i>Cercopithecus ascanius</i>       | live (captive bred) | 1        | HU                                 | DE | NL |
|                         |  | live                | 6        | IL                                 | ZR | BE |
|                         |  |                     | 3        | TW                                 | ZR | BE |
|                         |  |                     | 8        | US                                 | UG | GB |
|                         |  |                     | 2        | ZR                                 | ZR | BE |

| CITES EEC<br>App. Annex |    | TAXON                           | Description         | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|----|---------------------------------|---------------------|----------|------------------------------------|----|-------|
| II                      | C2 | <i>Cercopithecus hamlyni</i>    | live (captive bred) | 1        |                                    | US | NL DE |
|                         | C2 | <i>Cercopithecus mitis</i>      | live (captive bred) | 2        |                                    | TW | GB    |
|                         |    |                                 | live                | 8        |                                    | TW | TZ BE |
|                         |    |                                 | skins               | 2        |                                    | ZW | MW GB |
|                         | C2 | <i>Cercopithecus mona</i>       | live (captive bred) | 3        |                                    | MA | PT    |
|                         | C2 | <i>Cercopithecus neglectus</i>  | live (captive bred) | 1        |                                    | XX | GB    |
|                         |    |                                 | live                | 4        |                                    | SE | DK    |
|                         |    |                                 |                     | 1        |                                    | SE | UG GB |
|                         | C2 | <i>Cercopithecus petaurista</i> | live                | 4        |                                    | TW | GH BE |
|                         |    |                                 |                     | 2        |                                    | TW | GH GB |
|                         | C2 | <i>Cercopithecus talapoin</i>   | live                | 10       |                                    | IL | CM BE |
|                         |    |                                 |                     | 7        |                                    | TW | CM BE |
|                         | C2 | <i>Colobus angolensis</i>       | live                | 3        |                                    | TW | TZ BE |
|                         | C2 | <i>Colobus guereza</i>          | live (captive bred) | 2        |                                    | KW | DD DE |
|                         |    |                                 |                     | 2        |                                    | SE | GB    |
|                         |    |                                 | live                | 1        |                                    | SE | KE GB |
|                         | C2 | <i>Colobus polykomos</i>        | skins               | 244      |                                    | NO | KE GB |
|                         | C2 | <i>Erythrocebus patas</i>       | live (captive bred) | 3        |                                    | HU | NL    |
|                         |    |                                 |                     | 2        |                                    | JP | JP NL |
|                         |    |                                 |                     | 2        |                                    | RO | NL    |
|                         |    |                                 |                     | 2        |                                    | SU | JP NL |
|                         |    |                                 | live                | 2        |                                    | BG | SN GB |
|                         |    |                                 |                     | 1        |                                    | HU | CM NL |
|                         |    |                                 |                     | 1        |                                    | HU | XX NL |
|                         |    |                                 |                     | 110      |                                    | MX | SN GB |
|                         |    |                                 |                     | 1        |                                    | PL | SN GB |

| CITES EEC<br>App. Annex |    | Taxon                      | Description         | Quantity | Country of<br>Import Origin Export |       |       |
|-------------------------|----|----------------------------|---------------------|----------|------------------------------------|-------|-------|
| II                      | C2 | <i>Erythrocebus patas</i>  | live                | 2        |                                    | TW    | SN GB |
|                         | C2 | <i>Macaca arctoides</i>    | live (captive bred) | 3        |                                    | HU    | NL    |
|                         | C2 | <i>Macaca fascicularis</i> | live (captive bred) | 11       |                                    | HU    | NL    |
|                         |    |                            |                     | 50       |                                    | SE    | NL    |
|                         |    |                            | live                | 60       |                                    | MX ID | GB    |
|                         |    |                            |                     | 25       |                                    | MX PH | GB    |
|                         |    |                            | skin pieces         | 12       |                                    | JP PH | GB    |
|                         |    |                            | specimens           | 66 1     |                                    | CH PH | GB    |
|                         |    |                            |                     | 9 1      |                                    | JP PH | GB    |
|                         |    |                            |                     | 2 1      |                                    | US PH | GB    |
|                         |    |                            | tissue samples      | 969 ml   |                                    | JP PH | GB    |
|                         |    |                            |                     | 31       |                                    | CH PH | GB    |
|                         |    |                            |                     | 174      |                                    | JP PH | GB    |
|                         |    |                            |                     | 40       |                                    | US PH | GB    |
|                         | C2 | <i>Macaca fuscata</i>      | live (captive bred) | 2        |                                    | RO    | NL    |
|                         | C2 | <i>Macaca mulatta</i>      | live (captive bred) | 10       |                                    | AT    | FR    |
|                         |    |                            |                     | 15       |                                    | CH CN | GB    |
|                         |    |                            |                     | 7        |                                    | IL CN | GB    |
|                         |    |                            |                     | 1        |                                    | PL US | DE    |
|                         |    |                            |                     | 14       |                                    | RO    | NL    |
|                         |    |                            |                     | 40       |                                    | US    | GB    |
|                         |    |                            | live                | 12       |                                    | CH CN | FR    |
|                         |    |                            |                     | 4        |                                    | CH CN | GB    |
|                         |    |                            |                     | 1        |                                    | XX BD | GB    |
|                         |    |                            | specimens           | 1 1      |                                    | JP CN | GB    |
|                         | C2 | <i>Macaca nemestrina</i>   | live (captive bred) | 1        |                                    | HU    | NL    |
|                         |    |                            |                     | 4        |                                    | RO    | NL    |
|                         |    |                            |                     | 6        |                                    | SU DE | NL    |
|                         | C2 | <i>Macaca nigra</i>        | live (captive bred) | 1        | Jersey                             | CH    | GB    |

| CITES EEC<br>App. Annex |    | TAXON                         | Description         | Quantity          | Country of<br>Import Origin Export |                      |                |
|-------------------------|----|-------------------------------|---------------------|-------------------|------------------------------------|----------------------|----------------|
| II                      | C2 | <i>Macaca nigra</i>           | live (captive bred) | 4                 |                                    | US                   | GB             |
|                         | C2 | <i>Macaca sinica</i>          | live trophies       | 3<br>1            | OM<br>CH                           | LK<br>BR             | GB<br>GB       |
|                         | C2 | <i>Macaca sylvanus</i>        | live (captive bred) | 2                 | BG                                 | GB                   |                |
|                         |    |                               |                     | 12                | CS                                 | MA                   | NL             |
|                         |    |                               | live                | 1                 | RO                                 | XX                   | NL             |
|                         | C2 | <i>Papio hamadryas</i>        | bodies              | 4<br>2<br>2       | AT<br>CH<br>US                     | ZW<br>ZW<br>ZA       | DE<br>DE<br>DE |
|                         |    |                               | live (captive bred) | 14<br>6<br>1<br>2 | TW<br>TW<br>RO<br>NO               | BE<br>GB<br>XX<br>DK |                |
|                         | C2 | <i>Papio hamadryas anubis</i> | live specimens      | 1<br>4 1<br>1 1   | RO<br>JP<br>US                     | XX<br>ET<br>ET       | NL<br>GB<br>GB |
|                         | C2 | <i>Papio hamadryas papio</i>  | live                | 14                | SN                                 |                      | FR             |
|                         | C2 | <i>Presbytis obscura</i>      | live (captive bred) | 1<br>1            | CH<br>XX                           | AU                   | DE<br>DE       |
|                         |    | <i>Tamandua tetradactyla</i>  | pairs of shoes      | 5                 | US                                 | AR                   | IT             |
|                         | C1 | <i>Manis javanica</i>         | pairs of shoes      | 53<br>39          | NG<br>SA                           | TH                   | IT             |
|                         | C1 | <i>Monodon monoceros</i>      | carvings            | 1                 | CH                                 | GL                   | DK             |
|                         |    |                               |                     | 3                 | CH                                 | XX                   | FR             |
|                         |    |                               | tusks               | 4                 | XX                                 | GL                   | DK             |
|                         |    |                               |                     | 1                 | CA                                 | GL                   | DK             |

| CITES EEC<br>App. Annex |    | TAXON                             | Description                     | Quantity                                    | Country of<br>Import Origin Export                 |  |  |
|-------------------------|----|-----------------------------------|---------------------------------|---|--|--|--|
| II                      | C1 | <i>Monodon monoceros</i>          | tusks                           | 1<br>510 g<br>1 kg<br>10 kg<br>8 kg         | SE<br>AU<br>IS<br>MA<br>NO                         | GL<br>GL<br>GL<br>GL<br>GL                         | DK<br>DK<br>DK<br>DK<br>DK                         |
|                         | C1 | <i>Delphinus delphis</i>          | specimens                       | 1217  | US   | US   | FR   |
|                         |    | <i>Balaenoptera acutorostrata</i> | carvings                        | 6   | CH   | GL   | DK   |
|                         | C2 | <i>Canis lupus</i>                | garments<br>live (captive bred) | 7<br>4<br>3<br>2<br>4<br>1<br>4<br>11<br>21 | NO<br>CS<br>HU<br>MA<br>YU<br>CH<br>FI<br>NO<br>XX | MN<br>DE<br>DE<br>FR<br>DE<br>CA<br>SU<br>CA<br>SU | DK<br>DE<br>DE<br>DE<br>DE<br>DE<br>GB<br>GB<br>GB |
|                         | C2 | <i>Chrysocyon brachyurus</i>      | skins                           | 1   | DD   |  | DE   |
|                         | C2 | <i>Dusicyon griseus</i>           | live (captive bred)             | 1   |  |  | DE   |
|                         |    |                                   | garments                        | 4<br>18<br>4<br>55<br>3<br>6<br>3<br>14     | AD<br>AT<br>CA<br>CH<br>HK<br>JP<br>NO<br>US       | AR<br>AR<br>AR<br>AR<br>AR<br>AR<br>AR<br>AR       | DE<br>DE<br>DE<br>DE<br>DE<br>DE<br>DE<br>DE       |
|                         |    |                                   | plates                          | 9<br>8<br>2<br>38                           | CH<br>HK<br>MT<br>US                               | AR<br>AR<br>AR<br>AR                               | DE<br>DE<br>DE<br>DE                               |

| CITES EEC<br>App. Annex | Taxon                   | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|-------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | <i>Dusicyon griseus</i> | skins               | 65       | AT                                 | AR | DE |
|                         |                         |                     | 2598     | CH                                 | AR | DE |
|                         |                         |                     | 198      | FI                                 | AR | DE |
|                         |                         |                     | 40       | XX                                 | AR | GB |
|                         | <i>Vulpes zerda</i>     | live (captive bred) | 3        | JP                                 | EG | NL |
|                         |                         | live                | 1        | RO                                 |    | NL |
|                         | <i>Ursus arctos</i>     | bodies              | 1        | CH                                 | US | DE |
|                         |                         | skins               | 3        | AT                                 | US | DE |
|                         |                         |                     | 6        | NO                                 | XX | BE |
| C2                      | <i>Ursus maritimus</i>  | bodies              | 1        | NO                                 | CA | DE |
|                         |                         | live (captive bred) | 1        | DD                                 |    | DE |
|                         |                         |                     | 2        | JP                                 |    | DE |
|                         |                         |                     | 2        | PL                                 |    | NL |
|                         |                         |                     | 1        | TW                                 |    | GB |
|                         |                         |                     | 1        | US                                 | SU | DE |
|                         |                         | skins               | 1        | CH                                 | CA | DE |
|                         |                         |                     | 1        | GL                                 | GL | DK |
|                         |                         |                     | 1        | GL                                 | XX | DK |
|                         |                         | skin pieces         | 20 kg    | SE                                 | GL | DK |
|                         |                         | trophies            | 8        | GL                                 | GL | DK |
|                         |                         |                     | 2        | NO                                 | GL | DK |
| C2                      | <i>Ailurus fulgens</i>  | live (captive bred) | 1        | DD                                 |    | NL |
|                         |                         |                     | 1        | SE                                 |    | NL |
|                         | <i>Aonyx cinerea</i>    | live (captive bred) | 2        | JP                                 |    | NL |
|                         | <i>Lutra canadensis</i> | garments            | 4        | CA                                 | CA | DE |
|                         |                         |                     | 4        | JP                                 | CA | DE |
|                         |                         | skins               | 96       | AT                                 | US | DK |
|                         |                         |                     | 15       | CH                                 | CA | IT |
|                         |                         |                     | 31       | FI                                 | US | DK |

| CITES EEC<br>App. Annex | TAXON                                  | Description         | Quantity | Country of<br>Import Origin Export |          |          |
|-------------------------|--|---------------------|----------|------------------------------------|----------|----------|
| II                      | <i>Lutra canadensis</i>                | skins               | 20<br>54 | HK<br>JP                           | CA<br>US | DK<br>DK |
|                         | <i>Felidae spp.</i>                    | live (captive bred) | 2        |                                    | US       | GB       |
| C2                      | <i>Felis bengalensis</i>               | garments            | 1        |                                    | JP       | CN FR    |
|                         |  |                     | 3        |                                    | JP       | CN IT    |
|                         |  | live (captive bred) | 2        |                                    | US       | GB       |
|                         |  | skins               | 1200     |                                    | CN       | IT       |
| C2                      | <i>Felis bengalensis<br/>chinensis</i> | garments            | 6        |                                    | AT       | CN DE    |
|                         |  | plates              | 250      |                                    | JP       | CN DE    |
|                         |  | skins               | 284      |                                    | AT       | CN DE    |
|                         |  |                     | 10       |                                    | CH       | CN DE    |
|                         | <i>Felis caracal</i>                   | live (captive bred) | 2        |                                    | BW       | GB       |
|                         |  |                     | 2        |                                    | CA       | GB       |
|                         |  |                     | 1        |                                    | CS       | DE       |
|                         |  |                     | 2        |                                    | LY       | DE       |
|                         |  |                     | 4        |                                    | US       | GB       |
|                         | <i>Felis chaus</i>                     | live (captive bred) | 3        | Isle of Man                        |          | GB       |
|                         |  | skins               | 3000     | US                                 | AF       | GB       |
| C2                      | <i>Felis colocolo</i>                  | skins               | 1        | SA                                 | XX       | DK       |
|                         |  | trophies            | 1        | CH                                 | ID       | GB       |
| C2                      | <i>Felis concolor</i>                  | live (captive bred) | 2        | KW                                 |          | DE       |
|                         |  | live                | 1        | LY                                 | XX       | DE       |
| C2                      | <i>Felis geoffroyi</i>                 | garments            | 2        | AT                                 | BO       | DE       |
|                         |  |                     | 13       | AT                                 | XX       | DE       |
|                         |  | skins               | 13       | AT                                 | BO       | DE       |
|                         |  |                     | 4        | CH                                 | BO       | DE       |

| CITES EEC<br>App. Annex | Taxon                        | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 <i>Felis lynx</i>         | garments            | 1        | BN                                 | SU | FR |
|                         |                              |                     | 4        | CA                                 | SU | DE |
|                         |                              |                     | 1        | CA                                 | SU | DK |
|                         |                              |                     | 2        | CA                                 | SU | FR |
|                         |                              |                     | 10       | CH                                 | SU | FR |
|                         |                              |                     | 1        | CH                                 | SU | GR |
|                         |                              |                     | 4        | HK                                 | SU | DE |
|                         |                              |                     | 6        | JP                                 | SU | DE |
|                         |                              |                     | 1        | JP                                 | SU | DK |
|                         |                              |                     | 2        | TR                                 | SU | FR |
|                         |                              |                     | 1        | XX                                 | SU | DK |
|                         |                              | live (captive bred) | 5        | CA                                 |    | NL |
|                         |                              |                     | 2        | LY                                 |    | DE |
|                         |                              |                     | 1        | PL                                 |    | GB |
|                         |                              |                     | 4        | US                                 |    | GB |
|                         |                              |                     | 2        | US                                 |    | NL |
|                         |                              | skins               | 1        | AT                                 | SU | GB |
|                         |                              |                     | 55       | CA                                 | CN | DK |
|                         |                              |                     | 5        | CH                                 | CN | DE |
|                         |                              |                     | 1        | CH                                 | SU | DE |
|                         |                              |                     | 76       | HK                                 | SU | GB |
|                         |                              |                     | 167      | JP                                 | SU | DE |
|                         |                              |                     | 3        | NO                                 | SU | GB |
|                         |                              |                     | 41       | US                                 | CN | DK |
|                         |                              |                     | 560      | US                                 | CN | GB |
|                         |                              |                     | 82       | US                                 | CN | IT |
|                         |                              |                     | 69       | US                                 | SU | FR |
|                         |                              |                     | 10       | US                                 | SU | GB |
|                         |                              |                     | 124      | XX                                 | CA | GB |
|                         |                              |                     | 29       | XX                                 | SU | GB |
| C2                      | <i>Felis lynx canadensis</i> | garments            | 1        | AT                                 | CA | DE |
|                         |                              |                     | 3        | AT                                 | CA | GR |
|                         |                              |                     | 2        | CA                                 | CA | FR |
|                         |                              |                     | 2        | CH                                 | CA | FR |

| CITES EEC<br>App. Annex | TAXON                           | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|---------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 <i>Felis lynx canadensis</i> | garments            | 8        | CH                                 | CA | GR |
|                         |                                 |                     | 10       | CH                                 | US | DE |
|                         |                                 |                     | 1        | CH                                 | US | GR |
|                         |                                 |                     | 8        | JP                                 | CA | DE |
|                         |                                 |                     | 1        | JP                                 | CA | DK |
|                         |                                 |                     | 43       | JP                                 | CA | FR |
|                         |                                 |                     | 2        | SE                                 | CA | DK |
|                         |                                 |                     | 21       | US                                 | CA | DE |
|                         |                                 |                     | 2        | US                                 | SU | DK |
|                         |                                 |                     | 55       | US                                 | US | GR |
|                         |                                 | live (captive bred) | 1        | CH                                 |    | FR |
|                         |                                 | plates              | 1        | AT                                 | CA | DE |
|                         |                                 |                     | 5        | AT                                 | US | DE |
|                         |                                 |                     | 1        | NO                                 | CA | DE |
|                         |                                 | skins               | 26       | AT                                 | US | DK |
|                         |                                 |                     | 2        | CA                                 | CA | BE |
|                         |                                 |                     | 1        | CH                                 | CA | DE |
|                         |                                 |                     | 93       | US                                 | CA | FR |
| C2                      | <i>Felis pardalis</i>           | garments            | 14       | AT                                 | XX | GR |
|                         |                                 | live (captive bred) | 1        | CH                                 |    | DE |
|                         |                                 | skins               | 28       | HK                                 | PY | DE |
|                         | <i>Felis rufa</i>               | garments            | 2        | AE                                 | US | DE |
|                         |                                 |                     | 15       | AT                                 | CA | DE |
|                         |                                 |                     | 152      | AT                                 | US | DE |
|                         |                                 |                     | 1        | AT                                 | US | IT |
|                         |                                 |                     | 2        | BN                                 | US | FR |
|                         |                                 |                     | 5        | CA                                 | CA | DE |
|                         |                                 |                     | 11       | CA                                 | CA | GR |
|                         |                                 |                     | 3        | CA                                 | CA | IT |
|                         |                                 |                     | 7        | CA                                 | US | DE |
|                         |                                 |                     | 3        | CA                                 | US | FR |
|                         |                                 |                     | 3        | CA                                 | US | IT |
|                         |                                 |                     | 1        | CH                                 | CA | DE |

| CITES EEC<br>App. Annex | TAXON             | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|-------------------|---------------------|----------|------------------------------------|----|----|
| II                      | <i>Felis rufa</i> | garments            | 1        | CH                                 | CA | GR |
|                         |                   |                     | 13       | CH                                 | US | DE |
|                         |                   |                     | 2        | CH                                 | US | GR |
|                         |                   |                     | 10       | CH                                 | US | IT |
|                         |                   |                     | 1        | HK                                 | CA | DE |
|                         |                   |                     | 1        | HK                                 | CA | FR |
|                         |                   |                     | 7        | JP                                 | CA | DE |
|                         |                   |                     | 3        | JP                                 | CA | IT |
|                         |                   |                     | 44       | JP                                 | US | DE |
|                         |                   |                     | 3        | JP                                 | US | FR |
|                         |                   |                     | 12       | JP                                 | US | IT |
|                         |                   |                     | 1        | JP                                 | XX | FR |
|                         |                   |                     | 15       | NO                                 | US | DE |
|                         |                   |                     | 5        | TR                                 | XX | GR |
|                         |                   |                     | 33       | US                                 | CA | DE |
|                         |                   |                     | 1        | US                                 | CA | FR |
|                         |                   |                     | 13       | US                                 | CA | GR |
|                         |                   |                     | 1        | US                                 | SU | IT |
|                         |                   |                     | 69       | US                                 | US | DE |
|                         |                   |                     | 1        | US                                 | US | FR |
|                         |                   |                     | 36       | US                                 | US | GR |
|                         |                   |                     | 5        | US                                 | US | IT |
|                         |                   |                     | 22       | US                                 | XX | GR |
|                         |                   | handbags            | 3        | JP                                 | US | DE |
|                         |                   | live (captive bred) | 2        | DD                                 | DD | DE |
|                         |                   | live                | 2        | JP                                 | US | IT |
|                         |                   | skins               | 127      | AD                                 | US | DE |
|                         |                   |                     | 26       | AT                                 | CA | DE |
|                         |                   |                     | 240      | AT                                 | US | DE |
|                         |                   |                     | 95       | CA                                 | US | DE |
|                         |                   |                     | 215      | CH                                 | CA | FR |
|                         |                   |                     | 271      | CH                                 | US | DE |
|                         |                   |                     | 196      | HK                                 | US | DE |
|                         |                   |                     | 14       | LB                                 | US | DE |
|                         |                   |                     | 127      | TR                                 | US | DE |

| CITES EEC<br>App. Annex | Taxon                         | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|-------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | <i>Felis rufa</i>             | skin/leather items  | 1        | MX                                 | US | FR |
|                         |                               | skin scraps         | 2 kg     | AT                                 | US | DE |
|                         |                               | trophies            | 1        | CH                                 | US | GB |
| C2                      | <i>Felis serval</i>           | live (captive bred) | 1        | CS                                 | NL |    |
|                         |                               |                     | 2        | HU                                 | NL |    |
|                         |                               |                     | 1        | LY                                 | DE |    |
|                         |                               |                     | 1        | RO                                 | NL |    |
|                         |                               | skins               | 260      | AT                                 | ZA | GB |
|                         |                               |                     | 1        | SA                                 | XX | DK |
| C2                      | <i>Felis silvestris</i>       | garments            | 5        | HU                                 | IN | DE |
| C2                      | <i>Felis tigrina</i>          | garments            | 1        | NO                                 | PY | DE |
|                         |                               |                     | 43       | YU                                 | XX | GR |
|                         |                               | skins               | 6        | CH                                 | XX | DE |
|                         |                               |                     | 1        | SA                                 | XX | DK |
| .                       | <i>Panthera leo</i>           | bodies              | 1        | CH                                 |    | GB |
| .                       |                               |                     | 2        | US                                 | TZ | DE |
| .                       |                               |                     | 2        | VE                                 | TZ | DE |
| .                       |                               | live (captive bred) | 1        | BU                                 | GB |    |
| .                       |                               |                     | 9        | SE                                 | GB |    |
| .                       |                               |                     | 4        | US                                 | DE |    |
| .                       |                               | skins               | 5        | NO                                 | XX | BE |
| .                       |                               | skulls              | 1        | CH                                 | ZW | DE |
| .                       |                               | trophies            | 4        | CH                                 |    | GB |
| .                       | <i>Arctocephalus</i> spp.     | garments            | 1        | US                                 | US | FR |
| .                       | <i>Arctocephalus pusillus</i> | garments            | 8        | AT                                 | NA | DE |
| .                       |                               |                     | 25       | AT                                 | NA | DK |
| .                       |                               |                     | 1        | AT                                 | XX | GR |
| .                       |                               |                     | 3        | CA                                 | ZA | DE |
| .                       |                               |                     | 60       | FI                                 | NA | DK |

| CITES EEC<br>App. Annex | TAXON                         | Description    | Quantity  | Country of<br>Import Origin Export |    |    |
|-------------------------|-------------------------------|----------------|-----------|------------------------------------|----|----|
| II                      | <i>Arctocephalus pusillus</i> | garments       | 3         | FI                                 | XX | GR |
|                         |                               |                | 9         | JP                                 | ZA | DE |
|                         |                               |                | 8         | NO                                 | NA | DE |
|                         |                               |                | 102       | NO                                 | NA | DK |
|                         |                               |                | 4         | NO                                 | ZA | DE |
|                         |                               | live           | 2         | DD                                 | XX | DE |
|                         |                               |                | 6         | PL                                 | ZA | IT |
|                         |                               | skins          | 7         | CH                                 | ZA | DE |
|                         |                               |                | 200       | JP                                 | ZA | DE |
|                         |                               |                | 10        | PL                                 | ZA | DE |
| C2                      | <i>Elephantidae</i> spp.      | ivory carvings | 11        | JP                                 | XX | BE |
|                         |                               |                | 1         | JP                                 | XX | FR |
|                         |                               |                | 5         | US                                 | XX | FR |
|                         |                               |                | 32        | ZR                                 | CA | BE |
|                         |                               | tusks          | 1         | US                                 | XX | FR |
| C2                      | <i>Loxodonta africana</i>     | belts          | 6         | CH                                 | BW | FR |
|                         |                               |                | 6         | CH                                 | ZW | FR |
|                         |                               |                | 11        | HK                                 | BW | IT |
|                         |                               |                | 19        | HK                                 | ZA | IT |
|                         |                               |                | 34        | JP                                 | ZA | FR |
|                         |                               |                | 30        | JP                                 | ZA | IT |
|                         |                               |                | 15        | JP                                 | ZW | FR |
|                         |                               |                | 1         | TW                                 | ZA | IT |
|                         |                               |                | 4         | US                                 | ZA | FR |
|                         |                               |                | 10        | US                                 | ZW | FR |
|                         |                               | bodies         | 7         | CH                                 | ZW | DE |
|                         |                               | ears           | 565 sq.ft | US                                 | ZW | DE |
|                         |                               | hair           | 67        | AT                                 | XX | DE |
|                         |                               |                | 32 items  | CH                                 | BW | FR |
|                         |                               | handbags       | 1         | CH                                 | ZW | FR |
|                         |                               |                | 8         | HK                                 | BW | IT |
|                         |                               |                | 3         | HK                                 | ZA | DE |
|                         |                               |                | 10        | HK                                 | ZA | IT |

| CITES EEC<br>App. Annex | Taxon | Description               | Quantity | Country of<br>Import Origin Export |    |    |    |
|-------------------------|-------|---------------------------|----------|------------------------------------|----|----|----|
| II                      | C2    | <i>Loxodonta africana</i> | handbags | 56                                 | HK | ZW | DE |
|                         |       |                           |          | 50                                 | JP | BW | IT |
|                         |       |                           |          | 1                                  | JP | RW | DE |
|                         |       |                           |          | 15                                 | JP | XF | IT |
|                         |       |                           |          | 4                                  | JP | ZA | DE |
|                         |       |                           |          | 1                                  | JP | ZA | FR |
|                         |       |                           |          | 2                                  | JP | ZA | IT |
|                         |       |                           |          | 9                                  | JP | ZW | DE |
|                         |       |                           |          | 25                                 | JP | ZW | FR |
|                         |       |                           |          | 67                                 | JP | ZW | IT |
|                         |       |                           |          | 1                                  | US | ZW | FR |
|                         |       | ivory carvings            |          | 8                                  | AD |    | FR |
|                         |       |                           |          | 3                                  | AD | CG | FR |
|                         |       |                           |          | 5                                  | AD | ET | FR |
|                         |       |                           |          | 3                                  | AD | KE | FR |
|                         |       |                           |          | 12                                 | AD | SD | FR |
|                         |       |                           |          | 1                                  | AD | SM | FR |
|                         |       |                           |          | 17                                 | AD | SO | FR |
|                         |       |                           |          | 4                                  | AD | UG | FR |
|                         |       |                           |          | 53                                 | AD | XX | FR |
|                         |       |                           |          | 15                                 | AD | ZM | FR |
|                         |       |                           |          | 1                                  | AU | ZW | FR |
|                         |       |                           |          | 12                                 | BM | ZR | DK |
|                         |       |                           |          | 1                                  | BN | CF | FR |
|                         |       |                           |          | 2                                  | CH | BW | FR |
|                         |       |                           |          | 104                                | CH | CF | FR |
|                         |       |                           |          | 8                                  | CH | CF | IT |
|                         |       |                           |          | 1                                  | CH | ID | ES |
|                         |       |                           |          | 49                                 | CH | SD | FR |
|                         |       |                           |          | 1                                  | CH | XX | ES |
|                         |       |                           |          | 65                                 | CH | XX | FR |
|                         |       |                           |          | 4                                  | DJ | XX | FR |
|                         |       |                           |          | 30                                 | FR | ZM | FR |
|                         |       |                           |          | 28                                 | GT | CF | FR |
|                         |       |                           |          | 1                                  | HK | BI | FR |

| CITES EEC<br>App. Annex | Taxon | Description               | Quantity       | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|---------------------------|----------------|------------------------------------|----|-------|
| II                      | C2    | <i>Loxodonta africana</i> | ivory carvings | 1                                  | HK | XX FR |
|                         |       |                           | 1              | HK                                 | XX | IT    |
|                         |       |                           | 1              | HK                                 | XX | NL    |
|                         |       |                           | 5              | JP                                 | BW | FR    |
|                         |       |                           | 7              | JP                                 | CF | FR    |
|                         |       |                           | 1              | JP                                 | CI | DK    |
|                         |       |                           | 30             | JP                                 | CI | FR    |
|                         |       |                           | 18             | JP                                 | CM | FR    |
|                         |       |                           | 26             | JP                                 | KE | FR    |
|                         |       |                           | 6              | JP                                 | TG | FR    |
|                         |       |                           | 4              | JP                                 | XX | NL    |
|                         |       |                           | 21             | JP                                 | ZA | FR    |
|                         |       |                           | 1              | JP                                 | ZA | IT    |
|                         |       |                           | 30             | JP                                 | ZR | FR    |
|                         |       |                           | 27             | KY                                 | ZR | DK    |
|                         |       |                           | 26             | MA                                 | CF | FR    |
|                         |       |                           | 8              | MA                                 | KE | FR    |
|                         |       |                           | 24             | NC                                 | SO | FR    |
|                         |       |                           | 19             | NC                                 | XX | FR    |
|                         |       |                           | 65             | NC                                 | ZM | FR    |
|                         |       |                           | 98             | US                                 | CF | FR    |
|                         |       |                           | 206            | US                                 | CF | IT    |
|                         |       |                           | 400            | US                                 | CG | FR    |
|                         |       |                           | 10             | US                                 | KE | FR    |
|                         |       |                           | 2              | US                                 | SL | NL    |
|                         |       |                           | 1              | US                                 | XF | IT    |
|                         |       |                           | 2              | US                                 | XX | NL    |
|                         |       |                           | 20             | US                                 | ZA | FR    |
|                         |       |                           | 200            | US                                 | ZM | FR    |
|                         |       |                           | 400 g          | AR                                 | ZA | DE    |
|                         |       |                           | 1200 g         | AT                                 | KE | DE    |
|                         |       |                           | 1150 g         | AT                                 | SD | DE    |
|                         |       |                           | 1373 g         | AT                                 | TZ | DE    |
|                         |       |                           | 1350 g         | AT                                 | XX | DE    |
|                         |       |                           | 2252 g         | AT                                 | ZA | DE    |

| CITES EEC<br>App. Annex | Taxon | Description               | Quantity       | Country of<br>Import Origin Export |       |       |
|-------------------------|-------|---------------------------|----------------|------------------------------------|-------|-------|
| II                      | C2    | <i>Loxodonta africana</i> | ivory carvings | 411 g                              | AT    | ZW DE |
|                         |       |                           | 2000 g         | AU                                 | KE DE |       |
|                         |       |                           | 830 g          | AU                                 | ZA DE |       |
|                         |       |                           | 500 g          | AU                                 | ZA GB |       |
|                         |       |                           | 400 g          | BR                                 | TZ DE |       |
|                         |       |                           | 860 g          | CA                                 | ZA DE |       |
|                         |       |                           | 470 g          | CH                                 | BW DE |       |
|                         |       |                           | 4800 g         | CH                                 | KE DE |       |
|                         |       |                           | 429 g          | CH                                 | MZ DE |       |
|                         |       |                           | 700 g          | CH                                 | MZ GB |       |
|                         |       |                           | 1505 g         | CH                                 | SD DE |       |
|                         |       |                           | 7390 g         | CH                                 | TZ DE |       |
|                         |       |                           | 702 g          | CH                                 | XX DE |       |
|                         |       |                           | 7350 g         | CH                                 | ZA DE |       |
|                         |       |                           | 275 g          | CH                                 | ZW DE |       |
|                         |       |                           | 400 g          | CN                                 | TZ DE |       |
|                         |       |                           | 400 g          | CY                                 | KE DE |       |
|                         |       |                           | 900 g          | DD                                 | SO DE |       |
|                         |       |                           | 468 g          | EC                                 | KE DE |       |
|                         |       |                           | 425 g          | EG                                 | ZA DE |       |
|                         |       |                           | 22 g           | FI                                 | KE DK |       |
|                         |       |                           | 350 g          | HK                                 | SD DE |       |
|                         |       |                           | 2150 g         | HK                                 | ZA DE |       |
|                         |       |                           | 800 g          | IL                                 | KE DE |       |
|                         |       |                           | 400 g          | IL                                 | ZA DE |       |
|                         |       |                           | 10 g           | IN                                 | TZ DE |       |
|                         |       |                           | 170 g          | IN                                 | ZW DE |       |
|                         |       |                           | 800 g          | IS                                 | KE DE |       |
|                         |       |                           | 345 g          | JO                                 | KE DE |       |
|                         |       |                           | 29230 g        | JP                                 | KE DE |       |
|                         |       |                           | 80 g           | JP                                 | SD DE |       |
|                         |       |                           | 1300 g         | JP                                 | TZ DE |       |
|                         |       |                           | 1655 g         | JP                                 | XX DE |       |
|                         |       |                           | 27720 g        | JP                                 | ZA DE |       |
|                         |       |                           | 1600 g         | KR                                 | KE DE |       |

| CITES EEC<br>App. Annex |    | Taxon                     | Description    | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----|---------------------------|----------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Loxodonta africana</i> | ivory carvings | 400 g    | KR                                 | ZA | DE |
|                         |    |                           |                | 400 g    | MT                                 | KE | DE |
|                         |    |                           |                | 400 g    | MU                                 | KE | DE |
|                         |    |                           |                | 430 g    | MX                                 | ZA | DE |
|                         |    |                           |                | 1200 g   | NZ                                 | KE | DE |
|                         |    |                           |                | 28 g     | NZ                                 | XX | DK |
|                         |    |                           |                | 7 g      | NZ                                 | ZW | DK |
|                         |    |                           |                | 600 g    | PL                                 | ZA | DE |
|                         |    |                           |                | 91 g     | SE                                 | KE | DK |
|                         |    |                           |                | 645 g    | SE                                 | SD | DK |
|                         |    |                           |                | 900 g    | SE                                 | TZ | DE |
|                         |    |                           |                | 30 g     | SE                                 | XX | DK |
|                         |    |                           |                | 1285 g   | SE                                 | ZA | DE |
|                         |    |                           |                | 120 g    | SE                                 | ZW | DK |
|                         |    |                           |                | 800 g    | TH                                 | KE | DE |
|                         |    |                           |                | 1720 g   | TW                                 | ZA | DE |
|                         |    |                           |                | 3760 g   | US                                 | KE | DE |
|                         |    |                           |                | 25 g     | US                                 | KE | DK |
|                         |    |                           |                | 26 g     | US                                 | MZ | DE |
|                         |    |                           |                | 500 g    | US                                 | MZ | GB |
|                         |    |                           |                | 1098 g   | US                                 | SD | DE |
|                         |    |                           |                | 5382 g   | US                                 | TZ | DE |
|                         |    |                           |                | 660 g    | US                                 | XX | DE |
|                         |    |                           |                | 27 g     | US                                 | XX | DK |
|                         |    |                           |                | 29681 g  | US                                 | ZA | DE |
|                         |    |                           |                | 2367 g   | US                                 | ZM | DE |
|                         |    |                           |                | 449 g    | US                                 | ZW | DE |
|                         |    |                           |                | 3 g      | US                                 | ZW | DK |
|                         |    |                           |                | 400 g    | UY                                 | KE | DE |
|                         |    |                           |                | 400 g    | VE                                 | ZA | DE |
|                         |    |                           |                | 850 g    | VI                                 | SD | DE |
|                         |    |                           |                | 1080 g   | ZA                                 | ZA | DE |
|                         |    |                           |                | 15 kg    | AT                                 | BW | DE |
|                         |    |                           |                | 849 kg   | AT                                 | MZ | GB |
|                         |    |                           |                | 10 kg    | AT                                 | TZ | DE |

| CITES EEC<br>App. Annex | Taxon | Description               | Quantity       | Country of<br>Import | Country of<br>Origin Export |
|-------------------------|-------|---------------------------|----------------|----------------------|-----------------------------|
| II                      | C2    | <i>Loxodonta africana</i> | ivory carvings |                      |                             |
|                         |       |                           | 18 kg          | AT                   | ZA DE                       |
|                         |       |                           | 2135 kg        | AT                   | ZA GB                       |
|                         |       |                           | 1 kg           | AU                   | XX DE                       |
|                         |       |                           | 5 kg           | AU                   | ZR DK                       |
|                         |       |                           | 63 kg          | CH                   | SD DE                       |
|                         |       |                           | 2 kg           | CH                   | ZA DE                       |
|                         |       |                           | 2 kg           | CH                   | ZW DE                       |
|                         |       |                           | 3 kg           | DD                   | SD DE                       |
|                         |       |                           | 2 kg           | HK                   | SD DE                       |
|                         |       |                           | 15 kg          | HK                   | XX BE                       |
|                         |       |                           | 1 kg           | HK                   | ZA DE                       |
|                         |       |                           | 30 kg          | HK                   | ZR BE                       |
|                         |       |                           | 1 kg           | IL                   | ZM GB                       |
|                         |       |                           | 5 kg           | IS                   | KE GB                       |
|                         |       |                           | 2 kg           | JP                   | CI DK                       |
|                         |       |                           | 8 kg           | JP                   | KE DE                       |
|                         |       |                           | 2 kg           | JP                   | TZ DE                       |
|                         |       |                           | 2 kg           | JP                   | ZA GB                       |
|                         |       |                           | 5 kg           | US                   | CG DE                       |
|                         |       |                           | 2 kg           | US                   | KE DE                       |
|                         |       |                           | 13 kg          | US                   | TZ DE                       |
|                         |       |                           | 5 kg           | US                   | XX DK                       |
|                         |       |                           | 68 kg          | US                   | ZA DE                       |
|                         |       |                           | 27 kg          | US                   | ZA GB                       |
|                         |       |                           | 3 kg           | US                   | ZW DE                       |
|                         |       |                           | 15 kg          | US                   | ZW GB                       |
|                         |       |                           | 3 kg           | XX                   | KE GB                       |
|                         |       |                           | 62 kg          | XX                   | XX GB                       |
|                         |       |                           | 7 kg           | XX                   | ZA GB                       |
|                         |       |                           | 10 kg          | XX                   | ZM GB                       |
|                         |       |                           | 1 kg           | ZA                   | ZA GB                       |
|                         |       |                           | 14 pairs       | BM                   | TZ DK                       |
|                         |       |                           | 2 sets         | BM                   | ZR DK                       |
|                         |       |                           | 2 sets         | JP                   | MZ BE                       |
|                         |       |                           | 1 set          | JP                   | ZA NL                       |

| CITES EEC<br>App. Annex |    | Taxon                     | Description    | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----|---------------------------|----------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Loxodonta africana</i> | ivory carvings | 1 set    | JP                                 | ZM | IT |
|                         |    |                           | ivory pieces   | 26       | HK                                 | CG | ES |
|                         |    |                           |                | 1        | MX                                 | XX | ES |
|                         |    |                           |                | 490 g    | US                                 | ZA | DE |
|                         |    |                           |                | 50 kg    | AT                                 | ZA | GB |
|                         |    |                           |                | 1 kg     | CH                                 | SD | DE |
|                         |    |                           |                | 11 kg    | DD                                 | ZA | DE |
|                         |    |                           |                | 500 kg   | HK                                 | ZA | GB |
|                         |    |                           |                | 31 kg    | JP                                 | XX | NL |
|                         |    |                           |                | 8 kg     | US                                 | SD | DE |
|                         |    |                           |                | 4 kg     | US                                 | ZA | DE |
|                         |    |                           |                | 450 kg   | XX                                 | KE | GB |
|                         |    |                           |                | 69 kg    | ZA                                 | ZA | DE |
|                         |    |                           | ivory scraps   | 19 kg    | CH                                 | SD | DE |
|                         |    |                           | live           | 2        | CH                                 | ZA | DE |
|                         |    |                           |                | 2        | CH                                 | ZW | DE |
|                         |    |                           |                | 4        | CH                                 | ZW | FR |
|                         |    |                           |                | 1        | DD                                 | ZW | DE |
|                         |    |                           |                | 1        | PK                                 | ZW | BE |
|                         |    |                           |                | 2        | PL                                 | ZW | GB |
|                         |    |                           |                | 2        | TW                                 | ZW | BE |
|                         |    |                           | pairs of shoes | 2        | CH                                 | ZW | IT |
|                         |    |                           |                | 24       | HK                                 | BW | IT |
|                         |    |                           |                | 2        | HK                                 | ZA | IT |
|                         |    |                           |                | 40       | JP                                 | BW | IT |
|                         |    |                           |                | 1        | JP                                 | ZW | FR |
|                         |    |                           |                | 24       | JP                                 | ZW | IT |
|                         |    |                           |                | 26       | SA                                 | ZA | IT |
|                         |    |                           |                | 9        | US                                 | BW | FR |
|                         |    |                           |                | 23       | US                                 | BW | IT |
|                         |    |                           |                | 200      | US                                 | ZW | IT |
|                         |    |                           | skins          | 1        | CH                                 | ZW | DE |
|                         |    |                           |                | 10       | CH                                 | ZW | FR |
|                         |    |                           |                | 1        | HK                                 | ZW | FR |
|                         |    |                           |                | 11       | JP                                 | BW | FR |

| CITES EEC<br>App. Annex | Taxon | Description               | Quantity   | Country of<br>Import | Country of<br>Origin Export |
|-------------------------|-------|---------------------------|------------|----------------------|-----------------------------|
| II                      | C2    | <i>Loxodonta africana</i> | skins      |                      |                             |
|                         |       |                           | 3          | JP                   | ZA FR                       |
|                         |       |                           | 1          | JP                   | ZW FR                       |
|                         |       |                           | 149        | US                   | RW DE                       |
|                         |       |                           | 2          | US                   | ZW DE                       |
|                         |       |                           | 497        | US                   | ZW ES                       |
|                         |       |                           | 193        | ZA                   | ZW FR                       |
|                         |       |                           | 270 kg     | US                   | BW GB                       |
|                         |       |                           | 51 kg      | XX                   | BW GB                       |
|                         |       |                           | 31 kg      | XX                   | ZW GB                       |
|                         |       |                           | 1000 sq.ft | CA                   | BW GB                       |
|                         |       |                           | 188 sq.ft  | CA                   | ZW GB                       |
|                         |       |                           | 1000 sq.ft | US                   | BW GB                       |
|                         |       |                           | 1823 sq.ft | US                   | ZW DE                       |
|                         |       |                           | 3548 sq.ft | US                   | ZW GB                       |
|                         |       |                           | 279 sq.ft  | XX                   | BW FR                       |
|                         |       |                           | 7581 sq.ft | XX                   | BW GB                       |
|                         |       |                           | 2606 sq.ft | XX                   | ZW GB                       |
|                         |       |                           | 19 sq.m    | CH                   | ZW DE                       |
|                         |       | skin/leather items        | 73         | CA                   | ZA IT                       |
|                         |       |                           | 2          | CH                   | CF IT                       |
|                         |       |                           | 121        | CH                   | ZA IT                       |
|                         |       |                           | 3          | CH                   | ZW FR                       |
|                         |       |                           | 280        | HK                   | ZA IT                       |
|                         |       |                           | 3          | HK                   | ZW FR                       |
|                         |       |                           | 368        | HK                   | ZW IT                       |
|                         |       |                           | 10         | JP                   | ZA BE                       |
|                         |       |                           | 3069       | JP                   | ZA IT                       |
|                         |       |                           | 6          | JP                   | ZW FR                       |
|                         |       |                           | 1          | US                   | BW IT                       |
|                         |       |                           | 3          | US                   | ZW FR                       |
|                         |       |                           | 133        | US                   | ZW GB                       |
|                         |       |                           | 19         | US                   | ZW IT                       |
|                         |       | skin pieces               | 1          | CH                   | ZW BE                       |
|                         |       | teeth                     | 2          | CH                   | NG GB                       |
|                         |       | tusks                     | 2          | CA                   | XX FR                       |

| CITES EEC<br>App. Annex |    | Taxon                     | Description | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----|---------------------------|-------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Loxodonta africana</i> | tusks       | 12       | HK                                 | CF | FR |
|                         |    |                           |             | 4        | HK                                 | CG | FR |
|                         |    |                           |             | 2        | HK                                 | CM | FR |
|                         |    |                           |             | 25       | HK                                 | ZA | GB |
|                         |    |                           |             | 169      | JP                                 | GA | FR |
|                         |    |                           |             | 50 kg    | AT                                 | ZW | DE |
|                         |    |                           |             | 3 kg     | CH                                 | MZ | DE |
|                         |    |                           |             | 14 kg    | CH                                 | ZW | DE |
|                         |    |                           |             | 9 kg     | DD                                 | ZW | DE |
|                         |    |                           |             | 134 kg   | HK                                 | CF | BE |
|                         |    |                           |             | 11733 kg | HK                                 | SD | BE |
|                         |    |                           |             | 2148 kg  | HK                                 | ZR | BE |
|                         |    |                           |             | 154 kg   | JP                                 | CF | BE |
|                         |    |                           |             | 7930 kg  | JP                                 | GA | BE |
|                         |    |                           |             | 47 kg    | JP                                 | XX | BE |
|                         |    |                           |             | 1086 kg  | JP                                 | ZA | GB |
|                         |    |                           |             | 997 kg   | JP                                 | ZM | BE |
|                         |    |                           |             | 1050 kg  | JP                                 | ZR | BE |
|                         |    |                           |             | 49 kg    | JP                                 | ZR | GB |
|                         |    |                           |             | 34 kg    | JP                                 | ZW | GB |
|                         |    |                           |             | 39 kg    | US                                 | XF | IT |
|                         |    |                           |             | 8 kg     | US                                 | ZA | DE |
|                         |    |                           | wallets     | 52 kg    | ZA                                 | ZA | DE |
|                         |    |                           |             | 20       | HK                                 | RW | DE |
|                         |    |                           |             | 8        | HK                                 | ZA | DE |
|                         |    |                           |             | 19       | HK                                 | ZA | IT |
|                         |    |                           |             | 24       | HK                                 | ZW | DE |
|                         |    |                           |             | 3        | JP                                 | BW | IT |
|                         |    |                           |             | 1        | JP                                 | RW | DE |
|                         |    |                           |             | 60       | JP                                 | ZA | IT |
|                         |    |                           |             | 1        | JP                                 | ZW | DE |
|                         |    |                           |             | 18       | JP                                 | ZW | IT |
|                         |    |                           | watchstraps | 81       | AT                                 | ZW | FR |
|                         |    |                           |             | 10       | AU                                 | ZW | FR |
|                         |    |                           |             | 24       | CH                                 | ZA | DE |

| CITES EEC<br>App. Annex | Taxon | Description                   | Quantity            | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|-------------------------------|---------------------|------------------------------------|----|-------|
| II                      | C2    | <i>Loxodonta africana</i>     | watchstraps         | 9633                               | CH | ZW FR |
|                         |       |                               | 15                  | CM                                 | ZW | FR    |
|                         |       |                               | 29                  | HK                                 | CF | IT    |
|                         |       |                               | 10                  | HK                                 | ZW | FR    |
|                         |       |                               | 180                 | IL                                 | ZW | FR    |
|                         |       |                               | 146                 | JP                                 | ZW | FR    |
|                         |       |                               | 64                  | SA                                 | ZW | FR    |
|                         |       |                               | 9                   | SE                                 | ZW | FR    |
|                         |       |                               | 54                  | US                                 | ZW | BE    |
|                         |       |                               | 914                 | US                                 | ZW | FR    |
| C1                      |       | <i>Equus hemionus</i>         | live (captive bred) | 3                                  | US | DE    |
|                         |       | <i>Equus zebra</i>            | live (captive bred) | 1                                  | SE | GB    |
| C1                      |       | <i>Equus zebra hartmannae</i> | live (captive bred) | 1                                  | JP | NL    |
|                         |       |                               | 1                   | JP                                 | CS | NL    |
|                         |       |                               | 3                   | LY                                 | US | DE    |
| C1                      |       | <i>Tapirus terrestris</i>     | live (captive bred) | 1                                  | CH | DE    |
|                         |       |                               | 1                   | JP                                 | DE | NL    |
|                         |       |                               | 1                   | JP                                 | SE | NL    |
|                         |       |                               | 2                   | LY                                 |    | DE    |
|                         |       |                               | 1                   | ZA                                 |    | GB    |
|                         |       | <i>Tayassu pecari</i>         | garments            | 20                                 | JP | AR IT |
|                         |       |                               | 2722                | JP                                 | PE | IT    |
|                         |       |                               | 16                  | JP                                 | VE | IT    |
|                         |       |                               | 196                 | US                                 | AR | IT    |
|                         |       |                               | 112                 | US                                 | PE | IT    |
|                         |       |                               | 27 pairs            | CH                                 | PY | FR    |
|                         |       |                               | 126 pairs           | JP                                 | PY | FR    |
|                         |       |                               | 16 pairs            | US                                 | PY | FR    |
|                         |       | pairs of shoes                | 1                   | KW                                 | AR | IT    |
|                         |       | skins                         | 2000                | JP                                 | AR | IT    |

| CITES EEC<br>App. Annex | Taxon                 | Description    | Quantity   | Country of<br>Import Origin Export |    |    |
|-------------------------|-----------------------|----------------|------------|------------------------------------|----|----|
| II                      | <i>Tayassu tajacu</i> | belts          | 1          | CA                                 | PE | IT |
|                         |                       |                | 202        | US                                 | PE | IT |
|                         |                       | garments       | 19         | AT                                 | AR | DE |
|                         |                       |                | 17         | CH                                 | AR | DE |
|                         |                       |                | 51         | FI                                 | AR | DE |
|                         |                       |                | 56         | JP                                 | PE | IT |
|                         |                       |                | 26         | US                                 | BO | IT |
|                         |                       |                | 70         | US                                 | PE | IT |
|                         |                       |                | 1098 pairs | AT                                 | AR | DE |
|                         |                       |                | 371 pairs  | AT                                 | PE | DE |
|                         |                       |                | 891 pairs  | CH                                 | AR | DE |
|                         |                       |                | 543 pairs  | CH                                 | PE | DE |
|                         |                       |                | 333 pairs  | FI                                 | AR | DE |
|                         |                       |                | 142 pairs  | FI                                 | PE | DE |
|                         |                       |                | 3109 pairs | JP                                 | AR | DE |
|                         |                       |                | 36 pairs   | JP                                 | AR | FR |
|                         |                       |                | 508 pairs  | JP                                 | PE | DE |
|                         |                       |                | 27 pairs   | JP                                 | PE | FR |
|                         |                       |                | 2 pairs    | KR                                 | PY | FR |
|                         |                       |                | 186 pairs  | NO                                 | AR | DE |
|                         |                       |                | 157 pairs  | NO                                 | PE | DE |
|                         |                       |                | 106 pairs  | SE                                 | AR | DE |
|                         |                       |                | 311 pairs  | US                                 | PE | NL |
|                         |                       |                | 17 pairs   | US                                 | PY | FR |
|                         |                       | pairs of shoes | 14         | AE                                 | AR | IT |
|                         |                       |                | 113        | AT                                 | AR | IT |
|                         |                       |                | 12         | AT                                 | PE | DE |
|                         |                       |                | 140        | AU                                 | AR | IT |
|                         |                       |                | 1          | AU                                 | PY | IT |
|                         |                       |                | ?          | AU                                 | US | IT |
|                         |                       |                | 98         | CA                                 | PE | IT |
|                         |                       |                | 178        | CH                                 | AR | IT |
|                         |                       |                | 32         | CH                                 | PE | IT |
|                         |                       |                | 70         | CH                                 | PY | IT |
|                         |                       |                | 12         | GU                                 | AR | IT |

| CITES EEC<br>App. Annex | TAXON                 | Description    | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|-----------------------|----------------|----------|------------------------------------|----|----|
| II                      | <i>Tayassu tajacu</i> | pairs of shoes | 454      | HK                                 | AR | IT |
|                         |                       |                | 48       | HK                                 | PE | ES |
|                         |                       |                | 109      | HK                                 | PY | IT |
|                         |                       |                | 125      | JP                                 | AR | IT |
|                         |                       |                | 108      | JP                                 | BO | IT |
|                         |                       |                | 286      | JP                                 | PE | IT |
|                         |                       |                | 50       | JP                                 | PY | IT |
|                         |                       |                | 150      | JP                                 | US | IT |
|                         |                       |                | 104      | KR                                 | AR | IT |
|                         |                       |                | 6        | KR                                 | PY | IT |
|                         |                       |                | 32       | KW                                 | AR | IT |
|                         |                       |                | 12       | LB                                 | PE | IT |
|                         |                       |                | 23       | PE                                 | VE | IT |
|                         |                       |                | 45       | QA                                 | AR | IT |
|                         |                       |                | 40       | SA                                 | AR | IT |
|                         |                       |                | 80       | SA                                 | PY | IT |
|                         |                       |                | 126      | SE                                 | AR | IT |
|                         |                       |                | 120      | SE                                 | PY | IT |
|                         |                       |                | 122      | SG                                 | AR | IT |
|                         |                       |                | 30       | SG                                 | BO | IT |
|                         |                       |                | 84       | TW                                 | AR | IT |
|                         |                       |                | 180      | TW                                 | BO | IT |
|                         |                       |                | 96       | TW                                 | PE | ES |
|                         |                       |                | 22       | TW                                 | XM | IT |
|                         |                       |                | 454      | US                                 | AR | IT |
|                         |                       |                | 3        | US                                 | BO | IT |
|                         |                       |                | 103      | US                                 | CO | IT |
|                         |                       |                | 1056     | US                                 | PE | IT |
|                         |                       |                | 22       | US                                 | PY | IT |
|                         |                       |                | 45       | US                                 | US | IT |
|                         |                       |                | 1        | US                                 | VE | IT |
|                         |                       |                | 80       | US                                 | XM | IT |
|                         |                       |                | 13       | US                                 | ZA | IT |
|                         |                       | skins          | 1500     | AT                                 | AR | DE |
|                         |                       |                | 5330     | AT                                 | PE | DE |

| CITES EEC<br>App. Annex | Taxon                         | Description         | Quantity   | Country of<br>Import Origin Export     |  |  |
|-------------------------|-------------------------------|---------------------|--|--|--|--|
| II                      | <i>Tayassu tajacu</i>         | skins               | 40<br>235<br>3383<br>1201<br>842<br>21553 sq.ft<br>2078 sq.ft<br>500 sq.ft | CH<br>HU<br>JP<br>JP<br>JP<br>JP<br>JP | PE<br>AR<br>AR<br>AR<br>PE<br>AR<br>PY<br>AR | DE<br>DE<br>DE<br>IT<br>DE<br>IT<br>IT |
|                         |                               | skin/leather items  | 126  | US                                     | PY   | IT                                     |
|                         |                               | watchstraps         | 12<br>60<br>1850<br>40<br>293<br>5<br>5                                    | CA<br>CH<br>CH<br>HK<br>JP<br>KR<br>SG | AR<br>ID<br>PY<br>AR<br>PY<br>PY<br>PY       | DE<br>FR<br>FR<br>DE<br>FR<br>FR<br>FR |
|                         |                               |                     | 4705   | US                                     | AR   | DE                                     |
| C2                      | <i>Choeropsis liberiensis</i> | live (captive bred) | 1<br>1<br>1  | DD<br>DD<br>MN                         | CH<br>DD                                     | DE<br>NL                               |
|                         |                               | live                | 1  | RO                                     | XX   | NL                                     |
|                         | <i>Lama guanicoe</i>          | cloth               | 5<br>14 items<br>26 items<br>1 item  | CH<br>AT<br>CH<br>SE                   | AR<br>AR<br>AR<br>AR                         | IT<br>DE<br>DE<br>DE                   |
|                         |                               | garments            | 1  | FI                                     | AR   | IT                                     |
|                         |                               | hair                | 185 kg<br>847 kg   | JP<br>JP                               | AR<br>AR                                     | GB<br>IT                               |
|                         |                               | live (captive bred) | 2<br>2   | OM<br>OM                               | NL   | BE<br>BE                               |
|                         |                               | plates              | 6<br>31  | AT<br>CH                               | AR<br>AR                                     | DE<br>DE                               |
|                         |                               | skins               | 21   | AT                                     | AR   | DE                                     |

| CITES EEC<br>App. Annex | TAXON                            | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | <i>Lama guanicoe</i>             | skins               | 20       | CH                                 | AR | DE |
|                         |                                  |                     | 3        | HK                                 | AR | DE |
|                         |                                  | skin/leather items  | 5        | CH                                 | AR | FR |
|                         |                                  |                     | 1        | US                                 | AR | FR |
|                         | <i>Vicugna vicugna</i>           | hair                | 1175 g   | HK                                 | PE | GB |
|                         |                                  |                     | 1180 g   | JP                                 | PE | GB |
|                         |                                  |                     | 3 kg     | HK                                 | PE | GB |
|                         | <i>Cervus elaphus bactrianus</i> | live (captive bred) | 1        | US                                 | DD | DE |
|                         | <i>Ammotragus lervia</i>         | live (captive bred) | 2        | KW                                 |    | DE |
|                         |                                  | skins               | 1        | US                                 |    | ES |
|                         |                                  | skulls              | 1        | US                                 |    | ES |
|                         |                                  | trophies            | 4        | US                                 |    | ES |
|                         | <i>Budorcas taxicolor</i>        | live                | 1        | US                                 | CN | DE |
|                         | <i>Cephalophus monticola</i>     | bodies              | 1        | US                                 | CF | DE |
|                         | <i>Cephalophus sylvicultor</i>   | bodies              | 1        | US                                 | CF | DE |
|                         | <i>Cephalophus zebra</i>         | live (captive bred) | 1        | US                                 |    | DE |
|                         | <i>Hippotragus equinus</i>       | live (captive bred) | 2        | ZA                                 |    | DE |
|                         | <i>Kobus leche</i>               | live (captive bred) | 4        | AU                                 |    | GB |
|                         |                                  |                     | 5        | XX                                 |    | GB |
| C2                      | <i>Ovis ammon</i>                | bodies              | 1        | CH                                 | IR | DE |
|                         |                                  | live (captive bred) | 2        | HU                                 |    | DE |
| C2                      | <i>Ovis ammon musimon</i>        | trophies            | 2        | US                                 |    | ES |
|                         | <i>Rhea americana</i>            | feathers            | 328      | CH                                 | AR | FR |

| CITES EEC<br>App. Annex | Taxon                           | Description         | Quantity  | Country of<br>Import Origin Export |    |    |
|-------------------------|---------------------------------|---------------------|-----------|------------------------------------|----|----|
| II                      | <i>Rhea americana</i>           | garments            | 12 pairs  | AT                                 | AR | FR |
|                         |                                 |                     | 6 pairs   | CH                                 | AR | FR |
|                         |                                 |                     | 74 pairs  | JP                                 | AR | FR |
|                         |                                 |                     | 4 pairs   | US                                 | AR | FR |
|                         |                                 | live (captive bred) | 6         | AE                                 |    | NL |
|                         |                                 | skins               | 131       | CH                                 | AR | FR |
|                         |                                 |                     | 305 sq.ft | CH                                 | AR | IT |
|                         |                                 | skin/leather items  | 4         | JP                                 | AR | FR |
|                         | <i>Rhea americana albescens</i> | skins               | 1         | US                                 | AR | BE |
|                         | <i>Ciconia ciconia</i>          | live (captive bred) | 7         | US                                 | DK | DE |
| C1                      | <i>Ciconia nigra</i>            | live (captive bred) | 6         | AT                                 |    | DE |
|                         | <i>Eudocimus ruber</i>          | live (captive bred) | 2         | JP                                 |    | NL |
|                         |                                 |                     | 4         | JP                                 | DE | NL |
|                         |                                 |                     | 10        | US                                 |    | NL |
|                         |                                 |                     | 4         | US                                 | DE | NL |
|                         | <i>Phoeniconaias minor</i>      | live                | 4         | AT                                 | TZ | NL |
|                         |                                 |                     | 20        | CS                                 | TZ | NL |
|                         |                                 |                     | 30        | HK                                 | TZ | DE |
|                         |                                 |                     | 12        | IL                                 | TZ | BE |
|                         |                                 |                     | 4         | MY                                 | TZ | NL |
|                         |                                 |                     | 8         | SG                                 | TZ | NL |
| C1                      | <i>Phoenicopterus ruber</i>     | live                | 15        | XX                                 | CU | GB |
| C1                      | <i>Branta ruficollis</i>        | live (captive bred) | 39        | CA                                 |    | NL |
|                         |                                 |                     | 17        | DD                                 |    | DE |
|                         |                                 |                     | 1         | DD                                 |    | NL |
|                         |                                 |                     | 3         | JP                                 |    | NL |
|                         |                                 |                     | 1         | JP                                 | GB | NL |
|                         |                                 |                     | 2         | TH                                 |    | NL |

| CITES EEC<br>App. Annex | Taxon                         | Description                   | Quantity  | Country of<br>Import Origin Export   |
|-------------------------|-------------------------------|-------------------------------|---|--|
| II                      | C1 <i>Branta ruficollis</i>   | live (captive bred)           | 4<br>22<br>16   | TW<br>US<br>ZA   |
|                         |                               | live                          | 4   | SE   |
|                         | C1 <i>Coscoroba coscoroba</i> | live (captive bred)           | 3<br>4  | JP<br>SG   |
|                         | <i>Cygnus melanocoryphus</i>  | live (captive bred)           | 4<br>10<br>1<br>2<br>4<br>2<br>3<br>4<br>18<br>4<br>6<br>26<br>1<br>1 | AE<br>CA<br>CH<br>CR<br>CS<br>DD<br>JP<br>SG<br>SU<br>TH<br>TW<br>US<br>XX<br>ZA |
|                         | <i>Dendrocygna arborea</i>    | live (captive bred)           | 2   | JP   |
|                         | <i>Oxyura leucocephala</i>    | live (captive bred)           | 6<br>9  | CA<br>DD   |
|                         | <i>Sarkidiornis melanotos</i> | live (captive bred)           | 5<br>13   | JP<br>XX   |
| C1                      | <i>Pandion haliaetus</i>      | bodies                        | 1   | NO   |
| C1                      | <i>Accipiter gentilis</i>     | bodies<br>live (captive bred) | 3<br>1  | NO<br>AT   |
|                         |                               |                               |   | DK<br>NL   |

| CITES EEC<br>App. Annex | Taxon                        | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C1 <i>Accipiter gentilis</i> | live (captive bred) | 6        | CA                                 | DE |    |
|                         |                              |                     | 1        | CA                                 | GB |    |
|                         |                              |                     | 1        | SA                                 | FR |    |
|                         |                              | live                | 1        | AT                                 | AT | NL |
| C1                      | <i>Accipiter nisus</i>       | bodies              | 2        | IS                                 | DK |    |
|                         |                              | live (captive bred) | 6        | AT                                 | DE |    |
| C1                      | <i>Aegypius monachus</i>     | live                | 2        | AT                                 | XX | NL |
| C1                      | <i>Aquila clanga</i>         | live (captive bred) | 2        | PL                                 | XX | BE |
| C1                      | <i>Buteo buteo</i>           | bodies              | 1        | IS                                 | DK |    |
|                         |                              |                     | 1        | NO                                 | DK |    |
| C1                      | <i>Gypaetus barbatus</i>     | live (captive bred) | 1        | AT                                 | NL |    |
|                         |                              |                     | 1        | AT                                 | DE |    |
|                         |                              |                     | 2        | AT                                 | SU | DE |
| C1                      | <i>Milvus migrans</i>        | live (captive bred) | 4        | SG                                 | GB |    |
| C1                      | <i>Neophron percnopterus</i> | live (captive bred) | 1        | US                                 | GB |    |
|                         |                              |                     | 1        | ZA                                 | GB |    |
| C1                      | <i>Pernis apivorus</i>       | live                | 1        | CH                                 | FR |    |
| C1                      | <i>Spizaetus tyrannus</i>    | live                | 2        | DD                                 | XX | DE |
| C1                      | <i>Falco biarmicus</i>       | live (captive bred) | 2        | HU                                 | DE |    |
|                         |                              |                     | 2        | SG                                 | GB |    |
|                         |                              | live                | 1        | IL                                 | XX | BE |
| C1                      | <i>Falco cherrug</i>         | live (captive bred) | 1        | AE                                 | GB |    |
|                         |                              |                     | 6        | CA                                 | DE |    |
|                         |                              |                     | 2        | CA                                 | GB |    |

| CITES EEC<br>App. Annex | Taxon                               | Description                 | Quantity           | Country of<br>Import Origin Export |                      |
|-------------------------|-------------------------------------|-----------------------------|--------------------|------------------------------------|----------------------|
| II                      | C1 <i>Falco cherrug</i>             | live (captive bred)         | 2<br>1             | DD<br>HU                           | DE<br>ES             |
|                         | C1 <i>Falco columbarius</i>         | live (captive bred)         | 2                  | AT                                 | DE                   |
|                         | C1 <i>Falco novaezeelandiae</i>     | live (captive bred)         | 5                  | US                                 | GB                   |
|                         | C1 <i>Falco sparverius</i>          | live (captive bred)         | 4                  | JP                                 | NL                   |
|                         | C1 <i>Microhierax caerulescens</i>  | live                        | 4                  | DD<br>XX                           | DE                   |
|                         | C1 <i>Phalcoboenus australis</i>    | live (captive bred)         | 2                  | SG                                 | GB                   |
|                         | C1 <i>Polihiex semitorquatus</i>    | live (captive bred)         | 2                  | PL                                 | GB                   |
|                         | C1 <i>Gallus sonneratii</i>         | live (captive bred)         | 2<br>13<br>14      | MY<br>PK<br>TH                     | NL<br>NL<br>DE       |
|                         |                                     |                             |                    |                                    |                      |
|                         | <i>Pavo muticus</i>                 | live (captive bred)         | 1<br>14            | CH<br>SA                           | GB<br>DE             |
|                         |                                     |                             |                    |                                    |                      |
|                         | C1 <i>Polyplectron bicalcaratum</i> | live (captive bred)<br>live | 6<br>2             | PK<br>NO                           | NL<br>DK             |
|                         |                                     |                             |                    |                                    |                      |
|                         | C1 <i>Polyplectron germaini</i>     | live (captive bred)         | 4                  | TH                                 | DE                   |
|                         |                                     |                             |                    |                                    |                      |
|                         | <i>Anthropoides paradisea</i>       | live (captive bred)         | 4<br>2<br>2        | CH<br>SU<br>XX                     | DE<br>DE<br>GB       |
|                         |                                     |                             |                    |                                    |                      |
|                         | <i>Anthropoides virgo</i>           | live                        | 4<br>10<br>6<br>20 | DD<br>JP<br>US<br>ZA               | SU<br>SU<br>SU<br>SU |
|                         |                                     |                             |                    |                                    | FR<br>GB<br>BE       |

| CITES EEC<br>App. Annex | Taxon                            | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------------------|---------------------|----------|------------------------------------|----|----|
|                         |                                  |                     |          | IL                                 | TZ | BE |
| II                      | <i>Balearica pavonina</i>        | live                | 8        |                                    |    |    |
|                         | <i>Balearica regulorum</i>       | live (captive bred) | 8        | CH                                 |    | DE |
|                         |                                  | live                | 1        | AT                                 | TZ | DE |
|                         |                                  |                     | 7        | CS                                 | TZ | NL |
|                         |                                  |                     | 12       | DD                                 | TZ | DE |
|                         |                                  |                     | 40       | SU                                 | TZ | NL |
|                         |                                  |                     | 4        | TW                                 | KE | NL |
|                         |                                  |                     | 2        | YU                                 | TZ | DE |
|                         |                                  |                     | 5        | YU                                 | TZ | NL |
|                         | <i>Grus antigone</i>             | live                | 2        | CH                                 | XX | DE |
| C1                      | <i>Grus canadensis pratensis</i> | live (captive bred) | 4        | JP                                 | DE | NL |
|                         | <i>Grus grus</i>                 | live (captive bred) | 1        | JP                                 |    | GB |
| C2                      | <i>Agapornis spp.</i>            | live (captive bred) | 67       | MT                                 |    | NL |
| C2                      | <i>Agapornis cana</i>            | live (captive bred) | 6        | JP                                 |    | NL |
|                         |                                  | live                | 3        | IL                                 | MG | BE |
|                         |                                  |                     | 150      | US                                 | MG | BE |
|                         |                                  |                     | 10       | US                                 | MG | NL |
|                         |                                  |                     | 468      | ZA                                 | MG | BE |
| C2                      | <i>Agapornis fischeri</i>        | live (captive bred) | 10       | AN                                 |    | NL |
|                         |                                  |                     | 5        | CY                                 |    | NL |
|                         |                                  |                     | 2        | EG                                 |    | BE |
|                         |                                  |                     | 20       | MT                                 |    | BE |
|                         |                                  |                     | 117      | MX                                 |    | NL |
|                         |                                  |                     | 2        | XX                                 |    | GB |
|                         |                                  | live                | 6        | AN                                 | TZ | NL |
|                         |                                  |                     | 20       | CA                                 | TZ | NL |
|                         |                                  |                     | 4        | CY                                 | TZ | DE |
|                         |                                  |                     | 150      | IL                                 | TZ | BE |

| CITES EEC<br>App. Annex |    | TAXON                       | DESCRIPTION         | QUANTITY | COUNTRY OF<br>IMPORT ORIGIN EXPORT |    |    |
|-------------------------|----|-----------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Agapornis fischeri</i>   | live                | 40       | MT                                 | TZ | BE |
|                         | C2 | <i>Agapornis lilianae</i>   | live (captive bred) | 6        | DD                                 |    | DE |
|                         | C2 | <i>Agapornis nigrigenis</i> | live (captive bred) | 6        | DD                                 |    | DE |
|                         |    |                             | live                | 4        | BR                                 |    | DK |
|                         | C2 | <i>Agapornis personata</i>  | live (captive bred) | 40       | AE                                 |    | NL |
|                         |    |                             |                     | 112      | AN                                 |    | NL |
|                         |    |                             |                     | 6        | BD                                 |    | NL |
|                         |    |                             |                     | 4        | BH                                 |    | NL |
|                         |    |                             |                     | 225      | CA                                 |    | NL |
|                         |    |                             |                     | 4        | CL                                 |    | BE |
|                         |    |                             |                     | 10       | CL                                 |    | NL |
|                         |    |                             |                     | 50       | CR                                 |    | BE |
|                         |    |                             |                     | 4        | CR                                 |    | NL |
|                         |    |                             |                     | 2        | CY                                 |    | DE |
|                         |    |                             |                     | 5        | CY                                 |    | NL |
|                         |    |                             |                     | 54       | DO                                 |    | NL |
|                         |    |                             |                     | 54       | EG                                 |    | NL |
|                         |    |                             |                     | 30       | GT                                 |    | BE |
|                         |    |                             |                     | 6        | ID                                 |    | NL |
|                         |    |                             |                     | 60       | IL                                 |    | BE |
|                         |    |                             |                     | 20       | IL                                 |    | NL |
|                         |    |                             |                     | 173      | JP                                 |    | NL |
|                         |    |                             |                     | 8        | LK                                 |    | NL |
|                         |    |                             |                     | 40       | MT                                 |    | BE |
|                         |    |                             |                     | 35       | MT                                 |    | NL |
|                         |    |                             |                     | 40       | MX                                 |    | BE |
|                         |    |                             |                     | 602      | MX                                 |    | NL |
|                         |    |                             |                     | 656      | PK                                 |    | NL |
|                         |    |                             |                     | 100      | QA                                 |    | NL |
|                         |    |                             |                     | 50       | SA                                 |    | NL |
|                         |    |                             |                     | 20       | SG                                 |    | BE |
|                         |    |                             |                     | 94       | TH                                 |    | NL |

| CITES EEC<br>App. Annex | Taxon | Description                  | Quantity            | Country of<br>Import Origin Export |          |
|-------------------------|-------|------------------------------|---------------------|------------------------------------|----------|
| II                      | C2    | <i>Agapornis personata</i>   | live (captive bred) | 12                                 | TT NL    |
|                         |       |                              |                     | 12                                 | TW BE    |
|                         |       |                              |                     | 60                                 | US BE    |
|                         |       |                              |                     | 1136                               | ZA BE    |
|                         |       |                              |                     | 151                                | ZA NL    |
|                         |       | live                         |                     | 10                                 | HN DK    |
| C2                      |       | <i>Agapornis pullaria</i>    | live                | 12                                 | IL GN NL |
|                         |       |                              |                     | 10                                 | US GN NL |
|                         |       |                              |                     | 4                                  | ZA GN NL |
| C2                      |       | <i>Agapornis roseicollis</i> | live (captive bred) | 10                                 | AE BE    |
|                         |       |                              |                     | 382                                | AE NL    |
|                         |       |                              |                     | 601                                | AN NL    |
|                         |       |                              |                     | 2                                  | AW NL    |
|                         |       |                              |                     | 160                                | BH BE    |
|                         |       |                              |                     | 82                                 | BH NL    |
|                         |       |                              |                     | 810                                | CA NL    |
|                         |       |                              |                     | 4                                  | CL BE    |
|                         |       |                              |                     | 140                                | CR BE    |
|                         |       |                              |                     | 24                                 | CR NL    |
|                         |       |                              |                     | 60                                 | CY NL    |
|                         |       |                              |                     | 252                                | DO NL    |
|                         |       |                              |                     | 330                                | EG BE    |
|                         |       |                              |                     | 563                                | EG NL    |
|                         |       |                              |                     | 30                                 | GT BE    |
|                         |       |                              |                     | 24                                 | HN BE    |
|                         |       |                              |                     | 70                                 | ID NL    |
|                         |       |                              |                     | 1316                               | IL BE    |
|                         |       |                              |                     | 20                                 | IL NL    |
|                         |       |                              |                     | 170                                | JO NL    |
|                         |       |                              |                     | 40                                 | JP NL    |
|                         |       |                              |                     | 438                                | KW NL    |
|                         |       |                              |                     | 40                                 | LB NL    |
|                         |       |                              |                     | 18                                 | LK NL    |

| CITES EEC<br>App. Annex | Taxon | Description                   | Quantity            | Country of<br>Import Origin Export |          |
|-------------------------|-------|-------------------------------|---------------------|------------------------------------|----------|
| II                      | C2    | <i>Agapornis roseicollis</i>  | live (captive bred) | 170                                | MT BE    |
|                         |       |                               | 175                 | MT                                 | NL       |
|                         |       |                               | 50                  | MX                                 | BE       |
|                         |       |                               | 1255                | MX                                 | NL       |
|                         |       |                               | 124                 | PA                                 | NL       |
|                         |       |                               | 1891                | PK                                 | NL       |
|                         |       |                               | 36                  | SA                                 | BE       |
|                         |       |                               | 1390                | SA                                 | NL       |
|                         |       |                               | 100                 | SG                                 | NL       |
|                         |       |                               | 60                  | SV                                 | NL       |
|                         |       |                               | 86                  | TT                                 | NL       |
|                         |       |                               | 8                   | TW                                 | BE       |
|                         |       |                               | 1443                | US                                 | BE       |
|                         |       |                               | 2614                | ZA                                 | BE       |
|                         |       |                               | 837                 | ZA                                 | NL       |
|                         |       | live                          | 9                   | BR                                 | DK       |
|                         |       |                               | 10                  | HN                                 | DK       |
|                         | C2    | <i>Alisterus chloropterus</i> | live (captive bred) | 2                                  | LK ES    |
|                         | C2    | <i>Alisterus scapularis</i>   | live (captive bred) | 14                                 | CA NL    |
|                         |       |                               | 13                  | JP                                 | NL       |
|                         |       |                               | 2                   | MX                                 | ES       |
|                         |       |                               | 2                   | NC                                 | FR       |
|                         |       |                               | 2                   | TH                                 | NL       |
|                         |       |                               | 10                  | US                                 | DE       |
|                         |       |                               | 4                   | ZA                                 | BE       |
|                         |       |                               | 12                  | ZA                                 | NL       |
|                         | C2    | <i>Amazona aestiva</i>        | live (captive bred) | 1                                  | CA ZA DE |
|                         |       |                               | 10                  | CY AR DE                           |          |
|                         |       |                               | 1                   | DD                                 | DE       |
|                         |       | live                          | 10                  | AT AR DE                           |          |
|                         |       |                               | 30                  | CA AR DE                           |          |
|                         |       |                               | 21                  | CH AR DE                           |          |

| CITES EEC<br>App. Annex | Taxon | Description                                   | Quantity            | Country of<br>Import Origin Export |    |    |    |
|-------------------------|-------|---|---------------------|------------------------------------|----|----|----|
| II                      | C2    | <i>Amazona aestiva</i>                        | live                | 10                                 | CH | AR | FR |
|                         |       |   |                     | 44                                 | CY | AR | DE |
|                         |       |   |                     | 1                                  | GL | AR | DK |
|                         |       |   |                     | 8                                  | HU | XX | NL |
|                         |       |   |                     | 1                                  | SE | XX | DK |
|                         |       |   |                     | 1                                  | US | XX | DE |
|                         | C2    | <i>Amazona albifrons</i>                      | live (captive bred) | 4                                  | NO |    | NL |
|                         | C2    | <i>Amazona amazonica</i>                      | live                | 3                                  | AT | GY | DE |
|                         |       |   |                     | 1                                  | CH | GY | DE |
|                         |       |   |                     | 4                                  | HU | XX | NL |
|                         |       |   |                     | 20                                 | IL | SR | BE |
|                         | C2    | <i>Amazona autumnalis</i>                     | live (captive bred) | 2                                  | NO |    | NL |
|                         |       |   |                     | 1                                  | US |    | GB |
|                         |       |   | live                | 1                                  | CH | XX | DE |
|                         |       |   |                     | 1                                  | GL | HN | DK |
|                         |       |   |                     | 1                                  | TR | XX | GB |
|                         | C2    | <i>Amazona festiva</i>                        | live (captive bred) | 2                                  | KW |    | NL |
|                         |       |   | live                | 1                                  | DO | XX | DE |
|                         | C2    | <i>Amazona finschi</i>                        | live                | 33                                 | MX |    | NL |
|                         | C2    | <i>Amazona ochrocephala</i>                   | live (captive bred) | 4                                  | NO |    | NL |
|                         |       |   |                     | 1                                  | US |    | GB |
|                         |       |   |                     | 2                                  | US | US | DE |
|                         |       |   | live                | 4                                  | CH | GY | BE |
|                         |       |   |                     | 6                                  | HU | XX | NL |
|                         |       |   |                     | 6                                  | RO | XX | NL |
|                         | C2    | <i>Amazona ochrocephala</i><br><i>oratrix</i> | live (captive bred) | 6                                  | CA |    | NL |
|                         |       |   | live                | 27                                 | MX |    | NL |

| CITES EEC<br>App. Annex | Taxon  | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|--|---------------------|----------|------------------------------------|----|----|
| II                      | C2 <i>Amazona ochrocephala</i><br><i>oratrix</i> | live                | 2        | SA                                 | NL | BE |
|                         | C2 <i>Amazona viridigenalis</i>                  | live (captive bred) | 2        | NO                                 | NL |    |
|                         |  | live                | 72       | MX                                 | NL |    |
|                         | C2 <i>Amazona xantholora</i>                     | live                | 1        | DO                                 | MX | DE |
|                         | C2 <i>Aprosmictus erythropterus</i>              | live (captive bred) | 1        | CA                                 | NL |    |
|                         |  |                     | 2        | CH                                 | BE |    |
|                         |  |                     | 13       | JP                                 | NL |    |
|                         |  |                     | 3        | ZA                                 | BE |    |
|                         | C2 <i>Ara ararauna</i>                           | live (captive bred) | 1        | JP                                 | NL |    |
|                         |  |                     | 1        | US                                 | GB |    |
|                         |  | live                | 2        | AT                                 | GY | DE |
|                         |  |                     | 1        | AT                                 | XX | DE |
|                         |  |                     | 2        | CH                                 | GY | BE |
|                         |  |                     | 2        | IL                                 | SR | BE |
|                         |  |                     | 1        | MX                                 | SR | BE |
|                         |  |                     | 1        | ZA                                 | XX | GB |
|                         | C2 <i>Ara chloroptera</i>                        | live (captive bred) | 2        | DD                                 | GY | DE |
|                         |  | live                | 2        | AT                                 | GY | DE |
|                         | C2 <i>Ara manilata</i>                           | live (captive bred) | 2        | CH                                 | ES |    |
|                         |  | live                | 7        | CH                                 | GY | BE |
|                         | C2 <i>Ara macaracana</i>                         | live (captive bred) | 5        | CH                                 | DE |    |
|                         | C2 <i>Ara nobilis</i>                            | live                | 2        | EG                                 | GY | BE |
|                         | C2 <i>Aratinga acuticaudata</i>                  | live (captive bred) | 1        | CA                                 | NL |    |
|                         |  | live                | 10       | CY                                 | AR | DE |

| CITES EEC<br>App. Annex | TAXON                            | Description                 | Quantity                                      | Country of<br>Import Origin Export                 |          |  |
|-------------------------|----------------------------------|-----------------------------|---|--|----------|--|
| II                      | C2 <i>Aratinga aurea</i>         | live (captive bred)         | 2   | CA   |          | NL   |
|                         | C2 <i>Aratinga cactorum</i>      | live (captive bred)         | 2   | CH   |          | DE   |
|                         | C2 <i>Aratinga canicularis</i>   | live (captive bred)<br>live | 4<br>75                                       | CA<br>CA   | CR       | NL   |
|                         | C2 <i>Aratinga finschi</i>       | live (captive bred)<br>live | 2<br>45                                       | CA<br>CA   | CR       | NL   |
|                         | C2 <i>Aratinga holochlora</i>    | live (captive bred)         | 2   | CA   |          | NL   |
|                         | C2 <i>Aratinga jandaya</i>       | live (captive bred)         | 2   | CA   |          | NL   |
|                         | C2 <i>Aratinga leucophthalma</i> | live                        | 10  | CY   | AR       | DE   |
|                         | C2 <i>Aratinga mitrata</i>       | live (captive bred)<br>live | 2<br>10<br>1                                  | CA<br>CY<br>US                                     | AR<br>XX | NL<br>DE<br>GB                                     |
|                         | C2 <i>Aratinga pertinax</i>      | live (captive bred)         | 6   | CA   |          | NL   |
|                         | C2 <i>Aratinga solstitialis</i>  | live (captive bred)         | 9<br>2  | CA<br>LK   |          | NL<br>ES   |
|                         | C2 <i>Barnardius barnardi</i>    | live (captive bred)         | 8<br>20<br>10<br>9<br>4<br>8<br>13<br>24<br>8 | CA<br>JP<br>KW<br>MT<br>US<br>US<br>US<br>ZA<br>ZA |          | NL<br>NL<br>NL<br>NL<br>BE<br>DE<br>NL<br>BE<br>NL |

| CITES EEC<br>App. Annex | Taxon                          | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|--------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 <i>Barnardius zonarius</i>  | live (captive bred) | 2        | AN                                 | NL |    |
|                         |                                |                     | 11       | CA                                 | NL |    |
|                         |                                |                     | 12       | JP                                 | NL |    |
|                         |                                |                     | 4        | MX                                 | ES |    |
|                         |                                |                     | 4        | MX                                 | NL |    |
|                         |                                |                     | 2        | US                                 | BE |    |
|                         |                                |                     | 6        | US                                 | NL |    |
|                         |                                |                     | 33       | ZA                                 | BE |    |
|                         |                                |                     | 8        | ZA                                 | NL |    |
| C2                      | <i>Bolborhynchus lineola</i>   | live (captive bred) | 30       | ZA                                 | BE |    |
| C2                      | <i>Brotogeris jugularis</i>    | live                | 50       | CA                                 | CR | NL |
| C2                      | <i>Brotogeris versicolorus</i> | live                | 6        | CY                                 | AR | DE |
| C2                      | <i>Cacatua alba</i>            | live                | 1        | BN                                 | XX | GB |
|                         |                                |                     | 3        | CH                                 | XX | DE |
|                         |                                |                     | 1        | MT                                 | XX | GB |
|                         |                                |                     | 2        | PE                                 | ID | DE |
| C2                      | <i>Cacatua ducorpsii</i>       | live                | 1        | US                                 | SB | ES |
| C2                      | <i>Cacatua goffini</i>         | live                | 2        | AT                                 | ID | DE |
| C2                      | <i>Cacatua haematuropygia</i>  | live                | 6        | DD                                 |    | DK |
| C2                      | <i>Cacatua leadbeateri</i>     | live (captive bred) | 1        | BH                                 | NL |    |
|                         |                                |                     | 2        | CH                                 | DE |    |
|                         |                                |                     | 2        | JP                                 | NL |    |
| C2                      | <i>Cacatua moluccensis</i>     | live (captive bred) | 2        | CH                                 | ES |    |
|                         |                                | live                | 1        | CH                                 | XX | DE |
|                         |                                |                     | 2        | MA                                 | XX | FR |
|                         |                                |                     | 2        | ZA                                 | ID | GB |

| CITES EEC<br>App. Annex | Taxon                             | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|-----------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 <i>Cacatua sulphurea</i>       | live (captive bred) | 2        | LK                                 | ES |    |
|                         |                                   |                     | 1        | OM                                 | ID | GB |
|                         |                                   | live                | 1        | AN                                 | ID | NL |
|                         |                                   |                     | 6        | CH                                 | ID | BE |
|                         |                                   |                     | 11       | CH                                 | ID | FR |
|                         |                                   |                     | 2        | CH                                 | XX | DE |
|                         |                                   |                     | 2        | GL                                 |    | DK |
|                         |                                   |                     | 6        | IL                                 | ID | BE |
|                         |                                   |                     | 2        | PE                                 | ID | DE |
|                         |                                   |                     | 1        | US                                 | ID | DE |
| C2                      | <i>Calyptorhynchus magnificus</i> | live (captive bred) | 2        | CH                                 | ES |    |
|                         |                                   |                     | 1        | US                                 |    | ES |
| C2                      | <i>Chalcopsitta atra</i>          | live (captive bred) | 2        | MX                                 | ES |    |
| C2                      | <i>Charmosyna papou</i>           | live                | 5        | DD                                 |    | DK |
| C2                      | <i>Coracopsis vasa</i>            | live                | 2        | CS                                 | MG | DE |
| C2                      | <i>Cyanoliseus patagonus</i>      | live (captive bred) | 2        | FI                                 |    | NL |
|                         |                                   | live                | 6        | CY                                 | AR | DE |
|                         |                                   |                     | 1        | SE                                 | AR | ES |
| C2                      | <i>Cyanoramphus auriceps</i>      | live (captive bred) | 2        | BH                                 | NL |    |
|                         |                                   |                     | 37       | CA                                 |    | NL |
|                         |                                   |                     | 6        | LK                                 | NL |    |
|                         |                                   |                     | 4        | MY                                 |    | NL |
|                         |                                   |                     | 2        | SZ                                 | DE |    |
|                         |                                   |                     | 8        | TH                                 |    | NL |
|                         |                                   |                     | 70       | ZA                                 | BE |    |
|                         |                                   |                     | 43       | ZA                                 |    | NL |
|                         |                                   | live                | 10       | HN                                 | XX | DK |

| CITES EEC<br>App. Annex |    | Taxon                             | Description                 | Quantity                  | Country of<br>Import Origin Export |                            |                            |
|-------------------------|----|-----------------------------------|-----------------------------|---------------------------|------------------------------------|----------------------------|----------------------------|
| II                      | C2 | <i>Deroptyus accipitrinus</i>     | live                        | 1<br>10                   | DO<br>SG                           | GY<br>SR                   | DE<br>NL                   |
|                         | C2 | <i>Eclectus roratus</i>           | live (captive bred)         | 1<br>4<br>4<br>8          | CH<br>MX<br>SE<br>US               |                            | DE<br>ES<br>BE<br>NL       |
|                         | C2 | <i>Enicognathus ferrugineus</i>   | live                        | 2<br>4<br>1               | IL<br>JP<br>MT                     | CL<br>CL<br>CL             | BE<br>NL<br>BE             |
|                         | C2 | <i>Enicognathus leptorhynchus</i> | live (captive bred)<br>live | 4<br>2<br>6<br>1<br>30    | CA<br>IL<br>JP<br>MT<br>SG         | CL<br>CL<br>CL<br>CL<br>CL | NL<br>BE<br>NL<br>BE<br>NL |
|                         | C2 | <i>Eolophus roseicapillus</i>     | live (captive bred)         | 8<br>8<br>2<br>2          | CA<br>JP<br>MX<br>SA               |                            | NL<br>NL<br>NL<br>BE       |
|                         | C2 | <i>Eos bornea</i>                 | live                        | 6                         | CH                                 | ID                         | FR                         |
|                         | C2 | <i>Forpus coelestis</i>           | live (captive bred)         | 26<br>4<br>20<br>45<br>26 | CA<br>CY<br>EG<br>IL<br>ZA         |                            | NL<br>DE<br>NL<br>BE<br>BE |
|                         | C2 | <i>Forpus passerinus</i>          | live (captive bred)         | 6<br>20<br>8              | DD<br>IL<br>ZA                     |                            | DE<br>BE<br>BE             |

| CITES EEC<br>App. Annex | Taxon                         | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|-------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 <i>Forpus xanthops</i>     | live (captive bred) | 4        |                                    | DD | DE |
|                         | C2 <i>Lathamus discolor</i>   | live (captive bred) | 16       | JP                                 | NL |    |
|                         |                               |                     | 14       | US                                 | BE |    |
|                         |                               |                     | 4        | ZA                                 | BE |    |
|                         | C2 <i>Lorius chlorocercus</i> | live (captive bred) | 2        | US                                 | ES |    |
|                         | C2 <i>Lorius garrulus</i>     | live                | 1        | US                                 | ID | FR |
|                         | C2 <i>Lorius lory</i>         | live (captive bred) | 2        | DD                                 | DE |    |
|                         | C2 <i>Myiopsitta monachus</i> | live (captive bred) | 30       | ZA                                 | BE |    |
|                         | C2 <i>Nandayus nenday</i>     | live                | 10       | CY                                 | AR | DE |
|                         | C2 <i>Neophema bourkii</i>    | live (captive bred) | 6        | AN                                 | NL |    |
|                         |                               |                     | 4        | BD                                 | BE |    |
|                         |                               |                     | 2        | BD                                 | NL |    |
|                         |                               |                     | 140      | CA                                 | NL |    |
|                         |                               |                     | 2        | CL                                 | BE |    |
|                         |                               |                     | 4        | CR                                 | NL |    |
|                         |                               |                     | 1        | CY                                 | NL |    |
|                         |                               |                     | 66       | DO                                 | NL |    |
|                         |                               |                     | 10       | EG                                 | NL |    |
|                         |                               |                     | 14       | IL                                 | BE |    |
|                         |                               |                     | 320      | JP                                 | NL |    |
|                         |                               |                     | 22       | LK                                 | NL |    |
|                         |                               |                     | 10       | MT                                 | NL |    |
|                         |                               |                     | 12       | MY                                 | NL |    |
|                         |                               |                     | 4        | QA                                 | BE |    |
|                         |                               |                     | 6        | TT                                 | NL |    |
|                         |                               |                     | 10       | TW                                 | BE |    |
|                         |                               |                     | 251      | US                                 | BE |    |
|                         |                               |                     | 60       | US                                 | NL |    |





| CITES EEC<br>App. Annex | Taxon                            | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 <i>Neophema splendida</i>     | live                | 8        |                                    | NO | XX |
|                         | C2 <i>Pionites leucogaster</i>   | live (captive bred) | 1        |                                    | US | ES |
|                         | C2 <i>Pionites melanocephala</i> | live (captive bred) | 2        |                                    | IN | GB |
|                         | C2 <i>Pionus maximiliani</i>     | live                | 12       |                                    | CY | AR |
|                         |                                  |                     | 2        |                                    | DD | DE |
|                         |                                  |                     |          |                                    |    | DK |
|                         | C2 <i>Pionus menstruus</i>       | live (captive bred) | 4        |                                    | JP | NL |
|                         | C2 <i>Platycercus adelphe</i>    | live (captive bred) | 2        |                                    | AW | NL |
|                         |                                  |                     | 2        |                                    | BD | NL |
|                         |                                  |                     | 2        |                                    | BH | NL |
|                         |                                  |                     | 1        |                                    | BS | NL |
|                         |                                  |                     | 35       |                                    | CA | NL |
|                         |                                  |                     | 2        |                                    | EG | NL |
|                         |                                  |                     | 22       |                                    | JP | NL |
|                         |                                  |                     | 2        |                                    | LK | NL |
|                         |                                  |                     | 2        |                                    | MX | NL |
|                         |                                  |                     | 4        |                                    | MY | NL |
|                         |                                  |                     | 5        |                                    | US | NL |
|                         |                                  |                     | 40       |                                    | ZA | BE |
|                         |                                  |                     | 2        |                                    | ZA | NL |
|                         |                                  | live                | 4        |                                    | HN | XX |
|                         |                                  |                     |          |                                    |    | DK |
|                         | C2 <i>Platycercus adscitus</i>   | live (captive bred) | 2        |                                    | AW | NL |
|                         |                                  |                     | 1        |                                    | BD | NL |
|                         |                                  |                     | 4        |                                    | BS | NL |
|                         |                                  |                     | 78       |                                    | CA | NL |
|                         |                                  |                     | 6        |                                    | DO | NL |
|                         |                                  |                     | 6        |                                    | EG | NL |
|                         |                                  |                     | 2        |                                    | IL | BE |
|                         |                                  |                     | 127      |                                    | JP | NL |
|                         |                                  |                     | 2        |                                    | MT | NL |

| CITES EEC<br>App. Annex | Taxon | Description                    | Quantity            | Country of<br>Import Origin Export |
|-------------------------|-------|--------------------------------|---------------------|------------------------------------|
| II                      | C2    | <i>Platycercus adscitus</i>    | live (captive bred) |                                    |
|                         |       |                                | 4                   | MY                                 |
|                         |       |                                | 12                  | PK                                 |
|                         |       |                                | 32                  | US                                 |
|                         |       |                                | 40                  | US                                 |
|                         |       |                                | 118                 | ZA                                 |
|                         | C2    | <i>Platycercus caledonicus</i> | live (captive bred) |                                    |
|                         |       |                                | 2                   | EG                                 |
|                         |       |                                | 4                   | ZA                                 |
|                         | C2    | <i>Platycercus elegans</i>     | live (captive bred) |                                    |
|                         |       |                                | 18                  | AE                                 |
|                         |       |                                | 2                   | AN                                 |
|                         |       |                                | 2                   | AW                                 |
|                         |       |                                | 7                   | BD                                 |
|                         |       |                                | 6                   | BD                                 |
|                         |       |                                | 4                   | BH                                 |
|                         |       |                                | 66                  | CA                                 |
|                         |       |                                | 15                  | CR                                 |
|                         |       |                                | 2                   | CR                                 |
|                         |       |                                | 2                   | CY                                 |
|                         |       |                                | 4                   | CY                                 |
|                         |       |                                | 4                   | DO                                 |
|                         |       |                                | 6                   | EG                                 |
|                         |       |                                | 8                   | IL                                 |
|                         |       |                                | 124                 | JP                                 |
|                         |       |                                | 12                  | LK                                 |
|                         |       |                                | 6                   | MT                                 |
|                         |       |                                | 10                  | MX                                 |
|                         |       |                                | 93                  | MX                                 |
|                         |       |                                | 6                   | MY                                 |
|                         |       |                                | 2                   | PK                                 |
|                         |       |                                | 2                   | TT                                 |
|                         |       |                                | 4                   | TW                                 |
|                         |       |                                | 38                  | US                                 |
|                         |       |                                | 16                  | US                                 |
|                         |       |                                | 70                  | DE                                 |
|                         |       |                                |                     | NL                                 |

| CITES EEC<br>App. Annex | Taxon | Description                | Quantity            | Country of<br>Import Origin Export |       |
|-------------------------|-------|----------------------------|---------------------|------------------------------------|-------|
| II                      | C2    | <i>Platycercus elegans</i> | live (captive bred) | 4                                  | VE BE |
|                         |       |                            | 137                 | ZA BE                              |       |
|                         |       |                            | 30                  | ZA NL                              |       |
|                         |       | live                       | 4                   | HN XX DK                           |       |
|                         | C2    | <i>Platycercus eximius</i> | live (captive bred) | 42                                 | AE NL |
|                         |       |                            | 45                  | AN NL                              |       |
|                         |       |                            | 4                   | AW NL                              |       |
|                         |       |                            | 2                   | BB GB                              |       |
|                         |       |                            | 10                  | BD BE                              |       |
|                         |       |                            | 8                   | BD NL                              |       |
|                         |       |                            | 4                   | BH BE                              |       |
|                         |       |                            | 18                  | BH NL                              |       |
|                         |       |                            | 3                   | BS NL                              |       |
|                         |       |                            | 222                 | CA NL                              |       |
|                         |       |                            | 44                  | CR BE                              |       |
|                         |       |                            | 8                   | CR NL                              |       |
|                         |       |                            | 14                  | CY DE                              |       |
|                         |       |                            | 22                  | CY NL                              |       |
|                         |       |                            | 4                   | DO NL                              |       |
|                         |       |                            | 6                   | EG BE                              |       |
|                         |       |                            | 20                  | EG NL                              |       |
|                         |       |                            | 4                   | HN BE                              |       |
|                         |       |                            | 167                 | IL BE                              |       |
|                         |       |                            | 678                 | JP NL                              |       |
|                         |       |                            | 40                  | KR BE                              |       |
|                         |       |                            | 39                  | KW NL                              |       |
|                         |       |                            | 22                  | LK NL                              |       |
|                         |       |                            | 12                  | MT BE                              |       |
|                         |       |                            | 40                  | MT NL                              |       |
|                         |       |                            | 10                  | MX BE                              |       |
|                         |       |                            | 243                 | MX NL                              |       |
|                         |       |                            | 4                   | MY NL                              |       |
|                         |       |                            | 56                  | PA NL                              |       |
|                         |       |                            | 39                  | PK NL                              |       |

| CITES EEC<br>App. Annex | TAXON | Description                  | Quantity            | Country of<br>Import Origin Export |    |
|-------------------------|-------|------------------------------|---------------------|------------------------------------|----|
| II                      | C2    | <i>Platycercus eximius</i>   | live (captive bred) | 130                                | NL |
|                         |       |                              | 20                  | SG                                 | BE |
|                         |       |                              | 12                  | SV                                 | NL |
|                         |       |                              | 2                   | TT                                 | NL |
|                         |       |                              | 100                 | TW                                 | BE |
|                         |       |                              | 332                 | TW                                 | NL |
|                         |       |                              | 285                 | US                                 | BE |
|                         |       |                              | 6                   | US                                 | DE |
|                         |       |                              | 210                 | US                                 | NL |
|                         |       |                              | 4                   | VE                                 | BE |
|                         |       |                              | 162                 | ZA                                 | BE |
|                         |       |                              | 25                  | ZA                                 | NL |
|                         |       | live                         | 10                  | HN                                 | XX |
|                         |       |                              |                     |                                    | DK |
| C2                      |       | <i>Platycercus flaveolus</i> | live (captive bred) | 2                                  | NL |
|                         |       |                              | 16                  | CA                                 | NL |
|                         |       |                              | 2                   | EG                                 | NL |
|                         |       |                              | 11                  | JP                                 | NL |
|                         |       |                              | 2                   | US                                 | NL |
|                         |       |                              | 25                  | ZA                                 | BE |
| C2                      |       | <i>Platycercus icterotis</i> | live (captive bred) | 4                                  | NL |
|                         |       |                              | 2                   | AN                                 | NL |
|                         |       |                              | 2                   | AW                                 | NL |
|                         |       |                              | 2                   | BD                                 | NL |
|                         |       |                              | 4                   | BH                                 | BE |
|                         |       |                              | 2                   | BH                                 | NL |
|                         |       |                              | 33                  | CA                                 | NL |
|                         |       |                              | 4                   | CY                                 | NL |
|                         |       |                              | 4                   | EG                                 | BE |
|                         |       |                              | 2                   | EG                                 | NL |
|                         |       |                              | 4                   | IL                                 | BE |
|                         |       |                              | 145                 | JP                                 | NL |
|                         |       |                              | 25                  | KR                                 | NL |
|                         |       |                              | 1                   | MX                                 | NL |

| CITES EEC<br>App. Annex | Taxon                           | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|---------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 <i>Platycercus icterotis</i> | live (captive bred) | 4        | MY                                 | NL |    |
|                         |                                 |                     | 20       | TR                                 | NL |    |
|                         |                                 |                     | 10       | US                                 | BE |    |
|                         |                                 |                     | 30       | US                                 | NL |    |
|                         |                                 |                     | 60       | ZA                                 | BE |    |
|                         |                                 |                     | 2        | ZA                                 | NL |    |
|                         |                                 | live                | 6        | NO                                 | XX | DK |
| C2                      | <i>Platycercus venustus</i>     | live (captive bred) | 4        | US                                 | NL |    |
| C2                      | <i>Poicephalus meyeri</i>       | live (captive bred) | 2        | CA                                 | NL |    |
|                         |                                 | live                | 12       | IL                                 | TZ | BE |
| C2                      | <i>Poicephalus senegalus</i>    | live                | 3        | AT                                 | SN | DE |
|                         |                                 |                     | 10       | CY                                 | SN | DE |
| C2                      | <i>Polytelis alexandrinae</i>   | live (captive bred) | 6        | BD                                 | BE |    |
|                         |                                 |                     | 4        | BD                                 | NL |    |
|                         |                                 |                     | 42       | CA                                 | NL |    |
|                         |                                 |                     | 80       | JP                                 | NL |    |
|                         |                                 |                     | 2        | MX                                 | NL |    |
|                         |                                 |                     | 4        | MY                                 | NL |    |
|                         |                                 |                     | 2        | PK                                 | NL |    |
|                         |                                 |                     | 27       | US                                 | BE |    |
|                         |                                 |                     | 6        | US                                 | DE |    |
|                         |                                 |                     | 46       | US                                 | NL |    |
|                         |                                 |                     | 288      | ZA                                 | BE |    |
|                         |                                 |                     | 71       | ZA                                 | NL |    |
| C2                      | <i>Polytelis anthopeplus</i>    | live (captive bred) | 2        | AN                                 | NL |    |
|                         |                                 |                     | 6        | BD                                 | NL |    |
|                         |                                 |                     | 40       | CA                                 | NL |    |
|                         |                                 |                     | 2        | CY                                 | DE |    |
|                         |                                 |                     | 39       | JP                                 | NL |    |
|                         |                                 |                     | 2        | LK                                 | NL |    |

| CITES EEC<br>App. Annex | Taxon                           | Description         | Quantity  | Country of<br>Import Origin Export                                   |  |
|-------------------------|---------------------------------|---------------------|---|--|--|
| II                      | C2 <i>Polytelis anthopeplus</i> | live (captive bred) | 8<br>4<br>2<br>12<br>40<br>137<br>53<br>live                    | MT<br>MY<br>TT<br>US<br>US<br>ZA<br>ZA                               | NL<br>NL<br>NL<br>BE<br>NL<br>BE<br>NL                               |
|                         |                                 |                     | 4   | HN   | XX   |
|                         |                                 |                     |   | DK   |  |
| C2                      | <i>Polytelis swainsonii</i>     | live (captive bred) | 1<br>1<br>50<br>130<br>2<br>2<br>4<br>2<br>12<br>25<br>64<br>10 | AN<br>BD<br>CA<br>JP<br>LK<br>MX<br>MY<br>TT<br>US<br>US<br>ZA<br>ZA | NL<br>NL<br>NL<br>NL<br>NL<br>NL<br>NL<br>NL<br>BE<br>NL<br>BE<br>NL |
| C2                      | <i>Psephotus haematogaster</i>  | live (captive bred) | 2<br>15<br>4  | CA<br>JP<br>ZA   | NL<br>NL<br>NL   |
| C2                      | <i>Psephotus haematonotus</i>   | live (captive bred) | 20<br>18<br>2<br>8<br>14<br>223<br>1                            | AE<br>AN<br>AW<br>BD<br>BH<br>CA<br>CH                               | NL<br>NL<br>NL<br>NL<br>NL<br>NL<br>DE                               |

| CITES EEC<br>App. Annex | Taxon | Description                   | Quantity            | Country of<br>Import Origin Export |       |
|-------------------------|-------|-------------------------------|---------------------|------------------------------------|-------|
| II                      | C2    | <i>Psephotus haematonotus</i> | live (captive bred) | 26                                 | CR BE |
|                         |       |                               | 12                  | CY DE                              |       |
|                         |       |                               | 65                  | CY NL                              |       |
|                         |       |                               | 14                  | DO NL                              |       |
|                         |       |                               | 10                  | EG BE                              |       |
|                         |       |                               | 2                   | EG NL                              |       |
|                         |       |                               | 10                  | GT BE                              |       |
|                         |       |                               | 10                  | ID NL                              |       |
|                         |       |                               | 50                  | IL BE                              |       |
|                         |       |                               | 1099                | JP NL                              |       |
|                         |       |                               | 100                 | KR NL                              |       |
|                         |       |                               | 88                  | KW NL                              |       |
|                         |       |                               | 10                  | LK NL                              |       |
|                         |       |                               | 60                  | MT BE                              |       |
|                         |       |                               | 4                   | MY NL                              |       |
|                         |       |                               | 98                  | PK NL                              |       |
|                         |       |                               | 70                  | SA NL                              |       |
|                         |       |                               | 2                   | TT NL                              |       |
|                         |       |                               | 112                 | TW BE                              |       |
|                         |       |                               | 199                 | US BE                              |       |
|                         |       |                               | 20                  | US NL                              |       |
|                         |       |                               | 60                  | ZA BE                              |       |
|                         |       | live                          | 1                   | CH XX DE                           |       |
|                         |       |                               | 10                  | HN XX DK                           |       |
|                         | C2    | <i>Psephotus varius</i>       | live (captive bred) | 2                                  | BD NL |
|                         |       |                               | 22                  | CA NL                              |       |
|                         |       |                               | 4                   | IL BE                              |       |
|                         |       |                               | 29                  | JP NL                              |       |
|                         |       |                               | 4                   | MY NL                              |       |
|                         |       |                               | 2                   | TH NL                              |       |
|                         |       |                               | 6                   | US BE                              |       |
|                         |       |                               | 24                  | US NL                              |       |
|                         |       |                               | 6                   | ZA BE                              |       |

| CITES EEC<br>App. Annex |    | Taxon                          | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----|--------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Pseudeos fuscata</i>        | live (captive bred) | 5        | IL                                 |    | BE |
|                         |    |                                |                     | 2        | KW                                 |    | NL |
|                         |    |                                | live                | 6        | CH                                 | ID | FR |
| C2                      |    | <i>Psittacula alexandri</i>    | live (captive bred) | 10       | AN                                 |    | NL |
|                         |    |                                |                     | 10       | CA                                 |    | NL |
|                         |    |                                |                     | 18       | MX                                 |    | NL |
|                         |    |                                | live                | 104      | CA                                 | IN | NL |
|                         |    |                                |                     | 2        | CY                                 | IN | DE |
|                         |    |                                |                     | 180      | US                                 | IN | BE |
| C2                      |    | <i>Psittacula cyanocephala</i> | live (captive bred) | 1        | AN                                 |    | NL |
|                         |    |                                |                     | 2        | US                                 |    | BE |
|                         |    |                                | live                | 170      | CA                                 | IN | NL |
|                         |    |                                |                     | 4        | CY                                 | IN | DE |
|                         |    |                                |                     | 99       | US                                 | IN | BE |
|                         |    |                                |                     | 40       | US                                 | IN | NL |
| C2                      |    | <i>Psittacula derbiana</i>     | live (captive bred) | 5        | CA                                 |    | NL |
| C2                      |    | <i>Psittacula eupatria</i>     | live (captive bred) | 17       | CA                                 |    | NL |
|                         |    |                                | live                | 94       | CA                                 | IN | NL |
|                         |    |                                |                     | 1        | CA                                 | XX | GR |
|                         |    |                                |                     | 6        | CY                                 | IN | DE |
|                         |    |                                |                     | 12       | US                                 | IN | NL |
| C2                      |    | <i>Psittacula himalayana</i>   | live (captive bred) | 4        | CA                                 |    | NL |
| C2                      |    | <i>Psittacus erithacus</i>     | live (captive bred) | 2        | CA                                 |    | NL |
|                         |    |                                |                     | 4        | CR                                 | CM | NL |
|                         |    |                                |                     | 5        | JP                                 |    | NL |
|                         |    |                                |                     | 1        | US                                 |    | GB |
|                         |    |                                |                     | 1        | XX                                 |    | ES |
|                         |    |                                |                     | 1        | XX                                 | US | GB |
|                         |    |                                |                     | 1        | ZA                                 | NL | BE |

| CITES EEC<br>App. Annex | TAXON | Description                | Quantity            | Country of<br>Import Origin Export |       |       |
|-------------------------|-------|----------------------------|---------------------|------------------------------------|-------|-------|
| II                      | C2    | <i>Psittacus erithacus</i> | live (captive bred) | 1                                  | ZA    | ZA DE |
|                         |       |                            | 1                   | ZA                                 | ZA    | NL    |
|                         |       | live                       | 3                   | AT                                 | GN DE |       |
|                         |       |                            | 1                   | AT                                 | XX DE |       |
|                         |       |                            | 10                  | BH                                 | GN NL |       |
|                         |       |                            | 30                  | CA                                 |       | NL    |
|                         |       |                            | 4                   | CA                                 | CM NL |       |
|                         |       |                            | 24                  | CA                                 | LR DE |       |
|                         |       |                            | 1                   | CA                                 | XX DE |       |
|                         |       |                            | 10                  | CH                                 | CF FR |       |
|                         |       |                            | 17                  | CH                                 | CM BE |       |
|                         |       |                            | 2                   | CH                                 | CM DE |       |
|                         |       |                            | 5                   | CH                                 | LR DE |       |
|                         |       |                            | 1                   | CH                                 | XX DE |       |
|                         |       |                            | 1                   | CH                                 | ZR DE |       |
|                         |       |                            | 7                   | CY                                 | CM DE |       |
|                         |       |                            | 20                  | CY                                 | CM NL |       |
|                         |       |                            | 9                   | CY                                 | GN DE |       |
|                         |       |                            | 36                  | CY                                 | LR DE |       |
|                         |       |                            | 1                   | GL                                 | DK    |       |
|                         |       |                            | 20                  | HU                                 | GN DE |       |
|                         |       |                            | 9                   | HU                                 | XX NL |       |
|                         |       |                            | 130                 | IL                                 | CM BE |       |
|                         |       |                            | 40                  | KW                                 | CM NL |       |
|                         |       |                            | 2                   | MA                                 | GN FR |       |
|                         |       |                            | 4                   | MT                                 | CM BE |       |
|                         |       |                            | 1                   | MT                                 | KE GB |       |
|                         |       |                            | 8                   | MX                                 | CM BE |       |
|                         |       |                            | 10                  | MX                                 | CM NL |       |
|                         |       |                            | 1                   | NC                                 | XX FR |       |
|                         |       |                            | 2                   | PK                                 | SL NL |       |
|                         |       |                            | 10                  | RO                                 | XX NL |       |
|                         |       |                            | 1                   | SE                                 | GN ES |       |
|                         |       |                            | 2                   | TN                                 | ZR DE |       |
|                         |       |                            | 2                   | TR                                 | CM NL |       |

| CITES EEC<br>App. Annex | Taxon                           | Description                | Quantity            | Country of<br>Import Origin Export |       |       |
|-------------------------|---------------------------------|----------------------------|---------------------|------------------------------------|-------|-------|
| II                      | C2                              | <i>Psittacus erithacus</i> | live                | 50                                 | TW    | CM NL |
|                         |                                 |                            |                     | 1                                  | US    | XX ES |
|                         |                                 |                            |                     | 1                                  | US    | XX GB |
|                         |                                 |                            | 100                 |                                    | ZA    | CM BE |
|                         |                                 |                            |                     | 2                                  | ZA    | XX GB |
|                         |                                 |                            |                     | 1                                  | ZR    | ZR BE |
| C2                      | <i>Psittacus erithacus</i>      |                            |                     |                                    |       |       |
|                         |                                 | timneh                     | live                | 16                                 | CY    | LR NL |
|                         |                                 |                            |                     | 1                                  | GL    | XX DK |
|                         |                                 |                            |                     | 6                                  | MT    | GN BE |
|                         |                                 |                            |                     | 6                                  | MT    | LR BE |
|                         |                                 |                            | 30                  |                                    | ZA    | GN BE |
| C2                      | <i>Purpureicephalus spurius</i> |                            | live (captive bred) | 2                                  | IN    | GB    |
|                         |                                 |                            |                     | 19                                 | JP    | NL    |
| C2                      | <i>Pyrrhura frontalis</i>       |                            | live (captive bred) | 8                                  | CA    | NL    |
|                         |                                 | live                       |                     | 4                                  | CY AR | DE    |
| C2                      | <i>Pyrrhura leucotis</i>        |                            | live (captive bred) | 2                                  | US    | ES    |
| C2                      | <i>Pyrrhura molinae</i>         |                            | live (captive bred) | 4                                  | DD    | DE    |
| C2                      | <i>Pyrrhura perlata</i>         |                            | live (captive bred) | 1                                  | CH    | DE    |
| C2                      | <i>Trichoglossus goldiei</i>    |                            | live (captive bred) | 2                                  | IL    | NL    |
| C2                      | <i>Trichoglossus haematodus</i> |                            | live (captive bred) | 3                                  | IL    | BE    |
| C1                      | <i>Tyto alba</i>                |                            | live (captive bred) | 6                                  | ZA    | GB    |
| C1                      | <i>Aegolius funereus</i>        |                            | live                | 1                                  | CA    | XX NL |
| C1                      | <i>Asio otus</i>                | bodies                     |                     | 2                                  | IS    | DK    |

| CITES EEC<br>App. Annex |    | Taxon                        | Description         | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|----|------------------------------|---------------------|----------|------------------------------------|----|
| II                      | C1 | <i>Athene noctua</i>         | live (captive bred) | 6        | CH                                 | DE |
|                         | C1 | <i>Bubo africanus</i>        | live (captive bred) | 2        | YU                                 | BE |
|                         | C1 | <i>Bubo bubo</i>             | live (captive bred) | 2        | AT                                 | DE |
|                         |    |                              |                     | 6        | ZA                                 | GB |
|                         |    |                              | live                | 2        | NO                                 | DK |
|                         |    |                              |                     | 3        | SE                                 | DK |
|                         | C1 | <i>Bubo capensis</i>         | live (captive bred) | 1        | DD                                 | GB |
|                         | C1 | <i>Bubo virginianus</i>      | live (captive bred) | 2        | SG                                 | GB |
|                         | C1 | <i>Ninox novaeseelandiae</i> | live (captive bred) | 2        | DD                                 | GB |
|                         | C1 | <i>Nyctea scandiaca</i>      | live (captive bred) | 5        | CA                                 | NL |
|                         |    |                              |                     | 3        | HU                                 | DE |
|                         |    |                              |                     | 1        | SG                                 | BE |
|                         |    |                              | live                | 1        | PL                                 | DK |
|                         | C1 | <i>Speotyto cunicularia</i>  | live                | 4        | CH                                 | DK |
|                         |    |                              |                     | 10       | DD                                 | DK |
|                         | C1 | <i>Strix aluco</i>           | bodies              | 1        | NO                                 | GB |
|                         |    |                              | live (captive bred) | 4        | ZA                                 | GB |
|                         |    | <i>Coeligena violifer</i>    | skins               | 4        | US                                 | XX |
|                         |    | <i>Colibri coruscans</i>     | live                | 10       | SG                                 | PE |
|                         |    | <i>Rhodopis vesper</i>       | live                | 10       | SG                                 | PE |
|                         |    | <i>Buceros rhinoceros</i>    | live (captive bred) | 6        | US                                 | BN |
|                         |    | <i>Poephila cincta</i>       | live (captive bred) | 4        | JP                                 | NL |

| CITES EEC<br>App. Annex | Taxon                         | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|-------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | <i>Poephila cincta</i>        | live (captive bred) | 10       | ZA                                 |    | NL |
| C2                      | <i>Geochelone denticulata</i> | live                | 2        | XX                                 | GY | DE |
| C2                      | <i>Geochelone gigantea</i>    | live (captive bred) | 4        | JP                                 |    | NL |
| C2                      | <i>Geochelone pardalis</i>    | live                | 3        | AT                                 | TZ | DE |
|                         |                               |                     | 10       | AT                                 | TZ | DK |
|                         |                               |                     | 2        | CH                                 | TZ | DE |
|                         |                               |                     | 2        | FI                                 | TZ | DE |
|                         |                               |                     | 5        | JP                                 | TZ | DE |
|                         |                               |                     | 2        | NO                                 | TZ | DK |
|                         |                               |                     | 2        | SE                                 | TZ | DE |
|                         |                               |                     | 5        | US                                 | TZ | DE |
| C2                      | <i>Kinixys belliana</i>       | live                | 10       | JP                                 | TG | DE |
| C2                      | <i>Kinixys homeana</i>        | live                | 6        | JP                                 | TG | DE |
| C2                      | <i>Malacochersus tornieri</i> | live                | 5        | AT                                 | TZ | DK |
|                         |                               |                     | 9        | SE                                 | TZ | DK |
| C2                      | <i>Manouria emys</i>          | live                | 1        | CH                                 | MY | DE |
| C2                      | <i>Psammobates oculifera</i>  | live (captive bred) | 1        | JP                                 |    | NL |
| C2                      | <i>Pyxis arachnoides</i>      | live (captive bred) | 2        | US                                 |    | NL |
| C1                      | <i>Testudo graeca</i>         | live (captive bred) | 1        | US                                 |    | GB |
|                         |                               |                     | 10       | US                                 |    | NL |
|                         |                               | live                | 2        | US                                 |    | GB |
| C1                      | <i>Testudo hermanni</i>       | live (captive bred) | 4        | AT                                 |    | DE |
|                         |                               |                     | 9        | US                                 |    | NL |
|                         |                               | live                | 2        | CH                                 | XX | DE |

| CITES EEC<br>App. Annex |    | Taxon                             | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----|-----------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C1 | <i>Testudo hermanni</i>           | live                | 1        | US                                 | GB |    |
|                         |    |                                   |                     | 1        | ZA                                 | XX | GB |
|                         | C1 | <i>Testudo marginata</i>          | live (captive bred) | 6        | JP                                 | NL |    |
|                         |    |                                   |                     | 10       | US                                 | NL |    |
|                         |    |                                   | live                | 2        | Jersey                             | GB |    |
|                         | C2 | <i>CROCODYLIA</i> spp.            | skins               | 2        | US                                 | XX | GB |
|                         | C2 | <i>Alligator mississippiensis</i> | belts               | 3        | AE                                 | US | DE |
|                         |    |                                   |                     | 220      | CH                                 | US | FR |
|                         |    |                                   |                     | 7        | CH                                 | US | IT |
|                         |    |                                   |                     | 200      | HK                                 | US | FR |
|                         |    |                                   |                     | 31       | HK                                 | US | IT |
|                         |    |                                   |                     | 7        | JP                                 | US | FR |
|                         |    |                                   |                     | 85       | JP                                 | US | IT |
|                         |    |                                   |                     | 68       | US                                 | US | FR |
|                         |    |                                   |                     | 50       | US                                 | US | GB |
|                         |    |                                   |                     | 12563    | US                                 | US | IT |
|                         |    |                                   | handbags            | 1        | AE                                 | US | DE |
|                         |    |                                   |                     | 24       | AT                                 | US | DE |
|                         |    |                                   |                     | 2        | AT                                 | US | FR |
|                         |    |                                   |                     | 6        | BN                                 | US | FR |
|                         |    |                                   |                     | 2        | CA                                 | US | FR |
|                         |    |                                   |                     | 80       | CA                                 | US | IT |
|                         |    |                                   |                     | 74       | CH                                 | US | DE |
|                         |    |                                   |                     | 15       | CH                                 | US | FR |
|                         |    |                                   |                     | 79       | CH                                 | US | IT |
|                         |    |                                   |                     | 1        | CI                                 | US | FR |
|                         |    |                                   |                     | 1        | CO                                 | US | IT |
|                         |    |                                   |                     | 16       | HK                                 | US | DE |
|                         |    |                                   |                     | 91       | HK                                 | US | FR |
|                         |    |                                   |                     | 291      | HK                                 | US | IT |
|                         |    |                                   |                     | 5        | HK                                 | ZA | FR |

| CITES EEC<br>App. Annex | Taxon                         | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|-------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 Alligator mississippiensis | handbags            | 19       | JP                                 | US | DE |
|                         |                               |                     | 480      | JP                                 | US | FR |
|                         |                               |                     | 2206     | JP                                 | US | IT |
|                         |                               |                     | 6        | JP                                 | ZA | IT |
|                         |                               |                     | 34       | KR                                 | US | FR |
|                         |                               |                     | 5        | KR                                 | US | IT |
|                         |                               |                     | 1        | KW                                 | US | DE |
|                         |                               |                     | 1        | KW                                 | US | FR |
|                         |                               |                     | 13       | KW                                 | US | IT |
|                         |                               |                     | 7        | SG                                 | US | DE |
|                         |                               |                     | 25       | SG                                 | US | FR |
|                         |                               |                     | 49       | SG                                 | US | IT |
|                         |                               |                     | 7        | SO                                 | US | FR |
|                         |                               |                     | 1        | TW                                 | US | IT |
|                         |                               |                     | 3        | US                                 | CO | IT |
|                         |                               |                     | 146      | US                                 | ID | IT |
|                         |                               |                     | 12       | US                                 | JP | IT |
|                         |                               |                     | 2        | US                                 | TH | IT |
|                         |                               |                     | 35       | US                                 | US | DE |
|                         |                               |                     | 461      | US                                 | US | FR |
|                         |                               |                     | 1161     | US                                 | US | IT |
|                         |                               |                     | 9        | US                                 | VE | IT |
|                         |                               |                     | 1        | XS                                 | US | FR |
|                         |                               |                     | 641      | XS                                 | US | IT |
|                         |                               | live (captive bred) | 1        | LY                                 | US | DE |
|                         |                               | live                | 2        | HU                                 | XX | DE |
|                         |                               |                     | 1        | LY                                 | XX | DE |
|                         |                               | pairs of shoes      | 11       | CH                                 | US | FR |
|                         |                               |                     | 1        | CH                                 | US | IT |
|                         |                               |                     | 2        | CN                                 | US | FR |
|                         |                               |                     | 5        | HK                                 | US | FR |
|                         |                               |                     | 2        | HK                                 | US | IT |
|                         |                               |                     | 34       | JP                                 | US | FR |
|                         |                               |                     | 38       | JP                                 | US | IT |

| CITES EEC<br>App. Annex | Taxon | Description                | Quantity       | Country of<br>Import | Origin Export |
|-------------------------|-------|----------------------------|----------------|----------------------|---------------|
| II                      | C2    | Alligator mississippiensis | pairs of shoes | 2                    | MY US FR      |
|                         |       |                            |                | 3                    | SG US FR      |
|                         |       |                            |                | 2                    | US US FR      |
|                         |       |                            |                | 1                    | US US GB      |
|                         |       |                            | 1822           |                      | US US IT      |
|                         |       |                            |                | 7                    | XS US IT      |
|                         |       | sides                      |                | 1                    | NZ US DE      |
|                         |       |                            | 865            |                      | US US IT      |
|                         |       |                            |                | 293                  | US ZW IT      |
|                         |       | skins                      |                | 38                   | AT US FR      |
|                         |       |                            | 12             |                      | AT US IT      |
|                         |       |                            | 38             |                      | CA US FR      |
|                         |       |                            | 209            |                      | CH US FR      |
|                         |       |                            | 717            |                      | CH US IT      |
|                         |       |                            |                | 1                    | HK US DE      |
|                         |       |                            |                | 7                    | HK US FR      |
|                         |       |                            | 348            |                      | JP US FR      |
|                         |       |                            |                | 10                   | JP US IT      |
|                         |       |                            |                | 2                    | KR US FR      |
|                         |       |                            |                | 36                   | TR US FR      |
|                         |       |                            | 6855           |                      | US US FR      |
|                         |       |                            |                | 4                    | US US GB      |
|                         |       |                            |                | 150                  | US US IT      |
|                         |       |                            |                | 4                    | XS US IT      |
|                         |       |                            |                | 1                    | ZA US IT      |
|                         |       | skin/leather items         |                | 1                    | BR US FR      |
|                         |       |                            | 81             |                      | CA US IT      |
|                         |       |                            |                | 2                    | CH US FR      |
|                         |       |                            |                | 8                    | CH US IT      |
|                         |       |                            | 32             |                      | HK US FR      |
|                         |       |                            |                | 5                    | HK US IT      |
|                         |       |                            |                | 9                    | JP US BE      |
|                         |       |                            |                | 12                   | JP US FR      |
|                         |       |                            | 237            |                      | JP US IT      |

| CITES EEC<br>App. Annex | Taxon                         | Description        | Quantity | Country of Import Origin Export |    |    |
|-------------------------|-------------------------------|--------------------|----------|---------------------------------|----|----|
| II                      | C2 Alligator mississippiensis | skin/leather items | 1        | KR                              | US | FR |
|                         |                               |                    | 7        | KW                              | US | IT |
|                         |                               |                    | 26       | SG                              | US | IT |
|                         |                               |                    | 51       | US                              | US | FR |
|                         |                               |                    | 100      | US                              | US | GB |
|                         |                               |                    | 1182     | US                              | US | IT |
|                         |                               |                    | 9        | XX                              | US | GB |
|                         |                               | wallets            | 51       | AT                              | US | DE |
|                         |                               |                    | 12       | CA                              | US | IT |
|                         |                               |                    | 10       | CH                              | US | DE |
|                         |                               |                    | 2        | CH                              | US | IT |
|                         |                               |                    | 46       | HK                              | US | IT |
|                         |                               |                    | 3        | JP                              | US | DE |
|                         |                               |                    | 512      | JP                              | US | IT |
|                         |                               |                    | 1        | KW                              | US | DE |
|                         |                               |                    | 3        | NO                              | US | DE |
|                         |                               |                    | 3        | US                              | US | DE |
|                         |                               |                    | 575      | US                              | US | IT |
|                         |                               |                    | 20       | XS                              | US | IT |
|                         |                               | watchstraps        | 50       | JP                              | US | FR |
|                         |                               |                    | 9        | JP                              | US | IT |
|                         |                               |                    | 9        | SG                              | US | IT |
|                         |                               |                    | 3360     | US                              | US | IT |
| C2                      | Caiman crocodilus             | belts              | 24       | CH                              | BO | IT |
|                         |                               |                    | 6        | CH                              | CO | IT |
|                         |                               |                    | 608      | HK                              | BO | IT |
|                         |                               |                    | 336      | JP                              | BO | IT |
|                         |                               |                    | 35       | JP                              | VE | IT |
|                         |                               |                    | 904      | KR                              | BO | IT |
|                         |                               |                    | 12       | LB                              | BO | IT |
|                         |                               |                    | 115      | SG                              | BO | IT |
|                         |                               |                    | 30       | US                              | VE | IT |
|                         |                               | live               | 2        | AT                              | GY | DE |

| CITES EEC<br>App. Annex | TAXON | Description                                   | Quantity       | Country of Import Origin Export |    |       |
|-------------------------|-------|---|----------------|---------------------------------|----|-------|
| II                      | C2    | <i>Caiman crocodilus</i>                      | live           | 2                               | JP | GY DE |
|                         |       |   | pairs of shoes | 39                              | CH | VE IT |
|                         |       |   |                | 8                               | JP | VE IT |
|                         |       |   |                | 1                               | US | CO IT |
|                         |       |   |                | 209                             | US | GY IT |
|                         |       |   |                | 337                             | US | VE IT |
|                         |       |   |                | 60                              | VE | ID IT |
|                         |       |   | skins          | 83                              | ZA | CO IT |
| C2                      | C2    | <i>Caiman crocodilus</i><br><i>crocodilus</i> | belts          | 140                             | AE | BO FR |
|                         |       |   |                | 3                               | AE | CO DE |
|                         |       |   |                | 20                              | AE | CO IT |
|                         |       |   |                | 12                              | AE | GY FR |
|                         |       |   |                | 3                               | AE | VE IT |
|                         |       |   |                | 36                              | AN | PY IT |
|                         |       |   |                | 8                               | AT | CO DE |
|                         |       |   |                | 30                              | AT | CO FR |
|                         |       |   |                | 31                              | AT | CO IT |
|                         |       |   |                | 23                              | AT | GY DE |
|                         |       |   |                | 39                              | AT | GY FR |
|                         |       |   |                | 36                              | AT | VE DE |
|                         |       |   |                | 75                              | AT | VE FR |
|                         |       |   |                | 74                              | AT | VE IT |
|                         |       |   |                | 5                               | AU | VE ES |
|                         |       |   |                | 150                             | BH | GY FR |
|                         |       |   |                | 2                               | CA | CO FR |
|                         |       |   |                | 85                              | CA | CO IT |
|                         |       |   |                | 755                             | CA | GY IT |
|                         |       |   |                | 14                              | CA | VE ES |
|                         |       |   |                | 17                              | CA | VE FR |
|                         |       |   |                | 785                             | CA | VE IT |
|                         |       |   |                | 15                              | CH | BO DE |
|                         |       |   |                | 12                              | CH | BO FR |
|                         |       |   |                | 2                               | CH | CA FR |

| CITES EEC<br>App. Annex | Taxon | Description                                   | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|---|----------|------------------------------------|----|-------|
| II                      | C2    | <i>Caiman crocodilus</i><br><i>crocodilus</i> | belts    | 163                                | CH | CO DE |
|                         |       |   |          | 450                                | CH | CO FR |
|                         |       |   |          | 742                                | CH | CO IT |
|                         |       |   |          | 48                                 | CH | GY DE |
|                         |       |   |          | 2282                               | CH | GY FR |
|                         |       |   |          | 274                                | CH | GY IT |
|                         |       |   |          | 21                                 | CH | PA BE |
|                         |       |   |          | 73                                 | CH | VE DE |
|                         |       |   |          | 114                                | CH | VE FR |
|                         |       |   |          | 1690                               | CH | VE IT |
|                         |       |   |          | 2                                  | DO | VE ES |
|                         |       |   |          | 18                                 | EG | BO FR |
|                         |       |   |          | 1                                  | GA | CO FR |
|                         |       |   |          | 40                                 | GU | CO IT |
|                         |       |   |          | 183                                | HK | BO FR |
|                         |       |   |          | 413                                | HK | BO IT |
|                         |       |   |          | 60                                 | HK | CO FR |
|                         |       |   |          | 1533                               | HK | CO IT |
|                         |       |   |          | 714                                | HK | GY FR |
|                         |       |   |          | 2298                               | HK | GY IT |
|                         |       |   |          | 620                                | HK | PY IT |
|                         |       |   |          | 12                                 | HK | SV FR |
|                         |       |   |          | 1                                  | HK | SV IT |
|                         |       |   |          | 75                                 | HK | VE DE |
|                         |       |   |          | 21                                 | HK | VE ES |
|                         |       |   |          | 76                                 | HK | VE FR |
|                         |       |   |          | 25                                 | HK | VE GB |
|                         |       |   |          | 3434                               | HK | VE IT |
|                         |       |   |          | 20                                 | ID | PG FR |
|                         |       |   |          | 12                                 | IL | VE IT |
|                         |       |   |          | 250                                | JP | BO DE |
|                         |       |   |          | 52                                 | JP | BO FR |
|                         |       |   |          | 27                                 | JP | BO IT |
|                         |       |   |          | 10                                 | JP | CA FR |

| CITES EEC<br>App. Annex | TAXON | Description                                   | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|---|----------|------------------------------------|----|-------|
| II                      | C2    | <i>Caiman crocodilus</i><br><i>crocodilus</i> | belts    | 30                                 | JP | CO FR |
|                         |       |   | 2510     | JP                                 | CO | IT    |
|                         |       |   | 46       | JP                                 | GT | IT    |
|                         |       |   | 2        | JP                                 | GY | DE    |
|                         |       |   | 1370     | JP                                 | GY | FR    |
|                         |       |   | 2170     | JP                                 | GY | IT    |
|                         |       |   | 68       | JP                                 | PG | IT    |
|                         |       |   | 951      | JP                                 | VE | DE    |
|                         |       |   | 661      | JP                                 | VE | FR    |
|                         |       |   | 4        | JP                                 | VE | GB    |
|                         |       |   | 2461     | JP                                 | VE | IT    |
|                         |       |   | 50       | KR                                 | BO | FR    |
|                         |       |   | 28       | KR                                 | CO | IT    |
|                         |       |   | 497      | KR                                 | GY | FR    |
|                         |       |   | 138      | KR                                 | GY | IT    |
|                         |       |   | 82       | KR                                 | PY | IT    |
|                         |       |   | 59       | KR                                 | VE | FR    |
|                         |       |   | 113      | KR                                 | VE | IT    |
|                         |       |   | 10       | LB                                 | CO | FR    |
|                         |       |   | 62       | LB                                 | GY | FR    |
|                         |       |   | 16       | LB                                 | VE | FR    |
|                         |       |   | 65       | LB                                 | VE | IT    |
|                         |       |   | 5        | NC                                 | VE | FR    |
|                         |       |   | 13       | NG                                 | CO | IT    |
|                         |       |   | 18       | NO                                 | CO | DE    |
|                         |       |   | 8        | NO                                 | CO | FR    |
|                         |       |   | 15       | NO                                 | GY | FR    |
|                         |       |   | 19       | NO                                 | VE | DE    |
|                         |       |   | 11       | NO                                 | VE | FR    |
|                         |       |   | 22       | NO                                 | VE | IT    |
|                         |       |   | 24       | NZ                                 | VE | IT    |
|                         |       |   | 6        | PR                                 | GY | FR    |
|                         |       |   | 76       | SA                                 | BO | IT    |
|                         |       |   | 9        | SA                                 | CO | FR    |

| CITES EEC<br>App. Annex | Taxon | Description                                   | Quantity | Country of<br>Import Origin Export |    |    |    |
|-------------------------|-------|---|----------|------------------------------------|----|----|----|
| II                      | C2    | <i>Caiman crocodilus</i><br><i>crocodilus</i> | belts    | 40                                 | SA | CO | IT |
|                         |       |   | 2        |                                    | SA | GY | DE |
|                         |       |   | 5        |                                    | SA | GY | FR |
|                         |       |   | 72       |                                    | SA | VE | IT |
|                         |       |   | 2        |                                    | SE | CO | IT |
|                         |       |   | 30       |                                    | SE | GT | IT |
|                         |       |   | 18       |                                    | SE | GY | FR |
|                         |       |   | 1        |                                    | SE | VE | FR |
|                         |       |   | 9        |                                    | SG | BO | FR |
|                         |       |   | 2        |                                    | SG | CO | FR |
|                         |       |   | 3        |                                    | SG | CO | IT |
|                         |       |   | 1        |                                    | SG | GY | DE |
|                         |       |   | 6        |                                    | SG | GY | FR |
|                         |       |   | 7        |                                    | SG | GY | IT |
|                         |       |   | 144      |                                    | SG | VE | FR |
|                         |       |   | 118      |                                    | SG | VE | IT |
|                         |       |   | 36       |                                    | TH | GY | FR |
|                         |       |   | 100      |                                    | TW | GY | FR |
|                         |       |   | 18       |                                    | TW | VE | IT |
|                         |       |   | 9        |                                    | US | CA | FR |
|                         |       |   | 15       |                                    | US | CO | DE |
|                         |       |   | 52       |                                    | US | CO | FR |
|                         |       |   | 3627     |                                    | US | CO | IT |
|                         |       |   | 1        |                                    | US | GY | DE |
|                         |       |   | 404      |                                    | US | GY | ES |
|                         |       |   | 1970     |                                    | US | GY | FR |
|                         |       |   | 12       |                                    | US | GY | GB |
|                         |       |   | 5294     |                                    | US | GY | IT |
|                         |       |   | 30       |                                    | US | ID | GB |
|                         |       |   | 20       |                                    | US | ID | IT |
|                         |       |   | 14       |                                    | US | PA | IT |
|                         |       |   | 53       |                                    | US | SV | IT |
|                         |       |   | 739      |                                    | US | VE | ES |
|                         |       |   | 80       |                                    | US | VE | FR |

| CITES EEC<br>App. Annex | Taxon | Description                                   | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|-------|---|----------|------------------------------------|----|----|
| II                      | C2    | <i>Caiman crocodilus</i><br><i>crocodilus</i> |          |                                    |    |    |
|                         |       | belts   | 298      | US                                 | VE | GB |
|                         |       |   | 22270    | US                                 | VE | IT |
|                         |       |   | 300      | VE                                 | BO | IT |
|                         |       |   | 59       | XS                                 | CO | IT |
|                         |       |   | 36       | XS                                 | GY | IT |
|                         |       |   | 10       | XS                                 | VE | FR |
|                         |       |   | 17       | XS                                 | VE | IT |
|                         |       |   | 22       | XX                                 | GY | FR |
|                         |       |   | 72       | XX                                 | GY | GB |
|                         |       |   | 57       | XX                                 | IT | GB |
|                         |       |   | 120      | XX                                 | VE | GB |
|                         |       |   | 10       | XX                                 | XX | GB |
|                         |       | garments                                      | 6        | AD                                 | GY | FR |
|                         |       |   | 4        | AD                                 | VE | FR |
|                         |       |   | 2        | AT                                 | GY | FR |
|                         |       |   | 3        | CA                                 | VE | IT |
|                         |       |   | 1        | CH                                 | GY | FR |
|                         |       |   | 1        | HK                                 | VE | IT |
|                         |       |   | 31       | JP                                 | GY | FR |
|                         |       |   | 2        | JP                                 | VE | IT |
|                         |       |   | 2        | US                                 | CO | DE |
|                         |       |   | 8        | US                                 | GY | FR |
|                         |       |   | 4        | US                                 | VE | IT |
|                         |       | handbags                                      | 13       | AD                                 | BO | DE |
|                         |       |   | 54       | AD                                 | BO | FR |
|                         |       |   | 30       | AD                                 | VE | IT |
|                         |       |   | 2        | AE                                 | CO | DE |
|                         |       |   | 10       | AE                                 | CO | IT |
|                         |       |   | 28       | AE                                 | GY | DE |
|                         |       |   | 6        | AE                                 | GY | IT |
|                         |       |   | 2        | AE                                 | VE | DE |
|                         |       |   | 4        | AE                                 | VE | IT |
|                         |       |   | 55       | AT                                 | BO | DE |
|                         |       |   | 38       | AT                                 | CO | DE |

| CITES EEC<br>App. Annex | Taxon | Description                                   | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|---|----------|------------------------------------|----|-------|
| II                      | C2    | <i>Caiman crocodilus</i><br><i>crocodilus</i> | handbags | 10                                 | AT | CO IT |
|                         |       |   |          | 15                                 | AT | GY DE |
|                         |       |   |          | 10                                 | AT | GY FR |
|                         |       |   |          | 16                                 | AT | GY IT |
|                         |       |   |          | 1                                  | AT | VE DE |
|                         |       |   |          | 34                                 | AT | VE IT |
|                         |       |   |          | 6                                  | AT | XX DE |
|                         |       |   |          | 1                                  | AU | TH DK |
|                         |       |   |          | 4                                  | BM | GY ES |
|                         |       |   |          | 50                                 | CA | CO IT |
|                         |       |   |          | 61                                 | CA | GY IT |
|                         |       |   |          | 18                                 | CA | VE IT |
|                         |       |   |          | 14                                 | CH | BO DE |
|                         |       |   |          | 86                                 | CH | CO DE |
|                         |       |   |          | 73                                 | CH | CO FR |
|                         |       |   |          | 696                                | CH | CO IT |
|                         |       |   |          | 89                                 | CH | GY DE |
|                         |       |   |          | 146                                | CH | GY FR |
|                         |       |   |          | 32                                 | CH | GY IT |
|                         |       |   |          | 8                                  | CH | PY IT |
|                         |       |   |          | 12                                 | CH | SV IT |
|                         |       |   |          | 21                                 | CH | VE DE |
|                         |       |   |          | 8                                  | CH | VE FR |
|                         |       |   |          | 64                                 | CH | VE IT |
|                         |       |   |          | 21                                 | CH | XX DE |
|                         |       |   |          | 24                                 | FI | CO IT |
|                         |       |   |          | 8                                  | GY | GY FR |
|                         |       |   |          | 721                                | HK | BO DE |
|                         |       |   |          | 48                                 | HK | CO DE |
|                         |       |   |          | 7                                  | HK | CO FR |
|                         |       |   |          | 894                                | HK | CO IT |
|                         |       |   |          | 420                                | HK | GY DE |
|                         |       |   |          | 46                                 | HK | GY FR |
|                         |       |   |          | 431                                | HK | GY IT |

| CITES EEC<br>App. Annex | Taxon                              | Description | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|------------------------------------|-------------|----------|------------------------------------|----|----|
| II                      | C2 Caiman crocodilus<br>crocodilus | handbags    | 98       | HK                                 | PY | DE |
|                         |                                    |             | 6        | HK                                 | PY | IT |
|                         |                                    |             | 7        | HK                                 | SV | IT |
|                         |                                    |             | 25       | HK                                 | US | IT |
|                         |                                    |             | 5        | HK                                 | VE | FR |
|                         |                                    |             | 498      | HK                                 | VE | IT |
|                         |                                    |             | 117      | HK                                 | XX | DE |
|                         |                                    |             | 81       | JP                                 | BO | DE |
|                         |                                    |             | 23       | JP                                 | BO | IT |
|                         |                                    |             | 90       | JP                                 | CO | DE |
|                         |                                    |             | 1        | JP                                 | CO | FR |
|                         |                                    |             | 2319     | JP                                 | CO | IT |
|                         |                                    |             | 128      | JP                                 | GY | DE |
|                         |                                    |             | 64       | JP                                 | GY | ES |
|                         |                                    |             | 20       | JP                                 | GY | FR |
|                         |                                    |             | 2328     | JP                                 | GY | IT |
|                         |                                    |             | 42       | JP                                 | PG | FR |
|                         |                                    |             | 51       | JP                                 | PG | IT |
|                         |                                    |             | 7        | JP                                 | SD | IT |
|                         |                                    |             | 3        | JP                                 | VE | DE |
|                         |                                    |             | 61       | JP                                 | VE | FR |
|                         |                                    |             | 1027     | JP                                 | VE | IT |
|                         |                                    |             | 161      | JP                                 | XX | DE |
|                         |                                    |             | 44       | KR                                 | CO | IT |
|                         |                                    |             | 37       | KR                                 | GY | DE |
|                         |                                    |             | 48       | KR                                 | GY | FR |
|                         |                                    |             | 18       | KR                                 | PY | IT |
|                         |                                    |             | 26       | KR                                 | VE | FR |
|                         |                                    |             | 2        | KR                                 | VE | IT |
|                         |                                    |             | 8        | KW                                 | CO | FR |
|                         |                                    |             | 9        | KW                                 | GY | FR |
|                         |                                    |             | 47       | KW                                 | GY | IT |
|                         |                                    |             | 11       | KW                                 | VE | FR |
|                         |                                    |             | 2        | LB                                 | VE | IT |

| CITES EEC<br>App. Annex | TAXON | Description                                   | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|---|----------|------------------------------------|----|-------|
| II                      | C2    | <i>Caiman crocodilus</i><br><i>crocodilus</i> | handbags | 1                                  | MT | VE IT |
|                         |       |   |          | 1                                  | NC | GY FR |
|                         |       |   |          | 2                                  | NC | VE FR |
|                         |       |   |          | 1                                  | NO | GY DE |
|                         |       |   |          | 24                                 | NO | GY ES |
|                         |       |   |          | 4                                  | SA | CO IT |
|                         |       |   |          | 4                                  | SA | GY DE |
|                         |       |   |          | 8                                  | SA | VE IT |
|                         |       |   |          | 13                                 | SE | CO IT |
|                         |       |   |          | 418                                | SE | VE IT |
|                         |       |   |          | 6                                  | SG | CO DE |
|                         |       |   |          | 7                                  | SG | CO IT |
|                         |       |   |          | 11                                 | SG | GY DE |
|                         |       |   |          | 78                                 | SG | GY FR |
|                         |       |   |          | 87                                 | SG | GY IT |
|                         |       |   |          | 1                                  | SG | PG FR |
|                         |       |   |          | 4                                  | SG | SV IT |
|                         |       |   |          | 60                                 | SG | VE FR |
|                         |       |   |          | 143                                | SG | VE IT |
|                         |       |   |          | 96                                 | SG | XX DE |
|                         |       |   |          | 40                                 | TH | GY DE |
|                         |       |   |          | 40                                 | TH | VE IT |
|                         |       |   |          | 25                                 | TW | CO DE |
|                         |       |   |          | 30                                 | TW | CO IT |
|                         |       |   |          | 1                                  | TW | GY IT |
|                         |       |   |          | 1                                  | TW | VE FR |
|                         |       |   |          | 21                                 | TW | VE IT |
|                         |       |   |          | 324                                | US | AR IT |
|                         |       |   |          | 56                                 | US | BO DE |
|                         |       |   |          | 649                                | US | CO DE |
|                         |       |   |          | 13                                 | US | CO FR |
|                         |       |   |          | 2946                               | US | CO IT |
|                         |       |   |          | 282                                | US | GY DE |
|                         |       |   |          | 86                                 | US | GY ES |

| CITES EEC<br>App. Annex | TAXON | Description              | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|-------|--------------------------|----------|------------------------------------|----|----|
| II                      | C2    | <i>Caiman crocodilus</i> |          |                                    |    |    |
|                         |       | <i>crocodilus</i>        |          |                                    |    |    |
|                         |       | handbags                 | 2494     | US                                 | GY | IT |
|                         |       |                          | 3        | US                                 | PA | IT |
|                         |       |                          | 4        | US                                 | PG | IT |
|                         |       |                          | 33       | US                                 | VE | DE |
|                         |       |                          | 6        | US                                 | VE | FR |
|                         |       |                          | 902      | US                                 | VE | IT |
|                         |       |                          | 1        | US                                 | ZA | IT |
|                         |       |                          | 125      | VE                                 | BO | IT |
|                         |       |                          | 3        | VI                                 | GY | IT |
|                         |       |                          | 105      | XS                                 | CO | IT |
|                         |       |                          | 159      | XS                                 | GY | IT |
|                         |       |                          | 4        | XX                                 | VE | IT |
|                         |       |                          | 5        | ZA                                 | CO | DE |
|                         |       | live (captive bred)      | 2        | KW                                 |    | DE |
|                         |       | live                     | 3        | CH                                 | GY | IT |
|                         |       |                          | 87       | SE                                 | VE | NL |
|                         |       | pairs of shoes           | 36       | AD                                 | VE | IT |
|                         |       |                          | 16       | AE                                 | CO | IT |
|                         |       |                          | 40       | AE                                 | GY | IT |
|                         |       |                          | 113      | AE                                 | VE | IT |
|                         |       |                          | 73       | AN                                 | VE | IT |
|                         |       |                          | 12       | AT                                 | CO | DE |
|                         |       |                          | 27       | AT                                 | PA | IT |
|                         |       |                          | 78       | AT                                 | SV | IT |
|                         |       |                          | 118      | AT                                 | VE | IT |
|                         |       |                          | 3        | BD                                 | VE | IT |
|                         |       |                          | 10       | BH                                 | VE | IT |
|                         |       |                          | 793      | CA                                 | CO | IT |
|                         |       |                          | 24       | CA                                 | GY | FR |
|                         |       |                          | 145      | CA                                 | GY | IT |
|                         |       |                          | 24       | CA                                 | PA | IT |
|                         |       |                          | 648      | CA                                 | VE | IT |
|                         |       |                          | 4        | CH                                 | BO | IT |
|                         |       |                          | 17       | CH                                 | CO | DE |

| CITES EEC<br>App. Annex | Taxon | Description                                   | Quantity       | Country of<br>Import Origin Export |    |    |    |
|-------------------------|-------|---|----------------|------------------------------------|----|----|----|
| II                      | C2    | <i>Caiman crocodilus</i><br><i>crocodilus</i> | pairs of shoes | 165                                | CH | CO | IT |
|                         |       |   |                | 14                                 | CH | GY | ES |
|                         |       |   |                | 2                                  | CH | GY | FR |
|                         |       |   |                | 174                                | CH | GY | IT |
|                         |       |   |                | 69                                 | CH | VE | DE |
|                         |       |   |                | 914                                | CH | VE | IT |
|                         |       |   |                | 1                                  | CN | GY | FR |
|                         |       |   |                | 12                                 | GA | VE | IT |
|                         |       |   |                | 26                                 | GU | VE | IT |
|                         |       |   |                | 1                                  | HK | BO | IT |
|                         |       |   |                | 235                                | HK | CO | IT |
|                         |       |   |                | 149                                | HK | GY | IT |
|                         |       |   |                | 84                                 | HK | PY | IT |
|                         |       |   |                | 43                                 | HK | SV | IT |
|                         |       |   |                | 89                                 | HK | VE | ES |
|                         |       |   |                | 752                                | HK | VE | IT |
|                         |       |   |                | 17                                 | IL | VE | IT |
|                         |       |   |                | 5                                  | JO | VE | IT |
|                         |       |   |                | 18                                 | JP | BO | IT |
|                         |       |   |                | 431                                | JP | CO | IT |
|                         |       |   |                | 2                                  | JP | GY | ES |
|                         |       |   |                | 638                                | JP | GY | IT |
|                         |       |   |                | 4                                  | JP | PA | IT |
|                         |       |   |                | 1                                  | JP | VE | ES |
|                         |       |   |                | 3574                               | JP | VE | IT |
|                         |       |   |                | 157                                | JP | XX | IT |
|                         |       |   |                | 50                                 | KR | CO | IT |
|                         |       |   |                | 4                                  | KR | PA | IT |
|                         |       |   |                | 204                                | KR | VE | IT |
|                         |       |   |                | 35                                 | KW | CO | IT |
|                         |       |   |                | 151                                | KW | GY | IT |
|                         |       |   |                | 336                                | KW | VE | IT |
|                         |       |   |                | 69                                 | LB | VE | IT |
|                         |       |   |                | 22                                 | MC | VE | IT |

| CITES EEC<br>App. Annex | TAXON | Description                                   | Quantity       | Country of<br>Import Origin Export |    |    |    |
|-------------------------|-------|---|----------------|------------------------------------|----|----|----|
| II                      | C2    | <i>Caiman crocodilus</i><br><i>crocodilus</i> | pairs of shoes | 6                                  | MY | VE | IT |
|                         |       |   |                | 76                                 | NG | CO | IT |
|                         |       |   |                | 26                                 | NO | VE | IT |
|                         |       |   |                | 24                                 | QA | CO | IT |
|                         |       |   |                | 40                                 | QA | GY | IT |
|                         |       |   |                | 162                                | QA | VE | IT |
|                         |       |   |                | 126                                | SA | CO | IT |
|                         |       |   |                | 252                                | SA | GY | IT |
|                         |       |   |                | 55                                 | SA | VE | ES |
|                         |       |   |                | 69                                 | SA | VE | IT |
|                         |       |   |                | 26                                 | SE | CO | IT |
|                         |       |   |                | 17                                 | SE | GY | IT |
|                         |       |   |                | 135                                | SE | VE | IT |
|                         |       |   |                | 35                                 | SG | CO | IT |
|                         |       |   |                | 25                                 | SG | GY | IT |
|                         |       |   |                | 41                                 | SG | SV | IT |
|                         |       |   |                | 117                                | SG | VE | IT |
|                         |       |   |                | 19                                 | SV | VE | IT |
|                         |       |   |                | 24                                 | TH | VE | IT |
|                         |       |   |                | 38                                 | TW | CO | IT |
|                         |       |   |                | 8                                  | TW | GY | IT |
|                         |       |   |                | 12                                 | TW | VE | ES |
|                         |       |   |                | 51                                 | TW | VE | IT |
|                         |       |   |                | 1281                               | US | AR | IT |
|                         |       |   |                | 1                                  | US | CO | DE |
|                         |       |   |                | 17629                              | US | CO | IT |
|                         |       |   |                | 693                                | US | GF | IT |
|                         |       |   |                | 12                                 | US | GH | IT |
|                         |       |   |                | 110                                | US | GY | ES |
|                         |       |   |                | 38                                 | US | GY | FR |
|                         |       |   |                | 13136                              | US | GY | IT |
|                         |       |   |                | 24                                 | US | ID | IT |
|                         |       |   |                | 33                                 | US | PA | IT |
|                         |       |   |                | 21                                 | US | PE | IT |

| CITES EEC<br>App. Annex | Taxon | Description                                   | Quantity       | Country of<br>Import Origin Export |    |    |    |
|-------------------------|-------|---|----------------|------------------------------------|----|----|----|
| II                      | C2    | <i>Caiman crocodilus</i><br><i>crocodilus</i> | pairs of shoes | 7                                  | US | SD | IT |
|                         |       |   | 24             | US                                 | SV | IT |    |
|                         |       |   | 809            | US                                 | VE | ES |    |
|                         |       |   | 38732          | US                                 | VE | IT |    |
|                         |       |   | 17             | US                                 | XX | IT |    |
|                         |       |   | 22             | VE                                 | VE | IT |    |
|                         |       |   | 10             | XS                                 | CO | IT |    |
|                         |       |   | 37             | XS                                 | GY | IT |    |
|                         |       |   | 2              | XX                                 | GY | ES |    |
|                         |       |   | 12             | XX                                 | VE | IT |    |
|                         |       |   | 18             | ZA                                 | GY | IT |    |
|                         |       |   | 14             | ZA                                 | VE | ES |    |
|                         |       |   | 10             | ZR                                 | VE | IT |    |
|                         |       |   | 299 sq.ft      | CH                                 | VE | IT |    |
|                         |       | sides   | 481            | AL                                 | GY | FR |    |
|                         |       |   | 375            | AT                                 | CO | DE |    |
|                         |       |   | 175            | AT                                 | GY | DE |    |
|                         |       |   | 524            | AT                                 | GY | FR |    |
|                         |       |   | 5046           | AT                                 | VE | DE |    |
|                         |       |   | 248            | AT                                 | VE | IT |    |
|                         |       |   | 338            | CA                                 | VE | FR |    |
|                         |       |   | 13901          | CH                                 | BO | FR |    |
|                         |       |   | 4801           | CH                                 | CO | FR |    |
|                         |       |   | 6130           | CH                                 | GY | FR |    |
|                         |       |   | 500            | CH                                 | SV | FR |    |
|                         |       |   | 5286           | CH                                 | VE | FR |    |
|                         |       |   | 16101          | CH                                 | VE | IT |    |
|                         |       |   | 1502           | JP                                 | GY | FR |    |
|                         |       |   | 14             | JP                                 | VE | FR |    |
|                         |       |   | 8              | JP                                 | VE | IT |    |
|                         |       |   | 1              | NZ                                 | VE | DE |    |
|                         |       |   | 280            | US                                 | VE | FR |    |
|                         |       |   | 8439           | US                                 | VE | IT |    |
|                         |       |   | 75             | ZA                                 | VE | DE |    |

| CITES EEC<br>App. Annex | Taxon | Description              | Quantity   | Country of<br>Import Origin Export |
|-------------------------|-------|--------------------------|------------|------------------------------------|
| II                      | C2    | <i>Caiman crocodilus</i> |            |                                    |
|                         |       | <i>crocodilus</i>        |            |                                    |
|                         |       | sides                    | 58         | ZA VE IT                           |
|                         |       |                          | 1789 sq.ft | AT VE IT                           |
|                         |       |                          | 100 sq.ft  | VE VE IT                           |
|                         |       | skins                    | 3991       | AT CO DE                           |
|                         |       |                          | 79         | AT GY DE                           |
|                         |       |                          | 200        | AT GY ES                           |
|                         |       |                          | 1010       | AT GY FR                           |
|                         |       |                          | 545        | CA VE FR                           |
|                         |       |                          | 85         | CH CO IT                           |
|                         |       |                          | 4553       | CH GY FR                           |
|                         |       |                          | 459        | CH GY IT                           |
|                         |       |                          | 6          | HK GY DE                           |
|                         |       |                          | 17         | IL GY IT                           |
|                         |       |                          | 2          | JP CO DE                           |
|                         |       |                          | 6          | JP VE FR                           |
|                         |       |                          | 2          | JP VE GB                           |
|                         |       |                          | 2          | MT CO IT                           |
|                         |       |                          | 10         | MU GY FR                           |
|                         |       |                          | 54         | US GY FR                           |
|                         |       |                          | 2          | US GY IT                           |
|                         |       |                          | 1          | US VE ES                           |
|                         |       |                          | 1          | US VE IT                           |
|                         |       |                          | 904        | ZA CO DE                           |
|                         |       |                          | 79 cm      | US CO IT                           |
|                         |       |                          | 100 kg     | US CO IT                           |
|                         |       |                          | 10 sq.ft   | CH GY FR                           |
|                         |       |                          | 756 sq.ft  | CH VE IT                           |
|                         |       |                          | 235 sq.ft  | FI VE IT                           |
|                         |       |                          | 39 sq.ft   | LB VE IT                           |
|                         |       | skin/leather items       | 60         | AD CO IT                           |
|                         |       |                          | 36         | AN PY IT                           |
|                         |       |                          | 37         | AT CO IT                           |
|                         |       |                          | 10000      | AT GY ES                           |
|                         |       |                          | 36         | AT GY IT                           |

| CITES EEC<br>App. Annex | Taxon | Description              | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|-------|--------------------------|----------|------------------------------------|----|----|
| II                      | C2    | <i>Caiman crocodilus</i> |          |                                    |    |    |
|                         |       | <i>crocodilus</i>        |          |                                    |    |    |
|                         |       | skin/leather items       | 125      | AT                                 | VE | IT |
|                         |       |                          | 58       | CA                                 | CO | IT |
|                         |       |                          | 2        | CA                                 | GY | IT |
|                         |       |                          | 31       | CA                                 | TH | FR |
|                         |       |                          | 140      | CA                                 | VE | IT |
|                         |       |                          | 14       | CH                                 | CO | FR |
|                         |       |                          | 52       | CH                                 | CO | IT |
|                         |       |                          | 4        | CH                                 | GY | FR |
|                         |       |                          | 9        | CH                                 | GY | IT |
|                         |       |                          | 3        | CH                                 | PY | BE |
|                         |       |                          | 4        | CH                                 | VE | FR |
|                         |       |                          | 25       | CH                                 | VE | IT |
|                         |       |                          | 13       | FI                                 | VE | IT |
|                         |       |                          | 33       | HK                                 | BO | IT |
|                         |       |                          | 256      | HK                                 | CO | IT |
|                         |       |                          | 168      | HK                                 | GY | IT |
|                         |       |                          | 158      | HK                                 | VE | IT |
|                         |       |                          | 1695     | JP                                 | CO | IT |
|                         |       |                          | 3        | JP                                 | GY | ES |
|                         |       |                          | 85       | JP                                 | GY | FR |
|                         |       |                          | 1539     | JP                                 | GY | IT |
|                         |       |                          | 3        | JP                                 | PA | IT |
|                         |       |                          | 27       | JP                                 | SV | IT |
|                         |       |                          | 5        | JP                                 | VE | FR |
|                         |       |                          | 1        | JP                                 | VE | GB |
|                         |       |                          | 687      | JP                                 | VE | IT |
|                         |       |                          | 4        | KR                                 | CO | IT |
|                         |       |                          | 88       | KR                                 | GY | FR |
|                         |       |                          | 14       | KR                                 | VE | FR |
|                         |       |                          | 170      | KR                                 | VE | IT |
|                         |       |                          | 4        | KW                                 | CO | IT |
|                         |       |                          | 12       | MC                                 | CO | IT |
|                         |       |                          | 1        | NO                                 | CO | IT |
|                         |       |                          | 3        | QA                                 | VE | IT |

| CITES EEC<br>App. Annex | Taxon | Description              | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|-------|--------------------------|----------|------------------------------------|----|----|
| II                      | C2    | <i>Caiman crocodilus</i> |          |                                    |    |    |
|                         |       | <i>crocodilus</i>        |          |                                    |    |    |
|                         |       | skin/leather items       |          |                                    |    |    |
|                         |       |                          | 4        | SA                                 | CO | IT |
|                         |       |                          | 564      | SE                                 | VE | IT |
|                         |       |                          | 53       | SG                                 | CO | IT |
|                         |       |                          | 2        | SG                                 | VE | IT |
|                         |       |                          | 24       | TH                                 | VE | IT |
|                         |       |                          | 236      | US                                 | CO | IT |
|                         |       |                          | 38       | US                                 | GY | ES |
|                         |       |                          | 2137     | US                                 | GY | FR |
|                         |       |                          | 1119     | US                                 | GY | IT |
|                         |       |                          | 2        | US                                 | SV | IT |
|                         |       |                          | 50       | US                                 | TH | FR |
|                         |       |                          | 4        | US                                 | TH | IT |
|                         |       |                          | 15       | US                                 | VE | ES |
|                         |       |                          | 431      | US                                 | VE | FR |
|                         |       |                          | 5003     | US                                 | VE | IT |
|                         |       |                          | 955      | VE                                 | BO | IT |
|                         |       |                          | 196      | XS                                 | CO | IT |
|                         |       |                          | 78       | XS                                 | GY | IT |
|                         |       | skin pieces              |          |                                    |    |    |
|                         |       |                          | 57       | AT                                 | CO | DE |
|                         |       |                          | 5        | CH                                 | CO | DE |
|                         |       |                          | 7        | JP                                 | VE | IT |
|                         |       |                          | 20430    | MA                                 | BO | FR |
|                         |       |                          | 17500    | MU                                 | CO | FR |
|                         |       |                          | 5000     | MU                                 | GY | FR |
|                         |       |                          | 14000    | MU                                 | VE | FR |
|                         |       |                          | 26       | US                                 | VE | IT |
|                         |       |                          | 2 kg     | HK                                 | VE | DE |
|                         |       | tails                    | 1020     | AT                                 | GY | FR |
|                         |       | wallets                  | 19       | AE                                 | CO | DE |
|                         |       |                          | 3        | AE                                 | VE | DE |
|                         |       |                          | 39       | AT                                 | CO | DE |
|                         |       |                          | 102      | AT                                 | GY | DE |
|                         |       |                          | 24       | AT                                 | GY | IT |
|                         |       |                          | 12       | AT                                 | VE | IT |

| CITES EEC<br>App. Annex | Taxon | Description                                   | Quantity | Country of<br>Import Origin Export |    |    |    |
|-------------------------|-------|---|----------|------------------------------------|----|----|----|
| II                      | C2    | <i>Caiman crocodilus</i><br><i>crocodilus</i> | wallets  | 38                                 | AT | XX | DE |
|                         |       |   |          | 18                                 | CA | CO | IT |
|                         |       |   |          | 8                                  | CA | GY | DE |
|                         |       |   |          | 4                                  | CH | BO | DE |
|                         |       |   |          | 100                                | CH | CO | DE |
|                         |       |   |          | 84                                 | CH | CO | IT |
|                         |       |   |          | 117                                | CH | GY | DE |
|                         |       |   |          | 11                                 | CH | GY | IT |
|                         |       |   |          | 9                                  | CH | VE | DE |
|                         |       |   |          | 2                                  | CH | VE | IT |
|                         |       |   |          | 40                                 | CH | XX | DE |
|                         |       |   |          | 573                                | HK | CO | IT |
|                         |       |   |          | 74                                 | HK | GY | DE |
|                         |       |   |          | 104                                | HK | GY | IT |
|                         |       |   |          | 91                                 | HK | PY | IT |
|                         |       |   |          | 267                                | HK | VE | IT |
|                         |       |   |          | 110                                | HK | XX | DE |
|                         |       |   |          | 46                                 | JP | CO | DE |
|                         |       |   |          | 293                                | JP | CO | IT |
|                         |       |   |          | 16                                 | JP | GY | DE |
|                         |       |   |          | 378                                | JP | GY | IT |
|                         |       |   |          | 160                                | JP | VE | IT |
|                         |       |   |          | 100                                | KR | GY | IT |
|                         |       |   |          | 5                                  | KW | CO | IT |
|                         |       |   |          | 10                                 | NO | GY | IT |
|                         |       |   |          | 70                                 | SE | VE | IT |
|                         |       |   |          | 2                                  | SG | VE | IT |
|                         |       |   |          | 214                                | SV | TH | IT |
|                         |       |   |          | 47                                 | US | CO | DE |
|                         |       |   |          | 70                                 | US | CO | IT |
|                         |       |   |          | 26                                 | US | GY | DE |
|                         |       |   |          | 656                                | US | GY | IT |
|                         |       |   |          | 8                                  | US | VE | DE |
|                         |       |   |          | 2062                               | US | VE | IT |

| CITES EEC<br>App. Annex | Taxon | Description              | Quantity    | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|--------------------------|-------------|------------------------------------|----|-------|
| II                      | C2    | <i>Caiman crocodilus</i> |             |                                    |    |       |
|                         |       | crocodilus               | wallets     | 23                                 | XS | CO IT |
|                         |       |                          |             | 5                                  | XS | GY IT |
|                         |       |                          | watchstraps | 6                                  | AD | CO FR |
|                         |       |                          |             | 5                                  | AD | VE FR |
|                         |       |                          |             | 146                                | AE | CO FR |
|                         |       |                          |             | 489                                | AE | GY FR |
|                         |       |                          |             | 454                                | AE | VE FR |
|                         |       |                          |             | 45                                 | AF | GY FR |
|                         |       |                          |             | 270                                | AN | CO FR |
|                         |       |                          |             | 12                                 | AO | CO FR |
|                         |       |                          |             | 12                                 | AR | CO FR |
|                         |       |                          |             | 162                                | AT | BO DE |
|                         |       |                          |             | 338                                | AT | CO DE |
|                         |       |                          |             | 9                                  | AT | CO FR |
|                         |       |                          |             | 586                                | AT | CO IT |
|                         |       |                          |             | 473                                | AT | GY DE |
|                         |       |                          |             | 70                                 | AT | GY FR |
|                         |       |                          |             | 44                                 | AT | PY FR |
|                         |       |                          |             | 14                                 | AT | VE DE |
|                         |       |                          |             | 6                                  | AT | VE FR |
|                         |       |                          |             | 496                                | AT | VE IT |
|                         |       |                          |             | 498                                | AT | VE NL |
|                         |       |                          |             | 30                                 | AU | AU FR |
|                         |       |                          |             | 297                                | AU | CO FR |
|                         |       |                          |             | 87                                 | AU | GY FR |
|                         |       |                          |             | 210                                | AU | VE FR |
|                         |       |                          |             | 50                                 | BH | BO FR |
|                         |       |                          |             | 102                                | BH | CO FR |
|                         |       |                          |             | 178                                | BH | GY FR |
|                         |       |                          |             | 44                                 | BH | VE FR |
|                         |       |                          |             | 10                                 | BR | CO FR |
|                         |       |                          |             | 140                                | BR | VE FR |
|                         |       |                          |             | 36                                 | CA | CO DE |
|                         |       |                          |             | 1228                               | CA | CO FR |

| CITES EEC<br>App. Annex | Taxon | Description                                   | Quantity    | Country of<br>Import Origin Export |       |       |
|-------------------------|-------|---|-------------|------------------------------------|-------|-------|
| II                      | C2    | <i>Caiman crocodilus</i><br><i>crocodilus</i> | watchstraps | 40                                 | CA    | CO IT |
|                         |       |   | 3           | CA                                 | GY DE |       |
|                         |       |   | 953         | CA                                 | GY FR |       |
|                         |       |   | 48          | CA                                 | GY GB |       |
|                         |       |   | 10          | CA                                 | PY FR |       |
|                         |       |   | 18          | CA                                 | VE FR |       |
|                         |       |   | 80          | CA                                 | VE IT |       |
|                         |       |   | 135         | CH                                 | BO DE |       |
|                         |       |   | 5384        | CH                                 | BO FR |       |
|                         |       |   | 173         | CH                                 | CO DE |       |
|                         |       |   | 52873       | CH                                 | CO FR |       |
|                         |       |   | 74          | CH                                 | CO IT |       |
|                         |       |   | 62          | CH                                 | GY BE |       |
|                         |       |   | 119408      | CH                                 | GY FR |       |
|                         |       |   | 255         | CH                                 | JP FR |       |
|                         |       |   | 840         | CH                                 | ML FR |       |
|                         |       |   | 400         | CH                                 | PY FR |       |
|                         |       |   | 720         | CH                                 | SV FR |       |
|                         |       |   | 5546        | CH                                 | VE DE |       |
|                         |       |   | 16399       | CH                                 | VE FR |       |
|                         |       |   | 367         | CH                                 | VE IT |       |
|                         |       |   | 1           | CH                                 | XX DE |       |
|                         |       |   | 40          | CI                                 | GY FR |       |
|                         |       |   | 35          | CM                                 | BO FR |       |
|                         |       |   | 1600        | CO                                 | BO FR |       |
|                         |       |   | 24          | CO                                 | GY FR |       |
|                         |       |   | 57          | CY                                 | GY FR |       |
|                         |       |   | 8           | CY                                 | VE FR |       |
|                         |       |   | 8           | EG                                 | BO FR |       |
|                         |       |   | 286         | FI                                 | GY NL |       |
|                         |       |   | 190         | FI                                 | VE NL |       |
|                         |       |   | 6           | GT                                 | CO FR |       |
|                         |       |   | 13          | GU                                 | CO FR |       |
|                         |       |   | 10          | GU                                 | GY FR |       |

| CITES EEC<br>App. Annex | Taxon | Description                                   | Quantity    | Country of<br>Import Origin Export |    |    |    |
|-------------------------|-------|---|-------------|------------------------------------|----|----|----|
| II                      | C2    | <i>Caiman crocodilus</i><br><i>crocodilus</i> | watchstraps | 12                                 | GY | GY | FR |
|                         |       |   |             | 3                                  | GY | VE | FR |
|                         |       |   |             | 80                                 | HK | BO | FR |
|                         |       |   |             | 13                                 | HK | CM | FR |
|                         |       |   |             | 2054                               | HK | CO | FR |
|                         |       |   |             | 3                                  | HK | CO | IT |
|                         |       |   |             | 2611                               | HK | GY | FR |
|                         |       |   |             | 19                                 | HK | HN | FR |
|                         |       |   |             | 510                                | HK | PY | FR |
|                         |       |   |             | 734                                | HK | VE | FR |
|                         |       |   |             | 74                                 | HK | VE | IT |
|                         |       |   |             | 82                                 | IL | CO | DE |
|                         |       |   |             | 45                                 | IS | GY | FR |
|                         |       |   |             | 10                                 | JO | CO | FR |
|                         |       |   |             | 12                                 | JO | GY | FR |
|                         |       |   |             | 50                                 | JP | BO | FR |
|                         |       |   |             | 18                                 | JP | CO | DE |
|                         |       |   |             | 1581                               | JP | CO | FR |
|                         |       |   |             | 326                                | JP | CO | IT |
|                         |       |   |             | 1452                               | JP | GY | FR |
|                         |       |   |             | 10                                 | JP | GY | IT |
|                         |       |   |             | 37                                 | JP | HN | FR |
|                         |       |   |             | 622                                | JP | PY | FR |
|                         |       |   |             | 250                                | JP | SV | FR |
|                         |       |   |             | 317                                | JP | VE | FR |
|                         |       |   |             | 1205                               | JP | VE | IT |
|                         |       |   |             | 1250                               | KR | CO | FR |
|                         |       |   |             | 28                                 | KR | PG | FR |
|                         |       |   |             | 635                                | KR | PY | FR |
|                         |       |   |             | 5                                  | KR | VE | FR |
|                         |       |   |             | 100                                | KW | BO | FR |
|                         |       |   |             | 188                                | KW | CO | FR |
|                         |       |   |             | 244                                | KW | GY | FR |
|                         |       |   |             | 331                                | KW | VE | FR |

| CITES EEC<br>App. Annex | Taxon | Description                                   | Quantity    | Country of<br>Import Origin Export |    |    |    |
|-------------------------|-------|---|-------------|------------------------------------|----|----|----|
| II                      | C2    | <i>Caiman crocodilus</i><br><i>crocodilus</i> | watchstraps | 6000                               | MA | BO | FR |
|                         |       |   | 106         | MC                                 | GY | FR |    |
|                         |       |   | 5501        | MU                                 | CO | FR |    |
|                         |       |   | 130         | MU                                 | GY | FR |    |
|                         |       |   | 6000        | MU                                 | XX | FR |    |
|                         |       |   | 281         | MX                                 | CO | FR |    |
|                         |       |   | 34          | MY                                 | GY | FR |    |
|                         |       |   | 2           | NC                                 | CO | FR |    |
|                         |       |   | 40          | NC                                 | GY | FR |    |
|                         |       |   | 1060        | NO                                 | CO | DE |    |
|                         |       |   | 40          | NO                                 | CO | IT |    |
|                         |       |   | 107         | NO                                 | GY | FR |    |
|                         |       |   | 30          | NO                                 | PY | IT |    |
|                         |       |   | 22          | NO                                 | VE | FR |    |
|                         |       |   | 465         | NO                                 | VE | NL |    |
|                         |       |   | 118         | NZ                                 | GY | FR |    |
|                         |       |   | 145         | NZ                                 | VE | FR |    |
|                         |       |   | 1           | OM                                 | CO | FR |    |
|                         |       |   | 3           | PA                                 | GY | FR |    |
|                         |       |   | 3           | PF                                 | CO | FR |    |
|                         |       |   | 163         | PH                                 | CO | IT |    |
|                         |       |   | 1           | PY                                 | CO | FR |    |
|                         |       |   | 1           | PY                                 | PY | FR |    |
|                         |       |   | 23          | QA                                 | CO | FR |    |
|                         |       |   | 650         | QA                                 | GY | FR |    |
|                         |       |   | 28          | QA                                 | VE | FR |    |
|                         |       |   | 203         | SA                                 | BO | FR |    |
|                         |       |   | 529         | SA                                 | CO | FR |    |
|                         |       |   | 421         | SA                                 | GY | FR |    |
|                         |       |   | 866         | SA                                 | VE | FR |    |
|                         |       |   | 1           | SD                                 | CO | FR |    |
|                         |       |   | 6092        | SE                                 | CO | DE |    |
|                         |       |   | 16          | SE                                 | CO | FR |    |
|                         |       |   | 1000        | SE                                 | CO | IT |    |

| CITES EEC<br>App. Annex | Taxon | Description                                   | Quantity    | Country of<br>Import Origin Export |    |    |    |
|-------------------------|-------|---|-------------|------------------------------------|----|----|----|
| II                      | C2    | <i>Caiman crocodilus</i><br><i>crocodilus</i> | watchstraps | 410                                | SE | GY | FR |
|                         |       |   |             | 175                                | SE | GY | NL |
|                         |       |   |             | 10                                 | SE | HN | FR |
|                         |       |   |             | 890                                | SE | VE | DE |
|                         |       |   |             | 77                                 | SE | VE | FR |
|                         |       |   |             | 1631                               | SE | VE | NL |
|                         |       |   |             | 301                                | SG | CO | FR |
|                         |       |   |             | 1174                               | SG | GY | FR |
|                         |       |   |             | 532                                | SG | VE | FR |
|                         |       |   |             | 298                                | TH | CO | FR |
|                         |       |   |             | 29                                 | TH | VE | FR |
|                         |       |   |             | 838                                | TN | GY | FR |
|                         |       |   |             | 100                                | TR | GY | FR |
|                         |       |   |             | 80                                 | TR | VE | FR |
|                         |       |   |             | 750                                | US | AR | IT |
|                         |       |   |             | 171                                | US | BO | FR |
|                         |       |   |             | 9630                               | US | CO | DE |
|                         |       |   |             | 24365                              | US | CO | FR |
|                         |       |   |             | 22467                              | US | CO | IT |
|                         |       |   |             | 5450                               | US | GY | DE |
|                         |       |   |             | 30255                              | US | GY | FR |
|                         |       |   |             | 439                                | US | GY | IT |
|                         |       |   |             | 114                                | US | GY | NL |
|                         |       |   |             | 337                                | US | PY | BE |
|                         |       |   |             | 17406                              | US | VE | DE |
|                         |       |   |             | 615                                | US | VE | FR |
|                         |       |   |             | 11651                              | US | VE | IT |
|                         |       |   |             | 5                                  | US | XX | FR |
|                         |       |   |             | 11                                 | VI | GY | FR |
|                         |       |   |             | 11                                 | VU | GY | FR |
|                         |       |   |             | 102                                | XX | CO | FR |
|                         |       |   |             | 5                                  | YU | CO | FR |
| C2                      |       | <i>Caiman crocodilus fuscus</i>               | belts       | 39                                 | AN | PY | IT |

| CITES EEC<br>App. Annex | Taxon | Description                     | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|---------------------------------|----------|------------------------------------|----|-------|
| II                      | C2    | <i>Caiman crocodilus fuscus</i> | belts    | 3                                  | AT | CO DE |
|                         |       |                                 |          | 3                                  | AT | HN IT |
|                         |       |                                 |          | 20                                 | AT | SV IT |
|                         |       |                                 |          | 12                                 | CA | GT IT |
|                         |       |                                 |          | 6                                  | CA | SV ES |
|                         |       |                                 |          | 6                                  | CA | SV IT |
|                         |       |                                 |          | 4                                  | CH | CO IT |
|                         |       |                                 |          | 4                                  | CH | GT FR |
|                         |       |                                 |          | 46                                 | CH | SV IT |
|                         |       |                                 |          | 8                                  | CI | SV IT |
|                         |       |                                 |          | 10                                 | DD | SV ES |
|                         |       |                                 |          | 239                                | HK | PA IT |
|                         |       |                                 |          | 822                                | HK | SV IT |
|                         |       |                                 |          | 72                                 | JP | CO IT |
|                         |       |                                 |          | 96                                 | JP | GT IT |
|                         |       |                                 |          | 1                                  | JP | HN IT |
|                         |       |                                 |          | 2                                  | JP | PA IT |
|                         |       |                                 |          | 12                                 | JP | SV ES |
|                         |       |                                 |          | 240                                | JP | SV IT |
|                         |       |                                 |          | 163                                | JP | VE IT |
|                         |       |                                 |          | 50                                 | KR | PA IT |
|                         |       |                                 |          | 90                                 | LB | GT FR |
|                         |       |                                 |          | 20                                 | LB | GT IT |
|                         |       |                                 |          | 14                                 | SE | CO IT |
|                         |       |                                 |          | 50                                 | SG | GT IT |
|                         |       |                                 |          | 233                                | US | CO IT |
|                         |       |                                 |          | 9854                               | US | SV ES |
|                         |       |                                 |          | 28                                 | US | SV IT |
|                         |       |                                 |          | 15                                 | XS | SV IT |
|                         |       | garments                        |          | 1                                  | JP | PY IT |
|                         |       | handbags                        |          | 2                                  | AE | GT IT |
|                         |       |                                 |          | 40                                 | AN | PY IT |
|                         |       |                                 |          | 8                                  | AT | CO DE |
|                         |       |                                 |          | 2                                  | AT | PA DE |
|                         |       |                                 |          | 6                                  | AT | PY IT |

| CITES EEC<br>App. Annex | Taxon | Description                     | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|---------------------------------|----------|------------------------------------|----|-------|
| II                      | C2    | <i>Caiman crocodilus fuscus</i> | handbags | 51                                 | BM | SV IT |
|                         |       |                                 | 1        | CA                                 | CO | IT    |
|                         |       |                                 | 2        | CA                                 | GT | IT    |
|                         |       |                                 | 15       | CA                                 | GY | IT    |
|                         |       |                                 | 20       | CH                                 | CO | DE    |
|                         |       |                                 | 5        | CH                                 | CO | IT    |
|                         |       |                                 | 6        | CH                                 | PA | DE    |
|                         |       |                                 | 2        | CH                                 | SV | DE    |
|                         |       |                                 | 20       | CH                                 | SV | IT    |
|                         |       |                                 | 1        | HK                                 | CO | DE    |
|                         |       |                                 | 128      | HK                                 | CO | IT    |
|                         |       |                                 | 1        | HK                                 | HN | FR    |
|                         |       |                                 | 49       | HK                                 | PA | DE    |
|                         |       |                                 | 90       | HK                                 | PA | IT    |
|                         |       |                                 | 12       | HK                                 | PY | IT    |
|                         |       |                                 | 76       | HK                                 | SV | IT    |
|                         |       |                                 | 7        | JP                                 | CO | DE    |
|                         |       |                                 | 214      | JP                                 | CO | IT    |
|                         |       |                                 | 2        | JP                                 | CO | PT    |
|                         |       |                                 | 2        | JP                                 | GT | DE    |
|                         |       |                                 | 20       | JP                                 | PA | DE    |
|                         |       |                                 | 31       | JP                                 | PA | IT    |
|                         |       |                                 | 1        | JP                                 | SV | ES    |
|                         |       |                                 | 381      | JP                                 | SV | IT    |
|                         |       |                                 | 3        | KR                                 | GT | DE    |
|                         |       |                                 | 20       | KR                                 | PA | IT    |
|                         |       |                                 | 10       | KW                                 | GT | IT    |
|                         |       |                                 | 4        | NO                                 | CO | DE    |
|                         |       |                                 | 17       | SE                                 | SV | IT    |
|                         |       |                                 | 1        | SG                                 | PA | DE    |
|                         |       |                                 | 1        | SG                                 | SV | DE    |
|                         |       |                                 | 1        | SG                                 | SV | IT    |
|                         |       |                                 | 6        | TW                                 | CO | IT    |
|                         |       |                                 | 15       | TW                                 | SV | IT    |
|                         |       |                                 | 9        | US                                 | CO | DE    |

| CITES EEC<br>App. Annex | Taxon | Description                     | Quantity | Country of<br>Import Origin Export |       |       |
|-------------------------|-------|---------------------------------|----------|------------------------------------|-------|-------|
| II                      | C2    | <i>Caiman crocodilus fuscus</i> | handbags | 554                                | US    | CO IT |
|                         |       |                                 | 9        | US                                 | GT DE |       |
|                         |       |                                 | 178      | US                                 | GT ES |       |
|                         |       |                                 | 18       | US                                 | GT IT |       |
|                         |       |                                 | 24       | US                                 | GY IT |       |
|                         |       |                                 | 6        | US                                 | NI IT |       |
|                         |       |                                 | 19       | US                                 | PA DE |       |
|                         |       |                                 | 30       | US                                 | PA IT |       |
|                         |       |                                 | 6        | US                                 | SV DE |       |
|                         |       |                                 | 325      | US                                 | SV IT |       |
|                         |       |                                 | 3        | ZA                                 | CO DE |       |
|                         |       | pairs of shoes                  | 31       | AE                                 | CO IT |       |
|                         |       |                                 | 80       | AT                                 | CO IT |       |
|                         |       |                                 | 46       | AT                                 | SV IT |       |
|                         |       |                                 | 32       | CA                                 | GT IT |       |
|                         |       |                                 | 72       | CA                                 | SV IT |       |
|                         |       |                                 | 318      | CH                                 | CO IT |       |
|                         |       |                                 | 3        | CH                                 | GT IT |       |
|                         |       |                                 | 21       | CH                                 | SV DE |       |
|                         |       |                                 | 19       | CH                                 | SV ES |       |
|                         |       |                                 | 184      | CH                                 | SV IT |       |
|                         |       |                                 | 3        | CI                                 | SV IT |       |
|                         |       |                                 | 6        | GA                                 | SV IT |       |
|                         |       |                                 | 60       | GU                                 | SV IT |       |
|                         |       |                                 | 209      | HK                                 | CO IT |       |
|                         |       |                                 | 133      | HK                                 | PA IT |       |
|                         |       |                                 | 105      | HK                                 | PY IT |       |
|                         |       |                                 | 566      | HK                                 | SV IT |       |
|                         |       |                                 | 46       | IL                                 | VE IT |       |
|                         |       |                                 | 9        | JO                                 | SV IT |       |
|                         |       |                                 | 357      | JP                                 | CO IT |       |
|                         |       |                                 | 60       | JP                                 | GT IT |       |
|                         |       |                                 | 271      | JP                                 | SV IT |       |
|                         |       |                                 | 35       | JP                                 | VE IT |       |
|                         |       |                                 | 96       | KR                                 | CO IT |       |

| CITES EEC<br>App. Annex | TAXON | Description                     | Quantity       | Country of<br>Import Origin Export |    |    |    |
|-------------------------|-------|---------------------------------|----------------|------------------------------------|----|----|----|
| II                      | C2    | <i>Caiman crocodilus fuscus</i> | pairs of shoes | 89                                 | KR | SV | IT |
|                         |       |                                 |                | 84                                 | KW | GT | IT |
|                         |       |                                 |                | 67                                 | KW | SV | IT |
|                         |       |                                 |                | 1                                  | LB | CO | IT |
|                         |       |                                 |                | 74                                 | LB | SV | IT |
|                         |       |                                 |                | 42                                 | NO | CO | IT |
|                         |       |                                 |                | 45                                 | NO | SV | IT |
|                         |       |                                 |                | 30                                 | QA | VE | IT |
|                         |       |                                 |                | 140                                | SA | CO | IT |
|                         |       |                                 |                | 125                                | SA | GT | IT |
|                         |       |                                 |                | 54                                 | SA | SV | IT |
|                         |       |                                 |                | 139                                | SE | CO | IT |
|                         |       |                                 |                | 107                                | SE | SV | IT |
|                         |       |                                 |                | 35                                 | SE | VE | IT |
|                         |       |                                 |                | 160                                | SG | CO | IT |
|                         |       |                                 |                | 308                                | SG | SV | IT |
|                         |       |                                 |                | 112                                | SV | GY | IT |
|                         |       |                                 |                | 89                                 | TW | SV | IT |
|                         |       |                                 |                | 11                                 | TW | VE | IT |
|                         |       |                                 |                | 805                                | US | CO | IT |
|                         |       |                                 |                | 378                                | US | GT | IT |
|                         |       |                                 |                | 7                                  | US | GY | IT |
|                         |       |                                 | sides          | 2166                               | US | SV | IT |
|                         |       |                                 |                | 10                                 | US | VE | IT |
|                         |       |                                 |                | 1203                               | AT | HN | FR |
|                         |       |                                 |                | 14840                              | CH | GT | IT |
|                         |       |                                 |                | 36                                 | CH | HN | FR |
|                         |       |                                 |                | 9                                  | CH | SV | FR |
|                         |       |                                 | skins          | 17910                              | CH | SV | IT |
|                         |       |                                 |                | 6505                               | AR | HN | FR |
|                         |       |                                 |                | 2891                               | AT | CO | DE |
|                         |       |                                 |                | 1972                               | AT | GT | FR |
|                         |       |                                 |                | 500                                | AT | GT | IT |
|                         |       |                                 |                | 28                                 | AT | HN | FR |
|                         |       |                                 |                | 76                                 | AT | PA | DE |

| CITES EEC<br>App. Annex | Taxon | Description                     | Quantity | Country of<br>Import Origin Export |       |       |
|-------------------------|-------|---------------------------------|----------|------------------------------------|-------|-------|
| II                      | C2    | <i>Caiman crocodilus fuscus</i> | skins    | 2908                               | CH    | CO FR |
|                         |       |                                 | 4662     | CH                                 | GT FR |       |
|                         |       |                                 | 9299     | CH                                 | GT IT |       |
|                         |       |                                 | 100      | CH                                 | NI FR |       |
|                         |       |                                 | 3990     | CH                                 | SV IT |       |
|                         |       |                                 | 1        | IL                                 | CO DE |       |
|                         |       |                                 | 2        | JP                                 | CO BE |       |
|                         |       |                                 | 250      | JP                                 | HN FR |       |
|                         |       |                                 | 3        | US                                 | CO IT |       |
|                         |       |                                 | 10       | US                                 | SV IT |       |
|                         |       |                                 | 521      | ZA                                 | CO DE |       |
|                         |       | skin/leather items              | 9        | BM                                 | SV IT |       |
|                         |       |                                 | 4        | CH                                 | CO IT |       |
|                         |       |                                 | 2        | CH                                 | NI BE |       |
|                         |       |                                 | 38       | HK                                 | GY IT |       |
|                         |       |                                 | 11       | JP                                 | CO IT |       |
|                         |       |                                 | 389      | JP                                 | SV IT |       |
|                         |       |                                 | 20       | JP                                 | VE IT |       |
|                         |       |                                 | 3        | NO                                 | CO IT |       |
|                         |       |                                 | 3        | SG                                 | SV IT |       |
|                         |       |                                 | 162      | US                                 | CO IT |       |
|                         |       |                                 | 75       | US                                 | GT ES |       |
|                         |       |                                 | 44       | US                                 | SV ES |       |
|                         |       |                                 | 91       | US                                 | SV IT |       |
|                         |       |                                 | 1        | XS                                 | SV IT |       |
|                         |       | skin pieces                     | 50       | AT                                 | GT FR |       |
|                         |       |                                 | 30       | CH                                 | GT FR |       |
|                         |       |                                 | 5        | CH                                 | GT IT |       |
|                         |       | wallets                         | 180      | ZA                                 | HN FR |       |
|                         |       |                                 | 39       | AE                                 | CO DE |       |
|                         |       |                                 | 999      | AT                                 | CO DE |       |
|                         |       |                                 | 12       | AT                                 | GT DE |       |
|                         |       |                                 | 7        | AT                                 | PA DE |       |
|                         |       |                                 | 31       | CH                                 | CO DE |       |
|                         |       |                                 | 6        | CH                                 | GT DE |       |

| CITES EEC<br>App. Annex | Taxon | Description                     | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|---------------------------------|----------|------------------------------------|----|-------|
| II                      | C2    | <i>Caiman crocodilus fuscus</i> | wallets  | 28                                 | CH | PA DE |
|                         |       |                                 |          | 2                                  | CH | SV DE |
|                         |       |                                 |          | 1                                  | HK | CO DE |
|                         |       |                                 |          | 1                                  | HK | PA DE |
|                         |       |                                 |          | 155                                | HK | PA IT |
|                         |       |                                 |          | 49                                 | HK | SV IT |
|                         |       |                                 |          | 2                                  | JP | CO IT |
|                         |       |                                 |          | 30                                 | JP | PA DE |
|                         |       |                                 |          | 174                                | JP | SV IT |
|                         |       |                                 |          | 5                                  | KR | PA DE |
|                         |       |                                 |          | 55                                 | KR | SV IT |
|                         |       |                                 |          | 6                                  | SG | CO DE |
|                         |       |                                 |          | 52                                 | SV | TH IT |
|                         |       |                                 |          | 15                                 | US | CO DE |
|                         |       |                                 |          | 35                                 | US | CO ES |
|                         |       |                                 |          | 3                                  | US | GT IT |
|                         |       |                                 |          | 1                                  | US | NI IT |
|                         |       |                                 |          | 24                                 | US | PA DE |
|                         |       |                                 |          | 15                                 | US | PA IT |
|                         |       |                                 |          | 70                                 | US | SV IT |
|                         |       |                                 |          | 20                                 | VI | CO IT |
|                         |       |                                 |          | 6                                  | XS | SV IT |
|                         |       | watchstraps                     |          | 15                                 | AE | HN FR |
|                         |       |                                 |          | 7                                  | AN | GT FR |
|                         |       |                                 |          | 70                                 | AT | HN FR |
|                         |       |                                 |          | 10                                 | AT | PA DE |
|                         |       |                                 |          | 135                                | AU | HN FR |
|                         |       |                                 |          | 5                                  | BR | HN FR |
|                         |       |                                 |          | 378                                | CA | GT FR |
|                         |       |                                 |          | 668                                | CA | HN FR |
|                         |       |                                 |          | 200                                | CH | CO FR |
|                         |       |                                 |          | 11                                 | CH | GT FR |
|                         |       |                                 |          | 697                                | CH | HN FR |
|                         |       |                                 |          | 4588                               | CH | PY IT |
|                         |       |                                 |          | 24                                 | CL | HN FR |

| CITES EEC<br>App. Annex | Taxon | Description                     | Quantity    | Country of<br>Import Origin Export |    |    |    |
|-------------------------|-------|---------------------------------|-------------|------------------------------------|----|----|----|
| II                      | C2    | <i>Caiman crocodilus fuscus</i> | watchstraps | 256                                | CO | GT | FR |
|                         |       |                                 |             | 238                                | CO | HN | FR |
|                         |       |                                 |             | 36                                 | FI | HN | FR |
|                         |       |                                 |             | 95                                 | HK | GT | FR |
|                         |       |                                 |             | 731                                | HK | HN | FR |
|                         |       |                                 |             | 10                                 | IL | HN | FR |
|                         |       |                                 |             | 19                                 | JP | GT | DK |
|                         |       |                                 |             | 1168                               | JP | HN | FR |
|                         |       |                                 |             | 20                                 | KR | HN | FR |
|                         |       |                                 |             | 24                                 | KW | GT | FR |
|                         |       |                                 |             | 26                                 | KW | HN | FR |
|                         |       |                                 |             | 17                                 | MU | HN | FR |
|                         |       |                                 |             | 120                                | MX | HN | FR |
|                         |       |                                 |             | 11                                 | MY | GT | FR |
|                         |       |                                 |             | 127                                | NO | HN | FR |
|                         |       |                                 |             | 17                                 | NZ | HN | FR |
|                         |       |                                 |             | 18                                 | OM | HN | FR |
|                         |       |                                 |             | 39                                 | PA | HN | FR |
|                         |       |                                 |             | 7                                  | PY | HN | FR |
|                         |       |                                 |             | 9                                  | QA | HN | FR |
|                         |       |                                 |             | 88                                 | SA | HN | FR |
|                         |       |                                 |             | 59                                 | SE | GT | FR |
|                         |       |                                 |             | 185                                | SE | HN | FR |
|                         |       |                                 |             | 100                                | SG | GT | FR |
|                         |       |                                 |             | 473                                | SG | HN | FR |
|                         |       |                                 |             | 93                                 | TH | HN | FR |
|                         |       |                                 |             | 24                                 | TR | HN | FR |
|                         |       |                                 |             | 177                                | US | GT | FR |
|                         |       |                                 |             | 336                                | US | HN | FR |
|                         |       |                                 |             | 17                                 | US | SV | FR |
|                         |       |                                 |             | 83                                 | UY | HN | FR |
|                         |       |                                 |             | 8                                  | VI | HN | FR |
|                         |       |                                 |             | 83                                 | ZA | GT | FR |
|                         |       |                                 |             | 792                                | ZA | HN | FR |

| CITES EEC<br>App. Annex | Taxon | Description                     | Quantity | Country of<br>Import Origin Export |
|-------------------------|-------|---------------------------------|----------|------------------------------------|
| II                      | C2    | <i>Caiman crocodilus yacare</i> | belts    |                                    |
|                         |       |                                 | 15       | AT PY DE                           |
|                         |       |                                 | 1        | CH PY DE                           |
|                         |       |                                 | 383      | CH PY FR                           |
|                         |       |                                 | 110      | CH PY IT                           |
|                         |       |                                 | 314      | HK BO IT                           |
|                         |       |                                 | 44       | HK PY FR                           |
|                         |       |                                 | 1009     | HK PY IT                           |
|                         |       |                                 | 398      | JP BO IT                           |
|                         |       |                                 | 99       | JP PY FR                           |
|                         |       |                                 | 32       | JP PY IT                           |
|                         |       |                                 | 11       | KR PY FR                           |
|                         |       |                                 | 55       | KR PY IT                           |
|                         |       |                                 | 21       | LB PY IT                           |
|                         |       |                                 | 19       | SE PY FR                           |
|                         |       | garments                        | 4        | JP PY IT                           |
|                         |       | handbags                        | 87       | AT PY DE                           |
|                         |       |                                 | 31       | AT PY IT                           |
|                         |       |                                 | 19       | CA PY DE                           |
|                         |       |                                 | 18       | CH PY DE                           |
|                         |       |                                 | 1        | CH PY IT                           |
|                         |       |                                 | 240      | HK PY DE                           |
|                         |       |                                 | 31       | HK PY FR                           |
|                         |       |                                 | 82       | HK PY IT                           |
|                         |       |                                 | 129      | JP PY DE                           |
|                         |       |                                 | 5        | JP PY FR                           |
|                         |       |                                 | 29       | JP PY IT                           |
|                         |       |                                 | 22       | KR AR FR                           |
|                         |       |                                 | 22       | KR PY FR                           |
|                         |       |                                 | 9        | NO PY DE                           |
|                         |       |                                 | 6        | NO PY IT                           |
|                         |       |                                 | 50       | SG PY DE                           |
|                         |       | pairs of shoes                  | 76       | AT PY IT                           |
|                         |       |                                 | 77       | AU PY IT                           |
|                         |       |                                 | 14       | CH PY IT                           |
|                         |       |                                 | 104      | HK PY IT                           |

| CITES EEC<br>App. Annex | Taxon | Description                     | Quantity       | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|---------------------------------|----------------|------------------------------------|----|-------|
| II                      | C2    | <i>Caiman crocodilus yacare</i> | pairs of shoes | 21                                 | JP | PY IT |
|                         |       |                                 | 3              | LB                                 | PY | IT    |
|                         |       |                                 | 18             | NO                                 | SV | IT    |
|                         |       |                                 | 28             | US                                 | PY | IT    |
|                         |       |                                 | 1              | US                                 | SV | IT    |
|                         |       | sides                           | 9101           | AT                                 | BO | DE    |
|                         |       |                                 | 505            | AT                                 | PY | DE    |
|                         |       |                                 | 2830           | AT                                 | PY | FR    |
|                         |       |                                 | 6042           | CH                                 | AR | FR    |
|                         |       |                                 | 400            | CH                                 | BO | FR    |
|                         |       |                                 | 30574          | CH                                 | PY | FR    |
|                         |       |                                 | 1899 sq.ft     | AT                                 | BO | IT    |
|                         |       |                                 | 106 sq.ft      | CH                                 | BO | IT    |
|                         |       | skins                           | 157            | AT                                 | PY | IT    |
|                         |       |                                 | 32             | CA                                 | PY | IT    |
|                         |       |                                 | 2              | HK                                 | XX | ES    |
|                         |       |                                 | 2              | KR                                 | PY | IT    |
|                         |       |                                 | 96             | ZA                                 | PY | DE    |
|                         |       |                                 | 2182 cm        | AT                                 | PY | IT    |
|                         |       |                                 | 109 sq.ft      | FI                                 | PY | IT    |
|                         |       |                                 | 662 sq.ft      | HK                                 | BO | IT    |
|                         |       |                                 | 308 sq.ft      | JP                                 | BO | IT    |
|                         |       | skin/leather items              | 54             | HK                                 | PY | IT    |
|                         |       |                                 | 110            | JP                                 | PY | FR    |
|                         |       | skin pieces                     | 13860          | MA                                 | PY | FR    |
|                         |       |                                 | 70000          | MU                                 | PY | FR    |
|                         |       | wallets                         | 113            | AT                                 | PY | DE    |
|                         |       |                                 | 14             | CH                                 | BO | IT    |
|                         |       |                                 | 69             | CH                                 | PY | DE    |
|                         |       |                                 | 52             | HK                                 | PY | DE    |
|                         |       |                                 | 118            | HK                                 | PY | IT    |
|                         |       |                                 | 9              | KR                                 | PY | IT    |
|                         |       |                                 | 12             | NO                                 | PY | IT    |
|                         |       |                                 | 4              | US                                 | PY | DE    |
|                         |       |                                 | 6              | US                                 | PY | ES    |

| CITES EEC<br>App. Annex | TAXON | Description                     | Quantity    | Country of<br>Import | Country of<br>Origin Export |
|-------------------------|-------|---------------------------------|-------------|----------------------|-----------------------------|
| II                      | C2    | <i>Caiman crocodilus yacare</i> | watchstraps |                      |                             |
|                         |       |                                 | 100         | AE                   | PY FR                       |
|                         |       |                                 | 5           | AN                   | PY FR                       |
|                         |       |                                 | 87          | AT                   | PY DE                       |
|                         |       |                                 | 433         | AT                   | PY IT                       |
|                         |       |                                 | 15          | AU                   | PY FR                       |
|                         |       |                                 | 104         | BR                   | PY FR                       |
|                         |       |                                 | 6           | CA                   | PY DE                       |
|                         |       |                                 | 175         | CA                   | PY FR                       |
|                         |       |                                 | 70          | CA                   | PY GB                       |
|                         |       |                                 | 420         | CH                   | CO FR                       |
|                         |       |                                 | 7           | CH                   | PY FR                       |
|                         |       |                                 | 16034       | CH                   | PY IT                       |
|                         |       |                                 | 2000        | CH                   | XX IT                       |
|                         |       |                                 | 8           | CI                   | PY FR                       |
|                         |       |                                 | 48          | DD                   | PY FR                       |
|                         |       |                                 | 17          | HK                   | FR                          |
|                         |       |                                 | 10441       | HK                   | PY FR                       |
|                         |       |                                 | 4           | HK                   | PY IT                       |
|                         |       |                                 | 160         | JP                   | FR                          |
|                         |       |                                 | 48          | JP                   | BO IT                       |
|                         |       |                                 | 13          | JP                   | PY FR                       |
|                         |       |                                 | 87          | JP                   | PY IT                       |
|                         |       |                                 | 804         | KR                   | PY FR                       |
|                         |       |                                 | 3           | KW                   | PY FR                       |
|                         |       |                                 | 14          | LB                   | PY FR                       |
|                         |       |                                 | 5170        | MU                   | FR                          |
|                         |       |                                 | 10000       | MU                   | AR FR                       |
|                         |       |                                 | 23830       | MU                   | PY FR                       |
|                         |       |                                 | 7           | NC                   | PY FR                       |
|                         |       |                                 | 17          | PY                   | FR                          |
|                         |       |                                 | 13          | QA                   | PY FR                       |
|                         |       |                                 | 86          | SA                   | PY FR                       |
|                         |       |                                 | 120         | SG                   | PY FR                       |
|                         |       |                                 | 70          | US                   | CO FR                       |
|                         |       |                                 | 129         | US                   | PY FR                       |

| CITES EEC<br>App. Annex |    | Taxon                          | Description                               | Quantity  | Country of<br>Import Origin Export   |  |  |
|-------------------------|----|--------------------------------|---|---|--|--|--|
| II                      | C2 | <i>Paleosuchus palpebrosus</i> | live (captive bred)<br>skin/leather items | 2<br>1  | CH<br>SG   | CO   | NL<br>IT   |
|                         | C2 | <i>Crocodylidae</i> spp.       | bodies                                    | 1   | CA   | CG   | FR   |
|                         | C2 | <i>Crocodylus niloticus</i>    | belts                                     | 8<br>6<br>4<br>1<br>14<br>1<br>30<br>13<br>2<br>315<br>137<br>477<br>10<br>18<br>bodies<br>garments | AE<br>AE<br>CH<br>CH<br>CH<br>CH<br>HK<br>JP<br>JP<br>JP<br>JP<br>KR<br>KR<br>SE<br>SG<br>CH<br>JP<br>JP<br>US<br>AD<br>AE<br>AE<br>AT<br>AT<br>AT<br>AT<br>AT<br>AT<br>BN<br>BN<br>BN<br>CA | TZ<br>ZW<br>MG<br>TZ<br>TZ<br>ZW<br>ZW<br>SD<br>TZ<br>ZW<br>FR<br>MG<br>ZW<br>IT<br>ZM<br>MG<br>KE<br>ZM<br>ZW<br>ZM<br>ZM<br>IT<br>ZW<br>DE<br>ZM<br>FR<br>ZM<br>FR<br>ZM<br>FR<br>ZM<br>IT<br>ZW<br>DE<br>MW<br>SD<br>TZ<br>ZM<br>ZW<br>DE<br>SD<br>ZM<br>ZM<br>DE<br>ZM<br>ZM<br>FR<br>ZM<br>FR<br>ZM<br>IT | IT<br>DE<br>IT<br>DE<br>IT<br>FR<br>FR<br>IT<br>FR<br>IT<br>FR<br>FR<br>FR<br>IT<br>DE<br>FR<br>DE<br>FR<br>DE<br>IT<br>DE<br>DE<br>DE<br>DE<br>FR<br>FR<br>FR<br>IT |
|                         |    |                                | handbags                                  | 6<br>24<br>2<br>16<br>12<br>9<br>8<br>9<br>39<br>4<br>33<br>1                                       |  |  |  |

| CITES EEC<br>App. Annex | TAXON | Description                 | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|-----------------------------|----------|------------------------------------|----|-------|
| II                      | C2    | <i>Crocodylus niloticus</i> | handbags | 1                                  | CH | MG DE |
|                         |       |                             | 6        | CH                                 | MG | IT    |
|                         |       |                             | 34       | CH                                 | MW | DE    |
|                         |       |                             | 14       | CH                                 | MW | IT    |
|                         |       |                             | 39       | CH                                 | MZ | DE    |
|                         |       |                             | 1        | CH                                 | MZ | FR    |
|                         |       |                             | 7        | CH                                 | SD | DE    |
|                         |       |                             | 35       | CH                                 | SD | IT    |
|                         |       |                             | 32       | CH                                 | TZ | DE    |
|                         |       |                             | 14       | CH                                 | TZ | IT    |
|                         |       |                             | 98       | CH                                 | ZM | DE    |
|                         |       |                             | 58       | CH                                 | ZM | IT    |
|                         |       |                             | 8        | CH                                 | ZW | DE    |
|                         |       |                             | 34       | CH                                 | ZW | FR    |
|                         |       |                             | 1        | CL                                 | ZW | FR    |
|                         |       |                             | 1        | CM                                 | ZW | FR    |
|                         |       |                             | 5        | DJ                                 | ZW | FR    |
|                         |       |                             | 1        | HK                                 | CM | FR    |
|                         |       |                             | 11       | HK                                 | MG | DE    |
|                         |       |                             | 53       | HK                                 | MG | FR    |
|                         |       |                             | 31       | HK                                 | MW | DE    |
|                         |       |                             | 61       | HK                                 | MZ | DE    |
|                         |       |                             | 5        | HK                                 | SD | FR    |
|                         |       |                             | 162      | HK                                 | SD | IT    |
|                         |       |                             | 89       | HK                                 | TZ | DE    |
|                         |       |                             | 11       | HK                                 | TZ | FR    |
|                         |       |                             | 76       | HK                                 | TZ | IT    |
|                         |       |                             | 63       | HK                                 | ZM | DE    |
|                         |       |                             | 32       | HK                                 | ZM | FR    |
|                         |       |                             | 65       | HK                                 | ZM | IT    |
|                         |       |                             | 94       | HK                                 | ZW | DE    |
|                         |       |                             | 531      | HK                                 | ZW | FR    |
|                         |       |                             | 184      | HK                                 | ZW | IT    |
|                         |       |                             | 16       | JP                                 | BW | FR    |
|                         |       |                             | 18       | JP                                 | KE | IT    |

| CITES EEC<br>App. Annex | Taxon | Description                 | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|-----------------------------|----------|------------------------------------|----|-------|
| II                      | C2    | <i>Crocodylus niloticus</i> | handbags | 15                                 | JP | MG DE |
|                         |       |                             | 287      | JP                                 | MG | IT    |
|                         |       |                             | 3        | JP                                 | ML | FR    |
|                         |       |                             | 121      | JP                                 | MW | DE    |
|                         |       |                             | 8        | JP                                 | MZ | DE    |
|                         |       |                             | 76       | JP                                 | SD | DE    |
|                         |       |                             | 43       | JP                                 | SO | FR    |
|                         |       |                             | 887      | JP                                 | SD | IT    |
|                         |       |                             | 69       | JP                                 | TZ | DE    |
|                         |       |                             | 13       | JP                                 | TZ | FR    |
|                         |       |                             | 30       | JP                                 | TZ | IT    |
|                         |       |                             | 2        | JP                                 | XX | DE    |
|                         |       |                             | 112      | JP                                 | ZM | DE    |
|                         |       |                             | 90       | JP                                 | ZM | FR    |
|                         |       |                             | 149      | JP                                 | ZM | IT    |
|                         |       |                             | 232      | JP                                 | ZW | DE    |
|                         |       |                             | 1081     | JP                                 | ZW | FR    |
|                         |       |                             | 41       | JP                                 | ZW | IT    |
|                         |       |                             | 1        | KR                                 | ML | DE    |
|                         |       |                             | 7        | KR                                 | SD | FR    |
|                         |       |                             | 12       | KR                                 | TZ | DE    |
|                         |       |                             | 2        | KR                                 | ZM | DE    |
|                         |       |                             | 15       | KR                                 | ZW | DE    |
|                         |       |                             | 75       | KR                                 | ZW | FR    |
|                         |       |                             | 4        | KW                                 | SD | IT    |
|                         |       |                             | 17       | KW                                 | ZM | IT    |
|                         |       |                             | 1        | MA                                 | MZ | FR    |
|                         |       |                             | 1        | MX                                 | ZW | FR    |
|                         |       |                             | 2        | SA                                 | KE | IT    |
|                         |       |                             | 11       | SG                                 | MG | FR    |
|                         |       |                             | 4        | SG                                 | MG | IT    |
|                         |       |                             | 2        | SG                                 | MW | DE    |
|                         |       |                             | 2        | SG                                 | MZ | DE    |
|                         |       |                             | 98       | SG                                 | SD | IT    |
|                         |       |                             | 38       | SG                                 | TZ | DE    |

| CITES EEC<br>App. Annex | TAXON | Description                 | Quantity | Country of<br>Import Origin Export |    |    |    |
|-------------------------|-------|-----------------------------|----------|------------------------------------|----|----|----|
| II                      | C2    | <i>Crocodylus niloticus</i> | handbags | 14                                 | SG | TZ | IT |
|                         |       |                             | 1        | SG                                 | XX | DE |    |
|                         |       |                             | 12       | SG                                 | ZM | DE |    |
|                         |       |                             | 6        | SG                                 | ZM | FR |    |
|                         |       |                             | 20       | SG                                 | ZM | IT |    |
|                         |       |                             | 34       | SG                                 | ZW | DE |    |
|                         |       |                             | 128      | SG                                 | ZW | FR |    |
|                         |       |                             | 1        | SU                                 | ZW | FR |    |
|                         |       |                             | 7        | TW                                 | ZW | FR |    |
|                         |       |                             | 9        | US                                 | CM | DE |    |
|                         |       |                             | 1        | US                                 | CM | FR |    |
|                         |       |                             | 2        | US                                 | PG | FR |    |
|                         |       |                             | 4        | US                                 | SD | DE |    |
|                         |       |                             | 29       | US                                 | SD | IT |    |
|                         |       |                             | 1        | US                                 | TZ | DE |    |
|                         |       |                             | 24       | US                                 | ZM | IT |    |
|                         |       |                             | 2        | US                                 | ZW | FR |    |
|                         |       |                             | 1        | VE                                 | ZW | FR |    |
|                         |       | pairs of shoes              | 7        | AE                                 | TZ | IT |    |
|                         |       |                             | 5        | CH                                 | KE | IT |    |
|                         |       |                             | 2        | CH                                 | SD | FR |    |
|                         |       |                             | 1        | CM                                 | ZW | FR |    |
|                         |       |                             | 93       | HK                                 | MG | IT |    |
|                         |       |                             | 1        | US                                 | MG | FR |    |
|                         |       |                             | 1        | US                                 | ML | FR |    |
|                         |       | skins                       | 249      | AT                                 | KE | FR |    |
|                         |       |                             | 10       | AT                                 | MW | FR |    |
|                         |       |                             | 22       | AT                                 | TZ | FR |    |
|                         |       |                             | 185      | AT                                 | ZW | FR |    |
|                         |       |                             | 12       | AU                                 | TZ | FR |    |
|                         |       |                             | 1        | CH                                 | SD | DE |    |
|                         |       |                             | 285      | CH                                 | ZW | FR |    |
|                         |       |                             | 1        | HK                                 | ZW | DE |    |
|                         |       |                             | 300      | JP                                 | TZ | GB |    |
|                         |       |                             | 1        | JP                                 | ZW | FR |    |

| CITES | EEC | Taxon                       | Description        | Quantity | Country of Import Origin Export |        |        |
|-------|-----|-----------------------------|--------------------|----------|---------------------------------|--------|--------|
|       |     |                             |                    |          | Import                          | Origin | Export |
| II    | C2  | <i>Crocodylus niloticus</i> | skins              | 20       | US                              | SD     | DE     |
|       |     |                             |                    | 60       | US                              | ZW     | FR     |
|       |     |                             | skin/leather items | 37       | AD                              | ZW     | FR     |
|       |     |                             |                    | 106      | BN                              | ZM     | GB     |
|       |     |                             |                    | 15       | BN                              | ZW     | FR     |
|       |     |                             |                    | 22       | CH                              | MG     | FR     |
|       |     |                             |                    | 4        | CH                              | MZ     | FR     |
|       |     |                             |                    | 5        | CH                              | ZW     | FR     |
|       |     |                             |                    | 1        | DZ                              | ZW     | FR     |
|       |     |                             |                    | 4        | HK                              | CM     | FR     |
|       |     |                             |                    | 65       | HK                              | ZM     | IT     |
|       |     |                             |                    | 40       | HK                              | ZW     | FR     |
|       |     |                             |                    | 24       | HK                              | ZW     | IT     |
|       |     |                             |                    | 248      | JP                              | MG     | IT     |
|       |     |                             |                    | 78       | JP                              | SD     | IT     |
|       |     |                             |                    | 13       | JP                              | TZ     | FR     |
|       |     |                             |                    | 15       | JP                              | TZ     | IT     |
|       |     |                             |                    | 1        | JP                              | ZM     | FR     |
|       |     |                             |                    | 46       | JP                              | ZM     | GB     |
|       |     |                             |                    | 82       | JP                              | ZM     | IT     |
|       |     |                             |                    | 40       | JP                              | ZW     | FR     |
|       |     |                             |                    | 6        | JP                              | ZW     | GB     |
|       |     |                             |                    | 40       | JP                              | ZW     | IT     |
|       |     |                             |                    | 33       | KR                              | ZW     | FR     |
|       |     |                             |                    | 4        | MA                              | ZM     | GB     |
|       |     |                             |                    | 23       | MA                              | ZW     | FR     |
|       |     |                             |                    | 32       | OM                              | ZM     | GB     |
|       |     |                             |                    | 8        | OM                              | ZW     | GB     |
|       |     |                             |                    | 1        | SA                              | ZM     | GB     |
|       |     |                             |                    | 25       | SA                              | ZW     | FR     |
|       |     |                             |                    | 1        | SE                              | ZW     | FR     |
|       |     |                             |                    | 3        | SG                              | ZM     | FR     |
|       |     |                             |                    | 11       | SG                              | ZM     | IT     |
|       |     |                             |                    | 38       | US                              | ZM     | GB     |
|       |     |                             |                    | 1        | US                              | ZW     | FR     |

| CITES EEC<br>App. Annex | TAXON | Description                 | Quantity           | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|-----------------------------|--------------------|------------------------------------|----|-------|
| II                      | C2    | <i>Crocodylus niloticus</i> | skin/leather items | 1                                  | VE | ZM GB |
|                         |       |                             | 61                 | XX                                 | ZM | GB    |
|                         |       |                             | 25                 | XX                                 | ZW | GB    |
|                         |       | trophies                    | 1                  | AT                                 | ZW | DE    |
|                         |       | wallets                     | 6                  | AE                                 | TZ | IT    |
|                         |       |                             | 2                  | AT                                 | MW | DE    |
|                         |       |                             | 2                  | AT                                 | SD | DE    |
|                         |       |                             | 1                  | AT                                 | ZM | DE    |
|                         |       |                             | 2                  | BN                                 | ZW | FR    |
|                         |       |                             | 3                  | CH                                 | MG | IT    |
|                         |       |                             | 15                 | CH                                 | MW | DE    |
|                         |       |                             | 47                 | CH                                 | MZ | DE    |
|                         |       |                             | 2                  | CH                                 | MZ | FR    |
|                         |       |                             | 13                 | CH                                 | SD | DE    |
|                         |       |                             | 13                 | CH                                 | TZ | DE    |
|                         |       |                             | 6                  | CH                                 | TZ | IT    |
|                         |       |                             | 51                 | CH                                 | ZM | DE    |
|                         |       |                             | 9                  | CH                                 | ZW | DE    |
|                         |       |                             | 9                  | HK                                 | MZ | DE    |
|                         |       |                             | 58                 | HK                                 | SD | DE    |
|                         |       |                             | 6                  | HK                                 | SD | IT    |
|                         |       |                             | 89                 | HK                                 | TZ | DE    |
|                         |       |                             | 29                 | HK                                 | ZM | DE    |
|                         |       |                             | 63                 | HK                                 | ZW | DE    |
|                         |       |                             | 36                 | HK                                 | ZW | FR    |
|                         |       |                             | 10                 | JP                                 | MG | FR    |
|                         |       |                             | 96                 | JP                                 | MG | IT    |
|                         |       |                             | 34                 | JP                                 | MZ | DE    |
|                         |       |                             | 148                | JP                                 | SD | DE    |
|                         |       |                             | 108                | JP                                 | SD | IT    |
|                         |       |                             | 6                  | JP                                 | TZ | DE    |
|                         |       |                             | 7                  | JP                                 | ZM | DE    |
|                         |       |                             | 2                  | JP                                 | ZM | FR    |
|                         |       |                             | 18                 | JP                                 | ZM | IT    |
|                         |       |                             | 17                 | JP                                 | ZW | DE    |

| CITES EEC<br>App. Annex | Taxon | Description   | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|---|----------|------------------------------------|----|-------|
| II                      | C2    | <i>Crocodylus niloticus</i>                           | wallets  | 5                                  | JP | ZW FR |
|                         |       |   | 20       | KR                                 | MG | FR    |
|                         |       |   | 60       | KR                                 | ZW | FR    |
|                         |       |   | 1        | NO                                 | SD | DE    |
|                         |       |   | 5        | SE                                 | ZM | IT    |
|                         |       |   | 1        | SG                                 | MG | IT    |
|                         |       |   | 50       | SG                                 | SD | IT    |
|                         |       |   | 80       | XS                                 | SD | IT    |
|                         |       |   | 3        | XX                                 | ZW | GB    |
|                         |       | watchstraps   | 1        | AU                                 | NG | FR    |
|                         |       |   | 102      | CH                                 | GY | FR    |
|                         |       |   | 8808     | CH                                 | ML | FR    |
|                         |       |   | 6        | DJ                                 | ZW | FR    |
|                         |       |   | 429      | JP                                 | ZW | FR    |
|                         |       |   | 4895     | US                                 | SD | DE    |
|                         |       |   | 4200     | US                                 | SD | FR    |
|                         | C2    | <i>Crocodylus novaeguineae</i>                        | handbags | 1                                  | CH | PG DE |
|                         |       |   | 20       | HK                                 | PG | DE    |
|                         |       | pairs of shoes  | 1        | CH                                 | PG | GB    |
|                         |       |   | 2        | XX                                 | PG | GB    |
|                         | C2    | <i>Crocodylus novaeguineae</i><br><i>novaeguineae</i> | belts    | 54                                 | AT | PG IT |
|                         |       |   | 1        | CA                                 | PG | FR    |
|                         |       |   | 9        | CH                                 | PG | DE    |
|                         |       |   | 3        | CH                                 | PG | FR    |
|                         |       |   | 2        | CH                                 | PG | IT    |
|                         |       |   | 2        | DD                                 | PG | FR    |
|                         |       |   | 8        | HK                                 | PG | FR    |
|                         |       |   | 14       | HK                                 | PG | IT    |
|                         |       |   | 5        | JP                                 | ID | IT    |
|                         |       |   | 30       | JP                                 | PG | DE    |
|                         |       |   | 40       | JP                                 | PG | FR    |
|                         |       |   | 25       | JP                                 | PG | IT    |

| CITES EEC<br>App. Annex | Taxon                             | Description | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|-----------------------------------|-------------|----------|------------------------------------|----|----|
| II                      | C2 <i>Crocodylus novaeguineae</i> |             |          |                                    |    |    |
|                         | <i>novaeaguineae</i>              |             |          |                                    |    |    |
|                         |                                   | belts       |          |                                    |    |    |
|                         |                                   |             | 75       | KR                                 | PG | FR |
|                         |                                   |             | 30       | US                                 | PG | DE |
|                         |                                   |             | 136      | US                                 | PG | FR |
|                         |                                   |             | 2318     | US                                 | PG | IT |
|                         |                                   |             | 95       | US                                 | VE | IT |
|                         |                                   |             | 13       | XS                                 | PG | IT |
|                         |                                   | handbags    |          |                                    |    |    |
|                         |                                   |             | 2        | AE                                 | PG | IT |
|                         |                                   |             | 6        | AT                                 | PG | DE |
|                         |                                   |             | 2        | AT                                 | PG | FR |
|                         |                                   |             | 2        | AT                                 | PG | IT |
|                         |                                   |             | 19       | BN                                 | PG | FR |
|                         |                                   |             | 2        | CA                                 | PG | FR |
|                         |                                   |             | 23       | CA                                 | PG | IT |
|                         |                                   |             | 15       | CH                                 | ID | DE |
|                         |                                   |             | 163      | CH                                 | PG | DE |
|                         |                                   |             | 36       | CH                                 | PG | FR |
|                         |                                   |             | 69       | CH                                 | PG | IT |
|                         |                                   |             | 12       | GU                                 | PG | IT |
|                         |                                   |             | 17       | HK                                 | ID | IT |
|                         |                                   |             | 425      | HK                                 | PG | DE |
|                         |                                   |             | 186      | HK                                 | PG | FR |
|                         |                                   |             | 479      | HK                                 | PG | IT |
|                         |                                   |             | 15       | JP                                 | CO | IT |
|                         |                                   |             | 39       | JP                                 | ID | DE |
|                         |                                   |             | 1        | JP                                 | ID | ES |
|                         |                                   |             | 166      | JP                                 | ID | IT |
|                         |                                   |             | 626      | JP                                 | PG | DE |
|                         |                                   |             | 868      | JP                                 | PG | FR |
|                         |                                   |             | 4        | JP                                 | PG | GB |
|                         |                                   |             | 3057     | JP                                 | PG | IT |
|                         |                                   |             | 19       | JP                                 | SD | IT |
|                         |                                   |             | 9        | JP                                 | ZA | IT |
|                         |                                   |             | 23       | KR                                 | PG | DE |
|                         |                                   |             | 375      | KR                                 | PG | FR |

| CITES EEC<br>App. Annex | TAXON   | Description    | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|---|----------------|----------|------------------------------------|----|----|
| II C2                   | <i>Crocodylus novaeguineae</i><br><i>novaeguineae</i> | handbags       | 23       | KR                                 | PG | IT |
|                         |   |                | 2        | KW                                 | PG | IT |
|                         |   |                | 12       | LB                                 | PG | FR |
|                         |   |                | 1        | LS                                 | PG | DE |
|                         |   |                | 3        | PG                                 | SD | IT |
|                         |   |                | 20       | QA                                 | PG | DE |
|                         |   |                | 14       | SG                                 | ID | DE |
|                         |   |                | 123      | SG                                 | PG | DE |
|                         |   |                | 44       | SG                                 | PG | FR |
|                         |   |                | 75       | SG                                 | PG | IT |
|                         |   |                | 3        | TW                                 | ID | IT |
|                         |   |                | 3        | TW                                 | PG | IT |
|                         |   |                | 7        | US                                 | ID | DE |
|                         |   |                | 2        | US                                 | ID | FR |
|                         |   |                | 20       | US                                 | ID | IT |
|                         |   |                | 117      | US                                 | PG | DE |
|                         |   |                | 290      | US                                 | PG | FR |
|                         |   |                | 997      | US                                 | PG | IT |
|                         |   |                | 583      | XS                                 | PG | IT |
|                         |   |                | 4        | XX                                 | PG | IT |
|                         |   | plates         | 3        | JP                                 | PG | IT |
|                         |   | pairs of shoes | 71       | CH                                 | PG | FR |
|                         |   |                | 3        | CH                                 | PG | IT |
|                         |   |                | 119      | HK                                 | PG | IT |
|                         |   |                | 1        | HK                                 | VE | IT |
|                         |   |                | 460      | JP                                 | AR | IT |
|                         |   |                | 36       | JP                                 | PG | FR |
|                         |   |                | 12       | JP                                 | PG | IT |
|                         |   |                | 48       | US                                 | BO | IT |
|                         |   |                | 1        | US                                 | ID | FR |
|                         |   |                | 2        | US                                 | ID | IT |
|                         |   |                | 7        | US                                 | PG | FR |
|                         |   |                | 1833     | US                                 | PG | IT |
|                         |   | skins          | 226      | AT                                 | PG | FR |

| CITES EEC<br>App. Annex | Taxon   | Description        | Quantity  | Country of<br>Import Origin Export   |
|-------------------------|---|--------------------|---|--|
| II C2                   | <i>Crocodylus novaeguineae</i><br><i>novaeguineae</i> | skins              | 4<br>72<br>544<br>124<br>308<br>1<br>15<br>229<br>2<br>1<br>8<br>599<br>8   | AT PG IT<br>CA PG FR<br>CH PG FR<br>CH PG GB<br>CH PG IT<br>HK PG FR<br>JP ID FR<br>JP PG FR<br>KR PG FR<br>SG PG FR<br>US PG DE<br>US PG FR<br>ZA PG IT   |
|                         |   | skin/leather items | 4<br>4<br>12<br>17000<br>5<br>1<br>92<br>47<br>8<br>74<br>111<br>348<br>43<br>5<br>125<br>13<br>3<br>1<br>3<br>15<br>48 | CA PG FR<br>CA PG IT<br>CH PG FR<br>CH PG IT<br>CM PG FR<br>CO PG IT<br>HK PG FR<br>HK PG IT<br>JP CO IT<br>JP ID IT<br>JP PG FR<br>JP PG IT<br>JP SD IT<br>JP ZA IT<br>KR PG FR<br>KR PG IT<br>NO PG IT<br>RE PG IT<br>SE SG IT<br>SG PG FR<br>TH PG IT |

| CITES EEC<br>App. Annex | Taxon | Description  | Quantity           | Country of<br>Import Origin Export |    |    |    |
|-------------------------|-------|--|--------------------|------------------------------------|----|----|----|
| II                      | C2    | <i>Crocodylus novaeguineae</i><br><i>novaeaguineae</i> | skin/leather items | 2                                  | US | ID | IT |
|                         |       |  | 103                | US                                 | PG | FR |    |
|                         |       |  | 9                  | US                                 | PG | GB |    |
|                         |       |  | 300                | US                                 | PG | IT |    |
|                         |       |  | 54                 | XS                                 | PG | IT |    |
|                         |       | skin pieces  | ?                  | JP                                 | PG | IT |    |
|                         |       | wallets  | 2                  | AT                                 | PG | DE |    |
|                         |       |  | 1                  | CA                                 | PG | IT |    |
|                         |       |  | 14                 | CH                                 | ID | DE |    |
|                         |       |  | 260                | CH                                 | PG | DE |    |
|                         |       |  | 3                  | CH                                 | PG | IT |    |
|                         |       |  | 24                 | HK                                 | ID | IT |    |
|                         |       |  | 287                | HK                                 | PG | DE |    |
|                         |       |  | 115                | HK                                 | PG | IT |    |
|                         |       |  | 75                 | JP                                 | ID | DE |    |
|                         |       |  | 124                | JP                                 | ID | IT |    |
|                         |       |  | 409                | JP                                 | PG | DE |    |
|                         |       |  | 799                | JP                                 | PG | IT |    |
|                         |       |  | 15                 | KR                                 | PG | DE |    |
|                         |       |  | 36                 | SG                                 | PG | DE |    |
|                         |       |  | 3                  | US                                 | ID | IT |    |
|                         |       |  | 461                | US                                 | PG | DE |    |
|                         |       |  | 86                 | US                                 | PG | IT |    |
|                         |       |  | 41                 | XS                                 | PG | IT |    |
|                         |       | watchstraps  | 1                  | AR                                 | PG | FR |    |
|                         |       |  | 7702               | CH                                 | PG | FR |    |
|                         |       |  | 278                | HK                                 | PG | FR |    |
|                         |       |  | 2                  | JP                                 | ID | IT |    |
|                         |       |  | 47                 | JP                                 | PG | FR |    |
|                         |       |  | 2                  | JP                                 | PG | IT |    |
|                         |       |  | 8                  | SG                                 | PG | FR |    |
|                         |       |  | 100                | US                                 | PG | FR |    |
|                         |       |  | 452                | US                                 | PG | IT |    |
|                         |       |  | 1                  | XS                                 | PG | IT |    |

| CITES EEC<br>App. Annex | Taxon | Description               | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|---------------------------|----------|------------------------------------|----|-------|
|                         |       |                           |          |                                    |    |       |
| II                      | C2    | <i>Crocodylus porosus</i> | belts    | 2                                  | CH | AU FR |
|                         |       |                           | 23       | CH                                 | PG | FR    |
|                         |       |                           | 24       | HK                                 | PG | FR    |
|                         |       |                           | 9        | JP                                 | BO | FR    |
|                         |       |                           | 2        | JP                                 | PG | FR    |
|                         |       |                           | 75       | KR                                 | PG | FR    |
|                         |       |                           | 56       | US                                 | PG | FR    |
|                         |       | garments                  | 10       | XF                                 | PG | IT    |
|                         |       | handbags                  | 3        | AE                                 | PG | DE    |
|                         |       |                           | 14       | AE                                 | PG | FR    |
|                         |       |                           | 12       | AT                                 | PG | DE    |
|                         |       |                           | 1        | BR                                 | PG | FR    |
|                         |       |                           | 6        | CA                                 | PG | IT    |
|                         |       |                           | 3        | CH                                 | AU | FR    |
|                         |       |                           | 64       | CH                                 | PG | DE    |
|                         |       |                           | 27       | CH                                 | PG | FR    |
|                         |       |                           | 14       | CH                                 | PG | IT    |
|                         |       |                           | 4        | HK                                 | AU | FR    |
|                         |       |                           | 63       | HK                                 | PG | DE    |
|                         |       |                           | 52       | HK                                 | PG | FR    |
|                         |       |                           | 177      | HK                                 | PG | IT    |
|                         |       |                           | 1        | ID                                 | PG | FR    |
|                         |       |                           | 10       | JP                                 | AU | DE    |
|                         |       |                           | 48       | JP                                 | AU | FR    |
|                         |       |                           | 1        | JP                                 | MG | FR    |
|                         |       |                           | 1        | JP                                 | MY | FR    |
|                         |       |                           | 153      | JP                                 | PG | DE    |
|                         |       |                           | 303      | JP                                 | PG | FR    |
|                         |       |                           | 1050     | JP                                 | PG | IT    |
|                         |       |                           | 6        | KR                                 | ID | FR    |
|                         |       |                           | 2        | KR                                 | MY | FR    |
|                         |       |                           | 2        | KR                                 | PG | DE    |
|                         |       |                           | 92       | KR                                 | PG | FR    |
|                         |       |                           | 5        | KW                                 | PG | FR    |
|                         |       |                           | 1        | QA                                 | PG | DE    |

| CITES EEC<br>App. Annex | Taxon | Description               | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|---------------------------|----------|------------------------------------|----|-------|
| II                      | C2    | <i>Crocodylus porosus</i> | handbags | 2                                  | SG | MY FR |
|                         |       |                           | 29       | SG                                 | PG | DE    |
|                         |       |                           | 20       | SG                                 | PG | FR    |
|                         |       |                           | 1        | TR                                 | PG | FR    |
|                         |       |                           | 4        | TW                                 | PG | IT    |
|                         |       |                           | 15       | US                                 | AU | FR    |
|                         |       |                           | 17       | US                                 | PG | DE    |
|                         |       |                           | 128      | US                                 | PG | FR    |
|                         |       |                           | 1        | VE                                 | PG | FR    |
|                         |       |                           | 19       | PG                                 | IT |       |
|                         |       |                           | 115      | XS                                 | PG | IT    |
|                         |       | skins                     | 53       | AT                                 | PG | FR    |
|                         |       |                           | 1        | CH                                 | PG | DE    |
|                         |       |                           | 198      | CH                                 | PG | FR    |
|                         |       |                           | 55       | CH                                 | PG | IT    |
|                         |       |                           | 1        | HK                                 | AU | FR    |
|                         |       |                           | 8        | JP                                 | PG | FR    |
|                         |       |                           | 3        | PG                                 | PG | FR    |
|                         |       | skin/leather items        | 2        | AD                                 | PG | FR    |
|                         |       |                           | 225      | BN                                 | PG | GB    |
|                         |       |                           | 1        | BR                                 | PG | FR    |
|                         |       |                           | 3        | CH                                 | AU | FR    |
|                         |       |                           | 140      | CH                                 | PG | FR    |
|                         |       |                           | 1        | CH                                 | PG | GB    |
|                         |       |                           | 20       | HK                                 | AU | FR    |
|                         |       |                           | 79       | HK                                 | PG | FR    |
|                         |       |                           | 79       | JP                                 | AU | FR    |
|                         |       |                           | 60       | JP                                 | PG | FR    |
|                         |       |                           | 41       | JP                                 | PG | IT    |
|                         |       |                           | 1        | KR                                 | PG | FR    |
|                         |       |                           | 4        | MA                                 | PG | GB    |
|                         |       |                           | 10       | US                                 | AU | FR    |
|                         |       |                           | 29       | US                                 | PG | FR    |
|                         |       |                           | 10       | US                                 | PG | GB    |
|                         |       |                           | 155      | XX                                 | PG | GB    |

| CITES EEC<br>App. Annex | Taxon | Description                | Quantity            | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|----------------------------|---------------------|------------------------------------|----|-------|
| II                      | C2    | <i>Crocodylus porosus</i>  | wallets             | 1                                  | AT | PG DE |
|                         |       |                            | 3                   | CH                                 | AU | DE    |
|                         |       |                            | 1                   | CH                                 | AU | FR    |
|                         |       |                            | 68                  | CH                                 | PG | DE    |
|                         |       |                            | 3                   | CH                                 | PG | FR    |
|                         |       |                            | 8                   | CH                                 | PG | IT    |
|                         |       |                            | 124                 | HK                                 | PG | DE    |
|                         |       |                            | 6                   | HK                                 | PG | FR    |
|                         |       |                            | 60                  | HK                                 | PG | IT    |
|                         |       |                            | 36                  | JP                                 | PG | DE    |
|                         |       |                            | 1                   | JP                                 | PG | FR    |
|                         |       |                            | 55                  | JP                                 | PG | IT    |
|                         |       |                            | 12                  | SG                                 | PG | DE    |
|                         |       |                            | 268                 | US                                 | PG | DE    |
|                         |       | watchstraps                | 12                  | CH                                 | AU | FR    |
|                         |       |                            | 1273                | CH                                 | PG | FR    |
|                         |       |                            | 12                  | HK                                 | AU | FR    |
|                         |       |                            | 6                   | HK                                 | PG | FR    |
|                         |       |                            | 3                   | JP                                 | AU | FR    |
|                         |       |                            | 2                   | JP                                 | PG | DE    |
|                         |       |                            | 6                   | SG                                 | PG | FR    |
| C2                      |       | <i>Phelsuma</i> spp.       | live (captive bred) | 4                                  | US | NL    |
| C2                      |       | <i>Phelsuma abbotti</i>    | live (captive bred) | 22                                 | US | NL    |
| C2                      |       | <i>Phelsuma barbouri</i>   | live (captive bred) | 1                                  | US | NL    |
|                         |       | live                       | 10                  | CH                                 | MG | DE    |
| C2                      |       | <i>Phelsuma cepediana</i>  | live (captive bred) | 20                                 | CH | DE    |
|                         |       |                            | 20                  | JP                                 | NL |       |
|                         |       | live                       | 12                  | US                                 | KM | DE    |
| C2                      |       | <i>Phelsuma comorensis</i> | live (captive bred) | 3                                  | US | NL    |

| CITES EEC<br>App. Annex | Taxon                               | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|-------------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 <i>Phelsuma dubia</i>            | live (captive bred) | 20       | JP                                 | NL |    |
|                         | C2 <i>Phelsuma guttata</i>          | live (captive bred) | 17       | US                                 | NL |    |
|                         | C2 <i>Phelsuma laticauda</i>        | live (captive bred) | 20       | JP                                 | NL |    |
|                         |                                     | live                | 13       | AT                                 | MG | DE |
|                         |                                     |                     | 10       | CA                                 | MG | DK |
|                         |                                     |                     | 35       | CH                                 | KM | DE |
|                         |                                     |                     | 24       | CH                                 | MG | DE |
|                         |                                     |                     | 10       | CH                                 | MG | NL |
|                         |                                     |                     | 5        | JP                                 | MG | DE |
|                         |                                     |                     | 10       | JP                                 | MG | DK |
|                         |                                     |                     | 30       | US                                 | MG | DE |
|                         |                                     |                     | 160      | US                                 | MG | DK |
|                         |                                     |                     | 10       | US                                 | MG | IT |
|                         | C2 <i>Phelsuma lineata</i>          | live                | 14       | AT                                 | MG | DE |
|                         |                                     |                     | 10       | CA                                 | MG | DK |
|                         |                                     |                     | 30       | CH                                 | MG | DE |
|                         |                                     |                     | 20       | CH                                 | MG | NL |
|                         |                                     |                     | 5        | JP                                 | MG | DE |
|                         |                                     |                     | 10       | JP                                 | MG | DK |
|                         |                                     |                     | 50       | US                                 | MG | DE |
|                         |                                     |                     | 160      | US                                 | MG | DK |
|                         |                                     |                     | 10       | US                                 | MG | IT |
|                         |                                     |                     | 190      | US                                 | MG | NL |
|                         | C2 <i>Phelsuma madagascariensis</i> | live (captive bred) | 4        | RO                                 | NL |    |
|                         |                                     |                     | 20       | US                                 | NL |    |
|                         |                                     |                     | 2        | US                                 | MG | NL |
|                         |                                     | live                | 10       | CA                                 | MG | DK |
|                         |                                     |                     | 44       | CH                                 | MG | DE |
|                         |                                     |                     | 20       | CH                                 | MG | IT |
|                         |                                     |                     | 10       | CH                                 | MG | NL |
|                         |                                     |                     | 15       | JP                                 | MG | DE |

| CITES EEC<br>App. Annex | Taxon                               | Description         | Quantity | Country of<br>Import Origin Export                 |    |                |
|-------------------------|-------------------------------------|---------------------|----------|--|----|----------------|
| II                      | C2 <i>Phelsuma madagascariensis</i> | live                | 10       | JP   | MG | DK             |
|                         |                                     |                     | 20       |  |    | MY    MG    NL |
|                         |                                     |                     | 82       |  |    | US    MG    DE |
|                         |                                     |                     | 200      |  |    | US    MG    DK |
|                         |                                     |                     | 100      |  |    | US    MG    NL |
| C2                      | <i>Phelsuma nigristriatus</i>       | live (captive bred) | 4        |  | US | NL             |
| C2                      | <i>Phelsuma ornata</i>              | live (captive bred) | 20       |  | JP | NL             |
| C2                      | <i>Phelsuma quadriocellata</i>      | live                | 14       | AT    CA    CH    JP    US    US    US    US    US | MG | DE             |
|                         |                                     |                     | 10       |  |    | DK             |
|                         |                                     |                     | 10       |  |    | MG    DE       |
|                         |                                     |                     | 10       |  |    | MG    NL       |
|                         |                                     |                     | 15       |  |    | DE             |
|                         |                                     |                     | 10       |  |    | MG    DK       |
|                         |                                     |                     | 50       |  |    | DE             |
|                         |                                     |                     | 160      |  |    | MG    DK       |
|                         |                                     |                     | 10       |  |    | IT             |
|                         |                                     |                     | 40       |  |    | NL             |
| C2                      | <i>Phelsuma robertmertensi</i>      | live (captive bred) | 4        |  | US | NL             |
| C2                      | <i>Phelsuma serraticauda</i>        | live                | 52       | US   | MG | DE             |
|                         |                                     |                     | 18       |  |    | NL             |
| C2                      | <i>Phelsuma standingi</i>           | live                | 10       | CH    CH    JP    JP    US    US    US             | MG | DE             |
|                         |                                     |                     | 10       |  |    | NL             |
|                         |                                     |                     | 10       |  |    | MG    DE       |
|                         |                                     |                     | 10       |  |    | MG    DK       |
|                         |                                     |                     | 42       |  |    | DE             |
|                         |                                     |                     | 90       |  |    | MG    DK       |
|                         |                                     |                     | 7        |  |    | NL             |
|                         |                                     |                     |          |  |    |                |
| C2                      | <i>Phelsuma v-nigra</i>             | live (captive bred) | 2        |  | US | NL             |

| CITES EEC<br>App. Annex |    | Taxon                         | Description               | Quantity   | Country of<br>Import Origin Export   |  |  |
|-------------------------|----|-------------------------------|---------------------------|--|--|--|--|
| II                      | C2 | <i>Uromastyx acanthinurus</i> | live (captive bred)       | 1<br>4   | JP<br>US   | DE   | NL   |
|                         | C2 | <i>Uromastyx aegyptius</i>    | live                      | 3<br>8<br>3  | AT<br>CH<br>JP   | EG<br>EG<br>EG   | DE<br>DE<br>DE   |
|                         | C2 | <i>Uromastyx hardwickii</i>   | live (captive bred)       | 2  | CH   |  | DE   |
|                         | C2 | <i>Uromastyx ornatus</i>      | live                      | 20   | JP   | EG   | DE   |
|                         |    | <i>Chamaeleo brevicornis</i>  | live                      | 6  | US   | MG   | NL   |
|                         |    | <i>Chamaeleo lateralis</i>    | live                      | 12   | US   | MG   | NL   |
|                         |    | <i>Chamaeleo oustaleti</i>    | live                      | 12   | US   | MG   | NL   |
|                         |    | <i>Chamaeleo parsonii</i>     | live                      | 20   | US   | MG   | NL   |
|                         |    | <i>Iguana iguana</i>          | belts<br>handbags<br>live | 12<br>279<br>4<br>16<br>90<br>70<br>4<br>33<br>4<br>26<br>6<br>skin/leather items<br>wallets | US<br>SN<br>AT<br>CH<br>CH<br>CS<br>FI<br>JP<br>SE<br>TH<br>XX<br>US<br>US | CO<br>ML<br>HN<br>HN<br>PE<br>HN<br>HN<br>HN<br>HN<br>HN<br>HN<br>HN<br>CO<br>CO | IT<br>IT<br>DE<br>DE<br>NL<br>DE<br>DE<br>DE<br>DE<br>DE<br>DE<br>DE<br>DE<br>IT<br>IT |
|                         |    | <i>Cordylus warreni</i>       | live (captive bred)       | 5  | US   |  | DE   |

| CITES EEC<br>App. Annex | Taxon                       | Description    | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|-----------------------------|----------------|----------|------------------------------------|----|----|
| II                      | <i>Dracaena guianensis</i>  | belts          | 97       | US                                 | SD | IT |
|                         |                             | handbags       | 6        | CH                                 | GY | IT |
|                         |                             |                | 1        | US                                 | GY | IT |
|                         |                             | pairs of shoes | 6        | AT                                 | GY | IT |
|                         |                             |                | 6        | CA                                 | GY | IT |
|                         |                             |                | 30       | CH                                 | GY | IT |
|                         |                             |                | 4        | JP                                 | GF | IT |
|                         |                             |                | 2        | JP                                 | GY | IT |
|                         |                             |                | 20       | NG                                 | GY | IT |
|                         |                             |                | 10       | QA                                 | GF | IT |
|                         |                             |                | 24       | SA                                 | GF | IT |
|                         |                             |                | 3        | SA                                 | GY | IT |
|                         |                             |                | 3        | SG                                 | GY | IT |
|                         |                             |                | 2        | US                                 | AR | IT |
|                         |                             |                | 1        | US                                 | GF | IT |
|                         |                             |                | 172      | US                                 | GY | IT |
|                         | <i>Tupinambis</i> spp.      | pairs of shoes | 31       | CH                                 | BO | ES |
|                         |                             |                | 60       | NO                                 | BO | ES |
|                         | <i>Tupinambis rufescens</i> | skins          | 4424     | CH                                 | AR | IT |
|                         |                             |                | 9        | US                                 | AR | IT |
|                         | <i>Tupinambis teguixin</i>  | belts          | 2        | AT                                 | AR | IT |
|                         |                             |                | 314      | CA                                 | AR | IT |
|                         |                             |                | 19       | CH                                 | AR | IT |
|                         |                             |                | 3751     | HK                                 | AR | IT |
|                         |                             |                | 219      | JP                                 | AR | IT |
|                         |                             |                | 80       | JP                                 | PY | IT |
|                         |                             |                | 43       | NG                                 | AR | IT |
|                         |                             |                | 1123     | US                                 | AR | ES |
|                         |                             |                | 5358     | US                                 | AR | IT |
|                         |                             |                | 353      | US                                 | ID | IT |
|                         |                             |                | 4        | US                                 | NG | IT |
|                         |                             | handbags       | 26       | CA                                 | AR | IT |

| CITES EEC<br>App. Annex | Taxon                      | Description    | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------------|----------------|----------|------------------------------------|----|----|
| II                      | <i>Tupinambis teguixin</i> | handbags       | 17       | CH                                 | AR | IT |
|                         |                            |                | 81       | HK                                 | AR | IT |
|                         |                            |                | 166      | JP                                 | AR | IT |
|                         |                            |                | 32       | KW                                 | AR | IT |
|                         |                            |                | 20       | SG                                 | AR | IT |
|                         |                            |                | 4        | TW                                 | AR | IT |
|                         |                            |                | 58       | US                                 | AR | DE |
|                         |                            |                | 12       | US                                 | AR | ES |
|                         |                            |                | 419      | US                                 | AR | IT |
|                         |                            |                | 24       | US                                 | PG | IT |
|                         |                            |                | 20       | US                                 | SD | IT |
|                         |                            | live           | 330      | AT                                 | AR | NL |
|                         |                            |                | 4        | FI                                 | AR | DE |
|                         |                            | pairs of shoes | 42       | AE                                 | AR | ES |
|                         |                            |                | 116      | AE                                 | AR | IT |
|                         |                            |                | 9        | AN                                 | AR | IT |
|                         |                            |                | 30       | AT                                 | AR | DE |
|                         |                            |                | 7        | AT                                 | AR | ES |
|                         |                            |                | 343      | AT                                 | AR | IT |
|                         |                            |                | 52       | AT                                 | BO | ES |
|                         |                            |                | 62       | AU                                 | AR | ES |
|                         |                            |                | 72       | AU                                 | AR | IT |
|                         |                            |                | 2265     | CA                                 | AR | ES |
|                         |                            |                | 571      | CA                                 | AR | IT |
|                         |                            |                | 48       | CA                                 | PY | IT |
|                         |                            |                | 191      | CH                                 | AR | ES |
|                         |                            |                | 39       | CH                                 | AR | FR |
|                         |                            |                | 1943     | CH                                 | AR | IT |
|                         |                            |                | 12       | CH                                 | BO | ES |
|                         |                            |                | 373      | EG                                 | AR | ES |
|                         |                            |                | 30       | FI                                 | AR | IT |
|                         |                            |                | 12       | GP                                 | AR | ES |
|                         |                            |                | 90       | GU                                 | AR | IT |
|                         |                            |                | 1768     | HK                                 | AR | ES |
|                         |                            |                | 2938     | HK                                 | AR | IT |

| CITES EEC<br>App. Annex | Taxon                      | Description    | Quantity | Country of<br>Import | Origin Export |
|-------------------------|----------------------------|----------------|----------|----------------------|---------------|
| II                      | <i>Tupinambis teguixin</i> | pairs of shoes | 44       | HK                   | PY IT         |
|                         |                            |                | 14       | ID                   | AR IT         |
|                         |                            |                | 392      | IL                   | AR ES         |
|                         |                            |                | 42       | IL                   | AR IT         |
|                         |                            |                | 21       | JO                   | AR ES         |
|                         |                            |                | 41       | JO                   | AR IT         |
|                         |                            |                | 6        | JP                   | AR DE         |
|                         |                            |                | 4        | JP                   | AR ES         |
|                         |                            |                | 4875     | JP                   | AR IT         |
|                         |                            |                | 176      | JP                   | BO IT         |
|                         |                            |                | 470      | KR                   | AR IT         |
|                         |                            |                | 34       | KW                   | AR ES         |
|                         |                            |                | 185      | KW                   | AR IT         |
|                         |                            |                | 162      | LB                   | AR IT         |
|                         |                            |                | 45       | MO                   | AR IT         |
|                         |                            |                | 72       | MY                   | AR ES         |
|                         |                            |                | 18       | NC                   | AR ES         |
|                         |                            |                | 52       | NG                   | AR IT         |
|                         |                            |                | 19       | NO                   | AR ES         |
|                         |                            |                | 108      | QA                   | AR ES         |
|                         |                            |                | 164      | QA                   | AR IT         |
|                         |                            |                | 740      | SA                   | AR ES         |
|                         |                            |                | 847      | SA                   | AR IT         |
|                         |                            |                | 7        | SE                   | AR DE         |
|                         |                            |                | 15       | SE                   | AR ES         |
|                         |                            |                | 416      | SE                   | AR IT         |
|                         |                            |                | 1021     | SG                   | AR ES         |
|                         |                            |                | 1350     | SG                   | AR IT         |
|                         |                            |                | 20       | SG                   | BO ES         |
|                         |                            |                | 18       | SV                   | AR IT         |
|                         |                            |                | 303      | TW                   | AR IT         |
|                         |                            |                | 54468    | US                   | AR ES         |
|                         |                            |                | 55       | US                   | AR FR         |
|                         |                            |                | 25638    | US                   | AR IT         |
|                         |                            |                | 1        | US                   | PG IT         |

| CITES EEC<br>App. Annex | Taxon                      | Description        | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------------|--------------------|----------|------------------------------------|----|----|
| II                      | <i>Tupinambis teguixin</i> | pairs of shoes     | 6        | US                                 | SD | IT |
|                         |                            |                    | 23       | US                                 | VE | IT |
|                         |                            |                    | 247      | VE                                 | AR | ES |
|                         |                            |                    | 5        | VE                                 | AR | IT |
|                         |                            |                    | 1194     | XX                                 | AR | ES |
|                         |                            |                    | 3185     | ZA                                 | AR | ES |
|                         |                            |                    | 134      | ZA                                 | AR | IT |
|                         |                            |                    | 70       | ZR                                 | AR | IT |
|                         |                            | skins              | 500      | AT                                 | AR | ES |
|                         |                            |                    | 661      | AT                                 | AR | IT |
|                         |                            |                    | 89       | CA                                 | AR | ES |
|                         |                            |                    | 874      | CA                                 | AR | GB |
|                         |                            |                    | 4108     | CH                                 | AR | ES |
|                         |                            |                    | 3950     | CH                                 | AR | FR |
|                         |                            |                    | 21219    | CH                                 | AR | IT |
|                         |                            |                    | 39       | CH                                 | BO | FR |
|                         |                            |                    | 8        | CH                                 | BR | IT |
|                         |                            |                    | 76       | CH                                 | PG | IT |
|                         |                            |                    | 3735     | HK                                 | AR | ES |
|                         |                            |                    | 40       | JP                                 | AR | IT |
|                         |                            |                    | 2        | KR                                 | AR | IT |
|                         |                            |                    | 290      | LB                                 | AR | ES |
|                         |                            |                    | 11145    | MX                                 | PY | ES |
|                         |                            |                    | 20000    | TW                                 | AR | ES |
|                         |                            |                    | 6774     | US                                 | AR | ES |
|                         |                            |                    | 41756    | US                                 | AR | IT |
|                         |                            |                    | 969      | VE                                 | AR | IT |
|                         |                            |                    | 100      | VE                                 | PY | IT |
|                         |                            | skin/leather items | 374      | AT                                 | AR | ES |
|                         |                            |                    | 7        | AT                                 | AR | IT |
|                         |                            |                    | 9        | CH                                 | AR | IT |
|                         |                            |                    | 2        | JP                                 | AR | IT |
|                         |                            |                    | 24       | JP                                 | ID | IT |
|                         |                            |                    | 5        | JP                                 | SD | IT |
|                         |                            |                    | 2        | SG                                 | AR | IT |

| CITES EEC<br>App. Annex | TAXON                      | Description        | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------------|--------------------|----------|------------------------------------|----|----|
| II                      | <i>Tupinambis teguixin</i> | skin/leather items | 910      | US                                 | AR | ES |
|                         |                            |                    | 1400     | US                                 | AR | IT |
|                         |                            |                    | 7        | US                                 | ID | IT |
|                         |                            |                    | 2        | US                                 | PY | FR |
|                         |                            | skin pieces        | 2500     | MU                                 | AR | FR |
|                         |                            |                    | 749      | US                                 | XX | GR |
|                         |                            |                    | 348 kg   | HK                                 | AR | IT |
|                         |                            | wallets            | 227      | CH                                 | AR | IT |
|                         |                            |                    | 67       | US                                 | AR | IT |
|                         |                            |                    | 30       | VI                                 | PY | IT |
|                         |                            | watchstraps        | 4        | AN                                 | AR | FR |
|                         |                            |                    | 89       | AT                                 | AR | DE |
|                         |                            |                    | 434      | AT                                 | AR | IT |
|                         |                            |                    | 100      | AU                                 | AR | DE |
|                         |                            |                    | 5        | BH                                 | AR | FR |
|                         |                            |                    | 1365     | CA                                 | AR | DE |
|                         |                            |                    | 72       | CA                                 | AR | FR |
|                         |                            |                    | 7848     | CH                                 | AR | DE |
|                         |                            |                    | 211      | CH                                 | AR | ES |
|                         |                            |                    | 3880     | CH                                 | AR | FR |
|                         |                            |                    | 2090     | CH                                 | AR | IT |
|                         |                            |                    | 340      | CH                                 | BO | FR |
|                         |                            |                    | 51       | CH                                 | UY | FR |
|                         |                            |                    | 100      | CH                                 | VE | FR |
|                         |                            |                    | 2        | GU                                 | AR | FR |
|                         |                            |                    | 36       | HK                                 | AR | DE |
|                         |                            |                    | 6        | HK                                 | AR | FR |
|                         |                            |                    | 2442     | HK                                 | AR | IT |
|                         |                            |                    | 277      | JP                                 | AR | DE |
|                         |                            |                    | 4        | JP                                 | AR | FR |
|                         |                            |                    | 1        | JP                                 | AR | IT |
|                         |                            |                    | 6        | MY                                 | AR | FR |
|                         |                            |                    | 13       | NO                                 | AR | FR |
|                         |                            |                    | 50       | PH                                 | AR | IT |
|                         |                            |                    | 4        | PR                                 | AR | FR |

| CITES EEC<br>App. Annex | Taxon   | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|---|---------------------|----------|------------------------------------|----|----|
| II                      | <i>Tupinambis teguixin</i>                          | watchstraps         | 45       | QA                                 | AR | FR |
|                         |   |                     | 2        | SE                                 | AR | FR |
|                         |   |                     | 30       | SE                                 | GY | FR |
|                         |   |                     | 6        | TW                                 | AR | BE |
|                         |   |                     | 367357   | US                                 | AR | DE |
|                         |   |                     | 257      | US                                 | AR | ES |
|                         |   |                     | 7085     | US                                 | AR | FR |
|                         |   |                     | 5265     | US                                 | AR | IT |
|                         |   |                     | 8        | VI                                 | AR | FR |
|                         | <i>Tupinambis teguixin</i><br><i>nigropunctatus</i> | belts               | 24       | JP                                 | BO | IT |
|                         |   |                     | 26       | US                                 | PY | IT |
|                         |   | live                | 5        | JP                                 | GY | DE |
|                         |   | pairs of shoes      | 19       | AT                                 | BO | IT |
|                         |   |                     | 3        | HK                                 | PY | IT |
|                         |   |                     | 271      | US                                 | AR | IT |
|                         |   |                     | 58       | US                                 | BO | IT |
|                         |   | skins               | 4553     | CH                                 | BO | IT |
|                         |   | skin/leather items  | 18       | US                                 | PY | IT |
| C2                      | <i>Varanus</i> spp.                                 | skins               | 3        | US                                 | NG | ES |
| C2                      | <i>Varanus exanthematicus</i>                       | belts               | 12       | AT                                 | NG | DE |
|                         |   |                     | 11       | CH                                 | NG | DE |
|                         |   | handbags            | 26       | JP                                 | NG | DE |
|                         |   |                     | 16       | US                                 | NG | DE |
|                         |   | live (captive bred) | 1        | RO                                 |    | NL |
|                         |   | live                | 5        | AT                                 | GH | DE |
|                         |   |                     | 10       | CH                                 | GH | IT |
|                         |   | pairs of shoes      | 32       | CH                                 | SD | IT |
|                         |   |                     | 15       | HK                                 | SD | IT |
|                         |   |                     | 6        | JP                                 | GY | IT |
|                         |   |                     | 12       | JP                                 | SD | GB |
|                         |   |                     | 52       | SE                                 | SD | IT |

| CITES EEC<br>App. Annex | Taxon | Description                   | Quantity       | Country of<br>Import Origin Export |    |    |    |
|-------------------------|-------|-------------------------------|----------------|------------------------------------|----|----|----|
| II                      | C2    | <i>Varanus exanthematicus</i> | pairs of shoes | 25                                 | US | GY | IT |
|                         |       | skins                         | 6              | HK                                 | NG | ES |    |
|                         |       |                               | 8839           | SA                                 | SD | IT |    |
|                         |       |                               | 36             | US                                 | ML | ES |    |
|                         |       |                               | 2646           | US                                 | NG | ES |    |
|                         |       | skin/leather items            | 212            | US                                 | NG | IT |    |
|                         | C2    | <i>Varanus karlschmidti</i>   | pairs of shoes | 6                                  | SE | TH | ES |
|                         | C2    | <i>Varanus mertensi</i>       | pairs of shoes | 1                                  | NO | TH | ES |
|                         | C2    | <i>Varanus niloticus</i>      | belts          | 25                                 | AE | ML | IT |
|                         |       |                               | 16             | AE                                 | SD | IT |    |
|                         |       |                               | 5              | AT                                 | CM | FR |    |
|                         |       |                               | 73             | AT                                 | ML | FR |    |
|                         |       |                               | 10             | AT                                 | NG | IT |    |
|                         |       |                               | 3              | AU                                 | SD | ES |    |
|                         |       |                               | 9              | CA                                 | ML | FR |    |
|                         |       |                               | 319            | CA                                 | ML | IT |    |
|                         |       |                               | 6              | CA                                 | NG | IT |    |
|                         |       |                               | 1              | CA                                 | SD | ES |    |
|                         |       |                               | 240            | CA                                 | SD | IT |    |
|                         |       |                               | 5109           | CA                                 | TG | ES |    |
|                         |       |                               | 43             | CH                                 | CM | FR |    |
|                         |       |                               | 132            | CH                                 | CM | IT |    |
|                         |       |                               | 16             | CH                                 | ML | BE |    |
|                         |       |                               | 229            | CH                                 | ML | FR |    |
|                         |       |                               | 102            | CH                                 | ML | IT |    |
|                         |       |                               | 47             | CH                                 | NG | IT |    |
|                         |       |                               | 32             | CH                                 | SD | FR |    |
|                         |       |                               | 7              | CH                                 | SD | GB |    |
|                         |       |                               | 51             | CH                                 | SD | IT |    |
|                         |       |                               | 18             | CI                                 | SD | FR |    |
|                         |       |                               | 2              | DO                                 | SD | ES |    |
|                         |       |                               | 12             | FI                                 | NG | PT |    |

| CITES EEC<br>App. Annex |    | TAXON                    | Description | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----|--------------------------|-------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Varanus niloticus</i> | belts       | 196      | GU                                 | CM | IT |
|                         |    |                          |             | 2        | HK                                 | CM | FR |
|                         |    |                          |             | 447      | HK                                 | CM | IT |
|                         |    |                          |             | 35       | HK                                 | ML | FR |
|                         |    |                          |             | 424      | HK                                 | ML | IT |
|                         |    |                          |             | 2        | HK                                 | NG | IT |
|                         |    |                          |             | 10       | HK                                 | SD | FR |
|                         |    |                          |             | 327      | HK                                 | SD | IT |
|                         |    |                          |             | 45       | HK                                 | TZ | IT |
|                         |    |                          |             | 60       | HK                                 | XF | IT |
|                         |    |                          |             | 196      | JP                                 | CM | FR |
|                         |    |                          |             | 134      | JP                                 | CM | IT |
|                         |    |                          |             | 90       | JP                                 | ML | FR |
|                         |    |                          |             | 253      | JP                                 | ML | IT |
|                         |    |                          |             | 18       | JP                                 | NG | FR |
|                         |    |                          |             | 34       | JP                                 | NG | IT |
|                         |    |                          |             | 62       | JP                                 | SD | FR |
|                         |    |                          |             | 44       | JP                                 | SD | GB |
|                         |    |                          |             | 686      | JP                                 | SD | IT |
|                         |    |                          |             | 325      | JP                                 | TG | ES |
|                         |    |                          |             | 40       | JP                                 | ZW | FR |
|                         |    |                          |             | 120      | KR                                 | CM | FR |
|                         |    |                          |             | 106      | KR                                 | ML | FR |
|                         |    |                          |             | 20       | KR                                 | NG | IT |
|                         |    |                          |             | 31       | KR                                 | SD | IT |
|                         |    |                          |             | 15       | KR                                 | ZW | FR |
|                         |    |                          |             | 4        | KW                                 | SD | IT |
|                         |    |                          |             | 30       | KY                                 | TG | ES |
|                         |    |                          |             | 7        | LB                                 | CM | FR |
|                         |    |                          |             | 15       | LB                                 | ML | IT |
|                         |    |                          |             | 31       | LB                                 | NG | IT |
|                         |    |                          |             | 14       | LB                                 | SD | IT |
|                         |    |                          |             | 51       | ML                                 | ML | FR |
|                         |    |                          |             | 18       | MX                                 | TG | ES |
|                         |    |                          |             | 36       | MY                                 | ML | FR |

| CITES EEC<br>App. Annex | Taxon | Description              | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|--------------------------|----------|------------------------------------|----|-------|
|                         |       |                          |          |                                    |    |       |
| II                      | C2    | <i>Varanus niloticus</i> | belts    | 96                                 | NO | ML FR |
|                         |       |                          |          | 15                                 | NO | ML IT |
|                         |       |                          |          | 40                                 | PA | ML IT |
|                         |       |                          |          | 89                                 | SA | ML IT |
|                         |       |                          |          | 6                                  | SA | SD IT |
|                         |       |                          |          | 70                                 | SD | VE IT |
|                         |       |                          |          | 17                                 | SE | CM FR |
|                         |       |                          |          | 6                                  | SE | ML FR |
|                         |       |                          |          | 6                                  | SE | ML IT |
|                         |       |                          |          | 1                                  | SG | CM FR |
|                         |       |                          |          | 48                                 | SG | ML FR |
|                         |       |                          |          | 34                                 | SG | ML IT |
|                         |       |                          |          | 51                                 | SG | SD IT |
|                         |       |                          |          | 5                                  | SN | SN BE |
|                         |       |                          |          | 8                                  | TW | ML IT |
|                         |       |                          |          | 3                                  | TW | SD IT |
|                         |       |                          |          | 548                                | US | CM ES |
|                         |       |                          |          | 542                                | US | CM FR |
|                         |       |                          |          | 557                                | US | CM IT |
|                         |       |                          |          | 16                                 | US | ID IT |
|                         |       |                          |          | 1230                               | US | ML FR |
|                         |       |                          |          | 1251                               | US | ML IT |
|                         |       |                          |          | 280                                | US | NG FR |
|                         |       |                          |          | 50                                 | US | NG GB |
|                         |       |                          |          | 1238                               | US | NG IT |
|                         |       |                          |          | 16776                              | US | SD ES |
|                         |       |                          |          | 66                                 | US | SD FR |
|                         |       |                          |          | 43                                 | US | SD GB |
|                         |       |                          |          | 6072                               | US | SD IT |
|                         |       |                          |          | 11077                              | US | TG ES |
|                         |       |                          |          | 120                                | US | VE IT |
|                         |       |                          |          | 160                                | US | XF IT |
|                         |       |                          |          | 4                                  | XS | CM FR |
|                         |       |                          |          | 9                                  | XS | ML IT |
|                         |       |                          |          | 2                                  | XS | SD IT |

| CITES EEC<br>App. Annex | TAXON | Description              | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|--------------------------|----------|------------------------------------|----|-------|
| II                      | C2    | <i>Varanus niloticus</i> | belts    | 11                                 | XX | NG GB |
|                         |       |                          | garments | 4                                  | JP | SD IT |
|                         |       |                          | handbags | 6                                  | AE | ZM IT |
|                         |       |                          |          | 6                                  | AT | NG IT |
|                         |       |                          |          | 1                                  | AU | CN IT |
|                         |       |                          |          | 1                                  | BD | ML IT |
|                         |       |                          |          | 8                                  | BN | ZW FR |
|                         |       |                          |          | 23                                 | CA | ML IT |
|                         |       |                          |          | 8                                  | CA | NG FR |
|                         |       |                          |          | 183                                | CA | SD IT |
|                         |       |                          |          | 200                                | CA | TG ES |
|                         |       |                          |          | 15                                 | CH | CM FR |
|                         |       |                          |          | 53                                 | CH | ML FR |
|                         |       |                          |          | 16                                 | CH | ML IT |
|                         |       |                          |          | 14                                 | CH | NG FR |
|                         |       |                          |          | 31                                 | CH | NG IT |
|                         |       |                          |          | 2                                  | CH | SD DE |
|                         |       |                          |          | 2                                  | CH | SD FR |
|                         |       |                          |          | 39                                 | CH | SD IT |
|                         |       |                          |          | 1                                  | CH | TD DE |
|                         |       |                          |          | 4                                  | CH | ZM IT |
|                         |       |                          |          | 1                                  | CH | ZW FR |
|                         |       |                          |          | 3                                  | CM | CM FR |
|                         |       |                          |          | 24                                 | GU | NG IT |
|                         |       |                          |          | 8                                  | HK | BJ FR |
|                         |       |                          |          | 1                                  | HK | CH FR |
|                         |       |                          |          | 13                                 | HK | CM FR |
|                         |       |                          |          | 17                                 | HK | CM IT |
|                         |       |                          |          | 16                                 | HK | ML FR |
|                         |       |                          |          | 110                                | HK | ML IT |
|                         |       |                          |          | 12                                 | HK | NG FR |
|                         |       |                          |          | 3                                  | HK | NG IT |
|                         |       |                          |          | 1                                  | HK | SD FR |
|                         |       |                          |          | 359                                | HK | SD IT |
|                         |       |                          |          | 36                                 | HK | TZ IT |

| CITES EEC<br>App. Annex | Taxon                    | Description | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|--------------------------|-------------|----------|------------------------------------|----|----|
| II C2                   | <i>Varanus niloticus</i> | handbags    | 1        | HK                                 | ZM | FR |
|                         |                          |             | 6        | HK                                 | ZM | IT |
|                         |                          |             | 4        | HK                                 | ZW | FR |
|                         |                          |             | 13       | HK                                 | ZW | IT |
|                         |                          |             | 8        | IL                                 | ML | FR |
|                         |                          |             | 5        | JP                                 | BJ | FR |
|                         |                          |             | 21       | JP                                 | CM | FR |
|                         |                          |             | 70       | JP                                 | CM | IT |
|                         |                          |             | 6        | JP                                 | MG | FR |
|                         |                          |             | 135      | JP                                 | ML | FR |
|                         |                          |             | 26       | JP                                 | ML | IT |
|                         |                          |             | 1        | JP                                 | NG | DE |
|                         |                          |             | 26       | JP                                 | NG | FR |
|                         |                          |             | 105      | JP                                 | NG | IT |
|                         |                          |             | 19       | JP                                 | SD | DE |
|                         |                          |             | 1        | JP                                 | SD | FR |
|                         |                          |             | 784      | JP                                 | SD | IT |
|                         |                          |             | 37       | JP                                 | TZ | FR |
|                         |                          |             | 3        | JP                                 | TZ | IT |
|                         |                          |             | 20       | JP                                 | ZM | FR |
|                         |                          |             | 51       | JP                                 | ZM | IT |
|                         |                          |             | 38       | JP                                 | ZW | FR |
|                         |                          |             | 31       | KR                                 | ML | FR |
|                         |                          |             | 4        | KR                                 | MZ | DE |
|                         |                          |             | 18       | KR                                 | NG | IT |
|                         |                          |             | 3        | KR                                 | SD | FR |
|                         |                          |             | 2        | KR                                 | ZM | DE |
|                         |                          |             | 2        | KW                                 | ML | FR |
|                         |                          |             | 8        | KW                                 | SD | IT |
|                         |                          |             | 2        | LB                                 | SD | IT |
|                         |                          |             | 4        | MT                                 | SD | IT |
|                         |                          |             | 60       | MY                                 | ML | FR |
|                         |                          |             | 8        | NO                                 | NG | IT |
|                         |                          |             | 2        | SD                                 | VE | IT |
|                         |                          |             | 14       | SG                                 | ML | FR |

| CITES EEC<br>App. Annex | Taxon | Description              | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|--------------------------|----------|------------------------------------|----|-------|
| II                      | C2    | <i>Varanus niloticus</i> | handbags | 46                                 | SG | SD IT |
|                         |       |                          | 303      | SN                                 | ML | IT    |
|                         |       |                          | 38       | SN                                 | SN | BE    |
|                         |       |                          | 3        | TW                                 | CM | IT    |
|                         |       |                          | 8        | TW                                 | SD | IT    |
|                         |       |                          | 5        | US                                 | CM | DE    |
|                         |       |                          | 47       | US                                 | CM | FR    |
|                         |       |                          | 270      | US                                 | CM | IT    |
|                         |       |                          | 263      | US                                 | ML | FR    |
|                         |       |                          | 793      | US                                 | ML | IT    |
|                         |       |                          | 6        | US                                 | NG | FR    |
|                         |       |                          | 345      | US                                 | NG | IT    |
|                         |       |                          | 44       | US                                 | SD | DE    |
|                         |       |                          | 1        | US                                 | SD | FR    |
|                         |       |                          | 1349     | US                                 | SD | IT    |
|                         |       |                          | 20       | US                                 | TD | IT    |
|                         |       |                          | 48       | US                                 | TG | ES    |
|                         |       |                          | 543      | US                                 | XF | IT    |
|                         |       |                          | 4        | US                                 | ZW | FR    |
|                         |       |                          | 15       | XS                                 | NG | IT    |
|                         |       |                          | ?        | XS                                 | SD | IT    |
|                         |       | live                     | 1        | AT                                 | TG | DE    |
|                         |       | plates                   | 8        | CH                                 | SD | DE    |
|                         |       | pairs of shoes           | 11       | AE                                 | SD | IT    |
|                         |       |                          | 1        | AU                                 | TG | ES    |
|                         |       |                          | 3        | BD                                 | ML | IT    |
|                         |       |                          | 118      | CA                                 | SD | IT    |
|                         |       |                          | 1        | CA                                 | TG | ES    |
|                         |       |                          | 1        | CH                                 | CM | FR    |
|                         |       |                          | 47       | CH                                 | ML | FR    |
|                         |       |                          | 108      | CH                                 | ML | IT    |
|                         |       |                          | 4        | CH                                 | SD | FR    |
|                         |       |                          | 39       | CH                                 | SD | IT    |
|                         |       |                          | 4        | CN                                 | NG | FR    |
|                         |       |                          | 16       | HK                                 | NG | FR    |

| CITES EEC<br>App. Annex | Taxon | Description              | Quantity       | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|--------------------------|----------------|------------------------------------|----|-------|
| II                      | C2    | <i>Varanus niloticus</i> | pairs of shoes | 66                                 | HK | NG IT |
|                         |       |                          |                | 59                                 | HK | SD IT |
|                         |       |                          |                | 12                                 | HK | TD IT |
|                         |       |                          |                | 16                                 | HK | TZ IT |
|                         |       |                          |                | 2                                  | HK | ZM IT |
|                         |       |                          |                | 47                                 | JO | SD IT |
|                         |       |                          |                | 1                                  | JP | CM FR |
|                         |       |                          |                | 60                                 | JP | CM IT |
|                         |       |                          |                | 23                                 | JP | ID IT |
|                         |       |                          |                | 28                                 | JP | ML FR |
|                         |       |                          |                | 45                                 | JP | ML IT |
|                         |       |                          |                | 596                                | JP | NG FR |
|                         |       |                          |                | 289                                | JP | SD IT |
|                         |       |                          |                | 407                                | JP | TD IT |
|                         |       |                          |                | 3                                  | JP | TG ES |
|                         |       |                          |                | 100                                | KR | AR IT |
|                         |       |                          |                | 24                                 | KR | NG IT |
|                         |       |                          |                | 16                                 | KR | SD IT |
|                         |       |                          |                | 32                                 | KW | SD IT |
|                         |       |                          |                | 1000                               | MU | CM FR |
|                         |       |                          |                | 4                                  | MY | NG FR |
|                         |       |                          |                | 133                                | SA | SD IT |
|                         |       |                          |                | 1                                  | SD | PG IT |
|                         |       |                          |                | 207                                | SE | SD IT |
|                         |       |                          |                | 9                                  | SG | NG FR |
|                         |       |                          |                | 505                                | SG | SD IT |
|                         |       |                          |                | 28                                 | TH | NG IT |
|                         |       |                          |                | 18                                 | TW | SD IT |
|                         |       |                          |                | 389                                | US | CM IT |
|                         |       |                          |                | 19                                 | US | ID IT |
|                         |       |                          |                | 8                                  | US | ML FR |
|                         |       |                          |                | 2510                               | US | ML IT |
|                         |       |                          |                | 1                                  | US | NG ES |
|                         |       |                          |                | 34                                 | US | NG FR |
|                         |       |                          |                | 2566                               | US | NG IT |

| CITES EEC<br>App. Annex |    | Taxon                    | Description    | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----|--------------------------|----------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Varanus niloticus</i> | pairs of shoes | 277      | US                                 | SD | ES |
|                         |    |                          |                | 6        | US                                 | SD | FR |
|                         |    |                          |                | 2589     | US                                 | SD | IT |
|                         |    |                          |                | 640      | US                                 | TD | IT |
|                         |    |                          |                | 2193     | US                                 | TG | ES |
|                         |    |                          |                | 246      | US                                 | VE | IT |
|                         |    |                          |                | 1        | US                                 | ZA | FR |
|                         |    |                          | skins          | 3417     | AT                                 | ML | FR |
|                         |    |                          |                | 13       | AT                                 | ML | IT |
|                         |    |                          |                | 1028     | AT                                 | NG | DE |
|                         |    |                          |                | 6552     | AT                                 | SD | DE |
|                         |    |                          |                | 8432     | AT                                 | SD | IT |
|                         |    |                          |                | 944      | AT                                 | SN | ES |
|                         |    |                          |                | 5        | AT                                 | TD | DE |
|                         |    |                          |                | 2721     | AU                                 | GQ | ES |
|                         |    |                          |                | 6524     | CA                                 | ML | FR |
|                         |    |                          |                | 85       | CA                                 | NG | ES |
|                         |    |                          |                | 3        | CA                                 | SD | ES |
|                         |    |                          |                | 3000     | CH                                 | CM | FR |
|                         |    |                          |                | 19905    | CH                                 | ML | FR |
|                         |    |                          |                | 2        | CH                                 | SD | ES |
|                         |    |                          |                | 1500     | CH                                 | SD | FR |
|                         |    |                          |                | 5252     | CH                                 | SD | IT |
|                         |    |                          |                | 1275     | CH                                 | TD | FR |
|                         |    |                          |                | 119      | CH                                 | TD | IT |
|                         |    |                          |                | 132      | CH                                 | ZW | FR |
|                         |    |                          |                | 6        | HK                                 | SD | ES |
|                         |    |                          |                | 4        | HK                                 | SN | ES |
|                         |    |                          |                | 176      | JP                                 | ML | FR |
|                         |    |                          |                | 6770     | JP                                 | SD | IT |
|                         |    |                          |                | 362      | US                                 | BJ | FR |
|                         |    |                          |                | 100      | US                                 | CM | FR |
|                         |    |                          |                | 600      | US                                 | ML | FR |
|                         |    |                          |                | 2        | US                                 | NG | ES |
|                         |    |                          |                | 200      | US                                 | SD | FR |

| CITES EEC<br>App. Annex | Taxon | Description        | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|--------------------|----------|------------------------------------|----|-------|
|                         |       |                    |          |                                    |    |       |
| II                      | C2    | Varanus niloticus  | skins    | 38                                 | US | SD IT |
|                         |       |                    |          | 568                                | US | SN ES |
|                         |       |                    |          | 25                                 | ZA | CM DE |
|                         |       |                    |          | 15                                 | ZA | SD DE |
|                         |       |                    |          | 140                                | ZA | TD IT |
|                         |       |                    | 37 m     |                                    | LB | SD IT |
|                         |       | skin/leather items |          | 155                                | CA | CM FR |
|                         |       |                    |          | 8                                  | CA | CM IT |
|                         |       |                    |          | 71                                 | CA | ML FR |
|                         |       |                    |          | 149                                | CA | ML IT |
|                         |       |                    |          | 79                                 | CA | NG IT |
|                         |       |                    |          | 407                                | CA | SD IT |
|                         |       |                    |          | 500                                | CA | TG ES |
|                         |       |                    |          | 53                                 | CH | CM FR |
|                         |       |                    |          | 4                                  | CH | ML BE |
|                         |       |                    |          | 433                                | CH | ML FR |
|                         |       |                    |          | 11                                 | CH | SD IT |
|                         |       |                    |          | 1                                  | CM | ML FR |
|                         |       |                    |          | 76                                 | HK | ML FR |
|                         |       |                    |          | 13                                 | HK | NG IT |
|                         |       |                    |          | 243                                | HK | SD IT |
|                         |       |                    |          | 7                                  | JP | CM FR |
|                         |       |                    |          | 7                                  | JP | ML BE |
|                         |       |                    |          | 480                                | JP | ML FR |
|                         |       |                    |          | 320                                | JP | SD IT |
|                         |       |                    |          | 9                                  | LB | SD IT |
|                         |       |                    |          | 72                                 | MT | SD IT |
|                         |       |                    |          | 630                                | RO | ML FR |
|                         |       |                    |          | 234                                | SE | ML IT |
|                         |       |                    |          | 18                                 | SE | SD IT |
|                         |       |                    |          | 8                                  | SE | VE IT |
|                         |       |                    |          | 24                                 | SG | CM FR |
|                         |       |                    |          | 1                                  | SG | ML FR |
|                         |       |                    |          | 308                                | SG | SD IT |
|                         |       |                    |          | 168                                | TH | SD IT |

| CITES EEC<br>App. Annex | Taxon | Description              | Quantity           | Country of<br>Import | Origin Export |
|-------------------------|-------|--------------------------|--------------------|----------------------|---------------|
| II                      | C2    | <i>Varanus niloticus</i> | skin/leather items | 72                   | TW SD IT      |
|                         |       |                          | 172                | US CM ES             |               |
|                         |       |                          | 9446               | US CM FR             |               |
|                         |       |                          | 7                  | US CM IT             |               |
|                         |       |                          | 8245               | US ML FR             |               |
|                         |       |                          | 3598               | US ML IT             |               |
|                         |       |                          | 24                 | US NG FR             |               |
|                         |       |                          | 69                 | US NG IT             |               |
|                         |       |                          | 5020               | US SD ES             |               |
|                         |       |                          | 443                | US SD FR             |               |
|                         |       |                          | 2753               | US SD IT             |               |
|                         |       |                          | 89                 | US TD IT             |               |
|                         |       |                          | 233                | US TG ES             |               |
|                         |       |                          | 7                  | US TH IT             |               |
|                         |       |                          | 363                | VE ML IT             |               |
|                         |       |                          | 4                  | XS SD IT             |               |
|                         |       |                          | 48                 | XX SD IT             |               |
|                         |       |                          | 24                 | ZA SD IT             |               |
|                         |       |                          | 4 pairs            | JP SD IT             |               |
|                         |       |                          | 30 pairs           | US SD IT             |               |
|                         |       | skin pieces              | 3                  | CA NG ES             |               |
|                         |       |                          | 550                | CH ML FR             |               |
|                         |       |                          | 184905             | MA SD FR             |               |
|                         |       |                          | 49021              | MU CM FR             |               |
|                         |       |                          | 145990             | MU ML FR             |               |
|                         |       |                          | 103044             | MU NG FR             |               |
|                         |       |                          | 29350              | MU SD FR             |               |
|                         |       |                          | 1526               | MU SE FR             |               |
|                         |       |                          | 32060              | MU TD FR             |               |
|                         |       |                          | 300                | US ML FR             |               |
|                         |       |                          | 66                 | US ML IT             |               |
|                         |       | wallets                  | 55                 | AE SD FR             |               |
|                         |       |                          | 4                  | AE SD IT             |               |
|                         |       |                          | 39                 | CA ML IT             |               |
|                         |       |                          | 1                  | CA SD IT             |               |

| CITES EEC<br>App. Annex | Taxon | Description              | Quantity    | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|--------------------------|-------------|------------------------------------|----|-------|
| II                      | C2    | <i>Varanus niloticus</i> | wallets     | 2                                  | CH | ML FR |
|                         |       |                          |             | 5                                  | CH | ML IT |
|                         |       |                          |             | 6                                  | CH | NG IT |
|                         |       |                          |             | 43                                 | CH | SD DE |
|                         |       |                          |             | 15                                 | CH | SD IT |
|                         |       |                          |             | 5139                               | HK | NG IT |
|                         |       |                          |             | 50                                 | HK | SD IT |
|                         |       |                          |             | 29                                 | JP | CM DE |
|                         |       |                          |             | 111                                | JP | ML FR |
|                         |       |                          |             | 58                                 | JP | NG IT |
|                         |       |                          |             | 98                                 | JP | SD DE |
|                         |       |                          |             | 696                                | JP | SD IT |
|                         |       |                          |             | 1                                  | MC | SD DE |
|                         |       |                          |             | 30                                 | PG | CM IT |
|                         |       |                          |             | 38                                 | SE | NG IT |
|                         |       |                          |             | 3                                  | SG | SD IT |
|                         |       |                          |             | 1                                  | SN | SN BE |
|                         |       |                          |             | 420                                | SV | SD IT |
|                         |       |                          |             | 542                                | US | CM DE |
|                         |       |                          |             | 296                                | US | CM ES |
|                         |       |                          |             | 24                                 | US | CM IT |
|                         |       |                          |             | 183                                | US | ML IT |
|                         |       |                          |             | 2906                               | US | NG IT |
|                         |       |                          |             | 300                                | US | SD DE |
|                         |       |                          |             | 9                                  | US | SD ES |
|                         |       |                          |             | 3281                               | US | SD IT |
|                         |       |                          | watchstraps | 4                                  | AD | CM FR |
|                         |       |                          |             | 55                                 | AD | ML FR |
|                         |       |                          |             | 15                                 | AE | ML FR |
|                         |       |                          |             | 130                                | AE | NG FR |
|                         |       |                          |             | 200                                | AT | MA FR |
|                         |       |                          |             | 1281                               | AT | ML DE |
|                         |       |                          |             | 100                                | AT | ML FR |
|                         |       |                          |             | 2                                  | AT | NG DE |
|                         |       |                          |             | 32                                 | AT | SD BE |

| CITES EEC<br>App. Annex | Taxon | Description              | Quantity    | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|--------------------------|-------------|------------------------------------|----|-------|
| II                      | C2    | <i>Varanus niloticus</i> | watchstraps | 224                                | AT | SD IT |
|                         |       |                          | 93          | AT                                 | TD | NL    |
|                         |       |                          | 11          | AU                                 | ML | FR    |
|                         |       |                          | 58          | AU                                 | NG | FR    |
|                         |       |                          | 100         | BH                                 | ML | FR    |
|                         |       |                          | 165         | CA                                 | CM | FR    |
|                         |       |                          | 1242        | CA                                 | ML | FR    |
|                         |       |                          | 178         | CA                                 | ML | IT    |
|                         |       |                          | 8330        | CA                                 | NG | FR    |
|                         |       |                          | 2293        | CA                                 | SD | DE    |
|                         |       |                          | 152         | CA                                 | SD | IT    |
|                         |       |                          | 150         | CA                                 | TD | FR    |
|                         |       |                          | 226         | CH                                 | AR | FR    |
|                         |       |                          | 75415       | CH                                 | CM | FR    |
|                         |       |                          | 526         | CH                                 | CO | FR    |
|                         |       |                          | 20          | CH                                 | GY | FR    |
|                         |       |                          | 30          | CH                                 | ML | BE    |
|                         |       |                          | 25822       | CH                                 | ML | DE    |
|                         |       |                          | 130440      | CH                                 | ML | FR    |
|                         |       |                          | 1425        | CH                                 | ML | IT    |
|                         |       |                          | 14777       | CH                                 | NG | FR    |
|                         |       |                          | 2926        | CH                                 | NG | IT    |
|                         |       |                          | 4           | CH                                 | SD | BE    |
|                         |       |                          | 10000       | CH                                 | SD | DE    |
|                         |       |                          | 24512       | CH                                 | SD | FR    |
|                         |       |                          | 2075        | CH                                 | SD | IT    |
|                         |       |                          | 920         | CH                                 | TD | FR    |
|                         |       |                          | 70          | CH                                 | TD | IT    |
|                         |       |                          | 103         | CH                                 | VE | FR    |
|                         |       |                          | 45          | CM                                 | ML | FR    |
|                         |       |                          | 15          | CN                                 | NG | FR    |
|                         |       |                          | 3700        | CO                                 | NG | FR    |
|                         |       |                          | 25          | CY                                 | NG | FR    |
|                         |       |                          | 100         | CY                                 | SD | IT    |
|                         |       |                          | 960         | FI                                 | ML | FR    |

| CITES EEC<br>App. Annex | TAXON | Description              | Quantity    | Country of<br>Import Origin Export |    |    |    |
|-------------------------|-------|--------------------------|-------------|------------------------------------|----|----|----|
| II                      | C2    | <i>Varanus niloticus</i> | watchstraps | 7268                               | HK | CM | FR |
|                         |       |                          | 515         | HK                                 | CM | IT |    |
|                         |       |                          | 1610        | HK                                 | ML | FR |    |
|                         |       |                          | 59336       | HK                                 | NG | FR |    |
|                         |       |                          | 1239        | HK                                 | NG | IT |    |
|                         |       |                          | 11108       | HK                                 | SD | IT |    |
|                         |       |                          | 2040        | HK                                 | TD | FR |    |
|                         |       |                          | 3280        | ID                                 | NG | FR |    |
|                         |       |                          | 50          | IL                                 | SD | FR |    |
|                         |       |                          | 6           | IS                                 | NG | FR |    |
|                         |       |                          | 1349        | JO                                 | ML | FR |    |
|                         |       |                          | 40          | JP                                 | CH | FR |    |
|                         |       |                          | 491         | JP                                 | CM | FR |    |
|                         |       |                          | 90          | JP                                 | IN | FR |    |
|                         |       |                          | 1           | JP                                 | ML | DK |    |
|                         |       |                          | 644         | JP                                 | ML | FR |    |
|                         |       |                          | 218         | JP                                 | NG | BE |    |
|                         |       |                          | 106         | JP                                 | NG | FR |    |
|                         |       |                          | 869         | JP                                 | SD | IT |    |
|                         |       |                          | 186         | JP                                 | TD | FR |    |
|                         |       |                          | 20          | KR                                 | NG | FR |    |
|                         |       |                          | 23          | KW                                 | CM | FR |    |
|                         |       |                          | 127         | KW                                 | ML | FR |    |
|                         |       |                          | 499         | KW                                 | NG | FR |    |
|                         |       |                          | 102285      | MA                                 | CM | FR |    |
|                         |       |                          | 4           | MC                                 | NG | FR |    |
|                         |       |                          | 400         | ML                                 | CH | FR |    |
|                         |       |                          | 60067       | MU                                 | CM | FR |    |
|                         |       |                          | 22415       | MU                                 | ML | FR |    |
|                         |       |                          | 22421       | MU                                 | NG | FR |    |
|                         |       |                          | 9420        | MU                                 | SD | FR |    |
|                         |       |                          | 1           | NC                                 | ML | FR |    |
|                         |       |                          | 5           | NC                                 | NG | FR |    |
|                         |       |                          | 30          | NO                                 | NG | FR |    |
|                         |       |                          | 65          | NO                                 | SD | IT |    |

| CITES EEC<br>App. Annex | Taxon | Description              | Quantity    | Country of<br>Import Origin Export |       |       |
|-------------------------|-------|--------------------------|-------------|------------------------------------|-------|-------|
| II                      | C2    | <i>Varanus niloticus</i> | watchstraps | 55                                 | NO    | SD NL |
|                         |       |                          | 50          | QA                                 | NG    | FR    |
|                         |       |                          | 21          | SA                                 | CM    | FR    |
|                         |       |                          | 1341        | SA                                 | ML    | FR    |
|                         |       |                          | 210         | SA                                 | NG    | FR    |
|                         |       |                          | 2700        | SE                                 | ML    | FR    |
|                         |       |                          | 79          | SE                                 | SD    | NL    |
|                         |       |                          | 200         | SE                                 | TD    | NL    |
|                         |       |                          | 2865        | SG                                 | CM    | FR    |
|                         |       |                          | 370         | SG                                 | ML    | FR    |
|                         |       |                          | 4401        | SG                                 | NG    | FR    |
|                         |       |                          | 25          | SG                                 | SD    | IT    |
|                         |       |                          | 1           | TD                                 | CM    | FR    |
|                         |       |                          | 264         | TG                                 | ML    | FR    |
|                         |       |                          | 240         | TN                                 | NG    | FR    |
|                         |       |                          | 39417       | US                                 | CM    | FR    |
|                         |       |                          | 2000        | US                                 | CM    | IT    |
|                         |       |                          | 111305      | US                                 | ML    | FR    |
|                         |       |                          | 22619       | US                                 | ML    | IT    |
|                         |       |                          | 3147        | US                                 | NG    | FR    |
|                         |       |                          | 23164       | US                                 | NG    | IT    |
|                         |       |                          | 78          | US                                 | SD    | BE    |
|                         |       |                          | 34078       | US                                 | SD    | DE    |
|                         |       |                          | 50          | US                                 | SD    | FR    |
|                         |       |                          | 35778       | US                                 | SD    | IT    |
|                         |       |                          | 6525        | US                                 | TD    | FR    |
|                         |       |                          | 1           | XS                                 | SD    | IT    |
|                         |       |                          | 223         | ZA                                 | CM    | FR    |
|                         |       |                          | 661         | ZA                                 | ML    | FR    |
| C2                      |       | <i>Varanus prasinus</i>  | live        | 4                                  | CH    | ID IT |
| C2                      |       | <i>Varanus salvator</i>  | belts       | 33                                 | AE    | ID FR |
|                         |       |                          | 89          | AT                                 | ID DE |       |
|                         |       |                          | 27          | AT                                 | ID IT |       |

| CITES EEC<br>App. Annex | TAXON | Description      | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|------------------|----------|------------------------------------|----|-------|
| II                      | C2    | Varanus salvator | belts    | 1                                  | AT | TH IT |
|                         |       |                  | 3        | AU                                 | ID | ES    |
|                         |       |                  | 1        | CA                                 | ID | ES    |
|                         |       |                  | 1        | CA                                 | ID | FR    |
|                         |       |                  | 91       | CA                                 | ID | IT    |
|                         |       |                  | 10       | CA                                 | TH | ES    |
|                         |       |                  | 123      | CH                                 | ID | DE    |
|                         |       |                  | 325      | CH                                 | ID | ES    |
|                         |       |                  | 27       | CH                                 | ID | FR    |
|                         |       |                  | 66       | CH                                 | ID | IT    |
|                         |       |                  | 991      | CH                                 | TH | ES    |
|                         |       |                  | 1        | CH                                 | TH | FR    |
|                         |       |                  | 54       | CH                                 | TH | IT    |
|                         |       |                  | 30       | GU                                 | TH | IT    |
|                         |       |                  | 140      | HK                                 | ID | IT    |
|                         |       |                  | 24       | HK                                 | TH | IT    |
|                         |       |                  | 2        | JP                                 | ID | FR    |
|                         |       |                  | 2        | JP                                 | ID | GB    |
|                         |       |                  | 394      | JP                                 | ID | IT    |
|                         |       |                  | 120      | JP                                 | SD | IT    |
|                         |       |                  | 124      | JP                                 | TH | IT    |
|                         |       |                  | 12       | NO                                 | ID | IT    |
|                         |       |                  | 42       | SG                                 | ID | IT    |
|                         |       |                  | 8        | US                                 | ID | DE    |
|                         |       |                  | 550      | US                                 | ID | ES    |
|                         |       |                  | 19       | US                                 | ID | FR    |
|                         |       |                  | 374      | US                                 | ID | GB    |
|                         |       |                  | 2093     | US                                 | ID | IT    |
|                         |       |                  | 1525     | US                                 | TH | ES    |
|                         |       |                  | 2        | US                                 | TH | FR    |
|                         |       |                  | 389      | US                                 | TH | IT    |
|                         |       |                  | 89       | XX                                 | ID | GB    |
|                         |       | bodies           | 18       | XX                                 | ID | GB    |
|                         |       | garments         | 8        | AT                                 | ID | IT    |
|                         |       |                  | 4        | CA                                 | ID | IT    |

| CITES EEC<br>App. Annex | Taxon | Description      | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|------------------|----------|------------------------------------|----|-------|
| II                      | C2    | Varanus salvator | garments | 4                                  | CH | ID IT |
|                         |       |                  | 2        | HK                                 | ID | IT    |
|                         |       |                  | 20       | US                                 | ID | IT    |
|                         |       |                  | 1        | US                                 | IN | IT    |
|                         |       | handbags         | 5        | AE                                 | ID | IT    |
|                         |       |                  | 42       | AN                                 | ID | IT    |
|                         |       |                  | 12       | AT                                 | ID | DE    |
|                         |       |                  | 13       | AT                                 | ID | FR    |
|                         |       |                  | 84       | AT                                 | ID | IT    |
|                         |       |                  | 5        | AT                                 | TH | DE    |
|                         |       |                  | 2        | CA                                 | ID | FR    |
|                         |       |                  | 48       | CA                                 | ID | IT    |
|                         |       |                  | 63       | CA                                 | TH | IT    |
|                         |       |                  | 63       | CH                                 | ID | DE    |
|                         |       |                  | 58       | CH                                 | ID | ES    |
|                         |       |                  | 71       | CH                                 | ID | FR    |
|                         |       |                  | 122      | CH                                 | ID | IT    |
|                         |       |                  | 1        | CH                                 | NG | IT    |
|                         |       |                  | 57       | CH                                 | TH | DE    |
|                         |       |                  | 9        | CH                                 | TH | FR    |
|                         |       |                  | 33       | CH                                 | TH | IT    |
|                         |       |                  | 2        | EG                                 | TH | IT    |
|                         |       |                  | 8        | FI                                 | ID | IT    |
|                         |       |                  | 43       | FI                                 | TH | IT    |
|                         |       |                  | 3        | GU                                 | TH | IT    |
|                         |       |                  | 2        | HK                                 | BD | IT    |
|                         |       |                  | 3        | HK                                 | ID | DE    |
|                         |       |                  | 428      | HK                                 | ID | FR    |
|                         |       |                  | 353      | HK                                 | ID | IT    |
|                         |       |                  | 15       | HK                                 | TH | DE    |
|                         |       |                  | 14       | HK                                 | TH | FR    |
|                         |       |                  | 218      | HK                                 | TH | IT    |
|                         |       |                  | 8        | IL                                 | ID | GB    |
|                         |       |                  | 3        | JO                                 | TH | IT    |
|                         |       |                  | 3        | JP                                 | AU | FR    |

| CITES EEC<br>App. Annex | Taxon | Description             | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|-------------------------|----------|------------------------------------|----|-------|
| II                      | C2    | <i>Varanus salvator</i> | handbags | 118                                | JP | ID DE |
|                         |       |                         |          | 220                                | JP | ID FR |
|                         |       |                         |          | 2210                               | JP | ID IT |
|                         |       |                         |          | ?                                  | JP | PG IT |
|                         |       |                         |          | 8                                  | JP | SD IT |
|                         |       |                         |          | 42                                 | JP | TH DE |
|                         |       |                         |          | 13                                 | JP | TH FR |
|                         |       |                         |          | 1761                               | JP | TH IT |
|                         |       |                         |          | 35                                 | JP | ZA IT |
|                         |       |                         |          | 5                                  | KR | ID FR |
|                         |       |                         |          | 6                                  | KR | ID IT |
|                         |       |                         |          | 26                                 | KR | TH IT |
|                         |       |                         |          | 1                                  | KW | ID FR |
|                         |       |                         |          | 19                                 | KW | ID IT |
|                         |       |                         |          | 8                                  | KW | TH FR |
|                         |       |                         |          | 5                                  | LB | ID IT |
|                         |       |                         |          | 1                                  | LB | TH FR |
|                         |       |                         |          | 3                                  | MT | ID IT |
|                         |       |                         |          | 7                                  | NG | ID IT |
|                         |       |                         |          | 2                                  | NO | ID DE |
|                         |       |                         |          | 31                                 | SA | ID IT |
|                         |       |                         |          | 4                                  | SA | TH IT |
|                         |       |                         |          | 1                                  | SD | ID IT |
|                         |       |                         |          | 3                                  | SD | TH IT |
|                         |       |                         |          | 13                                 | SE | ID IT |
|                         |       |                         |          | 93                                 | SG | ID FR |
|                         |       |                         |          | 1                                  | SG | ID IT |
|                         |       |                         |          | 112                                | SG | TH IT |
|                         |       |                         |          | 1                                  | TH | GY IT |
|                         |       |                         |          | 3                                  | TH | ID IT |
|                         |       |                         |          | 2                                  | TW | ID FR |
|                         |       |                         |          | 9                                  | TW | ID IT |
|                         |       |                         |          | 4                                  | TW | TH IT |
|                         |       |                         |          | 8                                  | US | BD IT |
|                         |       |                         |          | 242                                | US | ID DE |

| CITES EEC<br>App. Annex | TAXON | Description      | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|------------------|----------|------------------------------------|----|-------|
| II                      | C2    | Varanus salvator | handbags | 232                                | US | ID ES |
|                         |       |                  |          | 526                                | US | ID FR |
|                         |       |                  |          | 2                                  | US | ID GB |
|                         |       |                  |          | 2690                               | US | ID IT |
|                         |       |                  |          | 6                                  | US | SD IT |
|                         |       |                  |          | 91                                 | US | TH DE |
|                         |       |                  |          | 36                                 | US | TH ES |
|                         |       |                  |          | 27                                 | US | TH FR |
|                         |       |                  |          | 1712                               | US | TH IT |
|                         |       |                  |          | 22                                 | XS | ID IT |
|                         |       |                  |          | 22                                 | XX | ID GB |
|                         |       | live             |          | 173                                | AT | ID GB |
|                         |       |                  |          | 3                                  | CH | MY IT |
|                         |       |                  |          | 2                                  | SE | ID NL |
|                         |       |                  |          | 85                                 | US | ID GB |
|                         |       | pairs of shoes   |          | 77                                 | AE | ID IT |
|                         |       |                  |          | 6                                  | AN | ID IT |
|                         |       |                  |          | 47                                 | AT | ID DE |
|                         |       |                  |          | 38                                 | AT | ID IT |
|                         |       |                  |          | 6                                  | AU | ID IT |
|                         |       |                  |          | 96                                 | AU | SG ES |
|                         |       |                  |          | 170                                | AU | TH IT |
|                         |       |                  |          | 1                                  | BD | ID IT |
|                         |       |                  |          | 604                                | CA | ID IT |
|                         |       |                  |          | 145                                | CA | IS IT |
|                         |       |                  |          | 494                                | CA | TH IT |
|                         |       |                  |          | 322                                | CH | ID DE |
|                         |       |                  |          | 14                                 | CH | ID FR |
|                         |       |                  |          | 798                                | CH | ID IT |
|                         |       |                  |          | 161                                | CH | TH IT |
|                         |       |                  |          | 90                                 | DM | ID IT |
|                         |       |                  |          | 2                                  | EG | TH IT |
|                         |       |                  |          | 84                                 | HK | ID ES |
|                         |       |                  |          | 439                                | HK | ID IT |
|                         |       |                  |          | 243                                | HK | TH IT |

| CITES EEC<br>App. Annex | Taxon | Description      | Quantity       | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|------------------|----------------|------------------------------------|----|-------|
| II                      | C2    | Varanus salvator | pairs of shoes | 192                                | ID | GH IT |
|                         |       |                  | 1              | ID                                 | TH | IT    |
|                         |       |                  | 28             | IL                                 | ID | IT    |
|                         |       |                  | 16             | JO                                 | ID | IT    |
|                         |       |                  | 24             | JO                                 | TH | IT    |
|                         |       |                  | 257            | JP                                 | AR | IT    |
|                         |       |                  | 12             | JP                                 | ID | DE    |
|                         |       |                  | 3              | JP                                 | IO | ES    |
|                         |       |                  | 43             | JP                                 | ID | FR    |
|                         |       |                  | 38             | JP                                 | ID | GB    |
|                         |       |                  | 2009           | JP                                 | ID | IT    |
|                         |       |                  | 28             | JP                                 | TH | FR    |
|                         |       |                  | 1220           | JP                                 | TH | IT    |
|                         |       |                  | 9              | KR                                 | ID | IT    |
|                         |       |                  | 50             | KR                                 | TH | IT    |
|                         |       |                  | 31             | KW                                 | ID | DE    |
|                         |       |                  | 118            | KW                                 | ID | IT    |
|                         |       |                  | 84             | KW                                 | TH | ES    |
|                         |       |                  | 29             | KW                                 | TH | IT    |
|                         |       |                  | 25             | LB                                 | ID | IT    |
|                         |       |                  | 32             | LB                                 | TH | ES    |
|                         |       |                  | 2              | MX                                 | ID | IT    |
|                         |       |                  | 7              | NG                                 | ID | IT    |
|                         |       |                  | 11             | NO                                 | ID | ES    |
|                         |       |                  | 1              | NO                                 | TH | ES    |
|                         |       |                  | 16             | PA                                 | ID | IT    |
|                         |       |                  | 30             | QA                                 | ID | IT    |
|                         |       |                  | 187            | SA                                 | ID | IT    |
|                         |       |                  | 56             | SA                                 | TH | IT    |
|                         |       |                  | 100            | SE                                 | ID | ES    |
|                         |       |                  | 45             | SE                                 | TH | ES    |
|                         |       |                  | 26             | SE                                 | TH | IT    |
|                         |       |                  | 389            | SG                                 | ID | ES    |
|                         |       |                  | 87             | SG                                 | ID | IT    |
|                         |       |                  | 329            | SG                                 | TH | ES    |

| CITES EEC<br>App. Annex | TAXON | Description      | Quantity       | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|------------------|----------------|------------------------------------|----|-------|
| II                      | C2    | Varanus salvator | pairs of shoes | 20                                 | SG | TH IT |
|                         |       |                  | 124            | TH                                 | TH | IT    |
|                         |       |                  | 205            | TW                                 | ID | IT    |
|                         |       |                  | 92             | TW                                 | TH | IT    |
|                         |       |                  | 147            | US                                 | AR | IT    |
|                         |       |                  | 49             | US                                 | ID | DE    |
|                         |       |                  | 6836           | US                                 | ID | ES    |
|                         |       |                  | 440            | US                                 | ID | FR    |
|                         |       |                  | 7795           | US                                 | ID | IT    |
|                         |       |                  | 4              | US                                 | SD | IT    |
|                         |       |                  | 192            | US                                 | SG | ES    |
|                         |       |                  | 3105           | US                                 | TH | ES    |
|                         |       |                  | 11284          | US                                 | TH | IT    |
|                         |       |                  | 3              | VE                                 | ID | IT    |
|                         |       |                  | 28             | XS                                 | ID | IT    |
|                         |       |                  | 394            | XX                                 | ID | ES    |
|                         |       |                  | 2              | XX                                 | ID | GB    |
|                         |       |                  | 58             | ZA                                 | ID | IT    |
|                         |       |                  | 8              | ZR                                 | ID | IT    |
|                         |       | skins            | 5851           | AT                                 | ID | DE    |
|                         |       |                  | 1960           | AT                                 | ID | FR    |
|                         |       |                  | 981            | AT                                 | ID | GB    |
|                         |       |                  | 93             | AT                                 | ID | IT    |
|                         |       |                  | 458            | AT                                 | TH | DE    |
|                         |       |                  | 499            | AT                                 | TH | ES    |
|                         |       |                  | 20             | AU                                 | ID | IT    |
|                         |       |                  | 4              | CA                                 | ID | ES    |
|                         |       |                  | 950            | CA                                 | ID | GB    |
|                         |       |                  | 20             | CA                                 | TH | IT    |
|                         |       |                  | 2              | CH                                 | ID | DE    |
|                         |       |                  | 7240           | CH                                 | ID | FR    |
|                         |       |                  | 119            | CH                                 | ID | IT    |
|                         |       |                  | 4              | CH                                 | TH | DE    |
|                         |       |                  | 25             | CH                                 | TH | FR    |
|                         |       |                  | 1              | HK                                 | ID | ES    |

| CITES EEC<br>App. Annex | Taxon | Description             | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|-------------------------|----------|------------------------------------|----|-------|
| II                      | C2    | <i>Varanus salvator</i> | skins    | 2561                               | HK | ID FR |
|                         |       |                         |          | 3129                               | HK | ID IT |
|                         |       |                         |          | 120                                | HK | TH DE |
|                         |       |                         |          | 12                                 | HK | TH ES |
|                         |       |                         |          | 135                                | JP | ID GB |
|                         |       |                         |          | 508                                | JP | ID IT |
|                         |       |                         |          | 600                                | KR | ID IT |
|                         |       |                         |          | 6                                  | MU | ID FR |
|                         |       |                         |          | 385                                | MX | ID FR |
|                         |       |                         |          | 12                                 | MX | ID IT |
|                         |       |                         |          | 157                                | TR | ID IT |
|                         |       |                         |          | 10                                 | US | BD DE |
|                         |       |                         |          | 156                                | US | ID DE |
|                         |       |                         |          | 607                                | US | ID ES |
|                         |       |                         |          | 1279                               | US | ID FR |
|                         |       |                         |          | 3393                               | US | ID GB |
|                         |       |                         |          | 1018                               | US | ID IT |
|                         |       |                         |          | 2981                               | US | MY GB |
|                         |       |                         |          | 4447                               | VE | ID IT |
|                         |       |                         |          | 25                                 | ZA | ID DE |
|                         |       |                         |          | 25                                 | ZA | TH DE |
|                         |       |                         | 2889 cm  |                                    | AT | ID IT |
|                         |       |                         | 107 cm   |                                    | US | ID IT |
|                         |       |                         | 153 cm   |                                    | US | TH IT |
|                         |       |                         | 1656 m   |                                    | CH | TH IT |
|                         |       |                         | 72 m     |                                    | US | ID IT |
|                         |       | skin/leather items      |          | 1                                  | AN | ID IT |
|                         |       |                         |          | 8                                  | AT | ID IT |
|                         |       |                         |          | 4                                  | AT | TH IT |
|                         |       |                         |          | 67                                 | BN | ID GB |
|                         |       |                         |          | 26                                 | CA | ID FR |
|                         |       |                         |          | 1                                  | CA | TH IT |
|                         |       |                         |          | 24                                 | CH | ID BE |
|                         |       |                         |          | 96                                 | CH | ID FR |
|                         |       |                         |          | 8                                  | CH | TH FR |

| CITES EEC<br>App. Annex | Taxon | Description      | Quantity           | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|------------------|--------------------|------------------------------------|----|-------|
| II                      | C2    | Varanus salvator | skin/leather items | 5                                  | CH | TH IT |
|                         |       |                  | 128                | HK                                 | ID | FR    |
|                         |       |                  | 61                 | HK                                 | ID | IT    |
|                         |       |                  | 1                  | HK                                 | TH | FR    |
|                         |       |                  | 4                  | HK                                 | TH | IT    |
|                         |       |                  | 184                | JP                                 | ID | FR    |
|                         |       |                  | 160                | JP                                 | ID | GB    |
|                         |       |                  | 1010               | JP                                 | ID | IT    |
|                         |       |                  | 16                 | JP                                 | TH | FR    |
|                         |       |                  | 94                 | JP                                 | TH | IT    |
|                         |       |                  | 26                 | KR                                 | ID | FR    |
|                         |       |                  | 12                 | MT                                 | ID | IT    |
|                         |       |                  | 6                  | OM                                 | ID | GB    |
|                         |       |                  | 6                  | SE                                 | ID | IT    |
|                         |       |                  | 6                  | SG                                 | ID | FR    |
|                         |       |                  | 90                 | SG                                 | TH | IT    |
|                         |       |                  | 120                | TH                                 | ID | IT    |
|                         |       |                  | 235                | TW                                 | ID | FR    |
|                         |       |                  | 54                 | TW                                 | ID | IT    |
|                         |       |                  | 9531               | US                                 | ID | ES    |
|                         |       |                  | 1355               | US                                 | ID | FR    |
|                         |       |                  | 79                 | US                                 | ID | GB    |
|                         |       |                  | 3629               | US                                 | ID | IT    |
|                         |       |                  | 80                 | US                                 | SG | ES    |
|                         |       |                  | 613                | US                                 | TH | ES    |
|                         |       |                  | 23                 | US                                 | TH | FR    |
|                         |       |                  | 537                | US                                 | TH | IT    |
|                         |       |                  | ?                  | XS                                 | TH | IT    |
|                         |       |                  | 182                | XX                                 | ID | GB    |
|                         |       | skin pieces      | 4                  | AT                                 | ID | DE    |
|                         |       |                  | 5                  | CH                                 | ID | DE    |
|                         |       |                  | 1                  | JP                                 | ID | DE    |
|                         |       |                  | 3100               | MU                                 | ID | FR    |
|                         |       | wallets          | 18                 | US                                 | TH | IT    |
|                         |       |                  | 14                 | CA                                 | ID | DE    |

| CITES EEC<br>App. Annex |    | TAXON                   | Description | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----|-------------------------|-------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Varanus salvator</i> | wallets     | 4        | CA                                 | TH | IT |
|                         |    |                         |             | 127      | CH                                 | ID | DE |
|                         |    |                         |             | 2        | CH                                 | ID | FR |
|                         |    |                         |             | 2        | CH                                 | ID | IT |
|                         |    |                         |             | 44       | CH                                 | TH | DE |
|                         |    |                         |             | 1        | CH                                 | TH | FR |
|                         |    |                         |             | 1        | CM                                 | ID | FR |
|                         |    |                         |             | 116      | HK                                 | ID | GB |
|                         |    |                         |             | 9        | HK                                 | ID | IT |
|                         |    |                         |             | 122      | JP                                 | ID | DE |
|                         |    |                         |             | 2        | JP                                 | ID | FR |
|                         |    |                         |             | 637      | JP                                 | ID | GB |
|                         |    |                         |             | 39       | JP                                 | ID | IT |
|                         |    |                         |             | 24       | JP                                 | TH | DE |
|                         |    |                         |             | 221      | US                                 | ID | DE |
|                         |    |                         |             | 8836     | US                                 | ID | ES |
|                         |    |                         |             | 8        | US                                 | ID | FR |
|                         |    |                         |             | 454      | US                                 | ID | GB |
|                         |    |                         |             | 352      | US                                 | ID | IT |
|                         |    |                         |             | 248      | US                                 | SG | ES |
|                         |    |                         |             | 73       | US                                 | TD | IT |
|                         |    |                         |             | 237      | US                                 | TH | DE |
|                         |    |                         |             | 439      | US                                 | TH | ES |
|                         |    |                         |             | 5        | US                                 | TH | FR |
|                         |    |                         |             | 876      | US                                 | TH | IT |
|                         |    |                         |             | 908      | XX                                 | ID | GB |
|                         |    |                         | watchstraps | 3548     | AT                                 | ID | DE |
|                         |    |                         |             | 213      | AT                                 | ID | NL |
|                         |    |                         |             | 351      | AT                                 | TH | FR |
|                         |    |                         |             | 3533     | CA                                 | ID | DE |
|                         |    |                         |             | 30       | CA                                 | ID | FR |
|                         |    |                         |             | 504      | CA                                 | ID | GB |
|                         |    |                         |             | 5        | CA                                 | TH | DE |
|                         |    |                         |             | 90957    | CH                                 | ID | DE |
|                         |    |                         |             | 30876    | CH                                 | ID | FR |

| CITES EEC<br>App. Annex | TAXON | Description                     | Quantity    | Country of<br>Import Origin Export |       |       |  |
|-------------------------|-------|---------------------------------|-------------|------------------------------------|-------|-------|--|
| II                      | C2    | <i>Varanus salvator</i>         | watchstraps | 200                                | CH    | SG FR |  |
|                         |       |                                 | 12770       | CH                                 | TH DE |       |  |
|                         |       |                                 | 1390        | CH                                 | TH FR |       |  |
|                         |       |                                 | 90          | CH                                 | TH IT |       |  |
|                         |       |                                 | 10          | DD                                 | ID FR |       |  |
|                         |       |                                 | 70          | FI                                 | ID NL |       |  |
|                         |       |                                 | 370         | FI                                 | TH NL |       |  |
|                         |       |                                 | 1851        | HK                                 | ID DE |       |  |
|                         |       |                                 | 66          | HK                                 | ID FR |       |  |
|                         |       |                                 | 337         | HK                                 | ID GB |       |  |
|                         |       |                                 | 8           | IL                                 | ID FR |       |  |
|                         |       |                                 | 1072        | JP                                 | ID FR |       |  |
|                         |       |                                 | 1           | JP                                 | TH DE |       |  |
|                         |       |                                 | 40          | JP                                 | TH FR |       |  |
|                         |       |                                 | 678         | NO                                 | ID NL |       |  |
|                         |       |                                 | 13236       | SE                                 | ID DE |       |  |
|                         |       |                                 | 483         | SE                                 | ID NL |       |  |
|                         |       |                                 | 858         | SE                                 | TH DE |       |  |
|                         |       |                                 | 550         | SE                                 | TH NL |       |  |
|                         |       |                                 | 172         | US                                 | ID BE |       |  |
|                         |       |                                 | 278716      | US                                 | ID DE |       |  |
|                         |       |                                 | 91          | US                                 | ID FR |       |  |
|                         |       |                                 | 114         | US                                 | ID NL |       |  |
|                         |       |                                 | 1000        | US                                 | SD IT |       |  |
|                         |       |                                 | 1063        | US                                 | TH DE |       |  |
|                         |       |                                 | 21975       | US                                 | TH FR |       |  |
| C2                      |       | <i>Varanus salvator cumingi</i> | handbags    | 2                                  | US    | PH FR |  |
|                         |       |                                 | watchstraps | 9                                  | CH    | NG FR |  |
|                         |       |                                 | 3520        | CH                                 | PH FR |       |  |
| C2                      |       | <i>Varanus semiremex</i>        | belts       | 450                                | US    | SD ES |  |
| C2                      |       | <i>Boa constrictor</i>          | belts       | 5                                  | TW    | PY IT |  |
|                         |       |                                 | 10          | US                                 | PY IT |       |  |

| CITES EEC<br>App. Annex | TAXON  | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|--|---------------------|----------|------------------------------------|----|----|
| II                      | C2 <i>Boa constrictor</i>                    | handbags            | ?        | AT                                 | TH | ES |
|                         |  |                     | 126      | US                                 | AR | ES |
|                         |  | live (captive bred) | 2        | CH                                 |    | DE |
|                         |  |                     | 2        | FI                                 |    | DE |
|                         |  |                     | 14       | IL                                 | CS | DE |
|                         |  |                     | 5        | JP                                 |    | DE |
|                         |  |                     | 20       | RO                                 |    | NL |
|                         |  | live                | 1        | CA                                 | XX | DE |
|                         |  |                     | 2        | FI                                 | HN | DE |
|                         |  |                     | 1        | SE                                 | US | DK |
|                         |  | pairs of shoes      | 12       | AT                                 | TH | ES |
|                         |  |                     | 1        | AU                                 | AR | ES |
|                         |  |                     | 110      | CA                                 | AR | ES |
|                         |  |                     | 20       | JP                                 | AR | ES |
|                         |  |                     | 138      | KW                                 | AR | IT |
|                         |  |                     | 1428     | PR                                 | AR | ES |
|                         |  |                     | 7276     | US                                 | AR | ES |
|                         |  |                     | 2640     | US                                 | AR | IT |
|                         |  |                     | 1        | US                                 | CO | IT |
|                         |  | skins               | 50       | CA                                 | AR | ES |
|                         |  |                     | 2        | US                                 | AR | ES |
|                         |  | skin/leather items  | 100      | US                                 | AR | ES |
| C2                      | <i>Boa constrictor</i><br><i>constrictor</i> | belts               | 43       | US                                 | PY | IT |
|                         |  | handbags            | 3        | CH                                 |    | IT |
|                         |  | pairs of shoes      | 40       | CA                                 | PY | IT |
|                         |  |                     | 34       | CH                                 |    | IT |
|                         |  |                     | 18       | CH                                 | PY | IT |
|                         |  |                     | 77       | JP                                 | PY | IT |
|                         |  |                     | 9        | LB                                 | AR | IT |
|                         |  |                     | 156      | QA                                 | AR | IT |
|                         |  |                     | 14797    | US                                 | AR | IT |
|                         |  |                     | 78       | US                                 | CO | IT |
|                         |  |                     | 708      | US                                 | PE | IT |

| CITES EEC<br>App. Annex | TAXON   | Description                 | Quantity                 | Country of<br>Import Origin Export |                      |                      |
|-------------------------|---|-----------------------------|--------------------------|------------------------------------|----------------------|----------------------|
| II                      | C2 <i>Boa constrictor</i><br><i>constrictor</i> | pairs of shoes<br>skins     | 16<br>14<br>263<br>139 m | US<br>AT<br>US<br>US               | PY<br>PY<br>PY<br>AR | IT<br>IT<br>IT<br>IT |
| C2                      | <i>Boa constrictor imperator</i>                | live (captive bred)<br>live | 5<br>6<br>2              | JP<br>EG<br>LY                     | DD<br>HN<br>HN       | DE<br>DE<br>DE       |
|                         | <i>Calabaria reinhardtii</i>                    | pairs of shoes              | 4                        | US                                 | AR                   | ES                   |
|                         | <i>Candoia carinata</i>                         | live (captive bred)         | 2<br>4                   | CH<br>SU                           | NL<br>NL             | DE<br>DE             |
|                         | <i>Epicrates angulifer</i>                      | live (captive bred)         | 4<br>2                   | CH<br>EG                           | DD<br>CS             | DE<br>DE             |
|                         | <i>Epicrates cenchria</i>                       | live                        | 2<br>3                   | DD<br>FI                           | AR<br>GY             | DE<br>DE             |
|                         | <i>Epicrates fordii</i>                         | live (captive bred)<br>live | 2<br>1                   | DD<br>DD                           | US<br>HT             | DE<br>DE             |
|                         | <i>Eryx colubrinus</i>                          | live                        | 5                        | JP                                 | EG                   | DE                   |
|                         | <i>Eryx miliaris</i>                            | live (captive bred)<br>live | 4<br>7                   | US<br>US                           | SU<br>SU             | NL<br>NL             |
|                         | <i>Eryx tataricus</i>                           | live (captive bred)         | 4                        | US                                 | SU                   | NL                   |
| C2                      | <i>Eunectes</i> spp.                            | skins                       | 180<br>48<br>2           | MX<br>MX<br>US                     | AR<br>XX             | ES<br>ES             |

| CITES EEC<br>App. Annex | Taxon                      | Description    | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------------|----------------|----------|------------------------------------|----|----|
| II                      | C2 <i>Eunectes murinus</i> | belts          | 1        | JP                                 | AR | IT |
|                         |                            | handbags       | 1        | CH                                 | GY | IT |
|                         |                            |                | 87       | JP                                 | AR | IT |
|                         |                            |                | 9        | XS                                 | AR | IT |
|                         |                            | pairs of shoes | 67       | AT                                 | AR | IT |
|                         |                            |                | 332      | CA                                 | AR | IT |
|                         |                            |                | 55       | CH                                 | AR | IT |
|                         |                            |                | 6        | CH                                 | GY | IT |
|                         |                            |                | 37       | JP                                 | AR | IT |
|                         |                            |                | 62       | JP                                 | GY | IT |
|                         |                            |                | 2        | QA                                 | GY | IT |
|                         |                            |                | 27       | SA                                 | GY | IT |
|                         |                            |                | 2862     | US                                 | AR | IT |
|                         |                            |                | 14       | US                                 | GY | IT |
|                         |                            | wallets        | 2        | JP                                 | AR | IT |
| C2                      | <i>Eunectes notaeus</i>    | belts          | 60       | CH                                 | AR | IT |
|                         |                            |                | 30       | JP                                 | AR | IT |
|                         |                            | garments       | 35       | US                                 | AR | IT |
|                         |                            | handbags       | 28       | AT                                 | AR | IT |
|                         |                            |                | 30       | CA                                 | AR | IT |
|                         |                            |                | 17       | CH                                 | AR | IT |
|                         |                            |                | 66       | HK                                 | AR | IT |
|                         |                            |                | 2149     | JP                                 | AR | IT |
|                         |                            |                | 20       | SE                                 | AR | IT |
|                         |                            |                | 1        | US                                 | AR | IT |
|                         |                            | pairs of shoes | 887      | CA                                 | AR | IT |
|                         |                            |                | 6        | JP                                 | AR | IT |
|                         |                            |                | 69       | TW                                 | PY | IT |
|                         |                            |                | 1537     | US                                 | AR | ES |
|                         |                            |                | 1805     | US                                 | AR | IT |
|                         |                            |                | 718      | US                                 | PY | IT |
|                         |                            | skins          | 506      | US                                 | XX | ES |
|                         |                            |                | 230 m    | HK                                 | AR | IT |
|                         |                            |                | 11 m     | MT                                 | AR | IT |

| CITES EEC<br>App. Annex | Taxon                             | Description             | Quantity                    | Country of<br>Import Origin Export |                                  |                                  |
|-------------------------|-----------------------------------|-------------------------|-----------------------------|------------------------------------|----------------------------------|----------------------------------|
| II                      | C2 <i>Eunectes notaeus</i>        | skins                   | 29 m<br>14752 m<br>4 m<br>4 | TR<br>US<br>VE<br>JP               | ID<br>AR<br>AR<br>AR             | IT<br>IT<br>IT<br>IT             |
|                         |                                   | skin/leather items      | 4                           |                                    |                                  |                                  |
|                         | C2 <i>Morelia amethystina</i>     | live                    | 1<br>4<br>4                 | AT<br>CH<br>SU                     | ID<br>ID<br>ID                   | DE<br>IT<br>DE                   |
|                         |                                   |                         |                             |                                    |                                  |                                  |
|                         |                                   | <i>Morelia mackloti</i> | live (captive bred)         | 1<br>4<br>2<br>2                   | AT<br>CH<br>CH<br>SU             | DE<br>DE<br>NL<br>DE             |
|                         | C2 <i>Morelia spilota</i>         | live (captive bred)     | 1<br>10<br>4<br>4           | AT<br>CH<br>CS<br>SU               |                                  | DE<br>DE<br>DE<br>DE             |
|                         |                                   |                         |                             |                                    |                                  |                                  |
|                         | C2 <i>Morelia spilota spilota</i> | pairs of shoes          | 10<br>20                    | JP<br>US                           | SG<br>TH                         | ES<br>ES                         |
|                         |                                   |                         |                             |                                    |                                  |                                  |
|                         |                                   | <i>Morelia viridis</i>  | live (captive bred)         | 2<br>13<br>2<br>1<br>6<br>2        | AU<br>CH<br>CS<br>SE<br>US<br>SE | DE<br>IT<br>DE<br>NL<br>IT<br>DK |
|                         |                                   |                         | live                        |                                    | US                               | US                               |
|                         | C2 <i>Python spp.</i>             | pairs of shoes          | 13                          | US                                 | AR                               | ES                               |
|                         |                                   |                         |                             |                                    |                                  |                                  |
|                         | C2 <i>Python curtus</i>           | belts<br>handbags       | 50<br>20<br>162<br>91       | CA<br>AT<br>CA<br>CH               | ID<br>ID<br>ID<br>ID             | IT<br>IT<br>IT<br>IT             |

| CITES EEC<br>App. Annex | Taxon                            | Description        | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------------------|--------------------|----------|------------------------------------|----|----|
| II                      | C2 <i>Python curtus</i>          | handbags           | 1        | CH                                 | SG | ES |
|                         |                                  |                    | 15       | HK                                 | ID | IT |
|                         |                                  |                    | 3        | JO                                 | ID | IT |
|                         |                                  |                    | 4        | JP                                 | ID | IT |
|                         |                                  |                    | 2        | JP                                 | TH | IT |
|                         |                                  |                    | 7        | US                                 | ID | IT |
|                         |                                  | live               | 2        | CH                                 | MY | DE |
|                         |                                  |                    | 6        | CH                                 | MY | IT |
|                         |                                  |                    | 1        | CH                                 | TH | DE |
|                         |                                  |                    | 4        | EG                                 | MY | DE |
|                         |                                  |                    | 2        | FI                                 | MY | DE |
|                         |                                  | pairs of shoes     | 232      | AT                                 | ID | IT |
|                         |                                  |                    | 756      | CA                                 | ID | IT |
|                         |                                  |                    | 1049     | CH                                 | ID | IT |
|                         |                                  |                    | 13       | JO                                 | ID | IT |
|                         |                                  |                    | 49       | JP                                 | ID | IT |
|                         |                                  |                    | 678      | US                                 | ID | IT |
|                         |                                  |                    | 256      | US                                 | SG | ES |
|                         |                                  |                    | 78       | US                                 | TH | ES |
|                         |                                  | skins              | 10       | JP                                 | ID | FR |
|                         |                                  |                    | 10       | JP                                 | ID | IT |
|                         |                                  |                    | 1001     | US                                 | ID | DE |
|                         |                                  |                    | 12632    | US                                 | ID | FR |
|                         |                                  |                    | 2012     | US                                 | ID | IT |
|                         |                                  |                    | 25 m     | US                                 | ID | IT |
|                         |                                  | skin/leather items | 24       | US                                 | ID | ES |
|                         |                                  |                    | 20       | US                                 | ID | IT |
|                         |                                  |                    | 85       | US                                 | TH | ES |
| C2                      | <i>Python molurus</i>            | pairs of shoes     | 3        | JP                                 | TH | IT |
|                         |                                  |                    | 7        | US                                 | TH | ES |
| C2                      | <i>Python molurus bivittatus</i> | belts              | 8        | AD                                 | TH | IT |
|                         |                                  |                    | 2        | AE                                 | VN | DE |
|                         |                                  |                    | 8        | AT                                 | TH | FR |

| CITES EEC<br>App. Annex | Taxon | Description                      | Quantity | Country of<br>Import Origin Export |       |       |
|-------------------------|-------|----------------------------------|----------|------------------------------------|-------|-------|
| II                      | C2    | <i>Python molurus bivittatus</i> | belts    | 4                                  | CA    | TH DE |
|                         |       |                                  | 45       | CA                                 | TH IT |       |
|                         |       |                                  | 20       | CH                                 | TH FR |       |
|                         |       |                                  | 33       | CH                                 | TH IT |       |
|                         |       |                                  | 2        | CH                                 | VN DE |       |
|                         |       |                                  | 21       | HK                                 | TH FR |       |
|                         |       |                                  | 2        | HK                                 | TH IT |       |
|                         |       |                                  | 1        | JP                                 | GY FR |       |
|                         |       |                                  | 207      | JP                                 | TH FR |       |
|                         |       |                                  | 60       | JP                                 | TH IT |       |
|                         |       |                                  | 1        | JP                                 | VN DE |       |
|                         |       |                                  | 16       | KR                                 | TH IT |       |
|                         |       |                                  | 4        | QA                                 | TH FR |       |
|                         |       |                                  | 1        | SA                                 | TH FR |       |
|                         |       |                                  | 93       | SN                                 | ID IT |       |
|                         |       |                                  | 2        | TW                                 | TH FR |       |
|                         |       |                                  | 91       | US                                 | TH ES |       |
|                         |       |                                  | 1        | US                                 | TH FR |       |
|                         |       |                                  | 74       | US                                 | TH IT |       |
|                         |       | garments                         | 28       | JP                                 | TH FR |       |
|                         |       |                                  | 18       | JP                                 | TH IT |       |
|                         |       |                                  | 6        | US                                 | ID IT |       |
|                         |       |                                  | 7        | US                                 | TH DE |       |
|                         |       |                                  | 8        | US                                 | TH FR |       |
|                         |       |                                  | 15       | US                                 | TH IT |       |
|                         |       |                                  | 1 pair   | CH                                 | VN DE |       |
|                         |       | handbags                         | 9        | AE                                 | TH IT |       |
|                         |       |                                  | 4        | AT                                 | ID IT |       |
|                         |       |                                  | 2        | AT                                 | TH FR |       |
|                         |       |                                  | 6        | AT                                 | VN DE |       |
|                         |       |                                  | 47       | CA                                 | TH IT |       |
|                         |       |                                  | 5        | CH                                 | TH FR |       |
|                         |       |                                  | 162      | CH                                 | TH IT |       |
|                         |       |                                  | 3        | CH                                 | VN DE |       |
|                         |       |                                  | 72       | HK                                 | TH IT |       |

| CITES EEC<br>App. Annex | TAXON | Description                               | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|-------|---|----------|------------------------------------|----|----|
| II                      | C2    | <i>Python molurus bivittatus</i> handbags | 178      | JP                                 | ID | IT |
|                         |       |   | 32       | JP                                 | ML | FR |
|                         |       |   | 22       | JP                                 | TH | FR |
|                         |       |   | 1614     | JP                                 | TH | IT |
|                         |       |   | 31       | JP                                 | VN | DE |
|                         |       |   | 7        | KW                                 | TH | IT |
|                         |       |   | 16       | LB                                 | TH | IT |
|                         |       |   | 3        | MY                                 | TH | IT |
|                         |       |   | 3        | NG                                 | TH | IT |
|                         |       |   | 35       | PR                                 | TH | ES |
|                         |       |   | 2        | QA                                 | TH | IT |
|                         |       |   | 2        | SA                                 | TH | IT |
|                         |       |   | 2        | SA                                 | VN | DE |
|                         |       |   | 195      | SN                                 | ID | IT |
|                         |       |   | 16       | US                                 | ID | FR |
|                         |       |   | 20       | US                                 | ID | IT |
|                         |       |   | 386      | US                                 | TH | ES |
|                         |       |   | 459      | US                                 | TH | IT |
|                         |       |   | 45       | XS                                 | TH | IT |
|                         |       |   | 4        | ZR                                 | TH | IT |
|                         |       | live (captive bred)                       | 4        | CH                                 |    | IT |
|                         |       |   | 6        | JP                                 |    | NL |
|                         |       |   | 1        | OM                                 |    | GB |
|                         |       | live                                      | 1        | ML                                 | ID | FR |
|                         |       | pairs of shoes                            | 101      | AE                                 | TH | IT |
|                         |       |   | 9        | AT                                 | ID | IT |
|                         |       |   | 30       | AT                                 | TH | ES |
|                         |       |   | 336      | AT                                 | TH | IT |
|                         |       |   | 1        | AU                                 | TH | IT |
|                         |       |   | 1        | BD                                 | TH | IT |
|                         |       |   | 12       | BH                                 | TH | IT |
|                         |       |   | 149      | CA                                 | TH | ES |
|                         |       |   | 778      | CA                                 | TH | IT |
|                         |       |   | 48       | CH                                 | TH | FR |
|                         |       |   | 871      | CH                                 | TH | IT |

| CITES EEC<br>App. Annex | Taxon | Description                      | Quantity       | Country of<br>Import | Origin Export |    |    |
|-------------------------|-------|----------------------------------|----------------|----------------------|---------------|----|----|
| II                      | C2    | <i>Python molurus bivittatus</i> | pairs of shoes | 100                  | HK            | TH | IT |
|                         |       |                                  | 9              | JO                   | TH            | IT |    |
|                         |       |                                  | 47             | JP                   | GY            | IT |    |
|                         |       |                                  | 57             | JP                   | TH            | ES |    |
|                         |       |                                  | 368            | JP                   | TH            | FR |    |
|                         |       |                                  | 2350           | JP                   | TH            | IT |    |
|                         |       |                                  | 204            | KW                   | TH            | IT |    |
|                         |       |                                  | 20             | MY                   | TH            | IT |    |
|                         |       |                                  | 20             | NG                   | TH            | ES |    |
|                         |       |                                  | 15             | NG                   | TH            | IT |    |
|                         |       |                                  | 3              | PR                   | TH            | IT |    |
|                         |       |                                  | 20             | QA                   | TH            | IT |    |
|                         |       |                                  | 153            | SA                   | TH            | IT |    |
|                         |       |                                  | 139            | TW                   | TH            | IT |    |
|                         |       |                                  | 78             | US                   | ID            | ES |    |
|                         |       |                                  | 61             | US                   | ID            | IT |    |
|                         |       |                                  | 9136           | US                   | TH            | ES |    |
|                         |       |                                  | 109            | US                   | TH            | FR |    |
|                         |       |                                  | 6473           | US                   | TH            | IT |    |
|                         |       |                                  | 21             | XX                   | TH            | ES |    |
|                         |       |                                  | 56             | ZA                   | TH            | IT |    |
|                         |       |                                  | 16             | ZR                   | TH            | IT |    |
|                         |       | skins                            | 18             | AT                   | TH            | IT |    |
|                         |       |                                  | 6              | AU                   | TH            | IT |    |
|                         |       |                                  | 3              | CA                   | TH            | ES |    |
|                         |       |                                  | 435            | JP                   | TH            | IT |    |
|                         |       |                                  | 669            | US                   | TH            | DE |    |
|                         |       |                                  | 729            | US                   | TH            | ES |    |
|                         |       |                                  | 453            | US                   | TH            | FR |    |
|                         |       |                                  | 36             | US                   | TH            | IT |    |
|                         |       |                                  | 135            | VE                   | TH            | IT |    |
|                         |       |                                  | 10             | ZA                   | TH            | DE |    |
|                         |       |                                  | 359 m          | HK                   | TH            | IT |    |
|                         |       |                                  | 3657 m         | JP                   | TH            | IT |    |
|                         |       |                                  | 48 m           | MX                   | TH            | IT |    |

| CITES EEC<br>App. Annex | Taxon | Description                      | Quantity            | Country of<br>Import Origin Export                         |  |  |                            |
|-------------------------|-------|----------------------------------|---------------------|--|--|--|----------------------------|
| II                      | C2    | <i>Python molurus bivittatus</i> | skins               | 491 m<br>13693 m<br>1850 m<br>1987 m<br>skin/leather items | TR<br>US<br>VE<br>VE<br>164  | TH<br>TH<br>TH<br>VN<br>CA   | IT<br>IT<br>IT<br>IT<br>FR |
|                         |       |                                  |                     | 3<br>6<br>24<br>500<br>404<br>48<br>1348                   | CA<br>CH<br>CH<br>JP<br>JP<br>LB<br>RO                               | TH<br>TH<br>TH<br>TH<br>TH<br>TH<br>FR                               |                            |
|                         |       |                                  |                     | 12<br>6<br>12<br>21702<br>23<br>wallets                    | SE<br>SO<br>TW<br>US<br>US   | TH<br>TH<br>TH<br>TH<br>TH<br>FR                                     |                            |
|                         |       |                                  |                     | 100<br>130<br>watchstraps                                  | CH<br>JP<br>BR   | TH<br>TH<br>TH   |                            |
|                         |       |                                  |                     | 1229   | US   | TH<br>IT   |                            |
| C2                      |       | <i>Python regius</i>             | live (captive bred) | 1<br>50  | CH   | DE   |                            |
|                         |       |                                  | live                | 6<br>12<br>7<br>2<br>51<br>25<br>7<br>1<br>25<br>25<br>2   | CH<br>AE<br>AE<br>AT<br>BI<br>CH<br>CH<br>DD<br>FI<br>IL<br>JP<br>LY | IT<br>GH<br>TG<br>TG<br>TG<br>GH<br>TG<br>TG<br>TG<br>TG<br>TG<br>TG |                            |
|                         |       |                                  |                     |  |  | DE<br>NL<br>DE<br>FR<br>IT<br>DE<br>DE<br>DE<br>DE<br>DE<br>DE<br>DE |                            |

| CITES EEC<br>App. Annex | TAXON | Description               | Quantity | Country of<br>Import Origin Export |    |    |    |
|-------------------------|-------|---------------------------|----------|------------------------------------|----|----|----|
| II                      | C2    | <i>Python regius</i>      | live     | 4                                  | MT | GH | GB |
|                         |       |                           | 20       | MY                                 | GH | NL |    |
|                         |       |                           | 1        | US                                 | GH | NL |    |
|                         |       |                           | 5        | UY                                 | TG | DE |    |
|                         | C2    | <i>Python reticulatus</i> | belts    | 8                                  | AT | ID | DE |
|                         |       |                           | 19       | AT                                 | ID | IT |    |
|                         |       |                           | 9        | AU                                 | ID | IT |    |
|                         |       |                           | 112      | CA                                 | TH | ES |    |
|                         |       |                           | 2        | CA                                 | TH | IT |    |
|                         |       |                           | 20       | CH                                 | ID | DE |    |
|                         |       |                           | 20       | CH                                 | ID | IT |    |
|                         |       |                           | 9        | CH                                 | TH | IT |    |
|                         |       |                           | 2        | CN                                 | ID | IT |    |
|                         |       |                           | 38       | HK                                 | ID | IT |    |
|                         |       |                           | 30       | HK                                 | US | IT |    |
|                         |       |                           | 180      | JP                                 | ID | IT |    |
|                         |       |                           | 1        | SE                                 | ID | DK |    |
|                         |       |                           | 1        | SE                                 | TH | ES |    |
|                         |       |                           | 21       | US                                 | ID | ES |    |
|                         |       |                           | 70       | US                                 | ID | IT |    |
|                         |       |                           | 1259     | US                                 | TH | ES |    |
|                         |       |                           | 88       | US                                 | TH | IT |    |
|                         |       |                           | 3        | XS                                 | ID | IT |    |
|                         |       | garments                  | 5        | AT                                 | ID | DE |    |
|                         |       |                           | 2        | CA                                 | ID | IT |    |
|                         |       |                           | 7        | CH                                 | ID | DE |    |
|                         |       |                           | 6        | CH                                 | ID | ES |    |
|                         |       |                           | 5        | CH                                 | ID | IT |    |
|                         |       |                           | 2        | JP                                 | ID | DE |    |
|                         |       |                           | 5        | JP                                 | ID | FR |    |
|                         |       |                           | 100      | JP                                 | ID | IT |    |
|                         |       |                           | 4        | LB                                 | ID | IT |    |
|                         |       |                           | 1        | SE                                 | ID | DK |    |
|                         |       |                           | 3        | US                                 | ID | ES |    |

| CITES EEC<br>App. Annex | Taxon | Description               | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|---------------------------|----------|------------------------------------|----|-------|
| II                      | C2    | <i>Python reticulatus</i> | garments | 3                                  | US | ID FR |
|                         |       |                           | 172      | US                                 | ID | IT    |
|                         |       |                           | 12       | US                                 | TH | IT    |
|                         |       | handbags                  | 5        | AD                                 | ID | IT    |
|                         |       |                           | 16       | AD                                 | TH | IT    |
|                         |       |                           | 23       | AT                                 | AR | ES    |
|                         |       |                           | 8        | AT                                 | ID | DE    |
|                         |       |                           | 34       | AT                                 | ID | IT    |
|                         |       |                           | 11       | AU                                 | ID | IT    |
|                         |       |                           | 9        | BH                                 | ID | IT    |
|                         |       |                           | 34       | CA                                 | ID | IT    |
|                         |       |                           | 8        | CA                                 | TH | IT    |
|                         |       |                           | 24       | CH                                 | ID | DE    |
|                         |       |                           | 3        | CH                                 | ID | ES    |
|                         |       |                           | 210      | CH                                 | ID | IT    |
|                         |       |                           | 121      | CH                                 | TH | IT    |
|                         |       |                           | 78       | FI                                 | ID | IT    |
|                         |       |                           | 29       | HK                                 | ID | IT    |
|                         |       |                           | 14       | HK                                 | TH | IT    |
|                         |       |                           | 24       | IL                                 | ID | IT    |
|                         |       |                           | 130      | JP                                 | ID | DE    |
|                         |       |                           | 4        | JP                                 | ID | ES    |
|                         |       |                           | 1313     | JP                                 | ID | IT    |
|                         |       |                           | 235      | JP                                 | TH | FR    |
|                         |       |                           | 582      | JP                                 | TH | IT    |
|                         |       |                           | 23       | JP                                 | TH | PT    |
|                         |       |                           | 44       | LB                                 | ID | IT    |
|                         |       |                           | 4        | SA                                 | ID | IT    |
|                         |       |                           | 1        | SE                                 | ID | DK    |
|                         |       |                           | 64       | SE                                 | ID | IT    |
|                         |       |                           | 1        | SE                                 | TH | ES    |
|                         |       |                           | 1        | SE                                 | TH | IT    |
|                         |       |                           | 15       | SG                                 | ID | IT    |
|                         |       |                           | 3        | SG                                 | TH | IT    |
|                         |       |                           | 50       | TW                                 | ID | IT    |

| CITES EEC<br>App. Annex | Taxon | Description               | Quantity | Country of<br>Import Origin Export |       |       |
|-------------------------|-------|---------------------------|----------|------------------------------------|-------|-------|
| II                      | C2    | <i>Python reticulatus</i> | handbags | 5                                  | US    | ID DE |
|                         |       |                           | 193      | US                                 | ID ES |       |
|                         |       |                           | 11       | US                                 | ID FR |       |
|                         |       |                           | 1119     | US                                 | ID IT |       |
|                         |       |                           | 424      | US                                 | TH ES |       |
|                         |       |                           | 185      | US                                 | TH IT |       |
|                         |       |                           | 9        | XX                                 | TH ES |       |
|                         |       |                           | 19       | ZR                                 | ID IT |       |
|                         |       | live (captive bred)       | 2        | BB                                 | PL GB |       |
|                         |       |                           | 2        | BG                                 | PL GB |       |
|                         |       |                           | 2        | JP                                 | PL GB |       |
|                         |       | live                      | 1        | AT                                 | MY DE |       |
|                         |       |                           | 2        | BI                                 | MY FR |       |
|                         |       |                           | 20       | CH                                 | ID NL |       |
|                         |       |                           | 2        | LY                                 | MY DE |       |
|                         |       |                           | 1        | ML                                 | ID FR |       |
|                         |       |                           | 6        | SU                                 | MY NL |       |
|                         |       | pairs of shoes            | 48       | AT                                 | AR ES |       |
|                         |       |                           | 299      | AT                                 | ID IT |       |
|                         |       |                           | 32       | AT                                 | SG ES |       |
|                         |       |                           | 42       | AT                                 | TH ES |       |
|                         |       |                           | 707      | AT                                 | TH IT |       |
|                         |       |                           | 72       | AU                                 | ID IT |       |
|                         |       |                           | 13       | AU                                 | TH ES |       |
|                         |       |                           | 26       | BB                                 | ID IT |       |
|                         |       |                           | 25       | BG                                 | ID ES |       |
|                         |       |                           | 36       | BM                                 | TH ES |       |
|                         |       |                           | 466      | CA                                 | ID ES |       |
|                         |       |                           | 118      | CA                                 | ID IT |       |
|                         |       |                           | 305      | CA                                 | TH ES |       |
|                         |       |                           | 4139     | CA                                 | TH IT |       |
|                         |       |                           | 63       | CH                                 | ID ES |       |
|                         |       |                           | 438      | CH                                 | ID IT |       |
|                         |       |                           | 34       | CH                                 | TH ES |       |
|                         |       |                           | 847      | CH                                 | TH IT |       |

| CITES EEC<br>App. Annex | Taxon | Description               | Quantity       | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|---------------------------|----------------|------------------------------------|----|-------|
| II                      | C2    | <i>Python reticulatus</i> | pairs of shoes | 148                                | CI | ID ES |
|                         |       |                           |                | 45                                 | DM | ID IT |
|                         |       |                           |                | 188                                | HK | ID IT |
|                         |       |                           |                | 159                                | HK | TH IT |
|                         |       |                           |                | 15                                 | JO | TH IT |
|                         |       |                           |                | 5                                  | JP | ID ES |
|                         |       |                           |                | 678                                | JP | ID IT |
|                         |       |                           |                | 3                                  | JP | PY IT |
|                         |       |                           |                | 63                                 | JP | TH ES |
|                         |       |                           |                | 113                                | JP | TH IT |
|                         |       |                           |                | 210                                | KW | ID IT |
|                         |       |                           |                | 176                                | KW | TH IT |
|                         |       |                           |                | 15                                 | LB | ID IT |
|                         |       |                           |                | 40                                 | LB | TH ES |
|                         |       |                           |                | 1                                  | MX | TH ES |
|                         |       |                           |                | 306                                | NG | ID ES |
|                         |       |                           |                | 100                                | NG | TH ES |
|                         |       |                           |                | 240                                | NO | TH IT |
|                         |       |                           |                | 120                                | NZ | ID ES |
|                         |       |                           |                | 46                                 | NZ | TH ES |
|                         |       |                           |                | 18                                 | PR | ID ES |
|                         |       |                           |                | 18                                 | PR | TH ES |
|                         |       |                           |                | 36                                 | QA | ID IT |
|                         |       |                           |                | 24                                 | QA | TH ES |
|                         |       |                           |                | 24                                 | RE | TH ES |
|                         |       |                           |                | 28                                 | SA | ID IT |
|                         |       |                           |                | 57                                 | SA | TH IT |
|                         |       |                           |                | 12                                 | SE | ID ES |
|                         |       |                           |                | 104                                | SE | ID IT |
|                         |       |                           |                | 380                                | SE | TH IT |
|                         |       |                           |                | 67                                 | TW | ID IT |
|                         |       |                           |                | 123                                | TW | TH IT |
|                         |       |                           |                | 2                                  | US | AR ES |
|                         |       |                           |                | 9518                               | US | ID ES |
|                         |       |                           |                | 5452                               | US | ID IT |

| CITES EEC<br>App. Annex | Taxon | Description               | Quantity       | Country of<br>Import Origin Export |    |    |    |
|-------------------------|-------|---------------------------|----------------|------------------------------------|----|----|----|
| II                      | C2    | <i>Python reticulatus</i> | pairs of shoes | 84                                 | US | MY | IT |
|                         |       |                           | 4              | 4                                  | US | PA | IT |
|                         |       |                           | 2462           | 2462                               | US | SG | ES |
|                         |       |                           | 6              | 6                                  | US | SG | IT |
|                         |       |                           | 24307          | 24307                              | US | TH | ES |
|                         |       |                           | 5949           | 5949                               | US | TH | IT |
|                         |       |                           | 28             | 28                                 | VE | ID | ES |
|                         |       |                           | 250            | 250                                | XX | TH | ES |
|                         |       |                           | 122            | 122                                | ZR | ID | IT |
|                         |       | skins                     | 14             | 14                                 | AT | ID | DE |
|                         |       |                           | 5              | 5                                  | AT | ID | FR |
|                         |       |                           | 22             | 22                                 | AT | ID | IT |
|                         |       |                           | 6              | 6                                  | AT | TH | DE |
|                         |       |                           | 10             | 10                                 | CA | ID | DE |
|                         |       |                           | 791            | 791                                | CA | ID | GB |
|                         |       |                           | 39             | 39                                 | CA | ID | IT |
|                         |       |                           | 15             | 15                                 | CH | ID | IT |
|                         |       |                           | 409            | 409                                | CH | ID | NL |
|                         |       |                           | 30             | 30                                 | CH | TH | IT |
|                         |       |                           | 8              | 8                                  | HK | TH | ES |
|                         |       |                           | 2              | 2                                  | ID | ID | ES |
|                         |       |                           | 2              | 2                                  | IL | TH | DE |
|                         |       |                           | 20             | 20                                 | JP | SG | ES |
|                         |       |                           | 1              | 1                                  | KR | ID | DE |
|                         |       |                           | 5694           | 5694                               | MX | SG | ES |
|                         |       |                           | 1              | 1                                  | SE | ID | DK |
|                         |       |                           | 136            | 136                                | SG | ID | FR |
|                         |       |                           | 13             | 13                                 | TN | ID | FR |
|                         |       |                           | 405            | 405                                | TR | ID | FR |
|                         |       |                           | 560            | 560                                | TR | ID | GB |
|                         |       |                           | 55             | 55                                 | TR | ID | IT |
|                         |       |                           | 735            | 735                                | TR | TH | ES |
|                         |       |                           | 10849          | 10849                              | US | ID | DE |
|                         |       |                           | 2298           | 2298                               | US | ID | ES |
|                         |       |                           | 24928          | 24928                              | US | ID | FR |

| CITES EEC<br>App. Annex | Taxon | Description               | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|-------|---------------------------|----------|------------------------------------|----|-------|
| II                      | C2    | <i>Python reticulatus</i> | skins    | 7687                               | US | ID GB |
|                         |       |                           |          | 2669                               | US | ID IT |
|                         |       |                           |          | 6194                               | US | SG ES |
|                         |       |                           |          | 611                                | US | TH DE |
|                         |       |                           |          | 3983                               | US | TH ES |
|                         |       |                           |          | 1627                               | US | TH FR |
|                         |       |                           |          | 37                                 | US | TH IT |
|                         |       |                           |          | 3005                               | XX | ID GB |
|                         |       |                           |          | 2445                               | ZA | ID NL |
|                         |       |                           |          | 619                                | ZA | TH NL |
|                         |       |                           |          | 33 m                               | CA | TH ES |
|                         |       |                           |          | 101 m                              | CA | TH IT |
|                         |       |                           |          | 112 m                              | CH | ID IT |
|                         |       |                           |          | 3 m                                | CY | TH IT |
|                         |       |                           |          | 3 m                                | FI | ID IT |
|                         |       |                           |          | 203 m                              | HK | ID IT |
|                         |       |                           |          | 104 m                              | JP | ID IT |
|                         |       |                           |          | 64 m                               | MX | TH IT |
|                         |       |                           |          | 49 m                               | TR | ID IT |
|                         |       |                           |          | 18856 m                            | US | ID IT |
|                         |       |                           |          | 10510 m                            | US | TH IT |
|                         |       |                           |          | 3241 m                             | VE | ID IT |
|                         |       |                           |          | 1350 m                             | VE | TH IT |
|                         |       | skin/leather items        | 60       | AD                                 | TH | IT    |
|                         |       |                           | 12       | AU                                 | ID | IT    |
|                         |       |                           | 2        | CA                                 | TH | IT    |
|                         |       |                           | 17       | CH                                 | ID | IT    |
|                         |       |                           | 50       | CH                                 | TH | IT    |
|                         |       |                           | 12       | HK                                 | ID | IT    |
|                         |       |                           | 318      | JP                                 | ID | IT    |
|                         |       |                           | 155      | JP                                 | TH | IT    |
|                         |       |                           | 8        | MQ                                 | TH | ES    |
|                         |       |                           | 2133     | US                                 | ID | FR    |
|                         |       |                           | 97       | US                                 | ID | IT    |
|                         |       |                           | 56       | US                                 | TH | ES    |

| CITES EEC<br>App. Annex |    | Taxon                     | Description        | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----|---------------------------|--------------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Python reticulatus</i> | skin/leather items | 38       | US                                 | TH | FR |
|                         |    |                           |                    | 1343     | US                                 | TH | IT |
|                         |    |                           |                    | 3 kg     | SG                                 | ID | IT |
|                         |    |                           | skin pieces        | 378      | US                                 | ID | DE |
|                         |    |                           |                    | 32       | US                                 | TH | IT |
|                         |    |                           |                    | 449      | US                                 | XX | GR |
|                         |    |                           | wallets            | 9        | CA                                 | TH | IT |
|                         |    |                           |                    | 25       | JP                                 | ID | IT |
|                         |    |                           |                    | 107      | JP                                 | TH | IT |
|                         |    |                           |                    | 24       | US                                 | ID | DE |
|                         |    |                           |                    | 13       | US                                 | ID | IT |
|                         |    |                           |                    | 3        | US                                 | TH | ES |
|                         |    |                           | watchstraps        | 16       | AT                                 | ID | IT |
|                         | C2 | <i>Python sebae</i>       | belts              | 26       | JP                                 | NG | IT |
|                         |    |                           |                    | 240      | US                                 | GN | ES |
|                         |    |                           | handbags           | 3        | AU                                 | ZR | DK |
|                         |    |                           |                    | 3        | CH                                 | TG | ES |
|                         |    |                           |                    | 54       | US                                 | GN | ES |
|                         |    |                           |                    | 87       | US                                 | TG | ES |
|                         |    |                           | live               | 4        | EG                                 | TG | DE |
|                         |    |                           |                    | 3        | MY                                 | GH | NL |
|                         |    |                           |                    | 3        | RO                                 | XX | NL |
|                         |    |                           | pairs of shoes     | 32       | AT                                 | ML | ES |
|                         |    |                           |                    | 40       | AT                                 | NG | IT |
|                         |    |                           |                    | 10       | BB                                 | TG | ES |
|                         |    |                           |                    | 56       | BS                                 | ML | ES |
|                         |    |                           |                    | 96       | CA                                 | GN | ES |
|                         |    |                           |                    | 18       | CA                                 | GW | ES |
|                         |    |                           |                    | 72       | CA                                 | TG | ES |
|                         |    |                           |                    | ?        | CH                                 | ML | ES |
|                         |    |                           |                    | 46       | CH                                 | TG | ES |
|                         |    |                           |                    | 3        | JP                                 | ML | ES |
|                         |    |                           |                    | 36       | NO                                 | NG | ES |
|                         |    |                           |                    | 4326     | US                                 | GN | ES |

| CITES EEC<br>App. Annex | Taxon | Description                   | Quantity            | Country of<br>Import Origin Export |    |    |    |
|-------------------------|-------|-------------------------------|---------------------|------------------------------------|----|----|----|
| II                      | C2    | <i>Python sebae</i>           | pairs of shoes      | 174                                | US | GQ | ES |
|                         |       |                               | 267                 | US                                 | GW | ES |    |
|                         |       |                               | 16274               | US                                 | ML | ES |    |
|                         |       |                               | 96                  | US                                 | NG | IT |    |
|                         |       |                               | 1468                | US                                 | TG | ES |    |
|                         |       |                               | 48                  | US                                 | TH | ES |    |
|                         |       |                               | 56                  | VE                                 | TG | ES |    |
|                         |       |                               | 264                 | XX                                 | GN | ES |    |
|                         |       |                               | 9                   | XX                                 | ML | ES |    |
|                         |       | skins                         | 1                   | AU                                 | ZR | DK |    |
|                         |       |                               | 40                  | CA                                 | GN | ES |    |
|                         |       |                               | 50                  | CA                                 | GQ | ES |    |
|                         |       |                               | 10                  | CA                                 | ML | ES |    |
|                         |       |                               | 200                 | TR                                 | CM | GB |    |
|                         |       |                               | 38                  | TR                                 | TG | ES |    |
|                         |       |                               | 6770                | US                                 | GN | ES |    |
|                         |       |                               | 120                 | US                                 | GQ | ES |    |
|                         |       |                               | 4618                | US                                 | ML | ES |    |
|                         |       |                               | 1009                | US                                 | NG | ES |    |
|                         |       |                               | 20                  | US                                 | SD | DE |    |
|                         |       |                               | 1514                | US                                 | SN | ES |    |
|                         |       |                               | 1438 m              | US                                 | SD | IT |    |
|                         |       | wallets                       | 31                  | US                                 | GN | ES |    |
| C2                      |       | <i>Python timoriensis</i>     | live (captive bred) | 1                                  | US | NL |    |
|                         |       |                               | pairs of shoes      | 9                                  | US | TH | ES |
|                         |       | <i>Ambystoma mexicanum</i>    | live (captive bred) | 10                                 | FI |    | DE |
| C2                      |       | <i>Bufo retiformis</i>        | pairs of shoes      | 1                                  | JP | AR | IT |
|                         |       | <i>Dendrobates leucomelas</i> | live (captive bred) | 1                                  | JP |    | DE |
|                         |       |                               |                     | 4                                  | SU |    | DE |
|                         |       |                               |                     | 4                                  | XX | CH | DE |

| CITES EEC<br>App. Annex | Taxon                                | Description         | Quantity   | Country of<br>Import Origin Export |                                  |                                  |
|-------------------------|--------------------------------------|---------------------|--|------------------------------------|----------------------------------|----------------------------------|
| II                      | <i>Dendrobates tricolor</i>          | live (captive bred) | 5<br>20<br>6   | JP<br>JP<br>SU                     | DE<br>NL<br>DE                   |                                  |
|                         | <i>Phyllobates terribilis</i>        | live (captive bred) | 4  | XX                                 | CH                               | DE                               |
|                         | <i>Phyllobates vittatus</i>          | live (captive bred) | 25   | JP                                 |                                  | NL                               |
|                         | <i>Rana tigerina</i>                 | legs                | 91225<br>11077 kg<br>953 kg<br>57024 kg<br>105792 kg<br>115000 lbs | US<br>CA<br>CA<br>US<br>US<br>US   | BD<br>BD<br>IN<br>BD<br>BD<br>BD | NL<br>BE<br>NL<br>BE<br>NL<br>NL |
| C2                      | <i>Ornithoptera priamus</i>          | bodies              | 14   | JP                                 | PG                               | DE                               |
| C2                      | <i>Ornithoptera priamus poseidon</i> | bodies              | 37   | CH                                 | ID                               | IT                               |
| C2                      | <i>Ornithoptera urvillianus</i>      | bodies              | 400  | JP                                 | PG                               | DE                               |
| C2                      | <i>Ornithoptera victoriae</i>        | bodies              | 35   | JP                                 | SB                               | DE                               |
| C2                      | <i>Trogonoptera brookiana</i>        | bodies              | 62   | CH                                 | MY                               | IT                               |
| C2                      | <i>Trogonoptera trojana</i>          | bodies              | 22   | CH                                 | PH                               | IT                               |
| C2                      | <i>Troides helena</i>                | bodies              | 20   | CH                                 | MY                               | IT                               |
| C2                      | <i>Troides oblongomaculatus</i>      | bodies              | 7  | CH                                 | ID                               | IT                               |
|                         | <i>Hirudo medicinalis</i>            | live (captive bred) | 275<br>770<br>605  | CA<br>CH<br>IL                     | FR<br>FR<br>FR                   |                                  |

| CITES EEC<br>App. Annex | Taxon                       | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|-----------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | <i>Hirudo medicinalis</i>   | live (captive bred) | 11775    | US                                 | FR |    |
|                         |                             |                     | 550      | US                                 | XX | GB |
|                         |                             |                     | 9530     | XX                                 |    | GB |
|                         |                             |                     | 1650     | XX                                 | XX | GB |
|                         |                             |                     | 250 kg   | CH                                 |    | FR |
|                         | <i>Hippopus hippopus</i>    | carvings            | 19       | CH                                 | *S | IT |
|                         |                             |                     | 18       | NC                                 | *S | IT |
|                         |                             |                     | 1        | TW                                 | *S | IT |
|                         |                             |                     | 5        | US                                 | *S | IT |
|                         |                             | shells              | 3        | CH                                 | PH | DE |
|                         | <i>Hippopus porcellanus</i> | carvings            | 6        | CH                                 | *S | IT |
|                         |                             |                     | 2        | TW                                 | *S | IT |
|                         |                             |                     | 3        | US                                 | *S | IT |
|                         |                             | shells              | 6        | AT                                 | PH | DE |
|                         | <i>Tridacna gigas</i>       | shells              | 1        | AT                                 | PH | DE |
|                         | <i>Tridacna squamosa</i>    | shells              | 6        | CH                                 | PH | DE |
| C2                      | <i>ANTIPATHARIA</i> spp.    | raw corals          | 4        | AT                                 | PH | DE |
|                         | <i>Pocillopora</i> spp.     | raw corals          | 255      | US                                 | PH | DE |
|                         |                             | shells              | 15       | US                                 | PH | DE |
|                         | <i>Acropora</i> spp.        | raw corals          | 121      | US                                 | PH | DE |
|                         | <i>Acropora palmata</i>     | raw corals          | 6800     | US                                 | PH | DE |
|                         | <i>Merulina</i> spp.        | raw corals          | 795      | US                                 | PH | DE |
|                         | <i>Tubipora</i> spp.        | shells              | 5        | US                                 | PH | DE |
|                         | <i>Tubipora musica</i>      | raw corals          | 1350     | US                                 | PH | DE |

| CITES EEC<br>App. Annex | TAXON                          | Description       | Quantity  | Country of<br>Import Origin Export                       |  |
|-------------------------|--------------------------------|-------------------|---|--|--|
| II                      | <i>Agave</i> spp.              | live (art. prop.) | 19<br>19<br>263   | AT<br>CH<br>CH   | ES<br>BE<br>ES   |
|                         | <i>Agave victoriae-reginae</i> | live (art. prop.) | 1   | XX   | GB   |
|                         | <i>Pachypodium</i> spp.        | live (art. prop.) | 21<br>3   | AT<br>CH   | BE<br>BE   |
|                         | <i>Pachypodium geayi</i>       | live (art. prop.) | 1   | XX   | GB   |
|                         | <i>Pachypodium lamerei</i>     | live (art. prop.) | 2238<br>3194<br>29<br>324<br>2000<br>360<br>2180<br>216     | AT<br>CH<br>CY<br>FI<br>HU<br>IL<br>PL<br>SE             | NL<br>NL<br>NL<br>NL<br>NL<br>NL<br>NL<br>NL             |
|                         | <i>Araucaria araucana</i>      | live (art. prop.) | 5<br>1382<br>362<br>152<br>5<br>100<br>10<br>40<br>35<br>75 | AE<br>AT<br>CH<br>FI<br>HK<br>IQ<br>KW<br>NO<br>SA<br>TR | NL<br>NL<br>NL<br>NL<br>NL<br>NL<br>NL<br>NL<br>NL<br>NL |
|                         | <i>Ceropegia</i> spp.          | live (art. prop.) | 30  | XX   | GB   |
|                         | <i>Ceropegia africana</i>      | live (art. prop.) | 1   | XX   | GB   |

| CITES EEC<br>App. Annex | TAXON                   | Description       | Quantity | Country of<br>Import Origin Export |
|-------------------------|-------------------------|-------------------|----------|------------------------------------|
| II                      | <i>Ceropegia woodii</i> | live (art. prop.) | 156      | AT NL                              |
|                         |                         |                   | 19863    | CH NL                              |
|                         |                         |                   | 72       | FI NL                              |
|                         |                         |                   | 136      | HK NL                              |
|                         |                         |                   | 288      | NO NL                              |
|                         |                         |                   | 202      | SA NL                              |
|                         |                         |                   | 176      | SE NL                              |
|                         |                         |                   | 280      | TW NL                              |
|                         | <i>Cactaceae</i> spp.   | live (art. prop.) | 20       | AE BE                              |
|                         |                         |                   | 56       | AE NL                              |
|                         |                         |                   | 535      | AT BE                              |
|                         |                         |                   | 3263     | AT ES                              |
|                         |                         |                   | 746992   | AT NL                              |
|                         |                         |                   | 5590     | CH BE                              |
|                         |                         |                   | 103369   | CH ES                              |
|                         |                         |                   | 1112     | CH FR                              |
|                         |                         |                   | 44963    | CH NL                              |
|                         |                         |                   | 54       | CM NL                              |
|                         |                         |                   | 376      | CY NL                              |
|                         |                         |                   | 331      | DD NL                              |
|                         |                         |                   | 6535     | FI BE                              |
|                         |                         |                   | 35506    | FI NL                              |
|                         |                         |                   | 2        | KW BE                              |
|                         |                         |                   | 320      | KW NL                              |
|                         |                         |                   | 1983     | NO BE                              |
|                         |                         |                   | 4760     | NO NL                              |
|                         |                         |                   | 698      | SE BE                              |
|                         |                         |                   | 42576    | SE NL                              |
|                         |                         |                   | 340      | SG NL                              |
|                         |                         |                   | 96       | TR NL                              |
|                         |                         |                   | 30       | US ES                              |
|                         |                         |                   | 2        | XX GB                              |
|                         | <i>Cactaceae</i> hybrid | live (art. prop.) | 20       | XX GB                              |

| CITES EEC<br>App. Annex | TAXON                                  | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|--|-------------------|----------|------------------------------------|----|
| II                      | <i>Acanthorhipsalis brevispina</i>     | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Acanthorhipsalis paranganiensis</i> | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Aporocactus</i> spp.                | live (art. prop.) | 1564     | AT                                 | NL |
|                         |  |                   | 576      | CH                                 | NL |
|                         | <i>Aporocactus flagelliformis</i>      | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Aporocactus martianus</i>           | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Ariocarpus fissuratus</i>           | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Ariocarpus kotschoubeyanus</i>      | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Ariocarpus retusus</i>              | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Arrojadoa</i> spp.                  | live (art. prop.) | 5        | SA                                 | NL |
|                         | <i>Arrojadoa reflexa</i>               | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Arrojadoa rhodantha</i>             | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Astrophytum</i> spp.                | live (art. prop.) | 1645     | AT                                 | NL |
|                         |  |                   | 5767     | CH                                 | NL |
|                         |  |                   | 1012     | NO                                 | NL |
|                         |  |                   | 60       | SE                                 | NL |
|                         | <i>Astrophytum capricorne</i>          | live (art. prop.) | 7        | XX                                 | GB |
|                         | <i>Astrophytum myriostigma</i>         | live (art. prop.) | 11       | XX                                 | GB |

| CITES EEC<br>App. Annex | Taxon  | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|--|-------------------|----------|------------------------------------|----|
| II                      | <i>Astrophytum ornatum</i>                     | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Austrocephalocereus</i> spp.                | live (art. prop.) | 238      | AT                                 | NL |
|                         |  |                   | 2212     | CH                                 | NL |
|                         |  |                   | 653      | NO                                 | NL |
|                         | <i>Austrocephalocereus</i><br><i>purpureus</i> | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Browningia</i> spp.                         | live (art. prop.) | 223      | SE                                 | NL |
|                         | <i>Carnegiea</i> spp.                          | live (art. prop.) | 4100     | CH                                 | NL |
|                         | <i>Cephalocereus</i> spp.                      | live (art. prop.) | 13       | BM                                 | NL |
|                         |  |                   | 3842     | CH                                 | NL |
|                         |  |                   | 1878     | NO                                 | NL |
|                         | <i>Cereus</i> spp.                             | live (art. prop.) | 863      | AE                                 | NL |
|                         |  |                   | 9600     | AT                                 | NL |
|                         |  |                   | 14       | BM                                 | NL |
|                         |  |                   | 11086    | CH                                 | NL |
|                         |  |                   | 124      | FI                                 | NL |
|                         |  |                   | 2000     | IQ                                 | NL |
|                         |  |                   | 20       | LB                                 | NL |
|                         |  |                   | 6237     | NO                                 | NL |
|                         |  |                   | 5673     | SE                                 | NL |
|                         |  |                   | 42       | TW                                 | NL |
|                         | <i>Cereus peruvianus</i>                       | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Cleistocactus</i> spp.                      | live (art. prop.) | 3269     | AT                                 | NL |
|                         |  |                   | 13       | BM                                 | NL |
|                         |  |                   | 23730    | CH                                 | NL |
|                         |  |                   | 5302     | NO                                 | NL |
|                         |  |                   | 7218     | SE                                 | NL |

| CITES EEC<br>App. Annex | Taxon  | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|--|-------------------|----------|------------------------------------|----|
| II                      | <i>Cleistocactus</i> spp.                            | live (art. prop.) | 12       | XX                                 | GB |
|                         | <i>Cleistocactus krahnii</i>                         | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Cleistocactus</i><br><i>lilacinorosea</i>         | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Cleistocactus parviflorus</i>                     | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Cleistocactus polzii</i>                          | live (art. prop.) | 7        | XX                                 | GB |
|                         | <i>Coleocephalocereus</i> spp.                       | live (art. prop.) | 10       | HK                                 | NL |
|                         |  |                   | 5        | XX                                 | GB |
|                         | <i>Coleocephalocereus aureus</i>                     | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Coleocephalocereus</i><br><i>brevicylindricus</i> | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Coleocephalocereus</i><br><i>pluricostatus</i>    | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Copiapoa</i> spp.                                 | live (art. prop.) | 124      | AT                                 | NL |
|                         |  |                   | 67       | NO                                 | NL |
|                         | <i>Copiapoa humilis</i>                              | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Copiapoa hypogaea</i>                             | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Coryphantha</i> spp.                              | live (art. prop.) | 167      | AT                                 | NL |
|                         |  |                   | 239      | NO                                 | NL |
|                         |  |                   | 1        | XX                                 | GB |
|                         | <i>Coryphantha andreae</i>                           | live (art. prop.) | 4        | XX                                 | GB |

| CITES EEC<br>App. Annex | Taxon                              | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|------------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Coryphantha asterias</i>        | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Coryphantha calipensis</i>      | live (art. prop.) | 9        | XX                                 | GB |
|                         | <i>Coryphantha delaetiana</i>      | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Coryphantha greenwoodii</i>     | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Coryphantha laredoi</i>         | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Coryphantha pseudonickelsae</i> | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Denmoza rhodacantha</i>         | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Discocactus spp.</i>            | live (art. prop.) | 15       | HK                                 | NL |
|                         | <i>Disocactus ramulosus</i>        | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Echinocactus spp.</i>           | live (art. prop.) | 1743     | AT                                 | NL |
|                         |                                    |                   | 13       | BM                                 | NL |
|                         |                                    |                   | 3012     | NO                                 | NL |
|                         |                                    |                   | 4878     | SE                                 | NL |
|                         |                                    |                   | 1        | XX                                 | GB |
|                         | <i>Echinocactus grusonii</i>       | live (art. prop.) | 26       | XX                                 | GB |
|                         | <i>Echinocereus spp.</i>           | live (art. prop.) | 56       | AT                                 | NL |
|                         |                                    |                   | 4578     | CH                                 | NL |
|                         |                                    |                   | 1989     | NO                                 | NL |
|                         |                                    |                   | 9        | XX                                 | GB |
|                         | <i>Echinocereus adustus</i>        | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Echinocereus chloranthus</i>    | live (art. prop.) | 22       | XX                                 | GB |

| CITES EEC<br>App. Annex | TAXON                               | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|-------------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Echinocereus delaetii</i>        | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Echinocereus engelmannii</i>     | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Echinocereus fendleri</i>        | live (art. prop.) | 8        | XX                                 | GB |
|                         | <i>Echinocereus knippelianus</i>    | live (art. prop.) | 9        | XX                                 | GB |
|                         | <i>Echinocereus laui</i>            | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Echinocereus pectinatus</i>      | live (art. prop.) | 5        | XX                                 | GB |
|                         | <i>Echinocereus pentalophus</i>     | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Echinocereus polyacanthus</i>    | live (art. prop.) | 5        | XX                                 | GB |
|                         | <i>Echinocereus reichenbachii</i>   | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Echinocereus rigidissimus</i>    | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Echinocereus scheeri</i>         | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Echinocereus schmollii</i>       | live (art. prop.) | 5        | XX                                 | GB |
|                         | <i>Echinocereus stramineus</i>      | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Echinocereus subinermis</i>      | live (art. prop.) | 13       | XX                                 | GB |
|                         | <i>Echinocereus triglochidiatus</i> | live (art. prop.) | 12       | XX                                 | GB |
|                         | <i>Echinocereus viereckii</i>       | live (art. prop.) | 6        | XX                                 | GB |
|                         | <i>Echinocereus viridiflorus</i>    | live (art. prop.) | 23       | XX                                 | GB |

| CITES EEC<br>App. Annex | TAXON                           | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Echinomastus</i> spp.        | live (art. prop.) | 787      | NO                                 | NL |
|                         | <i>Echinopsis</i> spp.          | live (art. prop.) | 8047     | AT                                 | NL |
|                         |                                 |                   | 26       | BM                                 | NL |
|                         |                                 |                   | 20136    | CH                                 | NL |
|                         |                                 |                   | 11529    | NO                                 | NL |
|                         |                                 |                   | 56       | SE                                 | NL |
|                         |                                 |                   | 42       | XX                                 | GB |
|                         | <i>Echinopsis ancistrophora</i> | live (art. prop.) | 20       | XX                                 | GB |
|                         | <i>Echinopsis atacamensis</i>   | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Echinopsis aurea</i>         | live (art. prop.) | 43       | XX                                 | GB |
|                         | <i>Echinopsis backebergii</i>   | live (art. prop.) | 10       | XX                                 | GB |
|                         | <i>Echinopsis bridgesii</i>     | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Echinopsis candidans</i>     | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Echinopsis chamaecereus</i>  | live (art. prop.) | 13456    | AT                                 | NL |
|                         |                                 |                   | 18434    | CH                                 | NL |
|                         |                                 |                   | 8239     | NO                                 | NL |
|                         |                                 |                   | 8769     | SE                                 | NL |
|                         | <i>Echinopsis chiloensis</i>    | live (art. prop.) | 7        | XX                                 | GB |
|                         | <i>Echinopsis chrysochete</i>   | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Echinopsis cinnabarina</i>   | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Echinopsis coronata</i>      | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Echinopsis cotacajesi</i>    | live (art. prop.) | 1        | XX                                 | GB |

| CITES EEC<br>App. Annex | Taxon                            | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Echinopsis deserticola</i>    | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Echinopsis ferox</i>          | live (art. prop.) | 10       | XX                                 | GB |
|                         | <i>Echinopsis haematantha</i>    | live (art. prop.) | 57       | XX                                 | GB |
|                         | <i>Echinopsis huascha</i>        | live (art. prop.) | 20       | XX                                 | GB |
|                         | <i>Echinopsis lageniformis</i>   | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Echinopsis mamillosa</i>      | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Echinopsis maximiliana</i>    | live (art. prop.) | 14       | XX                                 | GB |
|                         | <i>Echinopsis melanopotamica</i> | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Echinopsis obrepanda</i>      | live (art. prop.) | 25       | XX                                 | GB |
|                         | <i>Echinopsis pentlandii</i>     | live (art. prop.) | 14       | XX                                 | GB |
|                         | <i>Echinopsis purpureopilosa</i> | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Echinopsis saltensis</i>      | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Echinopsis spiniflora</i>     | live (art. prop.) | 26       | XX                                 | GB |
|                         | <i>Echinopsis taquimbalensis</i> | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Echinopsis tegeleriana</i>    | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Echinopsis terscheckii</i>    | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Echinopsis thionantha</i>     | live (art. prop.) | 5        | XX                                 | GB |
|                         | <i>Echinopsis tiegeliana</i>     | live (art. prop.) | 12       | XX                                 | GB |

| CITES EEC<br>App. Annex | Taxon                            | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Echinopsis walteri</i>        | live (art. prop.) | 10       | XX                                 | GB |
|                         | <i>Echinopsis werdermanniana</i> | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Epiphyllum</i> spp.           | live (art. prop.) | 20       | AT                                 | BE |
|                         |                                  |                   | 1944     | AT                                 | NL |
|                         |                                  |                   | 156      | CH                                 | BE |
|                         |                                  |                   | 11197    | CH                                 | NL |
|                         |                                  |                   | 72       | JP                                 | NL |
|                         |                                  |                   | 2        | XX                                 | GB |
|                         | <i>Epiphyllum anguliger</i>      | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Epiphyllum cartagense</i>     | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Epiphyllum crenatum</i>       | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Epiphyllum oxypetalum</i>     | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Epiphyllum phyllanthus</i>    | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Epiphyllum pumilum</i>        | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Escobaria dasyacantha</i>     | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Escobaria emskoetteriana</i>  | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Escobaria missouriensis</i>   | live (art. prop.) | 5        | XX                                 | GB |
|                         | <i>Escobaria vivipara</i>        | live (art. prop.) | 6        | XX                                 | GB |
|                         | <i>Epostoa</i> spp.              | live (art. prop.) | 875      | AT                                 | NL |
|                         |                                  |                   | 1878     | CH                                 | NL |
|                         |                                  |                   | 656      | NO                                 | NL |
|                         |                                  |                   | 1843     | SE                                 | NL |

| CITES EEC<br>App. Annex | Taxon                           | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Epsostoa lanata</i>          | live (art. prop.) | 10       | XX                                 | GB |
|                         | <i>Epsostoa senilis</i>         | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Ferocactus spp.</i>          | live (art. prop.) | 2878     | AT                                 | NL |
|                         |                                 |                   | 13       | BM                                 | NL |
|                         |                                 |                   | 15407    | CH                                 | NL |
|                         |                                 |                   | 5678     | NO                                 | NL |
|                         |                                 |                   | 5678     | SE                                 | NL |
|                         | <i>Ferocactus chrysacanthus</i> | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Ferocactus gracilis</i>      | live (art. prop.) | 7        | XX                                 | GB |
|                         | <i>Ferocactus histrix</i>       | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Ferocactus latispinus</i>    | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Ferocactus macrodiscus</i>   | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Ferocactus peninsulae</i>    | live (art. prop.) | 20       | XX                                 | GB |
|                         | <i>Ferocactus pilosus</i>       | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Ferocactus schwarzii</i>     | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Ferocactus viridescens</i>   | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Ferocactus wislizeni</i>     | live (art. prop.) | 17       | XX                                 | GB |
|                         | <i>Frailea castanea</i>         | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Frailea concepcionensis</i>  | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Frailea magnifica</i>        | live (art. prop.) | 3        | XX                                 | GB |

| CITES EEC<br>App. Annex | Taxon                              | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|------------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Frailea pseudograhiana</i>      | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Frailea pumila</i>              | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Frailea pygmaea</i>             | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Gymnocalycium</i> spp.          | live (art. prop.) | 21666    | AT                                 | NL |
|                         |                                    |                   | 32287    | CH                                 | NL |
|                         |                                    |                   | 11045    | NO                                 | NL |
|                         |                                    |                   | 31080    | SA                                 | NL |
|                         |                                    |                   | 22070    | SE                                 | NL |
|                         |                                    |                   | 100      | TW                                 | NL |
|                         |                                    |                   | 3        | XX                                 | GB |
|                         | <i>Gymnocalycium achirasense</i>   | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Gymnocalycium alboareolatum</i> | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Gymnocalycium andreae</i>       | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Gymnocalycium anisitsii</i>     | live (art. prop.) | 5        | XX                                 | GB |
|                         | <i>Gymnocalycium baldianum</i>     | live (art. prop.) | 28       | XX                                 | GB |
|                         | <i>Gymnocalycium bayrianum</i>     | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Gymnocalycium bruchii</i>       | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Gymnocalycium calochlorum</i>   | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Gymnocalycium capillaense</i>   | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Gymnocalycium gibbosum</i>      | live (art. prop.) | 3        | XX                                 | GB |

| CITES EEC<br>App. Annex | Taxon                                | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|--------------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Gymnocalycium horridispinum</i>   | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Gymnocalycium horstii</i>         | live (art. prop.) | 6        | XX                                 | GB |
|                         | <i>Gymnocalycium hyptiacanthum</i>   | live (art. prop.) | 20       | XX                                 | GB |
|                         | <i>Gymnocalycium leeaneum</i>        | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Gymnocalycium mihanovichii</i>    | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Gymnocalycium mostii</i>          | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Gymnocalycium multiflorum</i>     | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Gymnocalycium pflanzii</i>        | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Gymnocalycium piltziorum</i>      | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Gymnocalycium platense</i>        | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Gymnocalycium quehlianum</i>      | live (art. prop.) | 52       | XX                                 | GB |
|                         | <i>Gymnocalycium ragonesei</i>       | live (art. prop.) | 6        | XX                                 | GB |
|                         | <i>Gymnocalycium saglionis</i>       | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Gymnocalycium schickendantzii</i> | live (art. prop.) | 25       | XX                                 | GB |
|                         | <i>Gymnocalycium schroederianum</i>  | live (art. prop.) | 11       | XX                                 | GB |

| CITES EEC<br>App. Annex | Taxon                              | Description       | Quantity                         | Country of<br>Import Origin Export |                      |
|-------------------------|------------------------------------|-------------------|----------------------------------|------------------------------------|----------------------|
| II                      | <i>Gymnocalycium stellatum</i>     | live (art. prop.) | 3                                | XX                                 | GB                   |
|                         | <i>Gymnocalycium uruguayense</i>   | live (art. prop.) | 1                                | XX                                 | GB                   |
|                         | <i>Gymnocalycium valnicekianum</i> | live (art. prop.) | 3                                | XX                                 | GB                   |
|                         | <i>Gymnocalycium vatteri</i>       | live (art. prop.) | 3                                | XX                                 | GB                   |
|                         | <i>Haageocereus</i> spp.           | live (art. prop.) | 13<br>756                        | BM<br>CH                           | NL<br>NL             |
|                         | <i>Haageocereus versicolor</i>     | live (art. prop.) | 1                                | XX                                 | GB                   |
|                         | <i>Hatiora</i> spp.                | live (art. prop.) | 360                              | CH                                 | NL                   |
|                         | <i>Helicocereus speciosus</i>      | live (art. prop.) | 4                                | XX                                 | GB                   |
|                         | <i>Hylocereus</i> spp.             | live (art. prop.) | 44876<br>56423<br>33032<br>56312 | AT<br>CH<br>NO<br>SE               | NL<br>NL<br>NL<br>NL |
|                         | <i>Hylocereus purpusii</i>         | live (art. prop.) | 1                                | XX                                 | GB                   |
|                         | <i>Hylocereus undatus</i>          | live (art. prop.) | 2                                | XX                                 | GB                   |
|                         | <i>Lepismium houletteianum</i>     | live (art. prop.) | 1                                | XX                                 | GB                   |
|                         | <i>Leptocereus sylvestris</i>      | live (art. prop.) | 2                                | XX                                 | GB                   |
|                         | <i>Lophocereus</i> spp.            | live (art. prop.) | 466                              | CH                                 | NL                   |
|                         | <i>Lophophora williamsii</i>       | live (art. prop.) | 15                               | XX                                 | GB                   |

| CITES EEC<br>App. Annex | Taxon                            | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Mammillaria</i> spp.          | live (art. prop.) | 15924    | AT                                 | NL |
|                         |                                  |                   | 105308   | CH                                 | NL |
|                         |                                  |                   | 40       | DD                                 | NL |
|                         |                                  |                   | 26694    | NO                                 | NL |
|                         |                                  |                   | 10545    | SE                                 | NL |
|                         |                                  |                   | 5800     | TR                                 | NL |
|                         |                                  |                   | 58       | XX                                 | GB |
|                         | <i>Mammillaria albicoma</i>      | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Mammillaria albilanata</i>    | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Mammillaria anniana</i>       | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Mammillaria armillata</i>     | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Mammillaria aureilanata</i>   | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Mammillaria aurihamata</i>    | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Mammillaria baumii</i>        | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Mammillaria baxteriana</i>    | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Mammillaria blossfeldiana</i> | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Mammillaria boolii</i>        | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Mammillaria brandegei</i>     | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Mammillaria candida</i>       | live (art. prop.) | 10       | XX                                 | GB |
|                         | <i>Mammillaria canelensis</i>    | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Mammillaria carmenae</i>      | live (art. prop.) | 4        | XX                                 | GB |

| CITES EEC<br>App. Annex | TAXON                              | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|------------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Mammillaria chionocephala</i>   | live (art. prop.) | 11       | XX                                 | GB |
|                         | <i>Mammillaria crucigera</i>       | live (art. prop.) | 33       | XX                                 | GB |
|                         | <i>Mammillaria decipiens</i>       | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Mammillaria dioica</i>          | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Mammillaria dixanthocentron</i> | live (art. prop.) | 9        | XX                                 | GB |
|                         | <i>Mammillaria elongata</i>        | live (art. prop.) | 5        | XX                                 | GB |
|                         | <i>Mammillaria erythrosperma</i>   | live (art. prop.) | 18       | XX                                 | GB |
|                         | <i>Mammillaria fittkauui</i>       | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Mammillaria formosa</i>         | live (art. prop.) | 7        | XX                                 | GB |
|                         | <i>Mammillaria fraileana</i>       | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Mammillaria gigantea</i>        | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Mammillaria glassii</i>         | live (art. prop.) | 6        | XX                                 | GB |
|                         | <i>Mammillaria goodridgii</i>      | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Mammillaria gracilis</i>        | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Mammillaria grusonii</i>        | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Mammillaria guelzowiana</i>     | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Mammillaria haageana</i>        | live (art. prop.) | 4        | XX                                 | GB |

| CITES EEC<br>App. Annex | Taxon                           | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Mammillaria hahniana</i>     | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Mammillaria hertrichiana</i> | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Mammillaria heyderi</i>      | live (art. prop.) | 25       | XX                                 | GB |
|                         | <i>Mammillaria jalapensis</i>   | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Mammillaria jaliscana</i>    | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Mammillaria johnstonii</i>   | live (art. prop.) | 6        | XX                                 | GB |
|                         | <i>Mammillaria karwinskiana</i> | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Mammillaria klissingiana</i> | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Mammillaria lasiacantha</i>  | live (art. prop.) | 5        | XX                                 | GB |
|                         | <i>Mammillaria laui</i>         | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Mammillaria leptacantha</i>  | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Mammillaria longiflora</i>   | live (art. prop.) | 6        | XX                                 | GB |
|                         | <i>Mammillaria magallanii</i>   | live (art. prop.) | 6        | XX                                 | GB |
|                         | <i>Mammillaria magnimamma</i>   | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Mammillaria matudae</i>      | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Mammillaria melanocentra</i> | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Mammillaria mercadensis</i>  | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Mammillaria microhelia</i>   | live (art. prop.) | 29       | XX                                 | GB |

| CITES EEC<br>App. Annex | TAXON                           | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Mammillaria miegiana</i>     | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Mammillaria milleri</i>      | live (art. prop.) | 5        | XX                                 | GB |
|                         | <i>Mammillaria nivosa</i>       | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Mammillaria oteroii</i>      | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Mammillaria parkinsonii</i>  | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Mammillaria pennispinosa</i> | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Mammillaria perbella</i>     | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Mammillaria petterssonii</i> | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Mammillaria phitauiana</i>   | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Mammillaria poselgeri</i>    | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Mammillaria prolifera</i>    | live (art. prop.) | 6        | XX                                 | GB |
|                         | <i>Mammillaria rekoi</i>        | live (art. prop.) | 8        | XX                                 | GB |
|                         | <i>Mammillaria rhodantha</i>    | live (art. prop.) | 14       | XX                                 | GB |
|                         | <i>Mammillaria rubrograndis</i> | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Mammillaria saboae</i>       | live (art. prop.) | 15       | XX                                 | GB |
|                         | <i>Mammillaria schiedeana</i>   | live (art. prop.) | 25       | XX                                 | GB |
|                         | <i>Mammillaria schumannii</i>   | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Mammillaria schwarzii</i>    | live (art. prop.) | 10       | XX                                 | GB |

| CITES EEC<br>App. Annex | Taxon                           | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Mammillaria sempervivi</i>   | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Mammillaria senilis</i>      | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Mammillaria sonorensis</i>   | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Mammillaria spinosissima</i> | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Mammillaria supertexta</i>   | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Mammillaria swinglei</i>     | live (art. prop.) | 6        | XX                                 | GB |
|                         | <i>Mammillaria tayloriorum</i>  | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Mammillaria wiesingeri</i>   | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Mammillaria wildii</i>       | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Mammillaria winterae</i>     | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Mammillaria wrightii</i>     | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Mammillaria zeilmanniana</i> | live (art. prop.) | 8        | XX                                 | GB |
|                         | <i>Mammillaria zeyeri</i>       | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Matucana aureiflora</i>      | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Matucana haynei</i>          | live (art. prop.) | 7        | XX                                 | GB |
|                         | <i>Matucana intertexta</i>      | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Matucana madisoniorum</i>    | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Matucana weberbaueri</i>     | live (art. prop.) | 25       | XX                                 | GB |

| CITES EEC<br>App. Annex | TAXON                          | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Melocactus</i> spp.         | live (art. prop.) | 2878     | AT                                 | NL |
|                         |                                |                   | 8009     | CH                                 | NL |
|                         |                                |                   | 1012     | NO                                 | NL |
|                         |                                |                   | 1989     | SE                                 | NL |
|                         | <i>Melocactus azureus</i>      | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Melocactus levitestatus</i> | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Monvillea</i> spp.          | live (art. prop.) | 445      | CH                                 | NL |
|                         |                                |                   | 555      | SE                                 | NL |
|                         | <i>Myrtillocactus</i> spp.     | live (art. prop.) | 4878     | AT                                 | NL |
|                         |                                |                   | 1980     | CH                                 | NL |
|                         |                                |                   | 1223     | NO                                 | NL |
|                         |                                |                   | 2878     | SE                                 | NL |
|                         | <i>Neobuxbaumia</i> spp.       | live (art. prop.) | 2013     | AT                                 | NL |
|                         |                                |                   | 7889     | CH                                 | NL |
|                         |                                |                   | 346      | NO                                 | NL |
|                         |                                |                   | 2456     | SE                                 | NL |
|                         | <i>Neolloydia</i> spp.         | live (art. prop.) | 1280     | AT                                 | NL |
|                         |                                |                   | 140      | CH                                 | NL |
|                         |                                |                   | 30       | DD                                 | NL |
|                         |                                |                   | 5629     | FI                                 | NL |
|                         |                                |                   | 1464     | NO                                 | NL |
|                         | <i>Neopoteria</i> spp.         | live (art. prop.) | 5875     | CH                                 | NL |
|                         |                                |                   | 20       | XX                                 | GB |
|                         | <i>Neopoteria calderana</i>    | live (art. prop.) | 10       | XX                                 | GB |
|                         | <i>Neopoteria chilensis</i>    | live (art. prop.) | 3        | XX                                 | GB |

| CITES EEC<br>App. Annex | Taxon                            | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Neoporteria chorosensis</i>   | live (art. prop.) | 5        | XX                                 | GB |
|                         | <i>Neoporteria coimasensis</i>   | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Neoporteria curvispina</i>    | live (art. prop.) | 17       | XX                                 | GB |
|                         | <i>Neoporteria deherdtiana</i>   | live (art. prop.) | 5        | XX                                 | GB |
|                         | <i>Neoporteria eriocephala</i>   | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Neoporteria fusca</i>         | live (art. prop.) | 10       | XX                                 | GB |
|                         | <i>Neoporteria horrida</i>       | live (art. prop.) | 21       | XX                                 | GB |
|                         | <i>Neoporteria huascensis</i>    | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Neoporteria intermedia</i>    | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Neoporteria napina</i>        | live (art. prop.) | 5        | XX                                 | GB |
|                         | <i>Neoporteria nidus</i>         | live (art. prop.) | 23       | XX                                 | GB |
|                         | <i>Neoporteria odieri</i>        | live (art. prop.) | 5        | XX                                 | GB |
|                         | <i>Neoporteria paucicostata</i>  | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Neoporteria simulans</i>      | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Neoporteria subgibbosa</i>    | live (art. prop.) | 6        | XX                                 | GB |
|                         | <i>Neoporteria taltalensis</i>   | live (art. prop.) | 20       | XX                                 | GB |
|                         | <i>Neoporteria villosa</i>       | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Neoporteria wagenknechtii</i> | live (art. prop.) | 2        | XX                                 | GB |

| CITES EEC<br>App. Annex | TAXON                          | Description       | Quantity   | Country of<br>Import Origin                        | Export   |
|-------------------------|--------------------------------|-------------------|--|--|--|
| II                      | <i>Neoraimondia</i> spp.       | live (art. prop.) | 236<br>2358<br>879<br>1346                                     | AT<br>CH<br>NO<br>SE                               | NL<br>NL<br>NL<br>NL                               |
|                         | <i>Notocactus</i> spp.         | live (art. prop.) | 5834<br>15937<br>72<br>45<br>10193<br>10065<br>28<br>4600<br>4 | AT<br>CH<br>FI<br>HK<br>NO<br>SE<br>SG<br>TR<br>XX | NL<br>NL<br>NL<br>NL<br>NL<br>NL<br>NL<br>NL<br>GB |
|                         | <i>Notocactus allosiphon</i>   | live (art. prop.) | 1  | XX   | GB   |
|                         | <i>Notocactus brasiliensis</i> | live (art. prop.) | 20   | XX   | GB   |
|                         | <i>Notocactus brevihamatus</i> | live (art. prop.) | 1  | XX   | GB   |
|                         | <i>Notocactus buiningii</i>    | live (art. prop.) | 1  | XX   | GB   |
|                         | <i>Notocactus claviceps</i>    | live (art. prop.) | 1  | XX   | GB   |
|                         | <i>Notocactus concinnus</i>    | live (art. prop.) | 4  | XX   | GB   |
|                         | <i>Notocactus crassigibbus</i> | live (art. prop.) | 4  | XX   | GB   |
|                         | <i>Notocactus erinaceus</i>    | live (art. prop.) | 1  | XX   | GB   |
|                         | <i>Notocactus graessneri</i>   | live (art. prop.) | 4  | XX   | GB   |
|                         | <i>Notocactus haselbergii</i>  | live (art. prop.) | 1  | XX   | GB   |

| CITES EEC<br>App. Annex | TAXON                          | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Notocactus herteri</i>      | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Notocactus horstii</i>      | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Notocactus leninghausii</i> | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Notocactus magnificus</i>   | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Notocactus mammulosus</i>   | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Notocactus megalanthus</i>  | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Notocactus ottonis</i>      | live (art. prop.) | 33       | XX                                 | GB |
|                         | <i>Notocactus rutilans</i>     | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Notocactus scopa</i>        | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Notocactus seticeps</i>     | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Notocactus succineus</i>    | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Opuntia</i> spp.            | live (art. prop.) | 10674    | AT                                 | NL |
|                         |                                |                   | 13       | BM                                 | NL |
|                         |                                |                   | 34356    | CH                                 | NL |
|                         |                                |                   | 1758     | FI                                 | NL |
|                         |                                |                   | 14549    | NO                                 | NL |
|                         |                                |                   | 10129    | SA                                 | NL |
|                         |                                |                   | 10249    | SE                                 | NL |
|                         |                                |                   | 4800     | TR                                 | NL |
|                         |                                |                   | 1        | XX                                 | GB |
|                         | <i>Opuntia chaffeyi</i>        | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Opuntia clavata</i>         | live (art. prop.) | 2        | XX                                 | GB |

| CITES EEC<br>App. Annex | TAXON                         | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Opuntia erinacea</i>       | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Opuntia ficus-indica</i>   | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Opuntia glomerata</i>      | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Opuntia joconostle</i>     | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Opuntia kleiniae</i>       | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Opuntia microdasys</i>     | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Opuntia moelleri</i>       | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Opuntia pentlandii</i>     | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Opuntia pilifera</i>       | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Opuntia robusta</i>        | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Opuntia schulzii</i>       | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Opuntia tuna</i>           | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Opuntia velutina</i>       | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Opuntia verschaffeltii</i> | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Oreocereus fossulatus</i>  | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Oreocereus trollii</i>     | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Oroya peruviana</i>        | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Pachycereus</i> spp.       | live (art. prop.) | 34       | AT                                 | NL |

| CITES EEC<br>App. Annex | Taxon                         | Description       | Quantity | Country of<br>Import Origin | Export |
|-------------------------|-------------------------------|-------------------|----------|-----------------------------|--------|
| II                      | <i>Pachycereus</i> spp.       | live (art. prop.) | 13       | BM                          | NL     |
|                         |                               |                   | 9444     | CH                          | NL     |
|                         |                               |                   | 1434     | NO                          | NL     |
|                         |                               |                   | 8976     | SE                          | NL     |
|                         | <i>Parodia</i> spp.           | live (art. prop.) | 4636     | CH                          | NL     |
|                         |                               |                   | 412      | SE                          | NL     |
|                         |                               |                   | 16       | XX                          | GB     |
|                         | <i>Parodia aureicentra</i>    | live (art. prop.) | 3        | XX                          | GB     |
|                         | <i>Parodia ayopayana</i>      | live (art. prop.) | 10       | XX                          | GB     |
|                         | <i>Parodia chrysacanthion</i> | live (art. prop.) | 12       | XX                          | GB     |
|                         | <i>Parodia erythrantha</i>    | live (art. prop.) | 4        | XX                          | GB     |
|                         | <i>Parodia hausteiniana</i>   | live (art. prop.) | 4        | XX                          | GB     |
|                         | <i>Parodia laui</i>           | live (art. prop.) | 2        | XX                          | GB     |
|                         | <i>Parodia maassii</i>        | live (art. prop.) | 15       | XX                          | GB     |
|                         | <i>Parodia mairanana</i>      | live (art. prop.) | 1        | XX                          | GB     |
|                         | <i>Parodia microsperma</i>    | live (art. prop.) | 6        | XX                          | GB     |
|                         | <i>Parodia miguillensis</i>   | live (art. prop.) | 5        | XX                          | GB     |
|                         | <i>Parodia multicostata</i>   | live (art. prop.) | 5        | XX                          | GB     |
|                         | <i>Parodia mutabilis</i>      | live (art. prop.) | 2        | XX                          | GB     |
|                         | <i>Parodia nivosa</i>         | live (art. prop.) | 2        | XX                          | GB     |

| CITES EEC<br>App. Annex | Taxon                            | Description       | Quantity | Country of<br>Import Origin | Export |
|-------------------------|----------------------------------|-------------------|----------|-----------------------------|--------|
| II                      | <i>Parodia ocamponi</i>          | live (art. prop.) | 5        | XX                          | GB     |
|                         | <i>Parodia subterranea</i>       | live (art. prop.) | 3        | XX                          | GB     |
|                         | <i>Parodia taratensis</i>        | live (art. prop.) | 11       | XX                          | GB     |
|                         | <i>Parodia tuberculata</i>       | live (art. prop.) | 2        | XX                          | GB     |
|                         | <i>Parodia yamparaezi</i>        | live (art. prop.) | 2        | XX                          | GB     |
|                         | <i>Pilosocereus</i> spp.         | live (art. prop.) | 13       | BM                          | NL     |
|                         |                                  |                   | 7654     | CH                          | NL     |
|                         |                                  |                   | 2656     | NO                          | NL     |
|                         |                                  |                   | 8878     | SE                          | NL     |
|                         | <i>Pilosocereus bradei</i>       | live (art. prop.) | 1        | XX                          | GB     |
|                         | <i>Pilosocereus gounellei</i>    | live (art. prop.) | 1        | XX                          | GB     |
|                         | <i>Pilosocereus lanuginosus</i>  | live (art. prop.) | 2        | XX                          | GB     |
|                         | <i>Pilosocereus pachycladus</i>  | live (art. prop.) | 1        | XX                          | GB     |
|                         | <i>Pilosocereus palmeri</i>      | live (art. prop.) | 2        | XX                          | GB     |
|                         | <i>Polaskia</i> spp.             | live (art. prop.) | 345      | AT                          | NL     |
|                         |                                  |                   | 1980     | CH                          | NL     |
|                         |                                  |                   | 234      | NO                          | NL     |
|                         |                                  |                   | 3244     | SE                          | NL     |
|                         | <i>Pseudorhipsalis macrantha</i> | live (art. prop.) | 2        | XX                          | GB     |
|                         | <i>Rebutia</i> spp.              | live (art. prop.) | 967      | CH                          | NL     |
|                         |                                  |                   | 6678     | SE                          | NL     |
|                         |                                  |                   | 27       | XX                          | GB     |

| CITES EEC<br>App. Annex | TAXON                         | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Rebutia albiflora</i>      | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Rebutia albissima</i>      | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Rebutia aureiflora</i>     | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Rebutia brachyantha</i>    | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rebutia cintiensis</i>     | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rebutia diersiana</i>      | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Rebutia donaldiana</i>     | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rebutia fabrisii</i>       | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rebutia fiebrigii</i>      | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Rebutia freidrichiana</i>  | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Rebutia heliosa</i>        | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rebutia hoffmannii</i>     | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Rebutia kupperiana</i>     | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Rebutia mamillosa</i>      | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Rebutia marsoneri</i>      | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Rebutia minuscula</i>      | live (art. prop.) | 15       | XX                                 | GB |
|                         | <i>Rebutia potosina</i>       | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Rebutia pseudodeminuta</i> | live (art. prop.) | 1        | XX                                 | GB |

| CITES EEC<br>App. Annex | TAXON                          | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Rebutia pulvinosa</i>       | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Rebutia pygmaea</i>         | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rebutia residua</i>         | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Rebutia ritteri</i>         | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rebutia rosalbiflora</i>    | live (art. prop.) | 5        | XX                                 | GB |
|                         | <i>Rebutia rutiliflora</i>     | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Rebutia senilis</i>         | live (art. prop.) | 9        | XX                                 | GB |
|                         | <i>Rebutia spegazziniana</i>   | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Rebutia spinosissima</i>    | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rebutia steinmannii</i>     | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rebutia vallegrandensis</i> | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Rebutia wessneriana</i>     | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Rebutia xanthocarpa</i>     | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rhipsalidopsis</i> spp.     | live (art. prop.) | 9885     | AT                                 | NL |
|                         |                                |                   | 49174    | CH                                 | NL |
|                         |                                |                   | 100      | HK                                 | NL |
|                         | <i>Rhipsalis</i> spp.          | live (art. prop.) | 1080     | AT                                 | NL |
|                         |                                |                   | 576      | CH                                 | BE |
|                         |                                |                   | 2904     | CH                                 | NL |
|                         |                                |                   | 843      | OM                                 | NL |

| CITES EEC<br>App. Annex | TAXON                            | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Rhipsalis crispimarginata</i> | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rhipsalis gibberula</i>       | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rhipsalis micrantha</i>       | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Rhipsalis paradoxa</i>        | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rhipsalis puniceodiscus</i>   | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rhipsalis testudo</i>         | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Rhipsalis tucumanensis</i>    | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Schlumbergera</i> spp.        | live (art. prop.) | 20602    | AT                                 | NL |
|                         |                                  |                   | 146      | BM                                 | NL |
|                         |                                  |                   | 28142    | CH                                 | NL |
|                         |                                  |                   | 45       | HK                                 | NL |
|                         |                                  |                   | 10       | SA                                 | NL |
|                         |                                  |                   | 1678     | SE                                 | NL |
|                         |                                  |                   | 10       | XX                                 | GB |
|                         | <i>Selenicereus</i> spp.         | live (art. prop.) | 1457     | CH                                 | NL |
|                         |                                  |                   | 189      | SE                                 | NL |
|                         | <i>Selenicereus grandiflorus</i> | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Stenocactus</i> spp.          | live (art. prop.) | 3133     | CH                                 | NL |
|                         |                                  |                   | 3023     | NO                                 | NL |
|                         |                                  |                   | 8        | XX                                 | GB |
|                         | <i>Stenocactus bustamantei</i>   | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Stenocactus crispatus</i>     | live (art. prop.) | 1        | XX                                 | GB |

| CITES EEC<br>App. Annex | TAXON                            | Description       | Quantity                   | Country of<br>Import Origin Export |                      |
|-------------------------|----------------------------------|-------------------|----------------------------|------------------------------------|----------------------|
| II                      | <i>Stenocactus kellerianus</i>   | live (art. prop.) | 3                          | XX                                 | GB                   |
|                         | <i>Stenocactus obvallatus</i>    | live (art. prop.) | 2                          | XX                                 | GB                   |
|                         | <i>Stenocactus ochoterenaus</i>  | live (art. prop.) | 1                          | XX                                 | GB                   |
|                         | <i>Stenocactus sulphureus</i>    | live (art. prop.) | 1                          | XX                                 | GB                   |
|                         | <i>Stenocereus</i> spp.          | live (art. prop.) | 212                        | NO                                 | NL                   |
|                         | <i>Stenocereus eruca</i>         | live (art. prop.) | 3                          | XX                                 | GB                   |
|                         | <i>Stetsonia</i> spp.            | live (art. prop.) | 13<br>6577<br>1678<br>1877 | BM<br>CH<br>NO<br>SE               | NL<br>NL<br>NL<br>NL |
|                         | <i>Sulcorebutia</i> spp.         | live (art. prop.) | 2345<br>768<br>5           | CH<br>SE<br>XX                     | NL<br>NL<br>GB       |
|                         | <i>Sulcorebutia arenacea</i>     | live (art. prop.) | 4                          | XX                                 | GB                   |
|                         | <i>Sulcorebutia breviflora</i>   | live (art. prop.) | 4                          | XX                                 | GB                   |
|                         | <i>Sulcorebutia candiae</i>      | live (art. prop.) | 1                          | XX                                 | GB                   |
|                         | <i>Sulcorebutia canigueralii</i> | live (art. prop.) | 3                          | XX                                 | GB                   |
|                         | <i>Sulcorebutia crispata</i>     | live (art. prop.) | 2                          | XX                                 | GB                   |
|                         | <i>Sulcorebutia glomerispina</i> | live (art. prop.) | 1                          | XX                                 | GB                   |
|                         | <i>Sulcorebutia hoffmanniana</i> | live (art. prop.) | 4                          | XX                                 | GB                   |

| CITES EEC<br>App. Annex | Taxon                                    | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|--|-------------------|----------|------------------------------------|----|
| II                      | <i>Sulcorebutia krugeri</i>              | live (art. prop.) | 4        | XX                                 | GB |
|                         | <i>Sulcorebutia losenickyana</i>         | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Sulcorebutia markusii</i>             | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Sulcorebutia menesesii</i>            | live (art. prop.) | 21       | XX                                 | GB |
|                         | <i>Sulcorebutia mentosa</i>              | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Sulcorebutia oenantha</i>             | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Sulcorebutia steinbachii</i>          | live (art. prop.) | 23       | XX                                 | GB |
|                         | <i>Sulcorebutia tarijensis</i>           | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Sulcorebutia tiraquensis</i>          | live (art. prop.) | 16       | XX                                 | GB |
|                         | <i>Sulcorebutia vanbaellii</i>           | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Sulcorebutia vasqueziana</i>          | live (art. prop.) | 5        | XX                                 | GB |
|                         | <i>Sulcorebutia<br/>verticillacantha</i> | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Thelocactus spp.</i>                  | live (art. prop.) | 3338     | CH                                 | NL |
|                         |  |                   | 236      | NO                                 | NL |
|                         |  |                   | 675      | SE                                 | NL |
|                         |  |                   | 1        | XX                                 | GB |
|                         | <i>Thelocactus beguinii</i>              | live (art. prop.) | 8        | XX                                 | GB |
|                         | <i>Thelocactus bicolor</i>               | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Thelocactus conothelos</i>            | live (art. prop.) | 3        | XX                                 | GB |

| CITES EEC<br>App. Annex | Taxon                                | Description       | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|--------------------------------------|-------------------|----------|------------------------------------|----|----|
| II                      | <i>Turbinicarpus schmiedickeanus</i> | live (art. prop.) | 4        | XX                                 | GB |    |
|                         | <i>Weberbauerocereus</i> spp.        | live (art. prop.) | 5680     | AT                                 | NL |    |
|                         |                                      |                   | 4878     | CH                                 | NL |    |
|                         |                                      |                   | 1237     | NO                                 | NL |    |
|                         |                                      |                   | 4878     | SE                                 | NL |    |
|                         | <i>Weberbauerocereus mirandae</i>    | live (art. prop.) | 2        | XX                                 | GB |    |
|                         | <i>Weberocereus glaber</i>           | live (art. prop.) | 2        | XX                                 | GB |    |
|                         | <i>Weberocereus tonduzii</i>         | live (art. prop.) | 1        | XX                                 | GB |    |
|                         | <i>Weberocereus tunilla</i>          | live (art. prop.) | 2        | XX                                 | GB |    |
|                         | <i>Weingartia</i> spp.               | live (art. prop.) | 2        | XX                                 | GB |    |
|                         | <i>Weingartia hediniana</i>          | live (art. prop.) | 20       | XX                                 | GB |    |
|                         | <i>Weingartia neocumingii</i>        | live (art. prop.) | 10       | XX                                 | GB |    |
|                         | <i>Wilcoxia poselgeri</i>            | live (art. prop.) | 1        | XX                                 | GB |    |
|                         | <i>Cycas</i> spp.                    | live (art. prop.) | 121      | AT                                 | BE |    |
|                         |                                      |                   | 164      | CH                                 | BE |    |
|                         |                                      |                   | 4        | SE                                 | BE |    |
|                         | <i>Cycas circinalis</i>              | seeds             | 8000     | US                                 | TW | DE |
|                         | <i>Alluaudia procera</i>             | live (art. prop.) | 2        | XX                                 |    | GB |
|                         | <i>Euphorbia</i> spp.                | live (art. prop.) | 188      | AT                                 | BE |    |
|                         |                                      |                   | 344      | AT                                 | ES |    |

| CITES EEC<br>App. Annex | Taxon                          | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Euphorbia</i> spp.          | live (art. prop.) | 15152    | AT                                 | NL |
|                         |                                |                   | 13       | BM                                 | NL |
|                         |                                |                   | 1713     | CH                                 | BE |
|                         |                                |                   | 3609     | CH                                 | ES |
|                         |                                |                   | 17356    | CH                                 | NL |
|                         |                                |                   | 1        | CU                                 | ES |
|                         |                                |                   | 104      | CY                                 | NL |
|                         |                                |                   | 132      | DD                                 | NL |
|                         |                                |                   | 10674    | FI                                 | NL |
|                         |                                |                   | 1848     | NO                                 | NL |
|                         |                                |                   | 10516    | SE                                 | NL |
|                         |                                |                   | 1973     | XX                                 | ES |
|                         |                                |                   | 4        | XX                                 | GB |
|                         | <i>Euphorbia bubalina</i>      | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Euphorbia bupleurifolia</i> | live (art. prop.) | 10       | XX                                 | GB |
|                         | <i>Euphorbia canariensis</i>   | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Euphorbia cereiformis</i>   | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Euphorbia clandestina</i>   | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Euphorbia clavarioides</i>  | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Euphorbia globosa</i>       | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Euphorbia horrida</i>       | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Euphorbia mammillaris</i>   | live (art. prop.) | 2        | XX                                 | GB |
|                         | <i>Euphorbia meloformis</i>    | live (art. prop.) | 6        | XX                                 | GB |
|                         | <i>Euphorbia milii</i>         | live (art. prop.) | 1        | XX                                 | GB |

| CITES EEC<br>App. Annex | Taxon                         | Description       | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|-------------------------------|-------------------|----------|------------------------------------|----|----|
| II                      | <i>Euphorbia obesa</i>        | live (art. prop.) | 8        | XX                                 | GB |    |
|                         | <i>Euphorbia primulifolia</i> | live              | 100      | US                                 | MG | DE |
|                         | <i>Aloe</i> spp.              | live (art. prop.) | 191      | AT                                 | ES |    |
|                         |                               |                   | 1114     | AT                                 | NL |    |
|                         |                               |                   | 13       | BM                                 | NL |    |
|                         |                               |                   | 836      | CH                                 | ES |    |
|                         |                               |                   | 4798     | CH                                 | NL |    |
|                         |                               |                   | 10       | CY                                 | NL |    |
|                         |                               |                   | 43       | DD                                 | NL |    |
|                         |                               |                   | 400      | FI                                 | NL |    |
|                         |                               |                   | 5        | HK                                 | NL |    |
|                         |                               |                   | 18       | MA                                 | NL |    |
|                         |                               |                   | 15       | SA                                 | NL |    |
|                         |                               |                   | 4030     | SE                                 | NL |    |
|                         |                               |                   | 8101     | XX                                 | NL |    |
|                         | <i>Aloe</i> hybrid            | live (art. prop.) | 1        | XX                                 | GB |    |
|                         | <i>Aloe arborescens</i>       | live (art. prop.) | 100      | AN                                 | NL |    |
|                         |                               |                   | 666      | AT                                 | NL |    |
|                         |                               |                   | 1532     | CH                                 | NL |    |
|                         |                               |                   | 10       | CY                                 | NL |    |
|                         |                               |                   | 1500     | EG                                 | NL |    |
|                         |                               |                   | 719      | FI                                 | NL |    |
|                         |                               |                   | 504      | IQ                                 | NL |    |
|                         |                               |                   | 24       | IS                                 | NL |    |
|                         |                               |                   | 30       | KW                                 | NL |    |
|                         |                               |                   | 216      | NO                                 | NL |    |
|                         |                               |                   | 1622     | SE                                 | NL |    |
|                         |                               |                   | 100      | TR                                 | NL |    |
|                         | <i>Aloe ferox</i>             | live (art. prop.) | 1        | XX                                 | GB |    |

| CITES EEC<br>App. Annex | TAXON                      | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|----------------------------|-------------------|----------|------------------------------------|----|
| II                      | <i>Aloe juvenna</i>        | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Aloe karasbergensis</i> | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Aloe microstigma</i>    | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Aloe variegata</i>      | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Aloe vera</i>           | live (art. prop.) | 7        | XX                                 | GB |
|                         | <i>Nepenthes</i> spp.      | live (art. prop.) | 405      | AT                                 | NL |
|                         |                            |                   | 137      | CH                                 | NL |
|                         |                            |                   | 10       | HK                                 | NL |
|                         |                            |                   | 30       | TW                                 | NL |
|                         | <i>Orchidaceae</i> spp.    | live (art. prop.) | 1938     | AT                                 | IT |
|                         |                            |                   | 4000     | AT                                 | NL |
|                         |                            |                   | 100      | BI                                 | BE |
|                         |                            |                   | 70       | CA                                 | NL |
|                         |                            |                   | 7        | CH                                 | BE |
|                         |                            |                   | 400      | CH                                 | DE |
|                         |                            |                   | 4870     | CH                                 | NL |
|                         |                            |                   | 3        | CI                                 | FR |
|                         |                            |                   | 5        | CS                                 | FR |
|                         |                            |                   | 4        | GH                                 | FR |
|                         |                            |                   | 10       | KE                                 | NL |
|                         |                            |                   | 150      | KM                                 | FR |
|                         |                            |                   | 5        | MG                                 | FR |
|                         |                            |                   | 60       | MU                                 | FR |
|                         |                            |                   | 8        | MY                                 | FR |
|                         |                            |                   | 18       | NC                                 | FR |
|                         |                            |                   | 20       | NG                                 | FR |
|                         |                            |                   | 3        | OM                                 | FR |
|                         |                            |                   | 90       | PT                                 | IT |
|                         |                            |                   | 4        | SE                                 | FR |

| CITES EEC<br>App. Annex | Taxon                                       | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|---|-------------------|----------|------------------------------------|----|
| II                      | <i>Orchidaceae</i> spp.                     | live (art. prop.) | 2177     | SE                                 | NL |
|                         |   |                   | 126      | US                                 | FR |
|                         |   |                   | 100      | US                                 | NL |
|                         |   |                   | 345      | US                                 | GB |
|                         |   |                   | 600      | VN                                 | FR |
|                         |   |                   | 8        | XX                                 | GB |
|                         |   |                   | 3        | ZA                                 | NL |
|                         |   | 15 flasks         |          | XX                                 | GB |
|                         | <i>Orchidaceae</i> hybrid                   | live (art. prop.) | 5        | AR                                 | GB |
|                         |   |                   | 2493     | AT                                 | NL |
|                         |   |                   | 4        | BM                                 | GB |
|                         |   |                   | 3        | CH                                 | GB |
|                         |   |                   | 10       | CH                                 | IT |
|                         |   |                   | 8294     | CH                                 | NL |
|                         |   |                   | 24       | DD                                 | NL |
|                         |   |                   | 20       | FI                                 | NL |
|                         |   |                   | 45       | HK                                 | NL |
|                         |   |                   | 5        | KE                                 | GB |
|                         |   |                   | 10       | SA                                 | NL |
|                         |   | 1000              |          | US                                 | NL |
|                         |   |                   | 75       | XX                                 | GB |
|                         |   | 10 flasks         |          | XX                                 | GB |
|                         | <i>Acanthephippium</i><br><i>sylhetense</i> | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Acoridium pumilum</i>                    | live (art. prop.) | 1        | XX                                 | GB |
|                         | <i>Aerangis</i> spp.                        | live (art. prop.) | 3        | XX                                 | GB |
|                         | <i>Angraecum magdalenaе</i>                 | live (art. prop.) | 2        | KE                                 | GB |
|                         | <i>Anguloa clowesii</i>                     | live (art. prop.) | 1        | CH                                 | GB |

| CITES EEC<br>App. Annex | TAXON                           | Description       | Quantity | Country of<br>Import Origin Export |    |       |
|-------------------------|---------------------------------|-------------------|----------|------------------------------------|----|-------|
| II                      | <i>Ansellia africana</i>        | live (art. prop.) | 1        |                                    | XX | GB    |
|                         | <i>Bletilla</i> spp.            | live (art. prop.) | 75       |                                    | SE | NL    |
|                         |                                 |                   | 460      |                                    | US | NL    |
|                         | <i>Brassavola</i> spp.          | live (art. prop.) | 1        |                                    | CH | BE    |
|                         |                                 |                   | 1        |                                    | XX | GB    |
|                         | <i>Brassia verrucosa</i>        | live (art. prop.) | 1        |                                    | AR | GB    |
|                         |                                 |                   | 1        |                                    | CH | GB    |
|                         | <i>Bulbophyllum</i> spp.        | live              | 100      |                                    | US | TH DE |
|                         | <i>Bulbophyllum dayanum</i>     | live              | 50       |                                    | US | TH DE |
|                         | <i>Bulbophyllum lobbii</i>      | live (art. prop.) | 1        |                                    | XX | GB    |
|                         |                                 | live              | 50       |                                    | US | TH DE |
|                         | <i>Bulbophyllum orientale</i>   | live              | 50       |                                    | US | TH DE |
|                         | <i>Calanthe</i> spp.            | live (art. prop.) | 75       |                                    | US | BE    |
|                         | <i>Cattleya</i> spp.            | live (art. prop.) | 26       |                                    | AT | NL    |
|                         |                                 |                   | 2        |                                    | BI | BE    |
|                         |                                 |                   | 1200     |                                    | CH | NL    |
|                         | <i>Cattleya intermedia</i>      | live (art. prop.) | 1        |                                    | AR | GB    |
|                         | <i>Chiloschista</i> spp.        | live (art. prop.) | 1        |                                    | CH | BE    |
|                         | <i>Cirrhopetalum capillipes</i> | live              | 50       |                                    | US | TH DE |
|                         | <i>Cirrhopetalum medusae</i>    | live              | 50       |                                    | US | TH DE |
|                         | <i>Cirrhopetalum papillosum</i> | live              | 50       |                                    | US | TH DE |

| CITES EEC<br>App. Annex | Taxon                        | Description       | Quantity | Country of<br>Import Origin | Export |
|-------------------------|------------------------------|-------------------|----------|-----------------------------|--------|
| II                      | <i>Cochlioda</i> spp.        | live (art. prop.) | 1        | AR                          | GB     |
|                         | <i>Coelogyne</i> spp.        | live (art. prop.) | 1        | CH                          | BE     |
|                         |                              |                   | 1        | US                          | GB     |
|                         | <i>Coelogyne thailandica</i> | live (art. prop.) | 1        | XX                          | GB     |
|                         | <i>Cymbidium</i> spp.        | live (art. prop.) | 6420     | AT                          | NL     |
|                         |                              |                   | 1880     | AU                          | NL     |
|                         |                              |                   | 650      | BR                          | NL     |
|                         |                              |                   | 48       | CA                          | NL     |
|                         |                              |                   | 154      | CH                          | BE     |
|                         |                              |                   | 13728    | CH                          | NL     |
|                         |                              |                   | 22       | CY                          | NL     |
|                         |                              |                   | 287      | FI                          | NL     |
|                         |                              |                   | 400      | JP                          | NL     |
|                         |                              |                   | 1        | KE                          | GB     |
|                         |                              |                   | 580      | KE                          | NL     |
|                         |                              |                   | 33       | LB                          | NL     |
|                         |                              |                   | 246      | NO                          | NL     |
|                         |                              |                   | 8280     | NZ                          | NL     |
|                         |                              |                   | 28       | SE                          | BE     |
|                         |                              |                   | 230      | SE                          | NL     |
|                         |                              |                   | 12       | TW                          | NL     |
|                         |                              |                   | 3200     | US                          | NL     |
|                         |                              |                   | 12       | XX                          | GB     |
|                         |                              |                   | 30956    | ZA                          | NL     |
|                         | <i>Cymbidium insigne</i>     | live (art. prop.) | 4        | XX                          | GB     |
|                         | <i>Cypripedium</i> spp.      | live (art. prop.) | 634      | AT                          | NL     |
|                         |                              |                   | 2662     | CH                          | NL     |
|                         |                              |                   | 350      | US                          | NL     |
|                         | <i>Dendrobium</i> spp.       | live (art. prop.) | 1        | BM                          | GB     |

| CITES EEC<br>App. Annex | Taxon                   | Description       | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|-------------------------|-------------------|----------|------------------------------------|----|----|
| II                      | Dendrobium spp.         | live (art. prop.) | 28       | CH                                 | NL |    |
|                         |                         |                   | 55       | HK                                 | NL |    |
|                         |                         |                   | 28       | XX                                 | GB |    |
|                         |                         | 2 flasks          |          | XX                                 | GB |    |
|                         |                         | live              | 50       | US                                 | TH | DE |
|                         | Dendrobium bellatulum   | live              | 50       | US                                 | TH | DE |
|                         | Dendrobium harveyanum   | live              | 50       | US                                 | TH | DE |
|                         | Dendrobium hercoglossum | live              | 50       | US                                 | TH | DE |
|                         | Dendrobium williamsonii | live              | 50       | US                                 | TH | DE |
|                         | Dendrochilum spp.       | live (art. prop.) | 3        | XX                                 | GB |    |
|                         | Disa spp.               | live (art. prop.) | 1        | AU                                 | GB |    |
|                         |                         |                   | 1        | CH                                 | GB |    |
|                         |                         |                   | 16       | XX                                 | GB |    |
|                         | Encyclia spp.           | live (art. prop.) | 4        | GP                                 | BE |    |
|                         | Encyclia ambigua        | live (art. prop.) | 1        | XX                                 | GB |    |
|                         | Encyclia amicta         | live (art. prop.) | 5        | ZA                                 | BR | DE |
|                         | Encyclia citrina        | live (art. prop.) | 1        | AR                                 | GB |    |
|                         | Epidendrum spp.         | live (art. prop.) | 1        | GP                                 | BE |    |
|                         | Epidendrum ilense       | live (art. prop.) | 1        | XX                                 | GB |    |
|                         | Epigeneium spp.         | live (art. prop.) | 1        | GP                                 | BE |    |
|                         | Eria spp.               | live (art. prop.) | 1        | CH                                 | BE |    |

| CITES EEC<br>App. Annex | TAXON                            | Description       | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|----|----|
| II                      | <i>Eulophiella roempleriana</i>  | live (art. prop.) | 1        | US                                 | GB |    |
|                         | <i>Grammatophyllum speciosum</i> | live (art. prop.) | 1        | XX                                 | GB |    |
|                         | <i>Laelia anceps</i>             | live (art. prop.) | 4        | MT                                 | GB |    |
|                         | <i>Laelia harpophylla</i>        | live (art. prop.) | 5        | ZA                                 | BR | DE |
|                         | <i>Laelia lundii</i>             | live (art. prop.) | 5        | ZA                                 | BR | DE |
|                         | <i>Laelia milleri</i>            | live (art. prop.) | 5        | ZA                                 | BR | DE |
|                         | <i>Laelia pumila</i>             | live (art. prop.) | 5        | ZA                                 | BR | DE |
|                         | <i>Laelia reginae</i>            | live (art. prop.) | 5        | ZA                                 | BR | DE |
|                         | <i>Leptotes tenuis</i>           | live (art. prop.) | 5        | ZA                                 | BR | DE |
|                         | <i>Ludisia</i> spp.              | live (art. prop.) | 112      | AT                                 | NL |    |
|                         |                                  |                   | 16       | CH                                 | NL |    |
|                         |                                  |                   | 100      | US                                 | NL |    |
|                         | <i>Luisia</i> spp.               | live (art. prop.) | 1        | XX                                 | GB |    |
|                         | <i>Lycaste</i> spp.              | live              | 50       | US                                 | PE | DE |
|                         | <i>Masdevallia coccinea</i>      | live (art. prop.) | 1        | CH                                 | GB |    |
|                         | <i>Maxillaria</i> spp.           | live (art. prop.) | 1        | CH                                 | BE |    |
|                         | <i>Maxillaria picta</i>          | live (art. prop.) | 5        | ZA                                 | BR | DE |
|                         | <i>Miltonia</i> spp.             | live (art. prop.) | 306      | AT                                 | NL |    |
|                         |                                  |                   | 320      | AU                                 | NL |    |
|                         |                                  |                   | 3        | BM                                 | GB |    |

| CITES EEC<br>App. Annex | Taxon                          | Description       | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|--------------------------------|-------------------|----------|------------------------------------|----|----|
| II                      | <i>Miltonia</i> spp.           | live (art. prop.) | 1450     | CA                                 | NL |    |
|                         |                                |                   | 1033     | CH                                 | NL |    |
|                         |                                |                   | 46       | FI                                 | NL |    |
|                         |                                |                   | 3860     | JP                                 | NL |    |
|                         |                                |                   | 3        | KE                                 | GB |    |
|                         |                                |                   | 50       | SE                                 | NL |    |
|                         |                                |                   | 2175     | US                                 | NL |    |
|                         |                                |                   | 3        | ZA                                 | NL |    |
|                         | <i>Mormodes</i> spp.           | live              | 20       | US                                 | PE | DE |
|                         | <i>Nanodes</i> spp.            | live (art. prop.) | 1        | CH                                 | BE |    |
|                         | <i>Odontoglossum</i> spp.      | live (art. prop.) | 160      | AU                                 | NL |    |
|                         |                                |                   | 350      | CA                                 | NL |    |
|                         |                                |                   | 50       | CH                                 | BE |    |
|                         |                                |                   | 350      | CH                                 | NL |    |
|                         |                                |                   | 100      | FI                                 | NL |    |
|                         |                                |                   | 12500    | JP                                 | NL |    |
|                         |                                |                   | 270      | KE                                 | NL |    |
|                         |                                |                   | 8159     | US                                 | NL |    |
|                         | <i>Odontoglossum crispum</i>   | live (art. prop.) | 1        | KE                                 | GB |    |
|                         | <i>Odontoglossum harryanum</i> | live (art. prop.) | 1        | KE                                 | GB |    |
|                         | <i>Oncidium</i> spp.           | live (art. prop.) | 1        | AR                                 | GB |    |
|                         |                                |                   | 130      | AT                                 | NL |    |
|                         |                                |                   | 50       | CH                                 | NL |    |
|                         |                                |                   | 500      | US                                 | NL |    |
|                         | <i>Oncidium cocciferum</i>     | live (art. prop.) | 1        | XX                                 | GB |    |
|                         | <i>Oncidium forbesii</i>       | live (art. prop.) | 5        | ZA                                 | BR | DE |

| CITES EEC<br>App. Annex | Taxon                               | Description       | Quantity   | Country of<br>Import Origin Export |    |
|-------------------------|-------------------------------------|-------------------|------------|------------------------------------|----|
| II                      | <i>Oncidium papilio</i>             | live (art. prop.) | 1          | CH                                 | GB |
|                         |                                     |                   | 1          | KE                                 | GB |
|                         | <i>Oncidium porrigens</i>           | live (art. prop.) | 2          | XX                                 | GB |
|                         | <i>Oncidium sawyeri</i>             | live (art. prop.) | 1          | XX                                 | GB |
|                         | <i>Oncidium schmidtianum</i>        | live (art. prop.) | 1          | XX                                 | GB |
|                         | <i>Paphiopedilum</i> spp.           | live (art. prop.) | 40         | AT                                 | NL |
|                         |                                     |                   | 3          | BI                                 | BE |
|                         |                                     |                   | 2          | BM                                 | GB |
|                         |                                     |                   | 97         | CH                                 | BE |
|                         |                                     |                   | 290        | CH                                 | DE |
|                         |                                     |                   | 3614       | CH                                 | NL |
|                         |                                     |                   | 200        | FI                                 | NL |
|                         |                                     |                   | 10         | HK                                 | NL |
|                         |                                     |                   | 38         | ID                                 | DE |
|                         |                                     |                   | 20000      | JP                                 | IT |
|                         |                                     |                   | 2500       | JP                                 | NL |
|                         |                                     |                   | 50         | SE                                 | NL |
|                         |                                     |                   | 14900      | XX                                 | GB |
|                         |                                     |                   | 2070       | ZA                                 | NL |
|                         |                                     |                   | 25         | ZA                                 | US |
|                         |                                     |                   | 730 flasks | XX                                 | DE |
|                         |                                     |                   |            |                                    | GB |
|                         | <i>Paphiopedilum acmodontum</i>     | live              | 120        | US                                 | PH |
|                         | <i>Paphiopedilum bullenianum</i>    | live              | 80         | US                                 | MY |
|                         | <i>Paphiopedilum charlesworthii</i> | live (art. prop.) | 3          | XX                                 | GB |
|                         | <i>Paphiopedilum dayanum</i>        | live (art. prop.) | 1          | XX                                 | GB |

| CITES EEC<br>App. Annex | Taxon                                | Description       | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|--------------------------------------|-------------------|----------|------------------------------------|----|----|
| II                      | <i>Paphiopedilum delenatii</i>       | live (art. prop.) | 2        | XX                                 | GB |    |
|                         | <i>Paphiopedilum glanduliferum</i>   | live (art. prop.) | 2        | XX                                 | GB |    |
|                         | <i>Paphiopedilum haynaldianum</i>    | live              | 60       | US                                 | PH | DE |
|                         | <i>Paphiopedilum hookerae</i>        | live              | 80       | US                                 | MY | DE |
|                         | <i>Paphiopedilum javanicum</i>       | live (art. prop.) | 1        | XX                                 | GB |    |
|                         | <i>Paphiopedilum rothschildianum</i> | live (art. prop.) | 2        | XX                                 | GB |    |
|                         | <i>Paphiopedilum sanderianum</i>     | live (art. prop.) | 1        | XX                                 | GB |    |
|                         | <i>Paphiopedilum superbiens</i>      | live (art. prop.) | 2        | XX                                 | GB |    |
|                         | <i>Paphiopedilum villosum</i>        | live (art. prop.) | 1        | XX                                 | GB |    |
|                         | <i>Peristeria</i> spp.               | live (art. prop.) | 2        | XX                                 | GB |    |
|                         | <i>Phalaenopsis</i> spp.             | live (art. prop.) | 71       | AT                                 | BE |    |
|                         |                                      |                   | 4968     | AT                                 | NL |    |
|                         |                                      |                   | 4        | AT                                 | PH | DE |
|                         |                                      |                   | 80       | AU                                 | NL |    |
|                         |                                      |                   | 2        | BM                                 | GB |    |
|                         |                                      |                   | 1775     | CA                                 | NL |    |
|                         |                                      |                   | 554      | CH                                 | BE |    |
|                         |                                      |                   | 21       | CH                                 | GB |    |
|                         |                                      |                   | 15196    | CH                                 | NL |    |
|                         |                                      |                   | 371      | FI                                 | NL |    |
|                         |                                      |                   | 1000     | GP                                 | NL |    |
|                         |                                      |                   | 125      | HK                                 | NL |    |

| CITES EEC<br>App. Annex | Taxon                            | Description       | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------------------|-------------------|----------|------------------------------------|----|----|
| II                      | <i>Phalaenopsis</i> spp.         | live (art. prop.) | 8216     | JP                                 | NL |    |
|                         |                                  |                   | 390      | KE                                 | NL |    |
|                         |                                  |                   | 450      | MQ                                 | NL |    |
|                         |                                  |                   | 155      | SE                                 | NL |    |
|                         |                                  |                   | 50       | SR                                 | NL |    |
|                         |                                  |                   | 20085    | US                                 | NL |    |
|                         |                                  |                   | 7        | XX                                 | GB |    |
|                         | <i>Phalaenopsis leucorrhoda</i>  | live (art. prop.) | 1        | XX                                 | GB |    |
|                         | <i>Phalaenopsis lindenii</i>     | live (art. prop.) | 8        | AT                                 | PH | DE |
|                         | <i>Phalaenopsis schilleriana</i> | live (art. prop.) | 6        | AT                                 | PH | DE |
|                         | <i>Phragmipedium</i> spp.        | live              | 100      | US                                 | PE | DE |
|                         | <i>Phragmipedium besseae</i>     | live              | 65       | US                                 | PE | DE |
|                         | <i>Phragmipedium caudatum</i>    | live              | 40       | US                                 | PE | DE |
|                         | <i>Pleione</i> spp.              | live (art. prop.) | 200      | XX                                 | GB |    |
|                         | <i>Pleurothallis grobyi</i>      | live (art. prop.) | 5        | ZA                                 | BR | DE |
|                         | <i>Pterostylis curta</i>         | live (art. prop.) | 50       | XX                                 | GB |    |
|                         | <i>Renanthera</i> spp.           | live (art. prop.) | 2        | BI                                 | BE |    |
|                         | <i>Rodriguezia</i> spp.          | live (art. prop.) | 1        | CH                                 | BE |    |
|                         | <i>Sobennikoffia</i> spp.        | live (art. prop.) | 1        | XX                                 | GB |    |
|                         | <i>Sobennikoffia robusta</i>     | live (art. prop.) | 2        | XX                                 | GB |    |
|                         | <i>Trichoglottis</i> spp.        | live (art. prop.) | 1        | XX                                 | GB |    |

| CITES EEC<br>App. Annex | Taxon                     | Description       | Quantity | Country of<br>Import Origin Export |    |
|-------------------------|---------------------------|-------------------|----------|------------------------------------|----|
| II                      | Vanda spp.                | live (art. prop.) | 5        | BI                                 | BE |
|                         |                           |                   | 1        | BM                                 | GB |
|                         |                           |                   | 50       | US                                 | NL |
|                         |                           |                   | 2        | XX                                 | GB |
|                         | Vanda parviflora          | live (art. prop.) | 1        | XX                                 | GB |
|                         | Vandopsis lissochilooides | live (art. prop.) | 1        | XX                                 | GB |
|                         | Zygotetalum spp.          | live (art. prop.) | 5        | AU                                 | GB |
|                         | Areca spp.                | live (art. prop.) | 346      | AT                                 | BE |
|                         |                           |                   | 3178     | CH                                 | BE |
|                         |                           |                   | 109      | FI                                 | BE |
|                         |                           |                   | 683      | SE                                 | BE |
|                         | Anacampseros spp.         | live (art. prop.) | 1        | XX                                 | GB |
|                         | Anacampseros marlothii    | live (art. prop.) | 1        | XX                                 | GB |
|                         | Anacampseros retusa       | live (art. prop.) | 1        | XX                                 | GB |
|                         | Anacampseros subnuda      | live (art. prop.) | 1        | XX                                 | GB |
| C2                      | Cyclamen spp.             | live (art. prop.) | 12       | AE                                 | BE |
|                         |                           |                   | 96       | AT                                 | BE |
|                         |                           |                   | 1004     | CH                                 | BE |
|                         |                           | live              | 550      | CA                                 | TR |
| C2                      | Cyclamen cilicium         | live              | 300      | CA                                 | NL |
|                         |                           |                   | 9        | NO                                 | NL |
|                         |                           |                   | 7306     | US                                 | NL |
| C2                      | Cyclamen coum             | live (art. prop.) | 50       | JP                                 | GB |
|                         |                           | live              | 200      | CA                                 | NL |



| CITES EEC<br>App. Annex |    | TAXON                         | DESCRIPTION         | QUANTITY | COUNTRY OF<br>IMPORT ORIGIN EXPORT |    |    |
|-------------------------|----|-------------------------------|---------------------|----------|------------------------------------|----|----|
| II                      | C2 | <i>Cyclamen purpurascens</i>  | live (art. prop.)   | 10       |                                    | JP | GB |
|                         | C2 | <i>Cyclamen repandum</i>      | live (art. prop.)   | 10       |                                    | JP | GB |
|                         |    | <i>Sarracenia</i> spp.        | live (art. prop.)   | 3270     |                                    | AT | NL |
|                         |    |                               |                     | 2046     |                                    | CH | NL |
|                         |    |                               |                     | 200      |                                    | FI | NL |
|                         |    |                               |                     | 4500     |                                    | SE | NL |
|                         |    | <i>Sarracenia purpurea</i>    | live (art. prop.)   | 17       |                                    | CH | NL |
|                         |    |                               |                     | 25       |                                    | HK | NL |
|                         |    | <i>Bowenia serrulata</i>      | live (art. prop.)   | 1        |                                    | XX | GB |
|                         |    | <i>Macrozamia moorei</i>      | live (art. prop.)   | 2        |                                    | XX | GB |
|                         |    | <i>Macrozamia riedlei</i>     | live (art. prop.)   | 1        |                                    | XX | GB |
|                         |    | <i>Zamia</i> spp.             | live (art. prop.)   | 45       |                                    | CH | BE |
|                         |    |                               |                     | 1        |                                    | SE | BE |
|                         |    |                               |                     | 1        |                                    | XX | GB |
| III                     |    | <i>Nasua nasua</i>            | live (captive bred) | 4        |                                    | BG | GB |
|                         |    |                               |                     | 2        |                                    | LY | DE |
|                         |    |                               |                     | 2        |                                    | MA | GB |
|                         |    | <i>Potos flavus</i>           | live (captive bred) | 2        |                                    | JP | GB |
|                         |    | <i>Odobenus rosmarus</i>      | skulls              | 1        |                                    | GL | DK |
| C2                      |    | <i>Hippopotamus amphibius</i> | belts               | 7        |                                    | JP | ZA |
|                         |    |                               |                     | 1        |                                    | TW | ZA |
|                         |    |                               | handbags            | 11       |                                    | JP | IT |
|                         |    |                               | live (captive bred) | 5        |                                    | ZA | DE |

| CITES EEC<br>App. Annex | Taxon                         | Description         | Quantity    | Country of<br>Import Origin Export |    |    |
|-------------------------|-------------------------------|---------------------|-------------|------------------------------------|----|----|
| III C2                  | <i>Hippopotamus amphibius</i> | live (captive bred) | 1           | ZA                                 | CS | DE |
|                         |                               | skin/leather items  | 66          | JP                                 | ZA | IT |
|                         |                               | tusks               | 12          | US                                 | TZ | DE |
|                         | <i>Antilope cervicapra</i>    | live (captive bred) | 2           | PK                                 |    | NL |
|                         |                               |                     | 1           | XX                                 |    | GB |
|                         |                               | live                | 12          | QA                                 |    | DK |
|                         | <i>Bubalus bubalis</i>        | belts               | 47          | US                                 | ID | IT |
|                         |                               | carvings            | 600         | US                                 | IN | GB |
|                         |                               | handbags            | 7           | AT                                 | TH | DE |
|                         |                               |                     | 325         | CH                                 | TH | DE |
|                         |                               |                     | 263         | JP                                 | ID | IT |
|                         |                               |                     | 60          | JP                                 | PK | IT |
|                         |                               |                     | 31          | JP                                 | TH | DE |
|                         |                               |                     | 67          | SA                                 | TH | DE |
|                         |                               |                     | 114         | SG                                 | TH | DE |
|                         |                               |                     | 960         | US                                 | IN | IT |
|                         |                               |                     | 2200        | US                                 | PK | IT |
|                         |                               | horn carvings       | 27          | US                                 | IN | GB |
|                         |                               | horn pieces         | 1 kg        | US                                 | IN | GB |
|                         |                               | pairs of shoes      | 18          | CA                                 | IN | IT |
|                         |                               |                     | 360         | US                                 | ID | IT |
|                         |                               |                     | 28956       | US                                 | IN | IT |
|                         |                               |                     | 8462        | US                                 | PK | IT |
|                         |                               |                     | 132         | US                                 | TH | IT |
|                         |                               | skins               | 2           | CH                                 | TH | DE |
|                         |                               |                     | 617 kg      | US                                 | IN | GB |
|                         |                               |                     | 1097 kg     | US                                 | TH | GB |
|                         |                               |                     | 16612 sq.ft | CA                                 | IN | GB |
|                         |                               |                     | 851 sq.ft   | CA                                 | TH | GB |
|                         |                               |                     | 1916 sq.ft  | IN                                 | IN | GB |
|                         |                               |                     | 2000 sq.ft  | JP                                 | IN | IT |
|                         |                               |                     | 353 sq.ft   | TH                                 | TH | DE |
|                         |                               |                     | 278 sq.ft   | TW                                 | IN | IT |

| CITES EEC<br>App. Annex | Taxon                                    | Description         | Quantity   | Country of<br>Import Origin Export                 |  |  |
|-------------------------|--|---------------------|--|--|--|--|
| III                     | <i>Bubalus bubalis</i>                   | skins               | 61605 sq.ft<br>8113 sq.ft<br>24359 sq.ft<br>25149 sq.ft<br>326 sq.ft | US<br>US<br>US<br>US<br>US                         | IN<br>IN<br>PK<br>TH<br>TH                         | GB<br>IT<br>IT<br>GB<br>IT                   |
|                         |  | skin/leather items  | 104<br>4   | US   | IN   | IT   |
|                         |  | wallets             | 87<br>63<br>1935<br>90<br>1015<br>3<br>920<br>2440<br>672            | CH<br>JP<br>JP<br>SA<br>TH<br>US<br>US<br>US<br>US | TH<br>ID<br>PK<br>TH<br>PK<br>ID<br>IN<br>PK<br>XS | DE<br>IT<br>IT<br>DE<br>IT<br>IT<br>IT<br>IT |
|                         | <i>Gazella cuvieri</i>                   | live (captive bred) | 3  | US   |  | DE   |
|                         | <i>Tragelaphus spekei</i>                | live (captive bred) | 2  | AU   |  | GB   |
|                         | <i>Rhea americana</i>                    | live (captive bred) | 16<br>2  | AE<br>PK   |  | NL<br>NL                                     |
|                         | <i>Ephippiorhynchus<br/>senegalensis</i> | live                | 2<br>4<br>2  | CS<br>US<br>US                                     | TZ<br>TZ<br>TZ                                     | DE<br>DE<br>GB                               |
|                         | <i>Leptoptilos crumeniferus</i>          | live                | 1<br>2<br>5<br>1   | AT<br>AT<br>CS<br>LY                               | TZ<br>TZ<br>TZ<br>TZ                               | DE<br>NL<br>GB<br>DE                         |
|                         | <i>Threskiornis aethiopicus</i>          | live (captive bred) | 10   | CS   |  | DE   |

| CITES EEC<br>App. Annex | Taxon                           | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|---------------------------------|---------------------|----------|------------------------------------|----|----|
| III                     | <i>Threskiornis aethiopicus</i> | live (captive bred) | 6        | CS                                 |    | NL |
|                         |                                 | live                | 4        | AT                                 | TZ | NL |
|                         |                                 |                     | 5        | DD                                 | TZ | NL |
| C1                      | <i>Alopochen aegyptiacus</i>    | live (captive bred) | 3        | TR                                 |    | NL |
|                         | <i>Anas acuta</i>               | live (captive bred) | 2        | CA                                 |    | NL |
|                         |                                 |                     | 8        | JP                                 |    | NL |
|                         |                                 |                     | 5        | TR                                 |    | NL |
|                         | <i>Anas capensis</i>            | live (captive bred) | 4        | CA                                 |    | NL |
|                         |                                 |                     | 15       | XX                                 |    | GB |
|                         | <i>Anas clypeata</i>            | live (captive bred) | 7        | JP                                 |    | NL |
|                         | <i>Anas crecca</i>              | bodies              | 285      | XX                                 |    | GB |
|                         |                                 | eggs                | 15       | US                                 |    | GB |
|                         |                                 | live                | 157      | XX                                 |    | GB |
|                         | <i>Anas penelope</i>            | bodies              | 1500     | XX                                 |    | GB |
|                         |                                 | live (captive bred) | 4        | CR                                 |    | NL |
|                         |                                 |                     | 2        | JP                                 |    | NL |
|                         |                                 |                     | 4        | TR                                 |    | NL |
|                         |                                 |                     | 93       | XX                                 |    | GB |
|                         |                                 |                     | 20       | ZA                                 |    | BE |
| C1                      | <i>Anas querquedula</i>         | live (captive bred) | 4        | JP                                 |    | NL |
|                         |                                 |                     | 2        | TR                                 |    | NL |
|                         | <i>Dendrocygna bicolor</i>      | live (captive bred) | 2        | Sark                               |    | GB |
|                         |                                 |                     | 2        | JP                                 |    | NL |
|                         |                                 |                     | 14       | XX                                 |    | GB |
|                         | <i>Dendrocygna viduata</i>      | live (captive bred) | 9        | JP                                 |    | NL |
|                         |                                 |                     | 10       | TW                                 |    | NL |

| CITES EEC<br>App. Annex | TAXON                          | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|--------------------------------|---------------------|----------|------------------------------------|----|----|
| III                     | <i>Dendrocygna viduata</i>     | live (captive bred) | 2        | XX                                 | GB |    |
|                         | <i>Nettapus auritus</i>        | live (captive bred) | 12       | CA                                 | NL |    |
|                         |                                |                     | 5        | JP                                 | NL |    |
|                         |                                |                     | 20       | US                                 | NL |    |
|                         |                                | live                | 6        | GN                                 | NL |    |
|                         |                                |                     | 24       | US                                 | GN | NL |
|                         | <i>Plectropterus gambensis</i> | live                | 6        | US                                 | TZ | NL |
|                         | <i>Rollulus rouloul</i>        | live (captive bred) | 2        | VE                                 | BE |    |
|                         | <i>Tragopan satyra</i>         | live (captive bred) | 21       | JP                                 | NL |    |
|                         |                                |                     | 2        | PK                                 | NL |    |
|                         |                                |                     | 4        | TH                                 | DE |    |
|                         | <i>Psittacula krameri</i>      | live (captive bred) | 3        | AN                                 | NL |    |
|                         |                                |                     | 2        | BH                                 | BE |    |
|                         |                                |                     | 197      | CA                                 | NL |    |
|                         |                                |                     | 2        | CA                                 | GN | NL |
|                         |                                |                     | 8        | EG                                 | BE |    |
|                         |                                |                     | 8        | EG                                 | NL |    |
|                         |                                |                     | 58       | IL                                 | BE |    |
|                         |                                |                     | 39       | JP                                 | NL |    |
|                         |                                |                     | 102      | TH                                 | NL |    |
|                         |                                |                     | 67       | US                                 | BE |    |
|                         |                                |                     | 8        | US                                 | DE |    |
|                         |                                |                     | 292      | ZA                                 | BE |    |
|                         |                                |                     | 43       | ZA                                 | GB |    |
|                         |                                |                     | 46       | ZA                                 | NL |    |
|                         |                                | live                | 10       | GT                                 | IN | BE |
|                         |                                |                     | 80       | IL                                 | IN | BE |
|                         |                                |                     | 20       | MT                                 | IN | BE |
|                         | <i>Corythaeola cristata</i>    | live                | 2        | US                                 | LR | DE |

| CITES EEC<br>App. Annex | TAXON                      | Description | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------------|-------------|----------|------------------------------------|----|----|
| III                     | <i>Musophaga violacea</i>  | live        | 20       | JP                                 | GN | NL |
|                         |                            |             | 2        | PE                                 | LR | DE |
|                         |                            |             | 10       | US                                 | LR | DE |
|                         |                            |             | 5        | ZA                                 | GN | NL |
|                         | <i>Fringillidae spp.</i>   | live        | 150      | CA                                 | SN | NL |
|                         | <i>Serinus leucopygius</i> | live        | 100      | CA                                 | ML | NL |
|                         |                            |             | 28       | CH                                 | SN | NL |
|                         |                            |             | 24       | DD                                 | SN | DE |
|                         |                            |             | 300      | HK                                 | SN | BE |
|                         |                            |             | 150      | HK                                 | SN | DE |
|                         |                            |             | 2150     | HK                                 | SN | NL |
|                         |                            |             | 450      | TW                                 | SN | BE |
|                         |                            |             | 100      | TW                                 | SN | NL |
|                         | <i>Serinus mozambicus</i>  | live        | 40       | AE                                 | TZ | NL |
|                         |                            |             | 12       | AN                                 | ML | NL |
|                         |                            |             | 6        | AN                                 | SN | NL |
|                         |                            |             | 5        | AW                                 | ML | NL |
|                         |                            |             | 2        | BS                                 | ML | NL |
|                         |                            |             | 120      | CA                                 | GN | NL |
|                         |                            |             | 684      | CA                                 | ML | NL |
|                         |                            |             | 250      | CA                                 | TZ | NL |
|                         |                            |             | 122      | CH                                 | ML | NL |
|                         |                            |             | 188      | CH                                 | SN | NL |
|                         |                            |             | 30       | CY                                 | GN | DE |
|                         |                            |             | 110      | DD                                 | SN | DE |
|                         |                            |             | 350      | HK                                 | GN | DE |
|                         |                            |             | 260      | HK                                 | GN | NL |
|                         |                            |             | 300      | HK                                 | ML | BE |
|                         |                            |             | 600      | HK                                 | ML | DE |
|                         |                            |             | 700      | HK                                 | ML | NL |
|                         |                            |             | 250      | HK                                 | SN | BE |
|                         |                            |             | 300      | HK                                 | SN | DE |

| CITES EEC<br>App. Annex | TAXON                     | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|---------------------------|---------------------|----------|------------------------------------|----|----|
| III                     | <i>Serinus mozambicus</i> | live                | 3100     | HK                                 | SN | NL |
|                         |                           |                     | 100      | KW                                 | SN | NL |
|                         |                           |                     | 20       | MX                                 | SN | NL |
|                         |                           |                     | 300      | MY                                 | ML | NL |
|                         |                           |                     | 1960     | MY                                 | SN | NL |
|                         |                           |                     | 400      | SG                                 | SN | NL |
|                         |                           |                     | 50       | TW                                 | GN | BE |
|                         |                           |                     | 450      | TW                                 | SN | BE |
|                         |                           |                     | 3700     | TW                                 | SN | NL |
|                         | Estrildidae spp.          | live                | 450      | CA                                 | ML | NL |
|                         | <i>Amadina fasciata</i>   | live (captive bred) | 12       | JP                                 |    | NL |
|                         |                           | live                | 100      | AE                                 | SN | BE |
|                         |                           |                     | 10       | AW                                 | ML | NL |
|                         |                           |                     | 25       | BS                                 | ML | NL |
|                         |                           |                     | 240      | CA                                 | ML | NL |
|                         |                           |                     | 94       | CH                                 | SN | NL |
|                         |                           |                     | 100      | CY                                 | SN | DE |
|                         |                           |                     | 80       | DD                                 | SN | DE |
|                         |                           |                     | 370      | IL                                 | SN | BE |
|                         |                           |                     | 700      | KR                                 | SN | NL |
|                         |                           |                     | 100      | KW                                 | SN | NL |
|                         |                           |                     | 10       | QA                                 | ML | NL |
|                         |                           |                     | 200      | SA                                 | ML | NL |
|                         |                           |                     | 200      | ZA                                 | SN | NL |
|                         | <i>Amandava subflava</i>  | live                | 15       | BH                                 | TZ | NL |
|                         |                           |                     | 100      | CA                                 | GN | NL |
|                         |                           |                     | 120      | CA                                 | ML | NL |
|                         |                           |                     | 40       | CA                                 | TZ | NL |
|                         |                           |                     | 62       | CH                                 | ML | NL |
|                         |                           |                     | 72       | CH                                 | SN | NL |
|                         |                           |                     | 40       | JP                                 | GN | NL |
|                         |                           |                     | 20       | MX                                 | SN | NL |

| CITES EEC<br>App. Annex | Taxon                        | Description | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|------------------------------|-------------|----------|------------------------------------|----|----|
| III                     | <i>Estrilda astrild</i>      | live        | 10       | BS                                 | TZ | NL |
|                         |                              |             | 20       | CA                                 | TZ | NL |
|                         |                              |             | 10       | CH                                 | LR | DE |
|                         |                              |             | 66       | CH                                 | SN | NL |
|                         |                              |             | 20       | QA                                 | TZ | NL |
|                         | <i>Estrilda caerulescens</i> | live        | 6        | AN                                 | SN | NL |
|                         |                              |             | 71       | CA                                 | ML | NL |
|                         |                              |             | 100      | CA                                 | TZ | NL |
|                         |                              |             | 66       | CH                                 | ML | NL |
|                         |                              |             | 20       | CH                                 | SN | DE |
|                         |                              |             | 48       | CH                                 | SN | NL |
|                         |                              |             | 71       | DD                                 | SN | DE |
|                         |                              |             | 30       | ID                                 | ML | NL |
|                         |                              |             | 40       | MX                                 | SN | NL |
|                         |                              |             | 200      | TW                                 | SN | NL |
|                         |                              |             | 350      | ZA                                 | SN | NL |
|                         | <i>Estrilda melpoda</i>      | live        | 100      | AE                                 | SN | BE |
|                         |                              |             | 5        | AW                                 | ML | NL |
|                         |                              |             | 300      | CA                                 | GN | NL |
|                         |                              |             | 200      | CA                                 | ML | NL |
|                         |                              |             | 16       | CH                                 | ML | NL |
|                         |                              |             | 56       | CH                                 | SN | NL |
|                         |                              |             | 200      | IL                                 | SN | BE |
|                         |                              |             | 100      | JP                                 | GN | NL |
|                         |                              |             | 1000     | KR                                 | SN | NL |
|                         |                              |             | 100      | KW                                 | SN | NL |
|                         |                              |             | 200      | ZA                                 | SN | NL |
|                         | <i>Estrilda troglodytes</i>  | live        | 100      | AE                                 | SN | BE |
|                         |                              |             | 20       | AN                                 | ML | NL |
|                         |                              |             | 5        | AW                                 | ML | NL |
|                         |                              |             | 450      | CA                                 | ML | NL |
|                         |                              |             | 100      | CA                                 | TZ | NL |

| CITES EEC<br>App. Annex | Taxon                         | Description | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|-------------------------------|-------------|----------|------------------------------------|----|----|
| III                     | <i>Estrilda troglodytes</i>   | live        | 84       | CH                                 | ML | NL |
|                         |                               |             | 56       | DD                                 | SN | DE |
|                         |                               |             | 300      | HK                                 | SN | BE |
|                         |                               |             | 260      | IL                                 | SN | BE |
|                         |                               |             | 100      | KW                                 | SN | NL |
|                         |                               |             | 20       | MX                                 | SN | NL |
|                         |                               |             | 600      | ZA                                 | SN | NL |
|                         | <i>Lagonosticta senegala</i>  | live        | 30       | AE                                 | TZ | NL |
|                         |                               |             | 93       | CA                                 | ML | NL |
|                         |                               |             | 100      | CA                                 | TZ | NL |
|                         |                               |             | 48       | CH                                 | ML | NL |
|                         |                               |             | 2        | CH                                 | SN | NL |
|                         | <i>Lonchura</i> spp.          | live        | 36       | DD                                 | TZ | DE |
|                         | <i>Lonchura bicolor</i>       | live        | 20       | CA                                 | TZ | NL |
|                         | <i>Lonchura cucullata</i>     | live        | 50       | CA                                 | ML | NL |
|                         |                               |             | 160      | IL                                 | SN | BE |
|                         |                               |             | 100      | KW                                 | SN | NL |
|                         |                               |             | 20       | MX                                 | SN | NL |
|                         | <i>Lonchura malabarica</i>    | live        | 20       | AN                                 | ML | NL |
|                         |                               |             | 24       | CH                                 | ML | NL |
|                         |                               |             | 30       | MX                                 | SN | NL |
|                         | <i>Mandingoa nitidula</i>     | live        | 60       | CA                                 | GN | NL |
|                         |                               |             | 10       | CH                                 | LR | DE |
|                         |                               |             | 12       | DD                                 | LR | DE |
|                         |                               |             | 40       | US                                 | LR | DE |
|                         | <i>Ortygospiza atricollis</i> | live        | 4        | DD                                 | LR | DE |
|                         | <i>Pyrenestes ostrinus</i>    | live        | 20       | US                                 | LR | DE |

| CITES EEC<br>App. Annex | Taxon                        | Description | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|------------------------------|-------------|----------|------------------------------------|----|----|
| III                     | <i>Pytilia hypogrammica</i>  | live        | 15       | CA                                 | GN | NL |
|                         | <i>Pytilia phoenicoptera</i> | live        | 15       | CA                                 | GN | NL |
|                         |                              |             | 4        | CH                                 | ML | NL |
|                         |                              |             | 30       | DD                                 | LR | DE |
|                         |                              |             | 20       | ZA                                 | GN | NL |
|                         | <i>Spermophaga haematina</i> | live        | 50       | US                                 | LR | DE |
|                         | <i>Uraeginthus bengalus</i>  | live        | 30       | AE                                 | TZ | NL |
|                         |                              |             | 12       | AN                                 | ML | NL |
|                         |                              |             | 5        | AW                                 | ML | NL |
|                         |                              |             | 200      | CA                                 | GN | NL |
|                         |                              |             | 430      | CA                                 | ML | NL |
|                         |                              |             | 185      | CA                                 | SN | NL |
|                         |                              |             | 44       | CA                                 | TZ | NL |
|                         |                              |             | 102      | CH                                 | ML | NL |
|                         |                              |             | 20       | CH                                 | SN | DE |
|                         |                              |             | 38       | CH                                 | SN | NL |
|                         |                              |             | 170      | DD                                 | SN | DE |
|                         |                              |             | 30       | ID                                 | ML | NL |
|                         |                              |             | 100      | IL                                 | SN | BE |
|                         |                              |             | 20       | MX                                 | SN | NL |
|                         |                              |             | 20       | QA                                 | TZ | NL |
|                         |                              |             | 200      | TW                                 | SN | NL |
|                         |                              |             | 550      | ZA                                 | SN | NL |
|                         | <i>Euplectes afer</i>        | live        | 12       | CH                                 | SN | NL |
|                         |                              |             | 40       | IL                                 | SN | BE |
|                         | <i>Euplectes hordeaceus</i>  | live        | 80       | CY                                 | GN | DE |
|                         | <i>Euplectes orix</i>        | live        | 2        | AE                                 | TZ | NL |
|                         |                              |             | 12       | AN                                 | ML | NL |
|                         |                              |             | 18       | BH                                 | TZ | NL |

| CITES EEC<br>App. Annex | Taxon                       | Description       | Quantity                                 | Country of<br>Import Origin Export     |  |  |
|-------------------------|-----------------------------|-------------------|--|--|--|--|
| III                     | <i>Euplectes orix</i>       | live              | 20<br>10<br>64<br>200<br>74<br>500<br>22 | CA<br>CH<br>CH<br>HK<br>IL<br>KR<br>QA | GN<br>ML<br>SN<br>SN<br>SN<br>SN<br>TZ | NL<br>NL<br>NL<br>BE<br>BE<br>NL<br>NL |
|                         | <i>Ploceus luteolus</i>     | live              | 100                                      | KW                                     | SN                                     | NL                                     |
|                         | <i>Sporopipes frontalis</i> | live              | ?  | BH                                     | TZ                                     | NL                                     |
|                         |                             |                   | 15                                       | QA                                     | TZ                                     | NL                                     |
|                         | <i>Vidua chalybeata</i>     | live              | 100<br>6<br>29                           | CA<br>CH<br>CH                         | TZ<br>ML<br>SN                         | NL<br>NL<br>NL                         |
|                         | <i>Vidua macroura</i>       | live              | 15<br>40<br>120<br>500<br>200            | CA<br>IL<br>JP<br>KR<br>TW             | GN<br>SN<br>GN<br>SN<br>SN             | NL<br>BE<br>NL<br>NL<br>NL             |
|                         | <i>Vidua paradisaea</i>     | live              | 15<br>20<br>40<br>12<br>500<br>200       | CA<br>DD<br>IL<br>JP<br>KR<br>TW       | TZ<br>SN<br>SN<br>ML<br>SN<br>SN       | NL<br>DE<br>BE<br>NL<br>NL<br>NL       |
|                         | <i>Pelusios castaneus</i>   | live              | 2  | RO                                     | XX                                     | NL                                     |
|                         | <i>Atretium schistosum</i>  | garments<br>skins | 800<br>111<br>1468                       | XX<br>JP<br>MT                         | NP<br>NP<br>NP                         | GB<br>GB<br>GB                         |

| CITES EEC<br>App. Annex | Taxon                      | Description    | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------------|----------------|----------|------------------------------------|----|----|
| III                     | <i>Atretium schistosum</i> | skins          | 750      | TR                                 | IN | GB |
|                         |                            |                | 500      | TR                                 | NP | GB |
|                         |                            |                | 452      | XX                                 | NP | GB |
|                         | <i>Cerberus rhynchops</i>  | belts          | 120      | IL                                 | TH | ES |
|                         |                            |                | 2        | JP                                 | TH | ES |
|                         |                            |                | 1714     | US                                 | TH | ES |
|                         |                            | garments       | 5        | AU                                 | TH | ES |
|                         |                            |                | 38       | CA                                 | TH | ES |
|                         |                            |                | 15       | CH                                 | ID | ES |
|                         |                            |                | 297      | CH                                 | TH | ES |
|                         |                            |                | 523      | JP                                 | TH | ES |
|                         |                            |                | 10       | NO                                 | TH | ES |
|                         |                            |                | 15       | SA                                 | TH | ES |
|                         |                            |                | 8        | SE                                 | TH | ES |
|                         |                            |                | 906      | US                                 | TH | ES |
|                         |                            |                | 17       | ZA                                 | TH | ES |
|                         |                            | handbags       | 4        | CA                                 | TH | ES |
|                         |                            |                | 4        | CA                                 | TH | IT |
|                         |                            |                | 106      | JP                                 | TH | ES |
|                         |                            |                | 4        | NO                                 | SG | ES |
|                         |                            |                | 5        | NO                                 | TH | ES |
|                         |                            |                | 165      | US                                 | ID | ES |
|                         |                            |                | 705      | US                                 | TH | ES |
|                         |                            | pairs of shoes | 35       | AN                                 | TH | ES |
|                         |                            |                | 326      | AU                                 | ID | ES |
|                         |                            |                | 264      | AU                                 | SG | ES |
|                         |                            |                | 78       | BM                                 | ID | ES |
|                         |                            |                | 108      | BS                                 | ID | ES |
|                         |                            |                | 2167     | CA                                 | ID | ES |
|                         |                            |                | 1620     | CA                                 | TH | ES |
|                         |                            |                | 72       | GF                                 | TH | ES |
|                         |                            |                | 180      | GP                                 | SG | ES |
|                         |                            |                | 24       | HK                                 | ID | ES |
|                         |                            |                | 72       | MQ                                 | TH | ES |

| CITES EEC<br>App. Annex | Taxon                    | Description        | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|--------------------------|--------------------|----------|------------------------------------|----|----|
| III                     | <i>Cerberus rhynchos</i> | pairs of shoes     | 102      | NG                                 | ID | ES |
|                         |                          |                    | 234      | NO                                 | ID | ES |
|                         |                          |                    | 24       | NO                                 | SG | ES |
|                         |                          |                    | 162      | PA                                 | ID | ES |
|                         |                          |                    | 78       | PR                                 | ID | ES |
|                         |                          |                    | 48       | PR                                 | TH | ES |
|                         |                          |                    | 120      | SA                                 | TH | ES |
|                         |                          |                    | 51740    | US                                 | ID | ES |
|                         |                          |                    | 14339    | US                                 | SG | ES |
|                         |                          |                    | 23407    | US                                 | TH | ES |
|                         |                          |                    | 4241     | US                                 | TH | IT |
|                         |                          |                    | 24       | XX                                 | ID | ES |
|                         |                          |                    | 345      | XX                                 | TH | ES |
|                         |                          | skins              | 5        | TR                                 | NP | IT |
|                         |                          |                    | 1        | US                                 | ID | ES |
|                         |                          |                    | 11900    | US                                 | ID | IT |
|                         |                          |                    | 120      | VE                                 | TH | IT |
|                         |                          | skin/leather items | 1188     | CA                                 | SG | ES |
|                         |                          |                    | 3588     | JP                                 | SG | ES |
|                         |                          |                    | 576      | US                                 | ID | ES |
|                         |                          |                    | 276      | US                                 | SG | ES |
|                         |                          |                    | 5019     | US                                 | TH | ES |
|                         |                          |                    | 18       | ZA                                 | TH | ES |
|                         |                          | wallets            | 189      | CA                                 | TH | ES |
|                         |                          |                    | 1858     | US                                 | SG | ES |
|                         |                          |                    | 2254     | US                                 | TH | ES |
|                         | <i>Ptyas mucosus</i>     | belts              | 2        | AD                                 | BD | IT |
|                         |                          |                    | 8        | AT                                 | CN | DE |
|                         |                          |                    | 13       | AT                                 | ID | IT |
|                         |                          |                    | 108      | AT                                 | TH | IT |
|                         |                          |                    | 16       | AU                                 | CN | IT |
|                         |                          |                    | 121      | AU                                 | TH | IT |
|                         |                          |                    | 39       | CA                                 | TH | IT |
|                         |                          |                    | 48       | CH                                 | CN | DE |

| CITES EEC<br>App. Annex | Taxon                | Description | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------|-------------|----------|------------------------------------|----|----|
| III                     | <i>Ptyas mucosus</i> | belts       | 82       | CH                                 | CN | IT |
|                         |                      |             | 273      | CH                                 | ID | IT |
|                         |                      |             | 2295     | CH                                 | TH | IT |
|                         |                      |             | 6        | CN                                 | TH | IT |
|                         |                      |             | 6        | FI                                 | IN | PT |
|                         |                      |             | 30       | FI                                 | MY | IT |
|                         |                      |             | 45       | HK                                 | BD | IT |
|                         |                      |             | 44       | HK                                 | CN | IT |
|                         |                      |             | 127      | HK                                 | ID | IT |
|                         |                      |             | 15       | HK                                 | PK | IT |
|                         |                      |             | 90       | HK                                 | TH | IT |
|                         |                      |             | 204      | JP                                 | BD | IT |
|                         |                      |             | 129      | JP                                 | CN | IT |
|                         |                      |             | 430      | JP                                 | ID | IT |
|                         |                      |             | 4        | JP                                 | NP | IT |
|                         |                      |             | 3        | JP                                 | TH | DE |
|                         |                      |             | 636      | JP                                 | TH | IT |
|                         |                      |             | 336      | MY                                 | BD | IT |
|                         |                      |             | 1        | SE                                 | ID | DK |
|                         |                      |             | 7        | SG                                 | ID | IT |
|                         |                      |             | 30       | SG                                 | TH | IT |
|                         |                      |             | 20       | US                                 | BD | IT |
|                         |                      |             | 81       | US                                 | CN | IT |
|                         |                      |             | 386      | US                                 | ID | IT |
|                         |                      |             | 2        | US                                 | PK | IT |
|                         |                      |             | 7        | US                                 | TH | ES |
|                         |                      |             | 1173     | US                                 | TH | IT |
|                         |                      |             | 4        | XS                                 | BD | IT |
|                         |                      |             | 4        | XS                                 | TH | IT |
|                         |                      |             | 10       | ZA                                 | ID | IT |
|                         |                      | garments    | 6        | AE                                 | BD | DE |
|                         |                      |             | 5        | AE                                 | ID | DE |
|                         |                      |             | 8        | AT                                 | BD | DE |
|                         |                      |             | 309      | AT                                 | ID | DE |
|                         |                      |             | 22       | AT                                 | ID | IT |

| CITES EEC<br>App. Annex | Taxon                | Description | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------|-------------|----------|------------------------------------|----|----|
| III                     | <i>Ptyas mucosus</i> | garments    | 4        | AU                                 | TH | IT |
|                         |                      |             | 21       | CA                                 | BD | DE |
|                         |                      |             | 140      | CA                                 | ID | DE |
|                         |                      |             | 3        | CA                                 | ID | IT |
|                         |                      |             | 240      | CA                                 | TH | IT |
|                         |                      |             | 13       | CH                                 | BD | DE |
|                         |                      |             | 102      | CH                                 | ID | DE |
|                         |                      |             | 28       | CH                                 | ID | IT |
|                         |                      |             | 2        | CH                                 | TH | DE |
|                         |                      |             | 1        | CH                                 | TH | IT |
|                         |                      |             | 14       | FI                                 | BD | DE |
|                         |                      |             | 81       | FI                                 | ID | DE |
|                         |                      |             | 24       | HK                                 | ID | IT |
|                         |                      |             | 3        | HK                                 | TH | DE |
|                         |                      |             | 42       | HK                                 | TH | IT |
|                         |                      |             | 7        | ID                                 | ID | DE |
|                         |                      |             | 11       | JO                                 | ID | DE |
|                         |                      |             | 4        | JP                                 | BD | BE |
|                         |                      |             | 12       | JP                                 | BD | DE |
|                         |                      |             | 46       | JP                                 | BD | IT |
|                         |                      |             | 141      | JP                                 | ID | DE |
|                         |                      |             | 82       | JP                                 | ID | IT |
|                         |                      |             | 474      | JP                                 | TH | IT |
|                         |                      |             | 15       | LB                                 | BD | DE |
|                         |                      |             | 14       | LB                                 | ID | DE |
|                         |                      |             | 19       | NO                                 | BD | DE |
|                         |                      |             | 110      | NO                                 | ID | DE |
|                         |                      |             | 1        | QA                                 | ID | DE |
|                         |                      |             | 13       | SE                                 | BD | DE |
|                         |                      |             | 124      | SE                                 | ID | DE |
|                         |                      |             | 1        | SE                                 | ID | DK |
|                         |                      |             | 3        | SU                                 | BD | DE |
|                         |                      |             | 4        | TR                                 | BD | DE |
|                         |                      |             | 4        | TR                                 | ID | DE |
|                         |                      |             | 211      | US                                 | BD | DE |

| CITES EEC<br>App. Annex | Taxon                | Description | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------|-------------|----------|------------------------------------|----|----|
| III                     | <i>Ptyas mucosus</i> | garments    | 33       | US                                 | CN | IT |
|                         |                      |             | 321      | US                                 | ID | DE |
|                         |                      |             | 133      | US                                 | ID | IT |
|                         |                      |             | 109      | US                                 | TH | ES |
|                         |                      |             | 3637     | US                                 | TH | IT |
|                         |                      |             | 18       | ZA                                 | ID | DE |
|                         |                      | handbags    | 13       | AD                                 | TH | IT |
|                         |                      |             | 5        | AE                                 | ID | IT |
|                         |                      |             | 11       | AE                                 | TH | IT |
|                         |                      |             | 10       | AN                                 | ID | ES |
|                         |                      |             | 179      | AT                                 | BD | IT |
|                         |                      |             | 8        | AT                                 | CN | DE |
|                         |                      |             | 3        | AT                                 | CN | IT |
|                         |                      |             | 11       | AT                                 | ID | ES |
|                         |                      |             | 27       | AT                                 | ID | IT |
|                         |                      |             | 58       | AT                                 | TH | ES |
|                         |                      |             | 263      | AT                                 | TH | IT |
|                         |                      |             | 21       | AU                                 | ID | ES |
|                         |                      |             | 7        | AU                                 | ID | IT |
|                         |                      |             | 6        | AU                                 | TH | ES |
|                         |                      |             | 59       | AU                                 | TH | IT |
|                         |                      |             | 3        | BH                                 | ID | IT |
|                         |                      |             | 100      | CA                                 | BD | IT |
|                         |                      |             | 16       | CA                                 | CN | IT |
|                         |                      |             | 21       | CA                                 | ID | ES |
|                         |                      |             | 9        | CA                                 | ID | GB |
|                         |                      |             | 131      | CA                                 | ID | IT |
|                         |                      |             | 27       | CA                                 | TH | IT |
|                         |                      |             | 11       | CH                                 | BD | DE |
|                         |                      |             | 77       | CH                                 | BD | IT |
|                         |                      |             | 36       | CH                                 | CN | DE |
|                         |                      |             | 41       | CH                                 | ID | ES |
|                         |                      |             | 15       | CH                                 | ID | GB |
|                         |                      |             | 193      | CH                                 | ID | IT |
|                         |                      |             | 16       | CH                                 | IN | IT |

| CITES EEC<br>App. Annex | Taxon                | Description | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------|-------------|----------|------------------------------------|----|----|
| III                     | <i>Ptyas mucosus</i> | handbags    | 2        | CH                                 | NP | DE |
|                         |                      |             | 59       | CH                                 | TH | DE |
|                         |                      |             | 110      | CH                                 | TH | ES |
|                         |                      |             | 351      | CH                                 | TH | IT |
|                         |                      |             | 40       | CN                                 | TH | IT |
|                         |                      |             | 11       | CR                                 | BD | DE |
|                         |                      |             | 34       | FI                                 | TH | IT |
|                         |                      |             | 270      | HK                                 | ID | IT |
|                         |                      |             | 381      | HK                                 | TH | IT |
|                         |                      |             | 147      | HK                                 | US | IT |
|                         |                      |             | 7        | JO                                 | BD | IT |
|                         |                      |             | 10       | JO                                 | ID | IT |
|                         |                      |             | 29       | JP                                 | BD | DE |
|                         |                      |             | 649      | JP                                 | BD | IT |
|                         |                      |             | 43       | JP                                 | CN | IT |
|                         |                      |             | 17       | JP                                 | ID | DE |
|                         |                      |             | 20       | JP                                 | ID | GB |
|                         |                      |             | 351      | JP                                 | ID | IT |
|                         |                      |             | 71       | JP                                 | NP | IT |
|                         |                      |             | 61       | JP                                 | TH | DE |
|                         |                      |             | 2271     | JP                                 | TH | IT |
|                         |                      |             | 2        | KR                                 | IN | IT |
|                         |                      |             | 48       | KR                                 | TH | IT |
|                         |                      |             | 6        | KW                                 | BD | IT |
|                         |                      |             | 34       | KW                                 | ID | IT |
|                         |                      |             | 28       | KW                                 | TH | IT |
|                         |                      |             | 8        | LB                                 | BD | IT |
|                         |                      |             | 9        | LB                                 | ID | IT |
|                         |                      |             | 6        | MT                                 | BD | IT |
|                         |                      |             | 34       | NO                                 | ID | GB |
|                         |                      |             | 6        | NO                                 | ID | IT |
|                         |                      |             | 35       | PR                                 | ID | ES |
|                         |                      |             | 18       | SA                                 | BD | DE |
|                         |                      |             | 7        | SA                                 | CN | IT |
|                         |                      |             | 59       | SA                                 | ID | IT |

| CITES EEC<br>App. Annex | Taxon                | Description    | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------|----------------|----------|------------------------------------|----|----|
| III                     | <i>Ptyas mucosus</i> | handbags       | 37       | SA                                 | IN | IT |
|                         |                      |                | 2        | SA                                 | TH | IT |
|                         |                      |                | 1        | SE                                 | ID | DK |
|                         |                      |                | 22       | SE                                 | ID | GB |
|                         |                      |                | 8        | SE                                 | TH | IT |
|                         |                      |                | 5        | SG                                 | CN | IT |
|                         |                      |                | 66       | SG                                 | ID | IT |
|                         |                      |                | 18       | SG                                 | IN | IT |
|                         |                      |                | 12       | SG                                 | TH | IT |
|                         |                      |                | 4        | TW                                 | ID | IT |
|                         |                      |                | 6        | TW                                 | TH | IT |
|                         |                      |                | 3        | US                                 | AR | IT |
|                         |                      |                | 70       | US                                 | BD | DE |
|                         |                      |                | 25       | US                                 | BD | ES |
|                         |                      |                | 2008     | US                                 | BD | IT |
|                         |                      |                | 489      | US                                 | CN | IT |
|                         |                      |                | 1830     | US                                 | ID | ES |
|                         |                      |                | 284      | US                                 | ID | GB |
|                         |                      |                | 7937     | US                                 | ID | IT |
|                         |                      |                | 15       | US                                 | IN | IT |
|                         |                      |                | 2180     | US                                 | TH | ES |
|                         |                      |                | 2330     | US                                 | TH | IT |
|                         |                      |                | 10       | XS                                 | BD | IT |
|                         |                      |                | 103      | XX                                 | ID | GB |
|                         |                      |                | 4        | ZA                                 | ID | IT |
|                         |                      | live           | 726      | CA                                 | ID | GB |
|                         |                      |                | 988      | TR                                 | ID | GB |
|                         |                      |                | 226      | US                                 | ID | GB |
|                         |                      | pairs of shoes | 12       | AD                                 | BD | IT |
|                         |                      |                | 52       | AD                                 | TH | IT |
|                         |                      |                | 11       | AE                                 | ID | ES |
|                         |                      |                | 82       | AE                                 | ID | IT |
|                         |                      |                | 86       | AE                                 | TH | IT |
|                         |                      |                | 2        | AN                                 | CN | IT |
|                         |                      |                | 72       | AN                                 | ID | ES |

| CITES EEC<br>App. Annex | Taxon                | Description    | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------|----------------|----------|------------------------------------|----|----|
| III                     | <i>Ptyas mucosus</i> | pairs of shoes | 45       | AN                                 | TH | ES |
|                         |                      |                | 210      | AT                                 | BD | IT |
|                         |                      |                | 48       | AT                                 | CN | IT |
|                         |                      |                | 286      | AT                                 | ID | ES |
|                         |                      |                | 857      | AT                                 | ID | IT |
|                         |                      |                | 23       | AT                                 | IN | IT |
|                         |                      |                | 737      | AT                                 | TH | ES |
|                         |                      |                | 1524     | AT                                 | TH | IT |
|                         |                      |                | 9        | AU                                 | BD | ES |
|                         |                      |                | 63       | AU                                 | BD | IT |
|                         |                      |                | 160      | AU                                 | CN | IT |
|                         |                      |                | 1755     | AU                                 | ID | ES |
|                         |                      |                | 224      | AU                                 | ID | IT |
|                         |                      |                | 150      | AU                                 | IN | IT |
|                         |                      |                | 3706     | AU                                 | TH | ES |
|                         |                      |                | 321      | AU                                 | TH | IT |
|                         |                      |                | 147      | AU                                 | XX | GR |
|                         |                      |                | 12       | BB                                 | TH | IT |
|                         |                      |                | 1        | BD                                 | BD | IT |
|                         |                      |                | 47       | BH                                 | ID | IT |
|                         |                      |                | 60       | BM                                 | ID | ES |
|                         |                      |                | 36       | BM                                 | TH | ES |
|                         |                      |                | 14       | BS                                 | CN | IT |
|                         |                      |                | 402      | BS                                 | TH | ES |
|                         |                      |                | 2015     | CA                                 | BD | IT |
|                         |                      |                | 170      | CA                                 | CN | IT |
|                         |                      |                | 10569    | CA                                 | ID | ES |
|                         |                      |                | 1936     | CA                                 | ID | IT |
|                         |                      |                | 3238     | CA                                 | IN | IT |
|                         |                      |                | 907      | CA                                 | LA | ES |
|                         |                      |                | 41       | CA                                 | SG | ES |
|                         |                      |                | 10249    | CA                                 | TH | ES |
|                         |                      |                | 6255     | CA                                 | TH | IT |
|                         |                      |                | 7        | CG                                 | ID | IT |
|                         |                      |                | 973      | CH                                 | BD | IT |

| CITES EEC<br>App. Annex | Taxon                | Description    | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------|----------------|----------|------------------------------------|----|----|
| III                     | <i>Ptyas mucosus</i> | pairs of shoes | 14       | CH                                 | CN | IT |
|                         |                      |                | 2892     | CH                                 | ID | ES |
|                         |                      |                | 3386     | CH                                 | ID | IT |
|                         |                      |                | 51       | CH                                 | IN | IT |
|                         |                      |                | 300      | CH                                 | MY | IT |
|                         |                      |                | 1438     | CH                                 | TH | IT |
|                         |                      |                | 9        | DM                                 | ID | IT |
|                         |                      |                | 30       | FI                                 | BD | IT |
|                         |                      |                | 8        | FI                                 | ID | IT |
|                         |                      |                | 176      | FI                                 | IN | IT |
|                         |                      |                | 75       | FI                                 | TH | IT |
|                         |                      |                | 14       | GU                                 | BD | IT |
|                         |                      |                | 522      | HK                                 | CN | IT |
|                         |                      |                | 986      | HK                                 | ID | ES |
|                         |                      |                | 365      | HK                                 | ID | IT |
|                         |                      |                | 34       | HK                                 | SD | IT |
|                         |                      |                | 850      | HK                                 | TH | IT |
|                         |                      |                | 30       | IE                                 | IN | IT |
|                         |                      |                | 12       | IL                                 | BD | IT |
|                         |                      |                | 16       | IL                                 | TH | IT |
|                         |                      |                | 85       | IS                                 | ID | ES |
|                         |                      |                | 18       | IS                                 | ID | IT |
|                         |                      |                | 63       | JO                                 | BD | IT |
|                         |                      |                | 157      | JO                                 | ID | IT |
|                         |                      |                | 120      | JP                                 | AU | IT |
|                         |                      |                | 146      | JP                                 | BD | ES |
|                         |                      |                | 472      | JP                                 | BD | IT |
|                         |                      |                | 7        | JP                                 | CN | IT |
|                         |                      |                | 96       | JP                                 | ID | ES |
|                         |                      |                | 3463     | JP                                 | ID | IT |
|                         |                      |                | 4        | JP                                 | IN | IT |
|                         |                      |                | 29       | JP                                 | SG | ES |
|                         |                      |                | 6        | JP                                 | TH | ES |
|                         |                      |                | 2345     | JP                                 | TH | IT |
|                         |                      |                | 76       | KR                                 | BD | IT |

| CITES EEC<br>App. Annex | Taxon                | Description    | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------|----------------|----------|------------------------------------|----|----|
| III                     | <i>Ptyas mucosus</i> | pairs of shoes | 52       | KR                                 | CN | IT |
|                         |                      |                | 56       | KR                                 | ID | IT |
|                         |                      |                | 108      | KR                                 | IN | IT |
|                         |                      |                | 12       | KR                                 | TH | IT |
|                         |                      |                | 86       | KW                                 | BD | IT |
|                         |                      |                | 784      | KW                                 | ID | IT |
|                         |                      |                | 12       | KW                                 | TH | ES |
|                         |                      |                | 126      | KW                                 | TH | IT |
|                         |                      |                | 24       | LB                                 | BD | IT |
|                         |                      |                | 132      | LB                                 | ID | IT |
|                         |                      |                | 107      | LB                                 | TH | IT |
|                         |                      |                | 30       | MQ                                 | ID | ES |
|                         |                      |                | 7        | MX                                 | ID | IT |
|                         |                      |                | 252      | NO                                 | ID | ES |
|                         |                      |                | 170      | NO                                 | ID | IT |
|                         |                      |                | 12       | NO                                 | TH | IT |
|                         |                      |                | 50       | NZ                                 | ID | ES |
|                         |                      |                | 30       | NZ                                 | ID | IT |
|                         |                      |                | 405      | NZ                                 | TH | ES |
|                         |                      |                | 244      | PA                                 | TH | ES |
|                         |                      |                | 18       | PE                                 | TH | IT |
|                         |                      |                | 1432     | PR                                 | ID | ES |
|                         |                      |                | 38       | PR                                 | TH | IT |
|                         |                      |                | 136      | QA                                 | BD | IT |
|                         |                      |                | ?        | RE                                 | ID | ES |
|                         |                      |                | 5        | SA                                 | CN | IT |
|                         |                      |                | 263      | SA                                 | ID | IT |
|                         |                      |                | 200      | SA                                 | IN | IT |
|                         |                      |                | 120      | SA                                 | TH | ES |
|                         |                      |                | 285      | SA                                 | TH | IT |
|                         |                      |                | 205      | SA                                 | ZA | IT |
|                         |                      |                | 880      | SD                                 | TH | IT |
|                         |                      |                | 15       | SE                                 | BD | IT |
|                         |                      |                | 139      | SE                                 | ID | ES |
|                         |                      |                | 126      | SE                                 | ID | IT |

| CITES EEC<br>App. Annex | Taxon                | Description    | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------|----------------|----------|------------------------------------|----|----|
| III                     | <i>Ptyas mucosus</i> | pairs of shoes | 798      | SE                                 | IN | IT |
|                         |                      |                | 24       | SE                                 | TH | IT |
|                         |                      |                | 247      | SE                                 | XX | GR |
|                         |                      |                | 10       | SG                                 | CN | IT |
|                         |                      |                | 18       | SG                                 | ID | ES |
|                         |                      |                | 72       | SG                                 | ID | IT |
|                         |                      |                | 25       | SG                                 | IN | IT |
|                         |                      |                | 190      | SG                                 | TH | ES |
|                         |                      |                | 24       | SV                                 | BD | IT |
|                         |                      |                | 44       | TH                                 | BD | IT |
|                         |                      |                | 336      | TH                                 | GY | IT |
|                         |                      |                | 68       | TW                                 | BD | IT |
|                         |                      |                | 302      | TW                                 | ID | IT |
|                         |                      |                | 157      | TW                                 | TH | IT |
|                         |                      |                | 14       | US                                 | AR | IT |
|                         |                      |                | 1780     | US                                 | BD | ES |
|                         |                      |                | 42691    | US                                 | BD | IT |
|                         |                      |                | 36       | US                                 | BG | ES |
|                         |                      |                | 1224     | US                                 | CA | ES |
|                         |                      |                | 2753     | US                                 | CN | ES |
|                         |                      |                | 8462     | US                                 | CN | IT |
|                         |                      |                | 284385   | US                                 | ID | ES |
|                         |                      |                | 71518    | US                                 | ID | IT |
|                         |                      |                | 3793     | US                                 | IN | IT |
|                         |                      |                | 112      | US                                 | IS | ES |
|                         |                      |                | 4661     | US                                 | LA | ES |
|                         |                      |                | 822      | US                                 | MY | IT |
|                         |                      |                | 96       | US                                 | PK | IT |
|                         |                      |                | 4445     | US                                 | SG | ES |
|                         |                      |                | 259      | US                                 | TD | IT |
|                         |                      |                | 486685   | US                                 | TH | ES |
|                         |                      |                | 127631   | US                                 | TH | IT |
|                         |                      |                | 1965     | US                                 | XS | IT |
|                         |                      |                | 156      | US                                 | XX | IT |
|                         |                      |                | 60       | VE                                 | ID | ES |

| CITES EEC<br>App. Annex | Taxon                | Description    | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------|----------------|----------|------------------------------------|----|----|
| III                     | <i>Ptyas mucosus</i> | pairs of shoes | 14       | VE                                 | SG | ES |
|                         |                      |                | 308      | VE                                 | TH | ES |
|                         |                      |                | 900      | XX                                 | ID | ES |
|                         |                      |                | 2619     | XX                                 | TH | ES |
|                         |                      |                | 45       | ZA                                 | ID | ES |
|                         |                      |                | 15       | ZA                                 | ID | IT |
|                         |                      |                | 439      | ZA                                 | TH | IT |
|                         |                      |                | 72       | ZR                                 | TH | ES |
|                         |                      |                | 36       | ZR                                 | TH | IT |
|                         |                      | skins          | 100      | AT                                 | CN | IT |
|                         |                      |                | 508      | AT                                 | ID | DE |
|                         |                      |                | 6        | AT                                 | TH | DE |
|                         |                      |                | 1000     | AT                                 | TH | ES |
|                         |                      |                | 4        | AU                                 | BD | IT |
|                         |                      |                | 3064     | CA                                 | ID | ES |
|                         |                      |                | 2355     | CA                                 | ID | GB |
|                         |                      |                | 405      | CA                                 | IN | IT |
|                         |                      |                | 1295     | CA                                 | TH | ES |
|                         |                      |                | 1155     | CA                                 | TH | IT |
|                         |                      |                | 200      | CH                                 | BD | IT |
|                         |                      |                | 6        | CH                                 | ID | DE |
|                         |                      |                | 160      | CH                                 | ID | IT |
|                         |                      |                | 2046     | CH                                 | TH | IT |
|                         |                      |                | 25       | FI                                 | TH | IT |
|                         |                      |                | 10901    | HK                                 | CN | DE |
|                         |                      |                | 7019     | HK                                 | CN | IT |
|                         |                      |                | 250      | HK                                 | ID | DE |
|                         |                      |                | 22       | HK                                 | TH | ES |
|                         |                      |                | 270      | HK                                 | TH | IT |
|                         |                      |                | 25       | HU                                 | TH | IT |
|                         |                      |                | 2        | ID                                 | ID | ES |
|                         |                      |                | 200      | IL                                 | CN | IT |
|                         |                      |                | 146      | IL                                 | ID | DE |
|                         |                      |                | 645      | IL                                 | ID | GB |
|                         |                      |                | 400      | IL                                 | TH | GB |

| CITES EEC<br>App. Annex | Taxon                | Description | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------|-------------|----------|------------------------------------|----|----|
| III                     | <i>Ptyas mucosus</i> | skins       | 6653     | IL                                 | TH | IT |
|                         |                      |             | 825      | JP                                 | BD | IT |
|                         |                      |             | 1        | JP                                 | ID | DE |
|                         |                      |             | 1418     | JP                                 | ID | IT |
|                         |                      |             | 30       | JP                                 | IN | IT |
|                         |                      |             | 8        | KR                                 | ID | DE |
|                         |                      |             | 950      | KR                                 | TW | GB |
|                         |                      |             | 56       | LB                                 | TH | ES |
|                         |                      |             | 306      | MA                                 | ID | DE |
|                         |                      |             | 4        | MA                                 | ID | IT |
|                         |                      |             | 2000     | TR                                 | BD | IT |
|                         |                      |             | 1000     | TR                                 | CN | GB |
|                         |                      |             | 2349     | TR                                 | CN | IT |
|                         |                      |             | 404      | TR                                 | ID | DE |
|                         |                      |             | 2000     | TR                                 | ID | GB |
|                         |                      |             | 302      | TR                                 | ID | IT |
|                         |                      |             | 3000     | TR                                 | IN | GB |
|                         |                      |             | 17270    | TR                                 | TH | IT |
|                         |                      |             | 300      | TR                                 | TH | NL |
|                         |                      |             | 2500     | TR                                 | TW | GB |
|                         |                      |             | 1990     | US                                 | BD | DE |
|                         |                      |             | 200      | US                                 | BD | IT |
|                         |                      |             | 4498     | US                                 | CN | DE |
|                         |                      |             | 12290    | US                                 | CN | IT |
|                         |                      |             | 4120     | US                                 | ID | DE |
|                         |                      |             | 104      | US                                 | ID | ES |
|                         |                      |             | 344      | US                                 | ID | GB |
|                         |                      |             | 733      | US                                 | ID | IT |
|                         |                      |             | 45       | US                                 | TH | DE |
|                         |                      |             | 381      | US                                 | TH | ES |
|                         |                      |             | 1005     | US                                 | TH | GB |
|                         |                      |             | 7325     | US                                 | TH | IT |
|                         |                      |             | 4301     | VE                                 | CN | IT |
|                         |                      |             | 1000     | VE                                 | ID | IT |
|                         |                      |             | 8875     | VE                                 | TH | IT |

| CITES EEC<br>App. Annex | Taxon                | Description        | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------|--------------------|----------|------------------------------------|----|----|
| III                     | <i>Ptyas mucosus</i> | skins              | 5637     | XX                                 | TH | GB |
|                         |                      |                    | 6709     | XX                                 | TW | GB |
|                         |                      |                    | 847      | ZA                                 | BD | IT |
|                         |                      |                    | 1843     | ZA                                 | ID | IT |
|                         |                      |                    | 500      | ZA                                 | IN | IT |
|                         |                      | skin/leather items | 2        | AT                                 | ID | IT |
|                         |                      |                    | 162      | AT                                 | TH | IT |
|                         |                      |                    | 2807     | AU                                 | BD | IT |
|                         |                      |                    | 3877     | AU                                 | TH | IT |
|                         |                      |                    | 3600     | BM                                 | TH | IT |
|                         |                      |                    | 84       | CA                                 | ID | IT |
|                         |                      |                    | 1458     | CA                                 | TH | IT |
|                         |                      |                    | 13       | CH                                 | CN | IT |
|                         |                      |                    | 12       | CH                                 | TH | IT |
|                         |                      |                    | 7        | HK                                 | ID | IT |
|                         |                      |                    | 255      | HK                                 | TH | IT |
|                         |                      |                    | 17       | HK                                 | US | IT |
|                         |                      |                    | 81       | JP                                 | BD | IT |
|                         |                      |                    | 119      | JP                                 | CN | IT |
|                         |                      |                    | 22       | JP                                 | ID | IT |
|                         |                      |                    | 4062     | JP                                 | TH | IT |
|                         |                      |                    | 21       | KW                                 | TH | IT |
|                         |                      |                    | 3        | SA                                 | ID | IT |
|                         |                      |                    | 24       | SA                                 | TH | IT |
|                         |                      |                    | 180      | SE                                 | ID | IT |
|                         |                      |                    | 84       | SE                                 | TH | IT |
|                         |                      |                    | 13       | SG                                 | CN | IT |
|                         |                      |                    | 11       | SG                                 | ID | IT |
|                         |                      |                    | 20       | SG                                 | TH | IT |
|                         |                      |                    | 264      | TR                                 | TH | IT |
|                         |                      |                    | 1429     | US                                 | BD | IT |
|                         |                      |                    | 10       | US                                 | CN | IT |
|                         |                      |                    | 1934     | US                                 | ID | ES |
|                         |                      |                    | 405      | US                                 | ID | IT |
|                         |                      |                    | 659      | US                                 | TH | ES |

| CITES EEC<br>App. Annex | Taxon                | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|----------------------|---------------------|----------|------------------------------------|----|----|
| III                     | <i>Ptyas mucosus</i> | skin/leather items  | 10223    | US                                 | TH | IT |
|                         |                      |                     | 452      | VE                                 | ID | IT |
|                         |                      |                     | 7        | XS                                 | BD | IT |
|                         |                      |                     | 100      | XX                                 | ID | ES |
|                         |                      | skin pieces         | 2        | AT                                 | BD | DE |
|                         |                      |                     | 8        | CA                                 | TH | ES |
|                         |                      |                     | 1        | IS                                 | ID | DE |
|                         |                      |                     | 27       | SU                                 | BD | DE |
|                         |                      |                     | 24       | US                                 | ID | IT |
|                         |                      | wallets             | 20       | AT                                 | IN | IT |
|                         |                      |                     | 360      | JP                                 | CN | IT |
|                         |                      |                     | 2        | JP                                 | ID | DE |
|                         |                      |                     | 104      | JP                                 | ID | IT |
|                         |                      |                     | 144      | MY                                 | ID | IT |
|                         |                      |                     | 660      | SE                                 | TH | IT |
|                         |                      |                     | 143      | SG                                 | TH | DE |
|                         |                      |                     | 316      | US                                 | ID | DE |
|                         |                      |                     | 2411     | US                                 | ID | ES |
|                         |                      |                     | 1559     | US                                 | ID | IT |
|                         |                      |                     | 94       | US                                 | TH | ES |
|                         |                      |                     | 42       | US                                 | TH | IT |
|                         |                      | watchstraps         | 810      | AT                                 | ID | IT |
|                         |                      |                     | 3        | AT                                 | TH | IT |
|                         |                      |                     | 191      | CA                                 | BD | IT |
|                         |                      |                     | 1134     | CH                                 | ID | IT |
|                         |                      |                     | 82       | US                                 | BD | IT |
|                         |                      |                     | 5        | US                                 | ID | IT |
|                         |                      |                     | 1        | US                                 | TH | ES |
|                         | <i>Naja naja</i>     | garments            | 3        | AT                                 | ID | DE |
|                         |                      | live (captive bred) | 2        | EG                                 |    | DE |
|                         |                      | live                | 1        | FI                                 | TH | DE |
|                         |                      |                     | 4        | IL                                 | TH | DE |
|                         |                      | pairs of shoes      | 40       | AE                                 | CN | IT |
|                         |                      |                     | 26       | CA                                 | TH | IT |

| CITES EEC<br>App. Annex | Taxon                    | Description         | Quantity | Country of<br>Import Origin Export |    |    |
|-------------------------|--------------------------|---------------------|----------|------------------------------------|----|----|
| III                     | <i>Naja naja</i>         | pairs of shoes      | 158      | HK                                 | TH | IT |
|                         |                          |                     | 68       | JP                                 | TH | IT |
|                         |                          |                     | 72       | OM                                 | CN | IT |
|                         |                          |                     | 87       | SE                                 | TH | IT |
|                         |                          |                     | 36       | SG                                 | TH | IT |
|                         |                          |                     | 12       | US                                 | CN | IT |
|                         |                          |                     | 654      | US                                 | ID | IT |
|                         |                          |                     | 17800    | US                                 | TH | IT |
|                         |                          |                     | 39       | VE                                 | CN | IT |
|                         |                          | skins               | 5000     | HK                                 | CN | IT |
|                         |                          |                     | 975      | US                                 | ID | IT |
|                         | <i>Crotalus durissus</i> | live (captive bred) | 4        | CH                                 |    | DE |
|                         | <i>Vipera russellii</i>  | handbags            | 6        | JP                                 | TH | IT |
|                         |                          |                     | 30       | US                                 | ID | IT |
|                         |                          |                     | 445      | US                                 | TH | IT |
|                         |                          | pairs of shoes      | 22       | AT                                 | TH | IT |
|                         |                          |                     | 765      | CA                                 | TH | IT |
|                         |                          |                     | 353      | CH                                 | TH | IT |
|                         |                          |                     | 17       | HK                                 | TH | IT |
|                         |                          |                     | 58       | JP                                 | ID | IT |
|                         |                          |                     | 82       | JP                                 | TH | IT |
|                         |                          |                     | 56       | KR                                 | TH | IT |
|                         |                          |                     | 24       | SA                                 | TH | IT |
|                         |                          |                     | 96       | US                                 | ID | IT |
|                         |                          |                     | 210      | US                                 | IN | IT |
|                         |                          |                     | 38028    | US                                 | TH | IT |
|                         |                          | skins               | 140      | CH                                 | TH | IT |
|                         |                          |                     | 407      | HK                                 | ID | IT |
|                         |                          |                     | 32       | MA                                 | TH | IT |
|                         |                          |                     | 3637     | US                                 | TH | IT |
|                         |                          |                     | 248      | VE                                 | TH | IT |

## INDEX OF I.S.O. COUNTRY CODES USED

1

\*S INTRODUCTION FROM THE SEA  
AD ANDORRA  
AE UNITED ARAB EMIRATES  
AF AFGHANISTAN  
AL ALBANIA  
AN NETHERLANDS ANTILLES  
AO ANGOLA  
AR ARGENTINA  
AT AUSTRIA  
AU AUSTRALIA  
AW ARUBA  
BB BARBADOS  
BD BANGLADESH  
BE BELGIUM  
BF BURKINA FASO  
BG BULGARIA  
BH BAHRAIN  
BI BURUNDI  
BJ BENIN  
BM BERMUDA  
BN BRUNEI DARUSSALAM  
BO BOLIVIA  
BR BRAZIL  
BS BAHAMAS  
BT BHUTAN  
BU BURMA  
BW BOTSWANA  
BZ BELIZE  
CA CANADA  
CF CENTRAL AFRICAN REPUBLIC  
CG CONGO  
CH SWITZERLAND  
CI COTE D'IVOIRE  
CL CHILE  
CM CAMEROON

CN CHINA  
CO COLOMBIA  
CR COSTA RICA  
CS CZECHOSLOVAKIA  
CU CUBA  
CY CYPRUS  
DD GERMAN DEMOCRATIC REPUBLIC  
DE GERMANY, FEDERAL REPUBLIC OF  
DJ DJIBOUTI  
DK DENMARK  
DM DOMINICA  
DO DOMINICAN REPUBLIC  
DZ ALGERIA  
EC ECUADOR  
EG EGYPT  
ES SPAIN  
ET ETHIOPIA  
FI FINLAND  
FK FALKLAND ISLANDS (MALVINAS)  
FO FAEROE ISLANDS  
FR FRANCE  
GA GABON  
GB UNITED KINGDOM  
GF FRENCH GUIANA  
GH GHANA  
GI GIBRALTAR  
GL GREENLAND  
GN GUINEA  
GP GUADELOUPE  
GQ EQUATORIAL GUINEA  
GR GREECE  
GT GUATEMALA  
GU GUAM  
GW GUINEA-BISSAU  
GY GUYANA

## INDEX OF I.S.O. COUNTRY CODES USED

3

HK HONG KONG  
HN HONDURAS  
HT HAITI  
HU HUNGARY  
ID INDONESIA  
IE IRELAND  
IL ISRAEL  
IN INDIA  
IQ IRAQ  
IR IRAN (ISLAMIC REPUBLIC OF)  
IS ICELAND  
IT ITALY  
JO JORDAN  
JP JAPAN  
KE KENYA  
KM COMOROS  
KN SAINT KITTS AND NEVIS  
KP KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF  
KR KOREA, REPUBLIC OF  
KW KUWAIT  
KY CAYMAN ISLANDS  
LA LAO PEOPLE'S DEMOCRATIC REPUBLIC  
LB LEBANON  
LC ST LUCIA  
LK SRI LANKA  
LR LIBERIA  
LS LESOTHO  
LU LUXEMBOURG  
LY LIBYAN ARAB JAMAHARIYA  
MA MOROCCO  
MC MONACO  
MG MADAGASCAR  
ML MALI  
MN MONGOLIA  
MO MACAU

## INDEX OF I.S.O. COUNTRY CODES USED

4

MQ MARTINIQUE  
MT MALTA  
MU MAURITIUS  
MW MALAWI  
MX MEXICO  
MY MALAYSIA  
MZ MOZAMBIQUE  
NA NAMIBIA  
NC NEW CALEDONIA  
NE NIGER  
NG NIGERIA  
NI NICARAGUA  
NL NETHERLANDS  
NO NORWAY  
NP NEPAL  
NZ NEW ZEALAND  
OM OMAN  
PA PANAMA  
PE PERU  
PF FRENCH POLYNESIA  
PG PAPUA NEW GUINEA  
PH PHILIPPINES  
PK PAKISTAN  
PL POLAND  
PR PUERTO RICO  
PT PORTUGAL  
PY PARAGUAY  
QA QATAR  
RE REUNION  
RO ROMANIA  
RW RWANDA  
SA SAUDI ARABIA  
SB SOLOMON ISLANDS  
SC SEYCHELLES  
SD SUDAN

## INDEX OF I.S.O. COUNTRY CODES USED

5

|    |                                     |
|----|-------------------------------------|
| SE | SWEDEN                              |
| SG | SINGAPORE                           |
| SL | SIERRA LEONE                        |
| SM | SAN MARINO                          |
| SN | SENEGAL                             |
| SO | SOMALIA                             |
| SR | SURINAME                            |
| SU | UNION OF SOVIET SOCIALIST REPUBLICS |
| SV | EL SALVADOR                         |
| SY | SYRIA                               |
| SZ | SWAZILAND                           |
| TD | CHAD                                |
| TG | TOGO                                |
| TH | THAILAND                            |
| TN | TUNISIA                             |
| TR | TURKEY                              |
| TT | TRINIDAD AND TOBAGO                 |
| TW | TAIWAN, PROVINCE OF                 |
| TZ | TANZANIA, UNITED REPUBLIC OF        |
| UG | UGANDA                              |
| US | UNITED STATES                       |
| UY | URUGUAY                             |
| VC | SAINT VINCENT AND THE GRENADINES    |
| VE | VENEZUELA                           |
| VI | VIRGIN ISLANDS, U.S.                |
| VN | VIET NAM                            |
| VU | VANUATU                             |
| XF | AFRICA                              |
| XM | SOUTH AMERICA                       |
| XS | ASIA                                |
| XX | COUNTRY UNKNOWN                     |
| YU | YUGOSLAVIA                          |
| ZA | SOUTH AFRICA                        |
| ZM | ZAMBIA                              |
| ZR | ZAIRE                               |
| ZW | ZIMBABWE                            |

This tabulation was prepared on 30 August 1990 by the Wildlife Trade Monitoring Unit, World Conservation Monitoring Centre, 219c Huntingdon Road, Cambridge, UK.

**Convention on International Trade in Endangered Species of Wild Fauna and Flora  
— EC annual report 1988**

**Document**

Luxembourg: Office for Official Publications of the European Communities

1990 — 592 pp. — 21.0 × 29.7 cm

EN

ISBN 92-825-9500-5

Catalogue number: CM-60-90-305-EN-C

Price (excluding VAT) in Luxembourg: ECU 61

**Venta y suscripciones • Salg og abonnement • Verkauf und Abonnement • Πωλήσεις και συνδρομές  
Sales and subscriptions • Vente et abonnements • Vendita e abbonamenti  
Verkoop en abonnementen • Venda e assinaturas**

| BELGIQUE / BELGIË   | GENERALITAT DE CATALUNYA:  | PORTUGAL  | ÖSTERREICH   |
|---|--|---|--|
| <b>Moniteur belge /<br/>Belgisch Staatsblad</b><br>Rue de Louvain 42 / Leuvenseweg 42<br>1000 Bruxelles / 1000 Brussel<br>Tél. (02) 512 00 26<br>Fax 511 01 84<br>CCP / Postrekening 000-2005502-27                                     | <b>Llibreria Rambla dels estudis</b><br>Rambla, 118 (Palau Moja)<br>08002 Barcelona<br>Tel. (93) 302 68 35<br>302 64 62  | <b>Imprensa Nacional</b><br>Casa da Moeda, EP<br>Rua D. Francisco Manuel de Melo, 5<br>P-1092 Lisboa Codex<br>Tel. (01) 69 34 14  | <b>Manz'sche Verlags-<br/>und Universitätsbuchhandlung</b><br>Kohlmarkt 16<br>1014 Wien<br>Tel. (0222) 531 61-0<br>Telex 11 25 00 BOX A<br>Fax (0222) 531 61-81  |
| Autres distributeurs /<br>Overige verkooppunten<br><b>Librairie européenne/<br/>Europese Boekhandel</b><br>Avenue Albert Jonnart 50 /<br>Albert Jonnartlaan 50<br>1200 Bruxelles / 1200 Brussel<br>Tél. (02) 734 02 81<br>Fax 735 08 60 | <b>FRANCE</b><br><b>Journal officiel</b><br><b>Service des publications</b><br><b>des Communautés européennes</b><br>26, rue Desaix<br>75727 Paris Cedex 15<br>Tel. (1) 40 58 75 00<br>Fax (1) 40 58 75 74               | <b>Distribuidora de Livros</b><br><b>Bertrand, Ltd.</b><br><b>Gruppo Bertrand, SA</b><br>Rua das Terras dos Vales, 4-A<br>Apartado 37<br>P-2700 Amadora Codex<br>Tel. (01) 493 90 50 - 494 87 88<br>Telex 15798 BERDIS<br>Fax 491 02 55 | <b>SCHWEIZ / SUISSE / SVIZZERA</b>   |
| <b>Jean De Lannoy</b><br>Avenue du Roi 202 / Koningslaan 202<br>1060 Bruxelles / 1060 Brussel<br>Tél. (02) 538 51 89<br>Telex 63220 UNBOOK B  | <b>IRELAND</b><br><b>Government Publications</b><br><b>Sales Office</b><br>Sun Alliance House<br>Molesworth Street<br>Dublin 2<br>Tel. 71 03 09<br>or by post  | <b>UNITED KINGDOM</b><br><b>HMSO Books (PC 16)</b><br>HMSO Publications Centre<br>51 Nine Elms Lane<br>London SW8 5DR<br>Tel. (071) 873 9090<br>Fax GP3 873 4463<br>Telex 29 71 138   | <b>OSEC</b><br>Stampfenbachstraße 85<br>8035 Zürich<br>Tel. (01) 365 51 51<br>Fax (01) 365 54 11   |
| <b>CREDOC</b><br>Rue de la Montagne 34 / Bergstraat 34<br>Bto 11 / Bus 11<br>1000 Bruxelles / 1000 Brussel  | <b>Government Stationery Office</b><br><b>EEC Section</b><br>6th floor<br>Bishop Street<br>Dublin 8<br>Tel. 78 16 66<br>Fax 78 06 45   | <b>SUB-AGENT:</b><br><b>Alan Armstrong Ltd</b><br>2 Arkwright Road<br>Reading, Berks RG2 0SQ<br>Tel. (0734) 75 18 55<br>Telex 84993 AAALTD G<br>Fax (0734) 75 51 64   | <b>SVERIGE</b>   |
| <b>DANMARK</b><br><b>J. H. Schultz Information A/S</b><br><b>EF-Publicationer</b><br>Ottialavoj 18<br>2500 Copenhagen<br>Tlf. 36 44 22 66<br>Fax 36 44 01 41<br>Girokonto 6 00 08 86  | <b>ITALIA</b><br><b>Licosa SpA</b><br>Via Benedetto Fortini, 120/10<br>Casella postale 552<br>50125 Firenze<br>Tel. (055) 64 54 15<br>Fax 64 12 57<br>Telex 570466 LICOSA I<br>CCP 343 509                               | <b>CANADA</b><br><b>Renouf Publishing Co. Ltd</b><br>Mail orders — Head Office:<br>1294 Algoma Road<br>Ottawa, Ontario K1B 3W8<br>Tel. (613) 741 45 33<br>Fax (613) 741 54 39<br>Telex 0534783  | <b>TÜRKİYE</b><br><b>Dünya Süber Dagitim Ticaret<br/>ve sanayi A.Ş.</b><br>Narılıbance Sokak No. 15<br>Çağaloğlu<br>İstanbul<br>Tel. 512 01 90<br>Telex 23822 DSVO-TR  |
| <b>BR DEUTSCHLAND</b><br><b>Bundeszeitung Verlag</b><br>Breite Straße<br>Postfach 10 80 06<br>5000 Köln 1<br>Tel. (02 21) 20 29-0<br>Femschreiber:<br>ANZEIGER BONN 8 882 595<br>Fax 20 29 278  | <b>Subagenti:</b><br><b>Libreria Scientifica</b><br>Lucio de Biasio - AEIOU<br>Via Meravigli, 16<br>20123 Milano<br>Tel. (02) 80 76 79   | <b>Ottawa Store:</b><br>61 Sparks Street<br>Tel. (613) 238 89 85  | <b>UNITED STATES OF AMERICA</b>  |
| <b>GREECE</b><br><b>G.C. Eleftheroudakis SA</b><br>International Bookstore<br>Nikis Street 4<br>10563 Athens<br>Tel. (01) 322 63 23<br>Telex 219410 ELEF<br>Fax 323 98 21   | <b>Herder Editrice e Libreria</b><br>Piazza Montecitorio, 117-120<br>00186 Roma<br>Tel. (06) 679 46 28/679 53 04   | <b>Toronto Store:</b><br>211 Yonge Street<br>Tel. (416) 363 31 71   | <b>UNIPUB</b><br>4611-F Assembly Drive<br>Lanham, MD 20706-4391<br>Tel. Toll Free (800) 274 4888<br>Fax (301) 459 0056<br>Telex 7108260418   |
| <b>ESPAÑA</b><br><b>Boletín Oficial del Estado</b><br>Trafalgar, 27<br>28010 Madrid<br>Tel. (91) 446 60 00  | <b>Abonements seulement</b><br><b>Subscriptions only</b><br><b>Nur für Abonnements</b><br><b>Messageries Paul Kraus</b><br>11, rue Christophe Plantin<br>2339 Luxembourg<br>Tél. 499 88 88<br>Telex 2515<br>CCP 49242-63 | <b>JAPAN</b><br><b>Kinokuniya Company Ltd</b><br>17-7 Shinjuku 3-Chome<br>Shinjuku-ku<br>Tokyo 160-91<br>Tel. (03) 354 01 31  | <b>YUGOSLAVIA</b>  |
| <b>Mundi-Prensa Libros, S.A.</b><br>Castello, 37<br>28001 Madrid<br>Tel. (91) 431 33 99 (Libros)<br>431 32 22 (Suscripciones)<br>435 98 37 (Dirección)<br>Télex 49370-MPL-E<br>Fax (91) 575 39 98                                       | <b>NEGRIL</b><br><b>SDU Uitgeverij</b><br>Christoffel Plantijnstraat 2<br>Postbus 20014<br>2500 EA 's-Gravenhage<br>Tel. (070) 378 98 80 (bestellingen)<br>Fax (070) 347 63 51<br>Telex 32466 stdunl                     | <b>MAGYARORSZÁG</b><br><b>Agroinform</b><br>Központ:<br>Budapest I., Attila út 93. H-1012<br>Levélcím:<br>Budapest, Pf. 15 H-1253<br>Tel. 36 (1) 56 82 11<br>Telex (22) 47-7 AGINF H-61   | <b>AUTRES PAYS<br/>OTHER COUNTRIES<br/>ANDERE LÄNDER</b><br><b>Office des publications officielles<br/>des Communautés européennes</b><br>2, rue Mercier<br>L-2985 Luxembourg<br>Tel. 49 85 81<br>Telex 166 PUPF LU 1324 b<br>Fax 49 85 73<br>CC bancaire BIL 8-109/6003/700 |

---

Price (excluding VAT) in Luxembourg: ECU 61

ISBN 92-825-9500-5



OFFICE FOR OFFICIAL PUBLICATIONS  
OF THE EUROPEAN COMMUNITIES

L-2985 Luxembourg

9 789282 595008