

# FLORA OF THE SAVANNAH RIVER PLANT

An Inventory of the Vascular Plants  
on the  
Savannah River Plant, South Carolina



**WADE T. BATSON  
JEANNINE S. ANGERMAN  
J. THOMAS JONES**

A Publication of the Savannah River Plant  
National Environmental Research Park Program

**FLORA OF THE SAVANNAH RIVER PLANT**

**An Inventory of the Vascular Plants  
of the Savannah River Plant, U. S. Department of Energy  
Aiken, South Carolina**

**by**

**WADE T. BATSON  
Department of Biology, University of South Carolina  
Columbia, SC 29808**

**and**

**J. THOMAS JONES  
JEANNINE S. ANGERMAN  
Savannah River Ecology Laboratory  
Drawer E, Aiken, SC 29801**

**A Publication of the Savannah River Plant  
National Environmental Research Park Program**

**1985**

## FLORA OF THE SAVANNAH RIVER PLANT

### Table of Contents

	<u>Page</u>
INTRODUCTION.....	1
Objectives.....	1
Site Description.....	3
VASCULAR PLANTS OF THE SAVANNAH RIVER PLANT.....	4
FEATURED RESEARCH SPECIES.....	39
USEFUL REFERENCES TO SRP AND SOUTHEASTERN FLORA.....	57
LITERATURE CITED.....	63
ACKNOWLEDGMENTS.....	64

## INTRODUCTION

The Savannah River Plant (SRP), a nuclear production facility administered by the United States Department of Energy, occupies an area of approximately 300 square miles in the upper Coastal Plain of South Carolina (Figure 1). Since the early 1950's it has been the subject of numerous ecological and botanical studies, many of which are focused on environmental effects of industrial activities. Early surveys of the flora have been succeeded by ecological studies of various habitats and species. As a result of this research, the SRP is one of the most extensively studied sites of its kind in the southeastern United States.

### Objectives

Reported here are results of a survey of the vascular plants of the SRP, and a compilation of species reported on the site in previous studies. This project was undertaken to fulfill two objectives: 1) to provide a list of the naturally-occurring vascular plants found on the SRP for the use of on-site researchers and visiting investigators, and 2) to prepare a local herbarium as a reference collection of SRP plants.

Such a listing is never complete. As habitats change through disturbance or natural succession, so do the plants that live there. In the three decades since the establishment of the SRP, land use has changed from agriculture to forestry and industry. Several species reported on the site in the early 1950's, especially horticultural escapees or agricultural plants, have not been collected in recent years. However, the floral list continues to expand as habitats are more thoroughly studied. This report provides a list of vascular plant species of the SRP which were represented in the Savannah River Ecology Laboratory (SREL) Herbarium in 1984, supplemented by species previously reported from the site or known by the authors to occur there but which have not been incorporated into the herbarium. It is SREL's intent to update the herbarium as additional collections are made and new species are located.

In addition to the species list, SRP studies of featured species are referenced. It is beyond the scope of this survey to provide taxonomic keys to the species; however, a reference list of regional floral keys, including those used in identifying the plants in the SREL herbarium, is given.




Figure 1. Map of the Savannah River Plant.

### Site Description

The Savannah River Plant is located on the upper Coastal Plain in parts of Aiken, Barnwell and Allendale Counties, South Carolina. It consists of 77,832 ha (approximately 780 km<sup>2</sup>) bordered on the southwest by the Savannah River. The elevation ranges between 27 and 122 m above sea level. Langley and Marter (1973) describe two distinct physiographic subregions which form the SRP: the Aiken Plateau (above 82 m) and the Pleistocene Coastal Terraces (below 82 m). The gently sloping Aiken Plateau has been deeply eroded by tributaries of the Savannah River. The Brandywine and Sunderland terraces also have a gently rolling topography, whereas the Wicomico forms the broad floodplain of the Savannah River (Langley and Marter, 1973).

Soils on the SRP are sandy with low fertility. Those of the Aiken Plateau are generally too sandy and well-drained to support a sustained agricultural yield. Sandy loams of the coastal terraces have higher fertility; the Sunderland and Brandywine terraces were extensively farmed before the establishment of the SRP.

The climate of the SRP area is temperate, with mild winters and long summers. The average winter temperature in nearby Augusta, Georgia, is 9°C and the average summer temperature is 27°C (Dukes, 1984). Extreme temperatures seldom exceed 38°C or fall below -12°C. The average daily temperature variation is about 11°C. Average annual rainfall is 119 cm (Dukes, 1984) and is greatest in March and lowest in November.

Before the SRP was established, approximately two-thirds of the land was forested and one-third was cropland or pasture. Two small towns and several farming communities were located on the site. Since the development of the SRP, natural succession and an active timber management program by the U. S. Forest Service have converted much of the land to pine-hardwood forests and managed pine plantations. Terrestrial habitats include upland oak-hickory hardwood forests, pinelands, stream-bluff forests and bottomland hardwood forests. Natural freshwater habitats include Carolina bays, oxbow lakes, streams and beaver ponds, which may support freshwater marshes. Disturbed or man-influenced habitats include pine plantations, abandoned fields in various stages of successional recovery, abandoned town sites, old farm ponds, man-made reservoirs, roadsides, power lines, railroad right-of-ways, and lawns, as well as highly disturbed systems such as industrial sites, coal ash basins and reservoirs, and streams receiving thermal effluent from nuclear reactors.

Because of this variety of habitats, the SRP supports an extensive flora. The two-year survey involved in the documentation of this report resulted in the collection of more than 1100 species of vascular plants for the SREL herbarium. This represents approximately one-third of all species reported from the Carolinas (Radford *et al.*, 1968).

### VASCULAR PLANTS OF THE SAVANNAH RIVER PLANT

This species list includes: (1) vascular plants contained in the SREL Herbarium in 1984, and (2) species known or reported to occur on the SRP but not represented by herbarium specimens (superscript\*). The emphasis of this survey has been on naturally-occurring species. Horticultural or agricultural species are included only if persisting as escapees from cultivation on the site.

Taxonomy follows Radford *et al.* (1968) unless otherwise noted by superscripts as follows: <sup>1</sup>Bailey (1949), and <sup>2</sup>Correll and Correll (1975). Most of the species were collected, identified and catalogued in the SREL herbarium by the authors of this report. Those specimens collected and added to the herbarium by other investigators are designated by the superscript<sup>3</sup>. Verification of species was made by the senior author. County records collected on the SRF are designated as follows: <sup>4</sup>Aiken, <sup>5</sup>Barnwell, <sup>6</sup>Allendale.

Table 1. Vascular plant species of the Savannah River Plant.

	Ferns/ Fern Allies	Gymnosperms	Monocotyledons	Dicotyledons	Total
Families	12	3	25	111	151
Genera	17	4	132	405	558
Species and Varieties	23	10	418	871	1322

VASCULAR PLANTS OF THE SRP

## Acanthaceae

<u>Dicliptera brachiata</u> (Pursh) Sprengel	
<u>Dyschoriste oblongifolia</u> (Michaux) Kuntze	
* <u>Justicia americana</u> (L.) Vahl	Water-willow
* <u>Justicia ovata</u> (Walter) Lindau	Water-willow
<u>Ruellia caroliniensis</u> (Walter) Steudel	Ruellia
* <u>Ruellia ciliosa</u> Pursh	Ruellia
* <u>Ruellia humilis</u> Nuttall	Ruellia

## Aceraceae

<u>Acer negundo</u> L.	Box Elder
<u>Acer rubrum</u> L.	Red Maple
<u>Acer saccharinum</u> L.	Silver Maple
<u>Acer saccharum</u> ssp. <u>floridanum</u> (Chapman) Desmarais	Southern Sugar Maple
* <u>Acer saccharum</u> Marshall spp. <u>saccharum</u>	Southern Sugar Maple

## Aizoaceae

<u>Mollugo verticillata</u> L.	Carpet-weed
--------------------------------	-------------

## Alismataceae

<u>Echinodorus cordifolius</u> (L.) Grisebach	Bur-head
* <u>Echinodorus parvulus</u> Engelm.	Little Bur-head
* <u>Sagittaria graminea</u> Michaux	
* <u>Sagittaria latifolia</u> Willd.	Wapato, Duck-potato
* <u>Sagittaria subulata</u> Buch.	
* <u>Sagittaria teres</u> Watson	Slender Sagittaria

## Amaranthaceae

<u>Alternanthera philoxeroides</u> (Martius) Grisebach	Alligator-weed
<u>Amaranthus palmeri</u> Watson	Amaranth
* <u>Amaranthus spinosus</u> L.	Thorny Amaranth
<u>Froelichia floridana</u> (Nuttall) Moq.	Cottonweed
<u>Froelichia gracilis</u> (Hooker) Moq.	Cottonweed

## Amaryllidaceae

* <u>Agave virginica</u> L.	
<u>Hypoxis hirsuta</u> (L.) Coville	Yellow Star-grass
* <u>Hypoxis micrantha</u> Pollard	Yellow Star-grass
* <u>Narcissus incomparabilis</u> Miller	
<u>Narcissus jonquilla</u> L.	Jonquil
<u>Narcissus pseudo-narcissus</u> L.	Daffodil
* <u>Narcissus tazetta</u> x <u>poeticus</u>	
<u>Zephyranthes atamasco</u> (L.) Herbert	Atamasco Lily

## Anacardiaceae

<u>Rhus copallina</u> L.	Winged Sumac
--------------------------	--------------

<u>Rhus glabra</u> L.	Smooth Sumac
<u>Rhus radicans</u> L.	Poison Ivy
<u>Rhus toxicodendron</u> L.	Poison Oak
<u>Rhus vernix</u> L.	Poison Sumac

## Annonaceae

<u>Asimina parviflora</u> (Michaux) Dunal	Dwarf Pawpaw
<u>Asimina triloba</u> (L.) Dunal	Pawpaw

## Apiaceae (Umbelliferae)

<u>Angelica venenosa</u> (Greenway) Fernald	
<u>Apium leptophyllum</u> (Persoon) F. Mueller	Marsh Parsley
<u>Centella asiatica</u> (L.) Urban	Marsh Pennywort
<u>Chaerophyllum tainturieri</u> Hooker	Wild Chervil
<u>Cicuta maculata</u> L.	Water Hemlock
<u>Cryptotaenia canadensis</u> (L.) DC.	Honewort
<u>Daucus carota</u> L.	Queen-Anne's-Lace
<u>Daucus pusillus</u> Michaux	Small Wild Carrot
<u>Eryngium integrifolium</u> Walter	Button Snakeroot
<u>Eryngium yuccifolium</u> Michaux	
<u>Hydrocotyle americana</u> L.	
<u>Hydrocotyle umbellata</u> L.	Marsh Pennywort
<u>Hydrocotyle verticillata</u> Thunberg	Pennywort
<u>Ptilimnium capillaceum</u> (Michaux) Raf.	Mock Bishopweed
<u>Sanicula canadensis</u> L.	Snakeroot
<u>Sanicula smallii</u> Bicknell	Snakeroot
<u>Spermolepis divaricata</u> (Walter) Raf.	
<u>Spermolepis echinata</u> (Nuttall ex DC.) Heller	
<u>Trepocarpus aethusae</u> Nuttall	
<u>Thaspium barbinode</u> (Michaux) Nuttall	Meadow Parsnip
<u>Thaspium trifoliatum</u> (L.) Gray	Meadow Parsnip

## Apocynaceae

<u>Amsonia ciliata</u> Walter	Blue Star
<u>Amsonia tabernaemontana</u> Walter	Blue Star
<u>Apocynum cannabinum</u> L.	Indian Hemp
<u>Trachelospermum difforme</u> (Walter) Gray	Climbing Dogbane, Confederate Jasmine
<u>Vinca major</u> L.	Periwinkle
<u>Vinca rosea</u> L.	Madagascar Periwinkle

## Aquifoliaceae

<u>Ilex cassine</u> var. <u>myrtifolia</u> (Walter) Sargent	Myrtleleaf Holly
<u>Ilex coriacea</u> (Pursh) Chapman	Sweet Gallberry
<u>Ilex decidua</u> Walter	Possom Haw
<u>Ilex glabra</u> (L.) Gray	Inkberry
<u>Ilex opaca</u> Aiton	Holly
<u>Ilex verticillata</u> (L.) Gray	Winterberry
<u>Ilex vomitoria</u> Aiton	Yaupon

## Araceae

Arisaema dracontium (L.) Schott  
Arisaema triphyllum (L.) Schott  
Orontium aquaticum L.  
Peltandra virginica (L.) Kunth

Green Dragon  
Jack-in-the-pulpit  
Golden Club  
Arrow Arum

## Araliaceae

Aralia spinosa L.  
<sup>5</sup>, Hedera helix L.

Hercules Club  
Ivy

## Arecaceae

Sabal minor (Jacquin) Persoon

Palmetto

## Aristolochiaceae

Aristolochia serpentaria L.  
<sup>6</sup> Hexastylis arifolia (Michaux) Small

Virginia Snakeroot  
Wild Ginger

## Asclepiadaceae

Asclepias amplexicaulis Smith  
Asclepias humistrata Walter  
<sup>5</sup> Asclepias obovata Elliott  
Asclepias perennis Walter  
Asclepias tuberosa L.  
Asclepias variegata L.  
Asclepias verticillata L.  
<sup>4</sup> Asclepias viridiflora Raf.  
<sup>7</sup> Matelea carolinensis (Jacquin) Woodson  
Matelea gonocarpa (Walter) Shinners  
<sup>5</sup> Matelea suberosa (L.) Shinners

Milkweed  
Purple-veined Milkweed  
Swamp Milkweed  
Butterfly-weed  
Milkweed  
Narrow-leaved Milkweed  
Green Milkweed  
Anglepod

## Aspidiaceae

Athyrium asplenioides (Michaux)  
A. A. Eaton  
<sup>8</sup> Dryopteris ludoviciana (Kunze) Small  
Onoclea sensibilis L.  
Polystichum acrostichoides (Michaux)  
Schott  
<sup>9</sup> Thelypteris novaboracensis (L.)  
Nieuwland  
<sup>10</sup> Thelypteris palustris Schott

Southern Lady Fern  
Southern Shield Fern  
Sensitive Fern  
Christmas Fern  
New York Fern  
Marsh Fern

## Aspleniaceae

Asplenium platyneuron (L.) Oakes

Ebony Spleenwort

## Asteraceae (Compositae)

Acanthospermum australe (Loefling) Kuntze  
Achillea millefolium L.  
Ambrosia artemisiifolia L.  
Antennaria plantaginifolia (L.) Richardson  
<sup>11</sup> Anthemis cotula L.  
Arnica acaulis (Walter) BSP.  
<sup>12</sup> Artemisia caudata Michaux

Yarrow  
Ragweed  
Pussytoes  
Dog Fennel  
Leopard's Bane  
Wormwood

<sup>5</sup> <u>Artemisia ludoviciana</u> Nuttall	White Sage
<u>Aster concolor</u> L.	
<sup>6</sup> <u>Aster dumosus</u> L.	
<sup>1</sup> , <sup>4</sup> <u>Aster ericoides</u> L.	Heath Aster
<u>Aster linariifolius</u> L.	Stiff-leaved Aster
<sup>4</sup> <u>Aster novi-belgii</u> L.	New York Aster
<u>Aster paternus</u> Cronquist	White-topped Aster
<u>Aster pilosus</u> Willd.	Frost Aster
<u>Aster solidagineus</u> Michaux	White-topped Aster
<u>Aster tortifolius</u> Michaux	White-topped Aster
<u>Aster undulatus</u> L.	White-topped Aster
<sup>6</sup> <u>Baccharis halimifolia</u> L.	Groundsel Tree
<u>Berlandiera pumila</u> (Michaux) Nuttall	
<sup>6</sup> <u>Bidens aristosa</u> (Michaux) Britton	
<sup>5</sup> <u>Bidens bipinnata</u> L.	Spanish Needles
<u>Bidens discoidea</u> (T & G.) Britton	
<u>Bidens frondosa</u> L.	Beggar Ticks
<sup>3</sup> <u>Bidens mitis</u> (Michaux) Sherff	
<u>Boltonia asteroides</u> (L.) L'Her.	
<sup>6</sup> <u>Cacalia atriplicifolia</u> L.	Pale Indian-plantain
<sup>*5</sup> <u>Cacalia tuberosa</u> Nuttall	
<u>Carduus arvensis</u> (L.) Robson	Canada Thistle
<u>Carduus nuttallii</u> (DC.) Pollard	Thistle
<u>Carduus repandus</u> (Michaux) Persoon	Thistle
<u>Carduus spinosissimus</u> Walter	Yellow Thistle
<u>Carduus virginianus</u> L.	
<sup>3</sup> <u>Carphephorus bellidifolius</u> (Michaux)	
T. & G.	
<sup>6</sup> <u>Centaurea benedicta</u> (L.) L.	Blessed Thistle
<u>Centaurea cyanus</u> L.	Bachelor's Button
<u>Chaptalia tomentosa</u> Vent.	Sunbonnets
<sup>4</sup> <u>Chrysanthemum segetum</u> L.	Ox-eye Daisy
<u>Chrysogonum virginianum</u> var. <u>austrole</u> (Alexander) Ahles	Green-and-gold
<u>Coreopsis basalis</u> (Dietrich) Blake	Tickseed
<u>Coreopsis helianthoides</u> Beadle	Tickseed
<u>Coreopsis lanceolata</u> L.	Tickseed
<u>Coreopsis major</u> Walter	Tickseed
<u>Coreopsis major</u> var. <u>stellata</u> (Nuttall) Robinson	Tickseed
<sup>1</sup> , <sup>6</sup> <u>Coreopsis rosea</u> Nuttall	Pink Tickseed
<u>Echinacea laevigata</u> (Boynton & Beadle) Blake	Purple Cone-flower
<u>Eclipta alba</u> (L.) Hasskarl	
<u>Elephantopus carolinianus</u> Willd.	Elephant's-foot
<u>Elephantopus nudatus</u> Gray	Elephant's-foot
<u>Elephantopus tomentosus</u> L.	Elephant's-foot
<u>Erechtites hieracifolia</u> (L.) Raf.	Fireweed
<u>Erigeron canadensis</u> L.	Horseweed
<sup>6</sup> <u>Erigeron pulchellus</u> Michaux	Robin's-plantain

<u>Erigeron strigosus</u> Muhl. ex Willd.	Daisy Fleabane
<u>Erigeron vernus</u> (L.) T. & G.	
<u>Eupatorium album</u> L.	Dogfennel
<u>Eupatorium aromaticum</u> L.	Dogfennel
<u>Eupatorium capillifolium</u> (Lam.) Small	Dogfennel
<u>Eupatorium coelestinum</u> L.	Mistflower, Ageratum
<u>Eupatorium compositifolium</u> Walter	Dogfennel
<u>Eupatorium cuneifolium</u> Willd.	Dogfennel
<u>Eupatorium dubium</u> Willd.	Joe-pye-weed
<u>Eupatorium fistulosum</u> Barratt	Joe-pye-weed
<u>Eupatorium leucolepis</u> (DC.) T. & G.	Dogfennel
<u>Eupatorium perfoliatum</u> L.	Boneset
<u>Eupatorium pilosum</u> Walter	Dogfennel
<u>Eupatorium recurvans</u> Small	Dogfennel
<u>Eupatorium rotundifolium</u> L.	Dogfennel
<u>Eupatorium serotinum</u> Michaux	Dogfennel
<u>Facelis retusa</u> (Lam.) Sch.-Bip.	
<u>Gaillardia aestivalis</u> (Walter) H. Rock	Daisy
<u>Gaillardia pulchella</u> Foug.	Rosering Gaillardia
<u>Gnaphalium chilense</u> Sprengel	Rabbit Tobacco
<u>Gnaphalium helleri</u> Britton	Cudweed
<u>Gnaphalium obtusifolium</u> L.	Rabbit Tobacco
<u>Gnaphalium purpureum</u> L.	Cudweed
<u>Haplopappus divaricatus</u> (Nuttall) Gray	Yellow Aster
<u>Helenium amarum</u> (Raf.) H. Rock	Bitterweed
<u>Helenium flexuosum</u> Raf.	Sneezeweed
<u>Helianthus angustifolius</u> L.	Sunflower
<u>Helianthus annuus</u> L.	Sunflower
<u>Helianthus debilis</u> var. <u>cucumberifolius</u> (T. & G.) Gray	Sunflower
<u>Helianthus divaricatus</u> L.	Sunflower
<u>Helianthus mollis</u> Lam.	Ashy Sunflower
<u>Helianthus strumosus</u> L.	Sunflower
<u>Heliopsis helianthoides</u> (L.) BSP	Ox-eye
<u>Heterotheca gossypina</u> (Michaux) Shinners	Camphorweed
<u>Heterotheca graminifolia</u> (Michaux) Shinners	Camphorweed
<u>Heterotheca mariana</u> (L.) Shinners	Camphorweed
<u>Heterotheca nervosa</u> (Willd.) Shinners	Camphorweed
<u>Heterotheca subaxillaris</u> (Lam.) Britton & Rusby	Camphorweed
<u>Hieracium gronovii</u> L.	Hawkweed
<u>Hymenopappus scabiosaeus</u> L'Her.	
<u>Hypochoeris elata</u> (Weddell) Grisebach	Cat's-ear
<u>Hypochoeris glabra</u> L.	Cat's-ear
<u>Hypochoeris radicata</u> L.	Cat's-ear
<u>Iva microcephala</u> Nuttall	Dwarf Dandelion
<u>Krigia oppositifolia</u> Raf.	Dwarf Dandelion
<u>Krigia virginica</u> (L.) Willd.	False Boneset
<u>Kuhnia eupatorioides</u> L.	
<u>Lactuca canadensis</u> L.	Wild Lettuce

<sup>*</sup> <u>Lactuca floridana</u> (L.) Gaertner	Blue Lettuce
<u>Lactuca graminifolia</u> Michaux	
<sup>3</sup> <u>Lactuca scariola</u> L.	Prickly Lettuce
<u>Liatris earlei</u> (Greene) K. Schumann	
<u>Liatris elegans</u> (Walter) Michaux	Blazing Star
<u>Liatris graminifolia</u> Willd.	
<sup>6</sup> <u>Liatris regimontis</u> (Small) K. Schumann	Blazing Star
<sup>4</sup> <u>Liatris scariosa</u> (L.) Willd.	Tall Blazing Star
<u>Liatris secunda</u> Ell.	Blazing Star
<sup>7</sup> <u>Liatris spicata</u> var. <u>resinosa</u> (Nuttall) Gaiser	Blazing Star
<u>Liatris squarrosa</u> (L.) Michaux	Blazing Star
<u>Liatris tenuifolia</u> Nuttall	Blazing Star
<u>Marshallia obovata</u> var. <u>scaposa</u> Channell	Button-flower
<sup>*</sup> <u>Melanthera hastata</u> Michaux	
<u>Mikania scandens</u> (L.) Willd.	Climbing Hempweed
<u>Pluchea camphorata</u> (L.) DC.	Marsh Fleabane
<sup>4</sup> <u>Pluchea foetida</u> (L.) DC.	Marsh Fleabane
<u>Pluchea rosea</u> Godfrey	Marsh Fleabane
<sup>3</sup> <u>Polymnia uvedalia</u> L.	Bears-foot
<sup>4</sup> <u>Prenanthes altissima</u> L.	Rattlesnake-root
<sup>3</sup> <u>Prenanthes serpentaria</u> Pursh	Gall-of-the-earth
<sup>3</sup> <u>Pterocaulon pycnostachyum</u> (Michaux) Ell.	Blackroot
<u>Pyrrhopappus carolinianus</u> (Walter) DC.	Carolina False Dandelion
<u>Rudbeckia fulgida</u> Aiton	
<u>Rudbeckia hirta</u> L.	Black-eyed Susan
<u>Sclerolepis uniflora</u> (Walter) BSP.	
<u>Senecio glabellus</u> Poiret	Butterweed
<u>Senecio obovatus</u> Muhl. ex Willd.	Groundsel
<u>Senecio smallii</u> Britton	Groundsel
<sup>5</sup> <u>Silphium asteriscus</u> L.	
<u>Silphium compositum</u> Michaux	
<u>Silphium dentatum</u> Ell.	
<u>Solidago altissima</u> L.	Goldenrod
<sup>3</sup> <u>Solidago arguta</u> Aiton	Goldenrod
<sup>5</sup> <u>Solidago caesia</u> L.	Blue-stem Goldenrod
<sup>1</sup> <u>Solidago canadensis</u> L.	Goldenrod
<sup>3</sup> <u>Solidago gigantea</u> Aiton	Goldenrod
<sup>5</sup> <u>Solidago leavenworthii</u> T. & G.	Goldenrod
<u>Solidago microcephala</u> (Greene) Bush	Tiny-headed Goldenrod
<u>Solidago nemoralis</u> Aiton	Goldenrod
<u>Solidago odora</u> Aiton	Goldenrod
<sup>3</sup> <u>Solidago petiolaris</u> Aiton	Goldenrod
<sup>6</sup> <u>Solidago roanensis</u> Porter	Goldenrod
<u>Solidago rugosa</u> Miller	Goldenrod
<sup>3</sup> <u>Solidago stricta</u> Aiton	Goldenrod
<sup>6</sup> <u>Solidago tortifolia</u> Ell.	Goldenrod
<u>Sonchus asper</u> (L.) Hill	Spiny-leaved Sow-thistle
<sup>4</sup> <u>Sonchus oleraceus</u> L.	Sow-thistle
<sup>7</sup> <u>Spilanthes americana</u> var. <u>repens</u> (Walter) A. H. Moore	
<u>Tagetes minuta</u> L.	

<u>*Taraxacum officinale</u> Wiggers	Dandelion
<u>*Tetragonotheca helianthoides</u> L.	Pineland Ginseng
<u>*Trilisa paniculata</u> (Walter ex J. F. Gmelin) Cassini	Hound's Tongue
<u>*Verbesina occidentalis</u> (L.) Walter	Yellow Wingstem
<u>*Verbesina virginica</u> L.	
<u>*Vernonia altissima</u> Nuttall	Ironweed
<u>Vernonia angustifolia</u> Michaux	Ironweed
<u>Xanthium strumarium</u> L.	Cocklebur
 Azollaceae	
<u>*Azolla caroliniana</u> Willd.	Mosquito Fern
 Balsaminaceae	
<u>Impatiens capensis</u> Meerb.	Jewelweed
 Berberidaceae	
<u>*Nandina domestica</u> Thunberg	Nandina
<u>*Podophyllum peltatum</u> L.	May-apple
 Betulaceae	
<u>Alnus serrulata</u> (Aiton) Willd.	Tag Alder
<u>Betula nigra</u> L.	River Birch
<u>*Carpinus caroliniana</u> Walter	Ironwood
<u>Ostrya virginiana</u> (Miller) K. Koch	Hop Hornbeam
 Bignoniaceae	
<u>Anisostichus capreolata</u> (L.) Bureau	Cross Vine
<u>Campsis radicans</u> (L.) Seemann	Trumpet Vine, Cow-itcch Vine
<u>Catalpa bignonioides</u> Walter	Indian Cigar Tree
 Blechnaceae	
<u>Woodwardia areolata</u> (L.) Moore	Netted Chain-fern
<u>*Woodwardia virginica</u> (L.) Smith	Virginia Chain-fern
 Boraginaceae	
<u>Heliotropium amplexicaule</u> Vahl	Heliotrope
<u>*Heliotropium indicum</u> L.	Helitrope, Turnsole
<u>Lithospermum caroliniense</u> (J. F. Gmelin) MacM.	Puccoon
<u>*Myosotis verna</u> Nuttall	Forget-me-not
<u>*Onosmodium virginianum</u> (L.) A. DC.	False Gromwell
 Brassicaceae (Cruciferae)	
<u>Arabidopsis thaliana</u> (L.) Heynhold	Mouse-ear Cress
<u>*Brassica hirta</u> Moench	White Mustard
<u>*Brassica juncea</u> (L.) Cossen	Leaf Mustard
<u>Camelina microcarpa</u> Andrz.	False Flax
<u>*Capsella bursa-pastoris</u> (L.) Medicus	Shepherd's-purse
<u>*Cardamine bulbosa</u> (Schreber) BSP	Bitter Cress
<u>*Cardamine hirsuta</u> L.	Bitter Cress

<i>*Cardamine parviflora</i> var. <i>arenicola</i> (Britton) O. E. Schultz	Bitter Cress
<i>*Descurainia pinnata</i> (Walter) Britton <i>Draba brachycarpa</i> Nuttall ex T. & G. <i>Lepidium virginicum</i> L.	Tansy Mustard
<i>*Nasturtium officinale</i> R. Brown <i>Raphanus raphanistrum</i> L. <i>Rorippa islandica</i> (Oeder) Borbas	Poor-man's Pepper Watercress Wild Radish
<i>*Rorippa sessiliflora</i> (Nuttall) Hitchcock <i>Warea cuneifolia</i> (Muhl.) Nuttall	Yellow Cress Yellow Cress
 Bromeliaceae <i>Tillandsia usneoides</i> L.	 Spanish Moss
 Cabombaceae <i>*Brasenia schreberi</i> Gmelin <i>*Cabomba caroliniana</i> Gray	 Water Shield Fanwort
 Cactaceae <i>Opuntia compressa</i> (Salisbury) Macbride	 Prickly Pear
 Callitrichaceae <i>Callitricha heterophylla</i> Pursh	 Water Starwort
 Calycanthaceae <i>*Calycanthus floridus</i> L.	 Sweet-shrub
 Campanulaceae <i>Lobelia boykinii</i> T. & G. <i>*Lobelia canbyi</i> Gray <i>Lobelia cardinalis</i> L. <i>*Lobelia elongata</i> Small <i>*Lobelia nuttallii</i> R. & S. <i>*Lobelia puberula</i> Michaux <i>*Lobelia spicata</i> Lam. <i>Specularia biflora</i> (R. & P.) F. & M. <i>Specularia perfoliata</i> (L.) A. DC. <i>*Sphenoclea zeylandica</i> Gaertner <i>Wahlenbergia marginata</i> (Thunberg) DC.	 Swamp Lobelia Lobelia Cardinal Flower Lobelia Slender Lobelia Lobelia Pale Spike Lobelia Venus' Looking-glass Venus' Looking-glass
 Cannaceae <i>*Canna x generalis</i> Bailey	 Canna
 Capparaceae <i>*Cleome houtteana</i> Raf.	 Spider-flower
 Caprifoliaceae <i>*Lonicera fragrantissima</i> Lindley & Pax <i>Lonicera japonica</i> Thunberg <i>Lonicera sempervirens</i> L. <i>Sambucus canadensis</i> L.	 Sweet-breath-of-spring Japanese Honeysuckle Coral Honeysuckle Elderberry

<u>*Viburnum cassinooides</u> L.	Withe-rod
<u>Viburnum dentatum</u> L.	Arrowwood
<u>Viburnum nudum</u> L.	Possom Haw
<u>Viburnum prunifolium</u> L.	Black Haw
<u>Viburnum rufidulum</u> Raf.	Blue Haw
Caryophyllaceae	
<u>*Agrostemma githago</u> L.	Corn-cockle
<u>Arenaria caroliniana</u> Walter	Sandwort
<u>*Arenaria serpyllifolia</u> L.	Creeping Sandwort
<u>Cerastium glomeratum</u> Thuillier	Mouse-ear Chickweed
<u>Cerastium holosteoides</u> var. <u>vulgare</u> (Hartman) Hylander	Mouse-ear Chickweed
<u>Dianthus armeria</u> L.	Pink
<u>Holosteum umbellatum</u> L.	Jagged Chickweed
<u>Paronychia americana</u> (Nuttall) Fenzl ex Walpers	
<u>*Paronychia fastigiata</u> (Raf.) Fernald	Whitlow-wort
<u>Paronychia riparia</u> Chapman	
<u>Sagina decumbens</u> (Ell.) T. & G.	Pearlwort
<u>Saponaria officinalis</u> L.	Soapwort, Bouncing Bet
<u>*Scleranthus annuus</u> L.	
<u>*Silene antirrhina</u> L.	Sleepy Catchfly
<u>Silene caroliniana</u> Walter	Wild Pink
<u>*Silene cucubalus</u> Wibel	Bladder Campion
<u>*Silene stellata</u> (L.) Aiton f.	Starry Campion
<u>Stellaria media</u> (L.) Cyrillo	Chickweed
<u>Stipulicida setacea</u> Michaux	Pine Pink
Celastraceae	
<u>Euonymus americanus</u> L.	Strawberry Bush
Ceratophyllaceae	
<u>*Ceratophyllum demersum</u> L.	Hornwort
Chenopodiaceae	
<u>Chenopodium album</u> L.	Lamb's Quarters
<u>Chenopodium ambrosioides</u> L.	Mexican Tea
<u>Cycloloma atriplicifolium</u> (Sprengel) Coulter	Winged Pigweed
Cistaceae	
<u>*Helianthemum canadense</u> (L.) Michaux	Rockrose, Frostweed
<u>Helianthemum rosmarinifolium</u> Pursh	Rockrose, Frostweed
<u>*Lechea minor</u> L.	Pinweed
<u>*Lechea patula</u> Leggett	Pinweed
<u>Lechea tenuifolia</u> Michaux	Pinweed
<u>Lechea villosa</u> Ell.	Pinweed

## Clethraceae

<u>Clethra alnifolia</u> L.	Sweet Pepperbush
* <u>Clethra alnifolia</u> var. <u>tomentosa</u> (Lam.) Michaux	White Alder

## Commelinaceae

<u>Aneilema keisak</u> Hasskarl	
<u>Commelina communis</u> L.	Dayflower
<u>Commelina diffusa</u> Burman f.	Dayflower
<u>Commelina erecta</u> L.	Dayflower
<u>Commelina virginica</u> L.	Dayflower
<u>Tradescantia chiensis</u> Raf.	Spiderwort
<u>Tradescantia rosea</u> Vent.	Spiderwort
<u>Tradescantia roses</u> var. <u>graminea</u> (Small) Anderson & Woodson	Spiderwort
<u>Tradescantia rosea</u> var. <u>rosea</u>	

## Convolvulaceae

' <u>Bonamia aquatica</u> (Walter) Gray	Bonamia
<u>Bonamia humistrata</u> (Walter) Gray	Bonamia
' <u>Bonamia patens</u> (Desr.) Shinners	Bonamia
' <u>Calystegia sepium</u> (L.) R. Brown	Hedge Bindweed
<u>Cuscuta campestris</u> Yuncker	Field Dodder
' <u>Cuscuta compacta</u> Jussieu	Compact Dodder
' <u>Cuscuta gronovii</u> Willd. ex R. & S.	Dodder
<u>Cuscuta pentagona</u> Engelm.	Dodder
<u>Dichondra carolinensis</u> Michaux	
' <u>Ipomoea coccinea</u> L.	
<u>Ipomoea hederacea</u> (L.) Jacquin	Morning Glory
<u>Ipomoea pandurata</u> (L.) G.F.W. Meyer	Man-root
<u>Ipomoea trichocarpa</u> Ell.	Morning Glory
' <u>Jacquemontia tamnifolia</u> (L.) Grisebach	Small-flower Morning Glory

## Cornaceae

<u>Cornus amomum</u> Miller	Swamp Dogwood
<u>Cornus florida</u> L.	Flowering Dogwood
<u>Cornus stricta</u> Lam.	Stiff Cornel, Swamp Dogwood

## Crassulaceae

<u>Penthorum sedoides</u> L.	Ditch Stonecrop
------------------------------	-----------------

## Cucurbitaceae

* <u>Cayaponia boykinii</u> (T. & G.) Cogn.	Cayaponia
<u>Melothria pendula</u> L.	Creeping Cucumber

## Cupressaceae

<u>Juniperus virginiana</u> L.	Red Cedar
<u>Thuja occidentalis</u> L.	American Arbor Vitae

## Cyperaceae

* <u>Bulbostylis barbata</u> (Rottboell) Clarke	
* <u>Bulbostylis capillaris</u> (L.) Clarke	

<u>*Bulbostylis ciliatifolia</u> (Ell.) Fernald	
<u>*Bulbostylis stenophylla</u> (Ell.) Clarke	
<u>*Carex abscondita</u> Mackenzie	Thicket Sedge
<u>*Carex annexans</u> Bicknell	
<u>Carex atlantica</u> Bailey	
<u>*Carex bromoides</u> Schkuhr	Brome-like Sedge
<u>*Carex bullata</u> Schkuhr	
<u>*Carex bushii</u> Mackenzie	
<u>*Carex cephalophora</u> Muhl. ex Schkuhr	Overhead Sedge
<u>*Carex communis</u> Bailey	
<u>Carex comosa</u> Boott	
<u>Carex complanata</u> Torrey & Hooker	
<u>*Carex crinita</u> Lam.	Fringed Sedge
<u>*Carex crus-corvi</u> Shuttlew. ex Kuntze	
<u>*Carex debilis</u> Michaux	
<u>*Carex decomposita</u> Muhl.	
<u>Carex digitalis</u> Willd.	
<u>Carex festucacea</u> Schkuhr	
<u>*Carex flaccosperma</u> Dewey	Thin-fruited Sedge
<u>*Carex folliculata</u> var. <u>australis</u> Bailey	
<u>Carex gigantea</u> Rudge	Large Sedge
<u>Carex glaucescens</u> Ell.	
<u>*Carex granularis</u> Muhl. ex Schkuhr	
<u>Carex howei</u> Mackenzie	
<u>Carex intumescens</u> Rudge	
<u>Carex iocorii</u> Bailey	
<u>Carex laevigatinata</u> (Kükenthal) MacKenzie	
<u>*Carex laxiflora</u> Lam.	
<u>*Carex leptalea</u> Wahlenberg	Cespitose Sedge
<u>Carex louisianica</u> Bailey	
<u>*Carex lupulina</u> Muhl. ex Schkuhr	
<u>Carex lurida</u> Wahlenberg	
<u>Carex muhlenbergii</u> Schkuhr	
<u>Carex nigromarginata</u> Schweinitz	
<u>*Carex normalis</u> Mackenzie	
<u>*Carex oligocarpa</u> Schkuhr	Few-fruited Sedge
<u>Carex retroflexa</u> Muhl. ex Schkuhr	
<u>*Carex schweinitzii</u> Dewey	Schweinitz's Sedge
<u>*Carex scoparia</u> Schkuhr	Pointed Sedge
<u>*Carex seorsa</u> Howe	
<u>*Carex stipata</u> Muhl. ex Schkuhr	
<u>*Carex styloflexa</u> Buckley	Bent Sedge
<u>Carex tenax</u> Chapman	
<u>Carex tribuloides</u> Wahlenberg	
<u>Carex typhina</u> Michaux	
<u>Carex verrucosa</u> Muhl.	
<u>*Carex vulpinoidea</u> Michaux	
<u>Cyperus brevifolius</u> (Rottboell) Hasskarl	

<i>Cyperus compressus</i> L.	Flat Cyperus
<i>Cyperus dipsaciformis</i> Fernald	Red-rooted Cyperus
* <i>Cyperus erythrorhizos</i> Muhl.	Nut Grass
* <i>Cyperus esculentus</i> L.	
* <i>Cyperus ferruginescens</i> Boeckler	
<i>Cyperus filiculmis</i> Vahl	Nuttall's Cyperus
* <i>Cyperus flavescens</i> L.	Yellow Cyperus
* <i>Cyperus globulosus</i> Aublet	Baldwin's Cyperus
<i>Cyperus haspan</i> L.	Sheathed Cyperus
* <i>Cyperus iria</i> L.	Yellow Cyperus
* <i>Cyperus lancastriensis</i> Porter	Lancaster Cyperus
* <i>Cyperus odoratus</i> L.	Fragrant Cyperus
* <i>Cyperus ovularis</i> (Michaux) Torrey	
<i>Cyperus plukenetii</i> Fernald	Plukenet's Cyperus
* <i>Cyperus polystachyos</i> var. <i>texensis</i> (Torrey) Fernald	Coast Cyperus
<i>Cyperus pseudovegetus</i> Steudel	Marsh Cyperus
* <i>Cyperus refractus</i> Engelm. ex Boeckler	Reflexed Cyperus
<i>Cyperus retrofractus</i> (L.) Torrey	Rough Cyperus
<i>Cyperus retrorsus</i> Chapman	Nut Grass
<i>Cyperus rotundus</i> L.	
* <i>Cyperus strigosus</i> L.	
* <i>Cyperus tenuifolius</i> (Steudel) Dandy	Thin-leaved Cyperus
* <i>Cyperus virens</i> Michaux	Marsh Cyperus
<i>Dulichium arundinaceum</i> (L.) Britton	Three-way Sedge
* <i>Eleocharis acicularis</i> (L.) R. & S.	
* <i>Eleocharis equisetoides</i> (Ell.) Torrey	
* <i>Eleocharis flavescens</i> (Poiret) Urban	
* <i>Eleocharis melanocarpa</i> Torrey	
<i>Eleocharis microcarpa</i> Torrey	
* <i>Eleocharis obtusa</i> (Willd.) Schultes	Blunt Spikerush
* <i>Eleocharis quadrangulata</i> (Michaux) R. & S.	
* <i>Eleocharis robbinsii</i> Oakes	
* <i>Eleocharis tortilis</i> (Link) Schultes	Twisted Spikerush
* <i>Eleocharis tricostata</i> Torrey	
<i>Eleocharis tuberculosa</i> (Michaux) R. & S.	Large-tuberled Spikerush
<i>Fimbristylis autumnalis</i> (L.) R. & S.	
<i>Fimbristylis dichotoma</i> (L.) Vahl	
<i>Fimbristylis spadicea</i> (L.) Vahl	
* <i>Fuirena pumila</i> Torrey	
* <i>Fuirena squarrosa</i> Michaux	Umbrella Grass
* <i>Lipocarpha maculata</i> (Michaux) Torrey	Beak Rush
* <i>Psilocarya nitens</i> (Vahl) Wood	Bald Rush
* <i>Rhynchospora caduca</i> Ell.	Beak Rush
* <i>Rhynchospora capitellata</i> (Michaux) Vahl	
* <i>Rhynchospora chapmanii</i> M. A. Curtis	
<i>Rhynchospora corniculata</i> (Lam.) Gray	
<i>Rhynchospora globularis</i> (Chapman) Small	
<i>Rhynchospora glomerata</i> (L.) Vahl	
* <i>Rhynchospora grayi</i> Kunth	Beak Rush

<i>*Rhynchospora inexpansa</i> (Michaux) Vahl	Nodding Beak Rush
<i>*Rhynchospora intermixta</i> C. Wright	
<i>Rhynchospora macrostachya</i> Torrey	
<i>Rhynchospora rariflora</i> (Michaux) Ell.	
<i>Rhynchospora tracyi</i> Britton	
<i>*Scirpus cyperinus</i> (L.) Kunth	Knot Grass
<i>*Scirpus etuberculatus</i> (Steudel) Kuntze	Candy's Bulrush
<i>*Scirpus validus</i> Vahl	
<i>*Scleria ciliata</i> Michaux	Hairy Nutrush
<i>*Scleria oligantha</i> Michaux	Few-flowered Nutrush
<i>*Scleria pauciflora</i> Muhl. ex Willd.	Papillose Nutrush
<i>*Scleria reticularis</i> Michaux	Reticulated Nutrush
<i>*Scleria triglomerata</i> Michaux	Tall Nutrush
 Cyrillaceae	
<i>Cyrrilla racemiflora</i> L.	Titi
 Dioscoreaceae	
<i>Dioscorea villosa</i> L.	Wild Yam
 Droseraceae	
<i>*Drosera capillaris</i> Poiret	Sundew
<i>Drosera intermedia</i> Hayne	Sundew
<i>*Drosera leucantha</i> Shinners	Sundew
 Ebenaceae	
<i>*Diospyros virginiana</i> L.	Persimmon
 Elaeagnaceae	
<i>*Elaeagnus pungens</i> Thunberg	
<i>Elaeagnus umbellata</i> Thunberg	Silverberry
 Empetraceae	
<i>*Ceratiola ericoides</i> Michaux	Rosemary
 Equisetaceae	
<i>*Equisetum hyemale</i> L.	Scouring Rush
 Ericaceae	
<i>Chimaphila maculata</i> (L.) Pursh	Pipsissewa
<i>Epigaea repens</i> L.	Trailing Arbutus
<i>*Gaylussacia baccata</i> (Wang.) K. Koch	Black Huckleberry
<i>Gaylussacia dumosa</i> (Andrz.) T. & G.	Dwarf Huckleberry
<i>Gaylussacia frondosa</i> (L.) T. & G.	Dangleberry
<i>Kalmia latifolia</i> L.	Mountain Laurel
<i>Leucothoe axillaris</i> (Lam.) D. Don	Leucothoe
<i>Leucothoe racemosa</i> (L.) Gray	Fetterbush
<i>*Lyonia ferruginea</i> (Walter) Nuttall	Staggerbush
<i>*Lyonia ligustrina</i> (L.) DC.	Male-berry
<i>Lyonia lucida</i> (Lam.) K. Koch	Fetterbush
<i>Lyonia mariana</i> (L.) D. Don	Staggerbush

<u>*Monotropa hypopithys</u> L.	Pinesap
<u>*Monotropa uniflora</u> L.	Indian Pipe
<u>Oxydendrum arboreum</u> (L.) DC.	Sourwood
<u>Rhododendron canescens</u> (Michaux) Sweet	Wild Azalea
<u>*Rhododendron nudiflorum</u> (L.) Torrey	Pinxterflower
<u>*Rhododendron viscosum</u> (L.) Torrey	Swamp Azalea
<u>Vaccinium arboreum</u> Marshall	Sparkleberry
<u>*Vaccinium atrococcum</u> (Gray) Porter	Black Highbush Blueberry
<u>Vaccinium corymbosum</u> L.	Highbush Blueberry
<u>Vaccinium ellottii</u> Chapman	Elliott's Blueberry
<u>Vaccinium stamineum</u> L.	Squaw Huckleberry
<u>Vaccinium tenellum</u> Aiton	
<u>*Zenobia pulverulenta</u> (Bartram) Pollard	Zenobia

## Eriocaulaceae

<u>Eriocaulon compressum</u> Lam.	Pipewort
<u>*Eriocaulon decangulare</u> L.	Pipewort
<u>Lachnocaulon anceps</u> (Walter) Morong	Bog Buttons

## Euphorbiaceae

<u>Acalypha gracilens</u> Gray	Three-seeded Mercury
<u>Acalypha rhomboidea</u> Raf.	Three-seeded Mercury
<u>Acalypha setosa</u> A. Richard	Three-seeded Mercury
<u>Acalypha virginica</u> L.	Three-seeded Mercury
<u>Cnidoscolus stimulosus</u> (Michaux) Engelm. & Gray	Tread-softly
<u>Croton capitatus</u> Michaux	Wooly Croton
<u>Croton glandulosus</u> var. <u>septentrionalis</u> Muell-Arg.	Croton
<u>Crotonopsis elliptica</u> Willd.	Crotonopsis
<u>Euphorbia corollata</u> L.	Flowering Spurge
<u>Euphorbia gracilior</u> Cronquist	
<u>Euphorbia heterophylla</u> L.	Painted-leaf
<u>Euphorbia ipecacuanhae</u> L.	Carolina Ipecac
<u>Euphorbia maculata</u> L.	Wartweed
<u>Euphorbia marginata</u> Pursh	Snow-on-the-mountain
<u>*Euphorbia mercurialina</u>	
<u>Euphorbia supina</u> Raf.	
<u>Phyllanthus caroliniensis</u> Walter	Sebastian Bush
<u>Sebastiania ligustrina</u> (Michaux) Muell-Arg.	Queen's-delight
<u>Stillingia sylvatica</u> Garden	
<u>Tragia urens</u> L.	Tragia

\*Fernald 1950

## Fabaceae

<i>Aeschynomene indica</i> L.	Mimosa
<i>Albizia julibrissin</i> Durazzini	Lead-plant, False Indigo
<i>Amorpha fruticosa</i> L.	Hog Peanut
<i>Amphicarpa bracteata</i> (L.) Fernald	Groundnut
<i>Apios americana</i> Medicus	Peanut
<i>Arachis hypogaea</i> L.	Milk-pea
<i>Astragalus villosus</i> Michaux	White Wild Indigo
<i>Baptisia alba</i> (L.) R. Brown	Yellow Wild Indigo
<i>Baptisia cinerea</i> (Raf.) Fernald & Schubert	Cat-bells
<i>Baptisia lanceolata</i> (Walter) Ell.	Yellow Wild Indigo
<i>Baptisia microphylla</i> Nuttall	Partridge-pea
<i>Baptisia perfoliata</i> (L.) R. Brown	Wild Sensitive Plant
<i>Baptisia tinctoria</i> (L.) R. Brown	Sicklepod
<i>Cassia fasciculata</i> Michaux	Coffee Senna
<i>Cassia nictitans</i> L.	Butterfly Pea
<i>Cassia obtusifolia</i> L.	Redbud, Judas Tree
<i>Cassia occidentalis</i> L.	Butterfly Pea
<i>Centrosema virginianum</i> (L.) Bentham	Rattlebox
<i>Cercis canadensis</i> L.	Rattlebox
<i>Clitoria mariana</i> L.	Rattlebox
<i>Crotalaria angulata</i> Miller	Rattlebox
<i>Crotalaria lanceolata</i> E. Meyer	Rattlebox
<i>Crotalaria mucronata</i> Desvaux	Rattlebox
<i>Crotalaria purshii</i> DC.	Rattlebox
<i>Crotalaria sagittalis</i> L.	Wild-pea
<i>Crotalaria spectabilis</i> Roth	Rattlebox
<i>Daubentonia punicea</i> (Cav.) DC.	
<i>Desmodium ciliare</i> (Muhl. ex Willd.) DC.	Beggar's Lice
<i>Desmodium fernaldii</i> Schubert	Beggar's Lice
<i>Desmodium lineatum</i> DC.	Beggar's Lice
<i>Desmodium marilandicum</i> (L.) DC.	Beggar's Lice
<i>Desmodium nudiflorum</i> (L.) DC.	Beggar-ticks
<i>Desmodium paniculatum</i> (L.) DC.	Stick-tights
<i>Desmodium rotundifolium</i> DC.	Dollarleaf
<i>Desmodium strictum</i> (Pursh) DC.	Beggar's Lice
<i>Desmodium tortuosum</i> (Swartz) DC.	Beggar's Lice
<i>Galactia mollis</i> Michaux	Hairy Milk-pea
<i>Galactia regularis</i> (L.) BSP.	Milk-pea
<i>Galactia volubilis</i> (L.) Britton	Twining Milk pea
<i>Gleditsia aquatica</i> Marshall	Water Locust
<i>Glottidium vesicarium</i> (Jacquin) Mohr.	Indigo Plant
<i>Indigofera caroliniana</i> Miller	
<i>Lespedeza angustifolia</i> (Pursh) Ell.	
<i>Lespedeza bicolor</i> Turcz.	
<i>Lespedeza capitata</i> Michaux	
<i>Lespedeza cuneata</i> (Dumont) G. Don	Sericea
<i>Lespedeza hirta</i> (L.) Hornemann	Hairy Bush Clover

<sup>5</sup> <u>Lespedeza intermedia</u> (Watson) Britton	Leafy Bush Clover
<u>Lespedeza procumbens</u> Michaux	Creeping Lespedeza
<u>Lespedeza repens</u> (L.) Barton	Creeping Lespedeza
<sup>5</sup> <u>Lespedeza stipulacea</u> Maxim.	Korean Clover
<u>Lespedeza striata</u> (Thunberg) H. & A.	Japanese Clover
<sup>3</sup> <u>Lespedeza stuevei</u> Nuttall	
<u>Lespedeza virginica</u> (L.) Britton	Sandhill Lupine
<u>Lupinus diffusus</u> Nuttall	Lupine
<sup>3</sup> <u>Lupinus villosus</u> Willd.	Black Medic
<sup>1</sup> <u>Medicago lupulina</u> L.	White Sweet Clover
<u>Melilotus alba</u> Desr.	Summer-farewell
<u>Petalostemum pinnatum</u> (Walter ex J. F. Gmelin) Blake	
<sup>5</sup> <u>Phaseolus polystachios</u> (L.) BSP.	Bean Vine
<sup>4</sup> <u>Phaseolus sinuatus</u> Nuttall ex T. & G.	Wild Bean
<sup>4</sup> <u>Psoralea canescens</u> Michaux	Hairy Psoralea
<u>Psoralea psoraliooides</u> (Walter) Cory	Samson Snakeroot
<sup>5</sup> <u>Pueraria lobata</u> (Willd.) Ohwi	Kudzu
<sup>5</sup> <u>Rhynchosia difformis</u> (Ell.) DC.	Spreading Rhynchosia
<u>Rhynchosia reniformis</u> DC.	Dollar Weed
<u>Rhynchosia tomentosa</u> (L.) H. & A.	Upright Rhynchosia
<u>Robinia hispida</u> L.	Bristly Locust
<sup>6</sup> <u>Robinia nana</u> Ell.	
<u>Robinia pseudo-acacia</u> L.	Black Locust
<u>Schranksia microphylla</u> (Solander ex Smith) Macbride	Sensitive Brier
<u>Strophostyles umbellata</u> (Muhl. ex Willd.) Britton	Wild Bean
<u>Stylosanthes biflora</u> (L.) BSP.	Pencil-flower
<u>Tephrosia florida</u> (Dietrich) C. E. Wood	
<sup>7</sup> <u>Tephrosia hispidula</u> (Michaux) Persoon	Hoary Pea
<u>Tephrosia spicata</u> (Walter) T. & G.	Goat's Rue
<u>Tephrosia virginiana</u> (L.) Persoon	Rabbit Foot Clover
<u>Trifolium arvense</u> L.	Low Hop Clover
<u>Trifolium campestre</u> Schreber	Low Hop Clover
<u>Trifolium dubium</u> Sibthorp	Crimson Clover
<sup>8</sup> <u>Trifolium incarnatum</u> L.	Red Clover
<sup>9</sup> <u>Trifolium pratense</u> L.	Buffalo Clover
<sup>10</sup> <u>Trifolium reflexum</u> L.	White Clover
<u>Trifolium repens</u> L.	Common Vetch
<u>Vicia angustifolia</u> Reichard	Hairy Vetch
<sup>11</sup> <u>Vicia hirsuta</u> (L.) S. F. Gray	Wisteria
<sup>12</sup> <u>Wisteria floribunda</u> (Willd.) DC.	Wisteria
<sup>13</sup> <u>Wisteria frutescens</u> (L.) Poiret	Wisteria
<sup>14</sup> <u>Wisteria sinensis</u> (Sims) Sweet	Zornia
<u>Zornia bracteata</u> Walter ex J. F. Gmelin	

## Fagaceae

<sup>3</sup> <u>Castanea pumila</u> (L.) Miller	Chinquapin
<sup>6</sup> <u>Fagus grandifolia</u> Ehrhart	Beech
<u>Quercus alba</u> L.	White Oak

<u>Quercus falcata</u> Michaux	Southern Red Oak
<u>Quercus falcata</u> var. <u>pagodaefolia</u> Ell.	Cherrybark Oak
<u>Quercus incana</u> Bartram	Blue Jack Oak
<u>Quercus laevis</u> Walter	Turkey Oak
<u>Quercus laurifolia</u> Michaux	Laurel Oak
<u>Quercus lyrata</u> Walter	Overcup Oak
<u>Quercus margarettae</u> Ashe	Scrubby Post Oak
<u>Quercus marilandica</u> Muenchh.	Black Jack Oak
<u>Quercus michauxii</u> Nuttall	Swamp Chestnut Oak
<u>Quercus nigra</u> L.	Water Oak
<u>Quercus phellos</u> L.	Willow Oak
<u>Quercus shumardii</u> Buckley	Swamp Red Oak
<u>Quercus stellata</u> Wang.	Post Oak
<u>Quercus velutina</u> Lam.	Black Oak
<u>Quercus virginiana</u> Miller	Live Oak

## Fumariaceae

Corydalis flavula (Raf.) DC.

## Gentianaceae

* <u>Bartonia paniculata</u> (Michaux) Muhl.	Screwstem
* <u>Bartonia verna</u> (Michaux) Muhl.	Bartonia
* <u>Gentiana catesbaei</u> Walter	Gentian
* <u>Gentiana saponaria</u> L.	Soapwort Gentian
* <u>Gentiana villosa</u> L.	Gentian
* <u>Nymphoides aquatica</u> (Walter ex J. F. Gmelin) Kuntze	Floating Heart
<u>Nymphoides cordata</u> (Ell.) Fernald	Floating Heart
<u>Sabatia angularis</u> (L.) Pursh	Rose Pink
<u>Sabatia calycina</u> (Lam.) Heller	Marsh Pink
* <u>Sabatia campanulata</u> (L.) Torrey	Narrow-leaved Pink
<u>Sabatia quadrangula</u> Wilbur	

## Geraniaceae

Geranium carolinianum L.

Carolina Geranium

## Haemodoraceae

Lachnanthes caroliniana (Lam.) Dandy

Redroot

## Haloragaceae

* <u>Myriophyllum brasiliense</u> Camb.
* <u>Myriophyllum heterophyllum</u> Michaux
<u>Myriophyllum pinnatum</u> (Walter) BSP
* <u>Myriophyllum spicatum</u> L.
<u>Proserpinaca palustris</u> L.
<u>Proserpinaca pectinata</u> Lam.

Parrot-feather  
Water MilfoilEurasian Water Milfoil  
Mermaid Weed  
Mermaid Weed

## Hamamelidaceae

Hamamelis virginiana L.

Witch-hazel

Liquidambar styraciflua L.

Sweet-gum

Hippocastanaceae		
<u>Aesculus pavia</u> L.		Red Buckeye
Hydrocharitaceae		
<sup>6</sup> <u>Vallisneria americana</u> Michaux		Eelgrass
Hydrophyllaceae		
<u>Hydrolea quadrivalvis</u> Walter		Hydrolea
<sup>6</sup> <u>Phacelia dubia</u> (L.) Trelease		
Hypericaceae		
<sup>3</sup> <u>Hypericum canadense</u> L.		Hypericum
<u>Hypericum cistifolium</u> Lam.		Hypericum
<u>Hypericum denticulatum</u> var. <u>recognitum</u>		Coppery St. John's Wort
Fernald & Schubert		
<sup>3</sup> <u>Hypericum drummondii</u> (Grev. & Hooker)		
T. & G.		
<u>Hypericum gentianoides</u> (L.) BSP.		Pineweed
<sup>6</sup> <u>Hypericum gymnanthum</u> Engelm. & Gray		
<u>Hypericum hypericoides</u> (L.) Crantz		St. Andrew's Cross
<u>Hypericum muticum</u> L.		Dwarf St. John's Wort
<u>Hypericum nudiflorum</u> Michaux ex Willd.		
<u>Hypericum punctatum</u> Lam.		
<sup>3</sup> <u>Hypericum setosum</u> L.		
<sup>6</sup> <u>Hypericum stans</u> (Michaux) P. Adams		St. Peter's Wort
& Robson		
<sup>3</sup> <u>Hypericum suffruticosum</u> P. Adams & Robson		
<sup>6</sup> <u>Hypericum tubulosum</u> Walter		
<u>Hypericum virginicum</u> L.		
<u>Hypericum walteri</u> Gmelin		Marsh St. John's Wort
Illiciaceae		
<sup>1</sup> <u>Illicium anisatum</u> L.		Anise
Iridaceae		
<sup>5</sup> <u>Gladiolus x gandovensis</u> Van Houtte		Gladiolus
<sup>4</sup> <u>Iris verna</u> L.		Dwarf Iris
<sup>1</sup> , <sup>4</sup> <u>Iris versicolor</u> L.		Blue Flag
<u>Iris virginica</u> L.		Blue Flag
<u>Sisyrinchium angustifolium</u> Miller		Blue-eyed Grass
<u>Sisyrinchium arenicola</u> Bicknell		Blue-eyed Grass
<u>Sisyrinchium mucronatum</u> var. <u>atlanticum</u>		Blue-eyed Grass
(Bicknell) Ahles		
Juglandaceae		
<sup>6</sup> <u>Carya aquatica</u> (Michaux f.) Nuttall		Water Hickory
<u>Carya glabra</u> (Miller) Sweet		Pignut Hickory
<u>Carya illinoensis</u> (Wang.) K. Koch		Pecan
<sup>6</sup> <u>Carya pallida</u> (Ashe) Engler & Graebner		Pale Hickory
<sup>6</sup> <u>Carya tomentosa</u> (Poirier) Nuttall		Mockernut Hickory
<u>Juglans nigra</u> L.		Black Walnut

## Juncaceae

<u>Juncus acuminatus</u> Michaux	Knot-leaved Rush
<u>Juncus biflorus</u> Ell.	Large Grass-leaved Rush
<u>Juncus brachycarpus</u> Engelm.	Short-fruited Rush
<u>Juncus bufonius</u> L.	Toad Rush
<u>Juncus canadensis</u> J. Gay ex La Harpe	Canada Rush
<u>Juncus coriaceus</u> Mackenzie	Wood Rush
<u>Juncus debilis</u> Gray	Weak Rush
<u>Juncus dichotomus</u> Ell.	Forked Rush
<u>Juncus diffusissimus</u> Buckley	Diffuse Rush
<u>Juncus effusus</u> L.	Common Rush
<u>Juncus elliottii</u> Chapman	Elliott's Rush
<u>Juncus marginatus</u> Rostk.	Sand Rush
<u>Juncus platyphyllus</u> (Wiegand) Fernald	
<u>Juncus polycephalus</u> Michaux	Creeping Rush
<u>Juncus repens</u> Michaux	
<u>Juncus secundus</u> Beauvois ex Poiret	Sedge-like Rush
<u>Juncus scirpooides</u> Lam.	Path Rush
<u>Juncus tenuis</u> Willd.	Woodrush
<u>Luzula acuminata</u> Raf.	Woodrush
<u>Luzula echinata</u> (Small) Hermann	

## Lamiaceae (Labiate)

<u>Dracocephalum purpureum</u> (Walter) McClintock	False Dragonhead
<u>Glecoma hederacea</u> L.	Gill-over-the-ground
<u>Hedeoma pulegioides</u> (L.) Persoon	Pennyroyal
<u>Lamium amplexicaule</u> L.	Henbit
<u>Leonotis nepetaefolia</u> R. Brown	Lion's-ear
<u>Lycopus americanus</u> Muhl. ex Barton	Bugle-weed
<u>Lycopus amplexens</u> Raf.	Bugle-weed
<u>Lycopus rubellus</u> Moench	Water Horehound
<u>Lycopus uniflorus</u> Michaux	Bugle-weed
<u>Lycopus virginicus</u> L.	Bugle-weed
<u>Macbridea caroliniana</u> (Walter) Blake	
<u>Mentha piperita</u> L.	Peppermint
<u>Monarda fistulosa</u> L.	Horse-mint
<u>Monarda punctata</u> L.	
<u>Nepeta cataria</u> L.	Catnip
<u>Prunella vulgaris</u> L.	Heal-all
<u>Pycnanthemum flexuosum</u> (Walter) BSP	Narrow-leaved Mint
<u>Pycnanthemum incanum</u> (L.) Michaux	Mountain Mint
<u>Salvia azurea</u> Lam.	Sage
<u>Salvia lyrata</u> L.	Sage
<u>Salvia urticifolia</u> L.	Sage
<u>Scutellaria elliptica</u> Muhl.	Skullcap
<u>Scutellaria integrifolia</u> L.	Skullcap
<u>Scutellaria laterifolia</u> L.	Skullcap
<u>Stachys floridana</u> Shuttlew.	

<u>Stachys hyssopifolia</u> Michaux	
<u>Trichostema dichotomum</u> L.	Blue Curls
<u>Trichostema setaceum</u> Houttuyn	Blue Curls
Lauraceae	
<u>Lindera benzoin</u> (L.) Blume	Spicebush
<u>Persea borbonia</u> (L.) Sprengel	Red Bay
<u>Sassafras albidum</u> (Nuttall) Nees	Sassafras
Lemnaceae	
* <u>Lemna perpusilla</u> Torrey	Duckweed
* <u>Spirodela oligorrhiza</u> (Kurz) Hegelm.	
* <u>Wolffia papulifera</u> Thompson	Water-meal
* <u>Wolffiella floridana</u> (J.D. Smith) Thompson	
Lentibulariaceae	
<u>Pinguicula lutea</u> Walter	Butterwort
<u>Utricularia biflora</u> Lam.	Bladderwort
<u>Utricularia fibrosa</u> Walter	Bladderwort
* <u>Utricularia gibba</u> L.	Small Bladderwort
* <u>Utricularia inflata</u> Walter	Inflated Bladderwort
<u>Utricularia inflata</u> var. <u>minor</u> (L.) Chapman	Inflated Bladderwort
<u>Utricularia olivacea</u> Wright ex Grisebach	Bladderwort
<u>Utricularia purpurea</u> Walter	Purple Bladderwort
* <u>Utricularia subulata</u> L.	Bladderwort
Liliaceae	
* <u>Aletris farinosa</u> L.	Stargrass, Colicroot
<u>Allium ampeloprasum</u> L.	Wild Leek
<u>Allium bivalve</u> (L.) Kuntze	False Garlic
<u>Allium canadense</u> L.	Wild Onion
<u>Allium canadense</u> var. <u>mobilense</u> (Regel) Ownbey	Wild Onion
<u>Allium cuthbertii</u> Small	
<u>Allium vineale</u> L.	Field Garlic
<u>Amianthium muscaetoxicum</u> (Walter) Gray	Fly Poison
<u>Asparagus officinalis</u> L.	Asparagus
<u>Hemerocallis fulva</u> L.	Daylily
* <u>Medeola virginiana</u> L.	Indian Cucumber-root
* <u>Melanthium hybridum</u> Walter	Bunch-flower
<u>Nolina georgiana</u> Michaux	Sandhill Lily
<u>Polygonatum biflorum</u> (Walter) Ell.	Solomon's-seal
<u>Smilacina racemosa</u> (L.) Desf.	False Solomon's-seal
<u>Smilax bona-nox</u> L.	Catbrier
* <u>Smilax ecirrhata</u> var. <u>hugeri</u> (Small) Ahles	Carrion-flower
* <u>Smilax glauca</u> Walter	Sawbrier
* <u>Smilax herbacea</u> L.	

<u>Smilax laurifolia</u> L.	Bamboo
<u>Smilax pumila</u> Walter	Sarsaparilla-vine
<u>Smilax rotundifolia</u> L.	Greenbrier
<u>Smilax smallii</u> Morong	Greenbrier
<u>Smilax walteri</u> Pursh .	Coral Greenbrier
<sup>1</sup> , " <u>Trillium sessile</u> L.	Toadshade
" <u>Trillium viride</u> Beck	
<u>Uvularia perfoliata</u> L.	Bellwort
" <u>Uvularia pudica</u> (Walter) Fernald	Hairy Bellwort
" <u>Uvularia sessilifolia</u> L.	Bellwort
<u>Yucca filamentosa</u> L.	Bear-grass
<u>Yucca filamentosa</u> var. <u>smalliana</u> (Fernald) Ahles	
<sup>3</sup> <u>Zigadenus densus</u> (Desr.) Fernald	Black Snakeroot
 Linaceae	
" <u>Linum striatum</u> Walter	Wild Flax
" <u>Linum virginianum</u> var. <u>medium</u> Planchon	Yellow Flax
 Loganiaceae	
" <u>Buddleja lindleyana</u> Fortune	Butterflybush
<u>Cynoctonum mitreola</u> (L.) Britton	Miterwort
" <u>Cynoctonum sessilifolium</u> Walter ex J. F. Gmelin	Sessile-leaved Miterwort
<u>Gelsemium sempervirens</u> (L.) Aiton f.	Yellow Jessamine
<u>Polypremum procumbens</u> L.	Polypremum
<u>Spigelia marilandica</u> L.	Indian Pink
 Loranthaceae	
<u>Phoradendron serotinum</u> (Raf.) M. C. Johnston	Mistletoe
 Lycopodiaceae	
" <u>Lycopodium appressum</u> (Chapman) Lloyd & Underwood	Southern Bog Clubmoss
" , " <u>Lycopodium flabelliforme</u> (Fernald) Blanchard	Running-pine
" <u>Lycopodium obscurum</u> L.	Groundpine
 Lythraceae	
" <u>Ammannia coccinea</u> Rottboell	
<u>Decodon verticillatus</u> (L.) Ell.	Water Willow
<sup>1</sup> <u>Lagerstroemia indica</u> L.	Crepe Myrtle
<u>Rotala ramosior</u> (L.) Koehne	
 Magnoliaceae	
<u>Liriodendron tulipifera</u> L.	Tulip Tree
" <u>Magnolia grandiflora</u> L.	Bull Bay
<u>Magnolia virginiana</u> L.	Sweet Bay
 Malvaceae	
" <u>Hibiscus militaris</u> Cav.	Halberd-leaved Marsh Mallow

<u>'Hibiscus moscheutos</u> L.	Rose Mallow
<u>Sida rhombifolia</u> L.	False Mallow
<u>'Sida spinosa</u> L.	Prickly Mallow
 Mayacaceae	
<u>Mayaca aubletii</u> Michaux	Bog Moss
 Melastomataceae	
<u>Rhexia alifanus</u> Walter	Meadow-beauty
<u>'Rhexia aristosa</u> Britton	Awn-Petaled
<u>Rhexia mariana</u> L.	Meadow-beauty
<u>Rhexia mariana</u> var. <u>exalbida</u> Michaux	Pale Meadow-beauty
<u>Rhexia petiolata</u> Walter	Pale Meadow-beauty
<u>Rhexia virginica</u> L.	Meadow-beauty
	Deer Grass
 Meliaceae	
<u>Melia azedarach</u> L.	China-berry
 Menispermaceae	
<u>Cocculus carolinus</u> (L.) DC	Coralbeads
 Moraceae	
<u>Broussonetia papyrifera</u> (L.) Vent.	Paper Mulberry
<u>Morus alba</u> L.	White Mulberry
<u>Morus rubra</u> L.	Red Mulberry
 Myricaceae	
<u>Myrica cerifera</u> L.	Wax Myrtle
<u>Myrica heterophylla</u> Raf.	Bayberry
 Najadaceae	
<u>'Najas gracillima</u> Magnus	Bushy Pondweed
<u>'Najas guadalupensis</u> (Sprengel) Magnus	Bushy Pondweed
 Nelumbonaceae	
<u>Nelumbo lutea</u> (Willd.) Persoon	Yellow Nelumbo, Pond Nut
 Nymphaeaceae	
<u>Nuphar luteum</u> (L.) Sibthorp & Smith	Cow-lily, Spatter-dock
<u>Nymphaea odorata</u> Aiton	Water-lily
 Nyssaceae	
<u>Nyssa aquatica</u> L.	Tupelo Gum, Water Tupelo
<u>'Nyssa sylvatica</u> Marshall	Black Gum
<u>'Nyssa sylvatica</u> var. <u>biflora</u> (Walter)	Water Gum
Sargent	
 Oleaceae	
<u>Chionanthus virginicus</u> L.	Fringe-tree
<u>Forestiera acuminata</u> (Michaux) Poiret	Swamp Privet
<u>'Fraxinus americana</u> L.	White Ash

<u>Fraxinus caroliniana</u> Miller	Water Ash
<sup>*</sup> <u>Fraxinus pennsylvanica</u> var. <u>subintegerrima</u> (Vahl) Fernald	Red Ash
" <u>Fraxinus tomentosa</u> Michaux f.	Pumpkin Ash
<sup>1</sup> , <u>Jasminum mesnyi</u> Hance	Jasmine
<sup>1</sup> , <u>Jasminum nudiflorum</u> Lindl.	Jasmine
<u>Ligustrum japonicum</u> Thunberg	Privet
<u>Ligustrum sinense</u> Lour.	Privet
<sup>5</sup> , <u>Osmanthus americana</u> (L.) Gray	Wild Olive
 Onagraceae	
<sup>*</sup> <u>Gaura biennis</u> L.	
<sup>*</sup> <u>Gaura filipes</u> Spach	Seedbox
<u>Ludwigia alternifolia</u> L.	
<u>Ludwigia arcuata</u> Walter	
<u>Ludwigia decurrens</u> Walter	Primrose Willow
<sup>*</sup> <u>Ludwigia glandulosa</u> Walter	Seedbox
<u>Ludwigia hirtella</u> Raf.	Hairy Seedbox
<u>Ludwigia leptocarpa</u> (Nuttall) Hara	Water Primrose
<u>Ludwigia linearis</u> Walter	
<sup>*</sup> <u>Ludwigia palustris</u> (L.) Ell.	Water Purslane
<sup>*</sup> <u>Ludwigia pilosa</u> Walter	
<u>Ludwigia spathulata</u> T. & G.	Spathulate Seedbox
<u>Ludwigia sphaerocarpa</u> Ell.	Round Seedbox
<sup>*</sup> <u>Ludwigia suffruticosa</u> Walter	Woody Seedbox
<sup>*</sup> <u>Ludwigia virgata</u> Michaux	Seedbox
<u>Oenothera biennis</u> L.	Evening Primrose
<u>Oenothera fruticosa</u> L.	Sundrops
<u>Oenothera laciniata</u> Hill	Evening Primrose
<sup>*</sup> <u>Oenothera speciosa</u> Nuttall	Primrose
<sup>3</sup> <u>Oenothera tetragona</u> Roth	Sundrops
 Orchidaceae	
<sup>*</sup> <u>Calopogon pulchellus</u> (Salisbury) R. Brown	Grass-pink
<sup>*</sup> <u>Epidendrum conopseum</u> R. Brown	Green-fly Orchid
<sup>5</sup> , <u>Goodyera pubescens</u> (Willd.) R. Brown	Downy Rattlesnake-plantain
<sup>*</sup> <u>Habenaria ciliaris</u> (L.) R. Brown	Yellow Fringed-orchid
<u>Habenaria clavellata</u> (Michaux) Sprengel	Small Green Wood-orchid
<u>Habenaria cristata</u> (Michaux) R. Brown	Crested Fringed-orchid
<u>Habenaria flava</u> (L.) R. Brown	Southern Rein-orchid
<u>Habenaria lacera</u> (Michaux) Lodd.	Green Fringed-orchid
<sup>*</sup> <u>Habenaria quinqueseta</u> (Michaux) Eaton	Long-horned Habenaria
<u>Habenaria repens</u> Nuttall	Water-spider Orchid
<u>Hexalectris spicata</u> (Walter) Barnhart	Crested Coral-root
<u>Malaxis unifolia</u> Michaux	Green Adder's Mouth
<sup>*</sup> <u>Pogonia ophioglossoides</u> (L.) Ker	Rose Pogonia
<sup>*</sup> <u>Spiranthes cernua</u> (L.) Richard	Nodding Ladies' Tresses
<sup>*</sup> <u>Spiranthes gracilis</u> (Bigelow) Beck	Slender Ladies' Tresses
<sup>*</sup> <u>Spiranthes grayi</u> Ames	Little Ladies' Tresses
<sup>*</sup> <u>Spiranthes ovalis</u> Lindley	Lesser Ladies' Tresses

<u>Spiranthes praecox</u> (Walter) Watson	Grass-leaved Ladies' Tresses
* <u>Spiranthes vernalis</u> Engelm. & Gray	Spring Ladies' Tresses
<u>Tipularia discolor</u> (Pursh) Nuttall	Crane-fly Orchid
Orobanchaceae	
<u>Conopholis americana</u> (L.) Wallroth	Squaw-root, Cancer-root
<u>Epifagus virginiana</u> (L.) Barton	Beech-drops
Osmundaceae	
<u>Osmunda cinnamomea</u> L.	Cinnamon Fern
<u>Osmunda regalis</u> var. <u>spectabilis</u> (Willd.) Gray	Royal Fern
Ophioglossaceae	
<u>Botrychium dissectum</u> Sprengel	Common Grapefern
* <u>Botrychium virginianum</u> (L.) Swartz	Rattlesnake Fern
*, <u>Ophioglossum vulgatum</u> var. <u>pycnostichum</u> Fernald	Southern Adder's-tongue
Oxalidaceae	
* <u>Oxalis corniculata</u> L.	Creeping Lady's Sorrel
<u>Oxalis dillenii</u> Jacquin	Creeping Lady's Sorrel
* <u>Oxalis stricta</u> L.	Yellow Wood Sorrell
<u>Oxalis violacea</u> L.	Violet Wood Sorrel
Papaveraceae	
* <u>Argemone albiflora</u> Hornemann	Prickly Poppy
<u>Sanguinaria canadensis</u> L.	Bloodroot
Passifloraceae	
<u>Passiflora incarnata</u> L.	Maypops
<u>Passiflora lutea</u> L.	Yellow Passion Flower
* Phrymaceae	
<u>Phryma leptostachya</u> L.	Lop-seed
Phytolaccaceae	
<u>Phytolacca americana</u> L.	Poke
Pinaceae	
* <sup>2</sup> <u>Pinus clausa</u> (Chapman) Vasey	Sand Pine
<u>Pinus echinata</u> Miller	Short-leaf Pine
* <u>Pinus elliottii</u> Engelm.	Slash Pine
<u>Pinus palustris</u> Miller	Long-leaf Pine
<u>Pinus serotina</u> Michaux	Pond Pine
<u>Pinus taeda</u> L.	Loblolly Pine
Plantaginaceae	
<u>Plantago aristata</u> Michaux	Bracted Plantain
* <u>Plantago heterophylla</u> Nuttall	Small Plantain

\*Mirov 1967

<u>Plantago hookeriana</u> var <u>nuda</u> (Gray) Poe	Plantain
<u>Plantago lanceolata</u> L.	English Plantain
<u>Plantago virginica</u> L.	Field Plantain
<b>Platanaceae</b>	
<u>Platanus occidentalis</u> L.	Sycamore
<b>Poaceae (Gramineae)</b>	
<u>Agrostis hyemalis</u> (Walter) BSP.	Bent Grass
<u>Agrostis perennans</u> (Walter) Tuckerman	Bent Grass
<u>Aira elegans</u> Willd. ex Gaudin	Hair Grass
<u>Andropogon elliottii</u> Chapman	Elliott Beard Grass
* <u>Andropogon gerardii</u> Vitman	Bluestem
<u>Andropogon scoparius</u> Michaux	Little Bluestem
<u>Andropogon ternarius</u> Michaux	Silver Beard
<u>Andropogon virginicus</u> L.	Broom Sedge
* <u>Andropogon virginicus</u> var. <u>abbreviatus</u> (Hackel) Fernald & Griscom	 
<u>Anthaeantia villosa</u> (Michaux) Beauvois	Beggarseed Grass
<u>Aristida affinis</u> (Schultes) Kunth	 
<u>Aristida dichotoma</u> Michaux	Three Awn Grass
* <u>Aristida lanosa</u> Muhl. ex Ell.	Three Awn Grass
<u>Aristida longespica</u> Poiret	Three Awn Grass
* <u>Aristida oligantha</u> Michaux	Prairie Three Awn
* <u>Aristida purpurascens</u> Poiret	Three Awn Grass
* <u>Aristida stricta</u> Michaux	 
<u>Aristida tuberculosa</u> Nuttall	Three Awn Grass
<u>Arundinaria gigantea</u> (Walter) Muhl.	Cane
<u>Arundo donax</u> L.	Giant Reed
* <u>Avena sativa</u> L.	Oats
* <u>Axonopus affinis</u> Chase	Carpetgrass
* <u>Axonopus compressus</u> (Swartz) Beauv.	 
* <u>Briza minor</u> L.	Quaking Grass
<u>Bromus catharticus</u> Vahl	Brome Grass
<u>Bromus japonicus</u> Thunberg	Brome Grass
* <u>Bromus secalinus</u> L.	Cheat
* <u>Cenchrus echinatus</u> L.	Sandspurs
* <u>Cenchrus incertus</u> M.A. Curtis	Bulldog
<u>Cenchrus longispinus</u> (Hackel) Fernald	Sandspurs
* <u>Cinna arundinacea</u> L.	Stout Woodreed
<u>Cynodon dactylon</u> (L.) Persoon	Bermuda Grass
<u>Dactylis glomerata</u> L.	Orchard Grass
* <u>Dactyloctenium aegyptium</u> (L.) Beauvois	Crowfoot Grass
<u>Danthonia sericea</u> Nuttall	Oat Grass
* <u>Danthonia spicata</u> (L.) Beauvois ex R. & S.	Poverty Oatgrass
<u>Digitaria filiformis</u> (L.) Koeler	Crab Grass
<u>Digitaria filiformis</u> var. <u>villosa</u> (Walter) Fernald	 
<u>Digitaria ischaemum</u> (Schreber) Schreber ex Muhl.	Crab Grass
<u>Digitaria sanguinalis</u> (L.) Scopoli	Common Crab Grass
* <u>Echinochloa colonum</u> (L.) Link	Jungle Rice

<u>Echinochloa crusgalli</u> (L.) Beauvois	Barnyard Grass
* <u>Echinochloa walteri</u> (Pursh) Heller	
<u>Eleusine indica</u> (L.) Gaertner	Goose Grass
<u>Elymus virginicus</u> L.	Wild Rye Grass
* <u>Eragrostis amabilis</u> (L.)	
Wight & Arnott ex Nees	
<u>Eragrostis capillaris</u> (L.) Nees	Love Grass
* <u>Eragrostis curvula</u> (Schrader) Nees	Love Grass
<u>Eragrostis hirsuta</u> (Michaux) Nees	Love Grass
<u>Eragrostis refracta</u> (Muhl.) Schribner	
<u>Eragrostis spectabilis</u> (Pursh) Steudel	Love Grass
<u>Eremochloa ophiurooides</u> (Munro) Hackel	Centipede Grass
<u>Erianthus alopecuroides</u> (L.) Ell.	Silver Beard Grass
<u>Erianthus brevibarbis</u> Michaux	
<u>Erianthus contortus</u> Baldwin ex Ell.	Bent-awn Beard Grass
<u>Erianthus giganteus</u> (Walter) Muhl.	Sugarcane Beard Grass
* <u>Erianthus strictus</u> Baldwin	Narrow Beard Grass
* <u>Festuca elatior</u> L.	Fescue
<u>Festuca octoflora</u> Walter	Fescue
* <u>Festuca sciurea</u> Nuttall	Fescue
* <u>Glyceria septentrionalis</u> Hitchcock	Manna Grass
* <u>Glyceria striata</u> (Lam.) Hitchcock	Manna Grass
<u>Gymnopogon ambiguus</u> (Michaux) BSP.	Beard Grass
<u>Gymnopogon brevifolius</u> Trinius	
* <u>Holcus lanatus</u> L.	Velvet Grass
<u>Hordeum pusillum</u> Nuttall	Barley
* <u>Hydrochloa carolinensis</u> Beauvois	
<u>Leersia hexandra</u> Swartz	Cut Grass
* <u>Leersia lenticularis</u> Michaux	Cut Grass
<u>Leersia oryzoides</u> (L.) Swartz	Cut Grass
* <u>Leersia virginica</u> Willd.	Whitegrass
<u>Leptoloma cognatum</u> (Schultes) Chase	Witch Grass
<u>Lolium multiflorum</u> Lam.	Rye Grass
* <u>Lolium perenne</u> L.	Rye Grass
* <u>Manisuris rugosa</u> (Nuttall) Kuntze	Joint Grass
<u>Melica mutica</u> Walter	Melic Grass
* <u>Microstegium vimineum</u> (Trinius) A. Camus	Eulalia's Grass
<u>Muhlenbergia capillaris</u> (Lam.) Trinius	Muhly
* <u>Muhlenbergia expansa</u> (DC.) Trinius	Hairgrass
* <u>Muhlenbergia schreberi</u> J. F. Gmelin	Muhly
<u>Opismenus setarius</u> (Lam.) R. & S.	
<u>Panicum aciculare</u> Desvaux ex Poiret	Grisebach's Panicgrass
<u>Panicum agrostoides</u> Sprengel	Redtop Panicgrass
<u>Panicum anceps</u> Michaux	
<u>Panicum angustifolium</u> Ell.	Narrowleaved Panicgrass
<u>Panicum boscii</u> Poiret	Bosc's Panicgrass
<u>Panicum ciliatum</u> Ell.	Dwarf Panicgrass
<u>Panicum columbianum</u> Scribner	
* <u>Panicum commonsianum</u> Ashe	Common's Panicgrass
<u>Panicum commutatum</u> Schultes	Variable Panicgrass
<u>Panicum consanguineum</u> Kunth	Kunth's Panicgrass

<u>Panicum dichotomiflorum</u> Michaux	
<u>Panicum dichotomum</u> L.	Spreading Witchgrass
<u>Panicum ensifolium</u> Baldwin ex Ell.	Small-leaved Panicgrass
* <u>Panicum gymnocarpon</u> Ell.	Panicgrass
* <u>Panicum hemitomon</u> Schultes	Maiden Cane
<u>Panicum hians</u> Ell.	Gaping Panicgrass
* <u>Panicum lancearium</u> Trinius	Panicgrass
<u>Panicum lanuginosum</u> Ell.	Wooly Panicgrass
* <u>Panicum latifolium</u> L.	Lax-flowered Panicgrass
<u>Panicum laxiflorum</u> Lam.	
* <u>Panicum leucothrix</u> Nash	Few-flowered Panicgrass
<u>Panicum longifolium</u> Torrey	Small-fruited Panicgrass
* <u>Panicum nitidum</u> Lam.	Ravenal's Panicgrass
* <u>Panicum oligosanthes</u> Schultes	Velvety Panicgrass
* <u>Panicum polyanthes</u> Schultes	Round-fruited Panicgrass
* <u>Panicum portoricense</u> Desvaux ex Hamilton	Tall Flat Panicgrass
<u>Panicum ravenelii</u> Scribner & Merrill	Rough Hairy Panicgrass'
* <u>Panicum roanokense</u> Ashe	
<u>Panicum scoparium</u> Lam.	Warty Panicgrass
* <u>Panicum sphaerocarpon</u> Ell.	White Haired Panicgrass
* <u>Panicum spretum</u> Schultes	Dallis Grass
* <u>Panicum stipitatum</u> Nash	Knotgrass
* <u>Panicum strigosum</u> Muhl.	Florida Paspalum
* <u>Panicum tenue</u> Muhl.	Water Paspalum
<u>Panicum verrucosum</u> Muhl.	
* <u>Panicum villosissimum</u> Nash	
<u>Panicum virgatum</u> L.	
<u>Panicum wrightianum</u> Scribner	
<u>Paspalum dilatatum</u> Poiret	
* <u>Paspalum dissectum</u> L.	
* <u>Paspalum distichum</u> L.	
<u>Paspalum floridanum</u> Michaux	
* <u>Paspalum fluitans</u> (Ell.) Kunth	
<u>Paspalum laeve</u> Michaux	
<u>Paspalum praecox</u> Walter	
<u>Paspalum praecox</u> var. <u>curtisianum</u> (Steudel)	
Vasey	
<u>Paspalum setaceum</u> Michaux	Slender Paspalum
<u>Paspalum urvillei</u> Steudel	Vasey Grass
* <u>Pennisetum glaucum</u> (L.) R. Brown	Millet
* <u>Phyllostachys aurea</u> Riv.	Bamboo
<u>Poa annua</u> L.	Blue Grass
<u>Poa autumnalis</u> Muhl. ex Ell.	Blue Grass
* <u>Poa cuspidata</u> Nuttall	Early Blue Grass
* <u>Poa pratensis</u> L.	Blue Grass
<u>Sacciolepis striata</u> (L.) Nash	
<u>Secale cereale</u> L.	Rye
* <u>Setaria corrugata</u> (Ell.) Schultes	Foxtail Grass
<u>Setaria geniculata</u> (Lam.) Beauvois	Foxtail Grass
<u>Setaria glauca</u> (L.) Beauvois	Foxtail Grass

\*Fernald 1950

<u>Sphenopholis intermedia</u> (Rydberg) Rydberg	Wedge Grass
<sup>3</sup> <u>Sphenopholis nitida</u> (Biehler) Scribner	Wedge Grass
<sup>3</sup> <u>Sorghastrum elliotii</u> (Mohr) Nash	
<u>Sorghastrum nutans</u> (L.) Nash	Indian Grass
<u>Sorghastrum secundum</u> (Ell.) Nash	
<u>Sorghum halepense</u> (L.) Persoon	Johnson Grass
<u>Sorghum vulgare</u> Persoon	Milo
<sup>3</sup> <u>Sporobolus clandestinus</u> (Biehler) Hitchcock	Dropseed
<u>Sporobolus junceus</u> (Michaux) Kunth	Dropseed
<u>Sporobolus poiretii</u> (R. & S.) Hitchcock	Smut Grass
<sup>4</sup> <u>Sporobolus vaginiflorus</u> (Torrey) Wood	Sheathed Rushgrass
<sup>4</sup> <u>Stenotaphrum secundatum</u> (Walter) Kuntze	St. Augustine Grass
<u>Stipa avenacea</u> L.	Needle Grass
<sup>4</sup> <u>Tridens ambiguus</u> (Ell.) Schultes	Doubtful Purple Top
<u>Tridens flavus</u> (L.) Hitchcock	Purple Top
<u>Triplasis americana</u> Beauvois	Sand Grass
<u>Triplasis purpurea</u> (Walter) Chapman	Sand Grass
<u>Tripsacum dactyloides</u> L.	Gamma Grass
<u>Triticum aestivum</u> L.	Wheat
<sup>7</sup> <u>Uniola latifolia</u> Michaux	River Oats
<u>Uniola laxa</u> (L.) BSP	
<sup>6</sup> <u>Uniola sessiliflora</u> Poiret	Sessile-flowered Spike-grass
<sup>5</sup> <u>Zizania aquatica</u> L.	Wild Rice
<sup>5</sup> <u>Zizaniopsis miliacea</u> (Michaux) Doell & Ascherson	Southern Wild Rice

## Podostemaceae

<sup>4</sup> <u>Podostemum ceratophyllum</u> Michaux	Riverweed
--	-----------

## Polemoniaceae

<u>Ipomopsis rubra</u> (L.) Wherry	Standing-cypress
<sup>3</sup> <u>Phlox amoena</u> Sims	Hairy Phlox
<u>Phlox carolina</u> L.	Phlox
<u>Phlox drummondii</u> Hooker	Cultivated Phlox
<sup>4</sup> <u>Phlox glaberrima</u> L.	Smooth Phlox
<u>Phlox nivalis</u> Lodd.	

## Polygalaceae

<u>Polygala cruciata</u> L.	
<u>Polygala curtissii</u> Gray	Button-rosy
<u>Polygala cymosa</u> Walter	Pine Barren Milkwort
<u>Polygala grandiflora</u> Walter	Candy Weed
<u>Polygala incarnata</u> L.	
<u>Polygala lutea</u> L.	Orange Milkwort
<u>Polygala mariana</u> Miller	
<u>Polygala polygama</u> Walter	Milkwort

## Polygonaceae

<u>'Brunnichia cirrhosa</u> Banks ex Gaertner	Ladies' Eardrops
<u>Eriogonum tomentosum</u> Michaux	Wild Buckwheat
<u>Polygonella americana</u> (F. & M.) Small	Southern Jointweed
<u>'Polygonum aviculare</u> L.	Common Knotweed
<u>'Polygonum cilinode</u> Michaux	Climbing Buckwheat
<u>Polygonum hirsutum</u> Walter	Hairy Knotweed
<u>'Polygonum hydropiperoides</u> Michaux	Waterpepper
<u>Polygonum pensylvanicum</u> L.	Pinkweed
<u>'Polygonum persicaria</u> L.	
<u>Polygonum punctatum</u> Ell.	
<u>Polygonum sagittatum</u> L.	Arrow-leaved Tearthumb
<u>'Polygonum scandens</u> L.	False Buckwheat
<u>'Rumex acetosella</u> L.	Sheep-sorrel, Sour-grass
<u>Rumex crispus</u> L.	Sour Dock
<u>Rumex hastatulus</u> Baldwin ex Ell.	Wild Sorrel
<u>Tovara virginiana</u> (L.) Raf.	Jumpseed

## Polypodiaceae

<u>Polypodium polypodioides</u> (L.) Watt	Resurrection Fern
---	-------------------

## Pontederiaceae

<u>'Eichhornia crassipes</u> (Martius) Solms	Water Hyacinth
<u>Pontederia cordata</u> L.	Pickerel Weed

## Portulacaceae

<u>Portulaca pilosa</u> L.
----------------------------

## Potamogetonaceae

<u>Potamogeton diversifolius</u> Raf.	Pondweed
<u>'Potamogeton epihydrus</u> Raf.	Pondweed
<u>'Potamogeton foliosus</u> Raf.	Pondweed
<u>Potamogeton pulcher</u> Tuckerman	Pondweed
<u>*'Potamogeton vaseyi</u> Robbins	Pondweed

## Primulaceae

<u>'Hottonia inflata</u> Ell.	Featherfoil
<u>'Lysimachia ciliata</u> L.	Fringed Loosestrife
<u>Lysimachia lanceolata</u> Walter	Fringed Loosestrife
<u>'Lysimachia quadrifolia</u> L.	Whorled Loosestrife
<u>'Samolus parviflorus</u> Raf.	Water Pimpernel

## Pteridaceae

<u>Pteridium aquilinum</u> (L.) Kuhn	Bracken
--------------------------------------	---------

## Ranunculaceae

<u>Clematis crispa</u> L.	Leather-flower
<u>'Clematis viorna</u> L.	Leather-flower
<u>'Delphinium ajacis</u> L.	Larkspur
<u>Hepatica americana</u> (DC.) Ker	Liverleaf
<u>Ranunculus pusillus</u> Poiret	Buttercup

\*Fernald 1950

<u>*Thalictrum revolutum</u> DC.	Meadow Rue
<u>*Thalictrum thalictroides</u> (L.) Boivin	Rue Anemone, Windflower
<u>Xanthorhiza simplicissima</u> Marshall	Yellow-root

## Rhamnaceae

<u>Berchemia scandens</u> (Hill) K. Koch	Supplejack
<u>Ceanothus americanus</u> L.	New Jersey Tea

## Rosaceae

<u>Agrimonia pubescens</u> var. <u>microcarpa</u> (Wallroth) Ahles	Agrimony
<u>Amelanchier canadensis</u> (L.) Medicus	Serviceberry
<u>Crataegus flava</u> Aiton	Hawthorn
<u>Crataegus marshallii</u> Egggl.	Hawthorn
<u>Crataegus spathulata</u> Michaux	Hawthorn
<u>*Crataegus uniflora</u> Muenchh.	Dwarf Thorn
<u>*Crataegus viridis</u> L.	Hawthorn
<u>Duchesnea indica</u> (Andrz.) Focke	Indian Strawberry
<sup>1</sup> <u>Exochorda racemosa</u> Rehd.	Pearl-bush
<u>Fragaria virginiana</u> Duchesne	Strawberry
<sup>1</sup> <u>Malus angustifolia</u> (Aiton) Michaux	Crab-apple
<sup>1</sup> <u>Malus pumila</u> Miller	Common Apple
<sup>1</sup> <u>Photinia serrulata</u> Lindl.	Five-fingers
<u>Potentilla canadensis</u> L.	
<u>Potentilla recta</u> L.	
<sup>1</sup> <u>Potentilla simplex</u> Michaux	Dwarf Fivefinger
<u>Prunus americana</u> Marshall	Wild Plum
<u>Prunus angustifolia</u> Marshall	Chickasaw Plum
<sup>1</sup> <u>Prunus caroliniana</u> Aiton	Carolina Laurel Cherry
<sup>1</sup> <u>Prunus persica</u> (L.) Batsch	Peach
<u>Prunus serotina</u> Ehrhart	Black Cherry
<sup>1</sup> , <sup>1</sup> <u>Prunus triloba</u> Lindl.	Flowering Almond
<sup>1</sup> <u>Prunus umbellata</u> Ell.	Hog Plum
<sup>1</sup> <u>Pyrus calleryana</u> Decne.	
<sup>1</sup> , <sup>1</sup> <u>Pyrus communis</u> L.	Pear
<u>Rosa carolina</u> L.	Wild Rose
<u>Rosa multiflora</u> Thunberg	Blackberry
<u>Rubus betulifolius</u> Small	Blackberry
<sup>1</sup> <u>Rubus cuneifolius</u> Pursh	Dewberry
<u>Rubus flagellaris</u> Willd.	Dewberry
<u>Rubus trivialis</u> Michaux	Chokeberry
<u>Sorbus arbutifolia</u> (L.) Heynhold	Meadowsweet
<sup>1</sup> , <sup>1</sup> <u>Spiraea alba</u> var. <u>latifolia</u> (Aiton) Ahles	Spiraea
<sup>1</sup> , <sup>1</sup> <u>Spiraea chamaedryfolia</u> L.	Bridal Wreath
<sup>1</sup> , <sup>1</sup> <u>Spiraea prunifolia</u> Sieb. & Zucc.	Spiraea
<sup>1</sup> , <sup>1</sup> <u>Spiraea thunbergii</u> Siebold	Spiraea
<sup>1</sup> <u>Spiraea trichocarpa</u> Nakai	Spiraea

## Rubiaceae

<u>Cephalanthus occidentalis</u> L.	Button Bush
<u>Diodia teres</u> Walter	Smaller Buttonweed
<u>Diodia virginiana</u> L.	Larger Buttonweed

<sup>5</sup> <u>Galium aparine</u> L.	
<u>Galium circaeans</u> Michaux	Wild Licorice
<u>Galium hispidulum</u> Michaux	Bedstraw
<u>Galium obtusum</u> Bigelow	Bedstraw
<u>Galium pilosum</u> Aiton.	Cleavers
<sup>5</sup> <u>Galium tinctorium</u> L.	
<u>Galium triflorum</u> Michaux	Cleavers
<u>Houstonia longifolia</u> Gaertner	Houstonia
<sup>1</sup> <u>Houstonia purpurea</u> L.	Houstonia
<u>Houstonia pusilla</u> Schoepf	Small Bluet
<u>Mitchella repens</u> L.	Partridge Berry
<u>Oldenlandia uniflora</u> L.	
<sup>6</sup> <u>Richardia brasiliensis</u> (Moq.) Gomez	
<u>Richardia scabra</u> L.	Florida Purslane
<b>Salicaceae</b>	
<u>Populus alba</u> L.	White Poplar
<sup>6</sup> <u>Populus deltoides</u> Marshall	Cottonwood
<u>Populus heterophylla</u> L.	Swamp Cottonwood
<sup>1</sup> , <sup>6</sup> <u>Populus nigra</u> var. <u>italica</u> DuRoi	Lombardy Poplar
<sup>5</sup> <u>Salix alba</u> L.	White Willow
<u>Salix caroliniana</u> Michaux	Swamp Willow
<u>Salix nigra</u> Marshall	Black Willow
<b>Santalaceae</b>	
<sup>5</sup> <u>Nestronia umbellula</u> Raf.	Nestronia
<b>Sapotaceae</b>	
<sup>5</sup> <u>Bumelia tenax</u> (L.) Willd.	
<b>Sarraceniaceae</b>	
<sup>6</sup> <u>Sarracenia flava</u> L.	Trumpets
<u>Sarracenia minor</u> Walter	Hooded Pitcher-plant
<b>Saururaceae</b>	
<u>Saururus cernuus</u> L.	Lizard's Tail
<b>Saxifragaceae</b>	
<sup>6</sup> <u>Decumaria barbara</u> L.	Climbing Hydrangea
<u>Heuchera americana</u> L.	Alumroot
<u>Itea virginica</u> L.	Virginia Willow
<sup>3</sup> <u>Philadelphus inodorus</u> L.	Mock-orange
<b>Schizaeaceae</b>	
<u>Lygodium japonicum</u> (Thunberg) Swartz	Japanese Climbing Fern
<b>Scrophulariaceae</b>	
<u>Agalinis fasciculata</u> (Ell.) Raf.	Gerardia
<sup>5</sup> <u>Agalinis linifolia</u> (Nuttall) Britton	Gerardia
<sup>5</sup> <u>Agalinis purpurea</u> (L.) Pennell	Gerardia
<u>Agalinis setacea</u> (J. F. Gmelin) Raf.	Gerardia
<sup>5</sup> <u>Aureolaria flava</u> (L.) Farwell	

<sup>6</sup> <u>Aureolaria pectinata</u> (Nuttall) Pennell	Sticky Foxglove
<u>Aureolaria virginica</u> (L.) Pennell	False Foxglove
<u>Bacopa caroliniana</u> (Walter) Robinson	Blue Water Hyssop
<sup>3</sup> <u>Bacopa monnieri</u> (L.) Pennell	Water Hyssop
<sup>1</sup> <u>Buchnera floridana</u> Gaudiger	
<sup>5</sup> <u>Chelone glabra</u> L.	Turtleheads
<u>Gratiola pilosa</u> Michaux	Hedge Hyssop
<u>Gratiola ramosa</u> Walter	Hedge Hyssop
<u>Gratiola virginiana</u> L.	Hedge Hyssop
<u>Linaria canadensis</u> (L.) Dumont	Toad-flax
<sup>6</sup> <u>Lindernia anagallidea</u> (Michaux) Pennell	
<sup>4</sup> <u>Lindernia dubia</u> (L.) Pennell	False Pimpernel
<sup>6</sup> <u>Lindernia monticola</u> Muhl. ex Nuttall	
<sup>6</sup> <u>Mecardonia acuminata</u> (Walter) Small	
<u>Micranthemum umbrosum</u> (J. F. Gmelin) Blake	Creeping Pimpernel
<u>Mimulus alatus</u> Aiton	Monkey Flower
<sup>6</sup> <u>Penstemon australis</u> Small	Beard-tongue
<sup>4</sup> <u>Penstemon laevigatus</u> Solander ex Aiton	Beard-tongue
<u>Verbascum blattaria</u> L.	Moth Mullein
<u>Verbascum thapsus</u> L.	Woolly Mullein
<u>Veronica arvensis</u> L.	Speedwell
<u>Veronica peregrina</u> L.	Speedwell
 Selaginellaceae	
<sup>7</sup> <u>Selaginella apoda</u> (L.) Spring	Meadow Spikemoss
 Simaroubaceae	
<sup>8</sup> <u>Ailanthus altissima</u> (Miller) Swingle	Tree of Heaven
 Solanaceae	
<sup>5</sup> <u>Datura stramonium</u> L.	Jimson Weed
<u>Petunia x atkinsiana</u> D. Don ex Loudon	Petunia
<sup>9</sup> <u>Physalis heterophylla</u> Nees	Ground Cherry
<sup>10</sup> <u>Physalis pubescens</u> L.	Ground Cherry
<u>Physalis virginiana</u> Miller	Ground Cherry
<u>Solanum americanum</u> Miller	Nightshade
<u>Solanum carolinense</u> L.	Nightshade
<sup>11</sup> <u>Solanum nigrum</u> L.	Black Nightshade
 Sparganiaceae	
<u>Sparganium americanum</u> Nuttall	Bur-reed
 Sterculiaceae	
<sup>12</sup> <u>Firmiana platanifolia</u> (L. f.) Marsili	China Parasol-tree
 Styracaceae	
<sup>13</sup> <u>Styrax americana</u> Lam.	Storax
<sup>14</sup> <u>Styrax grandifolia</u> Aiton	Storax
 Symplocaceae	
<u>Symplocos tinctoria</u> (L.) L'Her.	Horse-sugar

Taxodiaceae		
' <u>Taxodium ascendens</u> Brongn.	Pond Cypress	
' <u>Taxodium distichum</u> (L.) Richard	Bald Cypress	
Tiliaceae		
<u>Tilia caroliniana</u> Miller	Basswood	
Turneraceae		
<u>Piriqueta caroliniana</u> (Walter) Urban		
Typhaceae		
' <u>Typha domingensis</u> Persoon	Giant Cattail	
<u>Typha latifolia</u> L.	Common Cattail	
Ulmaceae		
<u>Celtis laevigata</u> Willd.	Sugarberry	
<u>Celtis occidentalis</u> var. <u>georgiana</u> (Small) Ahles	Dwarf Hackberry	
<u>Planera aquatica</u> Walter ex J. F. Gmelin	Water Elm	
<u>Ulmus alata</u> Michaux	Winged Elm	
<u>Ulmus americana</u> L.	American Elm	
<u>Ulmus rubra</u> Muhl.	Slippery Elm	
Urticaceae		
<u>Boehmeria cylindrica</u> (L.) Swartz	False Nettle	
<u>Pilea pumila</u> (L.) Gray	Clearweed	
Valerianaceae		
<u>Valerianella radiata</u> (L.) Dufr.	Corn Salad	
Verbenaceae		
<u>Callicarpa americana</u> L.	French Mulberry	
<u>Lantana camara</u> L.	Lantana	
<u>Verbena bonariensis</u> L.	Vervain	
<u>Verbena brasiliensis</u> Vellozo	Vervain	
' <u>Verbena canadensis</u> (L.) Britton	Verbena	
' <u>Verbena carnea</u> Medicus	Vervain	
' <u>Verbena x hybrida</u> Voss	Verbena	
<u>Verbena rigida</u> Sprengel	Moss Verbena	
<u>Verbena tenuisecta</u> Briquet	White Vervain	
<u>Verbena urticifolia</u> L.		
Violaceae		
' <u>Viola cucullata</u> Aiton	Halberd-leaved Violet	
' <u>Viola hastata</u> Michaux		
<u>Viola lanceolata</u> L.	Blue Violet, Meadow Violet	
<u>Viola papilionacea</u> Pursh	Birdfoot Violet	
<u>Viola pedata</u> L.	Primrose-leaved Violet	
<u>Viola primulifolia</u> L.		

<u>Viola rafinesquii</u> Greene	
* <u>Viola septemloba</u> House	Southern Coast Violet
* <u>Viola villosa</u> Walter	Southern Downy Violet
* <u>Viola walteri</u> House	Prostrate Blue Violet

## Vitaceae

<u>Ampelopsis arborea</u> (L.) Koehne	Pepper Vine
* <u>Ampelopsis cordata</u> Michaux	
<u>Parthenocissus quinquefolia</u> (L.) Planchon	Virginia Creeper
<u>Vitis aestivalis</u> Michaux	Summer Grape
<u>Vitis rotundifolia</u> Michaux	Muscadine

## Xyridaceae

* <u>Xyris ambigua</u> Beyrich	Yellow-eyed Grass
* <u>Xyris baldwiniana</u> R. & S.	St. Mary's Grass
<u>Xyris caroliniana</u> Walter	Yellow-eyed Grass
<u>Xyris difformis</u> Chapman	Yellow-eyed Grass
* <u>Xyris fimbriata</u> Ell.	
<u>Xyris jupicai</u> Richard	Yellow-eyed Grass
* <u>Xyris platylepis</u> Chapman Shinners	Yellow-eyed Grass

### FEATURED RESEARCH SPECIES

A number of vascular plant species on the SRP have been intensively studied because of their abundance, importance in certain habitats, or responses to environmental stresses. The following bibliography lists SRP publications by species. The purpose of this compilation is to provide a starting point for a more extensive literature review. Floral surveys or research papers in which species were mentioned but not extensively examined have not been included.

#### PINACEAE

##### Pinus taeda (loblolly pine)

Adriano, D. C. and J. E. Pinder, III. 1977. Aerial deposition of plutonium in mixed forest stands from nuclear fuel reprocessing. *J. Environ. Qual.* 6:303-307.

Dayton, B. R. 1968. Accumulation and transfer of radiostrontium by young loblolly pines. Ph.D. Dissertation, Univ. North Carolina, Chapel Hill.

Dayton, B. R. 1970. Slow accumulation and transfer of radiostrontium by young loblolly pines (Pinus taeda L.). *Ecology* 51:204-216.

Golley, F. B., G. A. Petrides and J. F. McCormick. 1965. A survey of the vegetation of the Boiling Springs Natural Area, South Carolina. *Bull. Torrey Bot. Club* 92:355-363.

Good, B. J. and S. A. Whipple. 1982. Tree spatial patterns: South Carolina bottomland and swamp forests. *Bull. Torrey Bot. Club* 109:529-536.

Jones, S. M., D. H. Van Lear and S. K. Cox. 1981. Major forest community types of the Savannah River Plant: A field guide. Savannah River Operations, National Environmental Research Park, Publication no. 9. Available from the Savannah River Ecology Laboratory, Aiken, SC.

Jones, S. M., D. H. Van Lear and S. K. Cox. 1981. Composition and density-diameter pattern of an old-growth forest stand of the Boiling Springs Natural Area, South Carolina. *Bull. Torrey Bot. Club* 108:347-353.

Luvall, J. C. and C. E. Murphy, Jr. 1982. Evaluation of the tritiated water method for measurement of transpiration in young Pinus taeda (L.). *Forest Sci.* 28:5-16.

McCormick, J. F. 1969. Effects of ionizing radiation on a pine forest. In: D. J. Nelson and F. C. Evans (eds.), Proc. 2nd Nat. Symp. Radioecol., AEC Symp. Series (CONF-670503). p. 78-87.

McCormick, J. F. and R. E. McJunkin. 1965. Interactions of gamma radiation and other environmental stresses upon pine seeds and seedlings. *Health Phys.* 11:1643-1652.

Monk, C. D. 1966. Root-shoot dry weights in loblolly pine. *Bot. Gaz.* 127:246-248.

Monk, C. D. 1967. Radioisotope tagging through seed soaking. *Bull. Ga. Acad. Sci.* 25:13-17.

Spring, P. E., M. L. Brewer, J. R. Brown and M. E. Fanning. 1974. Population ecology of loblolly pine (*Pinus taeda*) in an old field community. *Oikos* 25:1-6.

Wells, C. G., K. W. McLeod, C. E. Murphy, J. R. Jensen, J. C. Corey, W. H. McKee and E. J. Christensen. 1984. Responses of loblolly pine plantations to two sources of sewage sludge. Research and Development Conference, Technical Assoc. Pulp Paper Industry. Technology Park. Atlanta, GA. p. 1-10.

#### Pinus palustris (longleaf pine)

Ginter, D. L., K. W. McLeod and C. Sherrod, Jr. 1979. Water stress in longleaf pine induced by litter removal. *For. Ecol. Manage.* 2:13-20.

McCormick, J. F. 1964. Interactions of gamma radiation and drought upon *Pinus elliottii* and *Pinus palustris*. *Bio-Science* 14:43-44.

McLeod, K. W., C. Sherrod, Jr. and T. E. Porch. 1979. Response of longleaf pine plantations to litter removal. *For. Ecol. Manage.* 2:1-12.

Wiegert, R. G. and C. D. Monk. 1972. Litter production and energy accumulation in three plantations of long-leaf pine (*Pinus palustris* Mill.). *Ecology* 53:949-953.

#### Pinus elliottii (slash pine)

McCormick, J. F. 1964. Interactions of gamma radiation and drought upon *Pinus elliottii* and *Pinus palustris*. *Bio-Science* 14:43-44.

McCormick, J. F. 1969. Effects of ionizing radiation on a pine forest. In: D. J. Nelson and F. C. Evans (Eds.). Proc. 2nd Nat. Symp. Radioecol., AEC Symp. Series (CONF-670503). p. 78-87.

McCormick, J. F. and R. E. McJunkin. 1965. Interactions of gamma radiation and other environmental stresses upon pine seeds and seedlings. *Health Phys.* 11:1643-1652.

Monk, C. D. 1967. Effects of gamma irradiation on growth in slash pine seedlings when different plant parts are exposed. *Bull. Ga. Acad. Sci.* 25:197-201.

#### TAXODIACEAE

##### Taxodium distichum (bald cypress)

Gibbons, J. W. and R. R. Sharitz. 1974. Thermal alteration of aquatic ecosystems. *Am. Sci.* 62:660-670.

McLeod, K. W. and C. Sherrod, Jr. 1981. Bald cypress seedling growth in thermally altered habitats. *Am. J. Bot.* 68: 918-923.

Repaske, W. A. 1981. Effects of heated water effluents on the swamp forest at the Savannah River Plant, South Carolina. M. A. thesis, Univ. Georgia, Athens.

Sharitz, R. R. and J. W. Gibbons. 1979. Impacts of thermal effluents from nuclear reactors on southeastern ecosystems, In: R. A. Fazzolare and C. B. Smith (eds.), Changing Energy Use Futures. Vol. 2. Pergamon Press, New York. p. 609-616.

Sharitz, R. R., J. W. Gibbons and S. C. Gause. 1974. Impact of production-reactor effluents on vegetation in a southeastern swamp forest. In: J. W. Gibbons and R. R. Sharitz (eds.), Thermal Ecology, AEC Symp. Series (CONF-730505). p. 356-362.

Sharitz, R. R., J. E. Irwin and E. J. Christy. 1974. Vegetation of a swamp receiving reactor effluents. *Oikos* 25:7-13.

Sherrod, C., Jr., D. E. Somers and K. W. McLeod. 1980. Potential for baldcypress establishment in thermally altered streams. *J. Therm. Biol.* 5:107-111.

Wallace, A., E. M. Romney, D. C. Adriano, J. Kinnear and G. V. Alexander. 1982. Sources of variation in mineral composition of selected plants inhabiting a floodplain at the Savannah River Plant. *Soil Sci.* 134:36-39.

Whipple, S. A., L. H. Wallman and B. J. Good. 1981. A classification of hardwood and swamp forests of the Savannah River Plant, South Carolina. Savannah River Operations, National Environmental Research Park, Publication no. 6. Available from the Savannah River Ecology Laboratory, Aiken, SC.

## TYPHACEAE

Typha latifolia (common cattail)

- Adriano, D. C., A. Fulenwider, R. R. Sharitz, T. G. Ciravolo and G. D. Hoyt. 1980. Growth and mineral nutrition of cattail (Typha) as influenced by thermal alteration. *J. Environ. Qual.* 9:649-653.
- Adriano, D. C., R. R. Sharitz, T. G. Ciravolo, J. C. Luval and S. A. Harding. 1984. Growth and mineral nutrition of cattails inhabiting a thermally-graded reservoir. II. The micronutrients. *J. Plant Nutr.* 7:1699-1716.
- Babcock, M. F., D. W. Evans and J. J. Alberts. 1983. Comparative uptake and translocation of trace elements from coal ash by Typha latifolia. *Sci. Total Environ.* 28:203-214.
- Boyd, C. E. 1970. Amino acid, protein, and caloric content of vascular aquatic macrophytes. *Ecology* 51:902-906.
- Boyd, C. E. 1970. Chemical analyses of some vascular aquatic plants. *Arch. Hydrobiol.* 67:78-85.
- Boyd, C. E. 1970. Losses of mineral nutrients during decomposition of Typha latifolia. *Arch. Hydrobiol.* 66:511-517.
- Boyd, C. E. 1970. Production, mineral accumulation and pigment concentrations of Typha latifolia and Scirpus americanus. *Ecology* 51:285-290.
- Boyd, C. E. and L. W. Hess. 1970. Factors influencing shoot production and mineral nutrient levels in Typha latifolia. *Ecology* 51:296-300.
- Boyd, C. E. 1971. Further studies on productivity, nutrient and pigment relationships in Typha latifolia populations. *Bull. Torrey Bot. Club* 98:144-150.
- Evans, D. W. and J. P. Giesy, Jr. 1978. Trace metal concentrations in a stream-swamp system receiving coal ash effluent. In: M. K. Wali (ed.), Ecology and Coal Resource Development. Volume 2. Pergamon Press, New York. p. 782-790.
- Garten, C. T., Jr. 1978. Multivariate perspectives on the ecology of plant mineral element composition. *Am. Nat.* 112: 533-544.
- Gibbons, J. W. and R. R. Sharitz. 1974. Thermal alteration of aquatic ecosystems. *Am. Sci.* 62:660-670.
- Gibbons, J. W., R. R. Sharitz and I. L. Brisbin, Jr. 1980. Thermal ecology research at the Savannah River Plant: A review. *Nucl. Saf.* 21:367-379.

Jones, J. C. 1978. Environmental and genetic effects on malate dehydrogenase and other natural metabolite levels in Typha latifolia along a thermal gradient. M. S. Thesis, Univ. South Carolina, Columbia.

Jones, J. C., J. F. Hancock and E. H. Liu. 1979. Biochemical and morphological effects of temperature on Typha latifolia L. (Typhaceae) originating from different ends of a thermal gradient. I. Controlled environment studies. Am. J. Bot. 66:902-906.

Liu, E. H., R. R. Sharitz and M. H. Smith. 1978. Thermal sensitivities of malate dehydrogenase isozymes in Typha. Am. J. Bot. 65:214-220.

Mashburn, S. J., R. R. Sharitz and M. H. Smith. 1978. Genetic variation among Typha populations of the southeastern United States. Evolution 32:681-685.

Parker, E. D., M. F. Hirshfield and J. W. Gibbons. 1973. Ecological comparisons of thermally affected aquatic environments. J. Water Pollut. Control Fed. 45:726-733.

Polisini, J. M. and C. E. Boyd. 1972. Relationships between cell-wall-fraction, nitrogen, and standing crops in aquatic macrophytes. Ecology 53:484-488.

Sharitz, R. R., D. C. Adriano, J. E. Pinder III, J. C. Luval and T. G. Ciravolo. 1984. Growth and mineral nutrition of cattails inhabiting a thermally-graded reservoir. I. Growth and the macronutrients. J. Plant Nutr. 7:1671-1698.

Sharitz, R. R. and J. W. Gibbons. 1979. Impacts of thermal effluents from nuclear reactors on southeastern ecosystems. In: R. A. Fazzolare and C. B. Smith (eds.), Changing Energy Use Futures. Volumn 2. Pergamon Press, New York. p. 609-616.

Sharitz, R. R. and J. W. Gibbons. 1980. Effects of thermal effluents on a lake: Enrichment and stress. In: G. W. Barrett and R. Rosenberg (eds.), Stress Effects on Natural Ecosystems. J. Wiley & Sons, Chichester. p. 243-259.

Sharitz, R. R., S. A. Wineriter, M. H. Smith and E. H. Liu. 1980. Comparison of isozymes among Typha species in the eastern United States. Am. J. Bot. 67:1297-1303.

Suda, J. R. 1976. Phenotypic and genotypic variation in Typha latifolia of the northeastern and southeastern United States. M. S. Thesis, Univ. Georgia, Athens.

Suda, J. R., R. R. Sharitz and D. O. Straney. 1977. Morphological aberrations in Typha populations in a post-thermal aquatic habitat. Am. J. Bot. 64:570-575.

Wallace, A., E. M. Romney, D. C. Adriano, J. Kinnear and G. V. Alexander. 1982. Sources of variation in mineral composition of selected plants inhabiting a floodplain at the Savannah River Plant. *Soil Sci.* 134:36-39.

Typha domingensis (giant cattail)

Adriano, D. C., R. R. Sharitz, T. G. Ciravolo, J. C. Luval and S. A. Harding. 1984. Growth and mineral nutrition of cattails inhabiting a thermally-graded reservoir. II. The micronutrients. *J. Plant Nutr.* 7:1699-1716.

Gibbons, J. W. and R. R. Sharitz. 1974. Thermal alteration of aquatic ecosystems. *Am. Sci.* 62:660-670.

Gibbons, J. W., R. R. Sharitz and I. L. Brisbin, Jr. 1980. Thermal ecology research at the Savannah River Plant: A review. *Nucl. Saf.* 21:367-379.

Liu, E. H., R. R. Sharitz and M. H. Smith. 1978. Thermal sensitivities of malate dehydrogenase isozymes in Typha. *Am. J. Bot.* 65:214-220.

Mashburn, S. J., R. R. Sharitz and M. H. Smith. 1978. Genetic variation among Typha populations of the southeastern United States. *Evolution* 32:681-685.

Parker, E. D., M. F. Hirshfield and J. W. Gibbons. 1973. Ecological comparisons of thermally affected aquatic environments. *J. Water Pollut. Control Fed.* 45:726-733.

Polisini, J. M. and C. E. Boyd. 1972. Relationships between cell-wall fraction, nitrogen, and standing crops in aquatic macrophytes. *Ecology* 53:484-488.

Sharitz, R. R., D. C. Adriano, J. E. Pinder III, J. C. Luval and T. G. Ciravolo. 1984. Growth and mineral nutrition of cattails inhabiting a thermally-graded reservoir. I. Growth and the macronutrients. *J. Plant Nutr.* 7:1671-1698.

Sharitz, R. R. and J. W. Gibbons. 1979. Impacts of thermal effluents from nuclear reactors on southeastern ecosystems. In: R. A. Fazzolare and C. B. Smith (eds.), Changing Energy Use Futures. Volume 2. Pergamon Press, New York. p. 609-616.

Sharitz, R. R. and J. W. Gibbons. 1980. Effects of thermal effluents on a lake: Enrichment and stress. In: G. W. Barrett and R. Rosenberg (eds.), Stress Effects on Natural Ecosystems. J. Wiley & Sons, Chichester. p. 243-259.

Sharitz, R. R., S. A. Wineriter, M. H. Smith and E. H. Liu. 1980. Comparison of isozymes among Typha species in the eastern United States. *Am. J. Bot.* 67:1297-1303.

Suda, J. R., R. R. Sharitz and D. O. Straney. 1977. Morphological aberrations in Typha populations in a post-thermal aquatic habitat. Am. J. Bot. 64:570-575.

ALISMATACEAE

Sagittaria latifolia (Wapato, duck potato)

Briese, L. A., C. T. Garten, Jr. and R. R. Sharitz. 1975. Distribution of radiocesium in vegetation along a contaminated stream. In: F. G. Howell, J. B. Gentry and M. H. Smith (eds.), Mineral Cycling in Southeastern Ecosystems. ERDA Symposium Series. (CONF-740513). p. 509-517.

Evans, D. W. and J. P. Giesy, Jr. 1978. Trace metal concentrations in a stream-swamp system receiving coal ash effluent. In: M. K. Wali (ed.), Ecology and Coal Resource Development. Volume 2. Pergamon Press, New York. p. 782-790.

Garten, C. T., Jr. 1976. Correlations between concentrations of elements in plants. Nature 261:686-688.

Garten, C. T., Jr. 1978. Multivariate perspectives on the ecology of plant mineral element composition. Am. Nat. 112: 533-544.

Garten, C. T., Jr., J. B. Gentry, J. E. Pinder III, R. R. Sharitz and M. H. Smith. 1975. Radiocesium dynamics in a contaminated floodplain ecosystem in the southeastern United States. International Atomic Energy Agency Symposium 198/41, Vienna. p. 331-347.

Garten, C. T., Jr., J. B. Gentry and R. R. Sharitz. 1977. An analysis of elemental concentrations in vegetation bordering a southeastern United States coastal plain stream. Ecology 58:979-992.

Garten, C. T., Jr. and D. Paine. 1977. A multivariate analysis of factors affecting radiocesium uptake by Sagittaria latifolia in coastal plain environments. J. Environ. Qual. 6:78-82.

Martin, C. E., E. J. Christy and K. W. McLeod. 1977. Changes in the vegetation of a South Carolina swamp following cessation of thermal pollution. J. Elisha Mitchell Sci. Soc. 93:173-176.

Pinder, J. E., III and R. R. Sharitz. 1978. Variance components of radiocesium concentrations in plants inhabiting a contaminated floodplain. Oecol. Plant. 13:111-120.

Sharitz, R. R., J. E. Irwin and E. J. Christy. 1974. Vegetation of a swamp receiving reactor effluents. Oikos 25:7-13.

Sharitz, R. R., S. L. Scott, J. E. Pinder III and S. K. Woods. 1975. Uptake of radiocesium from contaminated floodplain sediments by herbaceous plants. *Health Phys.* 28:23-28.

Wallace, A., E. M. Romney, D. C. Adriano, J. Kinnear and G. V. Alexander. 1982. Sources of variation in mineral composition of selected plants inhabiting a floodplain at the Savannah River Plant. *Soil Sci.* 124:36-39.

#### POACEAE

Andropogon sp. (primarily A. virginicus and A. ternarius; broomsedge)

Crapo, Norman L. and David C. Coleman. 1972. Root distribution and respiration in a Carolina old-field. *Oikos* 23:137-139.

Garten, C. T., Jr. 1978. Multivariate perspectives on the ecology of plant mineral element composition. *Am. Nat.* 112: 533-544.

Garten, C. T., Jr., L. A. Briese, R. A. Geiger, R. R. Sharitz and M. H. Smith. 1975. Radiocesium levels in vegetation colonizing a contaminated floodplain. In: F. G. Howell, J. B. Gentry and M. H. Smith (eds.), Mineral Cycling in Southeastern Ecosystems. ERDA Symp. Series. (CONF-740513) p. 489-497.

Garten, C. T., Jr., J. B. Gentry, J. E. Pinder III, R. R. Sharitz and M. H. Smith. 1975. Radiocesium dynamics in a contaminated floodplain ecosystem in the southeastern United States. International Atomic Energy Agency Symposium 198/41, Vienna. p. 331-347.

Garten, C. T., Jr., J. B. Gentry and R. R. Sharitz. 1977. An analysis of elemental concentrations in vegetation bordering a southeastern United States coastal plain stream. *Ecology* 58:979-992.

Golley, F. B. 1965. Structure and function of an old-field broomsedge community. *Ecol. Monogr.* 35:113-137.

Golley, F. B. and J. B. Gentry. 1966. A comparison of variety and standing crop of vegetation on a one-year and a twelve-year abandoned field. *Oikos* 15:185-199.

Odum, E. P. and E. J. Kuenzler. 1963. Experimental isolation of food chains in an old-field ecosystem with the use of Phosphorus-32. In: V. Schultz and A. W. Klement, Jr. (eds.), Radioecology, Proc. of the 1st National Symposium. Reinhold, New York. p. 113-120.

Pinder, J. E., III. 1975. Effects of species removal on an old-field plant community. *Ecology* 56:747-751.

Skinner, S. P., J. B. Gentry and J. P. Giesy, Jr. 1978. Cadmium dynamics in terrestrial food webs of a coal ash basin. In: D. C. Adriano and I. L. Brisbin, Jr. (eds.), Environmental Chemistry and Cycling Processes. DOE Symp. Series. (CONF-760429). p. 658-672.

Williams, J. E. 1969. Photosynthesis in seven old-field plants and the contributions of each to total community biomass. Bull. Ga. Acad. Sci. 27:1-12.

#### CYPERACEAE

##### Eleocharis acicularis

Grace, J. B. 1977. The distribution and abundance of submerged aquatic macrophytes in a reactor-cooling reservoir. M. S. Thesis, Clemson Univ., Clemson, SC.

Grace, J. B. and L. J. Tilly. 1976. Distribution and abundance of submerged macrophytes, including Myriophyllum spicatum L. (Angiospermae), in a cooling reservoir. Arch. Hydrobiol. 77:475-487.

##### Eleocharis quadrangulata

Boyd, C. E. and D. H. Vickers. 1971. Relationships between production, nutrient accumulation, and chlorophyll synthesis in an Eleocharis quadrangulata population. Can. J. Bot. 49: 883-888.

##### Scirpus cyperinus (knot grass)

Briese, L. A., C. T. Garten, Jr. and R. R. Sharitz. 1975. Distribution of radiocesium in vegetation along a contaminated stream. In: F. G. Howell, J. B. Gentry and M. H. Smith (eds.), Mineral Cycling in Southeastern Ecosystems. ERDA Symp. Series. (CONF-740513). p. 509-517.

Garten, C. T., Jr. 1976. Correlations between concentrations of elements in plants. Nature 261:686-688.

Garten, C. T., Jr. 1978. Multivariate perspectives on the ecology of plant mineral element composition. Am. Nat. 112: 533-544.

Garten, C. T., Jr., L. A. Briese, R. A. Geiger, R. R. Sharitz and M. H. Smith. 1975. Radiocaesium levels in vegetation colonizing a contaminated floodplain. In: F. G. Howell, J. B. Gentry and M. H. Smith (eds.), Mineral Cycling in Southeastern Ecosystems. ERDA Symp. Series. (CONF-740513). p. 489-497.

Garten, C. T., Jr., J. B. Gentry, J. E. Pinder III, R. R. Sharitz and M. H. Smith. 1975. Radiocesium dynamics in a contaminated floodplain ecosystem in the southeastern United States. International Atomic Energy Agency Symposium 198/41, Vienna. p. 331-347.

Garten, C. T., Jr., J. B. Gentry and R. R. Sharitz. 1977. An analysis of elemental concentrations in vegetation bordering a southeastern United States coastal plain stream. Ecology 58:979-992.

Parker, E. D., M. F. Hirshfield and J. W. Gibbons. 1973. Ecological comparisons of thermally affected aquatic environments. J. Water Pollut. Control Fed. 45:726-733.

Wallace, A., E. M. Romney, D. C. Adriano, J. Kinnear and G. V. Alexander. 1982. Sources of variation in mineral composition of selected plants inhabiting a floodplain at the Savannah River Plant. Soil Sci. 134:36-39.

#### LEMNACEAE

##### Lemna perpusilla

Rodgers, J. H., Jr., D. S. Cherry and R. K. Guthrie. 1978. Cycling of elements in duckweed (Lemna perpusilla) in an ash settling basin and swamp drainage system. Water Res. 12: 765-770.

##### Spirodela oligorrhiza

Sharitz, R. R. and J. C. Luval. 1978. Growth of duckweed under constant and variable temperatures. In: J. H. Thorp and J. W. Gibbons (eds.), Energy and Environmental Stress in Aquatic Systems. DOE Symp. Series (CONF-771114). p. 410-419.

#### JUNCACEAE

##### Juncus effusus (common rush)

Boyd, C. E. 1971. The dynamics of dry matter and chemical substances in a Juncus effusus population. Am. Midl. Nat. 86:28-45.

#### SALICACEAE

##### Salix nigra (black willow)

Briese, L. A., C. T. Garten, Jr. and R. R. Sharitz. 1975. Distribution of radiocesium in vegetation along a contaminated stream. In: F. G. Howell, J. B. Gentry and M. H. Smith (eds.), Mineral Cycling in Southeastern Ecosystems. ERDA Symp. Series. (CONF-740513). p. 509-517.

- Evans, D. W. and J. P. Giesy, Jr. 1978. Trace metal concentrations in a stream-swamp system receiving coal ash effluent. In: M. K. Wali (ed.), Ecology and Coal Resource Development. Volume 2. Pergamon Press, New York. p.782-790.
- Garten, C. T., Jr. 1976. Correlations between concentrations of elements in plants. *Nature* 261:686-688.
- Garten, C. T., Jr. 1977. Species, part and seasonal differences in sulfur concentrations in woody plants. *Bull. Environ. Contam. Toxicol.* 17:127-131.
- Garten, C. T., Jr. 1978. Multivariate perspectives on the ecology of plant mineral element composition. *Am. Nat.* 112: 533-544.
- Garten, C. T., Jr., L. A. Briese, R. A. Geiger, R. R. Sharitz and M. H. Smith. 1975. Radio cesium levels in vegetation colonizing a contaminated floodplain. In: F. G. Howell, J. B. Gentry and M. H. Smith (eds.), Mineral Cycling in Southeastern Ecosystems. ERDA Symp. Series. (CONF-740513). p. 489-497.
- Garten, C. T., Jr., L. A. Briese, R. R. Sharitz and J. B. Gentry. 1975. Seasonal variation in radio cesium concentrations in three tree species. In: F. G. Howell, J. B. Gentry and M. H. Smith (eds.), Mineral Cycling in Southeastern Ecosystems. ERDA Symp. Series. (CONF-740513). p.498-508.
- Garten, C. T., Jr., J. B. Gentry, J. E. Pinder III, R. R. Sharitz and M. H. Smith. 1975. Radio cesium dynamics in a contaminated floodplain ecosystem in the southeastern United States. International Atomic Energy Agency Symposium 198/41, Vienna. p. 331-347.
- Garten, C. T., Jr., J. B. Gentry and R. R. Sharitz. 1977. An analysis of elemental concentrations in vegetation bordering a southeastern United States coastal plain stream. *Ecology* 58:979-992.
- Skinner, S. P., J. B. Gentry and J. P. Giesy, Jr. 1978. Cadmium dynamics in terrestrial food webs of a coal ash basin. In: D. C. Adriano and I. L. Brisbin, Jr. (eds.), Environmental Chemistry and Cycling Processes. DOE Symp. Series. (CONF-760429). p. 658-672.
- Wallace, A., E. M. Romney, D. C. Adriano, J. Kinnear and G. V. Alexander. 1982. Sources of variation in mineral composition of selected plants inhabiting a floodplain at the Savannah River Plant. *Soil Sci.* 134:36-39.

## MYRICACEAE

*Myrica cerifera* (wax myrtle)

Garten, C. T., Jr. 1976. Correlations between concentrations of elements in plants. *Nature* 261:686-688.

Garten, C. T., Jr. 1977. Species, part and seasonal differences in sulfur concentrations in woody plants. *Bull. Environ. Contam. Toxicol.* 17:127-131.

Garten, C. T., Jr. 1978. Multivariate perspectives on the ecology of plant mineral element composition. *Am. Nat.* 112: 533-544.

Garten, C. T., Jr., L. A. Briese, R. A. Geiger, R. R. Sharitz and M. H. Smith. 1975. Radio cesium levels in vegetation colonizing a contaminated floodplain. In: F. G. Howell, J. B. Gentry and M. H. Smith (eds.), Mineral Cycling in Southeastern Ecosystems. ERDA Symp. Series. (CONF-740513). p. 489-497.

Garten, C. T., Jr., L. A. Briese, R. R. Sharitz and J. B. Gentry. 1975. Seasonal variation in radio cesium concentrations in three tree species. In: F. G. Howell, J. B. Gentry and M. H. Smith (eds.), Mineral Cycling in Southeastern Ecosystems. ERDA Symp. Series. (CONF-740513). p. 498-508.

Garten, C. T., Jr., J. B. Gentry, J. E. Pinder III, R. R. Sharitz and M. H. Smith. 1975. Radio cesium dynamics in a contaminated floodplain ecosystem in the southeastern United States. International Atomic Energy Agency Symposium 198/41, Vienna. p. 331-347.

Garten, C. T., Jr., J. B. Gentry and R. R. Sharitz. 1977. An analysis of elemental concentrations in vegetation bordering a southeastern United States coastal plain stream. *Ecology* 58:979-992.

## BETULACEAE

*Alnus serrulata* (tag alder)

Garten, C. T., Jr. 1976. Correlations between concentrations of elements in plants. *Nature* 261:686-688.

Garten, C. T., Jr. 1977. Species, part and seasonal differences in sulfur concentrations in woody plants. *Bull. Environ. Contam. Toxicol.* 17:127-131.

Garten, C. T., Jr. 1978. Multivariate perspectives on the ecology of plant mineral element composition. *Am. Nat.* 112: 533-544.

Garten, C. T., Jr., L. A. Briese, R. A. Geiger, R. R. Sharitz and M. H. Smith. 1975. Radiocesium levels in vegetation colonizing a contaminated floodplain. In: F. G. Howell, J. B. Gentry and M. H. Smith (eds.), Mineral Cycling in Southeastern Ecosystems. ERDA Symp. Series. (CONF-740513). p. 489-497.

Garten, C. T., Jr., L. A. Briese, R. R. Sharitz and J. B. Gentry. 1975. Seasonal variation in radiocesium concentrations in three tree species. In: F. G. Howell, J. B. Gentry and M. H. Smith (eds.), Mineral Cycling in Southeastern Ecosystems. ERDA Symp. Series. (CONF-740513). p. 498-508.

Garten, C. T., Jr., J. B. Gentry, J. E. Pinder III, R. R. Sharitz and M. H. Smith. 1975. Radiocesium dynamics in a contaminated floodplain ecosystem in the southeastern United States. International Atomic Energy Agency Symposium 198/41, Vienna. p. 331-347.

Garten, C. T., Jr., J. B. Gentry and R. R. Sharitz. 1977. An analysis of elemental concentrations in vegetation bordering a southeastern United States coastal plain stream. *Ecology* 58:979-992.

#### FAGACEAE

##### Quercus laevis

Croom, J. M. 1978. Sandhills-turkey oak (Quercus laevis) ecosystem-community analysis and a model of radiocesium cycling. Ph. D. Dissertation, Emory Univ., Atlanta, GA.

Croom, J. M. and H. L. Ragsdale. 1978. An ecosystem model of radiocesium cycling in a sand hills-turkey oak (Quercus laevis) forest. In: Modeling and Simulation. Proc. Ann. Pitts. Conf. Vol. 9, Part 1: Energy and Power System Modeling. p. 233-259.

Croom, J. M. and H. L. Ragsdale. 1978. Dynamics of cesium-134 and biomass in treated and untreated turkey oak leaf-litter bags. In: D. C. Adriano and I. L. Brisbin, Jr. (eds.), Environmental Chemistry and Cycling Processes. DOE Symp. Series (CONF-760429). P. 700-708.

#### POLYGONACEAE

##### Polygonum punctatum (smartweed)

Briese, L. A., C. T. Garten, Jr. and R. R. Sharitz. 1975. Distribution of radiocesium in vegetation along a contaminated stream. In: F. G. Howell, J. B. Gentry and M. H. Smith (eds.), Mineral Cycling in Southeastern Ecosystems. ERDA Symp. Series. (CONF-740513). p. 509-517.

Garten, C. T., Jr. 1978. Multivariate perspectives on the ecology of plant mineral element composition. Am. Nat. 112: 533-544.

Garten, C. T., Jr., J. B. Gentry, J. E. Pinder III, R. R. Sharitz and M. H. Smith. 1975. Radiocesium dynamics in a contaminated floodplain ecosystem in the southeastern United States. International Atomic Energy Agency Symposium 198/41, Vienna. p. 331-347.

Garten, C. T., Jr., J. B. Gentry and R. R. Sharitz. 1977. An analysis of elemental concentrations in vegetation bordering a southeastern United States coastal plain stream. Ecology 58:979-992.

Martin, C. E., E. J. Christy and K. W. McLeod. 1977. Changes in the vegetation of a South Carolina swamp following cessation of thermal pollution. J. Elisha Mitchell Sci. Soc. 93:173-176.

Pinder, J. E., III and R. R. Sharitz. 1978. Variance components of radiocesium concentrations in plants inhabiting a contaminated floodplain. Oecol. Plant. 13:111-120.

Sharitz, R. R., J. E. Irwin and E. J. Christy. 1974. Vegetation of a swamp receiving reactor effluents. Oikos 25:7-13.

Sharitz, R. R., S. L. Scott, J. E. Pinder III and S. K. Woods. 1975. Uptake of radiocesium from contaminated floodplain sediments by herbaceous plants. Health Phys. 28:23-28.

#### FABACEAE

##### Lespedeza cuneata (sericea lespedeza)

Menhinick, E. F. 1963. Estimation of insect population density in herbaceous vegetation with emphasis on removal sweeping. Ecology 44:617-621.

Menhinick, E. F. 1963. Insect species in the herb stratum of a Sericea lespedeza stand, AEC Savannah River Project, Aiken, South Carolina. US Atomic Energy Commission TID-19136.

Menhinick, E. F. 1967. Structure, stability and energy flow in plants and arthropods in a Sericea lespedeza stand. Ecol. Monogr. 37:255-272.

Williams, J. E. 1969. Photosynthesis in seven old-field plants and the contributions of each to total community biomass. Bull. Ga. Acad. Sci. 27:1-12.

## ACERACEAE

Acer rubrum (red maple)

Gibbons, J. W. and R. R. Sharitz. 1974. Thermal alteration of aquatic ecosystems. Am. Sci. 62:660-670.

Good, B. J. and S. A. Whipple. 1982. Tree spatial patterns: South Carolina bottomland and swamp forests. Bull. Torrey Bot. Club 109:529-536.

Monk, C. D. 1967. The root-shoot weight relationship of four widely separated seedling populations of red maple. Bull. Torrey Bot. Club 94:197-199.

Sharitz, R. R., J. W. Gibbons and S. C. Gause. 1974. Impact of production-reactor effluents on vegetation in a southeastern swamp forest. In: J. W. Gibbons and R. R. Sharitz (eds.), Thermal Ecology. AEC Symp. Series (CONF-730505). p. 356-362.

Sharitz, R. R., J. E. Irwin and E. J. Christy. 1974. Vegetation of a swamp receiving reactor effluents. Oikos 25:7-13.

Wallace, A., E. M. Romney, D. C. Adriano, J. Kinnear and G. V. Alexander. 1982. Sources of variation in mineral composition of selected plants inhabiting a floodplain at the Savannah River Plant. Soil Sci. 134:36-39.

Whipple, S. A., L. H. Wellman and B. J. Good. 1981. A classification of hardwood and swamp forests of the Savannah River Plant, South Carolina. Savannah River Operations, National Environmental Research Park, Publication no. 6. Available from the Savannah River Ecology Laboratory, Aiken, SC.

## CACTACEAE

Opuntia compressa (prickly pear)

Monk, C. D. 1967. Effects of gamma irradiation on prickly pear cactus. Quart. J. Fla. Acad. Sci. 30:168-172.

## ONAGRACEAE

Ludwigia leptocarpa (swamp primrose)

Christy, E. J. 1976. Population dynamics of two semi-aquatic macrophytes growing under different temperature regimes. M. S. Thesis. Univ. Georgia, Athens.

Christy, E. J. and R. R. Sharitz. 1980. Characteristics of three populations of a swamp annual under different temperature regimes. Ecology 61:454-460.

Dolan, R. W. 1983. The causes and implications of size hierarchies in Ludwigia leptocarpa (Onagraceae). Ph.D. Dissertation Univ. Georgia, Athens.

Dolan, R. W. 1984. The effects of seed size and maternal source on individual size in a population of Ludwigia leptocarpa (Onagraceae). Am. J. Bot. 71(9):1302-1307.

Dolan, R. W. and R. R. Sharitz. 1984. Population dynamics of Ludwigia leptocarpa (Onagraceae) and some factors affecting size hierarchies in a natural population. J. Ecol. 72:1031-1041.

McCaffrey, C. A. 1982. Effects of flooding and sedimentation on germination and survival of Ludwigia leptocarpa (Nutt.) Hara. M.S. thesis. Univ. Georgia, Athens.

Sharitz, R. R. and J. W. Gibbons. 1979. Impacts of thermal effluents from nuclear reactors on southeastern ecosystems. In: R. A. Fazzolare and C. B. Smith (eds.), Changing Energy Use Futures. Volume 2. Pergamon Press, New York. p.609-616.

Sharitz, R. R., J. E. Irwin and E. J. Christy. 1974. Vegetation of a swamp receiving reactor effluents. Oikos 25:7-13.

#### HALORAGACEAE

##### Myriophyllum spicatum (Eurasian water milfoil)

Giesy, J. P., Jr. and L. E. Tessier. 1979. Distribution potential of Myriophyllum spicatum (Angiospermae, Haloragaceae) in softwater systems. Arch. Hydrobiol. 85:437-447.

Grace, J. B. 1977. The distribution and abundance of submerged aquatic macrophytes in a reactor-cooling reservoir. M. S. Thesis, Clemson Univ., Clemson, SC.

Grace, J. B. and L. J. Tilly. 1976. Distribution and abundance of submerged macrophytes, including Myriophyllum spicatum L. (Angiospermae), in a cooling reservoir. Arch. Hydrobiol. 77:475-487.

Sharitz, R. R. and J. W. Gibbons. 1979. Impacts of thermal effluents from nuclear reactors on southeastern ecosystems. In: R. A. Fazzolare and C. B. Smith (eds.), Changing Energy Use Futures. Volume 2. Pergamon Press, New York. p. 609-616.

## NYSSACEAE

*Nyssa aquatica* (water tupelo)

Gibbons, J. W. and R. R. Sharitz. 1974. Thermal alteration of aquatic ecosystems. Am. Sci. 62:660-670.

Good, B. J. and S. A. Whipple. 1982. Tree spatial patterns: South Carolina bottomland and swamp forests. Bull. Torrey Bot. Club 109:529-536.

McLeod, K. W. and D. L. Dawson. 1980. Increased cesium uptake by water tupelo under inundated conditions. Health Phys. 39:812-815.

Sharitz, R. R. and J. W. Gibbons. 1979. Impacts of thermal effluents from nuclear reactors on southeastern ecosystems. In: R. A. Fazzolare and C. B. Smith (eds.), Changing Energy Use Futures. Volume 2. Pergamon Press, New York. p. 609-616.

Sharitz, R. R., J. W. Gibbons and S. C. Gause. 1974. Impact of production-reactor effluents on vegetation in a southeastern swamp forest. In: J. W. Gibbons and R. R. Sharitz (eds.), Thermal Ecology. AEC Symp. Series (CONF-730505). p. 356-362.

Sharitz, R. R., J. E. Irwin and E. J. Christy. 1974. Vegetation of a swamp receiving reactor effluents. Oikos 25:7-13.

Wallace, A., E. M. Romney, D. C. Adriano, J. Kinnear and G. V. Alexander. 1982. Sources of variation in mineral composition of selected plants inhabiting a floodplain at the Savannah River Plant. Soil Sci. 134:36-39.

## LENTIBULARIACEAE

*Utricularia inflata* (inflated bladderwort)

Lollar, A. Q., D. C. Coleman and C. E. Boyd. 1971. Carnivorous pathway of phosphorus uptake by *Utricularia inflata*. Arch. Hydrobiol. 69:400-404.

## ASTERACEAE

*Erigeron canadensis* (horseweed)

De La Cruz, A. A. and R. G. Wiegert. 1967. 32-Phosphorus tracer studies of a horseweed-aphid-ant food chain. Am. Midl. Nat. 77:501-509.

Wiegert, R. G., E. P. Odum and J. H. Schnell. 1967. Forb-arthropod food chains in a one-year experimental field. Ecology 48:75-83.

Williams, J. E. 1969. Photosynthesis in seven old-field plants and the contributions of each to total community biomass. Bull. Ga. Acad. Sci. 27:1-12.

Heterotheca subaxillaris (camphorweed)

De La Cruz, A. A. and R. G. Wiegert. 1967. <sup>32</sup>-Phosphorus tracer studies of a horseweed-aphid-ant food chain. Am. Midl. Nat. 77:501-509.

Golley, F. B. and J. B. Gentry. 1966. A comparison of variety and standing crop of vegetation on a one-year and a twelve-year abandoned field. Oikos 15:185-199.

McLendon, H. R., O. M. Stewart, A. L. Boni, J. C. Corey, K. W. McLeod and J. E. Pinder. 1976. Relationships among plutonium contents of soils, vegetation and animals collected on and adjacent to an integrated nuclear complex in the humid southeastern United States of America. International Atomic Energy Agency Symposium 199/85, Vienna. p. 347-363.

Odum, E. P. and E. J. Kuenzler. 1963. Experimental isolation of food chains in an old-field ecosystem with the use of Phosphorus-32. In: V. Schultz and A. W. Clement, Jr. (eds.), Radioecology, Proc. of the 1st National Symposium. Reinhold, New York. p. 113-120.

Wiegert, R. G., E. P. Odum and J. H. Schnell. 1967. Forb-arthropod food chains in a one-year experimental field. Ecology 48:75-83.

Williams, J. E. 1969. Photosynthesis in seven old-field plants and the contributions of each to total community biomass. Bull. Ga. Acad. Sci. 27:1-12.

## USEFUL REFERENCES TO SRP AND SOUTHEASTERN FLORA

- Ayensu, E. S. and R. A. DeFilipps. 1978. Endangered and Threatened Plants of the United States. Smithsonian Institution and World Wildlife Fund, Inc., Washington, D. C.
- Bailey, L. H. 1949. Manual of Cultivated Plants. The Macmillan Co., New York.
- Batson, W. T. 1955. An ecological study of the land plants and cold-blooded vertebrates of the Savannah River Project area. Part I. The flora of the Savannah River Project area. 3. The Myxomycetes. (A preliminary listing). Univ. S. C. Publ., Biology Series III, 1:204-206.
- Batson, W. T. 1955. An ecological study of the land plants and cold-blooded vertebrates of the Savannah River Project area. Part I. The flora of the Savannah River Project area. 5. The liverworts. Univ. S. C. Publ., Biology Series III, 1:209-214.
- Batson, W. T. 1955. An ecological study of the land plants and cold-blooded vertebrates of the Savannah River Project area. Part I. The flora of the Savannah River Project area. 6. The mosses (Polytrichaceae through the Grimmiaceae). Univ. S. C. Publ., Biology Series III, 1:214-219.
- Batson, W. T. 1955. An ecological study of the fauna and flora of the Savannah River Project area. 6. The mosses (continued). Univ. S.C. Publ., Biology Series III, 1:267-275.
- Batson, W. T. 1958. An ecological study of the fauna and flora of the Savannah River Plant area. Part I. The flora of the Savannah River Plant area. 6. The mosses (continued). Univ. S. C. Publ., Biology Series III, 2:138-139.
- Batson, W. T. 1977. Genera of the Eastern Plants. John Wiley & Sons, Inc., New York.
- Batson, W. T. and W. R. Kelley. 1953. An ecological study of the land plants and cold-blooded vertebrates of the Savannah River Project area. Part I. The flora of the Savannah River Project area. 1. The monocotyledons. Univ. S. C. Publ., Biology Series III, 1: 60-89.
- Batson, W. T. and W. R. Kelley. 1955. An ecological study of the land plants and cold-blooded vertebrates of the Savannah River Project area. Part VII. Distributional studies of the flora. 1. The sand hills vegetation of Aiken and Barnwell Counties. Univ. S.C. publ., Biology Series III, 1:249-255.

- Batson, W. T. and W. R. Kelley. 1958. An ecological study of the fauna and flora of the Savannah River Plant area. Part I. The flora of the Savannah River Plant area. 1. The monocotyledons (additions to the list). Univ. S. C. Publ., Biology Series III, 2:121-123.
- Batson, W. T. and R. N. Tulloch. 1955. An ecological study of the land plants and cold-blooded vertebrates of the Savannah River Project area. Part IV. Succession in fields of the Savannah River Project area. 2. The floristic composition of lowland fields in the third year of abandonment. Univ. S. C. Publ., Biology Series III, 1: 220-226.
- Batson, W. T., W. R. Kelley, L. F. Swails, Jr. and F. F. Welbourne, Jr. 1957. An ecological study of the fauna and flora of the Savannah River Plant area. Part VII. Distributional studies of the flora. 3. The vegetation of a mature beech-magnolia forest within the Gantt Tract. Univ. S. C. Publ., Biology Series III, 2:65-71.
- Correll, D. S. and H. B. Correll. 1975. Aquatic and Wetland Plants of the Southwestern United States. Stanford University Press, Stanford, CA. 2 vols.
- Dukes, E. K. 1984. The Savannah River Plant Environment. DP-1642. E. D. DuPont de Nemours & Co., Aiken, SC.
- Gabrielson, F. C., Jr. 1968. The effects of shade, litter and root competition on old field vegetation in Aiken County, South Carolina. Ph.D. Dissertation. Univ. Georgia, Athens.
- Gladden, J. B. 1979. Radio cesium exchange among components of a coastal plain bottomland stream ecosystem. Ph.D. Dissertation. Emory Univ., Atlanta, GA.
- Gleason, H. A. 1963. The New Britton & Brown Illustrated Flora of the Northeastern U.S. & Adjacent Canada. Hafner Publishing Co., Inc. New York.
- Godfrey, R. K. and J. W. Wooten. 1979. Aquatic and Wetland Plants of Southeastern United States. Univ. of Georgia Press, Athens, GA.
- Golley, F. B., G. A. Petrides and J. F. McCormick. 1965. A survey of the vegetation of the Boiling Springs Natural Area, South Carolina. Bull. Torrey Bot. Club 92:355-363.
- Good, B. J. and S. A. Whipple. 1982. Tree spatial patterns: South Carolina bottomland and swamp forests. Bull. Torrey Bot. Club 109:529-536.
- Hardin, J. W. and Committee. 1977. Vascular Plants. In: J. E. Cooper, S. S. Robinson, and J. B. Funderburg (eds.), Endangered and Threatened Plants and Animals of North Carolina. N. C. State Museum of Natural History, Raleigh, N. C. p. 56-142.

- Hay, J. D. 1977. A comparative analysis of Cs-137 dynamics in two floodplain forests along a southeastern coastal plain stream. Ph.D. Dissertation. Emory Univ., Atlanta, GA.
- Hitchcock, A. S. and A. Chase. 1951. Manual of the Grasses of the United States. 2nd ed. Revised by A. Chase. U.S. Department of Agriculture Miscellaneous Publication. Washington, D. C.
- Hoy, W. E. and C. L. Porter, Jr. 1958. An ecological study of the fauna and flora of the Savannah River Plant area. Part VII. Distributional studies of the flora. 5. Pinelands flora. Univ. S.C. Publ., Biology Series III, 2:142-146.
- Irwin, J. E. 1975. Structure of stump communities in a stream affected by thermal effluent. M. A. Thesis. Univ. North Carolina, Chapel Hill.
- Jones, S. M., D. H. VanLear and S. K. Cox. 1981. Major forest community types of the Savannah River Plant: A field guide. Savannah River Operations, National Environmental Research Park, Publication no. 9. Available from the Savannah River Ecology Laboratory, Aiken, SC.
- Kelley, W. R. and W. T. Batson. 1955. An ecological study of the fauna and flora of the Savannah River Project area. Part I. The flora of the Savannah River Project area. 2. The Dicotyledons (continued) (Rosaceae, Mimosaceae, Caesalpiniaceae and Fabaceae). Univ. S. C. Publ., Biology Series III, 1:259-266.
- Kelley, W. R. and W. T. Batson. 1955. An ecological study of the land plants and cold-blooded vertebrates of the Savannah River Project area. Part I. The flora of the Savannah River Project area. 2. The dicotyledons (Saururaceae through the Platanaceae). Univ. S.C. Publ., Biology Series III, 1:189-204.
- Kelley, W. R. and W. T. Batson. 1955. An ecological study of the land plants and cold-blooded vertebrates of the Savannah River Project area. Part VI. Conspicuous vegetational zonation in a "Carolina Bay". Univ. S. C. Publ., Biology Series III, 1:244-248.
- Kelley, W. R. and W. T. Batson. 1956. An ecological study of the fauna and flora of the Savannah River Project area. Part I. The flora of the Savannah River Project area. 2. The dicotyledons (continued) (Oxalidaceae through Loganiaceae). Univ. S. C. Publ., Biology Series III, 2:3-21.
- Kelley, W. R. and W. T. Batson. 1956. An ecological study of the fauna and flora of the Savannah River Project area. IV. Succession in fields of the Savannah River Project area. 3. A summary of the species performance of plants in upland fields during the third, fourth, and fifth years of abandonment. Univ. S. C. Publ., Biology Series III, 2:22-25.

Kelley, W. R. and W. T. Batson. 1957. An ecological study of the fauna and flora of the Savannah River Plant area. Part I. The flora of the Savannah River Plant area. 2. The Dicotyledons (continued) (Gentianaceae through Lobeliaceae). Univ. S.C. Publ., Biology Series III, 2:45-59.

Kelley, W. R. and W. T. Batson. 1958. An ecological study of the fauna and flora of the Savannah River Plant area. Part I. The flora of the Savannah River Plant area. 2. The Dicotyledons (additions to previous listings). Univ. S.C. Publ., Biology Series III, 2: 133-134.

Kelley, W. R. and W. T. Batson. 1958. An ecological study of the fauna and flora of the Savannah River Plant area. Part I. The flora of the Savannah River Plant area. 2. The Dicotyledons (Compositae). Univ. S. C. Publ., Biology Series III, 2:123-132.

Langley, T. M. and W. L. Marter. 1973. The Savannah River Plant Site. DP-1323, E. I. du Pont de Nemours and Company, Savannah River Laboratory, Aiken, SC.

Martin, C. E., E. J. Christy and K. W. McLeod. 1977. Changes in the vegetation of a South Carolina swamp following cessation of thermal pollution. J. Elisha Mitchell Sci. Soc. 93:173-176.

McCollum, J. L. and D. R. Ettman. 1977. Georgia's Protected Plants. Georgia Dept. of Natural Resources, Resources Planning Section, Atlanta, GA.

Miller, G. L. 1968. The influence of season on the radiation sensitivity of an old field community. Ph.D. Diss., Univ. North Carolina, Chapel Hill.

Odum, E. P. 1960. Organic production and turnover in old field succession. Ecology 41:34-49.

Odum, E. P. and E. J. Kuanzler. 1963. Experimental isolation of food chains in an old-field ecosystem with the use of phosphorus-32. In: V. Schultz and A. W. Clement, Jr. (eds.), Radioecology, Proc. 1st Nat. Symp. Radioecology. Reinhold, N.Y. p. 113-120.

Odum, E. P., J. E. Pinder III and T. A. Christiansen. 1984. Nutrient losses from sandy soils during old-field succession. Am. Midl. Nat. 111:148-154.

Parker, E. D., M. F. Hirshfield and J. W. Gibbons. 1973. Ecological comparisons of thermally affected aquatic environments. J. Water Pollut. Control Fed. 45:726-733.

Pinder, J. E., III. 1971. The effect of species removal on the net productivity of an old-field plant community. M. S. Thesis. Univ. Georgia, Athens.

- Pinder, J. E., III. 1975. Effects of species removal on an old-field plant community. *Ecology* 56:747-751.
- Pinder, J. E., III. 1977. Relationships between structure and function in an old-field plant community. Ph.D. Dissertation. Univ. Georgia, Athens.
- Pinder, J. E., III, K. W. McLeod, J. J. Alberts and D. C. Adriano. 1984. Uptake of 244-Cm, 238-Pu and other radionuclides by trees inhabiting a contaminated flood plain. *Health Phys.* 47:375-384.
- Porter, C. L., Jr., F. F. Welbourne, Jr. and W. E. Hoy. 1958. An ecological study of the fauna and flora of the Savannah River Plant area. Part VII. Distributional studies of the flora. 4. The flora of the bottom lands of the Savannah River swamp (additions to previous list). *Univ. S. C. Publ., Biology Series III*, 2:140-142.
- Radford, A. E., H. E. Ahles and C. R. Bell. Manual of the Vascular Flora of the Carolinas. Univ. of North Carolina Press, Chapel Hill, N.C.
- Rayner, D. A. and Members of the S. C. Advisory Committee on Endangered, Threatened and Rare Plants. 1979. Native Vascular Plants Endangered, Threatened, or Otherwise in Jeopardy in South Carolina. South Carolina Museum Commission, Columbia, SC.
- Sharitz, R. R., J. E. Irwin and E. J. Christy. 1974. Vegetation of a swamp receiving reactor effluents. *Oikos* 25:7-13.
- Small, J. K. 1933. Manual of the Southeastern Flora. Univ. of North Carolina Press, Chapel Hill, NC.
- Smithsonian Institution, 1975. Report on Endangered and Threatened Plant Species of the United States. House Document No. 94-51, Serial No. 94-A. U. S. Govt. Printing Office, Washington, DC.
- Swails, L. F., Jr., F. F. Welbourne, Jr. and W. E. Hoy. 1957. An ecological study of the fauna and flora of the Savannah River Plant area. Part VII. Distributional studies of the flora. 4. The flora of the bottom lands of the Savannah River swamp. *Univ. S. C. Publ., Biology Series III*, 2:72-77.
- Tulloch, R. N. and W. T. Batson. 1954. An ecological study of the land plants and cold-blooded vertebrates of the Savannah River Project area. IV. Succession in fields of the Savannah River Project area. 1. The floristic composition of upland fields in the third year of abandonment. *Univ. S. C. Publ., Biology Series III*, 1: 173-180.
- Wallace, A., E. M. Romney, D. C. Adriano, J. Kinnear and G. V. Alexander. 1982. Sources of variation in mineral composition of selected plants inhabiting a floodplain at the Savannah River Plant. *Soil Sci.* 134:36-39.

Welbourne, F. F., Jr. 1958. An ecological study of the fauna and flora of the Savannah River Plant area. Part IX. Ecological disturbances. 1. The effects of flooding upon the vegetation along Steel Creek. Univ. S. C. Publ., Biology Series III, 2:158-168.

Welbourne, F. F., Jr. 1958. The effects of flooding upon the vegetation along Steel Creek. M. S. Thesis. Univ. of South Carolina, Columbia.

Whipple, S. A., L. H. Wellman and B. J. Good. 1981. A classification of hardwood and swamp forests of the Savannah River Plant, South Carolina. Savannah River Operations, National Environmental Research Park, Publication no. 6. Available from the Savannah River Ecology Laboratory, Aiken, SC.

## LITERATURE CITED

- Bailey, L. H. 1949. Manual of Cultivated Plants. The Macmillan Co., New York.
- Carrell, D. S. and H. B. Correll. 1975. Aquatic and Wetland Plants of the Southwestern United States. Stanford University Press, Stanford, CA. 2 Volumes.
- Dukes, E. K. 1984. The Savannah River Plant Environment. DP-1642. E. I. du Pont de Nemours & Co. Aiken, SC.
- Fernald, M. L. 1950. Gray's Manual of Botany. Van Nostrand Reinhold Company. New York.
- Langley, T. M. and W. L. Marter. 1973. The Savannah River Site. DP-1323., E. I. DuPont de Nemours & Co., Savannah River Laboratory, Aiken, S.C.
- Mirov, N. T. 1967. The Genus Pinus. The Ronald Press Co., New York.
- Radford, A. E., H. E. Ahles and C. R. Bell. 1968. Manual of the Vascular Flora of the Carolinas. Univ. of North Carolina Press, Chapel Hill, N.C.

## ACKNOWLEDGMENTS

The final report was compiled by R. R. Sharitz of the Savannah River Ecology Laboratory, who also arranged and assisted in many aspects of the work. We also thank many members of the staff of the SREL for field and laboratory assistance. J. C. Luval, J. E. Irwin, K. W. McLeod, R. R. Sharitz, A. E. Hodge, and D. E. Wickland of SREL and B. J. Good and L. H. Wellman of Louisiana State University assisted with field collections and laboratory identifications. K. K. Patterson and R. B. Wolf edited the report and N. P. Barber typed the manuscript. R. J. Oliver updated the species list in July, 1984. D. A. Rayner of the South Carolina Heritage Program reviewed the document and provided valuable suggestions.

This research was supported, in part, by National Environmental Research Park funds administered by the Savannah River Ecology Laboratory, under Contract No. DE-AC09-76SR00819 between the University of Georgia's Institute of Ecology and the United States Department of Energy.

