

Taxonomic Index

- Abrus* 55, 449
- Abrus precatorius* 236, 237, 289
- Abuta* 455
- Abuta rufescens* 454
- Abutilon theophrasti* 265
- Acacia* 340
- Acacia catechu* 459
- Acacia pennata* 55, 57
- Acanthosicyos horrida* 342
- Actinidia* 61
- Actinidia arguta* 105, 184, 192
- Actinidia chinesis* 133
- Actinidia deliciosa* 143, 147, 167, 184
- Adenia* 54, 411, 459
- Adenocalymma* 56, 438
- Adenopus* 54
- Adesmia* 54
- Adlumia* 22
- Aegiphila* 398
- Afromendoncia* 54, 56, 57, 58
- Aganosma* 108, 431
- Agatea* 36
- Agelaea obliqua* 441
- Agelaea trinervis* 441
- Akebia* 66, 247
- Allamanda* 108, 431
- Alyxia* 431
- Ambelanias* 431
- Ampelocissus* 465
- Ampelocissus asarifolia* 465
- Ampelocissus ochracea* 465
- Ampelopsis* 247, 465
- Anamirta* 455
- Ancistrophyllum secundiflorum* 434
- Anechites* 432
- Anemopaegma* 56, 438
- Anisosperma* 444
- Anodendron* 432
- Anomospermum* 57, 128
- Anredera* 328
- Anredera cordifolia* 437
- Anredera diffusa* 437
- Anthurium* 433
- Antigonum* 22
- Antizoma capensis* 340
- Apodanthera* 444
- Apodanthera undulata* 343
- Archontophoenix cunninghamiana* 369
- Areca catechu* 459
- Argyreia* 54, 442
- Aristolochia* 20, 55, 56, 64, 109, 193, 194, 247, 297–8, 405, 435
- Aristolochia elegans* 298
- Aristolochia maxima* 110
- Aristolochia taliscana* 174
- Arrabidaea* 56, 319, 437–8
- Arrabidaea chica* 437–8
- Arrabidaea pubescens* 438
- Artobotrys* 20, 22, 102, 430
- Artemisia herba-alba* 350
- Asparagus* 104, 340
- Asparagus acutifolius* 348
- Atraphaxis* 55
- Banisteria* 56
- Banisteriopsis* 442
- Banisteriopsis caapi* 451, 452
- Banisteriopsis cabrerana* 451
- Banisteriopsis martiana* 451
- Banisteriopsis muricata* 452
- Banisteriopsis quitensis* 451
- Banisteriopsis rusbyana* 451

Taxonomic index

- Basarthrum* 63
- Basella alba* 437
- Basella rubra* 437
- Bauhinia* 20, 23, 55, 56, 57, 58, 59, 64, 103, 112, 113, 114, 121, 128, 138–42, 144, 150, 153, 396, 448–9
- Bauhinia aculeata* 141, 144
- Bauhinia blakeana* 141, 143, 144, 145
- Bauhinia championi* 56
- Bauhinia corymbosa* 136
- Bauhinia fassoglensis* 134, 135, 136, 139–41, 143, 144, 145, 153
- Bauhinia galpinii* 141, 143, 144
- Bauhinia japonica* 56, 121
- Bauhinia kochiana* 106, 112
- Bauhinia langsdorffiana* 56
- Bauhinia vahlii* 112, 136, 141, 144
- Bauhinia variegata* 141, 142, 144
- Beaumontia* 63
- Begonia* 437
- Benincasa* 443, 444
- Berchemia* 247
- Berchemia philippinensis* 461
- Bignonia* 56, 103, 248, 342
- Bignonia capreolata* 225
- Billardiera* 340
- Blakea* 403
- Bomarea* 20, 399, 430
- Bomarea acutifolius* 430
- Bomarea edulis* 430
- Bomarea glaucescens* 430
- Bomarea ovata* 430
- Bonamia* 55, 56
- Boquila* 341
- Bougainvillea* 54, 103, 109
- Brunellia comocladiifolia* 92
- Brunnichia* 247
- Bryonia dioica* 83
- Byttneria* 20, 34
- Caesalpinia* 102, 449
- Caesalpinia bonducilla* 236
- Caesalpinia sordetchnie* 184
- Cajophora* 341
- Calamus* 20, 104, 105, 360, 434, 477–88
- Calamus arborescens* 478
- Calamus caesioides* 478, 480, 482–3, 485–7
- Calamus exilis* 481, 485, 487
- Calamus manan* 434, 478–87
- Calamus merrilli* 434, 488
- Calamus muelleri* 184
- Calamus ornatus* 434, 482
- Calamus pilosellus* 485, 487
- Calamus trachycoleus* 478, 479, 482–3, 485–7
- Calamus tumidus* 482
- Calamus zollingeri* 488
- Callichlamys* 56
- Calonyction* 54, 442
- Calycocarpum* 247
- Calycophysum* 394, 398
- Calycopteris* 55
- Campsidium* 414
- Campsisi* 248
- Campsis radicans* 105, 107
- Canavalia* 449
- Canavalia ensiformis* 297
- Capparis* 408
- Cardiospermum* 295, 328, 342, 370, 463
- Cardiospermum halicacabum* 184, 188
- Cassytha* 338
- Cayapomia* 394, 398
- Cayratia* 109, 136, 465, 466
- Cayratia eurynema* 324, 364
- Cayratia trifolia* 110
- Celastrus* 55, 55, 247, 251, 440, 494
- Celastrus orbiculatus* 184, 192, 245, 268, 277
- Celastrus paniculatus* 440
- Centrosema plumieri* 56
- Cephalandra* 444
- Cephalanthus* 402
- Ceropegia* 20, 55, 56
- Chamaecyparis* 494
- Chamaedorea elatior* 479
- Chamissoa* 54
- Cheiloclinium* 54
- Cheiranthera* 340
- Chenopodium album* 265
- Chiococca* 402
- Chomelia* 402
- Chondrodendron* 455
- Chondrodendron tomentosum* 454
- Chonemorpha* 432
- Cissampelos* 455–6
- Cissampelos pareira* 92
- Cissus* 20, 55, 56, 56, 174–5, 185, 197, 247, 319, 351, 465, 466
- Cissus afzelii* 57
- Cissus antarctica* 185
- Cissus assamica* 465
- Cissus barteri* 57
- Cissus gongylodes* 465
- Cissus quadrangularis* 185
- Cissus repens* 465
- Cissus sicyoides* 92, 100, 174, 185, 189, 465
- Cissus trifoliata* 185, 351
- Cissus triloba* 465
- Citrullus* 444
- Citrullus colocynthis* 343, 347–50

Taxonomic index

- Citrullus lanatus* 443
- Citrullus vulgaris* 348
- Clematis* 22, 247, 339, 341, 460–1, 494
- Clematis branchiata* 340
- Clematis chinensis* 460
- Clematis dioica* 460, 461
- Clematis gouriana* 460
- Clematis grossa* 461
- Clematis javana* 461
- Clematis lasianthus* 346, 347
- Clematis recta* 348
- Clematis virginiana* 184, 189, 262–8, 270
- Clematis vitalba* 498
- Clerodendron* 21, 398
- Clusia* 4, 5, 410
- Clusia flava* 185
- Clusia rosea* 185
- Clusia witana* 185
- Clytostoma* 439
- Cobaea* 22, 22, 65, 394, 399
- Coccinia* 56, 103, 109, 136, 444
- Coccinia grandis* 111, 137
- Cocculus* 247, 456
- Cocculus pendulus* 342
- Columnnea* 21
- Columnnea sensu lato* 399
- Combretum* 19, 20, 55, 365, 402
- Combretum coccineum* 441
- Combretum decandrum* 366
- Combretum dolichandrone* 55
- Combretum farinosum* 386, 395
- Comesperma volubile* 340
- Conchophyllum* 218
- Condylarcarpon* 112, 432
- Condylarcarpon guyanense* 115
- Convolvulus* 20, 54, 101, 442
- Convolvulus althaeoides* 348
- Convolvulus arvensis* 170–2
- Corylus avellana* 265
- Corypha utan* 485
- Coscinium* 456
- Couratari panamensis* 225
- Coussapoa* 410
- Craterosiphon* 22
- Crescentia* 387, 443
- Crossostemma* 56
- Cryptostegia* 436
- Cucumis* 444
- Cucumis melo* 348
- Cucumis sativus* 184, 195, 296, 443
- Cucurbita* 55, 86, 352, 398, 443, 444
- Cucurbita digitata* 343, 344, 350
- Cucurbita foetidissima* 169, 171, 343–5, 348, 349, 350
- Cucurbita palmae* 350
- Cucurbita pepo* 184, 296, 443
- Cudronia cochinchinensis* 184
- Curarea* 454, 456
- Curarea tecunumarum* 454
- Curarea toxicofera* 454
- Cuscuta* 19, 20, 338, 442
- Cuspidaria* 56
- Cyathostemma* 430
- Cyclanthera* 444
- Cyclanthera multifoliolata* 147, 150, 151, 152, 153
- Cynanchum* 20, 248
- Cynastrum* 436
- Cyphostemma* 351
- Cyphostemma curorii* 185
- Cypyostemma quinatum* 185
- Daemonorops* 434–5, 477–88
- Daemonorops augustifolia* 479
- Daemonorops calicarpa* 480
- Dalbergia* 20, 449
- Dalechampia* 21, 342, 396, 402
- Dalhousiea* 112
- Dalhousiea africana* 115
- Datura stramonium* 350
- Davilla kunthii* 446
- Davilla* 61
- Decaisnea* 65
- Decumaria* 247
- Dendropanax arboreus* 92
- Derris* 448
- Derris elliptica* 290, 448
- Derris malaccensis* 448
- Derris ulignosa* 448
- Desmoncus* 23, 77, 399, 434, 479
- Desmoncus longifolius* 434
- Desmoncus macroanthos* 434
- Desmoncus prostratus* 434
- Desmoncus prunifer* 434
- Desmos* 430
- Dichapetalum* 20, 319
- Diclidanthera* 399
- Dicranostyles* 54, 397
- Dieterlea fusiformis* 174
- Dioclea megacarpa* 297
- Dioncophyllum* 54
- Dioscorea* 19, 20, 101, 102, 162, 174, 293, 296, 299, 361, 411, 446–7
- Dioscorea alata* 446, 447
- Dioscorea batatas* 446
- Dioscorea bulbifera* 79, 80, 81, 82, 88
- Dioscorea cayenensis* 446
- Dioscorea composita* 446

Taxonomic index

- Dioscorea esculenta* 446, 447
- Dioscorea floribunda* 446
- Dioscorea hispida* 447
- Dioscorea persimilis* 447
- Dioscorea trifida* 446
- Dioscoreophyllum* 456
- Dioscoreophyllum cumminsii* 454
- Diplopterys* 452
- Diplopterys cabrerana* 451
- Dischidia* 436
- Disciphania* 174
- Distinctella* 439
- Distictis* 56
- Dolichos* 449
- Doliocarpus* 54, 61, 129, 319
- Doliocarpus coriacea* 128
- Doliocarpus multiflorus* 128
- Doxantha* 56
- Doyerea* 175
- Doyerea emetocathartica* 174
- Drosera* 340
- Durandea* 62
- Eccremocarpus scaber* 341
- Echinopepon* 342
- Elaterium* 445
- Embelia* 105, 106
- Embelia australiana* 360
- Embelia philippensis* 457
- Embelia ribes* 457
- Entada* 22, 22, 23, 55, 319, 449
- Entada phaseoloides* 362, 363
- Entadopsis polystachya* 146–7, 148–9, 150, 153, 174
- Ephedra* 62
- Ephedra pedunculata* 62, 337
- Epiprenum* 433
- Erycibe* 54, 442
- Erycibe ramiflora* 397
- Erythrina* 395
- Espeletia* 343
- Eucalyptus* 188
- Euonymus* 247
- Evodianthus funifer* 446
- Exogonium* 54, 55, 58
- Fevillea* 398, 443
- Fevillea cordatifolia* 443
- Fevillea pedatifolia* 443
- Ficus* 55, 218, 229, 399, 410
- Ficus pumila* 218, 222
- Ficus schippitii* 405
- Ficus yopenensis* 225
- Flabellaria* 56
- Flagellaria* 22, 362
- Flagellaria indica* 447
- Forsteronia* 397
- Forsteronia portoricensis* 92
- Fragaria vesca* 260
- Freycinetia* 36, 66, 394, 395
- Freycinetia funicularis* 458
- Fridericia* 56
- Funastrum* 436
- Galactia* 20
- Gaudichaudia* 194, 342
- Gelsemium* 248
- Gerardanthus* 352
- Glaziova* 56
- Gloriosa* 105, 362
- Gloriosa superba* 450
- Gnetum* 54, 62, 447
- Gnetum indicum* 447
- Gonolobus* 20, 20
- Gouania* 22, 342, 461
- Gouania leptostachya* 461
- Gouania lupuloides* 461
- Gouania rosei* 174
- Gouania tilaeifolia* 461
- Guarea trichilioides* 92
- Guatteria* 454
- Guiera* 55
- Gurania* 395, 398, 411
- Gymnema* 436
- Hammada scoparia* 350
- Haplolophium* 56
- Hardenbergia* 340
- Hedera* 37, 63, 222, 248, 339
- Hedera helix* 127, 184, 189, 190, 197, 205, 253, 262–9
- Heisteria scandens* 128
- Helixanthera parasitica* 451
- Heteropsis* 433
- Heteropteris* 21, 55, 342, 452
- Heteropteris laurifolia* 92
- Heteropteris palmeri* 182
- Hewittia* 54
- Hidalgoa* 22, 23
- Hippocratea* 56, 102, 108, 440–1
- Hippocratea comosa* 441
- Hippocratea indica* 441
- Hippocratea volubilis* 92, 133, 136
- Hiraea* 452
- Hiraea reclinata* 386
- Hodgsonia* 445
- Hosiea sinense* 58
- Hoya* 218, 435–6

Taxonomic index

- Hoya australis* 185, 186
- Hoya coriacea* 435
- Hoya diversifolia* 436
- Hoya imbricata* 435
- Hoya nicholsoniae* 185, 186, 188, 189
- Hoya rumphii* 435
- Hugonia* 23
- Humiranthera* 447
- Humiranthera ampla* 447
- Humiranthera duckei* 447
- Humiranthera rupestris* 447
- Humulus lupulus* 79
- Hydrangea integrifolia* 6
- Hylocereus* 440
- Ibervillea* 352
- Ibervillea sonorae* 345
- Icacina* 54, 56
- Icacina mannii* 55, 57
- Icacina senegalensis* 447
- Icacina trichantha* 447
- Indigofera* 297
- Indigofera spicata* 297
- Inga vera* 92
- Iodes* 22, 56
- Iodes liberica* 58, 58
- Iodes ovalis* 55, 58
- Iodes philippensis* 58
- Ipomoea* 19, 20, 54, 64, 101, 213–15, 228, 328, 342, 370, 397, 441–2
- Ipomoea alba* 395, 397
- Ipomoea albivenia* 397
- Ipomoea aquatica* 442
- Ipomoea arborescens* 397
- Ipomoea arenoides* 342
- Ipomoea batatas* 162, 441–2
- Ipomoea caerulea* 215
- Ipomoea coccinea* 397
- Ipomoea costata* 341
- Ipomoea mirandina* 397
- Ipomoea mururoides* 397
- Ipomoea nil* 442
- Ipomoea peduncularis* 397
- Ipomoea pes-caprae* 442
- Ipomoea phillomega* 75, 77, 215
- Ipomoea purga* 442
- Ipomoea quamoclit* 397
- Ipomoea repanda* 92
- Ipomoea tricolor* 442
- Ipomoea trifida* 441
- Ipomoea umbrellata* 56
- Ipomoea versicolor* 55
- Jacquemontia* 342, 442
- Janusia* 342
- Jasminum* 20, 108, 341, 457
- Jasminum fluminense* 107, 108
- Jasminum sambac* 457
- Jateorhiza* 456
- Juanulloa* 402
- Kennedia* 340
- Kolobopetalum* 456
- Korthalsia* 480, 481
- Korthalsia rigida* 485
- Kunstleria ridleyi* 56
- Lagenaria* 55, 443, 445
- Landolphia* 319, 432
- Landolphia owariensis* 55
- Lantana* 55, 55, 398
- Lardizabala* 341
- Lathyrus* 20, 22, 297, 339
- Lecontea* 462
- Leptadenia* 55
- Leucocalanthe* 396
- Liabum caducifolium* 182
- Liquidambar styraciflua* 252
- Liriodendron tulipifera* 255
- Loasa* 341
- Loeseneriella* 112, 319
- Lomagramma* 207
- Lomariopsis japurensis* 460
- Lonchocarpus* 448
- Lonchocarpus rariflorus* 448
- Lonicera* 248, 339, 494
- Lonicera implexa* 348
- Lonicera japonica* 184, 192, 245–77
- Lonicera semperivirens* 184, 254, 255
- Lophopyxis* 22
- Luffa* 54, 342, 445
- Lundia* 56
- Luzuriaga* 104
- Luzuriaga latifolia* 153
- Lycianthes* 402
- Lygodium* 207, 463
- Lygodium circinatum* 463
- Lygodium japonicum* 208, 209
- Lygodium scandens* 463
- Mabea* 402
- Macfadyena* 138, 222, 328, 370, 439
- Macfadyena mollis* 56
- Macfadyena unguis-cati* 113, 116, 215, 216, 225, 226, 228, 137
- Machaerium* 20, 54, 57
- Machaerium seemannii* 128
- Macrolenes mucosa* 453

Taxonomic index

- Macroptilum atropurpureum* 184
- Malaisia scandens* 361
- Mandevilla* 20, 63, 397, 431, 432
- Mandevilla nerioides* 431
- Mandevilla scabra* 431
- Mandevilla stephanotidifolia* 431
- Mandevilla steyermarkii* 431
- Mandevilla vanheurckii* 431
- Manettia* 402, 461–2
- Manihot chlorosticta* 108
- Manniophyton africanus* 447
- Mansoa* 112, 437–9
- Masoa alliancea* 438
- Mansoa standleyi* 438
- Marah* 339–340, 343, 344
- Marah fabaceus* 171–3, 345
- Marah macrocarpus* 343–5, 348, 349
- Marcgravia* 55, 128, 218, 229, 94, 399, 405
- Marcgravia myriostigma* 453
- Marcgravia nepenthoides* 453
- Marcgravia rectiflora* 92
- Marcgravia umbellata* 235
- Marcgraviastrum* 399
- Maripa* 54, 397, 442
- Markea* 402, 402
- Marsdenia* 20
- Marsdenia laxiflora* 75, 190, 197
- Marsenia* 436
- Marsenia hamiltonii* 436
- Marsenia reichenbachii* 436
- Marsenia tinctoria* 436
- Marsenia zimapanica* 436
- Martinella* 437–9
- Martinella iquitoensis* 438
- Martinella obovata* 438
- Mascagnia* 56, 112, 342, 453
- Mascagnia glandulifera* 451
- Matelea* 20
- Medinilla* 20
- Medinilla hasseltii* 453
- Melloa* 56
- Melodinus australis* 184, 319
- Meloithria* 54, 445
- Memora* 439
- Mendoncia* 55, 56, 57, 62, 64, 101, 399, 404
- Mendoncia gigas* 58
- Menispermum* 56, 247
- Merremia* 54, 56, 108, 328, 442
- Merremia tuberosa* 117, 118
- Mesichites* 432
- Metastelma* 20
- Metrosideros* 218
- Mexia* 453
- Mikania* 19, 20, 23, 56, 402, 437
- Mikania cordata* 437
- Mikania cordifolia* 109
- Mikania fragilis* 92
- Mikania guaco* 437
- Mikania micrantha* 437
- Mikania officinalis* 437
- Mikania scandens* 112
- Mikania sessiflora* 437
- Mikania smilacina* 437
- Mikania vitifolia* 437
- Milletia* 54, 57, 449
- Mimosa* 449
- Momordica* 54, 352, 398, 443
- Momordica charantia* 184, 194, 443
- Momordica cochinchinensis* 443
- Monanthotaxis* 319
- Monstera* 210–13, 218, 226, 228, 229, 433
- Monstera acuminata* 211
- Monstera adansonii* 230–4
- Monstera dubia* 211
- Monstera gigantea* 77
- Monstera lechleriana* 211
- Monstera pittieri* 211
- Monstera punctata* 211
- Monstera siltepecana* 211
- Monstera tenuis* 212, 213
- Monstera tuberculata* 210, 211
- Moutabea* 399
- Mucuna* 54, 297, 394, 396, 449
- Mucuna biplicata* 153
- Mucuna pruriens* 55, 58, 236
- Mucuna rostrata* 396
- Mucuna sloanei* 153
- Muhlenbeckia hastulata* 341
- Mussaenda* 20, 55, 402
- Mussatia* 439
- Mutisia* 22, 23, 341, 402
- Nectandra* 128
- Neostachyanthus* 56
- Nepenthes* 216, 457
- Nepenthes distillatoria* 457
- Nepenthes reinwardtiana* 457
- Nereocystis leutkeana* 88
- Neuroleptis* 56, 56
- Norantea* 399
- Ocotea floribunda* 92
- Odontadenia* 397, 432
- Omphalea diandra* 128
- Ourania* 445
- Oxypetalum* 20
- Pachyrhizus* 450

Taxonomic index

- Paederia* 462
- Palmeria scandens* 365
- Paragonia* 56
- Parameira* 432
- Parastistolochia* 55
- Parquetina* 436
- Parsonia* 20, 290, 432
- Parsonia lilacina* 184
- Parthenocissus* 247
- Parthenocissus quinquefolia* 184, 250, 251, 259, 260, 262–7, 269–76
- Passiflora* 20, 56, 59, 60, 108, 215, 222, 247, 328, 342, 370, 405, 458–9
- Passiflora caerulea* 84–7
- Passiflora edulis* 458
- Passiflora foetida* 458
- Passiflora laurifolia* 458
- Passiflora ligularis* 458
- Passiflora mollissima* 458
- Passiflora pittieri* 365
- Passiflora quadrangularis* 458
- Passiflora vitifolia* 215, 228
- Paucoria* 22
- Paullinia* 19, 20, 56, 103, 128, 319, 342, 462, 463
- Paullinia cupana* 462
- Paullinia pinnata* 92
- Paullinia yoco* 462
- Peixotoa* 108, 138
- Peixotoa glabra* 136, 137, 111, 112
- Peniocereus* 342
- Peperomia* 21
- Pereskia aculeata* 440
- Perianthomega* 22
- Periploca* 55, 248, 436
- Petastoma* 56
- Petrea* 55, 398
- Phaedranthus* 56
- Pharmacosycea* 410
- Phaseolus* 20, 197, 448, 450
- Phaseolus lunatus* 184, 188, 189, 192
- Phaseolus viridis* 184, 196
- Phaseolus vulgaris* 184, 196, 236
- Philodendron* 19, 20, 433, 433
- Philodendron craspedodromum* 433
- Philodendron dysicarpum* 433
- Philodendron hederaceum* 433
- Phryganocyclia* 56
- Phyllanthectus* 434
- Physedra* 54
- Physostigma* 450
- Physostigma venenosum* 290
- Phytocrene* 56
- Pieris* 248
- Piper* 55, 218, 319, 459–60
- Piper betle* 459, 461
- Piper chaba* 460
- Piper cubeba* 460
- Piper longum* 460
- Piper nigrum* 290, 459, 460
- Piper novae-hollandiae* 366
- Piper retrofractum* 460
- Piptostegia* 442
- Pisonia* 66, 103, 109
- Pisum sativum* 190, 196, 197
- Pithecoctenium* 56, 112, 113, 138, 439
- Pithecoctenium crucigerum* 131, 132, 133, 136, 137
- Plectocomia* 480, 482
- Plectomiopsis* 482
- Pleonotoma* 56, 439
- Plukenetia conophora* 447
- Plukenetia volubilis* 447
- Podocephalus* 434
- Podranea* 108
- Polakowskia* 445
- Popowia congensis* 430
- Porana* 54
- Porana sericea* 341
- Pothos* 433
- Prestonia* 432
- Prevostea* 55, 56, 56, 58
- Pronaya* 340
- Proustia pyrifolia* 341
- Pseudobombax septenatum* 225
- Pseudocalyma* 439
- Pseudogynoxys* 402
- Psiguria* 395, 398, 411, 445
- Psychotria viridis* 451
- Pueraria* 247, 328, 370, 450
- Pueraria lobata* 168, 184, 188, 245, 249–77
- Pycnarrrhena* 456
- Pyrenacantha* 56, 56
- Pyrenacantha klaineana* 58
- Pyrenacantha repanda* 58
- Pyrostegia* 56
- Quamoclit* 342
- Quisqualis* 55, 365, 402
- Quisqualis indica* 441
- Rafflesia cantleyi* 117
- Randia* 402
- Raphioarylia beninensis* 227
- Rhaphioistylis* 54
- Rhipsalidopsis* 399
- Rhipsalis* 185, 399
- Rhoicissus* 465, 466

Taxonomic index

- Rhoicissus tomentosa* 340
- Rhus radicans* 184
- Rhynchosia* 20, 54, 55
- Ripogonum elseyanum* 184
- Rivea* 442, 442
- Rivea corymbosa* 442
- Rourea* 21, 54
- Rourea mimosoides* 114, 117, 441
- Rourea surinamensis* 92
- Rubus* 339, 461
- Rubus corylifolius* 184, 195, 255, 265
- Rubus elmeri* 461
- Rubus moluccanus* 461
- Sabicea* 20, 462
- Salacia* 20, 54, 56, 117, 319, 441
- Salacia alwynii* 404
- Salacia bipindensis* 57
- Salacia pyriformis* 115
- Salaciglia* 54
- Santaloides* 117
- Sarcopera* 404
- Sarcostemma* 436
- Saritaea* 112
- Saritaea magnifica* 133
- Schisandra* 247
- Schizocarpum* 342
- Schlegelia* 29, 108
- Schlegelia brachyantha* 92
- Schlumbergera* 399
- Schradera* 402, 462
- Schwarzia* 399
- Sciadotenia* 456
- Scyphanthus* 341
- Secamone* 21
- Secamone alpinii* 340
- Securidaca* 22, 57, 101
- Securidaca virgata* 92, 93
- Selenicereus* 440
- Selenicereus grandiflorus* 440
- Senecio mikanioides* 290
- Sephania japonica* 184
- Serjania* 19, 20, 56, 103, 138, 174, 342, 462, 463
- Serjania brachycarpa* 114, 115, 116, 174, 194
- Serjania corrugata* 56
- Serjania pinnata* 54
- Serjania polypylla* 116, 137
- Seyrigia* 351
- Seyrigia humbertii* 185
- Sicana* 445
- Sicydium* 398
- Sicyos* 341, 342
- Sicyos sicyoides* 365
- Sicyosperma* 342
- Smilax* 19, 20, 22, 102, 104, 247, 411, 464, 495
- Smilax aristolochiaeefolia* 464
- Smilax aspera* 348, 388
- Smilax auriculata* 105
- Smilax beyrichii* 464
- Smilax bracteata* 464
- Smilax calophylla* 464
- Smilax havanensis* 464
- Smilax leucophylla* 464
- Smilax macrophylla* 464
- Smilax megacarpa* 464
- Smilax ornata* 464
- Smilax regelii* 464
- Smilax rotundifolia* 184, 251, 267, 268, 271, 274, 275, 276
- Smilax spruceana* 464
- Solandra* 402, 464
- Solandra maxima* 464
- Solanum* 63, 402, 464
- Solanum diffusum* 464
- Solanum dulcamara* 184, 197
- Solanum jasminoides* 464
- Solidago rugosa* 252
- Sollya* 340
- Souroubea* 399, 453
- Spatholobus* 116, 117, 138
- Spatholobus oblongifolius* 153
- Sphaenocentrum* 456
- Sphaenostylis* 450
- Sphaerosicyos* 54
- Sphenodesme* 398
- Spiropetalum* 54
- Stenochlaena palustris* 460
- Stephania* 457
- Stigmaphyllon* 107, 108, 453
- Stigmaphyllon ellipticum* 134, 135
- Stigmaphyllon periplocaefolium* 108, 120
- Stizophyllum* 56
- Strongylodon* 54
- Strophanthus* 108, 431, 432
- Strophanthus gratus* 431
- Strophanthus kombe* 295, 431
- Strophanthus sarmentosus* 431
- Strychnos* 19, 20, 22, 26, 36, 55, 65, 88, 290, 398, 450, 454
- Strychnos densiflora* 57
- Strychnos diaboli* 451
- Strychnos panamensis* 398
- Strychnos solimoesana* 451
- Stylium* 340
- Syngonium* 210, 213, 222, 228, 433
- Syngonium rayii* 231–5
- Syngonium triphyllum* 213, 214

Taxonomic index

- Tabernaemontana* 432
- Tanaecium* 56, 295, 396, 439
- Telfairia* 445
- Telitoxicum* 457
- Telitoxicum minutiflorum* 454
- Telosma* 436
- Teratophyllum* 207, 228
- Teratophyllum aculeatum* 207
- Tetracerá* 61, 131, 319, 410
- Tetracerá alnifolia* 446
- Tetracerá scandens* 446
- Tetracerá sessiliflora* 446
- Tetracerá volubilis* 446
- Tetrapteris* 56, 453
- Tetrapteris methystica* 451
- Tetrapteris mucronata* 451
- Tetrastigma* 54, 109, 114, 117, 118, 465, 466
- Tetrastigma papillo* 465
- Tetrastigma voinierianum* 117
- Thiloa* 55, 402
- Thinouia* 57
- Thladiantha* 398
- Thunbergia* 55, 58, 62
- Thunbergia alata* 58
- Thunbergia grandiflora* 58
- Thunbergia laurifolia* 58
- Thysanotus* 340
- Tinomiscium petiolare* 106, 109
- Tinospora* 457
- Tinospora smilacina* 341
- Toona sureni* 485
- Tournefortia* 290, 440
- Tournefortia augustifolia* 440
- Tournefortia brevibloba* 440
- Toxicodendron* 247
- Toxicodendron diversilobum* 91, 339, 346, 347
- Toxicodendron radicans* 37, 257, 262–8, 270
- Trachelospermum* 63, 248
- Tragia* 21, 342
- Trianaea* 394, 402
- Triapsis odorata* 56
- Tribulus rajasthanensis* 185
- Trichosanthes* 443, 445
- Triclisia* 117, 457
- Triclisia subcordata* 115
- Trimeria* 61
- Triphyophyllum peltatum* 216, 217, 222
- Tropaeolum* 341, 464
- Tropaeolum majus* 464
- Tropaeolum peregrinum* 464
- Tropaeolum tuberosum* 464
- Tumamaca* 352
- Uncaria* 88, 102, 402, 459
- Uncaria africana* 461
- Uncaria gambir* 461
- Urceola* 433
- Urostigma* 410
- Usteria* 55
- Utricularia volubilis* 340
- Uvaria* 20, 319
- Uvaria rufa* 430
- Vanilla* 457–8
- Vanilla gardneri* 458
- Vanilla guianensis* 458
- Vanilla pithieri* 458
- Vanilla planifolia* 457
- Vanilla pompona* 458
- Ventilago calyculata* 461
- Ventilago maderaspatana* 461
- Vicia* 20, 22, 23, 297, 339, 342
- Vicia faba* 184
- Vigna* 21, 448, 450
- Vigna unguiculata* 184, 189
- Vinca* 339
- Vincetoxicum* 437
- Vitis* 102, 108, 131, 153, 247, 299, 339–40, 346, 349–51, 465, 466, 494, 498
- Vitis californica* 184, 190
- Vitis discolor* 465
- Vitis girdiana* 346
- Vitis labrusca* 129, 131, 146, 153
- Vitis munsonia* 105
- Vitis riparia* 153
- Vitis vinféra* 127, 143, 146, 153, 163–70, 184, 262, 264, 298, 299, 348–50, 464
- Vitis vulpina* 184, 250, 251, 257, 259, 260, 262–7, 269–76
- Wilcoxia* 342
- Willughbeia* 54, 433
- Wisteria* 54, 247
- Xerosicyos* 351
- Xerosicyos danguyi* 185
- Xylophragma seemaniana* 386
- Zanthoxylon* 454

General Index

Note: for full listing of species see Taxonomic Index

- abundance
 - measurement of 314–19
 - sources of variation 322
- Acanthaceae
 - anatomy of stem 54, 55, 56, 57, 62, 64
 - breeding and dispersal systems 399
 - distribution and abundance 323
 - distribution and evolution 11, 13
 - stem injury 101
- Actinidiaceae
 - anatomy of stem 61, 62, 65
 - stem injury 105
 - water flux and xylem structure 134
- aerial roots, *see* roots
- Africa
 - climbers and hemiepiphytes 16
 - density (*table*) 7
 - pollination systems 408–9
 - seasonality studies 379
 - community ecology
 - biomass, stem numbers, and basal areas (*table*) 314–15
 - sites included in liana distribution analysis 47
 - species-richness and familial composition of lianas 29–35
 - desert flora 341–2
 - Mediterranean-climate flora 340
 - air embolism, *see* embolism
 - alkaloids
 - distribution (*table*) 299–300
 - in trees and shrubs (*illus.*) 294
 - indole alkaloids 289–90
 - pyrrolidine alkaloids 290–3
- Alstroemeriaceae, anatomy of stem 66
- Amaranthaceae
 - anatomy of stem 54
 - seasonality 382
- Amaryllidaceae
 - breeding and dispersal systems 399
 - distribution and evolution 11, 13, 19
 - economics and human use 430
- Amazonian vines
 - pollination systems (*table*) 406–7
 - species-richness and familial composition (*table*) 24–5
 - see also* New World; tropical forest
- Americas, *see* New World
- amino acids, non-protein, toxicity 296–7
- amygdalin, structure (*illus.*) 291
- Anacardiaceae
 - distribution and evolution 37
 - physiological ecology 247
 - anatomy of leaves
 - development anatomy
 - juvenile *vs* adult (*illus.*) 230, 232
 - juvenile *vs* adult (*table*) 233
 - and light 229–35
 - anatomy of roots 133–4
 - anatomy of stem
 - absence of heart wood 120
 - anomalous stem anatomy, *see* anatomy of stem, cambial variants, abnormal conformation or dispersion
 - axial parenchyma 63–4
 - cambial variants, 53–7, 102–4, 110–12
 - cambial variants, abnormal conformation or dispersion
 - anatomy and taxonomic distribution 102–4
 - combinations of variants 57
 - compound secondary xylem 56

General index

- divided xylem cylinder 56
- dye experiments 136–8
- equivalence to wounding response 121
- functional significance 101–2
- interxylary phloem derived from a single cambium 55
- lobed xylem with disjunct cambium (*illus.*) 104, 112–15
- lobed xylem with initially continuous cambium (*illus.*) 104, 112
- separate vascular cylinders (*illus.*) 104, 115–16
- significance of vascular interruptions 117–20
- stems flattened in transection 55
- stems lobed in transection 55
- stems oval in transection 55
- stems with xylem furrowed 56
- successive cambia (centrifugal) 54
- successive cambia (centripetal) 54–5
- supernumerary cambia (*illus.*) 104, 107
- woody parts dispersed by parenchyma proliferation 56
- xylem, inner and outer 134
- xylem in plates 56
- xylem transport pathways (*illus.*) 136–8
- experimental twisting injury (*illus.*) 111
- monocotyledons 66–7, 102
- natural twisting injury (*illus.*) 113, 114, 115, 116
- parenchyma, storage tissue 175
- phloem
 - included secondary phloem 103, 109
 - internal primary phloem 103, 108
 - sieve-tube elements 65
- rays 64–65
 - un lignified rays (*illus.*) 104, 109–12
- regeneration via xylem parenchyma 120
- sclerenchyma 65–6
- tracheary elements, imperforate 62–3
- tracheids
 - arid region species 346
 - fiber-tracheids 63
 - imperforate tracheary elements 62–3
 - vasicentric tracheids 62
 - water transport 129–30
- see also* anatomy of stem, xylem
- typical arrangement (*illus.*) 103, 105–8
 - and internal primary phloem, 103, 108
- vessel element morphology 59–62
 - arid region species (*table*) 346
 - conductive life span 134
 - diameter and embolism risk 273–4
- dimensions 59–61, 129–33, 141, 144; arid region species 346; determination 131; diameters 130–3, 141, 144, 145; lengths 131–3; tree *vs* liana (*Bauhinia*) (*illus.*) 145
- inner and outer secondary xylem (*illus.*) 134–6
- large vessels sheathed with libriform fibers 58
 - lateral wall pitting 62
 - localized patterns 58
 - narrow vessels 133; $K_{\text{h}} \text{predicted}$ 133
 - perforation plates 61
 - unusual change in vessel presence/diameter 57–8
- vessel dimorphism 60
- water transport 130
 - see also* anatomy of stem, xylem
- vessel restriction patterns, unusual change in vessel presence/diameter 57–8
- water transport (*illus.*) 138–43
- xylem
 - anastomoses 136–8; lateral branch junctions 138
 - 'outer' later-formed, $K_{\text{h}} \text{predicted}$ 134
 - specific gravity (*table*) 144
 - variant anatomy, *see* cambial variants
 - see also* anatomy of stem, tracheids; anatomy of stem, vessel element morphology
 - summary and overview 67–8, 121–2
 - see also* biomechanical studies; injury to stem
- Ancistrocladaceae, distribution and abundance 323
- Andean cloud forests, species-richness and familial composition of lianas 28
- anemochory 411–14
- Annonaceae
 - breeding and dispersal systems 399, 408, 409, 415
 - distribution and abundance 319, 323
 - distribution and evolution 20, 34, 36, 38
 - economics and human use 430
 - stem injury 102
 - vine–host interactions 362
 - anomalous secondary thickening, *see* anatomy of stem, cambial variance, abnormal conformation or dispersion
- anti-climber defenses, vine–host interactions (*table*) 366–70
- ants, and rattan palms 481
- 'apheliotropism', tendrils 76
- Apocynaceae
 - anatomy of stem 54, 55, 63

General index

- Apocynaceae (*cont.*)
 - arid/semi-arid ecosystems 339
 - biomechanical studies 92
 - breeding and dispersal systems 397, 409, 413
 - distribution and abundance 319
 - distribution and evolution 11, 12, 13, 18, 19, 29, 32, 34, 36, 38
 - economics and human use 431–2
 - physiological ecology 248
 - seasonality 382
 - secondary compounds 290, 295, 296, 300
 - stem injury 103, 108, 112, 115
 - vine–host interactions 359
- Araceae
 - anatomy of stem 66
 - biomechanical studies 77
 - breeding and dispersal systems 399
 - development 210
 - distribution and abundance 323
 - distribution and evolution 11, 12, 19, 20, 26, 29, 34, 38
 - economics and human use 433
 - heteroblastic development (*illus.*) 210–13
 - secondary compounds 295, 300
 - stem injury 100
 - vine–host interactions 359, 365
- Araliaceae
 - anatomy of stem 63, 65
 - arid/semi-arid ecosystems 339
 - biomechanical studies 92
 - development 207
 - distribution and evolution 13, 37
 - physiological ecology 248
 - stem injury 100
- Arecaceae
 - anatomy of stem 66
 - distribution and abundance 323
 - economics and human use 433–5
 - secondary compounds 300
 - vine–host interactions 359
 - arid/semi-arid ecosystems 337–53
 - adaptations to environmental stress 342–52
 - CAM metabolism 351–2
 - energy balance 347–9
 - herbivory defense 352
 - photosynthetic capacity 349–50
 - water relations 343–7
 - floristic diversity 338–42
 - desert flora 341–2
 - Mediterranean-climate flora 338–41
 - growth forms 337–8
- Aristolochiaceae
 - anatomy of stem 55, 56, 62
 - breeding and dispersal systems 398, 404
- distribution and evolution 11, 12, 23
- economics and human use 435
- physiological ecology 247
- secondary compounds 297, 300, 302
- stem injury 101, 105, 109
- vine–host interactions 359
- aristolochic acid 297–8
- structure (*illus.*) 292
- ascent efficiency, defined 88
- Asclepiadaceae
 - anatomy of stem 55, 56
 - arid/semi-arid ecosystems 340, 342
 - biomechanical studies 75
 - breeding and dispersal systems 403
 - distribution and abundance 323
 - distribution and evolution 11, 12, 18, 19, 21, 23
 - economics and human use 435–6
 - physiological ecology 248
 - seasonality 381, 382
 - secondary compounds 295, 300, 301
 - stem injury 103
 - vine–host interactions 359
- Asia
 - climbers and hemiepiphytes 10–12
 - pollination systems 409
 - community ecology
 - biomass, stem numbers, and basal areas (*table*) 315–16
 - sites included in liana distribution analysis 48–9
 - species-richness and familial composition of lianas 35–6
 - rattan palms 477–88
 - Asparagaceae, anatomy of stem 66
 - Aspleniaceae, development 208
 - Asteraceae
 - anatomy of stem 56
 - arid/semi-arid ecosystems 341
 - biomechanical studies 92
 - breeding and dispersal systems 402
 - distribution and evolution 11, 18, 19, 22, 23, 38
 - economics and human use 437
 - seasonality 382
 - secondary compounds 290
 - stem injury 101, 109, 112
 - Australasia
 - arid/semi-arid ecosystems
 - desert flora 341–2
 - Mediterranean-climate flora 340
 - climbers and hemiepiphytes
 - density (*table*) 7, 10
 - seasonality studies 379

General index

- community ecology
- biomass, stem numbers, and basal areas (*table*) 315
- sites included in liana distribution analysis 48
- species-richness and familial composition of lianas 36–7
- axial parenchyma 63–4
- bark (periderm), anatomy 105
- bark ringing (*illus.*) 110, 117
- basal areas, stem numbers, and biomass (*table*) 314–17
- Basellaceae
 - distribution and abundance 328
 - distribution and evolution 11, 12
 - economics and human use 437
- bats, pollination 387, 393–5
- bees, pollination 394, 395–6, 398, 400, 406
- beetles, pollination 395, 400, 406
- Begoniaceae
 - distribution and evolution 11
 - economics and human use 437
- Bignoniaceae
 - anatomy of stem 56
 - arid/semi-arid ecosystems 341, 342
 - biomechanical studies 92
 - breeding and dispersal systems 396, 398, 409
 - development 215, 225
 - distribution and abundance, 319, 323, 328
 - distribution and evolution 11, 12, 18, 19, 22, 23, 26, 27, 29, 35, 38
 - economics and human use 437–9
 - physiological ecology 248
 - seasonality 381, 382, 386, 388
 - secondary compounds 295, 300, 302
 - stem injury 105, 108, 112
 - vine–host interactions 359, 362, 365, 366
 - water flux and xylem structure 128, 131, 132, 133, 137, 138
- bindweed, *see Convolvulus arvensis*
- biomass
 - allocation, ecology of temperate forest woody vines 253–6
 - stem numbers, and basal areas (*table*) 314–17
 - total above-ground 319–20
- biomechanical studies
 - climbing mechanisms 77–89, 322–6
 - advantages/disadvantages 88–9
 - anticlimber defenses 366–70
 - applications in forest conditions 359–66
 - ascent angle *vs* support radius (*illus.*) 80
 - circumnutation in seedlings 75–7
- classifications and variations 357–9
- climbing strategies 4
- distance between supports 366
- ecology of temperate forest woody vines (*illus.*) 257–8
- and forest structure 322–6
- hook-climbers 88, 323, 325
- location of supports 73–7
- rattan palms 478–9
- rattan-like palms 479
- scramblers 323, 325, 365
- stem-twiners 78–82, 323–5, 360–2; shoot elongation rates (*table*) 256
- stem-twining, inward force 81–2
- stem-twining and slipping 81
- see also* root-climbers; tendril-climbers
- properties of vine and liana stems 89–93
- wood density, bending modulus, torsion modulus and toughness (*table*) 92
- Boraginaceae
 - economics and human use 440
 - seasonality 382
 - secondary compounds 290
- Brazil, *see* New World; tropical forest
- breeding system, *see* flowering
- Brunelliaceae, biomechanical studies 92
- buffalo gourd, *Cucurbita foetidissima*, carbohydrate storage cycle (*illus.*) 169, 171
- buri palms 485
- butterflies, pollination 398, 400, 406
- Cactaceae
 - anatomy of stem 65
 - breeding and dispersal systems 399
 - economics and human use 440
- Caesalpiniaceae, seasonality 383
- Calamoideae, biology, utilization and silvicultural management 477–88
- Calamus*, *see* rattan palms
- CAM metabolism, *see* crassulacean acid metabolism
 - structure (*illus.*) 292
- Caprifoliaceae
 - arid/semi-arid ecosystems 339
 - physiological ecology 248
- carbohydrates, *see* storage cycles
- cardiac glycosides 295–6
 - distribution (*table*) 300
- carnivorous plants, sundews, trailing species 340
- catclaw, *see Macfadyena unguis-cati*
- cavitation, *see* embolism

General index

- Celastraceae
 - anatomy of stem 55
 - distribution and abundance 323
 - economics and human use 440–1
 - physiological ecology 247
 - see also* Hippocrateaceae
- Chile, Valdivian forest, density of climbers and hemiepiphytes (*table*) 7
- circumnutation in seedlings 75–7
- climbing mechanism, *see* biomechanical studies
- Clusiaceae, stem injury 100
- Combretaceae
 - anatomy of stem 55, 65
 - breeding and dispersal systems 402
 - distribution and abundance 323
 - distribution and evolution 11, 12, 19, 20, 26, 31
 - economics and human use 441
 - seasonality 383, 386
 - stem injury 103
 - vine–host interactions 359, 365, 366
- Connaraceae
 - anatomy of stem 54
 - biomechanical studies 92
 - breeding and dispersal systems 398
 - distribution and abundance 323
 - distribution and evolution 11, 12, 21, 22, 31, 34, 38
 - economics and human use 441
 - seasonality 383
 - stem injury 117
- Convolvulaceae
 - anatomy of stem 54, 55, 56, 58, 60, 65
 - arid/semi-arid ecosystems 337, 338, 341, 342
 - biomechanical studies 75
 - biomechanics 92
 - breeding and dispersal 397
 - development 213
 - distribution and abundance 323, 328
 - distribution and evolution 11, 12, 18, 19, 20, 22, 23, 26
 - economic and ethnobotany 441–2
 - injury to stem 101, 103, 105, 117
 - seasonality 381, 383
 - secondary compounds 290, 300, 301
 - vine–host interactions 359
- Convolvulus arvensis*
 - agronomic weed 170
 - carbohydrate storage cycle (*illus.*) 170–2
- Costa Rican dry forest
 - community ecology 380–7
 - pollinator and frugivore studies 387–8
 - crassulacean acid metabolism (CAM)
- arid/semi-arid conditions 351–2
- photosynthetic pathways 183–6
- see also* photosynthesis
- cross vines, defined 138
- cucumber, *see* *Cucurbita foetidissima; Marah fabaceus*
- Cucurbita foetidissima*
 - carbohydrate storage cycle (*illus.*) 169, 171
 - leaf temperature, seasonal change (*illus.*) 349
 - mass of taproot 343
 - net assimilation rates 350
 - water relations 343–4
- Cucurbitaceae
 - anatomy of stem 54, 55, 56
 - arid/semi-arid ecosystems 337–53
 - breeding and dispersal systems 395, 398, 410
 - distribution and abundance 323
 - distribution and evolution 11, 12, 18, 19, 20, 22, 26, 34
 - economics and human use 443–5
 - seasonality 381, 383
 - secondary compounds 296, 297, 300, 301, 302
 - stem injury 101, 103, 109
 - vine–host interactions 359, 362
 - water flux and xylem structure 136, 137, 147, 151
- cucurbitacins 296, 352
 - structure (*illus.*) 292
- cultivation and disturbance, distribution and abundance of vines 326–8
- curare alkaloid 290
- β-cyanoalanine 297
- cyanogens
 - distribution (*table*) 300
 - hydrogen cyanide release 295
- Cyclanthaceae
 - breeding and dispersal systems 399, 415
 - distribution and evolution 11, 29
 - economics and human use 446
 - stem injury 100
 - vine–host interactions 365
- Cyclanthera multifoliolata*, diurnal study of water uptake (*illus.*) 147–52
- Daemonorops*, *see* rattan palms
- damage during forestry operations 496–7
 - control of lianas 497–9
 - tree deformations 493–5
- deformations, toughness and structural damage (*illus.*) 91–3
- desert flora 341–2
- development
 - examples
 - aroids (*illus.*) 210–13

General index

- ferns (*illus.*) 208–10
- temperate dicotyledons 207
- tropical dicotyledons (*illus.*) 213–19
- development and developmental ecology
 - environmental influences (*illus.*) 222–6
 - environmental plasticity (*illus.*) 219–21
 - experimental approaches in *Vitis vinifera* (grape) (*table*) 235–7
- leaves
 - anatomy and light 229–35
 - juvenile *vs* adult leaves (*illus.*) 230, 232
 - morphology 227–8
- vine heteroblastic stages and light 226–8
- vines *vs* canopy trees 221–2
- Dichapetalaceae
 - breeding and dispersal systems 398
 - distribution and abundance 319, 323
 - distribution and evolution 20, 34
- dihydrostilbene 299
- L-3,4-dihydroxy phenylalanine 297
- 3,4-dihydroxypyrrolidine, pyrrolidine alkaloids, structure (*illus.*) 290–1
- dilation-parenchyma 121
- Dilleniaceae
 - anatomy of stem 54, 61, 62, 65
 - breeding and dispersal systems 398
 - distribution and abundance 319, 323
 - distribution and evolution 11, 12, 26, 36, 38
 - economics and human use 446
 - seasonality 383
 - water flux and xylem structure 128, 131
- dimethylbatatasin IV 299
- dioecy *vs* monoecy 409–11
- Dioncophyllaceae
 - anatomy of stem 54
 - development 216, 217
 - distribution and evolution 22
- Dioscoreaceae
 - biomechanical studies 79
 - breeding and dispersal systems 398
 - distribution and abundance 323
 - distribution and evolution 11, 12, 19, 20, 23
 - economics and human use 446
 - seasonality 383
 - secondary compounds 290, 296, 299, 300, 301
 - stem injury 101
- diosgenin 296
 - structure (*illus.*) 291
- dipterocarp forest 315, 317, 319
 - effects of lianas, felling damage 496–7
 - rattan palms 480
- dispersal of seeds, neotropical lowland forests (*table*) 411–14
- disturbed habitats
- distribution and abundance of vines 326–8
- rattan palms 483–4
- ecology, *see* developmental ecology; physiological ecology; specific habitats
- economic botany 427–69
 - see also* families of vines and lianas; rattans
- economics
 - importance of rattan palms 481–4
 - see also* silviculture
- elasticity, modulus of (*E*), determination 90–91
- embolism
 - and root pressures 152–4
 - and vessel diameter 273–4
- energy balance, adaptations to environmental stress, arid/semi-arid ecosystems 347–9
- Entadopsis polystachya*, diurnal study of water uptake (*illus.*) 147–50
- environmental stress
 - arid/semi-arid ecosystems 342–52
 - CAM metabolism 351–2
 - energy balance 347–9
 - herbivory defences 352
 - photosynthetic capacity 349–50
 - water relations 343–7
- epiphytic habit, *vs* scandent habit, evolutionary diversification 21–3
- Ericaceae
 - breeding and dispersal systems 395, 399
 - distribution and evolution 11, 12, 18, 23, 29
 - physiological ecology 248
- ethnobotany 427–69
 - rattan palms 481–4
 - see also* specified families of vines and lianas
- Euphorbiaceae
 - arid/semi-arid ecosystems 342
 - breeding and dispersal systems 402
 - distribution and abundance 323
 - distribution and evolution 11, 12, 21
 - economics and human use 447
 - seasonality 383
 - stem injury 108
 - water flux and xylem structure 128
- evolutionary diversification of climbers 21–3
- Fabaceae
 - anatomy of stem 54, 55, 56, 57
 - arid/semi-arid ecosystems 337, 340, 342
 - physiological ecology 247
 - seasonality 383
 - stem injury 101, 102, 105, 112, 115, 117
 - water flux and xylem structure 128, 134, 135, 138, 146, 148, 153
- falls, resprouting following 89, 100–1

General index

- ferns, heteroblastic development (*illus.*) 208–210
- fire, damage to trees via lianas 495
- Flagellariaceae
 - anatomy of stem 66
 - distribution and evolution 22
 - economics and human use 447
 - vine–host interactions 362
- flies, pollination 398–9, 400, 406
- floristic diversity, arid/semi-arid ecosystems 338–42
- flowering
 - and dispersal of seeds 411–14
 - liana community patterns 404–9
 - pleonanthry, rattan palms 479–80
 - pollination systems
 - diversity 393–6
 - rattan palms 479–80
 - taxonomic overview 396–404
 - pollinator and frugivore studies, Costa Rican dry forest 387–8
 - seasonality 377–88
 - sexual systems in lianas 409–11
- forest, *see* Andean cloud-forest; temperate forest; tropical forest
- forestry, *see* disturbed habitats; silviculture
- frugivore studies, seasonality, Costa Rican dry forest 377–88
- Fumariaceae, distribution and evolution 22
- gaps, colonization, distribution and abundance of vines 326–8
- gas exchange, and photosynthesis 181–98
- Gesneriaceae
 - breeding and dispersal systems 399
 - distribution and evolution 11, 12, 21
- Gnetaceae
 - breeding and dispersal systems 398
 - economics and human use 447
 - stem injury 103
- Gramineae, distribution and evolution 37
- grapevine, *see also* *Taxonomic Index*; *Vitis vinifera* (grape)
- growth forms, arid/semi-arid ecosystems 337–8
- Guttiferae, distribution and evolution 11, 12, 29, 38
- Gymnospermae, arid/semi-arid ecosystems 337
- harman (passiflorine), structure (*illus.*) 290–1
- heat tolerance, arid/semi-arid species (*illus.*) 347–9
- Hedera helix* (ivy)
 - gibberellins in juvenile stage 207
 - heteroblasty 207
- juvenile *vs* adult stages, net photosynthesis (*illus.*) 266
- hemiepiphytes, woody, defined 4
- herbivory defense, adaptations to environmental stress 352
- heteroblastic development
 - defined 205
 - homoblastic *vs* heteroblastic 205
 - see also* development
- Hippocrateaceae
 - anatomy of stem 54, 56, 65
 - biomechanical studies 92
 - breeding and dispersal systems 398, 413
 - distribution and abundance 319
 - distribution and evolution 11, 12, 31, 34, 38
 - seasonality 384
 - secondary compounds 300
 - stem injury 102, 108, 112, 113, 117
 - water flux and xylem structure 133, 136
 - see also* Celastraceae
- hook-climbers, climbing mechanisms 88
- Huber value
 - defined 140
 - and leaf-specific conductivity 140
 - (*table*) 144
- humming-bird pollination 388, 393–4, 395, 399, 400, 406
- Hydrangeaceae, anatomy of stem 62
- Icacinaceae
 - anatomy of stem 54, 55, 56, 57, 58, 59, 61, 63, 64, 65
 - development 227
 - distribution and evolution 22, 31, 36
 - economics and human use 447
- Illiciaceae, anatomy of stem 62
- indospicine 297
 - structure (*illus.*) 292
- injury to stem
 - anatomy and structural responses 99–122
 - anomalous stem anatomy
 - anatomy and taxonomic distribution 102–4
 - equivalence to wounding response 121
 - functional significance 101–2
 - significance of vascular interruptions 117–20
 - bark girdling experiments 101–2
 - resprouting following falls 89, 100–1
 - root production, aerial roots 100–1
 - secondary tissues
 - included secondary phloem 103, 109
 - lobed xylem with disjunct cambium (*illus.*) 104, 112–15
 - lobed xylem with initially continuous

General index

- cambium (*illus.*) 104, 112
- separate vascular cylinders (*illus.*) 104, 115–16
- supernumerary cambia (*illus.*) 104, 117
- typical arrangements: (*illus.*) 103, 105–8; and internal primary phloem 103, 108
- un lignified rays (*illus.*) 104, 109–12
- storage capacity allowing vegetative regeneration 120
- see also* anatomy of stem
- insectivorous vines, heteroblastic development (*illus.*) 216–17
- Ipomoea* (morning glory vine)
 - heteroblastic development (*illus.*) 214–15
 - leaf morphology 228
- islands
 - climbers and hemiepiphytes 10
 - density (*table*) 7
 - lianas 15–16
 - sites included in liana distribution analysis 48–9
- juvenile to adult morphological changes, *see* development, heteroblastic
- kudzu, *see Pueraria lobata*
- lanosterol triterpenes, cucurbitacin B 296
- Lardizabalaceae
 - anatomy of stem 60, 61, 62, 65, 66
 - arid/semi-arid ecosystems 341
 - distribution and evolution 37
 - physiological ecology 247
- Lauraceae
 - arid/semi-arid ecosystems 338
 - biomechanical studies 92
 - water flux and xylem structure 128
- leaves
 - developmental anatomy, and light 229–35
 - developmental morphology 227–8
 - dimensions and temperature change 227–8
 - dimorphism 189–90
 - heat tolerance, arid/semi-arid species (*illus.*) 347–9
 - leaf area
 - tropical forest 320
 - vs biomass 127
 - leaf area index 320–1
 - leaf-specific conductivity
 - Bauhinia* (*illus.*) 140
 - and Huber value 140
 - K_s , measured (*table*) 144
 - K_s , predicted (*table*) 141
 - and transpiration rate E 139
- leafing phenology (*illus.*) 386
- life span 194
- ontogeny 195
- photosynthesis
 - leaf carbon balance 193–6
 - photosynthetic characteristics 183
 - surface for 127, 182–3, 320–1
- pressure–volume curves, analyses 344
- reversible movements 189–90
- 'shingle leaves', juvenile stages 228
- tissue temperature, and transpirational cooling (*table*) 347–8
- and vine architecture 226–7
- see also* anatomy of leaves; photosynthesis
- Leguminosae 11, 12, 18, 19, 22–3, 26, 27, 31, 34, 38
 - breeding and dispersal systems 396, 398
 - distribution and abundance 319, 323, 328
 - economics and human use 448
 - seasonality 381
 - secondary compounds 290, 295, 296, 297, 299, 300
 - vine–host interactions 359, 362, 363
- light
 - compensation points 188
 - experimental approaches, *Vitis vinifera* (grape) (*table*) 235–7
 - light climates, tropical forest 223–5
- lignins 298
- Liliaceae
 - anatomy of stem 66
 - arid/semi-arid ecosystems 340
 - economics and human use 450
 - physiological ecology 247
 - seasonality 384
 - stem injury 104, 105
 - vine–host interactions 362
- Linaceae
 - anatomy of stem 62
 - distribution and abundance 323
 - distribution and evolution 22
 - litter to wood ratio, and turnover rates 320–2
- Loasaceae
 - anatomy of stem 61
 - arid/semi-arid ecosystems 341
 - seasonality 384
- Loganiaceae
 - anatomy of stem 55
 - breeding and dispersal systems 398
 - distribution and abundance 323
 - distribution and evolution 11, 13, 19, 22, 26, 34, 36
 - economics and human use 450
 - physiological ecology 248

General index

- Loganiaceae (*cont.*)
 - secondary compounds 290
 - vine–host interactions 362
- logging, *see* disturbed habitats
- Lonicera japonica*
 - acclimation to light (*table*) 266–9
 - biomass allocation 253–6
 - climbing mechanics 257
 - evergreen habit, adaptations 260–1
 - growth rates 256–7
 - leaf water potential, predawn values (*illus.*) 274–5
 - photosynthetic characteristics (*table*) 262–6
 - shoot elongation rates (*illus.*) 259
 - stomatal conductance
 - (*illus.*) 272
 - (*table*) 270
 - vs temperature (*illus.*) 261
 - vine–host interactions 251–2
 - water vapor deficit, diurnal courses 271
- Loranthaceae
 - distribution and evolution 11, 13
 - economics and human use 451
- lowland neotropical dry forest, sites included in liana distribution analysis 44–7
- Macfadyena unguis-cati*
 - heteroblastic development (*illus.*) 215–16
 - leaf morphology 228
 - skototropism 226
- Malpighiaceae
 - anatomy of stem 55, 56
 - arid/semi-arid ecosystems 342
 - biomechanical studies 92
 - breeding and dispersal systems 396, 397
 - distribution and abundance 323
 - distribution and evolution 11, 12, 18, 19, 22, 26, 35, 38
 - economics and human use 451–453
 - seasonality 384, 386
 - secondary compounds 300
 - stem injury 106, 108, 112, 113
 - water flux and xylem structure 134, 135, 136, 137, 138
- Marah fabaceus*
 - carbohydrate storage (*illus.*) 171–3, 339–40
 - mass of taproot 343
 - water relations 343–4
- Marcgraviaceae
 - anatomy of stem 55, 65
 - biomechanical studies 92
 - breeding and dispersal systems 399
 - distribution and abundance 323
 - distribution and evolution 11, 12, 29
 - economics and human use 453
- stem injury 100
- water flux and xylem structure 128
- Mediterranean-climate flora, arid/semi-arid ecosystems 338–41
- Melastomataceae
 - breeding and dispersal systems 402
 - distribution and evolution 11, 12, 29, 38
 - economics and human use 453
- Meliaceae, biomechanical studies 92
- Menispermaceae
 - anatomy of stem 54, 56, 57
 - arid/semi-arid ecosystems 340, 341
 - biomechanical studies 92
 - breeding and dispersal systems 398
 - distribution and abundance 323
 - distribution and evolution 23, 34, 36, 38
 - economics and human use 453–7
 - physiological ecology 247
 - secondary compounds 290, 300, 302
 - stem injury 103, 109, 113, 117
 - vine–host interactions 359
- Mimosaceae
 - biomechanical studies 92
 - distribution and abundance 323
 - seasonality 384
- Monimiaceae, vine–host interactions 365
- monocotyledons
 - anatomy of stem 66–7, 102
 - dioecy 411
 - stem injury 104–5
 - monoecy, vs dioecy 409–11
- Monstera*
 - heteroblastic development (*illus.*) 210–13
 - leaf anatomy (*illus.*) 229–31, 233–5
 - skototropism 226
 - vs *Syngonium*, leaves (*table*) 233
- montane neotropics, sites included in liana distribution analysis 49
- Moraceae
 - anatomy of stem 55
 - biomechanical studies 79
 - distribution and evolution 26, 29
 - vine–host interactions 361
- morning glory vine, *see Ipomoea* (morning glory vine)
- moths, pollination 395, 399, 400, 406
- Mutisiae, arid/semi-arid ecosystems 341
- Myrcinaceae
 - economics and human use 457
 - stem injury 105
 - vine–host interactions 360
- naturalization, distribution and abundance of vines 328
- Nepenthaceae

General index

- anatomy of stem 60
- distribution and evolution 22
- economics and human use 457
- New World
 - arid/semi-arid ecosystems 338–41
 - desert flora 341–2
 - Central America, sites included in liana distribution analysis 44
 - climbers and hemiepiphytes 6–16
 - density 12
 - density (*table*) 7, 316–17
 - families (*table*) 11, 12–13
 - sites included in liana distribution analysis 43–7, 48–9
 - taxonomic composition 17–21
 - community ecology, biomass, stem numbers, and basal areas (*table*) 316–17
 - Mediterranean-climate flora 338–41
 - SE USA, mesic temperate woody vines 245–8
 - subtropical South America, sites included in liana distribution analysis 43–4
 - nitrogen, stem and root storage (*illus.*) 174
- Nyctaginaceae
 - anatomy of stem 54, 66
 - stem injury 103, 109
- Oceania
 - rattan palms 477–88
 - sites included in liana distribution analysis 48
 - tropical forest, biomass, stem numbers, and basal areas (*table*) 315–16
- Olacaceae
 - distribution and abundance 323
 - water flux and xylem structure 128
- Old World
 - biomass, stem numbers, and basal areas (*table*) 314–15
 - climbers and hemiepiphytes
 - density (*table*) 7, 16
 - dispersal systems (*illus.*) 414
 - families exclusive to (*table*) 13
 - pollination systems 408–9
 - seasonality studies 379
 - taxonomic composition 17–21
 - desert floras 341–2
 - Mediterranean-climate flora 338–40
 - sites included in liana distribution analysis 43, 47
 - species-richness and familial composition of lianas 29–35
- Oleaceae
 - arid/semi-arid ecosystems 341
 - economics and human use 457
 - secondary compounds 300
- Orchidaceae, economics and human use 457–8
- Palmae, distribution and evolution 11, 13
- Panamanian studies, seasonality 378–9, 386–7
- Pandanaceae
 - anatomy of stem 66
 - distribution and evolution 36
 - economics and human use 458
- Papaveraceae, anatomy of stem 58
- Papilioideae, secondary compounds 297
- parenchyma
 - axial, apotracheal *vs* paratracheal 63–4
 - ‘dilation-parenchyma’ 121
 - radial, rays *vs* raylessness 64–5
 - regeneration via xylem parenchyma 120
 - storage tissue 175
- parsonsine, structure (*illus.*) 291
- Passiflora*
 - heteroblastic development 215
 - leaf morphology 228
- Passifloraceae
 - anatomy of stem 54, 56, 65
 - arid/semi-arid ecosystems 342
 - breeding and dispersal systems 395, 397
 - distribution and abundance 323, 328
 - distribution and evolution 11, 12, 18, 22
 - economics and human use 458–9
 - physiological ecology 247
 - seasonality 381, 384
 - secondary compounds 290, 295, 300, 301
 - stem injury 108
 - vine–host interactions 359
- passiflorine, structure (*illus.*) 290–1
- periderm, *see* bark (periderm)
- Periplocoideae, breeding and dispersal systems 403
- phenological study, defined 377
- Philesiaceae
 - anatomy of stem 66
 - stem injury 104
 - water flux and xylem structure 153
- phloem, *see* anatomy of stem, phloem
- photosynthesis
 - carboxylation efficiency 188
 - environmental limitations to photosynthesis 186–93
 - and gas exchange 181–98
 - CAM photosynthetic pathways 183–6
 - leaf photosynthetic characteristics 183
 - surface for photosynthesis 182–3
 - leaf carbon balance approach 193–6
 - light compensation points 188–9
 - net photosynthetic capacity, stomatal conductance and dark respiration (*table*) 187
 - photoinhibition 189–90

General index

- Photosynthesis (*cont.*)
 - photosynthetic capacity, *Vitis vinifera* (grape) 167
 - physiological ecology of temperate forest
 - woody vines
 - acclimation to light (*table*) 266–9
 - leaf-to-air water vapor and stomatal behavior 264–5
 - light-saturated rates (*illus.*) (*table*) 261–3
 - temperature responses (*illus.*) 191–3
 - see also* leaves
 - photosynthetic capacity, adaptations to environmental stress 349–50
 - physiological ecology of temperate forest woody vines
 - acclimation to light (*table*) 266–9
 - biomass allocation 253–6
 - distribution, diversity and abundance 245–8
 - environmental interactions
 - evergreen *vs* deciduous stages (*illus.*) 260–1
 - phenology 257–60
 - growth rates 256–7
 - photosynthetic responses (*illus.*) 261–6
 - physical environment, heterogeneity 248–51
 - vine–host interaction 251–3
 - water relations 269–76
 - physostigmine alkaloid 289
 - phytoalexins 299
 - phytochrome, developmental control 236
 - Picea abies*, water transport study, *vs* vines 150
 - Piperaceae
 - anatomy of stem 55, 62, 65
 - distribution and abundance 319, 323
 - distribution and evolution 11, 13, 21
 - economics and human use 459–60
 - secondary compounds 290, 300
 - stem injury 100
 - vine–host interactions 359, 366
 - Pittosporaceae, arid/semi-arid ecosystems 340
 - pluvial forests, species-richness and familial composition of lianas 28
 - Polemoniaceae
 - anatomy of stem 65
 - breeding and dispersal systems 399
 - distribution and evolution 22
 - pollination, *see* flowering, pollination systems
 - Polygalaceae
 - anatomy of stem 578
 - arid/semi-arid ecosystems 349, 341
 - biomechanical studies 92
 - breeding and dispersal systems 399
 - distribution and evolution 11, 12, 22
 - seasonality 384
 - stem injury 101
 - Polygonaceae
 - anatomy of stem 55
 - breeding and dispersal systems 398
 - distribution and evolution 11, 12, 22
 - physiological ecology 247
 - polyphenols, tanning 298
 - Polypodiaceae, economics and human use 460
 - proanthocyanidin 298
 - procyanidin, structure (*illus.*) 292
 - productivity of vines and lianas 320–2
 - Pueraria lobata*
 - acclimation to light (*table*) 266–9
 - biomass allocation 253–6
 - carbohydrate storage cycle 168–9
 - climbing mechanics 257
 - growth rates 256–7
 - leaf temperatures (*illus.*) 250
 - photosynthesis
 - light-saturated rates (*illus.*) (*table*) 261–7
 - photosynthetic characteristics (*table*) 262–6
 - stomatal conductance (*table*) 270
 - vine–host interactions 251–2
 - pyrrolidine alkaloids 290–1
 - Rafflesia*-inflicted damage (*illus.*) 117, 118
 - Ranunculaceae
 - arid/semi-arid ecosystems 339, 340
 - economics and human use 460
 - physiological ecology 247
 - vine–host interactions 359, 362
 - rattan palms 477–88
 - biology and ecology 478–81
 - seed germination 486
 - silviculture and management 484–8
 - utilization and socioeconomic importance 481–4
 - vegetative propagation 486
 - reserve economy of vines, *see* storage
 - respiration, dark, and stomatal conductance (*table*) 187
 - Rhamnaceae
 - distribution and evolution 22
 - economics and human use 461
 - physiological ecology 247
 - seasonality 384
 - roots
 - aerial roots
 - marcottage 100
 - production following injury to stem 100–1
 - air layering of roots 100
 - efficiency of root-systems 495–6
 - massivity of taproots 343
 - root climbers

General index

- mechanisms, 100, 256, 257, 323, 325, 365–6
- shoot elongation rates (*table*) 256
- skototropism 366
- root pressure
 - and embolism 152–4
 - positive 152–4
- xylem anatomy 133–4
- Rosaceae
 - arid/semi-arid ecosystems 339
 - economics and human use 461
- Rubiaceae
 - anatomy of stem 55
 - breeding and dispersal systems 402, 409
 - distribution and abundance 323
 - distribution and evolution 11, 12, 36
 - economics and human use 461–2
 - secondary compounds 300
 - stem injury 102
- Rutaceae, distribution and abundance 323
- Sapindaceae
 - anatomy of stem 54, 56, 57
 - arid/semi-arid ecosystems 342
 - biomechanical studies 92
 - breeding and dispersal systems, 398, 410
 - distribution and abundance 319, 323, 328
 - distribution and evolution 11, 12, 18, 19, 20, 21, 22, 26, 27, 35, 38
 - economics and human use 462–3
 - seasonality 381, 384
 - secondary compounds 295, 300
 - stem injury 113
 - vine–host interactions 359
 - water flux and xylem structure 128, 137, 138
- saponins 296
- Saxifragaceae 37
 - physiological ecology 247
- scadent habit
 - defined 365
 - vs* epiphytic habit, evolutionary diversification 21–3
- Schisandraceae
 - anatomy of stem 61, 65
 - physiological ecology 247
- Schizaceae
 - development 208
 - economics and human use 463
 - sclerenchyma, stem, incidence 65–6
 - searcher shoots 75, 77, 136
 - seasonality
 - Costa Rican dry forest 380–8
 - other studies 379
 - Panamanian studies 378–9, 386–7
- temperate studies 379
- secondary compounds
 - alkaloids 289–95
 - aristolochic acids 297–8
 - cardiac glycosides 295–6
 - classification and defensive roles 288–9
 - cucurbitacins 296
 - cyanogens 295
 - defined 287
 - distribution (*table*) 300
 - lignins 298
 - non-protein amino acids 296–7
 - phytoalexins 299
 - polyphenols 298
 - qualitative *vs* quantitative defense 288, 302
 - saponins 296
 - tannins 298
- seedlings
 - circumnutation 75
 - climbing strategies 73–7
 - delayed leaf expansion 75
 - differentiation from tree seedlings on forest floor 75
 - ‘normal etiolation’ 75
 - searcher shoots 75
 - ‘shingle plants’, juvenile stages 228
- silviculture
 - control of lianas 497–9
 - effects of lianas 493–9
 - competition with trees 495–6
 - felling damage 496–7
 - tree deformations 493–5
 - rattan palms 484–8
 - skototropism 77, 225–6
 - defined 366
- Smilacaceae
 - anatomy of stem 66
 - breeding and dispersal systems 398
 - distribution and evolution 11, 12, 19, 20, 22
 - economics and human use 464
 - secondary compounds 300
 - stem injury 104
- Solanaceae
 - breeding and dispersal systems 402
 - distribution and evolution 11, 12, 23
 - economics and human use 464
 - stem injury 103
 - starch, axial parenchyma, stem anatomy 63–4
 - stems
 - adaptations for climbing, *see* biomechanical studies, climbing mechanisms
 - growth rates
 - diameters (*table*) 127–9
 - mean annual increment (MAI) 128

General index

- stems (*cont.*)
 - injury, *see* injury to stem
 - numbers, biomass, and basal areas (*table*) 314–17
 - pressure gradients, *see* xylem pressure gradients
 - repair 103, 109; *see* injury to stem, included secondary phloem
 - size, maximum sizes attained 127
 - size classes, distribution (*table*) 318
 - stoloniferous shoots 77
 - tubers 101
 - see also* anatomy of stems
- Sterculiaceae, distribution and evolution 11, 13, 34
- stomatal conductance g_s
 - Bauhinia* (*illus.*) 142
 - Cyclanthera multifoliolata* 151
 - and dark respiration (*table*) 187
 - Entadopsis polystachya* 148
 - herbaceous *vs* woody vines (*illus.*) 194
 - prediction of stomatal closure 139
 - temperate forest woody vines 269
- storage capacity, allowing vegetative regeneration following injury to stem 120
- storage cycles
 - arid region species 343–5
 - function of reserves 175–6
 - generalized 162–3
 - herbaceous perennial vines 168–75
 - parenchymatous storage tissue 175
 - woody vines 163–8
 - input and movement of carbohydrate 167–8
 - Vitis vinifera* (grape) carbohydrate storage cycle 163–7
- stratification of vines in forest 324–6
- strophanthin, arrow poison 295–6
- strychnine alkaloid 290
- Styliidiaceae, arid/semi-arid ecosystems 340
- subtropical Central America, sites included in liana distribution analysis 44
- succession, and climbing methods 323–5
- succulent plants, *see* arid/semi-arid ecosystems
- surians 485
- Syngonium*
 - heteroblastic development (*illus.*) 213–14
 - leaf anatomy (*illus.*) 231–5
 - vs Monstera*, leaves (*table*) 233
- tannins 298
- temperate forest
 - community ecology, species-richness and familial composition of lianas 37
 - density of climbers and hemiepiphytes (*table*) 7
 - lianas 6
 - physiological ecology of woody vines 245–78
 - sites included in liana distribution analysis 43
 - vine–host interaction 251–3
 - vs* tropical rainforest, diversity of climbing plants (*table*) 9
- tendril-climbers
 - ‘apheliotropism’ 76
 - climbing mechanisms 82–8, 362–5
 - descending tendrils (*illus.*) 364
 - effect of tension on development (*illus.*) 84–8
 - evolutionary success 22
 - and forest structure 323, 325
 - irritability of tendrils 82, 362–3
 - Leguminosae 22–3
 - mature/immature tendrils (*illus.*) 83–4
 - shoot elongation rates (*table*) 256
 - typical movements 362
- Thymeleaceae, distribution and evolution 22
- torsion modulus G
 - date (*table*) 92
 - determination 91
- toughness
 - date (*table*) 92
 - defined 91
- tracheids, *see* anatomy of stem, xylem
- trans-Andean dry forest, pollination systems (*table*) 400–1
- trans-Andean moist forest, pollination systems (*table*) 400–1
- trans-Andean moist forests, species-richness and familial composition of lianas (*table*) 27
- transpiration, cooling effect, experiments (*illus.*) 347
- transpiration rate E
 - Bauhinia* (*illus.*) 142
 - and leaf-specific conductivity 139
 - predicted (*table*) 141
 - and stomatal closure 150
 - and water uptake 143–4
- Trigoniaceae
 - distribution and evolution 12, 21
 - seasonality 384
- Trimeniaceae, anatomy of stem 60, 61, 62
- Tropaeolaceae
 - arid/semi-arid ecosystems 341
 - breeding and dispersal systems 399
 - distribution and evolution 11, 22
 - economics and human use 464
 - vine–host interactions 362

General index

- tropical forest/rainforest
 - Amazonia, species-richness and familial composition of lianas (*table*) 24–5
 - contribution of vines to forest structure
 - abundance 313–9
 - abundance, sources of variation 322
 - biomass, total above-ground 319–20
 - leaf area 320
 - productivity 320–2
 - defined, criteria 5
 - density of climbers and hemiepiphytes (*table*) 7
 - dispersal of seeds (*table*) 411–14
 - dry forest
 - density of climbers and hemiepiphytes (*table*) 7
 - lowland, sites included in liana distribution analysis 44–7
 - species-richness and familial composition of lianas (*table*) 28
 - economics, sustainable use of rattan palms 488
 - evergreen forest, Gabon
 - (*illus.*) 328–9
 - (*table*) 314–15
 - forest dynamics
 - communities with weedy exotic vines 328–9
 - natural communities 322–6
 - severely disturbed communities 326–8
 - lianas and 5–6
 - light climates 223–5
 - neotropical types, lianas 7, 12–16
 - premontane rainforest (*table*) 314–17
 - ten types (Costa Rica), abundance of lianas (*table*) 317
 - vines absent 314
 - vs temperate forest, diversity of climbing plants (*table*) 9
- tubers
 - formation 101
 - wound healing and periderm formation 101
- Urticaceae, distribution and abundance 323
- Verbenaceae
 - anatomy of stem 55
 - breeding and dispersal systems 398
 - distribution and evolution 11, 13, 21
 - seasonality 384
- vessels, *see* anatomy of stem
- vines and lianas
 - abundance, measurement (*table*) 314–17
 - branchlet-climbing forms 22–3
- breeding and dispersal systems 393–416
- cambial variants 23, 53–7, 103–4, 115–20
- community ecology
 - neotropics: New World 23–9, 313–30; Old World 29–37
 - sampling protocol 3
 - sites included in distribution analysis (*appendix*) 43–9
 - temperate forest 37
- contribution of vines to forest structure and dynamics 313–30
- defined 4, 313
- density, and large trees (*table*) 12
- dispersal systems 411–14
- ecological importance 5–6
- ecological role 3
- economic importance 427–99
- ethnobotany 427–469
- evolutionary diversification 21–3
- falls, resprouting following 89, 100–1
- form (*illus.*) 74
- geographical distribution
 - latitude *vs* diversity 8
 - see also* Africa; Asia; Australasia; New World; Old World
- geographical perspective 6–16
- growth, biomass allocation 253–6
- growth rates 256–7
- largest genera (*table*) 20–1
- mammals and 6
- seasonality 377–88
- secondary compounds, qualitative *vs* quantitative defense 288, 302
- sexual systems 409–11
- silviculture
 - competition with trees, 495–6
 - control of lianas 497–9
 - felling damage 496–7
 - tree deformations 493–5
- species-richness and familial composition
 - Amazon (*table*) 24–5
 - lowland neotropical dry forest (*table*) 28
 - trans-Andean (*table*) 27
- taxonomic composition 17–21
- vine architecture 226–7
- vine-host interactions 357–71
 - anti-climber defenses (*table*) 366–70
- viniferins 299
 - α*-viniferin, structure (*illus.*) 293
- Violaceae, distribution and evolution 36
- Vitaceae
 - anatomy of stem 54, 55, 56, 62, 65
 - arid/semi-arid ecosystems, 339–40, 346, 349–51

General index

- Vitaceae (*cont.*)
 - biomechanical studies 92
 - breeding and dispersal systems 398
 - distribution and abundance 319, 323
 - distribution and evolution 11, 12, 22, 34
 - economics and human use 464–6
 - photosynthesis 185
 - physiological ecology 247
 - seasonality 381, 384
 - secondary compounds 298, 299, 300, 302
 - stem injury 102, 105, 109, 117
 - vine–host interactions 359, 362, 364
 - water flux and xylem structure 131, 136, 146
- Vitis vinifera* (grape)
 - carbohydrate storage cycle 163–7
 - light effects, experimental approaches (*table*) 235–7
 - photosynthate translocation (*illus.*) 168
 - photosynthesis, light-saturated rates (*illus.*) (*table*) 261–3
 - photosynthetic capacity 167, 349–50
 - tannins 298
 - see also Taxonomic Index*
- water relations
 - adaptations to environmental stress, arid/semi-arid ecosystems 343–7
 - physiological ecology of temperate forest woody vines 269–76
- water vapour pressure deficit
 - Cyclanthera multifoliolata* 147, 150, 151
 - Entadopsis polystachya* 147, 148
- xylem pressure gradients 139
 - predicted (*table*) 141
- water storage 143–5
- water transport
 - anomalous xylem, xylem transport pathways (*illus.*) 136–8
 - conductive life span of vessels 134
 - Cyclanthera multifoliolata* 147–52
 - Entadopsis polystachya* 147–50
 - intact vines
 - diurnal species studies (*illus.*) 147–50
 - embolism and root pressures 152–4
 - natural conditions 145–52
 - trees *vs* shrubs 150–2
 - trees *vs* vines 150–2
 - and xylem structure (*illus.*) 138–43
 - water uptake, and transpiration rate E (*illus.*) 143–4
 - ‘weeds’, naturalized vines, distribution and abundance 328
 - wood density
 - data (*table*) 92
 - trees *vs* vine and liana stems 92
- xylem, *see* anatomy of leaves: roots: stems; water relations