











	Product	EAN	Description	RRP
1. HOME AUDIO				
1.1 REFERENCE				
	THE REFERENCE	4037072018127	<p>2-way D'Appolito technology creating realistic sound stage and ambience High end drivers and crossovers "Made in Germany" Klippel® optimized 18 cm / 7" mid woofers with coated paper cone 28 mm / 1.1" tweeter with 2-layer hand coated silk dome 18 dB/oct Mundorf® crossover with high end Mcaps® and baked wire treatment Mcoils® Low resonance tear-drop shaped bass-reflex enclosure with multi-layer high gloss painting High efficient down firing technology extending the low frequency response</p>	199 990 Kč
2. AMPLIFIER				
2.1 REFERENCE				
	GZPA Reference 2XS	4037072007893	<p>2 channel High End SQ Class AB amplifier 2 x 200WRMS @ 4 ohm 2 x 380WRMS @ 2 ohm</p>	39 990 Kč
	GZPA Reference 4XS	4037072007909	<p>4 channel High End SQ Class AB amplifier 4 x 120WRMS @ 4 ohm 4 x 220WRMS @ 2 ohm</p>	39 990 Kč
	GZPA Reference 2SYM	4037072014877	<p>2 channel High End SQ Class AB amplifier Symmetrical dual mono 2 x 420 WRMS @ 4 ohm 2 x 750 WRMS @ 2 ohm 2 x 1150 WRMS @ 1 ohm</p>	68 990 Kč
	GZPA Reference 4SYM	4037072014884	<p>4 channel High End SQ Class AB amplifier Symmetrical dual 2 channel 4 x 150 WRMS @ 4 ohm 4 x 270 WRMS @ 2 ohm 4 x 425 WRMS @ 1 ohm</p>	68 990 Kč
	GZPA Reference 2 PURE	4037072014624	<p>2 Channel PURE High End SQ Class AB Amp Direct signal symmetrical dual mono 2 x 420 WRMS @ 4 ohm 2 x 750 WRMS @ 2 ohm 2 x 1150 WRMS @ 1 ohm</p>	92 990 Kč
	GZPA Reference 4 PURE	4037072014631	<p>4 Channel PURE High End SQ Class AB Amp Direct signal symmetrical dual 2 channel 4 x 150 WRMS @ 4 ohm 4 x 270 WRMS @ 2 ohm 4 x 425 WRMS @ 1 ohm</p>	92 990 Kč




2.2 PLUTONIUM

	GZPA 1.4K-HCX	4037072014600	1 Channel Class D Monoamp Output power 4/2/1 Ohm 1200 / 2400 / 4000 WRMS	23 990 Kč
	GZPA 1.6K-HCX	4037072014617	1 Channel Class D Monoamp Output power 4/2/1 Ohm 1700 / 3200 / 5800 WRMS	44 990 Kč
	GZPA 1.10K-HCX	4037072014952	1 Channel Class D Monoamp Output power 4/2/1 Ohm 3200 / 5900 / 10500 WRMS	114 990 Kč







2.3 NUCLEAR

	GZNA 1.2550DXII	4037072013993	1 Channel Class D Monoamp Output power @ 4/2/1 Ohm 850 / 1500 / 2400 WRMS	20 990 Kč
	GZNA 2850XII	4037072014006	2 Channel Class AB amplifier 2 x 450WRMS @ 4 ohm 2 x 850WRMS @ 2 ohm 2 x 1300WRMS @ 1 ohm	20 990 Kč
	GZNA 4330XII	4037072014013	4 Channel Class AB amplifier 4 x 200WRMS @ 4 ohm 4 x 350WRMS @ 2 ohm 4 x 550WRMS @ 1 ohm	19 990 Kč

2.4 URANIUM

	GZUA 2.250SQ-PLUS	4037072016857	2 Channel SQ-Plus Class AB amplifier 2 x 180WRMS @ 4 ohm 2 x 320WRMS @ 2 ohm 2 x 500WRMS @ 1 ohm	15 990 Kč
	GZUA 4.150SQ-PLUS	4037072016864	4 Channel SQ-Plus Class AB amplifier 4x 110WRMS @ 4 ohm 4 x 190WRMS @ 2 ohm	15 990 Kč
	GZUA 6.200SQ-PLUS	4037072016871	6 Channel SQ-Plus Class AB amplifier 4 x 110WRMS & 2x 160WRMS @ 4 ohm 4 x 160WRMS & 2x 280WRMS @ 2 ohm	26 990 Kč





2.5 HYDROGEN

	GZHA 1.1850DXII	4037072013764	1 Channel Class D Monoamp Output power 4/2/1 Ohm 700 / 1200 / 1850 WRMS	14 990 Kč
	GZHA 2400XII	4037072013832	2 Channel Class AB amplifier 2 x 270WRMS @ 4 ohm 2 x 480WRMS @ 2 ohm 2 x 750WRMS @ 1 ohm	13 990 Kč
	GZHA 4200XII	4037072013740	4 Channel Class AB amplifier 4 x 140WRMS @ 4 ohm 4 x 200WRMS @ 2 ohm	11 990 Kč
	GZHA MINI ONE	4037072016086	1 Channel Class D Monoamp Output power 4/2/1 Ohm 220 / 390 / 630 WRMS	6 190 Kč
	GZHA MINI TWO	4037072016093	2 Channel Class AB amplifier 2 x 130WRMS @ 4 ohm 2 x 230WRMS @ 2 ohm	6 190 Kč
	GZHA MINI FOUR	4037072016109	4 Channel Class AB amplifier 4 x 80WRMS @ 4 ohm 4 x 130WRMS @ 2 ohm	7 490 Kč








2.6 RADIOACTIVE

	GZRA 1.1650DX	4037072016314	1 Channel Class D Monoamp Output power 4/2/1 Ohm 650 / 1250 / 1800 WRMS	11 990 Kč
	GZRA 1.2500DX	4037072016307	1 Channel Class D Monoamp Output power 4/2/1 Ohm 750 / 1400 / 2200 WRMS	16 990 Kč
	GZRA 2255X	4037072016529	2 Channel Class AB amplifier 2 x 150WRMS @ 4 ohm 2 x 250WRMS @ 2 ohm	5 490 Kč
	GZRA 4230X	4037072016291	4 Channel Class AB amplifier 4 x 140WRMS @ 4 ohm 4 x 230WRMS @ 2 ohm	8 790 Kč
	GZRA MICRO ONE	4037072014341	1 Channel Micro Class D Monoamp Output power 4/2 Ohm 220 / 350 WRMS Dimensions (w x h x l): 7.5 x 4.4 x 19 cm / 2.95" x 1.73" x 7.48"	7 490 Kč
	GZRA MICRO FOUR	4037072014358	4 Channel Micro Class AB amplifier 4 x 60WRMS @ 4 ohm 4 x 100WRMS @ 2 ohm Dimensions (w x h x l): 7.5 x 4.4 x 19 cm / 2.95" x 1.73" x 7.48"	7 490 Kč







2.7 TITANIUM

	GZTA 1.800DX-II	4037072016147	1 Channel Class D Monoamp Output power 4/2/1 Ohm 350 / 550 / 850 WRMS	7 690 Kč
	GZTA 1.1200DX-II	4037072016048	1 Channel Class D Monoamp Output power 4/2/1 Ohm 400 / 800 / 1300 WRMS	8 990 Kč
	GZTA 2155X-II	4037072016376	2 Channel Class AB amplifier 2 x 100WRMS @ 4 ohm 2 x 150WRMS @ 2 ohm	3 990 Kč
	GZTA 4125X-II	4037072016352	4 Channel Class AB amplifier 4 x 90WRMS @ 4 ohm 4 x 130WRMS @ 2 ohm	6 490 Kč
	GZTA 1.800DXII-24V	4037072016161	24 Volt 1 Channel Class D Monoamp Output power 4/2/1 Ohm 350 / 550 / 850 WRMS	7 990 Kč
	GZTA 4125XII-24V	4037072016178	24 Volt 4 Channel Class AB amplifier 4 x 90WRMS @ 4 ohm 4 x 130WRMS @ 2 ohm	6 690 Kč
	GZTA 5120X-II	4037072016062	5 Channel Class AB amplifier 4 x 50WRMS & 1 x 180WRMS @ 4 ohm 4 x 70WRMS & 1 x 260WRMS @ 2 ohm	7 990 Kč

2.8 IRIDIUM

	GZIA 1.600HPX-II	4037072015935	1 Channel Class AB Monoamp Output power 4/2/1 Ohm 230 / 400 / 600 WRMS	5 290 Kč
	GZIA 1.1000DX-II	4037072015911	1 Channel Class D Monoamp Output power 4/2/1 Ohm 350 / 650 / 1000 WRMS	6 690 Kč
	GZIA 1.1450DX-II	4037072015973	1 Channel Class D Monoamp Output power 4/2/1 Ohm 400 / 750 / 1250 WRMS	7 990 Kč
	GZIA 2080HPX-II	4037072015669	2 Channel Class AB amplifier 2 x 60WRMS @ 4 ohm 2 x 80WRMS @ 2 ohm	2 690 Kč
	GZIA 2130HPX-II	4037072015959	2 Channel Class AB amplifier 2 x 85WRMS @ 4 ohm 2 x 130WRMS @ 2 ohm	3 490 Kč
	GZIA 2235HPX-II	4037072015683	2 Channel Class AB amplifier 2 x 150WRMS @ 4 ohm 2 x 235WRMS @ 2 ohm	4 290 Kč
	GZIA 4115HPX-II	4037072015706	4 Channel Class AB amplifier 4 x 70WRMS @ 4 ohm 4 x 115WRMS @ 2 ohm	4 790 Kč

2.9 COMPETITION





	GZCA 1.2K-SPL	4037072016888	1 Channel Class D Monoamp Output power 2/1 Ohm 675 / 1350 WRMS	8 990 Kč
	GZCA 3.0K-SPL	4037072016895	1 Channel Class D Monoamp Output power 2/1 Ohm 1800 / 3400 WRMS	14 990 Kč
	GZCA 5.0K-SPL	4037072016901	1 Channel Class D Monoamp Output power 2/1 Ohm 2800 / 5600 WRMS	23 990 Kč
	GZCA 8.0K-SPL	4037072016918	1 Channel Class D Monoamp Output power 2/1 Ohm 4480 / 8960 WRMS	26 990 Kč
	GZCA 12K-SPL	4037072016925	1 Channel Class D Monoamp Output power 2/1 Ohm 9000 / 13700 WRMS	39 990 Kč
	GZCA 35K-SPL	4037072016932	1 Channel Class D Competition Monoamp Output power 1 Ohm 35000 WRMS (12.6 V)	106 990 Kč











3. SOUND UPGRADE				
3.1				
	GZDSP 6-8X	4037072015393	<p>Digital Sound Processor 6 in / 8 out High- / and low-level inputs / DC-Auto-On at high-level-in TOSLINK input (optical 12 ~ 96 kHz) / 3.5 mm jack stereo AUX-Input 6 x 31 Band Equalizer (-18 ~ +12 dB / Q: 0.5 ~ 9) 20 - 20000 Hz 2 x 11 Band Equalizer (-18 ~ +12 dB / Q: 0.5 ~ 9) 20 - 200 Hz Time delay correction 0 ~ 15 ms / 0 ~ 510 cm Adjustable Butterworth HPF / LPF / BPF with 6 - 48 dB slope Phase shift each channel 0 / 180° 10 presets individually programmable</p>	9 490 Kč
	GZDSP 4.80AMP	4037072017878	<p>4-Channel amplifier with integrated signal processor (DSP) High efficient 2 Ohm stable class D amplifier 6-channel line input (RCA) and high-level input (with auto-on function) 4-channel line output (RCA) Plug for optional wireless music streaming interface (GZDSP BT-Box) TOSLINK input (sampling rate up to 24-bit/96 kHz) AUX input (3.5 mm socket) Integrated DSP (GZDSP 6-8X) 4x 80 / 130 Watts RMS @ 4 / 2 Ohm load Optional remote control (GZDSP Remote / GZDSP Touch-Remote)</p>	13 490 Kč
	GZDSP Remote	4037072015553	<p>Remote control for GZDSP 6-8X Master volume control Sub-out volume control Input mode selection Preset selection</p>	1 790 Kč
Pic coming soon	GZDSP Touch-Remote	No EAN yet	<p>Touch screen remote control Preset selection Main level control Subwoofer level control Mute function Including 5 m / 16.4 ft connection cable Compatible with GZDSP 4.60ISO and 4.80AMP</p>	3 990 Kč
Pic coming soon	GZDSP BT-Box	4037072018035	<p>Wireless music streaming interface Including connection cable Compatible with GZDSP 4.60ISO and 4.80AMP</p>	2 690 Kč
	GZCS 4.60ISO	4037072010251	<p>High efficient plug and play analog amplifier 4 x 70 W @ 4 ohm 4 x 90 W @ 2 ohm 3-channel mode 4 x 70 and 1 x 180W @ 4 ohm</p>	7 490 Kč
	GZDSP 4.60ISO	4037072017731	<p>4-Channel upgrade amplifier (ISO) with integrated signal processor (DSP) High efficient 2 Ohm stable class D amplifier High-level input (with auto-on function) 2-channel line output (RCA) Plug for optional wireless music streaming interface (GZDSP BT-Box) TOSLINK input (sampling rate up to 24-bit/96 kHz) AUX input (3.5 mm socket) 1 m / 3.28 ft cable harness included Integrated DSP (GZDSP 6-8X) 4x 40 / 60 Watts RMS @ 4 / 2 Ohm load Optional remote control (GZDSP Remote / GZDSP Touch-Remote)</p>	10 690 Kč
	GZCS 4.0BMW-CONNECT	4037072018110	<p>BMW / MINI specific cabel harness 4m / 13.12 ft stereo for BMW / MINI with basic sound system High quality copper wire, BMW specific connectors Optimized for GZRA MICRO FOUR with GZCS 200BMW-SW and GZCS 100BMW-A/B/C/D and MINI-A</p>	2 690 Kč
	GZCS ISO-Quadlock	4037072014266	<p>ISO-QUADLOCK Adapter for ISO connected plug and play amplifiers High quality copper cable for VW / Audi / BMW / Mercedes etc. until 2013</p>	1 190 Kč
	GZCS ISO-Quadlock II	4037072015768	<p>ISO-QUADLOCK II Adapter for ISO connected plug and play amplifiers High quality copper cable for VW / Audi / BMW / Mercedes etc. from 2013 on</p>	1 290 Kč

	GZTB 20ACT	4037072015720	20 cm / 8" flat active subwoofer Stron plastic injection enclosure Lowpass 50-100Hz Build in high power amp 100 WRMS / 160 WMAX with bass remote and High-Level input with auto-on 7,2 cm / 0.283" height	5 490 Kč
	GZUB 600XACTII	4037072015744	16 cm / 6" flat active subwoofer Massive aluminum cast housing Lowpass 50-100Hz Build in high power amp 100 WRMS / 160 WMAX with bass remote and High-Level input with auto-on 7,2 cm / 0.283" height	6 690 Kč
	GZUB 800XACTII	4037072013894	20 cm / 8" flat active subwoofer Massive aluminum cast housing Lowpass 50-100Hz Build in high power amp 120 WRMS / 180 WMAX with bass remote and High-Level input with auto-on 6,8 cm / 0.268" height	7 490 Kč
	GZUB 1000XACTII	4037072013900	25 cm flat active subwoofer Massive aluminum cast housing Lowpass 50-100Hz Build in high power amp 150 WRMS / 210 WMAX with bass remote and High-Level input with auto-on 7,8 cm / 0.307" height	9 490 Kč
	GZCS 10SUB	4037072016604	25 cm passive spare wheel subwoofer Efficient downfire technology High power 2x 2 Ohm 10" subwoofer Reinforced paper cone Power handling 300 Watt 62,0 x 44,0 x 12,0 cm (14,5cm mit Gummifüßen) / 24.40" x 17.32" x 4.72" (5.71" including rubber feet)	4 990 Kč
	GZCS 10SUB-ACT	4037072016611	25 cm active spare wheel subwoofer Efficient downfire technology High power 2x 2 Ohm 10" subwoofer Reinforced paper cone 150 WRMS / 300 WMAX amplifier 62,0 x 44,0 x 12,0 cm (14,5cm mit Gummifüßen) / 24.40" x 17.32" x 4.72" (5.71" including rubber feet)	7 990 Kč



	GZBR 200BMW	4037072007282	BMW Mounting bracket for 20cm woofer Made for GZMW 200NEO; 2pcs. in set	1 090 Kč
	GZCS 200BMW-SW	4037072016390	20 cm / 8" car specific subwoofer - 1 pair Extra flat BMW specific subwoofer with neodymium-motor 100 WRMS / 160 WMAX, 50 mm / 2" copper voice coil, coated paper cone SPL 86 dB, impedance 2 Ohm	8 790 Kč
	GZCS 100BMW-A	4037072016758	10 cm / 4" car specific 2 way compo system "Made in Germany" Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 3.0 Ohm 25 mm / 1" titanium dome tweeter incl. in-line crossover	7 490 Kč
	GZCS 100BMW-B	4037072016765	10 cm / 4" car specific 2 way compo system "Made in Germany" Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 3.0 Ohm 25 mm / 1" titanium dome tweeter incl. in-line crossover	7 490 Kč
	GZCS 100BMW-C	4037072016772	10 cm / 4" car specific 2 way compo system "Made in Germany" Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 3.0 Ohm 25 mm / 1" titanium dome tweeter incl. in-line crossover	7 490 Kč
	GZCS 100BMW-D	4037072016789	10 cm / 4" car specific 2 way compo system "Made in Germany" Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 3.0 Ohm 25 mm / 1" titanium dome tweeter incl. in-line crossover	7 490 Kč
	GZCS 100MINI-A	4037072016796	10 cm / 4" car specific 2 way compo system "Made in Germany" Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 3.0 Ohm 25 mm / 1" titanium dome tweeter incl. in-line crossover	7 490 Kč
	GZCS 8.7CX	4037072017533	8,7 cm / 3.5" car specific 2-way coax speaker 4 ohm, 50 / 90 W, 100 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter	1 090 Kč
	GZCS 46CX	4037072017540	10 x 15 cm / 4" x 6" car specific 2-way coax speaker 4 ohm, 70 / 110 W, 80 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Special size for older VW, Porsche, Audi, ...	1 690 Kč
	GZCS 12CX	4037072017557	12 cm / 4.65" car specific 2-way coax speaker 4 ohm, 60 / 100 W, 75 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Special size for older Mercedes Benz models	1 490 Kč

4. SUBWOOFERBOXES				
4.1 URANIUM				
	GZUB 30SQ	4037072010732	Sealed SQ box incl. GZUW 12SQX 1 x 30 cm / 12", 600 WRMS 2x2 ohm Handmade in Europe, 25 mm MDF Stable and lightweight paper cone, Audiophile POLYCOT spider	8 990 Kč
4.2 RADIOACTIVE				
	GZRB 3000XSPL	4037072014402	SPL bass tunnel box incl. GZRW 30XSPL-D2 1 x 30 cm / 12", 1500W SPL Power, 2x2 ohm Front bass tunnel enclosure with 65 Liter / 2.295 cu.ft	9 990 Kč
4.3 IRIDIUM				
	GZIB 200XBR	4037072017830	Front bass tunnel box - 20 cm / 8" woofer 150 WRMS, 4 Ohm Front bass tunnel enclosure with 17 liter / 0.6 cu.ft	3 190 Kč
	GZIB 300XBR	4037072017854	Front basstunnel box - 30 cm / 12" Woofer 350 WRMS, 4 Ohm Front bass tunnel enclosure with 37 liter / 1.31 cu.ft	4 490 Kč
	GZIB 2.300BR	4037072011197	Front bass tunnel box - 2x 30 cm / 12" woofer 700 WRMS, 2 x 2 Ohm Front bass tunnel enclosure with 70 liter / 2.47 cu.ft	7 490 Kč
	GZIB 3000SPL	4037072014709	Bass tunnel SPL box incl. GZIW 12SPL 1000 W SPL Power, 2x2 ohm Front bass tunnel enclosure with 45 liter / 1.589 cu.ft	5 890 Kč
	GZIB 2.3000SPL	4037072015089	SPL bass tunnel box incl. 2 x GZIW 12SPL 2 x 30 cm / 2 x 12", 2000 W SPL Power, 4x2 ohm Front bass tunnel enclosure with 82 liter 2.895 cu.ft	11 990 Kč




	GZIB 165BR-ACT	4037072016574	Active front bass tunnel box - 16,5 cm / 6.5" Build in high power amp 80 WRMS / 150 WMAX High-level input with auto-on	5 290 Kč
	GZIB 200XBR-ACT	4037072017847	Active front bass tunnel box - 20 cm / 8" Build in high power amp 100 WRMS / 200 WMAX High-level input with auto-on	6 690 Kč
	GZIB 300XBR-ACT	4037072017861	Active front bass tunnel box - 30 cm / 12" Build in high power amp 150 WRMS / 300 WMAX High-level input with auto-on	7 490 Kč
	GZ BASS KIT 12.300	4037072016031	Bass Kit incl. GZBA 2.300 amp 37 l front bass tunnel enclosure with 30 cm / 12" subwoofer, IMPP cone, 4 Ohm Class A/B amplifier, 300 W MAX @ 4 Ohm, bass boost High-level input with auto-on, variable low pass filter	5 990 Kč
	GZ BASS KIT 12.300 incl. Cable	4037072016437	Bass Kit incl. GZBA 2.300 amp & GZPK 10XLC 37 l front bass tunnel enclosure with 30 cm / 12" subwoofer, IMPP cone, 4 Ohm Class A/B amplifier, 300 W MAX @ 4 Ohm, bass boost High-level input with auto-on, variable low pass filter Including 10 mm ² / 8 AWG wiring kit	6 790 Kč

5. SUBWOOFER				
5.1 PLUTONIUM				
	THE GERMANATOR	4037072016963	33" ÜBERWOOFER by Ground Zero More Details coming soon...	159 990 Kč
	GZPW 12SPL EXTREME	Not fixed yet	30 cm / 12" Subwoofer, 10000 W SPL Power 2 x 1 ohm, 75 mm / 3" Alu voice coil, Handmade in Europe Carbon sandwich cone, 4x spider, Fs 39,9 Hz, Qts 0.40, SPL 92.2dB	45 990 Kč
	GZPW 15SPL EXTREME	4037072003581	38 cm / 15" Subwoofer, 15000 W SPL Power 2 x 1 ohm, 100 mm / 4" CCA voice coil, Handmade in Europe Carbon sandwich cone, 5x spider, Fs 46,7 Hz, Qts 0.31, SPL 92 dB	66 990 Kč
	GZPW 18SPL EXTREME	4037072003598	46 cm / 18" Subwoofer, 15000 W SPL Power 2 x 1 ohm, 100 mm / 4" CCA voice coil, Handmade in Europe Carbon sandwich cone, 5x spider, Fs 45.1 Hz, Qts 0.31, SPL 92 dB	76 990 Kč
	GZPW 10SPL	4037072007916	25 cm / 10" Subwoofer, 6500 W SPL Power 2 x 1.6 ohm, 75 mm / 3" Alu voice coil, Paper-glassfiber-kevlar mix cone, 4x spider, Fs 51.7 Hz, Qts 0.40, SPL 89.7dB	23 990 Kč
	GZPW 12SPL	4037072000108	30 cm / 12" Subwoofer, 6500 W SPL Power 2 x 1 ohm, 75 mm / 3" Alu voice coil, Paper-glassfiber-kevlar mix cone, 4x spider, Fs 39.9 Hz, Qts 0.40, SPL 92.2dB	31 990 Kč
	GZPW 15SPL	4037072001952	38 cm / 15" Subwoofer, 10000 W SPL Power 2 x 1 ohm, 100 mm / 4" Alu voice coil, Paper-glassfiber-kevlar mix cone, 4x spider, Fs 39.1 Hz, Qts 0.23, SPL 92.8 dB	50 990 Kč
	GZPW 18SPL	4037072002065	46 cm / 18" Subwoofer, 10000 W SPL power 2 x 1 ohm, 100 mm / 4" Alu voice coil, Paper-glassfiber-kevlar mix cone, 4x spider, Fs 34.0 Hz, Qts 0.26, SPL 95.1 dB	55 990 Kč
	GZPW 21SPL	4037072016970	54 cm / 21" Subwoofer, 10000 W SPL power 2 x 1 ohm, 130 mm / 5" flat wire voice coil Fibre reinforced paper cone, progressive multilayer spider Massive aluminium cast basket, high-roll sandwich surround 10 mm ² / 7 AWG connection cable Fs 34.5 Hz, Qts 0.55, SPL 92 dB, xmax 50 mm / 2"	37 990 Kč
	GZPW 15Xmax	4037072017403	38 cm / 15" Subwoofer, 6000 WRMS 2 x 1 ohm, 100 mm / 4" CCA US-made voice coil, Massive aluminum cone, 4x Nomex spider Fs 33.3 Hz, Qts 0.44	31 990 Kč

5.2 NUCLEAR






	GZNW 12Xmax	4037072017410	30 cm / 12" Subwoofer, 3000 WRMS 2 x 1 ohm, 75 mm / 3" CCA US-made voice coil, Massive aluminum cone, 4x Nomex spider Fs 35.6.1 Hz, Qts 0.61, SPL 83 dB	18 990 Kč
	GZNW 15Xmax	4037072017427	38 cm / 15" Subwoofer, 4000 WRMS 2 x 1 ohm, 75 mm / 3" CCA US-made voice coil, Massive aluminum cone, 4x Nomex spider Fs 29.5 Hz, Qts 0.33, SPL 87 dB	23 990 Kč

5.3 URANIUM

	GZUW 8SQ	4037072010466	20 cm / 8" SQ Subwoofer, 300 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil, Reinforced paper cone, audiophile POLYCOT spider Fs 44.5 Hz, Qts 0.46, SPL 86 dB	4 790 Kč
	GZUW 10SQX	4037072012767	25 cm / 10" SQ Subwoofer, 450 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil Reinforced paper cone, audiophile POLYCOT spider Fs 46.7 Hz, Qts 0.62, SPL 86 dB	5 290 Kč
	GZUW 12SQX	4037072008609	30 cm / 12" SQ Subwoofer, 600 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil Reinforced paper cone, audiophile POLYCOT spider FS 33.8 Hz, Qts 0.63, SPL 88 dB	6 690 Kč

5.4 HYDROGEN

<p>Pic coming soon</p>	<p>GZHW 20SPL</p>	<p>No EAN yet</p>	<p>20 cm / 8" Subwoofer, 1500 W SPL 2 x 1 ohm, 63 mm / 2.5" copper voice coil, double spider Reinforced paper cone, high-roll sandwich surround Fs 38.3 Hz, Qts 0.381, SPL 80 dB</p>	<p>5 890 Kč</p>
<p>Pic coming soon</p>	<p>GZHW 25SPL</p>	<p>No EAN yet</p>	<p>25 cm / 10" Subwoofer, 2500 W SPL 2 x 1 ohm, 63 mm / 2.5" copper voice coil, double spider Reinforced paper cone, high-roll sandwich surround Fs 41.8 Hz, Qts 0.487, SPL 83 dB</p>	<p>7 490 Kč</p>
	<p>GZHW 30SPL</p>	<p>4037072017434</p>	<p>30 cm / 12" Subwoofer, 3000 W SPL Power 2 x 1 ohm, 75 mm / 3" US-made copper voice coil, Fiber reinforced paper cone, 2x spider Fs 35.4 Hz, Qts 0.44</p>	<p>8 990 Kč</p>
<p>Pic coming soon</p>	<p>GZHW 30SPL GOLD</p>	<p>4037072017434</p>	<p>Gold Edition 30 cm / 12" Subwoofer, 3000 W SPL Power 2 x 1 ohm, 75 mm / 3" US-made copper voice coil, Fiber reinforced paper cone, 2x spider Fs 35.4 Hz, Qts 0.44 Special edition, not a regular stock model Please see stock update for availability</p>	<p>9 290 Kč</p>
<p>Pic coming soon</p>	<p>GZHW 30SPL PINK</p>	<p>4037072017670</p>	<p>Pink Edition 30 cm / 12" Subwoofer, 3000 W SPL Power 2 x 1 ohm, 75 mm / 3" US-made copper voice coil, Fiber reinforced paper cone, 2x spider Fs 35.4 Hz, Qts 0.44 Special edition, not a regular stock model Please see stock update for availability</p>	<p>9 290 Kč</p>
<p>Pic coming soon</p>	<p>GZHW 30SPL GREEN</p>	<p>4037072017663</p>	<p>Green Edition 30 cm / 12" Subwoofer, 3000 W SPL Power 2 x 1 ohm, 75 mm / 3" US-made copper voice coil, Fiber reinforced paper cone, 2x spider Fs 35.4 Hz, Qts 0.44 Special edition, not a regular stock model Please see stock update for availability</p>	<p>9 290 Kč</p>
	<p>GZHW 38SPL</p>	<p>4037072017441</p>	<p>38 cm / 15" Subwoofer, 3500 W SPL Power 2 x 1 ohm, 75 mm / 3" US-made copper voice coil, Fiber reinforced paper cone, 2x spider Fs 36.3 Hz, Qts 0.52</p>	<p>11 990 Kč</p>
<p>Pic coming soon</p>	<p>GZHW 38SPL GOLD</p>	<p>No EAN yet</p>	<p>Gold Edition 38 cm / 15" Subwoofer, 3500 W SPL Power 2 x 1 ohm, 75 mm / 3" US-made copper voice coil, Fiber reinforced paper cone, 2x spider Fs 36.3 Hz, Qts 0.52 Special edition, not a regular stock model Please see stock update for availability</p>	<p>12 490 Kč</p>
<p>Pic coming soon</p>	<p>GZHW 38SPL GREEN</p>	<p>No EAN yet</p>	<p>Green Edition 38 cm / 15" Subwoofer, 3500 W SPL Power 2 x 1 ohm, 75 mm / 3" US-made copper voice coil, Fiber reinforced paper cone, 2x spider Fs 36.3 Hz, Qts 0.52c Special edition, not a regular stock model Please see stock update for availability</p>	<p>12 490 Kč</p>
	<p>GZHW 18XSPL-D1</p>	<p>4037072015348</p>	<p>46 cm / 18" Subwoofer, 4000 W SPL Power 2 x 1 ohm, 75 mm / 3" copper voice coil, Reinforced Paper Cone, massive triple magnet, double spider Fs 34.3 Hz, Qts 0.381, SPL 92 dB</p>	<p>13 290 Kč</p>

	GZHW 20X	4037072001815	20 cm / 8" Subwoofer, 400 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil, Aluminum cone, high x-max Connex spider Fs 36 Hz, Qts 0.35, SPL 82 dB	5 890 Kč
	GZHW 25X	4037072001822	25 cm / 10" Subwoofer, 600 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil, Aluminum cone, high x-max Connex spider Fs 27.1 Hz, Qts 0.37, SPL 84 dB	6 690 Kč
	GZHW 30X	4037072001839	30 cm / 12" Subwoofer, 800 WRMS 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Aluminum cone, high x-max Connex spider Fs 23.5 Hz, Qts 0.33, SPL 86 dB	7 990 Kč
	GZUP 10	4037072000818	25 cm / 10" Passive Radiator Aluminum cone, high x-max Connex spider for use with GZHW 25X / GZUW 10X	2 690 Kč
	GZUP 12	4037072000825	30 cm / 12" Passive Radiator Aluminum cone, high x-max Connex spider for use with GZHW 30X / GZUW 12X	3 190 Kč










5.5 RADIOACTIVE				
	GZRW 10XSPL	No EAN yet	25 cm / 10" Subwoofer, 1200 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, double spider Fs 44.3 Hz, Qts 0.749, SPL 82 db	4 690 Kč
	GZRW 12XSPL	No EAN yet	30 cm / 12" subwoofer, 1500 W SPL Power 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, double spider Fs 31.8 Hz, Qts 0.684, SPL 83 db	5 890 Kč
	GZRW 30XSPL-D2	4037072013696	30 cm / 12" subwoofer, 1500 W SPL Power 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, double spider Fs 36.1 Hz, Qts 0.591, SPL 86 db	6 190 Kč
	GZRW 38XSPL-D2	4037072015119	38 cm / 15" subwoofer, 1800 W SPL Power 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, double spider Fs 33.5 Hz, Qts 0.62, SPL 88 db	7 490 Kč
	GZRW 30-D2	No EAN yet	30 cm / 12" subwoofer, 800 WRMS 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, high x-max spider High-roll sandwich surround, push terminals	5 890 Kč
	GZRW 8FL	4037072015379	20 cm / 8" neodymium flat woofer, 150 WRMS 2 Ohm, 36 mm / 1.42" round wire copper voice coil High-strength extremely flat IMPP cone Resonance free steel basket Fs 45.3 Hz, Qts 0.938, SPL 85 dB Mounting depth 55 mm / 2.17"	3 990 Kč
	GZRW 10D2	4037072012408	25 cm / 10" subwoofer, 600 WRMS 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, high x-max spider Fs 34 Hz, Qts 0.61, SPL 83.2 dB	4 290 Kč
	GZRW 10D4	4037072012415	25 cm / 10" Subwoofer, 600 WRMS 2 x 4 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, high x-max spider Fs 34.6 Hz, Qts 0.63, SPL 83.1 dB	4 290 Kč
	GZRW 15D2	4037072013931	38 cm / 15" Subwoofer, 1000 WRMS 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, high x-max spider Fs 23.58 Hz, Qts 0.439, SPL 88 dB	6 190 Kč
5.6 TITANIUM				
	GZTW 10F	No EAN yet	25 cm / 10" Flat Subwoofer 2x 2 Ohm, 50 mm/ 2.5" copper voice coil High-strength, extremely flat IMPP cone Aluminum dustcap, push terminals	3 490 Kč
	GZTW 12F	No EAN yet	30 cm / 12" Flat Subwoofer 2x 2 Ohm, 50 mm/ 2.5" copper voice coil High-strength, extremely flat IMPP cone Aluminum dustcap, push terminals	3 990 Kč

5.7 IRIDIUM






	GZIW 165X-II	4037072017755	16.5 cm / 6.5" subwoofer, 150 WRMS 4 ohm, 38 mm / 1.5" round wire copper voice coil, IMPP-cone, high-roll rubber surround, push terminals Fs 41.5 Hz, Qts 0.45, SPL 85.5 dB	1 590 Kč
	GZIW 200X-II	4037072017762	20 cm / 8" subwoofer, 150 WRMS 4 ohm, 38 mm / 1.5" copper voice coil, IMPP-cone, audiophile POLYCOT spider Fs 39.9 Hz, Qts 0.52, SPL 87 dB	1 990 Kč
	GZIW 250X-II	4037072017779	25 cm / 10" subwoofer, 250 WRMS 4 ohm, 50 mm / 2" copper voice coil, IMPP-cone, audiophile POLYCOT spider Fs 32.7 Hz, Qts 0.49, SPL 87 dB	2 690 Kč
	GZIW 300X	4037072006087	30 cm / 12" subwoofer, 350 WRMS 4 ohm, 50 mm / 2" copper voice coil, IMPP-cone, audiophile POLYCOT spider Fs 34.9 Hz, Qts 0.69, SPL 87 dB	3 190 Kč
	GZIW 10SPL	4037072016215	25 cm / 10" Subwoofer, 700 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, High-Roll V-Shape surround, double layer spider Fs 40.8 Hz, Qts 0.62, SPL 84 dB	3 990 Kč
	GZIW 12SPL	4037072014419	30 cm / 12" subwoofer, 1000 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, High-Roll V-Shape surround, double layer spider Fs 36.9 Hz, Qts 0.67 SPL, 86 dB	4 490 Kč
	GZIW 12SPL PINK EDITION	4037072015867	30 cm / 12" subwoofer, 1000 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, High-Roll V-Shape surround, double layer spider Fs 36.9 Hz, Qts 0.67 SPL, 86 dB Pink colored basket, stitch and GZ logo	4 490 Kč
	GZIW 15SPL	4037072016222	38 cm / 15" Subwoofer, 1200 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, High-Roll V-Shape surround, double layer spider Fs 39,9 Hz, Qts 0.54, SPL 91 dB	6 190 Kč

6. SPEAKERS				
6.1 REFERENCE				
	GZPM Reference 80	4037072013788	8 cm / 3.15" High End SQ midrange Handmade in Europe and selected in pairs 4 ohm, 80 / 120 W, 150 Hz - 6 kHz, coated paper cone Linearised motor, Handmade machined aluminium basket Delivered in Made in Germany wooden-box	34 990 Kč
	GZMW Reference 180	4037072014242	18 cm / 7.09" High End SQ kick- / midwoofer Handmade in Europe and selected in pairs 4 ohm, 100 / 150 W, 40 Hz - 3.5 kHz, coated paper cone Linearised motor, Handmade machined aluminium basket Delivered in Made in Germany wooden-box	47 990 Kč
	GZPW Reference 250	4037072013405	25 cm / 10" High End SQ subwoofer Handmade in Germany 2 x 2 ohm, 500 WRMS, 50 mm / 2" copper voice coil High tech 3-layer sandwich cone, light-weight rubber surround, Double-layer BIMAX / Connex spider, Linearised high efficient motor with double ferrit magnet Delivered in Made in Germany wooden-box	39 990 Kč
	GZPT Reference 28	4037072007695	28 mm / 1.1" High End SQ silkdome tweeter Handmade in Germany and selected in pairs 4 ohm, 100 / 150 W, Fs 600 Hz, Coupled chamber High gloss chromed CNC machined aluminum housing 2-Layer hand-coated silkdome Linearised dual-neodymium motor Delivered in Made in Germany wooden-box	29 990 Kč
	GZPT Reference 28 GOLD	4037072007695	GZPT 28 Reference Limited 24 K plated Gold Edition Handmade in Germany by Michael Feld	n/a
	GZSP 28-TW	4037072014891	Machined aluminum tweeter housing For GZPT 28SX / GZPT Reference 28 / GZPT Reference 28B Including swiveling mounting accessories	6 690 Kč
	GZSP 80-MID	4037072014907	Machined aluminum tweeter housing For GZNM 80SQ / GZPM 80SQX 320 ml net volume Including two different swiveling mounting accessories	15 990 Kč







6.2 PLUTONIUM

	GZPT 28SX	4037072008791	28 mm / 1.1" High End SQ silkdome tweeter Handmade in Germany and selected in pairs 4 ohm, 100 / 150 W, Fs 750 Hz, Coupled chamber Black anodized CNC machined aluminum housing 2-Layer coated silkdome Delivered in Made in Germany Wooden-Box	15 990 Kč
	GZPT 28SX CHROME EDITION	4037072016642	28 mm / 1.1" High End SQ silkdome tweeter Handmade in Germany and selected in pairs 4 ohm, 100 / 150 W, Fs 750 Hz, Coupled chamber Chrome coated CNC machined aluminum housing 2-Layer coated silkdome Delivered in Made in Germany Wooden-Box	15 990 Kč
	GZPM 80SQX	4037072012491	8 cm / 3.15" High End SQ midrange Made in Germany 4 Ohm, 70 / 110 W, 150 Hz - 4 kHz, Mounting depth 34 mm / 1.34" Magnesium cone, Neodymium magnet Delivered in Made in Germany wooden-box	10 490 Kč
	GZPK 16SQ	4037072012750	16,5 cm / 6.5" High End SQ kick- / midwoofer Made in Germany 4 Ohm, 130 / 210 W, 30 Hz - 3 KHz, Alu-ceramic cone, linearised ferrit motor Delivered in Made in Germany wooden-box	13 490 Kč
	GZPX 165SQ	4037072012941	High End 2 way crossover 1set passive crossover for GZPK 16SQ & GZPT 28SX Mundorf capacitors, MOX resistors <i>Delivered in Made in Germany wooden-box</i>	9 490 Kč
	GZPX 16.3SQ	4037072012958	High End 3 way crossover 1set 3 Way passive crossover for GZPK 16SQ & GZPT 28SX & GZPM 80SQX Mundorf capacitors, MOX resistors, Bi-Amping Delivered in Made in Germany wooden-box	11 990 Kč
	GZPC 165SQ	4037072012736	16,5 cm / 6.5" High End SQ 2 way compo Made in Germany 4 ohm, 200 / 300 W, 30 Hz - 30 KHz GZPK 16SQ / GZPT 28SX / GZPX 165SQ packed together in one wooden-box.	36 990 Kč
	GZPC 16.3SQ	4037072012927	16,5 cm / 6.5" High End SQ 3 way compo Made in Germany 3 ohm, 200 / 300 W, 30 Hz - 30 KHz GZPK 16SQ / GZPM 80SQX / GZPT 28SX / GZPX 16.3SQ packed together in one wooden-box.	39 990 Kč
	GZPC 165SQ-ACT	4037072012910	16,5 cm/6.5" High End SQ 2 way compo (ACT) Made in Germany 2 way Speaker system without crossovers for full-active use. GZPK 16SQ, GZPT 28SX packed together in one wooden-box.	29 990 Kč
	GZPC 16.3SQ-ACT	4037072012934	16,5 cm/6.5" High End SQ 3 way compo (ACT) Made in Germany 3 way Speaker system without crossovers for full-active use. GZPK 16SQ, GZPM 80SQX, GZPT 28SX packed together in one wooden-box.	32 990 Kč

6.3 NUCLEAR

	GZNC 1650SQ	4037072014587	16,5 cm / 6.5" SQ 2 way compo system Made in Germany 4 ohm, 150 / 250 W, 40 Hz - 26 kHz Coated paper cone, linearised ferrit motor 25 mm / 1" SQ Silkdome tweeter Black anodized CNC machined aluminum housing	21 490 Kč
	GZNK 165SQ	4037072014280	16,5 cm / 6.5" SQ kick- / midwoofer Made in Germany 4 ohm, 130 / 200 W, 40 Hz - 3 kHz Coated paper cone, linearised ferrit motor	8 790 Kč
	GZNM 80SQ	4037072012446	8 cm / 3.15" SQ midrange Made in Germany 4 ohm, 60 / 100 W, 150 Hz - 5 KHz Mounting depth 34 mm / 1.34" Coated paper cone, linearised neodymium motor	6 990 Kč
	GZNT 25SQ	4037072014273	25 mm / 1" SQ silkdome tweeter Made in Germany 4 ohm, 80 / 130 W, Fs 750 Hz, coupled chamber Black anodized CNC machined aluminum housing 2-Layer coated silkdome	10 490 Kč
	GZPX 16.3SQ	4037072012958	High End 3 way crossover 1set 3 Way passive crossover for GZNC 1650SQ & GZNM 80SQ & GZNT 25SQ Mundorf capacitors, MOX resistors, Bi-Amping Delivered in Made in Germany wooden-box	11 990 Kč

6.4 URANIUM

	GZUC 65.3SQX	4037072018103	Semi-active 3-way compo speaker system includes GZUC 650SQX and GZUF 60SQX	14 690 Kč
	GZUC 650SQ-II	4037072015591	16,5 cm / 6.5" SQ 2 way compo system 4 ohm, 130 / 210 W, 40 Hz - 24 KHz FWFC® "Wooden Fiber Woven Compound" cone 25 mm / 1" Silkdome tweeter with coupled chamber	8 990 Kč
	GZUC 650SQX	4037072015232	16,5 cm / 6.5" SQ 2 way compo system 4 ohm, 140 / 220 W, 40 Hz - 25 KHz FWFC® "Wooden Fiber Woven Compound" cone LDW® "Low Distortion Wave" surround Airflow optimized aluminum cast basket 25 mm / 1" Silkdome tweeter with coupled chamber and machined aluminum housing	10 490 Kč
	GZUK 65SQX	4037072015256	16,5 cm / 6.5" SQ kick- / midwoofer 4 ohm, 120 / 200 W, 40 Hz - 4 KHz FWFC® "Wooden Fiber Woven Compound" cone LDW® "Low Distortion Wave" surround Pushterminal, Airflow optimized aluminum cast basket	5 490 Kč
	GZUT 25SQX	4037072014914	25 mm / 1" SQ silkdome tweeter 4 ohm, 70 / 120 W, Fs 750 Hz, damped coupled chamber	3 190 Kč
	GZUF 60SQX	4037072017687	6 cm / 2.36" SQ mid- / fullrange 4 ohm, 50 / 80W, 300 - 20 KHz Black anodized aluminum cone Neodymium magnet, copper cap Resonance free fiber composite basket	4 890 Kč

6.5 COMPETITION PRO				
	GZCM 6.5N-PRO	4037072017274	165 mm / 6.5" competition pro midrange 4 ohm, 200 / 400 W, SPL 96 dB, 150 Hz - 12 KHz 38 mm / 1.5" CCAW voice coil, neodymium magnet Lightweight reinforced paper cone, aluminum cast basket price per piece	4 790 Kč
	GZCM 8.0N-PRO	4037072017298	200 mm / 8" competition pro midrange 4 ohm, 300 / 500 W, SPL 98 dB, 130 Hz - 10 KHz 63 mm / 2.5" CCAW voice coil, neodymium magnet Lightweight reinforced paper cone, aluminum cast basket price per piece	6 690 Kč
	GZCT 19N-PRO S	4037072017502	High end compression tweeter 4 ohm, 30 / 100 W, SPL 109 dB, 3 - 22 KHz 25 mm / 1" CCAL voice coil Dispersion vert 60/30° / hor 45°, unsymmetrical aluminum cast waveguide, titanium dome, neodymium magnet - silver price per piece	3 990 Kč
	GZCT 19N-PRO B	4037072017519	High end compression tweeter 4 ohm, 30 / 100 W, SPL 109 dB, 3 - 22 KHz 25 mm / 1" CCAL voice coil Dispersion vert 60/30° / hor 45°, unsymmetrical aluminum cast waveguide, titanium dome, neodymium magnet - black price per piece	3 990 Kč
	GZCW 12.1200-PRO	4037072017724	High power midwoofer 4 Ohm, 800 / 1200 W, SPL 96 dB, 60 - 2800 Hz 100 mm / 4" 2-layer copper round wire "inside/outside" voice coil Fiber reinforced paper cone Aluminum cast basket price per piec	10 990 Kč
6.5 COMPETITION				
	GZCW 12-50	4037072012637	30 cm / 12" competition woofer 4 ohm, 300 / 600 W, SPL 96 dB, 50 Hz - 3 KHz 2-layer 50 mm / 2" copper round wire voice coil Fiber reinforced paper cone, steel basket price per piece	2 990 Kč
	GZCW 12-75SPL	4037072012644	30 cm / 12" competition woofer 4 ohm, 400 / 800 W, SPL 96 dB, 40 Hz - 3 KHz 2-layer 75 mm / 3" copper round wire voice coil Fiber reinforced paper cone, high roll w-surround, steel basket price per piece	5 990 Kč
	GZCM 6-4FX	4037072015355	16,5cm / 6,5" flat competition midrange 4 ohm, 100 / 250 W, SPL 94 dB, 160 Hz - 5 KHz 38 mm / 1.5" copper-clad aluminum round wire voice coil Fiber reinforced paper cone Extra flat steel basket price per piece	1 990 Kč
	GZCM 6-4PPX	4037072014488	16,5cm / 6,5" competition midrange 4 ohm, 150 / 400 W, SPL 95 dB, 150 Hz - 10 KHz 50 mm / 2" copper-clad aluminum round wire voice coil Fiber reinforced paper cone Aluminum cast basket and phaseplug price per piece	2 990 Kč
	GZCM 8-4FX	4037072012231	20 cm / 8" flat competition midrange 4 ohm, 100 / 400 W, SPL 94 dB, 150 Hz - 4 KHz 38 mm / 1,5" copper-clad aluminum round wire voice coil Fiber reinforced paper cone Extra flat steel basket price per piece	2 490 Kč
	GZCM 8-4PPX	4037072012248	20 cm / 8" competition midrange 4 ohm, 200 / 500 W, SPL 96 dB, 150 Hz - 10 KHz 50 mm / 2" copper-clad aluminum round wire voice coil Fiber reinforced paper cone Aluminum cast basket and phaseplug price per piece	3 490 Kč


	GZCM 10-4FX	4037072012255	25 cm / 10" flat competition midrange 4 ohm, 200 / 500 W, SPL 96 dB, 120 Hz - 5 KHz 50 mm / 2" copper-clad aluminum round wire voice coil Fiber reinforced paper cone Extra flat steel basket price per piece	2 990 Kč
	GZCM 10-4PPX	4037072012262	25 cm / 10" competition midrange 4 ohm, 300 / 600 W, SPL 96 dB, 120 Hz - 5 KHz 75 mm / 3" copper-clad aluminum round wire voice coil Fiber reinforced paper cone Aluminum cast basket and phaseplug price per piece	5 490 Kč
	GZCX 8-4Coax-SPL	4037072008470	2 way crossover For GZCF 8-4Coax-SPL <i>price per piece</i>	690 Kč
	GZCF 7104XSPL	4037072015577	180 x 250 cm / 7" x 10" 4 way coax speaker 4 ohm, 200 / 300 W, SPL 93 dB, 35 Hz - 25 KHz Fiber reinforced water repellent paper cone Ferrofluid-cooled paper cone midrange and PEI tweeter with 6 dB crossover and overload protection 15 x 23 cm / 6" x 9" mounting adapter included price per pair	3 990 Kč
	GZCF 165COAX	4037072014501	16,5 cm 6,5" competition 2 way coax speaker 4 ohm, 125 / 300 W, SPL 100 dB, 180 Hz - 25 KHz 40 mm / 1.57" copper-clad aluminum round wire voice coil 35 mm / 1.38" PEN dome compression tweeter, ABS horn Fiber reinforced paper cone, Extra flat aluminum cast basket Including 6 dB crossover price per piece	4 790 Kč
	GZCF 200COAX	4037072012279	20 cm / 8" competition 2 way coax speaker 4 ohm, 200 / 400 W, SPL 100 dB, 150 Hz - 25 KHz 50 mm / 2" copper-clad aluminum round wire voice coil 44.5 mm / 1.75" Titanium dome compression tweeter, ABS horn Fiber reinforced paper cone, Extra flat aluminum cast basket including 6 dB crossover price per piece	5 290 Kč
	GZCK 165SPL	4037072015218	16,5 cm / 6.5" competition kick- / midwoofer 4 ohm, 100 / 250 W, SPL 93 dB, 50 Hz - 4 KHz, 38 mm / 1.5" copper-clad aluminum round wire voice coil Fiber reinforced pressed paper cone High X-Max foam W-surround price per piece	1 890 Kč
	GZCK 200SPL	4037072015492	20 cm / 8" competition kick- / midwoofer 4 ohm, 150 / 300 W, SPL 93 dB, 50 Hz - 6 KHz, 38 mm / 1.5" copper-clad aluminum round wire voice coil Fiber reinforced pressed paper cone High X-Max foam W-surround price per piece	2 690 Kč
	GZCK 250SPL	4037072017250	25 cm / 10" competition kick- / midwoofer 4 ohm, 200 / 400 W, SPL 95 dB, 40 Hz - 6 KHz, 50 mm / 2" copper-clad aluminum round wire voice coil Fiber reinforced pressed paper cone High X-Max foam W-surround price per piece	3 690 Kč

	GZCT 25SQL	4037072017458	25 mm / 1" competition horn SQ tweeter 4 ohm, 100 / 150 W, SPL 93 dB, 3 - 22 KHz 25 mm / 1" Kapton voice coil Coated silk dome, aluminum cast waveguide, shielded neodymium magnet, ferrofluid cooling, aluminum heat sink price per piece	1 490 Kč
	GZCT 0500X	4037072012163	43 mm / 1.69" compression tweeter 4 ohm, 30 / 100 W, SPL 102 dB, 4 - 25 KHz 25 mm / 1" copper-clad aluminium flat wire voice coil Aluminium dome, aluminum cast baffle, plastic bullet Including optional highpass filter (3,3µF capacitor) price per piece	1 890 Kč
	GZCT 2000X	4037072012187	79 x 79 mm / 3.1 x 3.1" High power compression tweeter 4 ohm, 30 / 100 W, SPL 100 dB, 3- 25 KHz 25 mm / 1" copper-clad aluminium round wire voice coil Aluminium dome, aluminum cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) price per piece	990 Kč
	GZCT 2200X	4037072012194	102 x 102 mm / 4.02 x 4.02" High power compression tweeter 4 ohm, 40 / 120 W, SPL 105 dB, 4 - 25 KHz 38 mm / 1,8" copper-clad aluminium flat wire voice coil Aluminium dome, aluminum cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) price per piece	2 290 Kč
	GZCT 3500X-B	4037072012200	98 mm / 3.86" High power compression tweeter (black) 4 ohm, 30 / 100 W, SPL 99 dB, 3 - 25 KHz 25 mm / 1" copper-clad aluminium round wire voice coil Aluminium dome, alu cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) price per piece	690 Kč
	GZCT 3500X-S	4037072012217	98 mm / 3.86" High Power compression tweeter (silver) 4 ohm, 30 / 100 W, SPL 99 dB, 3 - 25 KHz 25 mm / 1" copper-clad aluminium round wire voice coil Aluminium dome, alu cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) price per piece	690 Kč
	GZCT 1000X	4037072017236	100 x 75 mm / 4" x 3" Compression tweeter 4 ohm, 30 / 100 W, SPL 105 dB, 5 - 20 KHz 25 mm / 1" copper-clad aluminium round wire voice coil Aluminium dome, aluminum cast baffle, aluminum bullet Wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) price per piece	1 090 Kč
	GZCT 4000X	4037072012224	160 x 120 mm / 6.3" x 4.7" High power compression tweeter 4 ohm, 50 / 140 W, SPL 103 dB, 2.5 - 20 KHz 44,5 mm / 1.75" copper-clad aluminum round wire voice coil Aluminum dome, aluminum cast baffle, aluminum bullet Wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) price per piece	1 890 Kč
	GZCT 5000SPL	4037072012675	200 x 150 mm / 8" x 5.9" High power compression tweeter (yellow) 4 ohm, 70 / 180 W, SPL 108 dB, 1.5 - 20 KHz 44,5 mm / 1.75" copper clad aluminium round wire voice coil Elliptical tractrix horn, titanium dome, ABS plastic baffle wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) price per piece	2 990 Kč
	GZCT 5000SPL-B	4037072014129	200 x 150 mm / 8" x 5.9" High power compression tweeter (black) 4 ohm, 70 / 180 W, SPL 108 dB, 1.5 - 20 KHz 44,5 mm / 1.75" copper clad aluminium round wire voice coil Elliptical tractrix horn, titanium dome, ABS plastic baffle wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) price per piece	2 990 Kč
	GZCX 130/160	4037072003390	2 way crossover To combine all GZCM with any GZCT	2 390 Kč

6.6 RADIOACTIVE








	GZRC 100NEO-IV	4037072016987	<p>10 cm / 4" HQ flat 2 way compo system 3 ohm, 80 / 120 W, 80 Hz - 26 KHz High efficient inside neodymium magnet Coated paper cone, rubber surround 25 mm / 1" Titanium dome tweeter Easy to install in-line crossovers Mounting depth 31 mm / 1.22" Including surface-mounted housing GZTH 25B</p>	5 290 Kč
	GZRC 130AL-IV	4037072016703	<p>13 cm / 5.25" HQ 2 way compo system 3 ohm, 100 / 160 W, 60 Hz - 26 KHz Aluminum cone, rubber surround, Nomex spider Copper cap for impedance linearizing, high efficient voice coil 25 mm / 1" Titanium dome tweeter Easy to install in-line crossovers Including surface-mounted housing GZTH 25B</p>	4 990 Kč
	GZRC 165AL-IV	4037072016444	<p>16,5 cm / 6.5" HQ 2 way compo system 3 ohm, 120 / 190 W, 35 Hz - 26 KHz Aluminum cone, rubber surround, Nomex spider Copper cap for impedance linearizing, high efficient voice coil 25 mm / 1" Titanium dome tweeter Easy to install in-line crossovers Including surface-mounted housing GZTH 25B</p>	5 290 Kč
	GZRC 165NEO-IV	4037072017311	<p>16,5 cm / 6.5" HQ flat 2 way compo system 3 ohm, 110 / 170 W, 50 Hz - 26 KHz High efficient inside neodymium magnet Coated paper cone, rubber surround 25 mm / 1" Titanium dome tweeter Easy to install in-line crossovers Mounting depth 48 mm / 1.89" Including surface-mounted housing GZTH 25B</p>	7 990 Kč
	GZTH 25B	4037072016482	<p>High quality surface-mounted housing - 1 pair Plastic injection housing with black rubber-touch surface finish Suitable for: GZRT 25T, GZUT 25SQX*, GZNT 25SQ*, GZRC165AL*, GZRC AL-IV series**, GZRC NEO-IV** *diameter may vary - individual installation possible **GZTH 25B already included in delivery</p>	390 Kč
	GZTH 25W	4037072017007	<p>High quality surface-mounted housing - 1 pair Plastic injection housing with white surface finish Suitable for: GZRT 25T, GZUT 25SQX*, GZNT 25SQ* *diameter may vary - individual installation possible GZTH 25W included in delivery of GZRC 165AL-White Edition</p>	390 Kč
	GZRC 165AL-WHITE	4037072016666	<p>16,5 cm / 6.5" HQ 2 way compo system "WHITE EDITION" 3 ohm, 120 / 190 W, 35 Hz - 26 KHz High efficient voice coil Aluminum cone, rubber surround, Nomex spider Copper cap for impedance linearizing 25 mm / 1" aluminum dome tweeter, machined aluminum housing Including surface-mounted housing GZTH 25W</p>	6 690 Kč
	GZRC 6857X	4037072003079	<p>13 x 18 cm / 5 x 7" 2 way compo system 4 ohm, 120 / 180 W, 50 Hz - 20 KHz Coated paper cone, Resonance free steel basket Crossover with variable tweeter level and crossover frequency 25 mm / 1" silk dome tweeter Special size for Ford/ Mazda</p>	3 990 Kč
	GZRC 200NEO-IV	4037072016468	<p>20 cm / 8" HQ flat 2 way compo system 3 ohm, 120 / 190 W, 35 Hz - 26 KHz High efficient inside neodymium magnet Coated paper cone, rubber surround 25 mm / 1" Titanium dome tweeter Easy to install in-line crossovers Mounting depth 57 mm / 2.24" Including surface-mounted housing GZTH 25B</p>	9 290 Kč

	GZRK 16AL	4037072015782	16,5 cm / 6.5" HQ kick- / midwoofer 3 ohm, 110 / 160 W, 35 Hz - 4 KHz High efficient voice coil Aluminum cone, Rubber surround, Nomex spider Copper cap for impedance linearizing	2 390 Kč
	GZRT 25T	4037072015881	25 mm / 1" titanium dome tweeter 3 ohm, 70 / 100 W, 3 - 26 KHz With slant housing, accessories and highpass filter (3,3µF capacitor)	2 690 Kč
	GZMW 165X-NEO	4037072017335	16,5 cm/ 6.5" extra flat kick- /midwoofer (pair) 3 ohm, 90 / 140 W, 50 Hz - 4 KHz High efficient voice coil Coated paper cone, Rubber surround, Nomex spider	4 790 Kč
	GZMW 200X-NEO	4037072015614	20 cm / 8" extra flat kick- / midwoofer (piece) 3 ohm, 100 / 160 W, 35 Hz - 3.5 KHz High efficient voice coil Coated paper cone, Rubber surround, Nomex spider	2 690 Kč
	GZHT 25X	4037072008562	25 mm / 1" silk dome tweeter 4 ohm, 60 / 100 W, 3 - 20 KHz With accessories and optional highpass filter (3,3µF capacitor)	1 490 Kč
	GZRX 2 Way Kick	4037072003994	2 way & kick crossover Universal Kickwoofer-Crossover, to add any Kickwoofer to an existing Speakersystem. Highpass-Filter 90 / 150 Hz Lowpass-Filter 200 / 250 Hz	2 990 Kč
	GZRF 40AL	4037072016253	10 cm / 4" HQ 2 way coax speaker 3 ohm, 70 / 110 W, 70 Hz - 25 KHz High efficient voice coil Aluminum cone, rubber surround, Nomex spider 13 mm / 0.51" PEI tweeter with overload protection	1 990 Kč
	GZRF 52AL	4037072016277	13 cm / 5.25" HQ 2 way coax speaker 3 ohm, 80 / 120 W, 60 Hz - 25 KHz High efficient voice coil Aluminum cone, rubber surround, Nomex spider 13 mm / 0.51" PEI tweeter with overload protection	2 290 Kč
	GZRF 65AL	4037072015843	16,5 cm / 6,5" HQ 2 way coax speaker 3 ohm, 100 / 140 W, 50 Hz - 25 KHz High efficient voice coil Aluminum cone, rubber surround, Nomex spider 13 mm / 0.51" PEI tweeter with overload protection MTK capacitor	2 690 Kč
	GZRF 69AL	4037072015829	15 x 23 cm / 6" x 9" HQ 3 way coax speaker 3 ohm, 130 / 200 W, 40 Hz - 25 KHz High efficient voice coil Aluminum cone, rubber surround, Nomex spider 13 mm / 0.51" PEI tweeter with overload protection 50 mm / 2" PEI midrange with overload protection	3 490 Kč
	GZRM 165X	4037072016413	16,5 cm / 6.5" Marine 2 way coax speaker 4 ohm, 70 / 120 W, 60 Hz - 25 KHz Water repellent and salt water resistant Perfect for use at outer decks of yachts or in humid areas White IMPP cone 13 mm / 0.51" PEI tweeter	2 190 Kč












6.7 TITANIUM				
	GZTC 165TX	4037072008760	16,5 cm / 6.5" 2 way compo system 4 ohm, 110 / 160 W, 50 Hz - 20 KHz Coated paper cone, Resonance free GZ steel basket 25 mm / 1" Silk dome tweeter Compact inline crossovers for easy install Design-Grill	3 690 Kč
	GZTF 69TX	4037072007541	15 x 23 cm / 6" x 9" 3 way triax speaker 4 ohm, 120 / 180 W, 40 Hz - 20 KHz Coated paper cone, Resonance free steel basket High power Mylar tweeter and midrange Design-Grill	2 890 Kč
	GZTF 10	4037072017939	10 cm / 4" 2-way coax speaker Efficient 3 ohm voice coil Power input 70 Watt RMS / 100 Watt max Frequency range 70 Hz - 22 KHz HQPP-structure cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design grill included	1 490 Kč
	GZTF 13	4037072017953	13 cm / 5.25" 2-way coax speaker Efficient 3 ohm voice coil Power input 80 Watt RMS / 110 Watt max Frequency range 60 Hz - 22 KHz HQPP-structure cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design grill included	1 790 Kč
	GZTF 16	4037072017977	16,5 cm / 6.5" 2-way coax speaker Efficient 3 ohm voice coil Power input 90 Watt RMS / 130 Watt max Frequency range 50 Hz - 22 KHz HQPP-structure cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design grill included	2 190 Kč
6.8 IRIDIUM				
	GZIC 13X	4037072014969	13 cm / 5.25" 2 way compo system 4 ohm, 90 / 140 W, 60 Hz - 20 KHz HQPP cone, Resonance free steel basket 19 mm / 0.75" Softdome tweeter Compact inline crossovers for easy install Design-Grill	1 990 Kč
	GZIC 16X	4037072014983	16,5 cm / 6.5" 2 way compo system 4 ohm, 100 / 150 W, 50 Hz - 20 KHz HQPP cone, Resonance free steel basket 19 mm / 0.75" Softdome tweeter Compact inline crossovers for easy install Design-Grill	2 190 Kč
	GZIC 400FX	4037072014174	10 cm / 4" flat 2 way compo system extra flat only 30 mm / 1.18" 4 ohm, 60 / 100 W, 70 Hz - 20 KHz Coated paper cone, Resonance free GZ steel basket 19 mm / 0.75" silk dome tweeter 12 dB cable-crossover incl. tweeter protection	3 690 Kč
	GZIC 525FX	4037072016680	13 cm / 5.25" flat 2 way compo system extra flat only 36 mm / 1.42" muntngdpth 4 ohm, 80 / 120 W, 60 Hz - 20 KHz Coated paper cone, Resonance free GZ steel basket 19 mm / 0.75" silk dome tweeter 12 dB in-line crossover incl. tweeter protection	3 690 Kč
	GZIC 650FX	4037072014181	16,5 cm / 6.5" flat 2 way compo system extra flat only 44 mm / 1.73" 4 ohm, 100 / 140 W, 50 Hz - 20 KHz Coated paper cone, Resonance free GZ steel basket 19 mm / 0.75" silk dome tweeter 12 dB cable-crossover incl. tweeter protection	4 290 Kč
	GZHT 19X	4037072008555	19 mm / 0.79" silk dome tweeter 4 ohm, 40 / 70 W, 3.5 - 20 KHz With accessories and optional highpass filter (3,3µF capacitor)	1 090 Kč

	GZIF 40X	4037072015003	10 cm / 4" 2 way coax speaker 4 ohm, 60 / 100 W, 80 Hz - 20 KHz HQPP cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	1 090 Kč
	GZIF 52X	4037072015010	13 cm / 5.25" 2 way coax speaker 4 ohm, 70 / 110 W, 60 Hz - 20 KHz HQPP cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	1 290 Kč
	GZIF 65X	4037072015027	16,5 cm / 6.5" 2 way coax speaker 4 ohm 80 / 120 W, 50 Hz - 20 KHz HQPP cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	1 490 Kč
	GZIF 69X	4037072015034	15 x 23 cm / 6" x 9" 3 way triax speaker 4 ohm, 120 / 180 W, 40 Hz - 20 KHz HQPP cone, Resonance free steel basket High power Mylar tweeter and midrange Design-Grill	2 190 Kč
	GZIF 4001FX	4037072014143	10 cm / 4" flat 2 way coax speaker extra flat only 30 mm / 1.18" 4 ohm, 50 / 90 W, 80 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	1 590 Kč
	GZIF 5201FX	4037072014150	13 cm / 5.25" flat 2 way coax speaker extra flat only 37 mm / 1.46" 4 ohm, 60 / 100 W, 70 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	1 890 Kč
	GZIF 6501FX	4037072014167	16,5 cm / 6.5" flat 2 way coax speaker extra flat only 44 mm / 1.73" 4 ohm 70 / 110 W, 60 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	2 190 Kč






7. MULTIMEDIA				
7.1				
	GZHP 40-OE	4037072013528	Foldable on-ear headphone 100 db, 32 ohm, 20 Hz - 20 KHz High quality 40 mm / 1.57" Neodymium speaker, Microphone Control Button (Phone Call Pick Up & Hang Up/ Track skip/Play/Pause) Cable Length 1.20m / 47.24"	1 590 Kč
	GZHP 9-IE	4037072013535	In-ear headphone 98 db, 32 ohm, 18 Hz - 22 KHz High quality 9 mm / 0.354" Neodymium speaker, Microphone Control Button (Phone Call Pick Up & Hang Up/ Track skip/Play/Pause) Cable Length 1.20m / 47.24"	990 Kč
8. ACCESSORIES				
8.1 SPEAKER TEST SYSTEM				
	GZ STS	4037072017373	Audio measurement software Speaker installation test, failure indicator Speaker enclosure measurement, air leak indicator Enclosure tuning identifier Speaker parameter measurement Compact USB interface with molded test leads Compatible with Win XP, Vista, 7, 8 and 10	3 990 Kč
8.2 CAPACITORS				
	GZTC 1.0FX	4037072008166	1.0 Farad power capacitor 16 Volt surge, resistance <0,0020 ohm, +/- 20%, incl. plexiglas brackets, white LED display	2 690 Kč
8.3 CABLE KITS				
Pic coming soon	GZCC 1.3X	4037072018059	1 m / 3.3 ft RCA cable Triple shielded signal wire with isolated RCA connectors	149 Kč
	GZCC 5.1XLC	4037072008951	5 m / 16.4 ft RCA cable Single shielded signal wire with isolated RCA connectors (as included in GZPK 10XLC)	199 Kč
	GZCC 5.3X	4037072008944	5 m / 16.4 ft RCA cable Triple shielded signal wire with isolated RCA connectors (as included in GZPK10X/20X)	299 Kč
	GZCC 0.57X-TP	4037072010770	PI sized Sound Quality RCA cable 0,57 m / 1 ft 10.5" - Triple shielded	490 Kč
	GZCC 1.14X-TP	4037072010787	PI sized Sound Quality RCA cable 1,14 m / 3 ft 8.9" - Triple shielded	590 Kč
	GZCC 3.14X-TP	4037072010794	PI sized Sound Quality RCA cable 3,14 m / 10 ft 3.6" - Triple shielded	690 Kč

	GZCC 5.49X-TP	4037072010800	PI sized Sound Quality RCA cable 5,49 m / 18 ft - Triple shielded	790 Kč
	GZCY 30X	4037072008937	Y adapter 1 female in - 2 male out	99 Kč
	GZPK 10XLC	4037072008968	10 mm ² cable kit 5.2 m / 17 ft power cable red 0.8 m / 2 ft power cable black 5 m / 16 ft RCA cable single shield 1.5 m / 4.9 ft speaker cable 60 A AGU fuseholder, various accessories	690 Kč
	GZPK 10X	4037072008975	10 mm ² cable kit 5,2 m / 17ft 0.7244098in Powercable red 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 60 A MANL Fuseholder, div. accessories	790 Kč
	GZPK 20X	4037072008982	20 mm ² Cable kit 5,2 m / 17ft 0.7244098in Powercable red 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 80 A MANL Fuseholder, div. Accessories	1 190 Kč
	GZPK 35X	4037072008999	35 mm ² cable kit 5,2 m / 17ft 0.7244098in Powercable red 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 200 A ANL Fuseholder, div. Accessories	1 990 Kč
	GZPK 50X	4037072009002	50 mm ² cable kit 5,2 m / 17ft 0.7244098in Powercable red 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 300 A ANL Fuseholder, div. accessories	2 690 Kč

8.4 CABLE SPOOLS

	GZPC 10R	4037072009262	Red 10 mm ² Power cable spool 50m / 164ft 0.5039400in spool Positive 10 mm ² , 7*81/0.15 CCA - OD 6.7mm / 0.26" High flexibility	2 690 Kč
	GZPC 10B	4037072009279	Black 10 mm ² power cable spool 50m / 164ft 0.5039400in spool Negative 10 mm ² , 7*81/0.15 CCA - OD 6.7mm / 0.26" High flexibility	2 690 Kč
	GZPC 20R	4037072009286	Red 20 mm ² power cable spool 50m / 164ft 0.5039400in spool Positive 20 mm ² ; 7*7*23/0.15 CCA - OD 10mm / 0.39" High flexibility	5 390 Kč
	GZPC 20B	4037072009293	Black 20 mm ² power cable spool 50m / 164ft 0.5039400in spool Negative 20 mm ² ; 7*7*23/0.15 CCA - OD 10mm / 0.39" High flexibility	5 390 Kč
	GZPC 35R	4037072009309	Red 35 mm ² power cable spool 30m / 98ft 5.102364in spool Positive 35 mm ² ; 7*7*40/0.15 CCA - OD 12.8mm / 0.504" High flexibility	5 590 Kč
	GZPC 35B	4037072009316	Black 35 mm ² power cable spool 30m / 98ft 5.102364in spool Negative 35 mm ² ; 7*7*40/0.15 CCA - OD 12.8mm / 0.504" High flexibility	5 590 Kč
	GZPC 50R	4037072009323	Red 50 mm ² power cable spool 20m / 65ft 7.401576in spool Positive 50 mm ² ; 7*7*58/0.15 CCA - OD 15.5mm / 0.61" High flexibility	5 390 Kč
	GZPC 50B	4037072009330	Black 50 mm ² power cable spool 20m / 65ft 7.401576in spool Negative 50 mm ² ; 7*7*58/0.15 CCA - OD 15.5mm / 0.61" High flexibility	5 390 Kč
	GZPC 20B - OFC	4037072013337	Black 20mm ² power cable spool 30m / 98ft 5.102364in spool Negative 20mm ² OFC - pure copper High flexibility	8 790 Kč
	GZPC 35B - OFC	4037072013351	Black 35mm ² power cable spool 30m / 98ft 5.102364in spool Negative 35mm ² OFC - pure copper High flexibility	15 190 Kč
	GZPC 35Y - OFC	4037072013344	Yellow 35mm ² power cable spool 30m / 98ft 5.102364in spool Positive 35mm ² OFC - pure copper High flexibility	15 190 Kč







	GZSC 2-0.75	4037072009347	0.75 mm ² speaker cable spool 200m / 656ft 2.015760in spool Frosted black; 2*42/0.15CCA - OD 2.4+2.4mm / 0.094"+0.094"	2 290 Kč
	GZSC 2-1.50	4037072009354	1.50 mm ² speaker cable spool 200m / 656ft 2.015760in spool Frosted black; 2*85/0.15CCA - OD 3+3mm / 0.118"+0.118"	3 590 Kč
	GZSC 2-2.50	4037072009361	2.50 mm ² speaker cable spool 200m / 656ft 2.015760in spool Frosted black; 2*7*20/0.15CCA - OD4.2+4.2mm / 0.165"+0.165"	6 390 Kč
	GZSC 2-4.00	4037072009378	4.00 mm ² speaker cable spool 100m spool / 328ft 1.007880in Frosted black; 2*7*32/0.15CCA - OD 5+5mm / 0.197"+0.197"	4 990 Kč
Pic coming soon	GZSC 1.5X2 OFC	No EAN yet	2 x 1.50 mm ² speaker cable OFC - pure copper 100m / 328ft on wooden spool black & yellow; OD 3+3mm / 0.118"+0.118"	3 990 Kč
Pic coming soon	GZSC 2.5X2 OFC	No EAN yet	2 x 2.50 mm ² speaker cable OFC - pure copper 100m / 328ft on wooden spool black & yellow; OD 3,8+3,8mm / 0.165"+0.165"	6 590 Kč
Pic coming soon	GZSC 4.0X2 OFC	No EAN yet	2 x 4.00 mm ² speaker cable OFC - pure copper 75m / 246ft on wooden spool black & yellow; OD 4,5+4,5mm / 0.197"+0.197"	7 990 Kč
Pic coming soon	GZSC 6.0X2 OFC	No EAN yet	2 x 6.00 mm ² speaker cable OFC - pure copper 50m / 164ft on wooden spool black & yellow; OD 6+6mm / 0.262"+0.262"	7 990 Kč
Pic coming soon	GZSC 10X2 OFC	No EAN yet	2 x 10.00 mm ² speaker cable OFC - pure copper 50m / 164ft on wooden spool black & yellow; OD 6,8+6,8mm / 0.298"+0.298"	13 290 Kč



	GZSC REF 1.5S-OFC	4037072009996	1.5 mm ² REFERENCE speaker cable spool 48m spool / 157ft 5.763782in Pure OFC (99,9997%), with 50% silver plated wires	6 390 Kč
	GZSC REF 2.5S-OFC	4037072010008	2.5 mm ² REFERENCE speaker cable spool 39m spool / 127ft 11.43307in Pure OFC (99,9997%), with 50% silver plated wires	8 290 Kč
	GZSC REF 4.0S-OFC	4037072010015	4.0 mm ² REFERENCE speaker cable spool 30m / 98ft 5.102364in spool Pure OFC (99,9997%), with 50% silver plated wires	10 390 Kč
	GZCC REF 157RH	4037072012828	High End REFERENCE RCA cable Rhodium connectors, carbon shell High End OCC wire High purity OFC braiding and silver soldering 1,57 m / 61.81"	5 290 Kč
	GZCC REF 314RH	4037072012835	High End Reference RCA cable Rhodium connectors, carbon shell, High End OCC wire, High purity OFC braiding and silver soldering, 3,14 m / 123.62"	6 690 Kč

8.5 DAMPING












	GZDR 1000	4037072008524	Heavy duty wooden roller for damping material	490 Kč
	GZDM 1900MC-GOLD	4037072015447	Multi component damping mat 7 mm / 0.28" Bitumen saturated damping material based on viscous elastic polyurethane foam for soundproofing in combination with a layer of polymer based butyl rubber and aluminum foil outer surface. 10 sheets, each 37.5 x 50 cm = 1.875 m ²	2 690 Kč
	GZDM 1900ML-GOLD	4037072015416	Multilayer damping mat 4.2 mm / 0.165" New bitumen product developed under aeronautic aspects. Very flexible multi-layered damping material with a layer of polymer based on butyl rubber in combination with bitumen mastic and aluminum foil outer surface. 10 sheets, each 37.5 x 50 cm = 1.875 m ²	3 690 Kč
	GZDM 3750AB-SILVER	4037072015430	Alubutyl dampingmat 1.7 mm / 0.067" 10 sheets, each 75 x 50 cm = 40.36 ft ²	2 590 Kč
	GZDM 3750AB-GOLD	4037072015423	Alubutyl dampingmat 2.2 mm / 0.087" 10 sheets, each 75 x 50 cm = 40.36 ft ²	3 190 Kč
	GZDM DOORKIT	4037072016659	Essential damping set for 2 doors Box includes 8 sheets (50 x 37.5 cm) GZDM 3750AB-SILVER 4 sheets (50 x 37.5 cm) GZDF 1500SA 2 sheets (50 x 37.5 cm) 8 mm polyethylene foam 4 boxes = 1 master carton	1 990 Kč
	GZDF 1500SA	4037072017021	High efficient viscous-elastic damping material Self-adhesiv formed sound absorbing polyurethane foam 8 sheets, each 50 x 37.5 cm = 1.5 m ² / 16.15 ft ² 4 boxes = 1 master carton	2 590 Kč
	GZDF 400SI	4037072017489	High density waterproof damping material Self-adhesive noise damping and insulating poethylene foam 20 sheets, each 50 x 37.5 cm = 3.75 m ² / 40.36 ft ² 5 boxes = 1 master carton	2 090 Kč
8.6 SPEAKER ACCESSORIES				
	GZ PROtect	4037072017045	High power speaker protection circuit - 1 piece Protects speakers against clipping and electrical overload Screw terminal Including 3 different protection-soffits (5W, 10W, 20W) Power handling 150 W MAX, min. 2 Ohm impedance load	790 Kč












8.7 PORTS & GRILLS

	GZAP 80A	4037072006155	Ground Zero Aeroport with 30cm / 12" tube in anthracite	690 Kč
	GZAP 80B	4037072006162	Ground Zero Aeroport with 30cm / 12" tube in black	690 Kč
	GZAP 80Y	4037072006148	Ground Zero Aeroport with 30cm / 12" tube in yellow	690 Kč
	GZMG 38/15	4037072004168	New wave design metal bracket for subwoofer boxes suitable for 38 cm / 15" subwoofers	790 Kč
	GZMG 165/6.5	4037072004182	Design grill for GZNW 6.5 and all further 16.5cm speakers	2 690 Kč
	GZBRK 290	4037072006940	8mm bracket for high excursion subwoofers length 290 mm, height 50 mm	220 Kč
	GZBRK 425	4037072007336	8 mm bracket for high excursion subwoofers length 425 mm, height 50 mm	270 Kč

	GZTG 200T	4037072000566	20 cm / 8" protection grill for 20 cm / 8" woofers	320 Kč
	GZTG 250T	4037072002126	25 cm / 10" protection grill for 25 cm / 10" woofers	380 Kč
	GZTG 300T	4037072001693	30 cm / 12" protection grill for 30 cm / 12" woofers	430 Kč
	GZTG 380T	4037072002133	38 cm / 15" protection grill for 38 cm / 15" woofers	770 Kč
	GZCG 20SC	4037072008494	20 cm / 8" protection grill for 20 cm / 8" woofers	390 Kč
	GZRW 8FL Grill	4037072015638	20 cm / 8" protection grill for 20 cm / 8" woofers	220 Kč

8.8 POWER ACCESSORIES

	GZEQ 4.7X	4037072003154	4-band equalizer & pre-amplifier Adjustable boost frequencies Pre amplifier with adjustable input sensitivity Individual left and right sensitivity / Front and Rear fader Selectable active crossover: LPF: 50 - 250 Hz (SUB) 2x Stereo RCA input (1x Main / 1x Aux) 7 Volt RMS pre-out	3 190 Kč
	GZCV 2.0HL	4037072011326	High-low level converter 1:1 converter	1 490 Kč
	GZFU 40A/2 MANL	4037072011562	Mini ANL fuse 40 A 2 Pcs in blister	139 Kč
	GZFU 60A/2 MANL	4037072011579	Mini ANL fuse 60 A 2 Pcs in blister	139 Kč
	GZFU 80A/2 MANL	4037072011241	Mini ANL fuse 80 A 2 Pcs in blister	139 Kč
	GZFU 100A/2 MANL	4037072011258	Mini ANL fuse 100 A 2 Pcs in blister	139 Kč
	GZFU 150A/2 MANL	4037072011265	Mini ANL fuse 150 A 2 Pcs in blister	139 Kč
	GZFU 200A/2 MANL	4037072011272	Mini ANL fuse 200 A 2 Pcs in blister	139 Kč
	GZFU 100A/1 ANL	4037072011289	ANL fuse 100 A 1 Pc in blister	159 Kč
	GZFU 150A/1 ANL	4037072011296	ANL fuse 150 A 1 Pc in blister	159 Kč
	GZFU 200A/1 ANL	4037072011302	ANL fuse 200 A 1 Pc in blister	159 Kč

	GZFU 300A/1 ANL	4037072011319	ANL fuse 300 A 1 Pc in blister	159 Kč
	GZFU 400A/1 ANL - SPL	4037072011586	ANL fuse 400 A 1 Pc in blister	159 Kč
 10 Pcs.	GZFU 40A/10 MANL	4037072011722	Mini ANL fuse 40 A 10 Pcs in poly bag	299 Kč
 10 Pcs.	GZFU 60A/10MANL	4037072011739	Mini ANL fuse 60 A 10 Pcs in poly bag	299 Kč
 10 Pcs.	GZFU 80A/10MANL	4037072011746	Mini ANL fuse 80 A 10 Pcs in poly bag	299 Kč
 10 Pcs.	GZFU 100A/10MANL	4037072011753	Mini ANL fuse 100 A 10 Pcs in poly bag	299 Kč
 10 Pcs.	GZFU 150A/10MANL	4037072011760	Mini ANL fuse 150 A 10 Pcs in poly bag	299 Kč
 10 Pcs.	GZFU 200A/10MANL	4037072011777	Mini ANL fuse 200 A 10 Pcs in poly bag	299 Kč
 10 Pcs.	GZFU 100A/10ANL	4037072011784	ANL fuse 100 A 10 Pcs in poly bag	599 Kč
 10 Pcs.	GZFU 150A/10ANL	4037072011791	ANL fuse 150 A 10 Pcs in poly bag	599 Kč
 10 Pcs.	GZFU 200A/10ANL	4037072011807	ANL fuse 200 A 10 Pcs in poly bag	599 Kč

 10 Pcs.	GZFU 300A/10ANL	4037072011814	ANL fuse 300 A 10 Pcs in poly bag	599 Kč
 10 Pcs.	GZFU 400A/10ANL	4037072011821	ANL fuse 400 A 10 Pcs in poly bag	699 Kč
	GZFH 1.50/1.50 ANL/MANL	4037072010817	ANL / MANL fuse holder Input 1 x 50 mm ² / 0 AWG - Output 1 x 50 mm ² / 0 AWG	929 Kč
	GZFH 1.50/2.20 ANL/MANL	4037072010824	ANL / MANL fuse holder Input 1 x 50 mm ² / 0 AWG - Output 2 x 20 mm ² / 4 AWG	1 090 Kč
	GZFH 1.20/1.20 MANL	4037072010831	MANL fuse holder Input 1 x 20 mm ² / 4 AWG - Output 1 x 20 mm ² / 4 AWG	499 Kč
	GZFH 1.20 IL-MANL	4037072011548	MANL in-line fuse holder Input 1 x 20 mm ² / 4 AWG - Output 1 x 20 mm ² / 4 AWG	199 Kč
	GZFH 3.50/4.20 ANL/MANL	4037072010848	ANL / MANL fuse holder Input 3 x 50 mm ² / 4 AWG - Output 4 x 20 mm ² / 4 AWG	1 990 Kč
	GZBT 2.50 MANL-POS	4037072010855	Battery terminal (+) with MANL fuse, Output 2 x 50 mm ² / 0 AWG Direct (2 x 50 mm ² / 0 AWG Fused with MANL)	1 090 Kč
	GZBT 2.50 NEG	4037072010862	Battery terminal (-) Output 1 x 50 mm ² / 0 AWG	949 Kč
	GZDB 3.50/4.20	4037072010879	Distribution block Input 3 x 50 mm ² / 0 AWG - Output 4 x 20 mm ² / 4 AWG	1 090 Kč
8.9 BASS REMOTE				
	GZTA Bassremote	4037072008388	Bass remote for GZIA /GZTA/GZHA/GZNA amps	690 Kč