

Line	Product	EAN Barcode	Description	RRP EUR	
REFERENCE		GZPA Reference 2PURE	4037072014624	2 Channel PURE High End SQ Class AB Amp Direct signal symmetrical dual mono 2 x 420 WRMS @ 4 ohm 2 x 750 WRMS @ 2 ohm 2 x 1150 WRMS @ 1 ohm	€ 3499,00
		GZPA Reference 4PURE-S	4037072021394	4 Channel PURE High End SQ Class AB Amp Direct signal symmetrical dual 2 channel 4 x 150 WRMS @ 4 ohm 4 x 270 WRMS @ 2 ohm 4 x 425 WRMS @ 1 ohm	€ 4199,00
		GZPT Reference 28GOLD	4037072007695	GZPT 28 Reference Limited 24 K plated Gold Edition Handmade in Germany by Michael Feld	€ 1499,00
		GZPT Reference 28EVO	4037072018554	28 mm / 1.1" High End SQ silkdome tweeter Handmade in Germany and selected in pairs 4 ohm, 100 / 150 W, Fs 600 Hz, Coupled chamber High gloss chromed CNC machined aluminium housing 2-Layer hand-coated silkdome, solid metal dispersion Linearised dual-neodymium motor Delivered in Made in Germany wooden-box	€ 1299,00
		GZPM Reference 80	4037072013788	8 cm / 3.15" High End SQ midrange Handmade in Europe and selected in pairs 4 ohm, 80 / 120 W, 150 Hz - 6 kHz, coated paper cone Linearised motor, Handmade machined aluminium basket Delivered in Made in Germany wooden-box	€ 1299,00
		GZMW Reference 180	4037072014242	18 cm / 7.09" High End SQ kick- / midwoofer Handmade in Europe and selected in pairs 4 ohm, 100 / 150 W, 40 Hz - 3.5 kHz, coated paper cone Linearised motor, Handmade machined aluminium basket Delivered in Made in Germany wooden-box	€ 1798,00
		GZPW Reference 250	4037072013405	25 cm / 10" High End SQ subwoofer Handmade in Germany 2 x 2 ohm, 500 WRMS, 50 mm / 2" copper voice coil High tech 3-layer sandwich cone, light-weight rubber surround, Double-layer BIMAX / Connex spider, Linearised high efficient motor with double ferrit magnet Delivered in Made in Germany wooden-box	€ 1499,00





GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
PLUTONIUM		GZPA 2SQ	4037072019353	2 channel High End SQ Class AB amplifier 2 x 150 WRMS @ 4 ohm 2 x 280 WRMS @ 2 ohm 2 x 450 WRMS @ 1 ohm	€ 1099,00
		GZPA 4SQ	4037072019360	4 channel High End SQ Class AB amplifier 4 x 110 WRMS @ 4 ohm 4 x 200 WRMS @ 2 ohm 4 x 300 WRMS @ 1 ohm	€ 1299,00
		GZPC 165SQ	4037072012736	16,5 cm / 6.5" High End SQ 2 way compo Made in Germany 4 ohm, 200 / 300 W, 30 Hz - 30 KHz GZPK 165Q / GZPT 28SX / GZPX 165SQ packed together in one wooden-box.	€ 1499,00
		GZPC 165SQ-ACT	4037072012910	16,5 cm/6.5" High End SQ 2 way compo (ACT) Made in Germany 2 way Speaker system without crossovers for full-active use GZPK 165Q, GZPT 28SX packed together in one gift box	€ 1099,00
		GZPC 165.3SQ-ACT	4037072012934	16,5 cm/6.5" High End SQ 3 way compo (ACT) Made in Germany 3 way Speaker system without crossovers for full-active use GZPK 165Q, GZPM 80SQX-II, GZPT 28SQ packed together in one gift box	€ 1099,00
		GZPT 28SX CHROME EDITION	4037072016642	28 mm / 1.1" High End SQ silk dome tweeter Handmade in Germany and selected in pairs 4 ohm, 100 / 150 W, Fs 750 Hz, Coupled chamber Chrome coated CNC machined aluminum housing 2-Layer coated silk dome Delivered in Made in Germany Wooden-Box	€ 599,00
		GZPT 28SQ	4037072021592	28 mm / 1.1" High End SQ silk dome tweeter Handmade in Germany and selected in pairs 4 ohm, 100 / 150 W, Fs 770 Hz, Coupled chamber CNC machined stainless steel housing 2-Layer coated silk dome	€ 599,00
		GZPF 40SQ	4037072018646	40 mm / 1.6" full range speaker Handmade in Germany Aluminum cone Black anodized aluminum housing 4 ohm / Fs 400 Hz / Re 3.1 ohm / SPL 84 dB Power handling 50/80 Watts RMS/max.	€ 499,00
		GZPM 80SQX-II	4037072019698	8 cm / 3.15" High End SQ midrange Made in Germany 4 Ohm, 70 / 110 W, 150 Hz - 4 kHz, Mounting depth 34 mm / 1.34" Anodized aluminum cone, Neodymium magnet	€ 399,00
		GZPK 165Q	4037072012750	16,5 cm / 6.5" High End SQ kick- / midwoofer Made in Germany 4 Ohm, 130 / 210 W, 30 Hz - 3 KHz, Alu-ceramic cone, linearised ferrit motor	€ 549,00
		GZPW 10SQ	4037072020069	25 cm / 10" High End SQ Subwoofer, 400 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil Anodized aluminum cone, protection grill Fs 34 Hz, Qts 0.58, SPL 84 dB	€ 539,00
		GZPG 250B	4037072020083	25 cm / 10" massive protection grill with aluminum cast fastening rim for GZPW 10SQ and GZUW 10SQX subwoofer	€ 54,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
PLUTONIUM	 GZPW 15NEO-SPL	4037072018523	38 cm / 15" Pure Competition Subwoofer, 20000 W SPL Power 2x 1 ohm, 100 mm / 4" 4-layer aluminum voice coil Multi-neodymium magnet Fs 41.2 Hz / Qts 0.15 / SPL 92.4 dB	€ 3149,00
	 GZPW 15XXmax	4037072022032	38 cm / 15" Subwoofer, 6000 WRMS 2 x 1 ohm, 100 mm / 4" CCA US-made voice coil, Massive aluminum cone, 4x Nomex spider Fs 31.6 Hz / Qts 0.40 / SPL 85 dB	€ 1399,00
Line	Product	EAN Barcode	Description	RRP EUR
NUCLEAR	 GZNC 165.3SQ-ACT	not fixed yet	16,5 cm/6.5" SQ 3 way compo (ACT) Made in Germany 3 way Speaker system without crossovers for full-active use GZNK 165SQ, GZNM 80SQ, GZNT 25SQ packed together in one gift box	€ 999,00
	 GZNC 165.2SQ-ACT	not fixed yet	16,5 cm/6.5" SQ 2 way compo (ACT) Made in Germany 2 way Speaker system without crossovers for full-active use GZNK 165SQ, GZNT 25SQ packed together in one gift box	€ 729,00
	 GZNC 1650SQ	4037072014587	16,5 cm / 6.5" SQ 2 way compo system Made in Germany 4 ohm, 150 / 250 W, 40 Hz - 26 kHz Coated paper cone, linearised ferrit motor 25 mm / 1" SQ Silk dome tweeter Black anodized CNC machined aluminum housing	€ 879,00
	 GZNT 25SQ	4037072014273	25 mm / 1" SQ silk dome tweeter Made in Germany 4 ohm, 80 / 130 W, Fs 750 Hz, coupled chamber Black anodized CNC machined aluminum housing 2-Layer coated silk dome	€ 399,00
	 GZNF 50SQ	4037072018752	45 mm / 1.8" HQ full range speaker 4 ohm, 50/80 Watt, 350 Hz - 22 kHz Mounting depth 30 mm / 1.18" Black anodized aluminum cone	€ 159,00
	 GZNM 80SQ	4037072012446	8 cm / 3.15" SQ midrange Made in Germany 4 ohm, 60 / 100 W, 150 Hz - 5 KHz Mounting depth 34 mm / 1.34" Coated paper cone, linearised neodymium motor	€ 274,00
	 GZNK 165SQ	4037072014280	16,5 cm / 6.5" SQ kick- / midwoofer Made in Germany 4 ohm, 130 / 200 W, 40 Hz - 3 kHz Coated paper cone, linearised ferrit motor	€ 349,00







GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
NUCLEAR		GZNW 30SPL-D1	4037072022162	30 cm / 12" Subwoofer, 3000 WRMS 2 x 1 ohm, 75 mm / 3" aluminum wire voice coil 4x Nomex spider, Reinforced pressed paper cone Fs 38.6 Hz / Qts 0.38	€ 659,00
		GZNW 30SPL-D1	4037072022179	30 cm / 12" Subwoofer, 3000 WRMS 2 x 2 ohm, 75 mm / 3" aluminum wire voice coil 4x Nomex spider, Reinforced pressed paper cone (check the manual for more information)	€ 659,00
		GZNW 38SPL-D1	4037072022186	38 cm / 15" Subwoofer, 3500 WRMS 2 x 1 ohm, 75 mm / 3" aluminum wire voice coil 4x Nomex spider, Reinforced pressed paper cone Fs 36.0 Hz / Qts 0.52	€ 769,00
		GZNW 38SPL-D2	4037072022193	38 cm / 15" Subwoofer, 3500 WRMS 2 x 2 ohm, 75 mm / 3" aluminum wire voice coil 4x Nomex spider, Reinforced pressed paper cone (check the manual for more information)	€ 769,00
		GZNW 38NEO-SPL	4037072018530	38 cm / 15" Competition Subwoofer, 10000 W SPL Power 2x 1 ohm, 75 mm / 3" 8-layer aluminum voice coil Multi-neodymium magnet Fs 31.6 Hz / Qts 0.18	€ 2199,00
		GZNW 38NEO-EXTREME	4037072022025	38 cm / 15" Competition Subwoofer, 10000 W SPL Power 2x 1 ohm, 75 mm / 3" 8-layer aluminum voice coil Multi-neodymium magnet Coated carbon fiber cone Fs 30.3 Hz / Qts 0.19	€ 2399,00
		GZNW 12Xmax	4037072017410	30 cm / 12" Subwoofer, 3000 WRMS 2 x 1 ohm, 75 mm / 3" CCA US-made voice coil, Massive aluminum cone, 4x Nomex spider Fs 35.6.1 Hz, Qts 0.61, SPL 83 dB	€ 769,00
		GZNW 15Xmax	4037072017427	38 cm / 15" Subwoofer, 4000 WRMS 2 x 1 ohm, 75 mm / 3" CCA US-made voice coil, Massive aluminum cone, 4x Nomex spider Fs 29.5 Hz, Qts 0.33, SPL 87 dB	€ 989,00
		GZNW 12SPL-Xflex	4037072018509	30 cm / 12" Subwoofer, 4500 W SPL Power 2 x 1 ohm, 75 mm / 3" CCA voice coil, Reinforced paper cone, Xflex surround Fs 33.9 Hz, Qts 0.361, SPL 87 dB	€ 659,00
		GZNW 15SPL-Xflex	4037072019643	38 cm / 15" Subwoofer, 5500 W SPL Power 2 x 1 ohm, 75 mm / 3" CCA voice coil, Reinforced paper cone, Xflex surround Fs 30.2 Hz, Qts 0.492, SPL 87 dB	€ 799,00
		GZNW 18SPL-Xflex	4037072020298	46 cm / 18" Subwoofer, 6500 W SPL Power 2 x 1 ohm, 75 mm / 3" CCA voice coil, Reinforced paper cone, Xflex surround Fs 29.9 Hz, Qts 0.562, SPL 89 dB	€ 959,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
URANIUM	 GZUA 2.250SQ-PLUS	4037072016857	2 Channel SQ-Plus Class AB amplifier 2 x 180WRMS @ 4 ohm 2 x 320WRMS @ 2 ohm 2 x 500WRMS @ 1 ohm	€ 699,00
	 GZUA 4.150SQ-PLUS	4037072016864	4 Channel SQ-Plus Class AB amplifier 4x 110WRMS @ 4 ohm 4 x 190WRMS @ 2 ohm	€ 699,00
	 GZUA 6.200SQ-PLUS	4037072016871	6 Channel SQ-Plus Class AB amplifier 4 x 110WRMS & 2x 160WRMS @ 4 ohm 4 x 160WRMS & 2x 280WRMS @ 2 ohm	€ 1199,00
	 GZUC 165.3SQ	not fixed yet	16,5 cm / 6.5" SQ 3 way compo system 4 ohm, 160 / 250 W, 40 Hz - 25 KHz Kickwoofer: Black anodized aluminum cone, rubber surround, Black aluminum cast GZ basket, Neodymium magnet Midrange: 55 mm / 2.17" silk dome (GZUM 55SQ) Tweeter: 28 mm / 1.1" coated silk dome tweeter (GZUT 28SQ) SQ passive crossovers	tba
	 GZUC 165.3SQ-ACT	not fixed yet	16,5 cm / 6.5" SQ 3 way compo system for active use Kickwoofer: Black anodized aluminum cone, rubber surround, Black aluminum cast GZ basket, Neodymium magnet Midrange: 55 mm / 2.17" silk dome (GZUM 55SQ) Tweeter: 28 mm / 1.1" coated silk dome tweeter (GZUT 28SQ)	tba
	 GZUC 165.2SQ	4037072022773	16,5 cm / 6.5" SQ 2 way compo system 4 ohm, 140 / 230 W, 40 Hz - 25 KHz Kickwoofer: Black anodized aluminum cone, rubber surround, Black aluminum cast GZ basket, Neodymium magnet Tweeter: 28 mm / 1.1" coated silk dome tweeter (GZUT 28SQ) SQ passive crossovers	€ 549,00
	 GZUC 165.2SQ-ACT	4037072022780	16,5 cm / 6.5" SQ 2 way compo system for active use Kickwoofer: Black anodized aluminum cone, rubber surround, Black aluminum cast GZ basket, Neodymium magnet Tweeter: 28 mm / 1.1" coated silk dome tweeter (GZUT 28SQ)	€ 469,00
	 GZUT 28SQ	4037072022452	28 mm / 1.1" coated silk dome tweeter 4 ohm, 80 / 130 W, 2.5 - 25 KHz	€ 129,00
	 GZUM 55SQ	not fixed yet	55 mm / 2.17" silk dome midrange 4 ohm, 90 / 150 W, 500 Hz - 7 KHz	tba

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
URANIUM		GZUF 60SQX	4037072017687	6 cm / 2.36" SQ mid- / fullrange 4 ohm, 50 / 80W, 300 - 20 KHz Black anodized aluminum cone Neodymium magnet, copper cap Resonance free fiber composite basket	€ 179,00
		GZUM 80SQ	4037072022810	80 mm / 3.15" SQ midrange speaker 4 ohm, 50 / 80 W, 200 Hz - 6 KHz Mounting depth 35 mm / 1.38" Black anodized aluminum cone, rubber surround	€ 189,00
		GZUK 165SQ	4037072022759	16,5 cm / 6.5" SQ midwoofer 4 ohm, 120 / 180 W, 40 Hz - 3.5 KHz Kickwoofer: Black anodized aluminum cone, rubber surround, Black aluminum cast GZ basket, Neodymium magnet	€ 389,00
		GZUX 165.2SQ	4037072022834	2-way SQ passive crossover 140 / 230 Watt RMS / max	€ 98,00
		GZUX 165.3SQ	4037072022841	3-way SQ passive crossover 160 / 250 Watt	tba
		GZUW 8SQX	4037072018622	20 cm / 8" SQ Subwoofer, 300 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil, Reinforced paper cone, audiophile POLYCOT spider Fs 56.4 Hz, Qts 0.68, SPL 83.5 dB	€ 189,00
		GZUW 10SQX	4037072012767	25 cm / 10" SQ Subwoofer, 450 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil Reinforced paper cone, audiophile POLYCOT spider Fs 46.7 Hz, Qts 0.62, SPL 85.2 dB	€ 219,00
		GZPG 250B	4037072020083	25 cm / 10" massive protection grill with aluminum cast fastening rim for GZPW 10SQ and GZUW 10SQX subwoofer	€ 54,00
		GZUW 12SQX	4037072008609	30 cm / 12" SQ Subwoofer, 600 WRMS 2 x 2 ohm, 50 mm / 2" copper voice coil Reinforced paper cone, audiophile POLYCOT spider FS 38.6 Hz, Qts 0.62, SPL 87.4 dB	€ 279,00
		GZUB 800XACTII	4037072013894	20 cm / 8" flat active subwoofer Massive aluminum cast housing Lowpass 50-100Hz Build in high power amp 120 WRMS / 180 WMAX incl. bass remote and high-level input with auto-on 6,8 cm / 2.68" height	€ 309,00
		GZUB 1000XACTII	4037072013900	25 cm flat active subwoofer Massive aluminum cast housing Lowpass 50-100Hz Build in high power amp 150 WRMS / 210 WMAX incl. bass remote and high-level input with auto-on 7,8 cm / 3.07" height	€ 379,00












GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
HYDROGEN		GZHA MINI ONE	4037072016086	1 Channel Class D Monoamp Output power 4/2/1 Ohm 220 / 390 / 630 WRMS	€ 249,00
		GZHA MINI ONE-K	4037072019735	1 Channel Class D Monoamp Output power 4/2/1 Ohm 320 / 550 / 900 WRMS incl. bass remote control	€ 329,00
		GZHA MINI ONE-K 24V	4037072021424	1 Channel 24V Class D Monoamp Output power 4/2/1 Ohm 320 / 550 / 900 WRMS incl. bass remote control	€ 359,00
		GZHA MINI TWO	4037072016093	2 Channel Class D amplifier 2 x 130WRMS @ 4 ohm 2 x 230WRMS @ 2 ohm	€ 249,00
		GZHA MINI FOUR	4037072016109	4 Channel Class D amplifier 4 x 80WRMS @ 4 ohm 4 x 130WRMS @ 2 ohm	€ 299,00
		GZHA MINI FOUR 24V	4037072021448	4 Channel 24V Class D amplifier 4 x 80WRMS @ 4 ohm 4 x 130WRMS @ 2 ohm	€ 329,00
		GZHA MINI FIVE	4037072020182	4 Channel Class D amplifier 4 x 75 / 125 W RMS @ 4 / 2 ohm and 1x 190 / 320 / 500 WRMS @ 4 / 2 / 1 ohm	€ 369,00
		GZUP 10	4037072000818	25 cm / 10" Passive Radiator Aluminum cone, high x-max Connex spider for use with GZHW 25X / GZUW 10X	€ 99,00
		GZUP 12	4037072000825	30 cm / 12" Passive Radiator Aluminum cone, high x-max Connex spider for use with GZHW 30X / GZUW 12X	€ 119,00





GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
HYDROGEN	 GZHW 16SPL	4037072019476	17 cm / 6.7" Subwoofer, 1000 W SPL 2x 1 ohm Fs 51.5 Hz / Qts 0.46 / SPL 80.7 dB Yellow color aluminum cast basket	€ 199,00
	 GZHW 16SPL GREEN EDIT	4037072019483	17 cm / 6.7" Subwoofer, 1000 W SPL 2x 1 ohm Fs 51.5 Hz / Qts 0.46 / SPL 80.7 dB Green color aluminum cast basket	€ 199,00
	 GZHW 20XSPL-D1	4037072021295	20 cm / 8" Subwoofer, 1500 W SPL 2 x 1 ohm, 63 mm / 2.5" copper voice coil, double spider Reinforced paper cone, high-roll sandwich surround Fs 38.9 Hz, Qts 0.55	€ 239,00
	 GZHW 20XSPL-D2	4037072021301	20 cm / 8" Subwoofer, 1500 W SPL 2 x 2 ohm, 63 mm / 2.5" copper voice coil, double spider Reinforced paper cone, high-roll sandwich surround Fs 42.4 Hz, Qts 0.63	€ 239,00
	 GZHW 25XSPL-D1	4037072021325	25 cm / 10" Subwoofer, 2500 W SPL 2 x 1 ohm, 63 mm / 2.5" copper voice coil, double spider Reinforced paper cone, high-roll sandwich surround Fs 40.3 Hz, Qts 0.52	€ 349,00
	 GZHW 25XSPL-D2	4037072021332	25 cm / 10" Subwoofer, 2500 W SPL 2 x 2 ohm, 63 mm / 2.5" copper voice coil, double spider Reinforced paper cone, high-roll sandwich surround Fs 40.1 Hz, Qts 0.58 Yellow color aluminum cast basket	€ 349,00
	 GZHW 25SPL GREEN EDIT	4037072019506	25 cm / 10" Subwoofer, 2500 W SPL 2 x 1 ohm, 63 mm / 2.5" copper voice coil, double spider Reinforced paper cone, high-roll sandwich surround Fs 41.8 Hz, Qts 0.487, SPL 83 dB	€ 279,00
	 GZHW 30XSPL-D1	4037072020649	30 cm / 12" Subwoofer, 3000 W SPL Power 2 x 1 ohm, 75 mm / 3" copper voice coil, Fiber reinforced paper cone, 2x spider Fs 39.1 Hz, Qts 0.56 Yellow color aluminum cast basket	€ 429,00
	 GZHW 30XSPL-D2	4037072020748	30 cm / 12" Subwoofer, 3000 W SPL Power 2 x 2 ohm, 75 mm / 3" copper voice coil, Fiber reinforced paper cone, 2x spider Fs 42.4 Hz, Qts 0.60 Yellow color aluminum cast basket	€ 429,00
	 GZHW 38XSPL-D1	4037072021356	38 cm / 15" Subwoofer, 3500 W SPL Power 2 x 1 ohm, 75 mm / 3" copper voice coil, Fiber reinforced paper cone, 2x spider Fs 43.4 Hz, Qts 0.77 Yellow color aluminum cast basket	€ 529,00
	 GZHW 38XSPL-D2	4037072021363	38 cm / 15" Subwoofer, 3500 W SPL Power 2 x 2 ohm, 75 mm / 3" copper voice coil, Fiber reinforced paper cone, 2x spider Fs 39 Hz, Qts 0.65 Yellow color aluminum cast basket	€ 529,00









GROUND ZERO®

GERMAN ENGINEERING

Line	Product		EAN Barcode	Description	RRP EUR
RADIOACTIVE		GZRA 2HD	not fixed yet	2 Channel Class D amplifier 2 x 300WRMS @ 4 ohm 2 x 500WRMS @ 2 ohm	€ 249,00
		GZRA 4HD	not fixed yet	4 Channel Class D amplifier 4 x 170WRMS @ 4 ohm 4 x 250WRMS @ 2 ohm	€ 299,00
		GZCS 4.0BMW-CONNECT	4037072018110	BMW / MINI specific cabel harness 4m / 13.12 ft stereo for BMW / MINI with basic sound system High quality copper wire, BMW specific connectors Optimized for GZRA MICRO FOUR with GZCS 200BMW-SW and GZCS 100BMW-A/B/C/D and MINI-A	€ 109,00
		GZCS MB-CONNECT	4037072020304	Car specific wiring harness for Mercedes-Benz	€ 129,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
RADIOACTIVE	 GZRC 165.3SQ	4037072020434	16,5 cm / 6.5" SQ 3 way compo system 3 ohm, 170 / 270 W, 35 Hz - 25 KHz Kickwoofer: Black anodyzed aluminum cone, rubber surround, Nomex spider Midrange: 80 mm / 3.15" black anodyzed aluminum cone, rubber surround (GZRM 80SQ) Tweeter: 25 mm / 1" Coated silk dome tweeter (GZRT 25SQ) SQ passive crossovers	€ 409,00
	 GZRC 165.3SQ-ACT	4037072020458	16,5 cm / 6.5" SQ 3 active way compo system 35 Hz - 25 KHz Kickwoofer: Black anodyzed aluminum cone, rubber surround, Nomex spider Midrange: 80 mm / 3.15" black anodyzed aluminum cone, rubber surround (GZRM 80SQ) Tweeter: 25 mm / 1" Coated silk dome tweeter (GZRT 25SQ)	€ 329,00
	 GZRC 165.2SQ	4037072020397	16,5 cm / 6.5" SQ 2 way compo system 3 ohm, 120 / 190 W, 35 Hz - 25 KHz Kickwoofer: Black anodyzed aluminum cone, rubber surround, Nomex spider Tweeter: 25 mm / 1" Coated silk dome tweeter (GZRT 25SQ) SQ passive crossovers	€ 249,00
	 GZRC 165.2SQ-ACT	4037072020410	16,5 cm / 6.5" SQ 2 way compo system for active use 35 Hz - 25 KHz Kickwoofer: Black anodyzed aluminum cone, rubber surround, Nomex spider Tweeter: 25 mm / 1" Coated silk dome tweeter (GZRT 25SQ)	€ 189,00
	 GZRC 165.2SQ-IV	4037072021493	16,5 cm / 6.5" SQ 2 way compo system 3 ohm, 120 / 190 W, 35 Hz - 25 KHz Kickwoofer: Black anodyzed aluminum cone, rubber surround, Nomex spider Tweeter: 25 mm / 1" Coated silk dome tweeter (GZRT 25SQ) Installer friendly tweeter crossover	€ 219,00
	 GZRT 25SQ	4037072020335	25 mm / 1" coated silk dome tweeter 4 ohm, 70 / 100 W, 3 - 25 KHz	€ 109,00
	 GZRM 80SQ	4037072020359	80 mm / 3.15" SQ midrange speaker 4 ohm, 50 / 80 W, 160 Hz - 4 KHz Mounting depth 34 mm / 1.34" Black anodyzed aluminum cone, rubber surround	€ 164,00
	 GZRK 165SQ	4037072020373	16,5 cm / 6.5" HQ kick- / midwoofer 3 ohm, 110 / 160 W, 35 Hz - 4 KHz High efficient voice coil Black anodyzed aluminum cone, Rubber surround, Nomex spider Copper cap for impedance linearizing	€ 109,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
RADIOACTIVE		GZRC 100NEO-IV	4037072016987	10 cm / 4" HQ flat 2 way compo system 3 ohm, 80 / 120 W, 80 Hz - 26 KHz High efficient inside neodymium magnet Coated paper cone, rubber surround 25 mm / 1" Titanium dome tweeter Easy to install in-line crossovers Mounting depth 31 mm / 1.22" Including surface-mounted housing GZTH 25B	€ 199,00
		GZRC 200NEO-IV	4037072016468	20 cm / 8" HQ flat 2 way compo system 3 ohm, 120 / 190 W, 35 Hz - 26 KHz High efficient inside neodymium magnet Coated paper cone, rubber surround 25 mm / 1" Titanium dome tweeter Easy to install in-line crossovers Mounting depth 57 mm / 2.24" Including surface-mounted housing GZTH 25B	€ 349,00
		GZRF 4.0SQ	4037072022049	10 cm / 4" HQ 2 way coax speaker 3 ohm, 70 / 110 W, 70 Hz - 24 KHz High efficient voice coil Black anodized aluminum voice coil, rubber surround, Nomex spider 25 mm / 1.1" solk dome tweeter with overload protection	€ 79,00
		GZRF 5.2SQ	4037072022056	13 cm / 5.25" HQ 2 way coax speaker 3 ohm, 80 / 120 W, 60 Hz - 24 KHz High efficient voice coil Black anodized aluminum voice coil, rubber surround, Nomex spider 25 mm / 1.1" solk dome tweeter with overload protection	€ 95,00
		GZRF 6.5SQ	4037072022063	16,5 cm / 6,5" HQ 2 way coax speaker 3 ohm, 100 / 140 W, 50 Hz - 24 KHz High efficient voice coil Black anodized aluminum voice coil, rubber surround, Nomex spider 25 mm / 1.1" solk dome tweeter with overload protection	€ 109,00
		GZRF 69SQ	4037072022070	15 x 23 cm / 6" x 9" HQ 3 way coax speaker 3 ohm, 130 / 200 W, 40 Hz - 25 KHz High efficient voice coil Black anodized aluminum cone, rubber surround, Nomex spider 13 mm / 0.51" PEI tweeter with overload protection 50 mm / 2" PEI midrange with overload protection	€ 164,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
RADIOACTIVE		GZRW 8FL	4037072015379	20 cm / 8" neodymium flat woofer, 150 WRMS 2 Ohm, 36 mm / 1.42" round wire copper voice coil High-strength extremely flat 1MPP cone Resonance free steel basket Fs 45.3 Hz, Qts 0.938, SPL 85 db Mounting depth 55 mm / 2.17"	€ 149,00
		GZRW 8FL GRILL	4037072015638	20 cm / 8" hexagon style protection grill matching GZRW 8FL	€ 8,00
		GZRW 25-D2	4037072022513	25 cm / 10" subwoofer, 600 WRMS 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, high x-max spider High-roll surround, push terminals Fs 26.3 Hz, Qts 0.54, SPL 82 db	€ 199,00
		GZRW 30-D2	4037072018394	30 cm / 12" subwoofer, 800 WRMS 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, high x-max spider High-roll sandwich surround, push terminals Fs 25.7 Hz, Qts 0.45, SPL 83 db	€ 229,00
		GZRW 38-D2	4037072021639	38 cm / 15" subwoofer, 1000 WRMS 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, high x-max spider High-roll sandwich surround, push terminals Fs 27 Hz, Qts 0.51, SPL 87 db	€ 269,00
		GZRB 16SPL	4037072021462	Loaded SPL subwoofer enclosure 16.5 cm / 6.5" SPL subwoofer (GZRW 6XSPL) Impedance 2x 2 ohms MDF enclosure 4-pin push terminal	€ 199,00
		GZRB 20SPL	4037072021936	Loaded SPL subwoofer enclosure 20 cm / 8" SPL subwoofer (GZRW 8XSPL) Impedance 2x 2 ohms MDF enclosure 4-pin push terminal	€ 249,00
		GZRB 30SPL	4037072020915	Loaded SPL subwoofer enclosure 30 cm / 12" SPL subwoofer Impedance 2x 2 ohms MDF enclosure 4-pin push terminal	€ 439,00
		GZRW 6XSPL	4037072021479	16.5 cm / 6.5" Subwoofer, 700 W SPL Power 2 x 2 ohm, 50 mm / 2" copper voice coil Reinforced paper cone Fs 49.5 Hz, Qts 0.576, SPL 79 db	€ 144,00
		GZRW 8XSPL	4037072021974	20 cm / 8" Subwoofer, 1000 W SPL Power 2 x 2 ohm, 50 mm / 2" copper voice coil Reinforced paper cone Fs 45.8 Hz, Qts 0.36, SPL 84.6 db	€ 164,00
		GZRW 10XSPL	4037072018318	25 cm / 10" Subwoofer, 1200 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, double spider Fs 44.3 Hz, Qts 0.749, SPL 82 db	€ 189,00
		GZRW 12XSPL	4037072018325	30 cm / 12" subwoofer, 1500 W SPL Power 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, double spider Fs 31.8 Hz, Qts 0.684, SPL 83 db	€ 229,00
		GZRW 15XSPL	4037072019520	38 cm / 15" subwoofer, 1800 W SPL Power 2 x 2 ohm, 75 mm / 3" copper voice coil, Reinforced paper cone, double spider Fs 34.1 Hz, Qts 0.59, SPL 87.8 db	€ 269,00





GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
TITANIUM		GZTA 2255X-B	4037072020922	2 Channel Class AB amplifier 2 x 150WRMS @ 4 ohm 2 x 250WRMS @ 2 ohm	€ 239,00
		GZTA 4125X-B	4037072021400	4 Channel Class AB amplifier 4 x 90WRMS @ 4 ohm 4 x 130WRMS @ 2 ohm	€ 259,00
		GZTA 4230X-B	4037072020946	4 Channel Class AB amplifier 4 x 140WRMS @ 4 ohm 4 x 230WRMS @ 2 ohm	€ 359,00
		X-GZTA Bassremote	4037072008388	Bass remote for GZIA /GZTA/GZHA/GZNA amps	€ 27,50
		GZTC 130	4037072018776	13 cm / 5.25" 2 way compo system 3 ohm / 80/130 Watt RMS/max. Frequency range 60 Hz - 22 KHz Yellow color, structured HQPP-cone Resonance free GZ steel basket 19 mm / 0.75" Silk dome tweeter Compact 12 dB/oct. high pass crossovers for tweeter 6 dB/oct. low pass filter / GZ design grill	€ 139,00
		GZTC 165.2X	4037072021691	16,5 cm / 6.5" 2 way compo system 3 ohm / 100/150 Watt RMS/max. Frequency range 50 Hz - 22 KHz Yellow color, structured HQPP-cone Resonance free GZ steel basket 19 mm / 0.75" Silk dome tweeter Compact 12 dB/oct. high pass crossovers for tweeter 6 dB/oct. low pass filter / Hexagon protection grill	€ 159,00
		GZTC 165.3X	4037072022407	16,5 cm / 6.5" 2-way component speaker system High efficient 3 ohm version 120 W RMS / 180 Watt max. Frequency range 50 Hz - 22 KHz 165 mm kickwoofer with 3D HQPP cone / phase plug 100 mm / 4" midrange with 3D HQPP cone / phase plug 20 mm / 0.79" silk dome tweeter 12 dB/oct. crossover (mid/high) / 6 dB/oct. crossover (kickwoofer) / Hexagon protection grill	€ 329,00
		GZTC 165.3-ACT	4037072020588	16,5 cm / 6.5" 2-way component speaker system High efficient 3 ohm version 120 W RMS / 180 Watt max Frequency range 50 Hz - 22 KHz 165 mm kickwoofer with 3D HQPP cone / phase plug 100 mm / 4" midrange with 3D HQPP cone / phase plug 19 mm / 0.75" silk dome tweeter 12 dB/oct. crossover (mid/high) / 6 dB/oct. crossover (kickwoofer) / Hexagon protection grill	€ 219,00
		GZTK 165	4037072022223	16,5 cm / 6.5" kickwoofer 3 ohm / 80/100 Watt RMS/max. Frequency range 50 Hz - 4 KHz Yellow color, structured HQPP-cone Resonance free GZ steel basket Hexagon protection grill One pair per package	€ 74,00
		GZTM 100NEO	4037072021516	100 mm / 4" midrange with 3D HQPP cone / phase plug High efficient 3 ohm version Frequency range 250 Hz - 7 KHz 40 W RMS / 60 Watt max Hexagon protection grill One pair per package	€ 109,00
		GZTT 20S	4037072021714	20 mm / 0.79" silk dome tweeter 4 ohm, 40 / 70 W, 3 - 20 KHz incl. Surface mount housing One pair per package	€ 44,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
TITANIUM	 GZTB 20ACT	4037072015720	20 cm / 8" flat active subwoofer Strong plastic injection enclosure Lowpass 50-100Hz Build in high power amp 100 WRMS / 160 WMAX incl. bass remote and high-level input with auto-on 72 mm / 2.83" height	€ 219,00
	 GZTF 4.0X	4037072021745	10 cm / 4" 2-way coax speaker Efficient 3 ohm voice coil Power input 70 Watt RMS / 100 Watt max Frequency range 70 Hz - 22 KHz HQPP-structure cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Hexagon protection grill	€ 59,00
	 GZTF 5.2X	4037072021752	13 cm / 5.25" 2-way coax speaker Efficient 3 ohm voice coil Power input 80 Watt RMS / 110 Watt max Frequency range 60 Hz - 22 KHz HQPP-structure cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Hexagon protection grill	€ 69,00
	 GZTF 6.5X	4037072021769	16,5 cm / 6.5" 2-way coax speaker Efficient 3 ohm voice coil Power input 90 Watt RMS / 130 Watt max Frequency range 50 Hz - 22 KHz HQPP-structure cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Hexagon protection grill	€ 84,00
	 GZTF 69	4037072017991	6x9" 3 way coaxial system 3 ohm / 130/190 Watt RMS/max. Frequency range 40 Hz - 22 KHz Yellow color, structured HQPP-cone Resonance free GZ steel basket 13 mm / 0.51" Mylar tweeter / 55 mm / 2.17" Mylar midrange GZ design grill	€ 119,00
	 GZTW 10F Improved Q Version	4037072018271	25 cm / 10" Flat Subwoofer 2x 2 Ohm, 50 mm/ 2" copper voice coil High-strength, extremely flat IMPP cone Aluminum dustcap, push terminals Qts 0.56	€ 139,00
	 GZTW 12F	4037072018288	30 cm / 12" Flat Subwoofer 2x 2 Ohm, 50 mm/ 2" copper voice coil High-strength, extremely flat IMPP cone Aluminum dustcap, push terminals	€ 159,00
	 GZTB 120F	4037072019988	Loaded flat subwoofer enclosure 30 cm / 12" flat subwoofer (GZTW 12F) 2x 2 Ohm, 50 mm/ 2" copper voice coil High-strength, extremely flat IMPP cone Aluminum dustcap MDF, Push terminals	€ 229,00








GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
IRIDIUM		GZIA 1.600HPX-II	4037072015935 1 Channel Class AB Monoamp Output power 4/2/1 Ohm 230 / 400 / 600 WRMS	€ 219,00
		GZIA 1.1000DX-II	4037072015911 1 Channel Class D Monoamp Output power 4/2/1 Ohm 350 / 650 / 1000 WRMS	€ 269,00
		GZIA 1.1450DX-II	4037072015973 1 Channel Class D Monoamp Output power 4/2/1 Ohm 400 / 750 / 1250 WRMS	€ 329,00
		GZIA 2080HPX-II	4037072015669 2 Channel Class AB amplifier 2 x 60WRMS @ 4 ohm 2 x 80WRMS @ 2 ohm	€ 109,00
		GZIA 2130HPX-II	4037072015959 2 Channel Class AB amplifier 2 x 85WRMS @ 4 ohm 2 x 130WRMS @ 2 ohm	€ 139,00
		GZIA 2235HPX-II	4037072015683 2 Channel Class AB amplifier 2 x 150WRMS @ 4 ohm 2 x 235WRMS @ 2 ohm	€ 179,00
		GZIA 4115HPX-II	4037072015706 4 Channel Class AB amplifier 4 x 70WRMS @ 4 ohm 4 x 115WRMS @ 2 ohm	€ 189,00
		X-GZTA Bassremote	4037072008388 Bass remote for GZIA /GZTA/GZHA/GZNA amps	€ 27,50

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
IRIDIUM		GZIC 13X	4037072014969	13 cm / 5.25" 2 way compo system 4 ohm, 90 / 140 W, 60 Hz - 20 KHz HQPP cone, Resonance free steel basket 19 mm / 0.75" Softdome tweeter Compact inline crossovers for easy install Design-Grill	€ 79,00
		GZIC 16X	4037072014983	16,5 cm / 6.5" 2 way compo system 4 ohm, 100 / 150 W, 50 Hz - 20 KHz HQPP cone, Resonance free steel basket 19 mm / 0.75" Softdome tweeter Compact inline crossovers for easy install Design-Grill	€ 89,00
		GZIC 650FX	4037072014181	16,5 cm / 6.5" flat 2 way compo system extra flat only 44 mm / 1.73" 4 ohm, 100 / 140 W, 50 Hz - 20 KHz Coated paper cone, Resonance free GZ steel basket 19 mm / 0.75" silkdome tweeter 12 dB cable-crossover incl. tweeter protection	€ 169,00
		GZIF 40X	4037072015003	10 cm / 4" 2 way coax speaker 4 ohm, 60 / 100 W, 80 Hz - 20 KHz HQPP cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	€ 44,00
		GZIF 52X	4037072015010	13 cm / 5.25" 2 way coax speaker 4 ohm, 70 / 110 W, 60 Hz - 20 KHz HQPP cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	€ 49,00
		GZIF 65X	4037072015027	16,5 cm / 6.5" 2 way coax speaker 4 ohm 80 / 120 W, 50 Hz - 20 KHz HQPP cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	€ 55,00
		GZIF 69X	4037072015034	15 x 23 cm / 6" x 9" 3 way triax speaker 4 ohm, 120 / 180 W, 40 Hz - 20 KHz HQPP cone, Resonance free steel basket High power Mylar tweeter and midrange Design-Grill	€ 84,00
		GZIF 4001FX	4037072014143	10 cm / 4" flat 2 way coax speaker extra flat only 30 mm / 1.18" 4 ohm, 50 / 90 W, 80 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	€ 64,00
		GZIF 5201FX	4037072014150	13 cm / 5.25" flat 2 way coax speaker extra flat only 37 mm / 1.46" 4 ohm, 60 / 100 W, 70 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	€ 74,00
		GZIF 6501FX	4037072014167	16,5 cm / 6.5" flat 2 way coax speaker extra flat only 44 mm / 1.73" 4 ohm 70 / 110 W, 60 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Design-Grill	€ 89,00
		GZHT 25X	4037072008562	25 mm / 1" silkdome tweeter 4 ohm, 60 / 100 W, 3 - 20 KHz With accessories and optional highpass filter (3,3µF capacitor)	€ 59,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
IRIDIUM		GZIW 10SPL	4037072016215	25 cm / 10" Subwoofer, 700 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, High-Roll V-Shape surround, double layer spider Fs 40.8 Hz, Qts 0.62, SPL 84 dB	€ 164,00
		GZIW 12SPL	4037072014419	30 cm / 12" subwoofer, 1000 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, High-Roll V-Shape surround, double layer spider Fs 36.9 Hz, Qts 0.67 SPL, 86 dB	€ 189,00
		GZIW 12SPL GREEN	4037072018653	30 cm / 12" subwoofer, 1000 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, High-Roll V-Shape surround, double layer spider Fs 36.9 Hz, Qts 0.67 SPL, 86 dB Green colored basket, stitch and GZ logo	€ 189,00
		GZIW 12SPL PINK	4037072015867	30 cm / 12" subwoofer, 1000 W SPL Power 2 x 2 ohm, 63 mm / 2.5" copper voice coil, Reinforced paper cone, High-Roll V-Shape surround, double layer spider Fs 36.9 Hz, Qts 0.67 SPL, 86 dB Pink colored basket, stitch and GZ logo	€ 189,00
		GZIW 165X-II	4037072017755	16.5 cm / 6.5" subwoofer, 150 WRMS 4 ohm, 38 mm / 1.5" round wire copper voice coil, IMPP-cone, high-roll rubber surround, push terminals Fs 41.5 Hz, Qts 0.45, SPL 85.5 dB	€ 64,00
		GZIW 200X-II	4037072017762	20 cm / 8" subwoofer, 150 WRMS 4 ohm, 38 mm / 1.5" copper voice coil, IMPP-cone, audiophile POLYCOT spider Fs 39.9 Hz, Qts 0.52, SPL 87 dB	€ 75,00
		GZIW 250X-II	4037072017779	25 cm / 10" subwoofer, 250 WRMS 4 ohm, 50 mm / 2" copper voice coil, IMPP-cone, audiophile POLYCOT spider Fs 32.7 Hz, Qts 0.49, SPL 87 dB	€ 109,00
		GZIW 300X-II	4037072017786	30 cm / 12" subwoofer, 350 WRMS 4 ohm, 50 mm / 2" copper voice coil, IMPP-cone, audiophile POLYCOT spider Fs 34.9 Hz, Qts 0.69, SPL 87 dB	€ 129,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
IRIDIUM		GZIB 200XBR	4037072017830	Front bass tunnel box - 20 cm / 8" subwoofer 150 WRMS, 4 Ohm Front bass tunnel enclosure with 17 liter / 0.6 cu.ft	€ 129,00
		GZIB 200XBR-ACT	4037072017847	Active front bass tunnel box - 20 cm / 8" Build in high power amp 100 WRMS / 200 WMAX High-level input with auto-on	€ 269,00
		GZIB 250XBR	4037072018448	Front bass tunnel box - 25 cm / 10" subwoofer 250 WRMS, 4 Ohm Front bass tunnel enclosure with 26 liter / 0.92 cu.ft	€ 169,00
		GZIB 250XBR-ACT	4037072018455	Active front bass tunnel box - 25 cm / 10" Build in high power amp 130 WRMS / 250 WMAX High-level input with auto-on "	€ 299,00
		GZIB 300XBR	4037072017854	Front bass tunnel box - 30 cm / 12" subwoofer 350 WRMS, 4 Ohm Front bass tunnel enclosure with 37 liter / 1.31 cu.ft	€ 189,00
		GZIB 300XBR-ACT	4037072017861	Active front bass tunnel box - 30 cm / 12" Build in high power amp 150 WRMS / 300 WMAX High-level input with auto-on	€ 309,00
		GZIB 2.300XBR	4037072019513	Front bass tunnel box - 2x 30 cm / 12" woofer 700 WRMS, 2 x 2 Ohm Front bass tunnel enclosure with 70 liter / 2.47 cu.ft	€ 359,00
		GZIB 3000XSPL	4037072018424	Front bass tunnel SPL box incl. GZIW 12SPL 1000 W SPL Power, 2x2 ohm Front bass tunnel enclosure with 45 liter / 1.589 cu.ft	€ 254,00
		GZIB 2.3000XSPL	4037072018417	Front bass tunnel SPL box incl. 2 x GZIW 12SPL 2 x 30 cm / 2 x 12", 2000 W SPL Power, 4x2 ohm Front bass tunnel enclosure with 82 liter 2.895 cu.ft	€ 489,00
		GZ BASS KIT 12.300X	4037072021912	Bass Kit incl. GZBA 1.300X amp 40 l front aero-port enclosure with 30 cm / 12" subwoofer, IMPP cone, 4 Ohm Class A/B amplifier, 300 W MAX @ 4 Ohm, bass boost High-level input with auto-on, variable low pass filter	€ 249,00
		GZ BASS KIT 12.300X incl. Cable	4037072021929	Bass Kit incl. GZBA 1.300X amp & GZPK 10XLC-II 40 l front aero-port enclosure with 30 cm / 12" subwoofer, IMPP cone, 4 Ohm Class A/B amplifier, 300 W MAX @ 4 Ohm, bass boost High-level input with auto-on, variable low pass filter Including 10 mm² / 8 AWG wiring kit	€ 279,00

Line	Product	EAN Barcode	Description	RRP EUR
COMPETITION		GZCA 20.0SPL-M1	4037072019018 1 Channel Class D Monoamp Output power 2/1 Ohm 12000 / 20000 WRMS	€ 2999,00
		GZCA 35.0SPL-M1	4037072019025 1 Channel Class D Competition Monoamp Output power 1 Ohm 35000 WRMS (12.6 V)	€ 2799,00
		GZCA 1.5SPL-M1	4037072018912 1 Channel Class D Monoamp Output power 2/1 Ohm 825 / 1500 WRMS	€ 349,00
		GZCA 1.5SPL-M2	4037072018929 1 Channel Class D Monoamp Output power 4/2 Ohm 825 / 1500 WRMS	€ 349,00
		GZCA 3.0SPL-M1	4037072018936 1 Channel Class D Monoamp Output power 2/1 Ohm 1800 / 3400 WRMS	€ 569,00
		GZCA 3.0SPL-M2	4037072018943 1 Channel Class D Monoamp Output power 4/2 Ohm 1800 / 3400 WRMS	€ 569,00
		GZCA 5.0SPL-M1	4037072018950 1 Channel Class D Monoamp Output power 2/1 Ohm 2800 / 5600 WRMS	€ 899,00
		GZCA 5.0SPL-M2	4037072018967 1 Channel Class D Monoamp Output power 4/2 Ohm 2800 / 5600 WRMS	€ 899,00
		GZCA 8.0SPL-M1	4037072018974 1 Channel Class D Monoamp Output power 2/1 Ohm 4480 / 8960 WRMS	€ 1049,00
		GZCA 8.0SPL-M2	4037072018981 1 Channel Class D Monoamp Output power 4/2 Ohm 4480 / 8960 WRMS	€ 1049,00
		GZCA 12.0SPL-M1 Improved Power Version	4037072018998 1 Channel Class D Monoamp Output power 2/1 Ohm 9000 / 13700 WRMS	€ 1699,00














GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
COMPETITION		GZCA 1500.2-D1	4037072018899 2 Channel Class D amplifier Output power (2x) 2/1 Ohm 900 / 1500 WRMS	€ 579,00
		GZCA 1500.2-D2	4037072018905 2 Channel Class D amplifier Output power (2x) 4/2 Ohm 900 / 1500 WRMS	€ 579,00
		GZCA 750.2-D1	4037072018875 2 Channel Class D amplifier Output power (2x) 2/1 Ohm 400 / 750 WRMS	€ 349,00
		GZCA 750.2-D2	4037072018882 2 Channel Class D amplifier Output power (2x) 4/2 Ohm 400 / 750 WRMS	€ 349,00
		GZCA 4.200-4	4037072020311 4 Channel Class D amplifier 4 x 110 WRMS @ 4 ohm 4 x 200 WRMS @ 2 ohm	€ 329,00
		GZCC 165.2SQL	4037072020663 16,5 cm / 6.5" 2-way component speaker system 160 / 300 Watt RMS/max. Frequency range 50 Hz - 22 kHz Midwoofer: GZCK 165SPL Tweeter: GZCT 25SQL 12 dB/oct. crossover (with double woofer option)	€ 359,00
		GZCC 165.2SQL-ACT	4037072020700 16,5 cm / 6.5" 2-way component speaker system for active use Frequency range 50 Hz - 22 kHz Midwoofer: GZCK 165SPL Tweeter: GZCT 25SQL	€ 269,00
		GZCC 200.2SQL	4037072020687 20 cm / 8" 2-way component speaker system 200 / 380 Watt RMS/max. Frequency range 50 Hz - 22 KHz Midwoofer: GZCK 200SPL Tweeter: GZCT 25SQL 12 dB/oct. crossover (with double woofer option)	€ 399,00
		GZCC 200.2SQL-ACT	4037072020724 20 cm / 8" 2-way component speaker system for active use Frequency range 50 Hz - 22 kHz Midwoofer: GZCK 200SPL Tweeter: GZCT 25SQL	€ 329,00
		GZCX 165/200.2SQL	4037072020625 High-power SQL competition crossover Slope 12/12 dB/oct. Double woofer/tweeter option One pair per package	€ 99,00
		GZRX 2-Way Kick	4037072003994 2 way & kick crossover Universal Kickwoofer-Crossover, to add any Kickwoofer to an existing Speakersystem. Highpass-Filter 90 / 150 Hz Lowpass-Filter 200 / 250 Hz	€ 109,00
		GZCX 130/160	4037072003390 2 way crossover To combine all GZCM with any GZCT	€ 89,00
		GZCX 8-4Coax-SPL	4037072008470 2 way crossover For GZCF 8-4Coax-SPL <i>price per piece</i>	€ 25,00



GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
COMPETITION		GZCF 6.5SPL	4037072022476	16,5 cm / 6.5" 2-way coaxial speaker 100 / 250 Watt RMS/max. Frequency range 50 Hz - 20 kHz	€ 189,00
		GZCF 8.0SPL	not fixed yet	20 cm / 8" 2-way coaxial speaker 150 / 300 Watt RMS/max. Frequency range 40 Hz - 20 kHz	€ 209,00
		GZCF 7104XSPL	4037072015577	180 x 250 cm / 7" x 10" 4 way coax speaker 4 ohm, 200 / 300 W, SPL 93 dB, 35 Hz - 25 KHz Fiber reinforced water repellent paper cone Ferrofluid-cooled paper cone midrange and PEI tweeter with 6 dB crossover and overload protection 15 x 23 cm / 6" x 9" mounting adapter included price per pair	€ 159,00
		GZCM 6.5N-PRO	4037072017274	165 mm / 6.5" competition pro midrange 4 ohm, 200 / 400 W, SPL 96 dB, 150 Hz - 12 KHz 38 mm / 1.5" CCAW voice coil, neodymium magnet Lightweight reinforced paper cone, aluminum cast basket price per piece	€ 179,00
		GZCM 8.0N-PRO	4037072017298	200 mm / 8" competition pro midrange 4 ohm, 300 / 500 W, SPL 98 dB, 130 Hz - 10 KHz 63 mm / 2.5" CCAW voice coil, neodymium magnet Lightweight reinforced paper cone, aluminum cast basket price per piece	€ 249,00
		GZCM 6.5NEO	4037072020762	165 mm / 6.5" competition midrange Impedance 3 ohms, 120 / 320 Watts SPL 98 dB, 250 Hz - 10 kHz 38 mm / 1.5" CCAW voice coil Neodymium motor / aluminum phase plug Lightweight reinforced paper cone / W-foam surround Including protection grill Price per piece	€ 149,00
		GZCM 6.5NEO-DC	4037072022490	165 mm / 6.5" competition midrange Impedance 3 ohms, 120 / 320 Watts SPL 98 dB, 240 Hz - 12 kHz 38 mm / 1.5" CCAW voice coil Neodymium motor / paper dust cap Lightweight reinforced paper cone / W-foam surround Hexagon protection grill Price per piece	€ 149,00
		GZCM 8.0NEO	4037072020786	200 mm / 8.0" competition midrange Impedance 3 ohms, 180 / 420 Watts SPL 99 dB, 170 Hz - 6 kHz 38 mm / 1.5" CCAW voice coil Neodymium motor / aluminum phase plug Lightweight reinforced paper cone / W-foam surround Including protection grill Price per piece	€ 209,00
		GZCM 8.0NEO-DC	not fixed yet	200 mm / 8.0" competition midrange Impedance 3 ohms, 180 / 420 Watts SPL 100 dB, 160 Hz - 7 kHz 38 mm / 1.5" CCAW voice coil Neodymium motor / paper dust cap Lightweight reinforced paper cone / W-foam surround Hexagon protection grill Price per piece	€ 209,00
		GZCM 6-4FX	4037072015355	16,5cm / 6,5" flat competition midrange 4 ohm, 100 / 250 W, SPL 94 dB, 160 Hz - 5 KHz 38 mm / 1.5" copper-clad aluminum round wire voice coil Fiber reinforced paper cone Extra flat steel basket price per piece	€ 69,00
		GZCM 8-4FX	4037072012231	20 cm / 8" flat competition midrange 4 ohm, 100 / 400 W, SPL 94 dB, 150 Hz - 4 KHz 38 mm / 1.5" copper-clad aluminum round wire voice coil Fiber reinforced paper cone Extra flat steel basket price per piece	€ 89,00
		GZCF 165COAX	4037072014501	16,5 cm 6,5" competition 2 way coax speaker 4 ohm, 125 / 300 W, SPL 100 dB, 180 Hz - 25 KHz 40 mm / 1.57" copper-clad aluminum round wire voice coil 35 mm / 1.38" PEN dome compression tweeter, ABS horn Fiber reinforced paper cone, Extra flat aluminum cast basket Including 6 dB crossover price per piece	€ 184,00
		GZCF 200COAX	4037072012279	20 cm / 8" competition 2 way coax speaker 4 ohm, 200 / 400 W, SPL 100 dB, 150 Hz - 25 KHz 50 mm / 2" copper-clad aluminum round wire voice coil 44.5 mm / 1.75" Titanium dome compression tweeter, ABS horn Fiber reinforced paper cone, Extra flat aluminum cast basket including 6 dB crossover price per piece	€ 209,00






GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
COMPETITION		GZCM 6.5SPL	4037072020120	16,5 cm / 6.5" competition midrange 4 ohm impedance 100 / 300 W RMS/max., SPL 94 dB, 250 Hz - 10 KHz 38 mm / 1.5" cca aluminum round wire voice coil Fiber reinforced pressed paper cone price per piece	€ 76,00
		GZCM 8.0SPL	4037072020137	20 cm / 8" competition midrange 4 ohm impedance 150 / 400 W RMS/max., SPL 95 dB, 170 Hz - 10 KHz 38 mm / 1.5" cca aluminum round wire voice coil Fiber reinforced pressed paper cone price per piece	€ 98,00
		GZCM 10.0SPL	4037072020144	25 cm / 10" competition midrange 4 ohm impedance 200 / 500 W RMS/max., SPL 96 dB, 150 Hz - 10 KHz 50 mm / 2" cca aluminum round wire voice coil Fiber reinforced pressed paper cone price per piece	€ 129,00
		GZCK 165XSPL	4037072020502	16,5 cm / 6.5" competition kick- / midwoofer Impedance 4 ohms, 100 / 250 Watts SPL 93 dB, 50 Hz - 4 kHz 38 mm / 1.5" copper-clad aluminum round wire voice coil Fiber reinforced pressed paper cone High excursion foam W-surround Including protection grill Price per piece	€ 79,00
		GZCK 200XSPL	4037072020526	20 cm / 8.0" competition kick- / midwoofer Impedance 4 ohms, 150 / 300 Watts SPL 93 dB, 50 Hz - 6 kHz 38 mm / 1.5" copper-clad aluminum round wire voice coil Fiber reinforced pressed paper cone High excursion foam W-surround Including protection grill Price per piece	€ 109,00
		GZCK 250XSPL	4037072020540	25 cm / 10.0" competition kick- / midwoofer Impedance 4 ohms, 200 / 400 Watts SPL 93 dB, 40 Hz - 6 kHz 50 mm / 2" copper-clad aluminum round wire voice coil Fiber reinforced pressed paper cone Rubber surround Price per piece	€ 164,00
		GZCK 250XSPL-GRILL	4037072020601	25 cm / 10.0" hexagon style speaker grill Fits GZCK 250XSPL Price per piece	€ 19,00
		GZCW 12.1200-PRO	4037072017724	High power midwoofer 4 Ohm, 800 / 1200 W, SPL 96 dB, 60 - 2800 Hz 100 mm / 4" 2-layer copper round wire "inside/outside" voice coil Fiber reinforced paper cone Aluminum cast basket price per piec	€ 399,00
		GZCW 12-75SPL	4037072012644	30 cm / 12" competition woofer 4 ohm, 400 / 800 W, SPL 96 dB, 40 Hz - 3 KHz 2-layer 75 mm / 3" copper round wire voice coil Fiber reinforced paper cone, high roll w-surround, steel basket price per piece	€ 219,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product		EAN Barcode	Description	RRP EUR
COMPETITION		GZCT 25SQL	4037072017458	25 mm / 1" competition horn SQ tweeter 4 ohm, 100 / 150 W, SPL 93 dB, 3 - 22 KHz 25 mm / 1" Kapton voice coil Coated silk dome, aluminum cast waveguide, shielded neodymium magnet, ferrofluid cooling, aluminum heat sink price per piece	€ 54,00
		GZCT 19N-PROX B	4037072019186	High end compression tweeter 4 ohm, 30 / 100 W, SPL 109 dB, 3 - 22 KHz 25 mm / 1" CCAL voice coil Dispersion vert 60/30° / hor 45°, unsymmetrical aluminum cast waveguide, light weight polyester dome, neodymium magnet - black price per piece	€ 154,00
		GZCT 19N-PROX S	4037072019179	High end compression tweeter 4 ohm, 30 / 100 W, SPL 109 dB, 3 - 22 KHz 25 mm / 1" CCAL voice coil Dispersion vert 60/30° / hor 45°, unsymmetrical aluminum cast waveguide, light weight polyester dome, neodymium magnet - silver price per piece	€ 154,00
	<i>Pic coming soon</i>	GZCT 20N-PRO	4037072023114	High end compression tweeter 4 ohm, 30 / 100 W, SPL 109 dB, 3 - 22 KHz 25 mm / 1" CCAL voice coil light weight polyester dome, neodymium magnet, Black anodized aluminum cast baffle, Install version with outer thread	€ 154,00
		GZCT 3500X-B	4037072012200	98 mm / 3.86" High power compression tweeter (black) 4 ohm, 30 / 100 W, SPL 99 dB, 3 - 25 KHz 25 mm / 1" copper-clad aluminium round wire voice coil Aluminium dome, alu cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) price per piece	€ 25,00
		GZCT 3500X-S	4037072012217	98 mm / 3.86" High Power compression tweeter (silver) 4 ohm, 30 / 100 W, SPL 99 dB, 3 - 25 KHz 25 mm / 1" copper-clad aluminium round wire voice coil Aluminium dome, alu cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) price per piece	€ 25,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
COMPETITION		GZCT 0500X	4037072012163	43 mm / 1.69" compression tweeter 4 ohm, 30 / 100 W, SPL 102 dB, 4 - 25 KHz 25 mm / 1" copper-clad aluminium flat wire voice coil Aluminium dome, aluminum cast baffle, plastic bullet Including optional highpass filter (3,3µF capacitor) price per piece	€ 75,00
		GZCT 500IV-B	4037072019957	43 mm / 1.69" compression tweeter 4 ohm, 30 / 100 W, SPL 102 dB, 4 - 25 KHz 25 mm / 1" copper-clad aluminium flat wire voice coil Aluminium dome, Black anodized aluminum cast baffle, plastic bullet Install version with outer thread Including optional highpass filter (3,3µF capacitor) price per piece	€ 75,00
		GZCT 1000X	4037072017236	100 x 75 mm / 4" x 3" Compression tweeter 4 ohm, 30 / 100 W, SPL 105 dB, 5 - 20 KHz 25 mm / 1" copper-clad aluminium round wire voice coil Aluminum dome, aluminum cast baffle, aluminum bullet Wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) price per piece	€ 44,00
		GZCT 3000X	4037072018608	102 x 102 mm / 4.02 x 4.02" High power compression tweeter 4 ohm, 40 / 120 W, SPL 105 dB, 4 - 25 KHz 38 mm / 1.8" copper-clad aluminium flat wire voice coil Aluminium dome, aluminum cast baffle, aluminum bullet Including optional highpass filter (3,3µF capacitor) price per piece	€ 87,00
		GZCT 4000X	4037072012224	160 x 120 mm / 6.3" x 4.7" High power compression tweeter 4 ohm, 50 / 140 W, SPL 103 dB, 2.5 - 20 KHz 44,5 mm / 1.75" copper-clad aluminium round wire voice coil Aluminum dome, aluminum cast baffle, aluminum bullet Wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) price per piece	€ 69,00
		GZCT 2100X-B	4037072019605	89 x 89 mm / 3.5" x 3.5" Compression tweeter 4 ohm, 30 / 100 W, SPL 99 dB, 3 - 25 KHz 25 mm / 1" cca voice coil 40° dispersion Including optional highpass filter (3,3µF capacitor) price per piece	€ 39,00
		GZCT 5000SPL	4037072012675	200 x 150 mm / 8" x 5.9" High power compression tweeter (yellow) 4 ohm, 70 / 180 W, SPL 108 dB, 1.5 - 20 KHz 44,5 mm / 1.75" copper clad aluminium round wire voice coil Elliptical tractrix horn, titanium dome, ABS plastic baffle wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) price per piece	€ 109,00
		GZCT 5000SPL-B	4037072014129	200 x 150 mm / 8" x 5.9" High power compression tweeter (black) 4 ohm, 70 / 180 W, SPL 108 dB, 1.5 - 20 KHz 44,5 mm / 1.75" copper clad aluminium round wire voice coil Elliptical tractrix horn, titanium dome, ABS plastic baffle wide range 90° x 60° dispersion Including optional highpass filter (3,3µF capacitor) price per piece	€ 109,00
		GZCX 165/200.2SQL	4037072020625	High-power SQL competition crossover Slope 12/12 dB/oct. Double woofer/tweeter option One pair per package	€ 98,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
DSP / CAR SPECIFIC	 GZDSP 6-8X PRO	4037072019629	Digital Sound Processor 6-channel RCA / 6-channel high-level input 8-channel RCA output Optical & coaxial digital input (24-bit / 192 kHz) AUX-Input 10 presets individually programmable Wireless music streaming optionally (GZDSP BT-Box) Remote control optionally (GZDSP Remote PRO)	€ 379,00
	 GZDSP BT-BOX	4037072018035	Wireless music streaming interface Including connection cable Compatible with GZDSP 6-8X, 6-8X PRO and 4.80A-PRO	€ 79,00
	 GZDSP BTB-APP	4037072021868	Wireless music streaming & app control interface Including connection cable Compatible with GZDSP 6-8X PRO and 4.80A-PRO	€ 99,00
	 GZDSP REMOTE	4037072015553	Remote control for GZDSP 6-8X Master volume control Sub-out volume control Input mode selection Preset selection	€ 65,00
	 GZDSP REMOTE PRO	4037072019650	Remote control for GZDSP 6-8X PRO Master volume control Sub-out volume control Input mode selection Preset selection	€ 65,00
	 GZDSP REMOTE PRO X	4037072020274	Remote control for GZDSP 6-8X PRO Master volume control Sub-out volume control Input mode selection (incl. coaxial digital input) Preset selection	€ 69,00
	 GZDSP 4.60ISO	4037072017731	4-Channel upgrade amplifier (ISO) with integrated signal processor (DSP) High efficient 2 Ohm stable class D amplifier High-level input (with auto-on function), 2-channel line output (RCA) Plug for optional wireless music streaming interface (GZDSP BT-Box) TOSLINK input (sampling rate up to 24-bit/96 kHz), AUX input (3.5 mm socket) 1 m / 3.28 ft cable harness included, Integrated DSP (GZDSP 6-8X) 4x 40 / 60 Watts RMS @ 4 / 2 Ohm load Optional remote control (GZDSP Remote)	€ 399,00
	 GZDSP 4.80A-PRO	4037072020229	4-Channel amplifier with integrated signal processor (DSP) High efficient 2 Ohm stable class D amplifier 6-channel line input (RCA) and high-level input (with auto-on function) 4-channel line output (RCA) Plug for optional wireless music streaming interface (GZDSP BT-Box) Optical and coaxial digital input (sampling rate up to 24-bit/192 kHz) AUX input (3.5 mm socket) Integrated DSP (GZDSP 6-8X PRO) 4x 80 / 130 Watts RMS @ 4 / 2 Ohm load Optional remote control (GZDSP Remote PRO)	€ 549,00
	 GZCS HLC-2.6	4037072020267	Adapter for car specific harness to be used with GZDSP PRO units compatible with GZCS 4.0BMW-Connect GZCS MB-Connect	€ 10,50
	 GZCS HLC-1.12	4037072019971	Adapter for car specific harness to be used with GZDSP units (not for PRO units) compatible with GZCS 4.0 BMW-Connect GZCS MB-Connect	€ 10,50




GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
DSP / CAR SPECIFIC		GZDSP 4-8XII	4037072021615	Digital Signal Processor 4 input / 8 output channels High and low level input, Auto-on function for high and low level input BT-USB connector input (for optional USB dongle GZDSP BT-Stick) 8x 10-band parametric equalizer (+/- 12 dB / Q: 0.4 ~ 28 / 20 Hz - 20 kHz) Time delay correction 0 ~ 8 ms / 0 ~ 277 cm, Adjustable Butterworth / Linkwitz-Riley / Bessel filter HPF / LPF / BPF (slope 6 - 24 dB/oct), High and low shelving function Phase shift each channel 0 / 180°, Remote control included, English & Chinese software / GUI	€ 274,00
		GZDSP REM 4-8XII	4037072021844	Remote control for GZDSP 4-8X and GZDPS 4-8XII Master volume control Preset selection	€ 49,00
		GZDSP REM 4-8XII-S	4037072022209	Remote control for GZDPS 4-8XII Master volume control Preset selection	€ 54,00
		GZDSP BT-STICK	4037072019858	Wireless music streaming interface Including connection cable Compatible with GZDSP 4-8X & 4-8XII Required for app control	€ 49,50
		GZCS A-1.650D	not fixed yet	1 Channel Class D Monoamp Output power 4/2/1 Ohm 250 / 450 / 650 WRMS High-level input with auto-on function	€ 199,00
		GZCS A-4.80	4037072022698	4 Channel Class D MICRO amplifier 4 x 60WRMS @ 4 ohm 4 x 80WRMS @ 2 ohm High-level input with auto-on function Dimensions (w x h x l heatsink/overall) 82 x 40 x 151/171 mm / 3.32 x 1.57 x 5.94/6.73"	€ 249,00
		X-GZTA Bassremote	4037072008388	Bass remote for GZIA /GZTA/GZHA/GZNA amps	€ 27,50








GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
CAR SPECIFIC		GZCS 100MB	4037072018714	10 cm / 4" HQ 2-way car specific compo system Mercedes specific installation (see compatibility chart)	€ 329,00
		GZCS 200MB	GZCS 200MBL-LHD: 4037072018738 GZCS 200MBR-LHD: 4037072018745	20 cm / 8" car specific subwoofer - 1 piece Extra flat MB specific subwoofer with neodymium-motor 50 / 90 W RMS / W max. Pressed paper cone SPL 86 dB Impedance 4 Ohm	€ 249,00
		GZCS W-200MB.RH-L	4037072021554	20 cm / 8" car specific subwoofer - 1 piece Extra flat MB specific subwoofer with neodymium-motor 110 W RMS, glass-fiber cone, impedance 4 Ohm For RHD vehicles only / passenger 's side	€ 299,00
		GZCS W-200MB.RH-R	4037072021561	20 cm / 8" car specific subwoofer - 1 piece Extra flat MB specific subwoofer with neodymium-motor 110 W RMS, glass-fiber cone, impedance 4 Ohm For RHD vehicles only / driver 's side	€ 299,00
		GZCS 100BMW-SQ+A	4037072019872	10 cm / 4" car specific 2 way compo system Made in Germany Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 4.0 Ohm 25 mm / 1" coated silk dome tweeter incl. in-line crossover In-line midrange high pass crossover	€ 369,00
		GZCS 100BMW-SQ+B	4037072019889	10 cm / 4" car specific 2 way compo system Made in Germany Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 4.0 Ohm 25 mm / 1" coated silk dome tweeter incl. in-line crossover In-line midrange high pass crossover	€ 369,00
		GZCS 100BMW-SQ+C	4037072019896	10 cm / 4" car specific 2 way compo system Made in Germany Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 4.0 Ohm 25 mm / 1" coated silk dome tweeter incl. in-line crossover In-line midrange high pass crossover	€ 369,00
		GZCS 100BMW-SQ+D	4037072019902	10 cm / 4" car specific 2 way compo system Made in Germany Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone & rubber surround 1.02" copper voice coil, BIMAX spider 4.0 Ohm 25 mm / 1" coated silk dome tweeter incl. in-line crossover In-line midrange high pass crossover	€ 369,00















GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
CAR SPECIFIC		GZCS 100BMW-SQA	4037072020830	10 cm / 4" car specific 2 way compo system Made in Germany Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone 25 mm / 1" coated silk dome tweeter Incl. tweeter high pass in-line crossover	€ 329,00
		GZCS 100BMW-SQB	4037072020847	10 cm / 4" car specific 2 way compo system Made in Germany Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone 25 mm / 1" coated silk dome tweeter Incl. tweeter high pass in-line crossover	€ 329,00
		GZCS 100BMW-SQC	4037072020854	10 cm / 4" car specific 2 way compo system Made in Germany Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone 25 mm / 1" coated silk dome tweeter Incl. tweeter high pass in-line crossover	€ 329,00
		GZCS 100BMW-SQD	4037072020861	10 cm / 4" car specific 2 way compo system Made in Germany Power handling 50 W RMS / 100 W MAX Frequency range 100 Hz - 25 KHz, SPL 87 dB 3.3 Ohm midwoofer with paper-fibre cone 25 mm / 1" coated silk dome tweeter Incl. tweeter high pass in-line crossover	€ 329,00
		GZCS 200BMW-SW	4037072016390	20 cm / 8" car specific subwoofer - 1 pair Extra flat BMW specific subwoofer with neodymium-motor 100 WRMS / 160 WMAX, 50 mm / 2" copper voice coil, coated paper cone SPL 86 dB, impedance 2 Ohm	€ 349,00
		GZCS 200BMW-SW4	4037072020489	20 cm / 8" car specific subwoofer - 1 pair Extra flat BMW specific subwoofer Double neodymium-motor 100 WRMS / 160 WMAX, 50 mm / 2" copper voice coil, coated paper cone SPL 86 dB Impedance 4 ohms	€ 429,00
		GZCS 4.0BMW-CONNECT	4037072018110	BMW / MINI specific cabel harness 4m / 13.12 ft stereo for BMW / MINI with basic sound system High quality copper wire, BMW specific connectors Optimized for GZRA MICRO FOUR with GZCS 200BMW-SW and GZCS 100BMW-A/B/C/D and MINI-A	€ 109,00
		GZBR 200BMW	4037072007282	BMW Mounting bracket for 20cm woofer Made for GZMW 200NEO, GZRW 8FL; 2pcs. in set	€ 39,00
		GZCS 165VW	4037072018691	16,5 cm / 6.5" HQ 2 way car specific compo system 3 ohm, 120 / 190 W, 35 Hz - 26 KHz Aluminum cone, rubber surround, Nomex spider Copper cap for impedance linearizing, high efficient voice coil 25 mm / 1" Titanium dome tweeter VW specific installation (see compatibility chart) Accessories set included	€ 229,00
		GZCS 8.7CX	4037072017533	8,7 cm / 3.5" car specific 2-way coax speaker 4 ohm, 50 / 90 W, 100 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter	€ 43,00
		GZCS 46CX	4037072017540	10 x 15 cm / 4" x 6" car specific 2-way coax speaker 4 ohm, 70 / 110 W, 80 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Special size for older VW, Porsche, Audi, ...	€ 65,00
		GZCS 12CX	4037072017557	12 cm / 4.65" car specific 2-way coax speaker 4 ohm, 60 / 100 W, 75 Hz - 20 KHz Coated paper cone, Resonance free steel basket 13 mm / 0.51 Mylar tweeter Special size for older Mercedes Benz models	€ 59,00










GROUND ZERO®











GERMAN ENGINEERING











Line	Product	EAN Barcode	Description	RRP EUR
CAR SPECIFIC	 GZCS 10SUB	4037072016604	25 cm passive spare wheel subwoofer Efficient downfire technology High power 2x 2 Ohm 10" subwoofer Reinforced paper cone Power handling 300 Watt 62,0 x 44,0 x 12,0 cm (14,5cm mit Gummifüßen) / 24,40" x 17,32" x 4,72" (5,71" including rubber feet)	€ 199,00
	 GZCS 10SUB-ACT	4037072016611	25 cm active spare wheel subwoofer Efficient downfire technology High power 2x 2 Ohm 10" subwoofer Reinforced paper cone 150 WRMS / 300 WMAX amplifier 62,0 x 44,0 x 12,0 cm (14,5cm mit Gummifüßen) / 24,40" x 17,32" x 4,72" (5,71" including rubber feet)	€ 299,00
	 X-GZTA Bassremote	4037072008388	Bass remote for GZIA /GZTA/GZHA/GZNA amps and ACT models	€ 27,50
DAMPING	 GZDM DOORKIT PRO	4037072021653	Essential damping set for 2 doors Box includes 8 sheets (50 x 37.5 cm) GZDM 3750AB-SILVER 4 sheets (50 x 37.5 cm) GZDF 1500SA 2 sheets (50 x 37.5 cm) GZDF 400SI 2 sheets (50 x 37.5 cm) GZDS 1200AL-GOLD 4 boxes = 1 master carton	€ 99,00
	 GZDF 1500SA-PRO	4037072022551	High efficient viscous-elastic damping material Water repellent surface Self-adhesive formed sound absorbing polyurethane foam 8 sheets, each 50 x 37.5 cm = 1.5 m ² / 16.15 ft ² 4 boxes = 1 master carton	€ 99,00
	 GZDF 400SI	4037072017489	High density waterproof damping material Self-adhesive noise damping and insulating poethylene foam 20 sheets, each 50 x 37.5 cm = 3.75 m ² / 40.36 ft ² 5 boxes = 1 master carton	€ 79,00
	 GZDR 1000	4037072008524	Heavy duty wooden roller for damping material	€ 19,00
	 GZDM 3750AB-GOLD	4037072015423	Alubutyl dampingmat 2.2 mm / 0.087" 10 sheets, each 75 x 50 cm = 40.36 ft ²	€ 119,00
	 GZDM 3750AB-SILVER	4037072015430	Alubutyl dampingmat 1.7 mm / 0.067" 10 sheets, each 75 x 50 cm = 40.36 ft ²	€ 99,00
	 GZDM 1900ML-GOLD	4037072015416	Multilayer damping mat 4.2 mm / 0.165" New bitumen product developed under aeronautic aspects. Very flexible multi-layered damping material with a layer of polymer based on butyl rubber in combination with bitumen mastic and aluminum foil outer surface. 10 sheets, each 37.5 x 50 cm = 1.875 m ²	€ 139,00
	 GZDM 1900MC-GOLD	4037072015447	Multi component damping mat 7 mm / 0.28" Bitumen saturated damping material based on viscous elastic polyurethane foam for soundproofing in combination with a layer of polymer based butyl rubber and aluminum foil outer surface. 10 sheets, each 37.5 x 50 cm = 1.875 m ²	€ 99,00
	 GZDM 250AL-BassBoost	4037072019773	Multi component damping mat 15 mm / 0.59" Self-adhesive multilayer, non-flammable damping material with a specifically molded aluminum surface reducing the reflection of sound waves and pressure when installed directly on the backside of a dynamical speaker 2 sheets, each 25 x 18.3 cm	€ 24,00
	 GZDA 1200AL-GOLD	4037072019759	Massive aluminum foil to cut individually and to seal openings inside the doors for acoustical reasons and to avoid the intrusion of moisture into the vehicle's compartment. Self-adhesive, temperature and water resistant, not flammable. Material thickness 300 µm / 0.12" 6 sheets, each 50 x 37.5 cm	€ 65,00
	 GZDM 1400NB-GOLD	4037072021943	Multilayer damping mat 3 mm / 0.12" Self-adhesive multilayer, non-flammable damping material with a nonwoven textile top layer / highly elastic structure 7 sheets, each 57 x 35 cm	€ 99,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
ACCESSORIES - WIRING / ADAPTER / RCA CABLES		GZCS MB-CONNECT	4037072020304	Car specific wiring harness for Mercedes-Benz	€ 129,00
		GZCS 4.0BMW-CONNECT	4037072018110	BMW / MINI specific cabel harness 4m / 13.12 ft stereo for BMW / MINI with basic sound system High quality copper wire, BMW specific connectors Optimized for GZRA MICRO FOUR with GZCS 200BMW-SW and GZCS 100BMW-A/B/C/D and MINI-A	€ 109,00
		GZCV 2.0HL	4037072011326	High-low level converter 1:1 converter	€ 59,00
		GZCS ISO QUADLOCK I	4037072014266	ISO-QUADLOCK Adapter for ISO connected plug and play amplifiers High quality copper cable for VW / Audi / BMW / Mercedes etc. until 2013	€ 49,00
		GZCS ISO QUADLOCK II	4037072015768	ISO-QUADLOCK II Adapter for ISO connected plug and play amplifiers High quality copper cable for VW / Audi / BMW / Mercedes etc. from 2013 on	€ 54,00
		GZCC 0.57X-TP	4037072010770	PI sized Sound Quality RCA cable 0,57 m / 1 ft 10.5" - Triple shielded	€ 19,00
		GZCC 1.14X-TP	4037072010787	PI sized Sound Quality RCA cable 1,14 m / 3 ft 8.9" - Triple shielded	€ 22,00
		GZCC 3.14X-TP	4037072010794	PI sized Sound Quality RCA cable 3,14 m / 10 ft 3.6" - Triple shielded	€ 28,00
		GZCC 5.49X-TP	4037072010800	PI sized Sound Quality RCA cable 5,49 m / 18 ft - Triple shielded	€ 33,00

Line	Product		EAN Barcode	Description	RRP EUR
ACCESSORIES - CABLES / KITS		GZCC 1.3X	4037072018059	1 m / 3.3 ft RCA cable Triple shielded signal wire with isolated RCA connectors	€ 5,50
		GZCC 5.3X	4037072008944	5 m / 16.4 ft RCA cable Triple shielded signal wire with isolated RCA connectors (as included in GZPK10X/20X)	€ 12,50
		GZCC 5.1XLC	4037072008951	5 m / 16.4 ft RCA cable Single shielded signal wire with isolated RCA connectors (as included in GZPK 10XLC)	€ 8,00
		GZCY 30X	4037072008937	Y adapter 1 female in - 2 male out	€ 3,50
		GZPK 10XLC-II	4037072021196	10 mm² cable kit 5.2 m / 17 ft power cable yellow 0.8 m / 2 ft power cable black 5 m / 16 ft RCA cable single shield 1.5 m / 4.9 ft speaker cable 60 A AGU fuseholder, various accessories	€ 27,50
		GZPK 10X-II	4037072021219	10 mm² cable kit 5.2 m / 17ft 0.7244098in Powercable yellow 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 60 A MANL Fuseholder, div. accessories	€ 29,50
		GZPK 20X-II	4037072021233	20 mm² Cable kit 5,2 m / 17ft 0.7244098in Powercable yellow 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 80 A MANL Fuseholder, div. Accessories	€ 49,50
		GZPK 35X-II	4037072021257	35 mm² cable kit 5,2 m / 17ft 0.7244098in Powercable yellow 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 200 A ANL Fuseholder, div. Accessories	€ 79,00
		GZPK 50X	4037072009002	50 mm² cable kit 5,2 m / 17ft 0.7244098in Powercable red 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 300 A ANL Fuseholder, div. accessories	€ 109,00
		GZPK 50X-II	4037072021271	50 mm² cable kit 5,2 m / 17ft 0.7244098in Powercable yellow 0,8 m / 2ft 7.496063in Powercable black 5 m / 16ft 4.850394in RCA triple shield with remote 300 A ANL Fuseholder, div. accessories	€ 109,00

Line	Product	EAN Barcode	Description	RRP EUR
ACCESSORIES - CABLES / POWER CAP	 GZSC 1.5X2 OFC	4037072018141	2 x 1.50 mm ² speaker cable OFC - pure copper 100m / 328ft on wooden spool black & yellow; OD 3+3mm / 0.118"+0.118"	€ 164,00
	 GZSC 2.5X2 OFC	4037072018158	2 x 2.50 mm ² speaker cable OFC - pure copper 100m / 328ft on wooden spool black & yellow; OD 3,8+3,8mm / 0.165"+0.165"	€ 274,00
	 GZSC 4.0X2 OFC	4037072018165	2 x 4.00 mm ² speaker cable OFC - pure copper 75m / 246ft on wooden spool black & yellow; OD 4,5+4,5mm / 0.197"+0.197"	€ 329,00
	 GZSC 6.0X2 OFC	4037072018172	2 x 6.00 mm ² speaker cable OFC - pure copper 50m / 164ft on wooden spool black & yellow; OD 6+6mm / 0.262"+0.262"	€ 329,00
	 GZSC 10X2 OFC	4037072018189	2 x 10.00 mm ² speaker cable OFC - pure copper 50m / 164ft on wooden spool black & yellow; OD 6,8+6,8mm / 0.298"+0.298"	€ 549,00
	 GZSC 2-0.75X	4037072021110	0.75 mm ² CCA speaker cable 200m / 656ft black & yellow isolation	€ 95,00
	 GZSC 2-1.50X	4037072021134	1.50 mm ² CCA speaker cable 200m / 656ft black & yellow isolation	€ 149,00
	 GZSC 2-2.50X	4037072021158	2.50 mm ² CCA speaker cable 200m / 656ft black & yellow isolation	€ 264,00
	 GZSC 2-4.00X	4037072021172	4.00 mm ² speaker cable spool 100m spool / 328ft black & yellow isolation	€ 204,00
	 GZTC 1.0FX	4037072008166	1.0 Farad power capacitor 16 Volt surge, resistance <0,0020 ohm, +/- 20%, incl. plexiglas brackets, white LED display	€ 109,00






GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
ACCESSORIES - CABLES	 GZPC 10B	4037072009279	Black 10 mm ² power cable spool 50m / 164ft 0.5039400in spool Negative 10 mm ² ; 7*81/0.15 CCA - OD 6.7mm / 0.26" High flexibility	€ 109,00
	 GZPC 10Y	4037072021035	Yellow 10 mm ² Power cable spool 50m / 164ft 0.5039400in spool Positive 10 mm ² ; 7*81/0.15 CCA - OD 6.7mm / 0.26" High flexibility	€ 109,00
	 GZPC 20B	4037072009293	Black 20 mm ² power cable spool 50m / 164ft 0.5039400in spool Negative 20 mm ² ; 7*7*23/0.15 CCA - OD 10mm / 0.39" High flexibility	€ 219,00
	 GZPC 20Y	4037072021059	Yellow 10 mm ² Power cable spool 50m / 164ft 0.5039400in spool Positive 10 mm ² ; 7*81/0.15 CCA - OD 6.7mm / 0.26" High flexibility	€ 219,00
	 GZPC 35B	4037072009316	Black 35 mm ² power cable spool 30m / 98ft 5.102364in spool Negative 35 mm ² ; 7*7*40/0.15 CCA - OD 12.8mm / 0.504" High flexibility	€ 224,00
	 GZPC 35Y	4037072021073	Red 35 mm ² power cable spool 30m / 98ft 5.102364in spool Positive 35 mm ² ; 7*7*40/0.15 CCA - OD 12.8mm / 0.504" High flexibility	€ 224,00
	 GZPC 50B	4037072009330	Black 35 mm ² power cable spool 30m / 98ft 5.102364in spool Negative 35 mm ² ; 7*7*40/0.15 CCA - OD 12.8mm / 0.504" High flexibility	€ 219,00
	 GZPC 50Y	4037072021097	Yellow 50 mm ² power cable spool 20m / 65ft 7.401576in spool Positive 50 mm ² ; 7*7*58/0.15 CCA - OD 15.5mm / 0.61" High flexibility	€ 219,00










GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
ACCESSORIES - OTHER		GZAP 70Y	4037072022124	Airflow optimized subwoofer enclosure ventilation tube with rounded tails on both sides Internal diameter 71 mm Overall length 381 mm	€ 21,95
		GZST 2S	4037072020007	2-pin flush mounting speaker terminal Chromed push terminals	€ 8,00
		GZST 2B	4037072020014	2-pin flush mounting speaker terminal Chromed sush terminals for large cable diameter	€ 10,00
		GZST 4S	4037072021530	4-pin flush mounting speaker terminal Chromed push terminals with large diameter Including metal bridging stripes for parallel or serial connection	€ 16,50
		GZTH 25-28B	4037072021677	High quality surface-mounted housing - 1 pair Plastic injection housing with black rubber-touch surface finish Suitable for: GZRT 25SQ GZJT 28SQ	€ 19,00
		GZ PROTECT	4037072017045	High power speaker protection circuit - 1 piece Protects speakers against clipping and electrical overload Screw terminal Including 3 different protection-soffits (5W, 10W, 20W) Power handling 150 W MAX, min. 2 Ohm impedance load	€ 29,00


GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
ACCESSORIES - OTHER		GZMG 165/6.5	4037072004182 Design grill for GZNW 6.5 and all further 16.5cm speakers	€ 99,00
		GZMG 38/15	4037072004168 New wave design metal bracket for subwoofer boxes suitable for 38 cm / 15" subwoofers	€ 29,00
		GZCG 20SC	4037072008494 20 cm / 8" protection grill for 20 cm / 8" woofers	€ 15,00
		GZBRK 290	4037072006940 8mm bracket for high excursion subwoofers length 290 mm, height 50 mm	€ 8,00
		GZBRK 425	4037072007336 8 mm bracket for high excursion subwoofers length 425 mm, height 50 mm	€ 10,00
		GZTG 200T	4037072000566 20 cm / 8" protection grill for 20 cm / 8" woofers	€ 12,00
		GZTG 250T	4037072002126 25 cm / 10" protection grill for 25 cm / 10" woofers	€ 14,00
		GZTG 300T	4037072001693 30 cm / 12" protection grill for 30 cm / 12" woofers	€ 16,00
		GZTG 380T	4037072002133 38 cm / 15" protection grill for 38 cm / 15" woofers	€ 29,00












GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
POWER ACCESSORIES		GZFH 1.50/1.50 ANL/MANL	4037072010817 ANL / MANL fuse holder Input 1 x 50 mm ² / 0 AWG - Output 1 x 50 mm ² / 0 AWG	€ 39,00
		GZFH 1.50/2.20 ANL/MANL	4037072010824 ANL / MANL fuse holder Input 1 x 50 mm ² / 0 AWG - Output 2 x 20 mm ² / 4 AWG	€ 39,00
		GZFH 1.20/1.20 MANL	4037072010831 MANL fuse holder Input 1 x 20 mm ² / 4 AWG - Output 1 x 20 mm ² / 4 AWG	€ 19,00
		GZFH 1.20 IL-MANL	4037072011548 MANL in-line fuse holder Input 1 x 20 mm ² / 4 AWG - Output 1 x 20 mm ² / 4 AWG	€ 7,50
		GZFH 3.50/4.20 ANL/MANL	4037072010848 ANL / MANL fuse holder Input 3 x 50 mm ² / 4 AWG - Output 4 x 20 mm ² / 4 AWG	€ 79,00
		GZBT 2.50 MANL-POS	4037072010855 Battery terminal (+) with MANL fuse, Output 2 x 50 mm ² / 0 AWG Direct (2 x 50 mm ² / 0 AWG Fused with MANL)	€ 39,00
		GZBT 2.50 NEG	4037072010862 Battery terminal (-) Output 1 x 50 mm ² / 0 AWG	€ 35,00
		GZDB 3.50/4.20	4037072010879 Distribution block Input 3 x 50 mm ² / 0 AWG - Output 4 x 20 mm ² / 4 AWG	€ 39,00









GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR
POWER ACCESSORIES		GZFU 40A/2 MANL	4037072011562 Mini ANL fuse 40 A 2 Pcs in blister	€ 5,00
		GZFU 60A/2 MANL	4037072011579 Mini ANL fuse 60 A 2 Pcs in blister	€ 5,00
		GZFU 80A/2 MANL	4037072011241 Mini ANL fuse 80 A 2 Pcs in blister	€ 5,00
		GZFU 100A/2 MANL	4037072011258 Mini ANL fuse 100 A 2 Pcs in blister	€ 5,00
		GZFU 150A/2 MANL	4037072011265 Mini ANL fuse 150 A 2 Pcs in blister	€ 5,00
		GZFU 200A/2 MANL	4037072011272 Mini ANL fuse 200 A 2 Pcs in blister	€ 5,00
		GZFU 100A/1 ANL	4037072011289 ANL fuse 100 A 1 Pc in blister	€ 6,00
		GZFU 150A/1 ANL	4037072011296 ANL fuse 150 A 1 Pc in blister	€ 6,00
		GZFU 200A/1 ANL	4037072011302 ANL fuse 200 A 1 Pc in blister	€ 6,00
		GZFU 300A/1 ANL	4037072011319 ANL fuse 300 A 1 Pc in blister	€ 6,00
		GZFU 400A/1 ANL - SPL	4037072011586 ANL fuse 400 A 1 Pc in blister	€ 6,00





GROUND ZERO®

GERMAN ENGINEERING

Line	Product	EAN Barcode	Description	RRP EUR	
POWER ACCESSORIES	 10 Pcs.	GZFU 40A/10 MANL	4037072011722	Mini ANL fuse 40 A 10 Pcs in poly bag	€ 11,00
	 10 Pcs.	GZFU 60A/10 MANL	4037072011739	Mini ANL fuse 60 A 10 Pcs in poly bag	€ 11,00
	 10 Pcs.	GZFU 80A/10 MANL	4037072011746	Mini ANL fuse 80 A 10 Pcs in poly bag	€ 11,00
	 10 Pcs.	GZFU 100A/10 ANL	4037072011753	Mini ANL fuse 100 A 10 Pcs in poly bag	€ 23,00
	 10 Pcs.	GZFU 150A/10 ANL	4037072011760	Mini ANL fuse 150 A 10 Pcs in poly bag	€ 23,00
	 10 Pcs.	GZFU 200A/10 ANL	4037072011777	Mini ANL fuse 200 A 10 Pcs in poly bag	€ 23,00
	 10 Pcs.	GZFU 100A/10 ANL	4037072011784	ANL fuse 100 A 10 Pcs in poly bag	€ 23,00
	 10 Pcs.	GZFU 150A/10 ANL	4037072011791	ANL fuse 150 A 10 Pcs in poly bag	€ 23,00
	 10 Pcs.	GZFU 200A/10 ANL	4037072011807	ANL fuse 200 A 10 Pcs in poly bag	€ 23,00
	 10 Pcs.	GZFU 300A/10 ANL	4037072011814	ANL fuse 300 A 10 Pcs in poly bag	€ 23,00
	 10 Pcs.	GZFU 400A/10ANL	4037072011821	ANL fuse 400 A 10 Pcs in poly bag	€ 27,00

GROUND ZERO®

GERMAN ENGINEERING

Line	Product		EAN Barcode	Description	RRP EUR
MARINE		GZRM 165X	4037072016413	16,5 cm / 6.5" Marine 2 way coax speaker 4 ohm, 70 / 120 W, 60 Hz - 25 KHz Water repellent and salt water resistant Perfect for use at outer decks of yachts or in humid areas White IMPP cone 13 mm / 0.51" PEI tweeter	€ 89,00
		GZWR 10M	4037072018073	Universal wireless streaming interface Touch screen with white LED illumination AUX input / RCA output / Remote in and output Waterproof housing with chromed bezel BT connection to MP3 player / smartphone	€ 119,00
HEADPHONES		GZHP 10-IE	4037072018011	Powerful stereo in-ear headphone / headset function 98 db, 32 ohm, 20 Hz - 20 KHz High quality 10 mm / 0.4" neodymium speaker Microphone control button (phone call pick up & hang up / track skip / play / pause) Cable length 1.2 m / 3.9 ft	€ 29,50
		GZHP 40-OE	4037072013528	Foldable on-ear headphone 100 db, 32 ohm, 20 Hz - 20 KHz High quality 40 mm / 1.57" Neodymium speaker, Microphone Control Button (Phone Call Pick Up & Hang Up/ Track skip/Play/Pause) Cable Length 1.20m / 47.24"	€ 59,00

With the publication of this price list all previous price lists are invalid.
Errors, misprints and price changes reserved.
All mentioned prices are euro prices.

-confidential-

Any unauthorized copying, disclosure or distribution of the material in this e-mail is strictly forbidden and may be liable to prosecution!

Ground Zero GmbH - Erlenweg 25 - 85658 Egming - GERMANY

Phone : +49 8095 873 83 0 - Fax : +49 8095 873 83 10

Web : www.ground-zero-audio.com - Email : info@ground-zero-audio.com

Trade register: Amtsgericht München HRB 128584 - VAT ID Number: 172284786