



This list contains the tracked vascular plant taxa known by the Saskatchewan Conservation Data Centre (SKCDC) to occur within Saskatchewan, as of the date provided above. If you notice any errors or omissions, please contact SKCDC.data@gov.sk.ca.

For more information about how the SKCDC generates these lists and what determines when a species is tracked by the SKCDC, visit: <http://biodiversity.sk.ca/lists.htm>

Conservation ranks/status are provided for each species. For details on each, refer to the following resources:

- Subnational (S), National (N) and Global (G) Ranks: www.biodiversity.sk.ca/ranking.htm
- Government of Saskatchewan Wild Species at Risk Regulations: <https://publications.saskatchewan.ca/#/products/1609>
- COSEWIC: <https://www.cosewic.ca/index.php>
- SARA; Government of Canada Species at Risk public registry:
<https://www.canada.ca/en/environment-climate-change/services/species-risk-public-registry.html>

SYNONYMS: This list is being provided by the SKCDC as a tool to facilitate users in determining the current, accepted taxonomy. If a name is currently out of use in Saskatchewan, its current synonym is provided, indented in the line below the accepted name. In this row, we are unable to distinguish between true synonyms and misapplied names used as synonyms. For example, *Cryptantha fendleri* is an accepted name for a vascular plant that is currently found in Saskatchewan. This name, however, has also been misapplied to both *Cryptantha kelseyana* and *Cryptantha minima* in the past. Therefore, it appears as a synonym to those two species. In addition, there may be more than one current name for any given out-of-date name (e.g., *Cryptantha nubigena*) if a species had been split, or if a name was misapplied to more than one species in the past.

It is up to the user to ensure that the taxon name they choose is the correct one for what they have observed.

This Report may be cited as: Saskatchewan Conservation Data Centre. February 2024. Saskatchewan Vascular Plant Tracked Taxa List. Regina, Saskatchewan. Retrieved from www.biodiversity.sk.ca/SppList.htm

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|---|---|---|---------|---------|---------|------------|
| Alismataceae - Water-plantain family | | | | | | |
| 12330 | <i>Alisma gramineum</i> | Narrow-leaved Water Plantain | G5 | N4 | S3 | |
| | <i>Alisma gramineum</i> var. <i>gramineum</i> | ALIS GRA GRA | | | | |
| | <i>Alisma gramineum</i> var. <i>angustissimum</i> | Alisma graminoidé | | | | |
| | <i>Alisma gramineum</i> var. <i>graminifolium</i> | Geyer's Water Plantain | | | | |
| | <i>Alisma gramineum</i> var. <i>greyeri</i> | Narrow-leaved Water-plantain | | | | |
| | <i>Alisma greyeri</i> | | | | | |
| Amaranthaceae - Amaranth family | | | | | | |
| 10793 | <i>Amaranthus californicus</i> | California Amaranth Amarante de Californie | G4 | N2N3 | S2 | |
| 28113 | <i>Atriplex gardneri</i> var. <i>aptera</i> | Nelson's Saltbush | GNA | NNR | S1 | |
| | <i>Atriplex x aptera</i> | ATRI GAR APT | | | | |
| | <i>Atriplex aptera</i> | | | | | |
| | <i>Atriplex canescens</i> ssp. <i>aptera</i> | | | | | |
| 11423 | <i>Atriplex powellii</i> var. <i>powellii</i> | Powell's Saltbush | G4 | N2 | S1 | |
| | <i>Atriplex powellii</i> | ATRI POW Powell Saltbush Powell's Orache Powell's Saltweed Silterscale | | | | |
| 11428 | <i>Atriplex truncata</i> | Wedge-scale Saltbush | G5 | N4 | S2 | |
| | | ATRI TRU Arroche tronquée Saltbush Wedge-leaved Orache Wedge-leaved Salt-bush Wedgescale | | | | |
| 11435 | <i>Chenopodium atrovirens</i> | Dark-green Goosefoot | G5 | N3? | SH | |
| | <i>Chenopodium fremontii</i> var. <i>atrovirens</i> | CHEN ATR Chénopode noirâtre | | | | |
| 11440 | <i>Chenopodium desiccatum</i> | Dry Goosefoot | G5 | N3 | S3 | |
| | <i>Chenopodium pratericola</i> ssp. <i>desiccatum</i> | Arid-land Goosefoot | | | | |
| | <i>Chenopodium pratericola</i> | Chénopode desséché | | | | |
| | <i>Chenopodium pratericola</i> var. <i>oblongifolia</i> | Desert Goosefoot | | | | |
| | <i>Chenopodium leptophyllum</i> var. <i>oblongifolium</i> | Narrow-leaved Goosefoot | | | | |
| 11443 | <i>Chenopodium hians</i> | Gaping Goosefoot | G5 | NU | SH | |
| | <i>Chenopodium incognitum</i> | Chénopode ouvert | | | | |
| 11444 | <i>Chenopodium incanum</i> var. <i>incanum</i> | Hoary Goosefoot | G5T5 | N1 | S1 | |
| | <i>Chenopodium fermontii</i> var. <i>incanum</i> | | | | | |
| 11451 | <i>Chenopodium subglabrum</i> | Smooth Goosefoot | G3G4 | N3 | S3 | Threatened |
| | <i>Chenopodium leptophyllum</i> var. <i>subglabrum</i> | CHEN SUB Chénopode glabre Smooth Arid Goosefoot Smooth Narrow-leaved Goosefoot | | | | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|-------|--|--|--------------|---------|---------|----------|
| 11452 | <i>Chenopodium watsonii</i> <i>Chenopodium dacoticum</i> | Dakota Stinking Goosefoot Chénopode de Watson Stinking Goosefoot Watson's Goosefoot | G5 | N3 | S3 | |
| 11457 | <i>Corispermum americanum</i> var. <i>americanum</i> <i>Corispermum orientale</i> <i>Corispermum hyssopifolium</i> <i>Corispermum hyssopifolium</i> var. <i>americanum</i> <i>Corispermum hyssopifolium</i> var. <i>rubricaula</i> <i>Corispermum marginale</i> <i>Corispermum nitidum</i> | American Bugseed American Hyssop-leaf CORM HYS AME Neat Bugseed Tickseed | G5?T5? | N4 | S3 | |
| 26791 | <i>Corispermum hookeri</i> var. <i>hookeri</i> <i>Corispermum hyssopifolium</i> <i>Corispermum orientale</i> | Hooker's Bugseed | G4G5T4 T5 | N4N5 | S2 | |
| 28275 | <i>Corispermum ochotense</i> var. <i>ochotense</i> <i>Corispermum hyssopifolium</i> | Russian Bugseed Okhotian Bugseed | G3G4T3 T4 | N3N4 | S1 | |
| 27666 | <i>Corispermum pallasii</i> <i>Corispermum hyssopifolium</i> <i>Corispermum sibiricum</i> | Pallas' Bugseed Corisperme à fruit ailé | G4? | N4 | S2 | |
| 27669 | <i>Corispermum villosum</i> <i>Corispermum hyssopifolium</i> var. <i>emarginatum</i> <i>Corispermum orientale</i> | Hairy Bugseed Corisperme velu | G4? | N4 | S2 | |
| 11458 | <i>Cycloloma atriplicifolium</i> | Tumble Ringwing CYCL ATR Cycloloma à feuilles d'arroche | G5 | N4 | SH | |
| 11466 | <i>Suaeda nigra</i> <i>Suaeda intermedia</i> <i>Suaeda moquinii</i> <i>Suaeda torreyana</i> | Shrubby Seepweed Bush Seepweed Suéda noir | G5 | N3 | SH | |

Amaryllidaceae

| | | | | | | |
|-------|---|--|------|----|----|--|
| 12603 | <i>Allium cernuum</i> <i>Allium cernuum</i> var. <i>cernuum</i> | Nodding Onion Ail penché Wild Onion | G5 | N5 | S3 | |
| 12607 | <i>Allium schoenoprasum</i> var. <i>sibiricum</i> <i>Allium schoenoprasum</i> ssp. <i>sibiricum</i> <i>Allium sibiricum</i> | Wild Chives ALLM SCH SIB Siberian Chives Siberian Wild Chives | G5T5 | N5 | S3 | |

Anacardiaceae - Sumac family

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|-------------------------------------|---|---|---------|---------|---------|----------|
| 10796 | <i>Rhus glabra</i> | Smooth Sumac RHUS GLA Scarlet Sumac Sumac glabre | G5 | N5 | SH | |
| Apiaceae - Carrot family | | | | | | |
| 10814 | <i>Lomatium cous</i> <i>Lomatium montanum</i> | Mountain Meadow-parsley Cous Biscuit-root Lomatium cahous | G5 | N1 | S1 | |
| 10816 | <i>Lomatium dissectum</i> var. <i>multifidum</i> <i>Lomatium dissectum</i> var. <i>eatonii</i> <i>Lomatium multifidum</i> | Mountain Wild Parsnip | G4T4 | N5 | S1 | |
| 10821 | <i>Lomatium orientale</i> | White-flowered Meadow-parsley Desert Parsley LOMA ORI Lomatium à fleurs blanches | G5 | N1N2 | S1 | |
| 10824 | <i>Osmorhiza berteroi</i> <i>Osmorhiza chilensis</i> <i>Osmorhiza divaricata</i> <i>Osmorhiza berterii</i> | Chilean Sweet-cicley Mountain sweet-cicely OSMO CHI Osmorhize de Bertero Western Sweet-cicely | G5 | N5 | S1 | |
| 10829 | <i>Perideridia gairdneri</i> | Gairdner's Yampah Péridéridie de Gairdner | G5 | N3N4 | S2 | |
| Apocynaceae - Dogbane family | | | | | | |
| 10846 | <i>Asclepias syriaca</i> | Silky Milkweed Asclépiade commune Common Milkweed | G5 | N5 | S1 | |
| 10847 | <i>Asclepias verticillata</i> | Whorled Milkweed Asclépiade verticillée | G5 | N4 | S1 | |
| Araceae - Arum family | | | | | | |
| 12598 | <i>Lemna minor</i> | Lesser Duckweed Common Duckweed Lenticule mineure Water-lentil | G5 | N5 | S1 | |
| 12602 | <i>Wolffia columbiana</i> <i>Wolffia arrhiza</i> | Columbia Water-meal WOLF ARH Wolffie de Colombie | G5 | N5 | S1 | |

Asparagaceae

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|---|--|-------------------------------|---------|---------|---------|-----------------|
| 12620 | <i>Maianthemum racemosum</i> ssp. <i>amplexicaule</i> | False Spikenard | G5T5 | N5 | S1 | |
| | <i>Smilacina racemosa</i> var. <i>amplexicaulis</i> | Clasping-leaved | | | | |
| | <i>Maianthemum racemosum</i> | False Solomon's-seal | | | | |
| | <i>Maianthemum racemosum</i> var. <i>amplexicaule</i> | Fat Solomon's-seal | | | | |
| | <i>Smilacina racemosa</i> var. <i>jenkinsii</i> | Feathery False Solomon's-seal | | | | |
| | <i>Maianthemum amplexicaule</i> | Feathery Solomon's-seal | | | | |
| | | Western False Solomon's-seal | | | | |
| | | Western Solomon's-seal | | | | |
| | | Wild Spikenard | | | | |
| 12624 | <i>Polygonatum biflorum</i> var. <i>commutatum</i> | Great Solomon's Seal | G5T5 | N4 | S2 | |
| | <i>Polygonatum canaliculatum</i> | Common Solomon's Seal | | | | |
| | <i>Polygonatum biflorum</i> | | | | | |
| | <i>Polygonatum commutatum</i> | | | | | |
| 12329 | <i>Yucca glauca</i> | Small Soapweed Yucca | G5 | N1 | S1 | Threatened |
| | | Great Plains Yucca | | | | |
| | | Soapweed | | | | |
| | | <i>Yucca glauca</i> | | | | |
| Aspleniaceae - Spleenwort family | | | | | | |
| 463438 | <i>Asplenium viride</i> | Green Spleenwort | G5 | N5 | SNR | |
| | <i>Asplenium trichomanes-ramosum</i> | Doradille verte | | | | |
| Asteraceae - Aster family | | | | | | |
| 10851 | <i>Achillea millefolium</i> var. <i>megacephala</i> | Large-headed Woolly Yarrow | G5T1T2 | N1N2 | S1 | Special Concern |
| | <i>Achillea millefolium</i> ssp. <i>megacephala</i> | ACHI MIL MEG | | | | |
| | <i>Achillea lanulosa</i> ssp. <i>megacephala</i> | Large-headed Woolly Yarrow | | | | |
| | <i>Achillea millefolium</i> var. <i>megacephalum</i> | | | | | |
| | <i>Achillea megacephala</i> | | | | | |
| 11177 | <i>Almutaster pauciflorus</i> | Few-flowered Aster | G4 | N3 | S3 | |
| | <i>Aster pauciflorus</i> | ASTE PAC | | | | |
| | | Aster pauciflore | | | | |
| 10859 | <i>Ambrosia acanthicarpa</i> | Bur Ragweed | G5 | N3 | S2 | |
| | <i>Gaertneria acanthicarpa</i> | Annual Bursage | | | | |
| | <i>Franseria acanthicarpa</i> | Bursage Ragweed | | | | |
| | | FRNK ACA | | | | |
| | | Flat-spine Burr Ragweed | | | | |
| | | Franserie lampourde | | | | |
| | | Sand Bursage | | | | |
| 10865 | <i>Anaphalis margaritacea</i> | Pearly Everlasting | G5 | N5 | S3 | |
| | <i>Anaphalis margaritacea</i> var. <i>subalpina</i> | ANAH MAR | | | | |
| | <i>Anaphalis margaritacea</i> var. <i>occidentalis</i> | Immortelle blanche | | | | |
| | <i>Anaphalis margaritacea</i> var. <i>angustior</i> | | | | | |
| | <i>Anaphalis margaritacea</i> var. <i>intercedens</i> | | | | | |
| 10866 | <i>Antennaria anaphaloides</i> | Tall Pussytoes | G5 | N4N5 | S1 | |
| | <i>Antennaria pulcherrima</i> var. <i>anaphaloides</i> | ANTE ANA | | | | |
| | | Antennaire fausse-anaphale | | | | |
| | | Tall Everlasting | | | | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|--------|--|--|---------|---------|---------|----------|
| 10867 | <i>Antennaria corymbosa</i> <i>Antennaria dioica</i> var. <i>corymbosa</i> | Flat-topped Pussy-toes Antennaire à corymbe Corymbose Ever-lasting Flat-top Ever-lasting Meadow Pussy-toes | G5 | N2 | S1 | |
| 10868 | <i>Antennaria dimorpha</i> <i>Antennaria latisquama</i> <i>Antennaria macrocephala</i> | Low Pussytoes ANTE DIM Antennaire dimorphe Cushion Everlasting Cushion Pussytoes Two-form Pussytoes | G5 | N5 | S3 | |
| 10873 | <i>Antennaria umbrinella</i> <i>Antennaria aizoides</i> <i>Antennaria flavescens</i> | Brown-bracted Pussytoes Antennaire ombre Umber Pussytoes | G5 | N5 | S2 | |
| 10892 | <i>Arnica angustifolia</i> ssp. <i>angustifolia</i> <i>Arnica alpina</i> ssp. <i>attenuata</i> <i>Arnica angustifolia</i> ssp. <i>attenuata</i> <i>Arnica alpina</i> var. <i>attenuata</i> <i>Arnica alpina</i> ssp. <i>angustifolia</i> <i>Arnica alpina</i> | Narrow-leaf Leopardbane Arctic Arnica Narrow-leaved Arnica | G5T5 | N5 | SH | |
| 10887 | <i>Arnica cordifolia</i> | Heart-leaved Arnica ARNI COR Arnica à feuilles cordées | G5 | N5 | S3 | |
| 10889 | <i>Arnica lonchophylla</i> <i>Arnica alpina</i> var. <i>lonchophylla</i> <i>Arnica angustifolia</i> ssp. <i>lonchophylla</i> | Spear-leaved Arnica Arnica lonchophylle | G5 | N4N5 | S2 | |
| 23242 | <i>Arnica sororia</i> <i>Arnica fulgens</i> var. <i>sororia</i> | Twin Arnica ARNI SOR Arnica parente Twin leopardbane | G5 | N5 | S2 | |
| 28361 | <i>Artemisia campestris</i> ssp. <i>canadensis</i> <i>Artemisia canadensis</i> | Canada Sagewort Canada Wormwood | G5TNR | NNR | S3 | |
| 10906 | <i>Artemisia tilesii</i> | Mountain Sagewort Armoise de Tilesius | G5 | N5 | S1 | |
| 11053 | <i>Bidens beckii</i> <i>Megalodonta beckii</i> | Water-marigold Beck's Beggarticks Bident de Beck | G5 | N5 | S2 | |
| 10915 | <i>Bidens frondosa</i> <i>Bidens frondosus</i> | Tall Bur-marigold Bident feuillu Devil's Pitchfork | G5 | N5 | S3 | |
| 444258 | <i>Bidens tripartita</i> <i>Bidens tripartitus</i> | Three-parted Bur-marigold Bident à trois divisions | G5 | N5 | S1 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|-------|--|---|---------|---------|---------|----------|
| 10918 | <i>Boltonia asteroides</i> var. <i>recognita</i> <i>Boltonia recognita</i> <i>Boltonia latisquama</i> var. <i>recognita</i> <i>Boltonia asteroides</i> var. <i>occidentalis</i> | Aster-like Boltonia BOLT AST REC | G5T3T5 | N3 | S3 | |
| 11176 | <i>Canadanthus modestus</i> <i>Aster modestus</i> <i>Aster modestus</i> var. <i>major</i> <i>Aster major</i> <i>Weberaster modestus</i> | Large Northern Aster ASTE MOD Aster modeste | G5 | N5 | S3 | |
| 10931 | <i>Cirsium drummondii</i> <i>Cirsium coccinium</i> <i>Cirsium foliosum</i> | Short-stemmed Thistle CIRS DRU Chardon de Drummond Dwarf Thistle | G5 | N5 | S3 | |
| 10934 | <i>Cirsium muticum</i> <i>Cirsium muticum</i> var. <i>monticola</i> | Swamp Thistle CIRS MUT Chardon mutique | G5 | N5 | S3 | |
| 10942 | <i>Crepis atribarba</i> <i>Crepis atribarba</i> ssp. <i>atribarba</i> | Dark Hawk's-beard Crépis à soies noires Slender Hawk's-beard | G5 | N5 | S2 | |
| 10944 | <i>Crepis intermedia</i> <i>Crepis acuminata</i> var. <i>intermedia</i> <i>Crepis occidentalis</i> | Small-flowered Hawk's-beard CREP ACU Crépis intermédiaire Limestone Hawk's Beard | G5 | N3 | SH | |
| 10946 | <i>Crepis occidentalis</i> ssp. <i>costata</i> <i>Crepis occidentalis</i> var. <i>costata</i> | Large-flower Hawk's-beard CREP OCC COS | G5T5 | N4 | S3 | |
| 27677 | <i>Crepis occidentalis</i> ssp. <i>occidentalis</i> <i>Crepis occidentalis</i> var. <i>occidentalis</i> | Gray Hawk's-beard | G5T5 | N4 | S3 | |
| 10950 | <i>Crepis runcinata</i> ssp. <i>hispidulosa</i> <i>Crepis runcinata</i> var. <i>hispidulosa</i> | Smooth Hawk's-beard CREP RUN HIS | G5T4 | NU | S1 | |
| 10909 | <i>Doellingeria umbellata</i> var. <i>pubens</i> <i>Doellingeria umbellata</i> ssp. <i>pubens</i> <i>Aster umbellatus</i> var. <i>pubens</i> <i>Aster pubentior</i> | Flat-top White Aster ASTE UMB PUB Parasol White-top | G5T5 | N5 | S2 | |
| 10953 | <i>Echinacea angustifolia</i> <i>Echinacea angustifolia</i> var. <i>angustifolia</i> <i>Echinacea pallida</i> | Narrow-leaved Purple Coneflower Narrow-leaved Prairie Coneflower Purple Coneflower Purple Prairie Coneflower Échinacée à feuilles étroites | G5 | N3 | S3 | |
| 10959 | <i>Erigeron compositus</i> <i>Erigeron compositus</i> var. <i>glabratus</i> <i>Erigeron compositus</i> var. <i>discoideus</i> <i>Erigeron compositus</i> var. <i>multifidus</i> | Compound Fleabane Cut-leaved Daisy Dwarf Mountain Fleabane ERIG COM Vergerette à feuilles segmentées | G5 | N5 | S3 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|--------|--|---|---------|---------|---------|-------------|
| 11149 | <i>Erigeron elatus</i> <i>Trimorpha elata</i> <i>Erigeron acris</i> var. <i>elatus</i> | Tall White Fleabane ERIG ELA Vergerette élevée | G5 | N5 | S3 | |
| 10963 | <i>Erigeron hyssopifolius</i> | Hyssop-leaved Fleabane Vergerette à feuilles d'hysope | G5 | N5 | S3 | |
| 10971 | <i>Erigeron radicans</i> <i>Erigeron huberi</i> <i>Erigeron macounii</i> | Dwarf Fleabane ERIG RAD Hooker's Fleabane Tap-rooted Fleabane Vergerette à racine pivotante | G3G4 | N3 | S3 | Not at Risk |
| 10973 | <i>Erigeron strigosus</i> var. <i>septentrionalis</i> | Prairie Fleabane ERIG STR SEP | G5T5? | NU | S3 | |
| 27702 | <i>Erigeron strigosus</i> var. <i>strigosus</i> <i>Erigeron traversii</i> | Daisy Fleabane ERIG STR STR | G5T5 | N5 | S3 | |
| 11006 | <i>Helianthus tuberosus</i> <i>Helianthus tuberosus</i> var. <i>subcanescens</i> <i>Helianthus tomentosus</i> | Jerusalem Artichoke HELN TUB Topinambour | G5 | N3N4 | S2 | |
| 402936 | <i>Heliopsis helianthoides</i> var. <i>scabra</i> <i>Heliopsis helianthoides</i> var. <i>occidentalis</i> <i>Heliopsis helianthoides</i> ssp. <i>occidentalis</i> <i>Heliopsis scabra</i> | Rough Ox-eye False Sunflower Sunflower Heliopsis Sweet Oxeye | G5T5 | N5 | S2 | |
| 11018 | <i>Hieracium albiflorum</i> <i>Chlorocrepis albiflorum</i> | White-flowered Hawkweed HIER ALB Épervière à fleurs blanches | G5 | N5 | S1 | |
| 11024 | <i>Hymenopappus filifolius</i> var. <i>polycephalus</i> <i>Hymenopappus polycephalus</i> | Tufted Hymenopappus Fine-leaf Hymenopappus HYME FIL POL Woollywhite | G5T4T5 | N3 | S3 | |
| 11030 | <i>Lactuca biennis</i> <i>Lactuca biennis</i> var. <i>integrifolia</i> <i>Lactuca terrae-novae</i> | Tall Blue Lettuce LACT BIE Laitue bisannuelle | G5 | N5 | S3 | |
| 11032 | <i>Lactuca ludoviciana</i> <i>Lactuca campestris</i> | Western Lettuce LACT LUD Laitue de Louisiane | G4G5 | NU | SH | |
| 11055 | <i>Nothocalais cuspidata</i> <i>Microseris cuspidata</i> <i>Agoseris cuspidata</i> | Prairie False-dandelion Cuspidate Small Lettuce MICR CUS Microsérís cuspidé Toothed Microseris Wavy-leaved Prairie-dandelion | G5 | N3 | S3 | |
| 11080 | <i>Packera pauciflora</i> <i>Senecio discoideus</i> <i>Senecio pauciflorus</i> | Few-flowered Ragwort SENE PAU Séneçon pauciflore | G5 | N5 | SH | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|--------|--|--|---------|---------|---------|-----------------|
| 11082 | <i>Packera plattensis</i> <i>Senecio pseudotomentosus</i> <i>Senecio plattensis</i> | Prairie Ragwort Groundsel Prairie Groundsel SENE PLA Séneçon de la rivière Platte | G5 | N4 | S1 | |
| 11084 | <i>Packera pseud aurea</i> var. <i>pseud aurea</i> <i>Senecio pseud aureus</i> <i>Senecio aureus</i> <i>Senecio pauciflorus</i> <i>Senecio pseud aureus</i> var. <i>pseud aureus</i> <i>Senecio pseud aureus</i> ssp. <i>pseud aureus</i> | Streambank Butterweed Golden Groundsel Streambank Groundsel Thin-leaved Groundsel | G5T5 | N5 | S1 | |
| 11085 | <i>Packera streptanthifolia</i> var. <i>streptanthifolia</i> <i>Senecio cymbalarioides</i> <i>Senecio cymbalarioides</i> var. <i>borealis</i> <i>Senecio streptanthifolius</i> | Northern Groundsel Northern Ragwort | G5T5?Q | NNR | S3 | |
| 11061 | <i>Picradeniopsis oppositifolia</i> <i>Bahia oppositifolia</i> | Opposite-leaf False-bahia BAHI OPP Bahia à feuilles opposées | G5? | N2 | S2 | |
| 11063 | <i>Prenanthes alba</i> <i>Nabalus albus</i> | White Lettuce PREN ALB Prenanthe blanche Rattlesnake-root | G5 | N5 | S3 | |
| 27609 | <i>Psilocarphus brevissimus</i> var. <i>brevissimus</i> <i>Psilocarphus elatior</i> | Dwarf Woolly-heads Dwarf Woolly-heads, Prairie population | G4T4? | N2 | S1 | Special Concern |
| 415395 | <i>Rudbeckia laciniata</i> var. <i>laciniata</i> | Tall Coneflower | G5T5 | N5 | S1 | |
| 11079 | <i>Senecio integerrimus</i> var. <i>scribneri</i> <i>Senecio scribneri</i> | Scribner's Entire-leaf Ragwort SENE INT SCR Scrubwort | G5T2T3 | N1 | S1 | |
| 11090 | <i>Shinnersoseris rostrata</i> <i>Lygodesmia rostrata</i> <i>Lygodesmia juncea</i> var. <i>rostrata</i> | Beaked Annual Skeleton-weed Herbe-squelette annuelle | G5? | N3 | S2 | |
| 11111 | <i>Solidago ptarmicoides</i> <i>Solidago asteroides</i> <i>Aster ptarmicoides</i> <i>Doellingeria ptarmicoides</i> <i>Oligoneuron album</i> <i>Unamia alba</i> | Upland White Goldenrod Upland White Aster Verge d'or faux-ptarmica White Flat-top Aster White Goldenrod White Sneeze-wort | G5 | N5 | S3 | |
| 11120 | <i>Stephanomeria runcinata</i> | Runcinate-leaved Skeleton-weed Rush Pink STEP RUN Sawtooth Wire-lettuce Stéphanomérie à feuilles découpées | G5 | N3 | S3 | Not at Risk |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|--------|--|---|---------|---------|---------|-----------------|
| 28540 | <i>Stephanomeria tenuifolia</i> <i>Stephanomeria minor</i> | Narrow-leaved Rush-pink Narrow-leaved Skeletonplant Slender Wirelettuce Stéphanomérie à feuilles linéaires | G5 | N5 | S1 | |
| 26717 | <i>Symphyotrichum ascendens</i> <i>Aster ascendens</i> <i>Aster chilensis</i> ssp. <i>adscendens</i> <i>Virgulastrum ascendens</i> <i>Aster adscendens</i> | Western Aster Aster ascendant Long-leaved Aster | G5 | N3 | S3 | |
| 11155 | <i>Symphyotrichum eatonii</i> <i>Aster eatonii</i> <i>Aster foliaceus</i> var. <i>eatonii</i> <i>Symphyotrichum bracteolatum</i> | Eaton Aster Aster d'Eaton | G5 | N4 | S1 | |
| 11164 | <i>Symphyotrichum novae-angliae</i> <i>Aster novae-angliae</i> <i>Virgulus novae-angliae</i> | New England American-aster Aster de Nouvelle-Angleterre | G5 | N5 | S1 | |
| 415392 | <i>Tanacetum huronense</i> var. <i>bifarium</i> <i>Tanacetum bipinnatum</i> ssp. <i>huronense</i> <i>Chrysanthemum bippinnatum</i> ssp. <i>huronense</i> <i>Tanacetum bipinnatum</i> var. 2 <i>Tanacetum huronense</i> var. <i>huronense</i> | Lake Huron Tansy | G5T4?Q | N4 | S2 | |
| 28130 | <i>Tanacetum huronense</i> var. <i>floccosum</i> <i>Tanacetum bipinnatum</i> ssp. <i>huronense</i> <i>Tanacetum bipinnatum</i> var. 1 <i>Tanacetum bipinnatum</i> ssp. <i>huronense</i> var. 1 | Floccose Tansy TANA HUR FLO | G5T3 | N3 | S3 | Special Concern |
| 11126 | <i>Taraxacum ceratophorum</i> <i>Taraxacum dumetorum</i> <i>Taraxacum lacerum</i> <i>Taraxacum umbrinum</i> <i>Taraxacum officinale</i> ssp. <i>ceratophorum</i> <i>Leontodon ceratophorus</i> <i>Taraxacum angulatum</i> <i>Taraxacum arctogenum</i> <i>Taraxacum brachyceras</i> <i>Taraxacum carthamopsis</i> <i>Taraxacum eurylepium</i> <i>Taraxacum hyperboreum</i> <i>Taraxacum ovinum</i> <i>Taraxacum pellianum</i> <i>Taraxacum malteanum</i> <i>Taraxacum pseudonorvegicum</i> <i>Taraxacum coverum</i> <i>Taraxacum groenlandicum</i> <i>Taraxacum integratiforme</i> <i>Taraxacum lateritium</i> <i>Taraxacum microcerum</i> <i>Taraxacum umbriniforme</i> | Horned Dandelion Pissenlit tuberculé Rough Dandelion TARA CER | G5T5 | N5 | S3 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|--|--|--|---------|---------|---------|------------|
| 11148 | <i>Tetraneuris acaulis</i> var. <i>acaulis</i> <i>Hymenoxys acaulis</i> <i>Tetraneuris septentrionalis</i> <i>Hymenoxys acaulis</i> var. <i>acaulis</i> | Stemless Tetraneuris Butte Marigold HYMN ACA ACA Rubberweed Stemless Hymenoxys | G5T5 | N4 | S2 | |
| 26810 | <i>Townsendia hookeri</i> <i>Townsendia nuttallii</i> <i>Townsendia sericea</i> | Hooker's Townsendia Townsend-Daisy Townsendie de Hooker | G5 | N4 | S2 | |
| 11133 | <i>Vernonia fasciculata</i> | Fascicled Ironweed VERN FAS Vernonie fasciculée | G5 | N1 | SH | Endangered |
| Athyriaceae | | | | | | |
| 12978 | <i>Athyrium filix-femina</i> var. <i>angustum</i> <i>Athyrium filix-femina</i> var. <i>michauxii</i> <i>Athyrium filix-femina</i> ssp. <i>angustum</i> <i>Athyrium angustum</i> | Northern Lady-fern ATHY F-F ANG | G5T5 | N5 | S3 | |
| Balsaminaceae | | | | | | |
| 11179 | <i>Impatiens noli-tangere</i> <i>Impatiens pallida</i> <i>Impatiens occidentalis</i> | Yellow Touch-me-not IMPA N-T Impatiente n'y-touchez-pas Jewel-weed Western Jewel-weed Western Touch-me-not Yellow Jewel-weed | G5 | N5 | S2 | |
| Berberidaceae - Barberry family | | | | | | |
| 28116 | <i>Berberis repens</i> <i>Mahonia repens</i> | Creeping Oregon-grape BERB REP Mahonia rampant | G5 | N4N5 | S1 | |
| Betulaceae - Birch family | | | | | | |
| 28346 | <i>Betula nana</i> ssp. <i>exilis</i> | Arctic Dwarf Birch | G5T5 | N5 | S2 | |
| Boraginaceae - Borage family | | | | | | |
| 11212 | <i>Andersonglossum boreale</i> <i>Cynoglossum boreale</i> <i>Cynoglossum virginianum</i> var. <i>boreale</i> | Northern Wild Comfrey Wild Comfrey | G5T4T5 | N4 | S1 | |
| 11205 | <i>Cryptantha celosioides</i> <i>Cryptantha nubigena</i> <i>Cryptantha nubigena</i> var. <i>celosioides</i> <i>Oreocarya celosioides</i> <i>Cryptantha bradburiana</i> <i>Oreocarya glomerata</i> <i>Oreocarya celosioides</i> | Clustered Oreocarya Butte-candle Clustered Cryptanthe Cryptanthe fausse-célosie | G5 | N4 | S2 | |
| 11207 | <i>Cryptantha kelseyana</i> <i>Cryptantha fendleri</i> | Kelsey's Cryptantha CRYP KEL Cryptanthe de Kelsey | G4 | N3 | S2 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|--------------------------------------|--|---|-------------|---------|---------|------------|
| 11208 | <i>Cryptantha minima</i> <i>Cryptantha fendleri</i> | Tiny Cryptantha CRYP MIN Cryptanthe minuscule Little Cat's-eye Little Cryptanthe Tiny Cryptanthe | G5 | N2 | S1 | Threatened |
| 415389 | <i>Lappula fremontii</i> | Fremont's Stickseed | GNR | NNR | S1 | |
| 11221 | <i>Lappula occidentalis</i> var. <i>cupulata</i> <i>Lappula redowskii</i> <i>Lappula redowskii</i> var. <i>cupulata</i> <i>Lappula echinata</i> var. <i>occidentalis</i> <i>Lappula texana</i> <i>Lappula redowskii</i> var. <i>texana</i> | Flat-spine Sheepbur LAPP RED CUP Stickseed | G5T5 | NNR | S1 | |
| 11225 | <i>Lithospermum ruderale</i> | Woolly Gromwell Columbian Gromwell Columbian Puccoon Grémil rudéral Mountain Gromwell Mountain Puccoon Stoneseed Wolly Puccoon | G5 | N5 | S2 | |
| 11226 | <i>Mertensia lanceolata</i> | Lance-leaved Lungwort Lance-leaved Mertensia Mertensie lancéolée | G5 | N3 | S3 | |
| 11232 | <i>Onosmodium molle</i> var. <i>occidentale</i> <i>Lithospermum occidentale</i> <i>Onosmodium bejariense</i> var. <i>occidentale</i> <i>Onosmodium molle</i> ssp. <i>occidentale</i> <i>Onosmodium occidentale</i> <i>Lithospermum onosmodium</i> | Western False Gromwell Onosmodie de l'Ouest Soft Hair Marble Seed | G4G5T4 ? | N3N4 | S3 | |
| Brassicaceae - Mustard family | | | | | | |
| 11237 | <i>Arabidopsis arenicola</i> <i>Arabis humifusa</i> <i>Arabis arenicola</i> var. <i>pubescens</i> <i>Arabis arenicola</i> | Arctic Rock-cress ARAB ARE Arabette arctique | G4G5 | N4N5 | S2 | |
| 11267 | <i>Cardamine nymanii</i> <i>Cardamine pratensis</i> var. <i>angustifolia</i> <i>Cardamine polemonioides</i> <i>Cardamine pratensis</i> ssp. <i>angustifolia</i> | Meadow Bitter Cress Cardamine à feuilles étroites Cuckoo Bittercress Cuckoo-flower | G5T5 | N5 | S3 | |
| 11263 | <i>Cardamine parviflora</i> | Small Bitter Cress Cardamine à petites fleurs | G5 | N4 | S1 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|-------|---|-------------------------------------|---------|---------|---------|------------|
| 11295 | <i>Crucihimalaya virgata</i> | Slender Mouse-ear-cress | G3 | N2 | S1 | Threatened |
| | <i>Arabidopsis stenocarpa</i> | Halimolobos | | | | |
| | <i>Sisymbrium virgatum</i> | Rod Halimolobos | | | | |
| | <i>Arabidopsis glauca</i> | Stemmy Halimolobos | | | | |
| | <i>Halimolobos virgata</i> | Twiggy Fissurewort | | | | |
| | <i>Transberingia bursifolia</i> ssp. <i>virgata</i> | | | | | |
| | <i>Arabidopsis virgata</i> | | | | | |
| | <i>Beringia bursifolia</i> ssp. <i>virgata</i> | | | | | |
| | <i>Hesperis virgata</i> | | | | | |
| | <i>Pilosella virgata</i> | | | | | |
| | <i>Stenophragma virgatum</i> | | | | | |
| 11280 | <i>Draba aurea</i> | Golden Whitlow-grass | G5 | N5 | S1 | |
| | <i>Draba aurea</i> var. <i>leiocarpa</i> | DRAB AUR Drave dorée | | | | |
| 11281 | <i>Draba cana</i> | Hoary Whitlow-grass | G5 | N5 | S2 | |
| | <i>Draba breweri</i> var. <i>cana</i> | DRAB LAN CAN | | | | |
| | <i>Draba lanceolata</i> | Drave lancéolée | | | | |
| 11282 | <i>Draba cinerea</i> | Ashy Whitlow-grass | G5 | N5 | S1 | |
| | | Drave cendrée Gray Whitlow-grass | | | | |
| 11284 | <i>Draba reptans</i> | Carolina Whitlow-grass | G5 | N3N4 | S3 | |
| | <i>Draba reptans</i> var. <i>stellifera</i> | | | | | |
| | <i>Draba reptans</i> var. <i>micrantha</i> | | | | | |
| | <i>Draba micrantha</i> | | | | | |
| | <i>Tomostima reptans</i> | | | | | |
| 11336 | <i>Hornungia procumbens</i> | Prostrate Alpen-cress | G5 | N4 | S3 | |
| | <i>Hymenolobus procumbens</i> | HUTC PRO | | | | |
| | <i>Hutchinsia procumbens</i> | Hutchinsie prostrée Oval-purse | | | | |
| 28110 | <i>Physaria spatulata</i> | Spatulate Bladderpod | GNR | N3 | S3 | |
| | <i>Lesquerella alpina</i> var. <i>spathulata</i> | Lesquerelle spatulée | | | | |
| | <i>Lesquerella spathulata</i> | | | | | |
| 11318 | <i>Rorippa curvipes</i> | Curved Yellow-cress | G5 | NNR | S3 | |
| | <i>Rorippa curvisiliqua</i> | RORI CUR CUR | | | | |
| | <i>Rorippa curvisiliqua</i> var. <i>lyrata</i> | | | | | |
| | <i>Rorippa curvipes</i> var. <i>truncata</i> | | | | | |
| | <i>Rorippa truncata</i> | | | | | |
| 11325 | <i>Rorippa tenerrima</i> | Slender Yellow-cress | G5 | N4N5 | S1 | |
| | <i>Rorippa obtusa</i> | RORI OBT Rorippe grêle | | | | |
| 11334 | <i>Subularia aquatica</i> ssp. <i>americana</i> | Water Awlwort | G5T5 | N5 | S3 | |
| | <i>Subularia aquatica</i> var. <i>americana</i> | American Water Awlwort | | | | |

Campanulaceae - Bellflower family

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|--|---|--|---------|---------|---------|----------|
| 11343 | <i>Campanula aparinoides</i> <i>Campanula aparinoides</i> var. <i>grandiflora</i> <i>Campanula aparinoides</i> var. <i>uliginosa</i> <i>Campanula uliginosa</i> <i>Palustricodon aparinoides</i> | Marsh Bellflower CAMP APA Campanule faux-gaillet | G5 | N5 | S3 | |
| 11346 | <i>Downingia laeta</i> | Great Basin Downingia Calico-flower DOWN LAE Downingie agréable | G5 | N3 | S2 | |
| 11348 | <i>Lobelia dortmanna</i> | Water Lobelia LOBE DOR Lobélie de Dortmann | G5 | N5 | S3 | |
| Cannabaceae | | | | | | |
| 11480 | <i>Humulus lupulus</i> var. <i>lupuloides</i> <i>Humulus lupulus</i> ssp. <i>americanus</i> <i>Humulus americanus</i> | American Hop Common Hops | G5T5 | N5 | S3 | |
| 11481 | <i>Humulus lupulus</i> var. <i>neomexicanus</i> <i>Humulus neomexicanus</i> | Common Hop | G5T5 | N5 | S3 | |
| Caprifoliaceae - Honeysuckle family | | | | | | |
| 11497 | <i>Diervilla lonicera</i> | Northern Bush-honeysuckle DIER LON Dièreville chèvrefeuille | G5 | N5 | S3 | |
| 11502 | <i>Lonicera oblongifolia</i> <i>Lonicera oblongifolia</i> var. <i>oblongifolia</i> <i>Lonicera oblongifolia</i> var. <i>altissima</i> | Swamp Fly Honeysuckle Chèvrefeuille à feuilles oblongues LONI OBL OBL | G5 | N5 | S3 | |
| Caryophyllaceae - Pink family | | | | | | |
| 402926 | <i>Cerastium alpinum</i> ssp. <i>alpinum</i> | Alpine Chickweed | G5TNR | NNR | S1 | |
| 402929 | <i>Cerastium beeringianum</i> <i>Cerastium beeringianum</i> ssp. <i>terrae-novae</i> <i>Cerastium beeringianum</i> var. <i>glabratum</i> <i>Cerastium beeringianum</i> var. <i>grandiflorum</i> <i>Cerastium beeringianum</i> ssp. <i>earlei</i> <i>Cerastium alpinum</i> var. <i>beeringianum</i> | Bering Sea Chickweed Céraiste du détroit de Béring | G5 | N5 | S1 | |
| 11366 | <i>Cerastium brachypodum</i> <i>Cerastium nutans</i> var. <i>brachypodum</i> | Short-stalked Mouse-ear Chickweed Céraiste à pédicelles courts | G5 | N3 | S3 | |
| 11354 | <i>Eremogone congesta</i> var. <i>lithophila</i> <i>Arenaria congesta</i> var. <i>lithophila</i> | Rocky-round Sandwort | G5T3T5 | N3 | S3 | |
| 11372 | <i>Minuartia rubella</i> <i>Arenaria rubella</i> <i>Arenaria verna</i> var. <i>rubella</i> <i>Sabulina rubella</i> <i>Alsine rubella</i> | Boreal Sandwort Beautiful Stitchwort Reddish Stitchwort Sablina rougeâtre | G5 | N5 | S3 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|--|--|---|---------|---------|---------|----------------|
| 11375 | <i>Moehringia macrophylla</i> <i>Arenaria macrophylla</i> | Large-leaved Sandwort Sabline à grandes feuilles | G5 | N5 | S3 | |
| 11376 | <i>Paronychia sessiliflora</i> <i>Paronychia depressa</i> | Low Whitlowwort Paronyque à fleurs sessiles | G5 | N3N4 | S3 | |
| 11378 | <i>Sagina decumbens ssp. decumbens</i> | Trailing Pearlwort | G5T5 | NNA | SH | |
| 11380 | <i>Sagina nodosa ssp. borealis</i> <i>Sagina nodosa var. borealis</i> | Knotted Pearlwort | G5T5 | N4N5 | S2 | |
| 11383 | <i>Silene acaulis</i> | Moss Champion Silène acaule | G5 | N5 | S2 | |
| 11385 | <i>Silene antirrhina</i> | Sleepy Catchfly Silène muflier | G5 | N5 | S2 | |
| 11390 | <i>Silene menziesii</i> | Menzies' Catchfly Silène de Menzies | G5 | N5 | S3 | |
| 11399 | <i>Spergularia canadensis var. occidentalis</i> | Western Canada Sand-spurry | G5T5 | N5 | S1 | |
| 11412 | <i>Stellaria longipes ssp. arenicola</i> <i>Stellaria arenicola</i> <i>Stellaria longipes var. arenicola</i> | Sand Chickweed Sand Stitchwort | G5T3 | N3 | S3 | Not at Risk |
| Celastraceae - Bittersweet family | | | | | | |
| 11416 | <i>Celastrus scandens</i> | Climbing Bittersweet Bourreau-des-arbres CELA SCA | G5 | N5 | S1 | |
| 12194 | <i>Parnassia glauca</i> <i>Parnassia americana</i> | Glaucous Grass-of-parnassus PARN GLA Parnassie à feuilles glauques | G5 | N5 | S3 | |
| 12195 | <i>Parnassia kotzebuei</i> <i>Parnassia kotzebuei var. pumila</i> | Alpine Grass-of-parnassus Kotzebue's Grass-of-Parnassus PARN KOT Parnassie de Kotzebue Small Grass-of-Parnassus | G5 | N5 | S2 | |
| 12200 | <i>Parnassia parviflora</i> <i>Parnassia palustris var. parviflora</i> | Small-flowered Grass-of-parnassus Parnassie parviflore | G5? | N4N5 | S1 | |
| Cistaceae - Rock-rose family | | | | | | |
| 11473 | <i>Lechea intermedia var. depauperata</i> <i>Lechea minor var. depauperata</i> | Impoverished Pinweed LECH INT DEP | G5T1T2 | N1N2 | S1 | Data Deficient |
| Cleomaceae | | | | | | |
| 11495 | <i>Polanisia dodecandra ssp. dodecandra</i> <i>Polanisia dodecandra var. dodecandra</i> | Clammyweed POLA DOD DOD | G5T5? | N4 | S1 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|--|--|--|---------|---------|---------|------------|
| 11496 | <i>Polanisia dodecandra</i> ssp. <i>trachysperma</i> <i>Polanisia dodecandra</i> var. <i>trachysperma</i> <i>Polanisia trachysperma</i> | Large Clammyweed POLA DOD TRA | G5T5? | N3 | S2 | |
| Commelinaceae - Spiderwort family | | | | | | |
| 26861 | <i>Tradescantia occidentalis</i> var. <i>occidentalis</i> | Western Spiderwort Prairie Spiderwort Spiderwort TRAD OCC OCC | G5T5 | N1N2 | S1 | Threatened |
| Convolvulaceae - Morning-glory family | | | | | | |
| 11485 | <i>Calystegia sepium</i> ssp. <i>angulata</i> <i>Convolvulus sepium</i> var. <i>repens</i> <i>Calystegia sepium</i> var. <i>angulata</i> <i>Calystegia sepium</i> var. <i>repens</i> <i>Convolvulus repens</i> | Hedge Bindweed False Bindweed Hedge False Bindweed Wild Morning Glory | G5T5 | N5 | S3 | |
| 11522 | <i>Cuscuta coryli</i> <i>Cuscuta corylii</i> <i>CUSC COR</i> | Hazel Dodder CUSC COR Cuscute du noisetier | G5? | N1N2 | SH | |
| 11524 | <i>Cuscuta gronovii</i> var. <i>gronovii</i> | Gronovius Dodder Common Dodder Scaldweed | G5T5 | N5? | S1 | |
| 415348 | <i>Cuscuta gronovii</i> var. <i>latiflora</i> | Large-flowered Dodder | G5T5?Q | NNR | S1 | |
| 27680 | <i>Cuscuta indecora</i> | Pretty Dodder Cuscute inélegante | G5 | NH | SH | |
| 11525 | <i>Cuscuta pentagona</i> | Common Dodder Cuscute pentagonale | G5 | N1 | S1 | |
| 11527 | <i>Cuscuta umbrosa</i> <i>Cuscuta megalocarpa</i> <i>Cuscuta gronovii</i> var. <i>curta</i> | Big-fruit Dodder Cuscute à gros fruits | G5 | N3 | S3 | |
| Crassulaceae - Stonecrop family | | | | | | |
| 27851 | <i>Crassula aquatica</i> <i>Tillaea aquatica</i> | Water Pygmyweed Tillée aquatique | G5 | N4N5 | S1 | |
| 11519 | <i>Sedum lanceolatum</i> var. <i>lanceolatum</i> <i>Sedum stenopetalum</i> | Lance-leaf Stonecrop Common Stone-crop | G5T5 | N5 | S3 | |
| Cupressaceae - Cypress family | | | | | | |
| 12319 | <i>Juniperus scopulorum</i> | Rocky Mountain Juniper Genévrier des Rocheuses | G5 | N4 | S2 | |
| Cyperaceae - Sedge family | | | | | | |
| 12538 | <i>Amphiscirpus nevadensis</i> <i>Scirpus nevadensis</i> | Nevada Bulrush Scirpe du Nevada | G4 | N4 | S3 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|--------|---|--|---------|---------|---------|----------|
| 12542 | <i>Blysmopsis rufa</i> <i>Blysmus rufus</i> <i>Scirpus rufus</i> | Red Bulrush Scirpe roux | G5 | N4 | S3 | |
| 12341 | <i>Carex alopecoidea</i> | Foxtail Sedge CARX ALO Carex alopécoïde | G5 | N4 | S3 | |
| 12345 | <i>Carex arcta</i> | Bear Sedge CARX ARC Carex dru Narrow Sedge Northern Sedge | G5 | N5 | S2 | |
| 12347 | <i>Carex assiniboinensis</i> | Assiniboia Sedge CARX ASS Carex de l'Assiniboine | G4G5 | N3N4 | S3 | |
| 12354 | <i>Carex bicolor</i> | Two-color Sedge CARX BIC Carex bicolore | G5 | N4N5 | SH | |
| 12355 | <i>Carex bigelowii</i> ssp. <i>bigelowii</i> <i>Carex consimilis</i> <i>Carex bigelowii</i> | Bigelow's Sedge | G5 | N5 | S1 | |
| 12360 | <i>Carex buxbaumii</i> <i>Carex canescens</i> | Brown Sedge CARX BUX Carex de Buxbaum | G5 | N5 | S3 | |
| 465398 | <i>Carex capitata</i> <i>Carex capitata</i> ssp. <i>capitata</i> | Capitate Sedge Carex capité | G5T5 | N5 | S3 | |
| 12365 | <i>Carex chordorrhiza</i> | Prostrate Sedge Carex à longs stolons Creeping Sedge | G5 | N5 | S3 | |
| 12366 | <i>Carex concinna</i> | Beautiful Sedge Carex élégant | G5 | N5 | S3 | |
| 12367 | <i>Carex crawei</i> | Crawe's Sedge CARX CRA Carex de Crawe | G5 | N4 | S3 | |
| 12369 | <i>Carex cristatella</i> | Small-crested Sedge CARX CRT Carex accrété crested Sedge | G5 | N5 | S1 | |
| 12370 | <i>Carex cryptolepis</i> <i>Carex flava</i> | Yellow Sedge CARX CRP Carex à écailles cachées Northeastern Sedge | G4G5 | N4 | S2 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|-------|---|--|---------|---------|---------|----------|
| 12379 | <i>Carex eburnea</i> | Bristle-leaved Sedge Bristle-leaf Sedge CARX EBU Carex ivoirin | G5 | N5 | S3 | |
| 12381 | <i>Carex echinata</i> ssp. <i>echinata</i> <i>Carex echinata</i> var. <i>angustata</i> <i>Carex angustior</i> <i>Carex muricata</i> var. <i>angustata</i> <i>Carex phyllomanica</i> var. <i>angustata</i> <i>Carex echinata</i> var. <i>echinata</i> | Prickly Sedge CARX ECH ECH | G5T5 | N5 | S3 | |
| 12387 | <i>Carex garberi</i> <i>Carex garberi</i> var. <i>bifaria</i> | Garber's Sedge CARX GAR Carex de Garber | G5 | N5 | S3 | |
| 12388 | <i>Carex glacialis</i> <i>Carex terrae-novae</i> | Glacier Sedge CARX GLA Carex des glaces | G5 | N5 | SH | |
| 12389 | <i>Carex granularis</i> <i>Carex granularis</i> var. <i>haleana</i> <i>Carex haleana</i> | Granular Sedge CARX GRL Carex granuleux | G5 | N5 | S2 | |
| 12390 | <i>Carex gravida</i> | Heavy-fruited Sedge Carex lourde | G5 | N2 | S2 | |
| 12393 | <i>Carex hallii</i> <i>Carex parryana</i> var. <i>unica</i> <i>Carex parryana</i> var. <i>hallii</i> | Hall's Sedge Carex des cerfs | G4? | N1N2 | SNR | |
| 12395 | <i>Carex heleonastes</i> <i>Carex heleonastes</i> ssp. <i>heleonastes</i> <i>Carex heleonastes</i> ssp. <i>neurochlaena</i> | Hudson Bay Sedge CARX HEL HEL CARX HEL NEU Carex des tourbières | G4 | N4 | S3 | |
| 12397 | <i>Carex hoodii</i> | Hood's Sedge CARX HOO Carex de Hood | G5 | N5 | S1 | |
| 12400 | <i>Carex hystericina</i> <i>Carex hystericina</i> | Porcupine Sedge CARX HYS Carex porc-épic | G5 | N5 | S3 | |
| 12484 | <i>Carex lapponica</i> <i>Carex canescens</i> var. <i>sublobiacea</i> | Lapland Sedge Carex de Laponie | G4G5 | NU | S1 | |
| 12410 | <i>Carex leptoneura</i> <i>Carex blanda</i> <i>Carex laxiflora</i> <i>Carex laxiflora</i> var. <i>blanda</i> <i>Carex laxiflora</i> var. <i>varians</i> | Pleasing Sedge Carex leptoneurvé | G5 | N5 | S3 | |
| 12419 | <i>Carex mackenziei</i> <i>Carex mackenziei</i> | Mackenzie Sedge CARX MCK Carex de Mackenzie | G5 | N5 | S1 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|-------|---|--|---------|---------|---------|----------|
| 12421 | <i>Carex maritima</i> <i>Carex maritima</i> var. <i>incurviformis</i> <i>Carex incurva</i> | Seaside Sedge CARX MAR Carex maritime | G5 | N4N5 | S1 | |
| 12423 | <i>Carex michauxiana</i> <i>Carex abacta</i> | Michaux' Sedge CARX MIC Carex de Michaux Long-fruited Sedge | G5 | N5 | S3 | |
| 12431 | <i>Carex pachystachya</i> <i>Carex macloviana</i> <i>Carex macloviana</i> ssp. <i>pachystachya</i> | Thick-spike Sedge Carex à épis denses Thick-headed Sedge | G5 | N5 | SNR | |
| 27656 | <i>Carex paleacea</i> | Chaffy Sedge Carex paléacé | G5 | N5 | SH | |
| 12436 | <i>Carex pedunculata</i> | Long-stalked Sedge CARX PED Carex pédonculé | G5 | N5 | SH | |
| 12437 | <i>Carex petasata</i> | Caespitose Sedge CARX PET Carex de Liddon Liddon Sedge Pasture Sedge Tufted Sedge | G5 | N5 | S2 | |
| 12441 | <i>Carex projecta</i> | Necklace Sedge CARX PRO Carex à bec étalé | G5 | N5 | S1 | |
| 12442 | <i>Carex pseudocyperus</i> <i>Carex pseudo-cyperus</i> | Cyperus-like Sedge CARX P-C Carex faux-souchet Cypress-like Sedge | G5 | N5 | S3 | |
| 12444 | <i>Carex raynoldsii</i> <i>Carex lyallii</i> | Raynold's Sedge CARX RAY Carex de Raynolds | G5 | N5 | S1 | |
| 12451 | <i>Carex saxatilis</i> <i>Carex saxatilis</i> var. <i>major</i> <i>Carex saxatilis</i> var. <i>rhomalea</i> | Rocky Ground Sedge Bubble Sedge CARX SAX Carex saxatile | G5 | N5 | S3 | |
| 12454 | <i>Carex saximontana</i> <i>Carex backii</i> var. <i>saximontana</i> | Rocky Mountain Sedge Carex des Rocheuses | G5 | N3 | S3 | |
| 12460 | <i>Carex sterilis</i> <i>Carex elachycarpa</i> | Dioecious Sedge Carex stérile | G4G5 | N4 | S1 | |
| 12463 | <i>Carex supina</i> ssp. <i>spaniocarpa</i> <i>Carex supina</i> var. <i>spaniocarpa</i> | Weak Arctic Sedge CARX SUP SPA | G5T5 | N5 | SH | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|--------|---|---|---------|---------|---------|----------|
| 12467 | <i>Carex tetanica</i> <i>Carex meadii</i> | Rigid Sedge CARX TET Carex tétanique | G4G5 | N3 | S3 | |
| 12478 | <i>Carex vulpinoidea</i> <i>Carex vulpinoidea</i> var. <i>vulpinoidea</i> <i>Carex setacea</i> | Fox Sedge Carex vulpinoïde | G5 | N5 | S3 | |
| 12487 | <i>Cladium mariscoides</i> | Twig-rush CLDM MAR Marisque inerme | G5 | N5 | S1 | |
| 27683 | <i>Cyperus acuminatus</i> | Short-point Flatsedge CYPE ACU Souchet acuminé | G5 | N1 | S1 | |
| 12490 | <i>Cyperus schweinitzii</i> | Schweinitz's Flatsedge CYPE SCH Nut Grass Sand Nut Sedge Sand Umbrella Sedge Souchet de Schweinitz | G5 | N3N4 | S3 | |
| 12492 | <i>Cyperus squarrosus</i> <i>Cyperus inflexus</i> <i>Cyperus aristatus</i> <i>Cyperus aristatus</i> var. <i>inflexus</i> | Awned Cyperus Nutgrass Souchet courbé | G5 | N4 | S3 | |
| 12491 | <i>Cyperus strigosus</i> <i>Cyperus strigosus</i> var. <i>capitatus</i> <i>Cyperus strigosus</i> var. <i>robustior</i> <i>Cyperus strigosus</i> var. <i>multiflorus</i> <i>Cyperus strigosus</i> var. <i>stenolpis</i> <i>Cyperus strigosus</i> var. <i>hansenii</i> | Straw-colored Umbrella-sedge CYPE STR Nut Grass Souchet hispide | G5 | N5 | SH | |
| 28470 | <i>Eleocharis coloradoensis</i> <i>Eleocharis parvula</i> var. <i>anachaeta</i> <i>Eleocharis parvula</i> var. <i>coloradoensis</i> | Dwarf Spike-rush Éléocharide du Colorado | G4 | N3N4 | S2 | |
| 415316 | <i>Eleocharis compressa</i> var. <i>acutisquamata</i> <i>Eleocharis acutisquamata</i> <i>Eleocharis elliptica</i> var. <i>compressa</i> <i>Eleocharis tenuis</i> var. <i>atrata</i> <i>Eleocharis tenuis</i> var. <i>borealis</i> | Flat-stemmed Spike-rush | GNRT4? | N3 | S3 | |
| 12495 | <i>Eleocharis elliptica</i> <i>Eleocharis tenuis</i> var. <i>borealis</i> | Slender Spike-rush Éléocharide elliptique | G5 | N5 | S3 | |
| 12497 | <i>Eleocharis engelmannii</i> <i>Eleocharis engelmannii</i> var. <i>monticola</i> <i>Eleocharis ovata</i> var. <i>engelmannii</i> <i>Eleocharis obtusa</i> <i>Eleocharis obtusa</i> var. <i>detonsa</i> | Engelmann's Spike-rush Éléocharide d'Engelmann | G4G5 | N3 | S3 | |
| 415317 | <i>Eleocharis mamillata</i> ssp. <i>mamillata</i> | Soft-stem Spike-rush | G5T5 | N5 | S1 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|-------------------------|---|--|---------|---------|---------|----------|
| 12499 | <i>Eleocharis nitida</i> <i>Eleocharis tenuis</i> | Neat Spike-rush Quill Spike-rush Éléocharide brillante | G4 | N3N4 | S3 | |
| 415318 | <i>Eleocharis uniglumis</i> | One-glumed Spike-rush Éléocharide uniglume | G5 | N5 | SH | |
| 12519 | <i>Eriophorum scheuchzeri</i> ssp. <i>scheuchzeri</i> | Scheuchzer Cotton-grass One-spike Cottongrass White Cottongrass | G5T5 | N5 | S2 | |
| 12520 | <i>Eriophorum tenellum</i> | Delicate Cotton-grass Linaigrette ténue | G5 | N5 | SH | |
| 12525 | <i>Rhynchospora alba</i> | White Beaked-rush RHYN ALB Rhynchospore blanc | G5 | N5 | S3 | |
| 12526 | <i>Rhynchospora capillacea</i> | Hair-like Beaked-rush Needle Beaked-rush RHYN CAP Rhynchospore capillaire | G4G5 | N4 | S3 | |
| 12527 | <i>Rhynchospora fusca</i> <i>Rhynchospora alba</i> var. <i>fusca</i> | Sooty Beaked-rush Brown Beaked Rush RHYN FUS Rhynchospore brun | G4G5 | N4N5 | S1 | |
| 12544 | <i>Schoenoplectus subterminalis</i> <i>Scirpus subterminalis</i> <i>Scirpus subterminalis</i> var. <i>fulgida</i> | Subterminal Bulrush SCIR SUB Scirpe subterminal | G5 | N5 | SH | |
| 12539 | <i>Scirpus pallidus</i> <i>Scirpus atrovirens</i> var. <i>pallidus</i> | Pale Bulrush SCIR ATV Scirpe pâle | G5 | N4 | S3 | |
| 12533 | <i>Trichophorum clintonii</i> <i>Scirpus clintonii</i> | Clinton's Bulrush SCIR CLI Trichophore de Clinton | G4 | N3N4 | S1 | |
| 28513 | <i>Trichophorum pumilum</i> <i>Trichophorum pumilum</i> ssp. <i>rollandii</i> <i>Trichophorum pumilum</i> var. <i>rollandii</i> <i>Scirpus pumilus</i> <i>Scirpus pumilus</i> ssp. <i>rollandii</i> <i>Scirpus pumilus</i> var. <i>rollandii</i> <i>Scirpus rollandii</i> | Dwarf Clubrush Dwarf Bulrush Trichophore nain | G5 | N4 | S1 | |
| Cystopteridaceae | | | | | | |
| 12981 | <i>Cystopteris montana</i> | Mountain Bladder Fern CYST MON Cystoptère des montagnes | G5 | N5 | S1 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|---|---|--|---------|---------|---------|----------|
| 12989 | <i>Gymnocarpium jessoense</i> ssp. <i>parvulum</i> | Limestone Oak Fern | G5T4T5 | N5 | S3 | |
| | <i>Gymnocarpium continentale</i> | Gymnocarpe frêle | | | | |
| | <i>Gymnocarpium robertianum</i> | | | | | |
| | <i>Gymnocarpium disjuncta</i> | | | | | |
| | <i>Carpogymnia dryopteris</i> var. <i>pumila</i> | | | | | |
| 12990 | <i>Gymnocarpium robertianum</i> | Limestone Oak Fern Gymnocarpe de Robert | G5 | N3 | SNR | |
| Droseraceae | | | | | | |
| 11529 | <i>Drosera anglica</i> | English Sundew | G5 | N5 | S3 | |
| | <i>Drosera intermedia</i> | DROS ANG | | | | |
| | <i>Drosera longifolia</i> | Droséra d'Angleterre Great Sundew Oblong-leaved Sundew | | | | |
| 11530 | <i>Drosera linearis</i> | Slenderleaf Sundew | G4G5 | N4 | S3 | |
| | | DROS LIN Droséra à feuilles linéaires | | | | |
| Dryopteridaceae - Wood-fern family | | | | | | |
| 12983 | <i>Dryopteris cristata</i> | Crested Shield-fern | G5 | N5 | S3 | |
| | | DRYO CRI Dryoptère à crêtes Wood Fern | | | | |
| 465399 | <i>Dryopteris expansa</i> | Northern Wood Fern | G5 | N5 | S1 | |
| | | Dryoptère dressée | | | | |
| 12984 | <i>Dryopteris filix-mas</i> ssp. <i>filix-mas</i> | Male Fern | G5T5 | N5 | S1 | |
| Ericaceae - Heath family | | | | | | |
| 11540 | <i>Andromeda polifolia</i> var. <i>latifolia</i> | Glaucous-leaved Bog-rosemary | G5T5 | N5 | S2 | |
| | <i>Andromeda polifolia</i> var. <i>glaucophylla</i> | ANDM POL GLA | | | | |
| | <i>Andromeda polifolia</i> ssp. <i>glaucophylla</i> | | | | | |
| | <i>Andromeda glaucophylla</i> | | | | | |
| 11544 | <i>Arctous rubra</i> | Red Alpine Bearberry | G5 | N5 | S3 | |
| | <i>Arctostaphylos alpina</i> | ARCT RUB | | | | |
| | <i>Arctostaphylos alpina</i> var. <i>rubra</i> | Busserole rouge | | | | |
| | <i>Arctostaphylos alpina</i> ssp. <i>rubra</i> | | | | | |
| | <i>Arctous erythrocarpa</i> | | | | | |
| | <i>Arctostaphylos rubra</i> | | | | | |
| | <i>Arctous ruber</i> | | | | | |
| 415383 | <i>Chimaphila umbellata</i> ssp. <i>umbellata</i> | Western Prince's-pine | G5T5 | N5 | S3 | |
| | <i>Chimaphila umbellata</i> var. <i>occidentalis</i> | Pipsissewa | | | | |
| | <i>Chimaphila umbellata</i> ssp. <i>cisatlantica</i> | | | | | |
| | <i>Chimaphila umbellata</i> ssp. <i>acuta</i> | | | | | |
| | <i>Chimaphila umbellata</i> var. <i>umbellata</i> | | | | | |
| 11554 | <i>Kalmia procumbens</i> | Alpine Azalea | G5 | N5 | S2 | |
| | <i>Loiseleuria procumbens</i> | Azalée des Alpes LOIS PRO | | | | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|--------------------------------------|---|---------------------------------|---------|---------|---------|----------|
| 11778 | <i>Monotropa hypopithys</i> | American Pinesap | G5 | N5 | S1 | |
| | <i>Monotropa hypopitys</i> var. <i>americana</i> | False Beech-drops | | | | |
| | <i>Monotropa hypopitys</i> ssp. <i>lanuginosa</i> | HYPP MON | | | | |
| | <i>Hypopitys monotropa</i> | Many-flowered Pine-sap | | | | |
| | <i>Monotropa hypopitys</i> | Monotrope du pin | | | | |
| 11780 | <i>Pterospora andromedea</i> | Pine-drops | G5 | N5 | S1 | |
| | | PTRS AND | | | | |
| | | Ptérospore à fleurs d'andromède | | | | |
| 11933 | <i>Pyrola grandiflora</i> | Arctic Wintergreen | G5 | N5 | SH | |
| | <i>Pyrola grandiflora</i> var. <i>canadensis</i> | PYRO GRA | | | | |
| | <i>Pyrola rotundifolia</i> | Pyrole à grandes fleurs | | | | |
| Euphorbiaceae - Spurge family | | | | | | |
| 11564 | <i>Euphorbia serpens</i> | Round-leaved Spurge | G5 | N1 | S1 | |
| | <i>Chamaesyce serpens</i> | Euphorbe rampante | | | | |
| | | Matted Sandmat | | | | |
| Fabaceae - Pea family | | | | | | |
| 466364 | <i>Astragalus australis</i> var. <i>glabriusculus</i> | Southern Milk-vetch | G5TNR | N5 | S3 | |
| | <i>Astragalus aboriginorum</i> | | | | | |
| | <i>Astragalus australis</i> var. <i>major</i> | | | | | |
| | <i>Astragalus scrupulicola</i> | | | | | |
| 11583 | <i>Astragalus bodinii</i> | Yukon Milk-vetch | G4 | N4 | S1 | |
| | <i>Astragalus bodinii</i> var. <i>yukonis</i> | ASTR BOD | | | | |
| | <i>Astragalus yukonis</i> | Astragale de Bodin | | | | |
| | | Bodin's Milk-vetch | | | | |
| 11593 | <i>Astragalus gracilis</i> | Slender Milk-vetch | G5 | N1 | S1 | |
| | | ASTR GRA | | | | |
| 11595 | <i>Astragalus kentrophyta</i> var. <i>kentrophyta</i> | Prickly Milk-vetch | G5T4 | N2 | S2 | |
| | <i>Astragalus viridis</i> | Spiny Milk-vetch | | | | |
| | | Thistle Milk-vetch | | | | |
| 11601 | <i>Astragalus purshii</i> var. <i>purshii</i> | Pursh's Milk-vetch | G5T5 | N5 | S3 | |
| | | ASTR PUR PUR | | | | |
| 11603 | <i>Astragalus racemosus</i> var. <i>racemosus</i> | Racemose Milk-vetch | G5T5 | N2 | S2 | |
| | | ASTR RAC RAC | | | | |
| | | Alkali Milk-vetch | | | | |
| | | Creamy Milk-vetch | | | | |
| | | Creamy Poison-vetch | | | | |
| 11604 | <i>Astragalus spatulatus</i> | Tufted Milk-vetch | G5 | N3 | S3 | |
| | | ASTR SPA | | | | |
| | | Astragale spatulé | | | | |
| | | Draba Milk-vetch | | | | |
| 11607 | <i>Astragalus vexilliflexus</i> var. <i>vexilliflexus</i> | Bent-flowered Milk-vetch | G4T4 | N4 | S2 | |
| | | ASTR VEX VEX | | | | |
| | | Few-flowered Milk-vetch | | | | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|--------------------------------------|--|--|-------------|---------|---------|-----------------|
| 11617 | <i>Dalea villosa</i> var. <i>villosa</i> <i>Petalostemon villosus</i> | Hairy Prairie Clover Silky Prairie Clover | G5T5 | N2N3 | S2 | Special Concern |
| 11631 | <i>Lotus unifoliolatus</i> var. <i>unifoliolatus</i> <i>Lotus purshianus</i> <i>Lotus americanum</i> <i>Lotus unifoliatus</i> var. <i>unifoliatus</i> <i>Acmispon americanus</i> var. <i>americanus</i> <i>Hosackia americana</i> | Prairie Bird's-foot-trefoil American Bird's-foot Trefoil Prairie Trefoil | G5T5 | N4 | S3 | |
| 28485 | <i>Lupinus argenteus</i> var. <i>argenteus</i> <i>Lupinus argenteus</i> var. <i>macounii</i> | Silvery Lupine Lodgepole Lupine Perennial Lupine | G5T5 | N4 | S2 | |
| 11634 | <i>Lupinus parviflorus</i> <i>Lupinus argenteus</i> var. <i>parviflorus</i> | Lodgepole Lupine Silver Stemmed Lupine | G5 | N1 | S1 | |
| 11636 | <i>Lupinus pusillus</i> ssp. <i>pusillus</i> <i>Lupinus kingii</i> <i>Lupinus pusillus</i> var. <i>pusillus</i> | Small Lupine Annual Lupine LUPI PUS PUS Low Lupine Rusty Lupine | G5T5 | N3 | S3 | |
| 11656 | <i>Oxytropis besseyi</i> var. <i>besseyi</i> <i>Oxytropis nana</i> var. <i>besseyi</i> | Bessey's Locoweed OXYT BES BES | G5T5? | N2 | S2 | |
| 11647 | <i>Oxytropis campestris</i> var. <i>dispar</i> <i>Oxytropis dispar</i> <i>Oxytropis jordalii</i> <i>Oxytropis monticola</i> ssp. <i>dispar</i> | Late Blue Locoweed | G5T1T3 | NU | S1 | |
| 27547 | <i>Oxytropis lambertii</i> var. <i>lambertii</i> | Stemless Point-vetch Purple Locoweed | G5TNR | N3 | S3 | |
| Gentianaceae - Gentian family | | | | | | |
| 11678 | <i>Gentiana andrewsii</i> var. <i>dakotica</i> | Closed Blue Gentian Blind Gentian Bottle-gentian Closed Gentian GENT AND DAK | G5?T4T 5 | NU | S2 | |
| 11680 | <i>Gentiana fremontii</i> <i>Gentiana aquatica</i> <i>Gentiana prostrata</i> | Moss Gentian GENT AQU Gentiane de Frémont | G3G4 | N3 | S3 | |
| 11679 | <i>Gentiana puberulenta</i> <i>Gentiana purula</i> <i>Gentiana puberula</i> | Downy Gentian Gentiane pubérulente Prairie Gentian | G4G5 | N2 | SH | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|---|--|---|---------|---------|---------|----------|
| 11683 | <i>Gentianopsis virgata</i> ssp. <i>macounii</i> <i>Gentiana macounii</i> <i>Gentiana crinita</i> <i>Gentiana crinita</i> var. <i>tonsa</i> <i>Gentiana detonsa</i> var. <i>tonsa</i> <i>Gentiana barbata</i> <i>Gentianella crinita</i> ssp. <i>macounii</i> <i>Gentianopsis procera</i> ssp. <i>macounii</i> var. <i>macounii</i> <i>Gentianopsis macounii</i> | Macoun's Gentian Small Fringed Gentian | G5 | N4N5 | S3 | |
| 11684 | <i>Gentianopsis virgata</i> ssp. <i>virgata</i> <i>Gentianopsis procera</i> <i>Gentianella crinita</i> ssp. <i>procera</i> <i>Gentiana procera</i> <i>Gentianopsis virgata</i> | Lesser Fringed Gentian | G5 | N4N5 | S3 | |
| 11688 | <i>Lomatogonium rotatum</i> var. <i>fontanum</i> | Marsh Felwort | G5TNR | NNR | S3 | |
| Geraniaceae - Geranium family | | | | | | |
| 11691 | <i>Geranium carolinianum</i> <i>Geranium sphaerospermum</i> | Carolina Wild Geranium Géranium de Caroline | G5 | N5 | S3 | |
| 11693 | <i>Geranium richardsonii</i> | Wild White Geranium Géranium de Richardson Richardson's cranesbill | G5 | N5 | S2 | |
| 11694 | <i>Geranium viscosissimum</i> | Sticky Purple Geranium Géranium visqueux | G5 | N5 | S2 | |
| Grossulariaceae - Currant family | | | | | | |
| 11698 | <i>Ribes aureum</i> var. <i>aureum</i> <i>Ribes odoratum</i> | Golden Currant | G5T3T5 | N3 | S3 | |
| 11706 | <i>Ribes oxycanthoides</i> var. <i>setosum</i> <i>Ribes setosum</i> <i>Ribes oxycanthoides</i> ssp. <i>setosum</i> | Bristly Gooseberry | G5T4T5 | N2 | S2 | |
| Haloragaceae - Water-milfoil family | | | | | | |
| 11709 | <i>Myriophyllum alterniflorum</i> <i>Myriophyllum alterniflorum</i> var. <i>americanum</i> <i>Myriophyllum spicatum</i> | Alternate-flowered Water Milfoil MYRO ALT Myriophylle à fleurs alternes | G5 | N5 | S2 | |
| 11710 | <i>Myriophyllum pinnatum</i> <i>Myriophyllum spicatum</i> | Green Water-milfoil Cut-leaf Water-milfoil MYRO PIN Myriophylle penné Pinnate Water-milfoil | G5 | N1 | S1 | |
| Hydrocharitaceae - Tape-grass family | | | | | | |
| 12546 | <i>Elodea bifoliata</i> <i>Elodea longivaginata</i> <i>Elodea canadensis</i> | Two-leaf Water-weed ELOD BIF Long-sheathed Waterweed Élodée à deux feuilles | G4G5 | N3 | S3 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|--------------------------------------|--|--|---------|---------|---------|----------|
| 12547 | <i>Elodea canadensis</i> <i>Anacharis canadensis</i> | Canada Waterweed ELOD CAN Élodée du Canada | G5 | N5 | S3 | |
| 12634 | <i>Najas flexilis</i> | Flexible Naiad NAJA FLE Naiade flexible Water Nymph | G5 | N5 | S3 | |
| Hypericaceae | | | | | | |
| 11477 | <i>Triadenum fraseri</i> <i>Hypericum virginicum</i> var. <i>fraseri</i> <i>Triadenum virginicum</i> ssp. <i>fraseri</i> <i>Hypericum fraseri</i> | Marsh St. John's-wort HYPE VIR Millepertuis de Fraser | G5 | N5 | SH | |
| Hypoxidaceae | | | | | | |
| 12613 | <i>Hypoxis hirsuta</i> | Eastern Yellow Stargrass Goldstar HYPX HIR Hairy Star-grass Hypoxis hirsute Yellow Star-grass | G5 | N3N4 | S2 | |
| Iridaceae - Iris family | | | | | | |
| 12548 | <i>Iris versicolor</i> | Blueflag Iris versicolore | G5 | N5 | S1 | |
| 12550 | <i>Sisyrinchium mucronatum</i> | Mucronate Blue-eyed-grass Bermudienne mucronée Needle-tip Blue-eyed-grass | G5 | N4 | S3 | |
| 26878 | <i>Sisyrinchium septentrionale</i> | Northern Blue-eyed-grass Bermudienne septentrionale Pale Blue-eyed Grass | G4 | N4 | S3 | |
| Isoetaceae - Quillwort family | | | | | | |
| 26739 | <i>Isoetes lacustris</i> <i>Isoetes macrospora</i> | Lake Quillwort Isoète lacustre Large-spored Quillwort | G5 | N5 | S2 | |
| 13013 | <i>Isoetes x hickeyi</i> | Hickey's Quillwort | GNA | NNA | S1 | |
| Juncaceae - Rush family | | | | | | |
| 12561 | <i>Juncus castaneus</i> ssp. <i>castaneus</i> | Chestnut Rush | G5T5 | N5 | SH | |
| 12562 | <i>Juncus confusus</i> <i>Juncus tenuis</i> var. <i>congestus</i> | Few-flowered Rush JUNC CON Jonc trompeur | G5 | N4 | S2 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|---|--|---|---------|---------|---------|----------|
| 12563 | <i>Juncus ensifolius</i> var. <i>ensifolius</i> <i>Juncus ensifolius</i> | Dagger Rush Dagger-leaved Rush Eqitant-leaved Rush Jonc à épées Rocky Mountain Rush Tracy's Rush | G5 | N5 | S2 | |
| 12573 | <i>Juncus ensifolius</i> var. <i>montanus</i> <i>Juncus ensifolius</i> var. <i>major</i> <i>Juncus tracyi</i> <i>Juncus xiphioides</i> <i>Juncus saximontanus</i> | Rocky Mountain Rush Jonc des montagnes Tracy's Rush | G5T5 | N5 | S1 | |
| 12565 | <i>Juncus interior</i> | Inland Rush Jonc de l'intérieur | G4 | N4N5 | S3 | |
| 12569 | <i>Juncus nevadensis</i> <i>Juncus mertensianus</i> var. <i>badius</i> | Nevada Rush Jonc de la Sierra Nevada Sierra Rush | G5 | N4 | S3 | |
| 12575 | <i>Juncus stygius</i> ssp. <i>americanus</i> <i>Juncus stygius</i> var. <i>americanus</i> | Moor Rush American Bog Rush JUNC STY AME | G5T5 | N5 | S3 | |
| 12554 | <i>Juncus triglumis</i> var. <i>albescens</i> <i>Juncus albescens</i> <i>Juncus triglumis</i> ssp. <i>albescens</i> | Pale Three-flowered Rush Northern White Rush | G5 | N5 | S2 | |
| 12588 | <i>Luzula acuminata</i> var. <i>acuminata</i> <i>Luzula pilosa</i> var. <i>americana</i> <i>Luzula pilosa</i> var. <i>saltuense</i> <i>Luzula pilosa</i> <i>Luzula acuminata</i> ssp. <i>acuminata</i> | Hairy Wood-rush | G5T5 | N5 | S3 | |
| 12593 | <i>Luzula confusa</i> | Northern Wood-rush Confusing Wood-rush LUZU CON Luzule trompeuse | G5 | N5 | SH | |
| 27751 | <i>Luzula multiflora</i> ssp. <i>frigida</i> | Common Woodrush | G5T5 | N5 | S3 | |
| 12595 | <i>Luzula multiflora</i> ssp. <i>multiflora</i> <i>Luzula campestris</i> <i>Luzula campestris</i> var. <i>multiflora</i> <i>Luzula pallescens</i> | Many-flowered Woodrush LUZU MUL MUL Many Flowered | G5TNR | NNR | S3 | |
| Juncaginaceae - Arrow-grass family | | | | | | |
| 12551 | <i>Lilaea scilloides</i> <i>Triglochin scilloides</i> | Flowering Quillwort Lilée fausse-scille | G5 | N3N4 | S2 | |
| Lamiaceae - Mint family | | | | | | |
| 26845 | <i>Monarda fistulosa</i> var. <i>mollis</i> <i>Monarda mollis</i> | Soft Wild Bergamot Beebalm Horse-mint | G5T5? | NNR | S3 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|--|---|---|---------|---------|---------|----------|
| 11742 | <i>Prunella vulgaris</i> ssp. <i>lanceolata</i> <i>Prunella vulgaris</i> var. <i>elongata</i> <i>Prunella vulgaris</i> var. <i>lanceolata</i> | Self-heal Carpenterweed | G5T5 | N5 | S2 | |
| 11745 | <i>Scutellaria lateriflora</i> | Mad Dog Skullcap Blue Skullcap Scutellaire latériflore | G5 | N5 | S3 | |
| 11751 | <i>Teucrium canadense</i> var. <i>occidentale</i> <i>Teucrium canadense</i> ssp. <i>occidentale</i> <i>Teucrium occidentale</i> <i>Teucrium canadense</i> ssp. <i>viscidum</i> | Hairy Germander American Germander TEUR CAN OCC Wood Sage | G5T5? | N4 | S3 | |
| Lentibulariaceae - Bladderwort family | | | | | | |
| 11758 | <i>Pinguicula villosa</i> | Hairy Butterwort Grassette velue PING VIL Small Butterwort | G5 | N5 | S3 | |
| 11759 | <i>Pinguicula vulgaris</i> <i>Pinguicula vulgaris</i> var. <i>americana</i> <i>Pinguicula macroceras</i> <i>Pinguicula vulgaris</i> ssp. <i>vulgaris</i> | Common Butterwort Bog-violet PING VUL | G5 | N5 | S3 | |
| 11760 | <i>Utricularia cornuta</i> | Horned Bladderwort UTRC COR Utriculaire cornue | G5 | N5 | S3 | |
| Liliaceae - Lily family | | | | | | |
| 12617 | <i>Lilium philadelphicum</i> var. <i>andinum</i> f. <i>immaculata</i> <i>Lilium umbellatum</i> <i>Lilium philadelphicum</i> f. <i>immaculata</i> <i>Lilium philadelphicum</i> var. <i>andinum</i> pop. 1 | Immaculate Lily Red Wood Lily | G5TUQ | NU | S1 | |
| 12616 | <i>Lilium philadelphicum</i> var. <i>philadelphicum</i> | Eastern Red Wood Lily LILI PHI PHI | G5T4T5 | N1 | S1 | |
| 12625 | <i>Streptopus amplexifolius</i> <i>Streptopus amplexifolius</i> var. <i>americanus</i> | Clasping-leaf Twisted-stalk Streptope à feuilles embrassantes White Twisted-stalk | G5 | N5 | S3 | |
| Loasaceae - Blazingstar family | | | | | | |
| 11764 | <i>Mentzelia albicaulis</i> <i>Mentzelia mojavensis</i> | White-stemmed Evening-star MNTZ ALB Mentzelia Mentzélia à tige blanche | GNR | N4N5 | S1 | |
| 11765 | <i>Mentzelia decapetala</i> | Eveningstar Gumbo-lily Mentzélia à dix pétales Sand Lily | G5 | N3 | S3 | |

Lycopodiaceae - Club-moss family

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|---|--|---|---------|---------|---------|----------|
| 13024 | <i>Diphasiastrum sitchense</i> <i>Lycopodium sabinifolium</i> var. <i>sitchense</i> <i>Lycopodium sitchense</i> | Alaskan Clubmoss Ground-fir LYCP SAB Lycopode de Sitka Savin-leaved Ground-fir Savin-leaved Ground-pine Sitka Clubmoss Sitka Ground-cedar Sitka Ground-fir Sitka Ground-pine | G5 | N5 | S3 | |
| 449870 | <i>Huperzia continentalis</i> | Continental Firmoss Lycopode de l'Haleakala | GNR | N5 | S1 | |
| 13028 | <i>Huperzia selago</i> var. <i>densa</i> <i>Lycopodium selago</i> var. <i>appressum</i> <i>Lycopodium selago</i> var. <i>patens</i> <i>Huperzia arctica</i> | Mountain Club-moss Fir-moss LYCP SEL DEN Lycopode arctique Northern Club-moss | G5TNR | N3 | S1 | |
| 13027 | <i>Huperzia selago</i> var. <i>selago</i> <i>Lycopodium selago</i> var. <i>selago</i> <i>Lycopodium selago</i> <i>Huperzia selago</i> | Mountain Club-moss Fir-moss LYCP SEL SEL Lycopode sélagine Northern Club-moss | G5T5? | N5 | S1 | |
| 13030 | <i>Lycopodiella inundata</i> <i>Lycopodium inundatum</i> | Northern Bog Clubmoss Bog Club-moss Lycopode inondé | G5 | N5 | S1 | |
| 26904 | <i>Lycopodium hickeyi</i> <i>Dendrolycopodium hickeyi</i> | Hickey's Club-moss Hickey's Ground-pine Lycopode de Hickey | G5 | N5 | S1 | |
| Marsileaceae - Water-clover family | | | | | | |
| 13031 | <i>Marsilea vestita</i> <i>Marsilea mucronata</i> <i>Marsilea vestita</i> var. <i>mucronata</i> <i>Marsilea tenuifolia</i> | Pepperwort Clover-fern Hairy Pepperwort Hairy Water-Clover MARS VES Marsilée vêtue Water-clover | G5 | N3 | S3 | |
| Melanthiaceae | | | | | | |
| 12630 | <i>Trillium cernuum</i> <i>Trillium cernuum</i> var. <i>macranthum</i> | Nodding Trillium TRIL CER Trille penché Wake-robin | G5 | N5 | S2 | |
| Montiaceae | | | | | | |
| 11900 | <i>Claytonia lanceolata</i> <i>Claytonia lanceolata</i> var. <i>lanceolata</i> | Lance-leaved Spring-beauty Claytonie lancéolée Western Spring-beauty | G5 | N5 | S2 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|---|---|---|---------|---------|---------|-----------------|
| 11901 | <i>Montia linearis</i> <i>Claytonia linearis</i> <i>Montiastrum lineare</i> | Linear-leaved Spring-beauty Linear-leaved Candy-flower MONT LIN Montie linéaire | G5 | N5 | S1 | |
| Nyctaginaceae - Four-o'clock family | | | | | | |
| 11782 | <i>Mirabilis linearis</i> <i>Mirabilis hirsuta</i> var. <i>linearis</i> | Narrow-leaved Umbrella-wort Four-o'clock Linear-leaved Umbrellawort MIRA LIN Nyctage à feuilles linéaires | G5 | N3 | S3 | |
| 11784 | <i>Tripterocalyx micranthus</i> <i>Abronia micrantha</i> | Small-flowered Sand-verbena Abronie à petites fleurs Sand Puffs Sand Verbena Sand-puffs Sand-verbena Small Flowered Sand-puff Small Sand-verbena | G5 | N2 | S2 | Special Concern |
| Nymphaeaceae - Water-lily family | | | | | | |
| 11789 | <i>Nymphaea leibergii</i> <i>Nymphaea tetragona</i> ssp. <i>leibergii</i> <i>Nymphaea tetragona</i> var. <i>leibergii</i> | Small White Water-lily Dwarf Water-lily NYMP LEI Nymphéa de Leiberg Pygmywater-lily | G5 | N4? | S2 | |
| 28522 | <i>Nymphaea loriana</i> <i>Nymphaea odorata</i> ssp. <i>odorata</i> | Waterlily Nymphéa de Lori | G1G2 | N1 | S1 | |
| 11788 | <i>Nymphaea tetragona</i> <i>Nymphaea tetragona</i> ssp. <i>leibergii</i> | Pygmy Water-lily NYMP TET Nymphéa tétragonal Small White Water-lily | G5 | N3 | S2 | |
| Onagraceae - Evening-primrose family | | | | | | |
| 11792 | <i>Epilobium campestre</i> <i>Epilobium pygmaeum</i> <i>Boisduvalia glabella</i> | Smooth Spike-primrose Épilobe pygmée | G5 | N3 | S3 | |
| 27698 | <i>Epilobium davuricum</i> | Dahurian Willowherb EPIL DAV Épilobe de Daourie | G5 | N4N5 | SU | |
| 415399 | <i>Epilobium hornemannii</i> ssp. <i>hornemannii</i> <i>Epilobium hornemannii</i> var. <i>hornemannii</i> | Hornemann's Willowherb | G5T5 | N5 | S1 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|--|--|---|---------|---------|---------|----------|
| 11794 | <i>Neoholmgrenia andina</i> <i>Oenothera andina</i> <i>Camissonia andina</i> <i>Oenothera andina</i> <i>Holmgrenia andina</i> | Upland Evening-primrose Andean Sundrops Blackfoot River Evening-primrose Blackfoot River Suncup OENO AND Obscure Evening-primrose Onagre des Andes Plateau Primrose Upland Suncup | G4 | N1 | S1 | |
| 11812 | <i>Oenothera caespitosa ssp. caespitosa</i> <i>Oenothera cespitosa ssp. cespitosa</i> <i>Oenothera caespitosa var. montana</i> <i>Oenothera cespitosa var. cespitosa</i> <i>Oenothera caespitosa var. caespitosa</i> | Gumbo Evening Primrose Butte Primrose Gumbo Lily OENO CAE CES Rock-rose Tufted Evening Primrose | G5T5 | N3 | S3 | |
| 11813 | <i>Oenothera flava</i> <i>Oenothera flava ssp. flava</i> | Low Yellow Evening-primrose Lavauxia Onagre jaune Yellow Evening-primrose Yellow Lavauxia | G5 | N3 | S3 | |
| 11795 | <i>Taraxia breviflora</i> <i>Oenothera breviflora</i> <i>Camissonia breviflora</i> | Short-flower Suncup OENO BRE Onagre à fleurs courtes Short-flowered Evening-primrose Taraxia | G5 | N2 | S2 | |
| Ophioglossaceae - Adder's-tongue family | | | | | | |
| 13045 | <i>Botrychium ascendens</i> | Triangle-lobe Moonwort BOTR ASC Botryche ascendant Traingular-lobed Moon-wort Upswept moonwort | G4 | N4 | S1 | |
| 13047 | <i>Botrychium campestre</i> <i>Botrychium lunaria</i> <i>Botrychium campestre var. campestre</i> | Prairie Dunewort BOTR CAM Botryche des champs Plain's Grape-fern Plains Moonwort Prairie Moonwort | G3G4 | N3 | S3 | |
| 402883 | <i>Botrychium furculatum</i> | Wishbone Moonwort | G4 | NNR | S1 | |
| 13043 | <i>Botrychium hesperium</i> <i>Botrychium matricariifolium</i> <i>Botrychium matricariifolium var. hesperium</i> | Western Moonwort BOTR MAT Botryche de l'Ouest Chamomile-leaved Grape-fern Western Chamomile-leaved Grape-fern | G4 | N4 | S3 | |
| 415426 | <i>Botrychium lanceolatum ssp. angustisegmentum</i> <i>Botrychium angustisegmentum</i> <i>Botrychium lanceolatum var. angustisegmentum</i> | Narrow Triangle Moonwort | G5T4 | N4 | SNR | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|------------------------------------|--|--|---------|---------|---------|----------|
| 13033 | <i>Botrychium lanceolatum</i> ssp. <i>lanceolatum</i> <i>Botrychium lanceolatum</i> var. <i>lanceolatum</i> | Triangle Grape-fern BOTR LAN LAN Lance-leaved Grape-fern Lance-leaved Moonwort Moonwort Triangle moonwort Triangular Grape-fern | G5T4T5 | N4N5 | S2 | |
| 13036 | <i>Botrychium matricariifolium</i> <i>Botrychium matricariaefolium</i> | Chamomile Grape-fern Botryche à feuille de matricaire | G5 | N5 | S1 | |
| 402807 | <i>Botrychium michiganense</i> | Michigan Moonwort Botryche du Michigan | G3 | N3 | S1 | |
| 13044 | <i>Botrychium minganense</i> <i>Botrychium lunaria</i> var. <i>minganense</i> <i>Botrychium lunaria</i> ssp. <i>minganense</i> | Mingan Moonwort BOTR MIN Botryche de Mingan Grape-fern | G5 | N5 | S1 | |
| 13048 | <i>Botrychium pallidum</i> | Pale Moonwort BOTR PAL Botryche pâle | G3 | N2N3 | S1 | |
| 13042 | <i>Botrychium paradoxum</i> | Peculiar Moonwort BOTR PAR Botryche paradoxal Paradox Moonwort Paradoxical Grape-fern Paradoxical Moonwort Peculiar Grape-fern Two-spiked Grape-fern Two-spiked Moonwort | G3G4 | N3? | S1 | |
| 13046 | <i>Botrychium pedunculosum</i> | Stalked Moonwort BOTR PED Botryche pédonculé | G3G4 | N4 | S2 | |
| 13038 | <i>Botrychium simplex</i> <i>Botrychium tenebrosum</i> <i>Botrychium simplex</i> var. <i>tenebrosum</i> | Least Grape-fern BOTR SIM Botryche simple Least moonwort | G5 | N4? | S3 | |
| 402884 | <i>Botrychium tenebrosum</i> <i>Botrychium simplex</i> var. <i>tenebrosum</i> | Swamp moonwort | G5T4? | N3? | SNR | |
| Orchidaceae - Orchid family | | | | | | |
| 12637 | <i>Arethusa bulbosa</i> | Dragon's-mouth Orchid ARET BUL Aréthuse bulbeuse Dragon's-mouth Swamp-pink Swamp-pink Orchid | G5 | N5 | S2 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|-------|--|--|---------|---------|---------|------------|
| 12639 | <i>Calypso bulbosa</i> var. <i>americana</i> <i>Cytheria bulbosa</i> <i>Calypso bulbosa</i> ssp. <i>americana</i> | Fairy Slipper CALY BUL AME Calypso Venus slipper | G5T5 | N5 | S3 | |
| 26841 | <i>Corallorhiza maculata</i> var. <i>maculata</i> <i>Corallorhiza maculata</i> ssp. <i>maculata</i> | Spotted Coralroot | G5T5 | N5 | S1 | |
| 12644 | <i>Corallorhiza striata</i> var. <i>striata</i> <i>Corallorhiza striata</i> | Striped Coral-root | G5T5 | N5 | S3 | |
| 12647 | <i>Cypripedium arietinum</i> <i>Criosanthes arietina</i> | Ram's-head Lady's-slipper CYPR ARI Cypripède tête-de-bélier | G3 | N3 | S2 | |
| 12648 | <i>Cypripedium candidum</i> | Small White Lady's-slipper Cypripède blanc Small White Lady's Slipper White lady's slipper | G4 | N2 | SH | Threatened |
| 12649 | <i>Cypripedium montanum</i> <i>Cypripedium occidentale</i> | Mountain Lady's-slipper CYPR MON Cypripède des montagnes Moccasin Slipper | G4G5 | N4N5 | S1 | |
| 12651 | <i>Cypripedium parviflorum</i> var. <i>makasin</i> <i>Cypripedium parviflorum</i> <i>Cypripedium calceolus</i> var. <i>parviflorum</i> <i>Cypripedium pubescens</i> var. <i>makasin</i> | Small Yellow Lady's Slipper CYPR CAL MAK Yellow Moccasin Flower | G5T4T5 | N4N5 | S3 | |
| 12653 | <i>Cypripedium parviflorum</i> var. <i>pubescens</i> <i>Cypripedium pubescens</i> <i>Cypripedium calceolus</i> var. <i>pubescens</i> | Large Yellow Lady's-slipper CYPR CAL PUB | G5T5 | N5 | S2 | |
| 12652 | <i>Cypripedium passerinum</i> | Sparrow's-egg Lady's-slipper CYPR PAS Cypripède œuf-de-passereau Franklin's Lady's-slipper Northern Lady's-slipper Small White Lady's-slipper | G5 | N5 | S3 | |
| 12654 | <i>Cypripedium reginae</i> | Showy Lady's-slipper CYPR REG Cypripède royal | G4G5 | N4N5 | S1 | |
| 12655 | <i>Goodyera oblongifolia</i> <i>Goodyera decipiens</i> <i>Goodyera menziesii</i> <i>Goodyera oblongifolia</i> var. <i>oblongifolia</i> | Giant Rattlesnake-plantain GOOD OBL Goodyérie à feuilles oblongues | G5 | N5 | S1 | |
| 12657 | <i>Liparis loeselii</i> | Yellow Twayblade Bog Twayblade LIPA LOE Liparis de Loesel Loesel's Twayblade | G5 | N4N5 | S3 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|--|--|--|---------|---------|---------|----------|
| 12658 | <i>Listera borealis</i> <i>Listera convallarioides</i> <i>Neottia borealis</i> | Northern Twayblade LIST BOR Listère boréale | G5 | N5 | S3 | |
| 12661 | <i>Malaxis monophyllos</i> var. <i>brachypoda</i> <i>Malaxis brachypoda</i> <i>Malaxis unifolia</i> <i>Malaxis monophylla</i> var. <i>brachypoda</i> <i>Malaxis monophyllos</i> ssp. <i>brachypoda</i> | White Bog Adder's-mouth Orchid | G5T4T5 | N4 | S3 | |
| 12662 | <i>Malaxis paludosa</i> <i>Hammarbya paludosa</i> | Bog Adder's-mouth Orchid MALX PAL Malaxis des tourbières | G3G4 | N3N4 | S3 | |
| 12659 | <i>Neottia cordata</i> <i>Listera cordata</i> | Heart-leaved Twayblade Listère à feuilles cordées | G5 | N5 | S3 | |
| 12664 | <i>Platanthera dilatata</i> var. <i>dilatata</i> <i>Habenaria dilatata</i> <i>Habenaria dilatata</i> var. <i>albiflora</i> <i>Habenaria dilatata</i> var. <i>dilatata</i> | Scentbottle Bog Orchid | G5T5 | N5 | S3 | |
| 466001 | <i>Platanthera huronensis</i> <i>Platanthera hyperborea</i> var. <i>huronensis</i> <i>Limnorchis huronensis</i> | Lake Huron Green Orchid Platanthère du lac Huron | G5T5? | N5 | SNR | |
| 415384 | <i>Platanthera orbiculata</i> <i>Habenaria orbiculata</i> <i>Platanthera orbiculata</i> var. <i>orbiculata</i> | Large Roundleaf Orchid Large Round-leaved Bog-orchid Platanthère à feuilles orbiculaires | G5T5 | N5 | S3 | |
| 12669 | <i>Platanthera x media</i> <i>Habenaria X media</i> | Hybrid Bog Orchid | GNA | NNA | S1 | |
| 12671 | <i>Spiranthes lacera</i> var. <i>lacera</i> <i>Spiranthes lacera</i> <i>Spiranthes gracilis</i> | Northern Slender Ladies'-tresses | G5T5 | N5 | S3 | |
| Orobanchaceae - Broom-rape family | | | | | | |
| 12207 | <i>Castilleja coccinea</i> | Scarlet Paintbrush CSTJ COC Castilléje écarlate | G5 | N4N5 | S1 | |
| 12210 | <i>Castilleja raupii</i> <i>Castilleja pallida</i> ssp. <i>septentrionalis</i> <i>Castilleja septentrionalis</i> | Purple Paintbrush CSTJ RAU Castilléje de Raup Northern Paintbrush | G5 | N5 | S2 | |
| 12212 | <i>Castilleja sessiliflora</i> | Downy Paintbrush CSTJ SES Castilléje à fleurs sessiles Downy Painted cup Great Plains Paintbrush | G5 | N3N4 | S3 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|--------|--|--------------------------|---------|---------|---------|----------|
| 12216 | <i>Euphrasia subarctica</i> | Arctic Eyebright | G5 | N4N5 | S3 | |
| | <i>Euphrasia arctica</i> var. <i>disjuncta</i> | EUPH ARC | | | | |
| | <i>Euphrasia arctica</i> var. <i>dolosa</i> | Euphrasia subarctique | | | | |
| | <i>Euphrasia disjuncta</i> | | | | | |
| | <i>Euphrasia disjuncta</i> var. <i>dolosa</i> | | | | | |
| | <i>Euphrasia hudsoniana</i> | | | | | |
| | <i>Euphrasia hudsoniana</i> var. <i>contracta</i> | | | | | |
| | <i>Euphrasia hudsoniana</i> var. <i>ramosior</i> | | | | | |
| 465154 | <i>Orobanche corymbosa</i> ssp. <i>mutabilis</i> | Flat-topped Broomrape | G4T3? | N4 | SNR | |
| | <i>Aphyllon corymbosum</i> ssp. <i>mutabile</i> | | | | | |
| | <i>Orobanche corymbosa</i> var. <i>mutabilis</i> | | | | | |
| 11818 | <i>Orobanche ludoviciana</i> | Louisiana Broom-rape | GNR | N3 | S3 | |
| | <i>Aphyllon ludovicianum</i> | Orobanche de Louisiane | | | | |
| | <i>Myzorrhiza ludoviciana</i> | | | | | |
| 443157 | <i>Orobanche uniflora</i> var. <i>occidentalis</i> | Small Broomrape | G5TNR | N5 | S1 | |
| | <i>Aphyllon purpureum</i> | One-flowered Broomrape | | | | |
| | | One-flowered Cancer Root | | | | |
| | | Orobanche pourpre | | | | |
| 12231 | <i>Pedicularis groenlandica</i> | Elephant-head | G5 | N5 | S2 | |
| | | Little Red Elephant | | | | |
| | | Pédiculaire du Groenland | | | | |
| 12233 | <i>Pedicularis labradorica</i> | Labrador Lousewort | G5 | N5 | S3 | |
| | <i>Pedicularis labradorica</i> var. <i>labradorica</i> | Pédiculaire du Labrador | | | | |
| | <i>Pedicularis euphrasioides</i> | | | | | |
| 12234 | <i>Pedicularis lanceolata</i> | Swamp Lousewort | G5 | N4 | S1 | |
| | | Pédiculaire lancéolée | | | | |
| 12236 | <i>Pedicularis parviflora</i> | Purple Lousewort | G4G5 | N5 | S3 | |
| | <i>Pedicularis parviflora</i> var. <i>macrodonta</i> | Pédiculaire parviflore | | | | |
| | <i>Pedicularis macrodonta</i> | Swamp Lousewort | | | | |
| 26828 | <i>Rhinanthus minor</i> ssp. <i>minor</i> | Little Yellow-rattle | G5T5 | N4N5 | S3 | |
| | <i>Rhinanthus borealis</i> ssp. <i>kyrolliae</i> | Rattlebox | | | | |
| | <i>Rhinanthus crista-galli</i> | | | | | |
| | <i>Rhinanthus rigidus</i> | | | | | |

Phrymaceae

| | | | | | | |
|-------|--|----------------------------|-----|----|----|--|
| 12226 | <i>Erythranthe geyeri</i> | Small Yellow Monkey-flower | GNR | N2 | S2 | |
| | <i>Mimulus glabratus</i> var. <i>fremontii</i> | Fremont's Monkey-flower | | | | |
| | <i>Mimulus jamesii</i> | Mimule de James | | | | |
| | <i>Mimulus glabratus</i> var. <i>jamesii</i> | Round-leaved Monkey-flower | | | | |
| | | Smooth Monkey-flower | | | | |
| 12227 | <i>Erythranthe guttata</i> | Large Yellow Monkeyflower | G5 | N5 | S2 | |
| | <i>Mimulus cordatus</i> | Mimule tacheté | | | | |
| | <i>Mimulus guttatus</i> ssp. <i>arenicola</i> | | | | | |
| | <i>Mimulus nasutus</i> | | | | | |
| | <i>Mimulus guttatus</i> | | | | | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|---|---|---|---------|---------|---------|-----------------|
| 12229 | <i>Mimulus ringens</i> var. <i>ringens</i> <i>Mimulus ringens</i> var. <i>minthodes</i> | Blue Monkey Flower MIMU RIN RIN | G5T5 | N5 | S2 | |
| Plantaginaceae - Plantain family | | | | | | |
| 26864 | <i>Bacopa rotundifolia</i> <i>Bacopa simulans</i> | Disc Water Hyssop Bacope à feuilles rondes Disk Water Hyssop Roundleaf Water-hyssop Waterhyssop | G5 | N1 | S1 | |
| 12214 | <i>Collinsia parviflora</i> <i>Collinsia parviflora</i> var. <i>parviflora</i> | Blue-eyed Mary Blue-lips COLL PAR Collinsie à petites fleurs Small-flowered Blue-eyed-mary | G5 | N5 | S3 | |
| 12261 | <i>Nuttallanthus texanus</i> <i>Linaria canadensis</i> var. <i>texana</i> <i>Linaria texana</i> | Texas-toadflax Linaire du Texas | G4G5 | N3 | SH | |
| 12238 | <i>Penstemon confertus</i> | Yellow Beardtongue PENS CON Penstémon à fleurs jaunes | G5 | N5 | S2 | |
| 11895 | <i>Plantago maritima</i> <i>Plantago maritima</i> ssp. <i>juncooides</i> <i>Plantago maritima</i> var. <i>juncooides</i> <i>Plantago juncooides</i> <i>Plantago juncooides</i> var. <i>glauca</i> | Seaside Plantain Goose Tongue Plantain maritime | G5 | N5 | S2 | |
| 12206 | <i>Synthyris wyomingensis</i> <i>Besseyia wyomingensis</i> <i>Veronica wyomingensis</i> | Kitten-tails Besseyia du Wyoming Wyoming Coraldrops Wyoming Kitten-tails | G5 | N3 | S1 | |
| 12258 | <i>Veronica serpyllifolia</i> <i>Veronica serpyllifolia</i> ssp. <i>humifusa</i> <i>Veronica humifusa</i> | Thyme-leaved Speedwell Véronique à feuilles de serpolet | G5 | N5 | S1 | |
| Plumbaginaceae | | | | | | |
| 11898 | <i>Armeria maritima</i> ssp. <i>interior</i> <i>Armeria maritima</i> var. <i>interior</i> <i>Statice interior</i> | Athabasca Thrift ARME MAR INT Inland Sea-thrift | G5T1T2 | N1N2 | S1 | Special Concern |
| Poaceae - Grass family | | | | | | |
| 12900 | <i>Achnatherum nelsonii</i> ssp. <i>dorei</i> <i>Stipa nelsonii</i> ssp. <i>dorei</i> <i>Eriocoma nelsonii</i> ssp. <i>dorei</i> <i>Achnatherum nelsonii</i> var. <i>dorei</i> <i>Stipa nelsonii</i> var. <i>dorei</i> <i>Stipa columbiana</i> | Columbia Needlegrass | G5T5? | N5 | S3 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|-------|--|---|---------|---------|---------|-----------------|
| 12896 | <i>Achnatherum richardsonii</i> <i>Stipa richardsonii</i> <i>Eriocoma richardsonii</i> <i>Oryzopsis richardsonii</i> | Richardson's Speargrass Stipe de Richardson | G5 | N5 | S3 | |
| 12677 | <i>Agrostis exarata</i> <i>Agrostis exarata</i> var. <i>minor</i> <i>Agrostis exarata</i> ssp. <i>minor</i> | Spike Redtop AGRT EXA Agrostide en épi | G5 | N5 | S3 | |
| 12680 | <i>Agrostis mertensii</i> <i>Agrostis mertensii</i> ssp. <i>borealis</i> <i>Agrostis borealis</i> <i>Agrostis borealis</i> var. <i>americana</i> | Northern Bent-grass AGRT BOR Agrostide de Mertens | G5 | N5 | SH | |
| 12689 | <i>Alopecurus carolinianus</i> <i>Alopecurus geniculatus</i> var. <i>caespitosus</i> | Carolina Foxtail ALOP CAR Carolina Meadow-foxtail Tufted Meadow-foxtail Vulpin de Caroline Water-foxtail | G5 | N3N4 | S3 | |
| 12687 | <i>Alopecurus magellanicus</i> <i>Alopecurus occidentalis</i> <i>Alopecurus alpinus</i> <i>Alopecurus borealis</i> | Alpine Foxtail Vulpin boréal Western Foxtail | G5 | N5 | S1 | |
| 12692 | <i>Andropogon gerardii</i> <i>Andropogon gerardi</i> | Big Bluestem ANDP GER Barbon de Gérard Turkeyfoot | G5 | N5 | S4 | |
| 12693 | <i>Andropogon hallii</i> <i>Andropogon hallii</i> var. <i>incanescens</i> <i>Andropogon gerardii</i> var. <i>incanescens</i> | Sand Bluestem Barbon de Hall | G4 | N2 | SNR | |
| 12695 | <i>Aristida purpurea</i> var. <i>longiseta</i> <i>Aristida purpurea</i> var. <i>robusta</i> <i>Aristida longiseta</i> <i>Aristida longiseta</i> var. <i>robusta</i> <i>Aristida longispica</i> | Long-awned Three-awn Grass ARIT PUR LON Purple Three-awn Red Three-awn Red Three-awn Grass | G5T5? | N4N5 | S1 | |
| 12700 | <i>Bouteloua curtipendula</i> var. <i>curtipendula</i> | Side-oats Grama BOUT CUR CUR | G5T5 | N3 | S3 | |
| 12715 | <i>Bouteloua dactyloides</i> <i>Seslaria dactyloides</i> <i>Buchloe dactyloides</i> | Buffalograss Buchloé faux-dactyle Buffalo Grass | G4G5 | N1 | S1 | Special Concern |
| 12710 | <i>Bromus pubescens</i> | Canada Brome BROM PUB Brome pubescent | G5 | N4 | S1 | |
| 12720 | <i>Calamagrostis lapponica</i> <i>Calamagrostis lapponica</i> var. <i>nearctica</i> | Lapland Reed-grass Calamagrostide de Laponie | G5 | N5 | S3 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|--------|--|---|---------|---------|---------|-----------------|
| 12724 | <i>Calamagrostis purpurascens</i> var. <i>purpurascens</i> <i>Calamagrostis purpurascens</i> ssp. <i>purpurascens</i> | Purple Reed Grass CALA PUR PUR | G5T5? | NNR | S3 | |
| 12725 | <i>Calamagrostis rubescens</i> <i>Calamagrostis fasciculata</i> | Pine Grass CALA RUB Calamagrostide rouge Pine Reed-grass | G5 | N5 | S2 | |
| 12732 | <i>Catabrosa aquatica</i> var. <i>aquatica</i> <i>Catabrosa aquatica</i> var. <i>uniflora</i> | Brook Grass | G5T4T5 | NNR | S3 | |
| 12735 | <i>Danthonia californica</i> <i>Danthonia californica</i> var. <i>americana</i> | California Oat Grass California Wild Oat-grass Danthonie de Californie | G5 | N5 | S3 | |
| 12738 | <i>Danthonia parryi</i> | Parry's Oat-grass DANT PAR Danthonie de Parry | G5 | N5 | S1 | |
| 12740 | <i>Danthonia unispicata</i> | Few-flowered Oat-grass DANT UNI Danthonie à épillet solitaire One-spike Wild Oat-grass One-spiked Oat-grass | G5 | N5 | S3 | |
| 12742 | <i>Deschampsia mackenzieana</i> <i>Deschampsia cespitosa</i> var. <i>mackenzieana</i> <i>Deschampsia caespitosa</i> var. <i>mackenzieana</i> | Mackenzie Hairgrass DESC MAC Deschampsie du bassin du Mackenzie | G2 | N2 | S2 | Special Concern |
| 466363 | <i>Dichanthelium lanuginosum</i> <i>Dichanthelium acuminatum</i> ssp. <i>fasciculatum</i> <i>Dichanthelium acuminatum</i> var. <i>implicatum</i> <i>Dichanthelium acuminatum</i> ssp. <i>implicatum</i> <i>Dichanthelium lanuginosum</i> var. <i>fasciculatum</i> <i>Panicum implicatum</i> <i>Panicum acuminatum</i> var. <i>fasciculatum</i> <i>Panicum acuminatum</i> var. <i>implicatum</i> <i>Panicum lanuginosum</i> var. <i>implicatum</i> <i>Panicum lanuginosum</i> var. <i>fasciculatum</i> <i>Panicum subvillosum</i> | Hairy Panic-grass Tapered Rosette-grass Woolly Panic-grass | GNR | N5 | S3 | |
| 12746 | <i>Dichanthelium leibergii</i> <i>Panicum leibergii</i> <i>Panicum leibergii</i> var. <i>baldwinii</i> | Leiberg's Witchgrass Leiberg's Panic-grass Millet Grass Panic de Leiberg Panic-grass Rosette-grass | G4 | N3N4 | S1 | |
| 28325 | <i>Dichanthelium perlongum</i> <i>Panicum perlongum</i> <i>Panicum linearifolium</i> <i>Dichanthelium linearifolium</i> | Long-stalked Panic-grass Panic allongé Rosette-grass | GNR | N2 | S1 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|-------|---|--|---------|---------|---------|----------|
| 12750 | <i>Dichanthelium wilcoxianum</i> <i>Dichanthelium oligosanthes</i> var. <i>wilcoxianum</i> <i>Panicum wilcoxianum</i> <i>Panicum wilcoxianum</i> var. <i>breitungii</i> <i>Dichanthelium oligosanthes</i> | Sand-millet PANI WIL Panic de Wilcox Rossette-grass Wilcox's Sand-millet Witch Grass | G5 | N2N3 | S2 | |
| 12748 | <i>Dichanthelium xanthophyllum</i> <i>Panicum xanthophyllum</i> <i>Panicum leibergii</i> var. <i>baldwinii</i> | Slender Dichanthelium PANI XAN Panic jaunâtre Slender Rosette Grass yellow-green Panic-grass | G5 | N4 | S1 | |
| 28302 | <i>Elymus canadensis</i> var. <i>brachystachys</i> | Short-spiked Canada Wild-rye | G5TNR | NNR | S1 | |
| 12756 | <i>Elymus canadensis</i> var. <i>wiegandii</i> <i>Elymus canadensis</i> ssp. <i>wiegandii</i> <i>Elymus wiegandii</i> | Wiegand's Wildrye Élyme de Wiegand | G4G5 | N4 | S3 | |
| 12761 | <i>Elymus curvatus</i> <i>Elymus virginicus</i> var. <i>submuticus</i> <i>Elymus virginicus</i> var. <i>jenkinsii</i> <i>Elymus submuticus</i> | Wild Rye ELYM CUR Élyme courbé | G4G5 | N4N5 | S3 | |
| 12766 | <i>Elymus diversiglumis</i> <i>Elymus interruptus</i> <i>Elymus canadensis</i> var. <i>interruptus</i> | Various-glumed Wild Rye Interrupted Wild Rye Texas Wildrye Élyme à glumes inégales | G3G4Q | N3 | S3 | |
| 28473 | <i>Elymus elymoides</i> ssp. <i>elymoides</i> <i>Sitanion hystrix</i> <i>Elymus sitanion</i> <i>Sitanion elymoides</i> <i>Elymus elymoides</i> var. <i>elymoides</i> | Common Squirrel-tail Squirreltail Western Bottle-brush Grass | G5T5 | N4 | S3 | |
| 12759 | <i>Elymus glaucus</i> ssp. <i>glaucus</i> <i>Elymus glaucus</i> var. <i>breviaristatus</i> | Blue Wild Rye Smooth Wild Rye | G5T5 | NNR | S3 | |
| 12768 | <i>Elymus lanceolatus</i> ssp. <i>psammophilus</i> <i>Agropyron dasystachyum</i> var. <i>psammophilum</i> <i>Agropyron dasystachyum</i> var. <i>psammophilus</i> <i>Agropyron psammophilus</i> <i>Agropyron dasystachyum</i> ssp. <i>psammophilus</i> <i>Agropyron psammophilum</i> <i>Elytrigia dasystachya</i> var. <i>psammophila</i> | Sand-dune Wheatgrass Northern Wheatgrass | G5TNR | N4 | S2 | |
| 12777 | <i>Eragrostis hypnoides</i> | Creeping Love Grass Smooth Creeping Love-grass Teal Love-grass Éragrostide hypnoïde | G5 | N4 | S1 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|-------|--|--|--------------|---------|---------|----------|
| 12782 | <i>Festuca brachyphylla</i> ssp. <i>brachyphylla</i> <i>Festuca ovina</i> var. <i>brachyphylla</i> <i>Festuca ovina</i> var. <i>brevifolia</i> <i>Festuca brevifolia</i> <i>Festuca brachyphylla</i> var. <i>brachyphylla</i> | Short-leaf Fescue Alpine Fescue FEST BRA BRA | G5T5 | N5 | S2 | |
| 12790 | <i>Festuca campestris</i> <i>Festuca altaica</i> var. <i>major</i> <i>Festuca scabrella</i> var. <i>major</i> | Prairie Fescue Fétuque scabre | G5 | N5 | S1 | |
| 12789 | <i>Festuca hallii</i> <i>Festuca altaica</i> var. <i>hallii</i> <i>Festuca scabrella</i> ssp. <i>hallii</i> <i>Festuca altaica</i> ssp. <i>hallii</i> | Plains Rough Fescue Fétuque de Hall Hall's Fescue | G5 | N5 | S3 | |
| 12783 | <i>Festuca idahoensis</i> <i>Festuca idahoensis</i> ssp. <i>idahoensis</i> <i>Festuca occidentalis</i> var. <i>ingrata</i> <i>Festuca ovina</i> var. <i>ingrata</i> <i>Festuca idahoensis</i> var. <i>idahoensis</i> | Idaho Fescue Bluebunch Fescue Fétuque d'Idaho | G5 | N5 | S2 | |
| 28337 | <i>Festuca prolifera</i> var. <i>lasiolepis</i> <i>Festuca rubra</i> ssp. <i>prolifera</i> <i>Festuca rubra</i> var. <i>prolifera</i> | Proliferous Red Fescue | G4G5T3 T4 | N3N4 | SH | |
| 28479 | <i>Glyceria canadensis</i> var. <i>canadensis</i> | Canada Manna-grass Rattlesnake Grass Rattlesnake Manna-grass | G5T5 | N5 | SH | |
| 12805 | <i>Hordeum brachyantherum</i> ssp. <i>brachyantherum</i> <i>Hordeum jubatum</i> ssp. <i>breviaristatum</i> <i>Hordeum jubatum</i> var. <i>boreale</i> | Meadow Wild Barley HORD BRA BRA | G5T5 | N5 | S1 | |
| 12811 | <i>Leersia oryzoides</i> | Rice Cut Grass LEER ORY Léersie faux-riz | G5 | N5 | S1 | |
| 27748 | <i>Leptochloa fusca</i> ssp. <i>fascicularis</i> <i>Diplachne fascicularis</i> <i>Leptochloa acuminata</i> <i>Leptochloa fascicularis</i> <i>Diplachne fusca</i> var. <i>fascicularis</i> <i>Leptochloa fusca</i> var. <i>fascicularis</i> <i>Diplachne acuminata</i> <i>Diplachne fusca</i> ssp. <i>fascicularis</i> <i>Diplachne fusca</i> ssp. <i>fasciculata</i> | Saltpond Grass | G5T5 | N1 | S1 | |
| 12918 | <i>Leymus cinereus</i> <i>Elymus piperi</i> <i>Elymus cinereus</i> | Giant Wild-rye ELYM PIP Élyme cendré | G5 | N5 | S2 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|-------|--|---|---------|---------|---------|----------|
| 12917 | <i>Leymus mollis</i> ssp. <i>mollis</i> <i>Elymus mollis</i> ssp. <i>mollis</i> <i>Leymus arenarius</i> ssp. <i>mollis</i> <i>Elymus arenarius</i> ssp. <i>mollis</i> <i>Elymus mollis</i> <i>Elymus arenarius</i> ssp. <i>villosissimus</i> <i>Leymus mollis</i> var. <i>mollis</i> <i>Elymus arenarius</i> var. <i>villosus</i> | Sea Lyme-grass Americ American Dune Grass ELYM MOL MOL | G5T5 | N5 | S2 | |
| 12819 | <i>Melica bulbosa</i> <i>Melica inflata</i> | Onion-grass Bulbous Melic-grass MELI BUL Mélique bulbeuse | G5 | N4 | S1 | |
| 12821 | <i>Milium effusum</i> var. <i>cisatlanticum</i> <i>Milium effusum</i> var. <i>cisatlanticum</i> <i>Milium effusum</i> ssp. <i>cisatlanticum</i> | Tall Millet-grass American Millet Grass MILI EFF CIS | G5T5 | N5 | S1 | |
| 12822 | <i>Muhlenbergia andina</i> | Foxtail Muhly MUHL AND Muhlenbergie des Andes | G4 | N3 | S1 | |
| 12826 | <i>Muhlenbergia mexicana</i> | Wood Muhly Muhlenbergie du Mexique | G5 | N5 | SH | |
| 12829 | <i>Munroa squarrosa</i> <i>Monroa squarrosa</i> | False Buffalo Grass MUNR SQU Munroa squarreux | G5 | N3 | S2 | |
| 12838 | <i>Panicum virgatum</i> | Switch Grass Panic raide | G5 | N4N5 | S2 | |
| 12842 | <i>Phleum alpinum</i> <i>Phleum commutatum</i> var. <i>americanum</i> <i>Phleum alpinum</i> var. <i>commutatum</i> <i>Phleum commutatum</i> | Mountain Timothy Fléole alpine | G5 | N5 | S1 | |
| 12832 | <i>Piptatherum canadense</i> <i>Oryzopsis canadensis</i> <i>Piptatheropsis canadensis</i> | Canada Mountain-ricegrass Canadian Rice-grass Oryzopsis du Canada | G4G5 | N4N5 | S3 | |
| 12847 | <i>Poa alpina</i> ssp. <i>alpina</i> <i>Poa alpina</i> var. <i>alpina</i> | Alpine Bluegrass POA* ALP ALP | G5T5 | N5 | S2 | |
| 12851 | <i>Poa arctica</i> ssp. <i>arctica</i> <i>Poa arctica</i> ssp. <i>longiculmis</i> <i>Poa arctica</i> ssp. <i>williamsii</i> <i>Poa longipila</i> <i>Poa arctica</i> var. <i>vivipara</i> <i>Poa arctica</i> var. <i>arctica</i> | Arctic Blue Grass | G5T5 | N5 | S2 | |
| 12857 | <i>Poa fendleriana</i> ssp. <i>fendleriana</i> <i>Poa albescens</i> <i>Poa stenantha</i> | Mutton Grass Mutton Bluegrass | G5T5 | N3 | S3 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|-------|--|--|---------|---------|---------|----------|
| 12925 | <i>Pseudoroegneria spicata</i> <i>Agropyron spicatum</i> <i>Agropyron spicatum var. inerme</i> <i>Elymus spicatus</i> <i>Elytrigia spicatus</i> | Bluebunch Wheatgrass Agropyre à épi | G5 | N5 | S2 | |
| 12874 | <i>Puccinellia distans ssp. hauptiana</i> <i>Puccinellia hauptiana</i> <i>Atropis hauptiana</i> <i>Phippsia hauptiana</i> | Haupt's Alkali-grass | G5T3T4 | NNR | S2 | |
| 12878 | <i>Schedonnardus paniculatus</i> <i>Muhlenbergia paniculata</i> | Tumble Grass Muhlenbergie paniculée Prairie Tumble-grass SCHE PAN | G5 | N3 | S3 | |
| 12885 | <i>Sorghastrum nutans</i> | Wood Grass Faux-Sorgho penché SORG NUT | G5 | N4 | S1 | |
| 27839 | <i>Sporobolus compositus</i> | Tall Dropseed SPOR COM Sporobole rude | G5 | N4 | SH | |
| 12891 | <i>Sporobolus heterolepis</i> | Northern Dropseed Prairie Dropseed SPOR HET Sporobole à glumes inégales | G5 | N3N5 | S3 | |
| 12892 | <i>Sporobolus neglectus</i> | Small Dropseed Annual Dropseed Poverty Grass Puffsheath Dropseed SPOR NEG Sporobole négligé | G5 | N4 | S2 | |
| 12902 | <i>Torreyochloa pallida var. fernaldii</i> <i>Glyceria fernaldii</i> <i>Puccinellia fernaldii</i> <i>Torreyochloa fernaldii</i> <i>Glyceria pallida var. fernaldii</i> | Pale Manna Grass TORR PAL FER | G5T5Q | N5 | S3 | |
| 12903 | <i>Trisetum spicatum</i> <i>Trisetum spicatum var. molle</i> <i>Trisetum spicatum ssp. molle</i> <i>Trisetum spicatum spp. majus</i> <i>Koeleria spicata</i> | Spike Trisetum Narrow False Oats Trisète à épi | G5 | N5 | S3 | |
| 12904 | <i>Trisetum wolfii</i> <i>Graphephorum wolfii</i> | Beardless Oats Awnless trisetum Trisète de Wolf Wolf's Trisetum | G4 | N3 | S1 | |
| 12908 | <i>Vulpia octoflora</i> <i>Festuca octoflora</i> | Six-weeks Fescue VULP OCT Vulpie octoflore | G5 | N5 | S3 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|--|---|--|---------|---------|---------|-------------|
| Polemoniaceae - Phlox family | | | | | | |
| 11883 | <i>Linanthus septentrionalis</i> <i>Leptosiphon septentrionalis</i> <i>Gila septentrionalis</i> | Northern Desert-gold LINA SEP Linanthe du Nord Northern Desert-trumpets Northern Linanthus Northern Perennial Gily-flower | G5 | N4 | S2 | |
| 27455 | <i>Navarretia saximontana</i> <i>Navarretia leucocephala</i> ssp. <i>minima</i> <i>Navarretia minima</i> | Rocky Mountain Pincushion-Plant Lesser Navarretia Pincushion Plant | G4? | NNR | S3 | |
| 26896 | <i>Phlox alyssifolia</i> ssp. <i>alyssifolia</i> <i>Phlox alyssifolia</i> | Blue Wild Phlox Blue Phlox PHLO ALY ALY | G5TNR | NNR | S3 | Not at Risk |
| Polygalaceae - Milkwort family | | | | | | |
| 11830 | <i>Polygala alba</i> <i>Polygala alba</i> var. <i>suspecta</i> | White Milkwort POLG ALB Polygale blanc | G5 | N3 | S3 | |
| 11831 | <i>Polygala paucifolia</i> <i>Polygaloides paucifolia</i> | Pink Fringed Milkwort Bird-on-the-wing Gray-wings Polygale paucifolié | G5 | N5 | S3 | |
| 11833 | <i>Polygala verticillata</i> <i>Polygala verticillata</i> var. <i>isocycla</i> <i>Polygala verticillata</i> var. <i>sphenostachya</i> | Whorled Milkwort Polygale verticillé | G5 | N3? | S2 | |
| Polygonaceae - Buckwheat family | | | | | | |
| 11865 | <i>Bistorta vivipara</i> <i>Polygonum viviparum</i> <i>Persicaria vivipara</i> <i>Polygonum fugax</i> | Alpine Bistort PLYO VIV Renouée vivipare | G5 | N5 | S3 | |
| 11835 | <i>Eriogonum cernuum</i> | Nodding Umbrella-plant Wild Buckwheat Ériogone penché | G5 | N3 | S2 | |
| 11840 | <i>Eriogonum pauciflorum</i> var. <i>pauciflorum</i> <i>Eriogonum multiceps</i> | Few-flowered Wild Buckwheat Branched Eriogonum EROG PAU PAU | G5T5 | N3 | S3 | |
| 28498 | <i>Fallopia scandens</i> <i>Polygonum scandens</i> <i>Polygonum scandens</i> var. <i>scandens</i> | Climbing False-buckwheat Renouée grimpante | G5 | N4N5 | S3 | |
| 11858 | <i>Persicaria punctata</i> <i>Polygonum punctatum</i> var. <i>confertiflorum</i> <i>Polygonum punctatum</i> var. <i>leptostachyum</i> <i>Polygonum punctatum</i> | Dotted Smartweed Renouée ponctuée | G5 | N5 | S2 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|---|---|---|--------------|---------|---------|----------|
| 11857 | <i>Polygonum polygaloides</i> ssp. <i>confertiflorum</i> | Dense-flowered Knotweed | G4G5T3 T4 | N3 | S3 | |
| | <i>Polygonum confertiflorum</i> | PLYO PLG CON | | | | |
| | <i>Polygonum watsonii</i> | Small Knotweed | | | | |
| | <i>Polygonum kelloggii</i> var. <i>confertiflorum</i> | Watson's Knotweed | | | | |
| 415345 | <i>Polygonum sawatchense</i> ssp. <i>sawatchense</i> | Sawatch Knotweed | GNRTN R | NU | S1 | |
| | <i>Polygonum douglasii</i> ssp. <i>johnstonii</i> | | | | | |
| Polypodiaceae - Polypody family | | | | | | |
| 13049 | <i>Polypodium virginianum</i> | Common Polypody | G5 | N5 | S3 | |
| | <i>Polypodium vulgare</i> | Common Rock Polypody | | | | |
| | <i>Polypodium vulgare</i> var. <i>virginianum</i> | PLYP VIR Polypode de Virginie Rock Polypody | | | | |
| Potamogetonaceae - Pondweed family | | | | | | |
| 12928 | <i>Potamogeton amplifolius</i> | Large-leaved Pondweed | G5 | N5 | SH | |
| | | POTA AMP Potamot à grandes feuilles | | | | |
| 12930 | <i>Potamogeton epihydrus</i> | Ribbon-leaf Pondweed | G5 | N5 | S2 | |
| | <i>Potamogeton epihydrus</i> var. <i>ramosus</i> | POTA EPI | | | | |
| | <i>Potamogeton epihydrus</i> ssp. <i>nuttallii</i> | Potamot émergé | | | | |
| 27795 | <i>Potamogeton nodosus</i> | Longleaf Pondweed | G5 | N5 | S1 | |
| | | Potamot nouveaux | | | | |
| 12941 | <i>Potamogeton obtusifolius</i> | Blunt-leaved Pondweed | G5 | N5 | S3 | |
| | | POTA OBT Potamot à feuilles obtuses | | | | |
| 12948 | <i>Potamogeton robbinsii</i> | Flatleaf | G5 | N5 | S3 | |
| | | Flat-leaved Pondweed POTA ROB Potamot de Robbins Robbin's Pondweed | | | | |
| 12949 | <i>Potamogeton strictifolius</i> | Upright Narrow-leaved Pondweed | G5 | N5 | S3 | |
| | <i>Potamogeton strictifolius</i> var. <i>rutiloides</i> | POTA STR | | | | |
| | <i>Potamogeton pusillus</i> var. <i>rutiloides</i> | Potamot à feuilles raides | | | | |
| | <i>Potamogeton pusillus</i> var. <i>pseudorutilus</i> | | | | | |
| Primulaceae - Primrose family | | | | | | |
| 11903 | <i>Anagallis minima</i> | Chaffweed | G5 | N4 | S3 | |
| | <i>Lysimachia minima</i> | CETU MIN | | | | |
| | <i>Centunculus minimus</i> | False Pimpernel | | | | |
| | <i>Anagallis minimus</i> | Mouron nain | | | | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|---|---|--|--------------|---------|---------|----------|
| 11910 | <i>Dodecatheon conjugens</i> var. <i>viscidum</i> <i>Dodecatheon conjugens</i> var. <i>beamishii</i> <i>Dodecatheon cylindrocarpum</i> <i>Primula conjugens</i> var. <i>viscida</i> <i>Dodecatheon conjugens</i> ssp. <i>viscidum</i> | Bonneville Shootingstar Cylindric Fruited Shooting Star Mountain Shooting Star | G5T5 | N5 | S3 | |
| 11918 | <i>Primula mistassinica</i> <i>Primula mistassinica</i> var. <i>intercedens</i> | Bird's-eye Primrose PRIM MIS Primevère du lac Mistassini | G5 | N5 | S3 | |
| 27817 | <i>Samolus parviflorus</i> <i>Samolus floribundus</i> <i>Samolus valerandi</i> ssp. <i>parviflorus</i> | Water Pimpernel Samole à petites fleurs | G5 | N4 | SH | |
| 11922 | <i>Trientalis europaea</i> <i>Lysimachia europaea</i> <i>Trientalis arctica</i> <i>Trientalis europaea</i> ssp. <i>arctica</i> | Arctic Starwort Trientale d'Europe | G5 | N4N5 | S2 | |
| Pteridaceae - Maidenhair-fern family | | | | | | |
| 12976 | <i>Pellaea gastonyi</i> <i>Pellaea atropurpurea</i> <i>Pellaea canadensis</i> | Gastony's Cliffbrake PELL ATR Pelléade de Gastony | G3 | N3N4 | S2 | |
| 12975 | <i>Pellaea glabella</i> ssp. <i>occidentalis</i> <i>Pellaea glabella</i> var. <i>occidentalis</i> <i>Pellaea glabella</i> var. <i>nana</i> <i>Pellaea glabella</i> ssp. <i>simplex</i> <i>Pellaea occidentalis</i> | Western Smooth Cliff-brake PELL GLA OCC | G5T4 | N3 | S1 | |
| Ranunculaceae - Buttercup family | | | | | | |
| 11944 | <i>Anemone parviflora</i> | Small-flowered Anemone Anémone à petites fleurs | G5 | N5 | S1 | |
| 415400 | <i>Anemone quinquefolia</i> var. <i>quinquefolia</i> <i>Anemone quinquefolia</i> var. <i>bifolia</i> <i>Anemone quinquefolia</i> var. <i>interior</i> <i>Anemone nemorosa</i> var. <i>bifolia</i> <i>Anemone quinquefolia</i> | Wood Anemone American Wood Anemone | G5T5 | N5 | S2 | |
| 11947 | <i>Anemone richardsonii</i> <i>Anemonastrum richardsonii</i> | Yellow Anemone Anémone de Richardson Richardson's Anemone | G5 | N5 | S2 | |
| 11959 | <i>Clematis occidentalis</i> var. <i>grosseserrata</i> <i>Clematis occidentalis</i> ssp. <i>grosseserrata</i> <i>Clematis columbiana</i> <i>Clematis verticillaris</i> var. <i>columbia</i> | Clematis CLEM VER GRO Purple Virgin's-bower Western Purple Virgin's-bower | G5T5 | N5 | S2 | |
| 11964 | <i>Delphinium bicolor</i> ssp. <i>bicolor</i> | Flat-head Larkspur DELP BIC BIC Little Larkspur Low Larkspur | G4G5T4 T5 | N3N4 | S3 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|-------------------------------|---|---|---------|---------|---------|----------|
| 11966 | <i>Delphinium glaucum</i> | Tall Larkspur | G5 | N5 | S2 | |
| | <i>Delphinium brownii</i> | Pale Larkspur | | | | |
| | <i>Delphinium scopulorum</i> | Pied-d'alouette glauque Tower Larkspur | | | | |
| 11967 | <i>Myosurus apetalus</i> var. <i>borealis</i> | Awned Mousetail | G5T3T5 | N4 | S2 | |
| | <i>Myosurus aristatus</i> | Mountain Mousetail | | | | |
| | <i>Myosurus minimus</i> var. <i>aristatus</i> | Northern Awned Mousetail | | | | |
| 11969 | <i>Myosurus apetalus</i> var. <i>montanus</i> | Bristly Mousetail | G5T3T5 | NNR | S2 | |
| | <i>Myosurus aristatus</i> | | | | | |
| | <i>Myosurus minimus</i> var. <i>aristatus</i> | | | | | |
| | <i>Myosurus minimus</i> ssp. <i>montanus</i> | | | | | |
| | <i>Myosurus apetalus</i> ssp. <i>montanus</i> | | | | | |
| 11968 | <i>Myosurus minimus</i> | Least Mousetail | G5 | N4N5 | S3 | |
| | <i>Myosurus minimus</i> var. <i>interior</i> | MYOU MIN | | | | |
| | <i>Myosurus minimus</i> var. <i>lepturus</i> | Ratoncule naine | | | | |
| 11975 | <i>Ranunculus cardiophyllus</i> | Heart-leaved Buttercup | G5 | N4 | S3 | |
| | <i>Ranunculus petatifidus</i> var. <i>cardiophyllus</i> | RANU CAR | | | | |
| | <i>Ranunculus affinis</i> var. <i>cardiophyllus</i> | Renoncule à feuilles cordées | | | | |
| 11984 | <i>Ranunculus hyperboreus</i> | Northern Buttercup | G5 | N5 | S2 | |
| | <i>Ranunculus hyperboreus</i> var. <i>intertextus</i> | Renoncule hyperboréale | | | | |
| 11987 | <i>Ranunculus inamoenus</i> var. <i>inamoenus</i> | Graceful Buttercup | G5T5 | N3N4 | S1 | |
| | <i>Ranunculus inamoenus</i> var. <i>elatior</i> | RANU INA INA | | | | |
| 11992 | <i>Ranunculus pedatifidus</i> var. <i>affinis</i> | Northern Buttercup | G5T5 | N4N5 | S3 | |
| | <i>Ranunculus pedatifidus</i> var. <i>leiocarpus</i> | Renoncule arctique | | | | |
| | <i>Ranunculus affinis</i> | | | | | |
| | <i>Ranunculus affinis</i> var. <i>leiocarpa</i> | | | | | |
| | <i>Ranunculus apetalus</i> | | | | | |
| | <i>Ranunculus arcticus</i> | | | | | |
| | <i>Ranunculus pedatifidus</i> ssp. <i>affinis</i> | | | | | |
| 12002 | <i>Thalictrum occidentale</i> | Western Meadow-rue Pigamon de l'Ouest | G5 | N5 | S2 | |
| Rosaceae - Rose family | | | | | | |
| 27643 | <i>Amelanchier humilis</i> | Running Serviceberry | G5 | N5 | S2 | |
| | <i>Amelanchier mucronata</i> | Amélanchier bas | | | | |
| 402906 | <i>Amelanchier sanguinea</i> | Round-leaved Serviceberry | G5 | N5 | S1 | |
| | <i>Amelanchier sanguinea</i> var. <i>grandiflora</i> | Amélanchier sanguin Red-twigged Shadbush | | | | |
| 27543 | <i>Crataegus castlegarensis</i> | Castlegar hawthorn Aubépine de Castlegar | G5 | N4 | SNR | |
| 12018 | <i>Crataegus douglasii</i> | Black-fruited Hawthorn | G5 | NNR | S2 | |
| 12021 | <i>Dryas drummondii</i> | Yellow Mountain-avens Dryade de Drummond | G5 | N5 | SH | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|--------|---|---------------------------------|-------------|---------|---------|----------|
| 402806 | <i>Potentilla anserina</i> ssp. <i>yukonensis</i> | Yukon Silverweed | G5TNR | NNR | S2 | |
| 402889 | <i>Potentilla arenosa</i> ssp. <i>arenosa</i> | Bluff Cinquefoil | G4G5TN R | NNR | S1 | |
| | <i>Potentilla nivea</i> ssp. <i>hookeriana</i> | | | | | |
| | <i>Potentilla hookeriana</i> | | | | | |
| | <i>Potentilla nivea</i> | | | | | |
| 12050 | <i>Potentilla arenosa</i> ssp. <i>chamissonis</i> | Creeping Cinquefoil | G4G5T4 | N5 | SH | |
| | <i>Potentilla chamissonis</i> | Chamisso's Cinquefoil | | | | |
| | <i>Potentilla nivea</i> ssp. <i>chamissonis</i> | | | | | |
| | <i>Potentilla hookeriana</i> ssp. <i>chamissonis</i> | | | | | |
| | <i>Potentilla prostrata</i> ssp. <i>chamissonis</i> | | | | | |
| 12052 | <i>Potentilla bimundorum</i> | Cut-leaved Cinquefoil | G5 | N5 | S2 | |
| | <i>Potentilla multifida</i> | Potentille des deux mondes | | | | |
| | <i>Potentilla multifida</i> ssp. <i>bimundorum</i> | | | | | |
| 12041 | <i>Potentilla concinna</i> var. <i>concinna</i> | Early Cinquefoil | G5T4G5 | NNR | S2 | |
| 12071 | <i>Potentilla effusa</i> var. <i>effusa</i> | Branched Cinquefoil | G5?T5? | N3 | S3 | |
| | <i>Potentilla hippiana</i> var. <i>filicaulis</i> | | | | | |
| | <i>Potentilla hippiana</i> var. <i>effusa</i> | | | | | |
| | <i>Potentilla hippiana</i> ssp. <i>effusa</i> | | | | | |
| | <i>Potentilla effusa</i> | | | | | |
| 402809 | <i>Potentilla glaucophylla</i> var. <i>glaucophylla</i> | Blue-leaved Cinquefoil | G5T5 | N5 | S1 | |
| | <i>Potentilla diversifolia</i> var. <i>ranunculus</i> | | | | | |
| | <i>Potentilla diversifolia</i> ssp. <i>glaucophylla</i> | | | | | |
| 415425 | <i>Potentilla hudsonii</i> | Hudson's Cinquefoil | GNR | NNR | S2 | |
| 402814 | <i>Potentilla lasiodonta</i> | Sandhills Cinquefoil | G3 | N3 | S2 | |
| | <i>Potentilla finitima</i> | Potentille à feuilles de tanaïs | | | | |
| 402888 | <i>Potentilla nivea</i> | Snow Cinquefoil | G5 | N5 | SU | |
| | <i>Potentilla arenosa</i> | Potentille des neiges | | | | |
| | <i>Potentilla nivea</i> var. <i>nivea</i> | | | | | |
| 402892 | <i>Potentilla rubricaulis</i> | Red-stemmed Cinquefoil | G4G5 | N4 | S3 | |
| | <i>Potentilla nivea</i> var. <i>pentaphylla</i> | Five-fingered Cinquefoil | | | | |
| | <i>Potentilla nivea</i> ssp. <i>subquinata</i> | Potentille à tiges rouges | | | | |
| | <i>Potentilla quinquefolia</i> | | | | | |
| | <i>Potentilla hookeriana</i> | | | | | |
| 12062 | <i>Potentilla supina</i> ssp. <i>paradoxa</i> | Bushy Cinquefoil | G5T5 | N4 | S3 | |
| | <i>Potentilla nicolletii</i> | Strange Cinquefoil | | | | |
| | <i>Potentilla paradoxa</i> | | | | | |
| | <i>Potentilla supina</i> var. <i>paradoxa</i> | | | | | |
| 12076 | <i>Prunus americana</i> | American Plum | G5 | N4 | S2 | |
| | | PRUN AME | | | | |
| | | Prunier d'Amérique | | | | |
| 12080 | <i>Prunus pumila</i> var. <i>besseyi</i> | Sand Cherry | G5T3T5 | N4 | S2 | |
| | <i>Prunus pumila</i> ssp. <i>besseyi</i> | Bessey Cherry | | | | |
| | <i>Prunus besseyi</i> | Dwarf Cherry | | | | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|-----------------------------------|--|--|---------|---------|---------|----------|
| 12090 | <i>Rosa blanda</i> <i>Rosa blanda</i> var. <i>blanda</i> <i>Rosa subblanda</i> | Smooth Wild Rose ROSA BLA BLA Rosier inerme | G5 | N5 | S1 | |
| 12093 | <i>Rosa x dulcissima</i> | Hybrid Rose | GNA | NNA | S1 | |
| 27618 | <i>Rubus parviflorus</i> <i>Rubus nutkanus</i> | Thimbleberry Ronce à petites fleurs | G5 | N5 | S1 | |
| 402913 | <i>Sorbus scopulina</i> | Western Mountain-ash Sorbier de Greene | G5 | N5 | S3 | |
| 12111 | <i>Spiraea lucida</i> <i>Spiraea betulifolia</i> ssp. <i>lucida</i> <i>Spiraea betulifolia</i> var. <i>lucida</i> | Shining-leaved Meadow-sweet Birchleaf Meadowseet Birchleaf Spiraea Shiny-leaved Meadowseet Shiny-leaved Spiraea Spirée à feuilles de bouleau White Meadosweet White Spiraea Wild Spiraea | G5T5 | N5 | S2 | |
| Ruppiaceae | | | | | | |
| 12952 | <i>Ruppia cirrhosa</i> <i>Ruppia maritima</i> var. <i>spiralis</i> <i>Ruppia maritima</i> var. <i>occidentalis</i> <i>Ruppia spiralis</i> <i>Ruppia occidentalis</i> | Widgeon-grass RUPP OCC Ruppie spiralee Spiral Ditch-grass Western Ditch-grass Western Widgeon-grass | G5 | N4 | S3 | |
| 12953 | <i>Ruppia maritima</i> <i>Ruppia maritima</i> var. <i>rostrata</i> <i>Ruppia maritima</i> var. <i>occidentalis</i> <i>Ruppia cirrhosa</i> <i>Ruppia occidentalis</i> | Beaked Ditch-grass Ruppie maritime Western Ditch-grass Western Widgeon-grass Widgeon-grass | G5 | N5 | S3 | |
| Salicaceae - Willow family | | | | | | |
| 12124 | <i>Populus angustifolia</i> <i>Populus balsamifera</i> var. <i>angustifolia</i> | Narrowleaf Cottonwood Cottonwood Narrow Leaved Poplar POPO ANG Peuplier à feuilles étroites | G5 | N3 | S2 | |
| 12131 | <i>Populus x brayshawii</i> <i>Populus angustifolia</i> X <i>Populus balsamifera</i> | Hybrid Cottonwood Hybrid Balsam Poplar Hybrid Poplar | GNA | NNA | SH | |
| 12137 | <i>Salix arctophila</i> <i>Salix arctophila</i> var. <i>leiocarpa</i> | Northern Willow Arctic Willow Saule arctophile Trailing Willow | G5 | N5 | S2 | |
| 28278 | <i>Salix boothii</i> | Booth's Willow Saule de Booth | G5 | N4 | S1 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|-------|--|---|---------|---------|---------|-----------------|
| 12140 | <i>Salix brachycarpa</i> var. <i>psammophila</i> | Sand-dune Small-fruit Willow Sand-dune Short-capsuled Willow | G5T3 | N3 | S3 | Special Concern |
| 28281 | <i>Salix commutata</i> | Under-green Willow Saule variable | G5 | N5 | S1 | |
| 26872 | <i>Salix glauca</i> var. <i>villosa</i> <i>Salix glauca</i> ssp. <i>glabrescens</i> <i>Salix glauca</i> ssp. <i>glauca</i> var. <i>villosa</i> | Gray-leaf Willow Smooth Willow | G5T5 | N5 | S2 | |
| 12152 | <i>Salix lasiandra</i> var. <i>caudata</i> <i>Salix lucida</i> ssp. <i>caudata</i> <i>Salix caudata</i> | Tail-leaf Shining Willow | G5T5 | N5 | SH | |
| 12154 | <i>Salix lucida</i> <i>Salix lucida</i> ssp. <i>lucida</i> | Shining Willow Saule brillant | G5T5 | N5 | S3 | |
| 12169 | <i>Salix planifolia</i> ssp. <i>tyrrellii</i> <i>Salix tyrrellii</i> <i>Salix tyrrellii</i> | Tyrrell's Willow Saule de Tyrrell | G5T4 | N4 | S2 | Not at Risk |
| 12173 | <i>Salix reticulata</i> | Net-leaf Willow Saule réticulé Snow Willow | G5 | N5 | S2 | |
| 12176 | <i>Salix silicicola</i> <i>Salix alaxensis</i> var. <i>silicicola</i> | Blanket-leaf Willow Blanket-leaved Willow Felt-leaf Willow Sand Felt-leaf Willow Saule silicicole | G3 | N3 | S3 | Special Concern |
| 12177 | <i>Salix turnorii</i> <i>Salix lutea</i> var. <i>turnori</i> <i>Salix mackenzieana</i> | Turnor's Willow Saule de Turnor | G2 | N2 | S2 | Special Concern |
| 12178 | <i>Salix</i> x <i>brachypurpurea</i> <i>S. brachycarpa</i> var. <i>psammophila</i> X <i>S. turnorii</i> | Hybrid Willow | GNA | NH | SH | |

Santalaceae - Sandalwood family

| | | | | | | |
|-------|------------------------------|--|----|----|----|--|
| 12313 | <i>Arceuthobium pusillum</i> | Dwarf Mistletoe ARCE PUS Faux-gui nain | G5 | N5 | S1 | |
|-------|------------------------------|--|----|----|----|--|

Saxifragaceae - Saxifrage family

| | | | | | | |
|--------|--|--|----|----|----|--|
| 12185 | <i>Chrysosplenium iowense</i> <i>Chrysosplenium alternifolium</i> ssp. <i>iowense</i> <i>Chrysosplenium alternifolium</i> var. <i>iowense</i> <i>Chrysosplenium alternifolium</i> var. <i>sibiricum</i> | Iowa Golden Saxifrage CHRS IOW Dorine d'Iowa | G4 | N4 | S1 | |
| 402937 | <i>Heuchera parvifolia</i> <i>Heuchera flabellifolia</i> <i>Heuchera flabellifolia</i> var. <i>flabellifolia</i> | Small-leaved Alumroot Heuchère à petites feuilles Little-leaved Alumroot | G5 | N3 | S1 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|---|--|---|---------|---------|---------|----------|
| 12192 | <i>Lithophragma glabrum</i> <i>Lithophragma glabrum</i> var. <i>bulbiferum</i> <i>Lithophragma glabrum</i> var. <i>ramulosum</i> <i>Lithophragma bulbiferum</i> | Prairie Star Bulbous Star-flower Bulbous Woodland-star LITH GLA Lithophragme glabre Rock-star Star-flower | G5 | N5 | S2 | |
| 12201 | <i>Micranthes occidentalis</i> <i>Saxifraga saximontana</i> <i>Saxifraga rhomboidea</i> <i>Saxifraga occidentalis</i> | Western Saxifrage Rhomboid-leaved Saxifrage SAXI OCC Saxifrage de l'Ouest | G5 | N5 | S1 | |
| 12202 | <i>Micranthes pensylvanica</i> <i>Saxifraga pensylvanica</i> | Swamp Saxifrage SAXI PEN Saxifrage de Pennsylvanie | G5 | N1 | S1 | |
| Scrophulariaceae - Figwort family | | | | | | |
| 12247 | <i>Scrophularia lanceolata</i> | Lance-leaf Figwort Hare Figwort Scrofulaire lancéolée | G5 | N4 | SH | |
| Selaginellaceae - Spike-moss family | | | | | | |
| 13053 | <i>Selaginella selaginoides</i> | Low Spike-moss Northern Selaginella Northern Spike-moss Prickly Selaginella Prickly Spike-moss SELA SEL Sélaginelle fausse-sélagine | G5 | N5 | S2 | |
| Solanaceae - Potato family | | | | | | |
| 12264 | <i>Leucophysalis grandiflora</i> <i>Physalis grandiflora</i> <i>Chamaesaracha grandiflora</i> | Large White-flowered Ground-cherry CHMS GRA Coqueret à grandes fleurs | G4? | N3N4 | S3 | |
| Thelypteridaceae - Marsh-fern family | | | | | | |
| 13054 | <i>Phegopteris connectilis</i> <i>Thelypteris palustris</i> <i>Phegopteris polypodioides</i> <i>Dryopteris phegopteris</i> <i>Thelypteris phegopteris</i> <i>Polypodium connectile</i> <i>Polypodium phegopteris</i> | Long Beech-fern Narrow Beech-fern Northern Beech-fern Phégoptère du hêtre THLP PHE | G5 | N5 | S3 | |
| 13056 | <i>Thelypteris palustris</i> var. <i>pubescens</i> <i>Thelypteris thelypteroides</i> <i>Dryopteris thelypteris</i> var. <i>pubescens</i> | Marsh Fern THLP PAL PUB | G5T5 | N5 | S1 | |

Tofieldiaceae

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|-------------------------------------|---|--|---------|---------|---------|----------|
| 12629 | <i>Tofieldia pusilla</i> | Small False-asphodel TOFI PUS Tofieldie naine | G5 | N5 | S1 | |
| Typhaceae | | | | | | |
| 23930 | <i>Sparganium glomeratum</i> | Clustered Bur-reed Rubanier aggloméré SPAR GLO | G4? | N1N3 | S1 | |
| 12965 | <i>Sparganium hyperboreum</i> | Northern Bur-reed Rubanier hyperboréal SPAR HYP | G5 | N5 | S1 | |
| Urticaceae - Nettle family | | | | | | |
| 12273 | <i>Laportea canadensis</i> | Canada Wood Nettle LAPO CAN Laportéa du Canada | G5 | N5 | S2 | |
| Verbenaceae - Verbena family | | | | | | |
| 12281 | <i>Verbena hastata</i> | Blue Vervain Verveine hastée | G5 | N5 | S2 | |
| 12283 | <i>Verbena urticifolia</i> | White Vervain Verveine à feuilles d'ortie | G5 | N5 | S1 | |
| Viburnaceae | | | | | | |
| 10790 | <i>Adoxa moschatellina</i> | Musk-root ADOX MOS Moscatelline Moschatel | G5 | N5? | S3 | |
| 11508 | <i>Sambucus racemosa</i> ssp. <i>pubens</i> <i>Sambucus racemosa</i> var. <i>racemosa</i> <i>Sambucus racemosa</i> var. <i>pubens</i> | Red Elderberry | G5T5 | N5 | S2 | |
| 11513 | <i>Viburnum lentago</i> | Nannyberry Sweet Viburnum VIBU LEN Viorne flexible | G5 | N5 | S3 | |
| Violaceae - Violet family | | | | | | |
| 12307 | <i>Viola blanda</i> <i>Viola blanda</i> var. <i>palustriformis</i> <i>Viola incognita</i> var. <i>forbesii</i> | Sweet White Violet Large-leaved Violet Violette agréable | G5 | N5 | S2 | |
| 403744 | <i>Viola labradorica</i> <i>Viola adunca</i> var. <i>minor</i> <i>Viola conspersa</i> | Northern Blue Violet Alpine Violet Violette du Labrador | G5 | N5 | S1 | |
| 12292 | <i>Viola macloskeyi</i> <i>Viola macloskeyi</i> ssp. <i>pallens</i> <i>Viola pallens</i> <i>Viola minuscula</i> | Smooth White Violet Violette pâle | G5 | N5 | S2 | |

Tracked Taxa List: Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank: | S-Rank: | COSEWIC: |
|--------------------------------|---|--|---------|---------|---------|----------|
| 12299 | <i>Viola pedatifida</i> <i>Viola pedatifida</i> var. <i>pedatifida</i> | Crowfoot Violet Larkspur Violet Purple Prairie Violet Violette pédatifide | G5 | N4 | S3 | |
| 12301 | <i>Viola pubescens</i> var. <i>scabriuscula</i> <i>Viola pubescens</i> var. <i>leiocarpon</i> <i>Viola pubescens</i> var. <i>eriocarpon</i> <i>Viola eriocarpon</i> <i>Viola eriocarpon</i> var. <i>leiocarpon</i> <i>Viola pensylvanica</i> <i>Viola eriocarpa</i> | Downy Yellow Violet | G5T5 | N5 | S2 | |
| 12303 | <i>Viola selkirkii</i> | Long-spurred Violet Selkirk's Violet Violette de Selkirk | G5 | N5 | S3 | |
| 12305 | <i>Viola sororia</i> <i>Viola septentrionalis</i> <i>Viola papilionacea</i> <i>Viola papilionacea</i> var. <i>priceana</i> <i>Viola priceana</i> <i>Viola cucullata</i> | Downy Blue Violet Hooded Blue Violet Violette parente | G5 | N5 | S1 | |
| Vitaceae - Grape family | | | | | | |
| 27785 | <i>Parthenocissus vitacea</i> <i>Parthenocissus inserta</i> | Woodbine PART VIT Vigne vierge commune | G5 | N5 | S1 | |
| Woodsiaceae | | | | | | |
| 12993 | <i>Woodsia alpina</i> | Alpine Cliff Fern Alpine Woodsia Northern Cliff Fern Northern Woodsia WOOD ALP Woodsie alpine | G4G5 | N4N5 | S1 | |
| 12994 | <i>Woodsia glabella</i> | Smooth Woodsia WOOD GLA Woodsie glabre | G5 | N5 | S3 | |
| 27857 | <i>Woodsia oregana</i> ssp. <i>cathcartiana</i> <i>Woodsia cathcartiana</i> <i>Woodsia oregana</i> var. <i>cathcartiana</i> | Oregon Woodsia | G5T5 | N4 | S3 | |
| 12997 | <i>Woodsia oregana</i> ssp. <i>oregana</i> <i>Woodsia oregana</i> var. <i>oregana</i> | Oregon Woodsia Cliff Fern | G5T4? | N5 | S2 | |
| 26736 | <i>Woodsia scopulina</i> ssp. <i>scopulina</i> | Rocky Mountain Woodsia | G5T5 | N5 | SH | |
| 12999 | <i>Woodsia x abbeae</i> <i>Woodsia confusa</i> <i>Woodsia oregana</i> var. <i>squammosa</i> | Hybrid (Sterile Triploid) | GNA | NNA | SH | |