

Wildflower Hot Spots of the Eastern Sierra





Welcome to the Eastern Sierra...

THE EASTERN SIERRA truly is a land of superlatives: the oldest living trees on the planet (bristlecone pines); the highest peak in the contiguous United States (Mt. Whitney); the youngest mountain range in North America (Mono Craters); one of the oldest lakes in North America (Mono Lake). All of these and more are within an easy day's drive of each other. The spectacular landscapes of this area draw a worldwide audience, and with good reason.

Geology field classes often visit the area for the relatively easy access to a wide variety of geologic formations and rock types. Volcanic craters, basalt flows, layers of ash and pumice, carbonate formations, and granite peaks, walls, and spires all can be seen here.

Elevations you will visit using this guide range from 3,300 feet (1,005 meters) at Fossil Falls to 10,200 feet (3,100 meters) at the Mosquito Flat trailhead in Rock Creek. Many of the peaks around you soar to more than 13,000 feet, and a side trip into Death Valley will plunge you down to below sea level at Badwater.

The elevation range combined with the diverse geologic environment results in a wide variety of vegetation communities. Three major biotic provinces—the Mojave Desert, Great Basin, and Sierra Nevada—all converge in this area. Dozens of plant communities and thousands of plant species occur here, many of them unique to the Eastern Sierra. This guide is an introduction to the botanical gems to be encountered here. Once you've visited the sites in this guide, perhaps you will be inspired to further explore this land of superlatives on your own.



Table of Contents

About this Guide	2–3
Fossil Falls	4–5
Alabama Hills	6–7
Mazourka Canyon	8–9
Division and Oak Creeks	10-11
White Mountains	12-13
Fish Slough	14-15
Rock Creek	The second secon
McGee Creek	18-19
Parker Bench	20-21
East Mono Basin	22–23
Tioga Pass	24–25
Bodie Hills	26–27
Plant List	28-43
Resources and Suggested Reading	44–45
THE RESERVE OF THE PARTY OF THE	THE RESERVE OF THE PERSON NAMED IN

About this Guide...

Wildflower Hot Spots of the Eastern Sierra highlights the unique ecology, geology, and unparalleled flora along 150 miles of the Eastern Sierra corridor. Twelve wildflower sites have been selected to represent the diversity of environments that are found throughout the Eastern Sierra. Each site features directions, a map, GPS coordinates, a description of the natural history of the area,

and photos. Topics you can learn about include plant rarity, disturbance processes, and the many ways people use plants. "Can You Find...?" proposes a fun challenge for you and your family. For a more in-depth look at the species found at each site, use the plant list featured in the back of this guide. Take the time to stop and smell the flowers in this extraordinary Eastern Sierra region!



Viewing Tips

Feast or Famine

It's all about the water. The amount as well as the pattern of precipitation and temperatures strongly affect the abundance and diversity of wildflowers, particularly at the drier and warmer low-elevation sites. In some years the area is carpeted with blooming wildflowers, while other years there are few to be found. If you visit in a dry year, you can entertain yourself with a closer look at the shrubs and trees. The variety of shapes, structures, and leaf types may surprise you with their own brand of beauty. If all else fails, enjoy the geology and views and pledge to return in a better flower year!

Choose Your Season

Wildflowers bloom in different sites at different times of the year, so your choice of viewing sites to visit will depend upon when your travels bring you to the area. There are blooms throughout the spring and summer, beginning as early as March at Fossil Falls and working your way north or higher in elevation up to Tioga Pass or Rock Creek, where flowers can be seen as late as September. Keep in mind that weather can influence how early or late things bloom in each area.

Use Field Guides

This guide can show you only a tiny fraction of the plant species that grow here. Using plant guides available for this area can help add to your discovery (see "Resources and Suggested Reading," p. 44). Guides are available in local bookstores and visitor centers.

Be Considerate

Take only photos, leave only footprints. Please refrain from



the urge to take flowers home or back to camp with you. Other visitors will want to enjoy them after you. Insects, birds, and other wildlife depend on vegetation, including flowers, for food and cover. Please take care not to disturb these creatures or their homes. Stay on roads and trails and pack out all your trash. Park in parking areas; where no designated parking area is available, choose parking sites carefully to minimize damage to vegetation.

Come Prepared

The weather can be unpredictable, even in summer. Bring multiple layers of clothing and be prepared for summer thundershowers. The sun is intense here, so be sure to use sunscreen, wear a hat, and drink plenty of water. You may find yourself a bit winded at the higher elevations; take it slow. Sturdy shoes are a good idea if you plan to do much exploring on foot. Handy tools of the trade to bring along may include a camera, binoculars, and a hand lens or other magnifier to investigate tiny flower features.











- 1. Leptosyne bigelovii, Bigelow coreopsis
- 2. Larrea tridentata, creosote bush
- 3. Ambrosia dumosa, burro-bush
- **4.** Amsinckia tessellata var. tessellata, **fiddleneck**
- 5. Langloisia setosissima, bristly langloisia







Fossil Falls

Details

Directions: Follow Highway 395 south from Lone Pine for 45.4 miles, turn left at Cinder Road, and follow signs to Fossil Falls, approximately 1 mile off the highway.

 $\textbf{Location:} \ GPS \ coordinates \ (UTM \ NAD83) \ for \ turnoff \ to$

Cinder Road off of Highway 395: **Easting:** 417054 **Northing:** 3981043

USGS Quad Map: Little Lake

Elevation: 3,310 feet (993 meters)

Habitat(s): Desert/Mojave scrub

Landscape: Rolling volcanic flows with prominent cinder cone

and water-sculpted canyon

Facilities: Campground, parking area, bathroom, kiosk

Description

Fossil Falls is a place where fire and water have formed a rugged and unique landscape. Periods of volcanism dating as far back as 440,000 years ago laid down the initial basalt matrix, which was subsequently covered by numerous flows emanating from the Coso mountain range to the east. The red cinder cone visible to the north is the result of the violent eruption of trapped gases and molten material. Cooling quickly when exposed to the air, the molten material formed a porous rock known as scoria, which built up around the original vent to form a cone-shaped hill.

During the Pleistocene, the Owens River flowed south out of Owens Lake into the Indian Wells Valley. Volcanic eruptions from the Coso Range changed the river's course at least three times. Fossil Falls was formed when the Owens River was dammed by an eruption and ran over the basalt flows, sculpting and polishing the black rock into a spectacular geologic feature. Follow the 0.4-mile walking trail from the kiosk to access the falls and see a landscape resplendent with botanical treasures of color, form, and species diversity along the way.

Flower Facts

The vegetation at Fossil Falls typifies the Mojave Desert. Two key plant species that let us know we are in this floristic zone are burro-bush (*Ambrosia dumosa*) and creosote bush (*Larrea tridentata*). Both shrubs are regularly spaced across the landscape due to their ability to secrete compounds that inhibit the root growth of neighboring plants. Walk farther past the falls trailhead and the plant diversity expands. Tucked in the basalt boulders are vibrant displays of apricot mallow (*Sphaeralcea ambigua*) and purple Mojave aster (*Xylorhiza tortifolia* var. *tortifolia*). Look down and see a splendid array of exquisite "belly flowers," such as the desert star (*Monoptilon belliodes*). It helps to lie on your belly to get a good look at these!

Plants and People

Most of the archaeological materials found in the Fossil Falls vicinity reflect a cultural adaptation to the desert environment. The rock-ring features in this area supported conical brush or tule structures that served as shelter for only a few weeks or months of the year. The need for mobility as various plant foods ripened at different localities made permanent structures impractical.



The surrounding desert also contained the raw materials necessary for hunter-gatherers. The black scar seen on the dome-shaped hill to the east is a mile-long seam of volcanic glass, or obsidian. Obsidian was used almost exclusively in the manufacturing of stone tools such as projectile points, knives, and scrapers. The large scatters of obsidian flakes seen in the Fossil Falls vicinity are the by-products of this stone-tool manufacturing.



Alabama Hills

Details

Directions: Take Highway 395 to Lone Pine. Turn west at the stoplight onto Whitney Portal Road. Drive 2.5 miles to Movie Road and turn right. Follow this well-maintained dirt road for 1.5 miles and park on your left to access the Arch Trail (a half-mile loop walk) or stay right to drive through the Alabama Hills (another eight miles north) to exit onto Highway 395.

Location: GPS coordinates (UTM NAD83) for turnoff to Movie Road: **Easting:** 400824 **Northing:** 4050607

USGS Quad Map: Lone Pine

Elevation: 4,610 feet (1,383 meters)

Habitat(s): Great Basin sagebrush steppe/Mojave scrub


Landscape: Dramatic rock outcrops interspersed by upland and riparian communities. Backdrop of Mt. Whitney and the Sierra range.

Facilities: Full facilities nearby in Lone Pine. Visitor Center south of Lone Pine with restrooms, exhibits, bookstore.

Description

The Alabama Hills is a landscape of breathtaking geologic contrasts. The glacially carved backdrop of the Sierra, which includes Mt. Whitney, is graced below by an expanse of rounded granitic outcrops replete with arches and caves. There are two main rock types exposed in the Alabama Hills: one is an orange, weathered, metamorphic volcanic that is 150–200 million years old, and the other is 90-million-year-old granite that has weathered into oddly shaped large boulders. Many of these boulders stand on end due to a type of spheroidal weathering that molds and cracks the numerous vertical rock joints.

The 30,000-acre Alabama Hills received its name from a Confederate warship. Prospectors sympathetic to the Confederate cause named their mining claims after the C.S.S. *Alabama*, and eventually the name stuck to these unique hills. The scenic rock formations have been the setting for many commercials and movies, including *Ironman* and *How the West Was Won*.




The well-drained granitic soils surrounding the pantheon-like rock outcrops support a mix of Great Basin and Mojave species. Mojave asters (*Xhylorhiza tortifolia* var. *tortifolia*) grace the southern entrance to the Alabama Hills, adding a lavender contrast to the subtle green of the common allscale (*Atriplex polycarpa*) and yellow mounds of bush sunflower (*Encelia actoni*). Tucked on ledges and on steeper slopes is the signature species for the Alabama Hills: the scarlet milk-vetch (*Astragalus coccineus*). A member of the pea family with a low-growing habit and large, bright-red flowers, it awakens the hills in early spring.

Flower Facts

Verdant passages of desert olive (Forestiera pubescens), yellow willow (Salix lutea), and common reed (Phragmites australis) are found throughout the Alabama Hills. Seeps and springs are also common and are home to rare plants such as the Inyo County star tulip (Calochortus excavatus) and Owens Valley checkerbloom (Sidalcea covillei). These oases are important for neotropical birds that pass through the Owens Valley, and they provide an important source of water, food, and shelter for a variety of desert denizens.

Plants and People


In some years, the Alabama Hills showcase powder-blue swaths of the wild hyacinth (*Dichelostemma capitatum* ssp. *capitatum*). This geophyte (a plant that has distinct bulbs or tubers) was one of the most coveted plant foods of Owens Valley Indians. Some of the starchy bulbs were steam-roasted, while others were dried for later use. There is also evidence of historic cultivation of this species. "Taboose" is the Paiute name for wild hyacinth.





- **1.** Malacothrix glabrata, desert dandelion
- **2.** Sphaeralcea ambigua, apricot mallow
- **3.** Astragalus coccineus, scarlet milk-vetch
- **4.** Phacelia distans, blue phacelia
- **5.** Stipa speciosa, desert needlegrass
- **6.** Syntrichopappus fremontii, Fremont gold





Evening snow (Linanthus dichotomus ssp. dichotomus): You'll have to rise early or stay until dusk to see this plant

You'll have to rise early or stay until dusk to see this plant in the phlox family (*Polemoniaceae*). The five creamy white petals of evening snow unfurl only at dusk and smell like spicy vanilla. During midday, look for tightly whorled petals, almost invisible atop a thin stem.



Mazourka Canyon

Details

Directions: From the south end of Independence, go east on Mazourka Canyon Road and follow it for 7.2 miles to the mouth of the canyon.

 $\textbf{Location:} \ GPS \ coordinates \ (UTM \ NAD 83) \ for$

entrance to Mazourka Canyon:

Easting: 400705 **Northing:** 4074238

USGS Quad Map: Bee Springs

Elevation: 4,409 feet (1,322 meters)

Habitat(s): Desert/Mojave scrub

Landscape: Canyons and desert washes

Facilities: Full facilities nearby in Independence









- **1.** Echinocactus polycephalus var. polycephalus, cottontop
- 2. Gilia cana, showy gilia
- **3.** Opuntia polyacantha var. erinacea, **Mojave** prickly pear
- **4.** Eriogonum inflatum, desert trumpet
- **5.** Eriogonum rixfordii, pagoda buckwheat
- **6.** Eriogonum nidularium, bird's-nest buckwheat
- **7.** Lycium cooperi, peach thorn









Description

The spectacular entrance to Mazourka Canyon reveals geologic processes dating back to the Mississippian and Devonian periods (323–417 million years ago), also known as the period of fish—look for fossils! The sculpted waves of metamorphic rock also indicate the immense seismic forces that shaped the Inyo mountain range. The Inyo Mountains, in contrast to the Sierra Nevada, are dominated by calcareous (high carbonate) soils, which enhance water-holding capacity and provide textural qualities that encourage the presence of such life forms as cryptobiotic soil crusts, a soil/vegetation matrix comprised of both lichen and algae species. Recent studies indicate that biotic soil crusts act as immense carbon sinks in otherwise carbon-poor desert ecosystems and play a critical role in keeping soils free from invasive non-native annual grasses.


The alluvial fans that grace the canyon entrance support a mix of plants with varied form and niche. Mounds of bush sunflower (Encelia actoni) and yellow Shockley goldenhead (Acamptopappus shockleyi) contrast with an understory replete with cream-colored brown-eyed primrose (Chylismia claviformis) and purple bursts of showy gilia (Gilia cana). As you travel up the canyon, notice the diversity of cactus species that grow here: cottontop (Echinocactus polycephalus var. polycephalus), hedgehog cactus (Echinocereus engelmannii), Mojave mound cactus (Echinocereus mojavensis), beavertail cactus (Opuntia basilaris var. basilaris), and Mojave prickly pear (Opuntia polyacantha var. erinacea).

Flower Facts

The wide variety of habitats and soil types that occur in Mazourka Canyon enables many plant species to reach their distributional limits in the Eastern Sierra. Examples include broad-leaved gilia (Aliciella latifolia ssp. latifolia) and desert five-spot (Eremalche rotundifolia)—both more common in Death Valley. A variety of plants in the buckwheat family (Polygonaceae) are also found here and come in a variety of interesting forms such as the oddly shaped pagoda buckwheat (Eriogonum rixfordii) and bird's-nest buckwheat (Eriogonum nidularium). One of the most distinct buckwheats is the desert trumpet (Eriogonum inflatum). The green stems account for 66–77 percent of the entire plant's photosynthetic surface area. Higher water-use efficiency in the stems of desert trumpet is attributed to both conservative water-use patterns and to their vertical orientation, allowing stems to remain photosynthetically active longer into the dry season.

Plants and People


One might not think that this dry desert canyon would offer much sustenance for hunter-gatherers, but tucked up on the rock ledges are vigorous stands of desert tomato (*Lycium andersonii*), which bear numerous edible red and juicy fruits. The diversity of cactus species also offered seeds and pulp for medicinal uses; even the inflated stems of the desert trumpet were used as pipes. Pinyon nuts collected from the one-leaved pinyon pine (*Pinus monophylla*) that grows on the higher benches and slopes of the Inyo Mountains offered one of the most nutritionally important food items.





near it, and the bright-white, four-petaled blooms let you know it's in

the mustard family.



Division and Oak Creeks

Details

Directions:

Division Creek: From southbound Highway 395 approximately 13 miles south of Big Pine, turn right on Aberdeen Road toward Goodale Creek campground. Turn left on Tinemaha Road at Aberdeen, then right on Division Creek Road (signed), heading west. From northbound Highway 395, turn left on Sawmill Creek/Black Rock Road approximately 8.5 miles north of Independence, then right on Tinemaha Road, then left on Division Creek Road. The road turns to dirt at the Division Creek Powerhouse, where the bush lupines begin.

Oak Creek: From Highway 395 approximately two miles north of Independence, take Mt. Whitney Fish Hatchery Road to the west. Past the Fish Hatchery, the site begins as the road splits into North and South Fork Oak Creek roads.

Location: GPS coordinates (UTM NAD83) for Division Creek Road/Tinemaha Road intersection, and for Mt. Whitney Fish Hatchery Road where it splits to the North and South Forks of Oak Creek.

Division/Tinemaha Easting: 388066 Northing: 4088334 USGS Quad Map: Aberdeen


Oak Creek Easting: 388894 Northing: 4076698 USGS Quad Map: Independence

Elevation: 4,000 to 6,000 feet (1,200 to 1,800 meters)

Habitat(s): Desert scrub, sagebrush-bitterbrush scrub, oak woodland, riparian

Landscape: Alluvial fans cut by riparian corridors flowing out of the Eastern Sierra escarpment. Recent fire and flood disturbances. Lava fields and cinder cones

Facilities: Sawmill Pass and Baxter Pass trailheads, restaurant and camping in Aberdeen



Description

Division Creek and Oak Creek are two of the many streams that flow from the high elevations of the Sierra Nevada down to the Owens River—a drop of up to 10,000 feet below the peaks. The sloping alluvial fans form at the mouths of canyons where the creeks have deposited tons of debris over thousands of years. At the foot of the escarpment is a fault zone where volcanic activity has formed cinder cones and lava flows. At Division Creek there is a large lava field on the north side of the road, and the Sawmill Pass trail traverses a cinder cone south of the road.


The streams here are unique in that they support species not typically found in the Eastern Sierra. The interior live oak (*Quercus wislizeni*) and California black oak (*Quercus kelloggii*), more commonly seen on the west side of the Sierra Nevada, and narrow-leaved cottonwood (*Populus angustifolia*), typically found











- **2.** Erigeron breweri, Brewer's fleabane
- 3. Quercus kelloggii, California black oak
- **4.** Lupinus magnificus, Kerr lupine
- **5.** Purshia tridentata, bitterbrush (post-fire resprout)



farther east in the Great Basin and Rocky Mountains, all occur here. Other trees growing along these streams include the canyon live oak (*Quercus chrysolepis*), willows (*Salix* spp.), and other cottonwoods (*Populus* spp.). Shrubs associated with the riparian corridors include California buckthorn, or coffeeberry (*Frangula californica*); wild rose (*Rosa woodsii*); and gooseberry (*Ribes* spp.).

Disturbance in the Desert


The Division Creek and Oak Creek areas are in different stages of recovery from fires. Division Creek burned in April 1999, the Goodale area just north of Division in 2006, and Oak Creek in July 2007. Oak Creek subsequently experienced a very heavy localized rain event in the summer of 2008. Soils laid bare by the recent fire became mobilized in the stream channels, causing Oak Creek and its tributary drainages to overflow, carrying masses of sediment down the slopes and across Highway 395.

Notice the difference in recovery between the flood and fire areas. Fires often leave behind living root-crowns to re-sprout the following spring, or seeds to germinate when conditions are favorable. Some species even require the heat of fire to aid in germination. In contrast, the flood debris buried many seeds and root crowns too deeply for them to survive. Without human intervention, recovery in this area will have to wait for seeds to move into the area via wind, water, or wildlife.

Flower Facts

The common large shrubby lupine at Division and Oak creeks is





Can You Find...?

Owens Valley penstemon (Penstemon patens): Look closely into the "throat" of the flowers on this plant; use a magnifier if you have one. Penstemons, also called beardtongues, have an infertile stamen, called a staminode, arising from within the throat of the corolla (the petals). The staminode of many penstemon species is covered with hairs, appearing as a hairy, or bearded, tongue—hence the common name for the genus.

Sand blossoms (Linanthus parryae): Seemingly perched on the surface of the ground, sand blossom flowers can completely obscure the short stem and tiny leaves of the plant. In a wet year they carpet the ground in places, providing amazing colorful displays against the desert soils. It's not unusual to find patches of sand blossoms with blue, lavender, and white flowers all mixed together.

the Inyo bush lupine, or grape-soda lupine (*Lupinus excubitus* var. *excubitus*). You'll understand the origin of this name as the fragrance of these beautiful plants fills the air during the May bloom.

Lupines can be recognized by their distinctive palmately compound leaves, shaped somewhat like a hand. The flowers, arranged along the tall stems, are often purple with a white or yellow patch that turns dark red or purple after the flowers have been pollinated. After fires on the alluvial fans, the grape-soda lupines are among the first shrubs to appear. They provide beautiful spring displays for many years as the sagebrush and bitterbrush are reestablishing.

White Mountains



Details

Directions: From the intersection of Highways 395 and 168, at the north end of Big Pine, travel east on Highway 168 for 13 miles. Turn left (north) onto White Mountain Road, where this site begins. It is 10 miles from this intersection to the Schulman Grove. This is a narrow, winding drive from the Owens Valley floor, so please be cautious and watch your speed. Don't overheat your brakes; use gears to help you descend.

Location: GPS ccordinates (UTM NAD83) for intersection of Westgard Pass Road and White Mountain Road: **Easting:** 397946 **Northing:** 4126805

USGS Quad Map: Westgard Pass

Elevation: 7,300 feet (2,200 meters) at Westgard Pass to 10,100 feet (3,050 meters) at Schulman Grove.

Habitat(s): Pinyon-juniper woodland, sagebrush scrub communities, bristlecone pine forest, limber pine forest

Landscape: Wide vistas east toward the Great Basin and Mojave Desert and west toward the Sierra Nevada; large expanses with diverse geology and topography.

Facilities: Pinyon Picnic Area; Grandview Campground; Schulman Grove Visitor Center with restrooms, nature trails, exhibits, bookstore, and ranger-led programs. No water available.

Description

As with so many sites in the Eastern Sierra, you can travel through multiple life-zones within a short drive in the White Mountains. You will climb 3,000 feet in elevation just to reach the lower elevation of this viewing area! From Westgard Pass you will climb another 3,000 feet to reach Schulman Grove, the upper end of this site. Notice the vast stands of pinyon pine in the vicinity of Westgard Pass and elsewhere along the way. Their nutritious nuts have been an important food source for local Native American tribes for thousands of years.

At the Pinyon Picnic Area, take a stroll around the nature

trail. The light- and dark-gray-colored carbonate rocks provide a unique habitat for many species. Look for differences in the suite of plants you see on these rocks versus those growing on the darker brown soils. You will find more evidence of this affinity of certain plant species to specific substrates as you explore the Schulman Grove. Indeed, the bristlecone pine (*Pinus longaeva*) is found on dolomite, the light-colored calcium-magnesium carbonate rock, but is generally absent from the darker-brown sandstones, where sagebrush communities (*Artemisia* spp.) dominate. The Bristlecone Cabin Trail to the Mexican Mine offers some of the best wildflower viewing in the vicinity of Schulman Grove.

Records of Change

Due to their longevity and decay-resistant wood, bristlecone pines have long been used to study variations in climate over time, and much climate-related research is still ongoing here. Visit the exhibits at Schulman Grove for an interesting look at the history of research in the bristlecone pine forest and what the trees can tell us about past climatic conditions here.

What will happen to the bristlecone pine with the current and projected changes in climate? Will warmer temperatures create a more hospitable environment for insects and disease in the bristlecone pine forest? Will the White Mountains experience drought or increased summer rains, and what effect will that have on these high-elevation forests? There are many unanswered questions as to the fate of the bristlecone pine over the coming years.

Flower Facts

As noted above, the carbonate soils found in many areas in the White Mountains provide a unique habitat for several species. These soils contain different minerals than other soils in the area, and the lighter color of the substrate can affect temperature and available moisture, determining which plant species will grow here. The Westgard penstemon (*Penstemon scapoides*), dolomite milk-vetch (*Astragalus kentrophyta* var. tegetarius), and Lemmon's rubberweed (*Hymenoxyis lemmonii*) are a few of the carbonate species you can see at either the Pinyon Picnic Area or Schulman Grove, and elsewhere in the White Mountains.









- 2. White Mountains with prickly pear
- 3. Hymenoxys lemmonii, Lemmon's rubberweed
- 4. Penstemon scapoides, Westgard penstemon
- 5. Chaetopappa ericoides, heath daisy
- 6. Angelica lineariloba, soda straw
- 7. Pinyon-juniper woodland
- 8. Castilleja chromosa, desert paintbrush











Can You Find...?

Cushion buckwheat (Eriogonum ovalifolium): As the name plant (hint: examine the leaf shape). Stems rising up to six inches soft-yellow flowers.

Pinyon streptanthus (Streptanthus cordatus var. cordatus): When you spot the yellow to purple flowers, look below along the stem for the clasping heart-shaped leaves. Later in the season the flowers yield to conspicuous seedpods, held upright from the stem.











Fish Slough



Area of Critical Environmental Concern (ACEC) and the Volcanic Tableland

Details

Directions: From the intersection of Highway 395 and Highway 6 in Bishop, take Highway 6 until you reach Five Bridges Road. Follow Five Bridges Road until it turns to dirt and intersects with Fish Slough Road, Casa Diablo Road, and Chalk Bluff Road. At this intersection are informational signs welcoming you to the area. Access Fish Slough via Fish Slough Road; take Casa Diablo Road to explore the Volcanic Tableland. Chalk Bluff Road will take you along the base of the Tableland. You can stop anywhere you find an appropriate pullout.

Location: GPS coordinates (UTM NAD83) for intersection

Easting: 375283 **Northing:** 4142370

USGS Quad Map: Fish Slough

Elevation: 4,198 feet (1,280 meters)

Habitat(s): Desert scrub, alkali meadow, wetland

Landscape: Volcanic flow and valley between dramatic horst and graben formation

Facilities: Full facilities nearby in Bishop

Description

The Fish Slough ecosystem is located in the northern end of the Owens Valley along the eastern edge of the Sierra Nevada in the transition between the Mojave Desert and Great Basin floristic provinces. The wetland that comprises Fish Slough is bounded by the Volcanic Tableland, an area formed by the cataclysmic explosion of the Long Valley Caldera 750,000 years ago.

The Bishop Tuff—a porous white, pink, and tan rock that makes up the Volcanic Tableland—is derived from the pyroclastic flow of the caldera. This flow later was warped and cracked by faulting, which lifted some parts and dropped others. The small, round hills that dot some parts of the Tableland are the result of fumaroles of hot water and steam that vented from the cooling ash flow and hardened the tuff so that it resisted erosion. One of the most active faults in the Owens Valley runs along the east side of Fish Slough and the Volcanic Tableland.

Water percolates through the Tableland's porous rock to emerge from three perennial, free-flowing freshwater springs. Fish Slough, with 126 wetland plant species, has one of the richest wetland floras in the Great Basin and includes eight rare species, such as the Fish Slough milk-vetch, that occur nowhere else in the world.

Flower Facts

If the winter and early-spring rains have been plentiful, the Volcanic Tableland and slopes bounding Fish Slough can be carpeted by colorful swaths of Venus blazing star (Mentzelia nitens), yellow cups (Chylismia brevipes), and magenta-colored narrow-leaved nama (Nama depressum). Along the eastside road of Fish Slough, in the early-morning hours, the hillsides are covered with lavender-pink mounds of the rose four-o'clock (Mirabialis alipes). Driving along Chalk Bluff Road, the steep escarpment of the Volcanic Tableland can be covered with showy white and yellow primrose (Chylismia spp., Camissonia spp.), Nevada cryptantha (Cryptantha nevadensis), purple-flowered chia (Salvia columbariae), and the indigo blooms of the shrub indigo bush (Psorothamnus arborescens var. minutifolious).

Plants and People

Fish Slough's botanical and faunal resources provided a real abundance for Native Americans. Food sources included wetland bulrush species (*Schoenoplectus* spp.) as well as desert scrub plant resources such as Indian ricegrass (*Stipa hymenoides*) and Great Basin wildrye (*Elymus cinereus*), which were harvested and transported in baskets woven from willow branches.



Alkali shooting star (Dodecatheon pulchellum):

Look for this plant in the alkali meadows along the eastside road of Fish Slough. It features vibrant magenta flowers atop long, straight stems with smooth-margined leaves.

Spiny menodora (Menodora spinescens): Look for this plant in the rocky Bishop Tuff of the Volcanic Tableland. The low-growing, spiny, green-angled stems are often covered first with tiny, creamy white flowers and then followed with clusters of round, reddish-green fruits. Spiny menodora is a common Mojave scrub species in the olive family.





Rock Creek

Details

Directions: From Highway 395 at Tom's Place, approximately 24 miles north of Bishop, drive up Rock Creek Road. Depending on the time of year, flowers may still be blooming just above Tom's Place, but you will want to continue to the end of the road at Mosquito Flat, with stops along the way. Be mindful of traffic if you're wildflower watching along the roadside.

Location: GPS coordinates (UTM NAD83) at junction of Highway 395 and upper Rock Creek Road:

Easting: 351866 **Northing:** 4158588

USGS Quad Map: Tom's Place

Elevation: Approximately 7,000 feet (2,150 meters) at Tom's Place, 10,200 feet (3,100 meters) at Mosquito Flat, and 11,000 feet (3,350 meters) in Little Lakes Valley, with higher peaks above

Habitat(s): Sagebrush-bitterbrush scrub, pinyon woodland, mountain mahogany scrub, Sierra juniper woodland, lodgepole pine forest, subalpine forest, aspen, streamside riparian communities, meadows

Landscape: Classic High Sierra canyon with glacially carved cirques beyond the trailhead. The road follows Rock Creek through the canyon, flanked by steep hillsides and rock walls

Facilities: Rock Creek Canyon has several campgrounds, two lodges, and a trailhead with restroom facilities at Mosquito Flat. Restaurant, lodge, and store at Tom's Place.

Description

Rock Creek Canyon exhibits some classic Sierra geology with granite cliffs and spires topping the slopes, particularly as you reach the upper end of the canyon. Rock Creek Road follows the river canyon for roughly nine miles, with several places to pull off along the way. With an elevation gain of more than 3,000 feet from Tom's Place to Mosquito Flat, you can experience a diverse array of plant communities in a very short time. There are also lovely displays of fireweed (*Chamerion angustifolium* ssp. *circumvagum*), Sierra rein-orchid (*Platanthera dilatata* var. *leucostachys*), Kelley's tiger lilies (*Lilium kelleyanum*), and other beauties where water runs along the road.

If you're prepared to walk a bit, the trail into Little Lakes Valley from Mosquito Flat at the end of the road is a relatively easy hike, rolling and sometimes level, especially compared to many of the other trails in the region. Little Lakes Valley is a large glacial cirque dotted with lakes and flower-filled meadows. It would be hard to imagine a more beautiful spot that takes so little effort to reach. Amble through the meadows and along the streams and enjoy the colorful collection of subalpine wildflowers.

To Each His Own...Habitat

As you turn off of Highway 395 onto Rock Creek Road, pinyon woodlands surround you, defined by the short, rounded, one-leaved pinyon (*Pinus monophylla*), one of the most common pine trees in the Eastern Sierra. Mountain mahogany scrub (*Cercocarpus ledifolius*) and open stands of magnificent Sierra juniper (*Juniperus grandis*) cover the slopes farther up the canyon. As you continue to climb, extensive Sierra lodgepole pine (*Pinus contorta* ssp. *murrayana*) communities dominate in the Pine Grove area.

If you choose to hike up into Little Lakes Valley beyond the road's end, you will enter the upper subalpine and alpine habitats, with whitebark pine (*Pinus albicaulis*), limber pine (*Pinus flexilis*), meadows, and vast talus slopes.

The wide range in elevation, different aspects, and resulting changes in temperature and precipitation affect which plant community occurs in any given area. Each of these communities supports a different combination of plants and animals adapted to the unique conditions found there. Some species, called generalists, live in many habitats, while others—specialists—are restricted to a narrower range of living conditions. Which group do you think humans belong to: generalist or specialist?

Flower Facts

It is not so much the flowers of the mountain mahogany (*Cercocarpus ledifolius*) that will catch your eye as it is the fruits. Called an achene (pronounced a-KEEN), the single-seeded fruit has a feathery plume attached at the top; indeed, "cercocarpus" means "tailed fruit." When the sun shines from behind these large shrubs, they almost appear to be glowing from the light filtering through the silky plumes. The effect can be quite stunning when viewed across an entire hillside. The plume curls as it dries on the plant, like a corkscrew, eventually aiding in planting the seed.
















Can You Find ...?

recently blackened landscape!

Fireweed (Chamerion angustifolium ssp. circumvagum): This striking plant is topped by several long spikes of brilliant magenta flowers. The name "fireweed" comes from the ability of this plant to thrive following wildfires; imagine a large expanse of this beauty appearing on a


Bull elephant's head (*Pedicularis groenlandica*): Once you find "bull elephant's head" and take a closer look at one of the many flowers arranged along the upright stem, you'll easily see how it got its name. Look for these delightful plants in meadows and other wet areas. You may also find the similar little elephant's head (*Pedicularis attology*)


1. Juniperus grandis, Sierra juniper

2. Lilium kelleyanum, Kelley's tiger lily

3. Cercocarpus ledifolius, mountain mahogany fruit

4. Aquilegia formosa, crimson columbine





McGee Creek

Details

Directions: Take the McGee Creek exit off of Highway 395, approximately six miles north of Tom's Place or eight miles south of the Highway 203 exit. Proceed to the parking lot at the end of the road. Use caution, as the road is narrow and winding.

Location: GPS coordinates (UTM NAD83) at McGee Creek trailhead: **Easting:** 340775 **Northing:** 4157531

USGS Quad Map: Convict Lake

Elevation: 7,800 feet (2,380 meters)

Habitat(s): Sagebrush-bitterbrush scrub, sagebrush scrub, riparian, aspen, talus

Landscape: Steep, glacially carved canyon with riparian corridor in the canyon bottom

Facilities: Paved parking lot, restrooms, and trailhead at road end, pack station and campground lower in the canyon

Description

As you approach the trailhead for McGee Pass, your eyes will be drawn to the rocky canyon slopes above. The steep slopes you see as you look up the canyon provide a stunning display of colorful rocks, with an artist's palette of reds and grays arrayed in stripes and swirls.

Geologists use the term "metasedimentary" to describe these rocks that dominate the landscapes of McGee and nearby Convict Creek canyons. The "sedimentary" part of the term refers to how these rocks were originally formed: sediments accumulated on the ocean floor over millions of years and were later compressed and cemented into solid rock. Later, as molten rock began to rise through the earth, some of the sedimentary rock was heated enough that the minerals and texture were changed, or metamorphosed, from their original form—hence the term "meta" sedimentary.

Of course, the wildflowers are also an important part of the artist's palette in the canyon. Amidst the slopes of graygreen sagebrush (*Artemisia tridentata*) and bitterbrush (*Purshia tridentata*) are splashes of yellow, red, purple, and white. At the peak of the blooming season, you can see paintbrush (*Castilleja* spp.), lupines (*Lupinus* spp.), milk-vetches (*Astragalus* spp.), hawksbeard (*Crepis* spp.), mule ears (*Wyethia mollis*), and more. While you're searching, don't miss the more subtle beauty of the native bunchgrasses. Though bright, showy colors are not their specialty, there is beauty in the form, texture, and muted greens of this ubiquitous group of plants.


A Different Shade of Green

In contrast with the overall gray-green cast of the sagebrush slopes are the stream- and spring-fed willow stands, black cottonwood riparian forest, and clusters of aspen scattered along the stream and the gentler canyon slopes. Watch for crimson columbine (*Aquilegia formosa*), great red paintbrush (*Castilleja miniata* ssp. *miniata*), and other moisture-loving plants in these areas.

The lush growth and cooler temperatures of these habitats attract many species of wildlife that use these areas for feeding, nesting, brood rearing, and rest. Feeding on the abundant insect life, birds will nest in cavities in the soft wood of the cottonwood and aspen trees. Maybe you can spot a deer bed, noticeable by the soft vegetation laid flat from recent use.


Flower Facts

Walking up the trail a short way, you will encounter a large green shrub with long, pointed green leaves. This is the blue elderberry (*Sambucus nigra* ssp. *caerulea*). In summer, small white flowers appear on the ends of short branchlets, called "rays." The rays support a large, flat-topped cluster of flowers. Later in the summer, these delicate flowers develop into blueblack berries. Though the berries themselves are edible, eating this plant is not recommended, as all other parts, including very small stems, can be poisonous under certain conditions.



Woolly-pod locoweed (Astragalus purshii): This compact little mat has tiny leaflets covered with fine, cottony hairs, giving the entire plant a silvery gray look. True to its name, it develops fuzzy white seedpods resembling little cotton balls. You can also see lovely pink-purple displays of this plant in May along Highway 395 near the Crowley Lake exit.

Whitney's locoweed (Astragalus whitneyi): In contrast to the woolly-pod locoweed, this species of locoweed is more sprawling and less hairy, with a greener appearance overall. The inflated pods, sometimes more than two inches long, are quite striking with their reddish-purple splotches.






- Oenothera californica ssp. avita, white desert primrose
- **5.** *Ipomopsis aggregata,* scarlet gilia
- **6.** Sambucus nigra ssp. caerulea, blue elderberry
- **7.** Prunus andersonii, desert peach











- 1. Aspen arborglyph
- 2. Wyethia mollis, mule ears
- 3. Phacelia curvipes, dwarf phacelia
- **4.** Phacelia bicolor var. bicolor, sticky yellow-throats
- 5. Crepis occidentalis, western hawksbeard





Parker Bench

Details

Directions: Approximately five miles south of Lee Vining, turn west from Highway 395 onto Highway 158, toward Grant Lake. Proceed for approximately 1.5 miles, then turn right onto the dirt road to Parker Lake. To reach the Parker Lake trailhead, follow the main dirt road for approximately three miles, not turning off onto intersecting roads along the way. If you want to stop sooner, just find a safe spot to park where the views suit you. Please keep your vehicle speed low to reduce dust and maintain control on the washboard surface.

Location: GPS coordinates (UTM NAD83) at junction of June Lake Loop (Highway 158) and Parker Lake Road:

Easting: 314501 **Northing:** 4194403

USGS Quad Map: June Lake

Elevation: 7,780 feet (2,370 meters) at Parker Lake trailhead

Habitat(s): Sagebrush-bitterbrush scrub, sagebrush scrub, riparian, aspen

Landscape: Towering peaks and glacial moraines on the western edge of the area, extending down to the volcanic craters and spacious views of the Mono Basin

Facilities: Dirt parking lot, trailhead at road end

Description

The Parker Bench area is situated between the beautiful June Lake Loop and the Mono Basin National Forest Scenic Area. One of the more stunning aspects of this area is the stark contrast between adjacent landscapes.

To the west is the Sierra Nevada, with its massive rocky peaks. The scattered aspen groves offer an ever-changing scene as they progress from summer green to autumn gold to silver-black against the winter snow. The creeks flowing out from the canyon mouths are lined with lodgepole and Jeffrey pine, aspen, and willows, tracing a line through the sagebrush slopes and valleys. They follow the base of the glacial moraines, piles of rubble left behind as the glaciers retreated thousands of years ago.

Turn to the east and you are faced with another land—some say more lunar in appearance. The light-colored Mono Craters stand tall above the sagebrush basin, lined up as if sinking into or rising out of the lake. Note the stark contrast of Paoha and Negit islands in Mono Lake: Paoha with its glaring-white alkali soils, Negit with its dark volcanic rock. Add the changing hues and gemlike quality of the lake itself, and it is a landscape unlike any other.

Living History

Take some time to wander through one of the many quaking aspen (*Populus tremuloides*) stands in the area. Feel the smooth white bark of the aspen trees. This smooth bark made an excellent carving surface for Basque sheepherders that herded in this area beginning in the late 1800s. The names, dates, poetry, and images of these "arborglyphs" help us understand the history of these people and their summer wanderings in the Eastern Sierra. This record is now disappearing, as aspen trees typically live only up to 100 years.

The Basque carvings were done carefully to prevent injury to the tree. Please resist the urge to carve; leave these beautiful trees as you find them and respect any Basque carvings you encounter.

Flower Facts

Two large flowering plants, similar in overall appearance, can be found here. In May and June, the large, yellow, daisy-like flowers of the mule ears (*Wyethia mollis*) and arrow-leaved balsamroot (*Balsamorhiza sagittata*) are impossible to miss. To distinguish



between these two, compare the darker-green leaves of the arrow-leaved balsamroot—so-named for the sagittate, or arrowhead-shaped, leaf base—with the more gray leaves of the mule ears. The mule ears' leaves taper to a point at the base, with no sagittate lobes. Native Americans utilized the seeds of both of these plants for food, along with the thick taproot of the balsamroot.









- 1. Stipa sp., native needlegrass
- 2. Astragalus monoensis, Mono milk-vetch
- 3. Hulsea vestita ssp. vestita, pumice hulsea
- 4. Oenothera xylocarpa, woody-fruited evening primrose
- 5. Lupinus duranii (Mono Lake lupine), Mimulus nanus var. mephiticus, foul odor monkeyflower







East Mono Basin

Details

Directions: This site extends for approximately 11 miles along Highway 120 from the Mono Basin National Forest Scenic Area in the west to the Sagehen Summit area in the east. It can be reached by traveling east on Highway 120 from Highway 395 for approximately five miles to the turnoff to South Tufa, or by traveling west from Benton on Highway 120 for approximately 31 miles to Sagehen Summit. Use caution when traveling on secondary roads in this area, as vehicles can easily get stuck in the soft pumice soils.

Location: GPS coordinates (UTM NAD83) at the turnoff from Highway 120 to Mono Lake Tufa Reserve (South Tufa, Test Station Road): **Easting:** 322161 **Northing:** 4199590

 $\textbf{USGS Quad Map:} \ Lee \ Vining$

Elevation: 6,600 feet (2,010 meters) at turnoff to South Tufa, 8,140 feet (2,480 meters) at Sagehen Summit.

Habitat(s): Pumice flats, Jeffrey pine forest, sagebrush-bitterbrush scrub

Landscape: Open pumice flats surrounded by sagebrush-bitterbrush hills and Jeffrey pine forest

Facilities: Restrooms nearby at South Tufa, interpretive kiosk at Mono Mills

Description

A thick layer of pumice underlies the vegetation of the eastern Mono Basin, a result of volcanic eruptions of the Inyo

and Mono craters from 700 to 10,000 years ago. The well-drained, light-colored soils present special challenges for the plant communities that grow here.

As you travel east on Highway 120, you will pass through part of the largest contiguous Jeffrey pine forest (*Pinus jeffreyi*) in the world. A fire burned through a portion of the area in 2002, blackening trees but resulting in a flush of native grass growth. The Indiana Summit Research Natural Area, just to the south of the highway, is set aside for the study and preservation of this Jeffrey pine ecosystem. Stop at the kiosk near Mono Mills for some interesting historical and ecological information about this particular area.

As you continue east toward Sagehen Summit, you will drop out of the Jeffrey pine forest and into the sagebrush-bitterbrush hills and stark pumice flats—one of the characteristic features of this area. Plant species specially adapted to this unique habitat color the light pumice soils with blues, pinks, and yellows.

Toward the eastern end of this viewing area, east of Sagehen Summit, are sweeping views of the Glass Mountains to the south and the Granite Mountain area to the northeast.

Special Place, Special Plants

There are two plant species that grow in the pumice flats of Mono County and nowhere else on Earth: the Mono milk-vetch and the Mono Lake lupine. What causes a species to occur in only one small area? These plants may be specially adapted to the unique environment of the pumice flats, or perhaps it's the lack of competition from other species that are unable to tolerate the harsh soils or intense sunlight.

Sometimes special management is needed to help ensure the species' persistence over the long term, but for many rare species, we know very little about their habitat requirements, life history, pollinators, or other basic information. Please help to protect these unique plants: keep vehicles on designated roads and walk gently when exploring these areas.



Pussypaws (Calyptridium umbellatum): Several green, spoon-shaped leaves radiate out from the central point of the plant, as do the flowering stems punctuated by the "pussypaws," clusters of tiny white-and-pink flowers. The flowering stems lie very flat when it's cold, but rise up well off the ground as the temperature rises—a sort of local thermometer.

Flower Facts

The gray-green leaves of the Mono milk-vetch (*Astragalus monoensis*) are not easily seen against the backdrop of light-gray pumice. Even when this plant has its delicate pinkish-white blossoms, it may still be overlooked by the less observant. Look for the long branches, lined with tiny leaflets, that hug the ground surface as they grow out from the root crown of the plant.

Mono Lake lupine (*Lupinus duranii*) is slightly more abundant than the milk-vetch, found in more of the pumice habitats throughout the region. Though still mostly less than six inches tall, it is more easily spotted, having showy violet flowers arranged along an upright stem. If the conspicuous seedpods are developed, look for tiny holes bored into the fruit where ants or other insects have tunneled in for a snack.





Description

The Tioga Pass area is truly awe-inspiring, as every direction presents a spectacular view. There are several spots along the way to pull safely off the highway and take a stroll. The Nunatak Nature Trail, only a quarter-mile long, and the Bennettville Trail, approximately one mile to the old mining-town site, both offer opportunities to get out and stretch your legs, take in the views, and get a closer look at the subalpine flowers.

You can scramble among the rocks in search of the hardy plants that grow tucked into the shelter of crevices and cracks, using what little soil they can find. Rock cress (*Arabis* spp.), drabas or whitlow grass (*Draba* spp.), shieldleaf (*Streptanthus tortuosus*), and others often make their home in these seemingly inhospitable spots.

An entirely different suite of plants can be found in the meadows and along the lakeshores and streamsides. Notice the lush green vegetation here—a sign of the extra water available to plants in these sites. Willows (*Salix* spp.) and the grass-like sedges (*Carex* spp.) and rushes (*Juncus* spp.) dominate these wet areas.

Tioga Pass

Details

Directions: From Highway 395 just south of Lee Vining, head west on Highway 120 toward Tioga Pass. The site extends along Highway 120 from Ellery Lake to Tioga Pass and the surrounding area.

Location: GPS coordinates (UTM NAD83) at east end of Ellery Lake: **Easting:** 303777 **Northing:** 4201015

USGS Quad Map: Mount Dana, Tioga Pass

Elevation: 9,477 feet (2,888 meters) at Ellery Lake, 9,943 feet (3,030 meters) at Tioga Pass, neighboring peaks more than 12,000 feet (3,660 meters)

Habitat(s): Lodgepole pine forest, whitebark pine, aspen, riparian communities, subalpine meadows, alpine rocky habitats

Landscape: Expansive subalpine and alpine landscapes with lakes, tarns, and meadows flanked by towering peaks

Facilities: Along Tioga Pass Road (Highway 120) there are several campgrounds, the Nunatak Nature Trail, the Bennettville Trail, restroom facilities, and a lodge. A full range of facilities is available in Lee Vining


Life Near the Top

Learn the story of the nunataks, told on the signs along the Nunatak Nature Trail. The plant species you see here and elsewhere along upper Tioga Pass Road had to recolonize most of the area when the glaciers retreated and exposed the soil once again to sunlight. Wind, water, birds, and other wildlife helped to disperse seeds to distant locations, carrying them from nunataks or other non-glaciated refugia to newly exposed sites where the seeds could germinate and grow into adult plants.

Conditions are harsh here: shallow, nutrient-poor soils, a very short growing season, intense solar radiation, and strong, cold winds all contribute to the need for special adaptations to make it in this environment. Look for plants with a low growth form, evergreen leaves, or hairs or a waxy coating on the leaf surface. All of these characteristics help plants survive here.

Flower Facts

The heath family (*Ericaceae*) is well represented in highelevation habitats. With help from fungi, plants in this family are able to utilize the scant nutrients in the acidic soils where they are typically found. Dwarf bilberry (*Vaccinium cespitosum*) carpets the ground, relying on its low growth form to survive here at almost 10,000 feet. Labrador tea (*Rhododendron columbianum*), a medium-size shrub often found adjacent to water, has a different strategy. Study the leaves to discover some of this plant's survival tricks.









Sierra gentian (Gentianopsis holopetala):

The Sierra gentian's purplish, four-petaled flowers brighten high-elevation meadows late into the summer, continuing to bloom as late as September. Other equally striking Eastern Sierra members of this family include hiker's gentian (Gentianopsis simplex), alpine gentian (Gentiana newberryi), felwort (Gentiana amarella ssp. acuta), Dane's dwarf gentian (Comastoma tenellum), and Inyo gentian (Frasera puberulenta).

Whorled penstemon (Penstemon heterodoxus):

The sticky hairs covering the blue-purple flowers, and the arrangement of the flowers in whorls, help to distinguish this penstemon from other similar penstemons that can be found in the area. Look for this species in the meadow area along the Nunatak Nature Trail.


- **1.** Penstemon newberryi var. newberryi, mountain pride
- **2.** Rhododendron columbianum, Labrador tea
- **3.** Lupinus lepidus var. ramosus, crowded lupine
- **4.** Phyllodoce breweri, red heather
- **5.** Cassiope mertensiana, white heather








Bodie Hills





Details

Directions: From Highway 395 18 miles north of Lee Vining or 7 miles south of Bridgeport, take the Bodie Road (Highway 270) east for 13 miles toward Bodie State Historic Park. After 10 miles, the road changes from pavement to maintained dirt. Stop to explore anywhere along this road where you find an appropriate turnout. For further exploration in the Bodie Hills, try Geiger Grade Road, which heads north out of Bodie State Historic Park. Geiger Grade Road can be rough and may be blocked by snow drifts well into the summer season, so high-clearance vehicles are recommended.

Location: GPS coordinates (UTM NAD83) for turnoff to Bodie State Historic Park from Highway 395:

Easting: 307743 **Northing:** 4227547

USGS Quad Map: Bridgeport

Elevation: 6,000 to 9,500 feet (1,800 to 2,850 meters)

Habitat(s): Great Basin sagebrush-steppe, pinyon-juniper woodland, aspen, riparian

Landscape: Rolling sagebrush- and pinyon-covered hills with two prominent peaks (Potato Peak and Bodie Mountain)

Facilities: Restroom, parking at Bodie State Historic Park, full facilities in Bridgeport

Description

The location of the Bodie Hills on the western edge of the Great Basin and eastern edge of the Sierra Nevada drives the occurrence and position on the landscape of the 14 different plant communities that make up this unique area. The Miocene and Pliocene epochs (from about 28 million to 2 million years ago) were when most of the Bodie Hills topography was formed. Ancient cinder cones such as Beauty Peak in the northeastern part of the Bodie Hills reflect this volcanic period. The suite of different soils—from rocky, dwarf sagebrush-dominated sites to loamy basins that support Great Basin wildrye (Elymus cinereus)—forms the matrix of plant diversity in the Bodie Hills. In spring and early summer, the mountain sagebrush and dwarf sagebrush plant communities erupt with white and blue stands of lupine (Lupinus argenteus), indigo-colored Anderson's larkspur (Delphinium andersonii), yellow hawksbeard (Crepis spp.), and carpets of Coville's phlox (*Phlox condensata*).

As one traverses the Bodie Hills, the landscape unfolds with subtle textural and color changes of gently rolling sagebrush-covered hills, meadows, aspen groves, and conifer stands (pinyon, juniper, limber, and lodgepole pine). These diverse plant communities in turn support a rich fauna, including a suite of sagebrush-dependent species such as the greater sage grouse, pronghorn antelope, pygmy rabbit, and sage sparrow. Rare



plants are tucked away in these hills as well and range from the tiny yellow Mono phacelia (*Phacelia monoensis*) to the Masonic mountain jewelflower (*Streptanthus oliganthus*), which inhabits the granitic outcrops in the northwest portion of the Bodie Hills.

Flower Facts

In springtime, watch for the showy white to pink flowers of the bitterroot (*Lewisia rediviva*). These lovely blooms appear to rest on the ground surface, hiding the tiny leaves and short stem below. Collected during the Lewis and Clark expedition and later named for Meriwether Lewis, bitterroot was already well known to Native American people. The roots, able to store water and thus withstand periods of drought, were an important food source for many tribes throughout the West.

Plants and Climate

What's a peatland doing in the Bodie Hills? The Bodie Hills peatland, or fen, was discovered by Tim Messick in 1981 during fieldwork for his master's thesis on the flora of the Bodie Hills. The fen is located in Cinnabar Canyon, which is close to several hydrothermally active areas. What distinguishes this site from other "wet meadow" sites in the Bodie Hills are two unusual plants: Sphagnum fimbriatum, or peat moss, and Kalmia polifolia, or alpine laurel—a plant more common in the high-alpine meadows of the Sierra Nevada. Peatlands are unusual in North America and especially rare in California. During the repeated glaciations of the Pleistocene epoch (2.5 million to 12,000 years ago), alternating introductions and extinctions of plant species with various geographic affinities occurred. The existence of both the peat moss and alpine laurel, hanging on since the Pleistocene, represent such shifts in plant composition. Some plant species groups migrated along well-defined paths into or near the Bodie Hills, and it is likely that the Sierra Nevada served as the principal high-elevation migration route.



- 1. Townsendia condensata, cushion Townsend daisy
- 2. Stenotus acaulis, limestone aster
- 3. Phoenicaulis cheiranthoides, dagger pod
- **4.** Lewisia rediviva, bitterroot
- 5. Phlox condensata, Coville's phlox



Plant List

Taxonomy and nomenclature in this species list are based on the *Jepson Manual Online* as of February 2011. Changes in taxonomy and nomenclature are ongoing. Some site lists are more complete than others; all of them should be considered a work in progress. Species not native to California are designated with an asterisk (*). Please visit the Inyo National Forest and Bureau of Land Management Bishop Resource Area websites for periodic updates.

		il Falls	Alabama Hing	urks o	s Oak Com	e Mouse	Slourt	Creat	ee Crest	er Bened	Mono	Pass	e Hills
Scientific Name	Common Name	Foss	Alab	Maz	Div.	Whit	Fish	Rock	McG	Park	East	Tioga	Bodi
ADOXACEAE	Muskroot												
Sambucus nigra ssp. caerulea	blue elderberry				√				√				√
AGAVACEAE	Century Plant												
Leucocrinum montanum	sand lily												√
ALISMATACEAE	Water-plantain												
Sagittaria cuneata	arumleaf arrowhead												√
ALLIACEAE	Onion												
Allium amplectens	paper onion												√
Allium anceps	twinleaf onion												√
Allium atrorubens var. atrorubens	Inyo onion												√
Allium atrorubens var. cristatum	Inyo onion		√			√							
Allium bisceptrum	aspen onion									√			√
Allium fimbriatum var. mohavense	fringed onion	√											
Allium parvum	dwarf onion											√	
Allium validum	swamp onion							√				√	
Allium spp.	wild onion								√				
AMARANTHACEAE	Amaranth												
Amaranthus blitoides	prostrate pigweed												√
Nitrophila occidentalis	alkali pink	√	√				√						
ANACARDIACEAE	Sumac												
Toxicodendron diversilobum	Pacific poison- oak		√										
APIACEAE	Carrot												
Angelica breweri	Brewer's angelica							√					
Angelica lineariloba	soda straw					√		√	V		√		V
Berula erecta	berula		√				√						

				99	nyon	eeks	ains		٠			asin	
		Fossil Falls	рата или	onrks o	Div. & Oak Com	ite Moure	Sloum	* Creet	Ree Creet	ker Beng	t Mono e	Ja Pass	ie Hills
Scientific Name	Common Name	Fos	Ala	Ma	D _{ik.}	W	Fist	Roc	Mc	Pan	Eas	Tiog	Bog
Cicuta douglasii	poison parsnip		√				√						√
Cymopterus cinerarius	alpine cymopterus										√		
Cymopterus terebinthinus var. petraeus	terebinth pteryxia							√				√	
Ligusticum grayi	Gray's lovage											√	
Lomatium dissectum var. multifidum	fern-leaf lomatium							√	√	√			√
Lomatium foeniculaceum ssp. fimbriatum	desert biscuitroot					√							
Lomatium mohavense	Mojave parsley		√				√						
Lomatium nevadense var. nevadense	Nevada parsley												√
Lomatium rigidum	prickly parsley		√										
Lomatium torreyi	Sierra biscuitroot							√					
Osmorhiza occidentalis	western sweet- cicely								√				√
Perideridia bolanderi ssp. bolanderi	Bolander's yampah											√	√
Perideridia lemmonii	Lemmon's yampah												√
Perideridia parishii ssp. latifolia	Parish's yampah							√				√	
Podistera nevadensis	Sierra podistera											√	
Sphenosciadium capitellatum	ranger's buttons							√	√		√	√	√
APOCYNACEAE	Dogbane												
Apocynum	spreading												
androsaemifolium	dogbane							√					√
Apocynum cannabinum	hemp		√				√						
Asclepias cryptoceras	Humboldt milkweed												√
Asclepias erosa	desert milkweed	√											
Asclepias fascicularis	narrow-leaf milkweed	√	√				√						
Asclepias speciosa	broad-leaf milkweed		√				√						
Nerium oleander	oleander		√										
ARACEAE	Arum												
Lemna minor	common duckweed						√						√
Lemna minuta	minute duckweed		√				√						
Lemna trisulca	chain duckweed						√						
Lemna spp.	duckweed		√										
Spirodela polyrhiza	common duckmeat						√						
*Asparagus officinalis	Asparagus												
ssp. officinalis	garden asparagus		√										
ASTERACEAE	Sunflower												
Acamptopappus	Shockley			V									
Acamptopappus	goldenhead		./										
sphaerocephalus var. hirtellus	goldenhead		√										
Achillea millefolium	yarrow							√				√	√
Ageratina occidentalis	western eupatorium							√				√	√
Agoseris aurantiaca	orange agoseris										√		
Agoseris monticola	pale agoseris							√			√	√	√
Agoseris parviflora	false agoseris												√
Agoseris retrorsa	spearleaf agoseris							.1.	√	√			
Agoseris X elata	tall agoseris		./		./		./	√		./			
Ambrosia acanthicarpa	sand-bur		√ √	√	√		√			√			
Ambrosia dumosa	burro-bush		√	V									

		Salle	a Him.	42	Div. & Oak Com	Mount	Durt.	Tee.	Great	Beng	do oud	ass.	Hills
Scientific Name	Common Name	Fossii Falls	Alabam	Mazou	Div. & C	White	Fish Sk	Rock C.	McGee	Parker	East M	Tiogap	Bodie _h
Ambrosia salsola	cheese-bush	√	√	√									
Ambrosia dumosa X Ambrosia salsola	cheese-burro (putative hybrid)		√										
Anisocoma acaulis	scale bud	√	√	√	√		√						
Antennaria corymbosa	flat-top pussytoes							√				√	
Antennaria dimorpha	dwarf everlasting flower												√
Antennaria media	Rocky Mountain pussytoes							√					
Antennaria rosea	rosy everlasting		,			√	,	√				√	√
Arida carnosa Arnica chamissonis	broom aster		√				√	,		,	,		
ssp. foliosa Arnica lanceolata ssp.	meadow arnica streambank							V		√	√		√
prima	arnica							√				√	
Arnica mollis	soft arnica							√				√	
Arnica ovata	sticky leaf arnica							√	,				
Arnica parryi Arnica sororia	Sonne's arnica							√	√		 √		1/
Artemisia arbuscula	dwarf sagebrush					√					· ·		V
Artemisia cana ssp.	silver sagebrush							√			√		√
Artemisia douglasiana	Douglas mugwort								√				√
Artemisia dracunculus	tarragon		√										
Artemisia ludoviciana	western mugwort							√		√		√	
Artemisia ludoviciana ssp. albula	white mugwort		√										
Artemisia ludoviciana ssp. incompta	western mugwort		√										√
Artemisia ludoviciana ssp. ludoviciana	western mugwort		√										
Artemisia norvegica ssp. saxatilis	boreal sagebrush							√					
Artemisia nova	broom sagebrush					√							
Artemisia rothrockii	timberline sagebrush					√							
Artemisia spiciformis	snowfield sagebrush											√	
Artemisia spinescens	bud sage		√	√			√						√
Artemisia tridentata	big sagebrush		√	√	√			√	√	√	√	√	
Artemisia tridentata ssp. tridentata	basin big sagebrush		√			√	√						√
Artemisia tridentata ssp. vaseyana	mountain sagebrush					√							√
Artemisia tridentata ssp. wyomingensis	Wyoming sagebrush												√
Balsamorhiza hirsuta	hairy balsam root												V
Balsamorhiza sagittata	arrow-leaved balsamroot								√	√			√
Bidens frondosa	devil's beggartick						√						
Brickellia atractyloides var. arguta	pungent brickellbush		√	√									
Brickellia longifolia var. multiflora	Inyo brickellbush		√										
Brickellia microphylla	sweet brickellia		√				√						V
Brickellia oblongifolia var. linifolia	pinyon brickellia									√			√
Calycoseris parryi	yellow tack-stem	V	√	√			√						
Calycoseris wrightii	white tack-stem			√									
Chaenactis carphoclinia var. carphoclinia	pebble pincushion			√									
Chaenactis douglasii	Douglas dustymaiden							√	√				
Chaenactis douglasii var. douglasii	Douglas dustymaiden					√							√
Chaenactis fremontii	Fremont pincushion	√	√	√			√						
Chaenactis macrantha	large-flowered pincushion		√										
	Nevada							V				V	

			'		noAu	eks	sun					Sin	
		Fossil Falls	арата ни	Surre of	v. & Oak	hite Mount.	th Stourt	ck Creek	Teee Creen	rker Benge	st Mono B	Tioga Pass	die Hills
Scientific Name	Common Name	Fo	A.	M	ia	M	ίξ	P ₀	M	Pa	rg.	J,E	B ₀
Chaenactis stevioides	gray-leaved pincushion					√				√			√
Chaenactis xantiana	xanthus pincushion		√										
Chaetadelpha wheeleri	dune broom						√						
Chaetopappa ericoides	heath daisy					√							
Chrysothamnus viscidiflorus	yellow rabbitbrush				√	V	√	V	√	√	V		
Chrysothamnus viscidiflorus ssp. puberulus	pinyon rabbitbrush		√										√
Chrysothamnus viscidiflorus ssp. viscidiflorus	curly-leaved rabbitbrush					√							V
*Cichorium intybus	chicory		√										
Cirsium arizonicum var. arizonicum	Arizona thistle					√							
*Cirsium arvense	Canada thistle						√						
Cirsium cymosum var. canovirens	graygreen thistle												√
Cirsium mohavense	desert thistle	√	√				√						
Cirsium occidentale var. venustum	cobweb thistle					√							
Cirsium scariosum	Drummond's thistle							√				√	V
*Cirsium vulgare	bull thistle				√		√						
Crepis acuminata	tapertip hawksbeard							√					√
Crepis intermedia	limestone hawksbeard					√			√	√			
Crepis modocensis	Modoc hawksbeard												V
Crepis occidentalis	western hawksbeard									√			√
Crepis runcinata ssp. hallii	meadow hawksbeard						√						
Crepis spp.	hawksbeard				√								
Dieteria canescens	sticky aster				√	√		√	√	√			
Dieteria canescens var. canescens	sticky aster		√										
Dieteria canescens var. shastensis	Shasta tansyaster												√
Encelia actoni	bush sunflower		√										
Encelia virginensis	Virgin river brittlebush			√									
Ericameria albida	white-flowered rabbitbrush						√						
Ericameria bloomeri	rabbitbush										√		
Ericameria cooperi var. cooperi	Cooper's goldenbush		√	√									
Ericameria cuneata var. cuneata	cliff goldenbush		√										
Ericameria discoidea	whitestem goldenbush					√		√					√
Ericameria linearifolia	showy goldenbush						√						
Ericameria nauseosa	rubber rabbitbrush		√	√	√	√			√	√	√		
Ericameria nauseosa var. hololeuca	whiteleaf rabbitbrush												√
Ericameria nauseosa var. mohavensis	Mojave rabbitbrush						√						
Ericameria nauseosa var. oreophila	Nevada rabbitbrush												√
Ericameria parryi	Parry's rabbitbrush									√			√
Ericameria parryi var. aspera	Parry's rabbitbrush					√					√		
Ericameria parryi var. vulcanica	Parry's rabbitbrush										√		
Ericameria suffruticosa	singlehead goldenbush					√		√					√
Ericameria teretifolia	green rabbitbrush		√	√	√	√	√						
Erigeron algidus	stalked fleabane							√				√	
Erigeron aphanactis	gold buttons												V

		Ssil Falls	врата и	Mazourka	". & Oak	hite Moun	sh Stower	ck Greet	Gee Cree	rker Benci	st Mono e	ga Pass	die Hills
Scientific Name	Common Name	Ą	Ą	Me	ia		Fis	Ro	Mc	P.	Ą	įį	Bo
Erigeron argentatus	Nevada erigeron					√							
Erigeron bloomeri var. bloomeri	scabland fleabane									√			√
Erigeron breweri	Brewer's fleabane				√			V					
Erigeron breweri var.	boulder daisy		V										V
porphyreticus	-												,
Erigeron canadensis Erigeron clokeyi var.	horseweed		√		√		√						V
pinzliae	Clokey daisy					√							√
Erigeron compactus	cushion daisy					√							
Erigeron compositus	cut-leaf daisy							√					√
Erigeron concinnus var. concinnus	Navajo fleabane		√										
Erigeron coulteri	Coulter's daisy							√				√	
Erigeron divergens	pastel daisy									√			
Erigeron eatonii	Eaton's daisy												√
Erigeron glacialis	wandering daisy											√	
Erigeron glacialis var. glacialis	wandering daisy												√
Erigeron lonchophyllus	wet meadow daisy						√	√					√
Erigeron tener	slender fleabane							√					√
Eriophyllum lanatum	woolly sunflower										V		
Eriophyllum lanatum var. integrifolium	woolly sunflower												√
var. Integrifolium Eriophyllum pringlei	bud eriophyllum	√	√		√								
Eriophyllum wallacei	Easter bonnets	v √	√		√ V		V						
Eucephalus breweri	Brewer's aster											√	
Euphrosyne nevadensis	Nevada poverty						√						
	weed											,	
Eurybia integrifolia	thickstem aster western											√	
Euthamia occidentalis	goldenrod		√										
Glyptopleura marginata	holly dandelion	√	√				√						
Gnaphalium palustre	cudweed						√						√
Gutierrezia microcephala	yellow-green matchweed		√	√									
Helianthus annuus	common sunflower		√				√						
Helianthus nuttallii ssp. nuttallii	Nuttall sunflower		√				√						
Hieracium horridum	shaggy hawkweed							V				√	
Hieracium triste	slender hawkweed							√				√	
Hulsea algida	alpine gold							√					√
Hulsea vestita ssp. vestita	pumice hulsea										√		
Hymenopappus filifolius var. nanus	Inyo cutleaf					V							
Hymenoxys hoopesii	owl's claws												√
Hymenoxys lemmonii	Lemmon's rubberweed					√							
lonactis alpina	lava aster												√
lva axillaris	poverty weed		√				√						√
*Lactuca serriola	wild lettuce						√	√					
Lactuca tatarica ssp. pulchella	blue lettuce												√
Layia glandulosa	white tidy-tips	./	√	√	√	√	√						√
Leptosyne bigelovii Lessingia glandulifera	Bigelow coreopsis	√											
var. glandulifera	vinegar-weed		√				√						
Logfia filaginoides	California filago						√						
Madia gracilis	slender tarweed												√
Malacothrix californica	California desert dandelion	√					√						
Malacothrix coulteri	snakes-head	√	√										
Malacothrix glabrata	desert dandelion		√	√	√	√	√						
	yellow saucers						V						√

Scientific Name				/	60	пуоп	æks.	sups					ısin	
Notice claims uper the file of the file of the security of the control of the c	Scientific Name	Common Name	Fossil Falls	Alabama u	Mazourka	Div. & Oak C.	White Mount	Fish Stourt	Rock Greet	McGee Creat	Parker Bence	East Mono B.	Tioga Pass	Bodie Hills
Packers cans		alpine lake false												
Publicars carion Marie M	alpigenum var.								√				√	
Packers pseudiarde	Packera cana	woolly butterweed							√					√
Packets penultarine	Packera multilobata	basin senecio					√							√
Packers autonuls and controlled	Packera pauciflora								√				√	
Performer candata Latiser personne Image									√					
Peach printer spironous Peach print Pe									√					
Passubgraphalium fan-lear	Pericome caudata	tailed pericome				√								
Participant pulsium Spin	Pleiacanthus spinosus	wool cache plant					√		√	√	√			√
Spin-Count apergloides prirocoma representa bancelear golden-sater and bancelear golden-sater and bancelear golden-sater and colorweed service bancelear goldenweed goldenweed rashardela suppose green-leaf rashardela green-leaf gr	Psathyrotes annua	fan-leaf	√	√				√						
Pyrroconal bancelotata goldenweed goldenweed var funcelotata goldenweed var funcelotata goldenweed var funcelotata goldenweed var		cudweed						√						
Pyrrocoma racernosa Culastered goldenweed V V V V V V V V V	Pyrrocoma apargioides	golden-aster							√			√	√	√
Rafinesquia nonomericana y white chicory v v v v v v v v v v v v v v v v v v v												√		
Raillardella casposa grien-head raillardella scaposa (antierdella scaposa) grien-head raillardella scaposa (antierdella scaposa) grien-head raillardella scaposa (antierdella seriori della single-stemmed groundella single-stemm	Pyrrocoma racemosa		√	√				√						√
Senecio facciclus var. month threadleaf ragwort water ragwort ragwort water ragwort water ragwort water ragwort water ragwort ragwort water ragwort water ragwort water ragwort water ragwort ragwor		white chicory	√	√	√									
Senecio Indrophilus water ragwort V	Raillardella scaposa								√				√	
Senecio integerrimus Senecio integerrimus Senecio integerrimus Senecio integerrimus Senecio integerrimus Senecio sorzonella Senecio sorzonela Senecio sorzonella Sene				√								√		
Senecio Integerrinus Senecio Integerrinus Senecio sorzonella Senecio sorzonella Senecio sorzonella Senecio sorzonella Senecio serra var. serra tall ragvort Senecio spartioides ragvort Senecio spartioides ragvort Senecio spartioides ragvort Senecio spartioides ragvort Senecio triangularis Senecio brom-like ragvort Senecio triangularis Senecio Solidago muttiradiata alpine goldenrod Solidago spectabilis basin goldenrod Solidago spectabilis basin goldenrod Solidago spetabilis Solidago velutina ssp. california coldenrod goldenrod goldenrod solidago spetabilis Solidago spetabilis basin goldenrod solidago spetabilis solidago spetabilis spetab	Senecio hydrophilus	water ragwort												√
Senecio sorzonella Senecio sparticides Eragwort Senecio sparticides Senec	Senecio integerrimus								√					
Senecio spartioides broom-like ragwort Senecio triangularis senecio Solidago multiradiata alpine goldenrod Solidago pectabilis basin goldenrod Solidago yelutina ssp. California goldenrod Solidago yelutina ssp. California goldenrod Sonchus asper ssp. asper "Sonchus asper ssp. asper "Sonchus oleraceus prickly sow- thistle "Sonchus oleraceus prickly sow- thistle "Sonchus oleraceus Sphaeromeria cana mountain tansy Stendus acaulis limestone aster Stephanomeria exigua ssp. coronaria Stephanomeria exigua ssp. coronaria Stephanomeria exigua ssp. coronaria Stephanomeria parryi Stephanomeria parryi Stephanomeria parryi Stephanomeria parryi Stephanomeria desert milk-aster V V V V V V V V V V V V V V V V V V V													√	√
Senecio spartioides broom-like ragwort Senecio triangularis sarrow-leaf senecio Solidago multiradiata alpine goldenrod V Solidago velutina ssp. California goldenrod V Solidago velutina ssp. California goldenrod V Sonchus asper ssp. asper Prickly sow- thistle Sphaeromeria cana mountain tansy Stenotus acaulis limestone aster Stephanomeria exigua ssp. exigua annual mitra Stephanomeria exigua ssp. exigua annual mitra V V V Stephanomeria parryi Stephanomeria parryi Parry rock-pink V V V V V V V V V V V V V V V V V V V	Senecio scorzonella	Sierra ragwort							√				√	
Senecio triangularis Senecio multiradiata senecio Solidago multiradiata alpine goldenrod V Solidago yelutina ssp. californica "Sonchus aleaeus histle V Sonchus aleaeus Himestone aster V V I I I I I I I I I I I I I I I I I	Senecio serra var. serra	tall ragwort												√
Senecio triangularis Senecio Solidago multiradiata alpine goldenrod V Solidago spectabilis basin goldenrod V Solidago velutina ssp. California goldenrod V Sonchus asper ssp. asper "Sonchus asper ssp. thistle "Sonchus oleraceus prickly sowthistle "Sonchus oleraceus Sphaeromeria cana mountain tansy Stenotus acaulis limestone aster Stephanomeria exigua ssp. coronaria Whiteplume wirelettuce Stephanomeria exigua ssp. exigua Stephanomeria parryl Parry rock-plink V V Stephanomeria pauciflora Stephanomeria pauciflora Stephanomeria pauciflora Inarrow-leaved tenufolia milk-aster Stylocline psilocarphoides long-leaved aster Symphyotrichum campestre Symphyotrichum cangestre Symphyotrichum cangestre Symphyotrichum aster	Senecio spartioides											√		
Solidago spectabilis basin goldenrod	Senecio triangularis								√	√			√	
Solidago velutina ssp. california goldenrod go	Solidago multiradiata	alpine goldenrod							√				√	
*Sonchus asper ssp. asper ssp. prickly sow-thistle prickly sow-thi	Solidago spectabilis	basin goldenrod		√				√						√
asper thistle	Solidago velutina ssp. californica			√										
Sphaeromeria cana mountain tansy				√				√						
Stenotus acaulis limestone aster	*Sonchus oleraceus							√						
Stephanomeria exigua sp. coronaria wirelettuce wirelet	Sphaeromeria cana	mountain tansy							√					
Spynphyotrichum asser white-headed aster Symphyotrichum asser white-headed aster white-he	Stenotus acaulis	limestone aster					√							✓
Stephanomeria parryi Stephanomeria parryi Stephanomeria pauciflora Stephanomeria desert milk-aster v v v v stephanomeria milk-aster lora desert milk-aster lora														√
Stephanomeria pauciflora desert milk-aster		annual mitra		√				√						
pauciflora Stephanomeria tenuficia Inarrow-leaved milk-aster Stylocline psilocarphoides Symphyotrichum assendens Symphyotrichum campestre Symphyotrichum eatonii Eaton aster Symphyotrichum entonii Symphyotrichum eatonii Symphyotrichum eatonii Symphyotrichum aster white-headed aster Symphyotrichum aster white-panicle aster white panicle aster Symphyotrichum white-panicle aster white panicle aster	Stephanomeria parryi	Parry rock-pink		√		√								
tenuifolia milk-aster V V V V V V S V S V S V S V S V S V S		desert milk-aster		√	√									
psilocarphoides neststraw Symphyotrichum ascendens Symphyotrichum campestre Symphyotrichum eatonii Eaton aster eatonii Symphyotrichum frondosum Symphyotrichum frondosum white-headed aster white panicle aster white panicle aster Symphyotrichum hesperium white panicle aster								√	√			V		
ascendens Symphyotrichum campestre Symphyotrichum Eaton aster Symphyotrichum deatonii Symphyotrichum white-headed aster Symphyotrichum deatonii Symphyotrichum white-headed aster					√									
campestre aster Symphyotrichum eatonii Symphyotrichum dhite-headed aster Symphyotrichum lanceolatum var. hesperium Symphyotrichum western mountain white panicle aster		long-leaved aster							√	√				√
eatonii Eaton aster V V V V V V V V V V V V V V V V V V V														√
frondosum aster Symphyotrichum lanceolatum var. hesperium Symphyotrichum western mountain white panicle aster		Eaton aster				√								√
lanceolatum var. hesperium Symphyotrichum western mountain								√						
Symphyotrichum western mountain	lanceolatum var.			√				√						
	Symphyotrichum								√				√	

		all significant and significan	a Hin.		Div. & Oak C	oimte:	all support	160	real	ignor.	100	assin assin	s _{II} ,
Scientific Name	Common Name	Fossii Falls	Alabam;	Mazour	Div. & Oz	White M	Fish Slo	Rock Cr.	McGee (Parker 6	East Mo	Tioga Pass	Bodie H
Syntrichopappus fremontii	Fremont gold		√										
*Taraxacum officinale	common dandelion							√	√			√	√
Tetradymia axillaris	cotton-thorn			√			√						
Tetradymia axillaris var.	cotton-thorn						√						
Tetradymia axillaris var. Iongispina	cotton-thorn		√										
Tetradymia canescens	gray horsebrush				√	√		√	√	√	√		√
Tetradymia glabrata	desert horsebrush		√				√						
Tetradymia stenolepis	Mojave horsebrush		√										
Tonestus eximius	Lake Tahoe serpentweed							√					
Tonestus peirsonii	Peirson's serpentweed							√					
Townsendia condensata	cushion Townsend daisy												V
Townsendia scapigera	ground daisy					√							V
Wyethia mollis	mule ears							√	V	√		√	√
Xanthium strumarium	cocklebur		√				√						
Xylorhiza tortifolia var. tortifolia	Mojave aster	√	√	√			√						
AZOLLACEAE	Mosquito Fern												
Azolla filiculoides	mosquito fern		√										
Azolla microphylla	Mexican mosquito fern						√						
BETULACEAE	Birch												
Betula occidentalis	water birch		√		√			√	√				
BORAGINACEAE	Borage												
Amsinckia tessellata	fiddleneck						√						
Amsinckia tessellata	fiddleneck		√	√	V								
var. tessellata Cryptantha ambigua	basin cryptantha												V
Cryptantha barbigera	fuzzy forget- me-not									√			
Cryptantha cinerea var. abortiva	James' cryptantha												V
Cryptantha	capped	√	√	V	√	√	√	√		√	√		V
circumscissa Cryptantha	cryptantha golden forget-					· ·	· √	· ·		· √	· √		
confertiflora	me-not	√				v	v	V		V	v		
Cryptantha decipiens	gravel cryptantha flexuous	V	√										
Cryptantha dumetorum	cryptantha		v										,
Cryptantha echinella Cryptantha flavoculata	prickly cryptantha sulphur-throated					√							√ √
Cryptantha glomeriflora	forget-me-not Truckee cryptantha							√			√		
Cryptantha humilis	low cryptantha												√
Cryptantha intermedia	common cryptantha	√											
Cryptantha micrantha	purple-rooted forget-me-not		√				√				√		
Cryptantha nevadensis	Nevada cryptantha	√	√	√			√						
Cryptantha nubigena	Sierra forget- me-not							√					
Cryptantha oxygona	sharp-nut cryptantha										√		
Cryptantha pterocarya	wing-nut forget- me-not	√	√	√			√						
Cryptantha recurvata	curved cryptantha						√						
Cryptantha torreyana var. torreyana	Torrey's cryptantha												√
Cryptantha utahensis	fragrant forget- me-not		√	√									

					you	. iks	Su					sin		/
		Ssil Falls	арата нт.	azourka o	v. & Oak C	hite Mounts	sh Sloumh	ick Creek	Gee Greet	rker Bence	st Mono p	Tioga Pass	die Hills	
Scientific Name	Common Name	F ₀	Ā	M	iq	M	iii	Rc	W	ď	₩.	ĬĬ	Bc	
Cryptantha virginensis	Virginia forget- me-not					√								
Cryptantha watsonii	Watson forget- me-not										√		√	
Cryptantha spp.	cryptantha				√				√					
Emmenanthe penduliflora var. penduliflora	whispering bells		√											
Eucrypta chrysanthemifolia	spotted eucrypta	√												
Eucrypta chrysanthemifolia var. bipinnatifida	spotted eucrypta		√	√										
Eucrypta micrantha	dainty desert eucrypta						√							
Hackelia floribunda	manyflower stickseed							√						
Hackelia micrantha	Jessica's stickseed							√				√	√	
Heliotropium curassavicum	alkali heliotrope	√	√				√							
Hesperochiron californicus	California hesperochiron		√										V	
Lappula redowskii var. redowskii	stickseed							√					V	
Mertensia oblongifolia var. nevadensis	bugle lungwort												√	
Nama aretioides	sagebrush nama	√	√		√		√						√	
Nama demissum var. demissum	purple mat		√			√								
Nama densum var. densum	leafy fiddleleaf					√							√	
Nama depressum	narrow-leaved nama						√							
Nama rothrockii	Rothrock's nama												√	
Nemophila spatulata	Sierra nemophila												√	
Pectocarya heterocarpa	wing-nutted combseed		√											
Pectocarya penicillata	slender combseed						√							
Pectocarya platycarpa	broad-margined comb-bur	√												
Pectocarya recurvata	curved combseed	√												
Pectocarya setosa	round pectocarya		√				√							
Phacelia bicolor var. bicolor	sticky yellow- throats		√		√	V			√	√	V		√	
Phacelia crenulata	notch-leaf phacelia			√										
Phacelia curvipes	dwarf phacelia		√		√					√				
Phacelia distans	blue phacelia	√	√	√			√							
Phacelia fremontii	yellow-throats	√	√	√		√	√				√			
Phacelia hastata	timberline phacelia							√	√					
Phacelia hastata ssp. compacta	timberline phacelia										√	√	√	
Phacelia hastata ssp. hastata	silverleaf phacelia										√			
Phacelia heterophylla ssp. virgata	varied-leaf phacelia							√					√	
Phacelia humilis	low phacelia								√	√			√	
Phacelia humilis var. humilis	low phacelia					√								
Phacelia inyoensis	Inyo phacelia		√				√							
Phacelia ivesiana	lves' phacelia		√											
Phacelia monoensis	Mono phacelia												√	
Phacelia perityloides	cliff phacelia			√										
Phacelia ramosissima	branching phacelia									√	√		√	
Phacelia rotundifolia	round-leaved phacelia		√											
Phacelia saxicola	stonecrop phacelia						√							
Phacelia vallis-mortae	Death Valley phacelia					√								

Scientific Name	Common Name	Fossil Falls	Alaba	Mazou	Dių, &	White	Fish S.	Rock (McGee Creet	Parker	East M	Tioga,	Bortis
Pholistoma membranaceum	white fiesta- flower	√											
Plagiobothrys hispidulus	harsh popcorn flower												V
Plagiobothrys kingii var. harknessi	Harkness popcorn flower												
Plagiobothrys kingii var. kingii	King popcorn flower										√		V
Plagiobothrys leptocladus	prostrate popcorn flower	√											
Tiquilia nuttallii	Nuttall tiquilia		√				√			√	√		
Tricardia watsonii	three hearts	√	√										
BRASSICACEAE Barbarea orthoceras	Mustard winter-cress											V	V
	Bodie Hills rock											v	٧
Boechera bodiensis	cress Masonic rock												V
Boechera cobrensis	cress												√
Boechera dispar	pinyon rock cress spreading rock					√							
Boechera divaricarpa	cress							√					
Boechera elkoensis	pioneer rock cress												√
Boechera glaucovalvula	blue-podded rock cress		√										
Boechera inyoensis	Inyo rock cress					√		√					
Boechera lemmonii	Lemmon rock cress							√				√	
Boechera lincolnensis	Lincoln's rock						√						
Boechera Iyallii	cress Lyall's rock cress							V				V	V
Boechera pauciflora	hairy-stem rock							√					√
	cress small-leaved rock												V
Boechera paupercula	cress Holboell arched												v
Boechera pinetorum	rock cress							√					
Boechera platysperma	pioneer rock cress							√			√	√	
Boechera puberula	silver rock cress												√
Boechera pulchra	prince's rock cress			√	√	√	√						√
Boechera retrofracta	Holboell reflexed rock cress					√		√			√		
Boechera sparsiflora	elegant rock cress												V
Boechera stricta	Drummond's rock cress							√				√	
Boechera tiehmii	Carson Range rock cress											√	
Boechera tularensis	Tulare rock cress							√					
Boechera xylopoda	bigfoot hybrid rock cress		√										
Boechera spp.	rock cress					√			√				
Caulanthus cooperi	Cooper caulanthus		√	√		√							
Caulanthus pilosus	chocolate drops		√		√		√	√	√				
Cusickiella douglasii	alkali cusickiella												√
Cusickiella quadricostata	Bodie Hills cusickiella												√
Descurainia californica	California tansy mustard											√	√
Descurainia incisa ssp. incisa	mountain tansy mustard												V
Descurainia longipedicellata	western tansy mustard												√
Descurainia pinnata	tansy mustard				√		√			√	√		
Descurainia pinnata ssp. glabra	tansy mustard		√										
*Descurainia sophia	flixweed					√							√
Descurainia spp.	tansy mustard							√	√				

				2	anyon	ceKs L	sups					asin	
		Fossil Falls	прата н	Zourks o	Div. & Oak Con	iite Moun	h Slounh	ck Creek	gee Creat	ker Ben	st Mono p	ga Pass	tie Hills
Scientific Name	Common Name	Fos	A/a	Ma	ila	W	Fis	RO	Mc	Pal	E	Į,	Bo
Draba albertina	slender draba							√			√	√	√
Draba breweri	Brewer's whitlow grass							√					√
Draba densifolia	denseleaf draba							√					
Draba lemmonii	Lemmon's draba							√					
Draba oligosperma	comb draba							√					
Draba sierrae Draba spp.	Sierra draba draba		V					√					
Erysimum capitatum	wallflower		ľ		√	V		V	√	V	V	V	
Erysimum capitatum	wallflower												1
ssp. capitatum													·
Erysimum perenne	Sierra wallflower rock mustard		V										V
Halimolobos jaegeri Hornungia procumbens	meadow mustard	√	V √										V
*Lepidium appelianum	hairy whitetop												√
Lepidium flavum	yellow	√	V	V			V						
·	peppergrass	· ·				V							
Lepidium fremontii Lepidium lasiocarpum	bush peppergrass shaggyfruit	V	V	√		v	√						
ssp. lasiocarpum	pepperweed		√										
Lepidium virginicum	Virginia pepperweed							√					
Nasturtium officinale	water-cress		√				√						V
Phoenicaulis	dagger pod		√					√					√
cheiranthoides Physaria kingii	beadpod												./
Physaria kingii ssp.													V
kingii	beadpod					√							
Polyctenium fremontii	desert combleaf												√
Rorippa curvipes	bluntleaf yellowcress											√	√
Rorippa palustris	bog yellowcress						√						
Rorippa sinuata	spreading yellowcress	√											
Rorippa spp.	yellowcress							√					
Sisymbrium altissimum	tumble mustard												√
Stanleya elata	prince's plume		√	√									
Stanleya pinnata var. pinnata	desert plume		√	√									√
Streptanthella longirostris	streptanthella		√				√						
Streptanthus cordatus var. cordatus	pinyon streptanthus					√							
Streptanthus oliganthus	Masonic mountain jewelflower												√
Streptanthus tortuosus	shieldleaf											√	
Thelypodium crispum	crisped thelypody										√		√
Thelypodium	whole-leaf mustard						√						√
integrifolium Thelypodium													
integrifolium ssp. complanatum	entire-leaved thelypody						√						
Thelypodium laciniatum	cutleaf thelypody						√						
Thysanocarpus curvipes	fringe-pod		√										
CACTACEAE	Cactus												
Cylindropuntia echinocarpa	silver cholla		√	√									
Echinocactus polycephalus var.	cottontop		√	√									
polycephalus Echinocereus	hedgehog cactus		√	√		√							
engelmannii Echinocereus	Mojave mound					√							
mojavensis Grusonia pulchella	cactus sand cholla												√
Opuntia basilaris var.													
basilaris	beavertail cactus		√	√									
Opuntia polyacantha var. erinacea	Mojave prickly pear				√	√		√	√				√

Scientific Name	Common Name	Fossil Fa	Alabama	Mazour	Div. & Oak Com	White M	Fish Slo	Rock Cre	McGee C	Parker B	East Mo,	Tioga Pa	Bodje u.
CAMPANULACEAE	Beliflower												
Nemacladus orientalis	glandular thread-plant						√						
Nemacladus rigidus	stout thread-plant												√
Nemacladus rubescens	yellow-flowered thread-plant		√										
CANNABACEAE	Hemp												
*Humulus lupulus	European hop												√
CAPRIFOLIACEAE	Honeysuckle												
Lonicera involucrata var. involucrata	twinberry honeysuckle											√	
Symphoricarpos longiflorus	desert snowberry		√	√		√							
Symphoricarpos rotundifolius	roundleaf snowberry					√		√	√	√	√	√	V
Symphoricarpos rotundifolius var. parishii	Parish's snowberry												V
CARYOPHYLLACEAE	Pink												
Eremogone aculeata	King sandwort												V
Eremogone kingii var. glabrescens	King sandwort					√		√				√	
Eremogone macradenia	desert sandwort				√			√					
Eremogone macradenia var. macradenia	green sandwort			√									
Minuartia nuttallii var. fragilis	brittle sandwort												√
Minuartia nuttallii var. gracilis	Nuttall sandwort							√					
Minuartia stricta	bog stitchwort											√	
Sagina saginoides	arctic pearlwort							√				√	V
Scopulophila rixfordii	Rixford rockwort			√									
Silene bernardina	Palmer's catchfly												√
Silene menziesii	Menzies' catchfly							√					√
Silene sargentii	Sargent's catchfly							√					
Stellaria borealis ssp. sitchana	Sitka starwort							√					
Stellaria calycantha Stellaria longipes ssp.	northern starwort							√					
ongipes	starwort							√			√	√	V
Stellaria umbellata	umbrella chickweed							√				√	
CHENOPODIACEAE	Goosefoot												
Allenrolfea occidentalis	picklebush						√						
Atriplex canescens	fourwing saltbush	√	√	√			√						
Atriplex canescens var. canescens	fourwing saltbush		,	,	√		√ /						
Atriplex confertifolia Atriplex covillei	shadescale	√	√	√			√						
Atriplex coviller Atriplex hymenelytra	desert holly	,	v √				,						
Atriplex nymenelytra Atriplex parryi	Parry saltbush		v √				√						
Atriplex parryi Atriplex patula	spear oracle		V				√ √						V
Atriplex patula Atriplex polycarpa	allscale	√	√				v						v
Atriplex polycarpa Atriplex torreyi var. torreyi	quailbush	√ √	√ V				√						
Atriplex truncata	wedgescale saltbush						√						
*Bassia hyssopifolia	bassia	V	√										V
*Chenopodium album	lamb's quarters						√				√		√
Chenopodium atrovirens	pinyon goosefoot							√					√

Scientific Name		Įs _s	иеды	noz	. & O	hite _N	th Sto	ck Cr	дан да	Parker Benzi	st Mo	уа Ра	die Hill
ooiomano manio	Common Name	FO	AI,	Mis	ia	M	Fis	Ro	Mc	Pa	Ea	Jig	Bo
Chenopodium desiccatum	pinyon goosefoot										√		
Chenopodium fremontii	Fremont goosefoot						√	√					√
Chenopodium	narrow-leaved										V		
leptophyllum	goosefoot										v		
*Chenopodium macrospermum	largeseed goosefoot						√						
Chenopodium rubrum	red goosefoot	√											
Chenopodium spp.	goosefoot		,			,	,		√	,	,		
Grayia spinosa	hop-sage		√	V	√	√	√			√	√		√ √
Kochia americana *Kochia scoparia ssp.	gray molly		√										V
scoparia	summer-cypress						√						
Krascheninnikovia Ianata	winter fat		√	√		√	√						√
Monolepis nuttalliana	Nuttall monolepis						√						V
Monolepis spathulata	beaver povertyweed												V
*Salsola australis	Russian thistle						√						
	barbwire Russian		,										
*Salsola paulsenii	thistle		V										
*Salsola tragus	prickly Russian thistle		√				√	√		√			√
Suaeda nigra	Mojave seablite		√				√						
Suaeda occidentalis	Nevada inkweed												√
CLEOMACEAE	Caper												
Cleomella brevipes	pygmy cleomella						√						
Cleomella obtusifolia	Mojave stinkweed	√	√				√						
Cleomella parviflora	slender cleomella	√	√				√						√
Cleomella plocasperma	twisted cleomella						√						
Wislizenia refracta	spectacle fruit						√						
CONVOLVULACEAE	Morning-glory												
	Piute morning-				,								
Calystegia longipes	glory				V								
*Convolvulus arvensis	bindweed												√
Cuscuta campestris	field dodder		√										
Cuscuta californica var. californica	California dodder						√						
Cuscuta indecora var.	pretty dodder	√	√										
	bigseed alfalfa						,						
Cuscuta jepsonii	dodder						√						
Cuscuta occidentalis	chaparral dodder												√
Cuscuta salina	alkali dodder	√											
Cuscuta spp.	dodder		√										
CORNACEAE	Dogwood												
Cornus sericea ssp.	American		√										1
sericea	dogwood		v										٧
CRASSULACEAE	Stonecrop												
Rhodiola integrifolia	rosy sedum							√				√	
ssp. integrifolia	-							v				v	
Sedum lanceolatum	narrow-leaf stonecrop											√	
Sedum obtusatum	Sierra sedum											√	
CUPRESSACEAE	Cypress												
Calocedrus decurrens	incense cedar		√										
Juniperus communis	common juniper											√	
Juniperus grandis	Sierra juniper					,		√	√	√			√ ′
Juniperus osteosperma	Utah juniper					√							√
CYPERACEAE	Sedge												
Amphiscirpus							,						
nevadensis	Nevada club-rush						√						√

Scientific Name	Common Name	Fossil	Alabar	Mazou	Div. & C	White ,	Fish St	Rock C.	McGee Creat	Parker	East M	Tioga p	Bodie _F
Bolboschoenus													
maritimus ssp. paludosus	cosmopolitan bulrush						√						
Carex abrupta	abruptly beaked sedge							√				√	
Carex albonigra	blackandwhite sedge							√					
Carex alma	Alma sedge							√					
Carex aquatilis var. aquatilis	water sedge										√	√	
Carex athrostachya	slenderbeak sedge							√					√
Carex aurea	golden sedge							√		√			
Carex breweri	Brewer's sedge							√					
Carex buxbaumii	Buxbaum's sedge							√					
Carex canescens ssp.	silvery sedge							√					
Carex capitata	capitate sedge							√					
Carex congdonii	Congdon's sedge							√					
Carex douglasii	Douglas sedge						√	√		√	√		√
Carex filifolia	threadleaf sedge							v √					
Carex filifolia var.												.,	
erostrata	shorthair sedge							√				√	
Carex fissuricola	cleft sedge											√	
Carex fracta	fragile sheath sedge							√					
Carex hassei	salt sedge							√					
Carex helleri	Heller's sedge							√					√
Carex heteroneura	different-nerve sedge							√				√	√
Carex hoodii	Hood's sedge							√			√	√	
Carex illota	sheep sedge							√				√	
Carex jonesii	Jones' sedge							√					
Carex luzulifolia	littleleaf sedge							√					
Carex luzulina	woodrush sedge							√				√	
Carex microptera	smallwing sedge							√					√
Carex multicostata	manyrib sedge											√	
Carex nebrascensis	Nebraska sedge							√					√
Carex pellita	woolly sedge						√	√					√
Carex phaeocephala	dunhead sedge					√							
Carex praeceptorum	early sedge							√				√	
Carex praegracilis	clustered field sedge						√				√		√
Carex preslii	Presl's sedge							√					√
Carex raynoldsii	Raynolds' sedge							√				√	
Carex rossii	Ross' sedge							√			√	√	√
Carex scopulorum var. bracteosa	mountain sedge							√				√	
Carex simulata	analogue sedge							√					√
Carex spectabilis	showy sedge							√				√ ,	,
Carex straminiformis	Shasta sedge							.1				√ ./	√
Carex subnigricans Carex utriculata	nearlyblack sedge Northwest							√ √				√	V
Carex vernacula	Territory sedge native sedge							v √					
Carex vernacula Carex vesicaria	blister sedge							v √				√	
Carex whitneyi	Whitney's sedge							v √					
Carex spp.	sedge		√				√		V				
Cyperus squarrosus	bearded flatsedge									√			
Eleocharis bella	beautiful spikerush							√					
Eleocharis	pale spikerush												√
macrostachya	common						.,	.,					
Eleocharis palustris	spikerush						√ .	√					
Eleocharis parishii	Parish spikerush fewflower	√	√				√	√					
Eleocharis quinqueflora								√					√

					nov	, iks	Su					UIS	
		il Fatts	ата ніп	Simi	& Oak	te Mount	Slounh	k Greek	McGee Greet	er Bench	Monor	a Pass	Bodie Hills
Scientific Name	Common Name	F_{OSS}	Alab	Maz	Div.	Whit	Fish	Roci	McG	Park	East	Tiog	Bodi
Eriophorum crinigerum	fringed cottongrass							√					
Fimbristylis thermalis	fimbristylis						√						
Schoenoplectus acutus var. occidentalis	common tule	√	√				√						
Schoenoplectus americanus	three-square	√					√						√
Schoenoplectus pungens var. longispicatus	common three- square						√						
Scirpus microcarpus	panicled bulrush												√
Trichophorum clementis	Yosemite bulrush							√					
DENNSTAEDTIACEAE	Bracken												
Pteridium aquilinum var. pubescens	bracken		√										
ELAEAGNACEAE	Oleaster												
*Elaeagnus angustifolia	Russian olive		V				√						V
Shepherdia argentea	buffalo berry						,						√
ELATINACEAE	Waterwort												
Elatine rubella	southwestern waterwort												√
EPHEDRACEAE	Ephedra												
Ephedra nevadensis	Nevada ephedra		√	√	√	√	√						V
Ephedra viridis	green ephedra		√		√	√							√
EQUISETACEAE	Horsetail												
Equisetum arvense	field horsetail							√	√				
Equisetum laevigatum	smooth scouring rush		√				√		√				√
ERICACEAE	Heather												
Cassiope mertensiana	white heather							√				√	
Gaultheria humifusa	alpine spicywintergreen											√	
Gaultheria ovatifolia	western teaberry											√	
Kalmia polifolia	alpine laurel							√				√	√
Orthilia secunda	one-sided wintergreen							√				√	
Phyllodoce breweri	red heather							√				V	
Pyrola minor	snowline wintergreen											√	
Rhododendron columbianum	Labrador tea							√				√	√
Vaccinium cespitosum	dwarf bilberry							√				√	
Vaccinium uliginosum ssp. occidentale	bog blueberry							√				√	
EUPHORBIACEAE Chamaesyce	Spurge												
albomarginata	rattlesnake weed	V											
Chamaesyce fendleri Chamaesyce	Fendler spurge					√							
micromera	Sonoran sandmat		√										
Croton setigerus	dove weed	√											
Stillingia paucidentata	Mojave stillingia	√											
FABACEAE	Pea												
Acmispon americanus	Spanish clover		√										
var. americanus Acmispon brachycarpus	short-podded		· ·										
Acmispon strigosus	strigose bird's- foot trefoil						√						
Astragalus acutirostris	keel beak	√	√				√						

Scientific Name	Common Name	Fossil Falls	Alabama	Mazourk	Div. & Oak C	White M.	Fish Slou	Rock Cre	McGee C	Parker B.	East Mor	Tioga Pass	Bodje
Astragalus argophyllus	silverleaf milk-	,										'	7
rar. argophyllus	vetch						√						
Astragalus bolanderi	Bolander's thread-plant												√
Astragalus calycosus var. calycosus	little gray milk-vetch					√							√
Astragalus coccineus	scarlet milk-vetch		V	√									
Astragalus curvicarpus var. curvicarpus	coiled locoweed												√
Astragalus inyoensis	Inyo milk-vetch					√							
Astragalus johannis- nowellii	Long Valley milk-vetch												√
Astragalus kentrophyta var. danaus	spiny milk-vetch					√						√	
Astragalus kentrophyta var. elatus	Inyo prickly milk-vetch					√							
Astragalus kentrophyta var. tegetarius	dolomite milk- vetch					√							
Astragalus lentiginosus	paper locoweed						√	√					
Astragalus lentiginosus var. albifolius	northern freckled milk-vetch		√										
Astragalus lentiginosus var. fremontii	freckled milk- vetch		√	√		√							
Astragalus lentiginosus var. ineptus	freckled milk- vetch												√
Astragalus lentiginosus var. piscinensis	Fish Slough milk-vetch						√						
Astragalus lentiginosus var. semotus	little paper-pod					√							
Astragalus monoensis	Mono milk-vetch							√			V		
Astragalus newberryi var. newberryi	Newberry milk- vetch					√							
Astragalus oophorous	big-podded milk-vetch												V
Astragalus pseudiodanthus	Tonopah milk- vetch												V
Astragalus purshii	woolly-pod locoweed								√	√		√	√
Astragalus sepultipes	Lone Pine milk- vetch				√								
Astragalus whitneyi	Whitney's locoweed								√			√	
Astragalus whitneyi var. whitneyi	Whitney's locoweed												V
Glycyrrhiza lepidota	wild licorice		√				√						
Hosackia crassifolia var. crassifolia	buck lotus												√
Hosackia oblongifolia	narrow-leaved		√										
var. oblongifolia *Lotus corniculatus	lotus bird's-foot lotus		v √										
Lupinus andersonii	Anderson's lupine										√		√
Lupinus arbustus	longspur lupine								√				V
Lupinus argenteus	silver lupine					√		√					√
Lupinus argenteus var. argenteus (L. argenteus ssp. argenteus)	silver lupine					√							
Lupinus argenteus var. heteranthus	spurred lupine									√			
Lupinus argenteus var. meionanthus	Tahoe lupine					√					√		√
Lupinus argenteus var. montigenus	Kellogg's spurred lupine								V				
Lupinus breweri var. breweri	Brewer's lupine										√		
Lupinus breweri var. bryoides	matted lupine					√							V
Lupinus breweri var. grandiflorus	matted lupine									√	√		
Lupinus concinnus	bajada lupine		V										
Lupinus duranii	Mono Lake lupine										√		
upinus excubitus var.	Inyo bush lupine		√	√	√								
Lupinus flavoculatus	yellow-eyes		V	V									

					non	. sks	SU					sin	
Scientific Name	Common Name	ossil Falls	Чавата ни	Mazourka	Div. & Oak Co	White Mounts	ish Slount	Pock Creek	McGee Greet	Parker Bench	ast Mono B	Tioga P _{ass}	³ odie Hills
	green slender	4	4	"	7	4					4	7	В
Lupinus gracilentus	lupine							√					
Lupinus lepidus var. confertus	crowded lupine							√			√		
Lupinus lepidus var. lobbii	Donner Lake lupine											√	
Lupinus lepidus var. ramosus	crowded lupine										√	√	
Lupinus lepidus var. sellulus	Donner Lake lupine												√
Lupinus magnificus	Kerr lupine				√								
Lupinus microcarpus var. horizontalis	sunset lupine	√											
Lupinus nevadensis	Nevada lupine												V
Lupinus odoratus	royal desert lupine	√	√				√						
Lupinus polyphyllus var. burkei	largeleaf lupine		√									√	
Lupinus pratensis	Inyo meadow Iupine							√			√		
Lupinus shockleyi	sand lupine		√										
Lupinus spp.	lupine					√							
*Medicago lupulina	black medick												√
*Melilotus albus	white sweetclover		√		√		√						
*Melilotus indicus	sweetclover		√										
Psorothamnus arborescens var. minutifolius	indigo bush	√	√	√	√		√						
Psorothamnus polydenius	Nevada dalea						√						
*Robinia pseudoacacia	black locust		√				√						
Trifolium andersonii	fiveleaf clover												√
Trifolium andersonii ssp. beatleyae	Mono clover					√							
Trifolium cyathiferum	cup clover												√
*Trifolium dubium	shamrock						√						
*Trifolium fragiferum	strawberry clover		√										
Trifolium longipes	long-stalked clover							√					√
Trifolium monanthum	carpet clover							√	√				√
Trifolium monanthum ssp. monanthum	carpet clover											√	
Trifolium wormskioldii	cow clover		√				√						
Vicia americana ssp. americana	American vetch							√	√				√
FAGACEAE	0ak												
Chrysolepis								√	√		√		
sempervirens	bush chinquapin				.,			· ·	Y		V		
Quercus chrysolepis	canyon live oak California black				√ ,								
Quercus kelloggii	oak				√								
Quercus wislizeni	interior live oak				√								
GENTIANACEAE	Gentian												
Comastoma tenellum	Dane's dwarf gentian							√					
Frasera puberulenta	Inyo gentian					√							
Gentiana newberryi	alpine gentian							√				√	
Gentianella amarella ssp. acuta	felwort							√				√	
Gentianopsis	Sierra gentian							√				√	
holopetala Gentianopsis simplex	hiker's gentian							v √			V		
Zeltnera exaltata	four-petal		√				√						
Louisia Exalială	centaury		*				Y						
GERANIACEAE	Geranium												
*Erodium cicutarium	red-stemmed		V				√						√
Li ouium viouidHulli	filaree	1	Ι΄	1			l *						,

Calaukii - Nam	0	ossil Fall	Alabama Hin.	fazourk.	iv. & Oak	Vhite Mo.	ish Slour	ock Gree	CGee Cr	arker Be	ast Mong	ioga Pas	
Scientific Name	Common Name	F	Ą	~	q	2	ii.	4	~	4.	Щ	<i>!!</i>	ľ
Geranium richardsonii	Richardson's geranium							√					
GROSSULARIACEAE	Gooseberry												
Ribes aureum var.	golden currant		V										√
aureum Ribes cereum	wax currant					V		V	V	V	V		√
Ribes inerme var.	whitestem							√	V				V
inerme	gooseberry mountain								·				Ė
Ribes montigenum	gooseberry							√				√	
Ribes nevadense	Sierra currant				√								
Ribes velutinum	plateau gooseberry		√										V
HYDROCHARITACEAE	Waterweed												
Elodea canadensis	Canadian waterweed						√						
HYDRANGEACEAE	Hydrangea												
Jamesia americana var. rosea	cliffbush							√					
HYPERICACEAE	St. John's Wort												
Hypericum anagalloides	tinker's penny							√				√	
IRIDACEAE	Iris												
Iris missouriensis	wild iris						√	√		√		√	V
Sisyrinchium	Nevada blue-eyed						√						V
halophilum Sisyrinchium idahoense	grass blue-eyed grass							√					
iudiloelise													
ISOETACEAE	Quillwort												
Isoetes bolanderi	Bolander's quillwort							√					
Isoetes occidentalis	western quillwort							√					
JUNCACEAE	Rush												
Juncus balticus		.1	./				√	√		√		./	V
ssp. ater	wire grass	V	V					V		V		√	_
Juncus bufonius Juncus drummondii	toad rush Drummond's rush						√	√				√	√
Juncus ensifolius	swordleaf rush												V
Juncus longistylis	longstyle rush						√				√		
Juncus macrandrus	longanther rush							√					
Juncus mertensianus	Mertens' rush							√			√	√	
Juncus mexicanus	Mexican rush	√	√					√		√	√		
Juncus nevadensis var. nevadensis	Sierra rush							√	√			√	√
Juncus orthophyllus	straightleaf rush											√	√
Juncus oxymeris	pointed rush									√		,	
Juneus parryi	Parry's rush						1/	√				√	V
Juncus torreyi Luzula comosa	Torrey rush Pacific woodrush						√	V				√	
Luzula comosa Luzula divaricata	forked woodrush							v √				v √	
Luzula orestera	Sierra woodrush							v √				v √	
Luzula parviflora	smallflowered							v √				√	
Luzula spicata	woodrush spiked woodrush											v	
Luzula spicata Luzula subcongesta	Donner woodrush							√				v √	
JUNCAGINACEAE	Arrow-grass												
Triglochin concinna var. debilis	alkali arrow-grass						√						V
Triglochin palustris	marsh arrow-grass	1	1	l	I			√		1		1	√

				SII	anyon	reeks	rains			f ·		asin	
Scientific Name	Common Name	Fossil Falls	Alabama	Mazour	Div. & Oak	White Mour	Fish Sloure	Rock Greek	McGee Cree	Parker Beng	East Mono	Tioga Pass	Bodie Hills
LAMIACEAE	Mint												
Lycopus asper	rough bugleweed						√						
*Marrubium vulgare	horehound												√
*Melissa officinalis	common balm		√										
*Mentha arvensis	spearmint		√				√						√
Monardella odoratissima	coyote mint				√			√	√	√			√
Monardella odoratissima ssp. pallida	coyote mint								√			√	
Salvia carduacea	thistle-sage	√											
Salvia columbariae	chia	√	√		√		√						
Salvia dorrii	purple sage				√								
Salvia dorrii var. dorrii	purple sage					√							
Salvia dorrii var. pilosa	purple sage		√										
Scutellaria mexicana	bladder sage		√										
	white hedge		,										
Stachys albens Trichostema	nettle		√										
austromontanum ssp. austromontanum	San Jacinto bluecurls												√
LENTIBULARIACEAE	Bladderwort												
Utricularia macrorhiza	common bladderwort						√						
LILIACEAE	Lily												
Calochortus bruneaunis	sego lily					√		√	√				√
Calochortus excavatus	Inyo County star tulip		√				√						
Calochortus leichtlinii	Leichtlin's mariposa lily									√		√	√
Fritillaria atropurpurea	wood brownies												V
												√	V
Fritillaria spp. Lilium kelleyanum	fritillary Kelley's tiger lily							√				v	
Lilium parvum	tiger lily							v √				√	
Lilium parvum	uger my							ľ				v	
LINACEAE	Flax												
Linum lewisii	blue flax					√							√
LOASACEAE	Loasa												
Eucnide urens	rock nettle			√									
Mentzelia albicaulis	little blazing star		√	√	√		√			√	√		√
Mentzelia congesta	flower baskets									√	√		√
Mentzelia jonesii	Jones blazing star						√						
Mentzelia laevicaulis	giant blazing star									√			√
Mentzelia montana	mountain mentzelia										√		
Mentzelia nitens	Venus blazing star		√				√						
Mentzelia torreyi	Torrey's blazing star						√						√
Mentzelia tridentata	cream talus mentzelia	√											
Mentzelia veatchiana	copper blazing star	√					√						
Mentzelia spp.	blazing star					√							
Petalonyx nitidus	shinny-leaved sandpaper plant		√	√									
LYTHRACEAE	Loosestrife												
Lythrum californicum	California loosestrife	√	√				√						
MALVACEAE	Mallow												
Eremalche exilis	white mallow		√										
Eremalche rotundifolia	desert five-spot		· √										

					uo	S	s					u,	
		Falls	ша ни	IIIks o	Oak C	Mount	Tours	Jreet.	Creat	Bence	fono p	Tioga Pass	Hills
Scientific Name	Common Name	Fossij	Alabaı	Mazor	Div. &	White	Fish S	Rock (McGee	Parke	East A	Tioga	Bodie
Sidalcea covillei	Owens Valley checkerbloom		√										
Sidalcea oregana ssp.	Oregon												V
spicata Sphaeralcea ambigua	checkerbloom apricot mallow	V	V		√		V						
Sphaeralcea ambigua	apricot mallow		•	√		√	<i>√</i>						√
var. ambigua	apricot mailow			•		•	ľ						· ·
MELANTHIACEAE	False Hellebore												
Toxicoscordion venenosum var. venenosum	death camas		√										
Toxicoscordion paniculatum	sand corm												√
Veratrum californicum var. californicum	corn lily							√				√	√
MENYANTHACEAE	Buckbean												
Menyanthes trifoliata	buckbean							√					
MONTIACEAE	Montia												
Calyptridium monandrum	sand cress		√		√		√						
Calyptridium monospermum	oneseed pussypaws										√	√	
Calyptridium pygmaeum	pygmy pussypaws			П				√					
Calyptridium roseum	rosy pussypaws							√			√		√
Calyptridium umbellatum	pussypaws							√			√		√
Calyptridium spp.	pussypaws								V				
Claytonia parviflora ssp. parviflora	miner's lettuce		√										
Lewisia glandulosa	Sierra lewisia							V					
Lewisia nevadensis	Nevada lewisia							√					
Lewisia pygmaea Lewisia rediviva	dwarf lewisia bitterroot					√ √							√ √
Montia chamissoi	toad lily					V		√				√	√
NYCTAGINACEAE	Four O'Clock												
Abronia nana var. covillei	Inyo mountain abronia					√							
Abronia pogonantha	Mojave sand verbena	√											
Abronia turbinata	transmontane sand verbena						√			√	√		
Abronia villosa var. villosa	desert sand verbena						√						
Mirabilis alipes	rose four o'clock						√						
Mirabilis laevis var. retrorsa	wishbone bush	√	√										
Mirabilis laevis var. villosa	wishbone bush		√	√			√						
Mirabilis multiflora	desert four o'clock						√						
OLEACEAE	Olive												
Forestiera pubescens	desert olive		√										
Fraxinus velutina	desert ash		√										
Menodora spinescens Menodora spinescens	spiny menodora			V			√						
var. spinescens	spiny menodora					V							
ONAGRACEAE	Evening Primrose												
Camissonia campestris	Inyo suncups	√											
Camissonia contorta	contorted evening primrose												√
Camissonia parvula	Lewis River suncup										√		

					yon	. aks	ns.					sin	
		sil Falls	рата нт.	Mazourka	& Oak Cr	ite Mount	South	* Creek	see Cree	ker Bench	t Mono B	Ja Pass	ile Hills
Scientific Name	Common Name	FOS	Ala	Ma	Div	Wh	Fist	Roc	Mc	Par	Eas	Tiog	Вод
Camissonia pusilla	little wiry primrose						√						
Camissonia spp.	evening primrose				√								
Chamerion angustifolium ssp. circumvagum	fireweed							√	√			√	V
Chylismia brevipes	yellow cups						√						
Chylismia claviformis	brown-eyed primrose			√									
Chylismia claviformis ssp. claviformis	brown-eyed primrose		√										
Chylismia claviformis ssp. lancifolia	Inyo-Mono yellow primrose						√				√		
Chylismia heterochroma	purple primrose						√						
Chylismiella pterosperma	pygmy primrose						√						
Epilobium brachycarpum	tall annual willowherb		√										√
Epilobium canum ssp. latifolium	California fuchsia		√										
Epilobium ciliatum	fringed willowherb							√					
Epilobium ciliatum ssp. ciliatum	valley epilobium		√				√						√
Epilobium ciliatum ssp. glandulosum	fringed willowherb											√	
Epilobium glaberrimum	smoothstem willowherb							√					
Epilobium glaberrimum spp. fastigiatum	smoothstem willowherb											√	
Epilobium hallianum	glandular willowherb											√	
Epilobium hornemannii ssp. hornemannii	Hornemann's willowherb											√	
Epilobium lactiflorum	milkflower willowherb							√					
Epilobium minutum	threadstem fireweed						√						
Epilobium obcordatum	rock fringe							√					
Epilobium oregonense	Oregon willowherb							√				√	√
Eremothera boothii	Inyo evening primrose			√									
Eremothera boothii ssp. boothii	Booth's evening primrose										√		
Eremothera boothii ssp. desertorum	woody bottle- washer		√				√						
Eremothera boothii ssp. intermedia	hairy primrose					√							
Eremothera chamaenerioides	modest primrose		√										
Eremothera refracta	narrow-leaved primrose			√									
Eulobus californicus	mustard evening primrose						√						
Gayophytum decipiens	deceptive groundsmoke										√		
Gayophytum diffusum ssp. parviflorum	summer snowflakes					√		√	√	√	√	√	√
Gayophytum racemosum	blackfoot groundsmoke							√					
Gayophytum ramosissimum	pinyon gayophytum							√			√		
Oenothera californica ssp. avita	white desert primrose								√				
Oenothera cespitosa ssp. marginata	large white evening primrose		√	√		√							
Oenothera cespitosa ssp. crinita	limestone primrose					√							
Oenothera elata ssp. hirsutissima	tall evening primrose		√				√					√	
Oenothera primiveris	large yellow evening primrose	√											
Oenothera xylocarpa	woody-fruited evening primrose										√		
Taraxia subacaulis	northern suncup												✓

Scientific Name	Common Name	Fossil Falls	Alabama Hin.	Mazourka	Div. & Oak	White Moun	Fish Sloumh	Rock Creek	McGee Crea	Parker Beng	East Mong	Tioga Pass	Bodie
Taraxia tanacetifolia	tansyleaf suntcup		<u>`</u>										V
Tetrapteron palmeri	Palmer primrose	√											Ė
OPHIOGLOSSACEAE	Adder's-tongue												
Botrychium crenulatum	scalloped moonwort											√	
Botrychium simplex	little grapefern							√				√	√
ORCHIDACEAE	Orchid												
Epipactis gigantea	giant orchid		√				√						
Platanthera dilatata var. leucostachys	Sierra rein-orchid							√	√			√	
Spiranthes porrifolia	yellow ladies' tresses						√	√					
OROBANCHACEAE	Broom-rape												
Castilleja applegatei	wavy-leaved paintbrush							√	√				
Castilleja applegatei	Clokey Indian					√							
ssp. martinii Castilleja applegatei	paintbrush wavy-leaved											√	
ssp. pallida	paintbrush											V	
Castilleja applegatei ssp. pinetorum	wavy-leaved paintbrush					√							
Castilleja chromosa	desert paintbrush		√	√	√	√	√	√	√	√	√		V
Castilleja exserta	purple owl's clover	√											
Castilleja lemmonii	Lemmon's paintbrush							√				√	
Castilleja linariifolia	long-leaved paintbrush		√			V	√	√	√	V			V
Castilleja miniata ssp. miniata	great red paintbrush							√	√			√	
Castilleja minor ssp. minor	alkali Indian paintbrush		√				√						√
Castilleja nana	alpine paintbrush					√		√				√	V
Castilleja peirsonii	mountain Indian paintbrush							√				√	
Castilleja pilosa	parrothead Indian							√			√		√
Castilleja tenuis	hairy Indian paintbrush												√
Chloropyron maritimum	alkali bird's-beak	 √					√						
ssp. canescens Cordylanthus kingii	purple bird's-beak					√		√	√				V
ssp. helleri Cordylanthus ramosus	bushy bird's-beak		 √				√						v √
Orobanche corymbosa	sagebrush					V					V		v √
·	strangler mountain												
Orobanche fasciculata	strangler					√		√					V
Orthocarpus cuspidatus	Copeland's owl's- clover												V
Pedicularis attollens	little elephant's head							√				√	
Pedicularis groenlandica	bull elephant's head							√				√	
Pedicularis semibarbata	dwarf lousewort							√				√	
PAPAVERACEAE	Рорру												
Argemone munita	prickly poppy		√	√		V							V
Argemone spp.	prickly poppy				√								
Canbya candida	pygmy poppy	√											
Eschscholzia minutiflora	little gold-poppy	√	√	√			√						
PARNASSIACEAE	Grass-of- Parnassus												
Damaccia natustria	smooth grass-of-							J				./	
Parnassia palustris	Parnassus							V				√	

					uo,	. క	S					u	
		Sile	in eg	Mazourk	ak Cany	Mount	ount.	79e7	Creat	Bence	a ouo	ase	siii
Scientific Name	Common Name	Possil +	^{Alaba} n.	Mazou	Dik & C	White /	Fish Sil	Pock C	McGee	Parker	East M	Тюда р	Bodie _F
PHRYMACEAE	Lopseed		Ì									-~	
Mimulus bigelovii	Bigelow's monkeyflower			√		√	√						
Mimulus bigelovii var. bigelovii	Bigelow's monkeyflower	√					√						
Mimulus bigelovii var. cuspidatus	desert mimulus		√										
Mimulus breweri	Brewer mimulus							√					
Mimulus cardinalis	scarlet mimulus		√		√								
Mimulus fremontii	Fremont mimulus	√											
Mimulus guttatus	common monkeyflower		√	√			√					√	√
Mimulus leptaleus	Sierra monkeyflower							√					
Mimulus nanus var. mephiticus	foul odor monkeyflower				√	√				√	√		√
Mimulus nanus var. nanus	dwarf monkeyflower										V		
Mimulus parryi	annual redspot monkeyflower					√							
Mimulus pilosus	clammy mimulus		√										√
Mimulus primuloides var. primuloides	primrose monkeyflower							√				√	√
Mimulus suksdorfii	Suksdorf miniature mimulus							√					√
Mimulus tilingii	large monkeyflower							√				√	
PINACEAE	Pine												
Abies concolor	white fir										√		
Pinus albicaulis	whitebark pine							√				√	
Pinus contorta ssp. murrayana	Sierra lodgepole pine							√	√	√	√	√	√
Pinus coulteri	Coulter pine		√										
Pinus flexilis	limber pine					√		√	√				√
Pinus jeffreyi	Jeffrey pine					,		√	√	√	√		√
Pinus longaeva Pinus monophylla	one-leaved pinyon		√	√		√ √		√	√	√	√		√
Pinus monticola	western white pine											√	
Tsuga mertensiana	mountain hemlock											√	
	Hemiock												
PLANTAGINACEAE	Plantain												
Antirrhinum kingii	least snapdragon		√	√			√						
Callitriche heterophylla var. bolanderi	Bolander's water- starwort												√
Callitriche palustris	vernal water- starwort							√					
Collinsia parviflora	maiden blue-eyed Mary							√	√				√
Collinsia torreyi	Torrey's blue- eyed Mary							√					
Hippuris vulgaris	common mare's-tale												√
Keckiella rothrockii var. rothrockii	buckskin keckiella					√							
Penstemon davidsonii var. davidsonii	Davidson's penstemon							√				√	
Penstemon floridus var. austinii	Austin penstemon			√									
Penstemon floridus var. floridus	rosy penstemon				√	√			√				
Penstemon fruticiformis	Death Valley beardtongue			√									
Penstemon heterodoxus	whorled penstemon					√		√				√	
Penstemon humilis var. humilis	low beardtongue												√
Penstemon incertus	western desert penstemon		√										
Penstemon monoensis	Mono penstemon						√						

Scientific Name	Common Name	Fossil Falls	Alabama Hing	Mazourka	Div. & Oak Co	White Mount	Fish Spring	Rock Greet	McGee	Parker Benot	East Mong B.	Tioga Pass	Bodie H
enstemon newberryi ar. newberryi	mountain pride							√				√	
enstemon papillatus	Inyo beardtongue							√	V				
enstemon patens	Owens Valley				√	√		√					
enstemon procerus	penstemon										,		
ar. formosus	penstemon										√		
enstemon roezlii	Roezl's penstemon										√		
enstemon rostriflorus	bridge penstemon							√	√			√	√
enstemon rydbergii ar. oreocharis	meadow penstemon							√		√	√		√
enstemon scapoides	Westgard penstemon					√							
enstemon speciosus	showy penstemon							√	√		√	√	√
Plantago lanceolata	English plantain											√	
Plantago major	common plantain		√				√						
eronica americana	American brooklime		√					√					√
eronica peregrina ssp.	hairy purslane												√
alapensis	speedwell												
eronica serpyllifolia sp. humifusa	brightblue speedwell											√	√
eronica wormskjoldii	alpine veronica							√				√	
POACEAE	Grace												
Agropyron cristatum	Grass desert												
sp. pectinatum	wheatgrass												√
grostis exarata	spike bentgrass						√				√		√
grostis humilis	alpine bentgrass											√	
grostis idahoensis	Idaho bentgrass							√				√	
grostis pallens	seashore bentgrass							√					
grostis scabra	rough bentgrass		√					√			√	√	√
Agrostis stolonifera	redtop bentgrass						√						√
grostis variabilis	mountain bentgrass							√					
lopecurus aequalis ar. aequalis	shortawn foxtail									√	√		√
ristida purpurea var.	Fendler three-						√						
endleriana	awn						v						
ristida spp.	three-awn		√										
fromus berteroanus	Chilean chess						√	,		,	,		,
Bromus carinatus	mountain brome							√ √		√	V		√
Bromus diandrus	fringed brome ripgut grass					√		v					
Bromus madritensis	red brome		 √		√	V √	√						
sp. rubens Bromus porteri	nodding brome												√
romus suksdorfii	Suksdorf's brome							√				V	
Bromus tectorum	cheat grass		√		√	√	√	√ V	√	√	√		V
Calamagrostis breweri	shorthair							√				√	
Calamagrostis	reedgrass										,		,
anadensis	bluejoint							V			V	V	√
Calamagrostis ourpurascens	purple reedgrass							√					
Calamagrostis stricta	slimstem reedgrass											√	
Cynodon dactylon	Bermuda grass						√						
Danthonia intermedia sp. intermedia	timber oatgrass							√				√	
Deschampsia	tufted hairgrass							V				√	√
espitosa	tuneu nanyfass							V				· ·	
Deschampsia Ianthonioides	annual hairgrass												√
Deschampsia elongata	slender hairgrass											√	
Distichlis spicata	saltgrass		√				√			√			√
							√						

			′	60	пуоп	eks	ams				. ;	ısın	
Scientific Name	Common Name	Fossil Falls	Alabama Hill	Mazourk	Div. & Oak o	White Mount	Fish Slower	Rock Creek	McGee Cree	Parker Ben	East Mong R	Tioga Pass	Bodie Hills
Elymus elymoides	squirreltail				√	√	√	√	√	√	√	√	V
Elymus glaucus ssp. glaucus	blue wildrye							√	√				
Elymus lanceolatus ssp. lanceolatus	thickspike wheatgrass												√
Elymus salina	Salina pass wildrye						√						
Elymus spicatus	bluebunch wheatgrass									√			
Elymus stebbinsii	Parish wheatgrass												√
Elymus trachycaulus ssp. trachycaulus	slender wheatgrass							√			√	√	√
Elymus triticoides ssp. triticoides	creeping wildrye					√	√				√		√
Festuca brachyphylla ssp. breviculmis	Colorado fescue							√					
Festuca kingii	spike fescue												√
Festuca microstachys	small fescue						√						
Festuca minutiflora	smallflower fescue											√	
Festuca octoflora	six-weeks fescue		√				√						
*Festuca perennis	English ryegrass		√										
*Festuca pratensis	meadow fescue						√						
Festuca saximontana	Rocky Mountain fescue											√	√
Festuca spp.	fescue				√								
Hilaria jamesii Hordeum	James galleta meadow barley					√	√ √					√	V
brachyantherum Hordeum jubatum ssp. jubatum	foxtail barley						√	√					
*Hordeum murinum ssp. leporinum	hare barley						√						
*Hordeum vulgare	common barley						V						
Koeleria macrantha	prairie junegrass					V		√				√	√
Melica bulbosa	oniongrass							√				√	√
Melica stricta	rock melic				√			√	√	√			√
Muhlenbergia asperifolia	scratchgrass		√				√						√
Muhlenbergia filiformis	pull-up muhly							√				√	
Muhlenbergia minutissima	annual muhly									√			
Muhlenbergia richardsonis	mat muhly					√		√			√	√	√
Panicum capillare	witchgrass						√						
Paspalum distichum	knotgrass						√						
*Phalaris aquatica	bulbous canarygrass							√					
Phleum alpinum	alpine timothy							√				√	√ /
*Phleum pratense Phragmites australis	common timothy		√				√						√ √
Poa bolanderi	Bolander's bluegrass											√	V
Poa cusickii	mutton grass												V
Poa cusickii ssp. epilis	mutton grass							√					
Poa fendleriana ssp. longiligula	mutton grass										√		
Poa keckii	Keck's bluegrass												√
Poa leptocoma ssp. leptocoma	marsh bluegrass											√	√
*Poa palustris	fowl bluegrass									√			√
*Poa pratensis ssp. pratensis	Kentucky bluegrass							√				√	
Poa secunda Poa secunda ssp.	varied bluegrass		√		√	√	1	√			1	√	V
juncifolia	varied bluegrass Wheeler's						√	J			√	./	
Poa wheeleri	bluegrass							√	.1			V	√
Poa spp.	bluegrass					√			√				

		Fossil Falls	Бата Ніп.	Mazourka	& Oak	White Mount	Fish Slounh	k Creat	McGee Gran	ker Beng	t Mono e	Tioga Pass	lie Hills
Scientific Name	Common Name	Fos	Ala	Maz	Dik	Whi	Fish	Roc	Mc	Pan	Eas	Tiog	Bod
*Polypogon monspeliensis	rabbitfoot grass						√						√
*Polypogon viridis	water bentgrass						V						
	weeping												
*Puccinellia distans	alkaligrass												√
Puccinellia lemmonii	Lemmon's alkaligrass						√						√
*Schismus arabicus	Arabian schismus						√						
Spartina gracilis	alkali cordgrass						√						
Sphenopholis obtusata	prairie wedgescale												√
Sporobolus airoides	alkali sacaton		√				√						
Stipa comata	needle-and- thread grass					√			√	√	√		
Stipa hymenoides	Indian ricegrass		√		V	V	V	V	V	√	√		V
Stipa kingii	Sierra false							V				√	
oupa rangii	needlegrass											·	
Stipa nelsonii var. dorei	Dore's needlegrass							√				√	
Stipa nevadensis	Nevada needlegrass									√			√
Stipa occidentalis	western					V		V	V	√		√	
·	needlegrass					V		v	v	v		v	
Stipa occidentalis var. californica	California needlegrass										√		
Stipa occidentalis var. occidentalis	western needlegrass												√
Stipa occidentalis var. pubescens	pubescent western needlegrass										√		
Stipa pinetorum	pine needlegrass					√							√
Stipa speciosa	desert		√		√	V	√						
опра ороснова	needlegrass		·				·						
Stipa thurberiana	Thurber's needlegrass								√		√		V
Stipa webberi	Webber needlegrass												√
Torreyochloa pallida	pale false							V					
var. pauciflora	mannagrass												
Trisetum spicatum	spike trisetum							√ √				√ √	V
Trisetum wolfii	Wolf's trisetum							V				v	
POLEMONIACEAE	Phlox												
Aliciella latifolia ssp.	broad-leaved gilia		√	√									
latifolia			ľ	·									
Aliciella leptomeria	sand gilia						√ ,			√	√		,
Aliciella micromeria Allophyllum gilioides	dainty gilia dense-flowered						√						V
ssp. violaceum	allophyllum		√							√			
Collomia linearis	tiny trumpet							√					√
Collomia tinctoria	staining collomia						√						
Eriastrum densifolium ssp. mohavense	heavenly blue		√										
Eriastrum wilcoxii	Wilcox woolly star						V	√	V	√	√		V
Eriastrum spp.	woolly star				√	√							
Gilia brecciarum	Great Basin gilia				√								
Gilia brecciarum ssp.	Great Basin gilia		√							√			
neglecta Gilia cana	showy gilia				√								
Gilia cana ssp. triceps	showy gilia		√	√									
Gilia latiflora ssp.		√											
elongata	fragrant gilia	v	.,										
Gilia modocensis	Modoc gilia	1	√										
Gilia ochroleuca Gilia sinuata	volcanic pale gilia	√ √	√	V			V						V
Gilia stellata	cinder gilia star gilia	v √	v √	٧			V						· ·
Gilia spp.	gilia					V							
Gymnosteris parvula	smallflower												V
	gymnosteris							.,	.,		.,		
Ipomopsis aggregata	scarlet gilia							V	√		√		V
lpomopsis congesta ssp. montana	white globe-gilia					√							√

					ш	s	s					~		7
		*	, #	Shire	a canyo	olimte :		196	Teat	enot	מוכוו	usea si	s _{II} s	
Scientific Name	Common Name	Fossil Falls	Alabama Hin	Mazoun	Div. & O	White _N	Fish Slo	Rock Cr	McGee (Parker E	East Mo	Tioga Pass	Bodie H	
Ipomopsis polycladon	spreading gilia			√										
Langloisia setosissima	bristly langloisia	√				√								
Langloisia setosissima ssp. punctata	lilac sunbonnet		√	√										
Leptosiphon aureus	golden linanthus	√												
Leptosiphon aureus ssp. aureus	golden linanthus		√											
Leptosiphon ciliatus	whisker-brush linanthus									√				
Leptosiphon nuttallii ssp. pubescens	bushy linanthus					√		√	√		√			
Leptosiphon pachyphyllus	Sierra linanthus					√		√					√	
Leptosiphon septentrionalis	northern linanthus												√	
Linanthus arenicola	gypsum linanthus						√							
Linanthus demissus	desert snow						√							
Linanthus dichotomus ssp. dichotomus	evening snow		√		√		√							
Linanthus inyoensis	Inyo gilia						√							
Linanthus parryae	sand blossoms		√ ,		√				,				,	
Linanthus pungens	prickly phlox		V	√		√	√	√	√	√	√		√	
Loeseliastrum matthewsii	desert calico		√	√			√							
Loeseliastrum schottii	Schott's calico						√							
Microsteris gracilis Navarretia breweri	slender phlox yellow navarretia												√ √	
Phlox caespitosa	carpet phlox							√					V	
Phlox condensata	Coville's phlox					√		v √				√	√	
Phlox diffusa	spreading phlox					·		v		V		v	√	
Phlox hoodii ssp.										•				
canescens	Hood's phlox												√	
Phlox stansburyi	Stansbury phlox					√		√	√	√				
Phlox stansburyi ssp. superba	cold-desert phlox			√										
Polemonium occidentale ssp. occidentale	great polemonium							√						
DOLVOONAGEAE	B													
POLYGONACEAE	Buckwheat											,		
Bistorta bistortoides	dirty socks		./	./			√					√		
Centrostegia thurberi Chorizanthe brevicornu	red triangles brittle spineflower	V	√ √	V		√	v √							
Chorizanthe brevicornu	mountain brittle	V	V			V	ľ							
var. spathulata	chorizanthe												V	
Chorizanthe rigida	rosy-thorn		√	√			√			√				
Chorizanthe watsonii	Watson chorizanthe						√		√					
Eriogonum ampullaceum	Mono buckwheat									√				
Eriogonum angulosum	angle-stemmed buckwheat		√											
Eriogonum baileyi var. baileyi	Bailey buckwheat									√	√		√	
Eriogonum brachyanthum	yellow buckwheat		√											
Eriogonum brachypodum	glandular skeleton weed		√	√										
Eriogonum caespitosum	matted buckwheat Davidson's					√						√	√	
Eriogonum davidsonii	buckwheat										√			
Eriogonum deflexum	skeleton weed					√								
Eriogonum deflexum var. deflexum	skeleton weed		√											
Eriogonum deflexum var. nevadense	Nevada buckwheat						√							
Eriogonum elatum	tall eriogonum							√	√	√			√	
Eriogonum esmeraldense var. esmeraldense	Esmeralda buckwheat					√					√		V	

		Fossil Falls	Alabama Hin.	urka	Oak C.	Mount	Nounh	Creek	e Creat	r Benot	Nono B.	Tioga Pass	Hills
Scientific Name	Common Name	Fossil	Alabar	Mazou	Div. &	White	Fish S	Rock (McGee	Parker	East N	Tioga	Bodie
Eriogonum fasciculatum var. polifolium	California buckwheat		V	V	V								
Eriogonum gracilipes	raspberry buckwheat					√							
Eriogonum heermannii	Heerman buckwheat			√									
Eriogonum heermannii var. humilius	common Heermann buckwheat					√							
Eriogonum incanum	frosty eriogonum							√				√	
Eriogonum inflatum	desert trumpet	√	√	√		√	√						
Eriogonum kennedyi	Kennedy buckwheat					√							
var. purpusii Eriogonum lobbii	Lobb's buckwheat							V					
Eriogonum maculatum	spotted buckwheat	√	√			√	√						
Eriogonum marifolium var. marifolium	marum-leaved eriogonum							√					
Eriogonum microthecum	slender buckwheat							√	V		V		
Eriogonum microthecum var. ambiguum	slender buckwheat												√
Eriogonum microthecum var. laxiflorum	slender buckwheat												√
Eriogonum mohavense	Mojave buckwheat		√										
Eriogonum nidularium	bird's-nest buckwheat	√	√	√	√		√						
Eriogonum nudum	nude buckwheat											√	√
Eriogonum nudum var. deductum	nude buckwheat							√			V	√	
Eriogonum nudum var. scapigerum	nude buckwheat							√					
Eriogonum nudum var. westonii	nude buckwheat		√										
Eriogonum nummulare	Kearney buckwheat		√			√	√						
Eriogonum nutans	dugway buckwheat												√
Eriogonum ovalifolium	cushion buckwheat											√	
Eriogonum ovalifolium var. nivale	cushion buckwheat					√							√
Eriogonum ovalifolium var. ovalifolium	cushion buckwheat							√					√
Eriogonum ovalifolium var. purpureum	cushion buckwheat					√		√					
Eriogonum pusillum	yellow turbans	√	√				√						
Eriogonum rixfordii	pagoda buckwheat			√									
Eriogonum rosense var. rosense	rosy buckwheat					√		√					√
Eriogonum spergulinum	spurry eriogonum							√		√			
Eriogonum spergulinum var. reddingianum	Redding buckwheat										√		√
Eriogonum strictum var. proliferum	proliferous wild buckwheat												√
Eriogonum trichopes	little trumpet	√	√										
Eriogonum umbellatum	sulphur-flower				√	√	√	√	√	√		√	√
Eriogonum umbellatum var. dichrocephalum Eriogonum umbellatum	sulphur-flower					√							
var. nevadense	sulphur-flower										√		
Eriogonum wrightii var. subscaposum	common Wright buckwheat		√		.,								√
Eriogonum spp. Goodmania luteola	buckwheat				√		√						
Goodmania luteola Oxyria digyna	yellow spinecape mountain sorrel						V	√					√
Oxytheca dendroidea	fine oxytheca										√		v √
ssp. dendroidea	.по охуппоса										Ť		

				٤ .	anyon	ceks	ains					asin	
Scientific Name	Common Name	Fossil Falls	Alabama Hil	Mazourka	Div. & Oak C	White Mous	Fish Sloum	Rock Greek	McGee Crea	Parker Beng	East Mong B	Tioga Pass	Bodie Hills
Persicaria amphibia	water smartweed												√
Persicaria lapathifolia	curlytop						V						
*Persicaria maculosa	knotweed lady's thumb		√				√						
Persicaria punctata	dotted smartweed		,				√						
*Polygonum aviculare ssp. depressum	oval-leaf knotweed												√
Polygonum douglasii	Douglas' knotweed							√				√	
Polygonum minimum	broadleaf knotweed											√	
Polygonum polygaloides	milkwort knotweed							√					
Polygonum polygaloides ssp. kelloggii	Kellogg's knotweed												√
Polygonum sawatchense ssp. sawatchense	Johnston's knotweed												√
Pterostegia drymarioides	valentine plant	√	√										
Rumex californicus	toothed willow dock									√			√
*Rumex crispus	curly dock		√				V						
Rumex fueginus	golden dock						√						
Rumex paucifolius	alpine sheep sorrel							√				√	V
Rumex salicifolius	willow dock							√					
Rumex triangulivalvis	Sierra dock												√
POTAMOGETONACEAE	Pondweed												
Potamogeton foliosus	leafy pondweed						√						
Potamogeton gramineus	variableleaf pondweed												√
Potamogeton illinoensis	Illinois pondweed						√						_
Stuckenia pectinata	sago pondweed	√					√						
Stuckenia striata	Nevada pondweed						√						
PRIMULACEAE	Primrose												
Dodecatheon alpinum	alpine shooting star							√				√	
Dodecatheon pulchellum	alkali shooting star						√						
PTERIDACEAE	Brake												
Adiantum aleuticum	Aleutian maidenhair							√					
Cheilanthes covillei	Coville lip fern		√										
Cheilanthes parryi Cryptogramma	Parry's lipfern American			√								,	
acrostichoides	rockbrake							√				√	
Cryptogramma cascadensis	Cascade rockbrake											√	
Pellaea breweri	Brewer's cliffbrake							√				√	√
Pellaea bridgesii	Bridges' cliffbrake							√				√	
Pellaea mucronata var. californica	bird's-foot fern		√										
Pentagramma triangularis ssp. triangularis	goldback fern		√										
RANUNCULACEAE	Buttercup												
Aconitum columbianum ssp. columbianum	monkshood							√	√	√		√	√
	western							√					
Actaea rubra													
Actaea rubra Aquilegia formosa	baneberry crimson columbine		√				V	√	√			√	√

		Fossii Falls	abama H.	Autioze.	Div. & Oak Canyon	thite Mou	sh Slount	ock Creek	ceee Cree	irker Bon	ast Mono	oga Pass	odie Hills
Scientific Name	Common Name	F ₀	A.		ď	N	ii.	A.	W	ď	ŭ,	ĬĬ.	B
Aquilegia shockleyi	Mojave columbine		 √	√									
Clematis ligusticifolia Delphinium andersonii	virgin's bower Anderson's		v							V			V
	larkspur glaucus larkspur											√	
Delphinium glaucum Delphinium	pine forest											v	
gracilentum	larkspur							√					
Delphinium parishii ssp. parishii	desert larkspur	√	√	√	√	√	√						
Delphinium polycladon	mountain marsh larkspur							√					
Myosurus minimus	tiny mousetail												√
Ranunculus alismifolius var. alismellus	water-plantain buttercup											√	
Ranunculus aquatilis	water buttercup							√					
Ranunculus aquatilis var. diffusus	aquatic buttercup		√				√						√
Ranunculus cymbalaria	desert buttercup	√	√				√						√
Ranunculus eschscholtzii	alpine buttercup							√					√
Thalictrum alpinum	alpine meadow-							√					
Thalictrum fendleri	Fendler's meadow-rue								V	√		√	
Thalictrum	few-flowered							,1					
sparsiflorum	meadow-rue							√					
RHAMNACEAE	Buckthorn												
Ceanothus cordulatus	snow bush											√	
Ceanothus velutinus	tobacco brush								√		√		√
Ceanothus vestitus	desert ceanothus California				√								
Frangula californica	buckthorn				√								
Frangula californica ssp. cuspidata	California buckthorn		√										
ROSACEAE	Rose												
Amelanchier alnifolia var. pumila	Saskatoon serviceberry							√					
Amelanchier utahensis	Utah serviceberry							√			√		√
Cercocarpus ledifolius	mountain mahogany					√		√	√	√		√	V
Cercocarpus ledifolius var. intermontanus	mountain mahogany		√										
Cercocarpus ledifolius var. intricatus	little-leaf mahogany					√							
Chamaebatiaria			J			./		.,	./				./
millefolium Coleogyne	desert-sweet		√ /			√		√	√				√
ramosissima	blackbrush		√		√								
Dasiphora fruticosa	bush cinquefoil							√ √				√	√ √
Drymocallis glandulosa Drymocallis glandulosa var. reflexa	sticky cinquefoil							√				√	V
Drymocallis lactea	Nevada cinquefoil											√	
Fragaria virginiana	mountain strawberry							√				√	
Geum macrophyllum	large-leaf avens							√			√	√	√
Holodiscus discolor	creambush							√					V
Holodiscus discolor var. microphyllus	creambush									√		√	
Horkelia fusca var. parviflora	smallflower horkelia											√	√
Horkeliella congdonis	Congdon's false horkelia							√		√	√	√	
lvesia gordonii	Gordon's ivesia							√					
lvesia kingii var. kingii	alkali ivesia						√						
lvesia lycopodioides var. megalopetala	club-moss ivesia							√					
lvesia lycopodioides	club-moss ivesia							√					

			'	8	anyon	ceks to:	Sulps		4		= ;	asın	
Scientific Name	Common Name	Fossil Falls	Alabama Hiii	Mazourka	Div. & Oak C.	White Mount	Fish Sloumh	Rock Creek	McGee Greet	Parker Ben	East Mono R	Tioga Pass	Bodie Hills
lvesia shockleyi var.	sky mousetail					V							
shockleyi Peraphyllum ramosissimum	wild crab apple					√							
Petrophyton caespitosum ssp.	rock spirea					√							
caespitosum Potentilla anserina ssp.	silverweed					v							
anserina	cinquefoil											√	√
Potentilla biennis	biennial cinquefoil		√							√			√
Potentilla breweri	alpine Drummond's cinquefoil											√	
Potentilla drummondii	Drummond's cinquefoil							√				√	
Potentilla flabellifolia	fanleaf cinquefoil							√				√	
Potentilla glaucophylla var. glaucophylla	varileaf cinquefoil							√				√	
Potentilla gracilis	five-finger cinquefoil											√	
Potentilla gracilis var. elmeri	combleaf cinquefoil		√				√	√					
Potentilla gracilis var. fastigiata	slender cinquefoil							√					√
Potentilla millefolia	cutleaf cinquefoil												√
Potentilla pensylvanica	Pennsylvania cinquefoil							√					
Prunus andersonii	desert peach		√	√	√	√		√	√	√			√
Prunus emarginata	bitter cherry								√		√		√
Prunus fasciculata	desert almond			√									
Prunus virginiana var. demissa	western chokecherry												√
Purshia stansburyana	cliff rose					√							
Purshia tridentata	bitterbrush							√	√	√	√		√
Purshia tridentata var. glandulosa	desert bitterbrush		V		√	√	√						
Purshia tridentata var. tridentata	antelope bitterbrush					√							
Rosa woodsii	wild rose		√	√	√		√	√	√	√			√
Rosa woodsii ssp. gratissima	wild rose		√										
Sibbaldia procumbens	sibbaldia							√				√	√
Sorbus californica	California mountain ash							√					
Spiraea splendens	mountain spiraea							√				√	
RUBIACEAE Galium bifolium	Madder two-leaved												√
	bedstraw							,					
Galium hypotrichium	alpine bedstraw					√		√					V
ssp. hypotrichium Galium matthewsii	bushy bedstraw		√										
Galium multiflorum	shrubby bedstraw		, v				√	V			V		
Galium trifidum	threepetal bedstraw											√	
Galium trifidum ssp. columbianum	threepetal bedstraw												√
Galium trifidum ssp. subbiflorum	threepetal bedstraw						√						
Galium spp.	bedstraw				√				√	√			
Kelloggia galioides	milk kelloggia							√					
RUPPIACEAE	Ditch-grass												
Ruppia cirrhosa	ditch-grass	V					√						
RUSCACEAE	Lily of the Valley												
Maianthemum racemosum	branched Solomon's seal								√				
Maianthemum stellatum	star-flower		√				√	√	√	√			
		1	1	1	I	ı	1	1	l		1	i	

					tra	S	S					ų	
		sil Falls	рата иш	Surk of	& Oak C	ite Mount	h Stourt	'k Creek	Gee Creat.	ker Benot	t Mono B	Tioga Pass	ile Hills
Scientific Name	Common Name	Fos	Ala	Ma	Div	Wh	Fis	Roc	Mc	Par	Eas	Tio	Вос
SALICACEAE	Willow												
Populus angustifolia	narrow-leaved cottonwood				√								
Populus fremontii ssp. fremontii	Fremont cottonwood		√										√
Populus tremuloides	quaking aspen							√	√	√		√	√
Populus trichocarpa	black cottonwood		√				√	√	√	√			
Salix boothii	Booth's willow							√					√
Salix brachycarpa var. brachycarpa	shortfruit willow											√	
Salix eastwoodiae	mountain willow							√				√	
Salix exigua var. exigua	narrow-leaf willow		√		√		√			√			√
Salix geyeriana	Geyer willow							√					√
Salix gooddingii	valley willow		√										
Salix jepsonii	Jepson's willow											√	
Salix laevigata	red willow		√				√			√			
Salix lasiolepis	arroyo willow		√		√		√			√			√
Salix lutea	yellow willow							√	√	√			√
Salix nivalis	snow willow											√	
Salix orestera	Sierra willow							√				√	√
Salix petrophila	alpine willow							√				√	
Salix planifolia	diamondleaf willow							√				√	
SARCOBATACEAE	Greasewood												
Sarcobatus vermiculatus	greasewood		√				 √						√
SAURURACEAE	Lizard's-tail						,						
Anemopsis californica	yerba mansa	√	√				√						
7 anomopolo damornida	yorda manoa		,				,						
SAXIFRAGACEAE	Saxifrage												
Heuchera parvifolia	littleleaf alumroot												√
Heuchera rubescens	alumroot							√					√
Lithophragma glabrum	rock star							√					√
Micranthes aprica	alpine saxifrage							√					
Micranthes bryophora	bud saxifrage							√				√	
Micranthes nidifica	peak saxifrage							√					
Micranthes odontoloma	brook saxifrage							√					
Pectiantia breweri	Brewer's mitrewort							√				√	
Saxifraga hyperborea	weak saxifrage							√					
SCROPHULARIACEAE	Figwort												
Limosella aquatica	water mudwort							V				V	V
Scrophularia desertorum	figwort		√										√
*Verbascum thapsus	woolly mullein							√		√			√
CEL ACINELL ACEAE	Cniko												
SELAGINELLACEAE	Spikemoss Watern's												
Selaginella watsonii	Watson's spikemoss							√					√
SIMAROUBACEAE	Quassia												
*Ailanthus altissima	tree of heaven		V										
			v										
SOLANACEAE	Nightshade												
Datura wrightii	Jimson-weed		√										
Lycium andersonii	desert tomato		√	√			√						
Lycium cooperi	peach thorn		√	√									
Nicotiana attenuata	coyote tobacco		√	√		√					√		\checkmark
Nicotiana obtusifolia	desert tobacco		√	√									
Nicotiana spp.	tobacco				√								
Physalis crassifolia	yellow nightshade groundcherry			√									

				6	myon	ceks	suus					asin	
Scientific Name	Common Name	Fossil Falls	Alabama Him	Mazourka	Div. & Oak C	White Mount	Fish Stourt	Rock Greek	McGee Creek	Parker Bence	East Mono B.	Tioga Pass	Bodie Hills
	American black												
Solanum americanum	nightshade		√										
TAMARICACEAE	Tamarisk												
*Tamarix ramosissima	salt cedar		√		V		√						
THEMIDACEAE	Brodiaea												
Dichelostemma	wild hyacinth	√			 √								
Dichelostemma capitatum ssp.	wild hyacinth		√										
capitatum Muilla coronata			√										
Muilla transmontana	pygmy muilla Great Basin muilla	√	V										
Triteleia hyacinthina	white hyacinth	V											V
miciela nyacmuma	willte ffyacilluf												V
TOFIELDIACEAE	Tofieldia												
Triantha occidentalis ssp. occidentalis	western tofieldia							√					
TYPHACEAE	Cattail												
Sparganium angustifolium	narrowleaf bur-reed							√					
Typha domingensis	buff cattail	√	√				√						
Typha latifolia	brown cattail	√	√				√						
ULMACEAE	Elm												
*Ulmus minor	English elm					√							
*Ulmus pumila	Siberian elm		√										
URTICACEAE	Nettle												
Urtica dioica ssp.	stinging nettle		√					√					√
holosericea	Suriging nette		, v					·					V
VALERIANACEAE	Valerian												
Valeriana californica	California valerian											√	√
VIOLACEAE	Violet												
Viola macloskeyi	Macloskey's violet							√				√	
Viola nephrophylla	northern bog violet		√										√
Viola purpurea	mountain violet									√		√	
Viola purpurea ssp. mohavensis	goosefoot violet												√
VITACEAE	Grape												
*Parthenocissus vitacea	Virginia creeper		√										
*Vitis vinifera	wine grape		√										
WOODSIACEAE	Wood Fern												
Athyrium distentifolium var. americanum	alpine ladyfern							√				√	
Cystopteris fragilis	brittle bladderfern							√			√	√	√
Woodsia oregana	Oregon cliff fern											√	
Woodsia scopulina	Rocky Mountain woodsia							√					
ZANNICHELLIACEAE	Horned Pondweed												
Zannichellia palustris	horned pondweed	√					√						
ZYGOPHYLLACEAE	Caltrops												

Resources and Suggested Reading

Plants

The Bristlecone Book: A Natural History of the World's Oldest Trees
Ronald M. Lanner
Mountain Press Publishing Company, 2007

Cacti, Agaves, and Yuccas of California and Nevada Stephen Ingram Cachuma Press, 2008

Mojave Desert Wildflowers: A Field Guide to Wildflowers, Trees, and Shrubs of the Mojave Desert, Including the Mojave National Preserve, Death Valley National Park, and Joshua Tree National Park Pam MacKay Falcon Press Publishing, 2003

Sagebrush Country: A Wildflower Sanctuary Ronald J. Taylor Mountain Press Publishing Company, 1992

Shrubs of the Great Basin: A Natural History Hugh N. Mozingo University of Nevada Press, 1987

Trees of the Great Basin: A Natural History Ronald M. Lanner University of Nevada Press, 1984

Wildflowers of the Eastern Sierra and Adjoining Mojave
Desert and Great Basin
Laird R. Blackwell


Lone Pine Publishing, 2002

Natural History: General

California's Eastern Sierra: A Visitor's Guide Sue Irwin Cachuma Press, 1992

Deepest Valley: Guide to Owens Valley, Its Roadsides and Mountain Trails 2nd edition Edited by Jeff Putman and Genny Smith Spellbinder Books, 1995

Laws Field Guide to the Sierra Nevada John Muir Laws Heyday Books, 2007












Inspiration for this guide came from the publication *Watchable Wildflowers:* A Columbia Basin Guide, produced by the Bureau of Land Management in Washington state, and from the amazing flora of the Eastern Sierra.

Concept and text: Anne Halford, Kathleen Nelson, Sue Weis Design and production: www.nilsdavisdesign.com Proofreading: www.TheTypeRighter.com

Many thanks to Nancy Upham, Martin Oliver, Jim Jennings, John Louth, MaryBeth Hennessy, Stephen Ingram, and numerous other individuals for their helpful comments and enthusiastic support for the project.

A special thank you to the talented photographers and artists whose work is credited where it appears in the guide.



Natural History: General (cont.)

Mammoth Lakes Sierra: A Handbook for Roadside and Trail 7th ed., revised Edited by Genny Smith Genny Smith Books, 2006

Natural History of the White-Inyo Range, Eastern California Edited by Clarence A. Hall, Jr. University of California Press, 1991

Sierra East: Edge of the Great Basin Edited by Genny Smith University of California Press, 2003

Geology

Geology Underfoot in Death Valley and Owens Valley Robert P. Sharp and Allen F. Glazner Mountain Press Publishing Company, 1997

Guidebook to the Geology of a Portion of the Eastern Sierra Nevada, Owens Valley, and White-Inyo Range Clemens Arvid Nelson UCLA Dept. of Earth and Space Sciences, 1980

Roadside Geology of the Eastern Sierra Region: Bodie, Mono Lake, Yosemite, June Lake, Devil's Postpile, Convict Lake, White Mountains Geological Society of the Oregon Country, 1982

Native American

Myths of the Owens Valley Painte Julian H. Steward Kessinger Publishing, 2007

Weaving a Legacy: Indian Baskets and the People of Owens Valley, California
Sharon E. Dean et. al.
The University of Utah Press, 2004

Survival Arts of the Primitive Paiutes Margaret M. Wheat University of Nevada Press, 1967

Find guides and references in Visitor Centers and bookstores throughout the Eastern Sierra.



The agencies and organizations involved in producing this brochure do not discriminate on the basis of race, color, national origin, sex, religion, age, disability, political affiliation, and familial status. As a visitor to the Eastern Sierra, you have a responsibility for your personal safety during activities you might pursue. Natural hazards exist. It is your responsibility to know the hazards involved and to use the proper safety precautions to minimize the inherent risks to your activities. Various laws, regulations, and restrictions apply to the activities and areas mentioned in this guide, in order to protect natural and cultural resources and for user safety and enjoyment. It is your responsibility to learn and follow applicable restrictions. Contact appropriate agencies for information.