

FS-C2026MFP/FS-C2126MFP

COLOUR MULTIFUNCTIONALS FOR A4 FORMAT

ECOSYS stands for ECOlogy,
ECONomy and SYSTEM-printing.

With their long-life components, ECOSYS devices are designed to maximise durability and minimise the total cost of ownership with regard to maintenance, administration and consumables. The cartridge-free system means that only the toner has to be replaced regularly. The modular design concept allows you to add workflow-enhancing functions as required. Integrated system software provides long-term cross-network compatibility. KYOCERA's long-life components cost you and the environment less.

General

Technology: KYOCERA ECOSYS, Colour Laser
Engine speed: Up to 26 pages A4 per minute in colour and b/w
Resolution: 600 x 600 dpi multibit for 9,600 x 600 dpi (print), 600 x 600 dpi, 256 greyscales per colour (scan/copy)
Duty cycle: Max. 65,000 pages per month
Recommended monthly printing volume: up to 10,000 pages**
Warm-up time: Approx. 29 seconds or less
Time to first print: Approx. 9/10.5 seconds or less in b/w / colour
Time to first copy: Approx. 10/12 seconds or less in b/w / colour
CPU: PowerPC 464 / 667 MHz
Memory: Standard 768 MB, max. 1,792 MB
Integrated accounting: 20 department codes
Dimensions (W x D x H): 514 x 550 x 580 mm
Weight: Approx. 36.5 kg including toner container
Power source: AC 220 ~ 240 V, 50/60 Hz
Power consumption:
Printing: FS-C2026MFP - 466 W / FS-C2126MFP - 477 W
Copying: FS-C2026MFP - 470 W / FS-C2126MFP - 479 W
Stand-by: FS-C2026MFP - 79 W / FS-C2126MFP - 79 W
Sleep-mode: FS-C2026MFP - 16 W / FS-C2126MFP - 17 W
Noise level (sound pressure level ISO 7779/ISO 9296):
Copying/Printing: 50 dB(A)
Stand-by: 30 dB(A)
Safety standards: TÜV/GS, CE
This unit is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard.

Paper handling

All paper capacities quoted are based on a paper thickness of max. 0.11 mm. Please use paper recommended by KYOCERA under normal environmental conditions.
Input capacity: Max. 50-sheet multi-purpose tray, 60-220 g/m², A4, A5, A6, B5, letter, legal, folio, envelopes, custom (70 x 138 to 216 x 356 mm), max. 250-sheet universal paper cassette, 60-163 g/m², A4, A5, A6, B5, letter, legal, folio, custom (105 x 148 to 216 x 356 mm), max. input capacity with options: 1,300 sheets
Duplex unit: Duplex as standard supports 60-163 g/m²
Reversing document processor: 50-sheet, Simplex scan 50-120 g/m², Duplex scan 50-110 g/m², A4, A5, B5, letter, legal, custom (140 x 210 to 216 x 356 mm)
Output capacity: Max. 150 sheets face-down

Print functions

Controller language: PRESCRIBE IIc
Emulations: PCL 6 (5c/XL), KPDL 3 (PostScript 3 compatible), PDF Direct Print, XPS Direct Print

Your KYOCERA Business Partner:

PRESCRIBE IIc

With the KYOCERA page design and control language PRESCRIBE IIc, even complex graphics, logos and forms (multipart forms) can be created independently on the system and saved and updated in the printer. Consequently, integration into print files no longer applies. They are only accessed as required and therefore relieve the load on the network.

The KM NetViewer

The KM NetViewer enables complete monitoring and control of all ECOSYS printers and digital KYOCERA multifunction units from any Windows® PC and thus provides ideal network administration. It also supports the standardised SNMP protocol.

Status Monitor and Command Center

The Status Monitor shows the current printer's condition and gives direct access to the Command Center for the modification of settings that are not contained in the drivers (e.g. network settings, adjustment of sleep mode or blocking of the control panel).

USB Host Interface for USB Flash Memory

Documents can be printed directly from and scanned to a USB Flash Memory (e.g. USB stick) via the USB host interface. The documents stored as PDF, XPS, TIFF or JPEG are selected directly via the printer's control panel. No computer is required.

Interface

USB 2.0 (Hi-Speed), USB Host 2.0, Fast Ethernet 10/100Base-TX, slot for optional print server, slot for optional CompactFlash®-Card

Operating systems: All current Windows operating systems, MAC OS X Version 10.2 or higher, Unix, Linux as well as other operating systems on request

Fonts/barcodes: 93 outline fonts (PCL 6, KPDL3) + 8 (Windows Vista), 1 bitmap font, 45 types of one-dimensional barcodes, 1 type of two-dimensional barcode (PDF417)

Features: encrypted PDF Direct Print, IPP printing, e-mail printing, WSD print, secure printing via SSL, IPsec, SNMPv3 and Private print (requires memory expansion)

Copy functions

Max. original size: A4/legal

Continuous copying: 1-999

Zoom range: 25-400% in 1% steps

Preset magnification ratios: 7 Reductions / 5 Enlargements

Features: Scan-once-copy-many, electronic sort, 2in1, 4in1, ID-card copy, job reserve, priority print, program, auto duplex copy, split copy, continuous scan, auto cassette change, copy density control

Exposure mode: Auto, manual: 7 steps

Image adjustments: Text, Photo, Mix, Map, Printed photo mode

Scan functions

Functionality: Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan to USB Host, Network TWIN, WSD scan

Interface: Fast Ethernet 10/100Base-TX, USB Host 2.0

Scan speed: 35 ipm (300 dpi, A4, b/w), 25ipm (600 dpi, A4 b/w, 300 dpi, A4, colour)

Scan resolution: 600, 400, 300, 200 dpi (256 grey scales per colour)

Max. scan size: A4, legal

Original recognition: Text, photo, text + photo, OCR

File types: TIFF, PDF, JPEG, XPS

Compression method: MMR/JPEG

Features: Integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once

Fax functions (FS-C2126MFP only)

Compatibility: ITU-T Super G3

Modem speed: Max. 33.6 kbps

Transmission speed: Less than 3 sec

Scanning speed: 2.5 seconds

One touch dial: 22 numbers

Address book: 100 entries

Interface: Fast Ethernet 10/100Base-TX

Scanning density:

Normal: 8 dot/mm x 3.85 line/mm

Fine: 8 dot/mm x 7.7 line/mm

Superfine: 8 dot/mm x 15.4 line/mm

Ultrafine: 16 dot/mm x 15.4 line/mm

Halftone: 256 grey scales

Maximum original size: A4, legal

Compression method: JBIG, MMR, MR, MH

Memory reception: 256 sheets or more

Features: Network fax, duplex transmission and reception, encrypted transmission and reception, polling transmission and reception, broadcast

Options

Paper handling

PF-520 Paper feeder: Max. 500 sheets; 60-163 g/m²; A4, A5, B5, letter, legal, custom (148 x 210 mm - 216 x 356 mm)

PF-530 Paper feeder: Max. 500 sheets; 60-220 g/m²; A4, A5, B5, letter, legal, custom (148 x 210 mm - 216 x 356 mm)

Memory upgrade: MDDR2-256: 256 MB; MDDR2-512: 512 MB, MDDR2-1024: 1,024 MB

CompactFlash®-Card: CF-4 (4 GB) for printing forms, fonts, logos, macro storage

Others

USB Flash Memory: Supports direct printing and scanning of PDF, XPS, TIFF, JPEG files via USB Host interface

UG-33: ThinPrint support

Optional interfaces:

PS159: Wireless LAN (802.11b/g)

PS1109 Gigabit Ethernet: 10BaseT/100BaseTX/1000BaseT (RJ-45)

PS1129 Fibre Optic: 100BaseSX (SC)

PS1129 Gigabit Fibre Optic: 1000BaseSX (SC)

CB-520 Cabinet: Wooden desk with storage capacity, including castors (wheels)

Consumables

TK-590K Toner-Kit: Microfine toner black for 7,000 pages A4 in accordance with ISO/IEC 19798

TK-590C, TK-590M, TK-590Y Toner-Kits: Microfine toner cyan, magenta, yellow for 5,000 pages A4 each in accordance with ISO/IEC 19798

Capacity of starter toner is black 3,500 pages, cyan, magenta, yellow 2,500 pages in accordance with ISO/IEC 19798

Warranty

2-year warranty as standard. KYOCERA guarantees the drum and developer for 3 years or 200,000 pages (whichever occurs sooner), provided each device is used and cleaned in accordance with the service instructions.

KYO LIFE Up to 5-year on-site warranty extensions available for product and options.



Product depicted includes optional extras.

FS-C2026MFP/FS-C2126MFP FS-3040MFP/FS-3140MFP

COMPACT MULTIFUNCTIONALS FOR A4 FORMAT

▶ print ▶ copy ▶ scan ▶ fax

HIGH-SPEED PROFESSIONALS IN FULL COLOUR AND B/W.



KYOCERA MITA Europe B.V. - Branch Office Germany - Otto-Hahn-Straße 12 - 40670 Meerbusch - Germany
Tel +49 (0) 2159 928-500 - Fax +49 (0) 2159 918-100
www.kyoceramita-europe.com - info@kyoceramita-europe.com

KYOCERA MITA Corporation - 2-28, 1-Chome - Tamatsukuri - Chuo-Ku
Osaka 540-8585 - Japan - www.kyoceramita.com

* KYOCERA does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

KYOCERA

KYOCERA

BRINGING ECOLOGY AND ECONOMY TO YOUR OFFICE.

Ecosys ECOSYS is the business approach to eco-friendly office operations. Our hardware and toner technology have been designed to consume only the absolute minimum and still deliver highest quality. And when the toner finally does run out, all you have to replace is the toner-kit and not an entire cartridge including also drum and/or developer. That saves resources, reduces your company's environmental impact and means even lower costs for you. Duplex printing is standard, saving you money and reducing your paper consumption simply by allowing you to print on both sides of the paper. And ECOSYS does more than just reduce the use of consumables and energy to give you exceptionally low printing costs. With KYOCERA's long-life technology you enjoy the benefits of longer maintenance cycles that ensures exceptional reliability. Designed to avoid ozone emissions and to reduce the noise level, ECOSYS also helps to achieve an excellent office environment. ECOSYS: it is where economy and ecology meet. For the environment. For your budget. For your office.

POWERFUL TEAM PLAYER FOR PROFESSIONAL DOCUMENT MANAGEMENT

Workgroups with high document output need efficient team players. With their powerful processor these compact ECOSYS devices produce professional quality copies and printouts at up to 26ppm in colour*. And with a truly impressive scan speed of 35ipm, these multifunctional devices have the capacity to handle even a heavy digital workflow. Operating these multifunctional devices is just as fast and smooth thanks to an operation panel with a highly intuitive structure that provides fast and easy access to all of the devices capabilities. With their reduced power and toner consumption, reduced waste thanks to the highly reliable long-life components and quiet operation, these devices help to create a perfect working environment – inside and outside the office.

HIGHLIGHTS – COMPACT MULTIFUNCTIONALS FOR A4 FORMAT

FS-C2026MFP/FS-C2126MFP

- ▶ Up to 26 pages per minute in A4 in colour and b/w
- ▶ Up to 35 scans per minute via 50-sheet document processor
- ▶ Time to first copy 10 seconds in b/w ; 12 seconds in colour
- ▶ Up to 9,600 dpi printing quality with multibit technology
- ▶ Duplex print, copy, scan and fax* functionality
- ▶ Active Directory support offers ease of use
- ▶ High security through SSL, IPsec and Private Print functionality
- ▶ Compact design with ease of use and low noise
- ▶ Exceptionally low printing costs in its class

FS-3040MFP/FS-3140MFP

- ▶ Up to 40 pages per minute in A4
- ▶ First copy time of 7 seconds
- ▶ High resolution of 1,200 dpi
- ▶ Duplex print, copy, colour scan and fax** functionality
- ▶ Standard reverse automatic document processor
- ▶ Up to five paper feeders for up to 2,100 sheets
- ▶ Active Directory support, IP sec and SSL encryption
- ▶ Exceptionally low printing costs in its class

*Only FS-3140MFP **Only FS-C2126MFP

A STEP UP IN YOUR OFFICE PRODUCTIVITY.

Speed and efficiency are the keywords for these high-speed multifunctional devices – and that means you save time. With a 50-sheet capacity reversing document processor that scans duplex originals as standard, all you need to do is put in the documents that have to be scanned or copied and let the machine do the rest. With an impressive warm-up time and a really fast first copy time, waiting is a thing of the past. Conveniently compact, these multifunctional devices offer you a lot of advanced functionalities. So the full-colour scans can be saved as a TIFF, PDF, JPEG or XPS file to be sent directly to a USB memory, to any PC in your network – or attached to an e-mail

and sent right from the device. Complete with standard duplex functionality for print, copy, scan and fax*, these multifunctional devices can reduce your paper consumption and the need for office filing space, another great boost when it comes to optimizing office workflow. And with up to five* different paper feeders the paper capacity of these fast multifunctional devices can be expanded from the large standard 500-sheet* capacity up to a total of 2,100 sheets*. So no matter how large the job, you can get it done quickly and without any unnecessary interruptions.

* Technical specifications depend on the device



YOUR BUSINESS DOCUMENTS DONE BY A PROFESSIONAL.

Whatever your document-processing needs, these multifunctional devices will handle them quickly, easily and in truly professional quality. Whether it is printing, copying, scanning or faxing*, with these office professionals everything always comes across with clarity and precision. Easy to integrate in almost every network environment, these devices perform as secure network products with professional output.

* Technical specifications depend on the device

QUALITY – YOUR BUSINESS ESSENTIAL

Highly robust and very reliable, you can always count on these multifunctional devices to deliver superior print quality. The combination of improved hardware and toner technology provides a resolution that's sharp and clear, and the FS-3040MFP/FS-3140MFP even delivers impressive 1,200 dpi. That presents that all of your documents correspond to your company as highly professional. The FS-C2026MFP/FS-C2126MFP also come with advanced colour technology that includes improved calibration, colour optimizer and trapping functionality. Their extended range of colours is produced with a vibrancy and clarity that sends a very clear message to anyone who deals with your documents.



EASE OF USE – DESIGNED TO SIMPLIFY YOUR DOCUMENT WORKFLOW

Designed for heavy daily office use, all of these multifunctional devices are very easy to operate. The control panel has a highly intuitive layout that gives the user simple and convenient access to all of the different functions that a busy office needs in the course of a workday. That saves time at the device and ensures that you can make optimal use of all the functionalities the device has to offer. The operation panel also includes convenient program keys, with which you can reduce a whole series of processing steps to one simple click. It is ideal for carrying out complex and recurring company-specific tasks. By programming a button to handle office workflow demands, you can save a lot of time and avoid the confusion and human error that often come with complex processing.

These intuitive displays are already being used successfully in other KYOCERA multifunctional devices. That is a big advantage for employees who have access to several different devices since there is no need for the user to get acquainted with a new interface.

The USB host interface is positioned at the front of the device for easy accessibility. Printing from and scanning to a USB stick can be carried out just as easily as it can from a computer in a network, giving the user complete independence from their computer and opening up printing capabilities throughout the company.

KEEPING YOUR INFORMATION SECURE

These multifunctional devices offer the latest safety standards needed in modern company network environments. Easily integrated into your company's IT, the IPsec and the SSL suit of encryption protocols guarantee that the data travelling through your network is secured. Active Directory network authentication delivers further security without the need to set ID access data for each single user. Simply use the preset network authentication data for managing access rights.



COMPACT SIZE, BIG CAPABILITIES.

Conveniently compact, these monochrome and colour multifunctional devices offer a lot of advanced functionality to be an efficient team player for your workgroup. Their durable components and for example the easy-to-

use operation panel, the front-positioned USB interface as well as the reversing document processor and the additional paper cassettes for a paper capacity of up to 2,100 sheets guarantee efficient, reliable operation.

Reversing document processor

offering 50-sheet capacity as standard.

Easy-to-use operation panel

for simple and convenient access.

USB host at the front of the device

for direct printing from and scanning to a USB stick.

Up to 5 paper feeders

for up to 2,100 sheets.

Reversing document processor

offering 50-sheet capacity as standard.

Easy-to-use operation panel

for simple and convenient access.

USB host at the front of the device

for direct printing from and scanning to a USB stick.

Easy replenishing of toner and waste toner box.

Up to 4 paper feeders

for up to 1,300 sheets.

FS-3040MFP/-3140MFP



FS-C2026MFP/-C2126MFP

COUNT ON US.

As one of the leading manufacturers of office document solutions, KYOCERA is committed to delivering consistently high-quality products and services. We not only provide you with the most reliable hardware and software, but also offer exceptional service, comprehensive consulting and tailor-made financing. Whatever your needs – you can count on us. Want to know more? Simply get in touch with your local KYOCERA Business Partner.

FS-3040MFP/FS-3140MFP

MONOCHROME MULTIFUNCTIONALS FOR A4 FORMAT

ECOSYS stands for **ECO**logy, **ECON**omy and **SY**stem-printing.

With their long-life components, ECOSYS devices are designed to maximise durability and minimise the total cost of ownership with regard to maintenance, administration and consumables. The cartridge-free system means that only the toner has to be replaced regularly. The modular design concept allows you to add workflow-enhancing functions as required. Integrated system software provides long-term cross-network compatibility. KYOCERA's long-life components cost you and the environment less.

PRESCRIBE IIe

With the KYOCERA page design and control language PRESCRIBE IIe, even complex graphics, logos and forms (multipart forms) can be created independently on the system and saved and updated in the printer. Consequently, integration into print files no longer applies. They are only accessed as required and therefore relieve the load on the network.

The KM NetViewer

The KM NetViewer enables complete monitoring and control of all ECOSYS printers and digital KYOCERA multifunction units from any Windows® PC and thus provides ideal network administration. It also supports the standardised SNMP protocol.

Status Monitor and Command Center

The Status Monitor shows the current printer's condition and gives direct access to the Command Center for the modification of settings that are not contained in the drivers (e.g. network settings, adjustment of sleep mode or blocking of the control panel).

USB Host Interface for USB Flash Memory

PDF files can be printed directly from a USB Flash Memory (e.g. USB stick) via the USB host interface. Documents are selected directly via the printer's control panel. No computer is required.

General

Technology: KYOCERA ECOSYS Laser, Mono component
Engine speed: Up to 40 pages A4 per minute
Resolution: 1,200 x 1,200 dpi (print), 600 x 600 dpi, 256 greyscales (scan/copy)
Duty cycle: Max. 200,000 pages per month
Recommended monthly printing volume: up to 8,000 pages**
Warm-up time: Approx. 22 seconds or less
Time to first print: Approx. 9.5 seconds or less
Time to first copy: Approx. 7 seconds
CPU: PowerPC 440/667 MHz
Memory: Standard 256 MB (2 x 128 MB DIMM), max. 768 MB (256 MB + 512 MB DIMM)
Integrated accounting: 20 department codes
Dimensions (W x D x H): 494 x 497.1 x 545.5 mm
Weight: Approx. 25.5 kg (FS-3040MFP), approx. 25.8 kg (FS-3140MFP)
Power source: AC 220 ~ 240 V, 50/60 Hz
Power consumption:
 Copying/Printing 3in1: 676.6 W; 4in1: 677.4 W
 Stand-by 3in1: 95.8 W; 4in1: 97.9 W
 Sleep-mode 3in1: 6.9 W; 4in1: 10.6 W
Noise (ISO 7779/ISO 9296):
 Copying/Printing: 55 dB(A)
 Stand-by: 30 dB(A)
Safety standards: TÜV/GS, CE
 This unit is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard.

Paper handling
 All paper capacities quoted are based on a paper thickness of max. 0.11 mm. Please use paper recommended by KYOCERA under normal environmental conditions.
Input capacity: Max. 100-sheet multi-purpose tray, 60-220 g/m², (70 x 148 to 216 x 356 mm)
 Max. 500-sheet universal paper cassette, 60-120 g/m²; custom (105 x 148 to 216 x 356 mm), max. input capacity with options: 2,100 sheets
Duplex unit: Duplex as standard supports 60-120 g/m²
Reversing document processor: 50-sheet, Simplex scan 50-120 g/m², Duplex scan 50-110 g/m², custom (140 x 210 to 216 x 356 mm)
Output capacity: Max. 500 sheets face-down

Print functions

Controller language: PRESCRIBE IIe
Emulations: PCL6 (5e/XL), KPDL 3 (PostScript 3-compatible), Line Printer, IBM Proprinter X24E, Epson LQ-850, Diablo 630, PRESCRIBE, XPS, PDF Direct Print
Interface: USB 2.0 (Hi-Speed), USB Host, Fast Ethernet 10/100Base-TX standard, slot for optional CompactFlash®-Card, slot for optional internal print server (FS-3040MFP only)
Operating systems: All current Windows operating systems, MAC OS X version 10.2 or higher, Unix, Linux as well as other operating systems on request
Fonts/barcodes: 93 outline fonts (PCL6, HP compatible) + 8 (Windows Vista), 101 (KPDL3), 1 bitmap font, 45 types of one-dimensional barcodes, 1 type of two-dimensional barcode (PDF417)
Features: PDF Direct Print, IPP printing, e-mail printing, WSD print, secure printing via SSL, IPsec, SNMPv3

Copy functions

Max. original size: A4/legal
Continuous copying: 1-999
Zoom range: 25-400% in 1% steps
Preset magnification ratios: 7 Reductions/5 Enlargements
Digital features: Scan-once-copy-many, electronic sort, 2in1, 4in1, ID-card copy, job reserve, priority print, program, auto duplex copy, split copy, continuous scan, auto cassette change, copy density control
Exposure mode: Auto, manual; 7 steps
Image adjustments: Text + photo, text, photo

Scan functions

Functionality: Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan to USB Host, TWAIN, WSD
Interface: USB 2.0 (Twain only), USB Host, Fast Ethernet 10/100Base-TX
Scan speed: 35 ipm (300 dpi, A4, b/w)
Scan resolution: 600, 400, 300, 200 dpi (256 greyscales)
Max. scan size: A4, legal
Original recognition: Text, photo, text + photo OCR
Network protocol: TCP/IP, NetWare, AppleTalk, NetBEUI
File types: TIFF, PDF, JPEG, XPS
Compression method: MMR/JPEG
Features: Colour scan, integrated address book, LDAP support, encrypted data transfer, multi-send (e-mail, fax, SMB/FTP folder, print) at once

Fax functions (FS-3140MFP only)

Compatibility: ITU-T G3
Modem speed: Max. 33.6 kbps
Transmission speed: Less than 3 seconds
Scanning speed: 2.5 seconds

One touch dial: 22 numbers

Address book: 100 entries

Interface: Fast Ethernet 10/100Base-TX

Scanning density:

Normal: 8 dot/mm x 3.85 line/mm

Fine: 8 dot/mm x 7.7 line/mm

Superfine: 8 dot/mm x 15.4 line/mm

Ultrafine: 16 dot/mm x 15.4 line/mm

Maximum original size: A4, legal

Compression method: JBIG, MMR, MR, MH

Memory reception: 256 sheets or more

Features: Network fax, duplex transmission and reception, encrypted transmission and reception, polling transmission and reception, broadcast

Options

Paper handling
PF-310 Paper feeder: Max. 500 sheets, 60-120 g/m², A4, B5, A5, letter, legal, custom (148 x 210 mm to 216 x 356 mm)

Memory upgrade: MDDR2-128: 128 MB; MDDR2-256: 256 MB; MDDR2-512: 512 MB

CompactFlash® card: CF-4 (4 GB) for printing forms, fonts, logos, macro storage

Others
USB Flash Memory: Supports direct printing of PDF, XPS, TIFF files via USB Host interface

Optional interfaces (FS-3040MFP only):
PS159: Wireless LAN (802.11b/g)
PS1109 Gigabit Ethernet: 10BaseT/100BaseTX/1000BaseT (RJ-45)
PS129 Fibre Optic: 100BaseSX (SC)
PS1129 Gigabit Fibre Optic: 1000BaseSX (SC)

CB-310: High wooden desk with storage capacity, including castors (wheels)
CB-320: Low wooden desk with storage capacity, including castors (wheels)

Consumables

TK-350 Toner-Kit: Microfine toner for 15,000 pages in accordance with ISO /IEC 19752
 Capacity of starter toner is 7,500 pages in accordance with ISO /IEC 19752

Warranty

2-year warranty as standard. Kyocera guarantees the drum and developer for 3 years or 300,000 pages (whichever occurs sooner), provided each device is used and cleaned in accordance with the service instructions.

KYO LIFE Up to 3-year on-site warranty extensions available for printer and options.



Product depicted includes optional extras.