

# PEST CONTROL PRODUCTS REGISTERED FOR USE IN KENYA



## **Pest Control Products Board**

Head Quarters,  
Waiyaki Way, (Loresho) P. O. Box 13794-00800,  
Westlands, Nairobi, Kenya.  
Telephone: +254-020-8021846/7/8  
Mobile: 0720480904/0735778743  
Fax: +254-020-8021865  
Email: [md@pcpb.go.ke](mailto:md@pcpb.go.ke) or  
[info@pcpb.go.ke](mailto:info@pcpb.go.ke)  
Website: [www.pcpb.go.ke](http://www.pcpb.go.ke)

### **Mt. Kenya Regional Office:**

**The Regional Manager**  
Embu Motors Plaza  
P.O. Box 2742 - 60100,  
Embu, Kenya.  
Tel: 068-31026  
Email: [mtkenya@pcpb.go.ke](mailto:mtkenya@pcpb.go.ke)

### **Nakuru Regional Office**

**The Regional Manager**  
P.O Box 4507-20100  
GPO, Nakuru  
Tel: 051-2217544  
Email: [southrift@pcpb.go.ke](mailto:southrift@pcpb.go.ke)

### **Western Regional Office:**

**The Regional Manager**  
P.O. Box 2757—40100,  
Kisumu, Kenya.  
Tel: 020-8068933  
Email: [ksm@pcpb.go.ke](mailto:ksm@pcpb.go.ke)

### **Coast Regional Office:**

**The Regional Manager**  
P.O. Box 10636-80101  
Bamburi-Mombasa, Kenya.  
Tel: 2375522 Fax: 2375522  
Email: [coast.region@pcpb.go.ke](mailto:coast.region@pcpb.go.ke)

## PREFACE

The Pest Control Products Board is a statutory organization of the Kenya Government established under the Pest Control Products Act, Cap 346, Laws of Kenya. The Board regulates the importation, exportation, manufacture, distribution and use of Pest Control Products (Pesticides). The Board since establishment in 1984 has registered many pest control products, which are available to the public for use in public health, livestock and agriculture.

This document is meant to assist the public, farmers, extension staff, pesticide stockists, exporters, manufacturers, government institutions and other stakeholders to easily identify pesticides, which have been evaluated by the Board for safety, efficacy, quality and economic value. However, it is important to note that the science of pesticides is quite dynamic. More new/safer pesticide molecules and formulations are being developed and evaluated on a continuous basis. Pesticide manufacturers also change product names and formulations to be in line with market demands. The list is reviewed from time to time to accommodate such changes and therefore, it is advisable to have the most up to date version.

It is noteworthy that some products previously registered by the Board have not been included in this document. These products have been deregistered for various reasons.

The registration numbers of products have also been amended as prescribed in the Pest Control Products (Labeling, Advertising and Packaging) (Amendment) Regulations 2006, Regulation 3(2). In that regard the expressions “CR” means Certificate of Registration for a period of three years and or renewal for a period not exceeding two years at any one time.

Please note that it is an offence under the Pest Control Products Act to import or sell in Kenya any pest control product unless it has been registered by the Board.

In undertaking the regulation of Pest Control Products, the Pest Control Products Board undertakes evaluation and registration of pesticides in the country for safety, efficacy and quality before registration. In addition, it regulates trade of Pest Control Products through inspection, licensing and product certification.

A wide range of pest control products for use in agriculture, animal health, forestry, public health. Technical grades and their registered uses have been covered. Any other uses outside the registered uses are not authorised until the product has been considered for label extension. Therefore, the use of pest control products in a manner that is inconsistent with the directions on approved labels is prohibited.

The document comprises of:

1. List of Fully Registered Pest Control Products for Crops
2. List of Fully Registered Pest Control Products for Public Health
3. List of Technical grade materials for formulation purposes
4. List of Temporary Registered Pest Control Products
5. Appendix I: List of Banned Products
6. Appendix II: List of Severely Restricted Products

A copy of this document is also available in the PCPB website and can be accessed **free of charge**.

*For more information, please contact:*

The Chief Executive/Secretary

Pest Control Products Board

Waiyaki Way (Loresho), P. O. Box 13794-00800,

Westlands, Nairobi, Kenya.

Telephone: +254-020-8021846/7/8

Mobile: 0720480904/0735778743

Fax: +254-020-8021865

Email: [md@pcpb.or.ke](mailto:md@pcpb.or.ke)

Website: [www.pcpb.or.ke](http://www.pcpb.or.ke)

## ACKNOWLEDGEMENTS

The pesticide industry is quite dynamic hence the involvement and contributions of various stakeholders in producing this list cannot be overemphasized. We wish to acknowledge and thank the Government of Kenya through the Ministry of Agriculture for support and providing an enabling environment. We also wish to thank all institutions/researchers accredited for local efficacy trials for providing the required information in the compilation of this document and for their continued cooperation in the furtherance of Pest Control Products access and their use in Kenya.

We are grateful to the PCPB Board of Management for providing guidance and facilitating us in undertaking the role of the organization. Our appreciation is to the entire staff who participated fully in the compilation and editing of this document. Special thanks go to the PCPB Registration team and the Information Communication Technology Officer.

Finally, PCPB wishes to thank all the stakeholders in the Agrochemicals Industry and all those who have made valuable contributions towards the publication of this document.

Chief Executive / Secretary, PCPB

---

## TABLE OF CONTENTS

PREFACE.....	1
ACKNOWLEDGEMENTS.....	4
PART I: PRODUCTS REGISTERED FOR USE IN CROPS .....	7
PART II: PRODUCTS REGISTERED FOR USE IN PUBLIC HEALTH .....	463
TABLE IV: TEMPORARY REGISTERED PRODUCTS .....	545
Appendix I: List of Banned Products.....	557
Appendix II: List of Severely Restricted Products .....	559

## FULLY REGISTERED PEST CONTROL PRODUCTS

*Version1\_2018*



## PART I: PRODUCTS REGISTERED FOR USE IN CROPS





Serial No	Trade name and type of formulation	Registration Number	Active ingredients (Common name/s)	Manufacturer/ Registrant	Agent	Uses
1.	ABACUS ADVANCE 125 SE	PCPB(CR)1 246	Epoxiconazole 62.5g/L + Pyraclostrobin 62.5g/L	<b>Manufacturer: i)</b> BASF Schwarzheide GmbH, Germany. <b>ii) Epoxiconazole -</b> Jiangsu Huifeng Agriculture Co. Ltd., China. <b>Formulators:</b> BASF SE, Germany BASF Espanoia S.L., Spain BASF Agri Production S.A.S., France <b>Registrant:</b> BASF SE, Germany	BASF East Africa Ltd.	Fungicide for the control of stem rust and yellow rust in wheat; for the control of grey leafspot in maize. <b>Maize:</b> EU MRL: Epoxiconazole: 0.1mg/kg Pyraclostrobin: 0.02mg/kg  PHI: 30 days  <b>Wheat:</b> Epoxiconazole- MRL: 0.02 mg/kg Pyraclostrobin- MRL: 0.01 mg/kg PHI: 28 days  WHO Class II, Moderately hazardous; Yellow color band
2.	SEGATRON ULTRA Liquid	PCPB(CR) 1546	Paraffin oil 98%	<b>Manufacturer of a.i;</b> <b>1. Raj Petro</b> Specialities	Osho Chemical Industries Ltd	Insecticide for control of aphids, whiteflies, mealybugs and spidermites on roses; aphids, leafminers and whiteflies in French beans and tomatoes; mealybugs in

				<p>PVT Ltd, India;</p> <p>2. Apar Industries Ltd, India; Kukdong Oil &amp; Chemicals Co Ltd,</p> <p>3. South Korea; Gandhar Oil Refinery India Ltd, India.</p> <p><b>Formulator/Registrant:</b> Osho Chemical Industries Ltd</p>		<p>pineapples.</p> <p>REI- 6 hours</p> <p>WHO Class U Unlikely to present hazard in normal use, Green color band.</p>
3.	TRANSFORMER Liquid	PCPB(CR) 1547	Paraffin oil 98%	<p><b>Manufacturer of a.i;</b></p> <p>4. Raj Petro Specialities PVT Ltd, India;</p> <p>5. Apar Industries Ltd, India; Kukdong</p>	Osho Chemical Industries Ltd	<p>An adjuvant for enhancing performance of Atom 2.5 EC in the control of caterpillars and aphids on roses and Malik 20 SP in the control of aphids and whiteflies in Roses.</p> <p>REI- 6 hours <b>WHO Class U</b> Unlikely to present hazard in normal use,</p>

				Oil & Chemicals Co Ltd, 6. South Korea; Gandhar Oil Refinery India Ltd, India <b>Formulator/Registrar:</b> Osho Chemical Industries Ltd		Green color band
4.	ABALONE 18 EC	PCPB(CR)0323	Abamectin 18g/L	Arysta LifeScience Benelux Sprl, Belgium	Arysta Life Science (K). Ltd	Insecticide/miticide to control the Red spider mites on Roses; spidermites and leaf miner on French beans.
5.	ABAMITE 2% EC Emulsifiable Concentrate	PCPB(CR)0746	Abamectin 20g/L	Zhejiang Qianjiang Biochemical Co. Ltd.China /Hangzhou Jike Trade Co.Ltd., China.	Hangzhou Agrochemicals Co. E.A. Ltd., Kenya.	Insecticide/miticide for the control of spidermites on Roses and leaf miners on French beans. MRL – 0.01mg/Kg PHI – 7 days
6.	ACANTO 250 SC Suspension Concentrate	PCPB(CR)0463	Picoxystrobin 250g/Kg	Du Pont de Nemours International societe anonyme South African Branch Office	<b>Agent:</b> DDP Agrosience (K) Ltd. <b>Distributor:</b> Elgon Kenya Ltd.	Fungicide for the control of powdery mildew on Roses.

7.	ACANTO PLUS 280 SC Suspension Concentrate	PCPB(CR)1 076	Picoxystrobin 200g/L+ Cyproconazole 80g/L	Du Pont (Asturias)	<b>Agent:</b> DDP Agrosience (K) Ltd. <b>Distributor:</b> Elgon Kenya Ltd.	Fungicide for control of net blotch and scald in Barley
8.	ACARAMIK 1.8EC Emulsifiable Concentrate	PCPB(CR)0 322-p(i)	Abamectin 18g/L	Rotam Agrochemicals, HongKong.	<b>Agent:</b> Rotam Sub-Saharan Africa Ltd. <b>Distributor:</b> Cooper K-Brands Ltd.	Insecticide/Miticide to control the Red spider mites on Roses and Leaf miner on French beans.
9.	ACARIN T 285 EC Emulsifiable Concentrate	PCPB(CR)0 488	Dicofol 210g/L (DDT content not more than 0.1%) + Tetradifon 75g/L	Adama Agan Ltd, Israel.	Amiran (K) Ltd.	A miticide for the control of mites on Roses.
10.	ALFATOX 10 EC Emulsifiable Concentrate	PCPB(CR)0 492	Alpha-cypermethrin 100g/L	Sulphur Mills Ltd., India. Distributor: Kenagro Suppliers Ltd	Insecta (K) Ltd., P.O. Box 52766, Nairobi.	Insecticide for the control of aphids, thrips, whiteflies and leaf miners on French beans.
11.	ALFACYPER M EC Emulsifiable Concentrate	PCPB(CR)0 492-p(i)	Alpha cypermethrin 100g/L	Sulphur Mills Ltd., India.	Murphy Chemicals E.A. Ltd.	Insecticide for the control of aphids, thrips, whiteflies and leaf miners on French beans.
12.	ALFAGOLD 100 EC	PCPB(CR)0 492-p(ii)	Alpha-cypermethrin	Sulphur Mill Ltd, India	Insecta (K) Ltd	Insecticide for the control of aphids, thrips, whiteflies and leaf miners on

			100g/L			French beans.
13.	ALPHASIN EC Emulsifiable Concentrate	PCPB(CR)0 492-p(iii)	Alpha-cypermethrin 100g/L	Sulphur Mill Ltd, India	Sineria Kenya Limited	Insecticide for the control of aphids, thrips, whiteflies and leaf miners on French beans.
14.	CYRUX 10 EC	PCPB(CR)0 492-p(iv)	Alpha-cypermethrin 100g/L	Sulphur Mills Ltd., India.	Amiran (K) Ltd.	Insecticide for the control of aphids, thrips, whiteflies and leaf miners on French beans
15.	BOTATOX 10 EC	PCPB(CR)0 492 -p(v)	Alpha-cypermethrin 100g/L	Sulphur Mills Ltd., India.	Insecta (K) Ltd., Distributor: Wesh products Nairobi.	Insecticide for the control of aphids, thrips, whiteflies and leaf miners on French beans.
16.	ACE 750 WSP Water Soluble Powder	PCPB(CR)0 355	Acephate 750g/Kg	Agrolex Private Ltd. / Nulandis Pty Ltd., South Africa.	Amiran (K) Ltd.	Insecticide for the control of thrips, leaf-miner and leaf chewing insects on Roses and tobacco.
17.	ACEPRID 20 WSP Water soluble powder	PCPB(CR)1 218	Acetamiprid 200g/Kg	Jiangsu Inter-China Group Corporation	Magnetic (K) Ltd	Insecticide for the control of thrips, aphids and whiteflies on roses, carnations, French beans and tomatoes.  <b>French beans</b> EU MRL- 0.6 mg/kg PHI- 14 days <b>Tomatoes</b> EU MRL- 0.5mg/kg PHI- 7 days

						<b>WHO Class III</b> Slightly hazardous, Blue color band REI: When the spray dries
18.	ACETA 20 SP Soluble powder	PCPB(CR)1 283	Acetamiprid 200 g/Kg	Manufacturer: Jangsu Fengshan Group Co. Ltd. Formulator: Hebei Guanlong Agrochemical Co. Ltd Registrant: Nanjing Fengshan Chemical Co. Ltd , China	Chinachem Kenya Ltd	Insecticide for the control of aphids, thrips and whitefly nymphs in French beans, aphids and whiteflies in roses.  <b>REI- 3hrs</b> <b>French beans:</b> EU MRL: 0.06 mg/kg PHI: 7 days
19.	ACETAK 200 SL Soluble Liquid	PCPB(CR)1 271	Acetamiprid 200g/L	<b>Manufacturer:</b> Jangsu Lanfeng Biochemical Co., Ltd., China; <b>Exporter:</b> Zhejiang E-Tong Chemical Co., Ltd., China  <b>Registrant:</b> Zhejiang E-Tong Chemical Co., Ltd., China	Kenagro Suppliers Ltd	Insecticide for the control of white fly nymphs on roses, and for the control of bean fly on French beans. REI: 6 hours WHO Class II (Moderately hazardous, yellow color band)

20.	ACETAK TOP 700 WG Wettable Granules	PCPB(CR)1 400	Acetamiprid 700 g/kg	<b>Manufacturer/Formulator/Exporter:</b> Jizhou Kaiming Pesticide Co., Ltd., China;  <b>Exporter:</b> Zhejiang E-Tong Chemical Co., Ltd., China	Kenagro Supplies Ltd	Insecticide for the control of white flies, aphids, & Thrips on Roses & Tomatoes; for the control of whiteflies on French beans. Roses REI: 6 hours Tomatoes MRL = 0.2 mg/kg PHI = 7 days WHO Class II, Moderately hazardous, Yellow color band
21.	ACETASTAR 46 EC Emulsifiable concentrate	PCPB(CR)1 367	Acetamiprid 16 g/L+ Bifenthrin 30g/L	<b>Manufacturer:</b> Bifenthrin: Adama, Israel Acetamiprid: Jiangsu Yangnong Chemical Co., ltd Formulator: Adama Israel <b>Add Formulator:</b> Jiangsu Anpon Electrochemical Company Ltd, China. <b>Add Manufacturing site:</b> Jiangsu Huangma Agrochemicals	Makhteshim Agan E.A ltd	Insecticide for the control of aphids, whiteflies, thrips and Caterpillars in tomatoes; aphids, whiteflies and thrips in roses.  REI- 6 hours Class II Moderately hazardous; Yellow color band EU MRL: Bifenthrin: 0.3mg/kg Acetamiprid: 0.2mg/kg PHI: 2days

				Company		
22.	MAZAO ACHIEVE	PCPB(CR)1 229	<i>Metarhizium anisopliae</i> ICIPE 78 1*10 <sup>11</sup> cfu/ml	<b>Source:</b> International Centre of Insect Physiology & Ecology (ICIPE), Nairobi  <b>Formulator/Registrant:</b> Real IPM Company (K) Ltd, Thika	Real IPM Company (K) Ltd, Thika	Biopesticide for the control of Spider mites on Roses  <i>WHO classification not applicable for biopesticides</i>  REI: When the spray dries
23.	BEDLAM 200 SL	PCPB(CR)1 271-p(i)	Acetamiprid 200g/L	Manufacturer: Jangsu Lanfeng Biochemical Co., Ltd., China; Exporter: Zhejiang E- Tong Chemical Co., Ltd., China Registrant: Zhejiang E-Tong Chemical Co., Ltd., China	Kenagro Suppliers Ltd	Public health product for the control of bedbugs and cockroaches REI: 6 hours WHO Class II (Moderately hazardous, yellow colour band)
24.	ACHOOK 0.15% EC Emulsifiable Concentrate	PCPB(CR)0 883	Azadirachtin 0.15% w/w	Godrej Agrovet Ltd., India.	Organix Ltd.	Neem-based insecticide/ nematicide for control of  nematodes in Baby corn, Banana, Roses, Snow peas,  Sugar snaps & Tomatoes. Diamond Back moth in Broccoli. Aphids in cabbages, Leaf miner in Coffee. Thrips & Nematodes in French beans. Aphids &



						Diamond back moth in kales. Thrips, Aphids and Nematodes in Pyrethrum. Aphids, Mites, Thrips & Weevils in tea.
25.	ACROBAT 69% WG	PCPB(CR)0 247	Dimethomorph 90g/Kg + Mancozeb 600g/Kg	Servatis S.A Brazil/ Jiangsu Huifeng Agriculture Co. Ltd., China/BASF AGRO B.V. /BASF SE, Germany.	BASF East Africa, Nairobi.  <i>Distributor:</i> Topserve East Africa Ltd./ Elgon Kenya Ltd.	Fungicide for systemic and contact control of late blight in potatoes & tomatoes and down mildew on Roses.
26.	ACTARA 25 WG Water Dispersible Granules	PCPB(CR)0 320	Thiamethoxam 250g/Kg	Syngenta Crop Protection AG, Monthey, Switzerland.  <i>Formulator:</i> SBM Formulation, France	Syngenta E.A. Ltd.	Systemic broad spectrum insecticide for control of sucking & some chewing insects in vegetables, ornamentals, flowers and leaf miner in coffee; For use on Tobacco to control aphids, weevils, whiteflies and leaf beetles.
27.	ACTELLIC 2%	PCPB(CR)1 045	Pirimiphos- methyl 20g/Kg	Manufacturer: Syngenta Crop Protection AG, Switzerland Formulator: Twiga Chemical Industries Ltd.	Syngenta E.A. Ltd.	Insecticidal dust for protection of cereal grain against insect pests. <b>FOR EXPORT PURPOSES ONLY, NOT FOR SALE &amp; USE IN KENYA</b>

28.	ACTELLIC 25 EC Emulsifiable Concentrate	PCPB(CR)0 015	Pirimiphos-Methyl 250g/L	Syngenta Ltd., UK / <i>Distributor:</i> Twiga Chemical Industries Ltd., P.O. Box 30172 Nairobi, Kenya.	Syngenta East Africa Ltd., P.O. Box 30393, Nairobi.	Insecticide for the control of storage pests in stored grain- bulk-stored grain, bagged grain, storage surfaces.  Also for the control of the insect pests in potatoes, vegetables, citrus, bananas, pineapples.
29.	ACTELLIC 40 DC Dust Concentrate	PCPB(CR)0 094	Pirimiphos-Methyl 400g/Kg	Syngenta Ltd., UK / <i>Distributor:</i> Twiga Chemical Industries Ltd., P.O. Box 30172 Nairobi, Kenya.	Syngenta East Africa Ltd., P.O. Box 30393, Nairobi.	Insecticide concentrate for formulating locally  "ACTELLIC SUPER" Dust for grain storage use.
30.	ACTELLIC 50 EC Emulsifiable Concentrate	PCPB(CR)0 014	Pirimiphos-Methyl 500g/L	Syngenta Ltd., UK / <i>Distributor:</i> Twiga Chemical Industries Ltd., P.O. Box 30172 Nairobi, Kenya.	Syngenta East Africa Ltd., P.O. Box 30393, Nairobi.	Insecticide for the control of grain storage pests (except larger or greater grain borer) - in bulk-stored grain, bagged grain, storage surfaces. Also for the Public Health use for the control of adult mosquitoes and cockroaches (on mud houses with grass thatch).
31.	ACTELLIC GOLD DUST Dust powder	PCPB(CR)1 149	Thiamethoxam 3.6g/Kg + Pirimiphos	Thiamethoxam-Syngenta Agro SA, Spain, Syngenta India	Syngenta E.A	Post-harvest insecticide to control Grain storage pests (maize weevil; <i>Sitophilus zeamais</i> and

			Methyl 16g/kg)	Ltd, Schirm AG Mecklenburgerstrasse, Germany Pirimiphos-methyl- Syngenta Ltd. UK / Syngenta Crop Protection, Switzerland <b>Formulator:</b> Twiga Chemical Industries Ltd, Kenya		Larger grain borer; <i>Prostephanus truncatus</i> )  WHO Class III slightly hazardous Blue Colour Code  MRL: Pirimiphos Methyl:7mg/Kg Thiamethoxam: 2mg/Kg
32.	ACTELLIC SUPER Dust	PCPB(CR)0 150	Pirimiphos- Methyl 1.6% + Permethrin (40/60 cis/trans) 0.3%	Syngenta Ltd., UK / <i>Distributor:</i> Twiga Chemical Industries Ltd., P.O. Box 30172 Nairobi, Kenya.	Syngenta East Africa Ltd., P.O. Box 30393, Nairobi.	Broad spectrum insecticidal dust for the control of stored maize and small grain cereals pests, including control of Larger Grain Borer.
33.	ADENGO SC 465 Suspension Concentrate	PCPB(CR)13 84	Thiencarbazone methyl 90 g/L+ Isoxaflutole 225g/L + Cyprosulfamide 150g/L (Safener)	<b>Manufacturer:</b> Bayer AG Germany <b>Formulators:</b> 1. Bayer CropScience GmbH, Germany; 2. Bayer CropScience, France; 3. Bayer CropScience, USA; 4. Bayer CropScience,	Bayer East Africa Limited	Pre-emergence herbicide for control of grasses and broadleaf weeds in maize.  WHO Class II, Moderately hazardous, Yellow color band  MRL: 0.01 mg/kg PHI: 40 days

				Canada		
34.	EABCLADMI RE 70 WDG Water Dispersible Granules	PCPB(CR)1 298	Imidacloprid 700g/kg	Nanjing Essence Fine- Chemical Co., Ltd, China. <b>Exporter:</b> Nongwa Agrochem Co.Ltd, Hong Kong.	East African Business Company Ltd.	Insecticide for the control of Thrips, aphids and whitefly nymphs on roses  WHO Class II (Moderately hazardous, yellow colour band)  REI: 12 hours
35.	ADVENTURE 5G Granular	PCPB(CR)1 237	Abamectin 5g/Kg	Shandong Sino-Agri United Biotechnology Co., Ltd, China	GreenLife Crop Protection Africa Ltd	Nematicide for the control of Plant parasitic Nematodes in Tomatoes and Carnations  REI: when spray dries WHO Class III, Slightly hazardous, Blue colour band
36.	AFFAIR TOP 800WDG	PCPB(CR)1 495	Azoxystrobin 350g/kg + Dimethomorph 450g/kg	<b>Manufacturer/Formul ator:</b> Fujian Sinodashing Bio-tech Co Ltd, China <b>Registrant/Exporter:</b> Suzhou Chems Chemical Co Ltd, China	Greenlife Crop Protection Africa Ltd	Fungicide for control of Downy mildew on Roses; for the control of angular leaf spot, anthracnose and rust on French beans. French beans: EU MRLs- Azoxystrobin: 3.0mg/kg Dimethomorph: 0.01 mg/kg PHI- 7 days REI: 12hours WHO Class III Slightly hazardous; Blue color band
37.	AFIFEN 10.8	PCPB(CR)1	Pyriproxifen 100	<b>Manufacturer/</b>	East African	Insect growth regulator for the control of

	% Emulsifiable Concentrate	410	g/L	<b>Formulator:</b> Nantong Shizhuang Chemical Co. Ltd; China  <b>Exporter:</b> Shanghai Qiaoji International Co. Ltd, China	Business Co. Ltd	Thrips, Whiteflies & Aphids on Carnations & Roses; insecticide for the control of Thrips, whiteflies & aphids on common beans.  EU MRL: 0.05 mg/kg PHI: 21 days WHO Class III: Slightly hazardous Blue color band.
38.	AFLASAFE KE	PCPB(CR)1 419	Atoxigenic	<b>Registrant:</b> KALRO	KALRO	Biological Fungicide for the control of toxigenic Aspergillus flavus in maize  WHO Class U, Non-hazardous, Green colour band
39.	AFRIBAT 69 W Wettable powder	PCPB(CR)1 320	Dimethomorph 9% Mancozeb 60%	Shenyang Harvest Agrochemicals Co Ltd. China	East African Business Co. Ltd	Fungicide for control of Downy mildew on Roses  WHO Class III Slightly hazardous, Blue colour band REI = 6Hrs
40.	AFRIZEB 75 WDG	PCPB(CR)1 250	Mancozeb 750 g/Kg	Coromandel International. Ltd, India.	East African Business Company Ltd	Fungicide for the control of Downy mildew on Roses WHO Class III, Slightly hazardous, Blue color band  REI: When spray dries
41.	AG COPP 75WP	PCPB(CR)0 579	Cuprous Oxide 86% w/w	American Chemet Corporation, Deerfield,	Twiga Chemical	Fungicide for the control of leaf rust and Cofee Berry Disease(CBD) on coffee;

	Wettable Powder		(Equivalent to 75% w/w metallic copper)	USA.	Industries Ltd.	Tank mix of AG COPP 75WP + TWIGATHALONIL 720SC
42.	AGIL 100 EC Emulsifiable concentrate	PCPB(CR)0377	Propaquizafop 100g/L	Adama Agan Ltd, Israel	Amiran (K) Ltd.	Post-emergence herbicide for control of annual and perennial grasses in snow peas and broccoli.  <b>Broccoli:</b> EU MRL- 0.2mg/kg PHI-30 days
43.	AGRAL 90 Liquid	PCPB(CR)0058	Synperonic NP8 900g/L	Syngenta Ltd., UK.	Syngenta East Africa <i>Distributor:</i> Twiga Chemical Industries Ltd., P.O. Box 30172, Nairobi.	Non-ionic wetter/spreader for use with fungicides, herbicides to increase their efficiency.
44.	AGRICOP 50 WP Wettable Powder	PCPB(R)0382- <i>p(iv)</i>	Copper Oxychloride 50% WP	Saroc Ltd.	Magnetic (K) Ltd.	Fungicide for control of coffee berry disease and leaf rust on coffee.
45.	AGRILAX 72 WP Wettable	PCPB(CR)1254	Metalaxyl 8% + Mancozeb 64%	King Chemical Co. Ltd, China	Agent/Distributor: Agrichem Africa Limited	Fungicide for the control of Early Blight and Late Blight of Tomatoes

	Powder					WHO Class III Slightly hazardous Blue color band Tomatoes PHI- 3 days MRL: Metalaxyl: 0.04 mg/kg, Mancozeb: 0.4 mg/kg
46.	AGRIMEC 18 EC Emulsifiable Concentrate	PCPB(CR)1 111	Abamectin 18g/L	Hebei Sony Chemical Co. Ltd., China <i>Formulator:</i> Ningbo Yihwei Chemicals Co.Ltd.	Kenagro Suppliers Ltd.	Miticide for control of Red spider mites on Roses; spidermites and Leaf miner on tomatoes & French beans. MRLs: <b>Tomato:</b> 0.02mg/kg (EU) PHI-3 days <b>French beans:</b> 0.01mg/kg (EU) PHI-7 days REI: when spray dries WHO II Yellow color band Moderately hazardous
47.	AGRIMINE 2,4 D 720 SL	PCPB(CR)1 077- <i>p(i)</i>	2,4 D-Amine 720g/L	Hangzhou Yilong Chemical Industries, Ltd China	Agro Farmer (K) Ltd	Post-emergence herbicide for control of broad-leaved weeds in wheat
48.	AGRINATE 90 SP Water Soluble	PCPB(CR)0 761	Methomyl 90%	Vapco Ltd., Jordan.	Osho Chemical Industries Ltd.	Insecticide to control thrips & aphids on Roses. WHO Class 1

	Powder					Highly hazardous, Red color band
49.	AGRINATE PLUS 20SP Soluble powder	PCPB(CR)1 416	Methomyl 200g/Kg	<b>Manufacturer/ Formulator:</b> Shandong Jiuzhou Pesticide Co Ltd, China <b>Registrant:</b> Ningbo Huili Import & Export Co, Ltd, China	Osho Chemical Industries Ltd	Insecticide for the control of Aphids, Thrips & Whiteflies in Roses WHO Class II Yellow color band Moderately hazardous REI: When spray dries
50.	AGRISTAR 75 WDG Water Dispersible Granules	PCPB(CR)0 711	Tribenuron-methyl 75%	Fluence Topsen Ltd., China.	Sineria Kenya Limited; <i>Distributor:</i> Amiran (K) Ltd.	Post-emergence herbicide for the control of Broad leaved weeds in wheat.
51.	AGRITHANE WP	PCPB(CR)0 433-p(ii)	Mancozeb 800g/Kg	UPL Ltd., India / Dera Chemical Industries.	Agrichem & Tools Ltd.	Fungicide for control of late blight in potatoes and Tomatoes.
52.	AGRIXYL 407 SL Soluble Concentrate	PCPB(CR)0 734	Metalaxyl 70g/L + Mono & Di-potassium salts of phosphoric acid 400g/L	Parijat Industries, India	Amiran Kenya Ltd.	Fungicide for the control of early & late blight on Potatoes and downy mildew on Roses.
53.	AGROCELHO	PCPB(CR)1	1,3-	Manufacturer:	Agroquimicos	Pre-plant soil fumigant for the control of



	NE D EC Emulsifiable Concentrate	071	Dichloropropene 1110g/L	Agroquimicos de Levante (Dahan Co. Ltd., China, Formulator: Agroquimicos de Levante S.A., Spain	De Levante (K) Ltd <i>Distributor:</i> Elgon (K) Ltd.	nematodes in Pineapples. <b>RESTRICTED CLASS</b> WHO Class Ib Red Colour Band <b>FOR OWN USE BY DELMONTE ONLY</b>
54.	AGROCELHO NE NE Emulsifiable Concentrate	PCPB(CR)1 293	1,3-D 803 g/L + Chloropicrin 440 g/L	<b>Manufacturers:</b> <i>1,3-D</i> Agroquimicos de Levante Co. China <i>Chloropicrin</i> Trinity Manufacturing Inc., USA <b>Registrant:</b> Agroquimicos De Levante S.A., Spain	Agroquimicos De Levante (K) Ltd <i>Distributor:</i> Elgon (K) Ltd	Soil fumigant for the control of Nematodes and soil borne pathogenic fungi in pineapples  <b>WHO Class 1b.</b> Highly hazardous Red colour band RESTRICTED
55.	AGROMAX MZ 720 WP Wettable Powder	PCPB(CR)1 023	Mancozeb 64% + Cymoxanil 8%	Ningbo Sunjoy Agroscience Co. Ltd. China	Agrosolutions (K) Ltd.	Fungicide for the control of early and late blight in Potatoes and Tomatoes. WHO Class III Slightly hazardous compounds Blue Colour band MRL: Mancozeb:- Potatoes – 0.2mg/Kg Tomatoes – 0.05mg/Kg Cymoxanil :-

						Potatoes – 0.3mg/Kg Tomatoes -0.2mg/Kg PHI – 14 days
56.	AGROMINE 860 SL Soluble Liquid	PCPB(CR)1 307	2,4-D Amine salt 860 g/L	<b>Manufacturer:</b> Jiangsu United Agrochemical Co., Ltd., China <b>Exporter:</b> Nanjing Agrochemiocal Co., Ltd  <b>Registrant:</b> Greenlife Crop Protection Africa Ltd.	Greenlife Crop Protection Africa Ltd.	Herbicide for the control of broad-leaved weeds in lawn ground; post-emergence herbicide for the control of broad-leaved weeds in rice, Maize and Wheat; WHO Class II Moderately hazardous, Yellow color band. REI: 24 hours. <b>Maize</b> EU MRL- 0.05mg/kg PHI-45 days <b>Rice</b> EU MRL- 0.1mg/kg PHI-45 days <b>Wheat</b> EU MRL- 2.0mg/kg PHI-14 days
57.	AGROPYRIF OS 48 EC  Emulsifiable Concentrate	PCPB(CR)0 645	Chlorpyrifos 480 g/L	Asiatic Agricultural Industries, Singapore .	Bell Industries Ltd.	Insecticide for the control of caterpillars and sucking insects on ornamentals <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>
58.	AGROTHOAT E 40 EC	PCPB(CR)0 958	Dimethoate 400 g/L	Asiatic Agricultural Industries, Singapore.	Bell Industries Ltd.	Insecticide for use in control of aphids, and

	Emulsifiable Concentrate					potato tuber moth on potatoes, and Western flower thrips, African bollworm and aphids on Zinnia flowers. <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>
59.	AGROZINON 60EC Emulsifiable Concentrate	PCPB(CR)0 644	Diazinon 600g/L	Asiatic Agricultural Industries, Singapore.	Bell Industries Ltd. P.O. Box 18603, Nairobi.	Insecticide for the control of aphids, Leaf beetle and thrips on French beans, aphids, leafminer, whiteflies and mites in tomatoes, scale in citrus, mealybugs and scales on roses and diamond backmoth on brassicas.
60.	AKARI 500 SC Suspension Concentrate	PCPB(CR)1 177	Clofentezine 500 g/L	<b>Manufacturer/ Registrant:</b> ENanjing Essence Fine Chemical Ltd, China	Sineria Kenya Limited	Acaricide for the control of Spider mites on Roses.
61.	AKRIMACTIN 1.8EC Emulsifiable Concentrate	PCPB(CR)0 551- <i>p(i)</i>	Abamectin 18g/L	Willowood United, China / Fluence Middle East Africa	Sineria Kenya Limited <i>Distributor:</i> Dipchem E.A. Ltd.	An insecticide and acaricide for control of motile stages of spidermites leaf miner larvae on Roses, French beans and tomatoes.
62.	ALERT 50 SC	PCPB(CR)1 500	Thiophanate-methyl 500 g/L	Hailir Pesticide and Chemicals Group Co. Ltd, China	East African Business Company Ltd	Fungicide for control of Powdery mildew in Roses  REI- 12 hours  <b>WHO Class III,</b>

						Slightly hazardous; Blue color band
63.	ALBAZ 10 EC Emulsifiable Concentrate	PCPB(CR)0 936	Alpha- cypermethrin 100g/L	Tagros Chemicals, India.  <i>Registrant/ Formulator;</i> CMI Ltd, UK	CMI-Cropcare (K) Ltd P.O Box 596- 00208 Nairobi  <i>Distributor</i> Highchem Essentials Ltd.	Insecticide for the control of thrips, aphids and leaf miner on French beans; thrips aphids & whiteflies on Roses WHO Class II Yellow Colour band Moderately hazardous MRL - 0.01mg/Kg PHI - French beans – 3days REI - Roses-after drying of spray.
64.	ALERT 50 SC	PCPB(CR)1 500	Thiophanate- methyl 500 g/L	Hailir Pesticide and Chemicals Group Co. Ltd, China	East African Business Company Ltd	Fungicide for control of Powdery mildew in Roses  REI- 12 hours  <b>WHO Class III,</b> Slightly hazardous; Blue color band
65.	ALFACYPER M EC Emulsifiable Concentrate	PCPB(CR)0 492-p(i)	Alpha cypermethrin 100g/L	Sulphur Mills Ltd., India.	Murphy Chemicals E.A. Ltd.	Insecticide to control aphids, thrips, cutworms.
66.	ALFATOX 10 EC	PCPB(CR)0 492	Alpha- cypermethrin	Sulphur Mills Ltd., India.	Insecta (K) Ltd.,	Insecticide for the control of aphids, thrips,

	Emulsifiable Concentrate		100g/L	<i>Distributor:</i> Kenagro Suppliers Ltd	P.O. Box 52766, Nairobi.	whiteflies and leaf miners on French beans.
67.	ALIAL 80 WP Wettable Powder	PCPB(CR)1 150	Fosetyl-Aluminium 800g/Kg	Man: Limin Chemical Co. Ltd, China; Form: Laboratorios SIRGA, Spain Reg: Cheminova A/S Denmark.	Novus-Bridge Consultants.	Fungicide for the control of downy mildew on onions, roses, lettuce & squash.
68.	ALLEZ 200SC Suspension Concentrate	PCPB(CR)0 468-p(i)	Imidacloprid 200g/L	Rotam Agrochemicals, Hong Kong.	Rotam Sub-Saharan Africa Ltd.	Insecticide to control aphids, whiteflies, thrips, beanfly, on french beans and flowers.
69.	ALLIETTE FLASH WG 80 Water Dispersible Granules	PCPB(CR)1 015	Fosetyl Aluminium 800g/Kg	Bayer Crop Science, Germany Isochem site, Ponte de laix, France, -Zhejiang Jialia Chemical Co. China	Bayer E.A. Ltd.	Fungicide for the control of downy mildew in Roses. WHO Class III Blue Colour Band Slightly hazardous REI – Roses-6-8hrs
70.	ALMECTIN 1.8% EC Emulsifiable Concentrate	PCPB(CR)0 519	Abamectin 18g/L	Denka International BV-Netherlands and Almanda Israel Ltd., Israel & Almadine Coporation SA Switzerland.	Juanco SPS Ltd.	Acaricide/Insecticide for control of red spider mites & leaf miners on Tomatoes & Roses.
71.	ALONZE 50 EC Emulsifiable	PCPB(CR)13 61	Abamectin 50 g/L	Limaru NV, Belgium <b>Manufacturer:</b>	GreenLife Crop Protection Africa	Insecticide/miticide for control of spidermites in roses and carnations,

	Concentrate			<p>Shandong United Pesticide Industry Co. Ltd</p> <p><b>Exporter:</b> Shandong Sino-Agri United Biotechnology Co., Ltd, China</p>	Ltd	<p>thrips on chillies, leafminer and thrips on runner beans, spidermites, leafminers and thrips on tomatoes and French beans, leafminers and thrips on broccoli and snow peas and as a nematicide for control of nematodes in potatoes;</p> <p>REI: 12 hours</p> <p>WHO Class II Moderately hazardous Yellow color band;</p> <p><b>Tomatoes:</b> EU MRL- 0.09 mg/kg PHI: 3 days</p> <p><b>Runner beans:</b> EU MRL-0.03 mg/kg PHI : 3 days</p> <p><b>Chilli:</b> EU MRL- 0.07 mg/kg PHI: 7 days</p> <p><b>Potato:</b> EU MRL- 0.01 mg/kg PHI: 14 days.</p> <p><b>Broccoli:</b> EU MRL-0.01 mg/kg PHI : 7 days</p>
--	-------------	--	--	---	-----	---

						<p><b>Snow peas:</b> EU MRL-0.01 mg/kg PHI : 7 days</p> <p><b>French beans:</b> EU MRL-0.03 mg/kg PHI : 3 days</p>
72.	ALPHA CYMBA 10 EC Emulsifiable Concentrate	PCPB(CR)0 548	Alpha- cypermethrin 100g/L	Heranba Industries Ltd., India.	Orbit Chemical Industries Ltd.	Insecticide for the control of thrips, aphids and whitefly on roses; aphids, whiteflies, thrips, caterpillars and cutworms on Snow peas; Cutworms, DBM and aphids on kales;-White flies, bollworms, caterpillar, aphids and thrips on greenhouse pepper
73.	ALPHADIME 85 ULV	PCPB(CR)1 162	Dimethoate 81.5 g/L + Alpha- cypermethrin 3.5 g/L	Bilag India/Cheminova Denmark/ Formulator:- Orion East Africa Ltd.	Orion East Africa Ltd.	Avicide for the control of Quelea Birds. WHO Class II Moderately hazardous Colour band: Yellow PHI: Not relevant (product is not directly applied crops in the control of the migratory pests)
74.	ALPHAGUAR D 10 EC Emulsifiable Concentrate	PCPB(CR)0 849	Alpha- cypermethrin 100 g/L	Gharda Chemicals Ltd., Mumbai, India.	Agrichem & Tools Ltd.	Insecticide for the control of bean flower thrips on French beans.

75.	ALPHAKIL 100EC Emulsifiable Concentrate	PCPB(CR)1 032	Alpha- Cypermethrin 100g/L	Ningbo Sunjoy Agroscience, China	Agrosolutions Ltd.	Insecticide for the control of aphids and whiteflies on French beans; thrips, aphids, leaf miner and caterpillars on snow peas; and thrips, aphids and whiteflies on tomatoes Snow peas and Tomatoes: EU MRL- 0.05 mg/kg PHI: 7 days WHO II (Moderately hazardous ) Yellow Colour Band MRL: French beans-0.05mg/kg PHI: 21 days
76.	ALPHA-KING 10EC	PCPB(CR)0 849 – <i>p(i)</i>	Alpha- cypermethrin 100 g/L	Gharda Chemicals Ltd., Mumbai, India.	Agricare East Africa Ltd.	Insecticide for the control of bean flower thrips on French beans.
77.	ALPHASCOP E 10 EC Emulsifiable concentrate	PCPB(CR)0 709	Alpha- cypermethrin 100g/L	Meghmani Organics Ltd., India.	Agriscope (Africa) Ltd.	Insecticides for the control of thrips, aphids, whiteflies and leaf miner on French beans; and for the control of thrips and whiteflies in Roses.
78.	ALPHASHIEL D 100EC	PCPB(CR)1	alphacypermethrin 100EC	<b>Manufacturer/Formulator:</b> Shaanxi Sunger Road	Fedo Agencies Ltd	Insecticide for control of aphids, whiteflies, thrips and cabbage loopers on Kales



		509		BIO-Science Co Ltd, China <b>Registrant/Exporter:</b> Ningbo Synagrochem Co Ltd, China		
79.	ALPHAGO 100 EC	PCPB (CR)1509- <i>p(i)</i>	Alpha cypermethrin 100g/L	<b>Manufacturer/Formulat or:</b> Shaanxi Sunger Road BIO-Science Co Ltd, China <b>Registrant/Exporter:</b> Ningbo Synagrochem Co Ltd, China	Fedo Agencies Ltd	Insecticide for control of ants, houseflies, cockroaches and bedbugs
80.	ALPHASIN EC Emulsifiable Concentrate	PCPB(CR)0 492- <i>p(iii)</i>	Alpha- cypermethrin 100g/L	Sulphur Mill Ltd, India	Sineria (E.A) Ltd	Insecticide for the control of aphids, thrips, whiteflies and leaf miners on French beans.
81.	ALTO 100 SL Soluble Concentrate	PCPB(CR)0 203	Cyproconazole 100g/L	Syngenta Crop Protection AG, Switzerland.	Syngenta E.A.Ltd., P.O. Box 30393, Nairobi.	Systemic fungicide for coffee leaf rust control.

82.	AMAZING TOP 100 WDG Water Dispersible Granules	PCPB(CR)1 242	Abamectin 20 g/Kg + Acetamiprid 80 g/Kg	Shandong Sino-Agri United Biotechnology Co., Ltd., China	GreenLife Crop Protection Africa Limited	<p>Insecticide for control of Thrips on Carnations and Onions, Mealybugs on Roses; aphids, thrips &amp; whiteflies on tomatoes &amp; French beans; Aphids, thrips &amp; leaf miners on cabbage and thrips &amp; whiteflies on coriander; thrips, aphids, whiteflies and leaf miners in broccoli and snow peas.</p> <p>WHO Class.III,Slightly,hazardous Blue color band <b>Onions:MRL</b> : Abamectin 0.01mg/Kg Acetamiprid 0.02mg/Kg PHI: 21 days <b>Tomatoes:</b> MRL : Abamectin 0.01mg/kg Acetamiprid 0.01mg/kg PHI: 7 days <b>French beans</b> MRL: Abamectin 0.01mg/kg Acetamiprid, <b>Cabbage:</b> MRL Abamectin 0.01mg/kg Acetamiprid 0.01mg/kg PHI: 14 days <b>Coriander:</b> MRL Abamectin 0.01 mg/kg, Acetamiprid 0.01mg/kg PHI: 7 days</p> <p>EU MRL in Broccoli and Snow Peas Abamectin: 0.01 mg/kg Acetamiprid: 0.4 mg/kg PHI – 14 days</p>
-----	---	------------------	--	--	---	--

83.	AMBAR 480 SC Suspension Concentrate	PCPB(CR)1 141	Metribuzin 480g/L	Tiajin Rotam Chemistry Co. Ltd./ Rotam Ltd, Hong Kong <i>Formulator:</i> Jiangsu Rotam Chemistry Co. Ltd	Rotam E.A. Ltd; <i>Distributor:</i> Cooper K-Brands Ltd	Herbicide for the control of annual & broadleaf weeds in carrots & potatoes. WHO Class U Green colour band MRL: Potatoes-0.1mg/Kg, Carrots-0.1mg/Kg PHI: Potatoes - 21days, Carrots - 21 days
84.	AMBLYTECH	PCPB(CR)0 300	<i>Amblyseius californicus</i> (predatory mite) Min. 2000 mites/400mls	Flamingo Horticulture (K) Ltd., Naivasha.	Flamingo Horticulture (K) Ltd., Naivasha.	An indigenous natural enemy for the control of red spider mites ( <i>Tetranychus urticae</i> ) on vegetables; spider mites in roses
85.	AMBLYTECH C	PCPB(CR)1 014	<i>Amblyseious cucumeris</i> 25,000 mites in 600c.c.	Flamingo Horticulture (K) Ltd.	Flamingo Horticulture (K) Ltd.	Biological agent for the control of flower thrips & spider mites on Carnations ONLY grown in green houses.  WHO classification is not applicable.
86.	AMBUSH 25 DC (formerly PERMETHRIN 25WP Wettable powder	PCPB(CR)0 149	Permethrin 25% (40% cis/60% trans)	RMG Cote D'Ivoire SA /Syngenta UK Ltd. <i>Formulator:</i> Twiga Chemical Industries Ltd.	Syngenta E. A Ltd.	Insecticide for use as a raw material in the formulation of "ACTELLIC SUPER" Dust locally.

87.	AMICOP 50WP Wettable Powder	PCPB(CR)0 025-p(ii)	Copper Oxychloride 50% metallic copper	Spiess Urania, Germany.	Kijani Agencies Ltd.	Fungicide for the control of CBD and leaf rust on coffee, also blights and leaf spots in vegetables.
88.	CUPROS 50WP	PCPB(CR)0 025-p(iii)	Copper Oxychloride 50% metallic copper	Spiess Urania, Germany.	<b>Agent :</b> Kijani Agencies Ltd. <b>Distributor :</b> Elgon Kenya. Ltd	Fungicide for the control of CBD and leaf rust on coffee, also blights and leaf spots in vegetables.
89.	AMIDIL 68WG Water Dispersible Granules	PCPB(CR)0 326-p(i)	Metalaxyl-M- 40g/Kg + 640g/Kg Mancozeb	Syngenta Crop Protection AG, Switzerland	Syngenta E.A. Ltd. <b>Distributor:</b> Am iran (K) Ltd.	An agricultural fungicide for use to control late and early blight in tomatoes and potatoes; downy mildew in various crops; ungal leaf spot diseases and damping off in vegetables.
90.	AMIGO GT 275 FS Suspension Concentrate for Seed treatment	PCPB(CR)1 018	Imidacloprid 175g/L + Thiram 100g/L	Bayer AG Germany, Taminco, Belgium	Bayer E.A. Ltd.	Insecticide/fungicide for seed dressing for maize to control insect pests (leaf hoppers, aphids, beetles and damping off diseases WHO Class II Moderately Hazardous Yellow Colour Band MRL – 0.05mg/kg PHI – not applicable for grain.

91.	AMIGUS 500SC Suspension Concentrate	PCPB(CR)0 376-p(i)	Diafenthiuron 500g/L	Syngenta Crop Protection AG, Switzerland.	Syngenta E.A. Ltd. <i>Distributor:</i> Amiran (K) Ltd.	Insecticide for the control of sucking and some chewing insects in vegetables (brassicas & French beans), and flowers (Roses).
92.	AMIMAX 720WP Wettable powder	PCPB(CR)11 36- p(i)	Mancozeb 640g/Kg + Cymoxanil 80g/Kg	Agria SA, Bulgaria	Amiran Kenya Ltd	Fungicide for the control of downy mildew on Roses; Early and Late Blight on Tomatoes and Potatoes.  WHO Class III Slightly hazardous Blue colour band MRL - 0.1mg/kg PHI - 14days for Potatoes & Tomatoes. REI-Roses: When the spray dries
93.	AMINO GOLD Liquid Adjuvant	PCPB(CR)1 210	Polyalkyleneoxi de modified heptamethyltrisil oxane (organosilicone) 800g/L	King Chemical Company Ltd, China	Agent/Distribut or: Agrichem Africa Limited	Adjuvant for enhancing performance of Knockbectin 40 EC against spider mites on roses <b>WHO Class III</b> Slightly hazardous, Blue color band)
94.	AMISIL	PCPB(CR)1 244	Polyether trisiloxane (organosilicone) 800g/L	Jiangyin Milagro, China	Amiran (K) Ltd	Adjuvant used with APOLLO 50 SC (Clofentezine 500g/L) for the control of spider mites in roses.
95.	AMISTAR	PCPB(CR)0	Azoxystrobin	Syngenta Crop	Syngenta E.A.	Broad spectrum foliar fungicide for the

	250 SC Suspension Concentrate	455	250g/L	Protection AG, Basle, Switzerland.	Ltd.	control of leaf rust, leaf & glume in barley; spot blotch, net blotch and scald in wheat.
96.	AMISTAR TOP 325 SC Suspension Concentrate	PCPB(CR)1 037	Azoxystrobin 250g/L + Difenoconazole 125g/L	Syngenta Grange Mouth Works, UK/Syngenta Crop Protection Switzerland	Syngenta E.A. Ltd.	Fungicide for the control of Grey Leaf Spot, leaf blight and common rust in Maize; Rust, Angular leaf spot and anthracnose in French beans; Ascochyta leaf spot and powdery mildew on snow peas; and powdery mildew on Roses. WHO Class II Yellow Colour band Moderately hazardous <u>Maize:</u> MRL: 0.05mg/Kg PHI: 14days  <u>French beans:</u> MRL-1mg/Kg PHI – 7days <u>Snow peas</u>  MRL: 1mg/Kg PHI : 7 days

97.	AMISTAR XTRA 280 SC (Suspension Concentrate)	PCPB(CR)0 518	Azoxystrobin 200g/L + Cyproconazole 80g/L	Syngenta Grange Moth-UK Syngenta Crop Protection Switzerland.	Syngenta E.A. Ltd.	Broad Spectrum fungicide for control of leaf, stem and ear fungal diseases in wheat and barley.
98.	AMITIV 250SC Suspension Concentrate	PCPB(CR)0 317 -p(i)	Azoxystrobin 250g/L	Syngenta Ltd., UK.	Syngenta E.A. Ltd. <i>Distributor:</i> Amiran (K) Ltd.	Fungicide for control of rust & ring spot in carnations, botrytis & powdery mildew in Roses; botrytis in stative; powdery mildew & <i>Ascochyta</i> in peas; rust & bean anthracnose in French beans.
99.	ANCHOR 200 FS Concentrate for seed treatment	PCPB(CR)0 592	Thiram 200g/L + Carboxin 200g/L	Crompton Manufacturing Co. USA, Crompton Chemicals S.V. Latina Italy. <i>Registrant:</i> Arysta Lifescience (Kenya).Ltd.	Arysta Lifescience (Kenya).Ltd.	Flowable Concentrate for seed treatment to control soil borne fungal diseases in wheat.
100.	ANTFEX 48 EC	PCPB(CR)0 780-p(ii)	Chlorpyrifos 480g/L	Mitsu Industries Ltd., India.	Fedo Agencies	Insecticide for use in the control of termites and ants nests in farm situations.
101.	ANTRACOL WP 70 Wettable Powder	PCPB(CR)0 147	Propineb 70% m/m	Bayer CropScience AG, Leverkusen, Germany. <i>Additional Formulator:</i> Bayer CropScience,	Bayer East Africa Ltd.	A broad spectrum fungicide for the control of fungal diseases on vegetables, fruit crops, ornamentals

				Turkey.		/ flowers; on potatoes, tomatoes to control late and early blights; on vegetables to control anthracnose, downy mildew, leaf rust; on Fruit crops to control Scab, rust, anthracnose; on Grapes to control Downy mildew and anthracnose; on Ornamentals:-leaf spot, rusts, downy mildew.
102.	BAYLETON WP 25	PCPB(CR)0 219	Triadimefon 250g/Kg	<b>Manufacturer:</b> BAYER AG, Germany. <b>Additional Manufacturer:</b> Bayer C.Sc., Germany; <b>Additional Formulator:</b> Bayer CropScience, Turkey.	Bayer E.A. Ltd	Systemic fungicide for use on coffee against leaf rust. Vegetables:- powdery mildew, rusts, pineapples: - Ceratocystirot; grapes, apples, pears, mangoes: - powdery mildew; ornamentals/ flowers: - Powdery mildew, rust; Wheat: - yellow rusts, stripe rust, Barley: - scald, rusts.
103.	BAYFIDAN 250 EC	PCPB(CR)0 063	Triadimenol 2500g/L	Bayer AG, Germany. <b>Additional Formulator:</b> Bayer CropScience, Turkey.	Bayer E.A. Ltd	A systemic fungicide for use on cereals (wheat, barley), ornamentals/flowers and for control of powdery mildew on cashew-nuts.
104.	ANVIL 5 SC Suspension Concentrate	PCPB(CR)0 178	Hexaconazole 50g/L	Syngenta UK Ltd.	Syngenta E.A.Ltd.	Systemic fungicide for the control of leaf rust in coffee, beans, carnations and Roses.
105.	APHITECH	PCPB(CR)0	<i>Aphidius</i>	Flamingo Horticulture	Flamingo	An indigenous natural enemy for the



		303	<i>transcaspinus</i> (parasitic wasp) Min. 500 Aphidius mummies/400ml	(K) Ltd., Naivasha.	Horticulture (K) Ltd., Naivasha.	control of aphids ( <i>Acrosiphum spp</i> and <i>Aphis spp.</i> ) in vegetables.
106.	APOLLO 50 SC Suspension Concentrate	PCPB(CR)0 162	Clofentezine 500g/L	Adama Makhteshim Ltd. / Adama Irvita NV.	Amiran (K) Ltd.	An acaricide for residual control of mites in ornamentals/ flowers and strawberries; spider mite eggs on French beans.
107.	APPLAUD 40% SC Suspension Concentrate	PCPB(CR)0 276	Buprofezin 40% w/w	Nihon Nohyaku Co. Ltd., Japan.	Twiga Chemical Industries Ltd., P.O. Box 30172, Nairobi.	Insecticide for use in the control of whiteflies in citrus, tomatoes and ornamentals, and mealy bugs in passion fruits.
108.	APRON STAR 42WS Water Dispersible Powder for slurry seed treatment	PCPB(CR)0 356	Thiamethoxam 20g/Kg + Metalaxyl –M 20g/Kg + Difenoconazole 2g/Kg	Syngenta Crop Protection AG, Switzerland.	Syngenta E.A.Ltd.	A seed dressing fungicide /insecticide for use on french beans and snow peas.
109.	AQUARIGHT 5 Soluble Liquid	PCPB(CR)14 52	Glacial acetic acid 42.2% +Potassium hydroxide 12.4%	Osho Chemical Industries Ltd, Kenya	Osho Chemical Industries Ltd	Buffer for tank mix with VAPCOMIC 1.8EC (Abamectin 18g/L; Reg. No. PCPB(CR)0705) for the control of spider mites in roses.

110.	AQUASTICK 15 SL Soluble Liquid	PCPB(CR)0 714-p(i)	Nonylphenol ethoxylate 15%	Osho Chemicals Industries Ltd.	Antosh Invest. Ltd.	Adjuvant for use as wetter/spreader on roses with Cotaf 5 EC PCPB(CR)0493 to control powdery mildew and rust; and with Atom 2.5 EC PCPB(CR)0760 to control aphids on french beans and roses.
111.	AQUAWET 15 SL Soluble Concentrate	PCPB(CR)0 714	Nonylphenol ethoxylate 15%	Osho Chemical Industries Ltd.	Osho Chemical Industries Ltd.	Adjuvant for use as wetter/spreader on Roses with Cotaf 5 EC PCPB(CR)0493 to control powdery mildew and rust; and with Atom 2.5 EC PCPB(CR)0760 to control aphids on French beans and Roses. WHO Class II (Moderately hazardous) Yellow Colour Band
112.	ARDENT 50 SC Suspension Concentrate	PCPB(CR)0 842	Kresoxim Methyl 500g/L	Adama Makhteshim Ltd, Israel.	Amiran (K) Ltd.	Fungicide for the control of Powdery mildew on Roses and Rust on carnations.
113.	ARIANE Emulsifiable Concentrate	PCPB(CR)0 652	Fluroxypyr 60g/L + Clopyralid	Dow Agrosciences, UK.	Dow Chemical E.A Ltd, Nrb	Herbicide for control of broad leaved weeds in cereals.

			23.3g/L +MCPA - 266.7g/L			
114.	ARIMA 30SC. Suspension Concentrate	PCPB(CR)1 494	Cyenopyrafen 300g/L	<b>Manufacturer/Formulator:</b> Nissan Chemical Industries Ltd, Japan <b>Registrant:</b> Syngenta crop Protection AG, Switzerland.	Syngenta East Africa. Ltd	Acaricide for control of red spidermites on Roses.  REI: 12hrs  WHO Class II Moderately hazardous, Yellow color band
115.	ARMADA 1.8 % EC	PCPB(CR)0 495-p(ii)	Abamectin 18g/L	Willowood United, China / Fluence Middle East Africa.	<i>Agent:</i> Willowood Africa Ltd. <i>Distributor:</i> Oak Medical. Ltd, Nairobi.	An insecticide and acaricide for the control of motile stages of spider mites on Roses, and the control of spidermites & leafminer larvae on French beans and Tomatoes.
116.	AROMA 400 SC  Suspension concentrate	PCPB(CR)1 365	Dimethomorph 200 g/L + Iprodione 200 g/L	Shenzhen Noposion Agrochemicals Co., Limited, China.	Crop Therapy Co., Ltd.	Fungicide for the control of Downy mildew & Botrytis in Roses. REI: 24hrs WHO Class II Moderately hazardous Yellow color band
117.	ARSUR 100 EC,	PCPB(CR)1 049	Hexythiazox 100 EC	Hangzhou Yilong Chemical Industries,	Sineria Kenya Limited	Miticide for the control of Spider mites on roses,

	Emulsifiable Concentrate			Ltd., China/Sineria Industries, Cyprus		french beans and tomatoes WHO Class II Yellow colour band Moderately hazardous Roses: REI = 12 hrs or after spray drying French beans & Tomatoes: PHI : 7 days MRL: 0.5 mg/kg
118.	ARTEA 330 EC Emulsifiable Concentrate	PCPB(CR)0 277	Cyproconazole 80g/L + Propiconazole 250g/L	Syngenta Crop Protection AG, Basle, Switzerland. <i>Additional Site:</i> Schirm, GmbH Schonebeck, Geschwister-Scholl-Strasse 127, 39218 Schonebeck/Elbe, Germany.	Syngenta E.A. Ltd., P.O. Box 30393, Nairobi.	A broad spectrum fungicide for the control of rusts and <i>Septoria</i> leaf spot in wheat and net blotch, spot blotch and scald in barley; and cotton aphids on cotton.
119.	ASATAF SP Soluble Powder	PCPB(CR)0 345	Acephate 750g/Kg	Rallis Ltd., India.	Osho Chemical Industries Ltd.	Insecticide for the control of aphids and thrips on Roses & aphids, thrips, whiteflies, caterpillars on tomatoes; cutworms and thrips on onions; Diamond back moth, cutworms and spodoptera spp in

						cabbages; Thrips and aphids in French beans; Aphids, whiteflies & bud worms on tobacco; aphids on cotton, and for the control of armyworms.
120.	ASTER EXTRIM 20 SL Soluble Concentrate	PCPB(CR)1 016	Acetamiprid 150g/L + Cypermethrin 50g/L	Fluence Topsen China Ltd.	Sineria Kenya Limited	Insecticide for the control of Russian Wheat aphid and other aphids on Wheat; thrips, aphids and whiteflies in French beans; whiteflies and thrips in Roses. WHO Class II, Yellow Colour Band, Moderately hazardous MRL – 0.5mg/Kg Wheat: PHI – 28 days French beans: PHI = 6 days
121.	ATOM 2.5EC Emulsifiable Concentrate	PCPB(CR)0 760	Deltamethrin 25g/L	Sulphur Mills, India.	Osho Chemical Industries Ltd.	Insecticide to Control Thrips, Aphids on French beans & caterpillars, aphids on Roses
122.	ATONIK SL Soluble Concentrate	PCPB(CR)0 988	Sodium p-nitrophenolate 0.3% + Sodium o-nitrophenolate 0.2% + Sodium methoxy nitrophenolate 0.1%	Asahi manufacturing company, Japan / Arysta Lifescience SAS, France.	Arysta Lifescience (Kenya) Ltd.	Biostimulant with systemic activated resistance (SAR) on Roses and French beans.  WHO CLASS U Green Colour Band Unlikely to cause hazards under normal use.
123.	ATRAMET COMBI	PCPB(CR)0 621	Ametryne 250g/Kg	Adama Makhteshim Ltd, Israel	Amiran (K) Ltd.	Herbicide for weed control in sugarcane.

	Wettable Powder		+ Atrazine 250g/Kg			
124.	ATTRIBUT SG 70 Water Soluble Granules	PCPB(CR)0282	Propoxycarbazone- Sodium 700g/Kg	Bayer AG Germany	Bayer East Africa Ltd.	Selective herbicide for post-emergence control of brome grass in wheat.
125.	AUXO EC Emulsifiable Concentrate	PCPB(CR)1180	Tembotrione 50g/L + Bromoxynil Octanoate 262g/L	Bayer AG Germany, Nufarm Ltd, UK; Bayer CropScience Nufarm SA, France. <b>Formulator:</b> Bayer CropScience AG, Germany	Bayer East Africa Ltd.	Post-emergence herbicide for control of grasses & broad-leaved weeds in maize varieties grown in mid and high altitudes only. MRL: (Tembotrione)-0.01mg/kg PHI: 90-123days  WHO Class II Moderately hazardous PMS Yellow Colour Band
126.	AVAUNT 150 EC Emulsifiable Concentrate	PCPB(CR)1021	Indoxacarb 150g/L	Du pont Platte Chemical Company, Mississippi, USA <b>Additional Manufacturers:</b> Jiangsu Jiannong ABA Agrochemical Co., Ltd., China; WeylChem	FMC Kenya Branch	Insecticide for control of Diamond back moth in cabbage, African bollworm in Tomatoes; caterpillars in Roses; and <i>Tuta absoluta</i> in Tomatoes.  WHO Class II Yellow colour band PHI: 1 day

				US Inc., Elgin USA); FMC International Switzerland, Geneva; <b>Additional formulator:</b> Helena Induatsries, Inc., USA.		REI: 12 hours MRL: 0.1 (tomato) 0.05 (cabbage)
127.	AVID 1.8 EC Emulsifiable Concentrate	PCPB(CR)0 515	Abamectin 18g/L	Syngenta Crop Protection AG, Netherlands. Additional Manufacturer: (i). North China Pharmaceutical Group Aino Co.Ltd (AINO), Shijiazhuang, Hebei, China; (ii). Shandong Qilu King-Phar Pharmaceutical Co., Pingyin, Jinan, China.	Syngenta E.A.Ltd., P.O. Box 30323, Nairobi.	Insecticide/miticide for the control of mites, leafminers on ornamentals/flowers, French beans and snow peas.
128.	AVIRMEC 1.8 EC Emulsifiable Concentrate	PCPB(CR)0 551	Abamectin 18g/L	Willowood United, China / Fluence Middle East Africa.	Sineria Kenya Limited <i>Distributor:</i> Agrichem and Tools Ltd.	An insecticide and acaricide for control of motile stages of spidermites leaf miner larvae on Roses, French beans and Tomatoes.
129.	AXIAL 045 EC	PCPB(CR)0 986	Pinoxaden 45g/L +	Manufacturer: Syngenta Huddersfield	Syngenta E.A. Ltd.	Post-emergent herbicide for the control of annual

	Emulsifiable Concentrate		Cloquintocet Mexyl (Safener)	Manufacturing Centre, UK / <i>Formulators:</i> a) Syngenta Crop Protection, Monthey, Switzerland. b) Syngenta South Africa (Pty) Ltd., South Africa Registrant: Syngenta Crop Protection AG, Switzerland.		grasses in Wheat & Barley WHO Class U, Green Colour band Unlikely to cause hazards under normal use MRL – 0.01mg/kg PHI – Not pertinent Green Colour band
130.	AZAKA 250 SC Soluble Concentrate	PCPB(CR)1 214	Azoxystrobin 250 g/L	<b>Manufacturer:</b> Cheminova A/S, Denmark; <i>Toll Manufacturer/ Formulator:</i> Cheminova India Ltd <b>Registrant:</b> Cheminova A/S, Denmark	Novus-Bridge Consultants.	Fungicide for the control Powdery mildew on roses and rust on carnations. <b>WHO Class III</b> Slightly hazardous, Blue color band REI: When the spray dries
131.	AZOXY TOP 325 SC Suspension Concentrate	PCPB(CR)13 89	Azoxystrobin 200g/L + Difenconazole 125g/L	<b>Manufacturer/ Formulator</b> Zhejiang Bosst CropScience Co. Ltd	Agro Solutions Ltd	Fungicide for control of Anthracnose, angular leaf spots, Rusts in French beans; Powdery mildew and Botrytis in roses; Aschochyta leaf spots and Powdery mildew in snow peas; Alternaria, septoria leaf spot, Powdery mildew, Downy mildew and



						<p>Anthracnose in water melon.</p> <p><b>French Beans &amp; Snow Peas</b>          EU MRLS:          Azoxystrobin: 3 mg/kg, Difenoconazole: 1 mg/kg</p> <p>PHI: 7days</p> <p><b>Melon</b>          EU MRLS:          Azoxystrobin: 1.0 mg/kg, Difenoconazole: 0.2 mg/kg</p> <p>PHI: 3 days</p> <p>REI: 6 Hours          WHO Class II          Moderately hazardous, Yellow color band.</p>
132.	AZOXY TOP 325 SC Suspension Concentrate	PCPB(CR)1389	Azoxystrobin 200g/L + Difenoconazole 125g/L	<b>Manufacturer/ Formulator</b> Zhejiang Bosst CropScience Co. Ltd	Agro Solutions Ltd	<p>Fungicide for control of anthracnose, angular leaf spots, rusts in French beans, powdery mildew and botrytis in roses and aschochyta leaf spots &amp; powdery mildew in snow peas.</p> <p>WHO Class II          Moderately hazardous,          Yellow color band</p>

						EU MRLS: French Beans & Snow Peas Azoxystrobin: 3 mg/kg Difenconazole: 1 mg/kg  PHI: 7days REI: 6 Hours
133.	BACIGUARD 16 WDG Water dispersible granules	PCPB(CR)1 238	<i>Bacillus thuringiensis</i> var: <i>aizawai</i> sero H7 subtype HKA2000 16000IU/mg	<b>Source/Formulator/R egistrant</b> : Hubei Kangxin Agroindustry Co Ltd	Greenlife Crop Protection Africa Ltd	Biological insecticide for the control of Caterpillars on Roses  <i>WHO Classification is not applicable for Biopesticides.</i>
134.	BACTROLUR E 98.9% LIQUID	PCPB(CR)1 113	Methyl Eugenol 98.9%	Scentry Biologicals Inc. USA	Farmtrack Consulting Distributor: Osho Chemicals (K) Limited	Pheromone for use with Oshothion 50 EC (PCPB (CR) 0482 in Male annihilation technique (MAT) for control & monitoring of male Fruit fly ( <i>Bactrocera invadens</i> ) in mangoes, WHO Class II (moderately hazardous; Yellow color band
135.	BADGE EC Emulsifiable Concentrate	PCPB(CR)0 720	Bromoxynil Octanoate 327.5g/L + MCPA, 2-ethyl hexyl ester 351g/L	Adama Makhteshim Ltd, Israel., Israel/ AH Masks & Co. Ltd., UK.	Amiran (K) Ltd.	Post-emergence herbicide for control of broad-leaved weeds in Wheat.

136.	BAMA KO WDG Water Dispersible Granules	PCPB(CR)1 059	Imidacloprid 700g/L	Rotam Agrochemical Co. Ltd., HongKong	Rotam Sub- Sahara Africa Ltd. <i>Distributor:</i> Cooper K- Brands Ltd	Insecticides for the control of thrips on carnations and mealy bugs on Roses. WHO Class III Blue Colour band Slightly hazardous REI-When spray dries
137.	BANJO 500 SC Suspension concentrate	PCPB(CR)13 82	Fluazinam 500g/L	Adama Makhteshim Manufacturers Ltd, Israel	Amiran Kenya Ltd	Fungicide for the control of Botrytis on Roses  REI: 12hours  WHO Class II Moderately hazardous Yellow color band
138.	BAROQUE 10 SC	PCPB(CR)0 893	Etoazole 100g/L	Sumitomo Chemicals, Japan / Sumitomo Liaison Office, Nairobi.	Elgon Kenya Ltd.	Insecticide/Miticide to control spider mites on carnations.
139.	BASAGRAN 480 SL	PCPB(CR)0 658	Bentazon 480g/L	BASF SE, Germany.	BASF E.A Ltd., Nairobi. <i>Distributor:</i> Topserve E.A. Ltd./ Prestige Agriculture Ltd.	Herbicide for control of broadleaved weeds in potatoes and dry beans; Post-emergence herbicide for control of broadleaved weeds in maize.  <b>Maize:</b> EU MRL- 0.2 mg/kg PHI- 68 days

140.	BASAMID Granular	PCPB(CR)0048	Dazomet >95%	<b>Manufacturer/Formula tor:</b> (1) Kanesho Soil Treatment SPRL / BVBA, Germany. (2) Nantong Shizhuang Chemical Co.Ltd, Jiangsu, China.	Mura Agriconsultancy Services. <b>Distributor:</b> Elgon Kenya Ltd.	Pre-plant soil fumigant for the control of nematodes, soil inhibiting insects, soil fungi and germinating seeds of weeds in tobacco, ornamentals, nurseries, greenhouses.
141.	BELLAMID 600 FS	PCPB(CR)1496	Imidacloprid 600 g/L	<b>Manufacturer/Formulator:</b> Anhui Fengle Agrochemical Co Ltd, China <b>Registrant:</b> Shanghai E-Tong Chemical Co Ltd.	Bell Industries Ltd	Seed dresser insecticide for control of early insect pests (cutworms, stalkborer, aphids, thrips, and termites) in Maize  <b>EU MRL-0.1 mg/kg</b> <b>PHI:</b> Not applicable, product for seed treatment  <b>WHO Class II</b> Moderately hazardous, Yellow color band
142.	BASTA 20 SL Water Soluble Liquid	PCPB(CR)0164	Glufosinate - Ammonium 200g/L	Bayer AG Germany	Bayer East Africa Ltd.	Herbicide for the control of grass and broad-leaved weeds in crop land and shrubs in non-crop land. Plantation Crops:- Coffee, Fruit trees, tea, bananas, sisal, passion fruits. Minimum and/or zero tillage cultivation

						for cereals and other crops; Clearing of bushes, shrubs, and perennial grasses in non-crop areas; killing of plantation trees.
143.	BATTALION 2.5EC Emulsifiable Concentrate	PCPB(CR)0736	Lambda-cyhalothrin 2.5% w/w	UPL Ltd, India.	Farmchem (K) Limited.	Insecticide for the control of thrips, aphids, whiteflies and caterpillars in French beans.
144.	BAVISTIN DF Dry Flowable	PCPB(CR)0966	Carbendazim 50%	BASF SE, Germany	BASF E.A Ltd., Nairobi. <i>Distributor(s):</i> Topserve E.A. Ltd./ Elgon Chemicals Ltd.	Systemic fungicide for control of powdery mildew on Roses.
145.	BAYCOR SC 500 Suspension Concentrate	PCPB(CR)1004	Bitertanol 500g/L	<i>Manufacturers:</i> 1. Bayer CropScience AG, Toll; Dormagen Germany, 2. Makhteshim Chemical Works, Israel 3. Sword Agrochemical Co.	Bayer East Africa Ltd.	Fungicide for the control of powdery mildew on Roses:  WHO Class III Blue Colour Band Slightly hazardous REI-when spray dries

				Ltd., China. <i>Registrant:</i> Bayer CropScience AG. <i>Formulator:</i> Bayer CropScience, Dormagen Germany.		
146.	BAZOOKA 18EC	PCPB(CR)1 111-p(ii)	Abamectin 18g/L	Hebei Sony Chemical Co. Ltd, China <i>Formulator:</i> Ningbo Yihwei Chemicals Co.Ltd	Green Life Crop Protection Africa Ltd.	Miticide for control of Red spider mites on Roses; Spidermites and Leafminer on tomatoes and French beans. REI: when spray dries WHO II Yellow color band Moderately hazardous
147.	BEAUVITEC H WP Wettable Powder	PCPB(CR)1 092	<i>Beauveria Bassiana</i>	Flamingo Horticulture (K) Ltd.	Flamingo Horticulture (K) Ltd.	Biological insecticide for control of thrips and whiteflies on french beans; thrips on roses
148.	BELL 2,4-D SL	PCPB(CR)1 541	2,4-D amine salt 720 g/L	Manufacturer/Formulator: CAC Nantong Chemical Co. Ltd Exporter: Shanghai E-Tong Chemical Co. Ltd Registrant: Zhejiang E-Tong Chemical Co. Ltd.	Bell Industries Ltd	Post -emergence herbicide for the control of broad leaved weeds in maize. EU MRL = 0.05 mg/kg WHO Class II Moderately Hazardous Yellow Color Band

149.	BELLAMINE SL Soluble Concentrate	PCPB(CR)0 535-p(i)	Dimethylamine salt of 2,4-Dichlorophenyl acetic acid, 720g/L salt	Nufarm pflanzenschutz GmbH, Austria.	Bell Industries Ltd.	A pre-emergence and post emergence herbicide for the control of annual and perennial broad leaved weeds in maize, wheat and coffee.
150.	BELLIS 38% WG	PCPB(CR)0 521	Boscalid 252g/Kg + Pyraclostrobin 128g/Kg	BASF, AG Germany.	<b>Agent:</b> BASF E.A LTD. <b>Distributor:</b> Elgon East Africa.Ltd	Fungicide for control of powdery & downy mildews on Roses, black spot on Roses and Post-harvest treatment of Roses against botrytis.
151.	BELLAMID 600 FS	PCPB(CR)1 496	Imidacloprid 600 g/L	<b>Manufacturer/Formulator:</b> Anhui Fengle Agrochemical Co Ltd, China <b>Registrant:</b> Shanghai E-Tong Chemical Co Ltd.	Bell Industries ltd	Seed dresser insecticide for control of early insect pests (cutworms, stalkborer, aphids, thrips, and termites) in Maize  <b>EU MRL-0.1 mg/kg</b> <b>PHI:</b> Not applicable, product for seed treatment  <b>WHO Class II</b> Moderately hazardous, Yellow color band
152.	BELLKUTE 30 FL	PCPB(CR)0 274	Iminoctadine Tris (Albesilate) 30% w/w	Nippon Soda, Japan .	Arysta Lifescience Corporation (K) Ltd.	Fungicide for use in the control of powdery mildew on Roses; botrytis on statice, lisianthus and Roses.
153.	BELT 480 SC Suspension	PCPB(CR)0 756	Flubendiamide 480g/L	Nihon Nohyako Co. Ltd., Japan/ Bayer AG	Bayer East Africa Ltd.	Insecticide to control Diamond Back Moth (DBM) larvae in Cabbages and

	Concentrate			Germany.		caterpillars ( <i>Helicoverpa armigera</i> ) in roses; <i>Tuta absoluta</i> in tomatoes, maize stalk borers and Fall Armyworm in Maize.  <b>Tomato:</b> EU MRL 0.2mg/kg <b>Maize:</b> EU MRL-0.02 mg/kg PHI : 20 days
154.	BENDAZIM 500 SC  Suspension Concentrate	PCPB(CR)0 378 -p(i)	Carbendazim 500g/L	Rotam Agrochemicals, Hong Kong.	Rotam Sub- Saharan Africa Ltd.	Fungicide for the control of botrytis, heterosporium & rhizoctonia on carnation; botrytis, anthracnose, sclerotinia, Angular leaf spot & root rot on French beans; botrytis & Aschochyta on snow peas; Anthracnose, grey mold, fruit rot & scab in mangoes, citrus and pawpaw.
155.	BETA FOS 263 EC, Emulsifiable Concentrate	PCPB(CR)0 861	Beta cyfluthrin 12.5g/L + Chlorpyrifos 250g/L	Ningbo Sunjoy Agroscience Co. Ltd., China.	Osho Chemical Industries Ltd.	An agricultural insecticide for the control of thrips, aphids, whitefly nymph and caterpillars on Roses; and aphids in cotton. <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b> Application rate: 450-500ml/, repeated after every 7 days. Chlorpyrifos: MRL = 1.0 mg/Kg, PHI =



						14 days  Beta cyfluthrin: : MRL = 0.5 mg/Kg, PHI = 14 days  WHO Class II Moderately hazardous Yellow Colour Band
156.	BETACYDE 25EC	PCPB(CR)1 506	Beta-cyfluthrin 2.5%	<b>Manufacturer:</b> Ningbo Sunjoy Agrosience Ltd., China. <b>Formulator/Registrant:</b> Osho Chemical Industries Ltd, Kenya	Osho Chemical Industries Ltd	Insecticide for control of aphids, thrips, caterpillars and whiteflies on roses  REI-12 hours
157.	BIFERAN 25EC Emulsifiable Concentrate	PCPB(CR)0 484	Bifenthrin 25g/L	Adama Makhteshim Ltd. <i>Additional Manufacturing site:</i> Jiangsu Huangma Agrochemicals Company	Amiran (K) Ltd.	Insecticide for the control of aphids, caterpillars, leaf miners, spidermites, thrips & whiteflies on Roses, French beans & Snow peas.
158.	BIO DEWCON 2% WP Wettable powder	PCPB(CR)0 941	<i>Ampelomyces quisqualis</i> 1x10 <sup>8</sup> cfu/gram	T. Stanes and Company Ltd., India.	Osho Chemical Industries Ltd.	A biological fungicide for the control of powdery mildew and downy mildew in Roses; and powdery mildew on snow peas and courgetts.  Micro organisms are not classified under WHO

						classification REI – 0 days
159.	BIO NEMATON Liquid spores and mycelial fragments	PCPB(CR)1308	<i>Paecilomyces lilacinus</i> 1.5%) = $1 \times 10^8$ cfu/ml	<b>Manufacturer/Formulator:</b> T. Stanes & Company Ltd, India	Osho Chemical Industries Ltd.	Biological nematicide for the control of nematodes (root knot, cyst, burrowing nematodes) in roses, French beans and Tomatoes and cyst nematodes in potatoes  WHO Classification not applicable for Biopesticides.
160.	BIOCATCH 1.15WP Wettable Powder	PCPB(CR)1038	<i>Verticillium (Lecanicillium) Lecanii</i>	T. Stanes & Company, India	Osho Chemical Industries Ltd.	Biological insecticide for the control of Aphids on Roses and French beans, aphids and whiteflies on Tomatoes. Residue Data Not Applicable for Biopesticides WHO Class U Products unlikely to present hazard under conditions of normal use.
161.	BIO CATCH 1.5 LF Aqueous solution	PCPB(CR)1443	<i>Verticillium (Lecanicillium) Lecanii</i> $1 \times 10^9$ cfu/ml	T. Stanes & Company, India	Osho Chemical Industries Ltd	Biological insecticide for the control of Whiteflies, Aphids and Thrips French beans, aphids and Thrips on Roses  PHI & MRL: Not applicable for biopesticides WHO Class U Unlikely to present acute hazard under normal use Green color band

162.	BIOCURE B 1.75 WP Wettable Powder	PCPB(CR)1 135	<i>Pseudomonas fluoriscens</i> 1.75% w/w $1 \times 10^8$ cfu/g	T.Stanes & Co. Ltd.	Osho Chemical Industries Ltd.	Biological fungicide for the control of Botrytis, Septoria leafspot & Sclerotonia in Tomatoes. WHO Class U Green Colour Band Unlikely to present acute hazard under normal use.
163.	BIOFILM Water Soluble Liquid	PCPB(CR)0 844	Glycols, Glycol Ethers, Propanols 976g/L	Nulandis (Pty) Ltd., South Africa.	Amiran (K) Ltd.	Agricultural adjuvant / wetting agent - improves, wetting and sticking characteristics of pesticides used in flowers.
164.	BIO- NEMATON 1.15% WP Wettable Powder	PCPB(CR)0 818	<i>Paecilomyces lilacinus</i> 1.15% WP ( $1 \times 10^8$ cfu/g min)	T. Stanes and Company Limited India/	Osho Chemical Industries Ltd.	A biological nematicide for the control of root knot, cyst and burrowing nematodes in Roses; and for the control of root knot nematodes in tomatoes and French beans.
165.	BIO-POWER 1.15WP Wettable Powder	PCPB(CR)0 766	<i>Beauveria bassiana</i> Strain GHA 1.15% w/w	T.Stanes & Co. Ltd. India.	Osho Chemical Industries Ltd.	Insecticide for the control of aphids & DBM on cabbages.
166.	BIOPOWER 1.5 Liquid	PCPB(CR)1 364	<i>Beauveria bassiana</i> $1.0 \times 10^8$ cfu/ml	T. Stanes & Company Ltd (India)	Osho Chemical Industries Ltd	Biological insecticide for control of aphids, bollworms, caterpillars, cutworm and thrips on French beans and tomatoes and aphids, caterpillars, cutworms and

						DBM on cabbages
167.	BIOTHANE 80WP Wettable Powder	PCPB(CR)0517	Mancozeb 800g/Kg	Limin Chemicals Ltd., China.	Biomedica Laboratories Ltd., Kenya.	Fungicide for the control of early & late blight on tomatoes; rust on French beans; downy mildew and botrytis on roses, and botrytis on carnations.
168.	BIO-T-PLUS	PCPB(CR)0771- p(i)	<i>Bacillus Thuringiensis</i> var. <i>Kurstaki</i> (Btk) $9 \times 10^7$ spores/mg	Biotech International Ltd., India	Sineria Kenya Limited	Insecticide for the control of thrips and African bollworm on French beans and caterpillars on Roses.
169.	BIOKIL WP	PCPB(CR)0771-p(ii)	<i>Bacillus Thuringiensis</i> var. <i>Kurstaki</i> (Btk) $9 \times 10^7$ spores/mg	Biotech International Ltd., India	<i>Local Agent:</i> Insecta Pest Control Co Ltd  <i>Distributor:</i> Agrifarm Biologicals Ltd	Insecticide for the control of thrips & African bollworm on French beans.  <i>WHO Classification not applicable to biopesticides</i>
170.	BLADBUFF (BB5) Water Soluble liquid	PCPB(CR)0843	Phosphoric acid, + Anionic, nonionic wetting agents	Nulandis (Pty) Ltd., South Africa.	Amiran (K) Ltd.	Acidifying surfactant for use in agriculture to improve spray water quality and reduce PH of alkaline spray water – for use with pest control products.
171.	BN3 5WP	PCPB(CR)0707-p(i)	<i>Bacillus thuringiensis</i> var <i>Kurstaki</i> 5% w/w	Biostadt India Ltd.	Antosh Investment Ltd	Insecticide for the control of DBM on cabbages and caterpillars on Roses.
172.	BLUE-TOUCH	PCPB(CR)1	Isoprene 60%	<b>Manufacturer:</b> Henkel	Blue Bubble	Mechanical glue trap for control rats, mice

	GLUE TRAP	515		Chemicals Ltd, Nairobi. <b>Formulator/Registrant:</b> Blue Bubble Homecare Products Ltd, Nairobi	Homecare Products Ltd	& cockroaches
173.	B-NINE SP	PCPB(CR)1 013	Daminozide 990g/Kg	Crompton Uniroyal.	Chemtura (Pty) Ltd.	Plant Growth regulator for use on flowers / ornamentals: a) to control or reduce excessive elongation. b) to help produce compact plants and flowers. c) to improve and enlarge blooms d) to promote the development of additional buds
174.	B-NINE WSG Water Soluble Granules.	PCPB(CR)1 035	Daminozide 850g/L	Chemtura Corporation USA/Shanxi Aerospace Fine Chemical Factory, China. <i>Registrant:</i> Arysta Lifescience (Kenya).Ltd. <b>Additional Formulator:</b> Agroquimicos Y Equipos SA de CV, Mexico	Arysta Lifescience (Kenya).Ltd.	Plant growth regulator to control plant height in Chrysanthemum flowers. WHO Class U, Unlikely to cause hazard under normal use, Green Colour Band REI – 6hrs or after drying of spray.

175.	BOTANIGAR DES Emulsifiable suspension	PCPB(CR)0 585	<i>Beauveria bassiana</i> strain GHA 11.3% w/w	<b>Manufacturer:</b> Laverlam International Corporation USA; <b>Registrant:</b> Sineria Holland BV Netherlands.	Amiran (K) Ltd.	A biopesticide for the control of sucking insects (Thrips, aphids and whiteflies) on French beans and snow peas.
176.	BOTRAN 500 SC Suspension Concentrate	PCPB(CR)1 083	Carbendazim 500g/L	Anhui Guangxin Agrochemical Co. Ltd., China/ Ningbo Sunjoy Agroscience Co. Ltd, China	Agrosolutions Ltd.	Fungicide for control of botrytis and black spots on roses, anthracnose, fusarium wilt and powdery mildew in tomatoes. <b>NB: For fusarium wilt apply by drenching.</b> <b>Tomatoes:</b> EU MRL-0.3mg/kg PHI-3 days.
177.	BRADLEY 500 SC Suspension Concentrate	PCPB(CR)1 306	Bitertanol 500 g/L	<b>Manufacturer:</b> Jiangsu United Agrochemical Co., Ltd., China <b>Exporter:</b> Nanjing Agrochemical Co., Ltd	Greenlife Crop Protection Africa Ltd.	Fungicide for the control of Powdery mildew on Roses  <b>WHO Class II</b> Moderately hazardous, Yellow color band <b>REI:</b> 6 hours
178.	BRIDGE 80SC Suspension Concentrate	PCPB(CR)0 485-p(i)	Bifenthrin 80g/L	Makhteshim Chemical Works Ltd., Israel.	Osho Chemical Industries Ltd.	Insecticide for the control of aphids, caterpillars, Leaf miner, Spider mites, thrips &

						whiteflies on roses & French beans.
179.	BRIGADE 25EC Emulsifiable Concentrate	PCPB(CR)0 097	Bifenthrin 25g/L	FMC Corporation, USA.	Juanco SPS Ltd.	Insecticide / Miticide for the control of various insect pests and mites on citrus, Ornamentals/Flowers, vegetables, cotton, coffee, barley.
180.	BROMATRO L Concentrate	PCPB(CR)0 615	Bromodiolone 1% w/v	Rentokil Initials Ltd., UK.	Rentokil Initial Kenya Ltd.	Rodenticide concentrate for formulating locally 0.005% bait.
181.	BUCTRIL MC Emulsifiable Concentrate	PCPB(CR)0 608	Bromoxynil Octanoate+MCP A Esters (450g/L-Total)	Bayer Cropscience AG, Germany.	Bayer East Africa Ltd.	Selective post emergence herbicide for the control of a wide range of annual broad-leaved weeds in wheat, barley, rye, maize and oats.
182.	BULLDOCK 0.05 GR Granular	PCPB(CR)0 234	Beta-Cyfluthrin 0.5g/Kg	Bayer Crop Science AG, Germany.	Bayer East Africa Ltd.	Insecticides for maize stalk borer control.
183.	BULLDOCK 025EC Emulsifiable concentrate	PCPB(CR)0 233	Beta-Cyfluthrin 25g/Kg	Bayer Crop Science AG, Germany.	Bayer East Africa Ltd.	Insecticide for the control of biting and sucking insect pests in cotton and leaf miner on coffee.
184.	BULLDOCK	PCPB(CR)0	Beta-Cyfluthrin	Bayer Crop Science	Bayer East	Broad spectrum insecticide for control of

	STAR EC 262.5 Emulsifiable Concentrate	315	12.5g/L +  Chlorpyrifos 250g/L	Germany / Dow Agrosciences, UK. <i>Formulator:</i> Bayer Turk Kimya San Ltd., Turkey	Africa Ltd.	aphids in barley; bollworms, aphids & cotton stainers on cotton. <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>
185.	BUMPER 25EC	PCPB(CR)0 316	Propiconazole 250g/L	<b><i>Manufacture/Registra nt:</i></b> ADAMA Brasil S/A	Adama Agriculture East Africa	Fungicide for use in wheat to control rust, leaf blotch & spot blotch.
186.	BURNWID 48% SL Soluble liquid	PCPB(CR)10 58- p(ii)	Glyphosate acid 360g/L (as Isopropylamine salt 480g/L)	<b><i>Manufacturer:-</i></b> Shenyang Sciencreat Chemical Co. Ltd., China	Cropanet Plaass Ltd	A non-selective Herbicide for the control of annual and perennial grasses & broad leaved weeds in Maize in zero/minimum tillage system. WHO Class II Moderately hazardous Yellow Colour Band
187.	CABRIO 250 EC	PCPB(CR)0 745	Pyraclostrobin 250g/L	BASF Spain / BASF SE	BASF E.A Ltd., Nairobi. <i>Distributor:</i> Topserve E.A. Ltd.	Fungicide for the control of Coffee Berry Disease (CBD) on coffee.
188.	CADENCE GOLD Liquid	PCPB(CR)1 203	Polyether modified Polymethyl siloxane 500g/L	<b>Registrant/Formulato r:</b> Kalos Incorporation, USA <b><i>Manufacturer:</i></b> Evonik Corporation USA	Kenagro Supplies Ltd	Adjuvant for enhancing performance of CORPION 500 SC against red spider mites in Roses. <b>WHO Class III</b> Slightly hazardous Blue Colour band REI- when spray dries



189.	CADILAC 80WP	PCPB(CR)1 105	Mancozeb 800g/Kg	Agria SA Bulgaria	Greenlife Crop Protection Africa Ltd	Fungicide for the control of Early and Late blight on potatoes, downy mildew on roses. REI: When the spray dries; for control of powdery mildew, downy mildew and ascochyta leafspot on snowpeas. <b>Snowpeas</b> EU MRL- 1.0mg/kg  PHI: 14 days <b>Potatoes</b> PHI: 21 days MRL: 0.1mg/Kg  WHO Class III Slightly hazardous Blue Colour Band
190.	CADRE 24% LC	PCPB(CR)0 280	Imazapic 240g/L	BASF Spain. / BASF SE	BASF E.A Ltd., Nairobi <i>Distributor:</i> Topserve East Africa Ltd. P.O. Box 47341, Nairobi.	Herbicide for the control of broad leaved weeds, grasses and sedges in sugarcane.
191.	CALRATE 5EC	PCPB(CR)0 506-p(iv)	Lambda- cyhalothrin	Sharda International, India.	Agro-Farmers (Kenya)	Insecticide for the control of aphids, whiteflies,

	Emulsifiable concentrate		50g/L		Limited	thrips and caterpillars on tomatoes, French beans and Snow peas.
192.	CALYPSO SC 480 Suspension Concentrate	PCPB(CR)0 291	Thiacloprid 480g/L	Bayer AG, Germany	Bayer East Africa Ltd.	Insecticide for the control of Aphids, Whiteflies on Roses and Thrips on Carnations, Aphids, Thrips and Whiteflies on Tomato, Chillies, Eggplant, Karella.
193.	CAPSANEM PASTE	PCPB(CR)13 66	<i>Steinernema carpocapsae</i> , 50 million larvae/unit	<b>Source:</b> Koppert B.V., The Netherlands / <b>Formulator:</b> Koppert Biological Systems (K) Ltd	Koppert Biological Systems (K) Ltd	Biological insecticide/nematicide for the control of Caterpillars on Roses  <i>WHO Classification not applicable for biopesticides</i>
194.	CAPTAN 80 WP Wettable Powder	PCPB(CR)0 210	Captan 800g/Kg	<i>Formulator:</i> Volcano, South Africa <i>Registrant:</i> Arysta LifeScience SAS, France.	Arysta Lifescience Corporation (K) Ltd.	Fungicide for the control of black spot in Roses, botrytis in strawberries, ornamentals, seedling blights in maize (seed treatment).
195.	CASCADE 10% DC Dispersible Concentrate	PCPB(CR)0 666	Flufenoxuron 100g/L	BASF Agri, France / BASF SE, Nairobi.	BASF E.A Ltd., Nairobi.  <i>Distributor:</i> Elgon Chemicals Ltd.	Miticide for mite control in flowers, cabbages.  (Insect growth regulator)-chitin inhibitor, on immature stages of mites.
196.	CATAPULT	PCPB(CR)1	Glyphosate IPA	<b>Manufacturer:</b>	Dipchem East	Post emergence herbicide for the control

	480 SL	465	Salt 480g/L	Jiangyin Milagro Chemical Company Limited <b>Formulator:</b> Yixingnong Chemical Products Company Limited	Africa. Ltd	of Annual and Perennial Grasses and Broad -leaved Weeds in Maize under minimum or zero tillage WHO Class III Slightly hazardous, Blue color band.
197.	CELEST TOP 312 FS Flowable Concentrate for seed treatment	PCPB(CR)1 172	Thiamethoxam 262.5g/L Fludioxonil 25g/L Difenoconazole 25g/L	Thiamethoxam Syngenta, India Ltd Fludioxonil Difenoconazole - Syngenta Crop Protection Monthey S.A. Switzerland	Syngenta E.A. Ltd	A seed dresser insecticide for treatment of wheat seeds against Russian wheat aphid; barley seed against aphids, barley yellow dwarf virus and Net blotch. WHO Class III Blue Colour Band Slightly hazardous. Thiamethoxam- 0.4 mg/kg Fludioxonil – 0.01 mg/kg Difenoconazole -0.05mg/kg
198.	CELPHOS Tablets	PCPB(CR)0 379	Aluminium Phosphide 57%	Excel Crop Care Ltd, India.	Twiga Chemical Industries Ltd.	Insecticide/fumigant for the control or various storage insect pests and rodents in raw grain, processed and packaged foodstuffs, tobacco etc. <b>(RESTRICTED CLASS)</b>
199.	CERA TRAP Liquid	PCPB(CR)13 88	Hydrolysed Protein 55g/L	BioIberica, S.A Spain	Amiran Kenya ltd	A trap for control and monitoring of Fruit fly in mangoes.

						WHO Class U: Unlikely to present hazard in normal use Green color band
200.	CHAMPFLO SC Soluble Concentrate	PCPB(CR)0 809	Copper hydroxide 42.74% equivalent to 24.4% metallic copper	Nufarm GmbH & Co. KG, Austria.	Anset International Ltd.	Fungicide to control botrytis & black spot on Roses; early & late blight on Tomatoes; Rust, anthracnose & angular leaf spot on French beans
201.	CHAMPION 50 WP Wettable Powder	PCPB(CR)0 782	Cupric hydroxide 77% (Equivalent to 50% Metallic Copper)	Nufarm GmbH & Co. Austria / Nufarm S.A.S, France.	Anset International.	Fungicide for control of CBD and leaf rust in coffee.  Angular leaf spot, rust and anthracnose in French beans; botrytis and black spots on Roses and  late blight in tomatoes.
202.	CHANCETYL 800 WP	PCPB(CR)1 065- <i>p(i)</i>	Fosetyl- Aluminium 800g/Kg	Zhejiang Jiahua Chemical Co. Ltd., Hangzhou, China	Greenlife Agroscience (E.A) Ltd.	Fungicide for the control of downy mildew on Roses and Squash. PHI: 4days REI: 12hrs MRL(Squash) 0.05mg/Kg WHO Class III: Slightly hazardous-blue color band
203.	SAHARA 500 SC	PCPB(CR)1 444	Cardendazim 150g/L + Sulfur 350g/L	Manufacturer: Carbendazim: Ningbo Yihwei Chemicals Co Ltd; China Sulfur:	Greenlife Crop Protection Africa Ltd	Fungicide for the control of Powdery mildew on Roses; early blight and late blight in tomatoes. <b>Tomatoes:-</b> EU MRL:

				Jiangsu Lanfeng Biochemical Co Ltd, China Registrant/Formulator: Jiangsu Lanfeng Biochemical Co Ltd, China Exporter: Ningbo Yihwei Chemicals Co Ltd; China		Carbendazim- 0.3 PHI: 3 days REI: 24hours WHO Class II Moderately hazardous, Yellow color band.
204.	CHANCETYL ELITE 80 WDG Water Dispersible Granules	PCPB(CR)1 303	Fosetyl-Aluminium 80%	Zhejiang Jiahua Chemical Co. Ltd, China	Greenlife Crop protection Africa Ltd	Fungicide for the control of Downy mildew on Roses, squash, cabbage and snow peas; ringspot on Carnations; downy mildew, purple blotch and rust in onions, downy mildew, powdery mildew and anthracnose in parsley. <b>Parsley:</b> EU MRLs Fosetyl-Aluminium - 75 mg/kg <b>Onions</b> EU MRLs Fosetyl-Aluminium - 50 mg/kg PHI- 10 days
205.	CHARIOT 500 SC Suspension Concentrate	PCPB(CR)1 084	Carbendazim 500g/L	Ningbo Yihwei Chemical Co. Ltd., China	Greenlife Crop Protection Africa Ltd.	Fungicide for control of rice blast; botrytis (botrytis cineria) on roses, angular leaf spot and botrytis on French beans and Early Blight on Tomatoes

						<p>Tomatoes: MRL-0.5mg/kg PHI- 5 days Apply at first infestation</p> <p>French beans: MRL-0.2mg/kg PHI-9 days Apply at first infestation before pod setting upto flowering.</p>
206.	CHARISMA 700 WG Water dispersible granules	PCPB(CR)1 369	Acetamiprid 700 g/L	<i>Manufacturer:</i> Dongguan Ruidefeng Biotechnology Co., Ltd., China; <i>Exporter:</i> Shenzhen Noposion Crop Science Co., Ltd., China	Crop Therapy Co ltd	Insecticide for the control of thrips and white flies on roses and cucumber WHO Class II Moderately hazardous; Yellow color band Roses REI:12 hours Cucumber EU MRL=0.3mg/kg PHI =3days
207.	CHEM COPP 50 WP Wettable Powder	PCPB(CR)0 578	Cuprous oxide 57.8% w/w (Equivalent to 50% w/w metallic copper)	American Chemet Corporation, Deerfield, USA.	Twiga Chemical Industries Ltd.	Fungicide for the control of leaf rust and Cofee Berry Disease (CBD) on Coffee.
208.	CHEROKEE	PCPB(CR)1	Propiconazole62	<b>Manufacturer:</b>	Syngenta East	Fungicide for the control of Stem rust

	487.5 SE Suspo- Emulsion	355	.5g/L + Cyproconazole 50g/L +Chlorothalonil 375g/L	<p><b>(i)Propiconazole:</b> Syngenta crop protection Monthey SA, Switzerland</p> <p><b>(ii)Cyproconazole:</b> Bayer Schweiz AG, Switzerland; Saltigo GmbH, Germany; GB Biosciences, Green Bayou, USA; Jiangsu Xinhe Agrochemical Co ltd, China.</p> <p><b>(iii)Chlorothalonil:</b> GB Biosciences, Green Bayou, USA; SDS Biotech, K.K Yokohama Japan; Jiangsu Xinhe Agrochemical Co ltd, China; Suli China Jiangyin Suli Fine Chem, China.</p> <p><b>Registrant:</b> Syngenta crop protection AG, Switzerland</p> <p><b>Formulator:</b> Syngenta Ground Works, UK</p>	Africa ltd	and yellow rust in wheat <b>WHO Class II</b> , Moderately hazardous, Yellow color band MRLs (EU): Propiconazole: 0.1mg/kg Cyproconazole: 0.1mg/kg Chorothalonil: 0.1mg/kg PHI: 54 days
--	--------------------------------	-----	--	---	------------	--

209.	CHESS 50 WG Water Dispersible Granules	PCPB(CR)0 944	Pymetrozine 500g/Kg	Syngenta AG, Basle, Switzerland. <b>Additional formulation Site:</b> Exwold Technology. Ltd, UK.	Syngenta East Africa Ltd.	Insecticide for the control of aphids and whiteflies on Roses; cabbage aphids on Kales & beans aphids on French beans.
210.	CHORUS 50WG	PCPB(CR)0 890	Cyprodinil 500g/Kg	Syngenta Hunderfield, UK/ Syngenta Crop Protection AG, Switzerland.	Syngenta E.A. Ltd.	A systemic fungicide for the control of botrytis on Roses. WHO Class III Blue Colour Band REI – 4hrs
211.	CHRYSAL AVB	PCPB(CR)0 922- <i>p(i)</i>	Silver nitrate 1.8% + Sodium thiosulphate 20%	Laboratorium Van der Sprong, Netherlands./ Enhold B.V. The Netherlands.	Chrysal Africa Ltd P.O. Box 78219 NAIROBI	Post harvest use in cut flowers, blocks ethylene production which is responsible for the ageing of the flowers.
212.	CHRYSAL BVB	PCPB(CR)09 24- <i>p(i)</i>	Gibberelic acid 4%	Laboratorium Van der Sprong, Netherlands / Enhold B.V. The Netherlands.	Chrysal Africa Ltd P.O. Box 78219 NAIROBI	Post harvest use in cut flowers, prevents leaves from yellowing, produces full bloom.
213.	CLAMP- DOWN 480 SL Soluble Liquid	PCPB(CR)1 052- <i>p(i)</i>	Glyphosate acid 360g/L(as Isopropylamine salt 480g/L)	Jiangsu Qiaoji Biochem Company Ltd.,China	Greenlife Crop Protection Africa Ltd.	A post emergence , non selective herbicide for the control of grasses and broad leaved weeds in non cropped areas.
214.	CLEAR UP 480 SL Soluble concentrate	PCPB(CR)1 151	Glyphosate 480g/L (as Isopropylamine salt)	King Chemicals Company Ltd, China	Agrichem & Tools Ltd	A post emergence, non selective herbicide for the control of annual and perennial weeds in baby corn in minimum tillage (pre-emergence to baby corn).



						WHO U- Products unlikely to present acute hazard under normal use Green colour band Proposed MRL in maize = 2mg/kg Proposed PHI=14 days
215.	CLICK 200 SL Soluble Concentrate	PCPB(CR)0 732-p(i)	Imidacloprid 200g/L	Meghmani Organics Ltd., India.	Agriscope (Africa) Ltd. / Agrichem & Tools Ltd.	Insecticide to control aphids, thrips & whiteflies in French beans.
216.	CLIMATE 30 SC Suspension Concentrate	PCPB(CR)1 155	Kresoxim- methyl 300g/L	Anhui Huaxing Chemical Industry Co. Ltd, China	Aguzii E.A. Ltd	Fungicide for control of powdery mildew in Roses. WHO Class III, Slightly hazardous Blue colour band
217.	CLINIC 480 SL Soluble Concentrate	PCPB(CR)0 536	Glyphosate Isopropylamine salt 480g/L	Nufarm GmbH, Austria.	Anset International.	A post emergence, non selective herbicide for the control of annual and perennial weeds in wheat, maize, sugarcane, coffee and tea plantations.
218.	CLODEX 100 EC Emulsifiable Concentrate	PCPB(CR)1 157	Clodinafop- propyl 100g/L	<b>Manufacturer/ Registrant:</b> Invetra Agro Ltd, Hangzhou, China	Agro-Farmer (K) Ltd	A post-emergence herbicide for control of Annual Grass Weeds in Wheat fields.  WHO Class III, Slightly hazardous Blue colour band MRL-0.01mg/kg; PHI 39 days i.e. upto

						flag leaf stage
219.	CLODIGAN 240 EC Emulsifiable Concentrate	PCPB (CR)1289	Clodinafop propargyl 240g/L + Cloquintocet methyl 60g/L as a Safener	Agan Chemical Manufacturers Ltd, Israel. <b>Additional Manufacturer:</b> Hangzhou Udragon Chemical Company Limited, China <b>Additional Formulator:</b> Jiangsu Anpon Electrochemical Company Ltd, China.	Amiran Kenya Ltd	Post-emergence herbicide for control of annual grass weeds in wheat  MRL: 0.02mg/Kg PHI: 42 days
220.	CONSTANTIN E 110 SC	PCPB(CR)1 501	Abamectin 10g/L + Cyromazine 100g/L	<b>Manufacturer/Formu lator/ Registrant:</b> Shaanxi Sunger Road Bio-Science Co Ltd <b>Exporter:</b> Ningbo Megagro Chemical Co Ltd, China	Greenlife Crop Protection Africa Ltd	Insecticide for control of Aphids, Thrips and Spider mites on Roses.  REI: 24hours  <b>WHO Class III</b> Slightly hazardous; Blue color band)
221.	CLOMITE 500 SC Suspension Concentrate	PCPB(CR)1 007 p(i)	Clofentezine 500g/L	Jiangsu Qiaoji Biochem Co. Ltd., China.	Kenagro Suppliers Ltd.	A miticide for the control of eggs and juvenile stages (but not adults) of red spidermites in Roses. <b>WHO Class II</b> Moderately hazardous Yellow Colour Band REI: 24hrs (after spray deposit dry)
222.	CLORTOCAF	PCPB(CR)0	Chlorothalonil	Sipcam UK, Ltd/ Oxon	Sipcam E.A.	A broad spectrum fungicide for control

	FARO (ROVA) 500 Flow	559	500g/Litre	Italia SpA, Pero Italy	Ltd.c/o Rockem Limited.	of coffee berry disease.
223.	CLORTOSIP 75 WP	PCPB(CR)0 318	Chlorothalonil 75%	Vischim s.r.l., Italy / Sipcam UK, Ltd.	Sipcam E.A. Ltd. c/o Rockem Ltd.	Fungicide for the control of Coffee Berry Disease.
224.	CLOSER 240SC Suspension concentrate	PCPB(CR)1 359	Sulfoxaflor 240g/L	Dow Agrosiences	Dow Chemical E.A Ltd, Nrb	Insecticide for the control of Whiteflies, Aphids and Mealybugs on Roses; whiteflies on tomatoes and French beans and aphids on cabbage.  WHO Class III (slightly hazardous, Blue color band)  <b>French beans;</b> EU MRL- 0.01 mg/kg PHI -14 days <b>Cabbage:</b> EU MRL- 0.01 mg/kg PHI -14 days <b>Tomatoes:</b> EU MRL- 0.3 mg/kg PHI - 3 days
225.	COBOX 50 WP Wettable powder	PCPB(CR)0 025	Copper Oxychloride 50% metallic copper	Spiess Urania, Germany.	Kijani Agencies Ltd., P.O. Box 13980, 00800 Nairobi.	Fungicide for the control of CBD and leaf rust on coffee, also blights and leaf spots in vegetables.

226.	COBRA 75WG Water Dispersible Granules	PCPB(CR)0 735	Chlorsulfuron 75% w/w	Ningbo Sunjoy Agroscience Co, China.	Agrosolutions Ltd.	Pre & Post emergence herbicide for the control of broad-leaved weeds & some grasses in wheat.
227.	CODACIDE OIL Vegetable Oil	PCPB(CR)1 075	Organic Vegetable Oil 95% w/v	Microcide Ltd., Uk	Lachlan (K) Ltd.	Adjuvant for enhancing performance of Dithane M-45 against early blight on tomatoes and potatoes; and radiant against caterpillars in tomatoes and french beans
228.	DYNAMO 70% WG	PCPB(CR)1 521	Imidacloprid 700g/kg	<b>Manufacturer of a.i/Formulator:</b> Jiangsu Subin Agrochemical Co ltd, China <b>Registrant:</b> Ningbo Huili Import & export Co. China.	Osho chemical industries Ltd	Insecticide for control of thrips on roses  REI-12 hours  <b>WHO Class III</b> Slightly hazardous Blue color band
229.	COLLIS 300 SC	PCPB(CR)0 453	Boscalid 200g/L + Kresoxim- methyl 100g/L	BASF SE Germany.	BASF E.A Ltd., Nairobi, Kenya. <i>Distributor:</i> Elgon Chemicals Ltd.	Fungicide for the control of powdery mildew on Roses.
230.	COLONIZER 440 WP Wettable	PCPB(CR)1 387	Copper oxychloride 398 g/kg {equivalent	Agria SA, Bulgaria	Greenlife Crop Protection Africa Ltd	Fungicide for the control of downy mildew on roses; rust and angular leaf spots on French beans; downy mildew

	powder		to 58% Copper } +Cymoxanil 42g/kg			and purple blotch on Onions. WHO Class III Slightly hazardous Blue color band. REI: 12hrs. <b>French beans:</b> EU MRL- Cymoxanil -0.05mg/kg Copper-20mg/kg PHI- 7 days <b>Onions:</b> EU MRL- Cymoxanil -0.5mg/kg Copper-5mg/kg PHI- 7 days
231.	COLT 480 EC Emulsifiable Concentrate	PCPB(CR)0 645-p(i)	Chlorpyrifos 480 g/L	Asiatic Agricultural Industries, Singapore .	Magnetic (K) Ltd.	Insecticide for the control of caterpillars and sucking insects on ornamentals. <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>
232.	COMMANDE R 240 EC Emulsifiable Concentrate	PCPB(CR)1 169	Oxyfluorfen 240g/L	Zhejiang Yifan Chemical Co. Ltd	Greenlife Crop Protection Africa Ltd	Selective herbicide for control of grasses and broad-leaved weeds on cabbages (pre-emergence to weeds); and early post- emergence herbicide for control broad-leaved weeds, grasses and sedges in onions.  <b>Onions</b>

						EU MRL- 0.05mg/kg PHI- 30 days
233.	COMPLEME NT	PCPB(CR)0 946	Nonyl Phenol Ethoxylate 250g/L + Medium grade mineral oil 450g/L	Syngenta Crop Protection AG, Switzerland.	Syngenta E.A. Ltd.	Surfactant to be used with Servian 75WG.
234.	COMPLETE 200 EC Emulsifiable Concentrate	PCPB(CR)1 089	Amitraz 200g/L	Jiangyin Milagro, China	Greenlife Crop Protection Africa Ltd	Miticide for the control of spidermites on roses and carnations.
235.	COMPLIANT 560 SC  Suspension Concentrate	PCPB(CR)1 385	Chlorothalonil 500 g/L + Azoxystrobin 60 g/L	<b>Azoxystrobin</b> <i>Manufacturer</i> Taizhou Bailly Chemical Co Ltd; China. <b>Chlorothalonil</b> <i>Manufacturer:</i> Jiangyin Ligang Fine Chemical Ltd; China; <i>Registrant:</i> Jiangyin Suli Fine Chemical Ltd; China <b>Formulator:</b> Jiangyin Suli Chemical Co., Limited	GreenLife Crop Protection Africa Limited	Fungicide for control of powdery mildew and downy mildew in Roses; Angular leaf spot, anthracnose and rust on French beans; leaf spot, black leg and club root in cabbages and coffee berry disease in coffee.  REI: 12 hours.  EU MRL: <b>French beans</b> Chlorothalonil-5.0 mg/kg Azoxystrobin- 3.0 mg/kg PHI- 7 days

				<b>Exporter:</b> Agrodragon Co., Limited, China		<b>Cabbages:</b> Chlorothalonil-0.6 mg/kg Azoxystrobin- 5.0 mg/kg PHI-7 days.  EU MRL: <b>Coffee</b> Chlorothalonil –0.05 mg/kg Azoxystrobin-0.03 mg/kg PHI-7 days  <b>WHO Class II</b> , Moderately hazardous, Yellow color band
236.	CONCORD 20 SL Soluble Concentrate	PCPB(CR)0 732	Imidacloprid 200g/L	Meghmani Organics Ltd., India.	Agriscope (Africa) Ltd.	Insecticide to control aphids, thrips & whiteflies in French beans; thrips and leafminers in Citrus.
237.	CONFIDOR 200 SL Soluble Concentrate	PCPB(CR)0 222	Imidacloprid 200g/L	Bayer AG Germany; <b>Additional Formulator:</b> Bayer CropScience, Turkey.	Bayer East Africa Ltd.	Insecticide for the control of coffee leaf miner (soil drenching); for use on ornamentals to control whiteflies, aphids and thrips and for use in agroforestry nurseries and trees against termites and soil pests.
238.	CONFIDOR 70 WG Wettable Granules	PCPB(CR)0 581	Imidacloprid 700g/Kg	Bayer AG Germany	Bayer East Africa Ltd.	An insecticide to control aphids and whitefly nymphs on Roses; aphids, thrips, whiteflies, leaf miner on Tomatoes; bean flower thrips on French

						beans; aphids, thrips, whiteflies, leaf beetles and weevils on Tobacco and for export to Tanzania.
239.	CONSENTO SC 450 Suspension concentrate	PCPB(CR)1 337	Fenamidone 75g/L +Propamocarb hydrochloride 375 g/L	<b>Formulator/Registrant</b> : Bayer AG Germany <b>Manufacturer:</b> <i>Fenamidone:</i> Bayer CropScience SA, France Production plant: ISOCHEM Chimie, France <i>Propamocarb Hcl:</i> 1. Bayer AG, Germany ; 2. Bayer CropScience GmbH, Germany	Bayer E. A. Ltd	Fungicide for the control of late blight on Potatoes, downy mildew and purple blotch on onions. <b>Potatoes</b> MRL: Fenamidone: 0.02mg/kg Propamocarb Hcl: 0.3mg/kg PHI: 14days  <b>Onion:</b> EU MRL: Fenamidone - 0.2mg/kg Propamocarb – 2.0mg/kg PHI: 14 days  <b>WHO Class U,</b> Unlikely to cause hazard under normal use, Green color band.
240.	CONTENDER 80 WDG Water dispersible	PCPB(CR)1 260	Fosetyl- Aluminium 800 g/Kg	<b>Manufacturer/Formulator</b> Shandong Decheng pesticide Co. Ltd China <b>Registrant:</b> Shanghai E- Tong Chemical Co. Ltd, China	East African Business Company Ltd	Fungicide for the control of Downy mildew on roses and onions. CODEX MRL = 0.5 mg/kg <b>PHI:</b> 7 days WHO Class III, Slightly hazardous; Blue color



						REI: when spray dries
241.	CONTENDER 80 WDG Water dispersible	PCPB(CR)1 260	Fosetyl- Aluminium 800 g/Kg	<b>Manufacturer/Formulator</b> Shandong Decheng pesticide Co. Ltd China <b>Registrant:</b> Shanghai E- Tong Chemical Co. Ltd, China	East African Business Company Ltd	
242.	EABCL CONTEST 5.7 WDG Water Dispersible Granules	PCPB(CR)14 59	Emamectin benzoate 57g/kg	Qingdao KYX Chemical Co Ltd, China  <b>Exporter:</b> Hailir Pesticides and Chemicals Group Company Ltd., China	East African Business Company Ltd	Insecticide for control of thrips, spider mites and caterpillars on Roses; for the control of aphids, thrips, whiteflies and pod borers in French beans French beans PHI-3 days EU MRL-0.01 mg/kg REI: 6hrs WHO Class III Slightly hazardous, Blue color band.
243.	CONTROL 70 WG Water Dispersible Granules	PCPB(CR)0 594	Thiophanate methyl 70% w/w	Sulphur Mills Ltd., India.	Osho Chemical Industries Ltd.	Fungicide for the control Botrytis in Roses.
244.	CONVERTO 500 SC	PCPB(CR)1 007-p(ii)	Clofentezine 500g/L	Jiangsu Qiaoji Biochem Co. Ltd., China.	Greenlife Agroscience (E.A) Ltd.	A miticide for the control of eggs and juvenile stages (but not adult) of red spidermites in Roses. WHO Class II Moderately hazardous Yellow Colour Band REI = 24hrs ( after spray deposit dry)

245.	CONVERTO ELITE 210 SC  Suspension Concentrate	PCPB(CR)1 377	Clofentezine 180 g/L + Fenpyroximate 30 g/L	<b>Manufacturer/Formulator:</b> Shaanxi Welch Crop Protection Co., Limited, China. <b>Exporter:</b> Shanghai Qiaoji International Co., Ltd., China	Greenlife Crop Protection Africa Ltd	Insecticide for the control of spider mites on Roses.  WHO Class II Moderately hazardous; Yellow color band
246.	COPSAP 50% WP  Wettable Powder	PCPB(CR)0 382	Copper Oxychloride 50% Metallic Copper  <i>Equivalent to Cuprous Oxide 50% metallic copper</i>	Saroc Ltd., P.O. Box 18228, Nairobi.	Saroc Ltd., P.O. Box 18228, Nairobi.	Fungicide for control of coffee berry disease and leaf rust on coffee; Early and Late Blight on tomatoes & potatoes.
247.	CORAGEN 20SC  Suspension Concentrate	PCPB(CR)1 138	Chlorantraniliprole 200g/L	1. FMC International Switzerland, Geneva; 2. DuPont Austrias S.L., Spain.  <b>Formulator:</b> i. DuPont de Nemours	FMC Kenya Branch  <b>Distributor:</b> Elgon (K) Ltd.	Insecticide for control of Caterpillars ( <i>Spodoptera exigua</i> ) on Roses and <i>Helicoverpa armigera</i> on carnations; Caterpillars ( <i>Helicoverpa armigera</i> ) on French beans, snow peas, Sugar snap and tomatoes; Diamond Back Moth in Cabbages; and <i>Tuta absoluta</i> in Tomatoes. WHO Class U. Products unlikely to present hazard under conditions of normal use.

				<p>ii. S.A.S, France. Dupont Valdosta; Manufacturing Plant, USA</p> <p>iii. E.I. Dupont India Private Ltd., India</p>		<p>Green Colour Band</p> <p>MRL:</p> <p>Tomatoes – 0.05mg/Kg</p> <p>Cabbages – 0.5mg/kg</p> <p>Green beans with pods -0.1mg</p> <p>PHI:</p> <p>Tomatoes - 1 day, apply on first sign of insect</p> <p>Cabbages – 3 days, apply on first sign of insect</p> <p>Green beans with pods: - 3days, apply on first sign of insect attack during flowering before pod formation</p>
248.	CORPION 500SC Suspension concentrate	PCPB(CR)1007	Clofentezine 500g/L	Jiangsu Qiaoji Biochem Co. Ltd., China.	Greenlife Crop Protection Africa Ltd.	<p>A miticide for the control of eggs and juvenile stages (but not adults) of red spidermites in Roses.</p> <p>WHO Class II</p> <p>Moderately hazardous</p> <p>Yellow Colour Band</p> <p>REI = 24hrs (after spray deposit dry)</p>
249.	COSAVET DF Dry Flowable	PCPB(CR)0437	Sulphur 80% w/w	Sulphur Mills Ltd., India.	Osho Chemical Industries Ltd.	Fungicide for the control of powdery mildew in vegetables, Roses.
250.	DKPHOSATE 480 SL	PCPB(CR)1510	Glyphosate IPA Salt 480 g/L	<b>Manufacturer/Formulator:</b> Anhui Zhongshan Chemical Industries Co	Danken Agrotechnologies Ltd	Post-emergence herbicide for control of grasses and broad-leaved weeds in non-cropped areas

				ltd <b>Registrant:</b> Zhejiang Changxing Zhongshan Import and Export, China		WHO Class II; Moderately hazardous; Yellow color band
251.	ATLANTIS MAXX OD 37.5	PCPB(CR)1 146	Mesosulfuron-methyl 7.5g/L+ Iodosulfuron-methyl-sodium 7.5g/L + Mefenpyr-diethyl 22.5g/L (safener)	<i>Manufacturer:</i> <b>Mesosulfuron-methyl:</b> Bayer CropScience GmbH-Germany <b>Iodosulfuron-methyl-sodium:</b> Bayer CropScience AG, Lonza AG, Switzerland <i>Registrant/Formulator:</i> Bayer CropScience AG, Germany	Bayer E. A Ltd	Post emergence herbicide for the control of broad-leaved and grass weeds in Wheat.  WHO Class III Slightly hazardous Blue Colour band (REI: when spray dries MRL: Mesosulfuron-methyl: 0.05mg/Kg Iodosulfuron-methyl-sodium: 0.02mg/Kg PHI: 39 days
252.	COTAF 5% EC Emulsifiable Concentrate	PCPB(CR)0 493	Hexaconazole 50g/L	Rallis Ltd., India.	Osho Chemical Industries Ltd.	Fungicide for the control of powdery mildew on Roses and French Beans; yellow and stem rusts on Wheat.
253.	COVVER 76 WP Wettable powder	PCPB(CR)1 370	Cymoxanil 700g/Kg + propineb 60g/Kg	Wemax Agro Limited, China	Cropanet Plaass Ltd	Fungicide for the control of Early & late blight in Tomatoes.  WHO Class II, Moderately hazardous, Yellow color band  Tomatoes

						EU MRL: Cymoxanil: 0.2 mg/kg Propineb: 2.0 mg/kg PHI: 7 days
254.	CRUDE OIL RESIN EXTRACT 25%	PCPB(CR)0 228	Pyrethrins 25% w/w	Pyrethrum Board of Kenya.	Pyrethrum Board of Kenya.	Insecticide, raw materials for formulating products used in the control of a wide variety of insect pests.
255.	CRUISER 350 FS Flowable Concentrate for seed treatment	PCPB(CR)0 346	Thiamethoxam 35 g/L	Syngenta Crop Protection AG, Switzerland. <i>Additional Formulation Site:</i> Syngenta Production France SAS, Usine de Saint Pierre, France.	Syngenta East Africa Ltd.	Insecticide for seed treatment for use in barley, wheat, maize and beans.
256.	CUPRAVIT 50 WP Wettable Powder	PCPB(CR)0 383	Copper Oxychloride 85% <i>equivalent</i> to 50% metallic copper	Spiess Urania Chemicals, Germany / Bayer Crop Science, Germany <i>Distributor:</i> Coffee Management Services Ltd.	Kijani Agencies Ltd.	Fungicide for the control of leaf rust in coffee and for use on vegetables.
257.	CUPROCAFF ARO Micro 37.5 WG Water	PCPB(CR)0 504	Copper Oxychloride 37.5%	Isagro SPA, Italy.	Arysta Lifescience E.A Limited	Fungicide to control early and late blight on Tomatoes and Potatoes; bean rust, anthracnose, angular leaf spot, bacterial blight and sclerotinia on French beans and for the control of coffee leaf rust and

	Dispersible Granules					Coffee Berry Disease.
258.	CUPROCAFF ARO Wettable Powder	PCPB(CR)0165	Copper Oxychloride - 85% equivalent to 50% metallic copper	Caffaro SPA, Milano, Italy.	Farmchem (K) Limited	Fungicide for the control of coffee berry disease and leaf rust on coffee; For use on potatoes, tomatoes against early blight, Cucurbits, brassicas against anthracnose, bean rust, bacterial blight; Ornamentals/ flowers: - against rust, leaf spot and anthracnose.
259.	CURENOX 50WP Wettable Powder	PCPB(CR)1255	Copper Oxychloride 87.8% w/w Equivalent to 50% w/w metallic copper	Industrias Quimicas del Valles S.A., Spain	Twiga Chemical Industries Ltd.	Fungicide for the control of Early Blight and Late Blight on Tomatoes; Coffee Leaf rust and coffee berry disease control.  WHO Class III Slightly hazardous Blue color band PHI: 3days MRL 1.6mg/Kg
260.	CURZATE M 44 WP Wettable Powder	PCPB(CR)1269	Mancozeb 400 g/Kg + Cymoxanil 40g/Kg	<b>Manufacturers:</b> Cymoxanil: China Limin Chemicals Co., Ltd/Du Pont de Nemours (France) S.A.S Mancozeb: United Phosphorous Ltd,	<b>Agent:</b> DDP Agrosience (K) Ltd.	Fungicide for the control of downy mildew on Roses; Early & Late Blight on Tomato REI: when spray dries Tomatoes PHI: 14days MRL: <i>Mancozeb: 2mg/Kg</i>

				India/Cerexagri S.A.S <b>Registrant:</b> Du Pont International Operations Sarl, Geneva Switzerland <b>Formulator:</b> STI Solfotecnica Italia Spa, Italy		<i>Cymoxanil</i> : 0.2mg/kg WHO Class III Slightly hazardous, Blue color band
261.	CYCLONE 505 EC Emulsifiable Concentrate	PCPB(CR)0 553	Cypermethrin 10% w/v + Chlorpyrifos 35% w/v	Rallis Ltd., India.	Osho Chemical Industries Ltd.	Insecticide for control of aphids on cereal aphids and Russian wheat aphids on barley; African bollworm and aphids on cotton; Coffee Berry Borer (CBB) and armyworms. <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>
262.	CYFLAMID 5 EW Emulsion Oil in Water	PCPB(CR)1 205	Cyflufenamid 50g/L	<b>Manufacturer/Registrant:</b> Nippon Soda Co. Ltd, Japan <b>Formulator:</b> F. Joh. Kwizda GmbH, Austria	<b>Local Agent:</b> Mitsui & Co., Ltd c/o Mura Agriconsultancy Services <b>Distributor:</b> Amiran (K) Ltd	Fungicide for the control of Powdery mildew on roses. <b>WHO Class III</b> Slightly hazardous (Blue color band). REI= When spray dries
263.	CYREN 480 EC Emulsifiable	PCPB(CR)0 450	Chlorpyrifos 480 g/L	a.i. = Dow Agrosiences, France <b>Formulator &amp;</b>	Novus-Bridge Consultants.	Insecticide for the control of antestia bugs in coffee, hids & whiteflies on roses; aphids, scaly insects & termites on tea,

	Concentrate			<b>Registrant:</b> Cheminova Agro AS, Denmark.		<b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>
264.	CYPERTOX 25 EC	PCPB(CR)1 285-p(iii)	Lambda- cyhalothrin	<b>Manufacturer:</b> Jiangsu Fengshan Group Co.Ltd. <b>Formulator:</b> Hebei Guanlong Agrochemical Co.Ltd	MutuChem.Ltd	Insecticide for the control of Thrips, aphids and caterpillars on French beans PHI: 3 days
265.	CYROGUAR D 75% WP Wettable Powder	PCPB(CR)0 520	Cyromazine 750g/Kg	Finechem Ltd., China.	Osho Chemical Industries Ltd.	Insecticide for control of leaf miner on French beans, Roses and cabbages and Diamond Back Moth in Brassicaceae; thrips on roses.
266.	CYRUX 10 EC	PCPB(CR)0 492-p(iv)	Alpha- cypermethrin 100g/L	Sulphur Mills Ltd., India.	Amiran (K) Ltd.	Insecticide for the control of aphids, thrips, whiteflies and leaf miners on French beans
267.	D AMINE 72SL Soluble Concentrate	PCPB(CR)0 753	Dimethyl amine salt of 2,4 D- Dichlorophenyl acetic acid i.e. 720g/L salt equivalent to 600g/L acid	Atul Limited, India.	Osho Chemical Industries Ltd.	Pre-emergence and post emergence herbicide for the control of annual & perennial broad-leaved weeds in baby corn and post emergence herbicide for the control of broad leaved weeds in Wheat.
268.	DACONIL 720SC (BRAVO 720 SC)	PCPB(CR)0 288	Chlorothalonil 720g/L	Syngenta Crop Protection AG, Basle, Switzerland.  <i>Additional</i>	Syngenta East Africa Ltd., P.O. Box 30393, Nairobi.	Fungicide for control of Coffee Berry Diseases in coffee; bean rust, angular leaf spot, anthracnose & botrytis on French beans; Aschochytes and botrytis on snow



	Suspension Concentrate			<i>Manufacturing Sites:</i> GB Biosciences, Green Bayou, USA; SDS Biotech, K.K Yokohama Japan; Jiangsu Xinhe Agrochemical Co ltd, China; Suli China Jiangyin Suli Fine Chem, China.		peas and botrytis on roses; early and late blight in potatoes; <b>Potatoes:</b> EU MRL- 0.01 mg/kg PHI: 7days
269.	DAKOTA 50 FW (Suspension Concentrate)	PCPB(CR)0 680	Chlorothalonil 50% w/v	Jiangyin Sulifine Chemicals, China.	Biomedica Laboratories Ltd.	Fungicide for the control of early and late blight on tomatoes; downy mildew and leaf spot on cucumbers; Coffee Berry Disease on coffee and botrytis in Roses.  REI- 6hrs
270.	DANADIM BLUE 40 EC Emulsifiable Concentrate	PCPB(CR)0 352	Dimethoate 400g/L	Cheminova A/S, Denmark.	Pytech Chemicals GMBH <i>Distributor:</i> Farmchem (K) Limited.	Insecticide for control of chewing, sucking & biting insects on coffee, cotton, flowers & tobacco  <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>
271.	DANISARAB A 20 SC Suspension Concentrate	PCPB(CR)0 875	Cyflumetofen 200g/L	OAT Agrico Co. Ltd. Japan/AGC Wakasa Chemicals Company Ltd. Japan	Arysta LifeScience (Kenya) Limited.	Miticide for the control spidermites on Roses and Carnations. WHO Class II Moderately Hazardous

					<i>Distributor:</i> Elgon Kenya Ltd.	Yellow Colour Band REI-Flowers =6hrs
272.	DASATE 480 SL	PCPB(CR)1 201	Glyphosate IPA salt 480 g/L	Jiangsu United Agrochemical Co., Ltd, China	Dahwa Agrochemical Co., Ltd.	Post-emergence herbicide for the control of grasses and broad leaved weeds in baby corn under minimum tillage.
273.	DC-TRON PLUS	PCPB(CR)0 834	Petroleum (mineral oil 98.8%	Caltex Petroleum Australia (pty) Ltd.	Chevron Kenya Ltd.  P.O. Box 30061, Nairobi.	Insecticide for the control of leaf miners & scales in coffee; mites & aphids in flower (Roses) aphids & mites in beans.
274.	DD-95	PCPB(CR)0 196- <i>p(i)</i>	1,3- Dichloropropene 97%	Kanesho Soil Treatment BVBA,Belgium  <i>Toll Formulator:</i> Solvay Chemicals Gmbh, Belgium	Mura Agri- Consultancy Services.	<b><u>RESTRICTED CLASS</u></b> Soil fumigant for pre-plant treatment of crop land to be planted with pineapples to control nematodes and other soil pests. FOR USE BY "DEL MONTE" ONLY.
275.	DEACARID 1.8EC Emulsifiable Concentrate	PCPB(CR)0 857	Abamectin 18g/L	Zhejiang Shengua Bick Biology Co., China.	Biomedica Laboratories Ltd.	Insecticide for control of aphids, mites on tomatoes & diamond back moth on kales
276.	DEACON 600WDG Water dispersible granule	PCPB(CR)13 45	Diuron 468g/kg + Hexazinone 132g/kg	<b><i>Manufacturer:</i></b> <i>Diuron:</i> Jiangsu Lanfeng Biochemical Co. Ltd, China <i>Hexazinone:</i> Jiangsu Suzhou Chemical Group Xinyi Agrochemical Co	Farming Science International Ltd	Early post-emergence herbicide for control of annual and perennial grasses and broad leaf weeds in sugarcane.  WHO Class U Unlikely to present hazard in normal use

				Ltd; China <b>Formulator/Registrant/Exporter:</b> AgroDragon Co Ltd; China		Green color band
277.	DEBUSH 5% EC Emulsifiable Concentrate	PCPB(CR)0896	Cypermethrin 5% w/w	United Phosphorous Ltd., India.	Dera Chemical Industries (K) Ltd.	Insecticide for the control of insect pests in vegetables (tomato, brassica etc).
278.	DECIS 0.5 ULV Ultra Low volume	PCPB(CR)0036	Deltamethrin 5g/L	Bayer Crop Science AG, Germany. <b>Additional Formulator:</b> Bayer CropScience, Turkey.	Bayer East Africa Ltd.	Insecticide for use in cotton, vegetables, cereals, ornamentals, field crops.
279.	DECIS 2.5 EC (Emulsifiable Concentrate)	PCPB(CR)0035	Deltamethrin 25g/L	Bayer Crop Science AG, Germany. <b>Additional Formulator:</b> Bayer CropScience, Turkey.	Bayer East Africa Ltd.	Insecticide for use in cotton, coffee, vegetables, fruit trees, ornamentals, cereals; for maize stalk borer control.
280.	DECIS FORTE EC Emulsifiable Concentrate	PCPB(CR)0479	Deltamethrin 100g/L	Bayer Crop Science. <b>Additional Formulator:</b> Bayer CropScience, Turkey.	Bayer East Africa Ltd.	Insecticide for control of aphids in wheat and barley; aphids, whiteflies and thrips on French beans; aphids and thrips in onions; whiteflies, leafminers and thrips in tomatoes; aphids, diamond back moth and cabbage loopers in cabbage.  <b>Onion:</b>

						<p>EU MRL-0.1mg/kg PHI-3 days. <b>Tomatoes:</b> EU MRL-0.3mg/kg PHI-3 days. <b>Cabbage:</b> EU MRL- 0.1 mg/kg PHI- 7 days</p>
281.	DEFACTO 500 EC Emulsifiable Concentrate	PCPB(CR)1343	Difenoconazole 250g/L + propiconazole 250g/L	<b>Manufacturer/registrant/ Formulator:</b> <i>Shandong Weifang Shuangxing Pesticide, Ltd, China</i>	Greenlife Crop Protection Africa ltd	<p>Fungicide for control of powdery mildew and Black spots in roses and rust in carnations; for the control of yellow rust and stem rust in Wheat.</p> <p>REI: 24hours</p> <p>EU MRLs: <b>Wheat</b> Propiconazole- 0.05mg/kg Difenoconazole 0.1mg/kg PHI: 58 days</p> <p><b>Coffee</b> Propiconazole- 0.02mg/kg Difenoconazole-0.05mg/kg PHI-30 days</p> <p><b>WHO Class II</b> Moderately hazardous</p>

282.	DEFENDER 2.5% EC Emulsifiable Concentrate	PCPB(CR)1 153	Bifenthrin 25g/L	Manufacturer: Agroshine (Hangzhou) Udragon Chemical Co. Ltd, China	Dipchem E.A. Ltd	<p>Yellow color code.</p> <p>Insecticide for control of spidermites, thrips and aphids on Roses; Aphids, White flies and Spider mites in French beans; Aphids, White flies and thrips in Snow peas; Aphids, whiteflies, thrips in Tomatoes; Aphid, Diamond back moth and thrips in kales; Aphids, whiteflies &amp; catapillars on broccoli.</p> <p>MRL: After 7 days. Residue were 0.12 mg/Kg (&lt; 0.2 mg/Kg EU)</p> <p>PHI: 7 days.</p> <p><b>Kales:</b> Proposed MRL: 0.05mg/Kg PHI: 7 days</p> <p><b>Snowpeas :</b> Proposed MRL: 0.1mg/Kg PHI: 8 days</p> <p><b>Tomatoes:</b> Proposed MRL: 0.3mg/Kg PHI: 8 days</p> <p><b>French beans:</b> Proposed MRL: 0.5mg/Kg PHI: 7 days</p> <p>WHO Class II Moderately hazardous Yellow colour band</p>
------	--	------------------	------------------	---	---------------------	--

						REI-When spray dries
283.	DEGESH Plates  Weight of each plate 117g	PCPB(CR)0 189	Magnesium Phosphide 56% w/w equivalent to 28% hydrogen phosphide gas	Detia Freyberg Gmbh / Detia Degesh Gmbh, Germany.	Rentokil Ltd. P.O. Box 44360, Nairobi.	Insecticide for fumigation of grain and other stored agricultural food commodities; small space fumigation - <u>RESTRICTED CLASS</u>
284.	DEGESH PHOSTOXIN tablet, round and flat form 3 grams each	PCPB(CR)0 188	Aluminium Phosphide 56% w/w equivalent to 33% hydrogen phosphide, each tablet releases 1.0g of hydrogen phosphide gas	Detia Freyberg Gmbh / Detia Degesh Gmbh, Germany.	Rentokil Ltd.	Insecticide for fumigation of grain and other stored agricultural food and non-food commodities and for use in tea. <u>RESTRICTED CLASS</u>
285.	DEGESH Strips Weight of each strip consists of 20 interconnected with DEGESH plates	PCPB(CR)0 190	Magnesium Phosphide 56% w/w equivalent to 28% hydrogen phosphide gas	Detia Freyberg Gmbh / Detia Degesh Gmbh, Germany.	Rentokil Ltd.	Insecticide for fumigation of grain and other stored agricultural food commodities; large space fumigation - <u>RESTRICTED CLASS</u>
286.	DEGREE 100 EC	PCPB(CR)1 518	Alpha cypermethrin 100g/L	<b>Manufacturer:</b> Heranba Industries ltd, India	Osho chemicals Ltd	Insecticide for control of aphids, whiteflies, thrips and caterpillars on Roses; aphids, whiteflies, thrips and

				<p><b>Formulator/ Registrant:</b> Osho Chemical industries Ltd.</p> <p><b>Additional Formulator:</b> Heranba Industries Limited India.e</p>		<p>leafminers on capsicum, aphids, diamond backmoth and cutworms on cabbage, aphids, whiteflies, thrips on tomatoes and thrips in coffee</p> <p><b>EU MRLs:</b> Capsicum-0.5 mg/kg Cabbage- 1.0 mg/kg Tomatoes- 0.5 mg/kg PHI – 7 days</p> <p><b>Coffee</b> EU MRL: 0.1mg/kg PHI- 14 days</p> <p><b>WHO Class II</b> Moderately Hazardous Yellow Color Band REI-12 hours</p>
287.	EVITO T 477 EC Emulsifiable concentrate	PCPB(CR)15 36	200 g/L + Tebuconazole 277g/L	<p><b>Manufacturer:</b> <b>Fluoxastrobin:</b> Bayer CropScience, USA <b>Tebuconazole:</b> Jiangsu Sevencontinent Green Chemical Co Ltd, China</p> <p><b>Formulator:</b> 1. Arysta Lifescience North America, USA 2. Arysta Lifescience</p>	Lifescience Kenya	<p>Fungicide for control of rust on French beans; yellow rust and stem rust in wheat.</p> <p><b>EU MRL:</b> Tebuconazole: 2.0 mg/kg, Fluoxastrobin: 0.05 mg/kg PHI: 14 days REI: 12 hours WHO Class III Slightly hazardous, Blue color band</p>

				South Africa <b>Registrant:</b> Arysta Lifescience S.A.S France		EU MRLs: Fluoxastrobin- 0.03 mg/kg  Tebuconazole- 0.3 mg/kg  PHI- 35 days
288.	STAMINA 500 SC Suspension Concentrate	PCPB(CR)1 560	Azoxystrobin 200g/L + tebuconazole 300g/L	<b>Manufacturer of a.i</b> <b>Azoxystrobin:</b> Shandong hailir Chemical Co Ltd, China <b>Tebuconazole:</b> Sheyang Huanghai Pesticide & Chemical Industries Co Ltd, china <b>Formulator:</b> Qingdao KYX Chemical Co Ltd <b>Registrant:</b> Hailir pesticides and chemical company group Co China.	Agrosolutions ltd	Fungicide for control of powdery mildew in Roses.  REI: 6hrs  WHO Class II Moderately Hazardous Yellow Color Band
289.	DELAN 500 SC Suspension Concentrate	PCPB(CR)0 261	Dithianon 500g/L	BASF SE, Germany.	BASF E.A Ltd., Nairobi.  <i>Distributor:</i> Topserve East Africa Ltd. P.O. Box 47341, Nairobi.	Fungicide, Foliar spray, for the control of coffee berry disease in coffee and control of coffee leaf rust as a tank mix with Cobox. Also for the control of downy mildew in Roses, rust and rings pot in carnations.



290.	DELEGATE 250 WG	PCPB(CR)1 207	Spinetoram 250g/Kg	Dow Agrosiences, USA; <b>Additional Manufacturer:</b> Evonik Jayhawk Fine Chemicals Corporation, USA.	Dow Chemical E.A Ltd, Nrb	Insecticide for the control of Thrips and Caterpillars on Roses; Thrips on Carnations. REI- 6hrs <b>WHO Class U</b> Unlikely to present acute hazard under normal use, Green color band REI = when spray dries
291.	DELFIN 6.4 WG Water dispersible granules	PCPB(CR)0 567	<i>Bacillus thuringiensis</i> subsp. <i>kurstaki</i> , Strain SA-11 and delta endotoxins equivalent to 53x10 <sup>9</sup> Su/Kg	Certis, USA.	Sineria Kenya Limited	A selective biological larvicide for the control of Diamond backmoth in brassiccas, and Giant looper in coffee
292.	DEMILDEX 50 WP Wettable Powder	PCPB(CR)0 381	Copper Oxychloride - 50% metallic copper	Delta Chemicals (Pty) South Africa.	Biomedica Laboratories Ltd. P.O. Box 66627-00800 Nairobi.	Fungicide for the control of coffee leaf rust, blights in potatoes, tomatoes, in cereals, beans.
293.	DERA MALATHION 50 EC Emulsifiable	PCPB(CR)0 389	Malathion 500g/L	Cheminova, Denmark.	Dera Chemical Industries (K) Ltd. P.O.Box	Insecticide for use on wide range of crops - agricultural, horticultural.

	Concentrate				45145, Nairobi.	
294.	DERA BLUE CROSS Dust	PCPB(CR)0 388	Malathion 2% w/w	Cheminova, Denmark.	Dera Chemical Industries (K) Ltd. P.O.Box 45145, Nairobi.	Insecticide for use on stored grain and beans against insect pests.
295.	DERAPHON GRANULES	PCPB(CR)0 897	Cypermethrin 5% w/w	United Phosphorous Ltd., India.	Dera Chemical Industries (K) Ltd.	Insecticide for maize stalk borer control.
296.	DERAPHON P 1% Dust	PCPB(CR)0 898	Permethrin 1% w/w	United Phosphorous Ltd., India	Dera Chemical Industries Ltd.	Insecticide for Maize stalk borer control.
297.	DERBY 175 SC Suspension Concentrate	PCPB(CR)0 854	Florasulan 75g/L + Flumetsulan 100g/L	Dow Agrosiences S.A., France. <b>Additional Manufacturer ;</b> Albermarle Corporation. USA	Dow Chemical E.A Ltd, Nrb	Herbicide for control of broadleaved weeds in wheat.
298.	DETIA GAS Ex-B Fumigation Blankets	PCPB(CR)0 082	Aluminium Phosphide 57% each bag releases 11.3g of phosphine gas	Detia Freyberg Gmbh, Germany.	Chemraw Ltd., P.O. Box 47358, Nairobi, Kenya.	Insecticide for the control of stored grain and tobacco pests by fumigation of raw agricultural commodities, processed foods, animal feeds. <b>RESTRICTED CLASS</b>

299.	DETIA GAS Ex-B Fumigation Bags	PCPB(CR)0 081	Aluminium Phosphide 57% each bag releases 11.3g of phosphine gas	Detia Freyberg Gmbh, Germany.	Chemraw Ltd., P.O. Box 47358, Nairobi, Kenya.	Insecticide for the control of stored grain and tobacco pests by fumigation of raw agricultural commodities, processed foods, animal feeds. <u>RESTRICTED CLASS</u>
300.	DETIA GAS Ex-T Tablets (3grams) each	PCPB(CR)0 080	Aluminium Phosphide 57% equivalent to 33% phosphine gas or 1.0% of phosphine gas per tablet	Detia Freyberg Gmbh, Germany.	Chemraw Ltd., P.O. Box 47358, Nairobi, Kenya.	Insecticide for the control of stored grain and tobacco pests by fumigation of raw agricultural commodities, processed foods, animal feeds. <u>RESTRICTED CLASS</u>
301.	DEVISULPH UR WP Wettable Powder	PCPB(CR)0 589	Sulphur 800g/Kg	Arysta Lifescience India Ltd.	Orbit Chemical Industries Ltd.	Fungicide/ insecticide for the control of rust, anthracnose and angular leaf spot on French beans; Powdery mildew and spider mites on snow peas; and Powdery mildew, Early blight and spider mites on tomatoes
302.	DEWKLIN 250 EC	PCPB(CR)1 090-p(ii)	Difenoconazole 250mg/L	Zhejiang Yifan Chemical Co., Ltd., China	Kenagro Suppliers Ltd	Fungicide for the control of powdery mildew and black spots in roses
303.	DIASINA 60 EC Emulsifiable Concentrate	PCPB(CR)0 532	Diazinon 600g/L	Wenzhou Pesticide Factory, China.	Biomedica Laboratories Ltd.	An agricultural insecticide for the control of aphids and whiteflies on Tomatoes
304.	DIAZATE	PCPB(CR)0	Diazinon 540g/L	Ningbo Sunjoy	Osho Chemical	An agricultural insecticide for the control

	540EW Emulsion, Oil in water	815		Agroscience Co. China.	Industries Ltd.	of thrips, aphids, whiteflies and caterpillars on Roses and French beans; Diamond back moth and aphids on kales; thrips, aphids, spidermites and caterpillars on tomatoes and pepper Kale: Proposed PHI =10 days; MRL = 0.05mg/kg Pepper: Proposed PHI =5 days. MRL = 0.05mg/kg Tomatoes: Proposed PHI = 5 days. MRL = 0.5mg/kg
305.	DIAZOL 60EC Emulsifiable Concentrate	PCPB(CR)0184	Diazinon 600g/L	Adama Makhteshim Ltd, Israel.	Amiran (K) Ltd./ <i>Distributor:</i> Farmchem Ltd.	Insecticide for the control of wide range of pests on all major agricultural crops - fruits, vegetables, ornamentals, coffee.
306.	DICOPUR D 720 SL Soluble Concentrate	PCPB(CR)0535	Dimethylamine salt of 2,4-Dichlorophenyl Acetic Acid (2,4-D)-720g/L salt; equivalent to 600g/L acid/L	Nufarm pflanzenschutz GmbH & Co KG, Austria.	Anset International. <i>Distributor:</i> Farmchem Ltd.	A pre-emergence and post emergence herbicide for the control of annual and perennial broad leaved weeds in Maize fields; and for the post-emergence control of broad leaved weeds in coffee and wheat.
307.	DICTATOR PLUS 28.7 EC Emulsifiable Concentrate	PCPB(CR)0571	Propargite 21.2% + Tetradifon 7.5%	China National Chemical Construction Co. / Vapco, Jordan.	Osho Chemical Industries Ltd.	Acaricide for control of mites in Roses, Carnations, Tomatoes.

308.	DIFENOGUS 250 EC Emulsifiable Concentrate	PCPB(CR)1 090	Difenoconazole 250mg/L	Zhejiang Yifan Chemical Co., Ltd., China	Hangzhou Agrochemical E.A Ltd.	Fungicide for the control of powdery mildew and black spots in roses
309.	DIFFERENCE 250 EC Emulsifiable Concentrate	PCPB(CR)1 249	Difenoconazole 250 g/L	Arysta LifeScience Benelux Spri, Belgium	Amiran (K) Ltd	Fungicide for control of Powdery Mildew & Botrytis Roses WHO Class II, Moderately hazardous, yellow color ban
310.	DIGESTER SUPPER 69 EW Emulsion oil in water	PCPB(CR)1 253	Fenoxaprop-p- ethyl 69g/L	Jiangyin Milagro Chemical Co. Ltd, China	Greenlife Crop Protection Africa Ltd	Post-emergence herbicide for the control of annual grass weeds in wheat  WHO Class III Slightly hazardous, Blue colour band  PHI: 70 days MRL (EU): 0.05mg/kg
311.	DIGLYTECH	PCPB(CR)0 301	<i>Diglyhus isaea</i> (parasitic wasp)	Flamingo Horticulture (K) Ltd. Naivasha.	Flamingo Horticulture (K) Ltd. Naivasha.	An indigenous natural enemy for the control of leafminer ( <i>Liriomyza spp.</i> ) in flowers and vegetables.
312.	DIMEKIL 40 EC Emulsifiable Concentrate	PCPB(CR)0 410	Dimethoate 400g/L	Rallis Ltd., India.	Juanco SPS Ltd.	Insecticide for control of aphids, whiteflies, scales, leaf miner on potatoes  <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>

313.	DIMETON 40 EC Emulsifiable Concentrate	PCPB(CR)0 888	Dimethoate 400g/L	Cheminova A/S, Denmark.	Orion E.A. Ltd.	<b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>
314.	DIMILIN 25 WP Wettable Powder	PCPB(CR)0 474	Diflubenzuron 250g/Kg	Arysta LifeScience Netherlands B.V; <b>Additional Formulation Site:</b> Chemark Kft, Hungary.	Arysta LifeScience(K) Ltd.	Insect growth regulator for the control of mosquito larvae in public health, Lepidoptera and diptera pests on vegetables, carnations & mushrooms.
315.	DIMILIN OF-6 Ready for use oil based suspension	PCPB(CR)0 473	Diflubenzuron 60g/L	Arysta LifeScience Netherlands B.V	Arysta LifeScience(K) Ltd.	Insect growth regulator for the control of locusts, armyworm, immature stages of grasshoppers.
316.	DIMIPRID 200SL Soluble Concentrate	PCPB(CR)0 749	Imidacloprid 200g/L	Hubei Sanonda International / Handelsgeellschaft Detlef Von Appen mbH(DVA).	Rockem Ltd.	Insecticide for the control of thrips, aphids and whiteflies in Roses, French beans and snow peas.
317.	DIPEL DF Dry Flowable	PCPB(CR)0 865	<i>Bacillus thuringiensis</i> var <i>kurstaki</i> Strain ABTS-351, 54% w/w + Fermentation solids	Valent Biosciences Corporation.U.S.A.	Safina E.A. Ltd.	A selective biological larvicide for the control of caterpillars ( <i>Helicoverpa armigera</i> , and <i>Spodoptera exigua</i> ) and leaf rollers on Carnations and Roses.

318.	DIPTEREX 95 SP Soluble Powder	PCPB(CR)0 152	Trichlorfon 95% m/m	Bayer Crop Science AG Leverkusen, Germany.	Bayer East Africa Ltd.	Insecticide for the control of armyworm on all crops, for insect pest control in horticultural crops, cereals, oil crops; for control of Antestia Bug, Red Tortrix in coffee. Also for formulating locally Dipterex 2.5 Granules.
319.	DISCOVERY 400 SC Suspension Concentrate	PCPB(CR)1 197	Flusilazole 125g/L + Carbendazim 275g/L	Shaanxi Hengrun Chemical Industry Co. Ltd, China	Greenlife Crop Protection Africa Ltd	Fungicide for control of powdery mildew on Roses and squash; Early blight and Late blight in Tomatoes and yellow rust and stem rust in wheat.  Tomatoes; EU MRL Flusilazole- 0.01mg/kg Carbendazim- 0.3mg/kg PHI: - 21 days  <b>Roses:</b> When spray dries <b>Squash:</b> MRL: Carbendazim: 0.5mg/Kg Flusilazole: 0.02mg/Kg <b>PHI - 7 days</b> To apply on onset of disease. <b>WHO Class III</b> Slightly hazardous Blue Color Band
320.	DISECT 10	PCPB(CR)0	Bifenthrin	UPL Ltd, India.	Farmchem (K)	An insecticide/acaricide for the control of

	EC Emulsifiable concentrate	982	100g/L		Limited	thrips, aphids, whiteflies and spidermites on French beans.  WHO Class II (Moderately hazardous) Yellow Colour Band MRL in French beans-0.5mg/kg PHI = 15 days REI = 12 hrs
321.	DITERA DF Dry Flowable	PCPB(CR)0 919	<i>Myrothecium verrucaria</i> 90%	Valent Biosciences.	Safina (K) Ltd.	Nematicide for use in ornamentals.
322.	DITHANE DG, RAINSHIELD	PCPB(CR)0 432	Mancozeb 750g/Kg	Dow Agrosciences France, Columbia and Brazil.	Lachlan (K) Ltd.	Fungicide for control of rust, leaf spot on french beans, powdery mildew and black spot on Roses.
323.	DITHANE M-45 Wettable Powder	PCPB(CR)0 020	Mancozeb 80% m/m	Dow Agro Sciences Export S.A.S. Africa Middle East, France / Dow Agrosciences Colombia and Brazil / Nantong Dow Agrosciences, China.	Dow Chemical E.A Ltd, Nrb	Fungicide for use on potatoes, tomatoes, tobacco, onions cucumbers, and other horticultural crops.
324.	DITHCHEM 80 WP Wettable powder	PCPB(CR)12 70	Mancozeb 800g/kg	<b>Manufacturer:</b> Hebei Shuangji Chemical Co., Ltd., China; <b>Exporter:</b> Hangzhou Jike Trade Co.,	Chemline (A) Limited	Fungicide for the control of Early and Late Blight in Tomatoes and potatoes MRL: Potatoes-0.2mg/kg Tomatoes-0.05mg/kg



				Ltd		PHI: 14 days  WHO Class III (Slightly hazardous, Blue colour band)
325.	DIUREX 80 WP Wettable Powder	PCPB(CR)0116	Diuron 80% w/w	Adama Makhteshim Ltd, Israel.	Amiran (K) Ltd.	Selective herbicide for the control of germinating broad leaved and grass weeds in sugarcane, pineapples, coffee, cotton, citrus.
326.	DIVIDEND 030 FS Flowable Concentrate for seed treatment	PCPB(CR)0279	Difenoconazole 30g/L	Syngenta Crop Protection AG, Basle, Switzerland.	Syngenta E.A.Ltd., P.O. Box 30393, Nairobi.	Fungicide for the control of seed and soil borne diseases in barley and wheat.
327.	DIVIPAN 100 EC	PCPB(CR)0961	Dichlorvos 100g/L	Adama Makhteshim Ltd., Israel.	Amiran (K) Ltd.	Insecticide for use on coffee.
328.	DIVIPAN 100F Fumigant	PCPB(CR)0628	Dichlorvos 100g/L	Adama Makhteshim Ltd., Israel.	Amiran (K) Ltd.	Insecticide for evaporation for use in green/glass houses to control sucking insects, mites, aphids, thrips in flowers.
329.	DIZON 60 EC Emulsifiable Concentrate	PCPB(CR)0644-p(i)	Diazinon 600g/L	Asiatic Agricultural Industries, Singapore.	Magnetic (K) Ltd.	Insecticide for the control of aphids, Leaf beetle and thrips on French beans, aphids, leafminer, whiteflies and mites in tomatoes, scale in citrus, mealybugs and scales on roses and diamond backmoth

						on brassicas.
330.	DOMAIN 25% EC Emulsifiable Concentrate	PCPB(CR)1 126	Difenoconazole 250g/L	<b>Manufacturer:</b> Shanghai Shengning Pesticides Co. Ltd. China <b>Formulator/Registra nt:</b> Congty TNHH Alfa (Sai Gon) – Vietnam-	Greenlife Crop Protection Africa Ltd	Fungicide for control of powdery mildew on Roses; rust, angular leaf spot, anthracnose on runner bean and French beans, and aschochyta leaf spot on snow peas ; powdery mildew, anthracnose and downy mildew in Capsicum, downy mildew, purple blotch and rust in Onions.  WHO Class U Unlikely to present hazard in normal use, Green color band  REI: When spray dries. <b>Capsicum:</b> EU MRL- 0.8 mg/kg PHI: 7days <b>Onion:</b> EU MRL- 0.5 mg/kg PHI: 7days
331.	DOMARK 40 EW Emulsion Oil In Water	PCPB(CR)0 530	Tetraconazole 40g/L	Isago S.P.A., Italy.	Arysta Lifescience Corporation (K) Ltd.	Fungicide for the control of powdery mildew on Roses; rust in French beans and Early Blight on tomatoes.
332.	DOMINO 40 EC	PCPB(CR)0 352 – <i>p(i)</i>	Dimethoate 400g/L	Cheminova A/S, Lemvig, Denmark.	Laibuta Chemicals Ltd.	Insecticide for control of chewing, sucking & biting insects on coffee, cotton & tobacco.

						<b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>
333.	DRAGNET FT	PCPB(CR)0 657	Permethrin 36.8%	FMC Corporation, USA.	Juanco SPS Ltd.	Termicide for the control of termites on structures, lawns (termite nests).
334.	DUAL GOLD 960 EC	PCPB(CR)0 902	Metolaclo-S 960g/L	Syngenta Crop Protection AG, Switzerland. <b>Additional Formulator;</b> Syngenta Production, Aigues-vives, France	Syngenta E.A. Ltd.	Herbicide for the control of grasses in maize.
335.	DUCASSE 250 EW Emulsion oil in Water	PCPB(CR)1 131	Tebuconazole 250g/L	Ningbo Yihwei Co. Ltd., China	GreenLife Crop Protection Africa Ltd.	Fungicide for control of Rust, Angular leaf spot, Anthracnose on French beans; Early blight in Tomatoes; leaf and stem rust in wheat. MRL (EU) 0.2 mg/kg PHI: 30days WHO Class II Moderately hazardous, Yellow color band <u>French beans</u> MRL: 0.14mg/Kg PHI: 14days <u>Tomatoes</u> MRL: 0.1mg/Kg PHI: 7days
336.	DUDUTHRIN 1.75EC Emulsifiable	PCPB(CR)0 481	Lambda- cyhalothrin 17.5g/L	Syngenta UK, Ltd.	Twiga Chemical	A contact insecticide for the control of Diamond blackmoth and aphids in cabbages and kales; sucking and chewing

	Concentrate				Industries Ltd.	insects in beans and tomatoes; aphids, thrips and whiteflies in roses; aphids in wheat and barley; maize stalk borer and army worms in maize.
337.	DUDUTHRIN SUPER Emulsifiable Concentrate	PCPB(CR)0 816	Lambda-cyhalothrin 50g/L	Ningbo Sunjoy Agrosience Co. China.	Twiga Chemical Industries Ltd.	Insecticide to control; -Thrips, aphids, whiteflies, Squash vine borer & cucumber beetle on squash; -thrips, aphids, whiteflies & caterpillars on Roses; -thrips, aphids, whiteflies & caterpillars on French beans; -thrips, aphids & whiteflies on Tomatoes.
338.	DURSBAN 4 EC	PCPB(CR)0 021	Chlorpyrifos 480g/L or 40.8% m/m	Dow Agro Sciences Export S.A./ Middle East / East Africa. <i>Additional Source:</i> Dow Agro Sciences India PVT. Ltd	Lachlan (K) Ltd.	Insecticide for use on cotton, coffee, vegetables (soil treatment); for locust and armyworm control, for public health use as larvicide only (but not for the control of adult mosquito); for maize stalk borer control, coffee leaf miner control.  <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>
339.	DYNAMEC 1.8 EC Emulsifiable	PCPB(CR)0 172	Abamectin 18g/L	Syngenta Crop Protection AG, Netherlands.	Syngenta East Africa Ltd., P.O. Box	Insecticide/Miticide for the control of mites, leaf miners on ornamentals/ flowers; French beans and snow peas.

	Concentrate			Additional Manufacturer: (i). North China Pharmaceutical Group Aino Co.Ltd (AINO), Shijiazhuang, Hebei, China;  (ii). Shandong Qilu King-Phar Pharmaceutical Co., Pingyin, Jinan, China.	30393, Nairobi.	
340.	DYNAMITE 150EC Emulsifiable Concentrate	PCPB(CR)0 731	Pyridaben 150g/L	Ningbo Sunjoy Agroscience Co. Ltd. China.	Agrosolutions Ltd.	Insecticide/acaricide for the control of spider mites and whiteflies on Roses and tomatoes. <b>Tomato:</b> EU MRL- 0.3 mg/kg PHI- 3 days
341.	EAGLE 200 EC	PCPB(CR)1 089-p(i)	Amitraz 200g/L	Jiangyin Milagro, China	Greenlife Agroscience (E.A) Ltd.	Miticide for the control of spidermites on roses and carnations
342.	EAST TRAP 4% G Granules	PCPB (CR)1287	Cartap Hydrochloride 40g/Kg	<b>Manufacturer:</b> Jiansu Tianrong Group Co. Ltd., China <b>Formulator/registrant:</b> Sinochem Shanghai Co. Ltd., China. <b>Additional Formulation Site:</b>	East African Business Co. Ltd	Insecticide for the control of thrips on roses; root borer, shoot borer, leaf borer and gall midge in rice CODEX MRL = 0.1 mg/kg <b>PHI:</b> 21 days

				Nanjin Essence-Chemical Co. Ltd, China.		
343.	EAZOLE 250 EC Emulsifiable Concentrate	PCPB(CR)0 867	Tebuconazole 250g/L	Ningbo Sunjoy Agroscience Co. Ltd., China.	Packwell Industries Ltd.	Fungicide for the control of leaf, stem and yellow rust of Wheat; Rust angular leaf spot and anthracnose on French beans.  EU MRL – 2.0 mg/kg PHI – 14 days WHO Class V Green Colour band MRL wheat = 0.05mg/kg PHI = 36 days
344.	EBENDAZOLE 50 SC Suspension Concentrate	PCPB(CR)0 987	Thiabendazole 500g/L	Ningbo Sunjoy Agroscience Co. Ltd., China.	Packwell Industries Ltd.	Systemic fungicide for the control of botrytis and downy mildew in Roses. WHO Class II Yellow colour band Moderately hazardous REI – after drying of the spray (12 hrs)
345.	EDIMEFON 25 WP	PCPB(CR)1 033	Triadimefon 250g/Kg	Ningbo Sunjoy Agroscience Co, China	Agent: Evergreen Chemicals	A systemic fungicide for the control of powdery mildew on Roses. WHO Class U- products unlikely to present acute hazards in normal use Green Colour Band REI: 12 hrs

346.	EDIZOLE 250 EC Emulsifiable Concentrate	PCPB(CR)0 882	Difenoconazole 250g/Kg	Ningbo Sunjoy Agroscience Co, China	Prestige Packaging Ltd.	Fungicide for the control of powdery mildew & black spots on Roses REI – 6 hrs
347.	EFENTEZINE 50 SC Suspension Concentrate	PCPB(CR)0 702	Clofentezine 500g/L	Ningbo Sunjoy Agroscience Co, China	Packwell Industries Ltd.	Miticide for the control of eggs and young motile stages of red spidermites on Roses.
348.	ELTHRIN 2.5 EC Emulsifiable Concentrate	PCPB(CR)1 011	Deltamethrin 25g/L	Ningbo Sunjoy Agroscience Co, China	Gordhandas Dharamshi & Brothers Ltd.	Insecticide for the control of thrips & whiteflies on Roses. WHO Class II, Moderately hazardous, Yellow Colour Band REI – 6hrs or after drying of spray
349.	EMALAXYL 68 WP Wettable Powder	PCPB(CR)0 862	Metalaxyl 40g/Kg Mancozeb 640g/Kg	Ningbo Sunjoy Agroscience Co, China	Evergreen Chemicals Ltd.	Fungicide for control of downy mildew on Roses; Early & late blight on Potatoes Rate: 2.5kg/ha every 7 days WHO Class III Blue Color Band PHI – 14days MRL – Potatoes – Metalaxyl – 0.05mg/Kg - Mancozeb – 0.2mg/Kg REI – Roses – 24hrs.
350.	EMERALD 200 SL Soluble Liquid	PCPB(CR)1 082	Imidacloprid 200g/L	Shandong United Pesticide Industry Co. Ltd., Jinan, China	Greenlife Crop Protection Africa Ltd.	Insecticide for control of aphids, thrips and whiteflies in roses, French beans and basil; aphids, thrips, whiteflies and mealybugs in cabbage and termites in wood.

						<p>REI: when spray dries.</p> <p><b>French beans:</b> MRL 2mg/Kg PHI - 8 days Applied at first sign of insect attack upto flowering before pod development in French beans.</p> <p><b>Cabbage</b> EU MRLs: Imidacloprid- 0.5 mg/kg PHI- 14 days</p> <p><b>Basil:</b> EU MRLs: Imidacloprid- 0.5 mg/kg PHI- 7 days</p> <p>WHO Class III Slightly hazardous Blue colour band.</p>
351.	EMERALD Gold 700WP Wettable Powder	PCPB(CR)1 166	Imidacloprid 700g/Kg	Shandong United Pesticide Industry Co. Ltd, China	Greenlife Crop Protection Africa Ltd	<p>Insecticide for control of Thrips, Whiteflies &amp; Aphids on French beans: Aphids, diamond back moth, thrips and whiteflies on cabbages; thrips, aphids and whiteflies on roses.</p> <p>MRL - 2mg/Kg PHI -7 days To be applied upto flowering before pod setting</p>
352.	EMIPHOS 40% EC	PCPB(CR)0 729	Fenamiphos 400g/L	Ningbo Sunjoy Agroscience Co, China	Gordhandas Dharamshi &	A systemic nematicide for the control of root-knot nematodes on Roses through



	Emulsifiable Concentrate				Bros. Ltd.	drip irrigation. <b>RESTRICTED CLASS</b>
353.	EMTHANE-45 WP Wettable Powder	PCPB(CR)0740	Mancozeb 800g/Kg	Sabero Organics Ltd., India	Amiran (K) Ltd.	Fungicide to control late and early blight on Tomatoes & Potatoes
354.	ENCARTECH	PCPB(CR)0302	<i>Encarsia formosa</i> (parasitic wasp) Min. 2000 adult parasitic wasps/400ml	Flamingo Horticulture (K) Ltd., Naivasha.	Flamingo Horticulture (K) Ltd., Naivasha.	An indigenous natural enemy for the control of whiteflies ( <i>Trialeurodes spp.</i> ) on flowers and vegetables.
355.	ENGEO 247 SC Suspension Concentrate	PCPB (CR)1295	Thiamethoxam 141 g/L+ Lambda-cyhalothrin 106 g/L	Manufacturers: <i>Thiamethoxam</i> - Syngenta India Ltd, DSM Fine Chemicals, Austria, AlzChem Trostberg GmbH, Germany, Pyosa S.A. de C.V., Mexico <i>Lambdacyhalothrin</i> - Syngenta Huddersfield Manufacturing Center, UK, Youth Chemical Co Ltd., China Formulators: Syngenta Agro S.A.S., France,	Syngenta East Africa Ltd	Insecticide for the control of Mealybugs, aphids and whiteflies Roses & aphids caterpillars and whiteflies on Tomatoes; aphids on cabbage. Cabbage: EU MRL: Thiamethoxam: 5.0 mg/kg Lambda-cyhalothrin: 0.2 mg/kg PHI: 3 days MRL: Tomatoes- 0.2mg/kg PHI: Tomatoes- 5 days <b>WHO Class II</b> , moderately hazardous;

				Syngenta Protecao dos Cultivos Ltda, Brazil Registrant Syngenta Crop Protection AG, Switzerland.		yellow colour band
356.	ENRICH BM Wettable Powder	PCPB(CR)0 995	Bronopol 27% w/w	T. Stanes & Company, India.	Osho Chemical Industries Ltd.	An agricultural bactericide for the control of bacterial wilt in tomatoes and potatoes, halo blight in French beans and bacterial soft rot in brassicas.
357.	ENTONEM Larvae in inert carrier material	PCPB(CR)1 215	<i>Steinernerma feltiae</i> 50 x 10 <sup>6</sup> larvae /10g	Koppert B.V. Netherlands	Koppert Biological Systems (K) Ltd.	Entomopathogenic nematode for the control Sciarid flies in Eustoma (Lisianthus) <i>WHO Classification is not applicable for Biopesticides.</i>
358.	ENVY 72 WP Wettable Powder	PCPB(CR)1 156	Metalaxyl 80g/Kg + Mancozeb 640 g/kg	Yifan Biotechnology Group Co., Ltd, China.	Topserve (EA) Ltd	Fungicide for control of downy mildew on Roses, Early Blight & Late Blight on Tomatoes.  <u>MRL</u> : Tomatoes – Metalaxyl 0.04mg/kg Mancozeb: 0.38mg/Kg  <u>PHI</u> – 3 days WHO Class III, Slightly hazardous Blue colour band

359.	EPHATE SP Soluble Powder	PCPB(CR)0884	Acephate 750g/l	Ningbo Sunjoy Agrosience Co, China	Gordhandas Dharamshi & Brothers	Insecticide for the control of thrips, aphids, whitefly, nymphs on Roses. WHO Class III Blue Color Band Slightly hazardous REI = 6hrs
360.	EPITOME 200 SL	PCPB(CR)1082- <i>p(i)</i>	Imidacloprid 200g/L	Shandong United Pesticide Industry Co. Ltd., Jinan, China	Greenlife Agrosience (E.A) Ltd.	Insecticide for control of aphids, thrips and whiteflies in roses. Class III: Slightly Hazardous (Blue Colour Band) REI: when spray dries
361.	EPITOME ELITE 500 SP Soluble powder	PCPB(CR)1413	Thiocyclam Hydrogen Oxalate 480 g/kg + Imidacloprid 20 g/kg	Jiangsu Tianrong Group Co. Ltd, China	Greenlife Crop Protection Africa Ltd	Insecticide for control of mealy bugs on roses WHO Class II Moderately hazardous Yellow color band
362.	EPROMETHRIN 440 EC Emulsifiable Concentrate	PCPB(CR)1178	Profenofos 400g/L + Cypermethrin 40g/L	Ningbo Sunjoy Agrosience Co, China	Packwell Industries Ltd	Insecticide for the control of spider mites & caterpillars ( <i>Spodoptera exigua</i> ) in Roses.  WHO Class II Moderately hazardous Yellow Colour band  REI: When spray dries
363.	EPYRIFOS Emulsifiable	PCPB(CR)0450 - p(iii)	Chlorpyrifos 480g/L	CHEMINOVAAS, Denmark	Elgon Kenya.Ltd	Insecticide for the control of antestia bugs in coffee, thrips, aphids &

	Concentrate					whiteflies on roses; aphids, scaly insects & termites on tea; NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES.
364.	EQUATION PRO	PCPB(CR)0344	Famoxadime 225g/Kg + Cymoxanil 300g/L	Du Pont De Nemours, France.	<b>Agent:</b> DDP Agrosience (K) Ltd.	A broad spectrum & penetrating fungicide against early and late blights on potatoes; late blight on tomatoes. Downy mildew on snow peas/ sugar snaps, onions and ornamentals; powdery mildew on cucurbits, bean rust, bean anthracnose and angular leaf spot on French beans.
365.	ERASER MAX 480 SL Soluble Concentrate	PCPB(CR)0513	Glyphosate IPA Salt 480g/L	Makhkeshim Agan, Israel.	Farmchem (K) Limited	A non-selective post emergence herbicide for control of broad leaf weeds and grasses in zero/minimum tillage and annual and perennial weeds in coffee.
366.	ERCAL	PCPB(CR)0748	<i>Eretmocerus eremicus</i> 85-100 pupae per card	Koppert B.V. Netherlands.	Koppert (K) Ltd., Nairobi.	A biological control agent for the control of whiteflies ( <i>Trialeurodes vaporariorum</i> and <i>Bemisia tabaci</i> ) in green houses
367.	ESCORT 19 EC Emulsifiable Concentrate	PCPB(CR)1116	Emamectin benzoate 19g/L	Jiangsu United Agrochemical Co. Ltd., China <i>Exporter:</i> Nanjing Agrochemical Co. Ltd., China	Greenlife Crop Protection Africa Ltd.	Insecticide/ miticide for control of Diamond back moth on cabbages; thrips, spider mites and caterpillars on French beans, and Roses; Cabbages; thrips on Onions, Capsicum and Tomatoes. <b>Onion:</b> EU MRL: 0.01 mg/kg

						<p>PHI: 3 days  <b>Capsicum:</b>          EU MRL: 0.02 mg/kg          PHI: 7 days MRL: 0.1mg/Kg          PHI; 14 days French beans; MRL;          0.01mg/Kg PHI; 7 days          REI: Roses when spray dries          WHO Class III blue color code          (moderately hazardous).</p>
368.	ESETYL WP Wettable Powder	PCPB(CR)0 716	Fosetyl aluminium 800g/kg	Ningbo Sunjoy Agroscience Co, China	Elgon Chemical Ltd.	Fungicide to control downy mildew on Roses.
369.	ETHOATE	PCPB(CR)0 352-p(iv)	Dimethoate 400g/L	Cheminova A/S, Denmark.	Pytech Chemicals GMBH. <i>Distributor:</i> Elgon (K) Ltd.	Insecticide for control of chewing, sucking & biting insects on coffee, cotton, flowers & tobacco <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>
370.	ETHOFIN SC Suspension Concentrate	PCPB(CR)0 975	Ethoboxam 100g/L	Toll Manufacturer: L.G. Lifesciences Ltd., South Korea Registrant: Summit Agro, Japan.	Sumitomo Corporation, Liaison Office, Nairobi.	Fungicide for the control of downy mildew in Roses; Early & Late blight on Tomatoes. WHO Class U, Green colour band MRL –Tomatoes-2ppb, PHI – 21 days REI – Roses – 4hrs
371.	ETHREL SL 480	PCPB(CR)0 587	Ethephon 480g/L	Chemie GmbH, Germany / Bayer Crop	Bayer East Africa Ltd.	Plant Growth regulator for use in ratoon pineapples to induce ripening of fruits.

	Soluble Concentrate			Science, France.		
372.	EUPIRIMATE 25 EC Emulsifiable Concentrate	PCPB(CR)0 876	Bupirimate 250g/L	Ningbo Sunjoy Agroscience Co, China	Elgon Kenya Ltd.	Fungicide for the control of powdery mildew in Roses. WHO Class III Moderately Hazardous Yellow Colour Band REI –Roses = 6hrs
373.	EUREKA 80 WP Wettable Powder	PCPB(CR)1 204- <i>p(i)</i>	Mancozeb 800 g/kg	Ningbo Yihwei Chemicals Co. Ltd., China	Sineria Kenya Limited	Fungicide for control of Downy mildew on Roses.  <b>WHO Class III</b> Slightly hazardous Blue Colour band REI= When spray dries
374.	EVERTOX 25 WP Wettable Powder	PCPB(CR)0 691	Diflubenzuron 250g/kg	Ningbo Sunjoy Agroscience Co, China	Evergreen Chemicals Ltd.	Insecticide for the control of <i>Lepidoptera</i> (leaf eating insects) and <i>diptera</i> pests on roses.
375.	EVERTRAP 50 SP Soluble Powder	PCPB(CR)0 993	Cartap Hydrochloride 500g/L	Ningbo Sunjoy Agroscience Co, China	Evergreen Chemicals Ltd.	Insecticide for the control of caterpillars on Roses and Tomato.  WHO Class II Moderately hazardous Yellow Colour Band MRL – Tomatoes 0.1mg/Kg PHI – 14 days

						REI – Roses –after drying of spray (12 hrs)
376.	EVIK 500 SP Water Soluble Powder	PCPB(CR)1086	Thiocyclam Hydrogen Oxalate 50% w/w	Jiangsu Tianrong Group Co. Ltd., China/ Ningbo Sunjoy Agrosience Co, China	Agrosolutions Ltd.	Insecticide for control of thrips on carnations.
377.	ETHYLBLOC SACHET Vapor releasing product	PCPB(CR)1431	1-methylcyclopropane (1-MCP) 0.014%	<b>Manufacturer:</b> Rohm and Haas Company, USA <b>Formulator:</b> Rohm and Haas Europe Trading ApS, Division AGroFresh, France <b>Registrant:</b> Floralife USA	Oasis Floralife Africa Ltd	Post-harvest plant growth regulator to prevent negative effects of ethylene in Carnations  WHO Class U, Unlikely to present hazard in normal use, Green color band
378.	EVISECT S Water soluble powder	PCPB(CR)0202	Thiocyclam 50% w/w of thiocyclam-hydrogenoxalate	Nippon Kayaku Co.Ltd., Japan.	Arysta Lifescience Corporation (K) Ltd., P.O. Box 30335, Nairobi.	Insecticide for the control of leaf miners, aphids, thrips on horticultural crops and flowers; for the control of Tuta absoluta in tomatoes and mealybugs in roses.
379.	EXEMPO 500 SC	PCPB(CR)1084-p(i)	Carbendazim 500g/L	Ningbo Yihwei Chemical Co. Ltd., China	Greenlife Agrosience (E.A.) Ltd.	Fungicide for of botrytis (botrytis cineria) on roses.
380.	EXEMPO-CURVE 250 SC	PCPB(CR)1266	Epoxiconazole 125 + Carbendazim	<b>Registrant/Formulator:</b> Ningbo Yihwei chemicals Co. Ltd,	Greenlife Crop Protection Africa Ltd.	Fungicide for the control of Rust and Ring spot on Carnations; Early blight and tomato leaf mold on Tomatoes; rust,

	Suspension concentrate		125 g/L	China  <i>Manufacturer:</i> <i>Epoxiconazole:</i> Yihwei chemicals Co. Ltd, China <i>Carbendazim:</i> Anhui Guangxin Agrochemical Co. Ltd, China		angular leaf spot and anthracnose on French beans; Alternaria leaf spot on Broccoli; stem rust in barley, yellow rust and stem rust in wheat. <b>Wheat:</b> EU MRLs: Epoxiconazole- 0.6mg/kg Carbendazim- 0.1mg/kg PHI- 56days. <b>Barley:</b> EU MRLs: Epoxiconazole- 1.5mg/kg Carbendazim- 2.0mg/kg PHI- 56days. <b>French beans:</b> Epoxiconazole- 0.05 mg/kg Carbendazim-0.02 mg/kg PHI- 21 days <b>Broccoli</b> Epoxiconazole- 0.05mg/kg Carbendazim- 0.1mg/kg PHI-21 days <b>Tomatoes</b> Epoxiconazole-0.05 mg/kg Carbendazim- 0.3 mg/kg PHI-21 days
381.	EXPLORER 0.3 SL Soluble Liquid	PCPB(CR)1 220	Eugenol 3g/L	Manufacturer: Shandong A & Fine Agrochemicals Co., Ltd., China	Greenlife Crop Protection Africa Ltd	Fungicide for the control of grey mold in tomatoes, and botrytis blight on French beans; powdery mildew in roses; downy mildew, purple blotch and rust in Onions, powdery mildew, anthracnose in capsicum



				Exporter: Ningbo Yihwei Chemicals Co., Ltd., China		and powdery mildew, downy mildew, anthracnose and rust in snowpeas, powdery mildew, downy mildew and anthracnose in parsely, powdery mildew, downy mildew, angular leafspot, rust and anthracnose in chives and basil.  <b>French beans &amp; Tomatoes: MRL: -</b> 0.5mg/kg PHI: 1 day  WHO Class III Slightly hazardous Blue color band.
382.	ECO-T Wettable Powder	PCPB(CR)0 852	<i>Trichoderma harzianum</i> Strain k.d. ( <i>Hyphomycetes</i> fungus) 2x10 <sup>9</sup> spores	Plant Health Products (Pty) Ltd., South Africa.	Madumbi East Africa Ltd.	Fungicide for the control of root disease causing organisms and to enhance plant growth on Statice, Carnations, Lisianthus & French beans.
383.	FAGILIA SL Soluble Concentrate	PCPB(CR)0 684	Glyphosate IPA Salt 480 g/L	Nantong Jiangshan Agrochemicals CO. Ltd., China.	Biomedica Laboratories Ltd.	Herbicide for the control of annual and perennial weeds in pastures, zero- minimum tillage.
384.	FANTIC M 4- 65 WG Water Dispersible Granules (WG)	PCPB(CR)1 054	Benalaxyl M 40g/kg + Mancozeb 650g/kg	Benalaxyl M- Isagro Asia, India Mancozeb- Dow AgroSciences Ltd.-UK <b>Formulator &amp; Registrant: Isagro</b>	Twiga Chemical Industries Ltd.	Fungicide for the control of Early & Late Blight in Tomatoes; downy mildew & Botrytis on onions; Early & Late Blight on potatoes; Downy mildew in Roses. <b>WHO Class U</b>

				<p>S.p.A, Milano Italy <b>Plants</b> 1) Isagro S.p.A, Milano Italy 2) Adria, Aprilia, Ravenna(STI Solfotecnica Italiana) 3) Taminco N.V-Belgium 4) Sipcam Isagro Brasil S.A-Brazil 5) Isagro Asia, India</p>		<p>Green color band, caution <b>PHI:</b> Tomatoes: 14days Onions: 28 days Potatoes: 14 days <b>MRLs</b> Tomatoes: 0.2mg/kg Onions: 0.2mg/Kg Potatoes: 0.05mg/Kg</p>
385.	FARM – X 2.5EC	PCPB(CR)0 841 – <i>p(i)</i>	Deltamethrin 25g/L	Makhteshim chemical works, Israel.	Farmchem (K) Limited.	Insecticide to control Thrips, aphids and caterpillars on flowers; and for the control of thrips, aphids & whiteflies on snow peas & French beans. Rate: 0.5l/Ha.
386.	FARMCHAN CE 250 EC Emulsion Concentrate	PCPB(CR)1 403	Fosthiazate 250g/L	<p>Jiangsu Jialong Chemical Co. ltd China  <i>Formulator:</i> Farmagro S.A Ecuador</p>	Greenlife Crop Protection Ltd	<p>Nematicide for the control of nematodes on Roses  REI: 12 hours  WHO Class II Moderately hazardous; Yellow color band</p>

387.	FARMCOZEB 75WG Water dispersible granules	PCPB(CR)0 978	Mancozeb 750g/Kg	UPL Ltd., India.	Farmchem Ltd.	Fungicide for the control of Early & Late Blight in Tomatoes & Potatoes. WHO Class III Slightly hazardous Blue colour band MRL – 0.2mg/kg PHI – 3 days
388.	FASTAC 10 EC Emulsifiable Concentrate	PCPB(CR)0 167	Alpha- cypermethrin 100g/L	BASF Agri, France.	BASF E.A Ltd., Nairobi. <i>Distributor:</i> Topserve East Africa Ltd./ Elgon Kenya Ltd.	Insecticide for use on coffee for cottony cushion scale and leaf miner control; Bean flower thrips control in beans; against caterpillars in flowers.
389.	FEDOTHION 50 EC Emulsifiable Concentrate	PCPB(CR)0 427	Malathion 50%	Cheminova A/S, Denmark.	Fedo Agencies.	Insecticide to control Diamond-back moth and Aphids on cabbages and Thrips on French beans.
390.	FENOMEN 400EC Emulsifiable Concentrate	PCPB(CR)0 984	Fenamiphos 400g/L	Fluence Topfen, China / Sineria Industries, Cyprus.	Amiran (K) Ltd.	An agricultural nematicide for the control of nematodes in roses by drenching. <b>RESTRICTED CLASS</b>  WHO CLASS1a - Extremely hazardous Red colour band REI- when the spray dries

391.	FENOXA 6.9 EW Emulsion in water	PCPB(CR)1 118	Fenoxaprop-P- ethyl 69g/L	Jiangsu Flag Chemical Co. Ltd, China/ Sineria Industries Ltd, Cyprus	Aguzii Ltd	Post emergence herbicide for control of grass weeds in French beans WHO Class III Slightly hazardous Blue colour band MRL: 0.02mg/Kg PHI: 7 days
392.	FEZAN 250 EW Emulsion Oil in Water	PCPB(CR)1 073	Tebuconazole 250g/L	<b>Manufacturer:</b> Astec Lifesciences. Ltd, India <b>Formulator/Registrant</b> : Sipcam S.P.A Italy	Sipcam E.A Ltd.	Fungicide for control of stem rust, yellow rust and Septoria spp in wheat; Rust in French beans EU MRL = 2 mg/kg
393.	FINAL FLIGHT 25 WG Water dispersible granules	PCPB(CR)1 392	Thiamethoxam 250g/kg	<b>Manufacturer/Formu lator:</b> GSP Crop Science Private Limited, India	Osho Chemicals Industries Limited	Insecticide for the control of white flies, aphids and thrips on roses; cucumber beetle, whiteflies and leaf miner on courgette; cutworms and aphids in cabbage, thrips, whiteflies, aphids and leafminer in pepper, aphids, thrips, whiteflies & leaf miners in French beans; for the control of aphids and thrips on tomatoes.  REI: 4 Hours <b>Cabbage:</b> EU MRL=0.02mg/kg PHI= 3 days

						<p><b>Pepper:</b> EU MRL- 0.7 mg/kg PHI= 3 days</p> <p><b>French beans:</b> EU MRL -0.3 mg/kg PHI= 3 days</p> <p><b>Courgette:</b> EU MRL- 0.5 mg/kg PHI- 3 days</p> <p><b>Tomatoes:</b> EU MRL- 0.5mg/kg PHI-7 days</p> <p><b>WHO Class III</b> ,Slightly hazardous; Blue Color Band</p>
394.	TARGET TOP 325 SC Suspension Concentrate	PCPB(CR)14 72	Azoxystrobin 200 g/L + Difenoconazole 125 g/L	Jiangxi Zhonghe Chemicals Co. ltd, China	Best field East Africa Ltd	<p>Fungicide for control of powdery mildew in roses; yellow rust and stem rust in wheat.</p> <p><b>Wheat:</b> EU MRL: Azoxystrobin - 0.5mg/kg Difenaconazole - 0.1mg/kg</p> <p>PHI- 35 days REI: 6hrs WHO Class III Slightly Hazardous; Blue color Band</p>

395.	FINISH 540 SC Suspension Concentrate	PCPB(CR)1 332	Ethephon 480g/L + Cyclanilide 60 g/L	<b>Manufacturer</b>  Ethephon : Bayer plants in CBW Chemie GmbH Germany: Rhodia Inc U.S.A ; Cyclanilide Bayer cropsience U.S.A/  <b>Formulator:</b> Isagro (Italy)  Location of formulation site in Brazil; Repacking for export done in Turkey.	Bayer East Africa Ltd.	Plant growth for use in pineapples to induce sucker production from parent pseudostems for propagation.  MRLs: 0.05mg/kg  WHO class II moderately hazardous.  Yellow color band
396.	BELL ACETAMIPRI D TK	PCPB(CR)1 504	Acetamiprid	Hailir Pesticide and Chemical Group Co Ltd , China	Bell industries Ltd	Technical material for formulation purposes
397.	FIRE ALL 480SL Soluble Liquid	PCPB(CR)1 052-p(ii)	Glyphosate acid 360g/L (as Isopropylamine salt 480g/L)	Jiangsu Qiaoji Biochem co., China. <i>Exporter:</i> Shangai Qiaoji International Co. Ltd, China.	Mutuchem Enterprises Ltd	A post emergence, non selective herbicide for the control of grasses and broad leaved weeds in non cropped areas. WHO Class II Moderately hazardous Yellow Colour Band MRL and PHI are not applicable in non cropped areas.

398.	FLINT 50 WG Water Dispersible Granules	PCPB(CR)0 271	Trifloxystrobin 500g/L	Bayer AG Germany	Bayer East Africa Ltd.	Fungicide for use in the control of powdery mildew on Roses, grapes, pigeon pea and French beans; rust on carnations and French beans; and leaf spot on French beans.
399.	FLORAMITE 240 SC Suspension Concentrate	PCPB(CR)0 512	Bifenazate 240g/L	Crompton Manufacturing. <i>Registrant:</i> Arysta Lifescience (Kenya).Ltd. <i>Additional Formulator:</i> Chimac Sprl, Belgium.	Arysta Lifescience (Kenya).Ltd. P.O. Box 30335-00100, Nairobi, Kenya.	Agricultural miticide/ acaricide for control of spidermites on Roses & Carnations.
400.	FLORISSANT 100 Liquid	PCPB(CR)0 922	Silver nitrate 1.8% + Sodium thiosulphate 20%	Laboratorium Van der Sprong, Netherlands./ Enhold B.V. The Netherlands.	<i>Agent/Distribut or:</i> Elgon Kenya Ltd.	Post harvest use in cut flowers, blocks ethylene production which is responsible for the ageing of the flowers.
401.	FLORISSANT 2000	PCPB(CR)0 923	Benzalconium 1% + 64% Aluminium sulphate	Florissant Laboratories, Netherlands.	Elgon Kenya Ltd.	A horticultural bactericide for post harvest treatment of cut flowers (Roses).
402.	FLORISSANT 210 Liquid	PCPB(CR)0 924	Gibberelic acid 4%	Laboratorium Van der Sprong, Netherlands / Enhold B.V. The Netherlands.	Elgon Kenya Ltd.	Post harvest use in cut flowers, prevents leaves from yellowing, produces full bloom.

403.	FLORISSANT 400 C Liquid	PCPB(CR)0 925	Bentazolcomun chloride 50%	Laboratorium Van der Sprong, Netherlands / Enhold B.V. The Netherlands.	Elgon Kenya Ltd.	Post-harvest use in cut flowers - produces full bloom and prolongs flower life.
404.	FLORISSANT 500 Tablets	PCPB(CR)0 926	Chloramine-t 75% w/w	Laboratorium Van der Sprong, Netherlands / Enhold B.V. The Netherlands.	Elgon Kenya Ltd.	Post-harvest use in cut flowers, improves water intake and keeps water free from bacteria.
405.	FLOSUL PLUS	PCPB(CR)0 270	Sulphur 800g/L	Sulphur Mills, India.	Osho Chemical Industries Ltd.	Fungicide to control powdery mildew on Roses and vegetables; Rust in carnations. REI: 12 Hours
406.	FLOWER DS EC Emulsifiable Concentrate	PCPB(CR)0 835	Pyrethrins 4%	Pyrethrum Board of Kenya / KAPI Ltd.	KAPI Ltd.	Insecticide for control of aphids and white flies in Runner beans; flower thrips and aphids in Snow peas; aphids, whiteflies and thrips in French beans; aphids in Mangetout and aphids in Roses, thrips on Chives.
407.	FLYEE 720WP	PCPB(CR)1 512	Mancozeb 680g/kg+ Cymoxanil 80g/kg).	Nantong Baoye Chemical Co Ltd, China	Bio-Medica Laboratories Ltd	Fungicide for control of downy mildew on roses
408.	FOERTA 200 SC Suspension Concentrate	PCPB(CR)1 127	Fenazaquin 200g/L	Hangzhou Trading Co. Ltd, China	Sineria Kenya Limited	Miticide for control of Red spider mites on Roses. WHO Class II (Moderately hazardous, Yellow color band) REI: When spray dries
409.	FOLICUR	PCPB(CR)0	Tebuconazole	Bayer AG Germany.	Bayer East	Broad spectrum systemic fungicide for



	250 EW Emulsion oil in Water	308	250g/L	<b>Additional Formulator:</b> Bayer CropScience, Turkey.	Africa Ltd.	control of fungal diseases in barley, wheat, vegetables, grapes, legumes.
410.	FOLIMAT 500 SL Soluble Concentrate	PCPB(CR)0 089	Omethoate 500g/L or 47.5% m/m	Arysta LifeScience Corporation, Japan.	Arysta Lifescience Corporation (K) Ltd.	Insecticide for use in coffee & ornamentals/flowers. <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>
411.	GODDARD 35 SE	PCPB(CR)1 461	Propiconazole 7% w/w+ Carbendazim 25% w/w	Shanghai Forever Chemicals Co. Ltd., China	Greenlife Agrosceince (EA) Ltd.	Fungicide for the control of Phytophthora blight in capsicum, Late blight of tomatoes; powdery mildew on roses, yellow rust in wheat.  WHO Class III, Slightly hazardous, Blue color band.  <b>Wheat</b> EU MRL- Propiconazole- 0.04 mg/kg Carbendazim -0.1mg/kg  <b>Capsicum:</b> PHI: 3 days MRL: Carbendazim- 0.1 mg/kg

						Propiconazole- 0.05 mg/kg <b>Tomatoes:</b> PHI: 2 days MRL: Carbendazim- 0.3 mg/kg Propiconazole- 3.0 mg/kg
412.	FOLIO GOLD 537.5 SC Suspension Concentrate	PCPB(CR)0 903	Metalaxyl-M 37.5g/L + Chlorothalonil 500g/L	Syngenta Crop Protection Ag, Basle Switzerland. <i>Additional Manufacturing Sites:</i> GB Biosciences, Green Bayou, USA; SDS Biotech, K.K Yokohama Japan; Jiangsu Xinhe Agrochemical Co ltd, China; Suli China Jiangyin Suli Fine Chem, China.	Syngenta E.A. Ltd.	Fungicide for control of downy mildew on Roses, Early blight and Late blight in tomatoes. <b>Tomatoes</b> EU MRLs- Metalaxyl-M : 0.2mg/kg Chlorothalonil:6mg/kg PHI- 3 days
413.	FOLPAN 50 SC Suspension Concentrate	PCPB(CR)0 537	Folpet 500g/L	Adama Makhteshim Ltd., Israel.	Amiran (K) Ltd.	Fungicide for control of downy mildew on Roses
414.	FOLPAN 50WP Wettable	PCPB(CR)0 846	Folpet 500g/L	Adama Makhteshim Ltd, Israel.	Amiran (K) Ltd.	Fungicide for the Control of late blight on Tomatoes.

	Powder					
415.	FONIUM 800 WG Water Dispersible Granules	PCPB(CR)1 188	Fosetyl- Aluminium 800 g/kg	Kings Chemicals Company Limited, China	Agent/Distribu tor: Agrichem Africa Limited	Fungicide for control of Downy mildew in Roses; and botrytis in carnations. <b>WHO Class III</b> Blue color band Slightly hazardous <b>REI:</b> when spray dries
416.	FORTRESS GOLD 72 WP Wettable Powder	PCPB(CR)1 136	Mancozeb 640g/Kg + Cymoxanil 80g/Kg	Agria SA, Bulgaria	Greenlife Crop Protection Africa Ltd	Fungicide for the control of downy mildew on Roses; Early and Late Blight on Tomatoes and Potatoes.  WHO Class III Slightly hazardous Blue colour band MRL - 0.1mg/kg PHI - 14days for Potatoes & Tomatoes. REI-Roses: When the spray dries
417.	FORTUNE Flowable Concentrate for seed treatment	PCPB(CR)0 558 -p(i)	Imidacloprid 350g/L	Rotam Agrochemical Co. Ltd., Hongkong	Rotam Sub- Saharan Africa Ltd.	Insecticide for seed treatment to control early seedling insect pests in wheat, barley, maize and French beans.
418.	FORTUNE AZA	PCPB(CR)1 158	Azadirachtin 1000ppm	Fortune Biotech Ltd, India	Agrichem & Tools Ltd	Insecticide/ nematocide for control of thrips and aphids on French beans and nematodes on roses.

						WHO Class U Green Colour band; Product unlikely to present hazards under conditions of normal use.
419.	FOSET 800WP Wettable Powder	PCPB(CR)1 065	Fosetyl- Aluminium 800g/Kg	Zhejiang Jiahua Chemical Co. Ltd., Hangzhou, China	Greenlife Crop Protection Africa Ltd	Fungicide for the control of downy mildew on Roses and Squash. PHI: 4days REI: 12hrs MRL(Squash) 0.05mg/Kg WHO Class III: slightly hazardous-blue color band
420.	FOSPHITE Liquid	PCPB(CR)0 365	Monopotassium phosphate 34% + Dipotassium phosphate 19%	J.H. Biotech Inc, USA.	Juanco SPS Ltd.	Fungicide for the control of downy mildew on Roses & Snow peas.
421.	FOSTONIC 80 WP Wettable Powder	PCPB(CR)0 311	Fosetyl- Aluminium 833.3g/Kg	<i>Toll Manufacturer;</i> Arysta LifeScience Benelux Sprl, Belgium <i>Registrant;</i> Arysta LifeScience Benelux Sprl, Belgium	Amiran (K) Ltd.	Fungicide for the control of downy mildew on Roses.
422.	FOX SUPER 7.5 EW Emulsion Oil	PCPB(CR)0 737- <i>p(i)</i>	Fenoxaprop-P- ethyl 75g/L	Fluence Topsen China Ltd /Sineria Industries Ltd	Sineria Kenya Limited	A selective post-emergence herbicide for the control of annual grass weeds in wheat.

	in Water					
423.	FREND 5 WP	PCPB(CR)1 527	<i>Bacillus thuringiensis</i> Var <i>Kurstaki</i> (serotype <i>3a3b3c</i> ) 32000*10 <sup>11</sup> cfu/g	Amit Biotech, India	Osho Chemical Industries Ltd	Biological insecticide for the control of Caterpillars on Roses  <i>WHO classification not applicable to biopesticides</i>
424.	FRONTIER OPTIMA	PCPB(CR)0 298	Dimethanamid-P 720g/L	BASF Germany.	Topserve E.A, Ltd.	A selective pre-emergence herbicide for the control of annual grasses and broad leaved weeds in maize.
425.	FUHASATE 480 SL Soluble Concentrate	PCPB(CR)14 15	Glyphosate Isopropylamine 480 g/L	Sichuan Leshan Fuhua Tongda Agro-chemical Technology Co. Ltd	Eco-Harmony East Africa Ltd	Non-selective for control of annual and perennial, broad leaved and grass weeds in non-cropped areas.  WHO Class III (Slightly hazardous; Blue color band)
426.	FULFIL 25SC Suspension concentrate	PCPB(CR)14 64	Pymetrozine 250g/L	Hailir Pesticides & Chemicals Group Co Ltd, China	East Africa Business Company Ltd	Insecticide for the control Thrips, Aphids and Whitefly on Roses, and thrips on French beans. <b>WHO Class II</b> Moderately hazardous Blue color band RE: 6 hours EU MRL - 2.0mg/kg  PHI: 3 days
427.	FUNGAFLOR 100 EC Emulsifiable	PCPB(CR)1 286	Imazalil 100g/L	<b>Manufacturer:</b> Janssen Pharmaceutica NV, Belgium	<b>Agent:</b> Arysta LifeScience Kenya. Ltd;	Fungicide for the control of botrytis on roses

	concentrate			<b>Registrant:</b> Certis Europe B.V, Belgium <b>Formulator:</b> Stahler Tech. Deutschland GmbH & Co. KG Belgium	<b>Distribution:</b> Elgon Kenya Ltd	
428.	FUNGINEX 400 SC Suspension Concentrate	PCPB(CR)0 858	Pyrimethanil 400g/L	Ningbo Sunjoy Agrosience Co, China	Agrosolutions Ltd.	A protective fungicide for the control of Botrytis (grey mold) in Roses  WHO Class III of slightly hazardous products Blue colour band REI = 6 hrs
429.	FUNGURAN OH 50 WP Wettable Powder	PCPB(CR)0 656	Copper hydroxide 77% w/w equivalent to 50% metallic copper	Urania Agrochem GMBH Hamburg Germany.	Amiran (K) Ltd.	Fungicide for the control of coffee berry disease, leaf rust in coffee and early and late blight of tomatoes; and for the control of halo blight and rust in French beans EU MRL-20mg/kg PHI-3 days
430.	FURAHA 20 SC Suspension Concentrate	PCPB(CR)0 934	Thiram 10% + Carbofuran 10%	Shandong Huayang International Co. (K) Ltd., China.	Huayang International Ltd.	Insecticide/fungicide for the control of seedborne diseases and insect pests in maize seeds.
431.	FURY 10 EC Emulsifiable Concentrate	PCPB(CR)0 785	Zeta-cypermethrin 100g/L	FMC Chemicals Corporation, USA.	Juanco SPS Ltd.	Insecticide for RE-EXPORT to Tanzania for use in cotton. NOT FOR USE OR SALE IN KENYA

432.	FURY 10 EW	PCPB(CR)0 534	Zeta- cypermethrin 100g/L	FMC Chemicals Corporation, USA.	Juanco SPS Ltd.	An agricultural insecticide/miticide for the control of whiteflies, aphids and thrips on French beans, Carnations and Roses; caterpillar ( <i>Spodoptera exigua</i> ) in Roses and Carnations.
433.	FUSILADE FORTE 150 EC Emulsifiable concentrate	PCPB(CR)1 335	Fluazifop-p- butyl 150g/L	<b>Manufacturer:</b> Syngenta Huddersfield Manufacturing Center; UK <b>Formulator:</b> Syngenta Chemicals B. V., Belgium <b>Registrant:</b> Syngenta Crop Protection AG, Switzerland	Syngenta East Africa Ltd	Post emergence herbicide for control of Annual and Perennial grasses in Snow peas and French beans.  WHO Class III Slightly hazardous; Blue color band <i>French beans &amp; Snow peas</i> MRL (EU): 1mg/kg PHI: <i>French beans: 28days</i> <i>Snow peas: 35 days</i>
434.	FUSILADE FORTE 150 EC Emulsifiable concentrate	PCPB(CR)1 335	Fluazifop-p- butyl 150g/L	<b>Manufacturer:</b> Syngenta Huddersfield Manufacturing Center; UK <b>Formulator:</b> Syngenta Chemicals B. V., Belgium <b>Registrant:</b> Syngenta Crop	Syngenta East Africa Ltd	Post emergence herbicide for control of Annual and Perennial grasses in Snow peas and French beans.  WHO Class III Slightly hazardous; Blue color band <i>French beans &amp; Snow peas</i> MRL (EU): 1mg/kg

				Protection AG, Switzerland		PHI: <i>French beans:</i> 28days <i>Snow peas:</i> 35 days
435.	GARLAND 20 SP	PCPB(CR)1 499	Cyromazine 200 g/kg	Hailir Pesticide and chemicals Group Co., Ltd, China	East African Business Company Ltd	Insecticide for control of thrips on roses; thrips in French beans PHI-3 days EU MRL-5mg/kg REI- 6 hours WHO Class III, Slightly hazardous; Blue color band
436.	GALBEN M8- 65 Wetttable Powder	PCPB(CR)0 786	Benalaxyl 80g/Kg + Mancozeb 650g/Kg	FMC Corporation, USA.	Twiga Chemical Industries Ltd.	Fungicide with systematic and contact action for the control of late blight and other secondary diseases on potatoes and for the control of Late Blight in Tomatoes and Downy mildew in onions
437.	GALIGAN 240 EC Emulsifiable Concentrate	PCPB(CR)0 540	Oxyfluorfen 240g/L	Adama Agan Ltd, Israel	Adama Agriculture E.A Limited.	A pre-emergence herbicide for the control of broad leaved and grass weeds in Onion fields; for use on tomatoes and cabbages; and for the control of broad leaf and grass weeds in pineapples except <i>cyperus sp, setaria spp, dactyloctenium sp.</i>
438.	GALIL 300SC Suspension concentrate	PCPB(CR)1 314	Imidacloprid 250g/L+Bifenthr in 50g/L	<b>Manufacturer/Registra nt:</b> Adama Makhteshim Ltd, Israel <b>Additional Manufacturing site:</b>	Adama Agriculture East Africa Ltd	Insecticide for the control of Thrips, aphids and white fly nymphs on Roses; for the control of thrips, aphids and whiteflies in tomatoes PHI-3 days EU MRL: Imidacloprid-0.5mg/kg Bifenthrin



				Jiangsu Huangma Agrochemicals Company <b>Formulator:</b> Makhteshim Agan Group, Israel		-0.3mg/kg WHO Class II Moderately hazardous, Yellow color band REI: 24 hours
439.	GARLAND 20 SP	PCPB(CR)1 499	Cyromazine 200 g/kg	Hailir Pesticide and chemicals Group Co., Ltd, China	East African Business Company Ltd	Insecticide for control of thrips on roses.  REI- 6 hours  <b>WHO Class III,</b> Slightly hazardous; Blue color band
440.	GALLANT SUPER EC Emulsifiable Concentrate	PCPB(CR)0 523	Haloxypop-R-Methyl Ester 108g/L	Dow Agrosciences, S.A.	Dow Chemical E.A Ltd, Nrb	Post-emergence herbicide for the control of annual and perennial grasses in French beans and tomato fields.
441.	GARIL EC Emulsifiable Concentrate	PCPB(CR)1 063	Triclopyr 72g/L + Propanil 360g/l	Triclopyr: Dow Chemical Company, USA Propanil: United Phosphorous Ltd., India Formulator; United Phosphorous Ltd., India	Lachlan (K) Ltd.	Selective post emergence herbicide for control of broad leaved weeds and grass weeds in Rice. <b>WHO CLASS II</b> Moderately hazardous Yellow colour band
442.	GASTOXIN TABLETS	PCPB(CR)0 187	Aluminium Phosphide 57% w/w equivalent	Bequisa Industria Quimica do Brasil Ltda	Modern Ways Ltd	Insecticide for fumigation of grain and other stored agricultural food commodities and non-food commodities against storage

	(3grams each)		to 33% hydrogen phosphide, each tablet releases 1.0 gram of Hydrogen Phosphide			pests. - <u>RESTRICTED CLASS</u>
443.	GAUCHO FS 350 Flowable Concentrate for seed treatment	PCPB(CR)0304	Imidacloprid 350g/L	Bayer AG Germany, Leverkusen, Germany	Bayer East Africa Ltd.	Seed treatment for control of insect pests on seeds and young seedlings in wheat, barley, maize, French beans; A seed dresser for the control of aphids in maize followed by foliar spray with Thunder for thrip control for reduction of Maize lethal Necrosis.
444.	GC-3 EC	PCPB(CR)0787	Biological Cotton seed oil 31% + Garlic extract 23%	J.H Biotech, USA.	Juanco SPS Ltd.	Fungicide to control powdery mildew in Roses.
445.	GEAR LOCK 722 SLSoluble Liquid	PCPB(CR)1040-p(i)	Propamocarb hydrochloride 722 g/L	Ningbo Yihwei chemicals, China	GreenLife Agrosience (E.A) Ltd.	Fungicide for the control of Downy mildew on Roses WHO Class U Green colour band, products unlikely to present acute hazard under normal use REI: 6hrs
446.	GEARLOCK TURBO 25% WP	PCPB(CR)1193	Metalaxyl 150g/L + Propamocarb	Jiangsu Baoling Chemical Co. Ltd, China	Greenlife Crop Protection Africa Ltd	Fungicide for control of downy mildew on Roses and onions; late blight in Potatoes and Tomatoes. <b>EU MRL:</b>

			hydrochloride 100g/Kg			<p>Metalaxyl- 0.2 mg/kg Propamocarb- 4.0 mg/kg <b>PHI:</b> 7 days. <b>Potatoes:</b> EU MRL - Metalaxyl - 0.05 mg/kg - Propamocarb hydrochloride- 0.3 mg/kg PHI: 14 days EU MRL Metalaxyl-0.5 mg/kg Propamocarb hydrochloride- 2mg/kg PHI- 1 day REI: When spray dries WHO Class II Yellow Color Band Moderately hazardous.</p>
447.	GENOMITE 200 EC Emulsifiable Concentrate	PCPB(CR)0 560- <i>p(i)</i>	Pyridaben 20% w/v	Zhejiang Yifan Chemical Group Co. Ltd.China /Hangzhou Jike Trade Co.Ltd., China.	Geneva Agrochemicals Ltd.	Insecticide/acaricide for control of spidermites on roses and tomatoes
448.	GLADIATOR 4TC Emulsifiable Concentrate	PCPB(CR)0 629	Chlorpyrifos 48%	Dow Agrosciences, UK.	Dow Chemical E.A Ltd, Nrb	Insecticide for the control of termites (building construction, wood etc).
449.	GLEAN 75 XP Dry Flowable - water suspensible granules	PCPB(CR)0 073	Chlorsulfuron 75% m/m	FMC International Switzerland, Geneva; Du Pont De Nemours International S.A Geneva, Switzerland.	FMC Kenya Branch	Herbicide for weed control in wheat and barley.

450.	GLIDER 720 SC Suspension Concentrate	PCPB(CR)1 371	Chlorothalonil 720g/L	Rotam Agrochemical Co. Ltd, Hong Kong <i>Formulator: Jiangsu Rotam Chemistry Co.Ltd, Hong Kong</i>	Rotam Sub-Saharan Africa.Ltd	Fungicide for the control of coffee berry disease in coffee; Class III Slightly hazardous; Blue color band, E.U MRL: 0.1mg/kg, PHI: 35days
451.	GLOBE 76 WP Wettable Powder	PCPB(CR)0 693	Mancozeb 700g/kg + Cymoxanil 60g/kg	Dow Agrosiences, USA / Oxon Italia S.P.A. Pero, Italy.	Sipcam E.A. Ltd. c/o Rockem Ltd.	A fungicide for the control of early and late blights in potatoes and tomatoes and anthracnose, downy mildew and rusts in cucurbits and beans.
452.	GLYCEL 480 SL Soluble concentrate	PCPB(CR)0 979	Glyphosate 480g/L (as Isopropylamine salt 40.60% w/w,	Excel Crop Care, India.	Prestige Packaging Ltd.	A post emergence, non selective herbicide for the control of annual and perennial weeds in tea plantations and for minimum tillage in carnations.  WHO U- Products unlikely to present acute hazard under normal use Green colour band  Proposed MRL in tea = 1mg/kg  Proposed PHI= 21 days
453.	GLYFOS 360 SL Soluble Concentrate	PCPB(CR)0 561	Glyphosate 360g/L (as free acid) – Equivalent to 480g/L	Cheminova A/S of Denmark.	Novus-Bridge Consultants.	Post emergence non-selective herbicide for the control of annual and perennial weeds in Tea .

			Glyphosate Isopropylamine salt			
454.	GLYPHOGAN 360 SL Soluble Concentrate	PCPB(CR)0387	Glyphosate acid 360 g/L	Adama Makhteshim Ltd. Israel.	Amiran (K) Ltd.	A non-selective post emergence herbicide for control of broad leaf weeds and grasses in zero/minimum tillage and annual and perennial weeds in coffee.
455.	GLYPHONUT 41% IPA Salt SL Soluble Concentrate	PCPB(CR)1098	Glyphosate IPA Salt, 41% w/v	Shenyang Sciencreat Chemical Co. Ltd., China	Nutrichem Enterprises Ltd.	A non-selective Herbicide for the control of annual and perennial grasses & broad leaved weeds in Maize in zero/minimum tillage system. WHO Class II Moderately hazardous Yellow Colour Band
456.	GLYPRO 480 SL Soluble Liquid	PCPB(CR)0631- <i>p(i)</i>	Glyphosate acid 360g/L	Asiatic Agricultural Industries, Singapore	Magnetic (K) Ltd.	Herbicide for the control of weeds in pastures and minimum tillage.
457.	GLYWEED 41%SL Soluble Concentrate	PCPB(CR)0583	Glyphosate acid 360g/L	Sabero Organics Gujarat Limited, Mumbai-India.	Orbit Chemical Industries Ltd.	A systemic non-selective herbicide for the control of annual biennial & perennial weeds in baby corn.
458.	GNLD SUPERGRO 20%	PCPB(CR)1081	Nonylphenol Ethoxylate 20%	Protea Industries Chemicals, Gauteng South Africa; Crest Chemicals, South	NEOLIFE International Ltd.	Adjuvant/surfactant for enhancing performance of Cyclone (insecticide) against and whiteflies on tomatoes and french beans; and polar for the control of

				Africa; Dow Chemical Company, South Africa. <i>Registrant:</i> GNLD International Ltd. <i>Formulator(s):</i> T&C Chemicals, Johannesburg; Prime Products Manufacturing, South Africa. <i>Additional Formulator:</i> Abyx Chemicals Manufacturing (PTY), South Africa.		mildew in roses
459.	GOLAN 20% SP Soluble Powder	PCPB(CR)0483	Acetamiprid 200g/L	Goldchance Fluence Industries Ltd., Shenzen, China. / Hamashbir Agriculture	Agro-Farmer Kenya Ltd <i>Distributor:</i> Amiran (K) Ltd.	Insecticide for the control of thrips, aphids and whiteflies on Roses; aphids and whiteflies on French beans <b>French beans:</b> EU MRL- 0.15 mg/kg PHI- 14 days.
460.	GOLDAZIM 500 SP Suspension Concentrate	PCPB(CR)0769	Carbendazim 500g/L	<i>Toll Manufacturer;</i> Arysta LifeScience Benelux Sprl, Belgium <i>Registrant;</i> Arysta LifeScience Benelux Sprl, Belgium/Amiran	Amiran (K) Ltd.	Fungicide for the control of botrytis and black spots in roses.

				(K) Ltd.		
461.	GOLDEN LEAF	PCPB(CR)1 124- <i>p(i)</i>	Polyalkylene oxide modified heptamethyl trisiloxone 800g/L	Suzhou Chems Chemical Co Ltd, China. <i>Exporter:</i> Sinoever International Co.Ltd, Hangzhou, China.	Kenagro Suppliers Ltd	Adjuvant for enhancing performance of Emperor 1.8 EC against Spider mites and Leaf miner on French beans; and Spidermites on roses Propeller 722 SL against Downy mildew on Roses. WHO Class III Blue Color band Slightly hazardous
462.	AGRIGOLD Liquid	PCPB(CR)11 24- <i>p(i)</i>	Polyalkylene oxide modified heptamethyl trisiloxone 800g/L	Suzhou Chems Chemical Co Ltd, China	Greenlife Crop Protection Africa Ltd	Adjuvant for enhancing performance of EMPEROR 1.8 EC against spider mites and leaf miner on French; and performance of Propeller 722 SL against downy mildew on roses  <b>WHO Class III</b> Slightly hazardous Blue Colour band
463.	GOMITE 150 EC Emulsifiable concentrate	PCPB(CR)1 436	Citric acid 150g/L	<b>Manufacturer:</b> Nichem Solutions, India <b>Formulator:</b> Thika Wax Works limited	Thika Wax Works limited	Insecticide for control of Thrips, Aphids and Spider mites on Roses; thrips, spidermites, aphids and whiteflies on French beans.  WHO Class II Moderately hazardous, Yellow color band REI-3 hours PHI-1 day

464.	GRAMOXON E 20 Aqueous solution	PCPB(CR)0029	Paraquat Dichloride, 200g/L as paraquat ion	Syngenta Ltd. UK  <i>Distributor; Twiga Chemical Industries Ltd., P.O. Box 30172, Nairobi, Kenya.</i>	Syngenta E.A. Ltd.	Herbicide for use on coffee, tea, bananas, citrus, mango plantations, cereals, sugarcane, cotton, row crops, and maize - minimum cultivation.
465.	DUPONT™ ENEVIA™ 10 OD Oil Dispersion	PCPB (CR)1621	Cyantraniliprole 100g/L	<b>Manufacturer of a.i:</b> i) DuPont Electronic Polymers, USA; ii) Welychem US, USA, iii) DuPont Crop Protection, USA; iv) DuPont Agricultural Chemicals Ltd, China; v) DuPont Iberica S.A, Spain  <b>Formulator:</b> <b>1.</b> Valdosta Manufacturing Center, USA; <b>2.</b> DuPont de Nemours (France) S.A.S, France;	DuPont de Nemours Kenya Ltd	Insecticide for the control of aphids, whiteflies and thrips on French beans, aphids and thrips on Snow peas, thrips and whiteflies on Tomatoes.  <b>WHO Class U</b> Unlikely to present hazard Green Color Band.  <b>French beans:</b> EU MRLs-1.5mg/kg  PHI- 1 day <b>Snow peas:</b> EU MRLs-2.0mg/kg PHI- 1 day  <b>Tomatoes:</b> EU MRLs-1.0 mg/kg PHI- 1 day



				<p><b>3.</b> Custom Milling &amp; Consulting Inc, USA;  <b>4.</b> PT DuPont Agricultural Products Indonesia, Indonesia;  <b>5.</b> DuPont Company (Singapore) Pte Ltd, Singapore;  <b>6.</b> DuPont Agricultural Chemicals Ltd, China  <b>Registrant:</b> DuPont International Operations Sarl, Switzerland</p>		
466.	GRANSTAR 75 DF/PX Paste Extruded Dry Flowable = Water dispersable granules	PCPB(CR)0 171	Tribenuron-Methyl 750g/Kg	FMC International Switzerland, Geneva/ Du Pont De Nemours International, Marketing Company for Europe, Middle East And Africa.	FMC Kenya Branch	Broad-spectrum post-emergence herbicide for broad-leaved weed control in wheat.
467.	GRASP 25 EC Suspension Concentrate (Twin pack with ATPLUS)	PCPB(CR)0 257	Tralkoxydim 250g/L	Syngenta Ltd.UK / Syngenta E Africa.	Twiga Chemical Industries Ltd. P.O. Box 30172, Nairobi.	Post emergence cereal selective herbicide, used with wetter ATPLUS 463.

	463)					
468.	GREEN COP 500WP Wettable powder	PCPB(CR)1 322	Copper oxychloride, 500g/kg	<b>Manufacturer/ Registrant</b> Jiangxia Heyi chemicals Co. Ltd  <b>Formulator/Exporter:</b> Ningbo Sunjoy Agroscience Co, China	Greenlife Crop Protection Africa Ltd	Fungicide for the control of Botrytis on roses; Early blight and Late blight in Tomatoes and Rust and Angular leaf spot in French beans. WHO Class II Moderately hazardous; Yellow color band REI: 24hours
469.	GRIZLY 175/30 SC Suspension concentrate	PCPB(CR)1 336	Imidacloprid 175g/L + Novaluron 30g/L	Adama Makhteshim Ltd, Israel	Adama Agriculture East Africa Ltd	Insecticide for the control of aphids, whiteflies and thrips on roses and Tomatoes; Tuta absoluta on Tomatoes; as well as aphids on cotton; for the control of aphids, whiteflies, thrips and diamond back moth in Broccoli. Imidacloprid- 0.5 mg/kg Novaluron- 0.01 mg/kg PHI- 14 days WHO Class II Moderately hazardous Yellow color band REI: 6hours Tomatoes: MRLs (EU): Imidacloprid-0.5 mg/kg Novaluron- 1.0 mg/kg PHI: 7days
470.	GUARDIAN MAX Emulsifiable Concentrate	PCPB(CR)0 586	Acetochlor 840g/L + Flurilazole 28g/L	Monsanto, IOWA, USA <b>Formulator:</b> Bayer Agriculture BVA	Monsanto Kenya Ltd.	Herbicide for the control of annual grasses and certain broadleaf weeds in maize; Guardian max 2.5-3.0L/ha. Tank-mixed to broaden the weed control spectrum coverage. As pre-emergence and post emergence (after 1 month)

471.	GUGUSATE 410 SL Soluble Liquid	PCPB(CR)1 098-p(i)	Glyphosate IPA Salt, 41% w/v	Shenyang Sciencreat Chemical Co. Ltd., China	Twiga Chemical Industries Ltd	A non-selective Herbicide for the control of annual and perennial grasses & broad leaved weeds in Maize in zero/minimum tillage system. WHO Class II Moderately hazardous Yellow Colour Band
472.	BURNWID 48% SL	PCPB(CR)1 098- p(ii)	Glyphosate acid 360g/L (as Isopropylamine salt 480g/L)	Shenyang Sciencreat Chemical Co. Ltd., China.	Cropanet Plaass Ltd	A non-selective Herbicide for the control of annual and perennial grasses & broad leaved weeds in Maize in zero/minimum tillage system. WHO Class II Moderately hazardous Yellow Colour Band.
473.	RIDSATE 41% SL	PCPB(CR)1 098-p(iii)	Glyphosate IPA Salt, 41% w/v	Shenyang Sciencreat Chemical Co. Ltd., China	Afriflora Growers Ltd	A non-selective Herbicide for the control of annual and perennial grasses & broad leaved weeds in Maize in zero/minimum tillage system.
474.	GLYFIX 41% SL	PCPB(CR)1 098-p(iv)	Glyphosate IPA Salt, 41% w/v	Shenyang Sciencreat Chemical Co. Ltd., China	Nutrichem Enterprises Ltd. Distributor: Botachem Enterprises Ltd	A non-selective Herbicide for the control of annual and perennial grasses & broad leaved weeds in Maize in zero/minimum tillage system. WHO Class II Moderately hazardous Yellow Colour Band.
475.	GRASSOUT 720 EC	PCPB(CR)1 534	Metolachlor 720 g/L	Jinan Kesai Agrochem Co., Ltd, China	Chinachem (K) Ltd	Herbicide for the control of annual grasses and braod-leaved weeds in Maize.  PHI: 78 days

						MRL: 0.01 mg/kg <b>WHO Class II</b> (Moderately hazardous, yellow color band)
476.	HABLE 5 WG Water dispersible granules	PCPB(CR)1 265	Emamectin benzoate 50g/Kg	<i>Registrant/Manufacturer/Formulator:</i> Jiangsu United Agrochemical Co. Ltd, China  <i>Exporter:</i> Nanjing Agrochemical co. Ltd, China	Highchem Marketing Ltd, Essential Division	Insecticide for the control of Spidermites and thrips on Tomatoes and French beans  WHO Class II Moderately hazardous Yellow color band  <b>MRL:</b> Tomatoes: 0.01mg/Kg French beans: 0.01mg/Kg  PHI (Tomatoes & French beans): 7days
477.	HALOTHRIN 2.5EC Emulsifiable Concentrate	PCPB(CR)0 546	Lambda cyhalothrin 25g/L	Heranba Industries Ltd., India.	Orbit Chemical Industries Ltd.	Insecticide for the control of thrips, aphids, whitefly nymphs and caterpillars on Roses, aphids, whiteflies, thrips and caterpillars on French beans;-Cutworms, DBM and aphids on kales; Bollworms, caterpillar, aphids, whiteflies, leaf miner and thrips on tomatoes.
478.	HALT 50WP Wettable Powder	PCPB(CR)0 707	<i>Bacillus thuringiensis var Kurstaki</i> 5% w/w	Biostadt India Ltd.	Osho Chemical Industries Ltd.	Insecticide for the control of DBM on cabbages and caterpillars on Roses.
479.	HANGTHOA	PCPB(CR)1	Dimethoate 400	Jiangsu Tenglong	Hangzhou	Insecticide for the control of aphids,

	TE 400 EC Emulsifiable Concentrate	042	g/L	Biological & Medical Co. Ltd., China/Hangzhou Jike Company Ltd., China	Agrochemical Industries (E.A) Ltd.	whiteflies and African bollworms in cotton  <b>NOT FOR USE ON VEGETABLES AND FRUITS</b>  Retested on Cotton
480.	HANTHANE 80 WP Wettable powder	PCPB(CR)1 270-p(i)	Mancozeb 800g/kg	<b>Manufacturer/ Formulator/Registra nt:</b> Hebei Shuangji Chemical Co. Ltd, China  <b>Exporter:</b> Hangzhou Jike Trade Co Ltd, China	Hangzhou Agrochemical Industries E.A Ltd	Fungicide for the Control of Early & Late Blight on Tomatoes & Potatoes  WHO Class III Slightly hazardous Blue color band MRL: Potatoes: 0.2mg/kg Tomatoes: 0.05mg/kg PHI: 14days
481.	HARNESS EC Emulsifiable Concentrate	PCPB(CR)0 564	Acetochlor 900g/L	Monsanto 10WA, USA / Bayer Agriculture BVA	Monsanto Kenya / Bayer East Africa Ltd.	Pre-emergence herbicide for the control of annual grasses and certain broadleaf weeds in maize, cotton & sugarcane.
482.	HATTRICK EC Emulsifiable Concentrate	PCPB(CR)0 599	Oxydemeton- Methyl 250g/L	UPL Ltd Ltd.	Orbit Chemical Industries Ltd	Insecticide for the control of aphids, spidermites whiteflies, leafhoppers, and other sucking pests on vegetables, fruits, field crops.

483.	HAWK 16 CS Capsule Suspension	PCPB(CR) 1412	Geraniol 6.4% + Thymol 6.4% + Eugenol 3.2%	<b>Manufacturer:</b> Penta International Corporation, USA  <b>Registrant:</b> Redestos Agrotechnology Group, Greece  <b>Formulators:</b> i. Redestos Agrotechnology Group, Greece ii. Sipcam SpA, Via Veneto, Italy	Lachlan Kenya Limited.	Fungicide for control of Powdery mildew and Botrytis on snow peas; botrytis on squash and French beans; Botrytis and powdery mildew on roses.  WHO Class III: Slightly hazardous Blue color band
484.	HEKTOR 100 EC	PCPB(CR)1 049- <i>p(i)</i>	Hexythiazox 100 EC	Hangzhou Yilong Chemical Industries, Ltd., China/ Sineria Industries,Cyprus	Sineria Kenya Limited Distributor- Agro Farmer(Kenya) Ltd.	Miticide for the control of spidermites on roses, French beans and tomatoes WHO Class II Yellow Colour Band Moderately hazardous Roses: REI= 12 hrs or after spray drying French beans & Tomatoes: PHI: 7 days MRL: 0.5mg/Kg
485.	HELITEC SC Suspension Concentrate	PCPB(CR)1 123	<i>Helicoverpa armigera</i> SNPV 8% w/w 2x9 <sup>9</sup> polyhedra per ml	Kenya Biologics Ltd.	Kenya Biologics Ltd.	Insecticide for control of African Bollworm ( <i>Helicoverpa armigera</i> ) on Tomatoes and on roses.  <i>MRLs &amp; WHO Classification are not</i>

						<i>applicable for Biopesticides.</i>
486.	HELMET 500 EC Emulsifiable Concentrate	PCPB(CR)1 050	Spiroxamine 500g/l	Nantong Jiahe Chemicals Co. Ltd., China	Topserve E.A Ltd.	Fungicide for control of powdery mildew on Roses. WHO Class III Yellow Colour Band Moderately Hazardous REI: After spray drying.
487.	HERBIKILL	PCPB(CR)0 480	Paraquat dichloride 20% w/v	Bao Feng Chemical Co. Ltd., Taipei / Vapco, Jordan.	Osho Chemical Industries Ltd.	Herbicide to control annual and perennial weeds in orchards, plantation crops, forests, in vegetable fields and in pasture renovation.
488.	HERBISTOP 480 SL	PCPB(CR)0 536- p(ii)	Glyphosate Isopropylamine salt 480g/L	Nufarm GmbH, Austria	Anset International  Distributor: HighChem Essentials, Nairobi	A post emergence, non selective herbicide for the control of annual and perennial weeds in wheat, maize, sugarcane, coffee and tea plantations.
489.	HERBSTAR 200SL, Soluble Concentrate	PCPB(CR)1 120	Paraquat dichloride 27.6%	King Chemicals China	Agrichem and Tools Ltd.	A post emergence herbicide for the control of grasses and broad leaved weeds; applied one day before planting baby corn. Application rate: at 3.0 L/Ha PHI = 48-90 days. EU MRL for fruiting vegetables is

						0.05mg/Kg. WHO Class II Moderately hazardous Yellow Colour Band
490.	HERITAGE 5% EC	PCPB(CR)1 055- <i>p(i)</i>	Lufenuron 50g/L	Agroshine Hangzhou chemical Co. Ltd., Hangzhou, China	Greenlife Agroscience (E.A) Ltd.	Insecticide for control of thrips on Roses. WHO Class II Moderately hazardous Yellow Colour Band REI- when spray dries
491.	HEXYGON 100EC Emulsifiable Concentrate	PCPB(CR)0 772	Hexythiazox 100g/L	Ningbo Sunjoy Agroscience Co, China	Agrosolutions Ltd.	Miticide for the control of spidermites on Roses.
492.	HIGHSTOP 480 SC Suspension Concentrate	PCPB(CR)1 189	Glyphosate IPA Salt 480g/L	Anhui Huaxing Chemical Industry Co., Ltd, China	Highchem Marketing Ltd, Essentials Division	Post emergence herbicide for control of annual and perennial grasses and broad leaved weeds in French beans, baby corn, tomatoes and cabbages under minimum tillage. <b>WHO Class U</b> (Products unlikely to present acute hazard under normal use, Green color band)
493.	HOTLINE 450 SC Suspension concentrate	PCPB(CR)1 186	Linuron 450g/L	Agroshine (Hangzhou) Chemicals Co, Ltd, China	Farming Science International Ltd	Pre-emergence herbicide for control of Annual grasses and Broad leaved weeds in Carrots, French beans and Baby corns. <b>WHO Class II</b> (moderately hazardous, Yellow color band)



						Carrots MRL: 0.2mg/Kg PHI: 14 days French beans: EU MRL – 0.05mg/kg, PHI- 40 days Baby corn: EU MRL – 0.05mg/kg, PHI- 36 days
494.	HURRICANE 20% SL Soluble liquid	PCPB(CR)13 62	Paraquat 200g/L	Manufacturer: Zhejiang Zhongshan Chemical Industry group Co. Ltd China.	Greenlife	Pre-emergence herbicide for the control of annual weeds and grasses in baby corn.  WHO Class II Moderately hazardous, Yellow color band MRLs: 0.02mg/kg PHI: 15 days
495.	HUSSAR EVOLUTION EC Emulsifiable Concentrate	PCPB(CR)1 020	Fenoxaprop-P- ethyl 64g/L + Iodosulforun- methyl-sodium 8g/L	Manufacturer/Registran t: (i)Bayer AG Germany (ii)JiangSu Flag Chemical Industry Co.Ltd, China.	Bayer East Africa Ltd.	A selective post emergence herbicide for the control of grasses and broad leaf weeds in Wheat.  WHO class III Slightly hazardous Blue colour band PHI: Not relevant MRL (EU): 0.05 mg/kg (Fenoxaprop-P- ethyl); No residues anticipated (Iodosulforun- methyl-sodium).

496.	HUSSAR OD 400 Oil Dispersion	PCPB(CR)1 300	Iodosulfuron-methyl-sodium 100 + mefenpyr-diethyl 300g/L	<b>Manufacturer:</b> Bayer AG Germany; <b>Production site:</b> Lonza AG, Switzerland <b>Formulator:</b> Bayer CropScience GmbH, Germany <b>Registrant:</b> Bayer AG, Germany	Bayer E. A.	Herbicide for the control of grasses and Broadleaf weeds in Wheat  WHO II Moderately hazardous Yellow color band  <b>MRL:</b> Iodosulfuron-methyl-sodium: 0.02mg/Kg <b>PHI:</b> Applied once between growth stage BBCH13(three leaves) and BBCH 32 (stem elongation)
497.	HUSSAR WG Water Dispersible Granules	PCPB(CR)0 373	Iodosulfuron – methyl sodium 50g/Kg	Bayer AG Germany	Bayer East Africa Ltd.	A selective post-emergence herbicide for the control of annual grasses and broadleaf weeds in barley and wheat.
498.	HY-2 4D SL Soluble Concentrate	PCPB(CR)0 535- p(v)	Dimethylamine salt of 2,4-Dichlorophenyl Acetic Acid (2,4-D)-720g/L salt; equivalent to 600g/L acid/L	Nufarm pflanzenschutz GmbH & Co KG, Austria.	Agent: Anset International  <b>Distributor:</b> HighChem Essentials, Nairobi	A pre-emergence and post emergence herbicide for the control of annual and perennial broad leaved weeds in maize, wheat and coffee.
499.	HYCARB 85 WP Wettable	PCPB(CR)1 165	Carbaryl 850g/Kg	<b>Manufacturer:</b> Haili Guixi Chemical Pesticide Co. Ltd,	Highchem Marketing Ltd	Insecticide for the control of Aphids on Tomatoes

	powder			China <b>Form:/Exporter:</b> Shanghai Hui Song (H&S) Agro-Solution Co. Ltd, China		WHO Class II: Moderately hazardous Yellow color band
500.	HYGRO 40% EC Emulsifiable Concentrate	PCPB(CR)0 725	Dimethoate 400g/L	Hyderabad Chemical Products Ltd. India.	Orbit Chemical Industries Ltd.	Insecticide for the control of beetles & aphids on Potatoes. <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>
501.	HYGROBUFF SL Soluble Concentrate	PCPB(CR)0 954	Sodium acetate 497g/L + Nonylphenyl ether phosphate 85g/L	Hygrotech Properties (Pty), South Africa.	Hygrotech E.A. Ltd.	Adjuvant for use as a buffer and a wetter for enhancing the performance of fungicides (Score) against rust and insecticides (Bulldock) against aphids on French beans.
502.	HYPOTECH	PCPB(CR) 1417	<i>Hypoaspis miles</i> (15, 000 live mites in 600 ml)	Dudutech Division, Flamingo Horticulture (K) Ltd, Naivasha	Dudutech Division, Flamingo Horticulture (K) Ltd, Naivasha	Predatory soil mite for the control of Thrips on Roses  <i>WHO Classification not applicable for biopesticides</i>
503.	HYVAR X WP Wettable Powder	PCPB(CR)0 072	Bromacil 80% m/m	Amvac Netherlands B.V Additional <i>Formulator</i> : (i) Du Pont Mexicana, S.de R.L . de C.V.	Elgon Kenya Ltd	Herbicide for weed control in sisal, pineapple, non-crop areas and railroads.

				Mexico. (ii) PT Sanova, Jin. Imam Bonjol Km.46, Indonesia.		
504.	HYZOCARB 25 SC Suspension concentrate	PCPB(CR)1 257	Azoxystrobin 250g/L	<b>Manufacturer/Form/Registrant:</b> Shanghai Heben-Eastsub Medicaments Co. Ltd, China <b>Exporter:</b> Shanghai Hui Song (H&S) Agro-Solution Co. Ltd, China.	Highchem Marketing Ltd, Essential Division	Fungicide for the control of Powdery mildew on Roses; Rust on Carnations; early and late blight in tomatoes, and powdery mildew in squash. <b>Tomatoes:</b> EU MRL-3.0 mg/kg PHI- 7 days <b>Squash:</b> EU MRL- 1.0 mg/kg PHI- 7 days WHO Class III Slightly hazardous, Blue color band REI: 12 hours
505.	XYROBIN 25 SC	PCPB(CR)1 257-p(i)	Azoxystrobin 250g/L	<b>Manufacturer/Form/Registrant:</b> Shanghai Heben-Eastsub Medicaments Co. Ltd, China <b>Exporter:</b> Shanghai Hui Song (H&S) Agro-Solution Co. Ltd, China.	<b>Local agent:</b> Highchem Marketing Ltd, Essential Division <b>Distributor:</b> Oak Medica,	Fungicide for the control of Powdery mildew on Roses and Rust on Carnations WHO Class III Slightly hazardous, Blue color band REI: 12 hours.
506.	BEYOND 25 SC Suspension Concentrate	PCPB(CR) 1257-p(iii)	Azoxystrobin 250 g/L	<b>Manufacturer/Form/Registrant:</b> Shanghai Heben-Eastsub	Highchem Marketing Ltd, Essential	Fungicide for the control of Early & Late blight in tomatoes and powdery mildew in squash. Tomatoes: EU MRL-3.0

				Medicaments Co. Ltd, China. <b>Exporter:</b> Shanghai Hui Song (H&S) Agro-Solution Co. Ltd, China.	Division	mg/kg PHI- 7 days Squash: EU MRL- 1.0 mg/kg PHI- 7 days WHO Class III Slightly hazardous, Blue color band.
507.	BERICURE 25 SC Suspension Concentrate	PCPB(CR)1257-p(ii)	Azoxystrobin 250 g/L	<b>Manufacturer/Form/Registrant:</b> Shanghai Heben-Eastsun Medicaments Co. Ltd, China <b>Exporter:</b> Shanghai Hui Song (H&S) Agro-Solution Co. Ltd, China.	Highchem Marketing Ltd, Essential Division	Fungicide for the control of Coffee Berry Disease and Coffee leaf rust in Coffee.  WHO Class III Slightly hazardous Blue color band.
508.	ILLOXAN 36EC Emulsifiable Concentrate	PCPB(CR)0076	Diclofop-Methyl 36% m/m or 378g/L	Bayer AG, Germany.	Bayer East Africa Ltd.	Selective herbicide for weed control in barley and wheat.
509.	IMAGE 6% EC Emulsifiable Concentrate	PCPB(CR)1091	Bromoxynil 120g/L+Ioxynil 120g/L+Mecopr op-P 360g/L	Nufarm S.A.S, France	Ansett International	Herbicide for the control of broad leaved weeds in wheat and barley
510.	IMAXI 200SC Soluble Concentrate	PCPB(CR)0468	Imidacloprid 200g/L	Rotam Ltd., Hong Kong.	Rotam Sub-Saharan Africa Ltd. <b>Distributor:</b> Cooper K-	Insecticide to control aphids, whiteflies, thrips, beanfly, on French beans and flowers.

					Brand Ltd	
511.	IMIDA TOP 70% WG Water dispersible granules	PCPB(CR)13 75	Imidacloprid 700 g/kg	Sinochem Ningbo Chemicals Company Limited, China.	Amiran (K) Ltd	Insecticide for the control of aphids, thrips and whiteflies on Roses.  REI: 6 hours WHO Class II, Moderately hazardous, Yellow color band
512.	IMIDACEL 200 SL Soluble Concentrate	PCPB(CR)1 034	Imidacloprid 200g/L	Excel Crop Care, India	Prestige Packaging Ltd.	Insecticide for the control of whiteflies and thrips on French beans and roses by foliar application and by soil drenching. WHO Class III Slightly Hazardous products Blue Colour Band PHI: 3days for French beans Proposed MRL = 2mg/Kg REI: 12hrs
513.	IMIDAGOLD 20SL Soluble Concentrate	PCPB(CR)0 820	Imidacloprid 200g/L	UPL Limited, India.	Farmchem (K) Limited	Insecticide for the control of thrips, aphids, whiteflies & leaf miner on French beans.
514.	IMPACT GUARD 250 SC	PCPB(CR)1 390	Azoxystrobin 125g/L + Flutriafol 125g/L	<i>Manufacturer:</i> Cheminova India.Ltd <i>Registrarnt:</i> Cheminova	Novus-Bridge Consultants.	Fungicide for the control of powdery mildew in Roses and rust in carnations  WHO Class III

				AS, Denmark <i>Additional Sites:</i> (i) Cheminova Deutschland GmbH & Co.KG, Stade, Germany (ii) Phyteurop, Montreuil Bellay, France		Slightly hazardous, Blue color band
515.	IMPACT suspension concentrate	PCPB(CR)0 016	Flutriafol 125g/L	Cheminova AS, Denmark.	Novus-Bridge Consultants.  <i>Distributor(s):</i> Farmchem (K) Limited / Elgon Kenya Ltd.	Systemic fungicide for control of stripe rust in  wheat and barley and for the control of Aschochyta leaf spot and powdery mildew on snowpeas; and for the control of botrytis, alternaria on Confetti; rust, rings spot & botrytis on Carnations; powdery mildew, botrytis & black spot on Roses.
516.	IMPULSE EC 500 Emulsifiable Concentrate	PCPB(CR)0 292	Spiroxamine 500g/L	Bayer AG Germany	Bayer East Africa Ltd.	Fungicide for the control of powdery mildew on Roses and rust on carnations.

517.	IMPULSE XTEND CS 300 Capsule suspension	PCPB(CR)1376	Spiroxamine 300 g/L	<b>Formulator/Manufacturer:</b> Bayer AG Business Group Crop Protection, Germany  <b>Registrant:</b> Bayer AG Germany	Bayer East Africa Ltd	Fungicide for the control of Powdery mildew in Roses.  REI: 6 hours WHO Class III: Slightly hazardous Blue color band
518.	INDOFIL M45 WP Wettable Powder	PCPB(CR)0338	Mancozeb 800g/Kg	Indofil Industries Limited Mumbai, India.	Osho Chemical Industries Ltd.	Fungicide to control early and late blight on tomatoes & potatoes.
519.	INFINITO SC 687.5 Suspension Concentrate	PCPB(CR)1079	Fluopicolide 62.5g/L+ Propamocarb hydrochloride 625g/L	Bayer AG, Germany	Bayer E.A Ltd.	Fungicide for control of downy mildew on Roses; Early blight and late blight in tomatoes; Late blight in Potatoes; downy mildew and purple blotch in onions. <b>Potatoes:</b> EU MRL- Fluopicolide- 0.03mg/kg Propamocarb hydrochloride- 0.3mg/kg PHI: 7 days. <b>Onions:</b> EU MRL Fluopicolide: 1.0 mg/kg Propamocarb hydrochloride : 2.0 mg/kg PHI: 3 days
520.	INSEMIDA 200 SL	PCPB(CR)1401	Imidacloprid 200 g/L	Hailir Pesticides and Chemical Group Co. Ltd	Bell Industries Ltd	Insecticide for the control of aphids, thrips, and whiteflies in Roses.



	Soluble Concentrate					Roses: REI- 6 hours
521.	INSPIRE 100EC Emulsifiable concentrate	PCPB(CR)1 053	Hexythiazox 100g/L	Ningbo Yichem Chemicals Co.. Ltd., China.	Greenlife Crop Protection Africa Ltd.	A miticide for the control of eggs and juvenile stages (but not adults) of red spider mites in Roses. WHO Class II Moderately hazardous Yellow Colour Band REI = 24hrs (after spray deposit dry)
522.	INTEGRA Liquid	PCPB(CR)1 124	Polyalkylene oxide modified heptamethyl trisiloxane 800g/L	Suzhou Chems Chemical Co Ltd, China.	Greenlife Crop Protection Africa Ltd	Adjuvant for enhancing performance of Emperor 1.8 EC against Spider mites and Leaf miner on French beans; and Spidermites on roses Propeller 722 SL against Downy mildew on Roses. WHO Class III Blue Color band Slightly hazardous
523.	IPPON 500 SC Suspension Concentrate	PCPB(CR) 0770	Iprodione 500g/L	<i>Toll Manufacturer;</i> Arysta LifeScience Benelux Sprl, Belgium <i>Registrant;</i> Arysta LifeScience Benelux Sprl, Belgium/Amiran (K) Ltd.	Amiran (K) Ltd.	Fungicide for control of botrytis on roses and stative, Alternaria Leaf spot & white mold on French beans.

524.	IPRODE 500 SC Suspension Concentrate	PCPB(CR)1 044	Iprodione 500g/L	Jiangsu Huifeng Agrochemical Co. Ltd., China	Greenlife Crop Protection Africa Ltd.	A contact protective and curative fungicide for control of botrytis ( <i>Botrytis cinerea</i> ) in Roses; Alternaria leaf spot on French beans; powdery mildew and downy mildew on capsicum <u>Capsicum</u> EU MRL- 7.0mg/kg PHI- 2 days;  MRL: Residue levels were 0.14mg/kg at PHI of 2 days. EU MRL -5.0mg/kg. WHO class III Blue colour band Slightly hazardous REI – after the pesticide spray has dried.
525.	ISACOP	PCPB(CR)0 295	Copper Oxychloride 85% Equivalent to 50% Metallic Copper	Isagro Copper s.r.l., Italy.	Twiga Chemical Industries Ltd.	Fungicide for control of CBD & rust on coffee. For use on tomatoes and potatoes against early blight, cucurbits & brassicas against anthracnose, bean rust, bacterial blight, flowers against rust, leaf spot and anthracnose. - Tank mix of TWIGATHALONIL 720SC + ISACOP

526.	IVORY 80 WP Wettable Powder	PCPB(CR)0 341	Mancozeb 800g/Kg	Indofil Industries Limited, Mumbai India	Arysta Lifescience Corp.	Fungicide to control early and late blight on tomatoes & potatoes.
527.	JACKPOT 5% EC	PCPB(CR)0 981	Lambda- cyhalothrin 50g/L	Rotam Agrochemical Co. Ltd., Hong Kong.	Rotam Sub- Saharan Africa Ltd. <i>Distributor:</i> Cooper K- Brands Ltd	Insecticide for the control of thrips, aphids & caterpillars on French beans & snow peas. WHO Class II, Yellow colour band Moderately hazardous French beans & Snow peas:- MRL - 0.02mg/Kg PHI – 3 days.
528.	JAWABU 48 EC	PCPB(CR)0 450 – <i>p(ii)</i>	Chlorpyrifos 480g/L	<i>a.i.:</i> Dow Agrosciences, France <i>Formulator &amp;</i> <i>Registrant:</i> Cheminova Agro A/S, Denmark.	Farmchem (K) Limited.	Insecticide for the control of antestia bugs in coffee, thrips, aphids & whiteflies on roses; aphids, scaly insects & termites on tea <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>
529.	JUPITER 125 SC Suspension Concentrate	PCPB(CR)1 164	Flutriafol 125g/L	Jiangsu Fengdeng Pesticide Co. Ltd, China <b>Exporter:</b> Ningbo Yihwei Chemicals Co. Ltd, China	Greenlife Crop Protection Africa Ltd	Fungicide for the control of Powdery Mildew in Roses; powdery mildew on snow peas; rust, angular leaf spot and anthracnose on spowpeas, & French beans; yellow and stem rust in

						wheat WHO Class III: Slightly hazardous Blue color band REI: when spray dries <u>Snow peas &amp; French beans:</u> MRL – 0.05mg/Kg PHI-7days To be applied upto 39 days after planting before pod setting.
530.	KALACH 480 SL Soluble Concentrate	PCPB(CR)0 418	Glyphosate as IPA salt 480g/L	Arysta Lifesciences SAS, France/Volcano, South Africa	Arysta Lifescience Kenya Ltd.	Herbicide for the control of annual and perennial grasses in chillies and coffee.
531.	KALIF 480 EC Emulsifiable concentrate	PCPB (CR)1267	Clomazone 480g/L	Agan Chemical Manufacturers Ltd., Israel	Amiran Kenya Ltd.	Pre- emergence herbicide for the control of weeds in Rice  WHO Class III Slightly hazardous Blue Color band MRL: 0.02 mg/Kg PHI: 110 days
532.	KANEMITE 15 SC Suspension	PCPB(CR)0 985	Acequinocyl 150g/L	Manufacturer: Agro-Kanesho Co. Ltd., Japan	Arysta Lifescience Kenya Ltd.	Miticide for the control of spider mites on Roses.

	Concentrate			Registrant: Arysta Lifesciences S.A.S., France		WHO Class II Yellow Colour Band Moderately hazardous REI – 6hrs
533.	KARATE 2.5 WG Water Dispersible Granules	PCPB(CR)0297	Lambda Cyhalothrin 25g/Kg	Syngenta Crop Protection UK. <i>Additional Formulation Site:</i> - Solfotecnia Italiana SPA, Via E. Torricelli, 248010 Cotiglona (RA) Italy.	Syngenta E.A. Ltd.	An insecticide for the control of aphids, thrips, caterpillars and whiteflies, on vegetables.
534.	KARATE 5 EC Emulsifiable Concentrate	PCPB(CR)0874	Lambda-cyhalothrin 50g/L	Syngenta Crop Protection AG, Switzerland.	Syngenta E.A. Ltd.	Insecticide for RE-EXPORT TO TANZANIA, NOT FOR SALE & USE IN KENYA.
535.	KARATE ZEON	PCPB(CR)0296	Lambda Cyhalothrin 50g/L	Syngenta Crop Protection, UK.	Syngenta E.A. Ltd.	An insecticide for the control of thrips, aphids, and whiteflies on vegetables and Roses, caterpillars and fruit flies on vegetables.
536.	VANGUARD 525 WDG	PCPB(CR)1497	Cymoxanil 300 g/kg + Famoxadone 225 g/kg	<b>Manufacturer/Registrant:</b> Shanghai E-Tong Chemical Ltd, China; <b>Formulator:</b> Shaanxi Welch Crop Protection Co Ltd, China	Kenagro Suppliers Ltd.	Fungicide for control of downy mildew in roses, early blight and late blight on potatoes. <b>Potatoes:</b> EU MRLs: Cymoxanil- 0.01 mg/kg

				<b>Exporter:</b> Zhejiang E-Tong Chemicals Co Ltd China.		Famoxadone- 0.02 mg/kg PHI- 14 days  <b>WHO Class III,</b> Slightly hazardous; Blue color band
537.	ABSOLUTE 375 SC	PCPB(CR) 1538	Azoxystrobin 200 g/l + Difenoconazole 25 g/L) +Hexaconazole 50g/L	<b>Manufacturer/Registrant:</b> Jiangsu United Agrochemical Company Limited, China  <b>Formulator:</b> Cong ty TNHH Alfa (Sai Gon), Vietnam	Greenlife Crop Protection Africa Limited	Fungicide for the control of powdery mildew on Roses  REI: 12 hours  <b>WHO Class II ,</b> Moderately hazardous, Yellow color band;
538.	GALAPAGOS 40 EC	PCPB(CR) 1535	Gibberelic acid 40 g/L	Shandong Shenda Crop Technology Co. Ltd, China		
539.	DOBERMAN 15% OD	PCPB(CR) 1528	Thiacloprid 130g/L+ Deltamethrin 20 g/L	<b>Manufacture/ Formulator/ Registrant:</b> Shandong united Pesticide Industry Co Ltd, China <b>Exporter:</b> Shandong Sino- Agri United Biotechnology, China	Greenlife Crop Protection Africa Ltd	insecticide for control of Mealybugs, Thrips, Caterpillars, Spidermites and whiteflies on Roses  REI-12 hours WHO Class II Moderately hazardous Yellow color band

540.	CARBOZIM 500 SC	PCPB(CR) 1532	Carbendazim 500g/L	Jiangsu Lanfeng Biochemical Co., Ltd, China	Aguzii Limited	Fungicide for control of Botrytis & Black spot on Roses.  WHO Class II Moderately hazardous, Yellow color band REI: When spray dries
541.	KARMEX 80 DF Dry Flowable	PCPB(CR) 0751	Diuron 80g/Kg	Agan Chemical Manufacturers Ltd., Israel	Topservice E.A Ltd.	A pre-emergence and early post-emergence herbicide for the control of grass and broad-leaved weeds in sugar cane.
542.	EXPERT 250 GR	PCPB(CR)1 526	Chlorpyrifos 250g/kg	<b>Manufacturer of a.i</b> <b>/Formulator:</b> Zhejiang Xinnong Chemical Co Ltd, China <b>Registrant:</b> Jianguyin Milagro Chemical Co Ltd, China	Greenlife Crop Protection Africa Ltd	Termiticide for wood preservative against termites  WHO Class II Moderately hazardous Yellow color band
543.	KATERINA 720 SC Suspension Concentrate	PCPB(CR)1 110	Chlorothalonil 720g/L	Ningbo Yihwei Chemicals Co. Ltd.	Greenlife Crop Protection Africa Ltd.	Fungicide for control Downy mildew and Botrytis on Roses & Squash; Early blight and Late blight in Tomatoes; Coffee berry disease in Coffee, and for the control of rust on French beans. EU MRL: Coffee 0.1 mg/kg PHI- 3 Days Roses REI: when spray dries Squash: PHI: 1 day MRL: 3mg/Kg WHO Class II Moderately hazardous Yellow color band Tomatoes: Proposed MRL: 2mg/Kg PHI:

						7days.
544.	KATRIN EC Emulsifiable Concentrate	PCPB(CR)0580	Deltamethrin 25g/L	Tagros Chemicals, Ltd., India.	Twiga Chemical Industries Ltd.	Insecticide for the control of thrips, aphids and whiteflies on Roses and French beans.
545.	KAUSHA 480 SL Soluble concentrate	PCPB(CR)1052	Glyphosate acid 360g/L (as Isopropylamine salt 480g/L)	Jiangsu Qiaoji Biochem co., China.  <b>Additional Manufacturer:</b> Sichuan Leshan Fuhua Tongda Agro-Chemical Technology Company Ltd, China	Kenagro Supplies Ltd.	A post emergence, non selective herbicide for the control of grasses and broad leaved weeds in non cropped areas. WHO Class II Moderately hazardous Yellow Colour Band MRL and PHI are not applicable in non cropped areas.
546.	KAYAZINON 60 EC Emulsifiable Concentrate	PCPB(CR)0183	Diazinon 60% w/w	Nippon Kayaku Co. Ltd. Japan / Marubeni Corporation, Tokyo, Japan.	Marubeni Corporation, P.O. Box 43105, Nairobi.	Insecticide for the control of caterpillars, scale insects, mealy bugs, jacaranda bug, aphids and whiteflies in flowers and ornamentals.
547.	NIKKAZINO N 60 EC	PCPB(CR)0183- p(i)	Diazinon 60% w/w	Nippon Kayaku Co. Ltd. Japan / Marubeni Corporation, Tokyo, Japan.	Marubeni Corporation, P.O. Box 43105, Nairobi.	Insecticide for control of cockroaches, mosquitoes and ants.
548.	KEN 2,4D 720 SL Soluble Liquid	PCPB(CR)1077-p(ii)	2,4 D-Amine 720g/L	Hangzhou Yilong Chemical Industries, Ltd.China	Kencrop Kenya Ltd	Post-emergence herbicide for control of broad-leaved weeds in wheat



549.	KENSIL GUARD Wettable Powder	PCPB(CR)1 216	Silicone dioxide 840 g/kg	African Diatomite Industries Ltd., Kenya	African Diatomite Industries Ltd., Kenya	Insecticide for control of grain storage pests i.e maize weevil, <b>except</b> Larger grain borer and Lesser grain borer <b>WHO Class III</b> Slightly hazardous, Blue color band
550.	KENTHANE 80 WP Wettable Powder	PCPB(CR)1 204	Mancozeb 800 g/kg	<b>Manufacturer:</b> XIAN MPC Stock Co. ltd, China  <b>Exporter</b> Ningbo Yihwei Chemicals Co Ltd, China	Kenagro Supplies Ltd	Fungicide for control of Downy mildew on Roses; for the control of early and late blight in Potatoes. WHO Class III Slightly hazardous Blue Colour band REI= When spray dries.
551.	KESHET 2.5 EC Emulsifiable Concentrate	PCPB(CR)0 841	Deltamethrin 25g/L	Adama Makhteshim Ltd, Israel	Amiran (K) Ltd.	Insecticide to control Thrips, aphids and caterpillars on flowers; and for the control of thrips, aphids & whiteflies on snow peas & French beans. Rate: 0.5l/Ha.
552.	KIBOKO SUPER 7.5EW Emulsion Oil in water	PCPB(CR)0 737	Fenoxaprop-P-ethyl 75g/L	Fluence Topsen China Ltd / Sineria Industries Ltd	Sineria Kenya Limited <b>Distributor:</b> Amiran (K) Ltd	A selective post-emergence herbicide for the control of annual grass weeds in wheat.

553.	KICK OUT 480SL Soluble Liquid	PCPB(CR)1 132	Glyphosate IPA 41%	Jiangyin No.2 Pesticide Co. Ltd., China / Ningbo Huili Import & Export Co. Ltd.; China.	Osho Chemical Industries Ltd.	Herbicide for use in control of grasses, broad leaved weeds in Maize. WHO Class III; Slightly hazardous Blue Color Band  PHI = 7-14 days; Applied 1 week pre-planting No residues expected in harvested crop
554.	KILITAC 20 EC Emulsifiable Concentrate	PCPB(CR)0 762	Amitraz 200g/L	Millenia Agrosciences Brazil / Almadine Corporation SA.	Juanco SPS Ltd.	Miticide/acaricide for the control of spidermites in Tomatoes & Roses.
555.	KING 250 EW Oil Emulsion in water	PCPB(CR)1 302	Tebuconazole 250 g/L	<b>Manufacturer/Formulator:</b> Sharda Worldwide Exports Pvt. Ltd;  <b>Registrant:</b> Sineria (Industries) Ltd cyprus	Sineria Kenya Limited	Fungicide for the control of rust and anthracnose in French beans  WHO Class III Slightly hazardous, Blue color band <b>PHI:</b> 14 days <b>MRL:</b> 2 mg/kg
556.	KINGCODE	PCPB(CR)1	Lambda-	Jiangsu Fengdong	Greenlife	Insecticide for control of thrips and

	5% EC	056-p(i)	cyhalothrin 50g/L	Pesticide Co. Ltd., China.	Agroscience (E.A) Ltd.	aphids on Roses; aphids, thrips & pod borers on French beans; aphids, thrips, Helicoverpa amigera on Tomatoes; thrips, aphids & whiteflies on Kales; aphids, whiteflies and leafminers on Broccoli; aphids, whiteflies and thrips on Runner beans. <b>Broccoli:</b> EU MRL- 0.1 mg/kg PHI-3 days <b>Runner beans:</b> EU MRL- 0.2 mg/kg PHI- 3 days <b>French beans:</b> MRL: 0.02mg/Kg PHI: 5 days <b>Tomatoes:</b> MRL: 0.1mg/Kg PHI: 3 days WHO Class II, Moderately hazardous Yellow colour band REI-when spray dries.
557.	KINGCODE ELITE 50 EC	PCPB(CR)1 194	Acetamiprid 35g/L + Lambda- cyhalothrin 15g/L	<b>Manufacturer:</b> <i>Acetamiprid:</i> Sinochem Hebei Corporation, China. <i>Lambda cyhalothrin:</i> Sinochem Shanghai Co Ltd, China. <b>Formulator:</b> Shandong Weifang	Greenlife Crop Protection Africa Ltd	Insecticide for the control thrips and aphids on roses and french beans; thrips on carnations, and aphids and whiteflies on kales; aphids on wheat.  WHO Class II Moderately hazardous, Yellow color band.  <b>French beans:</b>

				Shungxing Pesticide Co, Ltd, China <b>Exporter:</b> Sinochem Shanghai Co Ltd, China <b>Registrant:</b> Sinochem Shanghai Co Ltd, China.		MRL: Lambdacyhalothrin: 0.2mg/Kg Acetamiprid: 0.2mg/Kg PHI: 5 days <b>Kales:</b> - MRL: Lambdacyhalothrin: 0.1mg/Kg Acetamiprid : 0.1mg/Kg PHI: 7 days To apply when insects first appear.  <b>Wheat:</b> EU MRL: Acetamiprid- 0.03 mg/kg Lambda-cyhalothrin- 0.05 mg/kg PHI- 28 days
558.	KLINSWIP 360 SL Soluble Concentrate	PCPB(CR)0 514	Glyphosate 360g/L (as free acid); equivalent to 480g/L Glyphosate Isopropylamine salt.	Cheminova A/S, Denmark.	Tropical Farm Management Kenya.	A non-selective post-emergence herbicide for the control of broad leaved weeds, annual & perennial weeds in Coffee.
559.	KNOCKBECT IN 40 EC Emulsifiable Concentrate	PCPB(CR)1 068	Abamectin 1% + Acetamiprid 3%	Jiangsu Qiaoji Biochem Co. Ltd., China.	Agricare E.A. Ltd.	An insecticide/miticide for the control of Red spider mites on Roses and carnations; for control of thrips on tomatoes; thrips, spidermites and aphids on French beans. <b>Frenchbeans:</b> EU MRLs: Abamectin: 0.03 mg/kg Acetamiprid: 0.15 mg/kg PHI- 7 days <b>Tomatoes:</b>

						EU MRL: Abamectin - 0.09 mg/kg Acetamiprid – 0.5mg/kg PHI: 7 days WHO Class II Moderately hazardous Yellow Colour band REI= after spray dries
560.	KNOCKOUT 50 SC Suspension Concentrate	PCPB(CR)1 074	Clofentezine 500g/L	King Chemicals Company Ltd., China	Agent/Distribu tor: Agrichem Africa Limited	Miticide for the control of eggs and nymphs of spider mites on roses and carnations.
561.	KOBAN	PCPB(CR)0 402	Chlorothalonil 750g/Kg	Arysta Lifescience SAS, France. <i>Additional Manufacturer: Suli Fine Chemical Co. Ltd., China. Formulator: Arysta Lifesciences (Shangai) Co. Ltd., China.</i>	Arysta Lifescience Kenya Ltd.	Fungicide for control of Coffee Berry Disease in coffee.
562.	KOBE 1.2 SL	PCPB(CR)1 360	Chrysophanol	<i>Manufacturer: Onze Livre. BV Netherlands; Registratnt: Sineria Co.Ltd, Cyprus; Formulator: Sineria China.Co.Ltd, Cyprus.</i>	Sineria Kenya Limited	Biochemical fungicide for the control of powdery on Roses.
563.	KHITO 1.2 SL	PCPB(CR)1	Chrysophanol	Manufacturer: Onze	Sineria. Kenya	Biochemical fungicide for the control of

		360 - p(i)	12g/l	Livre. BV Netherlands; Registrarnt: Sineria Co.Ltd, Cyprus; Formulator: Sineria China.Co.Ltd, Cyprus.	Limited	powdery on Roses.
564.	K-OBIOL DP2 Dustable powder	PCPB(CR)1 356	Deltamethrin 2g/kg	<b>Manufacturer:</b> Bayer Environmental Science, France <b>Registrant:</b> Bayer AG Germany <b>Formulator:</b> Bayer Crop Science, Spain Bayer Turk Kimya San ltd, 3. Bayer crop science, Baris mahallesi, Anibal Caddesi, Turkey Bayer (Pty) ltd, South Africa Bayer AG, Germany Bayer crop science, Italy	Bayer East Africa ltd	An insecticide for the control of Grain storage Pests (maize weevil, <i>Setophilus zeamais</i> , Red Flour beetle, <i>Tribolium spp</i> and Larger grain borer <i>Prostephanus truncatus</i> )  WHO Class III, Slightly hazardous, Blue color band  MRLs (EU): 2mg/kg <i>Not be consumed less than 42days post treatment</i>
565.	KOHINOR 200 SL Soluble	PCPB(CR)0 448	Imidacloprid 200g/L	Bayer Cropscience AG, Adama Agricultural Solutions Ltd., Israel.	Amiran (K) Ltd.	Insecticide for the control of coffee leaf miner (soil drenching); for use on ornamentals

	Concentrate					to control whiteflies, aphids and thrips and for use in agroforestry nurseries and trees against termites and soil pests.
566.	KRISMAT 75 WDG Water Dispersible Granules	PCPB(CR)0541	Trifloxysulfuron Sodium 18.5g/Kg + Ametryn 731.5g/Kg	Syngenta Crop Protection, Switzerland / <i>Formulator</i> : Syngenta Agro SAS, France. <b>Manufacturing Site for Ametryn</b> : Anhui ZhongShan Chemical Industry Co.Ltd, China.	Syngenta E.A. Ltd.	An early post-emergence herbicide for the control of broad-leaved weeds and grass weeds in sugar cane fields on plant and ratoon crops.
567.	KUMULUS 80% DF	PCPB(CR)0272	Sulphur 80% w/w	BASF SE, Germany.	BASF E.A Ltd., Nairobi. <i>Distributor</i> : Topserve E.A. Ltd./ Elgon Chemicals Ltd.	Fungicide for use in the control of powdery mildew on Roses and red spider mites on Roses and vegetables.
568.	KUNGFU 25 EC Emulsifiable concentrate	PCPB(CR)1285	Lambda-cyhalothrin 25g/L	<b>Manufacturer</b> : Jiangsu Fengshan Group Co. Ltd, China. <b>Registrant</b> : Nanjing Fengshan Chemical Co. Ltd. China	Chinachem (K) Ltd	Insecticide for the control of Thrips, aphids and caterpillars on French beans  PHI 3 days MRL - 0.02mg/Kg
569.	LAMBDASTA	PCPB(CR)1	Lambda-	UPL Ltd., India/	Elgon	Insecticide for the control of aphids &

	R 5% EC Emulsifiable Concentrate	031	cyhalothrin 5%	SWAL Corporations, India.	Chemicals Ltd.	whiteflies on Roses; aphids & whiteflies on Tomatoes; Aphids, whiteflies & thrips on French beans. WHO Class II Yellow Colour band Moderately hazardous PHI: - French beans – 4 days - Tomatoes - 4 days MRL: -French beans- 0.01mg/Kg -Tomatoes - 0.1mg/Kg REI: Roses – 24 hrs
570.	LAMBDEX 5 EC Emulsifiable Concentrate	PCPB(CR)0456	Lambda-cyhalothrin 50g/L	Adama Makhteshim Ltd, Israel. <i>Additional Manufacturing Site:</i> Youth Chemical. Ltd, China.	Amiran (K) Ltd.	Insecticide to control aphids, thrips, whiteflies and caterpillars on french beans, snowpeas & Roses.
571.	LANCELOT 450 WG Water dispersible granule	PCPB(CR)1334	Florasulam 150g/kg + Aminopyralid 300g/kg	<b>Manufacturer &amp; Registrant:</b> Dow AgroSciences, France <b>Formulators:</b> 1. Dow AgroSciences Torre S.r.l, Italy	Dow Chemical E.A Ltd, Nrb	Post emergence herbicide for the control of Broad leaved weeds in Wheat WHO Class U Unlikely to present hazard in normal use; Green color band <b>Aminopyralid:</b> MRL: 0.1mg/kg



				2. The Dow Chemical Company, USA 3. Schirm GmbH (Luebeck), Germany		PHI: 80days <b>Florasulam:</b> MRL: 0.01mg/kg PHI: 80days
572.	LANNATE 25 WP Wettable Powder	PCPB(CR)0 363	Methomyl 25%	Du Pont de Nemours (France) S.A.S./Dupont Taiwan Ltd-Lungtan Plant, Taiwan	DuPont De Nemours Kenya Ltd	Insecticide for the control of thrips, aphids & caterpillars on French Beans; DBM, aphids, sawflies & white flies on Cabbages.
573.	MAXIDOR 250 SC Suspension Concentrate	PCPB(CR)1 347	Azoxystrobin 250 g/L	Formulator/Manufacturer: ADAMA Makhteshim, Israel Registrant: Makhteshim Agan East Africa Limited	Adama Agriculture East Africa Limited	Fungicide for the control of rust & ring spot in carnations; rust on French beans; powdery mildew in roses. EU MRL- 3.0 mg/kg PHI- 3 days WHO Class III Slightly hazardous Blue color band Carnations REI: 6 hours.
574.	LAVIDA 73 WDG Water dispersible granules	PCPB(CR)1 252	Mancozeb 680g/Kg + Cymoxanil 50g/Kg	UPL, India	Orbit Chemical Industries Ltd	Fungicide for the control of Late Blight of Potatoes & Tomatoes; and Downy mildew in Roses. WHO Class III Slightly hazardous, Blue color band) Mancozeb: <b>Potatoes:</b> PHI:10 days MRL: 0.2mg/Kg <b>Tomatoes:</b> PHI: 10 days MRL: 2mg/Kg Cymoxanil:

						<p><b>Potatoes:</b> PHI:10days MRL: 0.05mg/Kg  <b>Tomatoes:</b> PHI: 10days  MRL:0.2mg/Kg.</p>
575.	LECATECH WP Wettable powder	PCPB(CR)1 144	<i>Lecanicillium lecanii</i> 1*10 <sup>10</sup> cfu/g	Dudutech (Division of Flamingo Horticulture (K) Ltd. Naivasha	Dudutech (Division of Flamingo Horticulture (K) Ltd, Naivasha	<p>Biological insecticide for Control of Thrips and White flies on French beans; white flies on roses</p> <p><b>WHO Class U</b> Unlikely to present acute hazard under normal use ; Green color band</p> <p>Residue data not applicable for biopesticides</p>
576.	LEGACY 5% EC Emulsifiable Concentrate	PCPB(CR)1 055	Lufenuron 50g/L	Agroshine Hangzhou Chemical Co. Ltd., Hangzhou, China	Greenlife Crop Protection Africa Ltd.	<p>Insecticide for control of thrips on Roses, caterpillars &amp; thrips in French beans; Diamond Backmoth on cabbages. WHO Class II, Moderately hazardous Yellow colour band REI-when spray dries French beans: MRL 0.02mg/KG PHI-3 days Cabbages: MRL-0.2mg/KG</p>

						PHI-3 days
577.	LEVO 2.4 SL Soluble Concentrate	PCPB(CR)1 017	Oxymatrine 2.4%	Sineria Co. Ltd., China	Sineria Kenya Limited <i>Distributor:</i> Chemtura (Pty) Ltd.	Insecticide/miticide for the control of aphids and spidermites on Roses and Tomatoes. WHO Class U of products Unlikely to cause hazard in normal use. Green Colour band MRL – Tomatoes – 0.5mg/Kg PHI – 1 day REI: - Roses- After drying of spray
578.	PERIL 2.4 SL Soluble Concentrate	PCPB(CR)1 017 - p(i)	Oxymatrine 2.4%	Sineria Co. Ltd., China	Sineria Kenya Limited; <i>Distributor:</i> Chemtura (Pty) Ltd.	Insecticide/miticide for the control of aphids and spidermites on Roses and Tomatoes. WHO Class U of products Unlikely to cause hazard in normal use. Green Colour band MRL - Tomatoes - 0.5mg/Kg PHI - 1 day REI: - Roses- After drying of spray
579.	LEXUS 247 SC	PCPB(CR)1 432	Lambda-cyhalothrin 106g/L + Thiamethoxam 141g/L	<i>Manufacturer:</i> Sinochem Ningbo Ltd, China. <i>Formulator/Registrant:</i> Sinochem Paraguay Ltd,	Greenlife Crop Protection Africa. Ltd.	Insecticide for the control of thrips, whiteflies and aphids on roses, tomatoes and capsicum, French beans and onions; diamond back moth and aphids on cabbage.  <b>French beans:</b> EU MRL- Thiamethoxam: 0.3mg/kg Lambda cyhalothrin: 0.2mg/kg

						<p>PHI- 14 days</p> <p><b>Cabbage:</b> Codex MRL: Thiamethoxam: 5.0 mg/kg Lambda cyhalothrin: 0.5 mg/kg PHI- 14 days</p> <p><b>Onion:</b> EU MRL Thiamethoxam: 0.01mg/kg Lambda cyhalothrin: 0.2 mg/kg PHI- 14 days</p> <p>REI-12 hrs WHO Class II Slightly hazardous, Blue color band.</p> <p><b>Tomatoes:</b> EU MRL: Thiamethoxam-0.2mg/kg Lambda-cyhalothrin-0.1mg/ha PHI-7 Days.</p> <p><b>Capsicum:</b> Thiamethoxam-0.7mg/kg Lambda-cyhalothrin-0.1mg/ha PHI-7 Days</p>
--	--	--	--	--	--	--

580.	LIBSORB SL	PCPB(CR)0500	Nonyl phenol ethoxylate 91% w/w	Ciba Speciality Chemicals, UK.	Farmchem (K) Limited	Surfacant for increasing wetting/spreading properties of Sancobez on waxy leaf crops e.g. Tomatoes.
581.	LINAGAN 50WP Wettable Powder	PCPB(CR)0330	Linuron 500g/Kg	Adama Agan Ltd, Israel. <b>Additional manufacturer:</b> Weylchem Frankfurt GmbH Stoofstrasse, Germany.	Adama Agriculture E.A Limited.	Herbicide for the control of numerous annual broad-leaved and grass weeds in maize, beans, carrots, potatoes.
582.	LIQUICOP SL Soluble Liquid	PCPB(CR)0452	Copper ammonium acetate 312g/L, equivalent to 80g/L metallic Copper	Hygrotech International (pty) Ltd.S.Africa.	Hygrotech East Africa.	A fungicide/bactericide for the control of bean anthracnose & bacterial blight in beans.
583.	LONGSTAR 40 EC Emulsifiable Concentrate	PCPB(CR)1096	Flusilazole 400g/L	Hefei Longcan Chemistry Co. Ltd, China.	Greenlife Crop Protection Africa Ltd.	Fungicide for the control of powdery mildew on Roses. WHO Class III Slightly hazardous Blue colour band REI-12hrs
584.	LOYALTY 700WDG Water dispersible granules	PCPB(CR)1232	Imidacloprid 700g/Kg	<b>Manufacturer/Formulator/Registrant/Exporter:</b> Shandong United Pesticide Industry Co. Ltd; China	Greenlife Crop Protection Africa Ltd	Insecticide for the control of Thrips in Carnations; Whiteflies on French beans. EU MRL- 2.0mg/kg PHI:5 days  WHO Class II

						Moderately Hazardous Yellow color band REI: When the spray dries
585.	LUMAX 537.5 SE (Suspo-Emulsion)	PCPB(CR)0556	Terbutylazine 125g/L + Mesotrione 37.5g/L + S-Metolachlor 375g/L	Syngenta Agro, France, Syngenta Crop Protection, Switzerland. <b>Additional Formulation Site:</b> Syngenta South Africa (Pty).Ltd.	Syngenta E.A. Ltd.	Pre-emergence and early post-emergence herbicide to control annual grasses and broad leaved weeds in maize & sugarcane.
586.	LUNA SENSATION SC 500 Suspension Concentrate	PCPB(CR)1163	Fluopyram 250g/L + Trifloxystrobin 250g/L	Bayer AG Germany <b>Formulator:</b> Bayer CropScience, Germany. <b>Plants &amp; Formulator:</b> Dormagin; Germany, Cedex; France Kansas City, USA	Bayer E.A Ltd	Fungicide for the control of Mycosphaerella (Ascochyta) in snow peas, powdery mildew and early blight in tomato, rust in French beans, downy mildew in onions and powdery mildew in chillies.  <b>Tomatoes:</b> EU MRL – Fluopyram: 0.9 mg/kg and Trifloxystrobin :0.7 mg/kg PHI: 3 days <b>Snow peas:</b> EU MRL: Fluopyram – 0.1mg/kg Trifloxystrobin: 0.02mg/kg PHI: -14 days

						<p><b>French beans:</b> EU MRL: Fluopyram- 0.9 mg/kg Trifloxystrobin- 1.0 mg/kg PHI: 14 days</p> <p><b>Onion:</b> EU MRL: Trifloxystrobin - 0.01mg/kg Fluopyram – 0.1mg/kg PHI: 7 days</p> <p><b>Chillies</b> EU MRL – Fluopyram: 2 mg/kg and Trifloxystrobin :0.4 mg/kg PHI: 3 days</p> <p><b>WHO Class: III</b> Slightly hazardous Blue Color Code REI: When spray dries</p>
587.	LUNA TRANQUILIT Y SC 500 Suspension concentrate	PCPB(CR)1 405	Fluopyram 125g/L + Pyrimethanil 375g/L	<p><b>Manufacturer/Registrant:</b> Bayer AG Germany <b>Formulator:</b> Bayer AG Germany, Industrial Operation, Germany <b>Formulation Plants:</b> <b>Germany:</b></p> <ul style="list-style-type: none"> <li>• Bayer AG Germany</li> </ul>	Bayer E. A. Ltd	<p>Fungicide for the control of Powdery mildew in Roses. Fungicide for the control of botrytis in Roses.</p> <p>WHO Class II Moderately hazardous; Yellow color band</p>

				<p>(Dormagen &amp; Frankfurt),</p> <ul style="list-style-type: none"> <li>• Stahler Tec Deutschland GmbH &amp; Co. KG, Germany,</li> <li>• Schirm GmbH, Germany</li> </ul> <p>4. Bayer AG Germany</p> <p>Continued <i>Manufacturer/Registrant</i> details on LUNA TRANQUILITY SC 500 of PCPB(CR)1405: <b>France:</b> France SAS, France, (Lubeck &amp; Schonebeck (Elbe)), Arysta, France, Bayer SAS, Bayer CropScience, France, Phyteurop S. A., France, SBM Formulation S.A, France <b>Italy:</b> Isagro SpA, Italy</p>		REI: 6hours
--	--	--	--	---	--	-------------



				USA: Bayer CropScience, USA		
588.	MAGIC 50 EC Emulsifiable Concentrate	PCPB(CR)0 939	Malathion 500g/L	Bharat Insecticide Ltd., India/	Agriscope (Africa) Ltd.	Insecticide for the control of thrips, aphids & whiteflies in French beans; aphids & diamond backmoth larvae in cabbages.  WHO Class III Blue Colour Band Application rate: 1.5l/ha at first signs of insects & repeated after 7 days MRL : Cabbages & French beans – 8mg/Kg PHI – Cabbages – 7 days
589.	MAGUCHEM 380 SC Suspension Concentrate	PCPB(CR)- 1282 <i>p(i)</i>	Atrazine 380 g/L	Hangzhou Jike Trading Co., Ltd	Chemline Africa Ltd	Pre emergence herbicide for the control of annual grasses and broad leaved weeds in baby corn PHI: 45 days MRL: 1mg/kg
590.	MAGUGUMA 380 SC Suspension concentrate	PCPB(CR)1 282- <i>p(ii)</i>	Atrazine 380g/L	Hangzhou Jike Trading Co., Ltd	Hangzhou Agrochemical Industries, Kenya.	Pre emergence herbicide for the control of annual grasses and broad leaved weeds in baby corn PHI: 45 days MRL: 1mg/kg

591.	MAMBA 360 SL Soluble Concentrate	PCPB(CR)0 415	Glyphosate acid 360g/L	Dow Agrosiences.	Dow Chemical E.A Ltd, Nrb	Herbicide for control of broad-leaved weeds and grasses in coffee plantations, barley.
592.	MAMBA 480 HIGH LOAD SL Soluble Concentrate	PCPB(CR)0 859	Glyphosate equivalent to 647.8g/L IPA salt 480g/L	Dow Agrosiences, South Africa & <i>Registrant: Dow Agrosiences Export SAS, France.</i>	Dow Chemical E.A Ltd, Nrb	Herbicide to control Annual & perennial weeds in wheat as minimum tillage. Application rate 3.0l/ha  WHO Class III Blue Colour Band
593.	MANCOBEX 80WP Wettable Powder	PCPB(CR)1 039	Mancozeb 800g/Kg	Nantong Baoye Chemical Co. Ltd., China	Soprochem Limited	Fungicide for the control of Early and Late Blight on tomatoes WHO Class III Blue Colour Band MRL: 0.5mg/Kg PHI: 7 days
594.	MAGNUM (FILWET GOLD) Liquid	PCPB(CR)14 34	Organosilicone (Polyether modified Trisiloxane 80%)	Formulator: Zheijiang Runhe Organic Silicon New Material Co. Ltd, China Formulator: Osho chemical industries Ltd	Osho Chemicals Industries Ltd	Miticide for control of spider mites in roses.  WHO Class U, Unlikely to present hazard in normal use, Green color band
595.	MANCOFLO 455SC	PCPB(CR)0 431	Mancozeb 455g/L	Sulphur Mills India	Osho Chemical Industries Ltd.	Fungicide to Control Botrytis on Roses and leaf spot in French beans and snow peas.

596.	MANCOLAX WP Wettable Powder	PCPB(CR)0 569	Mancozeb 640g/Kg+ Metalaxyl 80g/Kg	UPL Ltd., Mumbai.	Juanco SPS Ltd.	Fungicide to control downy mildew on snow peas and Roses and Late Blight on Potatoes.
597.	MANIFEST 360 SL Soluble Concentrate	PCPB(CR)0 327	Glyphosate 360gG/L (as free acid) – Equivalent to 480g/L Glyphosate Isopropylamine Salt.	Cheminova A/S, Denmark.	Novus-Bridge Consultants.	Post emergence non-selective herbicide for the control of annual and perennial weeds in wheat, sugarcane coffee and tea.
598.	MANIK 20 SP Soluble Powder	PCPB(CR)1 117	Acetamiprid 200g/Kg	Rallis India Ltd., India	Osho Chemical Industries Ltd.	Insecticide for the control of whiteflies on Courgettes; whiteflies & thrips on French beans; aphids on Kales; aphids & whiteflies on Tomatoes and Roses; aphids, thrips and whiteflies on carnations. WHO Class II REI – Roses, when spray dries. Tomatoes; PHI: 7 days MRL: 0.15mg/Kg French beans; PHI: 14 days MRL: 0.06mg/Kg

599.	MARSHAL 250 EC Emulsifiable Concentrate	PCPB(CR)0 055	Carbosulfan 250g/L	FMC Corporation, USA.	Juanco SPS Ltd.	Insecticide/ Miticide for use on maize (pre-plant) for maize stalk borer control; coffee thrips, coffee berry borer, leaf miner, star scale, fried egg scale control, cotton aphid control; citrus - red scale control, flowers against mites.
600.	MARSHAL 350 STD Dry seed treatment	PCPB(CR)0 179	Carbosulfan 350g/Kg	FMC Corporation, USA.	Juanco SPS Ltd.	Insecticide/Nematicide for Seed Dressing treatment at sowing/planting of beans, maize, for the control of soil borne pests and early foliar pests, including maize leaf hoppers (vectors of maize streak virus).
601.	MATCH 50 EC Emulsifiable Concentrate	PCPB(CR)0 269	Lufenuron 50g/L	Syngenta Crop Protection Switzerland AG Switzerland. <i>Additional Formulation Site:</i> Schirm GmbH Schonebeck, Geschwister-Schol- Strasse 127, 39218 Schonebeck/Elbe,	Syngenta East Africa Ltd., P.O. Box 30393, Nairobi.	Insecticide for the control of diamond back moth on kales, caterpillars ( <i>Spodoptera exigua</i> ) and Thrips on Roses.

				Germany.		
602.	MATCO 72WP Wettable Powder	PCPB(CR)1 338	Metalaxyl 80g/Kg + Mancozeb 640g/Kg	<b>Formulator/Registrant</b> Indofil Industries Ltd, India	Osho Chemicals Ltd	Fungicide for the control of powdery mildew on roses, early blight and late blight on tomatoes and potatoes, downy mildew and purple blotch on onions, damping off and black spot on cabbage.  REI: 12 hours <b>Tomatoes</b> EU MRL: Mancozeb- 3.0mg/kg Metalaxyl-0.2 mg/kg PHI- 14 days <b>Potatoes</b> EU MRL: Mancozeb- 0.3 mg/kg Metalaxyl- 0.05 mg/kg PHI- 14 days <b>Onions</b> EU MRL Mancozeb- 1.0mg/kg Metalaxyl-0.5 mg/kg PHI- 14 days <b>Cabbage</b> EU MRL: Mancozeb- 3.0 mg/kg Metalaxyl- 1.0 mg/kg

						PHI- 14 days  <b>WHO Class III</b> Slightly hazardous, Blue color band.
603.	MATRIC 50 SC Suspension Concentrate	PCPB(CR)0 774	Chromafenozide 50g/L	Nippon Kayaku Co. Ltd., Japan / Arysta Lifescience,SAS, France	Arysta Lifescience (K) Ltd.	Insect growth regulator for the control of spodoptera spp. on Tomatoes & Roses.
604.	MAVRIC AF Aquaflow	PCPB(CR)0 847	Tau-Fluvalinate 24%	Adama Makhteshim Ltd, Israel.	Amiran (K) Ltd.	Insecticide against thrips, mites, aphids, in Roses, Carnations.
605.	MAXIDOR 250 SC Suspension Concentrate	PCPB(CR)1 347	Azoxystrobin 250 g/L	<b>Formulator/Manufacturer:</b> ADAMA Makhteshim, Israel  <b>Registrant:</b> Makhteshim Agan East Africa Limited	Adama Agriculture East Africa Limited	Fungicide for the control of rust & ring spot in carnations  WHO Class III Slightly hazardous Blue color band Carnations REI: 6 hours
606.	MAXIM XL 035 FS Flowable concentrate for seed treatment	PCPB(CR)0 728	Fludioxinil + Metalaxyl-M 25g/L + 10g/L	Syngenta Crop Protection AG, Switzerland	Syngenta E.A. Ltd.	A fungicide for use as a seed treatment on maize seeds to control fusarium pythium spp.

607.	MAY 50 EC Emulsifiable concentrate	PCPB(CR)1 187	Lufenuron 50g/L	Jiangsu Flag Chemical Industry Co. Ltd, China	Kenagro Suppliers Ltd	Insecticide for control of Thrips in Roses  <b>WHO Class U</b> (Products unlikely to present acute hazard under normal use, Green color band <b>REI:</b> when spray dries
608.	MEDAL 25WDG Wettable Granules	PCPB(CR)0 997	Thiamethoxam 250g/Kg	Manufacturer: Parijat Agencies, India/ Registrant: Sineria Industries, Cyprus	Solo Plant Ltd.	Systemic broad spectrum insecticide for control of thrips, aphids and whiteflies in French beans and Roses by foliar application and drenching.
609.	MEGAPRODE 500 SC Suspension Concentrate	PCPB(CR)1 044-p(i)	Iprodione 500g/L	Jiangsu Huifeng Agrochemical Co. Ltd., China	GreenLife Agroscience (E.A) Ltd.	A contact protective and curative fungicide for control of botrytis ( <i>Botrytis cinerea</i> ) in Roses. WHO class III                      Blue colour band Slightly hazardous      REI – after the pesticide spray has dried.
610.	MEGAPRODE LOCK 52.5 WP Wettable Powder	PCPB(CR)1 133	Carbendazim 17.5g/kg + Iprodione 52.5g/kg	Jiangsu Kuaida Agrochemical Ltd, China <b>Exporter:</b> Shanghai Qiaoji International Co, Ltd, China	Greenlife Crop Protection Africa Ltd	Fungicide for control of Botrytis on Roses; Early & Late Blight on Tomatoes; Anthracnose & Angular leaf spot on French beans; rice blast in rice and Fusarium wilt on carnations

						<p>EU MRL (Rice) - Carbendazim – 0.01 mg/kg - Iprodione- 3.0 mg/kg PHI = 7 days</p> <p>WHO Class III(Slightly Hazardous; Blue color band) <u>Roses:</u> REI - When spray dries <u>French beans:</u> PHI – 14 days MRL -Carbendazim: 0.3mg/kg -Iprodione : 0.36mg/kg To be applied at the onset of disease upto 42 days after planting during flowering upto early pod formation <u>Tomatoes</u> PHI – 21 days MRL-Carbendazim: 0.4mg/kg -Iprodione : 0.4mg/kg To be applied at first onset of disease upto 49 days after planting during inflorescence emergence.</p>
611.	MEGARON 500 SC Suspension Concentration	PCPB(CR)0 935	Diafenthiuron 500g/L	Kingtai Chemicals Co. Ltd., China	Agrichem Agrosolutions.	<p>Miticide for the control of red spider mites on Roses</p> <p>WHO Class III</p>



						Slightly hazardous Blue Colour band REI Roses – 4 hrs
612.	MEGATOX 400 EC Emulsifiable concentrate	PCPB(CR)1 258	Dodemorph acetate 400 g/L	King Chemical Co. Ltd., China	Magnetic Kenya Limited	Fungicide for the control of Powdery mildew on Roses  WHO Class III, Slightly hazardous; Blue color band REI: when spray dries
613.	MELODY DUO WG 69 Water Dispersible Granules	PCPB(CR)0 349	Propineb 600g/Kg + Iprovalicarb 90g/Kg	Bayer AG Germany	Bayer East Africa Ltd.	Fungicide for the control of early & late blight on tomatoes and potatoes; and downy mildew on Roses.
614.	MELTATOX 385 EC Emulsifiable Concentrate	PCPB(CR)0 624	Dodemorph- Acetate 385g/L	BASF SE <i>Additional Formulation</i> <i>Site:</i> BASF Agri- Production S.A.S., Zone Industriel Lyon Nord, Rue Jacquard, F- 69727 Genay Cedex, France.	BASF E.A Ltd., Nairobi. <i>Distributor:</i> Elgon Chemicals Ltd.	Systemic, preventive and curative fungicide for use on flowers / ornamentals.
615.	MENARA 410 EC Emulsifiable concentrate	PCPB(CR)1 354	Propiconazole 25 0g/L+ Cyproconazole 160g/L)	<b>Manufacturer:</b> (2) Propiconazole: Syngenta crop protection Monthey	Syngenta East Africa Ltd	Fungicide for the control of Stem rust and yellow rust in wheat  WHO Class II,

				SA, Switzerland (3) Cyproconazole: Bayer Schweiz AG, Switzerland; Saltigo GmbH, Germany <b>Registrant/Formulator:</b> Syngenta crop protection AG, Switzerland		Moderately hazardous, Yellow color band MRLs (EU): Propiconazole: 0.1mg/kg Cyproconazole 0.1mg/kg PHI: 42days
616.	MENARA 410 EC Emulsifiable concentrate	PCPB(CR)1 354	Propiconazole 25 0g/L+ Cyproconazole 160g/L)	<b>Manufacturer:</b> (4) Propiconazole: Syngenta crop protection Monthey SA, Switzerland (5) Cyproconazole: Bayer Schweiz AG, Switzerland; Saltigo GmbH, Germany <b>Registrant/Formulator:</b> Syngenta crop protection AG, Switzerland	Syngenta East Africa Ltd	Fungicide for the control of Stem rust and yellow rust in wheat  WHO Class II, Moderately hazardous, Yellow color band MRLs (EU): Propiconazole: 0.1mg/kg Cyproconazole 0.1mg/kg PHI: 42days
617.	MENNO FLORADES 90 SL	PCPB(CR)1 259	Benzoic acid 90 g/L	Menno Chemie-vertrieb GmbH, Germany	Kenagro Suppliers Limited	Adjuvant for enhancing performance of TAJIRI 720 WP (PCPB(CR)1108) as Fungicide for control of Downy mildew

	Soluble Liquid					on Roses  WHO Class III, Slightly hazardous; Blue color REI: when spray dries
618.	PATHOKIL 90SL	PCPB(CR)12 59 -p(i)	Benzoic acid 90 g/L	Menno Chemie-vertrieb GmbH, Germany	<i>Local Agent:</i> Kenagro Suppliers Limited  <i>Distributor:</i> Agrostar East Africa Ltd	Adjuvant for enhancing performance of TAJIRI 720 WP (PCPB(CR)1108) as Fungicide for control of Downy mildew on Roses <b>WHO Class III</b> , Slightly hazardous; Blue color REI: when spray dries
619.	MERCUR 500 SC Suspension Concentrate	PCPB(CR)0 549	Diafenthiuron 500gm/L	Gold Co. Ltd., China/ Goldchance Fluence.	Sineria Kenya Limited <i>Distributor:</i> A miran (K) Ltd.	Non-systemic insecticide/miticide for the control of spidermites, whiteflies, nymphs, aphids and caterpillars on Roses.
620.	MERIT 150 SC Suspension concentrate	PCPB(CR)13 97	Indoxacarb 150g/L	Hailir Pesticides And Chemicals Group Co ltd, China	Agro Solutions Ltd	Insecticide/Miticide for the control Diamond backmoth (DBM) and Looper in <b>Cabbages</b> and Caterpillars ( <i>Helicoverpa armigera</i> ) on <b>Roses;</b> Insecticide for the control of <i>Tuta</i> <i>absoluta</i> in Tomatoes. REI: 12 hours WHO Class III Slightly hazardous; Blue color band

						<p><b>Tomatoes:</b> EU MRL: 0.5mg/kg Proposed PHI: 1 day.</p> <p><b>Cabbages:</b> MRL: 3 mg/kg PHI: 7 days</p>
621.	MERLIN WG 75 (Water Dispersible granules)	PCPB(CR)0704	Isoxaflutole 750g/Kg	Manufacturer/Formulator: Bayer Crop Science AG Germany.	Bayer East Africa Ltd.	A systemic broad spectrum pre-emergence or early post-emergence herbicide for the control of grasses and broad-leaved weeds in sugarcane.
622.	MERPAN 83 WP Wettable Powder	PCPB(CR)0041	Captan 83% m/m	Adama Makhteshim Ltd, Israel.	Amiran (K) Ltd.	Protectant Fungicide for the control of many diseases on apples, beans, coffee, grapes, berries, pineapples, ornamentals.
623.	MERRYZOLE 250 EW Oil Emulsion in water	PCPB(CR)1395	Tebuconazole 250g/L	Shandong Sino-Agri United Biotechnology Co. Ltd, China	Merrychem Company Ltd	<p>Fungicide for the control of rust on <b>French beans</b></p> <p>EU MRLs: 2mg/kg PHI: 7 days</p> <p>WHO Class II - Yellow color code slightly hazardous</p>
624.	MESUROL 200 SL Soluble	PCPB(CR)1274	Methiocarb 200g/L	<b>Manufacturer/Registrant:</b> Bayer AG Germany,	Bayer E.A ltd	Insecticide for control of thrips in French beans and onions.

	Concentrate			Industrial Operations, Dormagen, Germany  <b>Formulator:</b> Bayer S.A.S, France		EU MRL- 0.1mg/kg PHI: 28 days.  MRL: 0.2mg/kg PHI: 7 days  WHO Class II (moderately hazardous, yellow colour band)
625.	MESUROL 500 SC Suspension Concentrate	PCPB(CR)0 241	Methiocarb 500g/L	Bayer AG Germany	Bayer East Africa Ltd.	Broad spectrum insecticide for the control of sucking and biting insect pests in flowers/ ornamentals and for the control of thrips in French beans.
626.	METACOZEB 72 WP Wettable Powder	PCPB(CR)1 196	Metalaxyl 80g/Kg + Mancozeb 640g/Kg	Shanghai Hui Song (H&S) Agro-Solution Co. Ltd, China	Highchem Marketing Ltd	Fungicide for the control of downy mildew on Kales, Cabbages & Roses; Early and Late blight in Tomatoes and Potatoes. <b>WHO Class III</b> Slightly hazardous Blue Colour Band PHI – 7 days Cabbages & Kales MRL: Cabbages – 5mg/Kg; Kales – 15m/Kg
627.	KWIK 480 SL	PCPB(CR)11 89-p(i)	Glyphosate IPA Salt 480g/L	Anhui Huaxing Chemical Industry Co., Ltd, China.	Oak Medica Ltd.	Post emergence herbicide for control of annual and perennial grasses and broad- leaved weeds in French beans, baby corn, tomatoes and cabbages under minimum tillage.

						WHO Class U (Products unlikely to present acute hazard under normal use, Green color band).
628.	UPRON 72WP	PCPB(CR)11 96-p(i)	Metalaxyl 80g/Kg + Mancozeb 640g/Kg	Shanghai Hui Song (H&S) Agro-Solution Co. Ltd, China.	Oak Medica Ltd.	Fungicide for the control of downy mildew on Kales, Cabbages & Roses  <b>WHO Class III</b> Slightly hazardous Blue Color Band PHI Cabbages & Kales: 7 days MRL: Cabbages – 3mg/Kg; Kales – 0.5m/Kg
629.	DELFA 1.01 % DUST	PCPB(CR)1 610	Fenitrothion 1% + Deltamethrin 0.01% w/w	<b>Manufacturer/ Formulator:</b> Sichuan Saiwei Biological Engineering Co., Ltd., China  <b>Registrant:</b> Zhejiang E-Tong Chemical Co., Ltd, China	Highchem Marketing Ltd	Insecticide for control of Grain storage pests (maize weevil, <i>Setophilus zeamais</i> , Red Flour beetle, <i>Tribolium spp</i> and Larger grain borer <i>Prostephanus truncatus</i> ) in Maize & Wheat  Deltamethrin codex MRL: Cereal grains- 2 mg/kg Fenitrothion codex MRL: Cereal grains – 6 mg/kg

						Withholding Period: 45 days WHO Class III Slightly hazardous , Blue color band
630.	METAFUR 900EC	PCPB(CR)13 42	Furfural 900g/L	Essence Fine Chem, China	Sineria Kenya Limited	Nematicide for the control of parasitic nematodes on roses. WHO Class III Slightly hazardous; Blue color code REI: 6hrs
631.	METASYSTOX VL 50 Liquid	PCPB(CR)06 53	Oxydementon Methyl 50%	United Phosphorus India	Farmchem (K) Limited	Insecticide concentrate for use in formulating Locally “METASYSTOX R 250EC” used for the control of a wide range of insect pests on vegetables, fruits, and field crops.
632.	METHAM SODIUM 51 Liquid soluble	PCPB(CR)0 789	Metam sodium 510g/L	FMC Foret S.A. Spain	Juanco SPS Ltd.	Pre-plant soil disinfectant for control of nematodes in pinapples; root-knot nematodes and bacterial wilt in tomatoes.
633.	METHOGUN 90SP Soluble Powder	PCPB(CR)1 062- <i>p(ii)</i>	Methomyl 90% w/w	Huayang China Ltd	Chinachem Kenya Ltd	Insecticide for the control of thrips & aphids on Roses; thrips & aphids on french beans. WHO Class I
634.	METHOLING 90SP Soluble Powder	PCPB(CR)1 062- <i>p(i)</i>	Methomyl 90% w/w	Huayang China Ltd	Mutuchem Enterprises Ltd	Insecticide for the control of thrips & aphids on Roses; thrips & aphids on french beans. WHO Class I

635.	METHOMEX 90 packed in water soluble bags	PCPB(CR)0 630	Methomyl 90% w/w	Adama Makhteshim Ltd, Israel.	Amiran (K) Ltd.	Insecticide for the control of bean thrips, Bean Aphid, Green Peach Aphid, Tobacco White Fly, Golden Wing Moth, African Bollworm on flowers and horticultural crops. <b>RESTRICTED USE</b>
636.	METRO 200SC	PCPB(CR)0 468-p(ii)	Imidacloprid 200g/L	Rotam Ltd., Hong Kong.	Rotam Sub-Saharan Africa Ltd. <i>Distributor:</i> Cooper (K) Brands Ltd	Insecticide to control aphids, whiteflies, thrips, beanfly, on french beans and flowers; termites in forestry and on wood structures.
637.	MICROPLUS DISPERSS 74.5 WDG Water dispersible granules	PCPB(CR)1 275	Sulphur 700g/kg + Tebuconazole 45g/kg	Sulphur & Tebuconazole United phosphorous Ltd/ Cerexagri S.A.S, France	Osho chemicals Industry Ltd	Fungicide for the control of Powdery mildew on Roses and Rust on carnations  REI-24 hours  WHO Class III (Moderately hazardous, Blue colour band)
638.	MICROTHIO L SPECIAL DISPERSS 80 WG Water Dispersible Granules	PCPB(CR)0 554	Sulphur 800g/Kg	Cerexagri S.A.S Le Canet France. <b>Registrant:</b> UPL Ltd <b>Formulator:</b> Cerexagri S.A.S Le Canet France	Twiga Chemical Industries Ltd.	Miticide/fungicide for the control of mites and powdery mildew in French beans, cucumber & tomatoes, powdery mildew on Roses.



639.	MIGHTY 50 ME Micro-Emulsions	PCPB(CR)1 318	Abamectin 50g/L	<b>Manufacturer/Formulator:</b> Jiangsu Huifeng Agrochemical Company Ltd; China <b>Registrant/Exporter:</b> Agrimore Enterprises Limited, China	Eco Harmony East Africa Ltd	Insecticide for the control of Thrips and Spidermites on Roses. <b>REI: 12 hours</b>  WHO Class II, Moderately hazardous, Yellow colour band
640.	MILBEKNOC K 1% EC Emulsifiable Concentrate (EC)	PCPB(CR)0 511	Milbemectin 1%	Mitsui Chemicals Agro, Inc., Japan	Sumitomo Corporation, Liaison Office / Mbaki Agri Inputs, P.O. Box 39389, Nairobi.	Miticide for control of spidermites in Roses & Carnations.
641.	MILESTONE 250 SC Suspension Concentrate	PCPB(CR)1 130	Azoxystrobin 250g/L	Shanghai Heben-Eastsun Medicaments Co. Ltd.; China	Greenlife Crop Protection Africa Ltd	Fungicide for the control of Botrytis and Downy mildew on Roses & rust in French beans and carnations, Rust on runner beans, Downy mildew on Broccoli and rust in wheat (stem and yellow), ascochyta leaf spot and powdery mildew on snow peas.  <b>Snow peas:</b>

						<p>EU MRL- 3.0 mg/kg PHI-4 days</p> <p>WHO Class U (Unlikely to present acute hazard under normal use, Green color band) REI: When spray dries</p>
642.	MILLIONAIRE 69% WDG Water Dispensible Granules	PCPB(CR)1 264	Dimethomorph 90g/L + Mancozeb 600g/L	<p><i>Registrant/Manufacturer/Formulator:</i> Shandong Cynda Chemical Co. Ltd , China <i>Exporter:</i> Ningbo Yihwei Chemicals Co. Ltd, China</p>	Greenlife Crop Protection Africa Ltd	<p>Fungicide for control of Downy mildew on Roses, onions and brocolli &amp; Early and Late blight in Tomatoes; rust on French beans; downy mildew in Melons.</p> <p><b>French beans:</b> EU MRL: Dimethomorph: 0.01 mg/kg Mancozeb: 1.0 mg/kg PHI: 3 days</p> <p><b>Tomatoes:</b> EU MRLs: Dimethomorph: 1 mg/Kg Mancozeb: 2 mg/Kg PHI: 14days</p> <p><b>Onions:</b> EU MRLs: Dimethomorph- 0.6 mg/kg Mancozeb-1.0 mg/kg PHI: 7days.</p> <p><b>Broccoli:</b> EU MRLs Dimethomorph- 5.0 mg/kg Mancozeb-1.0 mg/kg PHI: 7 days</p>

						<p><b>Melons:</b> EU MRLs: Mancozeb- 1.5 mg/kg Dimethomorph- 0.5 mg/kg PHI- 14 days</p> <p>WHO Class III Slightly hazardous, Blue color band.</p>
643.	MILOR MZ WP Wettable Powder	PCPB(CR)1009	Mancozeb 640g/Kg + Metalaxyl 80g?Kg	Rotam Agrochemical Co. Ltd., China; <i>Formulator:</i> Jiangsu Rotam Chemistry Co. Ltd., China	Rotam Sub-Saharan Africa Ltd. <i>Distributor;</i> Cooper K-Brands Ltd	<p>Fungicide for the control of early &amp; late blight on Tomatoes and Potatoes. WHO Class U, Green Colour Band, Unlikely to be a hazard under normal use. MRL - Tomatoes 3ppm 1) Potatoes 0.3ppm PHI - Tomatoes – 14 days - Potatoes – 7 days</p>
644.	MILRAZ WP 76 Wettable Powder	PCPB(CR)0148	Propineb 70% (Bayer AG) + Cymoxanil 6% (Du Pont, USA)	Bayer Crop Science AG, Germany. <b>Additional Formulator:</b> Bayer CropScience, Turkey.	Bayer East Africa Ltd.	<p>Fungicide mixture for the control of fungal diseases in vegetables and fruits. Potatoes, Tomatoes :- late and early blights; Cucurbits: - anthracnose, downy mildew; Onions: - downy mildew, purple blotch.</p>
645.	MILTHANE SUPER	PCPB(CR)0321	Mancozeb 800g/Kg	Cerexagri S.A., Plaisir, France. / UPL Ltd	Twiga Chemical Industries Ltd.	<p>Fungicide for the control of blight in potatoes, late &amp; early blight and grey mould in tomatoes, anthracnose and leaf spot in tobacco, scab in apple &amp;</p>

						pear, botrytis, leaf spot, downy mildew, neck rot in onions; <i>Alternaria and Ccerconspora</i> leaf spots on carrots, leaf spot & stem blight in celery; downy mildew in lettuce, flowers, ornamentals, cucurbits.
646.	MISTRESS 72 WP Wettable Powder	PCPB(CR)0738	Cymoxanil 8% + Mancozeb 64%	Indofil Chemicals Company, India	Osho Chemical Industries Ltd.	Fungicide for the control of early & late blight in potatoes and tomatoes; downy mildew in roses; for the control of downy mildew on courgette. Courgette EU MRLs- Cymoxanil: 0.08 mg/kg Mancozeb: 2.0 mg/kg PHI- 10 days
647.	MITAC 20 EC Emulsifiable Concentrate	PCPB(CR)0017	Amitraz 200g/L	Arysta LifeScience SAS, France	Callikeny Ltd.	Acaricide / Insecticide for the control of mites and white flies in field crops (cotton), fruits, vegetables, ornamentals / Flowers.
648.	MITAZEB 80 WP Wettable Powder	PCPB(CR)1339	Mancozeb 800 g/kg	<b>Manufacturer/formulator:</b> Shanghai Shenglian Chemical Co. Ltd., China; <b>Exporter:</b> Zhejiang E-	Highchem Essentials Ltd	Fungicide for the control of early & late blight on Tomatoes; angular leaf spot and anthracnose in French beans.  WHO Class III Slightly hazardous

				Tong Chemical Co. Ltd		Blue color band <b>PHI:</b> <b>Tomatoes-</b> EU MRL: 3mg/kg <b>French Beans</b> EU MRL: 1mg/kg
649.	MITECLEAN 10% SC Suspension Concentrate	PCPB(CR)0 838	Pyrimidifen 10% w/v	Sankyo Agro Co. Ltd., Japan / Mitsui Chemicals Agro, Inc. Japan. Shipper.	Amiran (K) Ltd.	A miticide for the control of spidermite in Roses.
650.	MITEKILL 2 EC Emulsifiable Concentrate	PCPB(CR)0 746-p(ii)	Abamectin 20g/L	Zhejiang Qianjiang Biochemical Co. Ltd.China/Hangzhou Jike Trade Co.Ltd., China.	Geneva Agrochemicals Ltd.	Insecticide/miticide for the control of spidermites on Roses and leaf miners on French beans. MRL – 0.01mg/Kg PHI – 7 days
651.	MITESWEEP 100 EC Emulsifiable Concentrate	PCPB(CR)1 085	Hexythiazox 100g/L	King Chemicals Company Ltd., China	Aguzzi Ltd.	Miticide for control of spidermites on tomatoes and roses. <b>WHO Class III</b> ( Blue Color band) <b>REI:</b> 12 hours
652.	BIGO 400SC	PCPB(CR)1 490	Fluazinam 200g/L + Dimethomorph 200g/L	ADAMA Makhteshim Ltd, Israel	ADAMA Agriculture East Africa Ltd	Fungicide for control of Late blight in Potatoes Dimethomorph & Fluazinam; downy mildew and Botrytis on roses, Late blight in tomatoes. WHO Class II Moderately hazardous, Yellow color band. <b>Potatoes:</b> Fluazinam & Dimethomorph

						EU MRL: 0.05mg/kg PHI: 7days <b>Tomatoes:</b> EU MRLs- Dimethomorph: 1mg/kg Fluazinam:0.3mg/kg PHI- 7 days
653.	MOCAP GR 10	PCPB(CR)0 218	Ethoprophos 100g/Kg	Manufacturer: Bayer C.Sc, Germany; Toll Manufacturer: Bayer C.Sc, Germany; Registrant: Amvac C.Corp, USA.	Ultravetiz TZ.LTD	Soil-applied insecticide/ nematicide for use in bananas, maize, tobacco, ornamentals, potatoes, pyrethrum, sugarcane, vegetables.
654.	MITOX 200 EC Emulsifiable Concentrate	PCPB(CR)1 094	Amitraz 200g/L	King Chemicals Company Ltd., Jiangsu, China	Agent/Distributor: Agrichem Africa Limited	Fungicide for control of Late blight in Potatoes Dimethormoph & Fluazinam; downy mildew and Botrytis on roses, Late blight in tomatoes. PHI: 7days EU MRL: 0.05mg/kg WHO Class II Moderately hazardous, Yellow color band. Tomatoes EU MRLs- Dimethomorph: 1mg/kg Fluazinam:0.3mg/kg PHI- 7 days
655.	MONCEREN GT 390 FS Flowable Concentrate	PCPB(CR)0 494	Imidacloprid 233g/L + Pencycuron 50g/L + Thiram 107g/L	Bayer AG Germany.	Bayer (E.A.) Ltd. P.O. Box 30321, Nairobi.	An insecticide / fungicide combination product for seed dressing against early sucking insects and seedling diseases on French beans and cotton.
656.	MONITOR 75	PCPB(CR)0	Sulfosulfuron	Takeda Chemical	Monsanto (K)	A selective agricultural post-emergence

	WG Water Dispersible Granules	477	750g/Kg	Industries, Japan / Monsanto Company, USA.	Ltd.	herbicide for the control of grass and broad-leaved weeds ( <i>Amaranthus sp.</i> , <i>Emex australis</i> , <i>chenopodium album</i> , <i>Rhaphanus raphanistrum</i> , <i>Galinsoga parviflora</i> , <i>Nicandra physalodes</i> ) in wheat fields.
657.	MONUMENT 400EC Emulsifiable Concentrate	PCPB(CR)1 192	Dodemorph acetate 400g/L	Congty TNHH Alfa (Sai Gon), Vietman	Greenlife Crop Protection Africa Ltd	Fungicide to control Powdery mildew on Roses REI – 12hrs  WHO Class III Slightly Hazardous Blue Colour Band
658.	MORTEL 5% SC Soluble concentrate	PCPB(CR)1 248	Fipronil 50 g/L	Parijat Industries (India) Pvt, Ltd, India.	Amiran (K) Ltd  <i>Distributor;</i> Amiran (K) Ltd	Insecticide for the control of Thrips on Carnations  WHO Class III Slightly hazardous, Blue color band REI: When spray dries
659.	MORTAR 22 WP	PCPB(CR)1 531	Imidacloprid 25g/kg + Buprofezin 195g/kg	<b>Manufacturer/Formulator:</b> Zhejiang Ruili Biotechnology Co Ltd, China  <b>Registrant/Exporter:</b>	East African Business Company Ltd	Insecticide for control of thrips, aphids and whiteflies on Roses.  REI: 12 hours WHO Class III, Slightly hazardous, Blue Color band

				Shanghai Qiaoji International Co Ltd, China		
660.	MOSSIPLAN 200 SP Water Soluble Powder	PCPB(CR)0 444	Acetamiprid 200g/Kg	Nippon Soda Co.Ltd., Japan.	Arysta Lifescience Corporation (K) Ltd.	Insecticide for the control of whiteflies on Roses; and whiteflies, thrips, and aphids on French beans.
661.	MOSTHANE 80 WP Wettable Powder	PCPB(CR)0 524	Mancozeb 800g/Kg	Sabero Organics Ltd. / Mosum Enterprises.	Orbit Chemical Industries Ltd.	Fungicide for the control of early & late blight on potatoes & tomatoes; botrytis on tomatoes and roses; anthracnose and angular leaf spot on French beans.
662.	MOTO PLUS 75% SG	PCPB(CR)1 522	Metribuzin 750g/kg	<b>Manufacturer/Formulator:</b> Jiangsu Agrochem Laboratory Co Ltd, China <b>Registrant/Exporter:</b> Ningbo Huili Import & Export Co Ltd, China	Osho Chemical Industries Ltd	Pre-emergence herbicide for control of Broad-leaved weeds and Grasses in Tomatoes. EU MRL- 0.1mg/kg.  WHO Class III Slightly hazardous, Blue color band.
663.	MOVENTO OD 150 Oil Dispersion	PCPB(CR)1 093	Spirotetramat 50g/L	Bayer AG Germany	Bayer E.A Ltd.	Systematic insecticide for control of aphids, whiteflies, mealy bugs and spidermites on roses; whiteflies, thrips and aphids in French beans; aphids on snow peas; and thrips and whiteflies on runner beans.  <b>French beans, snow peas &amp; Runner</b>



						<b>beans:</b> EU MRL-1.5 mg/kg PHI: 3 days
664.	M-TRON PLUS	PCPB(CR)0 834- <i>p(i)</i>	Petroleum (mineral oil 98.8%	Caltex Petroleum Australia (pty) Ltd.	Murphy Chemicals E.A. Ltd.	Insecticide for the control of leaf miners & scales in coffee; mites & aphids in flower (Roses) aphids & mites in beans.
665.	MURCLOPRI D 25 WP Wettable Powder	PCPB(CR)0 688	Imidacloprid 250g/Kg	Ningbo Sunjoy Agrosience Co, China	Murphy Chemicals (E.A.) Ltd.	Insecticide for the control of aphids, whiteflies, thrips and leaf miner on French beans; and for the Control of thrips & whiteflies on in Roses, Aphids, saw fly on Cabbages, Aphids on Kales.
666.	MURPHAMIN E 72% SL Soluble Concentrate	PCPB(CR)0 535- <i>p(ii)</i>	2,4,D Amine 720g/L salt equivalent to 600g/L acid	Nufarm GmbH, Austria	Pytech Chemicals GMBH./ Murphy Chemicals	A pre-emergence and post emergence herbicide for the control of annual and perennial broad leaved weeds in maize, wheat and coffee.
667.	MURSBAN 480 EC Emulsifiable Concentrate	PCPB(CR)0 450- <i>p(iv)</i>	Chlorpyrifos 480 g/L	a.i. = Dow Agrosiences, France <b>Registrant:</b> Cheminova Agro AS, Denmark.	Ansett International Ltd	Insecticide for the control of antestia bugs in coffee, hids & whiteflies on roses; aphids, scaly insects & termites on tea, <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>
668.	MURTHANE 80 WP Wettable powder	PCPB(CR)12 96- <i>p(i)</i>	Mancozeb 800 g/kg	Zhejiang Rayfull Holding Co., Ltd., China	Murphy Chemicals (EA) Ltd	Fungicide for the control of Early and Late blight on Tomatoes and Potatoes. <b>Tomatoes:</b>

						MRL: 2.0 mg/kg PHI: 14 days  <b>Potatoes:</b> EU MRL: 0.3 mg/kg PHI: 14 days <b>WHO Class III</b> Slightly hazardous, Blue color band.
669.	MURVECTIN EC Emulsifiable Concentrate	PCPB(CR)0 712	Abamectin 18g/L	Ningbo Sunjoy Agroscience Co, China	Murphy Chemicals E.A. Ltd.	Acaricide/Insecticides for the control of spider mites in Roses; spidermites and leaf miner in Tomatoes.
670.	MYCOTAL WP	PCPB(CR)1 358	<i>Lecanicillium muscarium strain Ve6 1*1010 spores/gram</i>	Koppert B.V Netherlands	Koppert (K) Ltd	A microbial insecticide for control of whiteflies in greenhouse roses
671.	MYTECH WP Wettable Powder	PCPB(CR)1 134	<i>Paecilomyces lilacinus (1 x 10<sup>10</sup> cfu/g)</i>	Dudutech (Division of Flamingo Horticulture (K) Ltd.	Dudutech	Biopesticide for the control of plant parasitic nematode ( <i>Meloidogync spp</i> ) on Roses and Tomatoes.  WHO Class U; Unlikely to present acute hazard under normal use; Green Color Band
672.	NANDO 500	PCPB(CR)1	Fluazinam	<b>Manufacturer:</b> Nufarm	<b>Local Agent:</b>	Fungicide for the control Early blight &

	SC Suspension concentrate	179	500g/L	Ltd, Australia  <b>Registrant/Formulator</b> : Nufarm S.A.S, France	Anset International Ltd  <b>Distributor:</b> Turbo Highway Eldoret Ltd	Late Blight on Potatoes; Downey mildew on Roses  <b>WHO Class III</b> Slightly hazardous; Blue color band REI: Roses: When spray dries PHI: Roses – 12hrs Potatoes-7days Tomatoes – 14days French Beans -14days MRL: Potatoes- 0.01mg Tomatoes-0.05mg/Kg French Beans:0.05mg/Kg
673.	NANDO 500 SC Suspension concentrate	PCPB(CR)1 179	Fluazinam 500g/L	Nufarm Ltd, Australia / Nufarm S.A.S, France	Anset International Ltd  <b>Distributor:</b> Turbo Highway Eldoret Ltd	Fungicide for the control Early blight & Late Blight on Potatoes; Downy mildew on Roses  <b>WHO Class III</b> Slightly hazardous; Blue color band REI: Roses: When spray dries PHI: Roses – 12hrs Potatoes-7days Tomatoes – 14days French Beans -14days

						MRL: Potatoes- 0.01mg Tomatoes-0.05mg/Kg French Beans:0.05mg/Kg
674.	NATIVO SC 300 Suspension concentrate	PCPB(CR)0 989	Trifloxystrobin 100 g/L + and Tebuconazole 200g/L	Bayer AG Germany and USA/ Bayer AG Germany	Bayer East Africa Ltd.	A Broad Spectrum fungicide for control of yellow rust and stem rust in wheat; grey leaf spot on maize and rice blast in rice; Coffee berry disease (CBD) on coffee; Powdery mildew and Anthracnose in mangoes, and septoria spot in passion fruits.  MRLs: Tebuconazole: 0.2mg/kg Trifloxystrobin: 0.05mg/kg PHI=35 days  MRL trifloxystrobin: wheat 0.2mg/kg , PHI = 40 days Tebuconazole MRL = 2.0mg/kg.  <b>Passion fruit</b> EU MRLs: Trifloxystrobin – 4.0mg/kg Tebuconazole- 1.0 mg/kg PHI- 7 days <b>WHO Class III</b> Slightly hazardous Blue colour band
675.	NATURE	PCPB(CR)1	Pyrimethanil	Yantai Keda Chemicals	Greenlife Crop	Fungicide for control of Botrytis on

	GOLD 400 SC	058-p(i)	400g/L	Co. Ltd., China.	Protection Africa Ltd.	Roses. WHO Class III Blue Colour Band Slightly hazardous REI: 6 hr after spraying
676.	NEEMRAJ SUPER –3000	PCPB(CR)0 570	Azadirachtin 0.3%	Neem India Products.	Amiran (K) Ltd.	Insecticide/Nematicide to control aphids, thrips, whiteflies, DBM, bollworms and various species of nematodes in French beans, Snow peas, Roses, Cabbages, Kales, Peas.
677.	NEEMROC 0.03% EC Emulsifiable Concentrate	PCPB(CR)0 953	Azadirachtin 0.03% w/w (32% neem oil)	Saroneem Biopesticides	Saroneem Biopesticides P.O. Box 64373, Nairobi	Insecticide based on Neem Oil for use in brassicas to control diamond backmoth & thrips.
678.	NEMACAP 10GR	PCPB(1409) – p(i)	Ethoprophos 100g/Kg	Zhejiang E-Tong Chemical Co.Ltd	<b>Distributor:</b> Amiran Kenya. Ltd	Nematicide for the control of nematodes in tomatoes PHI: Tomatoes - 35 days; Codex MRLs - 0.01 mg/kg REI: 24 hours
679.	NEMACUR 400 EC Emulsifiable Concentrate	PCPB(CR)0 618	Fenamiphos 400g/L	Bayer CropScience AG, Germany/ Amvac Chemical Corporation, USA. <b>Additional Formulator:</b> Bayer	Ultravetis East Africa Ltd.	Insecticide/Nematicide for use with drip irrigation (on flowers).

				CropScience, Turkey.		
680.	NEMAKILL 400 EC Emulsifiable Concentrate	PCPB(CR)0 464	Fenamiphos 400g/L	Jiangsu Yunfan Chemical Co. Ltd.China /Hangzhou Agrochemical Industries Ltd., China.	Hangzhou Agrochemical Industries, Kenya.	Nematicide for the control of root knot nematodes in Roses by drip irrigation: <u>RESTRICTED CLASS</u>
681.	NEMASOL Aqueous Solution	PCPB(CR)0 357	Metam Sodium 510g/L	Taminco N.V., Belgium.	Twiga Chemical Industries, Kenya.	A soil fumigant for the control of soil fungi, nematodes in agricultural soils and seed beds: <u>RESTRICTED CLASS</u>
682.	NEMATECH WG	PCPB(CR)0 715	' <i>Steinernema feltiae</i> ' (1.5million infective juveniles/gram)	Flamingo Horticulture (K) Ltd.	Flamingo Horticulture (K) Ltd, Naivasha.	Biopesticide based on entomopathogenic nematodes to control thrips, leaf miner, cutworms, and sciarid flies on Carnations.
683.	NEMATHORI N 150 EC Emulsifiable Concentrate	PCPB(CR)1 100	Foshiazole 150g/L	Manufacturer: ISK , Ltd., Japan. Registrant: ISK Biosciences, Europe S.A, Belgium	Syngenta E.A Ltd.	Broad spectrum nematicide for the control of nematodes in Roses through drip irrigation.
684.	NEMATOX 400 EC Emulsifiable Concentrate	PCPB(CR)0 464-p(i)	Fenamiphos 400g/L	Jiangsu Yunfan Chemical Co. Ltd.China /Hangzhou Jike Trade Co. Ltd., China.	Geneva Agrochemicals Ltd.	Nematicide for the control of root knot nematodes in Roses by drip irrigation: <u>RESTRICTED CLASS</u>

685.	NIMBECIDIN E Emulsifiable Concentrate	PCPB(CR)0471	Azadirachtin 0.03%	T. Stanes & Company Ltd.	Osho Chemical Industries Ltd.	Insecticide/Nematicide for the control of aphids, thrips, whiteflies and leaf miner on French beans; thrips, aphids & whiteflies on snowpeas; thrips, aphids, leaf miners, whiteflies & cucumber beetles on cucurbits; thrips, aphids & whiteflies on Roses; aphids, leafminers, whiteflies, spidermites, <i>Tuta absoluta</i> on tomatoes. Also drench applied to control cutworms, weevils and wire worms on tomatoes; aphids, whiteflies and leaf beetles in Tobacco; nematodes on Roses, tomatoes and French beans.
686.	NIMROD 25 EC Emulsifiable Concentrate	PCPB(CR)0086	Bupirimate 250g/L	Adama Makhteshim Ltd, Israel.	Amiran (K) Ltd.	Fungicide for the control of powdery mildew on apples, other fruits, horticultural crops, ornamentals/ flowers.
687.	NISSORUN 10 EC Emulsifiable Concentrate	PCPB(CR)0825	Hexythiazox 100g/L	Nippon Soda, Japan / Mitsui & Co. Ltd., Japan.	Mura Agroconsultancy Services, P.O Box 4685-00200, Nairobi	Agricultural acaricide for control of mites in flowers; spider mites on Tomatoes REI: 24 hours <b>WHO Class III</b> ( Blue color band) <b>MRL:</b> below LOQ (0.05 mg/kg) <b>PHI:</b> 7 days
688.	NOKERB 10G	PCPB(CR)1	Ethoprophos	Zhejiang E.C.China.	Insecta. Ltd.	Nematicide for the control of nematodes

		409	100g/kg			in tomatoes PHI: Tomatoes - 35 days; Codex MRLs - 0.01 mg/kg REI: 24 hours.
689.	NOMOLT 150 SC Suspension Concentrate	PCPB(CR)0 969	Teflubenzuron 150g/L	BASF Agri, France	BASF E.A Ltd.Nairobi <i>Distributor:</i> Elgon Chemicals Ltd.	Insecticide for control of coffee leaf miner in Coffee, diamond backmoth & aphids on Cabbages; bean flower thrips in French beans and for the control of thrips in carnations and roses.
690.	NORDOX SUPER 75 WP Wettable Powder	PCPB(CR)0 384	Cuprous Oxide (Equivalent to 75% metallic copper)	Nordox Industries, Norway.	Nordox AS (K) Ltd <i>Distributor;</i> Amiran (K) Ltd	Fungicide for control of CBD and leaf rust in coffee.
691.	NORDOX 75 WG Water Dispersible Granules	PCPB(CR)0 465	Copper (I)oxide 860g/Kg equivalent to 750g/Kg Copper	Nordox Industrier AS, Norway.	Nordox AS (K) Ltd <i>Distributor;</i> Amiran (K) Ltd	A red copper oxide fungicide for the control of early and late blights in tomatoes, rust in French beans and coffee berry disease and coffee leaf rust.
692.	NOVA SUPER BLUE CROSS Dust	PCPB(CR)0 906	Malathion 2% + Pyrethrins 0.2%	Cheminova A/S, Denmark / Pyrethrum Board of Kenya	Nova Industries Ltd	Insecticide for the control of weevils including LGB in stored grains.
693.	NOVAZEB 80 WP Wettable Powder	PCPB(CR)1 296	Mancozeb 800 g/kg	Zhejiang Rayfull Holding Co., Ltd., China	Nova Industries Ltd	Fungicide for the control of Early & Late blight on tomatoes MRL: 2.0 mg/kg PHI: 14 days



						<b>WHO Class III</b> (Slightly hazardous, Yellow color band)
694.	NOVISATE 480SL Soluble liquid	PCPB(CR)10 52-p(v)	Glyphosate acid 360g/L (as Isopropylamine salt 480g/L)	Jiangsu Qiaoji Biochem co., China.	Novixa International Ltd	A post emergence, non-selective herbicide for the control of grasses and broad leaved weeds in non-cropped areas.  WHO Class II Moderately hazardous Yellow Color Band MRL and PHI are not applicable in non-cropped areas.
695.	NUFILM P Emulsifiable Concentrate	PCPB(CR)0 543	Pinolene(poly-1-p.menthene) 875g/L	Miller Chemical and Fertilizer Corporation, USA.	Hygrotech (K) Ltd.	An extender sticker for use with Score 250EC PCPB (CR) 0947 against rust on French beans and with Decis 2.5 EC against aphids on French beans Only.
696.	NUMECTIN 18 EC Emulsifiable concentrate	PCPB(CR)1 159	Abamectin 18g/L	Nufarm Ltd, Australia /Nufarm S.A.S, France <b>Formulator</b> Nufarm Americas Inc, USA; Nufarm S.A. - Argentina	Anset International Ltd	Insecticide/Miticide for the control of Spidermites on Roses and carnations. <b>WHO Class II:</b> moderately hazardous (Yellow color band) REI: When spray dries.
697.	NUPRID 200 SC Suspension Concentrate	PCPB(CR)1 147	Imidacloprid 200g/L	Registrant: Nufarm S.A.S., France  Man: & Form:	Anset International Ltd	Insecticide for the control of Thrips, Whiteflies & aphids on Tomatoes and Whiteflies & Aphids on Roses;

				Nufarm Ltd, Australia		Aphids and caterpillar ( <i>Spodoptera spp</i> ) on potatoes; Aphids and caterpillar ( <i>Spodoptera litura</i> ) on Potatoes and aphids, whiteflies & leaf miners on Cucumber WHO Class III Slightly hazardous Blue Colour band Tomatoes: PHI: 3days MRL: 0.30mg/Kg Roses: REI= When spray dries <b>Potatoes:</b> MRL:0.02mg/Kg PHI: 14days Cucumber <b>MRL:</b> 0.02mg/Kg <b>PHI:</b> 3days
698.	NURELLE D50/500EC Emulsifiable Concentrate	PCPB(CR)0600	Cypermethrin 50g/L+ Chloropyrifos 500g/L	Dow Agrosciences	Dow Chemical E.A Ltd, Nrb	Insecticide for the control of cotton bollworm, aphids and whiteflies in Cotton.
699.	OBERON SC 240 Suspension Concentrate	PCPB(CR)0335	Spiromesifen 240g/L	Bayer AG, Germany.	Bayer East Africa Ltd.	Insecticide/Acaricide to control red spider mites in tomatoes, french beans, Roses, carnations and white flies on tomatoes.

700.	OBERON SPEED SC 240 Suspension Concentrate	PCPB(CR)1 406	Abamectin 11.4 g/L + Spiromefisen 228.6 g/L	<b>Formulator/Registrant</b> Bayer AG, Germany.	Bayer East Africa Ltd	Insecticide for the control of whiteflies, leaf miner & spider mites in Tomatoes and French beans; and red spidermites in cotton. WHO Class II Moderately hazardous Yellow color band <b>REI:</b> 12 hours
701.	AZIMUT 320 SC	PCPB(CR)1 441	Tebuconazole 200g/L+ Azoxystrobin 120g/L	Manufacturer: Tebuconazole: ADAMA Irvita N.V., Netherlands Azoxystrobin: Syngenta Crop Protection AG, Switzerland. Additional Manufacturer for Azoxystrobin: Shanghai Heben Sun Medicaments Co.Ltd., Registrant/Formulator: ADAMA Makhteshim Ltd, Israel	ADAMA Agriculture E.A Ltd	Fungicide for the control of Stem rust and Yellow rust in Wheat. PHI: 45days EU MRL: Tebuconazole: 0.1mg/kg Azoxystrobin: 0.3mg/kg WHO Class II Moderately hazardous Yellow color band.
702.	ODEON 82.5 WDG Water Dispersible	PCPB(CR)0 744	Chlorothalonil 825g/Kg	Adama Makhteshim Ltd, Israel.	Amiran (K) Ltd.	Fungicide for the control of early blight on Tomatoes, Downy mildew and Botrytis in Roses, Coffee Berry Disease in Coffee (alone)

	Granules					or in a tank mix with Funguran OH 50 WP.
703.	OFFSHOOT T Super	PCPB(CR)0 837	Natural Coprah fatty Alcohols 629g/L + Chlorpropham 2.7g/L	Seppic, France.	Elgon Kenya Ltd.	Sucker control agent for use in tobacco.
704.	OGOR 40 EC Emulsifiable Concentrate	PCPB(CR)0 413	Dimethoate 400g/L	Rallis Ltd., India.	Osho Chemical Industries Ltd.	Insecticide for the control of a wide range of pests in various crops. <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>
705.	OMITE 57 EC Emulsifiable Concentrate	PCPB(CR)0 111	Propargite 57% w/w	Crompton Corporation, USA. <i>Registrant: Arysta Lifescience (Kenya).Ltd.</i>	Arysta Lifescience (Kenya).Ltd, P.O. Box 30335-00100, Nairobi.	An acaricide for use on cotton, ornamentals/flowers.
706.	OPUS SC Suspension Concentrate	PCPB(CR)0 478	Epoxiconazole 125g/Kg	BASF SE, Germany.	BASF E.A Ltd. <i>Distributor: Prestige Agriculture Ltd.</i>	Fungicide to control rusts and blotches on Barley and leaf rust on coffee.
707.	ORIUS 25 EW Emulsion oil in Water	PCPB(CR)0 364	Tebuconazole 250g/L	Adama Makhteshim Ltd, Israel.	Amiran (K) Ltd.	Fungicide for the control of Net blotch on barley and wheat, ring spot on brassicas and for the

						control of rust in French beans.
708.	ORTHENE Pellet	PCPB(CR)0470	Acephate 970g/Kg	Arvesta Corporation, USA / United Phosphorus Ltd., India / Rallis Ltd., India.	Arysta Lifescience (K) Ltd.	Insecticide to control aphids, thrips on Roses, french beans and tobacco.
709.	ORTIVA SC Suspension Concentrate	PCPB(CR)0317	Azoxystrobin 250g/L	Syngenta Ltd., UK.	Syngenta E.A. Ltd.	Fungicide for control of rust & ring spot in carnations, botrytis & powdery mildew in Roses; botrytis in static; powdery mildew & <i>Ascochyta</i> in peas; rust & bean anthracnose in french beans.
710.	ORTIVA TOP 325 SC	PCPB(CR)1037-p(i)	Azoxystrobin 250g/L+Difenconazole 125g/L	Syngenta Grange Mouth Works, Uk/ Syngenta Crop Protection Switzerland	Syngenta E.A. Ltd.	Fungicide for the control of Grey Leaf Spot, leaf blight and common rust in Maize; Rust, Angular leaf spot and anthracnose in French bean; <i>Ascochyta</i> leaf spot and powdery mildew on snow peas; and powdery mildew on Roses. WHO Class II Yellow Colour Band Moderately Hazardous <u>Maize:</u> MRL: 0.05mg/Kg PHI: 14days  <u>French beans</u> MRL: 1mg/Kg PHI: 7days

						<u>Snow peas</u> MRL: 1mg/Kg PHI: 7days
711.	ORTRAN 97% WDG	PCPB(CR)1 378  Water dispersible granules	Acephate 970 g/kg	<b>Manufacturer/Formulator:</b> Jiangsu Lanfeng Biochemical Co., Limited, China. <b>Exporter:</b> Shanghai E-Tong Chemical Co., Ltd., China <b>Registrant:</b> Shanghai E-Tong Chemical Co., Ltd., China	Kenagro Supplies Ltd	Insecticide for the control of thrips in Roses  <i>REI: 6 hours</i>  WHO Class II Moderately hazardous; Yellow color band
712.	ORTUS 5 SC Suspension Concentrate	PCPB(CR)0 289	Fenpyroximate 5% w/w	Nihon Nohyaku Co. Ltd., Japan.	Twiga Chemical Industries Ltd.	Insecticide/miticide for the control of Red Spider Mites on Roses.
713.	OSHOETHANE 80 WP Wettable Powder	PCPB(CR)0 339	Mancozeb 800g/Kg	Indofil chemical co. India.	Osho Chemical Industries Ltd.	Fungicide to control early and late blight on tomatoes & potatoes.
714.	VANGUARD	PCPB(CR)1	Cymoxanil 300	<b>Manufacturer/Registrant</b>	Kenagro	Fungicide for control of downy mildew

	525 WDG	497	g/kg + Famoxadone 225 g/kg	<b>ant:</b> Shanghai E-Tong Chemical Ltd, China; <b>Formulator:</b> Shaanxi Welch Crop Protection Co Ltd, China <b>Exporter:</b> Zhejiang E- Tong Chemicals Co Ltd China.	Suppliers Ltd.	in roses  <b>WHO Class III,</b> Slightly hazardous; Blue color band.
715.	OSHOTHANE PLUS WDG Water Dispersible Granules	PCPB(CR)0 864	Mancozeb 750g/Kg	Indofil Chemical Industries, India.	Osho Chemical Industries Ltd.	Fungicide for the control of :- i) Early & Late blight on Potatoes ii) Botrytis, anthracnose & septoria leaf spot on tomatoes iii) Botrytis & leaf spot on Onions iv) Botrytis, anthracnose & angular leaf spot on French beans. v) Botrytis & black spot on Roses.  WHO Class III Slightly hazardous Blue colour band  MRL- Potatoes - 0.2mg/kg -Tomatoes - 3mg/kg -French beans -1mg/kg

						<p>-Onions - 0.5mg/kg          PHI – Potatoes - 5days          Tomatoes - 5days          French beans - 10 days          Onions – 20days          REI – Roses – 24hrs          Rate: 2.0kg/ha repeated every 2 weeks as necessary.</p>
716.	OSHOTHION 50 EC Emulsifiable Concentrate	PCPB(CR)0 428	Malathion 500g/L	Sulphur Mills India.	Osho Chemical Industries Ltd.	Insecticide for the control of thrips and aphids on French beans and roses.
717.	OSIRIS 65 EC Emulsifiable concentrate	PCPB(CR)1 273	Metconazole 27.5g/L+ Epoxiconazole 37.5g/L	<p><b>Manufacturer/Registrant:</b>          BASF SE 67056, Ludwigshafen, Germany.          Jiangsu Huifeng Agriculture Co. Ltd., China – for (A.I)  <i>Epoxiconazole</i></p> <p><b>Formulators:</b>          BASF Espanola S.L., Spain;          BASF Agri-Production S.A.S. France;          SBM Formulation, France</p>	BASF (EA) Limited	<p>Fungicide for control of Stem rust and yellow rust and <i>Fusarium</i> spp in wheat.          MRL:          Epoxiconazole-1.0mg/kg          Metconazole-0.1 mg/kg          PHI: 35days</p> <p>WHO Class III          Slightly hazardous, blue colour band</p>





718.	TOPSTAR 72 WP	PCPB(CR)1 503	Mancozeb 680g/kg +Metalaxyl 80g/kg	<b>Manufacturer:</b> <b>Mancozeb:</b> Jiangsu United Agrochemical Co Ltd, China <b>Metalaxyl:</b> Zhejianng Henben Pesticide & Chemical Co Ltd, China <b>Formulator:</b> Zhejianng Henben Pesticide & Chemical Co Ltd, China <b>Registrant:</b> Nanjing Agrochemical Co ltd, China	Bell Industries Ltd	Fungicide for control of downy mildew on roses, early blight and late blight in potatoes and tomatoes  REI-6 hours <b>Potatoes</b> EU MRLs: Mancozeb- 0.3 mg/kg Metalaxyl-0.05mg/kg PHI: 14 days <b>Tomatoes</b> EU MRLs: Mancozeb-3.0mg/kg Metalaxyl-0.3 mg/kg PHI: 7 days  WHO Class III Slightly hazardous Blue Color Band
719.	SOLIGNUM CCA C60 Liquid	PCPB(CR)1 121	Copper Oxide 107g/Kg Chromic acid 287g/Kg & Arsenic pentoxide 204g/Kg	Arsenic: Ancom Crop care; Malaysia Chomic acid, Crest Chemicals; South Africa; Copper oxide; Pride Chemicals Singapore Koppers Performance	Malow Link Timber Products Ltd.	Wood preservative for protection of wood poles through industrial vacuum pressure impregnation for fungal and termite protection WHO Class 1b (Red Color Band); Highly Hazardous <b>RESTRICTED CLASS</b>

				Chemical Ltd Formulator/Registrant: Koopers Performance Chemicals Ltd. Inc, USA. SITES 1. Osmose inco, USA 2. Dolphin Bay Chemicals (PTY) South Africa		
720.	OTHELLO 25 WDG Water Dispersible Granules	PCPB(CR)1 099	Azoxystrobin 250g/kg	Reg: Invecta-Agro Ltd., Cyprus (Active ingredient) Sineria Industries Co. Ltd., China(Formulator)	Sineria Kenya Limited	Fungicide for the control of rust in French beans; Powdery mildew and Botrytis in Roses. WHO Class III Slightly hazardous Blue Colour Band.
721.	OVERALL 500SC Suspension Concentrate	PCPB(CR)0 742	Iprodione 500g/L	Kingtai Chemicals Co. Ltd., China.	Agrichem & Tools Ltd.	A protective and curative fungicide for the control of botrytis in Roses
722.	ORVEGO™ 525 SC Suspension concentrate	PCPB(CR)13 24	Dimethomorph 225g/L+Ametoctr adin 300g/L	<b>Manufacturer:</b> <b>Dimethomorph:</b> 1. Servatis S.A Brazil 2. Jiangsu Huifeng Agriculture Co. Ltd., China. <b>Ametoctradin:</b> Hikal Limited; India	BASF, Kenya	Fungicide for the control of downy mildew on roses and late blight in potatoes.  <b>Potatoes</b> EU MRL: Dimethomorph- 0.05mg/kg

				<p><b>Formulators:</b></p> <p>5. BASF Espanola S.A; Spain</p> <p>6. BASF Agri- Production S.A.S; France</p> <p>7. Schirm GmbH; Germany</p> <p><b>Registrant:</b> BASF SE, Germany</p>		<p>Ametoctradin- 0.05mg/kg PHI-7days</p> <p><b>WHO Class II</b> Moderately hazardous, Yellow color band REI: 12 hours</p>
723.	OXYGOLD 24 EC Emulsifiable Concentrate	PCPB(CR)1 316	Oxyfluorfen 240 g/L	<p><b>Manufacturer/Formulator:</b> Zhejiang Yifan Chemical Company Ltd; China</p> <p><b>Registrant/Exporter</b> Ningbo Huili Import &amp; Export Company Limited, China</p>	Osho Chemical Industries Ltd.	<p>Pre- emergence herbicide against broad leaved weeds and grass weeds in tomatoes, cabbages and onions (Pre-emergence to weeds) EU MRLs of 0.01 mg/Kg for the three crops; An early post-emergence herbicide for control of broadleaved weeds, grasses and sedges on onions ( applied at 2 weeks after transplanting).</p> <p>PHI- 45 days</p> <p>WHO Class III, Slightly hazardous, Blue colour band.</p>
724.	OZONEEM 1% EC Emulsifiable Concentrate	PCPB(CR)1 106	Azadirachtin 1%	<p><b>Formulator/Registrant:</b> Ozone Biotech, India</p>	Elgon (K) Ltd	<p>Nematicide/Insecticide for control of nematodes on French beans and tomatoes; thrips, aphids and whiteflies on French beans and coriander and <i>Helicoverpa</i> sp., thrips, aphids and whiteflies on Tomatoes.</p>

						WHO Class U Unlikely to present hazard under conditions of normal use. Green Colour band.
725.	PACYLOS 18 WP (Formerly NOFLY 18% WP) Wettable powder	PCPB(CR)1 261	<i>Paecilomyces fumosoroseus</i> strain FE 9901 blastospores 3.11*10 <sup>9</sup> spores/gram	Source/Formulator FUTURECO Biosciences S. L. Spain	Sineria Industries E.A. Ltd.	Biological insecticide for the control of whiteflies and aphids in French beans <i>WHO Classification not applicable for biopesticides</i>
726.	PALLAS 45 OD Oil Dispersion	PCPB(CR)1 029	Pyroxsulam 45g/L	Dow Agrosiences Export S.A.S, Cedex , France	Dow Chemical E.A Ltd, Nrb	Herbicide for the control of annual grasses and broad leaved weeds in wheat. WHO Class III Blue colour band Slightly hazardous.
727.	PALM BRAND Dusting Sulphur Powder 99%	PCPB(CR)0 438	Sulphur 99%w/w	National Est. for agricultural and Industrial Sulphur, Saudi Arabia.	Osho Chemical Industries Ltd.	Fungicide for use in flowers against powdery mildew.
728.	PANTERA 40 EC Emulsifiable Concentrate	PCPB(CR)0 574	Quizalofop-P-terfuryl 40g/L	Chemie Linz GmbH, Austria / Chemark kft, Hungary. <i>Additional source of a.i: Shangyu Nutrichem Co. Ltd.</i>	Arysta Lifescience (Kenya).Ltd.	Post-emergence herbicide to control grass weeds in French beans.

				<i>Registrant: Arysta Lifescience (Kenya).Ltd.</i>		
729.	PARAPAZ 200SL Soluble Liquid	PCPB(CR)1 120-p(iii)	Paraquat dichloride 27.6%	King Chemical Company Ltd, China	Aguzzi Ltd	A post emergence herbicide for the control of grasses and broad leaved weeds; applied one day before planting baby corn. Application rate: at 3.0 L/Ha PHI = 48-90 days. EU MRL for fruiting vegetables is 0.05mg/Kg. <b>WHO Class II</b> Moderately hazardous Yellow Color Band
730.	PARA-WEED 200 SL	PCPB(CR)1 120-p(ii)	Paraquat dichloride 27.6%	King Chemicals China	Aguzii Limited	A post emergence herbicide for the control of grasses and broad leaved weeds; applied one day before planting baby corn. Application rate: at 3.0 L/Ha PHI = 48-90 days. EU MRL for fruiting vegetables= 0.05mg/Kg <b>WHO Class II</b> Moderately hazardous (Yellow Colour Band)
731.	PARTNER 200 SL	PCPB(CR)1 120-p(i)	Paraquat dichloride 27.6%	King Chemicals China	Aguzzi Ltd	A post emergence herbicide for the control of grasses and broad leaved

						weeds; applied one day before planting baby corn. Application rate: at 3.0 L/Ha PHI = 48-90 days. EU MRL for fruiting vegetables is 0.05mg/Kg. WHO Class II Moderately hazardous Yellow Colour Band
732.	PEARL 500 SC Suspension Concentrate	PCPB(CR)0 545	Carbendazim 500g/L	Sulphur Mills Ltd., India.	Osho Chemical Industries Ltd.	Broad-spectrum fungicide for the control of botrytis and black spots on Roses.
733.	PEARL 80 DF Dry Flowable	PCPB(CR)0 759	Carbendazim 800g/Kg	Sulphur Mills Ltd., India.	Osho Chemical Industries Ltd.	Fungicide to control Botrytis on Roses and snow peas
734.	PEGASUS 500 SC Suspension Concentrate	PCPB(CR)0 376	Diafenthiuron 500g/L	Syngenta Crop Protection AG, Switzerland.	Syngenta(E.A.) Ltd.	Insecticide for the control of Diamond backmoth on brassicas and whiteflies and caterpillars on roses; thrips, aphids, whiteflies and podborers in French beans.
735.	PENNCOZEB 80 WP Wettable Powder (or VONDOZEB)	PCPB(CR)0 231	Mancozeb 800g/Kg	UPL Ltd, India.	Orbit Chemical Industries Limited.	Fungicide for control of blight in potatoes, late and early blights and grey mould on tomatoes, anthracnose and leaf spot on tobacco, scab on apple and pears, <i>Botrytis</i> , leaf rot, downy mildew, neck rot on

						onions; <i>Alternaria and Cercospora</i> leaf spots on carrots, leaf spot and stem blight in celery; downy mildew in lettuce and cucurbits.
736.	PENTAGON 5% EC Emulsifiable Concentrate	PCPB(CR)1 056	Lambda- cyhalothrin 50g/L	Jiangsu Fengdong Pesticide Co. Ltd., China.	Greenlife Crop Protection Africa Ltd.	Insecticide for control of thrips and aphids on Roses; and for the control of aphids, thrips & pod borers on French beans; aphids, thrips, <i>Helicoverpa amigera</i> on Tomatoes; thrips, aphids & whiteflies on Kales. <u>French beans</u> MRL: 0.02mg/Kg PHI: 5 days <u>Tomatoes</u> MRL: 0.1mg/Kg PHI: 3 days WHO Class II, Moderately hazardous Yellow colour band REI-when spray dries
737.	PERMAL DUST	PCPB(CR)0 419-p(i)	Malathion 2.0% w/w + Permethrin 0.3% w/w (40/60 cis/trans)	Sulphur Mills, India. / Osho Chemical Industries Ltd.	Antosh Investments Ltd.	Insecticide for use on stored grains against common pests including the larger grain borer.
738.	PERMAWOO	PCPB(CR)1	Basic Copper	Chemisphere Ltd,	Beat E.A Ltd	Wood preservative for protection of

	D ACQ 1900	101	Carbonate 17.3% + Alkyldimethyl benzylammoniu m Chloride 48%	UK/Lonza Biologic plc, UK.  <i>Formulator: Viance Ltd, UK</i>		wood poles through industrial vacuum pressure impregnation for fungal and termite protection by trained & licenced persons in licenced facilities WHO Class II Moderately Toxic Yellow Colour Band
739.	PESTRIN 6% EC Emulsifiable Concentrate	PCPB(CR)0 851	Pyrethrins 6%	Pyrethrum Board of Kenya.	Orion E.A. Ltd.	Insecticide for the control of caterpillars, aphids & thrips on brassicas & French beans.
740.	PESTIGON	PCPB(CR)1 351	Filpronic 10%	NorBrook Labs.UK	NorBrook, Kenya	Acaricide for the control of Ticks (Rhipicephalus sanguineus and Haemophysalis leachi) and fleas (Ctenocephalides canis) on Dogs WHO Class II Moderately hazardous Yellow color band
741.	PHYTOTECH	PCPB(CR)0 299	<i>Phytoseilus persimilis</i> (Predatory mite) Min. 2000 mites/400mls	Flamingo Horticulture (K) Ltd., Naivasha.	Flamingo Horticulture (K) Ltd., Naivasha.	An indigenous natural enemy for the control of spider mites ( <i>Tetranychus urticae</i> ) in vegetables and a predatory mite for the control of spider mites on roses.
742.	PIRIMIPHOS- METHYL	PCPB(CR)0 011	Pirimiphos- Methyl 880g/L	Syngenta Ltd., UK / Syngenta East Africa Ltd., P. O. Box 30393,	Twiga Chemical Industries Ltd.,	Insecticide concentrate for use in the manufacture locally of ACTELIC 25EC and ACTELIC



				Nairobi.	P.O. Box 30172, Nairobi, Kenya.	50EC insecticides.
743.	PIRIMOR 50 DG Dispersible Granules	PCPB(CR)0 200	Pirimicarb 50% w/w	<i>Manufacturer:</i> Syngenta Ltd., UK; Hunan Haili Chemical Industry, China.  <i>Additional Manufacturer:</i> Hunan Haili Chem Industry Co.Ltd. China.  <i>Formulator:</i> Syngenta Ltd.UK.  <i>Additional Formulation Site:</i> Solfotecnica Italiana SPA, Italy.	Syngenta E. A Ltd.	a) Full registration: insecticide, specific aphicide for the control of aphids on a wide variety of crops - fruits, vegetables, ornamentals. b) Provisional registration: for control of cypress aphid on conifers - in forest nurseries, live hedges, seed orchards etc, but not in forest plantations.
744.	PL PLUS (powder)	PCPB(CR)0 472	<i>Paecilomyces lilacinus</i> Spores 2 x 10 <sup>9</sup>	Biological Control Products SA (Pty).	Juanco SPS Ltd.	A biopesticide (nematicide) to control pathogenic nematodes in Roses.
745.	PLANOPAR (Parasitic wasp)	PCPB(CR)1 067	<i>Coccidoxenoides perminutus</i> 5000 pupae per 100 cc	Koppert B. V. Netherlands	Koppert Biological Systems (K) Ltd.	A biological control agent for the control of mealybugs on Roses.  WHO Classification not applicable for biopesticides.

						REI – Immediate
746.	PLANTOC 722 SL Soluble Liquid	PCPB(CR)1 319	Propamocarb hydrochloride 722 g/L	<b>Manufacturer/Formulator:</b> King Chemical Company Ltd; China	Agrichem and Tools Limited	Fungicide for the control of Downey mildew on Roses  Roses REI: 6 hours  WHO Class U: non-hazardous (Green color band)  WHO Class U, Unlikely to cause hazard under conditions of normal use, Green colour band
747.	PLATFORM (AURORA) TURBO	PCPB(CR)0 792	Cafentrazone – Ethyl 3.3% + Mecoprop-P 67%	FMC Corporation, USA.	Juanco SPS Ltd.	Herbicide for use in cereals.
748.	POLAR 50% Water Soluble Granules	PCPB(CR)0 793	Polyoxin AL (Complex 50% w/w)	Kaken Pharmaceutical Co. Ltd., Japan / Merhav Agro, Israel.	Amiran (K) Ltd.	Systemic microbial fungicide for use on Roses against powdery mildew and botrytis.
749.	POLYTRIN P 440 EC Emulsifiable Concentrate	PCPB(CR)0 948	Profenofos 400g/L + Cypermethrin 40g/L	Syngenta Crop Protection, Switzerland.	Syngenta E.A. Ltd.	Foliar, broad-spectrum insecticide for use against insect pests in cotton.

750.	POWERDIF 250 EC Emulsifiable Concentrate	PCPB(CR)1 090- <i>p(i)</i>	Difenoconazole 250mg/L	Zhejiang Yifan Chemical Co., Ltd., China/ Hangzhou Jike Co. Ltd.	Geneva Agrochemicals Ltd.	Fungicide for the control of powdery mildew and black spots in roses.
751.	PONCHO FS 600	PCPB(CR)1 450	Clothianidin 600g/L	Bayer AG, Germany	Bayer East Africa. Ltd	A seed dresser for the control of aphids in maize followed by foliar spray with Thunder OD 145 for thrip control for reduction of Maize lethal Necrosis  EU MRL: 0.02 mg/kg Proposed EU PHI: 42 days  WHO Class III Slightly hazardous, Blue color band.
752.	PREDATOR 340 EC Emulsifiable Concentrate	PCPB(CR)1 386	Oxyfluorfen 140 g/L + Pendimethalin 200 g/L	<b>Manufacturer/Formu lator</b> Shandong Huayang Pesticide Chemical Industry Group Co., Ltd., China <b>Exporter:</b> Suzhou Chems Chemical Co., Ltd., China	GreenLife Crop Protection Africa Limited	Pre-emergence herbicide for control of grasses and broad leaved weeds in onions  WHO Class II, Moderately hazardous, Yellow color band  <b>EU MRLs:</b> Oxyfluorfen: 0.05 mg/kg Pendimethalin: 0.2 mg/kg <b>PHI:</b> 60 days

753.	PREDATOR 340 EC Emulsifiable Concentrate	PCPB(CR)1 386	Oxyfluorfen 140 g/L + Pendimethalin 200 g/L	<b>Manufacturer/Formulator</b> Shandong Huayang Pesticide Chemical Industry Group Co., Ltd., China <b>Exporter:</b> Suzhou Chems Chemical Co., Ltd., China	GreenLife Crop Protection Africa Limited	Pre-emergence herbicide for control of grasses and broad leaved weeds in onions  WHO Class II, Moderately hazardous, Yellow color band  <b>EU MRLs:</b> Oxyfluorfen: 0.05 mg/kg Pendimethalin: 0.2 mg/kg <b>PHI:</b> 60 days
754.	PREMISE 200 SC Soluble Concentrate	PCPB(CR)0 498	Imidacloprid 200g/L	Bayer Cropsience AG, Germany / Bayer Australia / Bayer Environmental Science.	<i>Agent:</i> Bayer East Africa Ltd. <i>Distributor:</i> Highchem Marketing Ltd.	Insecticide for the control of subterranean termites in building and construction industry.
755.	PREMPT 20 EC Emulsifiable Concentrate	PCPB(CR)0 931	Fenprothrin 150g/L + Pyriproxyfen 50g/L	Sumitomo Chemicals, Japan / Sumitomo Corporation / Sumitomo Corporation Ltd., Japan. <i>Additional Formulator:</i> SBM Formulation, Z.I Avenue J.F, France.	Elgon Kenya Ltd	Insecticide to control thrips, aphids, whiteflies on ornamentals.
756.	PRESENTO	PCPB(CR)1	Acetamiprid	Shandong Sont-ian	Greenlife Crop	Insecticide for the control of thrips,

	200 SP Soluble Powder	104	200g/Kg	Chemical Co.1 Ltd., China.	Protection Africa Ltd.	aphids and whiteflies on Roses and French beans; Aphids on Capsicum and aphids, leaf miners, thrips and whiteflies on snow peas MRLs: Capsicum and snow peas: 1.0mg/kg= LOQ PHI-7 days REI: Roses when spray dries French beans; PHI: 7 days MRL: 0.07mg/Kg WHO Class II Moderately Hazardous Yellow colour band
757.	PRESERVE SL Soluble Concentrate	PCPB(CR)0 713	L-Ascorbic acid 5.6g/L	Citrex Inc. Miami Florida / Arysta Lifescience S.A.A.S., France.	Arysta Lifescience Corporation (K) Ltd.	For use as a biostimulant with systemic activated resistance (SAR) on French beans and Roses.
758.	PREV AM 60 SL Soluble Liquid	PCPB(CR)1 411	Orange Oil (Limonene 60/L)	<b>Manufacturer/Formulator:</b> Florida CHEM, USA <b>Registrant:</b> <b>AAKO B.V. Netherlands.</b> <b>Formulator:</b> Oro Agri International Limited (South Africa)	MuuraAgricons ultancy Services	Fungicide for the control of powdery mildew in roses WHO Class III: Slightly hazardous Blue color band

759.	PREVICUR ENERGY SL 840 Soluble Concentrate	PCPB(CR)0 458	Propamocarb hydrochloride 530g/L + Fosetyl Aluminium 310g/L	Bayer Crop Science, Germany.	Bayer East Africa Ltd.	Fungicide to control downy mildew on Roses & lisianthus.
760.	PREVICUR N Suspension Concentrate	PCPB(CR)0 250	Propamocarb Hydrochloride 722g/L	Bayer Crop Science AG, Germany.	Bayer East Africa Ltd., P.O.Box 30321, Nairobi.	Fungicide for the control of soil borne diseases such as damping-off, seedling rot, foot rot, root rot, and those causing leaf diseases such as leaf blight and downy mildew in flowers/ornamentals.
761.	PRIMAGRAM GOLD 660 SC Suspension Concentrate	PCPB(CR)0 268	S-Metalochlor 290g/L Atrazine 370g/L	Syngenta Crop Protection AG, Switzerland.	Syngenta E.A. Ltd., P.O. Box 30393, Nairobi.	Herbicide for the control of annual grass weeds in maize.
762.	PRIMMER 50WP Wettable powder	PCPB(CR)1 372	Copper oxychloride, 58% (Equivalent to 50% Metallic Copper)	<i>Manufacturer:</i> Zhejiang Rayfull chemicals Co, China <i>Formulator:</i> Wemax agro Ltd	Prime care Agro EA ltd	Fungicide for preventive control of Early and late blight on tomatoes Class III Slightly hazardous; Blue color band EU MRL: 5mg/kg PHI: 7days
763.	EABCL PRIORI 25 SC	PCPB(CR)1 256	Azoxystrobin 250g/L	Zhejiang Bosst Cropscience Co. Ltd	East African Business	Fungicide for the control of Powdery mildew on Roses and rust in French beans.

				China.	Company Ltd.	<b>WHO Class III</b> Slightly hazardous, Blue color band REI: 12 hours  EU MRL 3.0mg/kg  PHI: 7 days
764.	PRO 2.4D 720 SL Soluble liquid	PCPB(CR)1 077-p(iii)	2,4 D-Amine 720g/L	Hangzhou Yilong Chemical Industries, Ltd. China	Agro-Farmers (Kenya) Limited	Post-emergence herbicide for control of broad-leaved weeds in wheat
765.	PROCROWN 500 EC Emulsifiable Concentrate	PCPB(CR)1 474	Profenofos 500g/L	Excel Crop Care ltd, Mumbai, India	Prestige Packaging Ltd	Insecticide for control of spidermites and caterpillars in roses REI: 12 hrs  WHO Class II Moderately hazardous, (Yellow color band)
766.	PROCURE 480 SC Suspension Concentrate	PCPB(CR)0 550	Triflumizole 480gm/L	Nippon Soda Co. Japan / Crompton Manufacturing Co. USA / Arysta Lifescience (Kenya).Ltd. <i>Registrant: Arysta Lifescience (Kenya).Ltd.</i>	Arysta Lifescience (Kenya).Ltd.	A fungicide for the control of powdery mildew ( <i>Sphaerotheca pannosa</i> ) in Roses.

				<i>Additional Formulator:</i> Gowan Milling, Arozona USA.		
767.	PROFEN 10.8 EC Emulsifiable concentrate	PCPB(CR)1 231	Pyriproxyfen 108g/L	King Chemical Co. Ltd; China	Agent/Distribu tor: Agrichem Africa Limited	Insect growth regulator for the control of Thrips and Aphids on Roses  WHO Class III Slightly hazardous Blue color band REI: When the spray dries
768.	PROFILE 440 EC Emulsifiable concentrate	PCPB(CR)1 313	Profenofos 400g/L + Cypermethrin 40g/L	Shandong United Pesticide Industry Co. Ltd; China	Greenlife Crop Protection Africa Ltd	Insecticide for the control of Thrips, Aphids, spider mites, caterpillars and whiteflies on Roses; and Thrips, Aphids, spider mites, and whiteflies on carnations; aphids, whiteflies and thrips on tomatoes; thrips in onions.  Tomatoes EU MRL Profenofos - 10mg/kg Cypermethrin-0.5 mg/kg PHI- 7 days Onions EU MRL Profenofos – 0.02mg/kg



						Cypermethrin- 0.1 mg/kg PHI- 14 days WHO Class II Moderately hazardous, Yellow color band REI: 12 hours
769.	PROMIDONE 500SC Suspension Concentrate	PCPB(CR)0 699	Procymidone 500g/Kg	Ningbo Sunjoy Agroscience Co, China	Agrosolutions Ltd.	Fungicide for control of botrytis in Roses WHO Class IV Green Colour Band Re-entry interval =6 hours
770.	PROPELLER 722 SL, Soluble concentrate	PCPB(CR)1 040	Propamocarb hydrochloride 722 g/L	Ningbo Yihwei Chemicals Co. Ltd, China	Greenlife Crop Protection Africa Ltd.	Fungicide for the control of Downy mildew on Roses WHO Class U Green colour band, products unlikely to present acute hazard under normal use REI: 6hrs
771.	PROPHOS 10 GR Granular	PCPB(CR)14 47	Ethoprophos 100g/kg	<b>Manufacturer/ Formulator/Registrant:</b> Jiangsu Fengshan Group Co Ltd, China <b>Exporter:</b> Ranjit Insecticides Pvt Ltd India.	East African Business Company Ltd	Nematicide for the control of plant parasitic Nematodes on Roses  REI: 24 hours WHO Class II Moderately Hazardous Yellow Color Band
772.	PROPIMAX 25 EC	PCPB(CR)0 316-p(i)	Propiconazole 250g/L	Makhteshim Chemical Works Ltd., Israel.	Osho Chemical Industries Ltd.	Fungicide for use in wheat to control rust, Leaf blotch

	Emulsifiable Concentrate					and Spot blotch.
773.	PROPLANT 722 SL Soluble concentrate	PCPB(CR)0768	Propamocarb hydrochloride 722g/L	<i>Toll Manufacturer;</i> Arysta LifeScience Benelux Sprl. <i>Registrant;</i> Arysta LifeScience Benelux Sprl, Belgium	Amiran (K) Ltd.	Fungicide for control of downy mildew on Roses and damping off on pepper.
774.	PROSARO 250 EC Emulsifiable Concentrate	PCPB(CR)1095	Prothioconazole 125g/L+ Tebuconazole 125g/L	<i>Registrant:</i> Bayer AG, Germany. <i>Manufacturer:</i> Bayer AG, Germany/USA <i>Formulator:</i> Bayer AG, Germany/France	Bayer E.A Ltd.	Fungicide for the control of net blotch on Barley, yellow rust and stem rust on wheat; black leg and sclerotinia stem rot in oil seed rape. <b>EU MRL (mg/kg)</b> Prothioconazole-0.15 Tebuconazole-0.5 <b>PHI-58 days</b> WHO Class III Slightly hazardous Blue Colour Band MRL: -Prothioconazole -0.05mg/Kg -Tebuconazole-0.05mg/Kg PHI: 35 days.
775.	PROSPER 44EC Emulsifiable Concentrate	PCPB(CR)0887	Profenofos 40% + Cypermethrin 4%	Arysta LifeScience, India, Limited.	Agrichem & Tools Limited	Miticide/insecticide for the control of spider mites on Roses; Insecticide for control of aphids, African boll worm, and cotton stainer on cotton seeds.

						WHO Class II Moderately Hazardous Yellow colour band REI = 12 hrs;  Cotton seeds- EU MRLs: Profenofos- 3.0 mg/kg Cypermethrin- 0.2 mg/kg PHI- 21 days
776.	PROTECTA C 60 Liquid	PCPB(CR)1 122	Copper Oxide 11.3% w/w Chromic Acid 27.9 % w/w Arsenic Pentoxide-24.6% w/w	Protecta Woodtech SDN. Bhb Malaysia	Beat E.A Ltd.	Wood preservative for protection of wood poles through industrial vacuum pressure impregnation for fungal and termite protection. WHO Class I b Highly Toxic Red Colour Band <b>RESTRICTED CLASS</b>
777.	PROTEKTOR 722 Suspension Concentrate	PCPB(CR)0 750	Propamocarb hydrochloride 72.2%	Ningbo Sunjoy Agroscience Co, China	Agrosolutions Ltd.	Fungicide for control of downy mildew in Roses
778.	PROTAP 500 WP Wettable Powder	PCPB(CR)14 62	Buprofezin 100g/kg + Monosultap 400 g/kg	<b>Manufacturer/Formulat or/Exporter:</b> Anhui Fenge Agrochemical Co., Limited, China	Kenagro Supplies Ltd	Insecticide for control of aphids, whitefly nymphs & thrips on Roses  REI: 6 hours  WHO Class II, Moderately hazardous, Yellow color band.
779.	PROTREAT	PCPB(CR)0	Imidacloprid	Rotam Agrochemical	Rotam Sub-	Insecticide for seed treatment to control

	Flowable Concentrate for Seed Treatment	558	350g/L	Co. Ltd, Hong Kong.	Saharan Africa Ltd. <i>Distributor:</i> Cooper K-Brand Ltd	beanfly in French beans; aphids and bulbfly in wheat and barley; grasshopper in maize.
780.	PROVE 1.92 Emulsifiable Concentrate	PCPB(CR)0811	Emamectin Benzoate 19.2g/L	Fluence Topsen Co. Ltd., China.	Amiran (K) Ltd.	Insecticide to control bollworms, spidermites and thrips in Roses; and caterpillars and thrips in French beans.
781.	PROVIDENCE 400 WP	PCPB(CR)1408	Pyrimethanil 130 g/kg + Chlorothalonil 270 g/kg	<b>Manu/Form/Registrant:</b> Yifan Biotechnology Group Company Limited	Greenlife Crop Protection Africa Ltd	Fungicide for the control of Powdery mildew & Botrytis on Roses & Carnations; Early blight in tomatoes; Angular leafspot, Anthracnose and Rust in French beans.  <b>French beans:</b> EU MRLs: Pyrimethanil- 3.0mg/kg Chlorothalonil- 5.0mg/kg PHI- 7 days  <b>Tomatoes:</b> EU MRLs: Pyrimethanil- 1.0mg/kg Chlorothalonil- 6.0mg/kg PHI- 7 days

						WHO Class III Slightly hazardous, Blue color band.
782.	PUMA SUPER EC 120	PCPB(CR)0 374	Fenoxaprop-P- ethyl 120g/L	Manufacturer/Registrant: (i) Bayer AG, Germany (ii) JiangSu Flag Chemical Industry Co.Ltd, China.	Bayer East Africa Ltd.	A selective post-emergence herbicide for the control of annual grasses in Wheat.
783.	PYAGRO 4 Emulsifiable Concentrate	PCPB(CR)1 278	Pyrethrins 40g/L	Pyrethrum Board of Kenya	Pyrethrum Board of Kenya	Insecticide for the control of thrips, aphids and whiteflies on French beans and roses; whiteflies on hypericum; Diamond back moth, aphids and cabbage saw fly on kales; whiteflies and red spider mites on tomatoes.
784.	PYDUST	PCPB(CR)0 909	Pyrethrins 1.0%	Pyrethrum Board of Kenya	Pyrethrum Board of Kenya.	Insecticidal dust to control common grain storage pests e.g. Rice & Maize weevils.
785.	PYEGAR	PCPB(CR)0 794	Pyrethrin + Garlic extract	JH Biotech, USA.	Juanco SPS Ltd.	An acaricide for the control of red spider mites on Roses (flowers).
786.	PYENEEM 20EC Emulsifiable Concentrate	PCPB(CR)1 331	Pyrethrin 10g/L + Azadirachtin 10g/L	<b>Manufacturer</b> <b>Pyrethrin</b> Pyrethrum Board of Kenya <b>Source Azadirachtin:</b>	Juanco SPS Ltd	Insecticide for the control of Aphids, Whitefly nymphs and Spidermites on Tomatoes WHO Class III

				International Centre for Insect Physiology and Ecology; Kenya		Slightly hazardous Blue color band REI:
787.	PYRAMID 700 WP Wettable powder	PCPB(CR)1 208	Fosetyl aluminium 300 g/L + Mancozeb 400 g/L	<b>Manufacturer:</b> Fosetyl <b>Al:</b> Yifan Biotechnology Group Co., Ltd. <b>Mancozeb:</b> Zhejiang Jiahua Chemical Co., Ltd, China <b>Formulator:</b> Shandong Weifang Shuangxing Pesticide Co., Ltd <b>Exporter:</b> Ningbo Yihwei Chemicals Co., Ltd	Greenlife Crop Protection Africa Ltd	Fungicide for the control of Angular leaf spot in French beans, Late Blight on Tomatoes and Downy mildew on Roses. <b>Fosetyl – Aluminium</b> <b>French beans:</b> PHI: 3 days; MRL: 0.33 mg/kg <b>Tomatoes</b> PHI: 3 days; MRL: 0.54 mg/kg <b>Mancozeb</b> <b>Tomatoes:</b> PHI: 3 days; MRL: 0.42 mg/kg <b>French beans:</b> PHI: 3 days; MRL: 0.25 mg/kg REI: When spray dries
788.	PYRIMEC 40 WG Wettable Granules	PCPB(CR)1 184	Pyrimethanil 400g/Kg	King Chemicals Co. Ltd, China	Agrichem & Tools Ltd	Fungicide for control of botrytis in Roses and carnations. REI- 6 Hours WHO Class III Blue Colour Band Slightly hazardous  REI: When spray dries
789.	PYRIMITE	PCPB(CR)0	Pyridaben 20%	Zhejiang Yifan	Hangzhou	Insecticide/acaricide for control of

	200 EC	560	w/v	Chemical Group Co. Ltd.China /Hangzhou Jike Trade Co.Ltd., China.	Agrochemicals Co. E.A. Ltd.	spidermites on roses and tomatoes
790.	PYRINEX 48 EC Emulsifiable concentrate	PCPB(CR)0 042	Chlorpyrifos 480g/L	Adama Makhteshim Ltd, Israel.	Amiran (K) Ltd.	Insecticide for use on cotton & armyworm control. <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>
791.	PYRINEX QUICK 256 ZC Capsule suspension & Suspension concentrate	PCPB(CR)1 297	Chlorpyrifos 250g/L + Deltamethrin 6 g/L	Makhteshim Chemical Works, Ltd, Israel	Amiran (K) Ltd	Insecticide for the control of Russian wheat aphid and other cereal aphids on Wheat; and for the control of aphids and boll worm in cotton  WHO Class II Moderately hazardous, Yellow color band EU MRL: Chlorpyrifos -0.05mg/kg Deltamethrin -0.05 mg/kg  PHI: 21 days
792.	PYMOS 0.6 EC	PCPB(CR)0 911	Pyrethrins 0.6%	Pyrethrum Board (K)	Pyrethrum Board (K)	Insecticide for public health use to control mosquitoes.
793.	PYLARVEX 0.5 EC	PCPB(CR)0 910	Pyrethrins 0.5%	Pyrethrum Board (K)	Pyrethrum Board (K)	Insecticide/larvicide for the control of mosquito larvae in public health.

794.	PYRUS 400 SC Suspension Concentrate	PCPB(CR)0 337	Pyrimethanil 404g/L	Arysta LifeScience Benelux Sprl, Belgium	Amiran (K) Ltd.	Fungicide to control grey mould and leaf scab on flowers.
795.	QUADRIS 50WG Wettable Granules	PCPB(CR)0 775	Azoxystrobin 500g/Kg	Syngenta Grangemouth Works, UK / Gowan Milling, USA. <i>Additional Manufacturing Sites:</i> GB Biosciences, Green Bayou, USA; SDS Biotech, K.K Yokohama Japan; Jiangsu Xinhe Agrochemical Co ltd, China; Suli China Jiangyin Suli Fine Chem, China.	Syngenta E.A. Ltd.	Fungicide for the control of Coffee Berry Disease.
796.	QUICKPHOS Tablets, (3 grams each)	PCPB(CR)0 186	Aluminium Phosphide 56% w/w equivalent to 33% phosphine gas	UPL Ltd., India.	Dera Chemical Industries Ltd., P.O. Box 45145, Nairobi.	Fumigant Insecticide for the treatment of stored food products against various storage insect pests and rodents in raw grain produce, processed and packaged food stuffs, processed and packaged tobacco, empty warehouses elevators, stores: <b><u>RESTRICTED CLASS</u></b>



797.	RADIANT 120 SC Suspension Concentrate	PCPB(CR)1 048	Spinetoram 120g/L	Dow Agrosiences, USA; <b>Additional Manufacturer:</b> Evonik Jayhawk Fine Chemicals Corporation, USA. <b>Formulator:</b> King's Lynn, U.K.	Dow Chemical E.A Ltd, Nrb	Insecticide for the control of Caterpillars and thrips in French beans; bollworms and whiteflies on Tomatoes. WHO Class III Blue Colour Band Slightly hazardous PHI – 3 days
798.	RAJPUT 40EC	PCPB(CR)1 398	Acetamiprid 30g/L + Abamectin 10g/L	Hailir P.G.C. China	Orbit Agro Chemical Industries Ltd.	Insecticide/Miticide for the control White flies on Cucumber & Spidermites on Roses REI: 6 hours Cucumber: MRL: Abamectin 0.3mg/Kg Acetamiprid 0.02mg/kg PHI: 5 days WHO Class II Moderately hazardous, Yellow color band
799.	ROCKET 44 EC	PCPB(CR)1 529	Profenofos 400g/L + Cypermethrin 40g/L	PI Industries, Gujarat, India	East African Business Company Ltd	Insecticide for control of thrips, aphids, caterpillars and Whiteflies on Roses  REI: 12hrs WHO Class II Moderately hazardous, Yellow color band
800.	PCPB(CR)153 0	PALESTER 500 SC	Fluazinam 300g/L +	<b>Manufacturer/ Formulator:</b>	Cropanet Plaass Ltd	Fungicide for control of downy mildew & botrytis on Roses

		Suspension Concentrate	Cymoxanil 200g/L	Jiangyin Suli Chemical Co., Ltd., China <b>Exporter/ Registrant::</b> Wemax Agro Ltd., China		REI: 4 hours WHO Class II Moderately Hazardous Yellow Color Band
801.	CHORDATA 10.2 EC	PCPB(CR)1 399	Abamectin 20g/L + Pyridaben 100 g/L	Hailir P.G.C, China	Orbit Chem, India.Ltd	Insecticide /miticide for the control of mites on tomatoes & Roses Roses REI: 6 hours Tomatoes MRL: Abamectin 0.02mg/Kg Pyridaben 0.3mg/Kg PHI= 7days WHO Class II (Moderately hazardous; Yellow color band)
802.	RALON SUPER EW 144 Oil in Water emulsion	PCPB(CR)0 718	Fenoxaprop-P-ethyl 69g/L + Mefenpyr- diethyl 75g/L(safener)	Manufacturer/Regis trant: (i) Bayer AG, Germany (ii)JiangSu Flag Chemical Industry Co.Ltd, China.	Bayer East Africa Ltd.	Selective post -emergence systemic herbicide for the control of annual grasses in wheat and Barley MRL: Fenoxaprop-P-ethyl 69 g/l; 0.01mg/kg Application stage: BBCH 10-32.
803.	RANGER 48% EC Emulsifiable Concentrate	PCPB(CR)1 072	Chlorpyrifos 480g/L	Zhejiang Xinnong Chemicals Co. Ltd, China.	Greenlife Crop Protection Africa Ltd.	Insecticide for the control of thrips, aphids and whiteflies on Roses; Antestia bugs in Coffee

						<b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>  WHO Class II: Moderately Hazardous Yellow Colour Band REI- when spray dries
804.	RANKONIL 500 SC Suspension Concentrate	PCPB(CR)0 361	Chlorothalonil 500g/L	Calliope S..A.S, France.	Arysta Lifescience Corporation.	Fungicide for the control of downy mildew on snow peas and Roses.
805.	RANSOM 600WP Wettable podwer	PCPB(CR)1 230	Carbendazim 570 g/Kg + Triadimefon 30g/Kg	<b>Manufacturer/Formulator/Registrant:</b> Jiangsu Sandi Chemistry Co Ltd, Jiangsu, China  <b>Exporter:</b> Shanghai Qiaoji International Co Ltd; China	Greenlife Crop Protection Africa Ltd	Fungicide for the control of Rust on Carnations  WHO Class III Slightly Hazardous; Blue color band REI: When the spray dries
806.	RAXIL SUPER 375	PCPB(CR)0 307	Tebuconazole 15g/L + Trizoxide 10g/L + Imidacloprid 350g/L	Imidacloprid and Triazoxide from Bayer AG, Leverkusen, Germany.	Bayer East Africa Ltd.	Insecticide/Fungicide for control of Cereal Aphid and Russian Aphids; and Net Blotch and Spot Blotch as seed treatment for barley.
807.	MAZAO		<i>Bacillus subtilis</i>	Real IPM Company (K)	Real IPM	Biological fungicide for the control of

	REGAIN	PCPB(CR)1 160	BS-01 1x10 <sup>10</sup> cfu/ml)	Ltd, Thika	Company (K) Ltd, Thika	Powdery Mildew on Roses.  <b>WHO Class U</b> Unlikely to present acute hazard under normal use ; green color band <i>PHI, MRL &amp; REI not applicable for biopesticides</i>
808.	REAL CUCUMERIS Predatory mite suspended in wheat bran	PCPB(CR)1 344	<i>Amblyseius cucumeris</i> 50,000 predatory mites/g	The Real IPM (K) Ltd	The Real IPM (K) Ltd	Biological Insecticide for control of Thrips on Carnation  <i>WHO Classification not applicable for biopesticides</i>
809.	REAL PHYTOSEIUL US	PCPB(CR)0 727	' <i>Phytoseiulus persimilis</i> ' 2000 mites/tube	Real IPM Company (K) Ltd.	<i>Distributor:</i> Real IPM Company (K) Ltd.	A macrobial pesticide for the control of red spider mites on roses & French beans
810.	MAZAO SUSTAIN	PCPB(CR)1 234	<i>Trichoderma asperellum</i> TRC900 1.7 x 10 <sup>9</sup> cfu/gram	The Real IPM Company (K) Ltd	The Real IPM Company (K) Ltd	Nematicide for the control of Root knot nematodes ( <i>Melogyne spp</i> ) in French beans  <i>WHO classification not applicable for biopesticides</i>  <i>MRLs, PHI not applicable for biopesticides</i>

						REI: When the spray dries
811.	REDIGO DETER 300 FS Flowable Seed Treatment	PCPB(CR)1 291	Prothioconazole 50g/L + Clothianidin 250g/L	Manufacturer: <b>Prothioconazole</b> Bayer S.A.S; France Bayer AG, Germany, France & USA. <b>Clothianidin</b> Bayer AG, Germany; Sumitomo Chemical Takeda Agro Co. Japan <b>Registrant:</b> Bayer AG, Germany	Bayer East Africa Limited	Insecticide/Fungicide combination Seed dresser for the control of early pests in wheat (Russian wheat aphids); early pests in Barley (Aphids, Barley Yellow dwarf virus, Net Blotch,)  MRL: all < LOQ of 0.01 mg/kg at 57days (PHI: No pre-harvest or withholding period since it is applied as seed treatment).
812.	REFINED PYRETHRUM "PALE EXTRACT" 25%	PCPB(CR)0 227	Pyrethrins 25% w/w	Pyrethrum Board (K)	Pyrethrum Board (K)	Insecticide, raw materials for formulating products used in the control of a wide variety of insect pests.
813.	REGENT 3 GR Granules	PCPB(CR)0 964	Fipronyl 3g/Kg	BASF Agri (France)/BASFSE, Nairobi.	BASF E.A Ltd., Nairobi./Elgon Chemicals Ltd.	Insecticide for the control of termites in forestry.
814.	REGENT 50 SC Suspension Concentrate	PCPB(CR)0 267	Fipronil 50g/L	SBM, France / BASF SE Additional <b>Manufacturer;</b> BASF Agri- Production	BASF E.A Ltd., Nairobi. <i>Distributor:</i> Elgon	A broad spectrum contact insecticide for use in controlling diamond back moth on brassicas; and thrips in carnations & on roses.

				S.A.S, France	Chemicals Ltd.	
815.	RELDAN 40 EC Emulsifiable Concentrate	PCPB(CR)0 853	Chlorpyrifos-methyl 400g/L	Dow Agrosciences, France.	Dow Chemical E.A Ltd, Nrb	Insecticide for the control of aphids, thrips, caterpillars, bollworms, scales, mealybugs, etc coffee, flowers & ornamentals. <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>
816.	REVUS 250SC Suspension concentrate	PCPB(CR)1 006	Mandipropamid 250g/L	Syngenta Crop protection Ag Switzerland <i>Formulators:</i> Syngenta Agro SAS France, Syngenta Agro AS Spain, Syngenta Grangemouth Works, UK, Syngenta Hellas Greece, Syngenta South Africa.	Syngenta East Africa	A fungicide the control of late blight in tomatoes and potatoes and downy mildew in roses. WHO U Products unlikely to present acute hazard under normal use Green colour band Proposed MRL in tomatoes = 1 mg/kg Proposed PHI= 3 Days for tomatoes REI = 4 hrs
817.	RIDOMIL GOLD MZ 68 WG Water	PCPB(CR)0 326	Metalaxyl-M 40g/Kg + Mancozeb 640g/Kg	Syngenta Crop Protection AG, Switzerland. <b>Additional Formulator:</b> Syngenta	Syngenta E.A. Ltd.	An agricultural fungicide for use to control late and early blight in tomatoes and potatoes; Downy mildew in Roses.

	Dispersible Granules			Production France SAS, Usine de Saint Pierre, Dep/Prov: Eure, 27600 SAINT PIERRE LA GARENNE, France.		
818.	RIDWEED 360 SL Soluble Concentrate	PCPB(CR)0631	Glyphosate acid 360g/L	Transagro Gmbh Germany <i>Formulator:</i> Asiatic Agricultural Industries, Singapore	Bell Industries Ltd.	Herbicide for the control of weeds in pastures and minimum tillage.
819.	RIMETA 400 SC Suspension Concentrate	PCPB(CR)1058	Pyrimethanil 400 g/L	<b>Manufacturer/ Formulator:</b> Yantai Keda Chemicals Co., Ltd., China <b>Registrant</b> Dipchem E.A Ltd	Dipchem (EA) Ltd.	Fungicide for control of Botrytis on Roses. WHO Class III Blue colour band Slightly hazardous REI: 6 hr after spraying
820.	RIMETA GOLD 300 SC Suspension Concentrate	PCPB(CR)1228	Pyrimethanil 5% + Carbendazim 25%	Yantai Keda Chemical Co. Ltd China	Greenlife Crop Protection Africa Ltd	Fungicide for the control of Botrytis in Roses; Early blight in tomatoes, soft rot & black leg on broccoli, angular leaf spot in French beans and runner beans MRLs: <b>Tomatoes:</b> Pyrimethanil:1.0mg/kg Carbendazim: 0.3mg/kg PH: 7days

						<p><b>Broccoli:</b>  Pyrimethanil:0.05mg/kg  Carbendazim:0.1mg/kg  PHI: 7 days</p> <p><b>French beans</b>  Pyrimethanil: 2.0mg/kg  Carbendazim: 0.2mg/kg  PHI:14 days</p> <p><b>Runner beans:</b>  Pyrimethanil: 2.0mg/kg  Carbendazim: 0.2 mg/kg  PHI: 14 days</p> <p>WHO Class III,  Slightly hazardous  Blue color band.  Proposed MRL: 1mg/Kg  PHI: 14 days</p>
821.	RIMON 10 EC Emulsifiable Concentrate	PCPB(CR)0 839	Novaluron 10%	Adama Makhteshim Ltd, Israel	Amiran (K) Ltd.	Insecticide for the control of diamond backmoth in brassicas.
822.	RIMON SUPRA 10 SC Suspension Concentrate	PCPB(CR)1 139	Novaluron 100g/L	Adama Makhteshim Ltd, Israel	Amiran (K) Ltd.	Insecticide for control of Caterpillar on Roses. WHO Class III, slightly hazardous, Blue color band REI: When spray dries



823.	RINGO-L 20SC Suspension concentrate	PCPB(CR)1 174	Metominostrobin 200g/L	<p><b>Manufacturer:</b> Sumit Agro International Ltd. ( subsidiary of Sumitomo Corporation, Japan)</p> <p><b>Additional Manufacturer;</b> Junsei Chemical Co. Ltd. Japan</p> <p><b>Registrant:</b> Sumit Agro International Ltd</p> <p><b>Formulator:</b></p> <ol style="list-style-type: none"> <li>1) Hayashi Agrosience Ltd, Japan</li> <li>2) Sumit Agro International Ltd</li> </ol>	<p><b>Local Agent:</b> Sumitomo Corporation, Nairobi</p> <p><b>Distributor:</b> Elgon Chemicals (K) Ltd</p>	<p>Fungicide for the control of Powdery mildew on Roses.</p> <p><b>WHO II:</b> Moderately hazardous (Yellow color band)</p> <p>REI: 12 hours</p>
824.	RIPCORDER 5% EC Emulsifiable Concentrate	PCPB(CR)0 010	Cypermethrin 50g/L	BASF SE, Germany.	Topserve E.A Ltd.	Insecticide for use on cotton, coffee, maize, horticultural crops; also for armyworm and locust control.
825.	RIVAL 722 SL Soluble Concentrate	PCPB(CR)1 305	Propamocarb hydrochloride 72.2%	Agria S.A. Bulgaria	Eco Harmony E.A. Ltd	Fungicide for control of Downy mildew on Roses

						WHO Class III Slightly Hazardous Blue colour band <b>REI:</b> 6 Hrs
826.	RIZOLEX 50 WP Wettable Powder	PCPB(CR)0 640	Tolclofos Methyl 50% w/w	Sumitomo Corp, Japan.	Twiga Chemical Industries Ltd., P.O. Box 30172, Nairobi.	Fungicide for the control of soil borne fungal diseases, including Rhizoctonia in flowers.
827.	RNA 800EC Emulsifiable concentrate	PCPB(CR)1 140- <i>p(i)</i>	Paraffinic Oil 80%	Brandt Consolidated Inc. Springfield, IL, USA	Kencrop Kenya Ltd	Miticide/insecticide for the control spidermites & whiteflies on Roses  W.H.O class U Unlikely to present acute hazard under normal use Green color band <b>REI:</b> When spray dries.
828.	ROBUST 48 EC	PCPB(CR)0 689	Chlorpyrifos 48%	Sabero Organics, India.	Orbit Chemical Industries Ltd.	Insecticide for the control of Antestia bugs in Coffee. <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>
829.	RODAZIM SC Suspension Concentrate	PCPB(CR)0 378	Carbendazim 500g/L	Rotam Limited, Hong Kong.	Rotam Sub- Saharan Africa Ltd. <i>Distributor:</i>	Fungicide for the control of botrytis, heterosporium & rhizoctonia on carnation; botrytis, anthracnose, sclerotinia, Angular leaf spot & root rot

					Cooper K-Brands Ltd	on french beans; botrytis & Aschochyta on snow peas; Anthracnose, grey mold, fruit rot & scab in mangoes, citrus and pawpaw.
830.	ROGOR L 40 EC	PCPB(CR)0603	Dimethoate	ISAGRO SPA, Italy	Novus-Bridge Consultants	An insecticide for use in vegetables. NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES.
831.	ROMEECTIN	PCPB(CR)0322	Abamectin 18g/L	Rotam Agrochemicals, Hong Kong.	Rotam Sub-Saharan Africa Ltd. <i>Distributor:</i> Cooper K-Brand Ltd	Insecticide/Miticide to control the Red spider mites on Roses and Leaf miner on French beans.
832.	RONDO 480 SL Soluble Liquid	PCPB(CR)1317	Glyphosate IPA salt 480 g/L	<b>Manufacturer/Formulator:</b> Shandong Weifang Rainbow Chemical Company Ltd; China  <b>Registrant</b> DVA Agro GmbH, Germany	Rockem Limited	Post emergence herbicide for the control of grass and broad leaved weeds in coffee Wheat MRL: 0.05 mg/kg PHI: 136 days  Coffee MRL: 0.05 mg/kg PHI: 15 days  <b>WHO Class II</b> (Moderately hazardous, Yellow color band)
833.	RONDO 480	PCPB(CR)1	Glyphosate IPA	<b>Manufacturer/Formul</b>	Rockem	Post emergence herbicide for the control

	SL Soluble Liquid	317	salt 480 g/L	<b>ator:</b> Shandong Weifang Rainbow Chemical Company Ltd; China  <b>Registrant</b> DVA Agro GmbH, Germany	Limited	of grass and broad leaved weeds in coffee Wheat MRL: 0.05 mg/kg PHI: 136 days  Coffee MRL: 0.05 mg/kg PHI: 15 days  <b>WHO Class II</b> (Moderately hazardous, Yellow color band)
834.	RONDOPAZ 480 SL	PCPB(CR)1 052-p(iii)	Glyphosate acid 360g/L (as Isopropylamine salt 480g/L)	Jiangsu Qiaoji Biochem co., China.	Kencrop Kenya Ltd	A post emergence, non-selective herbicide for the control of grasses and broad leaved weeds in non-cropped areas. <b>WHO Class II</b> Moderately hazardous Yellow Colour Band MRL and PHI are not applicable in non- cropped areas.
835.	ROOTGARD	PCPB(CR)0 796	<i>Trichoderma</i> <i>harzianum</i> strain 21 2 x10 <sup>9</sup> spores	J H Biotech, USA.	Juanco SPS Ltd.	A biological product (natural product) for the control of root fungal diseases on carnations (flowers).
836.	ROPHOSATE	PCPB(CR)0	Glyphosate acid	Rotam Agrochemical	Rotam Sub-	Herbicide for the control of annual &

	360 SL Soluble Concentrate	991	360g/L equivalent to 480g/L IPA salt	Co. Ltd., Hong Kong.	Saharan Africa Ltd. <i>Distributor:</i> Cooper K-Brands Ltd	perennial weeds in Baby corn. WHO CLASS U Green Colour band  Unlikely to cause hazard under normal use
837.	ROUND UP Water Soluble Concentrate	PCPB(CR)0006	Glyphosate 360g/L as glyphosate acid or 480g/L as IPA salt	Bayer Agriculture BVA/ Bayer East Africa Ltd.	Monsanto Kenya Ltd.	Post-emergence systemic herbicide for the control of weeds in coffee, tea plantations, sugarcane, pastures destruction, reduced tillage.
838.	ROUND UP ENERGY 450 SL Soluble Concentrate	PCPB(CR)0937	Glyphosate potassium salt 450g/L	Bayer Agriculture BVA	Monsanto Kenya Ltd.	Herbicide for use in the control of annual grasses and perennial weeds under zero /minimum tillage in wheat; and for the control of broad leaved weeds and annual weeds in coffee plantations. WHO Class IV Green Colour Band
839.	ROUND UP TURBO	PCPB(CR)0328	Glyphosate acid 450g/L	Bayer Agriculture BVA	Monsanto Kenya Ltd.	A herbicide for use in non-crop areas, zero/minimum tillage; control of broad leaved weeds, annual and perennial weeds in tea plantations and coffee.
840.	ROUNDUP	PCPB(CR)1	Glyphosate acid	Bayer Agriculture BVA	Monsanto E.A	Post emergence herbicide against annual

	360 K	245	360 g/L (expressed as Potassium salt of glyphosate		Ltd	grasses and broad leaved weeds in French beans under minimum tillage, zero tillage; and for use in non cropped area; and as a non selective herbicide for use in Tea.  WHO Class U Products unlikely to present acute hazard under normal use, Green color band
841.	ROVA 500SC Suspension Concentrate	PCPB(CR)0 559-p(i)	Chlorothalonil 500g/L	Sipcam UK, Ltd/ Oxon Italia SpA, Pero Italy	Rockem Ltd.	A broad spectrum fungicide for the control of Coffee Berry Disease.
842.	ROVA 75 WP Wettable Powder	PCPB(CR)0 319	Chlorothalonil 75%	Sipcam UK, Ltd/ Oxon Italia SpA, Pero Italy/ Benard Rothfos Intercafe Ag. Zurich	Sipcam E.A. Ltd. c/o Rockem Ltd.	Fungicide for the control of Coffee Berry Disease, botrytis and black spot on Roses.
843.	ROVRAL 250 FLO Flowable	PCPB(CR)0 037	Iprodione 250g/L	FMC Chemicals sprl, Belgium	Bayer East Africa Ltd.  <i>Distributor :</i> Juanco SPS Ltd	Protectant fungicide for the control of botrytis in vegetables, strawberries, ornamentals.
844.	ROVRAL AQUA FLO	PCPB(CR)0 539	Iprodione 500g/L	FMC Chemicals sprl, Belgium	Juanco SPS Ltd.	Fungicide for the control of botrytis on Roses and Perlagonium

	SC Suspension Concentrate				<i>Distributor :</i> Juanco SPS Ltd	
845.	ROYALCAP 500 FS Flowable concentrate for seed treatment	PCPB(CR)0 892	Captan 500g/L	Kombat (Pty) Ltd., South Africa.	Arysta Lifescience (Kenya).Ltd	Fungicide, seed treatment in maize for the control of seed decay and external seed- borne diseases.
846.	ROYALNEX CS 25 (Micro- encapsulated Suspension)	PCPB(CR)0 522	Chlorpyrifos 250g/Litre	Makhteshim Chemical Works / Crompton Ltd.	Arysta Lifescience (Kenya).Ltd	Seed treatment to control soil borne and early season insect pests in maize seed.
847.	ROYALTAC Organic liquid	PCPB(CR)0 225	n-Decanol 78.4%	Crompton Corporation USA. <i>Registrant:</i> Arysta Lifescience (Kenya).Ltd.	Arysta Lifescience (Kenya).Ltd	Plant growth regulators to control sucker growth in tobacco.
848.	RUFAST 075 EW Emulsion oil in water	PCPB(CR)0 501	Acrinathrin 75g/L	<i>Manufacturer:</i> Cheminova A/S, Denmark; Jiangsu Hui Yeng Agrochemical Company Ltd, China. <i>Formulator:</i> Cheminova A/S, Denmark.	Novus-Bridge Consultants.	Insecticide for the control of mites, aphids, leaf miners & thrips on French beans, runner beans & Roses.

849.	RUGBY 100 ME Solvent-free liquid formulation	PCPB(CR)0797	Cadusafos 100g/L	FMC Corporation, USA	Juanco SPS Ltd.	Nematicide for control of nematodes in flowers.
850.	RUNNER 240 SC Soluble Concentrate	PCPB(CR)0467	Methoxyfenozide 240g/L	Dow Agrosciences, UK.	Dow Chemical E.A Ltd, Nrb	An agricultural insecticide for the control of Diamond-back moth, sawfly and <i>Spodoptera spp.</i> in Brassicas; <i>Spodoptera spp.</i> on roses.
851.	RUSTOP 250 SC Suspension Concentrate	PCPB(CR)1182	Azoxystrobin 250g/L	King Chemicals Co, Ltd, China	Agrichem & Tools Ltd	Fungicide for control of rust and Botrytis on Carnations; Rust, Anthracnose and Angular leaf spot on French beans; powdery mildew, botrytis and downy mildew on roses.  REI- 6  <b>French beans:</b> MRL – 3mg/Kg PHI – 3 days Hours  WHO Class U Products unlikely to cause hazard under conditions of normal use Green colour band.
852.	SAAF WP Wettable Powder	PCPB(CR)0717	Carbendazim 12.25% w/w and Mancozeb 74% w/w	UPL Ltd, India	Farmchem (K) Limited	Fungicide to control Bean rust, anthracnose and Angular leaf spot on French beans; <i>Fusarium</i> and <i>Rhizoctonia</i> root rot on carnations.



853.	SACRIFIDO 125 EC Emulsifiable Concentrate	PCPB(CR)1 181	Prochloraz 2.5% + Myclobutanil 10%	Weihai Hanfu Biochemical Medicine Co. Ltd <b>Exporter:</b> Ningbo Yihwei Chemicals Co. Ltd, China	Greenlife Crop Protection Africa Ltd	Fungicide for the control of powdery mildew on Roses. <b>RESTRICTED TO USE ON ROSES ONLY.</b> Not to be used in Coffee.  REI: When spray dries WHO Class: III Slightly hazardous Blue colour band
854.	SADDLER 350 SC Suspension Concentrate	PCPB(CR)1 290	Thiodicarb 350g/L	Manufacturer & Formulator: Rotam Agrochemical Co. Ltd., China  Registrant: Rotam Ltd. Hongkong	Rotam Sub- Saharan Africa	Insecticide seed dresser for the control of early insect pests in maize (caterpillars, cutworms, chaffer grubs, termites, aphids and stalk borer in maize)  MRL: <0.05 mg/Kg PHI: 130 days
855.	SAF-T-SIDE 800 EC Emulsifiable Concentrate	PCPB(CR)1 140	Paraffinic Oil 80%	Brandt Consolidated Inc. Springfield, IL, USA	Sineria Kenya Limited	Miticide/insecticide for the control spidermites & whiteflies on Roses W.H.O class U(Unlikely to present acute hazard under normal use Green color band ) REI: When spray dries.

856.	SAMAYA KOP 50WP	PCPB(CR)0 165- <i>p(i)</i>	Copper Oxychloride - 85% equivalent to 50% metallic copper	ISAGRO Via Caldera, 2120153 Milano, Italy.	Murphy Chemicals (E.A) Ltd.	Fungicide for the control of coffee berry disease and leaf rust on coffee; For use on potatoes, tomatoes against early blight, Cucurbits, brassicas against anthracnose, bean rust, bacterial blight; Ornamentals/ flowers: - against rust, leaf spot and anthracnose.
857.	SAMURAI 72 WP Wettable powder	PCPB(CR)1 309	Metalaxyl 8% + Mancozeb 64%	Jiangsu Baoling Chemical Co. Ltd, China	Orbit Chemical Industries Ltd	Fungicide for control of Downy mildew in roses; and Early blight and late blight in potatoes. WHO Class III Slightly Hazardous Blue color band REI: 6hrs <b>Potatoes:</b> EU MRL Metalaxyl - 0.05 mg/kg Mancozeb- 0.3 mg/kg PHI- 14 days
858.	SANAPHEN D SL Soluble Concentrate	PCPB(CR)0 805	2,4-D Dimethyl amine (equal to 720g/L amine salts 600g/L	Dow Agrosiences	Dow Chemical E.A Ltd, Nrb	A selective post emergence herbicide for the control of broad leaved weeds in maize, wheat, barley, sorghum, sugarcane, rice & grassland areas.
859.	SANCOZEB 80	PCPB(CR)03	Mancozeb 80%	Dow	Farmchem (K)	Fungicide for control of blights in

	WP Wettable Powder	91	w/w	Agrosiences/Sanachem(pty) S.A.	Limited	tomatoes/potatoes.
860.	SAPLAS 500 SL Soluble concentrate	PCPB(CR)14 49	Polyoxin B 340g/L	<b>Manufacturer/ Formulator/Registrant:</b> Wemax Agro Ltd., China	Cropanet Plaass Ltd	Fungicide for control of powdery mildew & botrytis on roses  REI- 4 hrs WHO Class U, Unlikely to present hazard in normal use, Green color band
861.	SAPROL 20 EC Emulsifiable Concentrate	PCPB(CR)0 104	Triforine 190g/L	Zen-Noh Green Resources Corporation, Japan.  <b>Formulator:</b> Hayashi Agrosience/ Riken Green, Japan	Sumitomo Corporation, Liaison Office, Nairobi.	Fungicide for the control of powdery mildew and rust in Carnations and Roses.
862.	SATUNIL 60 EC Emulsifiable Concentrate	PCPB(CR)0 255	Thiobencarb 40% w/w + Propanil 20% w/w	Kumiri Chemical Industry, Japan / Arysta Lifescience SAS, France	Arysta Lifescience Corporation (K) Ltd.	Selective herbicide for weed control in rice.
863.	SCALA 40 SC Pyrimethanil Suspension Concentrate	PCPB(CR)0 505	Pyrimethanil 400g/L	Bayer AG, Germany.	Bayer East Africa Ltd.	Fungicide for control of botrytis in static & carnations.
864.	SCORE 250	PCPB(CR)0	Difenoconazole	Syngenta Crop	Syngenta E.A.	Fungicide for use against ringspot in

	EC Emulsifiable Concentrate	947	250g/L	Protection, Switzerland. Additional Formulation Site: Schirm GmbH Schonebeck, Geschwister-Schol- Strasse 127, 39218 Schonebeck/Elbe, Germany.	Ltd.	carnations and botrytis in Roses; angular leaf spot on French beans and Ascochyta leaf spot on snow peas.
865.	SEED PLUS 30WS	PCPB(CR)0 724	Imidacloprid 10% Metalaxyl 10% Carbendazim 10%	Topsen Goldchance Fluence, China/ Sineria Industries Ltd, Cyprus.	Sineria Kenya Limited	Seed treatment for the control of soil borne, seed borne and early season pests in French beans.
866.	MURTANO SUPER	PCPB(CR)0 724-p(i)	Imidacloprid 10% Metalaxyl 10% Carbendazim 10%	Topsen Goldchance Fluence, China/ Sineria Industries Ltd, Cyprus.	Sineria Kenya Limited	Seed treatment for the control of soil borne, seed borne and early season pests in French beans.
867.	SEED PRO 30 WS	PCPB(CR)0 724-p(ii)	Imidacloprid 10% Metalaxyl 10% Carbendazim 10%	Topsen Goldchance Fluence, China/ Sineria Industries Ltd, Cyprus.	Sineria Kenya Limited	Seed treatment for the control of soil borne, seed borne and early season pests in French beans.
868.	SEGARD 500 SC Suspension	PCPB(CR)1 176 Concentrate	Iprodione 500g/L	<b>Manufacturer/Formu- lator:</b> Nanjing Essence Fine Chemicals ,China	Sineria Kenya Limited	Fungicide for control of Botrytis in Roses ; REI- when spray dries WHO Class III, slightly hazardous

				<b>Registrant:</b> Sineria Industries Ltd, Cyprus		Blue colour band
869.	SEIZER 80SC	PCPB(CR)0485	Bifenthrin 80g/L	<b>Manufacture/Registrant:</b> Adama Makhteshim, Israel. <b>Additional Manufacturing site:</b> Jiangsu Huangma Agrochemicals Company	ADAMA Agriculture East Africa. Ltd	Insecticide for the control of aphids, caterpillars, leaf miners, spidermites, thrips & whiteflies on Roses and French beans.
870.	TIVAG 40 SC	PCPB(CR)1458	Gibberelic Acid 40 g/L	<b>Manufacturer/Formulator:</b> Zhejiang Qianjiang Biochemical Co. Ltd, China <b>Registrant:</b> Merhav Agro Ltd. Israel	Amiran Kenya Ltd.	Plant growth regulator for breaking shoot dormancy and enhancing shoot growth in Gysophilla. REI: 3 Hrs WHO Class II Moderately Hazardous Yellow color band
871.	AMIZOC 480 SC Suspension Concentrate	PCPB(CR)1645	Azoxystrobin 80g/L + chlorothalonil 400g/L	<b>Manufacturer/Formulator:</b> Jiansu Suli Chemicals Co Ltd, China. <b>Registrant:</b> Jianguyin Milagro chemicals co Ltd, china	Amiran Kenya Ltd	Fungicide for control downy mildew on roses; yellow rust, leaf rust and stem rust in wheat.  REI:6 hours  WHO Class III Slightly hazardous Blue color band.
872.	IMPROVE 9 SC	PCPB(CR)1516	Emamectin benzoate 15 g/L + Indoxacarb 75	<b>Manufacturer:</b> Hailir Pesticides And	Soloplant (K) Ltd	Insecticide for control of thrips on roses and tomato leaf miners (Tuta absoluta & Liriomyza bryoniae). REI = 6 hrs

			g/L	Chemicals Group Co ltd, China <b>Emamectin benzoate</b> : Qingdao KYX Chemical Co. Ltd., China <b>Formulator/Registrant</b> : Hailer Pesticide and Chemicals Group Co., Ltd, China		Tomato: EU MRLs- Emamectin benzoate: 0.02mg/kg Indoxacarb: 0.5mg/kg PHI- 3 days WHO Class II Moderately Hazardous Yellow Color Band
873.	DOWNLIGHT OR 72WP	PCPB(CR)1 108 -p(i)	Mancozeb 64% + Cymoxanil 8%	Manufacturer: Ningbo Y.Ch, China Registrant: Nantong B.C.C, China.	Hangzhou.A East Africa.Ltd.	Fungicide for control of Downy mildew on Roses WHO Class III Slightly hazardous (Blue colour band) REI: when spray dries.
874.	TRIPSO 5% EC	PCPB(CR)1 187 - p(i)	Lufenuron 50g/L	Jiangsu F.C.C.L, China.	Hangzhou.A East Africa.Ltd	Insecticide for control of Thrips in Roses WHO Class U (Products unlikely to present acute hazard under normal use, Green color band) REI: when spray dries.
875.	SEKATOR 375 OD	PCPB(CR)0 741	Amidosulfuron 100g/L + Iodosulfuron methyl sodium 25g/L + Mefenpyr diethyl 250g/L	Bayer AG, Germany	Bayer East Africa Ltd.	Post-emergence herbicide to control broad leaf weeds and some grasses in wheat and barley.  EU MRL: Amidosulfuron- 0.05mg/kg Iodosufuron-methyl sodium-0.01mg/kg Application stage: once at BBCH 13-32
876.	SENCOR 480 SC	PCPB(CR)0 260	Metribuzin 480g/L	Bayer Crop Science AG, Germany.	Bayer East Africa Ltd.	Selective Tank mixed Herbicide for control of grass and broad leaved weeds in

	Suspension Concentrate					sugar-cane, maize; controls weeds in maize at rate of: Sencor 480 SC – 250mls/ha,
877.	SENSTROBIN 25 WDG	PCPB(CR)1 099-p(i)	Azoxystrobin 250g/Kg		Kencrop (K) Ltd	Fungicide for control of rust in French beans. WHO Class III Slightly hazardous Blue Colour Band
878.	SEPTER 200SL Soluble Liquid	PCPB(CR)0 749-p(i)	Imidacloprid 200g/L	Hubei Sanonda International / HandelsGesellschaft Detlef Von Appen mbH(DVA).	Sineria Kenya Limited	Insecticide for the control of thrips, aphids and whiteflies in Roses; thrips, whiteflies on French beans and snow peas.
879.	SERVIAN 75 WG Water Dispersible Granules	PCPB(CR)0 945	Halosulfuron-methyl 750g/Kg	Syngenta AG, Switzerland.	Syngenta E.A. Ltd.	Herbicide for the control of nutsedge in barley, for use with Complement; and for the control of nutsedge & certain broadleaf weeds on wheat.
880.	SEVENCONA ZOLE 250 Emulsifiable Concentrate	PCPB(CR)1 281	Tebuconazole 250 g/L	Jiangsu Sevencontinent Green Chemical Co., Ltd., China	MMC Arches	Fungicide for the control of Downy mildew on Cabbages, yellow rust and stem rust on wheat and bean rust in French beans (Applied preventively or at early stages of disease development) <b>Cabbage:</b> MRL: 1 mg/kg PHI: 7 days <b>Wheat:</b>

						EU MRL:0.3mg/kg PHI-28 days <b>French beans:</b> EU MRL:2.0mg/kg PHI-7 days  <b>WHO Class II</b> Moderately hazardous Yellow colour code.
881.	ORIZOLE 250 EC	PCPB (CR) 1281-P(ii)	Tebuconazole 250 g/L	Jiangsu Sevencontinent Green Chemical Co., Ltd., China	<i>Local agent:</i> MMC Arches <i>Distributor:</i> Kenagro supplies Ltd	Fungicide for the control of Downy mildew on Cabbages Applied preventively or at early stages of disease development  PHI: 7 days MRL: 1 mg/kg
882.	SEVIN 85 S Wettable powder (For Agricultural Use)	PCPB(CR)0 126	Carbaryl 85% m/m	NovaSource / Tessenderlo Kerley Inc. Phoenix, Arizona U.S.A.	Bayer East Africa Ltd.	Broad-spectrum insecticide for use on horticultural crops, citrus, apples, pears, ornamentals, strawberries, grapes.
883.	SHAFI 125 SC Suspension Concentrate	PCPB(CR)0 016-p(i)	Flutriafol 125g/L	Cheminova AS, Denmark.	Novus-Bridge Consultants.	Systemic fungicide for control of stripe rust in wheat and barley and for the control of Aschochyta leaf spot and powdery mildew on snowpeas; and for the



						control of botrytis, alternaria on Confetti; rust, rings spot & botrytis on Carnations; powdery mildew, botrytis & black spot on Roses.
884.	SHARK 40 EC Emulsifiable Concentrate	PCPB(CR)1 068- <i>p(i)</i>	Abamectin 100g/L + Acetamiprid 300g/L	Jiangsu Qiaoji Biochem Co. Ltd., China	Agrichem & Tools Ltd.	Miticide for the control of Mealy bugs and Red spidermites on Roses and carnations.
885.	SHAVIT F	PCPB(CR)0 840	Folpet 700g/L + Triadimenol 15g/L	Adama Makhteshim Ltd, Israel	Amiran (K) Ltd.	Fungicide to control powdery mildew on flowers.
886.	SHERRIF 75 WP	PCPB(CR)0 717- <i>p(i)</i>	Carbendazim 12.25% w/w and Mancozeb 74% w/w	UPL Limited.	Orbit Chemical Industries Ltd	Fungicide to control Bean rust, anthracnose and Angular leaf spot on French beans; <i>Fusarium</i> and <i>Rhizoctonia</i> root rot on carnations.
887.	SHIELD 600 FS Flowable concentrate for Seed Treatment	PCPB(CR)1 241	Imidacloprid 600g/L	Shandong United Pesticide Industry Co. Ltd., China	Greenlife Crop Protection Africa Ltd	Insecticide Seed dresser for the control of Russian wheat aphid and Green bug in Wheat; and early pests of Cotton (aphids, whiteflies, mealybugs and jassids); Stalk borer, cutworms, thrips, beetles & aphids in seed maize  EU MRL:0.1 mg/kg

						Proposed PHI- 45 days  WHO Class III Slightly Hazardous Yellow color band <b>Wheat</b> MRL: 1mg/Kg PHI: 120days
888.	SHUJAA WP Wettable Powder	PCPB(CR)1 087	Dithianon 700g/kg	Rallis Ltd., India	Osho Chemicals Industries Ltd.	Fungicide for the control of rust, anthracnose and angular leafspot in french beans; Rust on carnations; Downy mildew in roses. REI-6 hrs
889.	SIEGE PRO Granular insecticide bait	PCPB(CR)0 968	Hydramethylnon 0.88% w/w	BASF Corporation, U.S.A.	BASF E.A Ltd., Nairobi, Kenya.  <i>Distributor:</i> Topservice East Africa Ltd.	Insecticide for control of ants in pineapple plantations.
890.	SIGMA COMBI SC Suspension Concentrate	PCPB(CR)1 008	Atrazine 250g/L + Acetochlor 250g/L	Willowood Ltd., China <i>Formulator:</i> Volcano Agrosiences Ltd., South Africa <i>Registrant:</i> Arysta Lifescience S.A.S, France	Arysta Lifescience Kenya Ltd.	Pre-emergence and early post-emergent herbicide for the control of annual broadleaf weeds and grasses in Maize.  WHO Class II, Moderately hazardous Yellow Colour Band

891.	SILVACUR 375 EC Emulsifiable concentrate	PCPB(CR)0 223	Tebuconazole 250g/L + Triadimenol 125g/L	Bayer AG, Germany	Bayer East Africa Ltd.	Systemic combination fungicide with protective, curative and eradivative action - for control of Barley scald, net blotch, spot blotch, leaf rust in barley; and for the control of leaf blotch on wheat.
892.	SILWET GOLD	PCPB(CR)0 552	Trisiloxane alkoxylate (organosilicone) 80% w/w + polyalkyleneoxi des 20% w/w	General Electric (GE) speciality materials, USA.	Arysta LifeScience (Kenya) Ltd.	Adjuvant for use as a wetter/spreader with Dimilin on diamond back moth on Cabbages, adjuvant Silwet Gold with SWING PCPB(TCR)0026 and as an adjuvant with FOLICUR PCPB(CR)0308 for reduction of common fungal foliar diseases in Wheat. Used in Dynamec, Impulse, in flowers (Roses, Carnations, Lisanthus, Statice, Lilies & Gypsophila).
893.	SINE 4 D 720 SL Soluble Liquid	PCPB(CR)1 077	2,4 D-Amine 720g/L	Hangzhou Yilong Chemical Industries, Ltd.China	Sineria E.A Ltd.	Post-emergence herbicide for control of broad-leaved weeds in wheat
894.	SINOPHATE	PCPB(CR)1	Acephate 75%	Zhejiang Jiahua	Greenlife Crop	Insecticide for control of Thrips on Roses; aphids, thrips and whiteflies in Tobacco.

	75% SP Water Soluble Powder	107	w/w	Chemical Co. Ltd., China <i>Registrant/Formulator:</i> Ningbo Sunjoy Agroscience Co, China	Protection Africa Ltd.	<b>Tobacco:</b> EU MRL: 0.01 mg/kg PHI- 45 days REI: When spray dries. WHO Class III Slightly hazardous Blue colour band
895.	SKANA SUPER GRAIN DUST	PCPB(CR)0 419	Malathion 2.0% w/w + Permethrin 0.3% w/w (40/60 cis/trans)	Sulphur Mills, India./ Osho Chemical Industries Ltd.	Osho Chemical Industries Ltd.	Insecticide for use in stored grains against common pests including the larger grain borer.
896.	SKIPPER 720 WP	PCPB(CR)1 108-p(ii)	Mancozeb 64% + Cymoxanil 8%	Manufacturer: Ningbo Yihwei Chemicals Co. China/ Formulator/Registrant: Nantong Baoye Chemicals Co. Ltd., China	Kencrop Kenya Ltd	Fungicide for control of Downy mildew on Roses; Early and Late Blight on tomatoes. <b>WHO Class III</b> Slightly hazardous Blue colour band <b>REI:</b> when spray dries
897.	BONUS 72WP Wettable Powder	PCPB(CR)1 108-p(iii)	Mancozeb 64% + Cymoxanil 8%	Manufacturer: Ningbo Sunjoy Agroscience Co, China / Formulator/Registrant: Nantong Baoye Chemicals Co. Ltd., China	<b>Local agent:</b> Kenagro Supplies Ltd. <b>Distributor:</b> Cropvet Ltd	Fungicide for control of Downy mildew on Roses; Early and Late Blight on tomatoes. REI: when spray dries WHO Class III Slightly hazardous Blue colour band
898.	SMARTFRES H	PCPB(CR)0 563	1- Methylcycloprop	Rohm and Haas Company New York,	Kakuzi Ltd.	Post-harvest treatment in sealable containers to maintain condition and

	Smart Tabs		ene 6.3g/L	USA / Rohm and Haas Company, South Africa.		quality of Avocados.
899.	SNIPER 20 SL Soluble Liquid	PCPB(CR)1 016- <i>p(i)</i>	Acetamiprid 150g/L + Cypermethrin 50g/L	Fluence Topsen China Ltd.	Sineria Kenya Limited	Insecticide for the control of Russian Wheat aphid and other aphids on Wheat; thrips, aphids and whiteflies in French beans. WHO Class II, Yellow Colour Band, Moderately hazardous MRL – 0.5mg/Kg Wheat: PHI – 28 days French beans: PHI = 6 days
900.	SOPRANO SC 250 Soluble Concentrate	PCPB(CR)0 499	Epoxiconazole 125g/L + Carbendazim 125g/L	Milenia Agrosiences; Adama Makhteshim Ltd, Israel.	Amiran (K) Ltd.	Fungicide for the control of yellow and stem rusts on wheat.
901.	SPARROW 500 EC Emulsifiable concentrate	PCPB(CR)1 263	Spiroxamine 500g/L	<i>Registrant/Manufacturer/Formulator:</i> Jiangsu United Agrochemical Co. Ltd; China  <i>Exporter:</i> Nanjing Agrochemical co. Ltd, China	Greenlife Crop Protection Africa Ltd.	Fungicide for the control of Powdery mildew on roses and rust on carnations  WHO Class II Moderately hazardous, Yellow color band REI: When spray dries
902.	SPECTATOR	PCPB(CR)1	Chlorpyrifos	Zhejiang Xinnong,	Greenlife	Insecticide for the control of thrips,

	48% EC	072- <i>p(i)</i>	480g/L	Chemical Co. Ltd., China	Agroscience (E.A) Ltd.	aphids and whiteflies on roses.  <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>  WHO Class II: Moderately Hazardous Yellow Colour Band REI- when spray dries
903.	SPHINX EXTRA 713 WDG Water Dispersible granules	PCPB(CR)1 115	Folpet 600g/kg + Dimethomorph 113g/kg	<b>Folpet</b> - Adama Makhteshim Ltd, Israel <b>Dimethomorph</b> - Beijing Nutrichem Laboratory Co. Ltd., China & Adama Makhteshim Ltd, Israel Registrant/Formulator: Adama Makhteshim Ltd, Israel	Amiran (K) Ltd.	Fungicide for control of Late blight on tomatoes and Downy mildew on Roses WHO Class III, slightly hazardous, Blue colour band PHI: Tomatoes 7 days MRL: Tomatoes <b>Dimethomorph</b> ; 1mg/Kg <b>Folpet</b> : 2mg/Kg REI-when spray dries
904.	SPICAL	PCPB(CR)0 697	<i>Neoseilus californicus (Amblyseius californicus)</i> 2000 mites/100ml	Koppert B.V. Netherlands.	Koppert (K) Ltd., Nairobi.	A biological control agent for the control of Red spidermites/Two spotted spider mites ( <i>Tetranychus urticae</i> ) in Roses
905.	SPIDEX	PCPB(CR)0 696	<i>Phytoseiulus persimilis</i> 2000 Mites/100ml	Koppert B.V. Netherlands.	Koppert (K) Ltd., Nairobi.	A biological control agent for the control of Red spider mite / Two spotted

						spidermites ( <i>Tetranychus urticae</i> ) in roses.
906.	SPINTOR 0.125% Dust	PCPB(CR)0 354	Spinosad 1.25g/Kg	Dow Agrosiences Export SA, France.	Dow Chemical E.A Ltd, Nrb	An agricultural insecticide for the control of Larger Grain Borer, weevils and other stored products pests.
907.	SPIRO 25% EC Emulsifiable concentrate	PCPB(CR)1 368	Difenoconazole 250 g/L	Shanghai MIO Chemicals Co., Limited, China	Agrichem & Tools Limited	Fungicide for the control of Powdery mildew and Botrytis in Roses REI: 24 hours WHO Class II: Moderately hazardous Yellow color band.
908.	SPLENDOR 500 EC Emulsifiable concentrate	PCPB(CR)1 276	Spiroxamine 500g/L	Kings chemicals company, Ltd, China	Magnetic	Fungicide for control of powdery mildew in roses REI: 12 hours  WHO Class II- Moderately hazardous, yellow colour band
909.	STAGE 250EW Oil emulsion in water	PCPB(CR)1 302- <i>P(i)</i>	Tebuconazole 250g/L	<b>Manufacturer:</b> Sharda Worldwide Exports Pvt Ltd, India. <b>Registrant:</b> Sineria	Kencrop Kenya Ltd	Fungicide for the control of Rust and Anthracnose in French beans

				(Industries) Ltd; Cyprus		PHI: 14days MRL: 2 mg/Kg <b>WHO Class III</b> Slightly hazardous, Blue color band.
910.	STALLION 50 WDG Water Dispersible Granules	PCPB(CR)1 070	Carbendazim 500g/Kg	Kingtai Chemical Co. Ltd, China	Topserve E.A Ltd	Fungicide for the control of powdery mildew on roses
911.	STAR GOLD	PCPB(CR)1 210- <i>p(i)</i>	Polyalkyleneoxi de modified heptamethyltrisil oxane (organosilicone) 800g/L	King Chemical Company Ltd, China	Agrichem Africa Ltd	Adjuvant for enhancing performance of Knockbectin 40 EC against spider mites on roses WHO Class III Slightly hazardous, Blue color band
912.	STARCLOR 100EC Emulsifiable Concentrate	PCPB(CR)0 940	Dichlorvos (DDVP) 100% w/w	UPL Ltd/ Swal Corporation Ltd., India.	Elgon Kenya Ltd.	Miticide to control red spider mites on Roses. <b>RESTRICTED CLASS</b>  WHO Class 1b Highly hazardous Red Colour Band REI – Roses-12hrs
913.	STARGEM 80WP Wettable Powder	PCPB(CR)0 980	Mancozeb 800g/Kg	UPL Ltd, India / Swal Corporation Ltd., India.	Evergreen Chemicals Ltd.	Fungicide for the control of Early & Late Blight on Tomatoes & Potatoes; Botrytis on Roses. WHO Class III, Blue colour band



						Slightly hazardous. Tomatoes & Potatoes:- MRL – 0.2mg/Kg PHI- 14 days Roses: REI- 24hrs
914.	STARKLE 20 SG Water Soluble Granules	PCPB(CR)1 088	Dinotefuran 200g/Kg	Mitsui Chemicals Agro, Inc., Japan.	Sumitomo, Kenya	Insecticide for the control of aphid, white flies and caterpillars on roses
915.	STARMET 70% DF Dry Flowable Granules	PCPB(CR)1 294	Metribuzin 700 g/kg	<b>Manufacturer:</b> United phosphorus Limited, India <b>Registrant/Formulator:</b> Swal Corporation Limited, India	Elgon Chemicals Limited	Post emergence herbicide for control of Annual and perennial Grasses, and broad leaved weeds in sugarcane  <b>WHO Class II</b> (Moderately hazardous, Yellow color band) PHI: 21 days MRL: 0.1 mg/kg
916.	STARTHENE PLUS 97% DF Dry Flowable	PCPB(CR)0 817	Acephate 97%	Swal Corporation Ltd., India.	Gordhandas Dharamshi & Brothers	Insecticide for the control of thrips & aphids on Roses; aphids and grasshoppers on tobacco.
917.	STOMP 455 CS Capsule Suspension	PCPB(CR)1 066	Pendimethalin 455g/L	BASF Corporation, 26 Davis Drive RTP, NC 277 09, USA <i>Formulator:</i> BASF Agri Production SAS, 7502 route du vieux	BASF E.A Ltd. Box 24271- 00100 Nairobi, Kenya	Pre- emergence herbicide for the control of <i>Setaria</i> grass weeds in Barley; broad- leaved weeds and annual grass weeds in maize; annual grasses and broad-leaved weeds in wheat; grass weeds in sugarcane.

				Chemin de Loon, F-59820 Gravelines, France		EU MRL=0.05 mg/kg PHI 283 days  WHO Class II Moderately hazardous Yellow Colour band  MRL =0.05mg/Kg PHI =90 days
918.	STRETCH 20 WP Wettable Powder	PCPB(CR)1 152	Metsulfuron-Methyl 20% w/w	Atul Ltd, India	Osho Chemical Industries Ltd	Post-emergence herbicide for the control of broad leaf weeds in Wheat. WHO Class II Yellow Colour band Moderately hazardous
919.	STRIGAWAY	PCPB(CR)0 445	Imazapyr 950g/Kg	BASF Agro, USA.	BASF E.A Ltd., Nairobi. <i>Distributor:</i> Topserve East Africa	Herbicide for the control of witch weed striga by seed coating of Imazapyr tolerant maize varieties. <b>RESTRICTED FOR USE BY SEED PRODUCING COMPANIES USING IMAZAPYR RESISTANT MAIZE ONLY.</b>
920.	SULBAN 48 EC Emulsifiable Concentrate	PCPB(CR) 0758	Chlorpyrifos 480g/L	Sulphur Mills, India.	Osho Chemical Industries Ltd.	Insecticide to be used as drench for the control of mealy bugs in pineapples. <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>
921.	SULCOP 50 DF Dry Flowable	PCPB(CR)0 405	Copper Oxychloride 90% (Equivalent)	Sulphur Mills India.	Osho Chemical Industries Ltd.	Fungicide for the control of rust, botrytis, brights, downey mildew, anthracnose and leafspots on frenchbeans, pepper,

			to 50% Metallic Copper)			cabbage, lettuce, tomatoes.
922.	SULFOLAC 80 WG Wettable Granules	PCPB(CR)1 340	Sulphur 800 g/kg	<b>Manufacturer/Formulator:</b> Agrostulln GmbH, Germany <b>Registrant:</b> Agrostulln GmbH, Germany <b>Exporter:</b> Biesterfeld International GmbH	<b>Local Agent:</b> Additivies & Chemical Essentials – ACE <b>Distributor:</b> Elgon Kenya Ltd	Fungicide for control of powdery mildew in roses  <b>WHO Class III</b> Slightly hazardous; Blue Color band <b>REI:</b> 6 hours
923.	SULGRO 80 WDG Water Dispersible Granules	PCPB(CR)1 051	Sulphur 80%	Jaushu Sulphur Chemical Industry, India	Topserv E.A Ltd.	Fungicide for control of powdery mildew in Roses. <b>WHO Class III</b> Blue Colored Band Slightly Hazardous <b>REI:</b> When the spray dries.
924.	SULPHUR GOLD 80 WDG Water dispersible granules	PCPB(CR)1 325	Sulphur 800g/kg	<b>Manufacturer:</b> King Chemicals Company Ltd, China <b>Formulator/Registrant</b> : Jiangsu Inter-China Group Corporation, China	Agent/Distributor: Agrichem Africa Limited	Fungicide for the control of Powdery mildew in roses <b>WHO Class III</b> Slightly hazardous; Blue color band <b>REI:</b> 6hours
925.	SUMICOMBI 1.8% Dust	PCPB(CR)0 201	Fenitrothion 15g/Kg +	Sumitomo Chemical Co., Japan.	Murphy Chemicals E.A	Insecticide for control of various grain storage pests, including larger grain borer,

			Fenvalerate 3g/Kg		Ltd	maize weevil, red flour beetle on maize, beans, sorghum, wheat, barley, rice and groundnuts.
926.	SUMITHION SUPER Emulsiable Concentrate	PCPB(CR)0 799	Fenitrothion 350g/L + Esfenvalerate 12.5g/L	Sumitomo Corporation, Japan.	Twiga Chemical Industries Ltd.	Insecticide for the control of leafminers, antestia bugs and thrips in coffee.
927.	SUPAFILM Water Soluble Adjuvant	PCPB(CR)0 845	Anionic/Nonioni c Compounds 97.6%	Nulandis ( Pty) Ltd South Africa.	Amiran (K) Ltd.	Agricultural Wetter/Spreader/ Sticker for use with pesticides applied for flowers for improving retention and distribution of pesticides on plant surfaces.
928.	SUPER BLUE CROSS Dust	PCPB(CR)0 421	Malathion 2%	Cheminova A/S, Denmark.	Aesthetics Ltd.	Insecticide for the control of Grain storage pests except LGB.
929.	SUPER GRAIN DUST	PCPB(CR)0 801	Bifenthrin 1g/Kg (0.1%)	FMC Europe, Belgium.	Juanco SPS Ltd.	Insecticide for the control of maize stalk borer on stored grains including the larger grain borer.
930.	SUPER MALPER Dust	PCPB(CR)0 420	Malathion 1.6%(ex- cheminova) Denmark + Permethrin 0.4% (40/60 cis/trans	Dera Chemical Industries (K) Ltd.	Dera Chemical Industries (K) Ltd.	Insecticide for the control of Larger Grain Borer and Weevils in stored grain.

			(ex- united phosphorus Ltd., india).			
931.	SUPERFINE PYRETHRUM POWDER 1.3% w/w	PCPB(CR)0 229	Pyrethrins 1.3% w/w	Pyrethrum Board (K)	Pyrethrum Board (K)	Insecticide, raw material for manufacturing of mosquito coils and insecticidal dust a wide range of insect pests.
932.	SUPREMO 100 EC Emulsifiable Concentrate	PCPB(CR)1 280	Alpha cypermethrin 100 g/L	Ningbo Sunjoy Agrosience Co, China	Juanco SPS Ltd	Insecticide for the control of Thrips, aphids and white flies on French beans.  PHI: 7 days MRL: 0.5 mg/kg
933.	SWIFT 5 EC Emulsifiable Concentrate	PCPB(CR)0 506-p(ii)	Lambda-cyhalothrin 5% EC	Sharda International, India.	Sineria Kenya Limited <i>Distributor:</i> Kencrop (K) Ltd.	Insecticide for the control of aphids, whiteflies, thrips and caterpillars on tomatoes, French beans and Snow peas.
934.	SWING SC Suspension Concentrate	PCPB(CR)0 967	Epoxiconazole 125g/L + Carbendazim 125g/L	BASF SE	BASF E.A Ltd.Nairobi <i>Distributor:</i> Prestige Agriculture Ltd.	Fungicide for control of Net Blotch, Leaf Rust, Scald, Spot Blotch in barley.
935.	SWIRSKI-MITE	PCPB(CR)0 726	' <i>Amblyseius swirskii</i> '	Koppert BV Netherlands.	Koppert Biological	A macrobial pesticide for control of white flies on roses.

			12,500 mites/Kg		Systems Kenya	
936.	SWITCH 62.5 WG Water Dispersible Granules	PCPB(CR)0 283	I) Cyprodinil 375g/Kg II) Fludioxonil 250g/Kg	Syngenta Crop Protection, Basle, Switzerland.	Syngenta E.A. Ltd..	Fungicide for control of botrytis on Roses.
937.	SWORD 200 SC Suspension Concentrate	PCPB(CR)1 236	Fipronil 200 g/L	Anhui Huaxing Chemical Industry Co., Ltd, China	Agrichem & Tools	Insecticide for control of thrips in Carnations.  REI: when spray dries  WHO Class III, Slightly hazardous, Blue colour band
938.	SYSTHANE 20 EW Emulsion Oil in Water	PCPB(CR)0 855	Myclobutanil 200g/L	Dow Agrosiences	Dow Chemical E.A Ltd, Nrb	Fungicide for control of powdery mildew on flowers.
939.	TAFGOR 40 EC Emulsifiable Concentrate	PCPB(CR)0 386	Dimethoate 40% w/w	Rallis Ltd., India.	Dera Chemical Industries Nairobi.	Insecticide for the control of a wide range of pests in various crops. <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>
940.	TAJIRI 72WP Wettable Powder	PCPB(CR)1 108	Mancozeb 64% + Cymoxanil 8%	Manufacturer: Ningbo Sunjoy Agrosience	Kenagro Supplies Ltd.	Fungicide for control of Downy mildew on Roses; Early and Late Blight on tomatoes; Early blight and late blight in

				Co, China / Formulator/Registrant: Nantong Baoye Chemicals Co. Ltd., China		potatoes; REI: when spray dries  WHO Class III Slightly hazardous Blue colour band. <b>Potatoes:</b> EU MRL Mancozeb- 0.3 mg/kg Cymoxanil- 0.05mg/kg PHI 7 days
941.	TALSTAR 100 EC Emulsifiable Concentrate	PCPB(CR)0 095	Bifenthrin 100g/L	FMC Corporation USA.	Juanco SPS, Nairobi.	Insecticide / Miticide for the control of various insect pests and mites in cotton, for control of cereal aphids in barley.
942.	TANALITH C 3310 LIQUID	PCPB(CR)0 921	Chromium trioxide 146g/Kg + Copper oxide 90g/Kg + Arsenic pentoxide 131g/Kg	Arch Timber Protection Ltd., UK	Express Company Ltd.	Wood preservative for use in treatment of transmission poles.
943.	TANALITH ECO 3443 SL Soluble Concentrate	PCPB(CR)1 154	Copper Carbonate 205g/Kg + Tebuconazole 2.42g/Kg + Propiconazole 2.42g/Kg	Arch Timber Protection, UK	Express Company Ltd	Wood preservative for protection against Wood Rotting Fungi & Termites by application through industrial vacuum pressure impregnation. WHO Class II Moderately hazardous, Yellow Color band

						RESTRICTED USE
944.	TANOS 50 WG Water dispersible granules	PCPB(CR)1 262	Cymoxanil 250 + Famoxadone 250g/Kg	<p><i>Registrant:</i> DuPont International Operations Sarl, Switzerland</p> <p><i>Cymoxanil:</i></p> <ol style="list-style-type: none"> <li>1) China Limin Chemical Co. Ltd, China</li> <li>2) DuPont de Nemours (France) S.A.S; France</li> </ol> <p><i>Famoxadone:</i></p> <ol style="list-style-type: none"> <li>i. DuPont Crop Protection, USA;</li> <li>ii. DuPont Iberica, Spain</li> </ol> <p><i>Formulator:</i> DuPont de Nemours (France) S.A.S</p>	<i>Agent:</i> DDP Agrosience (K) Ltd.	Fungicide for the control of downy mildew in roses; for the control of early and late blight in tomatoes. EU MRLs- Cymoxanil: 0.4mg/kg Famoxadone: 2.0 mg/kg PHI: 3 days REI: When the spray dries
945.	TATA ALPHA 10 EC Emulsifiable Concentrate	PCPB(CR)0 763	Alpha-cypermethrin 100g/L	Rallis Ltd., India	Osho Chemical Industries Ltd.	Insecticide for the control whiteflies on hypericum and aphids on roses; antestia bug on coffee, thrips and cutworms on onions; aphids, whiteflies, thrips,



						caterpillars, leaf miners on tomatoes; thrips, aphids, whiteflies & squash vine borer on squash; aphids and african bollworms on cotton; whiteflies and aphids on French beans (MRL 0.5mg/kg, PHI - 3 days).
946.	TATA CYPER 10 EC	PCPB(CR)0 708	Cypermethrin 100g/L	Rallis India Ltd.	Osho Chemical Industries Ltd.	Insecticide for the control of aphids, thrips, caterpillars, white flies, leaf miners on cabbages; thrips aphids, caterpillars, white flies on Roses.
947.	TATA MASTER	PCPB(CR)0 856	Mancozeb 64% + Metalaxyl 8%	Rallis Ltd., India.	Osho Chemical Industries Ltd.	A fungicide for the control of blight in potatoes and tomatoes and downy mildew in roses; aschochyta, downy mildew on Peas; downy mildew & black leaf spot on cabbages; anthracnose, cercospora leafspot on pepper.
948.	TATA MIDA 200 SL Soluble Concentrate	PCPB(CR)0 290	Imidacloprid 17.8%	Rallis Ltd., India.	Osho Chemical Industries Ltd.	Insecticide for the control of whiteflies and aphids on hypericum and Roses; thrips and cutworms on onions; cutworms, aphids and whiteflies on tomatoes; thrips, aphids, jassids, whiteflies on squash; aphids, whiteflies and beetles in Tobacco.
949.	TATA MOTO WP Wettable	PCPB(CR)0 803	Metribuzin 70%	Rallis Ltd., India	Osho Chemical Industries Ltd.	A herbicide to control broad leaved weeds and grasses in baby corn fields.

	Powder					
950.	TATA PANIDA EC Emulsifiable Concentrate	PCPB(CR)0 804	Pendimethalin 50%	Rallis Ltd. India	Osho Chemical Industries Ltd.	Pre-emergence herbicide for the control of various weeds in Vegetables.
951.	TATA UMEME 2.5 EC Emulsifiable Concentrate	PCPB(CR)0 324	Lambda- Cyahalothrin 25g/L	Rallis Ltd., India.	Osho Chemical Industries Ltd.	Insecticide to control thrips and aphids on roses, thrips, aphids and caterpillars on french beans; Diamond backmoth, aphids, cutworms, spodoptera on Brassica (cabbages); thrips, caterpillars, whiteflies on tomatoes; squash vine borer & jassids on squash; wheat aphids on wheat and for control of armyworms.
952.	TAURUS 500SP Soluble Powder	PCPB(CR)1 137	Thiocyclam hydrogen oxalate 500g/Kg	Jiangsu Tianrong Group Co.,Ltd., China	Greenlife Crop Protection Africa Ltd	Insecticide for Control of Thrips, Aphids & Whiteflies on Roses, Tomatoes, Pepper & French beans. WHO Class II Moderately hazardous Yellow Color band MRL: 0.01mg/Kg PHI – 7days when used upto 42days after planting during flowering at beginning of pod formation. Tomatoes: Proposed MRL:3mg/Kg PHI: 3days

						Pepper: Proposed MRL: 3mg/Kg PHI: 7days
953.	TEBICON 25 EW	PCPB(CR)0 938- <i>p(i)</i>	Tebuconazole 25% w/w	Meghmani Industries Ltd. Ahmedabad, Gujarat, India.	Magnetic Kenya Ltd.	Fungicide for control of rust, Anthracnose & angular leaf spot on French beans; early blight on tomatoes. Rate: 0.5L/ha every 7days as necessary WHO Class – II Yellow Colour Band PHI -French beans –3days - Tomatoes – 7days MRL -French beans – 0.2ppm -Tomatoes – 1.0ppm
954.	TEBICON 25 EW	PCPB(CR)0 938- <i>p(i)</i>	Tebuconazole 25% w/w	Meghmani Industries Ltd. Ahmedabad, Gujarat, India.	Magnetic Kenya Ltd.	Fungicide for control of rust, Anthracnose & angular leaf spot on French beans; early blight on tomatoes. Rate: 0.5L/ha every 7days as necessary WHO Class – II Yellow Colour Band PHI -French beans –3days - Tomatoes – 7days

						MRL -French beans – 0.2ppm -Tomatoes – 1.0ppm
955.	TEBUCURE 250 EW Oil Emulsion in water	PCPB(CR)1 414	Tebuconazole 250g/L	Manufacturer/Formulat or: Registrant: ICA International Chemicals, South Africa	Hygrotech East Africa Ltd	Fungicide for the control of stem rust and yellow rust in wheat  WHO Class III slightly hazardous, Blue color band  MRL: 0.5 mg/kg PHI: 77 days
956.	TEBULIS 430SC Suspension concentrate	PCPB(CR)1 251	Tebuconazole 430g/L	Rallis India Ltd; India	Osho Chemical Industries Ltd	Fungicide for the control of Powdery mildew on Roses and Rust on Carnations; Stem rust and yellow rust in wheat  Codex MRL in Wheat: 0.05 mg/Kg  WHO Class III Slightly hazardous, Blue color band REI: 12 hours
957.	TECTO 500 SC Suspension	PCPB(CR)0 914	Thiabendazole 500g/L	Syngenta Crop Protection, Switzerland.	Syngenta E.A. Ltd.	Fungicide for control of botrytis on Roses, Post- harvest fungicide for control

	Concentrate					of anthracnose on avocados.  MRL: 20mg/kg
958.	TELDOR WG 50 Water Dispersible Granules	PCPB(CR)0275	Fenhexamid 500g/Kg	Bayer Leverkusen, Germany; Bayer AG, Germany	Bayer East Africa Ltd.	Fungicide for use in the control of botrytis on ornamentals.
959.	TELONE II Liquid	PCPB(CR)0196	1,3-Dichloropropene 97%	Dow Agrosciences Export S.A. Middle East / Africa / France.	Agent: Dow Chemical E.A Ltd, Nrb	<b>RESTRICTED CLASS</b> Soil fumigant for pre-plant treatment of crop land to be planted with pineapples to control nematodes and other soil pests. FOR USE BY "DEL MONTE" ONLY.
960.	TEMPO 69 WP Wettable Powder	PCPB(CR)1097	Dimethomorph 90g/Kg + Mancozeb 600g/Kg	Kingtai Chemical Co. Ltd., Binjiang Hangzhou, China.	Topservice E.A. Ltd.	Fungicide for the control of downy mildew in Roses.  WHO Class II Moderately hazardous Yellow Colour band REI: When spray dries
961.	TEPPEKI 50 WG Water dispersible granules	PCPB(CR)1315	Fonicamid 500g/Kg	<b>Manufacturer:</b> Ishihara Sangyo Kaisha Ltd (ISK) Biosciences Europe S.A, Belgium  <b>Registrant/Formulator:</b>	Arysta Lifescience Kenya Ltd	Insecticide for the control of Thrips, Aphids, whiteflies, and mealy bugs on Roses.  WHO Class II Moderately hazardous, Yellow color band

				ISK Biosciences Europe S.A., Belgium		REI: 24 hours
962.	TERRACLOR SUPER X	PCPB(CR)0 894	Pentachloronitro benzene (PCNB) 248g/L + Etridiazole 66g/L	Avmac Netherlands B.V.	Arysta LifeScience Kenya Limited.	Soil applied fungicide for the control of <i>Fusarium</i> , <i>Rhinoctoria</i> & <i>Pythium</i> in Flowers.
963.	TERRAMITE 7.52 EC Emulsifiable Concentrate	PCPB(CR)0 193- <i>p(i)</i>	Tetradifon 75.2g/L	Crompton Corporation USA.	Chemwold Enterprises Ltd.	Acaricide for the control of spider mites on cotton, coffee, citrus, fruit crops, vegetables ornamentals both in the open and in greenhouses.
964.	TERVIGO 20SC Soluble concentrate	PCPB(CR)1 299	Abamectin 20g/L	<b>Manufacturer:</b> i. North China Pharmaceutical Group Aino co. ltd, China; ii. Shandong Qilu King- Phar pharmaceutical co Ltd, China; iii. Cherokee Pharmaceuticals LLC, USA <b>Formulator:</b> i. Syngenta Agro S.A.S, France; ii. Syngenta Crop	Syngenta E. A.	Nematicide for the control of Plant parasitic Nematodes on Roses & Carnations  WHO III Slightly hazardous Blue color band <b>REI:</b> 12 hours

				Protection Inc, USA; Syngenta Korea, South Korea <b>Registrant:</b> Syngenta Crop Protection AG, Switzerland		
965.	THIOVIT JET Wettable Powder	PCPB(CR)0 106	Sulphur (elemental) 80% w/w	Syngenta Crop Protection AG, Switzerland / Syngenta East Africa Ltd., P.O.Box 30393, Nairobi.	Farmchem (K) Limited	Agricultural Fungicide for the control of powdery mildew and mites in vine grape, citrus, coffee, tea, ornamentals.
966.	THIRAM 80WP Wettable Powder	PCPB(CR)0 973	Thiram 80% w/w	Crompton Uniroyal. <b>Registrant:</b> Arysta Lifescience (Kenya).Ltd.	Arysta Lifescience (Kenya).Ltd.	Fungicide for use on flowers; OWN USE BY Oserian Development Co. Ltd.
967.	THRIPEX	PCPB(CR)1 014-(p(i))	<i>Amblyseious cucumeris</i> 25,000 mites in 600c.c.	Flamingo Horticulture (K) Ltd.	Koppert Biological Systems (K) Ltd.	Biological agent for the control of flower thrips & spider mites on Carnations ONLY grown in green houses. WHO classification is not applicable.
968.	THUNDER OD 145 Oil Dispersal	PCPB(CR)0 739	Imidacloprid 100g/L + Betacyfluthrin	Bayer AG, Germany	Bayer East Africa Ltd.	Insecticide for the control of thrips, aphids & whiteflies on tomatoes & French beans; aphids & whiteflies on Roses &

			45g/L			carnations, and leaf miner in coffee; aphids, African bollworm, loopers & stainers in cotton; stink bugs, tropical nut borer & red banded thrips on Macadamia and aphids on barley; antestia bugs on coffee; aphids, including Russian wheat aphids on wheat; thrips and aphids (vectors of maize lethal necrosis viruses) for reduction of MLND on maize.
969.	TIARA WG 60 Water Dispersible Granules	PCPB(CR)0 287	Flufenacet 600g/Kg	Bayer Crop Science AG, Leverkusen, Germany.	Bayer East Africa Ltd.	Pre-emergence herbicide for the control of annual grass weeds in Barley and wheat fields. Also as a tank mix with Glean 75DF for the control of both grass and broad leaved weeds in barley and wheat fields.
970.	TIHAN OD 175 Oil Dispersion	PCPB(CR)1 402	Spirotetramat 75g/L + Flubendiamide 100 g/L	Spirotetramat: Bayer AG, Germany Flubendiamide: Nihon Nohyaku/ Bayer AG, Germany	Bayer East Africa Ltd	Insecticide for control of thrips, aphids and <i>Tuta absoluta</i> in tomatoes; thrips and aphids on French beans and mealybugs on cotton. <b>French beans:</b> EU MRL: Spirotetramat- 1.5 mg/kg Flubendiamide- 0.5 mg/kg PHI- 14 days. <b>Tomatoes:</b> EU MRLs: Flubendiamide: 0.2mg/kg Spirotetramat: 2mg/kg



						PHI: 7days. WHO Class II (Slightly hazardous; Yellow Color Band)
971.	TILT 250 Emulsifiable concentrate	PCPB(CR)0 027	Propiconazole 250g/L	Syngenta Crop Protection AG, Switzerland.  <i>Additional Formulation Site:</i> Schirm GmbH Schonebeck, Geschwister-Scholl- Strasse 127, 39218 Schonebeck/Elbe, Germany.	Syngenta East Africa Ltd.	Systemic fungicide against diseases of wheat, barley, oat and coffee (leaf rust).
972.	TINGA TINGA 380 SC Suspension Concentrate	PCPB(CR)1 282	Atrazine 380 g/L	Hangzhou Jike Trading Co., Ltd	Geneva Agrochemicals Ltd	Pre emergence herbicide for the control of annual grasses and broad leaved weeds in baby corn PHI: 45 days MRL: 1mg/kg
973.	TITAN 25 EC Emulsifiable concentrate	PCPB(CR)0 730	Acetamiprid 25g/L	Arysta Lifescience SAS, France / Nippon Soda, Japan.	Arysta Lifescience (K) Ltd.	Insecticide for control of thrips, aphids, whiteflies, leafminer on French beans & Tomatoes.
974.	TOLEDO 250 EC	PCPB(CR)1 213	Tebuconazole 250g/L	Rotam Agrochemicals Company Ltd.Hong Kong	Rotam Sub- Saharan Africa Ltd	Fungicide for the control of Stem rust & Yellow rust in Wheat WHO Class II Moderately hazardous,

						Yellow color band
975.	TOMAHAWK 250 EC, Emulsifiable Concentrate	PCPB(CR)1 145	Myclobutanil 250g/L	Shandong United Pesticide Industry Co Ltd / Dipchem E.A. Ltd  <i>Formulator:</i> Shandong United Pesticide Industry Co Ltd	Greenlife Crop Protection Africa Ltd	Fungicide for control of powdery mildew on Roses; Rust on French beans and runner beans; Early Blight on Tomatoes  WHO Class II Moderately hazardous Yellow Colour band  REI= When spray dries
976.	TOP NET 500SC Suspension Concentrate	PCPB(CR)1 235	Thiophanate- methyl 500g/L	Zhejiang Royful Chemical Co. Ltd, China	Magnetic (K) Ltd	Fungicide for the control Powdery mildew in Roses and Botrytis on carnation.  WHO Class III Slightly hazardous Blue Colour band. REI- 12 HRS
977.	TOPAZ 25EW Emulsion Oil in water	PCPB(CR)0 938	Tebuconazole 25% w/w	Meghmani Industries Ltd. Ahmedabad, Gujarat, India.	Agriscop Africa Ltd.	Fungicide for control of rust, Anthracnose & angular leaf spot on French beans; early blight on tomatoes. Rate: 0.5L/ha every 7days as necessary WHO Class – II Yellow Colour Band PHI -French beans –3days - Tomatoes – 7days

						MRL -French beans – 0.2ppm -Tomatoes – 1.0ppm
978.	TOPCANE 70 WG Wettable granules	PCPB(CR)1 363	Amicarbazone 70 g/kg	<b>Manufacturer:</b> Arysta LifeScience Corporation, USA  <b>Formulator/ Registrant:</b> Arysta LifeScience, South Africa	Arysta LifeScience (K) Ltd.	Early post-emergence herbicide for control of broadleaved and grass weeds in sugarcane  WHO Class III Slightly hazardous, Blue color band  MRLs: 0.02mg/kg PHI: 60 days
979.	TOPGUARD 50SC Suspension Concentrate	PCPB(CR)1 379	Thiophanate- methyl 500g/kg	<b>Manufacturer/Formu lator:</b> Jiangsu Lanfen Biochemical Co ltd, china <b>Exporter:</b> Shanghai E-tong Chemical Co ltd, china	Kenagro Suppliers Ltd	Fungicide for control of Powdery mildew and Botrytis on Roses; angular leaf spot on French beans; for the control of leaf rust in coffee. EU MRL-0.1mg/kg PHI- 45 days REI: 12 hours French beans: EU MRL- 0.1mg/kg PHI- 14 days WHO Class II Moderately hazardous, Yellow color band.
980.	TOPIK 080	PCPB(CR)0 915	Clodinafop 80g/Lt + Cloquinotecet	Syngenta Crop Protection Ag. Monthey, Switzerland.	Syngenta E.A. Ltd.	Herbicide for control of annual grasses, like Setalia, Avena, Elensina, rye grass, in wheat.

			Mexyl 20g/L as safener	<i>Additional formulation site:</i> Chemark KFT, 8182 Peremarton Gyartelep, Tulipan utca, Hungary.		
981.	TOPSIN M Liquid Suspension Concentrate	PCPB(CR)0 974-p(i)	Thiophanate-Methyl 500g/L	<i>Manufacturer(s):</i> Nippon Soda, Japan; Nisso Namhae Agro Co., Ltd, Korea/ Mitsui & Co. Ltd., Japan.	Mura Agriconsultancy/ <i>Distributor:</i> Farmchem Ltd.	Fungicide for use in French beans, Rice, cereals, citrus, mangoes / pawpaws, avocado, banana, grapes; and for the control of powdery mildew on roses.
982.	TORDON 101 Water Soluble	PCPB(CR)0 677	Picloram 65 g/L + 2,4-Dichlorophenoxy acetic acid 240 g/L	Dow Agrosiences, USA; <i>Additional Manufacturer:</i> Lier Chemical Co Ltd; Economic and Technical Development Zone, Mianyang Sichuan, China.	Dow Chemical E.A Ltd, Nrb	Herbicide for use on agricultural pastures, rangelands and industrial sites to control broad leaved weeds.
983.	TOPSTAR 72 WP	PCPB(CR)1 503	Mancozeb 680g/kg +Metalaxyl 80g/kg	<b>Manufacturer:</b> <b>Mancozeb:</b> Jiangsu United Agrochemical Co ltd, China <b>Metalaxyl:</b> Zhejianng Henben Pesticide & Chemical Co Ltd, China <b>Formulator:</b> Zhejianng Henben Pesticide & Chemical Co Ltd, China	Bell Industries Ltd	Fungicide for control of downy mildew on roses.

				<b>Registrant:</b> Nanjing Agrochemical Co Ltd, China		
984.	TORNADO 900 SP Soluble Powder	PCPB(CR)1114	Methomyl 900g/Kg	Zhejiang Jiahua Chemical Co. Ltd, China / Ningbo Sunjoy Agrosience Co, China	Greenlife Crop Protection Africa Ltd.	Insecticide for the control of Aphids,thrips and whiteflies on Roses REI-when spray dries WHO Class 1b Red colour band Restricted class
985.	TORPEDO 1.8 EC	PCPB(CR)0705-p(i)	Abamectin 18g/L	VAPCO (Veterinary and Agricultural Products Manufacturing Company Ltd., Jordan.	Antosh Investments Ltd.	An agricultural insecticide/miticide for the control of spider mites on Roses and leaf miner on French beans.
986.	TORQUE 50 WP Wettable powder	PCPB(CR)0251	Fenbutatin Oxide 500g/Kg	BASF SE, Germany.	Topserve East Africa Ltd.	Acaricide for the control of mites in flowers/ ornamentals.
987.	TORQUE 550 SC Suspension concentrate	PCPB(CR)0252	Fenbutatin Oxide 550g/L	BASF Agri., France / BASF SE, Nairobi.	BASF E.A Ltd., Nairobi. <i>Distributor:</i> Elgon Chemicals Ltd.	Acaricide for the control of mites in flowers/ ornamentals.
988.	APEX 40 EC	PCPB(CR)1380	Abamectin 10g/L + Acetamiprid	<b>Manufacturer:</b> Agrimore Enterprise Ltd, China	Agripartners Kenya Ltd	Insecticide for control of thrips and red spider mite in Roses

			30g/L	<b>Formulator</b> Hebei Yetian Agrochemicals Co. Ltd, China		REI: 12 hours  WHO Class II, Moderately hazardous, Yellow color band
989.	TOTAL TOUCH 250SC Suspension concentrate	PCPB(CR)1 323	Tebufenozide 240g/kg + Emamectin benzoate 10g/L	Shandong Weifang Shuangxing pesticide Co Ltd	Greenlife crop protection Africa Ltd	Miticide/insecticide for the control of Spidermites and Caterpillars on Roses  WHO Class II Moderately hazardous; Yellow Color Band REI: 12hours
990.	TOUCHDOWN FORTE 500 SL Soluble Concentrate	PCPB(CR)0 417	Glyphosate 500g/L	Syngenta Ltd., UK.	Syngenta E.A.	Herbicide for control of annual perennial grasses and broadleaf weeds in tea, non-tillage in wheat & barley.
991.	TOWER 72 WP Wettable Powder	PCPB(CR)1 109	Metalaxyl 80g/Kg + Mancozeb 640g/Kg	Jiangsu Baoling Chemical Co. Ltd., China <i>Exporter:</i> Shanghai Qiaoji International Ltd.	Greenlife Crop Protection Africa Ltd.	Fungicide for control of Downy mildew and Black spots on Roses; Downy mildew on Onions, Angular leaf spot and anthracnose on French beans; Early and Late blight on tomatoes; late blight in potatoes; Downy mildew and powdery mildew in capsicum. MRL: Metalaxyl- 0.05 mg/kg , Mancozeb- 0.3 mg/kg PHI: 14 days MRLs (EU) Metalaxyl- 0.5 ; Mancozeb 2.0 mg/kg PHI: 3 days

						<p><b>WHO Class III</b> Slightly hazardous Blue color band REI: when spray dries. EU MRLs: Metalaxyl – 0.5 mg/kg Mancozeb – 5.0 mg/kg</p> <p>PHI: 7days</p>
992.	TRACER 480 SC Soluble Concentrate	PCPB(CR)0 353	Spinosad 480g/L	Dow Agrosiences Ltd., France / UK	Dow Chemical E.A Ltd, Nrb	An agricultural Insecticide for the control of thrips, leaf miner, Diamond-back moth and caterpillars on cut flowers and vegetables.
993.	TRAXOS 045 EC Emulsifiable Concentrate	PCPB(CR)1 143	Pinoxaden 22.5g/L + Clodinafop propagyl 22.5g/L (as safener-5.63g/L Cloquintocet- methyl)	<b>Manufacturer:</b> <i>Pinoxaden</i> ; Syngenta Crop Protection Münchwilen AG, Switzerland <i>Clordinafop</i> ; Syngenta Crop Protection Monthey SA, Switzerland <b>Registrant/Formulator</b> : Syngenta Crop Protection AG, Switzerland	Syngenta E.A	Post emergence herbicide for control of annual grass weeds in wheat WHO Class III, slightly hazardous, Blue colour band PHI; 39 Days i.e.upto flag leaf stage MRL; 0.01mg/Kg
994.	TREBON 30	PCPB(CR)1	Etofenprox 30%	Mitsui Chemicals Agro,	Sumitomo	Insecticide for the control of aphids and

	EC Emulsifiable Concentrate	057		Inc., Japan	Corporation Nairobi Office (Liaison Representative )  <i>Distributor:</i> Elgon Chemical (K) Ltd.	diamond back moth on cabbages; aphids on carnations, Roses and tomatoes; whiteflies on Roses and tomatoes; and African bollworm on Tomatoes.  WHO Class III Blue colour band Slightly hazardous <u>MRL:</u> Cabbages-0.01mg/Kg, PHI – 7 days <u>REI:</u> When spray dries.
995.	TREMOR 0.05GR Granules	PCPB(CR)1 103	Beta-cyfluthrin 0.5g/Kg	Ningbo Sunjoy Agrosience Co, China Registrant/Formulator: Osho Chemical Ltd., Kenya	Osho Chemical Industries Ltd.	Insecticide for control of maize stalk borer WHO Class U (Unlikely to present acute hazard under normal use) Green colour band PHI: 21 days MRLs: 0.02mg/Kg
996.	TRIANUM –P 11.5 WP Wettable Powder	PCPB(CR)1 024	<i>Trichoderma harzianum</i> Rifai strain KRL-AG2 (T-22) 11.5 g/Kg ( $1 \times 10^9$ cfu/g)	Bioworks, USA Registrant: Kopperts B. V. Netherlands	Koppert Biological Systems (K) Ltd.	A Biopesticide for the control of soil borne fungal diseases caused by: <i>Pythium Rhizoctonia</i> and <i>Fusarium spp</i> in French bean fields; <i>Fusarium spp</i> in carnations.
997.	TRIBUTARY 750 WG Water	PCPB(CR)1 381	Tribenuron-methyl 750 g/kg	<b>Manufacturer/Formulator:</b> Jiangsu Kuaida	Greenlife Crop Protection Africa Ltd	Post emergence herbicide for control of broad-leaved weeds in Wheat.



	dispersible granules			Agrochemical Co., Limited, China. <b>Exporter:</b> Shanghai Qiaoji International Co., Ltd., China		PHI: 30 days MRL: 0.01 mg/kg  WHO Class III Slightly hazardous; Blue color band
998.	TRICEL 48EC Emulsifiable Concentrate	PCPB(CR)0 821	Chlorpyrifos 48% w/v	Excel Crop Care Limited, Mumbai, India	Prestige Packaging Ltd.	Insecticide for the control of aphids, thrips and whiteflies on Roses; mealy bugs in pinnapples and for the Control of antestia bugs in coffee.  <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>
999.	TRICHOTEC H	PCPB(CR)0 701	<i>Trichoderma asperillum</i> 8x 10 <sup>9</sup> spores/g	Flamingo Horticulture (K) Ltd.	Flamingo Horticulture (K) Ltd.	Biopesticide for the control of soil borne fungal diseases caused by <i>Pythium Rhizoctonia</i> and <i>Fusarium spp</i> in French bean fields; for the control of fusarium wilt in carnations.
1000.	TRIDEX 80 WP Wettable Powder	PCPB(CR)0 435	Mancozeb 80% w/w	Ceraxagri, France.	Twiga Chemical Industries Ltd.	Fungicide for control of blight in tomatoes and potatoes.
1001.	TRIGARD 75 WP Wettable	PCPB(CR)0 256	Cyromazine 75% w/w	Syngenta Crop Protection AG, Switzerland. <b>Additional</b>	Syngenta E.A. Ltd.	Agricultural insecticide for use in flowers, French beans

	Powder			<i>formulation Site:</i> Elanco (Shanghai) Animal Health Co.Ltd., China.		and snow peas.
1002.	TRIGGER 5% EC Emulsifiable Concentrate	PCPB(CR)0 506	Lambda- cyhalothrin 5% EC	Sharda International, India.	Sineria (E.A.) Ltd. <i>Distributor:</i> Agrichem & Tools Ltd.	Insecticide for the control of aphids, whiteflies, thrips and caterpillars on tomatoes, French beans and Snow peas.
1003.	TRINITY GOLD 452 Wettable powder	PCPB(CR)13 41	Copper oxychloride 290g/L + Cymoxanil 42g/L+ Mancozeb 120g/L	<i>Manufacture/Formulato r/ Registrant</i> Agria S.A, Bulgaria	Greenlife Crop protection Ltd	Fungicide for control of downy mildew and botrytis on roses & botrytis on carnation  <b>WHO Class III</b> Slightly hazardous; Blue color code <b>REI: 6hours</b>
1004.	TRIPICRIN EC Emulsifiable Concentrate	PCPB(CR)1 190	Chloropicrin 607g/L	Trinity Manufacturing Inc, USA	Agroquimicos De Levante (K) Ltd  <i>Distributor;</i> Elgon (K) Ltd	Pre-plant soil fumigant for the control of nematodes and soil borne pathogenic fungi in Pineapples. WHO Class 1b <b>RESTRICTED CLASS FOR USE BY DELMONTE ONLY</b>
1005.	TRUMPET 200 SC Suspension	PCPB(CR)1 148	Tebufenoxide 20%	Shandong United Pesticide Industry Co. Ltd, China	Greenlife Crop Protection Africa Ltd	Insecticide for the control of Diamond back moth on Cabbages and African bollworm ( <i>Helicoverpa armigera</i> ) on

	Concentrate					Tomatoes; thrips on carnations; Caterpillars on Onions, Coriander, snow peas and Runner beans; for the control of thrips on roses. REI: 12hours WHO Class III Slightly hazardous Blue Color Band Tomatoes: MRL: 0.95mg/Kg PHI: 7days Cabbages: MRL: 4.86mg/Kg PHI: 7days
1006.	TRUSTMATE 250 EC Emulsifiable concentrate	PCPB(CR)1 161	Bupirimate 250 EC	Agroshine (Hangzhou) Chemicals Co, Ltd, China	GreenLife Crop Protection Africa Ltd	Fungicide for the control of Powdery mildew on Roses & Squash. <b>WHO Class III:</b> Slightly hazardous (Blue color band) REI: When spray dries Squash PHI: 2 days MRL: 1mg/Kg
1007.	TUTRACK Rubber septum impregnated with synthetic female <i>Tuta absoluta</i> pheromone	PCPB(CR)1 383	E3, Z8, Z11-tetradecatrienyl acetate 0.76mg + E3, Z8-tetradecadienyl acetate 0.04mg	Zhangzhou Enjoy Agriculture Technology Co. Ltd, China	Kenya Biologics Ltd	Attractant for the monitoring and control of male South America Tomato leaf miner ( <i>Tuta absoluta</i> ) in Tomato field.  WHO Class U; Product unlikely present acute hazard under normal use Green color band
1008.	TWIGA 2,4 –	PCPB(CR)0	2,4-D Dimethyl	Dow Agrosiences	Twiga	A selective herbicide for the control of

	D	805- <i>p(i)</i>	amine 600g/L (equal to 720g/L amine salt)		Chemical Industries Ltd.	broad leaved weeds in maize, wheat, barley, sorghum, sugarcane, rice & grassland areas.
1009.	TWIGA ACE 20% SL  Soluble Concentrate	PCPB(CR)0 489	Acetamiprid 200g/L	Ningbo Sunjoy Agroscience Co, China	Twiga Chemical Industries Ltd.	Insecticide for the control of aphids, whiteflies, leafminer and thrips on French beans and roses; squash beetles, aphids, whiteflies and thrips in Cucurbits; Russian wheat aphid and other cereal aphids in Wheat; thrips, antestia bugs and leafminers on Coffee  <b>Coffee:</b> EU MRL: 0.05mg/kg PHI: 40 days <b>WHO Class II</b> Moderately hazardous Yellow Color Band.
1010.	TWIGA EPONIL 600 SC, Suspension Concentrate	PCPB(CR)0 878	Epoxiconazole 100g/L + Chlorothalonil 500g/L	Ningbo Sunjoy Agroscience Co, China	Twiga Chemical Industries Ltd.	An agricultural fungicide for the control of rust, anthracnose and angular leaf spot on French beans. <u>Application rate:</u> 0.75L/ha/, repeated after every 7 days. Epoxiconazole proposed MRL = 0.2 mg/Kg based on Barley and wheat. Chlorothalonil MRL for beans with pods = 5 mg/Kg,

						PHI = 7 Days  WHO Class II Moderately hazardous Yellow Colour Band
1011.	TWIGA PRO-P 7.5 EW	PCPB(CR)0764	Fenoxaprop-P-ethyl 75g/L + Fenchlorazole-ethyl 37.5g/L (safener)	Ningbo Sunjoy Agrosience Co, China	Twiga Chemical Industries Ltd.	Selective herbicide for the control of annual grasses in wheat.
1012.	MORAN 75 EW	PCPB(CR)0764-p(i)	Fenoxaprop-P-ethyl 75g/L + Fenchlorazole-ethyl 37.5g/L (safener)	Ningbo Sunjoy Agrosience Co, China	<i>Local Agent:</i> Twiga Chemical Industries Ltd.  <i>Distributor:</i> Agrosolutions Ltd	Selective herbicide for the control of annual grasses in wheat  REI: 12 hrs PHI: 60 days <b>WHO Class III</b> Slightly Hazardous; Blue color Band
1013.	TWIGA-AZ 250 SC	PCPB(CR)0317-p(ii)	Azoxystrobin 250g/L	Syngenta Ltd., UK.	Twiga Chemical Industries Ltd.	Fungicide for control of rust & ring spot in carnations, botrytis & powdery mildew in Roses; botrytis in static; powdery mildew & <i>Ascochyta</i> in peas; rust & bean anthracnose in french beans.
1014.	TWIGA-EPOX	PCPB(CR)0879	Epoxiconazole 250g/L	Ningbo Sunjoy Agrosience Co, China	Twiga Chemical	Fungicide to control powdery mildew on Roses; rust and

	250SC Suspension Concentration				Industries Ltd.	ring spot on Carnations; rust, anthracnose and angular leafspot on French beans; yellow and stem rust in wheat; for control of coffee leaf rust.  <b>Coffee:</b> EU MRL: Epoxiconazole- 0.05 mg/kg PHI- 45 days  REI – Flowers – 12hrs WHO Class II, Yellow Colour band Moderately hazardous  <b>French beans;</b> MRL- 0.05mg/kg PHI -14days  <b>Wheat:</b> MRL-0.05 mg/kg PHI-35-40 days (flag leaf emergence stage)
1015.	TWIGALAXY L 72% WP	PCPB(CR)0 569-P(i)	Mancozeb 640g/Kg+ Metalaxyl 80g/Kg	UPL Ltd, Mumbai.	Twiga Chemical Industries Ltd	Fungicide to control downy mildew on snow peas and Roses and late blight on Potatoes.

1016.	TWIGAMECT IN 18 EC	PCPB(CR)0 700- <i>p(ii)</i>	Abamectin 18% w/w (18g/L)	Hebei Vian Biochem Co. Ltd., China / Cheminova A/S Denmark.	Twiga Chemical Industries	Broad spectrum miticide and insecticide for the control of mites and leafminers in Roses, Tomatoes & French beans.
1017.	TWIGAMETH ALIN EC Emulsifiable Concentrate	PCPB(CR)0 590	Pendimethalin 500g/L	Meghmani Industries Ltd.	Twiga Chemical Industries Ltd.	Herbicide for the control of annual grasses and broad leaf weeds in Wheat.
1018.	TWIGAMEX YL 080 EC	PCPB(CR)0 915- <i>p(i)</i>	Clodinafop 80g/Lt + Cloquinotecet Mexyl 20g/L as safener	Syngenta Crop Protection Ag. Monthey, Switzerland.	Twiga Chemical Industries Ltd.	Herbicide for control of annual grasses, like Setaria, Avena, Elensina, rye grass, in wheat.
1019.	TWIGAPYRIF OS 480EC-	PCPB(CR)0 450- <i>p(v)</i>	Chlorpyrifos 480 g/L	a.i. = Dow Agrosiences, France <b>Formulator &amp; Registrant:</b> Cheminova Agro AS, Denmark.	Twiga Chemical Industries Ltd	Insecticide for the control of antestia bugs in coffee, hids & whiteflies on roses; aphids, scaly insects & termites on tea; <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b> .
1020.	TWIGASATE SL Soluble Concentrate	PCPB(CR)0 743	Glyphosate 480g/L	Agrochem, Egypt.	Twiga Chemical Industries Ltd.	Non-selective systemic herbicide for the control of annual & perennial grasses & broad leaved weeds in Tea & baby corn; and for the control of annual & perennial weeds in weeds in barley; control of weeds in zero tillage in wheat; annual & perennial grasses and broad leaved weeds in sugarcane.

1021.	TWIGATHALONIL 720SC Suspension Concentrate	PCPB(CR)0719	Chlorothalonil 720g/L	Ningbo Sunjoy Agrosience Co, China	Twiga Chemical Industries Ltd.	A broad-spectrum fungicide for control of botrytis and Black spots in roses; Anthracnose, Angular leaf spot and Botrytis in French beans; and Cofee Berry Disease (CBD) of Cofee. Tank mix of ; - TWIGATHALONIL 720SC + AG COPP 75WP - TWIGATHALONIL 720SC + ISACOP
1022.	TWIGATHOATE 40% EC Emulsifiable Concentrate	PCPB(CR)0491	Dimethoate 400g/L	National Company for Agrochemicals Agrochem, Egypt	Twiga Chemical Industries Ltd.	Insecticide for the control of aphids, thrips, whiteflies and caterpillars on Flowers <b>NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES</b>
1023.	TWIST 100 EC	PCPB(CR)1157- <i>p(i)</i>	Clodinafop-propgyl 100g/L	<b>Manufacturer/Registrant:</b> Invetra Agro Ltd, Hangzhou, China	Kencrop Kenya Ltd	A post-emergence herbicide for control of Annual Grass Weeds in Wheat fields. <b>WHO Class III,</b> Slightly hazardous (Blue colour band) MRL-0.01mg/kg; PHI 39 days i.e. upto flag leaf stage.
1024.	TYFOS 722 SL Soluble concentrate	PCPB(CR)1391	Propamocarb Hydrochloride 722 g/L	<b>Manufacturer/Formulator:</b> Jiangsu Lanfeng Biochemical Co. Ltd <b>Exporter:</b> Shanghai Qiaoji International Co.	East African Business Company	Fungicide for the control of downy mildew on roses  WHO Class II Moderately hazardous Yellow Color band



				Ltd		REI: 6 Hours
1025.	TYFOS 722 SL Soluble concentrate	PCPB(CR)1 391	Propamocarb Hydrochloride 722 g/L	<b>Manufacturer/Formulator:</b> Jiangsu Lanfeng Biochemical Co. Ltd <b>Exporter:</b> Shanghai Qiaoji International Co. Ltd	East African Business Company	Fungicide for the control of downy mildew on roses  WHO Class II Moderately hazardous Yellow Color band  REI: 6 Hours
1026.	UTHANE WP Wettable Powder	PCPB(CR)0 433	Mancozeb 80%	UPL Ltd, India.	Dera Chemical Industries Ltd.	Fungicide for control of late blight on potatoes and tomatoes.
1027.	VALETE 80 WP	PCPB(CR)0 690	Fosetyl-aluminium 80% w/w	VAPCO Ltd. Jordan.	Osho Chemical Industries Ltd.	Fungicide for the control of downy mildew on roses and snowpeas.
1028.	VANGUISHER 26% WDG	PCPB(CR)1 542	Lambda cyhalothrin 25g/kg + Acetamiprid 235 g/kg	<i>Manufacturer:</i> Lambda-cyhalothrin: Hailir Pesticides & Chemical Group Co., Ltd., China Acetamiprid: Qingdao KYX Chemical Co. Ltd., China <i>Formulator/Exporter:</i> Qingdao Audis Bio-Tech Co., Ltd., China	Bell Industries Ltd	Insecticide for control of Aphids and Thrips on Cabbages.  <b>Lambda-cyhalothrin</b> PHI: 7 days EU MRL: 0.2 mg/kg <b>Acetamiprid:</b> PHI: 0.7 mg/kg EU MRL: 7 days  <b>WHO Class II</b>

				Registrant: Hailir Pesticides & Chemical Group Co., Ltd., China		Moderately hazardous; Yellow color band
1029.	VANTEX 60 CS Capsule suspension	PCPB(CR)1019	Gammacyhalothrin 60g/L	Cheminova Agro A/S, Denmark	Novus-Bridge Consultants. <i>Distributor:</i> Lachlan (K) Ltd.	Insecticide for the control of thrips, aphids and whiteflies on French beans, and thrips, whiteflies and Caterpillars on Roses.
1030.	VAPCOMIC 1.8EC Emulsifiable Concentrate	PCPB(CR)0705	Abamectin 18g/L	VAPCO (Veterinary and Agricultural Products Manufacturing Company Ltd., Jordan.	Osho Chemical Industries Ltd.	An agricultural insecticide/miticide for the control of spider mites on Roses and leaf miner on French beans.
1031.	VAPCOTHION EC Emulsifiable Concentrate	PCPB(CR)0806	Tetradifon 8% w/v + Dicofol 25% w/v (Containing less than 0.1% DDT - related compounds)	Vapco Ltd., Jordan.	Osho Chemical Industries Ltd.	Non-systemic acaricide for the control of red spidermites on Cotton and Roses.
1032.	VELPAR 75 DF Dry Flowable	PCPB(CR)0325	HEXAZINONE 750g/Kg	<b>Manufacturer:</b> Dupont De Nemours, France/ Jiangsu Langfeng Biochemical Co. Ltd, China <b>Registrant/Formulator</b> : Tessengerlo Kerley,	Arysta LifeScience Kenya Limited	A non-selective, contact post-emergence herbicide for the control of broad leaved weeds and grasses in sugarcane fields.

				Inc.USA.		
1033.	VELUM PRIME SC 500	PCPB(CR)1 448	Fluopyram 500g/Kg	<i>Manufacture:</i> Bayer AG, Germany;	Bayer East Africa. Ltd	Nematicide for the control of plant parasitic nematodes in roses, French beans, tomatoes and potatoes (root-knot and cyst nematodes in potatoes)  REI: No re-entry since application is through drenching.  <b>Tomatoes:</b> EU MRL- 0.9mg/kg PHI- 7 days <b>French beans:</b> EU MRL-0.9mg/kg PHI- 7 days. <b>Potato</b> EU MRL- 0.1 mg/kg PHI- 113days  WHO Class II Moderately Hazardous Yellow Color Band.
1034.	VENDEX 500EC	PCPB(CR)0 506- <i>p(iii)</i>	Lambda- cyhalothrin 5% EC	Sharda International, India.	Kenagro Suppliers Ltd	Insecticide for the control of aphids, whiteflies, thrips and caterpillars on tomatoes, French beans and Snow peas.
1035.	VERITA WG Water Dispersible Granules	PCPB(CR)0 457	Fenamidone 44.4g/Kg + Fosetyl – Aluminium	Bayer Crop Science, France.	Bayer East Africa Ltd.	Fungicide to control downy mildew on Roses & lisianthus.

			667g/Kg			
1036.	VERKOTIN 1.8% EC Emulsifiable Concentrate	PCPB(CR)0 495	Abamectin 18g/L	Willowood United, China / Fluence Middle East Africa.	Sineria Kenya Limited	An insecticide and acaricide for the control of motile stages of spider mites on Roses, and the control of spidermites & leafminer larvae on French beans and Tomatoes.
1037.	VICTORY 72 WP Wettable Powder	PCPB(CR)0 542	Metalaxyl 80g/Kg Mancozeb 640g/Kg	<i>Manufacturers:</i> Parijat Agencies, India./Fluence <i>Registrant:</i> Hamashbir Agriculture Ltd., Israel.	Amiran (K) Ltd.	A protective fungicide to control downy mildew on roses and early and Late Blight on tomatoes and potatoes.
1038.	VIDALIA 69WP Wettable powder	PCPB(CR)1 346	Mancozeb 600g/kg + Dimethomorph 90g/kg	<b>Manufacturer:</b> Shandong Cynda Chemical Co Ltd; China <b>Formulator:</b> Shandong Cynda Chemical Co Ltd; China <b>Registrant/Exporter:</b> Zhejiang E-Tong Chemical Co Ltd; China	Orbit Chemical Industries Ltd	Fungicide for control of Downy mildew on Roses.  WHO Class III Slightly hazardous Blue color band REI: 6hours
1039.	VINCIT F Flowable formulation for seed treatment	PCPB(CR)0 212	Flutriafol 25g/L + Thiabendazole 25g/L	Cheminova AS, Denmark.	Novus-Bridge Consultants.	Broad-spectrum fungicide for the control of seed and soil-borne diseases of cereals.

1040.	EABCL VITAL 350 SC Suspension concentrate	PCPB(CR)1 284	Imidacloprid 350g/L	<b>Manufacturer:</b> Nanjing Essence Fine- Chemical Co. Ltd. <b>Exporter:</b> Nongwa Agrochem Co.Ltd, Hong Kong.	East African Business Company	Insecticide for the control of thrips and aphids in roses.
1041.	VITAVAX 200 FF Flowable aqueous based formulation	PCPB(CR)0 113	Carboxin 17% w/w + Thiram 17% w/w	Crompton Corporation, USA.	Crompton Chemical, Crop Protection Division.	An agricultural fungicide mixture for seed dressing for the control of soil and seed borne diseases in wheat, barley.
1042.	VITRA 40 WG Water Dispersible Granules	PCPB(CR)1 198	Copper hydroxide 66.7% w/w expressed as copper hydroxide and 4090 w/w as metallic copper	Industrias Quimicas del Valles, S.A., Spain	Twiga Chemical Industries Limited	Fungicide for control on Early Blight and Late Blight on tomatoes; Rust, angular leaf spot and anthracnose on French beans and Bacterial blight and Downy mildew on cabbage; Coffee Leaf rust and coffee berry disease control.  PHI-3 days <b>WHO Class II</b> Moderately hazardous, Yellow color band
1043.	VIVANDO 500 SC Suspension	PCPB(CR)1 185	Metrafenone 500g/L	BASF SE, Germany <i>Manufacturer</i> (a.i)	BASF E. A. Ltd	Fungicide for control of Powdery mildew in Roses

	concentrate			1. Cabb Oy (KemFine Group Ltd), Finland, 2. BASF SE, Germany <i>Formulator:</i> 1. BASF Espanola, Spain; 2. BASF Agri, France 3. SBM Formulation, France		WHO Class III Slightly hazardous, Blue color band  REI: when spray dries
1044.	VOLTAGE 5EC Emulsifiable Concentrate	PCPB(CR)0 506-p(i)	Lambda- cyhalothrin 50g/L	Sharda International Ltd., India.	Sineria Kenya Limited. <i>Distributor:</i> Agrosolution Ltd.	Insecticide for the control of aphids, whiteflies, thrips and caterpillars on tomatoes, French beans and Snow peas.
1045.	VOLIAM TARGO 063 SC	PCPB(CR)1 407	Chlorantranilipr ole 45 g/L + Abamectin 18g/L	<b>Manufacturer:</b> North China. P.Grou; <b>Registrant:</b> Syngenta CP AG, Switzerland.	Syngenta	Insecticide for the control of Leaf miner, spidermites and Caterpillars in tomatoes; Aphids and Diamond Back Moth in cabbages, leafminer and thrips in squash
1046.	VONDOZEB 75 DG Dispersible granules (or wetable granules)	PCPB(CR)0 230	Mancozeb 750g/Kg	Cerexagri S.A.Plaisir, France. / UPL Ltd, India.	Twiga Chemical Industries Ltd.	Fungicide for control of blight in potatoes, late and early blights and grey mould on tomatoes, anthracnose and leaf spot on tobacco, scab on apple and pears, <i>Botrytis</i> , leaf rot, downy mildew, neck rot on onions; <i>Alternaria and Cercospora</i> leaf spots on carrots, leaf spot and stem blight in celery; downy mildew in lettuce,

						flowers, ornamentals, cucurbits.
1047.	VYDATE L Water Soluble Liquid	PCPB(CR)0 136	Oxamyl 240g/L	E.I. Du Pont De Nemours and Co. (INC), USA / Du Pont De Nemours International S.A. Geneva, Switzerland. <i>Additional Manufacturer:</i> P.T. Inti Everspring Indonesia Wisma UIC.	<b>Agent:</b> DDP Agrosience (K) Ltd.	Insecticide/Nematicide for use on pineapples / ornamentals. <b><u>RESTRICTED CLASS.</u></b>
1048.	WADUDUKLI N 25EC	PCPB(CR)1 285- <i>p(i)</i>	Lambda-cyhalothrin 25g/L	<b>Manufacturer:</b> Jiangsu Fengshan Group Co. Ltd, China. <b>Registrant:</b> Nanjing Fengshan Chemical Co. Ltd. China	Hangzhou Agrochemical Industries E.A Ltd	Insecticide for the control of Thrips, aphids and caterpillars on French beans MRL - 0.02mg/kg PHI 3 days
1049.	INTEGRITY 668 EC	PCPB(CR)1 466	Saflufenacil 68 g/L + dimethenamid-p 600 g/L	Manufacturer: Saflufenacil: BASF Corporation Agricultural Products, Palmyra, USA dimethenamid-p: BASF Corporation Agricultural Products, Beaumont, USA Registrant: BASF SE	BASF East Africa.	Pre-emergence herbicide for control of broad-leaved weeds and annual grasses in sugarcane. WHO Class III Slightly hazardous Blue color band. PHI: 38days EU MRL- Dimethenamid-p: 0.01 mg/kg Saflufenacil: 0.03 mg/kg

				Ludwigshafen, Germany.		
1050.	WARRANT 200 SL Soluble Concentrate	PCPB(CR)0 527	Imidacloprid 200g/L	Bayer Crop Science, Germany / Cheminova AS, Denmark. <i>Additional Manufacturer: Jiangsu Yangnong Chemical Group Co.Ltd, China.</i>	Novus-Bridge Consultants.	Insecticide for the control of coffee leaf miner (soil drenching); for use on ornamentals to control whiteflies, aphids and thrips and for use in agroforestry nurseries and trees against termites and soil pests.
1051.	WARRIOR 25 EW Emulsion Oil in Water	PCPB(CR)0 547	Tebuconazole 250g/L	Irvita Plant Protection N.V., Netherlands / Makhteshim Chemical Works Ltd.	Farmchem (K) Limited.	Fungicide for the control of Net blotch on barley and wheat, ring spot on brassicas and for the control of rust in French beans.
1052.	WEEDAL 480 SL Soluble Concentrate	PCPB(CR)0 582	Glyphosate IPA salt 480g/L	Zhejiang Jinfanda Biochemical Co. China / Hangzhou Jike Trade Co.Ltd., China.	Hangzhou Agrochemical E.A. Ltd.	A systemic non-selective herbicide for the control of annual & perennial weeds in baby corn, annual grasses and perennial weeds in Tea & zero/minimum tillage in Barley Tea – MRL-1mg/Kg PHI – 21 days
1053.	WEEDCHEM 480SL Soluble Concentrate	PCPB(CR)0 582- <i>p(i)</i>	Glyphosate IPA salt 480g/L	Zhejiang Jinfanda Biochemical Co. Ltd.China / Hangzhou JIKE Trading Co. Ltd., China	Chemline Africa Ltd.	A systemic non-selective herbicide for the control of annual & perennial weeds in baby corn; annual grasses and perennial weeds in Tea &



						zero/minimum tillage in Barley Tea – MRL-1mg/Kg PHI – 21 days
1054.	WEEDLESS 480 SL Soluble Liquid	PCPB(CR)0 582p(ii)	Glyphosate IPA salt 480g/L	Zhejiang Jinfanda Biochemical Co. China /Hangzhou Jike Trade Co.Ltd., China.	Geneva Agrochemicals Ltd.	A systemic non-selective herbicide for the control of annual & perennial weeds in baby corn, annual grasses and perennial weeds in Tea & zero/minimum tillage in Barley Tea – MRL-1mg/Kg PHI – 21 days
1055.	WEEDSATE 480 SL Soluble Concentrate	PCPB(CR)14 20	Glyphosate IPA salt 480 g/L	<b>Manufacturer/Formulat or:</b> Qingdao Audis Bio- Tech Co., Ltd., China	Agri- Price Centre Ltd	A post emergence herbicide for the control of annual and perennial grasses and broad leaved weeds in <b>non- cropped areas</b> WHO Class II, Moderately hazardous, Yellow color band REI: 24 hours
1056.	MALIZA 480 SL Soluble Concentrate	PCPB(CR)14 21	Glyphosate IPA salt 480 g/L	Zhejiang Tide CropScience Co., Ltd; China	Anpsa E.A ltd	Post emergence herbicide for the control of annual and perennial Grasses, and broad-leaved weeds in Maize under minimum tillage and in <b>non-cropped areas.</b>  WHO Class II Moderately hazardous; Yellow color band EU MRLs: 1mg/kg

1057.	WEEDSTOP 480 SL Soluble Concentrate	PCPB(CR)1 052- <i>p(iv)</i>	Glyphosate acid 360g/L (as Isopropylamine salt 480g/L)	Jiangsu Quoji Biochemical Co. Ltd, China	Genetics Technologies International Limited	A post emergence, non selective herbicide for the control of grasses and broad leaved weeds in non cropped areas. WHO Class II Moderately hazardous Yellow Colour Band MRL and PHI are not applicable in non cropped areas
1058.	WEILING 90SP (water soluble bag)	PCPB(CR)1 062	Methomyl 90% w/w	Huayang China Ltd.	Huayang International (K) Ltd.	Insecticide for the control of thrips & aphids on Roses; thrips & aphids on french beans. WHO Class I
1059.	WETSULF WP Wettable Powder	PCPB(CR)0 436	Sulphur 80% w/w	National EST. for agricultural and industrial sulphur, Saudi Arabia.	Osho Chemical Industries Ltd.	Fungicide for use in flowers (Roses) against powdery mildew.
1060.	WILLO SUPER 7.5 EW	PCPB(CR)0 737- <i>p(ii)</i>	Fenoxaprop-P- ethyl 75g/L	Fluence Topsen China Ltd /Sineria Industries Ltd	<i>Agent:</i> Willowood Africa Ltd. <i>Distributor</i> : Oak Medical. Ltd, Nairobi.	A selective post-emergence herbicide for the control of annual grass weeds in wheat.
1061.	WILLOSATE 360 SL Soluble Concentrate	PCPB(CR)0 885	Glyphosate Isopropyl amine salt 480g/L	Willowood Ltd., China.	Agriscope (Africa) Ltd.	Herbicide to control weeds in non-crop areas and for control of weeds in Coffee. WHO Class III

						Slightly hazardous Blue Colour Band.
1062.	WIPEOUT 360 SL Soluble Concentrate	PCPB(CR)0 414	Glyphosate 360 g/L	Almandine Corporations, Switzerland.	Juanco SPS Ltd.	A herbicide to control broad leaved weeds and grasses (for seed bed preparation) for Barley fields.
1063.	WIPER SUPER 360 SL Soluble Concentrate	PCPB(CR)0 562	Glyphosate 360g/L	Cheminova A/S, Denmark.	Murphy Chemical (E.A.) Ltd.	Post emergence non-selective herbicide for the control of annual and perennial weeds in Tea.
1064.	WOUNDOUT 480 SL Soluble Concentrate	PCPB(CR)0 584	Glyphosate IPA salt 480g/L	Vapco Limited, Jordan.	Osho Chemical Industries Ltd.	A systemic non-selective herbicide for control of annual, and perennial grasses, herbaceous plants including deep-rooted perennial weeds on French beans, tea, and for use in minimum tillage system.
1065.	XENTARI	PCPB(CR)0 262	<i>Bacillus thuringiensis</i> Var: Aizawai 15000 IU per mg	Valent Biosciences, USA.	Safina E.A. Ltd.	Biological insecticide for coffee against the Giant Lopper, and for the control of caterpillars on Roses and Carnations. REI: 4 hours
1066.	JUNGLE 500SC	PCPB(CR)1 557	Fluazinam 500g/L	<b>Manufacturer of a.i /Formulator/Registrant:</b> Zhejiang Hetian Chemical Co Ltd, China.	Greenlife Crop Protection Ltd	Fungicide for control of downy mildew in Roses; early blight and late blight in Potatoes

						REI: 12 Hours  EU MRL: Potatoes-0.02 mg/kg PHI-7 days  <b>WHO Class III</b> Moderately Hazardous Blue Color Band.
1067.	X-SPORE 43SC Suspension Concentrate	PCPB(CR)1 301	Tebuconazole 430 g/L	<b>Manufacturer:</b> Jiangsu Qiaoji Biochem Co. Ltd, China;  <b>Exporter:</b> Shanghai Qiaoji International Co. Ltd. China	Orbit Chemical Industries Ltd.	Fungicide for the control of early blight in tomatoes  WHO Class III Slightly hazardous, Blue color band <b>PHI:</b> 14 days <b>MRL:</b> 0.7mg/kg <b>REI:</b> 12hrs
1068.	ZAIDI 0.25 EC Emulsifiable Concentrate	PCPB(CR)0 371	Homobrassinolid es 0.025% w/w	Bahar Agrochem and Feeds pvt Ltd, India.	Organix Ltd	A plant growth regulator for enhancing productivity in tea.
1069.	ZEROFLY STORAGE BAG	PCPB(CR)13 74	Deltamethrin 3g/kg	<b>Manufacturer:</b> Tagros chemical Pvt ltd, India <b>Registrant:</b> Vestergaad Frandsen SA; Laussane- Switzerland	Vestergaad (EA) ltd	An insecticide treated bag for protecting grain against storage pests (maize weevil, <i>Setophilus zeamais</i> , Red Flour beetle, <i>Tribolium spp</i> and Larger grain borer <i>Prostephanus truncatus</i> )

				<i>Formulator:</i> Vestergaad Frandsen SA; C/o Quat Dong industrial Grove, Vietnam		WHO Class III Slightly hazardous Blue color band EU MRLs: Maize & Wheat grains: 2mg/kg Beans: 1mg/kg
1070.	ZETANIL 76 WP Wettable Powder	PCPB(CR)0 693- <i>p(i)</i>	Mancozeb 700g/kg + Cymoxanil 60g/kg	Dow Agrosiences, USA / Oxon Italia S.P.A. Pero, Italy.	Sipcam E.A. Ltd. c/o Rockem Ltd.	A fungicide for the control of early and late blights in potatoes and tomatoes and anthracnose, downy mildew and rusts in cucurbits and beans.
1071.	ZIPPER	PCPB(CR)0 722	Polyether- Polymethylsilox ane – Copolymer	Goldschmidt Chemical Corp. USA / Goldschmidt Chemical AG Germany / Modify B.V. Netherlands.	Agribase Bioscience International Limited.  <b><i>Distributor;</i></b> Biomedica Laboratories Ltd	Wetter/spreader to enhance uptake of Actara PCPB(CR)0320 as an insecticide to control aphids on Roses; and to enhance the activity of Nimrod PCPB(CR)0086 and Score PCPB(CR)0021 as fungicides to control powdery mildew on Roses; Wetter / spreader to enhance efficacy of DIAZOL 60EC PCPB(CR)0184 as an insecticide for the control of mealy bugs on Pineapples; and Adjuvant to enhance: - i) Efficacy of fungicide Warrior 25 EW against rust on French beans.

						ii) Efficacy of fungicide equation pro against downy mildew on snow peas.
1072.	BREAK-THRU S240	PCPB(CR)072 2-p(i)	Polyether-Polymethylsiloxane - Copolymer 100%	Registrant: GOLDSCHMIDT C.AG, Ge Manufacturer: GOLDSCHMIDT C.C. USA	Agribase B.I Ltd	Wetter/spreader to enhance uptake of Actara PCPB(CR)0320 as an insecticide to control aphids on Roses; and to enhance the activity of Nimrod PCPB(CR)0086 and Score PCPB(CR)0021 as fungicides to control powdery mildew on Roses; Wetter / spreader to enhance efficacy of DIAZOL 60EC PCPB(CR)0184 as an insecticide for the control of mealy bugs on Pineapples; and Adjuvant to enhance: - 1) Efficacy of fungicide Warrior 25 EW against rust on French beans. 2) Efficacy of fungicide Equation Pro against downy mildew on snow peas. WHO Class II Moderately hazardous Yellow color band.
1073.	ZODIAC 50 WG Water dispersible granules	PCPB(CR)1 311	Dimethomorph 500g/Kg	<b>Manufacturer &amp; Formulator:</b> Hebei Guanlong Agrochemical Co. Ltd, China <b>Registrant:</b> Shanghai Qiaoji International Co. Ltd.	East African Business Company Ltd	Fungicide for the control of Downy mildew on Roses <b>WHO Class III</b> (Slightly hazardous, Blue color band)  REI: 12 hours

1074.	ZORAN 1.9 EC Emulsifiable Concentrate	PCPB(CR)0 811- <i>p(i)</i>	Emamectin Benzoate 19.2g/L	Fluence Topsen Co. Ltd., China.	Sineria Kenya Limited	Insecticide/miticide to control Bollworms, spidermites, and thrips in Roses and French beans
1075.	ZORO TM 18EC Emulsifiable Concentrate	PCPB(CR)0 700	Abamectin 18% w/w (18g/L)	Hebei Vian Biochem Co. Ltd., China / Cheminova A/S Denmark.	Novus-Bridge Consultants.	Broad spectrum miticide and insecticide for the control of mites and leafminers in Roses, Tomatoes & French beans.
1076.	<b>BELLOXAM 300 SC</b>	PCPB(CR)1 446	Thiamethoxam 300 g/L	<b>Manufacturer of a.i/ Formulator/ Registrant:</b> Haillir Pesticides and Chemical Group Co. Ltd	Bell Industries Ltd.	Insecticide for the control of aphids, thrips and whiteflies on cucumber WHO Class II Moderately Hazardous Yellow Color Band EU MRLs - 0.5 mg/kg PHI - 7 days
1077.	HUSKIE 256 EC	PCPB(CR)1 442	Pyrasulfotole 27.5g/L + Bromoxynil 210g/L +Mefenpyr diethyl 9.39g/L (safener)	<b>Manufacturer: Pyrasulfotole:</b> Bayer AG, Germany <b>Bromoxynil:</b> Bayer AG; Nufarm Ltd, Cambridge, UK Production sites ( <b>Bromoxynil</b> ): 1. Bayer AG, Germany; Nufarm Ltd, Norwich, UK 2. Bayer AG, Germany; Nufarm SA, France <b>Formualtor:</b> Bayer	Bayer E. A. Ltd	Post emergence herbicide for the control of broadleaved weeds in Wheat and Barley. PHI: Applied once post emergence to weeds 42 days after planting EU MRL: Bromoxynil: 0.05mg/kg Pyrasulfotole: 0.02mg/kg WHO Class II Moderately hazardous, Yellow color band

				AG, Germany. <b>Registrant:</b> Bayer AG, Germany		
1078.	ZYBAN 500 SC Suspension Concentrate	PCPB(CR)1 292	Carbendazim 500g/L	Manufacturer: Jiangsu Lanfeng Biochemical Co., Ltd., China <b>Registrant:</b> Shanghai Hui Song (H&S) Agrosolution Company Ltd, China <b>Formulator:</b> Zhejiang E-Tong Chemical Co., Ltd., China	Orbit Chemical Industries Limited	Fungicide for the control Powdery mildew and Botrytis on Roses  WHO Class. III Slightly hazardous Blue color band
1079.	LINKONIL 500 SC Suspension concentrate	PCPB(CR)14 40	Chlorothalonil 500g/L	<b>Manufacture/Formulator/ Registrant:</b> Limin Chemicals. Ltd Company, China.	Link Forward (K) Limited	Fungicide for the control of Botrytis and Downy mildew in roses.  REI-12hours  WHO Class II Moderately hazardous, Yellow color band
1080.	ZODIAC STAR 30 WDG	PCPB(CR)1 524	Azoxystrobin 200g/kg + Dimethomorph 100g/kg	<b>Manufacturer</b> Azoxystrobin: Shandong Hailir Chemical Co Ltd, China Dimethomorph: Hailir Pesticides &	East African Business Company Ltd	Fungicide for control of powdery mildew, downy mildew and botrytis in Roses. REI-6 hours WHO Class III Slightly hazardous; Blue color band



				Chemical Group Co Ltd, China <b>Formulator/Registrant</b> : Shandong Hailir Chemical Co Ltd, China <b>Exporter:</b> Qingdao Audis Bio-Tech Co. Ltd, China		
1081.	BUILDOR 5 SC	PCPB(CR)1 519	Fipronil 50g/L	<b>Manufacturer:</b> Dalian Chemphy Chemicals Co Ltd, China <b>Formulator:</b> Yifan Biotechnology Group Co Ltd, China <b>Registrant/Exporter:</b> Beijing Bioseen Crop Science Co Ltd, China	Dudu E.A Ltd	Termiticide for control of Termites in building and construction foundation.  WHO Class II Moderately hazardous Yellow Color Band
1082.	KLEAN 1.3% SL	PCPB(CR)1 520	Matrine 13g/L	Heibei Waterlooville Biological Chemical Co Ltd, China	Dahwa Agrochemicals Ltd	Insecticide/miticide for control of spider mites and whiteflies on roses  WHO Class III Slightly hazardous Blue Color Band REI – Not indicated
1083.	BOLT HOUSEHOLD INSECTICIDE	PCPB(CR)0 957	Pyrethrin 0.5% + Permethrin 0.105% + Piperonyl	Technical grades from: Pyrethrum Board of Kenya / Sumitomo Corporation	Tropical Brands (Africa) Ltd. P.O. Box	A public health insecticide for control of flying & crawling insects.

			butoxide 2%	Formulator & Registrant: Tropical Brands (Africa) Ltd.	49465, 00100 Nairobi.	
1084.	EXPEL 3 ME Micro-emulsion	PCPB(CR)1571	Fipronil 30g/L	<b>Manufacturer of a.i Registrant/Formulator:</b> Hailir Pesticides & Chemicals Group Co Ltd, China	Orbit Chemical Industries Ltd	Public health insecticide for the control of cockroaches, bedbugs, fleas, ants and houseflies in domestic environs  WHO Class II Moderately hazardous, Yellow Color Band
1085.	TRILOGY 70 E Emulsifiable Concentrate.	PCPB(CR)0679	Clarified Hydrophobic extract of Neem oil, 70%	<i>Manufacturer / Formulator:</i> Certis USA	Sineria Kenya Limited	An agricultural miticide and a preventive fungicide for the control of spidermites, Powdery mildew, Downy mildew and botrytis in roses; and for the control of anthracnose, angular leaf spot and rust in French beans.
1086.	CARBOZIM 500 SC	PCPB(CR)1532	Carbendazim 500g/L	Jiangsu Lanfeng Biochemical Co., Ltd, China	Aguzii Limited	Fungicide for control of Botrytis & Black spot on Roses.  WHO Class II Moderately hazardous, Yellow color band

						REI: When spray dries
1087.	TYPHOON 330 EC	PCPB(CR)1 533	Pendimethalin 330 g/L	Jinan Kesai Agrochem Co., Ltd, China	Chinachem (K) Ltd	Herbicide for the control of annual grasses and broad-leaved weeds in Maize.  PHI: 14 days MRL: 0.1 mg/kg  <b>WHO Class II</b> Moderately hazardous, Yellow color band
1088.	GUGUMAGIC	PCPB(CR)1 534-p(i)	Metolachlor 720g/L	Jinan Kesai Agrochem Co., Ltd, China	Chinachem (K) Ltd/ Hangzhou Agrochemicals Industries	Herbicide for the control of annual grasses and broad-leaved weeds in maize.  PHI: 78 days MRL: 0.01 mg/kg
1089.	GALAPAGOS 40 EC	PCPB(CR)1 535	Gibberelic acid 40 g/L	Shandong Shenda Crop Technology Co. Ltd, China	Greenlife Crop Protection Africa Ltd.	Plant growth regulator for improving plant vigor in growing Roses REI: 3 hrs WHO Class II Moderately Hazardous Yellow Color Band.
1090.	EVITO T 477 EC Emulsifiable concentrate	PCPB(CR)15 36	200 g/L + Tebuconazole 277g/L	<b>Manufacturer:</b> <b>Fluoxastrobin:</b> Bayer CropScience, USA <b>Tebuconazole:</b> Jiangsu Sevencontinent Green Chemical Co Ltd, China <b>Formulator:</b> 1. Arysta Lifescience North America, USA	Lifescience Kenya	Plant growth regulator for improving plant vigor in growing Roses and improving plant vigor in tomatoes and capsicum.  REI: 3 hrs  WHO Class II

				2. Arysta Lifescience South Africa <b>Registrant:</b> Arysta Lifescience S.A.S France		Moderately Hazardous Yellow Color Band
1091.	REX DUO 497 SC	PCPB(CR)1 537	Epoxiconazole 187g/L + Thiophanate- methyl 310g/L	<b>Manufacturer:</b> i) <b>Epoxiconazole:</b> BASF, Germany. ii) Jiangsu Huifeng Agriculture Co. Ltd., China. <b>Thiophanate methyl:</b> Nisso Fine Chemicals Co. Ltd; Japan. <b>Formulator:</b> BASF Espanola S.L; Spain BASF Agri-Production S.A.S; France <b>Registrant:</b> BASF SE, Germany	BASF East Africa Ltd	Fungicide for the of yellow rust and stem rust in Wheat WHO Class II Moderately hazardous, Yellow color band Epoxiconazole MRL: 0.6mg/kg Thiophanate methyl MRL: 0.05 mg/kg PHI: 42days
1092.	FORESTER 150 EC	PCPB(CR)1 543	Fuazifop-P-butyl 150g/L	Manufacturer/Formulat or/ Registrant: Shandong Qiaochang Chemical Co Ltd, China.	Greenlife crop Protection ltd	Post-emergence herbicide for control of annual and perennial grasses in cotton, onions, French beans and snow peas  EU MRL: <b>French beans</b> -1.5mg/kg PHI: 31 days <b>Snow peas</b> -1.5mg/kg PHI: 35 days

						<p><b>Onions</b>-0.3mg/kg PHI: 44 days <b>Cotton</b>- REI: 12hours</p> <p><b>WHO Class II</b>, Moderately hazardous, Yellow color band.</p>
1093.	GOAL SUPREME 480 SC	PCPB(CR)1 544	Oxyfluorfen 480g/L	<p><b>Manufacturer of a.i:</b></p> <ol style="list-style-type: none"> <li>1. Shangyu Nutrichem Co Ltd, China;</li> <li>2. Rohm &amp; Haas Co. USA</li> </ol> <p><b>Formulator:</b></p> <ol style="list-style-type: none"> <li>1. Dow AgroSciences Srl, Italy;</li> <li>2. DAS France SAS, France</li> </ol> <p><b>Registrant:</b> Dow AgroScience Export S.A.S; France</p>	Dow Chemicals East Africa Ltd	<p>Early post-emergence herbicide for control of grasses and broad-leaved weeds in Onions</p> <p>EU MRL- 0.05 mg/kg PHI- 105 days</p> <p><b>WHO Class III</b> Slightly hazardous; Blue color band</p>
1094.	FOXTROT 69 EW Oil Emulsion in water	PCPB(CR)15 45	Fenoxaprop-p-ethyl 69g/L	<p><b>Manufacture of a.i;</b></p> <ol style="list-style-type: none"> <li>1. Zhejiang Hisun Chemical Co Ltd, China</li> <li>2. Jiangsu Flag Chemical Co Ltd, China</li> </ol>	Pytech Chemicals GmbH	<p>Post-emergence herbicide for control of annual and perennial grasses in wheat and Barley</p> <p>EU MRLs: wheat and Barley Fenoxaprop 0.1mg/kg</p>

				<b>Formulator/Registrant:</b> Cheminova Denmark		<b>WHO Class II</b> Moderately Hazardous, Yellow color band
1095.	ABSOLUTE 375 SC	PCPB(CR) 1538	Azoxystrobin 200 g/l + Difenoconazole 25 g/L) +Hexaconazole 50g/L	<b>Manufacturer /Registrant:</b> Jiangsu United Agrochemical Company Limited, China  <b>Formulator:</b> Cong ty TNHH Alfa (Sai Gon), Vietnam	Greenlife Crop Protection Africa Limited	Fungicide for the control of powdery mildew on Roses  REI: 12 hours  <b>WHO Class II ,</b> Moderately hazardous, Yellow color band;
1096.	APRIL COMBI 38.3 EW	PCPB(CR) 1539	Spiroxamine 250g/L + Tebuconazole 133g/L	Spiroxamine: Shanghai Heben Eastern Medicaments, China Tebuconazole: Jiangsu Fengdeng Pesticide Co Ltd, China Registrant: Sineria (Industries) Ltd, Cyprus	Sineria Kenya Limited	Fungicide for control of Powdery mildew on Roses; for the control of stem rust and yellow rust in wheat. Wheat EU MRL: Tebuconazole-0.3mg/kg Spiroxamine0.05 mg/kg PHI-30 days REI: 6 hours WHO Class III (Slightly hazardous, Blue color band)

1097.	BELL 2,4-D SL	PCPB(CR)1540	2,4-D amine salt 720 g/L	Manufacturer/Formulator: CAC Nantong Chemical Co. Ltd Exporter: Shanghai E-Tong Chemical Co. Ltd Registrant: Zhejiang E-Tong Chemical Co. Ltd.	Bell Industries Ltd	Post -emergence herbicide for the control of broad leaved weeds in maize. EU MRL = 0.05 mg/kg WHO Class II Moderately Hazardous Yellow Color Band
1098.	VANGUISHER 26% WDG	PCPB(CR)1541	Lambda cyhalothrin 25g/kg + Acetamiprid 235 g/kg	<i>Manufacturer:</i> Lambda-cyhalothrin: Hailir Pesticides & Chemical Group Co., Ltd., China Acetamiprid: Qingdao KYX Chemical Co. Ltd., China <i>Formulator/Exporter:</i> Qingdao Audis Bio-Tech Co., Ltd., China Registrant: Hailir Pesticides & Chemical Group Co., Ltd., China	Bell Industries Ltd	Insecticide for control of Aphids and Thrips on Cabbages.  <b>Lambda-cyhalothrin</b> PHI: 7 days EU MRL: 0.2 mg/kg <b>Acetamiprid:</b> PHI: 0.7 mg/kg EU MRL: 7 days  <b>WHO Class II</b> Moderately hazardous; Yellow color band
1099.	FOXTROT 69 EW Oil Emulsion in water	PCPB(CR)1545	Fenoxaprop-p-ethyl 69g/L	<b>Manufacture of a.i;</b> 3. Zhejiang Hisun Chemical Co Ltd, China 4. Jiangsu Flag Chemical Co Ltd,	Pytech Chemicals GmbH	Post-emergence herbicide for control of annual and perennial grasses in wheat and Barley  EU MRLs: wheat and Barley Fenoxaprop 0.1mg/kg

				China <b>Formulator/Registrant:</b> Cheminova Denmark		<b>WHO Class II</b> Moderately Hazardous, Yellow color band
1100.	SEGATRON ULTRA Liquid	PCPB(CR) 1546	Paraffin oil 98%	<b>Manufacturer of a.i;</b> 7. Raj Petro Specialities PVT Ltd, India; 8. Apar Industries Ltd, India; Kukdong Oil & Chemicals Co Ltd, 9. South Korea; Gandhar Oil Refinery India Ltd, India <b>Formulator/Registran t:</b> Osho Chemical Industries Ltd	Osho Chemical Industries Ltd	An insecticide for control of aphids, whiteflies, mealybugs and spidermites on roses, aphids, leafminers and whiteflies in French beans and tomatoes  REI- 6 hours  <b>WHO Class U</b> Unlikely to present hazard in normal use, Green color band.
1101.	TRANSFOME R Liquid	PCPB(CR) 1547	Paraffin oil 98%	<b>Manufacturer of a.i;</b> 10. Raj Petro	Osho Chemical	An adjuvant for enhancing performance of Atom 2.5 EC in the control of



				Specialities PVT Ltd, India; <b>11.</b> Apar Industries Ltd, India; Kukdong Oil & Chemicals Co Ltd, <b>12.</b> South Korea; Gandhar Oil Refinery India Ltd, India <b>Formulator/Registrant:</b> Osho Chemical Industries Ltd	Industries Ltd	caterpillars and aphids on roses and Malik 20 SP in the control of aphids and whiteflies in Roses.  REI- 6 hours <b>WHO Class U</b> Unlikely to present hazard in normal use, Green color band
1102.	PIRIMIPHOS-METHYL 90% TC Technical grade	PCPB(CR)1562	Pyrimiphos Methyl 900g/kg	<b>Manufacturer of a.i:</b> Hunan Haili Chemical Industries Co Ltd, china <b>Registrant:</b> Ningbo Huili Import & export Co., Ltd China	Osho Chemical industries Ltd	Technical grade Material for formulation purposes.  WHO Class III (Slightly Hazardous) Blue Color Band
1103.	BIO-CHANCE 150 SL	PCPB(CR)1551	Naringin 150g/L	<b>Manufacturer of a.i:</b> Yunnan Guangmin Neem industry	Greenlife crop protection Ltd	Fungicide for control of powdery mildew, downy mildew and botrytis on Roses.

				Development Co Ltd., China <b>Formulator/Registrant:</b> Agicolas S.A Ecuador.		REI: 12 Hours  WHO Class III Slightly hazardous, Blue color band
1104.	TIDEPHATE 90 SG Soluble Granules	PCPB(CR) 1563	Acephate 900g/kg	<b>Manufacturer of a.i/ Formulator:</b> Zhejiang Tide CropScience, Ltd <b>Registrant:</b> Ningbo Tide Import & Export Co Ltd, China	Clove Agro Africa Ltd	Insecticide for control of thrips in roses  REI: 12 Hours  WHO Class III (Slightly Hazardous) Blue Color Band
1105.	ZOOMER COMBI 390 SC Suspension Concentrate	PCPB(CR)14 30	Glyphosate 360 g/L + Oxyfluorfen 30 g/L	ADAMA Agan Ltd. Israel	ADAMA Agriculture East Africa Ltd	Post-emergence non-selective herbicide for the control of broad-leaved weeds & grasses in Baby corn and coffee  <b>Coffee</b> EU MRL: Oxyfluorfen 0.05mg/kg Glyphosate 0.1mg/kg  PHI: 28 days  WHO Class III Slightly hazardous Blue Colour Band.

1106.	REDEEM WP Wettable powder	70 PCPB(CR)1 565	Thiophanate-methyl 700g/kg	<b>Manufacturer of a.i/Formulator?Registrant:</b> Zhejiang Tide Cropscience Co Ltd, China <b>Exporter:</b> Ningbo Tide Import & Export Co Ltd, China	Clove Agro Africa Ltd	Fungicide for the control of Leaf mold in Tomatoes.  EU MRL: 1.0 mg/kg PHI: 3 days  WHO Class III Slightly hazardous; Blue color band
1107.						
1108.	BEANSCLEAN 480 SL	PCPB(CR)15 69	Bentazone 480g/L	<b>Manufacturer/Formulator/Registrant:</b> Anhui Fengie Agrochemical Co Ltd, China <b>Exporter :</b> Hangzhou Jike Trading Co Ltd, China	Hangzhou Agrochemical Industries (E.A) Ltd	Early post-emergence herbicide for control of grasses and broad-leaved weeds on common beans.  PHI: 21 days  EU MRL: 0.3 mg/kg WHO Class III Slightly hazardous, Blue Color Band
1109.	EMPEROR TOP 100 SC	PCPB(CR)15 70	Abamectin 20g/L + Methoxyfenozi de 80g/L	<b>Manufacturer of Abamectin:</b> Yunnan Guangmin Neem Industries Ltd, China <b>Methoxyfenozi:</b> Shanghai Agro-Tech Co. Ltd China <b>Registrant/Formulator:</b> Totales Insumos S.A, Nicaragua	Greenlife Crop Protection ltd	Insecticide for control of caterpillars on roses, thrips on onions, thrips and caterpillars on tomatoes and French beans REI:24 hours <b>Onions</b> EU MRLs

						<p>Abamectin:0.01mg/kg Methoxyfenozide :0.01mg/kg PHI-30days</p> <p><b>Tomatoes</b> EU MRLs: Abamectin: 0.09mg/kg Methoxyfenozide: 2.0mg/kg PHI-3days</p> <p><b>French beans</b> EU MRLs- Abamectin: 0.03mg/kg Methoxyfenozide:2.0mg/kg PHI-7days</p> <p><b>WHO Class II</b> Moderately Hazardous Yellow Color Band</p>
1110.	GARLAND MAX 30 WP	PCPB(CR)1 567	Cyromazine 50g/L + Monosultap 250g/L).	<p><b>Manufacturer of a.i/Formulator:</b> Qindao Audis Bio-Tech Co Ltd, China <b>Registrant:</b> Hailir Pesticide and chemical group co Ltd china.</p>	East African Business Company Ltd	<p>Insecticide for control of aphids, thrips and whiteflies on roses</p> <p>WHO Class III Slightly Hazardous Blue Color Band</p> <p>REI: 6 Hrs</p>
1111.	PIRIMIPHOS- METHYL 90% TC Technical grade	PCPB(CR)15 62	Pyrimiphos Methyl 900g/kg	<p><b>Manufacturer of a.i:</b> Hunan Haili Chemical Industries Co Ltd, china <b>Registrant:</b> Ningbo Huili Import &amp; export Co., Ltd China</p>	Osho Chemical industries Ltd	<p>Technical grade Material for formulation purposes.</p> <p>WHO Class III (Slightly Hazardous) Blue Color Band</p>

1112.	IMIDACLOPRID 98% TK Technical grade	PCPB(CR)15 74	Imidacloprid 980g/kg	<b>Manufacturer of a.i:</b> Jiangsu Subin Agrochemical Co Ltd, China <b>Registrant:</b> Ningbo Huili import and export co Ltd, china	Osho Chemical Industries Ltd	Technical grade material for formulation purposes only  WHO Class II Moderately Hazardous Yellow Color Band
1113.	BEANSCLEAN 480 SL	PCPB(CR)15 69	Bentazone 480g/L	<b>Manufacturer/Formulator/Registrant:</b> Anhui Fengie Agrochemical Co Ltd, China <b>Exporter :</b> Hangzhou Jike Trading Co Ltd, China	Hangzhou Agrochemical Industries (E.A) Ltd	Early post-emergence herbicide for control of grasses and broad-leaved weeds on common beans.  PHI: 21 days  EU MRL: 0.3 mg/kg WHO Class III Slightly hazardous, Blue Color Band
1114.	EMPEROR TOP 100 SC	PCPB(CR)15 70	Abamectin 20g/L + Methoxyfenozide 80g/L	<b>Manufacturer of Abamectin:</b> Yunnan Guangmin Neem Industries Ltd, China <b>Methoxyfenozide:</b> Shanghai Agro-Tech Co. Ltd China <b>Registrant/Formulator:</b> Totales Insumos S.A, Nicaragua	Greenlife Crop Protection Ltd	Insecticide for control of caterpillars on roses.  WHO Class II Moderately Hazardous Yellow Color Band  REI:24 hours
1115.	MASTERCOP 60 SC	PCPB(CR)1 424	Copper sulphate pentahydrate 213.6 g/L equivalent to	Manufacturer/Formulator: Ingenieria Industrial, S.A. de C.V., Mexico	ADAMA Agriculture East Africa Limited	Fungicide for the control of early blight and late blight on tomatoes, halo blight, angular leaf spot, anthracnose and rust in French beans, black rot, black leg and soft rot in broccoli, downy mildew on roses, coffee berry disease and coffee

			60 g/L copper			<p>leaf rust on coffee.</p> <p>Tomatoes: MRL: 5mg/kg PHI: 3 days French beans MRL: 20mg/kg PHI: 3 days Broccoli MRL: 20mg/kg PHI: 3 days Coffee: PHI: 0 days MRL: 50mg/kg</p> <p>WHO Class II Moderately hazardous; Yellow color band</p>
1116.	INDOX 150 SC	PCPB(CR)15 73	Indoxacarb 150g/L	<b>Manufacturer of a.i/Formulator /Registrant:</b> Nantong Shizhuang Chemical Co Ltd China	Sineria Kenya Limited	<p>Insecticide for control of Caterpillars and thrips on Roses</p> <p>WHO Class III Slightly Hazardous Blue Color Band REI: 12 hours</p>
1117.	GALAXY 340 EC Emulsifiable	PCPB(CR)1 425	Oxyfluorfen 140 + Pendimethalin 200g/L	<b>Manufacturer/Formulator/ Registrant/Exporter:</b> Ningbo Sunjoy Agrosience Ltd, China	Agri-Price Centre Co.Ltd.	Early post-emergence herbicide for control of broad leaved weeds in onions

	concentrate					<p><b>EU MRLs:</b> Oxyfluorfen: 0.05 mg/kg Pendimethalin: 0.2mg/kg <b>PHI:</b> 60 days</p> <p>WHO Class II, Moderately hazardous, Yellow color band</p>
1118.	2,4 D TURBO 720 SL Soluble Concentrate	PCPB(CR)1 514	2,4-D dimethyl amine salt 720g/L	<p><b>Manufacturer of a.i/</b> <b>Formulator:</b> Shandong Qiaochang chemical Co., Ltd, china <b>Registrant:</b> Wenzhou Foreign trade Industrial Products Co., Ltd, China.</p>	Highchem Marketing Ltd, Essential Division	<p>Post emergence herbicide for control of annual and perennial broad-leaved weeds in maize <b>PHI:</b> 7 days <b>WHO Class II</b> Moderately hazardous, Yellow color band</p>
1119.	SELECT 120 EC	PCPB(CR)15 75	Clethodim 120 g/L	<p><b>Manufacturer of a.i:</b> Deccan Fine Chemicals Ltd, India <b>Formulator:</b> Arysta LifeScience , France and Arysta LifeScience South Africa <b>Registrant:</b> Arysta LifeScience SAS, France</p>	Arysta Lifescience, Kenya	<p>Post-emergence herbicide for control of grasses in canola: grass and broad leaved weeds in French beans.</p> <p>EU MRL: Canola –1.0 mg/kg <b>PHI:</b> 120 days EU MRL:  French beans –0.5 mg/kg <b>PHI-</b>28 days</p>

						<b>WHO Class II</b> Moderately Hazardous Yellow Color Band.
1120.	SENCOR PLUS SC 517.5 Suspension Concentrate	PCPB(CR)15 79	Indaziflam 37.5 g/L+ Metribuzin 480g/L)	<b>Manufacture/Formulator/ registrant:</b> Bayer CropScience, Germany	Bayer East Africa Ltd	Pre-emergence herbicide for control of broad leaved weeds and annual grass in Sugarcane  WHO Class II Moderately Hazardous  Yellow Color Band
1121.	BIMATE 250 EC Emulsifiable Concentrate	PCPB(CR)15 81	Bupirimate 250 g/L	<b>Manufacturer/ Formulator:</b> Jiangxi Chemical Co, Ltd, China  <b>Exporter:</b> King Chemicals Company Ltd	Agricare East Africa	Fungicide for the control of Powdery mildew on Roses  REI – 6 Hours WHO Class III, Slightly hazardous; Blue color band.
1122.	PCPB(CR)1357	SHAR COMBI 280SC Suspension concentrate	Azoxystrobin 200 g/L + Cyproconazole 80g/L	<i>Manufacturer/Formulator:</i> Sharda Worldwide Exports Pvt, India  <i>Registrant:</i> Sineria Industries Ltd, Cyprus	Sineria Kenya Limited	Fungicide for the control of Yellow rust and Stem rest on Wheat  WHO Class II Moderately hazardous, Yellow color band PHI: 42days (BBCH 69) MRL: <i>Azoxystrobin: 0.2mg/Kg</i>



						<i>Cyproconazole: 0.08mg/Kg</i>
1123.	OFRAN COMBI 280SC Suspension concentrate	PCPB(CR)1 357-p(i)	Azoxystrobin 200 g/L + Cyproconazole 80g/L	Manufacturer/Formulator: Sharda Worlwide Exports Pvt, India Registrant: Sineria Industries Ltd, Cyprus	Sineria Kenya Limited	Fungicide for the control of Yellow rust and Stem rest on Wheat WHO Class II Moderately hazardous, Yellow color band PHI: 42days (BBCH 69) MRL: Azoxystrobin: 0.2mg/Kg Cyproconazole: 0.08mg/Kg
1124.	NEEMARK EC	PCPB(CR)0 916	Azadirachtin 0.03%	West Coast Herbochem (Pty) Ltd., India.	Osho Chemical Industries Ltd.	Insecticide for the control of control aphids, thrips, nematicides in French beans.
1125.	STELLA STAR 210 SL Soluble Concentrate	PCPB(CR)1 583	(Topramezone 50g/L + Dicamba 160g/L)	<b>Manufacturer of a.i:</b> <b>Topramezone</b> : Lonza AG Werk Visp Switzerland Dicamba: BASF Corporation USA. <b>Additionally Manufacturer for Topramezone:</b> SRF Ltd, India. <b>Formulator:</b> IPT Pergande GmbH, Germany; BASF Agri- Production S.A S Gravelines/France <b>Registrant:</b> BASF SE Germany.	BASF E.A Ltd	Post-emergence herbicide for control of annual grasses and broad leaved weeds in maize.  <b>WHO Class III</b> Blue Color Band Slightly hazardous  <b>Maize:</b> EU MRL: Topramezone 0.01mg/kg Dicamba-0.5mg/kg  PHI: 60 days
1126.	CROP MINE	PCPB(CR)1	2,4	<b>Manufacturer of a.i/</b>	AgriChem	Post-emergence herbicide for

	720 SC Suspension Concentrate	584	Dichlorophen oxy acetic acid 720g/L	<b>Formulator/ Registrant:</b> Shandong Keyuan Chemical Co Ltd, China	and Tools Ltd	control of broad-leaved weeds on maize  <b>Maize:</b> EU MRL- 2,4-D- 0.05 mg/kg PHI: 7days <b>WHO Class II</b> Moderately hazardous Yellow Colour Band
1127.	THRIVE 25% WP Wettable powder	PCPB(CR)1 585	Metalaxyl 150g/kg + Propamocarb Hydrochloride 100g/kg	<b>Manufacturer of a.i/ Formulator /Registrant:</b> Halilir Pesticide and chemical group Co Ltd, China	Chinachem Kenya Ltd	Fungicide for control of early and late blight on potatoes.  <b>Potatoes:</b> EU MRLs: Metalaxyl- 0.05mg/kg Propamocarb- 0.3mg/kg  PHI- 7 days  <b>WHO Class III</b> Slightly hazardous, Blue color band
1128.	JANGWA700 WP Wettable Powder	PCPB(CR)1 586	Metribuzin 700g/kg	<b>Manufacturer of a.i/ Formulator:</b> Wuxi Xinan Pesticides Co Ltd, China <b>Registrant/Exporter:</b> Shanghai	Kenagro Supplies Ltd	Post-emergence herbicide for control of grasses and broad-leaved weeds on carrots

				E-Tong Chemical Co Ltd, China		<b>Carrots:</b> US MRLs – 0.3 mg/kg PHI- 21 days <b>WHO Class II,</b> Moderately Hazardous; Yellow Color Band
1129.	BENOCARB 10SC Suspension Concentrate	PCPB(CR)1 588	Indoxacarb 85g/L + Emamectin benzoate 15g/L	<b>Manufacturer of a.i/Formulator:</b> Shandong A & Fine Agrochemicals Co Ltd, China. <b>Exporter/Registrant:</b> Oasis Agroscience Co. Ltd, China	Kenagro Suppliers Ltd	Insecticide for control of caterpillars on Roses, <i>Tuta absoluta</i> in tomatoes and diamond back moth in broccoli  REI: 6 hours <b>Tomatoes</b> EU MRLs: Indoxacarb- 0.5 mg/kg Emamectin benzoate- 0.02mg/kg PHI- 3days <b>Broccoli</b> EU MRLs: Indoxacarb- 0.3mg/kg Emamectin benzoate- 0.01mg/kg PHI:3days <b>WHO Class II,</b> Moderately hazardous, Yellow color Band.
1130.	BELTHANE 80 WP Wettable Powder	PCPB(CR)1 589	Mancozeb 800 g/L	<b>Manufacturer of a.i /Formulator:</b> Shandong Weifang Shuangxing Pesticide Co Ltd.	Anspa E.A ltd	Fungicide for control of early and late blight in potatoes  <u>Potatoes:</u>

				<b>Registrant:</b> Shanghai Qiaoji International Co Ltd, China		EU MRL: Mancozeb- 0.3 mg/kg PHI- 7 days  <b>WHO Class II</b> Moderately hazardous Yellow Colour Band
1131.	PYRETONE EC	PCPB(CR)1 591	Pyrethrin 4% (w/v)	<b>Source of active:</b> Agriculture and Food Authority (AFA), Pyrethrum & Other Industrial Crops Directorate <b>Formulator:</b> Twiga chemical Industries Ltd <b>Registrant:</b> Maj-Chemie Ltd	Maj-chemie Ltd	Insecticide for control of thrips and whiteflies in roses; whiteflies and thrips on French beans and basil.  REI: 6 hours  <b>WHO Class III,</b> Slightly hazardous, Blue color band
1132.	SIVANTO PRIME SL 200 Soluble Concentrate	PCPB(CR)1 592	Flupyradifuro ne 200g/L)	<b>Manufacturer of a.i /Registrant:</b> Bayer AG, Germany <b>Formulators:</b> Bayer, AG, Germany; Quart de Poblet Bayer CropScience, Spain.	Bayer E.A ltd	Insecticide for control of thrips in roses; for the control of aphids, whiteflies and thrips in tomatoes EU MRL= 0.7 mg/kg PHI- 3 days REI: 24 hours WHO Class II Moderately hazardous Yellow Color Band
1133.	REAPER 10% EW Emulsion, Oil in Water	PCPB(CR)1 593	Lamba-cyhalothrin 100g/L	Jiangsu Huifeng Agrochemicals Co. Ltd., China	Focus Crop Protection Ltd	Insecticide for control of Caterpillars (cabbage loopers) on Brassicas  <b>Kales:</b> EU MRLs

						Lamba-cyhalothrin-1.0 mg/kg PHI- 7 days  WHO Class II; Moderately hazardous; Yellow color band.
1134.	JUNDO 88 EC	PCPB(CR)1 594	Abamectin 4g/L + acetamiprid 84g/L	<b>Manufacturer of a.i / Formulator:</b> Shaanxi HengTian Chemical Co Ltd, China <b>Registrant:</b> Shanghai Hui Song (H & S) Agro-solution Co Ltd, china.	Bestfield E.A ltd	An insecticide for control of Aphids, Mealybugs and red spidermites on roses, aphids, whiteflies and red spidermites on tomatoes REI- 2hrs <b>Tomatoes:</b> EU MRLs Abamectin-0.09mg/kg Acetamiprid-0.5 mg/kg PHI- 7 days  <b>WHO Class III</b> Slightly hazardous Blue Color Band
1135.	LIMONICA	PCPB(CR)1 595	<i>Amblydromal us limonicus</i> 12500 predatory units/1000 cc bottle.	<b>Manufacturer of a.i / Formulator/ Registrant:</b> Coromandel International. Ltd, India.	Koppert Biological systems (K ) Ltd	Predatory mites for control of whiteflies on roses in greenhouses.  <b>WHO Class U,</b> Unlikely to cause hazard under

						normal use, Green color band.
1136.	FARMMIL 72 WP	PCPB(CR)1 596	Metalaxyl 80g/kg + Mancozeb 640g/kg	Limin Chemical Co Ltd, China	Link Forward Kenya Ltd	Fungicide for control of late blight in potatoes <b>WHO Class III</b> , Slightly hazardous, Blue color band  <b>Potatoes:</b> EU MRL: Metalaxyl- 0.05mg/kg Mancozeb- 0.3mg/kg PHI: 14 days
1137.	TUTRACK with yellow sticky paper  Rubber septum impregnated with synthetic female <i>Tuta absoluta</i> pheromone	PCPB(CR)1 597	E3, Z8, Z11- tetradecatrien yl acetate 0.76mg + E3, Z8- tetradecadieny l acetate 0.04mg	Zhangzhou Enjoy Agriculture Technology Co. Ltd, China	Kenya Biologics Ltd	Attractant for the monitoring and control of male South America Tomato leaf miner ( <i>Tuta absoluta</i> ) in Tomato field. <b>WHO Class U</b> ; Product unlikely present acute hazard under normal use Green color band.
1138.	TUTRACK with blue sticky paper	PCPB(CR)1 598	E3, Z8, Z11- tetradecatrien yl acetate 0.76mg + E3,	Zhangzhou Enjoy Agriculture Technology Co. Ltd, China	Kenya Biologics Ltd	Attractant for the monitoring and control of male South America Tomato leaf miner ( <i>Tuta absoluta</i> ) in Tomato field.

			Z8-tetradecadieny 1 acetate 0.04mg			<b>WHO Class U;</b> Product unlikely present acute hazard under normal use Green color band.
1139.	BETAKLIN 480 SL	PCPB(CR)1 599	Bentazone 480g/L	<b>Manufacturer /Formulator:</b> Jiangsu Lulilai, China.  <b>Registrant:</b> Oasis AgroScience Ltd, China	Kenagro Suppliers Ltd	Early post-emergence herbicide for control of annual broad leaved weeds in potatoes and common beans.  <b>Potatoes:</b> EU MRL: 0.1mg/kg PHI: 35 Days <b>Beans:</b> EU MRL: 0.1mg/kg PHI: 35 Days <b>WHO Class III,</b> Slightly hazardous, Blue color band
1140.	KLASSIC 5 EC	PCPB(CR)1 601	Hexaconazole 50 g/L	<b>Manufacturer of a.i/ Formulator /Registrant:</b> Atul Limited, Crop Protection Division, India	Osho Chemicals Industries Ltd.	Fungicide for control of Black spots and Powdery mildew in roses <b>WHO Class II,</b> Moderately hazardous Yellow Color Band  REI: 6 hours
1141.	PRACTIS 250 EC	PCPB(CR)1 602	Propiconazole 250g/l	<b>Manufacturer of a.i/ Formulator:</b> Jiangsu Qiaoji Biochem Co. Ltd, China. <b>Registrant:</b> Shanghai Qiaoji International Co. Ltd, China	East African Business Co. Ltd	Fungicide for control of butt rot in Pineapples  <b>Pineapples:</b> EU MRL-0.02 mg/kg

						PHI : 532 days <b>WHO Class III</b> Slightly hazardous Blue color band
1142.	LANCER 130 SC	PCPB(CR)1 603	Imidacloprid 100 g/L+ Lambda cyhalothrin 30g/L	<b>Manufacturer of a.i:</b> King Chemical Company Ltd, China  <b>Formulator/Registrant:</b> Jiangsu International Group FZE, Group, United Arab Emirates.	Magnetic (K) Ltd	Insecticide for control of aphids, thrips and whiteflies on roses <b>WHO Class II</b> , Moderately Hazardous Yellow Color Band  REI: 6 hours
1143.	MAGNETO 1% EC	PCPB(CR)1 604	Azadirachtin 0.6% + Matrine 0.4%	<b>Manufacturer/formulator:</b> Yunnam Guangmin Neem Industry Development Co Ltd, China <b>Registrant/Exporter:</b> Shanghai Agro-tech Co Ltd, China	Greenlife Crop Protection Africa Ltd	Insecticide for control of aphids, thrips, whiteflies and spidermites on roses, aphids, thrips, whiteflies, leafminers and caterpillars on snow peas <b>WHO Class U</b> , Unlikely to present hazard under normal use; Green color band REI: 12 hours
1144.	MAGNITUDE 500 SC	PCPB(CR)1 605	Diafenthiuron 500g/L	<b>Manufacturer of a.i:</b> Rotam AgroChemical Co Ltd, China <b>Formulator:</b> Tianjin Rotam Chemistry Co Ltd, China <b>Registrant:</b> Rotam Agrochemical Co Ltd, China.	Rotam-Sub-Sahara Africa Ltd	Fungicide for the control of powdery mildew in roses <b>WHO Class III</b> , Slightly hazardous, Blue color band  REI: 6 hours
1145.	OXYFEN 240	PCPB(CR)1	Oxyfluorfen	<b>Manufacturer of a.i/</b>	Hangzhou	Early post-emergence herbicide



	EC	607	240 g/L	<b>Formulator:</b> Yifan Biotechnology Group Co. Ltd, China <b>Registrant:</b> Hangzhou Jike Trading Co. Ltd, China	Agrochemical Industries (E.A) Ltd	for control annual grasses and broad-leaved weeds on onions <b>WHO Class III</b> , Slightly Hazardous Blue color band  <b>Onions</b> EU MRL: 0.05 mg/kg PHI: 45 days
1146.	SPIDOR 240 SC	PCPB(CR)1 608	Spirodiclofen 240g/L	<b>Manufacturer of a.i/ Formulator:</b> Yongnong Biosciences Co Ltd, China  <b>Registrant:</b> Shanghai E-Tong Chemical Co Ltd, China	Kenagro Suppliers Ltd	Insecticide for control of spidermites on roses; for the control of spidermites in tomatoes. EU MRL= 0.5 mg/kg PHI: 7 days REI: 6 hours WHO Class U, Unlikely to present hazard in normal use Green color band
1147.	DELFA 1.01 % DUST	PCPB(CR)1 610	Fenitrothion 1% + Deltamethrin 0.01% w/w	<b>Manufacturer/ Formulator:</b> Sichuan Saiwei Biological Engineering Co., Ltd., China  <b>Registrant:</b> Zhejiang E-Tong Chemical Co., Ltd, China	Highchem Marketing Ltd	Insecticide for control of Grain storage pests (maize weevil, <i>Setophilus zeamais</i> , Red Flour beetle, <i>Tribolium spp</i> and Larger grain borer <i>Prostephanus truncatus</i> ) in Maize & Wheat  Deltamethrin codex MRL: Cereal grains- 2 mg/kg

						Fenitrothion codex MRL: Cereal grains – 6 mg/kg Withholding Period: 45 days WHO Class III Slightly hazardous , Blue color band.
1148.	METAMORPH 300 WG	PCPB(CR)1 611	Metalaxyl 80g/kg + Dimethomorph 220g/kg	<b>Manufacturer of a.i./ Formulator :</b> Qingdao Audis Bio-Tech Co Ltd <b>Registrant:</b> Hailir Pesticide and chemical group Co Ltd, China	Amiran K Ltd	Fungicide for control of downy mildew on Roses WHO Class II Moderately Hazardous Yellow Color Band REI: 6 Hrs
1149.	NO PATH EW Oil Emulsion in water	PCPB(CR)1 612	Thyme Oil 8.12 % w/w	Koppert B.V., Netherlands	Koppert Biological Systems (K)	Fungicide for control of Downy mildew and Botrytis in roses.
1150.	FRESHGUARD 500 EC	PCPB(CR)1 613	Imazalil 500g/L	<b>Manufacturer:</b> Yifan Biotechnology Group Co., Ltd, China <b>Formulator/Registrant:</b> Beijing Bioseen Crop Sciences Co., Ltd, China	Kenagro Suppliers Ltd	Fungicide for control of Botrytis on Roses. REI- 4 hours WHO Class II Moderately hazardous Yellow color band
1151.	GODFATHER 300CS	PCPB(CR)1 614	Fosthiazate 300g/L	<b>Manufacturer/ Formulator/Registrant:</b>	Greenlife Crop	Nematicides for the control of root-knot nematodes on Roses

				Shandong United Pesticide Industry Co. Ltd, China <b>Exporter:</b> Shandong Sino-Agri United Biotechnology Co Ltd, China	Protection Ltd	REI: Not applicable for soil drenching  WHO Class II Moderately hazardous, Yellow color band.
1152.	BELSATE 480SL	PCPB(CR)1 615	Glyphosate acid 360 g/L (as Isopropylamine salt 480g/L)	<b>Manufacturer/Formulator:</b> Anhui Ningguo Chaonong Chemical Co Ltd; China <b>Registrant/Exporter:</b> Shanghai E-Tong Chemical Co Ltd, China	Bell Industries Ltd	Post-emergence herbicide for the control of annual and perennial grasses and broad leaved weeds under minimum tillage and in non-cropped areas  WHO Class III Slightly hazardous, Blue color band.
1153.	DRYWEED 396 SL	PCPB(CR)1 616	Glyphosate 371g/L +2, 4-D 25g/L)	<b>Manufacturer/ Formulator:</b> Shanghai Shenglian Chemical Co Ltd, china Registrant: Shanghai E-tong Chemical Co Ltd, China.	Kenagro Supplies Ltd	Post-emergence herbicide for control of annual grasses and broad leaved weeds in non-cropped areas  <b>WHO Class II</b> Moderately hazardous, Yellow color band
1154.	SPOREGUARD 150 SL	PCPB(CR)1 617	Didecylmethyl ammonium chloride 150	<b>Manufacturer:</b> 3 D Bro-chem Co., Ltd, Shanghai, China	Greenlife Crop Protection	Fungicide for control of downy mildew, powdery mildew and botrytis in roses.

			g/L	<b>Formulator:</b> Farmagro S.A., Ecuador	Africa Limited	REI: 12 hours  WHO Class II , Moderately hazardous, Yellow color band
1155.	COMPANION 75 WP	PCPB(CR)1 618	Mancozeb 630 g/kg + Carbendazim 120 g/L	<b>Manufacturer/Formulator/Registrant</b> Indofil Industries Limited, India	Osho Chemical Industries Limited	Fungicide for control of Downy Mildew and Botrytis on Roses.  REI: 12 hours WHO Class III, Slightly hazardous, Blue Color Band
1156.	BELLSTAR 325 SC Suspension Concentrate	PCPB (CR)1619	Azoxystrobin 200g/L +Difenoconazole 125g/L	<b>Manufacturer: Azoxystrobin:</b> Shandong Hailir Chemical Co., Ltd, China <b>Difenoconazole:</b> Qingdao KXY Chemical Co Ltd, China. <b>Formulator:</b> Qingdao KXY Chemical Co Ltd, China <b>Registrant:</b> Hailir Pesticides and chemicals Group Co Ltd, China	Bell Industries Ltd	Fungicide for control of <i>Alternaria</i> leaf spot and Angular leaf spot in French beans.  <b>WHO Class II</b> Yellow Color Band Moderately hazardous  <b>French beans:</b> EU MRL: Azoxystrobin 3.0 mg/kg Difenoconazole 1.0mg/kg  PHI: 7days
1157.	NEMAMECTIN 50 EW Oil emulsion in	PCPB (CR)1620	Abamectin 50g/L	<b>Manufacturer/Formulator:</b> Qingdao Hansen Biologic	Kenagro Suppliers Ltd	Miticide for the control of spider mites in roses

	water			Science Co Ltd, China <b>Registrant/Exporter:</b> Shenzhen Yufull Industry Co Ltd, China		<b>WHO Class II</b> Moderately hazardous Yellow Colour Band  REI: 6hours
1158.	DUPONT™ NEVIA™ 10 OD Oil Dispersion	PCPB (CR)1621	Cyantraniliprol e 100g/L	<b>Manufacturer of a.i:</b> 1. DuPont Electronic Polymers, USA; 2. Welychem US, USA, 3. DuPont Crop Protection, USA; 4. DuPont Agricultural Chemicals Ltd, China; 5. DuPont Iberica S.A, Spain  <b>Formulator:</b>	DuPont de Nemours Kenya Ltd	Insecticide for the control of aphids, whiteflies and thrips on French beans, aphids and thrips on Snow peas, thrips and whiteflies on Tomatoes.  <b>WHO Class U</b> Unlikely to present hazard Green Color Band.  <b>French beans:</b> EU MRLs-1.5mg/kg  PHI- 1 day <b>Snow peas:</b> EU MRLs-2.0mg/kg PHI- 1 day  <b>Tomatoes:</b> EU MRLs-1.0 mg/kg PHI- 1 day

--	--	--	--	--	--	--

- 2. DuPont de Nemours (France) S.A.S, France;
- 3. Custom Milling & Consulting Inc, USA;
- 4. PT DuPont Agricultural Products Indonesia, Indonesia;
- 5. DuPont Company (Singapore)



				Pte Ltd, Singapore; 6. DuPont Agricultural Chemicals Ltd, China <b>Registrant:</b> DuPont International Operations Sarl, Switzerland		
1159.	HOTSHOT 70 WG Wettable Granule	PCPB (CR)1622	Imidacloprid 700g/kg	Sulphur Mills Ltd, India	Cropcare Kenya Ltd	Insecticide for the control of thrips, whiteflies and aphids in roses by drenching  WHO Class III Slightly hazardous Blue color band REI: 12 Hours
1160.	EMMARON 30 SC Suspension Concentrate	PCPB (CR)1623	Emamectin Benzoate 10g/L +Lufenuron 20g/L	<b>Manufacture a.i:</b> <b>Emamectin Benzoate:</b> Shijiazhuang Longhui Fine Chemical Co Ltd, China. <b>Lufenuron:</b> Zhejiang Sega Science and Technology Co Ltd, China. <b>Formulator/:</b> Zhejiang Sega Science and technology Co Ltd, China <b>Registrant:</b> Nanjing Agrochemical, China	Kenagro suppliers Ltd	Insecticide for the control of thrips in roses  WHO Class II Moderately hazardous Yellow color band REI: 6 Hours
1161.	BIO MAGIC 1.5 LF	PCPB (CR)1624	<i>Metarhizium anisopliae</i> 1.0×10 <sup>9</sup> cfu/ml	<b>Manufacturer/Formulator/Regis trant:</b> T. Stanes and Company Ltd, India	Osho Chemical Industries Ltd	Biological insecticide for control of aphids and thrips on roses; aphids, whiteflies and thrips in French beans.  <b>WHO Class U</b> Unlikely to present acute hazard under

						normal use Green color band
1162.	SONALAN 520 SC Suspension Concentrate	PCPB (CR)1625	Acetochlor 260g/L + Atrazine 260g/L	<b>Manufacturer/Formulator:</b> Qingdao Hansen Biologic Science Co Ltd, China. <b>Registrant:</b> Shanghai-E tong Chemical Co Ltd, China.	Kenagro suppliers Ltd	Pre-emergence herbicide for the control of broadleaved weeds and annual grasses in Maize.  <b>WHO Class II</b> Moderately hazardous Yellow Colour Band  <u>Maize</u> EU MRL: Acetochlor-0.01 mg/kg Atrazine - 0.05 mg/kg
1163.	WARRANT 70 WG Wettable Granule	PCPB (CR)1626	Imidacloprid 700g/kg	<b>Manufacturer:</b> Jiangsu Yangnong Chemical Group, Co Ltd, China <b>Formulator:</b> Schirm GmbH, Germany. <b>Registrant:</b> Cheminova A/S , Denmark	Novus Bridge Consultants	Insecticide for the control of aphids, whiteflies and thrips on roses.  <b>WHO Class III</b> Slightly hazardous Blue color band
1164.	MONGARI 25 WDG Water Dispersible Granule	PCPB (CR)1627	Thiamethoxam 250g/kg	Tagros Chemicals Ltd, India	East African Business Company Ltd	Insecticide for the control of thrips, aphids and whiteflies on roses.  <b>WHO Class III</b> Slightly hazardous, Blue color band REI: - 12 Hours
1165.	PARIMAZE 10 SL Soluble Concentrate	PCPB (CR)1630	Imazethapyr 100g/L	Parijat Industries ( India)	Amiran Kenya Limited.	Early post emergence herbicide for control of annual grasses and broad-leaved weeds in common beans



						<p><b>WHO Class III</b> Slightly hazardous, Blue color band <b>EU MRLs:</b> 0.01mg/kg <b>PHI:</b> 85 days</p>
1166.	<p>PHERODIS Rubber septum impregnated with synthetic female <i>Tuta absoluta</i> pheromone</p> <p><b>For use with Delta traps</b></p>	PCPB (CR)1631	E3, Z8, Z11- tetradecatrienyl acetate 0.5mg + E3, Z8- tetradecadienyl acetate 0.2mg	Pherobank BV, The Netherlands	Koppert Biological Systems (K) Ltd	<p>Pheromones impregnated capsule like rubber for monitoring and trapping male <i>Tuta absoluta</i> in tomatoes. For use with Delta traps,</p> <p><b>WHO Class U</b> Unlikely to present hazard under normal use; Green Colour Band.</p>
1167.	RIDOVER 75 SG Soluble Granules	PCPB (CR)1632	Glyphosate Ammonium salt 747g/kg (68.8% when expressed as acid)	Shandong Weifang Rainbow Chemical Co. Ltd, China	Rainbow Agrosciences Ltd	<p>Post emergence herbicide for control of broad leaved weeds and grasses in non- cropped areas.</p> <p><b>WHO Class III</b> Slightly hazardous, Blue color band</p>
1168.	SEEDGUARD 400FS Flowable Concentrate for seed treatment	PCPB (CR)1633	Carboxin 200g/L +Thiram 200g/L.	<b>Manufacturer/ Formulator/Registrant:</b> Shaanxi Hengtian Chemical Co Ltd China <b>Exporter:</b> Ningbo Sunjoy AgroScience Co Ltd, China	Twiga Chemicals Ltd	<p>Seed dressing Fungicide for seed dressing for control of seed and soil borne diseases (<i>Fusarium sp</i>, <i>Phoma sp</i>, <i>Bipolaris sp</i>, <i>Alternaria alternata</i>, <i>B. sorokiniana</i>) in Wheat.</p> <p>EU MRLs; Carboxin- 0.03 mg/kg</p>

						Thiram- 1.0 mg/kg  <b>WHO Class II,</b> Moderately hazardous, Yellow color band
1169.	E-RIPE GAS Gas	PCPB (CR)1634	Ethylene 99.99%	Asia Pacific Gas Enterprise Co Ltd, Hong Kong-China	Gas Labs Ltd	Growth regulator for induction of floration in pineapples for OWN USE BY DELMONTE K Ltd and for ripening of bananas in air tight structures FOR PROFESSIONAL USE ONLY (Highly Flammable).
1170.	FLOURISH 300SC Suspension Concentrate	PCPB (CR)1635	Azoxystrobin 200g/L + Propamocarb Hydrochloride 100g/L	<b>Manufacturer/Formulator:</b> Lier Crop Sciences Co Ltd, China <b>Registrant:</b> Lier Chemical Co Ltd	Crop Therapy Co Ltd	Fungicide for control of downy mildew on roses  REI: 6 hours  <b>WHO Class III</b> Slightly hazardous,  Blue color band
1171.	CRYPTOBUG- L	PCPB (CR)1636	Predatory beetle, <i>Cryptolaemus montrouzieri</i>	Koppert B.V Netherlands	Koppert Biological systems (K) Ltd	Predatory beetle for control of mealy bugs in Roses
1172.	PARASTAR 200SL Soluble	PCPB (CR)1637	Paraquat dichloride 200g/L	<b>Manufacturer of a.i:</b> Quangx Tianyuan Biochemistry Co Ltd, China.	Kenagro Supplies Ltd	Post emergence herbicide for the control of grasses and broadleaved weeds in non-cropped area.

	Concentrate			<b>Formulator:</b> Shandong Kexin Biochemical Co Ltd, China <b>Registrant:</b> Shanghai- E tong chemicals Co Ltd, China		<b>WHO Class II,</b> Moderately hazardous, Yellow color band
1173.	REAL METARHIZIU M OD	PCPB (CR)1638	<i>Metarhizium anisopliae</i> ICIPE 69 1.0×10 <sup>9</sup> cfu/ml	<b>Source:</b> International Centre of Insect Physiology & Ecology (ICIPE), Kenya  <b>Formulator/Registrant:</b> Real IPM, Kenya Ltd	Real IPM Company (K) Ltd	Biological insecticide for control of Mealy bugs in Roses.  WHO Class U, Unlikely to cause hazard under normal use, Green color band
1174.	CAPRI 600 SL Soluble Concentrate	PCPB (CR)1640	2,4-Dichlorophenoxyacetic acid 600g/L	ADAMA Manufacturing Poland S.A, Poland	Adama Agriculture East Africa Ltd	Post-emergence herbicide for control of broadleaved weeds in maize mono crop.  <b>Maize:</b> EU MRL- 0.05 mg/kg PHI : 91 days  <b>WHO Class II</b> Moderately hazardous, Yellow color band
1175.	BASIS 050SC Suspension Concentrate	PCPB(CR)1641	Abamectin 50g/L	<b>Manufacturer of a.i:</b> Hailir Pesticide and chemicals Group Co Ltd, China <b>Formulator/ Registrant:</b> Gingdao Audis Bio-Tech Co Ltd, China	Agrosolution Ltd	Insecticide/Miticide/ nematicide for control of thrips, spidermites and nematodes on Roses. REI: 12hrs  <b>WHO Class II,</b> Moderately hazardous, Yellow color band

1176.	E-GAS Gas	PCPB(CR)1644	Ethylene 99.5%	Arabian Industrial Gases, United Arab Emirates (UAE)	Synergy Gases (K) Ltd	A growth regulator for floral induction in pineapples. For OWN use by Delmonte Kenya.  Restricted Class
1177.	SULPOW 50% SC Suspension Concentrate	PCPB(CR)1643	Sulphur 500g/L	<b>Manufacturer/Formulator:</b> Jiangsu Lanfeng Biochemical Co., Ltd., China <b>Exporter/Registrant:</b> Shenzen Yufull Industries Co., Ltd., China.	Kenagro Suppliers Ltd	Fungicide for control of Powdery Mildew on Roses. REI: 6hours  WHO Class III Slightly hazardous; Blue color band
1178.	PCPB(CR)1646	COPTER 50 WDG Water dispersible Granules	Copper hydroxide 538 g/kg (equivalent to 35% metallic copper)	<b>Manufacturer/Formulator:</b> Zhejiang Ruili Biotechnology Co Ltd, China <b>Registrant:</b> Shanghai Qiaoji International Co Ltd, China	East African Business Company Ltd	Fungicide for control of black spots and botrytis in roses REI: 6hours  <b>WHO Class III</b> Slightly hazardous, Blue color band
1179.	PCPB(CR)1647	BEAKON 72 EC Emulsion Concentrate	Metolachlor 720g/L	<b>Manufacturer/formulator:</b> Shandong Qiaochang Chemical Co Ltd, China <b>Registrant:</b> Shanghai –Etong Chemicals Co Ltd, China	Highchem Marketing Ltd, Essential Division	Pre-emergence herbicide for control of annual grasses and broad leaved weeds in Maize. <b>Maize:</b> MRL- 0.05 mg/kg  <b>WHO Class U</b> Unlikely to present hazard under

						normal use; Green Colour Band
1180.	PCPB(CR)164 9	MANCOTH ANE 75 % WG Wettable Granules	Mancozeb 750g/kg	<b>Manufacturer/Formulator:</b> Hebei Shuangji Chemical Co Ltd, china <b>Registrant/Exporter:</b> Oasis Agroscience Ltd, china	Kenagro Suppliers Ltd	Fungicide for control of Downy mildew mildew on Roses  REI: 4Hours  <b>WHO Class U</b> Unlikely to present hazard under normal use; Green Colour Band
1181.	PCPB(CR)165 0	OVADOS 300 SC Suspension Concentrate	Imidacloprid 200g/L + Beta- cypermethrin 100g/L	<b>Manufacturer /Formulator:</b> Sichuan Jiadeli Technical Development Co Ltd, China. <b>Registrant:</b> Wemax Agro Ltd, China.	Cropanet plaass Ltd	Insecticide for control of thrips, aphids, whiteflies and caterpillars in Tomatoes.  <b>Tomatoes:</b> MRLs: Imidacloprid- 0.5mg/kg Beta-cypermethrin- 0.5mg/kg PHI: 7days  <b>WHO Class II,</b> Moderately hazardous, Yellow color band
1182.	AGRISPARK 300 SC	PCPB (CR) 1650-P(i)	Imidacloprid 200g/L + Beta-	<b>Manufacturer /Formulator:</b> Sichuan Jiadeli Technical Development Co Ltd, China. <b>Registrant:</b>	<i>Local agent:</i> Cropanet Plaass Ltd	Insecticide for control of thrips, aphids, whiteflies and caterpillars in tomatoes.

			cypermethrin 100g/L	Wemax Agro Ltd, China.	<i>Distributor:</i> Beccado Enterprises Ltd	<b>Tomatoes</b> MRLs: Imidacloprid- 0.5mg/kg Beta-cypermethrin- 0.5mg/kg PHI: 7days
1183.	PCPB(CR)165 1	RUSTCLE AN	Flutriafol 250 g/L	<b>Manufacture/Formulator;</b> Rudong Zhonyi Chemical Co. Ltd, China <b>Registrant/Exporter:</b> Shanghai Mio Chemical Co. Ltd, China	Agrichem Africa Ltd	Fungicide for the control of powdery mildew in Roses  REI: 6hours <b>WHO Class II:</b> Moderately hazardous (Yellow color band)
1184.	PCPB(CR)165 2	CAMPOST ELLA 330 SC Suspension concentrate	Abamectin 30g/L +Spirodiclofen 300g/L	<b>Manufacturer:</b> <b>Abamectin:</b> Yunnan Guangming Neem Industry Development Co ltd, China. <b>Spirodiclofen:</b> Shanghai Agro- Tech Co., Ltd, China <b>Formulator/ Registrant:</b> Totales Insumos S.A Nicaragua	Greenlife Crop Protection Africa Ltd	Miticide for control of spider mites on roses  REI-12 hours  <b>WHO Class III</b> Slightly hazardous Blue color band
1185.	PCPB(CR)147 8-P(iii)	GLYSPRIN G 360 SL Suspension Concentrate	Glyphosate Ammonium salt 360g/L	Zhejiang Xinan Chemical Industry Group Co., Ltd.; China	<i>Local agent:</i> Crop Therapy Co Ltd  <i>Distributor:</i> Afri Ventures	Non-selective herbicide for the control of annual and perennial, broad leaved and grass weeds in non- cropped areas

1186.	PCPB(CR)093 6-P(i)	ZYPHA 10EC Emulsion Concentrate	Alpha cypermethrin 100g/L	<b>Manufacturer of a.i:</b> Tagros Chemicals, India. <b>Registrant/ Formulator;</b> CMI Ltd, UK.	<i>Local agent:</i> CMI- Cropcare (K) Ltd  <i>Distributor:</i> Oak Medica Ltd	Insecticide for the control of thrips, aphids and leaf miner on French beans; thrips aphids & whiteflies on Roses
1187.	PCPB(CR)107 5-P(i)	REWARD OIL Vegetable Oil	Organic Vegetable Oil 95% w/v	Microcide Ltd., UK	<i>Local Agent:</i> Lachlan Kenya Ltd  <i>Distributor</i> Elgon Kenya Ltd.	Adjuvant for enhancing performance of Dithane M-45 against early blight on tomatoes and potatoes; and radiant against caterpillars in tomatoes and French beans
1188.	PCPB(CR)106 6-P(i)	HERBADO X 455 CS Capsule Suspension	Pendimethalin 455 g/L	BASF Corporation, 26 Davis Drive RTP, NC 277 09, USA <i>Formulator:</i> BASF Agri Production SAS, 7502 route du vieux Chemin de Loon, F- 59820 Gravelines, France	BASF E.A Ltd. Box 24271- 00100 Nairobi, Kenya	Pre- emergence herbicide for the control of <i>Setaria</i> grass weeds in Barley; broad-leaved weeds and annual grass weeds in maize; annual grasses and broad-leaved weeds in wheat; grass weeds in sugarcane. Wheat: EU MRL=0.05 mg/kg PHI 283 days MaizeL MRL =0.05mg/Kg PHI = 90 days

						<b>WHO Class II</b> Moderately hazardous Yellow Colour band
1189.	PCPB(CR)126 5- <i>P(i)</i>	EMAZOTE 5WG Wettable Granules	Emamectin benzoate 50g/Kg	<i>Registrant/Manufacturer/Formulator:</i> Jiangsu United Agrochemical Co. Ltd, China <i>Exporter:</i> Nanjing Agrochemical co. Ltd, China	Highchem Marketing Ltd, Essential Division  <i>Distributor:</i> Oak Medica Ltd	Insecticide for the control of Spidermites and thrips on Tomatoes and French beans WHO Class II Moderately hazardous Yellow color band <b>MRL:</b> Tomatoes: 0.01mg/Kg French beans: 0.01mg/Kg <b>PHI</b> (Tomatoes & French beans): 7days
1190.	PCPB(CR)139 5- <i>P(ii)</i>	RUSTKILL ER 250 EW	Tebuconazole 250g/L	Shandong Sino-Agri United Biotechnology Co. ltd, China	<i>Local agent:</i> Merrychem Company Ltd  <i>Distributor:</i> Hangzhou Agrochemical Industries, Kenya.	Fungicide for the control of rust on French beans  EU MRLs: 2mg/kg PHI: 7 days  WHO Class II - Yellow color code slightly hazardous
1191.	HASTEN Liquid	PCPB(CR)1 434- <i>P(i)</i>	Organosilicon e (Polyether modified Trisiloxane	Formulator: Zheijiang Runhe Organic Silicon New Material Co. Ltd, China Formulator: Osho chemical	Osho Chemicals Industries Ltd	Adjuvant for enhancing performance of COSAVET 80 DF to control of powdery mildew on roses.



			80%)	Industries Ltd		WHO Class U, Unlikely to present hazard in normal use, Green color band
1192.	AMINOMITE Liquid	PCPB(CR)1 210-P(i)	Polyalkylene oxide modified heptamethyltri siloxane (organosilicon e) 800g/L	King Chemical Company Ltd, China	Agent/Distri butor: Agrichem Africa Limited	Miticide for control of spider mites on roses <b>WHO Class III</b> Slightly hazardous, Blue color band)
1193.	BIOSURE 120 SL	PCPB(CR)14 23	Benzoic acid 120 g/L	<b>Manufacturer:</b> 3D Bio-Chem Co.Ltd, <i>China</i> <b>Formulator/Registrant:</b> Totales Insumos S.A, Nicaragua	<b>Agent:</b> Greenlife Crop Protection Africa Limited	Fungicide for control of downy mildew and botrytis on roses, anthracnose, rust and angular leaf spot on French beans, purple blotch and downy mildew on onions, early and late blight in tomatoes and rust on chives.  REI: 24hours  WHO Class III, Slightly hazardous; Blue color band
1194.	BREAKDOWN 450 EC Emulsifiable Concentrate	PCPB(CR)15 54	MCPA 225g/L + Bromoxynil 225g/L)	<b>Manufacturer of a.i:</b> Shanghai Agrotech Co Ltd <b>Registrant/Formulator:</b> Totales Insumos, Nicaragua	Post- emergenc e herbicide for control of	Post-emergence herbicide for control of broadleaved weeds in maize, wheat and barley  EU MRL: <b>Maize</b>

				<b>Agent:</b> Greenlife Crop Protection	<p>broadleaved weeds in maize.</p> <p>EU MRL: MCPA – 0.05mg/kg Bromoxynil - 0.1mg/kg</p> <p>PHI: 125 days</p> <p>WHO Class II Moderately hazardous, Yellow color band</p>	<p>MCPA –0.05mg/kg Bromoxynil - 0.1mg/kg</p> <p>PHI: 125 days</p> <p><b>Wheat</b> MCPA –0.2mg/kg Bromoxynil - 0.05mg/kg</p> <p>PHI: 60 days</p> <p><b>Barley</b> MCPA –0.2mg/kg Bromoxynil - 0.05mg/kg</p> <p>PHI: 60 days</p> <p>WHO Class II Moderately hazardous, Yellow color band.</p>
1195.	MAIZECLEAN 500SC Suspension concentrate	PCPB(CR)1580	Atrazine 200g/L + Metolachlor 300g/L	<p><b>Manufacturer:</b> <b>Atrazine:</b> United Bio-Shanghai &amp; Shanghai Pharmaceutical (Xiayi) Co Ltd, China. <b>Metolachlor:</b> Shandong Rainbow Chemical Co Ltd, China <b>Formulator/Registrant:</b> United Bio-Shanghai &amp; Shanghai Pharmaceutical (Xiayi) Co Ltd, China. <i>Additional Formulation</i></p>	Moiben Connections Ltd	<p>Pre-emergence herbicide for control of annual grasses and broad leaved weeds in Maize.</p> <p>EU MRL: Atrazine &amp; Metolachlor: 0.05mg/kg</p> <p>WHO Class III, Slightly hazardous; Blue color band.</p>

				<i>Site:</i> Shandong Sino-Agri United Biotechnology Company.Ltd, China.		
1196.	OLYSET XPRO LLIN	PCPB(CR)1556 –P(i)	Permethrin 2% + Piperonyl Butoxide 1%	Sumitomo Chemical Co. Ltd., Japan	Quest Chemicals Ltd	Long Lasting Insecticide Treated Net for control of Mosquitoes
1197.	CLIFF 10.5 EC Emulsion Concentrate	PCPB(CR)1231- P(i)	Pyriproxyfen 108g/L	King Chemical Co. Ltd; China	Local agent: Agricare E. A. Ltd  Distributor: Agrichem Africa Ltd	Insect growth regulator for the control of Thrips and Aphids on Roses  WHO Class III Slightly hazardous Blue color band REI: When the spray dries
1198.	BUGNIL 20 EC Emulsion Concentrate	PCPB (CR) 1219-P(i)	Propoxur 200 g/L	<b>Manufacturer:</b> Nantong Gongchneng Fine Chemicals Co Ltd, China <b>Registrant/Exporter:</b> Shanghai Hui Song (H&S) Agro-Solution Co. Ltd, China	Local Agent: Highchem Essentials Ltd  Distributor: Oak Medica Ltd	Insecticide for the control of Cockroaches, Bedbugs, Ants <b>WHO Class II</b> (Moderately hazardous, Yellow color band)
1199.	TABIB 500SC Suspension concentrate	PCPB(CR)1379–P(i)	Thiophanate-methyl 500g/L	<b>Manufacturer/Formulator/Registrant:</b> Jiangsu Lanfeng Biochemical Co Ltd, China <b>Exporter:</b> Shanghai E-tong Chemical Co Ltd, China	Local Agent: Kenagro Suppliers Ltd  Distributor: Agrostar East Africa Ltd	Fungicide for control of Powdery mildew and Botrytis on Roses; angular leaf spot on French beans. REI: 12 hours French Beans: PHI: 14days EU MRLs: 0.1mg/kg WHO Class II,

						Moderately hazardous, Yellow color band
1200.	ZEBLIGHT 80 WP Wettable Powder	PCPB(CR)13 39-P(i)	Mancozeb 800 g/kg	<b>Manufacturer/formulator:</b> Shanghai Shenglian Chemical Co. Ltd., China;  <b>Exporter:</b> Zhejiang E-Tong Chemical Co. Ltd	<b>Local Agent:</b> Highchem Essentials Ltd <b>Distributor:</b> Oak Medica Ltd	Fungicide for the control of early & late blight on Tomatoes; angular leaf spot and anthracnose in French beans. <b>WHO Class III</b> Slightly hazardous Blue color band <b>PHI:</b> <b>Tomatoes-</b> EU MRL: 3mg/kg <b>French Beans</b> EU MRL: 1mg/kg
1201.	KINETIC 10% EW Emulsion, Oil in Water	PCPB(CR)15 93-P(i)	Lamba- cyhalothrin 100g/L	Jiangsu Huifeng Agrochemicals Co. Ltd., China	<b>Local agent:</b> Focus Crop Protection Ltd <b>Distributor:</b> Farmfix Africa Co Ltd	Insecticide for control of Caterpillars (cabbage loopers) on Brassicas Kales: EU MRLs Lamba-cyhalothrin-1.0 mg/kg PHI- 7 days WHO Class II; Moderately hazardous; Yellow color band
1202.	ALPHADIME 415 EC Emulsifiable Concentrate	PCPB(CR)0 566	Dimethoate 400g/L + Alpha- Cypermethrin 15g/L	Technical grade Dimethoate from Cheminova AS, Denmark / Technical grade Alpha- Cypermethrin from Bilag Industries, India Formulator: Orion East Africa Limited	Orion East Africa Limited	Insecticide for the control of bollworms, stainers, aphids & loopers in cotton; stem borer on maize, aphids on barley; aphids and whiteflies on morby dick flowers; a thrips, aphids and whiteflies on French beans.
1203.	GYPROM 480 SL Soluble Concentrate	PCPB(CR) 1668	Glyphosate IPA salt 41% w/w	<b>Manufacturer/Formulator:</b> Jiangsu Aijin Agrochemical Co Ltd, China Registrant: Nanjing Essence Fine-Chemical Co Ltd, China. Exporter: Nongwa	East African Business Co. Ltd	Post-emergence herbicide for control of grasses and broad leaved weeds in baby corn under minimum tillage. WHO Class III Blue color band Slightly hazardous

				Agrochem Co. Limited, Hong Kong.		
1204.	DISSRUPT 10.8% EC	PCPB(CR)1 410- <i>p(i)</i>	Pyriproxifen 100 g/L	<b>Manufacturer/ Formulator:</b> Nantong Shizhuang Chemical Co. Ltd; China <b>Exporter:</b> Shanghai Qiaoji International Co. Ltd, China	East African Business Co. Ltd	Insecticide for the control of thrips, whiteflies and aphids on common beans.  <b>Common beans:</b> EU MRL: 0.05 mg/kg PHI: 21 days
1205.	SENATOR 80 WP Wettable Powder	PCPB(CR)15 52	Mancozeb 800g/Kg	<b>Manufacturer/Formulator:</b> Xi an Mpc Stock Co Ltd, China <b>Exporter/Registrant:</b> Ningbo Sunjoy Agrosience Ltd, China	Agrosolutions Ltd	Fungicide for control of early blight and late blight in Potatoes and Tomatoes  Tomato: EU MRL- 3.0 mg/kg PHI- 3 days Potato: EU MRL- 3.0 mg/kg PHI- 7 days <b>WHO Class U</b> Unlikely to present hazard in normal use, Green color band
1206.	GALILEO 12.5 EW	PCPB(CR)14 68	Tetraconazole 125 g/L	Hangzhou Udragon Chemical Company Limited, China	Agrosolution Ltd	Fungicide for the control of powdery mildew on Roses  REI: 24 hours  WHO Class II, Moderately hazardous, Yellow color band.

1207.	SYNERGY 700WG Wettable Granules	PCPB(CR)147 5	Cymoxanil 200g/L + Dimethomorph 500g/L	Manufacturer/formulator: Shaanxi Meibang pesticide China Registrant: Shanghai, Minmetals Developments Ltd, China	Agrosolution Ltd	Fungicide for control of downy mildew in roses. REI: 6hrs  WHO Class III Slightly Hazardous (Blue color band)
1208.	PARADE TOP 750 WDG Water Dispersible Granules	PCPB(CR)147 6	Propineb 600g/Kg + Cymoxanil 150g/kg	Hainan Bosswell Agrochemical Co ltd, China	Greenlife crop protection Ltd	Fungicide for control of downy mildew on roses REI: 6 hrs  WHO Class II Moderately Hazardous; (Yellow color Band)
1209.	ALPHA-MED 100 EC Emulsifiable Concentrate	PCPB(CR)147 7	Alpha cypermethrin 100g/L	Nanjin Redsun Co ltd, China	Bio-Medica Laboratories Ltd	An insecticide for control of aphids, thrips, whiteflies and caterpillars on roses REI: 24hrs  WHO Class II Moderately hazardous, (Yellow color band)
1210.	SUNPHOSATE 360 SL Soluble Concentrate	PCPB(CR)147 8	Glyphosate Ammonium salt 360g/L	Zhejiang Xinan Chemical Industry Group Co ltd	Crop therapy Co Ltd	Post-emergence herbicide for control of some annual and perennial grass and broad leaved weeds in non-cropped areas. REI: 24hrs  WHO Class II Moderately Hazardous; (Yellow color Band)
1211.	BIO CURE F 1.5 WP	PCPB(CR)148 0	<i>Trichoderma viride</i> strain TV-	T.stanes & Company ltd India	Osho Chemical Industries ltd	Biological fungicide for control of Soil- borne fungal pathogens ( <i>Fusarium spp</i> ,

			1 1.5*10 <sup>6</sup> cfu/g			<i>Phytophthora sp, Pythium spp and Vericilium sp</i> in Roses.  REI: When spray dries WHO Class U Unlikely to present acute hazard under normal use Green color band
1212.	AMIDOFA 250 SC Suspension Concentrate	PCPB(CR)148 1	Azoxystrobin 250g/L	Jiangyin Suli Chemical Co ltd, China	Bio-medica Laboratories ltd	Fungicide for control of botrytis and powdery mildew on roses REI: 24hrs  WHO Class II Moderately hazardous, (Yellow color band)
1213.	PRINCESS GOLD 100 SC Suspension Concentrate	PCPB(CR)148 2	Pyriproxyfen 25g/L + Imidacloprid 75g/L	Shanghai Shengnong Pesticide Co ltd, China  <b>Expoter:</b> Flagchem International. China	Greenlife Crop protection Ltd	Insecticide for control of thrips, caterpillars, spidermites, mealy bugs and white flies on roses REI: 12hrs  WHO Class III Slightly Hazardous; (Blue color Band)
1214.	CROP GUARD 80 EC Emulsifiable Concentrate.	PCPB(CR)148 3	Furfural 800g/L	Illovo Sugar Ltd, South Africa	Mura Agriconsultancy Ltd	Nematicide for control of nematodes in Roses. WHO 1b Highly hazardous Red Color Band
1215.	DUDUWAR 50 ME Micro-Emulsion	PCPB(CR)148 4	Lambda Cyhalothrin 50g/L	<b>Manufacturer:</b> Jiangsu Huifeng Agrochemical Co, China <b>Formulator/Registrant:</b> United Bio-Shanghai & Shanghai Pharmaceutical (Xiayi) Co Ltd,	Moiben Connections Ltd	Insecticide for the control Aphids on Cabbages  PHI:3 days Codex MRL 0.03mg/Kg

				China		WHO Class II Moderately hazardous, Yellow color band
1216.	CLASSIC 25% EW Oil Emulsion in water	PCPB(CR)148 5	Tebuconazole 250g/L	<b>Manufacturer/Formulator/Registrant:</b> Ningbo Sunjoy Agrosience Co Ltd, China <b>Exporter:</b> Shanghai E-Tong Chemical Co Ltd, China	Bell Industries Ltd	Fungicide for control of net blotch in Barley PHI: 14days EU MRL: 2mg/kg  <b>WHO Class III,</b> Slightly hazardous; Blue color band
1217.	JAZZ 40WP Wettable Powder	PCPB(CR)148 8	Mancozeb 200g/kg + Carbendazim 200g/kg	<b>Manufacturer/ Formulator/ Registrant:</b> Shaanxi Hengtian Chem-Tech Co ltd, China <b>Exporter:</b> Ningbo Synagrochem Co Ltd, China	Panther LifeScience Ltd	Fungicide for control of Downy mildew and Botrytis on Roses.  REI:  WHO Class II; Moderately hazardous; Yellow Color band
1218.	SOUVENIR 800WDG Water Dispersible Granules	PCPB(CR)148 9	Sulfur 800g/kg	<b>Manufacturer:</b> Fujian Sinodashing Bio-Tech Co., Ltd., China <b>Formulator/Registrant:</b> Farmagro S.A	Greenlife Crop Protection Africa Ltd Ecuador	Fungicide/ Miticide for control of Powdery Mildew and Spider Mites on Roses; fungicide for control of downy mildew, purple blotch and rust in Onions; and rust, angular leaf spot and anthracnose in French beans; for control of early blight, late blight and spider mites in tomatoes, downy mildew, powdery mildew and anthracnose on capsicum;



						powdery mildew in snow peas. WHO Class III Slightly hazardous; Blue color band
1219.	BIGO 400 SC	PCPB(CR)1490	Fluazinam 200g/L + Dimethomorph 200g/L	ADAMA Makhteshim Ltd, Israel	ADAMA Agriculture East Africa Ltd	Fungicide for control of Late blight in Potatoes <b>Dimethomorph &amp; Fluazinam:</b> PHI: 7days EU MRL: 0.05mg/kg WHO Class II Moderately hazardous, Yellow color band
1220.	DISARM 480SC Suspension concentrate	PCPB(CR)1491	Fluoxastrobin 480g/L	<b>Manufacturer:</b> Bayer CropScience USA <b>Formulator:</b> Arysta LifeScience North America, USA <b>Registrant:</b> Arysta Lifescience S.A.S France	Arysta LifeScience	Fungicide for control of Powdery mildew on Roses.  REI:  WHO Class III Slightly hazardous, Blue color band
1221.	ARROW 400SC Suspension Concentrate	PCPB(CR)1492	Chlorothalonil 400 g/l	Manufacturer: Bayer CropScience, Germany, Bayer CropScience, U.S.A Formulator: Bayer S.A.S CropScience, France Registrant: Bayer CropScience, Germany	Bayer E.A ltd	Fungicide seed dresser for the control of seed and soil borne diseases in wheat WHO Class III, slightly hazardous, blue colour band MRL: wheat-0.05mg/kg PHI- 35 days
1222.	REDIGO 100FS Flowable concentrate for seed treatment	PCPB(CR)1493	Prothioconazole 100g/L	Manufacturer: Bayer CropScience, Germany, Bayer CropScience, U.S.A Formulator: Bayer S.A.S CropScience, France Registrant: Bayer CropScience, Germany	Bayer E.A ltd	Fungicide seed dresser for the control of seed and soil borne diseases in wheat WHO Class III, slightly hazardous, blue colour band MRL: wheat-0.05mg/kg PHI- 35 days

1223.	ARIMA 30SC. Suspension Concentrate	PCPB(CR)149 4	Cyenoxyfen 300g/L	<b>Manufacturer/Formulator:</b> Nissan Chemical Industries Ltd, Japan <b>Registrant:</b> Syngenta crop Protection AG, Switzerland	Syngenta East Africa Ltd	Acaricide for control of red spidermites on Roses.  REI: 12hrs  WHO Class II Moderately hazardous, Yellow color band
1224.	WEEDMUSTE R 500SC Suspension Concentrate	PCPB(CR)14 63	Metolachlor 250g/L + Atrazine 250g/L	<b>Manufacturer/Formulator:</b> Shandong Binnong Technology Co., Ltd, China <b>Exporter:</b> Sinochem Ningbo, China	Agrosolutions Ltd	Pre-emergence herbicide for the control of annual grasses and broad-leaved weeds in Maize.  WHO Class III Slightly hazardous Blue color band  EU MRLs Atrazine: 0.1mg/kg Metolachlor: 0.1mg/kg PHI:
1225.	KHITO 1.2 SL	PCPB(CR)136 0- P(i)	Chrysophanol 12g/L	<i>Manufacturer:</i> Onze Livre. BV Netherlands <i>Registrant:</i> Sineria Co.Ltd, Cyprus <i>Formulator:</i> Sineria China.Co.Ltd, Cyprus	Sineria. E.A. Ltd <i>Distributor:</i> Kencrop K) Ltd.	Sineria. E.A. Ltd <i>Distributor:</i> Kencrop K) Ltd. Sineria. E.A. Ltd <i>Distributor:</i> Kencrop K) Ltd.
1226.	ROOTCAP 10G Granules	PCPB(CR) 1409-P(i)	Ethoprophos 100g/kg	<b>Formulator:</b> Zibo Zhoucun Suifeng Pesticide and Chemical Limited Corporation  <b>Registrant/Exporter:</b> Zhejiang E- Tong Chemical	Insecta Ltd: Insect Centre <i>Distributor:</i> Amiran (K) Ltd	Nematicide for the control of nematodes in tomatoes  <b>PHI:</b> Tomatoes – 35 days Codex MRLs – 0.01

1227.	BETA COMBI SC Suspension Concentrate	PCPB(CR)1008-P(ii)	Atrazine 250g/L + Acetochlor 250g/L	Willowood Ltd., China <i>Formulator:</i> Volcano Agrosiences Ltd., South Africa <i>Registrant:</i> Arysta Lifescience S.A.S, France	Arysta Lifescience Kenya Ltd.  <i>Distributor:</i> Sineria E. Africa	Pre-emergence and early post-emergent herbicide for the control of annual broadleaf weeds and grasses in Maize.  WHO Class II, Moderately hazardous Yellow Colour Band
1228.	MIDAS 80 WP	PCPB(CR)0433 -P(iii)	Mancozeb 80%	UPL Ltd, India.	<b>Agent:</b> Dera Chemical Industries Ltd. <b>Distributor:</b> Arysta Life Science (K) Ltd	Fungicide for control of late blight on potatoes and tomatoes.
1229.	PANGA 360 SL Soluble Concentrate	PCPB(CR)0631-P(ii)	Glyphosate acid 360g/L	Transagro Gmbh Germany <i>Formulator:</i> Asiatic Agricultural Industries, Singapore	<b>Agent:</b> Bell Industries Ltd.  <b>Distributor:</b> Sineria Kenya Ltd	Herbicide for the control of weeds in pastures and minimum tillage
1230.	IMIGO 600 FS Flowable Concentrate for seed treatment	PCPB(CR)1523	Imidacloprid 600g/L	Manufacturer of a.i/ <i>Formulator/ Registrant:</i> UPL Limited, India	Elgon K. Ltd	Insecticide for seed treatment to control cutworm, stalk borer and maize streak virus Maize EU MRLs-0.1 mg/kg WHO Class II Moderately hazardous Yellow Color Band

1231.	BILLIONAIRE 500 WP  Wettable Powder	PCPB(CR)16 82	Bifenthrin 273g/kg + Acetamiprid 277g/kg	<b>Manufacturer/Formulator:</b> Shandong United Pesticide industry Co Ltd, China <b>Registrant:</b> Shandong sino- Agri united Biotechnology Co Ltd, China	Greenlife crop protection Africa Ltd	Insecticide for control of whiteflies, thrips, spider mites and caterpillars in roses.  WHO Class II Yellow Color Band Moderately hazardous
1232.	DRUB 300 SC  Suspension Concentrate	PCPB(CR)16 83	Azoxystrobin 220g/L + Difenoconazole 80g/L	<b>Manufacturer/Formulator:</b> Shandong & Fine Agrochemicals Co Ltd, China <b>Registrant/Exporter:</b> Agrohao Co Ltd, China	Amiran Kenya Ltd	Fungicide for control of powdery mildew in roses, angular leaf spot, rust and anthracnose in French beans.  <b>French beans</b> EU MRLs- Azoxystrobin: 3.0mg/kg Difenoconazole: 1.0mg/kg PHI- 7 days  <b>WHO Class II</b> Yellow Color Band Moderately hazardous

1233.	ESTEEM 50 WDG  Water Dispersible Granules	PCPB(CR)16 84	Azoxystrobin 500g/kg	<b>Manufacturer:</b> Shandong Hailir chemicals Co Ltd, China <b>Registrant /Formulator:</b> Hailir Pesticide and chemicals Group Co Ltd, China	Orbit Agro Chemical Industries Ltd	Fungicide for control of downy mildew in roses; downy mildew and leaf spots in cucumber.  WHO Class III Slightly hazardous Blue color band
1234.	BOTREAT 430 SC Suspension Concentrate	PCPB(CR)16 85	Tebuconazole 430g/L	<b>Manufacturer/Formulator:</b> Ningbo Sunjoy Agrosience Co Ltd, China <b>Registrant:</b> Chrystal International BV, Netherlands.	Chrysal Africa Ltd	Post-harvest fungicide for control of botrytis in roses.  WHO Class II Yellow Color Band Moderately hazardous
1235.	GLYSTAR 395 SL Soluble Concentrate	PCPB(CR)16 86	Glyphosate 371 g/L + 2,4-D 24 g/L	<b>Manufacturer/Formulator:</b> Shanghai shenglian Chemical Co Ltd, China <b>Registrant:</b> Shenzhen Yufull industry Co Ltd, China	Botachem Enterprises Ltd	Post-emergence herbicide for control of annual and perennial grasses and broad- leaved weeds in non-cropped areas.  WHO Class III Slightly hazardous Blue color band

1236.	EMBALEM 500 SC  Suspension Concentrate	PCPB(CR)16 87	Iprodione 500 g/L	<b>Manufacturer/Registrant:</b> Nanjing Essence Fine-Chemical Co Ltd, China. <b>Formulator:</b> Jiangsu Lanfeng Biochemical Co Ltd, China	East African Business Company Ltd	Fungicide for control of botrytis in roses.  WHO Class II Yellow Color Band Moderately hazardous
1237.	PROFFIT 300 EC  Emulsifiable Concentrate	PCPB(CR)16 88	Difenoconazole 150 g/L + Propiconazole 150 g/L	<b>Manufacturer/Formulator/Regis trant:</b> Shandong United Pesticide Industry Co Ltd, China	Merrychem Co Ltd	Fungicide for control of powdery mildew in roses.  WHO Class II Yellow Color Band Moderately hazardous
1238.	EM-ACTIN 57 SC  Suspension Concentrate	PCPB(CR)16 89	Emamectin Benzoate 57g/L	<b>Manufacturer:</b> Qingdao KXY Chemical Co Ltd, china <b>Formulator:</b> Qingdao Audis Bio- Tech Co Ltd, China <b>Registrant:</b> Hailir Pesticide and chemical Group Co Ltd, China	Orbit Agrochemical Industries Ltd	Insecticide for control of <i>Tuta absoluta</i> on tomatoes and diamond back moth on cabbages.  WHO Class II Yellow Color Band Moderately hazardous

1239.	ABASI 2% EC  Emulsifiable Concentrate	PCPB(CR)16 90	Abamectin 5 g/L + Beta-cypermethrin 150 g/L	<b>Manufacturer/Formulator:</b> Shandong United Pesticide Industry Co Ltd <b>Registrant:</b> Shandong Sino- Agri United Biotechnology Co Ltd, China	East Africa Business Company Ltd	Insecticide for control of aphids, thrips, spidermites and whiteflies on roses.  WHO Class II Yellow Color Band Moderately hazardous
1240.	APPRENTICE 300 SE  Suspo-Emulsion	PCPB(CR)16 91	Acetochlor 150 g/L + Sulcotrione 150 g/L	<b>Manufacturer/Formulator:</b> Shenyang Sciencreat Chemicals Co Ltd <b>Registrant:</b> Sinochem Agro Co Ltd, China	Greenlife Crop Protection Africa Ltd	Pre-emergence for control of broad-leaved weeds and grasses in maize.  WHO Class II Yellow Color Band Moderately hazardous
1241.	TOPSHOT 60 OD  Oil dispersion in water	PCPB(CR)16 92	Cyhalofop-butyl 500 g/L + Penoxsulam 100 g/L	<b>Manufacturer:</b> Dow Chemicals, USA. <b>Formulator:</b> Dow AgroSciences Indonesia/Dow Chemicals , USA <b>Registrant:</b> Dow Agrosciences Export, France	Dow Chemicals East Africa Ltd	Post-emergence herbicide for control of broadleaved weeds and grasses in paddy rice.  WHO Class III Slightly hazardous Blue color band

1242.	LOTUS 75% SP Soluble Powder	PCPB(CR)16 93	Acephate 750 g/kg	<b>Manufacturer/formulator:</b> Nantong Weilike Chemical Co Ltd, China <b>Registrant:</b> Ningbo Huili Imp. & Exp. Co., Ltd., China	Osho Chemical Industries Ltd	Insecticide for control of aphids, thrips, and whiteflies on roses and fall armyworm on maize.  WHO Class III Slightly hazardous Blue color band
1243.	PYRIBAN 480 EC  Emulsifiable Concentrate	PCPB(CR)16 94	Chlorpyrifos 480 g/L	Gharda Chemicals Ltd, India	Agrichem & Tools Ltd	Insecticide for control of coffee green scales by banding.  NOT FOR FOLIAR USE ON FRUITS AND VEGETABLES  WHO Class II Yellow Color Band Moderately hazardous
1244.	BACTROCERA BLOCK  Block	PCPB(CR)16 96	Methyl Eugenol 99% + Malathion 50% (w/w)	<b>Manufacturer:</b> <b>Malathion:</b> Cheminova, Denmark <b>Methyl-Eugenol:</b> Xi'an Plant Bio- engineering Co Ltd, China  <b>Registrant:</b> Kenya Biologics Ltd	Kenya Biologics Ltd	A wooden block impregnated with an attractant and an insecticide for control of fruit flies ( <i>Bactrocera invadens</i> ) in avocado.  WHO Class II Yellow Color Band Moderately hazardous



1245.	CHRYMAL VIVA 20 SL  Soluble Concentrate	PCPB(CR)16 98	6- Benzyladenine 20 g/L	<b>Manufacturer:</b> Shenghua Group, China  <b>Formulator /Registrant:</b> Chrysal International BV, The Netherlands	Chrysal Africa Ltd	Post-harvest fungicide for improvement of vase life of roses.  WHO Class III Blue color band Slightly hazardous
1246.	MEGA GRO 10 % WT	PCPB(CR)16 99	Gibberellic acid 100 g/kg	<b>Manufacturer:</b> Jiangsu Fengyuan Biological Engineering Co. Ltd <b>Formulator:</b> Zhejiang Qianjing Biochemical Co Ltd, China  <b>Registrant:</b> Ningbo Generic chemical Co Ltd, China	Bio-Medica Laboratories Co Ltd	Plant growth regulator for improving plant vigor in growing roses.  WHO Class II Yellow Color Band Moderately hazardous
1247.	1,4 SIGHT  Liquid aerosol	PCPB(CR)17 00	1,4 Dimethylnapht halene 98.4% (w/v)	<b>Manufacturer:</b> Jiangsu Fengyuan Biological Engineering Co. Ltd <b>Formulator:</b> Zhejiang Qianjing Biochemical Co Ltd, China  <b>Registrant:</b> Ningbo Generic chemical Co Ltd, China	Bio-Medica Laboratories Co Ltd	Plant growth regulator for improving plant vigor in growing roses.  WHO Class II Yellow Color Band Moderately hazardous

1248.	<p>AMPLIGO 150 ZC</p> <p>Mixed formulation of capsule suspension &amp; suspension concentrate</p>	PCPB(CR)1702	<p>Chlorontraniliprole 100 g/L + Lambda-cyhalothrin 50 g/L</p>	<p><b>Manufacturer: Lambda cyhalothrin:</b> Syngenta Huddersfield Manufacturing Center, UK <b>Chlorontraniliprole:</b> (1) DuPont Asturias S. L, Spain (2) E.I. DuPont de Nemours and Company, USA</p> <p><b>Formulator:</b> 1) Syngenta Agro S. A.S, France 2) Syngenta Crop Protection Inc, USA 3) Syngenta South Africa (Pty) Ltd, South Africa</p> <p><b>Registrant:</b> Syngenta Crop Protection AG, Switzerland</p>	Syngenta E. A Ltd	<p>Insecticide for control of fall armyworms on maize.</p> <p>WHO Class II Yellow Color Band Moderately hazardous</p> <p>PHI- 7 Days</p> <p>EU MRLS Chlorontraniliprole – 0.02 mg/kg Lambda-cyhalothrin – 0.02 mg/kg</p>
-------	---	--------------	--	---	-------------------	--

1249.	NASA 360 SL  Soluble Concentrate	PCPB(CR)17 03	Glyphosate acid 360 g/L	<b>Manufacturer of a.i:</b> Imaspro Resources Malaysia <b>Formulator/Registrant:</b> Zenith Crop Sciences Bulgaria.	Eco-harmony E.A ltd	Post-emergence herbicide for control of grasses and broad-leaved weeds in non-cropped areas  WHO Class II Moderately hazardous, Yellow color band
1250.	KWEKWE MASTER 409 SL  Soluble Concentrate	PCPB(CR)17 04	Glyphosate 382g/L + 2,4-D 27g/L	<b>Manufacturer of a.i/Formulator:</b> Shanghai Yuelian Bio- Tech Co., Ltd, China <b>Registrant:</b> Shanghai Hui Song (H & S) Agro-solution Co Ltd, China.	Bestfield East Africa Ltd	Post-emergence herbicide for control of grass and broad leaved weeds in non-cropped areas.  WHO Class III Slightly hazardous, Blue color band

1251.	FLAIR 50 EC Emulsifiable concentrate	PCPB(CR)17 05	Pretilachlor 500 g/L	Manufacturer: Jiangsu Changlong Agrochemical Co. Ltd., China Formulator: Nantong Jinling Agrochemical Co, Ltd., China Exporter: Zhejiang E-Tong Chemical Co Ltd., China Registrant: Shanghai E-Tong Chemical Co. Ltd., China	East Africa Business Limited	Selective pre-emergence herbicide for control of Weeds in paddy rice  Indian MRL-0.1mg/kg PHI- 75 days  WHO Class III Slightly hazardous, Blue color band
1252.	TWIGANICO 40 SC Suspension Concentrate	PCPB(CR)17 06	Nicosulfuron 40g/L	Sinochem Ningbo Chemical Ltd, China	Twiga Chemical Ltd	Post-emergence herbicide for control of Broad leaved weeds, annual grasses and sedges in Baby corn & maize.  WHO Class III Slightly hazardous Blue Color band  MRL: 0.02mg/Kg when applied at 3-5 leaf stage

1253.	STROBIN EXTRA 325 SC  Suspension Concentrate	PCPB(CR)17 07	Difenoconazole 125g/L + Azoxystrobin 200g/L	Shandong United Pesticide Industries Ltd, China	Agrichem and tools Ltd	Fungicide for control of powdery mildew on roses REI: 24hrs  WHO Class II, Moderately hazardous, Yellow color band
1254.	SURESTART 509 SE  Suspo-Emulsion	PCPB(CR)17 08	Acetochlor 450 g/L + Clopyralid 35 g/L + Flumetsulam 14 g/L + Furizole (safener) 10.79 g/L)	<b>Manufacturer:</b> <b>Acetochlor:</b> Monsanto <b>Clopyralid:</b> Dow Agrosciences Ltd, UK <b>Flumetsulam:</b> Dow Agrosciences, S.A., France <b>Toll Formulator:</b> Van Diest Supply Company, USA. <b>Registrant:</b> Dow AgroSciences Export	Dow Chemical East Africa Ltd	Pre-emergence herbicide for control of grasses and broad-leaved weeds in maize EU MRLs: Acetochlor- 0.01 mg/kg Clopyralid – 2 mg/kg Flumetsulam-0.01 mg/kg WHO Class II Yellow color band Moderately hazardous

1255.	STEWARD 0.3 GR Granular	PCPB(CR)17 11	Fipronil 3 g/kg	<b>Manufacturer/Formulator</b> Parijat Industries (India) Pvt. Limited, India	Dipchem East Africa Ltd	Insecticide for control of stem borers in rice. MRL: 0.01 mg/kg PHI: 45 days  WHO Class III, Slightly hazardous, Blue color band  <i>Termiticide for control of termites in building and construction and agroforestry.</i>
1256.	REQUIEM PRIME EC 152.3  Emulsifiable Concentrate	PCPB(CR)17 01	Terpenoid Blend (alpha terpine, p-cymene, d- linonene) 152.3 g/L	AgraQuest de Mexico S.A. De C.V., Mexico  <b>Formulator:</b> Bayer Crop Science France <b>Registrant:</b> Bayer AG, Germany	Bayer East Africa Ltd	control of spider mites in roses; whiteflies on tomatoes; thrips and whiteflies on French beans. WHO Class U Green Color Band, Unlikely to present acute hazard under normal use

1257.	DREAM 130 SC  Suspension Concentrate	PCPB (CR) 1603- <i>P(i)</i>	Imidacloprid 100 g/L+ Lambda cyhalothrin 30g/L	<b>Manufacturer of a.i:</b> King Chemical Company Ltd, China <b>Formulator/Registrant:</b> Jiangsu International Group FZE, Group, United Arab Emirates.	Magnetic (K) Ltd	Insecticide for control of aphids, thrips and whiteflies on roses.  REI: 6 hours  WHO Class II, Moderately Hazardous Yellow Color Band
1258.	CHANCETYL ELITE 80 WDG  Water Dispersible Granules	PCPB(CR)13 03	Fosetyl- Aluminium 80%	Zhejiang Jiahua Chemical Co. Ltd, China	Greenlife Crop protection Africa Ltd	Fungicide for the control of Downy mildew on Roses, squash, cabbage and snow peas; ringspot on Carnations; downy mildew, purple blotch and rust in onions, downy mildew, powdery mildew and anthracnose in parsley; downy mildew in capsicum and damping-off in French beans  <b>Parsley:</b> EU MRLs - 75 mg/kg <b>Onions</b> EU MRLs - 50 mg/kg PHI- 10 days  <b>Capsicum</b> EU MRLs-130 mg/kg PHI-3 days <b>French beans</b> EU MRLs-2 mg/kg

						PHI-3 days  <b>WHO Class III</b> , slightly hazardous; blue colour band
1259.	MISSILE 75% SP  Water Soluble Powder	PCPB(CR)17 10	Acephate 750g/Kg	Devidayal Ltd, Nariman point, Mumbai, India	Agrichem and Tools Ltd	Agricultural insecticide for control of aphids, thrips and cutworms in French beans.  <i>Insecticide for control of aphids, thrips and whiteflies on roses.</i>
1260.	LEVO 2.4 SL  Soluble Concentrate	PCPB(CR)10 17	Oxymatrine 2.4%	Sineria Co. Ltd., China	Sineria Kenya Limited <i>Distributor:</i> Chemtura (Pty) Ltd	Insecticide/miticide for the control of aphids and spidermites on Roses and Tomatoes; aphids and whiteflies on French beans  REI: After drying of spray  <b>Tomatoes:</b> MRL 0.5mg/Kg PHI – 1 day



						WHO Class U, Unlikely to cause hazard in normal use. Green Colour band
1261.	TIHAN OD 175 Oil Dispersion	PCPB(CR)14 02	Spirotetramat 75g/L + Flubendiamide 100 g/L	Spirotetramat: Bayer AG, Germany Flubendiamide: Nihon Nohyaku/ Bayer AG,	Bayer East Africa Ltd	Insecticide for control of thrips, aphids and Tuta absoluta in tomatoes; thrips and aphids on French beans and mealybugs on cotton, aphids in broccoli; for the control of thrips and aphids on snow peas. Snow peas EU MRL: Spirotetramat- 1.5 mg/kg Flubendiamide- 1.5 mg/kg PHI- 1 day. French beans: EU MRL: Spirotetramat- 1.5 mg/kg Flubendiamide- 0.5 mg/kg PHI- 14 days. Tomatoes: EU MRLs: Flubendiamide: 0.2mg/kg Spirotetramat: 2mg/kg PHI: 7days. Broccoli EU MRL: Spirotetramat - 1.0 mg/kg Flubendiamide- 0.01 mg/kg PHI: 14 days WHO Class II (Slightly hazardous; Yellow Color Band)

1262.	LEXUS 247 SC	PCPB(CR)14 32	Lambda-cyhalothrin 106g/L + Thiamethoxam 141g/L	<b>Manufacturer:</b> Sinochem Ningbo Ltd, China. <b>Formulator/Registrant:</b> Sinochem Paraguay Ltd.	<b>Agent:</b> Greenlife Crop Protection Africa. Ltd.	Insecticide for the control of thrips, whiteflies and aphids on roses, tomatoes and capsicum, French beans and onions; diamond back moth and aphids on cabbage; aphids, thrips and caterpillars on Broccoli  <b>French beans:</b> EU MRL-Thiamethoxam: 0.3mg/kg Lambda cyhalothrin: 0.2mg/kg PHI- 14 days <b>Cabbage:</b> Codex MRL: Thiamethoxam: 5.0 mg/kg Lambda cyhalothrin: 0.5 mg/kg PHI- 14 days <b>Onion:</b> EU MRL Thiamethoxam: 0.01mg/kg Lambda cyhalothrin: 0.2 mg/kg PHI- 14 days <b>Tomatoes:</b> EU MRL: Thiamethoxam-0.2mg/kg Lambda-cyhalothrin-0.1mg/ha PHI-7 Days. <b>Capsicum:</b> Thiamethoxam-0.7mg/kg Lambda-cyhalothrin-0.1 mg/ha PHI-7 Days REI-12 hrs <b>Broccoli</b> <b>EU MRLs:</b>
-------	--------------	------------------	--	--	--	---

						<p>Thiamethoxam: 0.3 mg/kg Lambda cyhalothrin: 0.1 mg/kg</p> <p><b>WHO Class II</b>, Slightly hazardous, Blue color band.</p>
--	--	--	--	--	--	---

1263.	EXPLORER 0.3 SL Soluble Liquid	PCPB(CR)12 20	Eugenol 3g/L	Manufacturer: Shandong A & Fine Agrochemicals Co., Ltd., China Exporter: Ningbo Yihwei Chemicals Co., Ltd., China	<b>Agent:</b> Greenlife Crop Protection Africa Ltd	Fungicide for the control of grey mold in tomatoes, and botrytis blight on French beans; powdery mildew in roses; downy mildew, purple blotch and rust in Onions, powdery mildew, anthracnose in Capsicum and powdery mildew, downy mildew, anthracnose and rust in Snowpeas; Powdery mildew, Downy Mildew and anthracnose on Parsely, powdery mildew, downy mildew, angular leafspot, rust and anthracnose in chives  <b>WHO Class III</b> , Slightly hazardous Blue color band. Proposed MRL: French beans & Tomatoes - 0.5mg/kg PHI: 1 day.
-------	--------------------------------------	------------------	--------------	---	--	--

1264.	<p>KINGCODE ELITE 50 EC</p> <p>Emusifiable Concentrate</p>	<p>PCPB(CR)11 94</p>	<p>Acetamiprid 35g/L + Lambda- cyhalothrin 15g/L</p>	<p><b>Acetamiprid:</b> Sinochem Hebei Corporation, China. <b>Lambda cyhalothrin:</b> Sinochem Shanghai Co Ltd, China. <b>Formulator:</b> Shandong Weifang Shungxing Pesticide Co, Ltd, China <b>Exporter:</b> Sinochem Shanghai Co Ltd, China <b>Registrant:</b> Sinochem Shanghai Co Ltd, China</p>	<p><b>Agent:</b> Greenlife Crop Protection Africa Ltd</p>	<p>Fungicide for the control of grey mold in tomatoes, and botrytis blight on French beans; powdery mildew in roses; downy mildew, purple blotch and rust in Onions, powdery mildew, anthracnose in Capsicum and powdery mildew, downy mildew, anthracnose and rust in Snowpeas; Powdery mildew, Downy Mildew and anthracnose on Parsely, powdery mildew, downy mildew, angular leafspot, rust and anthracnose in chives</p> <p><b>WHO Class III</b>, Slightly hazardous Blue color band. Proposed MRL: French beans &amp; Tomatoes - 0.5mg/kg PHI: 1 day.</p> <p>Insecticide for the control thrips and aphids on roses and french beans; thrips on carnations, and aphids and whiteflies on kales; aphids on wheat; aphids, whiteflies and thrips on tomatoes and runner beans; stem borers, leaf miners, shoot flies and leaf hopper on rice.</p> <p><b>WHO Class II</b> Moderately hazardous, Yellow color</p>
-------	--	--------------------------	--	--	---	--

						<p>band.</p> <p><b>French beans:</b> MRL: Lambdacyhalothrin: 0.2mg/Kg Acetamiprid: 0.2mg/Kg PHI: 5 days</p> <p><b>Kales:</b> - MRL: Lambdacyhalothrin: 0.1mg/Kg Acetamiprid : 0.1mg/Kg PHI: 7 days To apply when insects first appear.</p> <p><b>Wheat:</b> EU MRL: Acetamiprid- 0.03 mg/kg Lambda-cyhalothrin- 0.05 mg/kg PHI- 28 days</p> <p><b>Tomatoes</b> EU MRLs: Acetamiprid-0.5mg/kg Lambda- cyhalothrin- 0.1mg/kg PHI-5 days</p> <p><b>Runner beans</b> EUMRLs: Runner beans: Lambda cyhalothrin- 0.2mg/kg, Acetamiprid-0.6mg/kg PHI-7days</p> <p><b>Rice</b> Acetamiprid-0.01mg/kg Lambda- cyhalothrin- 1mg/kg PHI-21days</p>
--	--	--	--	--	--	---

--	--	--	--	--	--	--



1265.	BACIGUARD 16 WDG  Water dispersible granules	PCPB(CR)12 38	<i>Bacillus thuringiensis</i> var: <i>aizawai</i> sero H7 subtype HKA2000 16000IU/mg	<b>Source /Formulator/ Registrant :</b> Hubei Kangxin Agroindustry Co Ltd	<b>Agent:</b> Greenlife Crop Protection Africa Ltd	Biological insecticide for the control of Caterpillars on Roses; caterpillars on chives  <i>WHO Classification is not applicable for Biopesticides.</i>
1266.	RADIANT 120 SC  Suspension Concentrate	PCPB(CR)10 48	Spinetoram 120g/L	Dow Agrosiences, USA; <b>Additional Manufacturer:</b> Evonik Jayhawk Fine Chemicals Corporation, USA. <i>Formulator:</i> King's Lynn, U.K.	<b>Agent:</b> Dow Chemical E.A Ltd, Nrb	Insecticide for the control of Caterpillars and thrips in French beans; bollworms and whiteflies on Tomatoes; fall army worms in maize.  WHO Class III Blue Colour Band Slightly hazardous  <b>French beans</b> EU MRL: 0.5 mg/kg PHI – 3 days  <b>Tomatoes:</b> EU MRL- 0.5 mg/kg PHI- 3 days <b>Maize</b> EU MRL- 0.5 mg/kg PHI- 3 days



1267.	<p>SHOTGUN 20% SP</p> <p>Soluble Powder</p>	<p>PCPB(CR) 1670</p>	<p>Acetamiprid 200g/kg</p>	<p><b>Manufacturer/Formulator:</b> Jiangsu Huangma Agrochemicals Co. Ltd, China <b>Registrant:</b> Ningbo Huili Import &amp; Export Co. Ltd, China</p>	<p>Osho Chemical Industries Limited</p>	<p>Insecticide for control of aphids, whiteflies and thrips on roses; whiteflies on tomatoes; aphids and whiteflies on cucumber and French beans.</p> <p>WHO class III Blue color band Slightly hazardous</p> <p><b>EU MRLs:</b> Cucumber-0.3mg/kg Tomatoes- 0.5mg/kg French beans-0.6mg/kg Broccoli-.4mg/kg Snow peas-0.6mg/kg Onions-0.02mg/kg capsicum- 0.3mg/kg</p> <p><b>PHI:</b> Cucumber- 3 days Tomatoes, Broccoli, snow peas, onions, capsicum and French beans 7 days</p>
-------	---	--------------------------	--------------------------------	--	---	---

1268.	<p>NEMAMECTIN 50 EW</p> <p>Oil emulsion in water</p>	<p>PCPB (CR)1620</p>	<p>Abamectin 50g/L</p>	<p><b>Formulator:</b> Qingdao Hansen Biologic Science Co Ltd, China <b>Registrant/ Exporter:</b> Shenzhen Yufull Industry Co Ltd, China</p>	<p>Kenagro Suppliers Ltd</p>	<p>Miticide for the control of spider mites in roses; nematodes in roses by drenching.</p> <p>REI: 6hours</p> <p>WHO Class II Moderately hazardous Yellow Colour Band</p>
-------	--	--------------------------	----------------------------	---	----------------------------------	---

1269.	DOMAIN 25% EC  Emulsifiable Concentrate	PCPB(CR)11 26	Difenoconazole 250g/L	<b>Manufacturer:</b> Shanghai Shengning Pesticides Co. Ltd. China <b>Formulator/Registrant:</b> Congty TNH H Alfa (Sai Gon) – Vietnam-	Greenlife Crop Protection Africa Ltd	Fungicide for control of powdery mildew on Roses; rust, angular leaf spot, anthracnose on runner bean and French beans, and aschochyta leaf spot on snow peas ; powdery mildew, anthracnose and downy mildew in Capsicum, downy mildew, purple blotch and rust in Onions; powdery mildew, downy mildew and anthracnose in parsley  <b>WHO Class U</b> Unlikely to present hazard in normal use, Green color band REI: When spray dries. <b>Capsicum:</b> EU MRL- 0.8 mg/kg PHI: 7days <b>Onion:</b> EU MRL- 0.5 mg/kg PHI: 7days <b>Parsely</b> EU MRL- 10.0 mg/kg PHI: 7days
-------	---	------------------	--------------------------	---	--------------------------------------	---

1270.	<p>RANSOM 600WP</p> <p>Wettable powder</p>	PCPB(CR)1230	<p>Carbendazim 570 g/Kg + Triadimefon 30g/Kg</p>	<p><b>Manufacturer/ Formulator/ Registrant:</b> Jiangsu Sandi Chemistry Co Ltd, Jiangsu, China  <b>Exporter:</b> Shanghai Qiaoji International Co Ltd; China</p>	<p>Greenlife Crop Protection Africa Ltd</p>	<p>Fungicide for the control of Rust on Carnations; downy mildew and purple blotch in onions.</p> <p><b>Onions EU MRLs-</b>          Carbendazim: 0.1mg/kg          Triadimefon: 0.01mg/kg  <b>PHI-</b> 60 days</p> <p>WHO Class III          Slightly Hazardous;          Blue color band          REI: When the spray dries</p>
-------	--	--------------	--	--	---	---

1271.	<p>PROPHOS 10 GR</p> <p>Granular</p>	<p>PCPB(CR)14 47</p>	<p>Ethoprophos 100g/kg</p>	<p><b>Manufacturer/Formulator/ Registrant:</b> Jiangsu Fengshan Group Co Ltd, China <b>Exporter:</b> Ranjit Insecticides Pvt Ltd India.</p>	<p>East African Business Company Ltd</p>	<p>Nematicide for the control of plant parasitic Nematodes on Roses; plant parasitic Nematodes on potatoes.</p> <p><b>Potatoes</b> EU MRL- 0.05mg/kg PHI- 80 days</p> <p>REI: 24 hours</p> <p>WHO Class II Moderately Hazardous Yellow Color Band</p>
-------	--------------------------------------	--------------------------	--------------------------------	---	--	---

1272.	<p>LANCELOT 450 WG</p> <p>Wettable granules</p>	<p>PCPB(CR)13 34</p>	<p>Florasulam 150g/kg + Aminopyralid 300g/kg</p>	<p><b>Registrant:</b> Dow AgroSciences, France</p> <p><b>Formulators:</b></p> <ol style="list-style-type: none"> <li>Dow AgroSciences Torre S.r.l, Italy</li> <li>The Dow Chemical Company, USA</li> </ol> <p>Schirm GmbH (Luebeck), Germany</p>	<p>Dow Chemical E.A Ltd, Nairobi</p>	<p>Wheat and barley</p> <p>WHO Class U Unlikely to present hazard in normal use; Green color band</p> <p><b>Wheat:</b> <b>Aminopyralid:</b> MRL: 0.1mg/kg PHI: 80days <b>Florasulam:</b> MRL: 0.01mg/kg PHI: 80days</p> <p><b>Barley EU MRLs:</b> Aminopyralid: 0.1mg/kg Florasulam: 0.01mg/kg <b>PHI:</b> 80days</p>
-------	---	--------------------------	--	--	--	---

1273.	KUNGUNIL 200 SL	PCPB(CR)10 82 <i>P(ii)</i>	Imidacloprid 200g/L	Shandong United Pesticide Industry Co. Ltd., Jinan, China	Greenlife Crop Protection Africa Ltd.	. Insecticide for control of bed bugs in public places.  WHO Class III Slightly Hazardous (Blue Color Band) REI: 12 hours
1274.	GEMTRACK	PCPB(CR)16 55	Z-11- hexadecenyl acetate 0.030mg/lure+ Z-11- hexadecenal 0.06mg/lure+	Zhangzhou Enjoy Agriculture Technology Co Ltd, China	Kenya Biologics Ltd	Pheromone trap for monitoring of <i>Plutella xylostella</i> (Diamondback moth) in brocolli  WHO Class U Unlikely to present hazard Green Color Band

			Z-11-headecen-1-ol 0.010mg/lure			
1275.	SECURE 240 SC  Suspension Concentrate	PCPB(CR)16 56	Chlorfenapyr 240g/L	<b>Manufacture a.i /Formulator:</b> BASF Corporation, USA <b>Registrant:</b> BASF SE, Germany	BASF East Africa Ltd	Miticide for the control of spidermites in roses.  WHO Class II Yellow Color Band Moderately hazardous
1276.	CHOMAWID 460 AS  Aqueous Suspension	PCPB(CR)16 57	Glyphosate IPA 460g/L	<b>Manufacturer:</b> Jiangxi Jinlong Chemical Co Ltd, China <b>Formulator/ Registrant/:</b> Wemax Agro Ltd	Cropanet Plaass Ltd	Post-emergence herbicide for control of annual and perennial grasses and broad-leaved weeds in non-cropped areas.  WHO Class III Slightly hazardous Blue color band
1277.	ICIPE TSETSE REPELLENT BLEND  Liquid To be used in a prototype dispenser	PCPB(CR)16 58	Guaicol 22.2% +Pentanoic Acid 33.3% +Geranylacetone 11.2% + Gamma-octalactone 33.3%	<b>Manufacturer:</b> source locally Formulator/Registrant: ICIPE, Nairobi, Kenya	ICIPE, Kenya	Repellant for control of tsetse flies on cattle.  WHO Class U Unlikely to present hazard Green Color Band



1278.	SPEAR 325 SC Suspension Concentrate	PCPB(CR)16 60	Azoxystrobin 200g/L +Difenoconazole 125g/L	Jiangyin Suli Chemical Co Ltd, China	Bio-Medica Laboratories Ltd	Fungicide for control of botrytis and downy mildew in roses.  WHO Class U Unlikely to present hazard Green Color Band
1279.	SPEAR 325 SC Suspension Concentrate	PCPB(CR)16 60	Azoxystrobin 200g/L +Difenoconazole 125g/L	Jiangyin Suli Chemical Co Ltd, China	Bio-Medica Laboratories Ltd	Fungicide for control of botrytis and downy mildew in roses.  WHO Class U Unlikely to present hazard Green Color Band
1280.	ATTRIL 50 EC Emulsifiable Concentrate (New trade name ATTRIL 50 EC)	PCPB(CR)16 62	Acetamiprid 500g/L	<b>Manufacturer/ Formulator:</b> Shandong United Pesticide Industry Co Ltd, China <b>Exporter/Registrant:</b> Shandong Sino-Agri United Biotechnology Co Ltd, China	Merrychem Company Ltd	Insecticide for control of whiteflies, thrips and leafminer on tomatoes at early stages before harvesting.  WHO Class II Yellow Color Band Moderately hazardous
1281.	FUNGINIL 720 SC Suspension Concentrate	PCPB(CR)16 64	Chlorothalonil 720g/L	<b>Manufacturer/Formulator:</b> Jiangsu Xinhe Agrochemical Co Ltd, China <b>Exporter/Registrant:</b> Ningbo Huili Import & Export Co Ltd, China	Osho Chemical Industries Ltd	Fungicide for control of botrytis and downy mildew in roses  WHO Class II Yellow Color Band Moderately hazardous

1282.	PROTACOL 80 WP  Wettable Powder	PCPB(CR)1665	Propineb 800 g/kg	<b>Manufacturer of A.I/ Formulator:</b> Hunan Farmland Crop Science, China <b>Registrant/ Exporter:</b> Wemax Agro Limited, China	Cropanet Plaas Ltd	Fungicide for control of late blight and early blight in tomatoes.  WHO Class III Slightly hazardous Blue color band  EU MRLs: 3mg/kg PHI: 7 days
1283.	ENGIN 22 ZC Mixed formulation of Suspension Concentrate and Capsule Suspension	PCPB(CR)1666	Lambda-cyhalothrin 94g/L + Thiamethoxam 124g/L	<b>Manufacturer/Formulator:</b> Jiangsu Huifeng Agrochemical Co. Ltd. China. <b>Registrant:</b> Shanghai Hui Song (H&S) Agro-Solution Co.Ltd., China.	Highchem Marketing Ltd, Essentials Division	Insecticide for control of whiteflies, thrips and mealybugs on roses; aphids and diamond back moth in cabbages.  WHO Class III Slightly hazardous Blue color band  <b>Cabbages</b> EU MRL- Lambda cyhalothrin:0.2mg/kg CODEX MRL- Thiamethoxan:5mg/kg PHI: 7 days
1284.	BLADE 200 SL  Soluble Concentrate	PCPB(CR)1667	Glufosinate-ammonium 200g/L	<b>Manufacturer/Formulator/Registrant:</b> Changshu Pesticide Factory Co., Ltd. China. <b>Exporter:</b> Ningbo Yihwei Chemicals Co. Ltd., China	Farmfix Africa Limited	Post emergence herbicide for control of broad leaved weeds and grasses in non- cropped areas.  WHO Class II Yellow Color Band

						Moderately hazardous
1285.	DEXTUR 60% WG  Water dispersible Granules	PCPB(CR)16 69	Metsulfuron-methyl 600g/kg	<b>Manufacturer:</b> Zhejiang Tide Cropscience Co., ltd. China <b>Registrant:</b> Ningbo Tide Imp& Exp. Co., ltd. China	Clove Agro Africa Limited	Post-emergence herbicide for the control of annual broadleaved weeds in wheat and barley.  WHO Class III Blue color band Slightly hazardous EU MRLs-0.01 mg/kg
1286.	<b>TIFER 50 EC</b>	PCPB(CR)16 71	Lambda cyhalothrin 50g/L	<b>Manufacturer/Formulator:</b> Jiangsu Huangma Agrochemicals Co., Ltd. China <b>Registrant:</b> Ningbo Generic Chemicals Co. Ltd. China	Atlas Agro Africa Limited	Insecticide for control of aphids and thrips on cabbage and French beans.  WHO Class II Yellow Color Band Moderately hazardous <b>Cabbages and French beans</b> EU MRLs: 0.2mg/kg PHI: 7 days

1287.	IMIDAFLO 52 FS Flowable concentrate for seed treatment	PCPB(CR)16 72	Imidacloprid 50% + Difenoconazole 1% + Fludioxonil 1%	<b>Manufacturer/Formulator:</b> Beijing Yoloo Bio-Technology Co., Ltd. China. <b>Registrant:</b> Beijing Bioseen Crop Sciences Co. Ltd., China	Kenagro Suppliers Limited	Seed treatment fungicide/insecticide for control of bean flies and pythium in French beans.  WHO Class II Yellow Color Band Moderately hazardous <b>French beans</b> EUMRLs: Difenoconazole and Fludioxonil-1.0mg/kg <b>Snowpeas</b> EU MRL: imidacloprid- 5.0mg/kg PHI- 53 days.
1288.	UNICORN 74.5 WG  Wettable Granules	PCPB(CR)16 77	Sulphur 700g/kg + Tebuconazole 45g/kg	Sulphur Mills Ltd, India	Cropcare Kenya Ltd	Fungicide for control of powdery mildew on roses. REI: 12 hours  WHO Class U Unlikely to present hazard under normal use; Green Colour Band
1289.	HERITAGE GOLD 250 SC  Suspension Concentrate	PCPB(CR)16 78	Lufenuron 50g/L + Thiamethoxam 200g/L	<b>Manufacturer:</b> Suzhou Chems Chemical Co Ltd, China <b>Formulator/Registrant:</b> Farmagro SA, Ecuador	Greenlife Crop Protection Africa Ltd	Insecticide for control of thrips, mealybugs, whiteflies and caterpillars on roses.  REI: 24hours  <b>WHO Class II</b> Moderately hazardous, Yellow Color Band

1290.	SOLVIT 175 EW	PCPB(CR)16 80	Fenpropidin 125g/L+ Penconazole 50g/L	<b>Manufacturer of a.i.s:</b> <b>Fenpropidin:</b> DSM Nutritional Product AG; Switzerland <b>Penconazole:</b> i) Nippon Kayaku Co Ltd, Japan; ii) Zhejiang Bosst CropScience Co Ltd, China  <b>Registrant/Formulator:</b> Syngenta Crop Protection AG, Switzerland	Syngenta E.A Ltd	Fungicide for the control of powdery mildew in roses.  WHO Class II Yellow Color Band Moderately hazardous
1291.	DYNASTY 70% WDG  Water dispersible granules	PCPB(CR)16 81	Propineb 700g/kg	<b>Manufacturer/Formulator:</b> <b>Nantong Baoye Chemical Co Ltd., China</b> Exporter/Registrant: <b>Hangzhou Topagro Bioscience Co Ltd., China</b>	East African Business Company Ltd	Fungicide for control of downy mildew in roses.  WHO Class III Blue color band Slightly hazardous
1292.	BENOCARB 10SC Suspension Concentrate	PCPB(CR)1 588	Indoxacarb 85g/L + Emamectin benzoate 15g/L	Shandong A & Fine Agrochemicals Co Ltd, China. Oasis Agroscience Co. Ltd, China	Kenagro Suppliers Ltd	Insecticide for control of caterpillars on roses; for the control of Tuta absoluta in tomatoes. EU MRLs: Indoxacarb- 0.5 mg/kg Emamectin benzoate- 0.02 mg/kg PHI- 3days REI: 6 hours WHO Class II, Moderately hazardous, Yellow color Band

1293.	BELLERIN 2.5 % EC Emulsion Concentrate	PCPB(CR)1 456	Deltamethrin 2	Gharda Chemicals Ltd, India	Bell industries Ltd	Insecticide for control of aphids, thrips, Caterpillars, whiteflies on roses. <b>REI:</b> 6hours <b>WHO Class II</b> Moderately hazardous, Yellow color band
1294.	JOJEMI WEEDX 41% SL Soluble Concentrate	PCPB(CR)1 098 – p(v)	Glyphosate IPA 41% w/w	Shenyang Sciencreat Chemicals Ltd, China	Nurichem Enterprises Ltd	Herbicide for control of annual and perennial grasses and broad-leaved weeds in maize and zero /minimum tillage system  <b>WHO Class II</b> Moderately hazardous, Yellow color band
1295.	ACOSTER 5 EC  Emulsifiable Concentrate	PCPB(CR)1 712	Abamectin 50 g/l	<b>Manufacturer/Formulator:</b> Jinan Shibang Agrochem Co. Ltd, China. <b>Registrant:</b> Wemax Agro Ltd.	Cropanet Plaass Ltd	Insecticide/ nematicide for control of nematodes and thrips in roses, insecticide for control of thrips in tomatoes.  <b>Tomatoes:</b> EU MRL: 0.09mg/kg PHI- 3days  <b>WHO Class II</b>

						Yellow Color Band Moderately hazardous
1296.	ADAFORCE 20 EW  Oil emulsion in water	PCPB(CR)171 3	Fosthiazate 200g/l	<b>Manufacturer/Formulator:</b> Jiangxi Zhongxun Agro-Chemical Co. Ltd, China <b>Registrant:</b> Wemax Agro Limited	Cropanet Plaass	Nematicide for control of nematodes in roses.  WHO Class II Yellow Color Band Moderately hazardous
1297.	BARROT 700 WDG  Water Dispersible Granules	PCPB(CR)171 4	Imidacloprid 700 g/kg	Hailir Pesticides and Chemical Group Co., ltd, China	<b>Agent/Distributor:</b> United Agrochemicals .Ltd	Insecticide for control of aphids, thrips and whiteflies on roses.  WHO Class II Moderately hazardous Yellow color band
1298.	BENTO 560 SL  Soluble Concentrate	PCPB(CR)171 5	Bentazone 560 g/l	<b>Manufacturer/Formulator/Registrant:</b> Jiangsu Repont Pesticide Factory Co.	Agrichem Africa Ltd.	Early post-emergence herbicide for control of annual broad leaved weeds in common beans.  WHO Class II Yellow Color Band Moderately hazardous
1299.	CORUM 72 WP  Wettable Powder	PCPB(CR)171 6	Mancozeb 640g/kg + Cymoxanil 80g/kg	Jiangbo Agrochemical Technology Company Ltd, china	<b>Agent/Distributor:</b> United Agrochemicals .Ltd	Fungicide for control of early blight and late blight in tomatoes.  WHO Class III Slightly hazardous Blue color band

1300.	DEBAR 450 SL Soluble Concentrate	PCPB(CR)171 7	Glyphosate acid 450g/l	<b>Manufacturer:</b> Nantong Jiangshan agrochemical & chemicals limited, China <b>Registrant:</b> Sino chem. agro co., ltd, China	Amiran K Ltd	Post-emergence herbicide for control of broad leaved weeds and perennial grasses in baby corn.  WHO Class II Yellow Color Band Moderately hazardous
1301.	DUDUFIX 90 SC Suspension Concentrate	PCPB(CR)171 8	Indoxacarb 60g/L + Abamectin 30g/L	<b>Manufacturer/Formulator:</b> Jiangsu Subin Agrochemical Co., Ltd, China. <b>Registrant:</b> Shenzhen Yufull Industries co., Ltd, China	Botachem Enterprises Ltd.	Insecticide for control of caterpillars on roses.  WHO Class II Yellow Color Band Moderately hazardous
1302.	EVADE 80 WP Wettable Powder	PCPB(CR)171 9	Mancozeb 800g/kg	Coromadel international Ltd, India	East African business company limited	Fungicide for control of rust and ring spot in carnations.  WHO Class III Blue Color Band Slightly hazardous
1303.	FASTRUNO 500 SC Suspension Concentrate	PCPB(CR)172 0	Fenhexamid 500g/L	<b>Manufacturer :</b> Shanghai Agro-tech co., ltd, China <b>Formulator /Registrant:</b> Totals Insumos S.A. Nicaragua.	Greenlife Crop Protection Africa Ltd	Fungicide for control of botrytis in roses.  WHO Class III Blue Color Band Slightly hazardous



1304.	FLONEX 15 SC Suspension Concentrate	PCPB(CR)172 1	Indoxacarb 150g/L	<b>Manufacturer/Formulator/Registrant:</b> Jingbo Agrochemicals Technology Co., Ltd, China	Agrichem Africa Ltd	Insecticide for control of Diamond back moth and cabbage loopers in cabbages and caterpillars in roses.  WHO Class II Yellow Color Band Moderately hazardous
1305.	JEMBE STAR 50% SL Soluble Concentrate	PCPB(CR)172 2	Glyphosate dimethyl amine 38% w/w + 2, 4-D 12% w/w	Jiangsu good harvest-Weien Agrochemical Co., Ltd, China	Greenlife Crop protection Africa Ltd	Post-emergence herbicide for control of annual broad leaved weeds and grasses in non-cropped areas.  WHO Class III Slightly hazardous Blue color band
1306.	METACHLORO 720 WP Wettable Powder	PCPB(CR)172 3	Metalaxyl 80g/kg + chlorothalonil 640g/kg	Zhejiang Heben pesticides and chemicals co., ltd, China.	Farmcare Solutions limited	Fungicide for control of downy mildew and botrytis on roses.  WHO Class III Slightly hazardous Blue color band
1307.	METADEW 400 EW Oil emulsion in water	PCPB(CR)172 4	Dodemorph acetate 400 g/L	<b>Manufacturer:</b> Jiangsu Subing Agrochemical Co. Ltd, China <b>Formulator/Registrant:</b> VPDD CONG TY SHANGHAI E-TONG, Viet nam	Kenagro Suppliers Ltd.	Fungicide for control of powdery mildew in roses.  WHO Class III Slightly hazardous Blue color band

1308.	METAPROP 25% WP Wettable Powder	PCPB(CR)172 5	Metalaxyl 150g/kg + Propamocarb hydrochloride 100g/kg	Zhejiang Heben pesticides and chemicals co., ltd, China.	Farmcare Solutions limited	Fungicide for control of downy mildew in roses.  WHO Class III Slightly hazardous Blue color band
1309.	PRESHAUR 5 EC Emulsifiable Concentrate	PCPB(CR)172 7	Emamectin Benzoate 50 g/L	<b>Manufacturer/Formulator:</b> Sinon Chemical (Shanghai) Co. Ltd, China <b>Registrant:</b> Wemax Agro Ltd, China.	Cropanet Plaass Ltd.	Insecticide for control of thrips and caterpillars on roses and tomatoes.  WHO Class II Moderately hazardous Yellow color band
1310.	SIRIKON 100 Liquid	PCPB(CR)172 8	Organo Silicone 100% (polyalkyleneoxi de modified methylorganosili cone)	<b>Manufacturer/Formulator/Registra nt:</b> Wemax Agro Limited, China	Cropanet Plaass Ltd.	Adjuvant for Saplas 500 SL for control of botrytis in roses.  WHO Class III Slightly hazardous Blue color band
1311.	STIRRUP 247 SC Suspension concentarate	PCPB(CR)172 9	Lambda- cyhalothrin 106 g/L+ Thiamethoxam 141 g/L	<b>Manufacturer:</b> <b>Lambdacyhalothrin:</b> Heranba Industries Ltd, India. <b>Thiamethoxam:</b> M/s. GSP Crop science Private Ltd, India. <b>Formulator/Registrant:</b> Osho Chemical Industries Ltd.	Osho Chemical Industries Ltd.	Insecticide for control of aphids, mealybugs and whiteflies on roses, aphids and whiteflies on capsicum and tomatoes, aphids and caterpillars on cabbages, aphids, thrips and whiteflies on French beans. <b>Capsicum</b> EU MRLs- Thiamethoxam: 0.7mg/kg Lambda-cyhalothrin: 0.1mg/kg PHI-5 days <b>Cabbage</b>

						<p>EU MRLs- Thiamethoxam; 5.0 mg/kg Lambda-cyhalothrin: 0.5mg/kg PHI- 3 days <b>French beans</b> EU MRLs: Lambda-cyhalothrin-0.2mg/kg Thiamethoxam-0.3mg/kg PHI:7 days <b>Tomatoes</b> EU MRLs: Lambda-cyhalothrin-0.1mg/kg Thiamethoxam- 0.2mg/kg PHI:5days</p> <p><b>WHO Class II</b> Moderately hazardous Yellow color band</p>
1312.	FOSCAP 105 GR	PCPB(CR)1730	Abamectin 5g/kg + Fosthiazate 100 g/kg	<p><b>Manufacturer/Formulator:</b> Beijing Yoloo Bio-Technology Corp., Ltd, China <b>Registrant:</b> Beijing Bioseen Crop Sciences, Co Ltd, China</p>	Kenagro Suppliers Ltd	<p>Nematicide for control of root knot nematodes in Tomatoes.</p> <p>PHI: 3days <b>Abamectin:</b> EU MRL: 0.09mg/kg <b>Fosthiazate:</b> EU MRL- 0.02mg/kg WHO Class II Moderately hazardous Yellow color band</p>

1313.	NISAN 800 WG Wettable Granules	PCPB(CR)173 1	Diuron 400 g/kg + Bromacil 400 g/kg	ADAMA Agan Ltd, Israel	ADAMA Agriculture East Africa Ltd	Pre-emergence herbicide for control of broadleaf weeds and grass in Pineapples.  WHO Class III Slightly hazardous Blue color band
1314.	DUALIS 2% EC Emulsifiable Concentrate	PCPB(CR)173 2	Abamectin 4g/L + Lambda- cyhalothrin 16g/L	Bio-Medica Laboratories Ltd	Nanjing Redsun Co., Ltd, China	Insecticide for control of thrips, spidermites, caterpillars and aphids on Roses.  WHO Class II Moderately hazardous Yellow color band
1315.	PROLECTUS 50 WG  Wettable Granules	PCPB(CR)173 3	Fenpyrazamine 500g/kg	<b>Manufacturer/Formulator:</b> Sumitomo Chemicals Co. Ltd, Japan <b>Registrant:</b> Nufarm S.A.S, France.	Anset International ltd	Fungicide for the control of botrytis in Roses, Tomatoes and Cucumber. <b>Cucumber</b> EU MRL:0.7mg/kg PHI- 3days  <b>Tomatoes</b> EU MRL:3mg/kg PHI- 3days  WHO Class III Slightly hazardous Blue color band
1316.	RULER 50% SP  Soluble Powder	PCPB(CR)173 4	Cyromazine 500g/kg	Shandong United Pesticide Industry Co., Ltd, China	Agrichem Africa ltd	Insecticide for the control of leafminers in Roses.  WHO Class III Slightly hazardous Blue color band

1317.	XPAND MAX 92% SG  Water Soluble Granules	PCPB(CR)173 5	Acephate 920g/kg	<b>Manufacture/Formulator:</b> Nantong Weilike Chemical Co., Ltd <b>Registrant:</b> Ningbo Huili Import And Export Co. Ltd	Osho Chemical Industries Ltd	Insecticide for control of aphids, thrips and whiteflies on Roses.  WHO Class III Slightly hazardous Blue color band
1318.	NOXNIL 72 SC  Suspension Concentrate	PCPB(CR)173 6	Chlorothalonil 720g/L	<b>Manufacturer/Formulator:</b> Jiangsu Xinhe Agrochemical Co., Ltd <b>Registrant:</b> Shanghai E-Tong Chemical Co. Ltd	Highchem Marketing Ltd	Fungicide for control of Early and Late blight in Tomatoes, downy mildew and leaf spot in Cucumber.  <b>Tomato:</b> EU MRL-6.0mg/kg PHI-3 days <b>Cucumber:</b> EU MRL-5.0mg/kg PHI-3 days  WHO Class III Slightly hazardous Blue color band
1319.	TROUNCE 20 SC  Suspension Concentrate	PCPB(CR)173 8	Abamectin 20g/L+ Spirodiclofen 180g/L	Manufacturer: <b>Abamectin:</b> Hailir Pesticides and Chemicals Group Co., Ltd, China <b>Spirodiclofen:</b> Shandong Hailir Chemical Co., Ltd, China <b>Formulator/Registrant:</b> Hailir Pesticides and Chemicals Group Co., Ltd, China	Amiran K Ltd	Insecticide/miticide for the control of spider mites on roses, whiteflies and spider mites on tomatoes.  <b>Tomatoes</b> EU MRL: Abamectin-0.09 mg/kg Spirodiclofen-0.5mg/kg PHI- 7days.  WHO Class II Moderately hazardous, Yellow color band

1320.	GOVERNOR 580 SE Suspo- Emulsion	PCPB(CR)1739	Acetochlor 340g/L + Mesotrione 40g/L +Atrazine 200g/L	<b>Manufacturer/Registrant:</b> Shandong Binnong Technology Co., Ltd, China. <b>Formulator:</b> Shandong Sinomey Chemicals Co., Ltd, China	Greenlife Crop Protection Africa Ltd	Post-emergence herbicide for control of broadleaf weeds and grasses in non-cropped areas.  WHO Class II Moderately hazardous Yellow color band
1321.	ABASI 5 EC Emulsifiable Concentrate	PCPB(CR)1740	Abamectin 50g/L	<b>Manufacturer/Formulator:</b> Jiangsu Aijin Agrochemical Co., Ltd, China <b>Registrant:</b> Nanjing Essence Fine-Chemical Co. Ltd, China	East African Business Co. Ltd	Insecticide/nematicide for the control of thrips and spidermites on roses.  WHO Class II Moderately hazardous Yellow color band
1322.	AGVANTA 500 SC Suspension Concentrate	PCPB(CR)1741	Azoxystrobin 250g/L + Flutriafol 250g/L	Jiangsu Sevencontinent Green Chemical Co. Ltd, China	Farmfix Africa company Ltd	Fungicide for control of powdery mildew and botrytis in roses, rust on carnations.  <b>WHO Class II</b> Moderately hazardous Yellow color band

1323.	HARVESTER 48% SL  Soluble Concentrate	PCPB(CR)174 2	Ethephon 480g/L	<b>Manufacturer/Formulator:</b> Changshu Pesticide Factory Co., Ltd, China <b>Registrant:</b> Ningbo Yihwei Chemicals Co., Ltd, China	Farmfix Africa Co., Ltd	Plant growth regulator for use in ratoon pineapples to induce ripening of fruits.  EU MRL: 2 mg/kg PHI: 2days  WHO Class III Slightly hazardous Blue color band
1324.	METACOP 450 WP  Wettable Powder	PCPB(CR)174 3	Metalaxyl-M 50g/L + Copper Oxychloride 400g/L	Zhejiang Heben Pesticide and Chemicals Co., Ltd, China	Farmcare Solutions Ltd	Fungicide for control of downy mildew on roses.  WHO Class III Slightly hazardous Blue color band
1325.	NEMGUARD 99.9% SC  Suspension Concentrate	PCPB(CR)174 4	Garlic Extract 99.9% v/v	<b>Manufacturer/Formulator:</b> Ecospray Ltd, UK <b>Registrant:</b> Dudutech, A Division of Flamingo Horticulture Ltd	Dudutech, A Division of Flamingo Horticulture Ltd	Nematicide for control of nematodes in roses and French beans.  WHO Class U Unlikely to present hazard in normal use Green color band
1326.	DEFLY 70% WG  Wettable Granules	PCPB(CR)174 5	Imidacloprid 700g/kg	<b>Manufacturer/Formulator:</b> Jiangsu Changlong Chemical Co., Ltd, China <b>Registrant:</b> Ningbo Tide Import & Export. Co., Ltd, China	Clove Agro Africa Ltd	Insecticide for control of whiteflies on roses.  WHO Class III Slightly hazardous Blue color band

1327.	ALIGATOR 500 SC  Suspension Concentrate	PCPB(CR)174 6	Fenhexamind 500g/L	<b>Manufacturer:</b> Beijing Sino-Farm Technology Company Limited <b>Formulator /Registrant:</b> Jiangsu International Group FZE, U.A.E.	Agrichem Africa Ltd	Fungicide for the control of botrytis in roses.  WHO Class III Slightly hazardous Blue color band
1328.	SPECTATOR GOLD 500 EC  Emulsifiable Concentrate	PCPB(CR)174 8	Chloryprifos 450 g/L + Cypermethrin 50 g/L	<b>Manufacturers:</b> <i>Chloryprifos:</i> Zhejiang Xinnong Chemical Co. Ltd., China <i>Cypermethrin:</i> Jiangsu Huangma Agrochemical Co. Ltd., China <b>Formulator/Registrant:</b> Shenyang Sciencreat Chemicals Co Ltd., China  <b>Exporter:</b> Sinochem Shanghai Co Ltd	Greenlife Crop Protection Africa Ltd	Insecticide for control of aphids, whitefly nymphs and thrips on carnations. NOT FOR APPLICATION IN FRUITS AND VEGETABLES (as per Gazette Notice 7189 of 2014)  WHO Class II Moderately hazardous, Yellow color band
1329.	MILESTONE EXTREME 390 SC  Suspension Concentrate	PCPB(CR)174 9	Azoxystrobin 282 g/L + Metalaxyl-M 108 g/L	<b>Manufacturer/ Formulator:</b> Shandong Heyi Biological Technology Co Ltd., China  <b>Exporter/Registrant:</b> Nanjing Agrochemical Co Ltd., China	Greenlife Crop Protection Africa Ltd	Fungicide for control of Powdery mildew Botrytis & Downy mildew in Roses.  WHO Class III Slightly hazardous Blue Color band



1330.	COP-POWER 50 WP Wettable Powder	PCPB(CR)175 0	Copper Oxychloride 50% w/w	<b>Manufacturer/Formulator:</b> Saldelco Sales Y Derivados de Cobre S.A, Peru Registrant: Sineria Industries Ltd, Cyprus	Sineria Kenya Limited	Fungicide for the control of early and late blight on tomatoes.  EU MRL-5.0mg/kg PHI-3days  WHO Class III Slightly hazardous; Blue color band
1331.	EXCELLENTO TOP 416.7 SC Suspension Concentrate	PCPB(CR)175 1	Fenhexamid 350 g/L + Tebuconazole 66.7 g/L	<b>Manufacturer:</b> Suzhou Chems Chemical Co Ltd., China  <b>Formulator:</b> Farmagro S. A., Ecuador	Greenlife Crop Protection Africa Ltd	Fungicide for the control of Botrytis in Roses  REI: 12 hours  WHO Class III
1332.	PUMUZYKA 480AS Aqueous Suspension	PCPB(CR)175 2	Bentazone 480 g/L	<b>Manufacturer/Formulator/Regis- trant:</b> Anhui Xifengshou Agricultural Science & Technology Co Ltd, China  <b>Exporter:</b> Wemax Agro Ltd, China	Cropanet Plaass Ltd	Early post-emergence herbicide for control of annual broad-leaved weeds on common beans.  PHI: 49 days EU MRL: 0.05 mg/kg  WHO Class II Moderately hazardous Yellow Color Band
1333.	FULLTIME 625 WG Wettable Granules	PCPB(CR)175 3	Cyprodinil 375 g/kg + Fludioxinil 250 g/kg	Jiangsu United Agrochemical Co Ltd, China  <b>Formulator:</b> Cong ty TNHH Alfa (Sai Gon) Vietnam	Greenlife Crop Protection Africa Ltd	Fungicides for the Control of Botrytis on Roses  REI: 12 hours  WHO Class II Moderately hazardous; Yellow color code

1334.	COVENANT TOP 340 SC  Suspension Concentrate	PCPB(CR)175 4	Indoxacarb 140 g/L + Thiamethoxam 200 g/L	<b>Manufacturer:</b> <i>Indoxacarb:</i> Shanghai Agro-Tech Co. Ltd, China <i>Thiamethoxam:</i> Suzhou Chems Chemical Co. Ltd, China <b>Formulator:</b> Agricolas S.A, Ecuador	Greenlife Crop Protection Africa Ltd	Insecticide for control of thrips, whiteflies. Caterpillars, spider mites and mealy bugs on Roses.  REI: 12 hours  WHO Class II, Moderately hazardous Yellow Color Band
1335.	CONQUEROR 100 SC  Suspension Concentrate	PCPB(CR)175 5	Fipronil 100 g/L	<b>Manufacturer:</b> Nantong Gongcheng Fine Chemicals Co Ltd, China <b>Formulator:</b> Agricolas S.A, Ecuador	Greenlife Crop Protection Africa Ltd	Insecticide for control of Termites in building and construction.  WHO Class II Yellow Color Band Moderately hazardous
1336.	PIRATA 100 SC  Suspension Concentrate	PCPB(CR)175 6	Bispyribac- sodium 100g/L	<b>Manufacturer/Formulator:</b> Shandong Cynda Chemical Co Ltd, China  <b>Registrant:</b> Shanghai- E tong Chemical Co Ltd, China	Kenagro Supplies Ltd	Post-emergence herbicide for control of grasses, sedges and Broadleaved weeds in rice.  EU MRL: 0.02mg/kg  WHO class III Blue color band Slightly hazardous
1337.	MITEKING 1.8 EC  Emulsifiable Concentrate	PCPB(CR)175 7	Abamectin 18 g/L	<b>Manufacturer/Formulator:</b> Jiangxi Sprin Agrichemical Co. Ltd., China <b>Registrant/Exporter:</b> Jiangsu Inter-China Group Cooperation	Agricare East Africa Ltd	Insecticide/Miticide for the control of spider mites on roses REI: 12 hours  WHO Class II Moderately hazardous Yellow color band

1338.	CYROMAZINE TK Technical grade	PCPB(CR)1758	Cyromazine 980g/kg	<b>Manufacturer:</b> Jiangxi Heyi chemicals Co Ltd, China <b>Registrant:</b> Finechem Ningbo Huili Import & Export Co Ltd, China	Osho Chemical Industries Ltd	Technical Grade Material for formulation purposes only  WHO class III Blue color band Slightly hazardous
1339.	FULSTOP 400 EC Emulsifiable concentrate	PCPB(CR)1759	Bromoxynil 200g/L+MCPA 200g/L	<b>Manufacturer/Formulator/Registrant:</b> Jiangsu United Agrochemical Co Ltd, China <b>Exporter:</b> Nanjing Agrochemical Co Ltd, China	Twiga chemical Ltd	Post emergence herbicide for control of broad leaved weeds in barley
1340.	CUTTER 112 EC Emulsion Concentrate	PCPB(CR)1760	Acetamiprid 64 g/L + Emamectin benzoate 48 g/L	<b>Manufacturer:</b> Sineria China Co. Ltd., China <b>Registrant/Formulator:</b> Sineria Industries Ltd., Cyprus	Arysta Life Science Corporation (K) Ltd	Insecticide for control of thrips on Roses.  REI: 12 hours  WHO Class II (moderately hazardous, Yellow color band)
1341.	HYGIENIC 7.5% SC Suspension Concentrate	PCPB(CR)1648-P(i)	Lamda cyhalothrin 25g/L + Imidacloprid 50g/L	<b>Manufacturer/Formulator:</b> Shaanxi Sunger Road Bioscience Co Ltd, China <b>Exporter/Registrant:</b> Ningbo Synagrochem Co., Ltd., China	<b>Local Agent:</b> Panther Life Science <b>Distributor:</b> Merrychem Company Ltd	Public health insecticide for the control of bedbugs, cockroaches, ants, houseflies and fleas in domestic environs. WHO Class II Moderately hazardous Yellow color band

1342.	ATRAMET 450 SE Suspo-Emulsion	PCPB(CR)14 54	Atrazine 200 g/L + Metolachlor 250 g/L	Zibo Zhoucun Suifeng Pesticides & Chemical Ltd. Corporation, China	Twiga Chemical Industries Ltd.	Pre-emergence herbicide for control of grasses and broad-leaved weeds in maize. WHO Class II, Moderately hazardous, Yellow Color band
1343.	JUBAILI LARAFORCE PLUS 260WDG Water dispersible granule	PCPB(CR)15 41-P(i)	Lambda cyhalothrin 25g/kg + Acetamiprid 235 g/kg	<b>Manufacturer:</b> <i>Lambda-cyhalothrin:</i> Hailir Pesticides & Chemical Group Co., Ltd., China <i>Acetamiprid:</i> Qingdao KYX Chemical Co. Ltd., China <b>Formulator/Exporter:</b> Qingdao Audis Bio-Tech Co., Ltd., China <b>Registrant:</b> Hailir Pesticides & Chemical Group Co., Ltd., China	<b>Local Agent:</b> Bell Industries Ltd <b>Distributor:</b> Jubaili Agrotec Ltd	Insecticide for control of Aphids and Thrips on Cabbages. <b>Lambda-cyhalothrin</b> PHI: 7 days EU MRL: 0.2 mg/kg <b>Acetamiprid:</b> PHI 7 days EU MRL: 0.7 mg/kg WHO Class II Moderately hazardous Yellow color band
1344.	SUNSTATE 480SL Soluble concentrate	PCPB(CR)16 15-P(i)	Glyphosate acid 360 g/L (as Isopropylamine salt 480g/L)	<b>Manufacturer/Formulator:</b> Anhui Ningguo Chaonong Chemical Co Ltd; China <b>Registrant/Exporter:</b> Shanghai E-Tong Chemical Co Ltd, China	<b>Local Agent:</b> Bell Industries Ltd <b>Distributor:</b> Jubaili Agrotec Ltd	Post-emergence herbicide for the control of annual and perennial grasses and broad leaved weeds under minimum tillage and in non-cropped areas <b>WHO Class III</b> Slightly hazardous, Blue color band
1345.	JUBAILI IMIFORCE 200SL	PCPB(CR)14 01-P(i)	Imidacloprid 200 g/L	Hailir Pesticides and Chemical Group Co. Ltd, China	<b>Local Agent:</b> Bell Industries Ltd <b>Distributor:</b> Jubaili Agrotec Ltd	Insecticide for the control of aphids, thrips, and whiteflies in Roses. REI- 6 hours

1346.	JUBAILI ACTFORCE GOLD 480 EC	PCPB(CR)06 45-P (ii)	Chlorpyrifos 480 g/L	Asiatic Agricultural Industries, Singapore	<b>Local Agent:</b> Bell Industries Ltd <b>Distributor:</b> Jubaili Agrotec Ltd	Insecticide for the control of caterpillars and sucking insects on ornamentals  NOT FOR USE ON FRUITS AND VEGETABLES
1347.	AMINOCARE 720 SL	PCPB(CR)15 40-P(i)	2,4-D amine salt 720 g/L	Manufacturer/Formulator: CAC Nantong Chemical Co. Ltd Exporter: Shanghai E-Tong Chemical Co. Ltd Registrant: Zhejiang E-Tong Chemical Co. Ltd	<b>Local Agent:</b> Bell Industries Ltd <b>Distributor:</b> Jubaili Agrotec Ltd.	Post -emergence herbicide for the control of broad leaved weeds in maize. EU MRL = 0.05 mg/kg WHO Class II Moderately Hazardous Yellow Color Band
1348.	FLORATOX 2.5 EC  Emulsion Concentrate	PCPB(CR)05 46-P(i)	Lambda cyhalothrin 25g/L	Heranba Industries Ltd., India	Orbit Chemical Industrie s Ltd. Distributor: Florachem Kenya Ltd	Insecticide for the control of thrips, aphids, whitefly nymphs and caterpillars on Roses, aphids, whiteflies, thrips and caterpillars on French beans;-Cutworms, DBM and aphids on kales; Bollworms, caterpillar, aphids, whiteflies, leaf miner and thrips on tomatoes
1349.	ALPHACIDE 10 EC  Emulsion Concentrate	PCPB(CR)05 48- P(i)	Alpha- cypermethrin 100g/L	Heranba Industries Ltd., India	Orbit Chemical Industries Ltd Distributor: Florachem Kenya Ltd	Insecticide for the control of thrips, aphids and whitefly on roses; aphids, whiteflies, thrips, caterpillars and cutworms on Snow peas; Cutworms, DBM and aphids on kales;-White flies, bollworms, caterpillar, aphids and thrips on greenhouse pepper

1350.	FARM CELEBO 7.5% SC  Suspension Concentrate	PCPB(CR)16 48-P(ii)	Lamda cyhalothrin 25g/L + Imidacloprid 50g/L	<b>Manufacturer/Formulator:</b> Shaanxi Sunger Road Bioscience Co Ltd, China	<b>Agent:</b> Panther Life Science <b>Distributor:</b> Novixa International. Ltd	Insecticide for control of aphids, whiteflies, thrips and mealy bugs on roses, aphids, whiteflies, thrips and caterpillars on French beans.
1351.	BIO-T-PLUS	PCPB (CR) 0771- p(i)	<i>Bacillus Thuringiensis var. Kurstaki (Btk) 9 x 10<sup>7</sup> spores/mg</i>	Biotech International Ltd., India/	<b>Agent:</b> Sineria Kenya Limited	Insecticide for the control of thrips and African bollworm on French beans and caterpillars on Roses.
1352.	BERICURE 25 SC Suspension Concentrate	Azoxystrobin 250 g/L	Azoxystrobin 250 g/L	<b>Manufacturer/Form/Registrant:</b> Shanghai Heben-Eastsub Medicaments Co. Ltd, China	<b>Agent:</b> Highchem Marketing Ltd, Essential Division	Fungicide for the control of Coffee Berry Disease and Coffee leaf rust in Coffee.
1353.	AFRIZEB SUPER 50 WP Wettable Powder	PCPB(CR)16 61	Thiophanate- methyl 150g/kg + Mancozeb 350g/kg	<b>Manufacturer/Formulator:</b> Shandong Weifang Shuangxing Pesticide Co., Ltd, China, China <b>Registrant:</b> Shanghai Qiaoji International Co Ltd, China	East African Business Company Ltd	Fungicide for the control of downy mildew, botrytis and powdery mildew in roses.  WHO Class II Yellow Color Band Moderately hazardous

1354.	DIEPEST 5 ME Micro-Emulsion	PCPB(CR)17 61	Lambda- cyhalothrin 50 g/L	<b>Manufacturers /Formulator:</b> Qingdao Zhengdao Pharmacy Co. Ltd, China. <b>Registrant:</b> Wemax Agro Ltd, China.	Cropanet Plaass Ltd.	Insecticide for the control of aphids, thrips, whiteflies and caterpillars on tomatoes.  WHO Class II Moderately hazardous Yellow Color Band
1355.	DROSS 100 EC Emulsifiable Concentrate	PCPB(CR)17 62	Deltamethrin 100g/L	CongTy TNHH Alfa Vietnam	Greenlife Crop Protection Africa limited	Insecticide for control of thrips, whiteflies, aphids and mealy bugs on roses. WHO Class II Moderately hazardous Yellow Color Band
1356.	SEEDPOWER 250 FS	PCPB(CR)17 64	Difenoconazole 50 g/L + Imidacloprid 200 g/L	<b>Manufacturer:</b> Sineria China Chemical Ltd China <b>Formulator/Registrant:</b> Sineria Ltd Cyprus	Sineria Kenya	Seed dresser for the control of aphids, cutworms, chaffer grubs in maize.  WHO Class II Moderately hazardous Yellow Color Band
1357.	HEADLINES 700 WP  Wettable powder	PCPB(CR)17 65	Thiophanate- methyl 700g/Kg	<b>Manufacturer/Registrant:</b> Hailir Pesticides and Chemicals Group Co.Ltd , China	Orbit Agrochemical s Industries Ltd	Fungicide for the control of powdery mildew and botrytis on roses.  WHO Class III Slightly hazardous Blue color band

1358.	KAMATA 480 SL  Soluble Concentrate	PCPB(CR)17 66	Glyphosate IPA salt 480g/L	<b>Manufacturer/ formulator:</b> Shanghai Shenglian Chemical Co, Ltd, China <b>Registrant:</b> Agrohao Company Ltd, China.	Agroservice East Africa Ltd	Post-emergence herbicide for the control of annual and perennial grasses and broad leaved weeds in non-cropped areas.  WHO Class II Moderately hazardous Yellow Color Band
1359.	MYRIAD 5 SC  Suspension Concentration	PCPB(CR)17 67	Matrine 5g/L	Jiangsu Nantong Shenyu Green Medicine, Co,Ltd, China	East African Business Co. Ltd	Insecticide for control of aphids, thrips and spidermites on roses.  WHO Class III Slightly hazardous Blue color band
1360.	REAL ANDERSON	PCPB(CR)17 69	12500 <i>Amblyseius andersoni</i> per 250ml container in wheat bran	<b>Manufacturer:</b> Syngenta Bioline UK <b>Formulator/ Registrant:</b> The Real IPM Company Ltd Kenya	Real IPM Company Kenya	Predatory mites for control of spider mites in roses.
1361.	MANTEL 500 SC Suspension Concentrate	PCPB(CR)17 70	Epoxiconazole 100g/L + Thiophanate-methyl 400g/L	Shaanxi Meibang Pesticide Co., Ltd, China	Farmfix Africa Ltd	Fungicide for control of powdery mildew and botrytis on roses.  WHO Class II Moderately hazardous Yellow Color Band



1362.	AGRO Z BAG Plus	PCPB(CR)17 71	Alpha-cypermethrin 2.1 g/kg	<b>Manufacturer:</b> Tagros Chemical Ltd, India. <b>Formulator/Registrant:</b> A to Z Textile Ltd, Tanzania	TransGlobal Distributors Ltd	Grain storage polythene bag incorporated with insecticide for control of Larger grain borer and maize weevil in stored maize.  WHO Class III Slightly hazardous Blue color band
1363.	ALPHASUMU 10 EC  Emulsifiable Concentrate	PCPB(CR)17 72	Alpha-Cypermethrin 100g/L	<b>Formulator/ Manufacturer:</b> Jinan Shibang Agrochem Co. Ltd China <b>Registrant:</b> Wemax Agro Ltd China	Cropanet Plaass Ltd	Insecticide for control of aphids, whiteflies and caterpillars on Tomatoes. WHO Class II Moderately hazardous Yellow Color Band
1364.	RAPID 120 EC  Emulsifiable Concentrate	PCPB(CR)17 75	Acetamiprid 100g/L + Emamectin Benzoate 20g/L	<b>Formulator /Registrant:</b> Sineria Ltd, Cyprus <b>Manufacturer:</b> <b>Acetamiprid :</b> Nanjing Essence Fine Chemicals Co., Ltd <b>Emamectin Benzoate:</b> Sineria China Chemical Ltd China	Sineria Kenya Ltd	Insecticide for control of spider mites, caterpillars, thrips and whiteflies on roses.  WHO Class II Moderately hazardous Yellow color band
1365.	TRUSTMATE EXTREME 300EC Emulsifiable concentrate	PCPB(CR)17 76	Bupirimate 200 g/L + Penconazole 100 g/L	<b>Manufacturer:</b> Shanghai Agro-Tech Co. Ltd., China  <b>Formulator/Registrant:</b> Biosenso S.A., Nicaragua	Greenlife Crop Protection Africa Ltd	Fungicide for control of powdery mildew on roses REI: 12 hours  WHO Class II: (Moderately Hazardous; Yellow color band)

1366.	CLEARMITES 240SC Suspension Concentrate	PCPB(CR)17 77	Spirodiclofen 240 g/L	<b>Manufacturer/ Formulator/ Registrant:</b> Shijiazhuang Richem Co., Ltd China	<b>Agent/Distributor:</b> United Agrochemicals .Ltd	Insecticide for control of aphids, spider mites and whiteflies on tomatoes. EU MRL-0.5mg/kg PHI: 3 days  WHO Class III (Slightly Hazardous; Blue Color Band)
1367.	BUFFALO 100 OD Oil dispersion	PCPB(CR)17 78	Beta-Cyfluthrin 25 g /L + Imidacloprid 75 g/ L	<b>Manufacturer:</b> Nanjing Aijing Chemical Co., Ltd, China.  <b>Formulator/ Registrant:</b> Sineria Industries Ltd., Cyprus	Sineria Kenya Ltd	Insecticide for the control of aphids, whiteflies and thrips on roses and tomatoes Roses REI: 12 hours  Tomatoes EU MRL: Beta-Cyfluthrin- 0.05mg/kg Imidacloprid- 0.5mg/kg PHI: 3 days  WHO Class II (Moderately hazardous; Yellow color band)
1368.	BENTAGRAN TOP 240 EC Emulsifiable Concentrate	PCPB(CR)17 79	Bentazone 150 g/L + Fomesafen 70 g/L + Quizalofop- p – ethyl 20 g/L	<b>Manufacturer/ Formulator/ Registrant/Exporter:</b> Shandong Binnong Technology Co., Ltd, China.	Greenlife Crop Protection Africa Ltd	Fomesafen:0.01mg/kg Quizalofop-p-ethyl: 0.4mg/kg PHI- 42 days  WHO Class II (Moderately hazardous; Yellow color band)

1369.	TANCAP 80 WG Water dispersible granules	PCPB(CR)17 80	Captan 800 g/Kg	<b>Manufacturer/ Formulator/ Registrant:</b> Shandong Weifang Rainbow Chemicals Co., Ltd., China.	Rainbow Agro sciences Ltd	Fungicide for the control of black spot in roses. REI: 24 hours  WHO Class II (Moderately hazardous; Yellow color band)
1370.	TWINSTAR 75WG Water Dispersible Granules	PCPB(CR)17 81	Tebuconazole 500 g/Kg + Trifloxystrobin 250 g/Kg	<b>Manufacturer/Registrant:</b> Shandong Weifang Rainbow Chemicals Co., Ltd., China  <b>Formulator:</b> Rainbow Agrosiences (PANAMA), S.A. Panama	Rainbow Agro Sciences Ltd	Fungicide for the control of powdery mildew in roses. REI:  WHO Class III (Slightly Hazardous ; Blue Color Band)
1371.	LIMAKON 380 SC Suspension Concentrate	PCPB(CR)17 83	Atrazine 380 g/L	<b>Manufacturer/ Formulator:</b> Henan Xiangda Chemical Co., Ltd, China  <b>Registrant:</b> Wemax Agro Ltd , China	Cropanet Plaass Ltd	A post-emergence herbicide for control of broad leaf weeds and grass weeds in no-cropped areas.  WHO Class III (Slightly Hazardous ; Blue Color Band)
1372.	ORIZON 150 CS Capsule Suspension	PCPB(CR)17 84	Abamectin 30 g/L + Imidacloprid 120 g/L	<b>Manufacturer/ Formulator:</b> Qingdao Audis Bio-tech Co., Ltd, China  <b>Registrant:</b> Sineria Holland BV, Netherlands	Sineria Kenya Limited	Insecticide for the control of thrips and whiteflies on roses REI: 12 hours  WHO Class II (Moderately hazardous; Yellow color band)

1373.	TOPWONDER 500 SC Suspension concentrate	PCPB(CR)17 85	Thiophanate- methyl 500 g/L	<b>Manufacturer/ Formulator:</b> Haili Guixi Chemical Pesticide Co., Ltd, China  <b>Registrant:</b> Green River Industry Company Ltd, China	Botachem Enterprises Ltd	Fungicide for the control of powdery mildew and botrytis in roses. REI: 6 hours  WHO Class II (Moderately hazardous; Yellow color band)
1374.	LEGACY EXTREME 500 WDG Water Dispersible Granule	PCPB(CR)17 86	Emamectin Benzoate 100 g/Kg + Lufenuron 400 g/Kg	<b>Manufacturer:</b> Shanghai Agro-Tech Co., Ltd China  <b>Registrant /Formulator:</b> Biosenso S.A., Nicaragua	Greenlife Crop Protection Africa Ltd	An insecticide for control of thrips, spider mites and caterpillars on roses REI: 24 hours  WHO Class III (Slightly Hazardous ; Blue Color Band)
1375.	CUSTODIA 700 WDG Water Dispersible Granules	PCPB(CR)17 87	Copper Sulfate basic 700 g/Kg	<b>Manufacturer/ Formulator/ Registrant:</b> Hailir Pesticides and Chemicals Group Ltd, Co., China	Greenlife Crop Protection Africa Ltd	Fungicide for Control of downy mildew in roses. REI: 12 hours  WHO Class III (Slightly Hazardous ; Blue Color Band)
1376.	CANTONA 230 EC Emulsifiable Concentrate	PCPB(CR)17 88	Copper Abietate 230 g/L	<b>Manufacturer/ Formulator/ Registrant:</b> Shandong Heyi Biological Technology Co., Ltd., China	Greenlife Crop Protection Africa Ltd	Fungicide for Control of downy mildew on roses REI: 12 hours  WHO Class II (Moderately hazardous; Yellow color band)

1377.	PRESENTO TOP 800 WDG Water Dispersible Granules	PCPB(CR)17 89	Acetamiprid 800 g/Kg	<b>Manufacturer:</b> Shanghai A gro-Tech Co., Ltd., China  <b>Formulator/ Registrant :</b> Biosenso S.A Nicaragua	Greenlife Crop Protection Africa Ltd	Insecticide for the control of Aphids, thrips and whiteflies on roses. REI: 12 hours  WHO Class III (Slightly Hazardous ; Blue Color Band)
1378.	BIODISTINCTI ON EXTRA 700 SC Suspension concentrate	PCPB(CR)17 92	Copper Oxychloride 700 g/L	<b>Manufacturer:</b> Shanghai Agro-Tech Co. Ltd, China.  <b>Formulator/ Registrant:</b> Biosenso S.A, Nicaragua	Greenlife Crop Protection Africa Limited	Fungicide for control of angular leafspot, aschochyta leaf spot, rust and anthracnose in French beans  EU MRL- 20mg/kg PHI- 3 days WHO Class II (Moderately hazardous; Yellow color band)
1379.	TECHNOCRAT 450 EC  Emusifiable Concentrate	PCPB(CR)17 93	Tebuconazole 167 g/L + Triadimenol 43 g/L+ Spiroxamine 250 g/L	<b>Manufacturer:</b> Ningbo Yihwei Chemicals Company Limited, China  <b>Formulator:</b> Cong ty TNHH Alfa (Sai Gon), Vietnam	Greenlife Crop Protection Africa Limited	Fungicide for the control of powdery mildew in roses.  WHO Class II Moderately hazardous, Yellow color band
1380.	PURSUIT 6% EC  Emulsion Concentrate	PCPB(CR)17 94	Emamectin benzoate 10g/L + Lambda- cyhalothrin 50g/L	Manufacturer: Zhejiang Rayfull Chemicals Co., Ltd Formulator/Registrant: Jiangsu International Group FZE, U.A.E	Agrichem Africa Ltd	Miticide/Insecticide for control of spider mites on tomatoes, caterpillars and spider mites on French beans, diamond back moth and thrips on cabbages.  <b>Tomatoes</b> EU MRLs: Emamectin benzoate 0.02mg/kg

						<p>Lambda cyhalothrin 0.1mg/kg PHI- 7days.</p> <p><b>French beans</b> EU MRLs: Emamectin benzoate 0.01mg/kg Lambda cyhalothrin 0.2mg/kg PHI- 7days.</p> <p><b>Cabbages</b> EU MRLs: Emamectin benzoate 0.01mg/kg Lambda cyhalothrin 0.2mg/kg PHI- 3days.</p> <p>WHO Class II Moderately hazardous, Yellow color band</p>
1381.	SEVENMETRI 480 SC  Suspension Concentrate	PCPB(CR)17 95	Metribuzin 480 g/L	Jiangsu Sevencontinent Green Chemical Co Ltd, China	MMC Arches	<p>Pre-emergence herbicide for control of annual broad leaved weeds and grasses in carrots.</p> <p>EU MRL: 0.1 mg/kg PHI: 30 days WHO Class II (Moderately hazardous, Yellow color band)</p>

1382.	RAPTOR 1.92 EC  Emusifiable Concentrate	PCPB(CR)17 96	Emamectin Benzoate 19.2%	<b>Manufacturer/Formulator:</b> WILLOWOOD Chemical Pvt Ltd., India  <b>Registrant:</b> Willowood Limited, Hong Kong	Willowood (Africa) Limited	Insecticide for control of caterpillars in tomatoes and capsicum.  Tomatoes and sweet pepper: EU MRL: 0.02 mg/kg PHI: 1 day  WHO Class II Moderately hazardous, Yellow color band
1383.	SUMMIT 120 SC  Suspension concentrate	PCPB(CR)17 97	Abamectin 20 g/L + Thiamethoxam 100 g/L	Hailir Pesticides and Chemicals Group Co. Ltd, China	Agrosolutions Ltd	Insecticide for the control of aphids, whiteflies, spider mites & fruit flies on water melons; aphids, whiteflies & leaf miners on potatoes; aphids, whiteflies, thrips, leafminers & spidermites on tomatoes; aphids, whiteflies, thrips, mealybugs and spidermites on roses; aphids, whiteflies, thrips and spidermites on French beans.  <b>Potatoes</b> EU MRL: Abamectin-0.01 mg/kg, Thiamethoxam-0.07 mg/kg PHI -14 days <b>Water melon</b> EU MRLs: Abamectin-0.01mg/kg Thiamethoxam-0.15mg/kg PHI: 3 days

						<p><b>Tomatoes</b> EU MRL: Abamectin- 0.09 mg/kg, Thiamethoxam-0.2 mg/kg PHI :3 days</p> <p><b>French beans</b> EU MRL: Abamectin 0.03 mg/kg Thiamethoxam 0.3 mg/kg PHI :3 days WHO Class II Moderately hazardous Yellow color band</p>
1384.	NANOGOLD 280 WP  Wettable Powder	PCPB(CR)17 98	Thiocyclam Hydrogen Oxalate 250 g/kg + Acetamiprid 30 g/kg	<b>Manufacturer/Formulator:</b> Shaanxi Sunger Road Bio- Sciences Co. Ltd, China  Registrant/ Exporter: Ningbo Synagrochem Co. Ltd, China	Panther Life Sciences Limited	Insecticide for control of thrips, aphids, whiteflies on roses REI: 6 hours  WHO Class II Moderately hazardous Yellow color band
1385.	HINDER 500 SP  Soluble Powder	PCPB(CR)17 99	Thiocyclam hydrogen oxalate 500 g/kg	<b>Manufacturer:</b> King Chemical Company Limited, China <b>Formulator/Registrant:</b> Jiangsu International Group FZE, UAE	Agrichem & Tools Ltd	Insecticide for control of thrips, whiteflies and aphids on roses  REI: 12 hours  WHO Class II Moderately hazardous Yellow Color Band



1386.	FORUM 690 WP Wettable Powder	PCPB(CR)18 01	Dimethomorph 90g/kg + Mancozeb 600g/kg	Manufacturer of a.i./Registrant/Exporter: Hailir pesticide and chemical group Co Ltd, China Formulator: Qingdao Audis Bio_tech Co Ltd, China	Agrosolution Ltd	Fungicide for control of early blight and late blight in potatoes and tomatoes  <b>Potatoes</b> EU MRLs: Dimethomorph- 0.05mg/kg Mancozeb- 0.3mg/kg PHI- 7days Tomatoes EU MRLs: Dimethomorph- 1.0mg/kg Mancozeb- 3.0mg/kg PHI- 3days WHO Class III Slightly hazardous, Blue color band
1387.	TOIK 450 EC	PCPB(CR)16 59-P(i)	Chlorpyrifos 450g/L	Shandong United Industry Co Ltd, China	<b>Local agent:</b> Merrychem Co Ltd <b>Distributor:</b> Farmyard International investment Ltd	Termiticide for wood treatment against termites. WHO Class II Yellow Color Band Moderately hazardous

1388.	FASTWEED 41 SL	PCPB(CR)15 51- <i>P(i)</i>	Glyphosate 410g/L	<b>Manufacturer of a.i:</b> Qingdao Audis Bio-tech Co Ltd, China <b>Formulator:</b> Hailir Pesticide and chemicals Group Co Ltd, China	<b>Agent:</b> Orbit Agro Chemical Industries Ltd <b>Distributor:</b> Florachem Kenya Ltd	Post-emergence herbicide for control of grasses and broad-leaved weeds in non-cropped areas; for the control of mildew on Roses. WHO Class III Slightly hazardous, Blue color band
1389.	BARBICAN 10.2 EC Emulsifiable Concentrate	PCPB(CR)13 99- <i>P(i)</i>	Abamectin 20 g/L + Pyridaben 100 g/L	Hailir P.G.C, China	<b>Agent:</b> Orbit Agro Chemical Industries Ltd <b>Distributor:</b> Florachem Kenya Ltd	Insecticide /miticide for the control of mites on tomatoes & Roses REI: 6 hours Tomatoes MRL: Abamectin 0.02mg/Kg Pyridaben 0.3mg/Kg PHI= 7days <b>WHO Class II</b> (Moderately hazardous; Yellow color band)
1390.	MOXNEB 76 WP Wettable Powder	PCPB(CR)14 51- <i>P(i)</i>	Propineb 700g/kg + Cymoxanil 60g/kg	<b>Formulator</b> Fujian Sino-Dashing Bio-Tech Co., Ltd., China  <b>Manufacturer:</b> <i>Cymoxanil:</i> Shanghai Shenglian Chemical Co., Ltd., China Propineb: Limin Chemical Co., Ltd., China  <b>Registrant:</b> Shanghai Hui Song (H & S) Agro-Solution Co., Ltd., China	Bestfield East Africa Ltd <b>Distributor:</b> HighChem Marketing Ltd	Fungicide for control of early & late blight on tomatoes  WHO Class II Moderately Hazardous Yellow Color Band  EU MRL: Propineb – 2 mg/kg Cymoxanil – 0.2 mg/kg  PHI: 7 days REI: 12 hours  WHO Class III

						Slightly hazardous, Blue color band
1391.	COVERMAX	PCPB(CR)05 52- P(i)	Trisiloxane alkoxylate (organosilicone ) 80% w/w + polyalkyleneoxi des 20% w/w	General Electric (GE) speciality materials, USA.	Arysta LifeScience (Kenya) Ltd	Adjuvant for use as a wetter/spreader with Dimilin on diamond back moth on Cabbages, adjuvant Silwet Gold with SWING PCPB(.CR)0967 and as an adjuvant with FOLICUR PCPB(CR)0308 for reduction of common fungal foliar diseases in Wheat. Used in Dynamec, Impulse, in flowers (Roses, Carnations, Lisanthus, Statice, Lilies & Gypsophila).
1392.	LIBERATE	PCPB(CR)16 96- P(i)	Methyl Eugenol 99% + Malathion 50% (w/w)	<b>Manufacturer:</b> Malathion: Cheminova, Denmark Methyl- Eugenol: Xian Plant Bio- engineering Co Ltd, China <b>Registrant:</b> Kenya Biologics Ltd	<b>Agent:</b> Kenya Biologics Ltd  <b>Distributor:</b> Agrichem Africa Ltd	A wooden block impregnated with an attractant and an insecticide for control of fruit flies ( <i>Bactrocera invadens</i> ) in Avocado.  WHO Class II Yellow Color Band Moderately hazardous
1393.	NEWZEB 80% WP Wettable Powder	PCPB(CR)18 04	Mancozeb 800g/kg	<b>Manufacturer/Formulator/Regis trant:</b> Shaanxi Hengtian Chemical Co Ltd., China  <b>Exporter:</b>	Farmfix Africa Ltd	Fungicide for the control of Late Blight in Potatoes.  EU MRL: 0.3mg/kg PHI: 14 days WHO Class III:

				Ningbo Yihwei Chemicals Co. Ltd., China		Slightly Hazardous; Blue color band
1394.	FOSCAP 250 ME Micro-Emulsion	PCPB(CR)18 05	Abamectin 50g/L + Fosthiazate 200g/L	<b>Manufacturer/ Formulator:</b> Beijing Yoloo Bio-Technology Corp. Ltd., China.  <b>Exporter/Registrant:</b> Beijing Bioseen Crop Sciences Co. Ltd., China	Kenagro Suppliers Ltd	Nematicide for control of nematodes in Roses by drenching.  WHO Class II Moderately hazardous; Yellow color band
1395.	WEEDMAX 240 EC Emulsifiable Concentrate	PCPB(CR)18 09	Oxyfluorfen 240 g/L	<b>Manufacturer/Formulator:</b> Shandong Qiaochang Modern Agriculture Co.Ltd, China  <b>Exporter:</b> Shanghai MIO Chemical Co Ltd, China	Agrichem Africa Ltd	Post-emergence herbicide for control of annual grasses and broadleaved grasses in onions.  PHI: 30 days MRL: 0.05mg/kg  WHO Class II, Moderately hazardous, Yellow color band
1396.	GLUSAR 18% SL Soluble Concentrate	PCPB(CR)18 11	Glufosinate-ammonium 180 g/L	<b>Manufacturer/Formulator:</b> Yifan Biotechnology Group Co. Ltd., China  <b>Registrant:</b> Hangzhou Jike Trading Co. Ltd.,	Hangzhou Agrochemical Industries E.A. Ltd	Fungicide for control of early and late blight in Tomatoes  MRLs- Mancozeb: 3.0mg/kg Metalaxyl: 0.3mg/kg

				China		PHI- 3days  <b>WHO Class III,</b> Slightly hazardous, Blue color band
1397.	CURRENT PLUS 50 SC Suspension Concentrate	PCPB(CR)18 12	Lufenuron 50 g/L	<b>Manufacturer/ Formulator/ Registrant:</b> Hailir Pesticides & Chemicals Group Co. Ltd., China	Agrichem Africa Ltd	Insecticide for the control of thrips on roses.  REI: 6 hours  WHO Class II Moderately hazardous; Yellow color band
1398.	MASTA GOLD 720 WDG Water Dispersible Granules	PCPB(CR)18 13	Mancozeb 640 g/kg + Metalaxyl 80 g/kg	<b>Manufacturer:</b> <i>Mancozeb:</i> Jiangsu United Agrochemicals Co. Ltd., China <i>Metalaxyl:</i> Zhejiang Henben Pesticide & Chemical Co. Ltd., China  <b>Formulator:</b> Shanghai Heben-Eastsun Medicaments Co. Ltd., China  <b>Registrant:</b> Nanjing Agrochemicals Co. Ltd., China	Kenagro Suppliers Ltd	Fungicide for control of downy mildew on roses.  REI: 4 hours  WHO Class III Slightly Hazardous; Blue Color Band

1399.	UMEME TOP 5 EC  Emulsifiable Concentrate	PCPB(CR)18 14	Lambda- cyhalothrin 50 g/L	<b>Manufacturer/ Formulator/ Registrant:</b> Hailir Pesticides & Chemicals Group Co. Ltd., China	Osho Chemical Industries Ltd	An insecticide for control of aphids, thrips, whiteflies and caterpillars on Roses and Tomatoes, Bollworms on Tomatoes, Fall armyworm on maize <b>Roses:</b> REI: 12 hours <b>Tomatoes:</b> PHI: 5 days EU MRL: 0.1mg/kg <b>Maize:</b> PHI: 21 days EU MRL: 0.02mg/kg  <b>WHO Class II</b> Moderately hazardous; Yellow color band
1400.	UGONALL 580 WP Wettable Powder	PCPB(CR)18 16	Mancozeb 480 g/kg + Metalaxyl 100g/kg	<b>Manufacturer/Formulator:</b> Yifan Biotechnology Group Co. Ltd., China  <b>Registrant:</b> Hangzhou Jike Trading Co. Ltd., China	Hangzhou Agrochemical Industries E.A. Ltd	Fungicide for control of early and late blight in Tomatoes  MRLs- Mancozeb: 3.0mg/kg Metalaxyl: 0.3mg/kg PHI- 3days  <b>WHO Class III,</b> Slightly hazardous, Blue color band

1401.	MAXIMUS 537.5 SE Suspo-Emulsion	PCPB(CR)18 17	Metolachlor 375 g/L + Terbuthylazine 125 g/L + Mesotrione 37.5 g/L	<b>Manufacturer:</b> Sineria China Co. Ltd., China  <b>Formulator/Registrant:</b> Sineria Industries Ltd., Cyprus	Kencrop Kenya Ltd	Pre-emergence herbicide for control of annual grasses and broadleaved weeds in Maize.  EU MRLs: Metolachlor- 0.05mg/kg Terbuthylazine 0.1mg/kg Mesotrione 0.01mg/kg PHI- 90 days  WHO Class II Moderately hazardous, Yellow color band
1402.	SIGNET 240 EC. Emulsifiable Concentrate	PCPB(CR)18 18	Clethodim 240 g/L	<b>Formulator:</b> Shandong Cynda chemical co., ltd, China <b>Registrant:</b> shanghai E-Tong chemical co., ltd	Kenagro suppliers ltd	A post-emergence herbicides for control of annual and perennial grasses in pineapples and onions. <i>Pineapples:</i> EU MRL- 0.02mg/kg PHI-538days <i>Onions:</i> EU MRL- 0.5mg/kg PHI-42 days <b>WHO Class III</b> Slightly hazardous, Blue color band

1403.	GLYMAX 360 SL Soluble Concentrate	PCPB(CR)14 78-P(iv)	Glyphosate Ammonium salt 360g/L	Zhejiang Xinan Chemical Industry Group Co Ltd, China	Crop therapy Co Ltd <b>Distributor:</b> Tromedics Kenya Ltd	Post-emergence herbicide for control of some annual and perennial grass and broad leaved weeds in non- cropped areas. REI: 24hrs  WHO Class II Moderately Hazardous; Yellow color Band
1404.	DAWACIDE 25% EC Emulsifiable Concentrate	PCPB(CR)13 68-P(i)	Difenoconazole 250 g/L	Shanghai MIO Chemicals Co., Limited, China	Local Agent: Agrichem & Tools Limited <b>Distributor:</b> Fedo Agencies Ltd	Fungicide for the control of Powdery mildew and Botrytis in Roses REI: 24 hours WHO Class II: Moderately hazardous Yellow color band
1405.	ARIZONA 250 EW	PCPB(CR)13 95- P(iii)	Tebuconazole 250 g/L	Shandong Sino-Agri United Biotechnology Co. Ltd, China	<b>Local agent:</b> Merrychem Company Ltd  <b>Distributor:</b> Farmyard Internati onal Investmen t Ltd.	Fungicide for the control of rust on French beans  EU MRLs: 2mg/kg PHI: 7 days  WHO Class II Yellow color band Moderately hazardous



1406.	POCKET 500 SC	PCPB(CR)15 80 P(ii)	Atrazine 200 g/L + Metolachlor 300 g/L	<b>Manufacturer:</b> <b>Atrazine:</b> United Bio-Shanghai & Shanghai Pharmaceutical (Xiayi) Co Ltd, China. <b>Metolachlor:</b> Shandong Rainbow Chemical Co Ltd, China <b>Formulator/Registrant:</b> United Bio-Shanghai & Shanghai Pharmaceutical (Xiayi) Co Ltd, China	<i>Local agent:</i> Moiben Connections Ltd  <i>Distributor:</i> Chiapas Limited	Pre-emergence herbicide for control of annual grasses and broad leaved weeds in Maize.  EU MRL: Atrazine & Metolachlor: 0.05mg/kg  WHO Class III, Slightly hazardous; Blue color band.
1407.	ZIGZAG 500 SC	PCPB(CR)15 80 P(iii)	Atrazine 200 g/L + Metolachlor 300 g/L	<b>Manufacturer:</b> <b>Atrazine:</b> United Bio-Shanghai & Shanghai Pharmaceutical (Xiayi) Co Ltd, China. <b>Metolachlor:</b> Shandong Rainbow Chemical Co Ltd, China <b>Formulator/Registrant:</b> United Bio-Shanghai & Shanghai Pharmaceutical (Xiayi) Co Ltd, China	<i>Local agent:</i> Moiben Connections Ltd  <i>Distributor:</i> Farmyard International Investment Ltd	Pre-emergence herbicide for control of annual grasses and broad leaved weeds in Maize.  EU MRL: Atrazine & Metolachlor: 0.05mg/kg  WHO Class III, Slightly hazardous; Blue color band.
1408.	AUTHORITY MAXIMA 500 SC	PCPB(CR)15 80 P(iv)	Atrazine 200 g/L + Metolachlor 300 g/L	<b>Manufacturer:</b> <b>Atrazine:</b> United Bio-Shanghai & Shanghai Pharmaceutical (Xiayi) Co Ltd, China. <b>Metolachlor:</b> Shandong Rainbow Chemical Co Ltd, China <b>Formulator/Registrant:</b> United Bio-Shanghai & Shanghai Pharmaceutical (Xiayi) Co Ltd, China	<i>Local agent:</i> Moiben Connections Ltd  <i>Distributor:</i> Stenna Crop Science Ltd	Pre-emergence herbicide for control of annual grasses and broad leaved weeds in Maize.  EU MRL: Atrazine & Metolachlor: 0.05mg/kg  WHO Class III, Slightly hazardous; Blue color band.

1409.	AKLA 50 ME	PCPB(CR)14 84 P(i)	Lambda Cyhalothrin 50g/L	<b>Manufacturer:</b> Jiangsu Huifeng Agrochemical Co, China <b>Formulator/Registrant:</b> United Bio-Shanghai & Shanghai Pharmaceutical (Xiayi) Co Ltd, China	<i>Local agent:</i> Moiben Connections Ltd  <i>Distributor:</i> Farmyard International Investment Ltd	Insecticide for the control Aphids on Cabbages  PHI:3 days Codex MRL 0.03mg/Kg  WHO Class II Moderately hazardous, Yellow color band
1410.	DRACULAR 50 ME	PCPB(CR)14 84 P(ii)	Lambda Cyhalothrin 50g/L	<b>Manufacturer:</b> Jiangsu Huifeng Agrochemical Co, China <b>Formulator/Registrant:</b> United Bio-Shanghai & Shanghai Pharmaceutical (Xiayi) Co Ltd, China	<i>Local agent:</i> Moiben Connections Ltd  <i>Distributor:</i> Chiapas Limited	Insecticide for the control Aphids on Cabbages  PHI:3 days Codex MRL 0.03mg/Kg  WHO Class II Moderately hazardous, Yellow color band
1411.	PENUMBRA 50 ME	PCPB(CR)14 84 P(iii)	Lambda Cyhalothrin 50g/L	<b>Manufacturer:</b> Jiangsu Huifeng Agrochemical Co, China <b>Formulator/Registrant:</b> United Bio-Shanghai & Shanghai Pharmaceutical (Xiayi) Co Ltd, China	<i>Local agent:</i> Moiben Connections Ltd  <i>Distributor:</i> Stenna Crop Science Ltd	Insecticide for the control Aphids on Cabbages  PHI:3 days Codex MRL 0.03mg/Kg  WHO Class II Moderately hazardous, Yellow color band

1412.	REGULATOR 450 EC	PCPB(CR)16 59 P(ii)	Chlorpyrifos 450g/L	Shandong United Industry Co Ltd, China	<i>Local agent:</i> Merychem Company Ltd  <i>Distributor:</i> Farmyard International Investment Ltd	Termiticide for wood treatment against termites.  WHO Class II Yellow Color Band Moderately hazardous.
1413.	AUTOGEAR 25% WP Wettable Powder	PCPB(CR)1 585-P(i)	Metalaxyl 150g/kg + Propamocarb Hydrochloride 100g/kg	<b>Manufacturer of a.i/ Formulator /Registrant:</b> Hailir Pesticide and chemical group Co Ltd, China	Chinachem Kenya Ltd  <i>Distributor:</i> Eurochem International Ltd	Fungicide for control of early and late blight on potatoes.  <b>Potatoes:</b> EU MRLs: Metalaxyl- 0.05mg/kg Propamocarb- 0.3mg/kg  PHI- 7 days  <b>WHO Class III</b> Slightly hazardous, Blue color band
1414.	BEDCOVER 720 EC Emulsifiable Concentrate	PCPB(CR)1 534-P(i)	Metolachlor 720 g/L	Jinan Kesai Agrochem Co., Ltd, China	Chinachem (K) Ltd <i>Distributor:</i> Eurochem Internati onal Ltd	Herbicide for the control of annual grasses and braod-leaved weeds in Maize.  PHI: 78 days MRL: 0.01 mg/kg

						<b>WHO Class II</b> (Moderately hazardous, yellow color band)
1415.	BAIL OUT 330 EC Emulsifiable Concentrate	PCPB(CR)1 533- P(ii)	Pendimethalin 330 g/L	Jinan Kesai Agrochem Co., Ltd, China	Chinachem (K) Ltd  <i>Distributor:</i> Eurochem International Ltd	Herbicide for the control of annual grasses and broad-leaved weeds in Maize.  PHI: 14 days MRL: 0.1 mg/kg  <b>WHO Class II</b> Moderately hazardous, Yellow color band
1416.	BUGATI 500 SC Suspension Concentrate	PCPB(CR)18 06	Azoxystrobin 200 g/L + Tebuconazole 300 g/L	<b>Manufacturer:</b> Shandong Hailir Chemical Co., Ltd., China  <b>Formulator/Registrant:</b> Qingdao Audis Bio-Tech Co. Ltd., China	Kenagro Suppliers Ltd	Fungicide for the control of powdery mildew in roses  REI: 6 hours  WHO Class II Moderately hazardous; Yellow color band
1417.	MILSTOP 85% SP	PCPB(CR)1 168	Potassium hydrogen Carbonate 850g/Kg	M. Church & Dwight Co. Inc., U.S.A; BioWorks, Inc, (R.F.) USA	Nutrichem East Africa. Ltd	Fungicide for control of Powdery Mildew on Snow peas. REI: When spray dries

1418.	ELGOLD 70 WDG Water dispersible granules	PCPB(CR)14 60	Imidacloprid 700 g/kg	UPL Limited India	<b>Agent:</b> Elgon Kenya Limited	Insecticide for the control of Aphids and whiteflies on Roses and Tobacco.  REI: 24 hours  <i>Tobacco:</i> MRL: 0.01mg/kg PHI: 103days <b>WHO Class II</b> Moderately hazardous, Yellow color band
1419.	AKLA 50 ME	PCPB(CR)14 84 P(i)	Lambda Cyhalothrin 50g/L	<b>Manufacturer:</b> Jiangsu Huifeng Agrochemical Co, China <b>Formulator/Registrant:</b> United Bio-Shanghai & Shanghai Pharmaceutical (Xiayi) Co Ltd, China	<i>Local agent:</i> Moiben Connections Ltd  <i>Distributor:</i> Farmyard International Investment Ltd	Insecticide for the control Aphids on Cabbages  PHI:3 days Codex MRL 0.03mg/Kg  WHO Class II Moderately hazardous, Yellow color band
1420.	DRACULAR 50 ME	PCPB(CR)14 84 P(ii)	Lambda Cyhalothrin 50g/L	<b>Manufacturer:</b> Jiangsu Huifeng Agrochemical Co, China <b>Formulator/Registrant:</b> United Bio-Shanghai & Shanghai Pharmaceutical (Xiayi) Co Ltd, China	<i>Local agent:</i> Moiben Connections Ltd  <i>Distributor:</i> Chiapas Limited	Insecticide for the control Aphids on Cabbages  PHI:3 days Codex MRL 0.03mg/Kg  WHO Class II Moderately hazardous, Yellow color band

1421.	PENUMBRA 50 ME	PCPB(CR)14 84 P(iii)	Lambda Cyhalothrin 50g/L	<b>Manufacturer:</b> Jiangsu Huifeng Agrochemical Co, China <b>Formulator/Registrant:</b> United Bio-Shanghai & Shanghai Pharmaceutical (Xiayi) Co Ltd, China	<i>Local agent:</i> Moiben Connections Ltd  <i>Distributor:</i> Stenna Crop Science Ltd	Insecticide for the control Aphids on Cabbages  PHI:3 days Codex MRL 0.03mg/Kg  WHO Class II Moderately hazardous, Yellow color band
1422.	OXYCLEAN 240 EC  Emulsion Concentrate	PCPB(CR)18 19	Oxyfluorfen 240g/L	<b>Manufacturer/Formulator:</b> Shaanxi Sunger Road Bio-Science Co. Ltd, China  <b>Registrant:</b> Ningbo Synagrochem Co. Ltd, China	Novixa International Ltd.	Pre-emergence herbicide for control of broad-leaf weeds and annual grasses in onions.  WHO Class II: Moderately Hazardous; Yellow color band
1423.	SILMITE Liquid  Liquid	PCPB(CR)18 20	Organosilicone 100% equivalent to Polyalkyleneox ide modified heptamethyltris iloxane 830g/L+ Ally and Propenyisomers of polyalkyleneoxi de 170g/L	<b>Manufacturer/Formulator:</b> Jiangxi Hito Chemical Co Ltd, China  <b>Registrant/Exporter:</b> YanCheng Rain-Agro Chemical Co Ltd, China	Chemwold CropScience Ltd	Miticide for control of nematodes in roses.  WHO Class II: Moderately Hazardous; Yellow color band

1424.	WEEDSTAR 300 SL  Soluble Concentrate	PCPB(CR)18 21	Glufosinate ammonium 300g/L	<b>Manufacturer:</b> Inner Mongolia Join Dream Fine Chemicals Co. Ltd, China  <b>Formulator:</b> Beijing Yoloo Biotechnology Corp. Ltd  <b>Registrant/Exporter:</b> Beijing Bioseen Crop Sciences Co. Ltd	Kenagro Suppliers Ltd	Post-emergence herbicide for control of broad-leaf weeds, annual and perennial grasses in non-cropped areas.  WHO Class II Moderately hazardous; Yellow color band
1425.	TOKEN 325 SC  Suspension Concentrate	PCPB(CR)18 22	Azoxystrobin 200g/L + Difenoconazole 125g/L	<b>Manufacturer/ Formulator/ registrant:</b> Jiangsu Greenscie Chemical Co Ltd, China Exporter: Nanjing Agrochemical Co Ltd, China	Osho Chemical Industries Ltd	Fungicide for control of powdery mildew and botrytis in roses.  WHO Class II Moderately hazardous; Yellow color band
1426.	BF 500 WDG  Water Dispersable Granules	PCPB(CR)18 23	Cymoxanil 200g/kg + Fluazinam 300g/kg	<b>Manufacturer:</b> <b>Cymoxanil:</b> Shanghai Shenglian Chemical Co. Ltd, China <b>Fluazinam:</b> Taizhou Bailly Chemical Co. Ltd, China  <b>Formulator:</b> Jiangyin Suli Chemical Co. Ltd, China <b>Registrant/Exporter:</b> Shanghai Hui Song (H&S) Agro- Solution Ltd, China	Bestfield East Africa Ltd	Fungicide for control of downy mildew in roses, early and late blight in potatoes and tomatoes.  WHO Class III Slightly hazardous; Blue color band

1427.	GRADOMETE R 480 EC  Emulsion Concentrate	PCPB(CR)18 24	Chlorpyrifos 480g/L	<b>Manufacturer/ Formulator/ Registrant:</b> M/S Agrow Allied Ventures Pvt. Ltd, India	Kenagro Suppliers Ltd.	Wood preservative for control of termites in building and construction  WHO Class II Moderately hazardous; Yellow color band
1428.	FLUDIOXINIL TC  Technical grade	PCPB(CR)18 25	Fludioxonil 970g/kg	<b>Manufacturer:</b> Jiangsu Subin Agrochemical Co Ltd, China <b>Registrant/ Exporter:</b> Shanghai E-Tong Chemical Co. Ltd, China	Osho Chemical Industries Ltd	For formulation purposes only.  WHO Class II Moderately hazardous; Yellow color band
1429.	PEARL EXTRA 50% EC  Emulsion Concentrate	PCPB(CR)18 27	Carbendazim 500g/L	<b>Manufacturer/ Formulator/ Anhui Guangxin Agrochemical Co Ltd, China</b>  <b>Registrant/Exporter:</b> Ningbo Huili Import & Export Co Ltd, China	Osho Chemical Industries Ltd	Fungicide for control of powdery mildew, botrytis and black spots in roses.  <i>The use on anthracnose, Fusarium and angular leaf spot in French beans was <b>deferred</b> because during efficacy trials, the product was applied four times while application in supervised residue trials was applied twice. In addition, PHI is 14 days which might be a challenge to Kenyan practice where the French beans are harvested frequently. Residue data supporting the Kenyan GAP should be submitted.</i>  WHO Class II, Moderately hazardous,



						Yellow color band
1430.	MONOLITH 220 SE  Suspo-emulsion	PCPB(CR)18 28	Fluroxypyr- meptyl 80g/L + Mesotrione 100g/L +Nicosulfuron 40g/L	<b>Manufacturer of each A.I:</b> Shanghai Agro-Tech Co. Ltd, China <b>Formulator/ Registrant:</b> Totales Insumos S.A, Nicaragua	Greenlife Crop Protection Africa Limited	Early post- emergence herbicide for control of annual grasses and broad leaved weeds in maize.  EU MRL: fluroxypyr-meptyl- 0.05mg/kg, mesotrione-0.01mg/kg and nicosulfuron -0.01mg/kg  WHO Class III Slightly Hazardous Blue Color Band
1431.	BALLISTA 20 SL  Soluble Concentrate	PCPB(CR)18 29	Glufosinate Ammonium 200g/L	<b>Manufacturer/ Formulator:</b> Yongnong Biosciences Co. Ltd, China  <b>Registrant/ Exporter:</b> Shanghai E-Tong Chemical Co. Ltd, China	Orbit Agro Chemical Industries Ltd	Post-emergence herbicide for control of broad leaf weeds, annual and perennial grasses in non-cropped areas.  WHO Class II Moderately hazardous; Yellow color band
1432.	VACCIPLANT 4.24% SL  Soluble Concentrate	PCPB(CR)18 30	Laminarin 42.4g/L	<b>Manufacturer/Formulator:</b> Laboratoires Goëmar SAS, France  <b>Registrant:</b> Arysta lifeScience S.A.S, France	Arysta LifeScience (K) Ltd	Fungicide for control of powdery mildew in roses and snow peas.  WHO Class III Slightly Hazardous; Blue Color Band

1433.	FIREWORKS 90 SC  Suspension Concentrate	PCPB(CR)18 31	Indoxacarb 60g/L + Abamectin 30g/L	<b>Manufacturer/Formulator:</b> Jiangsu Subin Agrochemical Co Ltd, China  <b>Registrant/Exporter:</b> Shanghai E-Tong Chemical Co. Ltd, China	Osho Chemical industries Ltd	Insecticide for control of thrips, spidermites and caterpillars on roses.  WHO Class III Slightly Hazardous; Blue Color Band
1434.	WIDAMINE 720AS  Aqueous Suspension	PCPB(CR)18 32	2,4D amine salt 720g/L	<b>Manufacturer/Formulator:</b> Changzhou Wintafone Chemicals Co. Ltd, China <b>Registrant:</b> Wemax Agro Ltd, China	Cropanet Plaass Ltd	Post-emergence herbicide for control of broad-leaved weeds in non-cropped areas.  WHO Class II, Moderately hazardous Yellow Color Band
1435.	SEEDOPRID 600 FS  Flowable concentrate for seed treatment	PCPB(CR)18 33	Imadacloprid 600 g/L	<b>Manufacturer:</b> Jiangsu Yangnong Chemical Co Ltd., China  <b>Formulator/ Registrant:</b> ADAMA Makhteshim Ltd Israel	ADAMA Agriculture East Africa Ltd	Seed treatment for control of cutworms, termites, aphids, thrips and maize stalk borer in maize.  EU MRL-0.1mg/kg PHI: 69 days  WHO Class II (Moderately hazardous; Yellow color band)
1436.	ELEGANT 2FD 306 SE  Suspo- emulsion	PCPB(CR)18 34	2,4-D 300g/L + Florasulam 6.25g/L	ADAMA Agan Ltd, Israel	ADAMA Agriculture East Africa Ltd.	A post-emergence herbicide for control of broad leaf weeds in wheat. WHO Class II, Moderately hazardous

						<p>Yellow Color Band</p> <p><b>EU MRLs:</b>                  2,4-D -0.05mg/kg                  Florasulam- 0.01mg/kg                  PHI- 51 days</p>
1437.	KONZANO 50EC Emulsion Concentrate	PCPB(CR)18 35	Abamectin 50g/L	Shijiazhuang Xingbai Bioengineering Co., Ltd, China	Farmcare Solutions Ltd	<p><i>Nematicide/ insecticide for control of nematodes and spidermites in Roses and leafminers and spidermites in tomatoes</i></p> <p><i>Tomatoes</i>                  EU MRL-0.09mg/kg                  PHI-3 days</p> <p><b>REI: 12hrs</b></p> <p><b>WHO Class II</b>                  Moderately hazardous,                  Yellow color band</p>
1438.	PERSIST 900 EC Emulsifiable Concentrate	PCPB(CR)18 36	Acetochlor 900 g/L	<p><b>Manufacturer/Formulator:</b>                  Shandong Zhongshi Pesticide Co. Ltd., China</p> <p><b>Registrant/Exporter:</b>                  Shanghai Mio Chemical Co. Ltd., China</p>	Agrichem & Tools Ltd	<p>Pre emergence herbicide for control of broad leaved and grass weeds in maize.</p> <p>EU MRL: 0.01mg/kg</p> <p><b>WHO Class III</b></p>

						Slightly hazardous, Blue color band
1439.	GALLOP 25 WG Water Dispersible Granules	PCPB(CR)18 37	Thiamethoxa m 250 g/kg	<b>Manufacturer/Formulator:</b> Willowood Chemical Pvt Limited, India  <b>Registrant:</b> Willowood Limited, Hong Kong	Willowood (Africa) Ltd	Insecticide for control of whiteflies in cucumber.  <b>Cucumber:</b> EU MRL- 0.5mg/kg PHI- 3 days  <b>WHO Class II</b> Moderately hazardous, Yellow color band
1440.	DUSS 10 EC Emulsifiable Concentrate	PCPB(CR)18 38	Pyriproxyfen 100g/L	Parijat Industries (India) Pvt Ltd	<b>Local Agent:</b> Soloplant Kenya Ltd.  <b>Distributor:</b> Amiran Kenya Ltd	Insecticide for control of whiteflies on tomatoes.  EU MRL -0.3mg/kg PHI- 3 days  <b>WHO Class II,</b> Moderately hazardous, Yellow color band.

1441.	NOVIGUARD 72 % WP Wettable Powder	PCPB(CR)18 39	Mancozeb 640g/kg + Cymoxanil 80g/kg	<b>Manufacturer/Formulator:</b> Shaanxi Hengtian Chem-Tech Co. Ltd., China  <b>Registrant:</b> Shaanxi Hengtian Chemical Ltd., China  <b>Exporter:</b> Ningbo Synagrochem Co. Ltd., China	Novixa International Ltd	Fungicide for control of downy mildew in roses.  WHO class III Slightly hazardous Blue color band  REI: 12 hours
1442.	ANSPAMINE 720 SL  Soluble Concentrate	PCPB(CR)18 40	(2,4 Dichlorophen oxy) acetic acid 720 g/L	<b>Manufacturer/formulator:</b> Hegang Th-Unis Insight Pesticide Chemistry Co Ltd, China  <b>Registrant:</b> Agrohao Co Ltd, China	Anspa E .A Ltd	Post-emergence herbicide for control of broad-leaved weeds in baby corn.  EU MRL- 0.05mg/kg PHI- 30days  <b>WHO Class II</b> Moderately hazardous, Yellow color band
1443.	OTHELLO TOP 32.5 % SC Suspension Concentrate	PCPB(CR)18 41	Azoxystrobin 200 g/L + Difenoconazol e 125 g/L	<b>Manufacturer</b> <i>Azoxystrobin:</i> Hailir Pesticides & Chemicals Group Co. Ltd., China  <i>Difenoconazole:</i> Qingdao KYX Chemical Co. Ltd., China	Kencrop Kenya Ltd	Fungicide for the control of yellow rust and stem rust in wheat EU MRLs- Azoxystrobin: 0.5 mg/kg Difenoconazole: 0.1mg/kg PHI- 35 days WHO Class II Moderately hazardous; Yellow color band.

				<b>Formulator:</b> Hailir Pesticides & Chemicals Group Co. Ltd., China  <b>Registrant/Exporter:</b> Kenagro Ltd., Cyprus		
1444.	TATUA 5 EC Emulsifiable concentrate	PCPB(CR)17 27- P(i)	Emamectin Benzoate 50 g/L	<b>Manufacturer/Formulator:</b> Sinon Chemical (Shanghai) Co. Ltd, China	Cropanet Plaass Ltd. <b>Distributor</b> Beccado Enterprises ltd.	Insecticide for control of thrips and caterpillars on roses and tomatoes.  WHO Class II Moderately hazardous Yellow color band
1445.	2,4 D OAK 720 SL Slouble Concentrate	PCPB(CR)15 14-P(i)	2,4-D dimethyl amine salt 720g/L	<b>Manufacturer of a.i/ Formulator:</b> Shandong Qiaochang chemical Co., Ltd, china <b>Registrant:</b> Wenzhou Foreign trade Industrial Products Co., Ltd, China.	Highchem Marketing Ltd, Essential Division <b>Distribut or</b> Oak Medical Ltd	Post emergence herbicide for control of annual and perennial broad-leaved weeds in maize PHI: 7 days <b>WHO Class II</b> Moderately hazardous, Yellow color band
1446.	ENSAFI 480 AS Soluble Suspension	PCPB(CR) 1752-P(i)	Bentazone 480g/L	<b>Manufacturer/Formulator/Regis trant:</b> Anhui Xifengshou Agricultural Science & Technology Co Ltd, China <b>Exporter:</b> Wemax Agro Ltd, China	Cropanet Plaass Ltd. <b>Distributor</b> Beccado Enterprises ltd.	Early post-emergence herbicide for control of annual broad-leaf weeds on common beans.  EU MRL: 0.05 mg/kg PHI: 49 days  WHO Class II Moderately hazardous Yellow Color Band

1447.	EDITOR 480 SC	PCPB(CR)17 95-P(i)	Metribuzin 480 g/L	Jiangsu Sevencontinent Green Chemical Co Ltd, China	MMC Arches <b>Distribut or:</b> <i>Farmfix Africa Company Limited</i>	Pre-emergence herbicide for control of annual broad leaved weeds and grasses in carrots.  EU MRL: 0.1 mg/kg PHI: 30 days  WHO Class II Moderately hazardous, Yellow color band
-------	------------------	-----------------------	-----------------------	--	--	---

## PART II: PRODUCTS REGISTERED FOR USE IN PUBLIC HEALTH





Serial No	Trade name and type of formulation	Registration Number	Active ingredients (Common name/s)	Manufacturer/ Registrant	Agent	Uses
1.	ABATE 500 EC Emulsifiable Concentrate	PCPB(CR)0249	Temephos 500g/L	BASF SE, Germany.	Topserve East Africa Ltd., P.O. Box 47341, Nairobi.	Larvicide for the control of mosquito  Larvae in water masses. Also for control of nuisance pests and vectors of  human diseases - black fly and  Guinea worm.
2.	ACTELIC 300 CS Capsule Suspension	PCPB(CR)1233	Pirimiphos methyl 300g/L	Syngenta, Belgium	Syngenta E.A Ltd: Distributor: Aysta Lifescience	A public health insecticide for indoor residual spray against mosquitoes  WHO Class U Products unlikely to cause hazard under conditions of normal use. Green Colour Band

3.	AGITA 10WG Water Dispersible Granules	PCPB(CR)0369	Thiamethoxam 100g/ Kg + Cis-9-Tricosene 0.50g/Kg	Eli Lilly and Company, Indianapolis USA/Eli Lilly (SA) Pty Ltd, South Africa.	Ultravetis E.A. Ltd.	A public health insecticide for the control of houseflies and cockroaches in homes, hotels, butcheries, abattoirs, stables, poultry houses, pigsties, dairies and industrial buildings.
4.		PCPB(CR)1642 GREEN POWER 0.05 BP Bait Powder	Fipronil 0.5g/kg	<b>Manufacturer of a.i:</b> Yifan Biotechnology Group Ltd, china <b>Formulator/Registrant/Exporter:</b> Nantong Gongcheng Fine Chemicals Co Ltd, China.	Transafrica Parmaceuticals Ltd	Public health insecticide for the control of cockroaches in domestic environs  <b>WHO Class U</b> Unlikely to present hazard under normal use; Green Colour Band

5.	PYREBEX MOSQUITO REPELLENT Liquid	PCPB(CR)1566	Pyrethrins 1%	<b>Manufacturer of a.i:</b> Pyrethrum and other industrial crops directorates <b>Formulator:</b> Twiga chemical industries ltd <b>Registrant:</b> Maj- chemie Ltd	Maj-Chemie Ltd	Public health insecticide for use with electric vaporizers as an indoor mosquito repellent  WHO Class III Slightly Hazardous Blue Color Band
6.	PERMANET 2.0 Insecticide Treated Net (ITN)	PCPB(CR)0516	Deltamethrin 55gm/m <sup>2</sup>	Technical Grade: Tagros Chemicals India Ltd./ Vestergaard Group S.A Switzerland Formulator; Vestergaard. <b>Additional Formulation Site:</b> Vinmos Company. Ltd, Vietnam.	Vestergaard Frandsen E.A.Ltd.	Insecticide pretreated long lasting bednet for protection against mosquitoes.
7.	BOLT HOUSEHOLD INSECTICIDE LEMON FRESH Aerosol	PCPB(CR)1209	Pyrethrin 0.5% Permethrin 0.105% Piperonyl butoxide 2%	Technical grades from: Pyrethrum Board of Kenya / Sumitomo Corporation Formulator & Registrant: Tropical Brands (Africa) Ltd.	Tropical Brands (Africa) Ltd.	A public health insecticide for control of flying & crawling insects.

8.	ASCON 10 WP	PCPB(CR)1239	Lambda cyhalothrin 100g/Kg	Willowood Africa.Ltd. <i>Additional Source:</i> Youth Chemical. Ltd, China.	Agriscope Africa.Ltd	Public health insecticide for indoor residual spray against mosquitoes WHO Class II
9.	CHALI DUDU 60 DUST	PCPB(CR)1609	Lambda-Cyhalothrin 10g/kg+ Carbaryl 50 g/kg	<b>Manufacturer of Lambda- Cyhalothrin:</b> Jiangsu Langfeng Biochemical Co ltd, China <b>Carbaryl:</b> Jiangi Haili Guixi Chemical pesticide Co ltd, China <b>Formulator/Registran t:</b> Highchem Marketing Ltd, Kenya	<b>Agent:</b> Highchem Marketing Ltd; <b>Distributor:</b> Oak Medica Ltd	Public health insecticide for the control of cockroaches, ants and fleas in domestic environment.  <b>WHO Class U</b> Unlikely to present hazard in normal use. Green color band
10.	CULEXON 10WP	PCPB(CR)1239- pi	Lambda cyhalothrin 100g/Kg	Willowood, HongKong. <i>Additional Source:</i> Youth Chemical. Ltd, China.	Agent: Willowood Africa.Ltd Distributor: Ultravetis East Africa	Public health insecticide for indoor residual spray against mosquitoes WHO Class II Moderately hazardous, Yellow color band.

11.	AGITA 1GB Granular Bait	PCPB(CR)0370	Thiamethoxam 10g/Kg + Cis-9-Tricosene 0.50g/Kg	Eli Lilly and Company, Indianapolis USA/Eli Lilly (SA) Pty Ltd, South Africa.	Ultravetis E.A. Ltd.	A public health insecticide for the control of houseflies in homes, hotels, butcheries, abattoirs, stables, poultry houses, pigsties, dairies and industrial buildings.
12.	BAITON Paste	PCPB(CR)1202	Boric acid 30% w/w	Osho Chemicals Industries Ltd	Cardus (K) Ltd	Insecticide for control of cockroaches in dwelling places. WHO classification: not applicable for public health pesticides.
13.	BARAKI PELLETS	PCPB(CR)0826	Difethialone 1.25g/Kg	Bayer Environmental Sciences / Bayer East Africa Ltd.	<i>Agent:</i> Bayer East Africa Ltd. <i>Distributor:</i> Highchem Marketing Ltd.	Rodenticide to control rats & mice in domestic environs.
14.	BARAKI WAX BLOCKS	PCPB(CR)0827	Difethialone 1.25g/Kg	Bayer Crop Science AG, Germany / Bayer Environmental Science SA, Nairobi.	<i>Agent:</i> Bayer East Africa Ltd. <i>Distributor:</i> Highchem Marketing Ltd.	Rodenticide to control rats and mice around domestic environs.

15.	BAYGON MOSQUITO COIL	PCPB(CR)0950	D-allethrin 0.2% w/w	Homesafe Products (M) Malaysia / S.C. Johnson & Son Kenya Ltd.	S.C. Johnson & Son Kenya Ltd.	Public health insecticide for control of mosquitoes.
16.	BAYGON LIQUID ELECTRIC MOSQUITO KILLER	PCPB(CR)0755	Prallethrin 1.6% w/w	SC Johnson, Saudi Arabia Ltd./ SC Johnson & Son East Africa	SC Johnson Kenya Ltd.	Liquid for use with electric vaporizers for control of mosquito indoors
17.	BAYGON MULTI INSECT KILLER Aerosol	PCPB(CR)0682	Cyfluthrin 0.015% + 0.05% Imiprothrin	Johnsons Wax, Egypt./ SC Johnson Kenya Ltd.	SC Johnson Kenya Ltd.	Public Health insecticide for the control of flying and crawling insects i.e. mosquitoes, cockroaches & ants.
18.	BIGON	PCPB(CR)0998	Tetramethrin 0.2% + Prallethrin 0.04% + Imiprothrin 0.034%	Johnsons Wax, Egypt./ SC Johnson Kenya Ltd. <b>Formulator:</b> SC Johnson & Son (Pty) Limited, South Africa.	SC Johnson Kenya Ltd.	A public health product for the control of flying and crawling insects (Mosquitoes, cockroaches and ants). REI = 1hr

19.	BESTOX 100 EC Emulsifiable Concentrate	PCPB(CR)0779	Alpha-Cyberpermethrin 100g/L	FMC Corporation, USA.	Juanco SPS Ltd.	Insecticide (1) For Public Health use against mosquitoes either as a larvicide or adulticide. 1. For agricultural use - in cotton, for armyworm control.
20.	BESTOX 20 EC Emulsifiable Concentrate	PCPB(CR)0625	Alpha-cypermethrin 20g/L	FMC Corporation, USA.	Juanco SPS Ltd.	Insecticide for use in cotton, public health.
21.	BEDO-BIO INSECTICIDE CONCENTRAT E Emulsifiable Concentrate	PCPB(CR)1119	Coconut oil 58.5ml/L Neem Oil – 31.5ml/L Sorbic acid – 15.0ml/L Soybean oil – 32.5ml/L	Bedo Bio Vertriebs, GmbH, Dachau, Germany	Bedo Organic Solutions (E.A.) Ltd., Nairobi	Insecticide and larvicide for control of ants, cockroaches, bedbugs and mosquito larvae. WHO Class U Green colour band Products unlikely to cause acute hazard under normal use.

22.	BIPRONEX GEL	PCPB(CR)1288	Fipronil 0.5g/kg	<b>Manufacturer:</b> Nantong Gongcheng Fine Chemical Co., Ltd, China <b>Exporter:</b> Shanghai Hui Song (H&S) Agro-Solution Co. Ltd, China	HighChem Essentials Ltd	Insecticidal gel bait for public health use in the control of cockroaches
23.	BLATTAMAX COCKROACH GEL	PCPB(CR)0475-p(i)	Imidacloprid 21.5g/Kg	Bayer Cropscience AG, Germany / Bayer Environmental Science.	<i>Agent:</i> Bayer East Africa Ltd. <i>Distributor:</i> Highchem Marketing Ltd.	Ready to use bait for the control of cockroaches in Public Health.
24.	BORAKILL paste	PCPB(CR)1217	Boric acid 30 % w/w	<b>Source of Boric acid:</b> 1. Euro Chemicals Ltd, 2. Desbro (K) Ltd, 3. Orbit Chemical Industries Ltd. <b>Formulator/Registrant:</b> Mosaic Capital Ventures, Kenya	Mosaic Capital Ventures	Public health insecticide for the control of Cockroaches in dwelling places.
25.	COCKRAKILL Paste	PCPB(CR)0528	Boric Acid 50% w/w	Cockrid Kenya Ltd.	Cockrid Kenya Ltd.	Public health insecticide for the control of cockroaches in domestic environs



26.	COMBAT MOSQUITO COIL	PCPB(CR)0901	D-allethrin 0.1 % w/w	Sumitomo Chemical Co. Ltd., Japan / KAPI Ltd.	KAPI Ltd.	Household Insecticide, for mosquito control.
27.	DARVIN 50EW Emulsion, Oil in Water	PCPB(CR)0814	Diazinon 500g/L	Adama Makhteshim, Israel.	Adama Agriculture E. A Limited.	A public health insecticide for the control of crawling insects (Cockroaches and Ants).
28.	DAWAPLUS 2.0 LLIN	PCPB(CR)1321	Deltamethrin 80 mg/r	Manufacturer: Bayer S.A.S. Environmental Science, Germany  <i>Formulator: Tana Netting FZ-LLC, United Arab Emirates</i>	Njimia Pharmaceuticals	Long lasting insecticide treated mosquito net for protection against Adult Mosquitoes
29.	DEVICE 2% GR Granules	PCPB(CR)0685	Diflubenzuron 20g/Kg	Arysta LifeScience Netherlands B.V/ Improchem Proprietary Ltd.	Arysta LifeScience(K) Ltd.	Insecticide for use in public health to control mosquitoes in breeding sites.
30.	DEVICE 2% TB (Tablets)	PCPB(CR)0686	Diflubenzuron 20g/Kg	Arysta LifeScience Netherlands B.V / Improchem Proprietary Ltd.	Arysta LifeScience(K) Ltd.	Insecticide for use in public health to control mosquitoes in breeding sites.

31.	DURANET LLIN	PCPB(CR)0819	Alpha-cypermethrin 0.55% w/w	Tagros Chemicals Ltd., India/Shobikaa Impex Private Ltd, India	Crystal (K) Ltd.	LLIN for protection against mosquito bites.
32.	DUDUKRIN Pet Shampoo Ready to use Liquid	PCPB(CR)0836	Pyrethrins 0.5% Piperonyl Butoxide 2%	Pyrethrum Board of Kenya / KAPI Ltd.	KAPI Ltd.	Insecticidal Pet Shampoo for dogs and cats against fleas, lice, ticks.
33.	DUDUKRIN Gentle Pet Shampoo	PCPB(CR)1060	Pyrethrins 0.5% Piperonyl Butoxide 2%	Pyrethrum Board of Kenya / KAPI Ltd.	KAPI Ltd.	Insecticidal Pet Shampoo for dogs and cats against fleas, lice, ticks. WHO Class U Green Colour Band
34.	FAST KILL ODUORLESS Aerosol	PCPB(CR)1327	d-Phenothrin 0.92g/kg + Imiprothrin 0.25g/kg + Prallethrin 0.4g/kg	Sumitomo Chemical Corporation, Osaka, Japan <b>Formulator:</b> Tiger Consumer Brands Limited, South Africa	Haco Tiger Brands (East Africa) Ltd	Public health insecticide for the control of Cockroaches, houseflies and adult mosquitoes  WHO Class III Slightly hazardous Blue color band

35.	FAST KILL REGULAR Aerosol	PCPB(CR)1326	d-Phenothrin 0.92g/kg + Imiprothrin 0.25g/kg + Prallethrin 0.4g/kg	Sumitomo Chemical Corporation, Osaka, Japan <b>Formulator:</b> Tiger Consumer Brands Limited, South Africa	Haco Tiger Brands (East Africa) Ltd	Public health insecticide for the control of Cockroaches, houseflies and adult mosquitoes  WHO Class III Slightly hazardous Blue color band
36.	FEDOZINON 50 EC	PCPB(CR)1206	Diazinon 500 g/L	Jiangsu Baoling Chemical Co., Ltd, China	Fedo Agencies	Public health insecticide for the control of cockroaches and bedbugs. <b>WHO Class II</b> Moderately hazardous, (Yellow color band.)
37.	FENDONA 50WP Wettable Powder	PCPB(CR)0747	Alpha-cypermethrin 50g/Kg	BASF Germany / BASF India <i>Also</i> Tagros, India.	Topserve E. Africa Ltd.	A public health product for indoor residual spray against mosquitoes.

38.	FENDONA 60 SC	PCPB(CR)0166	Alpha-cypermethrin 60g/L	BASF SE, Germany.	BASF East Africa. LTD	High performance residual insecticide for public health use against mosquitoes, cockroaches, houseflies; for protection of store fabric in grain storage outlets against storage insect pests.
39.	FINALE PELLETS	PCPB(CR)0826- <i>p(i)</i>	Difethialone 1.25g/Kg	Bayer Environmental Sciences / Bayer East Africa Ltd.	Bayer East Africa Ltd (Environmental Science, Ruaraka Nairobi)	Rodenticide to control rats & mice in domestic environs.
40.	FINALE WAX BLOCKS	PCPB(CR)0827- <i>p(i)</i>	Difethialone 1.25g/Kg	Bayer Crop Science AG, Germany / Bayer Environmental Science SA, Nairobi.	Bayer East Africa Ltd (Environmental Science, Ruaraka Nairobi)	Rodenticide to control rats and mice around domestic environs.

41.	FLOWER DUDU SPRAY	PCPB(CR)0848	Pyrethrins 0.1% w/w + Piperonyl Butoxide 0.2%	Pyrethrum Board of Kenya/ KAPI Ltd., P. O. Box 252 Nakuru.	KAPI Ltd.	A ready to use public health insecticide for the control of flying insects
42.	FLOWER KILLER STICKS	PCPB(CR)0900	Pyrethrins 0.5%	Pyrethrum Board of Kenya/ KAPI Ltd.	KAPI Ltd.	Insecticidal sticks for the control of mosquitoes in domestic dwellings
43.	FLOWER Mosquito Coil	PCPB(CR)0972	d-Allethrin 0.2% w/w	Kapi Ltd.	Kapi Ltd.	Public health insecticide for mosquito control.
44.	GAD 50 COCKROACH PASTE	PCPB(CR)1240	Boric Acid 50%	Source: Orbit Chemicals Ltd.	Gadpath Ltd.	Public health insecticide for control of cockroaches WHO Class U Products unlikely to present a hazard under conditions of normal use; Green color band

45.	GOLIATH 0.05% GEL	PCPB(CR)0667	Fipronyl 0.05%	BASF SE, Germany.	BASF E.A Ltd., Nairobi. <i>Distributor:</i> Topservice East Africa Ltd.	Ready to use insecticidal gel bait for public health use - for the control of cockroaches, for use by professional pest control operators.
46.	INTERCEPTOR LLIN	PCPB(CR)0813	Alpha Cypermethrin 180- 220mg/m <sup>2</sup>	Solucia Products Agricolas, Brazil / BASF Agro.	BASF East Africa. Ltd. Additional Formulation Sites: 1. Sunshine World Net 2003.Ltd, Ratchaburi, Thailand; 2. Shanghai Gongtai Textile Co.Ltd, Jiangsu, China; 3. Decotex Co.Ltd, HoChi Minh City, Vietnam.	Insecticide pretreated bed net for protection against mosquitoes.

47.	JOHNSONS OFF HYTTSSAVU COIL	PCPB(CR)0723	Pyrethrins 0.3%	Pyrethrum Board of Kenya / KAPI Ltd.	KAPI Ltd.	Public health insecticide for the control of mosquitoes. FOR EXPORT TO FINLAND, NOT FOR SALE & USE IN KENYA
48.	KILRAT Powder	PCPB(CR)0591	Zinc phosphide 540g/Kg	United Phosphorous Ltd.India.	Dera Chemical Industries Ltd.	Rodenticide for the control of rats, mice, moles in non-crop areas, lawns and fields.
49.	K-OTHRINE EC 15 Emulsifiable Concentrate	PCPB(CR)0832	Deltamethrin 15g/L	Bayer Crop Science, France.	<i>Agent:</i> Bayer East Africa Ltd. <i>Distributor:</i> Highchem Marketing Ltd.	Insecticide for public health use against house flies.
50.	K-OTHRINE WG 250 (Water Dispersible Granules)	PCPB(CR)0681	Deltamethrin 25 % w/w	Bayer Crop science, France / Bilag Industries Ltd., India / Bayer Environmental Science SA, France.	<i>Agent:</i> Bayer East Africa Ltd. <i>Distributor:</i> Highchem Marketing Ltd.	Public Health insecticide for the control of mosquitoes as Indoor Residual Spray (IRS).

51.	LANIRAT Ready to use bait	PCPB(CR)0604	Bromadiolone 0.005%	Eli Lilly and Company, Indianapolis USA/Eli Lilly (SA) Pty Ltd, South Africa.	Ultravetis E.A. Ltd.	Rodenticide for the control of rats and mice.
52.	LARVEX 100 Ready for use liquid	PCPB(CR)0661	Ethylene glucol mono-oleate 98% + Cetyl/Steryl alcohol polyoxyethelene 2-10% (all derived from vegetable oil)	Juanco SPS, P.O. Box 20529 Nairobi.	Juanco SPS Ltd.	Ready to use liquid insecticide for the control of mosquitoes in stagnant and slow flowing waters. Larvicide (5l/ha) for clear to moderately polluted waters.
53.	MAGNet ® LLIN	PCPB(CR)1304	Alphacypermethrin 5.8 g/kg	Gharda Chemicals Ltd, India	Pestnet (K) Ltd	Long lasting insecticidal net (LLIN) for control of adult mosquitoes
54.	MAXFORCE IC RB Bait(ready for use)	PCPB(CR)0475	Imidacloprid 21.5g/Kg	Bayer Cropscience AG, Germany / Bayer Environmental Science.	Bayer Environmental Science.	Ready to use bait for the control of cockroaches in Public Health.



55.	MIRACULOUS CHALK Chalk sticks	PCPB(CR)1279	Deltamethrin 4 g/kg	Guangzhou Jiali Cosmetics Co. Ltd. China	Mathwell Ltd	Public health insecticide for control of cockroaches and ants
56.	MOBILIO CURTAIN	PCPB(CR)0907- <i>p(iv)</i>	Permethrin 2% w/w	Sumitomo Chemicals Co., Japan.  <i>Additional Formulation Sites:</i> Viet What Forn Spinning Textile Germet Ltd., Vietnam; Dalian Chemphy Chemical Co. Ltd., China; Vector Health International Ltd., Arusha, Tanzania; Minh Hung Tien Giang Co. Ltd., Vietnam.	Quest Chemicals Ltd	Insecticide pre-treated bednet for protection against the mosquito flies.
57.	MORTEIN DOOM ULTRA FAST AIK Aerosal	PCPB(CR)0703	Imiprothrin 0.025%+ Permethrin 0.125%+ D-Trans Allethrin 0.04%	Sumitomo Chemical Works Co. Ltd., Japan/Endura s.p.a., Italy Formulated by Reckitt Benckiser, Australia & SCITRA, UAE	Reckitt Benckiser E.A. Ltd.	Public health insecticide for the control of mosquitoes, houseflies and cockroaches.

58.	MORTEIN DOOM Insect Powder	PCPB(CR)0572	Permethrin 0.5% (25% cis/75% trans)	Reckitt Benckiser E.A. Ltd <i>Formulator:</i> Reckitt Benckiser, Karachi, Pakistan.	Reckitt Benckiser E.A. Ltd.	Household insecticide against insects of public health importance (cockroaches, fleas, bedbugs): also for protection of hides and skins.
59.	MORTEIN DOOM KNOCKDOWN COCKROACH AND ANT KILLER	PCPB(CR)0555	Imiprothrin 0.03%w/w Cypermethrin 0.15% w/w	Sumitomo Chemical Corporation, Japan / FMC Corporation, USA / Soap & chemical industries & Trading Co; UAE / Reckitt Benckiser, S.Africa	Reckitt Benckiser E.A. Ltd.	Public health Insecticide for the control of cockroaches and ants.
60.	MORTEIN DOOM POWERGARD Crawling Insect Killer Aerosol	PCPB(CR)1043	Imiprothrin 0.07% w/w + Cypermethrin 0.2% w/w	Sumitomo Chemical Co. Ltd., Japan/Endura S.P.A., Italy <i>Formulator:</i> SCITRA, UAE & Reckitt Benckiser PTY Ltd., Australia & Reckitt Benckiser (NIG) Ltd., Nigeria	Reckitt Benckiser E.A. Ltd.	Public health insecticide for the control of cockroaches.  REI: 10 mins  Aerosols are not classified under WHO toxicity.

61.	MORTEIN DOOM POWERGARD ALL INSECT KILLER AEROSOL	PCPB(CR)1028	Esbiothrin 0.1% w/w + D-phenothrin 0.03% w/w+ Imiprothrin 0.02% w/w	Sumitomo Chemicals Japan/ Endura Spa, Italy/SCITRA/Reckitt Benckiser(UK) Ltd., UK	Reckitt Benckiser E.A. Ltd.	Public health insecticide for the control of mosquitoes, cockroaches & houseflies. REI: 10 minutes. WHO Classification not applicable for aerosols
62.	MORTEIN DOOM POWERGARD ODOURLESS ALL INSECT KILLER AEROSOL	PCPB(CR)1027	Esbiothrin 0.1% w/w + D-phenothrin 0.03% w/w+ Imiprothrin 0.02% w/w	Sumitomo Chemicals Co., Japan/Endura Spa, Italy/SCITRA/Reckitt Benckiser, (UK) Ltd., UK	Reckitt Benckiser E.A. Ltd.	Public health insecticide for the control of mosquitoes, cockroaches & houseflies. REI : 10 minutes. WHO Classification not applicable for aerosols

63.	MORTEIN DOOM ODUORLESS MOSQUITO REPELLANT LIQUID	PCPB(CR)0942	d-trans-allethrin 2.6% w/w	Sumitomo Chemical Company Japan/Formulators: Reckitt Benckiser, China & Reckitt Benckiser Australia/Reckitt Benckiser Pakistan Ltd, Karachi, Pakistan	Reckitt Benckiser E.A. Ltd.	An insecticide for use with electric vaporizers to control mosquitoes indoors.  WHO Class II Yellow Colour Band <u>Application Rate:</u> 28ml bottle for use: 8hrs per night for 30 nights
64.	MORTEIN DOOM RAT KILL RB Bait (Ready for use)	PCPB(CR)0360	Brodifacoum 0.005%	Activa s.r.l. Milano, Italy.	Reckitt Benckiser E.A. Ltd.	Rodenticide for the control of rats & mice in domestic environs.
65.	MOSKILL Aerosol	PCPB(CR)1002	Pyrethrins 0.35% + Permethrin 0.15%	Pyrethrum Board of Kenya / Sumitomo Corporation Ltd., Japan  <i>Formulator:</i> Osho Chemicals Industries Ltd	Osho Chemical Industries Ltd.	Aerosol for the control of mosquitoes in domestic environs.
66.	MOSKILL MAT (For use in VAPORIZER)	PCPB(CR)0613	d-Allethrin 36.0mg + Piperonyl Butoxide 35.0mg per mat	Sumitomo Corporation, Japan.	Osho Chemical Industries Ltd.	Insecticide for public health use against mosquitoes.

67.	MOSKILL MOSQUITO COIL	PCPB(CR)0917	Pyrethrins 0.3%.	Pyrethrum Board of Kenya	Osho Chemical Industries Ltd.	A mosquito coil for the control of mosquitoes.
68.	MOSKILL MOSQUITO REPELLANT STICKS	PCPB(CR)1000	Pyrethrins 0.2%.	Pyrethrum Board of Kenya.	Osho Chemical Industries Ltd.	Insecticide for the control of mosquitoes in domestic environs.
69.	MOS-KILL SPIRA Liquid	PCPB(CR)0999	Esbiothrin 3.0% w/w	Zobeles industries, Italy.	Osho Chemical Industries Ltd.	Electric evaporator liquid – insecticide for Public Health use for the control of mosquitoes.
70.	MOSKILL VERMIN POWDER	PCPB(CR)1003	Pyrethrins 0.2%	Pyrethrum Board of Kenya / Osho Chemical Industries Ltd.	Osho Chemical Industries Ltd.	Insecticide for the control of cockroaches in domestic environs.
71.	MOS-N- ROACH 100 EC	PCPB(CR)0779- <i>p(i)</i>	Alpha-Cypermethrin 100g/L	FMC, USA	Juanco SPS Ltd	Insecticide for use in Public Health to control mosquitoes either as a larvicide or adulticide.
72.	MOSSI CHIPS	PCPB(CR)0899	d-Allethrin 46 mg/chip	Sumitomo Chemicals Co. Ltd., Japan / Sumitomo Corporation Liaison Office, Nairobi	KAPI Ltd.	A public health product for the control of mosquitoes wing on electrical vaporizing device.

73.	MOSTHRIN 2.5 EC Emulsifiable Concentrate	PCPB(CR)0760-p(i)	Deltamethrin 25g/L	Sulphur Mills, India.	Osho Chemical Industries Ltd.	Public Health Insecticide for the control of Adult mosquitoes
74.	GOODKNIGHT MULTI INSECT KILLER AEROSOL Aerosol	PCPB(CR)1404	Imiprothrin 0.05% + Cypermethrin 0.1% + Prallethrin 0.09%	<b>Manufacturer:</b> <i>Imiprothrin &amp; Prallethrin:</i> Sumitomo Chemical Company, Japan <i>Cypermethrin:</i> Bilag Industries PVT Ltd; India <b>Formulator/Registrar:</b> Godrej Consumer Products Ltd, India	Charm Industries Ltd	Public Health insecticide for the control of Mosquitoes.
75.	HOY HOY Trap-A-Roach Cockroach Bait Sticky trap	PCPB(CR)1005	Glue + Food Bait	Earth Chemical Co. Japan.	Cockrid Kenya Ltd.	Sticky trap (device) for the control of cockroaches in public health.  WHO Class - not applicable

76.	ICON 10 CS (Capsule suspension)	PCPB(CR)0678	Lambda cyhalothrin 100g/L	Syngenta Chemicals, Belgium/Syngenta Crop protection Switzerland. <i>Formulator: Syngenta, UK.</i>	Syngenta E. A. Ltd.	A public health insecticide for use as a residual indoor spray against adult mosquitoes.
77.	ICON 10 WP Wettable Powder	PCPB(CR)0265	Lambda-cyhalothrin 10% w/w	Syngenta Ltd.UK / Twiga Chemical Industries Ltd., P.O. Box 30172, Nairobi.	Syngenta E A. Ltd.	Public Health insecticide for control of houseflies, mosquitoes and cockroaches.
78.	FUKOKIL 10% Paste	PCPB(CR)0439	Zinc Phosphide 10% w/w	United Phosphorous Ltd., India.	Dera Chemical Industries Ltd.	Rodenticide for the control of rats, mice, moles in public health.
79.	FUMAKILLA VAPE LIQUID	PCPB(CR)0508	Prallethrin (ETOC) 1.33%	Sumitomo Chemical Company Ltd., Japan. Fumakilla Ltd., Japan.	Portcross Ltd.	Vapourising liquid for use with electrical heating appliance for control of mosquitoes in domestic environs.

80.	FUMAKILLA VAPE MAT E	PCPB(CR)0507	Prallethrin 1.18% w/w + Piperonyl butoxide 1.77% w/w	Sumitomo Chemical Company Limited, Japan / Takasago International Corporation, Japan / Fumakilla Ltd.	Portcross Ltd.	Vaporising mat for use with an electrical heating appliance for the control of mosquitoes in domestic environs.
81.	MOKRID 10 EC Emulsifiable Concentrate	PCPB(CR)0763- p(i)	Alpha-cypermethrin 10g/L	Rallis Ltd., India / Osho Chemical Industries Ltd.	Osho Chemical Industries Ltd.	For use in public health in indoor residual spraying to control mosquitoes; control of ants, cockroaches and bedbugs.
82.	MUUJIZA INSECTICIDE FLY CATCHER	PCPB(CR)0992- p(i)	Polyisobutylene 62% + Rubber 20% + Rosin 18%	Zhejiang Bestwin Group Ltd	<b>Agent:</b> Transafrica Commerce & Holdings. Ltd <b>Distributor:</b> Twinluck General Traders	Restraining of houseflies and other insects in Public health by sticking. WHO CLASS – N/A
83.	MZINGA AEROSOL	PCPB(CR)0694	Tetramethrin 3.0g/Kg + D-phenothrin 1.5g/Kg	Sumitomo Chemicals / Sole Aero, UK.	Burhani Impex Nairobi.	A public health insecticide for the control of flying and crawling insects.



84.	NAVIGATOR 100 SC Suspension Concentrate	PCPB(CR)1268	Alpha-cypermethrin 100g/L	Zhejiang Rayfull Chemicals Co. Ltd, China	Greenlife Crop Protection Africa Ltd	Public health insecticide for the control of cockroaches and bed- bugs as well as residual indoor spray against mosquitoes.  WHO Class II Moderately hazardous, Yellow color band
85.	NEOCIDOL 600 EW Emulsifiable Concentrate	PCPB(CR)0332	Diazinon 600g/L	Zagro Singapore Pte Ltd.	Ultravetis E.A. Ltd.	A Public Health insecticide for the control of cockroaches and bedbugs in houses & other dwellings.
86.	NET PROTECT LLIN	PCPB(CR)0824	Deltamethrin 60mg/m <sup>2</sup>	<i>a.i</i> : Tagros India Net: Siva Enterprises India / <i>Registrant</i> : Bestnet Europe Ltd. <i>Formulator</i> ; Changzhou New District Import & Export Co. Ltd., Changzhou, China.	Achelis (K) Ltd.	Insecticide pre-treated long lasting bed net for protection against Mosquitoes

87.	OLYSET CLASSIC	PCPB(CR)0907- <i>p(i)</i>	Permethrin 2% w/w	Sumitomo Corporation Ltd, Japan	Quest Chemicals Ltd	Insecticide pre-treated bednet for protection against the mosquito flies.
88.	OLYSET NET	PCPB(CR)0907	Permethrin 2% w/w	Sumitomo Chemicals Co., Japan. <i>Additional Formulation Sites:</i> Viet What Forn Spinning Textile Germet Ltd., Vietnam; Dalian Chemphy Chemical Co. Ltd., China; Vector Health International Ltd., Arusha, Tanzania; Minh Hung Tien Giang Co. Ltd., Vietnam.	Quest Chemicals Ltd	Insecticide pre-treated bednet for protection against the mosquito flies.

89.	OSEFIN 7.5 WP Wettable powder	PCPB(CR)1394	Carbaryl 7.5g/Kg	Haili Guixi Chemical Pesticide Co. Ltd, China  <b>Formulator:</b> Osho Chemical industries ltd, Kenya	Osho chemical industries ltd	Public health insecticide for the control of Cockroaches, ants and fleas in domestic environs  WHO Class U: Unlikely to present acute hazard under normal use Green color band
90.	PALI 5% WP Wettable powder	PCPB(CR)0863	Deltamethrin 5% w/w	Tagros Chemicals, India.	Kapi Ltd  <i>Distributor;</i> Kapi Ltd	Public health Insecticide for Indoor Residual Spray for the control of Mosquitoes; for control of bedbugs and cockroaches.  WHO CLASS III

91.	PANTHENON 100 CS Encapsulation Suspension	PCPB(CR)1396	Lambda cyhalothrin 100g/Kg	Nantong Gongcheng fine chemical Co Ltd, China. <i>Additional Source:</i> Youth Chemical. Ltd, China.	Greenlife crop protection ltd	Public health insecticide for control of cockroaches in public places  WHO Class III Slightly hazardous; Blue color band
92.	PANTHENON 100 CS Encapsulation Suspension	PCPB(CR)1396	Lambda cyhalothrin 100g/Kg	Nantong Gongcheng fine chemical Co Ltd, China. <i>Additional Source:</i> Youth Chemical. Ltd, China.	Greenlife crop protection ltd	Public health insecticide for control of cockroaches in public places  WHO Class III Slightly hazardous; Blue color band
93.	PERMANET 3.0 LLIN (Long Lasting Insecticide Net)	PCPB(CR)1102	Deltamethrin 1. Side netting (2.8g/Kg) 2. Roof netting: Deltamethrin 4g/Kg; Piperonyl butoxide (PBO) (Synergist - 25g/Kg	Deltamethrin: Bayer Environmental Science; Germany PBO: Endura Fine Chemicals; Italy. /Vestergaard S.A., Switzerland; <b>Formulator:</b> Vestergaard Frandsen, Vietnam	Vestergaard Frandsen E.A. Ltd <b>Distributor:</b> Omaera Pharmaceuticals Ltd.	Long Lasting Insecticide Net (LLIN) for control of adult mosquitoes WHO Class III (Blue Colour Code: Slightly Hazardous

94.	POUNCE 6.9EW	PCPB(CR)1118- p(i)	Fenoxaprop-P-ethyl 69g/L	Jiangsu Flag Chemical Co. Ltd, China.	Agrichemical & Tools. Ltd.	Post emergence herbicide for control of grass weeds in French beans WHO Class III; Slightly hazardous; Blue colour band; MRL: 0.02mg/Kg PHI: 7 days.
95.	PROMAX 20 EC Emulsifiable concentrate	PCPB(CR)1219	Propoxur 200 g/L	<b>Manufacturer:</b> Nantong Gongchneng Fine Chemicals Co Ltd, China <b>Registrant/Exporter:</b> Shanghai Hui Song (H&S) Agro-Solution Co. Ltd, China	Highchem Essentials Ltd	Public Health insecticide for the control of Cockroaches, Bedbugs, Ants <b>WHO Class II</b> (Moderately hazardous, Yellow color band)
96.	QUELETOX ULV Ultra Low Volume	PCPB(CR)0066	Fenthion 640g/L	Bayer AG, Germany.	Bayer East Africa Ltd.	Special formulation for the control of  weaver birds ( <i>Quelea quelea</i> ) both on the roost and on the wing.

97.	RAID MULTI INSECT KILLER Aerosol	PCPB(CR)0683	Cyfluthrin 0.015% + Imiprothrin 0.05%	Johnsons Wax, Egypt./ SC Johnson Kenya Ltd.	SC Johnson Kenya Ltd.	Public Health insecticide for the control of flying and crawling insects i.e. mosquitoes, cockroaches & ants.
98.	RAT FIRE Powder	PCPB(CR)0440	Zinc Phosphide 54%	United Phosphorous, India.	Fedo Agencies	Rodenticide to control mice & Rats in Public health.
99.	BLACKRAT Powder	PCPB(CR)0440- <i>P(i)</i>	Zinc Phosphide 54%	United Phosphorous, India.	Fedo Agencies <b>Distributor: Agrichem Africa Ltd</b>	Rodenticide to control mice & Rats in Public health.
100.	RAT FIRE PASTE	PCPB(CR)1247	Zinc Phosphide 54%	United Phosphorous Ltd, India	Fedo Agencies	Rodenticide to control mice & Rats in Public health.
101.	RATOX BAIT Powder	PCPB(CR)0576	Zinc Phosphide 80% w/w	United Phosphorous Ltd.	Dera Chemical Industries (K) Ltd.	Rodenticide for export to Somalia & Rwanda. NOT FOR SALE IN KENYA
102.	RED CAT Powder	PCPB(CR)0441	Zinc Phosphide 54%	United Phosphorus Ltd., India.	R.H. Devani Ltd.	Rodenticide to control mice and rats in public health.

103.	REFINED PYRETHRUM "PALE EXTRACT" 25% w/w (Dewaxed Decolorised Aerosol Grade)	PCPB(CR)0227	Pyrethrins 25% w/w Naturally occurring substances extracted from the dry flowers of pyrethrum plant commonly grown in Kenya.	Pyrethrum Board of Kenya.	Pyrethrum Board of Kenya.	Insecticide, raw materials for formulating products used in the control of a wide variety of insect pests – in public health, veterinary use, in horticultural crops, in grain stores.
104.	RIDSECT ALL INSECT KILLER (AIK) AEROSOL	PCPB(CR)0949	Prallethrin 0.081% + Deltamethrin 0.019%	Sumitomo Chemicals Co. Ltd./ Bayer CropScience. <i>Formulator: Sanit &amp; Sons Co.Ltd Thailand</i>	S.C. Johnson & Son Kenya Ltd.	Public health insecticide to control flying and crawling insects in domestic environs.
105.	RIDSECT SURE KILL CHALK Hard Solid Chalk	PCPB(CR)1041	Deltamethrin 0.75%	Tagros Chemical Ltd., India <i>Formulator: Godrej Consumer Products Ltd., India Registrant: S.C. Johnson &amp; Son Kenya Ltd.</i>	S.C. Johnson & Son Kenya Ltd.	Public health insecticide for control of cockroaches. WHO Class III Blue Colour Band Slightly hazardous

106.	SANTEROI CURTAIN	PCPB(CR)0907- <i>p(iii)</i>	Permethrin 2% w/w	Sumitomo Chemicals Co., Japan.  <i>Additional Formulation Sites:</i> Viet What Forn Spinning Textile Germet Ltd., Vietnam; Dalian Chemphy Chemical Co. Ltd., China; Vector Health International Ltd., Arusha, Tanzania; Minh Hung Tien Giang Co. Ltd., Vietnam.	Quest Chemicals Ltd	Insecticide pre-treated net (curtain) for protection against the mosquito flies.
107.	SANTEROI NET	PCPB(CR)0907- <i>p(ii)</i>	Permethrin 2% w/w	Sumitomo Chemicals Co., Japan.  <i>Additional Formulation Sites:</i> Viet What Forn Spinning Textile Germet Ltd., Vietnam; Dalian Chemphy Chemical Co. Ltd., China; Vector Health International Ltd., Arusha, Tanzania; Minh Hung Tien Giang Co. Ltd., Vietnam.	Quest Chemicals Ltd.	Insecticide pre-treated bednet for protection against the mosquito flies.



108.	SAVINA DUDU DUST	PCPB(CR)0920	Permethrin 1%	United Phosphorous, India / Fedo Agencies.	Fedo Agencies Ltd.	Public Health Insecticide for the control of cockroaches, ants and other crawling insects.
109.	SEVIN DUDU DUST	PCPB(CR)0828	Carbaryl 7.5%	NovaSource / Tessenderlo Kerley Inc. Phoenix, Arizona U.S.A.	Bayer Environmental Science East and West Africa, Nairobi.	A broad spectrum insecticide for the control of crawling insects in domestic environs e.g. cockroaches, ants etc.
110.	STOP VERMIN POWDER Dustable Powder	PCPB(CR)0868	Cyphenothrin (Gokilaht) 0.5%	Sumitomo Chemical Company Ltd., Japan. / Aesthetics Ltd.	Aesthetics Ltd.	Public health insecticide for the control of cockroaches and ants in domestic environs.
111.	STORM Wax block bait	PCPB(CR)0157	Flocoumafen 0.005% (50mg/Kg)	Sorex Ltd., UK., BASF Agro B.V., Switzerland / <i>Formulator:</i> Pentagon Fine Chemicals Ltd., UK.	<i>Agent:</i> BASF East Africa. Limited. <i>Distributor:</i> (i) Highchem Marketing Ltd; (ii) Topserve East Africa. Ltd	Single-feed Rodenticide for control of rats and mice, (domestic and field control).

112.	SUPAKILL Aerosol	PCPB(CR)0800	Pyrethrins 2.0% + Cypermethrin 1.56% + Tetramethrin 4.0% + Piperonyl Butoxide 5.0%	Pyrethrum Board of Kenya / Sumitomo Corporation, Japan.	Twiga Chemical Industries Ltd.	Aerosol insecticide for control of flying & crawling insects.
113.	SUPERMAN FLYCATCHER	PCPB(CR)0366	Rosin oil 39% Mineral oil 19% Rubber 4%	Hans Utz, Germany.	Mathwell.	Sticky tape for the mechanical restraining of houseflies and other flying insects in public health.
114.	TALSTAR 10 WP Wettable Powder	PCPB(CR)0802	Bifenthrin 10% w/w	FMC Corporation, USA	Juanco SPS Ltd.	Insecticide for use in formulating locally GRAIN DUST (PRODUST DP); and a public health product for indoor residual spray against mosquitoes.

115.	TERMIDOR 25EC Emulsifiable Concentrate	PCPB(CR)0676	Fipronyl 25g/L	BASF SE, Germany.	Topserve East Africa Ltd.	Insecticide for control of termites in building and construction industries by professional pest control operators.
116.	TERMIDOR 80WG Water dispersible granule	PCPB(CR)0675	Fipronyl 800g/Kg	BASF SE, Germany.	Topserve East Africa Ltd.	Insecticide for the control of termite in building and construction industries by professional pest control operators.
117.	TOMCAT ALL WEATHER BLOX Wax block bait	PCPB(CR)1211	Bromodiolone 0.005 g/kg)	Bell Laboratories Inc., USA	Pathogen & Environmental Solutions Ltd	Rodenticide for control of Rats and Mice. <b>WHO Class II</b> Blue color band.

118.	TORMENTOR 0.05% Gel	PCPB(CR)1312	Fipronil 0.005 g/Kg	<b>Manufacturer:</b> Nantong Gongcheng Fine Chemical Co. Ltd. China  <b>Exporter/Registrant:</b> Suzhou Chems Chemical Co. Ltd, China	Green Life Crop Protection Africa Limited	Insecticide for use to control cockroaches in public health in public places.  WHO Class III Slightly hazardous, Blue color band
119.	MUUJIZA INSECTICIDE CHALK	PCPB(CR)0873- p(i)	Deltamethrin 7.5g/Kg	MAPS Agencies, South Africa.	Trans-Africa Commerce. <b>Distributor:</b> Twinluck General Traders	An insecticide for public health to control cockroaches.
120.	TWIN LUCK INSECTICIDE CHALK	PCPB(CR)0873	Deltamethrin 7.5g/Kg	MAPS Agencies, South Africa.	Trans-Africa Comm, South Africa.	An insecticide for public health to control cockroaches.
121.	TWINLUCK FLY CATCHER Solid tape with glue	PCPB(CR)0992	Polysobutylene 62% + Rubber 20% + Rosin 18%	Zhejiang Bestwin Group Ltd.	Trans Africa Commerce & Holdings.	Restraining of houseflies and other insects in Public health by sticking.  WHO CLASS – N/A

122.	UADUD 5% WP Wettable Powder	PCPB(CR)1142	Alphacypermethrin 5% w/w	Meghmani Organics Ltd.	Agriscope (Africa) Ltd.	Insecticide for use in public health for the control of mosquitoes and cockroaches WHO class II Yellow Colour band Re-entry Interval = 4hrs
123.	VANISH 64 ULV Ultra Low Volume Liquid	PCPB(CR)1333	Fenthion 640g/L	Formulator/ Registrant: Asiatic Agricultural Industries Pte Ltd. Singapore	Bell Industries Ltd.	Avicide for the control of Quelea quelea birds  Restricted for use by State Department of Agriculture only.  REI: 7 days
124.	VECTONIL 50 WP Wettable Powder	PCPB(CR)1080	Bacillus thuringiensis	Biostadt India Ltd.	Osho Chemicals Industries Ltd.	A biological larvicide for use in public health to control mosquito larvae in breeding sites.

125.	VECTRON 20 WP Wettable Powder	PCPB(CR)1191	Etofenprox 200gKg	<b>Manufacturer:</b> Mitsui Chemicals Agro Inc, Japan <b>Formulators:</b> Utsunimiya Chemical Co., Ltd, Japan GAP Industries Co. Ltd, Japan	Sumitomo Corporation, Nairobi	A public health insecticide for Indoor Residual House Spray for control of adult mosquitoes.  WHO Class III Slightly hazardous Blue Colour Band
126.	MIRANET	PCPB(CR)1513	Alpha-cypermethrin 4.5g/kg	<b>Manufacturer:</b> Tagros Chemicals India Ltd, India <b>Formulator:</b> A to Z Textile Mills Ltd, Tanzania <b>Registrant:</b> Transglobal Distributors Ltd, Kenya.	Transglobal Distributors Ltd	Long lasting Insecticide treated Net for control of indoor night biting adult mosquitoes.
127.	YORKKOO LLIN	PCPB(CR)1310	Deltamethrin <sup>2</sup> 55mg/m	Tagros Chemicals Ltd, India: <b>Formulator:</b> Tianjin Yorkkool International Trading Co. Ltd, China	Chirass Investment Limited, Nairobi.	LLIN for control of mosquitoes.

128.	ZELTA 540 EW	PCPB(CR)0994	Diazinon 540g/L	Ningbo Sunjoy Agrosience Co, China	Osho Chemical Industries Ltd.	A public health insecticide for control of mosquitoes in Public Health as Zelta 540 EW; cockroaches, bedbugs and ants
129.	EXPEL 3 ME Micro-emulsion	PCPB(CR)1571	Fipronil 30g/L	<b>Manufacturer of a.i Registrant/Formulator</b> : Hailir Pesticides & Chemicals Group Co Ltd, China	Orbit Chemical Industries Ltd	Public health insecticide for the control of cockroaches, bedbugs, fleas, ants and houseflies in domestic environs  WHO Class II Moderately hazardous, Yellow Color Band
130.	TERMIDOR 96 SC	PCPB(CR)1572	Fipronil 96g/L	<b>Manufacturer of a.i/Formulator:</b> BASF, AGRI Production S.A.S, France <b>Registrant:</b> BASF SE, Germany	BASF E.A Ltd	Termiticide for control of termites in buildings and construction.  WHO Class II Moderately hazardous, Yellow Color Band

131.	GOODKNIGHT MULTI INSECT KILLER- LAVENDER Aerosol	PCPB(CR)1577	Imiprothrin 0.05% + Cypermethrin 0.1% + Prallethrin 0.09%	<i>Manufacturer:</i> <b>Imiprothrin &amp; Prallethrin:</b> Sumitomo Chemical Company, Japan <b>Cyprmethrin:</b> Bilag Industries PVT Ltd; India <b>Formulator/Registrant:</b> Godrej Consumer Products Ltd, India	Charm Industries Ltd	Public Health insecticide for the control of Mosquitoes  WHO Class III Slightly hazardous; Blue color band.
132.	TERMIKILL 35 SC	PCPB(CR)1284- <i>P(i)</i>	Imidacloprid 350 g/L	Nanjing Essence Fine Chemical Co Ltd, China	East African Business Company Ltd	Insecticide for control of termites in building and construction.
133.	GOODKNIGHT MULTI INSECT KILLER- CITRUS Aerosol	PCPB(CR)1578	Imiprothrin 0.05% + Cypermethrin 0.1% + Prallethrin 0.09%	<i>Manufacturer:</i> <b>Imiprothrin &amp; Prallethrin:</b> Sumitomo Chemical Company, Japan <b>Cyprmethrin:</b> Bilag Industries PVT Ltd; India <b>Formulator/Registrant:</b> Godrej Consumer Products Ltd, India	Charm Industries Ltd	Public Health insecticide for the control of Mosquitoes  WHO Class III Slightly hazardous; Blue color band.



134.	IMIDEX 2.15% w/w BG Bait Gel	PCPB(CR)1587	Imidacloprid 21.5g/kg	<b>Manufacturer of a.i /Formulator:</b> Nantong GongCheng Fine Chemical Co Ltd, China. <b>Registrant:</b> Ningbo Tide Imp. Exp. Co Ltd, China	Anspa E.A ltd	Ready to use public health product (Bait) for control of cockroaches in households.  <b>WHO Class U,</b> Unlikely to cause hazard under normal use, Green color band
135.	PYREBEX 0.3% Aerosol	PCPB(CR)1590	Pyrethrins 0.3% w/v	<b>Source of active:</b> Agriculture and Food Authority (AFA), Pyrethrum & Other Industrial Crops Directorate <b>Formulator:</b> Twiga chemical Industries Ltd <b>Registrant:</b> Maj- Chemie Ltd	Maj-chemie Ltd	Public health insecticide for control of mosquitoes.  <b>WHO Class III,</b> Slightly hazardous, Blue color band

136.	ZERTAL 40 EC	PCPB(CR)0853 - <i>p(i)</i>	Chorpyrifos-methyl 400g/L	Dow Agrosciences SAS, France.	Lachlan (K) Ltd.	Public Health insecticide for the control of cockroaches, fleas, bed bugs; both adult and larvae of mosquitoes.
137.	MENDE SHARPSHOOT ER	PCPB (CR)1629	Fipronil 0.05%	<b>Manufacturer/Formulator:</b> Nanjing Ronch Chemical Co, China <b>Registrant/Exporter:</b> Ningbo Synagrochem Co Ltd, China	Panther Life Science Ltd	Public health insecticide for the control of cockroaches in domestic environs  <b>WHO class III</b> Slightly hazardous Blue color band
138.	BAYGON MULTI- PURPOSE SPRAY AEROSOL	PCPB (CR)1639	Imiprothrin 0.034% + Prallethrin 0.04% + Tetramethrin 0.2%	<b>Manufacturer:</b> Sumitomo Chemicals, UK. <b>Formulator /Registrant:</b> S.C Johnson & Sons South Africa (Pty) Ltd, South Africa	S.C Johnson & Sons Kenya Ltd	Public health insecticides for control of mosquitoes, cockroaches and ants in public places.

139.	BUGNIL 20 EC	PCPB (CR) 1219- <i>P(i)</i>	Propoxur 200 g/L	<b>Manufacturer:</b> Nantong Gongchneng Fine Chemicals Co Ltd, China <b>Registrant/Exporter:</b> Shanghai Hui Song (H&S) Agro-Solution Co. Ltd, China	Highchem Essentials Ltd  Distributor: Oak Medica Ltd	Insecticide for the control of Cockroaches, Bedbugs, Ants <b>WHO Class II</b> (Moderately hazardous, Yellow color band)
140.	GREEN POWER 0.05 BP Bait Powder	PCPB(CR)1642	Fipronil 0.5g/kg	<b>Manufacturer of a.i:</b> Yifan Biotechnology Group Ltd, china <b>Formulator/Registra nt/Exporter:</b> Nantong Gongcheng Fine Chemicals Co Ltd, China.	Transafrica Parmaceuticals Ltd	Public health insecticide for the control of cockroaches in domestic environs  <b>WHO Class U</b> Unlikely to present hazard under normal use; Green Colour Band

141.	AIRCHOPPER 7.5% SC Suspension Concentrate	PCPB(CR)1648	Lamda cyhalothrin 25g/L + Imidacloprid 50g/L	<b>Manufacturer/Formulator:</b> Shaanxi Sunger Road Bioscience Co Ltd, China <b>Exporter/Registrant:</b> Ningbo Synagrochem Co., Ltd., China	<b>Local Agent:</b> Panther Life Science <b>Distributor:</b> Agribase Bioscience International Ltd	Public health insecticide for the control of bedbugs, cockroaches, ants, houseflies and fleas in domestic environs.  WHO Class II Moderately hazardous; Yellow color band
142.	SUMILARV® 0.5% G Granule	PCPB(CR)1653	Pyriproxyfen 0.5% w/w	<b>Manufacturer/Registrant:</b> Sumitomo Chemical Company Ltd, Japan <b>Formulator:</b> Sumika EnviroScience Co Ltd, Japan ( <i>subsidiary of Sumitomo Chemical Company Ltd, Japan</i> )	Quest Chemicals	Public health larvicide for control of mosquito larvae in stagnant water  <b>WHO Class U</b> Unlikely to present hazard under normal use; Green Colour Band

143.	PESTRIN PUBLIC HEALTH	PCPB(CR)0851- <i>p(i)</i>	Pyrethrins 6%	<b>Manufacturer:</b> Pyrethrum Board of Kenya  <b>Formulator:</b> Orion East Africa Limited	Orion East Africa Limited	Insecticide for the impregnation of long lasting treated bednet.
144.	TERMIGON 450 EC Emulsifiable Concentrate	PCPB(CR)1659	Chlorpyrifos 450g/L	Shandong United Industry Co Ltd, China	Merrychem Co Ltd	Termiticide for wood treatment against termites.  WHO Class II Yellow Color Band Moderately hazardous.
145.	AQUATAIN AMF Liquid Mosquito Film.	PCPB(CR)1709	Silicone- polydimethylsil oxane 87.5 % w/v	<b>Manufacturer of a.i:</b> Dow Corning Corporation, Israel. <b>Registrant:</b> Aquatain Products Pty Ltd, Australia <b>Formulator:</b> Green Flow Ltd., Israel <b>Toll Manufacturer:</b> Luxemburg Industries Ltd., Israel	Silcontain East Africa Ltd	Public health larvicide for control of mosquito larvae in stagnant water

146.	TREVIN DUDU 60 DUST  Dust	PCPB(CR)1609- <i>P(i)</i>	Lambda-Cyhalothrin 10g/kg+ Carbaryl 50 g/kg	<b>Manufacturer of <i>Lambda- Cyhalothrin:</i></b> Jiangsu Langfeng Biochemical Co ltd, China <b><i>Carbaryl:</i></b> Jiangi Haili Guixi Chemical pesticide Co ltd, China <b><i>Formulator/Registran t:</i></b> Highchem Marketing Ltd, Kenya	<b><i>Agent:</i></b> Highchem Marketing Ltd; <b><i>Distributor:</i></b> Oak Medica Ltd	Public health insecticide for the control of cockroaches, ants and fleas in domestic environment.  <b>WHO Class U</b> Unlikely to present hazard in normal use. Green color band
147.	NOVIKILL 7.5% SC Suspension Concentrate	PCPB(CR)1648- <i>P(iii)</i>	Lamda cyhalothrin 25g/L + Imidacloprid 50g/L	<b>Manufacturer/Form ulator:</b> Shaanxi Sunger Road Bioscience Co Ltd, China <b>Exporter/Registrant:</b> Ningbo Synagrochem Co., Ltd., China	<b>Local Agent:</b> Panther Life Science <b>Distributor:</b> Novixa International Ltd	Public health insecticide for the control of bedbugs, cockroaches, ants, houseflies and fleas in domestic environs.  <b>WHO Class II</b> Moderately hazardous; Yellow color band

148.	MAQMENDE 7.5% SC Suspension Concentrate	PCPB(CR)1648- <i>P(iv)</i>	Lamda cyhalothrin 25g/L + Imidacloprid 50g/L	<b>Manufacturer/Formula tor:</b> Shaanxi Sunger Road Bioscience Co Ltd, China <b>Exporter/Registrant:</b> Ningbo Synagrochem Co., Ltd., China	<b>Local Agent:</b> Panther Life Science <b>Distributor:</b> Agrima Enterprises	Public health insecticide for the control of bedbugs, cockroaches, ants, houseflies and fleas in domestic environs.  WHO Class II Moderately hazardous; Yellow color band
149.	RMACURE (KIDE LIQUOR)	PCPB(CR)1726	Copper Oxide 107 g/kg+ Chromium Trioxide 289 g/kg+ Arsenic acid 204 g/kg	<b>Manufacturer:</b> <b>Copper Oxide:</b> Rebain International, Spain <b>Chromium Trioxide:</b> CPH Fondel, The Netherlands <b>Arsenic Acid:</b> Ancom Crop Care, Malaysia <b>Formulator/Registra nt:</b> Dolphin Bay Chemical (Pty) Ltd South Africa	Ican Consulting Company Ltd.	Termiticide for wood preservative against termites.  WHO Class 1a extremely hazardous Red color band

150.	WOOD WORTH CCA  Liquid	PCPB(CR)1763	Copper oxide 11.24% + Chromium trioxide 28.42% + Arsenic pentoxide 20.26% w/w	<b>Manufacturer:</b> <b>Chromic Acid:</b> Colour chromes pvt Ltd kolkata <b>Copper Oxide:</b> Shyam chemicals pvt ltd Mumbai <b>Arsenic acid-R.D.</b> Industrial corporation Kolkata <b>Formulator/Registrant</b> : R.D Industrial Corporation, India	Alogo enterprises Ltd	Wood preservative for the control of termites in wood through industrial vacuum pressure impregnation.  <b>Restricted class</b> For professional use only.  WHO Class Ib Highly hazardous Red color band
151.	PUNISHER 8.5% TA Tablet	PCPB(CR)1774	Pirimiphos-methyl 60g/kg+Lambda- cyhalothrin 25g/kg	Cong Ty TNHH Alfa(Sai Gon) Vietnam	Greenlife Crop Protection Africa Ltd	Public health insecticide for control of houseflies and cockroaches in residential areas.  WHO Class III Slightly hazardous Blue color band
152.	BOLT ODOURLESS AEROSOL Aerosol	PCPB(CR)1790	Permerthrin – 0.105% w/v	<b>Manufacturer:</b> Sumitomo Chemical Corporation, Osaka Japan  <b>Formulator/registrant:</b> Tropikal Brands (Africa) Ltd Kenya	Tropikal Brands (Africa) Ltd	Insecticide the control of houseflies and cockroaches in public health. REI: 30 minutes  WHO Class II (Moderately hazardous; Yellow color band)




153.	RAPTURE 10 GR Granules	PCPB(CR)1791	Temephos 10g/kg	<p><b>Manufacturer/ Formulator:</b> Hebei Ouya Chemical Industry Co., Ltd, China</p> <p><b>Registrant/Exporter:</b> Shanghai Agro-Tech Co., Ltd, China</p>	Greenlife Crop Protection Africa Ltd	<p>Public health insecticide for control of mosquitoes in early larval stage.</p> <p>WHO Class U Unlikely to present hazard in normal use Green color band</p>
154.	BAYGON CRAWLING INSECT KILLER Aerosol	PCPB(CR)1800	Imiprothrin 0.1%+Deltamethrin 0.05%	<p>Manufacturer: <i>Imiprothrin</i>: Sumitomo Chemical (UK) PLC, United Kingdom <i>Deltamethrin</i>: Tagros Chemicals Ltd, India Formulator/Registrant: S.C. Johnson &amp; Son South Africa (Pty) Ltd, South Africa</p>	S.C. Johnson & Sons Kenya Ltd	<p>Public health product for control of cockroaches and ants</p> <p>REI: 30minutes</p> <p>WHO Class III Slightly hazardous, Blue color band</p>

155.	DRAGON 5% WP Wettable Powder	PCPB(CR)1807	Alpha-cypermethrin 50 g/kg	<b>Manufacturer:</b> Heranba Industries Ltd., India  <b>Formulator/ Registrant:</b> Osho Chemical Industries Ltd., Kenya	Osho Chemical Industries Ltd	Public health insecticide for control of mosquitoes, bedbugs, fleas & cockroaches in public places and as Indoor Residual Spray (IRS) against adult mosquitoes in domestic environs.  REI:  WHO Class II Moderately hazardous; Yellow color band
156.	SCUD 5% WP Wettable Powder	PCPB(CR)1808	Deltamethrin 50 g/L	<b>Registrant/Manufacturer of A.I:</b> Heranba Industries Limited, India <b>Formulator:</b> Osho Chemical Industries Ltd	Osho Chemical Industries Ltd	Public health insecticide for control of fleas, ants, cockroaches, houseflies & bedbugs in public places.  WHO Class II Moderately hazardous; Yellow color band

157.	MENDE MO FIRE 0.05% BAIT Bait	PCPB(CR)1810	Fipronil 0.5 g/kg	<p><b>Manufacturer/ Formulator/</b> Nanjing Ronch Chemical Co. Ltd., China</p> <p><b>Registrant/Exporter:</b> Ningbo Synagrochem Co. Ltd., China</p>	Panther Life Science Ltd	<p>Public health insecticide for control of cockroaches in public places</p> <p>REI: WHO Class U Unlikely to present hazard in normal use ; Green Color Band</p>
------	-------------------------------------	--------------	-------------------	--	-----------------------------	--

### PART III: TECHNICAL GRADE MATERIALS FOR FORMULATION PURPOSES



SNo	Trade name and type of formulation	Registration Number	Active Ingridients (common name/s)	Manufacturer/Registrant	Agent	Uses
1.	ALPHA CYPERMETHRIN TECHNICAL Technical Grade	PCPB(CR)1125	Alpha-Cypermethrin 950g/Kg	Heranba Industries Ltd., India	Osho Chemicals Industries Ltd.	Technical grade for FORMULATION PURPOSES ONLY WHO Cass II; Yellow color band Moderately hazardous
2.	AMITRAZ TECHNICAL GRADE	PCPB(CR)1225	Amitraz 99%	Almandine Corporation SA, Switzerland	Juanco SPS Ltd	A technical grade material for Formulation Purposes of Kilitac 20EC, PCPB(CR)0762 and Almatix 12.5%EC, PCPB(CR)0380
3.	AMITRAZ TK Technical Grade	PCPB(CR)0395	Amitraz 95% min	Jiangsu Huaxia Animal medicine factory, China / Bayer AG, Germany.	Bayer East Africa Ltd.	Technical grade acaricide for use in formulating locally BOVITRAZ 12.5EC.
4.	CHLORPYRIFOS TECHNICAL	PCPB(CR)1128	Chlorpyrifos 97% min	M/S GSP Crop Science Private Limited, India	Osho Chemical Industries Ltd.	Technical grade material for

	Technical grade					FORMULATION PURPOSES ONLY WHO Class II Yellow Color band, Moderately hazardous
5.	BAYTHROID Technical	PCPB(CR)0634	Cyfluthrin	Bayer CropScience AG, Germany.	Bayer East Africa Ltd.	Technical material for formulating Baythroid 50EC FOR EXPORT TO BURUNDI AND SUDAN and other Baythroid products locally.
6.	BETA-CYFLUTHRIN Technical	PCPB(CR)0880	Beta-Cyfluthrin 950g/Kg	Ningbo Sunjoy Agroscience Ltd., China.	Osho Chemical Industries Ltd.	Technical grade for local formulation of Beta-Cyfluthrin containing products e.g. Betafos. WHO Class II Moderately hazardous Yellow colour band.

7.	GLUFOSINATE AMMONIUM TC	PCPB(CR)1600	Glufosinate Ammonium 95%	<b>Manufacturer of a.i:</b> Jiangsu Luye Agrochemicals Co Ltd, China  <b>Registrant/Exporter:</b> Ningbo Huili Import & Export Co Ltd, China	Osho Chemical Industries Ltd	Formulations purposes only. <b>WHO Class III,</b> Slightly hazardous, Blue Color Band
8.	BELL ACETAMIPRID TK	PCPB(CR)1504	Acetamiprid	Hailir Pesticide and Chemical Group Co Ltd , China	Bell industries Ltd	Technical material for formulation purposes
9.	BELL A- CYHALOTHRIN TK	PCPB(CR)1505	Lambda- Cyhalothrin	<b>Manufacturer:</b> Qingdao KYX Chemical Co. Ltd, China. <b>Registrant/Exporter:</b> Hailir Pesticide and Chemical Group Co Ltd , China	Bell Industries Ltd	Technical material for formulation purposes
10.	IMIDACLOPRID 98% TK Technical grade	PCPB(CR)1574	Imidacloprid 980g/kg	<b>Manufacturer of a.i:</b> Jiangsu Subin Agrochemical Co Ltd, China <b>Registrant:</b> Ningbo Huili import and export co Ltd, china	Osho Chemical Industries ltd	Technical grade material for formulation purposes only  WHO Class II Moderately Hazardous Yellow Color Band
11.	ACETAMIPRID 96% TK	PCPB(CR)1568	Acetamiprid 960g/kg	<b>Manufacturer of a.i:</b> Jiangsu Huangma	Osho Chemical	Technical grade material for

				Agrochemicals Co Ltd, China <b>Registrant:</b> Ningbo Huili import and export, Co Ltd China.	Industries Ltd	formulation purposes  WHO Class II Moderately Hazardous Yellow Color Band
12.	PIRIMIPHOS-METHYL 90% TC Technical grade	PCPB(CR)1562	Pyrimiphos Methyl 900g/kg	<b>Manufacturer of a.i:</b> Hunan Haili Chemical Industries Co Ltd, china <b>Registrant:</b> Ningbo Huili Import & export Co., Ltd China	Osho Chemical Industries Ltd	Technical grade Material for formulation purposes.  WHO Class III (Slightly Hazardous) Blue Color Band
13.	BIFENTHRIN TECHNICAL	PCPB(CR)1393	Bifenthrin 95%	Manufacturer Shangyushi Yinbang Chemicals Co. Ltd  Exporter: Ningbo Huili Import & Export Co. Ltd	Osho Chemicals Industries. Ltd	Technical Grade Material for Formulation PURPOSES ONLY  WHO Class II Moderately hazardous Yellow Color band
14.	BIOALLETHRIN Technical	PCPB(CR)0175	Bio-allethrin 93%	Sumitomo Chemicals, Japan.	Sumitomo Corporation,	Technical grade insecticides for use as



					Liaison Office, Nairobi.	a raw material for the production of household insecticides as a source of pyrethrins in times of pyrethrum extract shortage.
15.	BULLDOCK Technical	PCPB(CR)0235	Beta-Cyfluthrin 95% min	Bayer Crop Science AG, Germany, Bilag Private Industries, India.	Bayer East Africa Ltd.	Insecticide, technical grade for use in formulating BULLDOCK 025EC and BULLDOCK 0.05 GR locally.
16.	BROMODIOLONE TECHNICAL 99%	PCPB(CR)1221	Bromodiolone 99%	Laboratories Agrochem S.L., Spain	Prijabema Investments	Technical grade for local formulation for rodenticidal baits.
17.	CARBARYL TK	PCPB(CR)1112	Carbaryl 99%	Haili Guixi Chemical Pesticide Co. Ltd. China / Ningbo Huili Import & Export Co. Ltd., China	Osho Chemical Industries Ltd.	Technical grade for FORMULATION purposes  WHO Class II

						Moderately hazardous Yellow colour band
18.	CYPERMETHRIN Technical	PCPB(CR)0895	Cypermethrin Technical 92% w/w	UPL Ltd., India.	Dera Chemical Industries (K) Ltd.	Technical grade insecticide for use in formulating insecticides locally.
19.	CYPERMETHRIN TECHNICAL 92%	PCPB(CR)1348	Cypermethrin 92%	Manufacturer/Registrant: Heranba Industries Limited, India	Osho Chemicals Industries Limited	Technical grade for Formulation Purposes Only  WHO Class II Moderately hazardous Yellow color band
20.	DELTAMETHRIN TECHNICAL	PCPB(CR)0654	Deltamethrin Technical	Bayer Crop Science AG, Germany.	Bayer Environmental Science SA, P.O. Box 60022-00200, Nairobi.	For use as a raw material in formulating 'IT' Superior Insect Killer' – locally.
21.	DELTAMETHRIN Technical	PCPB(CR)1272	Deltamethrin 98% w/w	Heranba Industries Ltd, India	Osho Chemical Ltd	Technical grade material for

						formulation purposes
22.	DIMETHOATE TK Technical Grade	PCPB(CR)0385	Dimethoate 97-99% min	Cheminova A/S, Denmark.	Novus-Bridge Consultants.	Technical grade active ingredient for use in formulating locally Dimethoate 40 EC.
23.	DIMETHOATE TK TECHNICAL	PCPB(CR)1030	Dimethoate 96%	Hunan Haili Changde Pesticide Chemical Co. Ltd., China/Ningbo Huili Import & Export Co. Ltd., China	Osho Chemical Industries Ltd.	Technical grade material for formulation purposes.
24.	FYFANON 50EC	PCPB(CR)0368	Malathion 500g/L	Cheminova AS, Denmark	Novus-Bridge Consultants	A non-systemic insecticide for the control of a wide range of sucking and chewing insect pests in field crops, fruits and vegetables.
25.	DUDUTHRIN TECHNICAL	PCPB(CR)0983	Lambda-cyhalothrin 950kg/Kg	Ningbo Sunjoy Agroscience Co, China.	Twiga Chemical Industries Ltd.	Technical grade material for local formulation of

						Duduthrin Super 5EC. WHO Class II Moderately hazardous Yellow Class Band
26.	DURSBAN FE Technical Grade	PCPB(CR)0314	Chlorpyrifos 97%	Dow Agrosciences, UK.	Dow Chemical E.A Ltd, Nrb	Technical grade material for local formulations of insecticides containing chlorpyrifos.
27.	ESBIOTHRIN Technical	PCPB(CR)0929	Esbiothrin 93% w/w	Sumitomo Chemicals Japan/ Sumitomo Corporation Ltd., Japan	Sumitomo Corporation Liason Office, Nairobi	Technical grade insecticide for use as a source of the a.i. in formulating locally mosquito coils for export.
28.	EUGENOL 99% TK Technical Grade material	PCPB(CR)1328	Eugenol 99%	Penta Manufacturing Company, Division of Penta International Corporation, USA	Lachlan Kenya Ltd	Technical grade material for Formulations purposes ONLY
29.	FENTHION 983 TK Technical Grade	PCPB(CR)0064	Fenthion 983g/L	Bayer AG, Germany.	Bayer East Africa Ltd.	Technical concentrate for manufacturing

						purposes only - to formulate "LEBAYCID 500EC", and "QUELETOX" locally.
30.	FIPRONIL Technical	PCPB(CR)1277	Fipronil 95%	Yifan Biotechnological group Co. Ltd, China	Osho chemical Industries ltd	Technical grade material for formulation purposes
31.	FYFANON Technical Liquid	PCPB(CR)0215	Malathion 95% w/w min	Cheminova A/S, Lemvig, Denmark.	Novus-Bridge Consultants.	Technical grade for use as active ingredient in formulating malathion formulations locally.
32.	GERANIOL 98% TK Technical Grade material	PCPB(CR)1329	Geraniol 98%	Penta Manufacturing Company, Division of Penta International Corporation, USA	Lachlan Kenya ltd	Technical grade material for formulations purposes ONLY
33.	IMIDACLOPRID TK Technical Grade	PCPB(CR)1167	Imidacloprid (97% purity)	Krishi Rasayan Exports (P) Ltd, India	Osho Chemical Industries Ltd, India	Technical grade for formulation purposes

34.	JUANCO ALPHA	PCPB(CR)0886	Alpha-cypermethrin 95%	Ningbo Sunjoy Agroscience Co, China	Juanco SPS Ltd.	Technical grade for formulation purposes.
35.	JUANCO STAR Technical Grade	PCPB(CR)1010	Bifenthrin 95%	Shenzhen Baocheng Chemical Industry Co. Ltd., China.	Juanco SPS Ltd.	Technical grade for formulation purposes.  WHO Classification Not applicable applies, only to formulations.
36.	KARATE TECHNICAL (LAMBDA - CYHALOTHRIN CONCENTRATE)	PCPB(CR)0001	Lambda-cyhalothrin 81% m/m or 600g/L	Syngenta Ltd., UK	Syngenta East Africa Ltd., P.O. Box 30393, Nairobi.	Insecticide, technical grade for use in the formulation of "KARATE" insecticide locally.
37.	MALATHION TK Technical Grade	PCPB(CR)0430	Malathion 95% min	Sulphur Mills India	Osho Chemical Industries Ltd.	A technical grade material for use on local formulation.

a.	MANCOZEB Technical Grade	PCPB(CR)1026	Mancozeb 85%	Indofil Chemical Co. Ltd., India	Osho Chemical Industries Co. Ltd.	Technical grade for formulation purposes.  WHO Classification not applicable.
38.	METALAXYL TECHNICAL 98%	PCPB(CR)1222	Metalaxyl 98%	Zhejiang, China	Osho Chemicals Industries Ltd	A technical grade material for local formulation purposes
39.	NEMACUR 700 TK Technical Concentrate	PCPB(CR)0605	Fenamiphos 700g/L	Bayer CropScience AG, Germany/ Amvac Chemical Corporation, USA	Ultravetis East Africa Ltd.	Insecticide/Nemati- cide - Technical concentrate for formulating NEMACUR 050 GR formulation locally.
40.	ORGANOSILICONE 80% TK	PCPB(CR)1435	Organosilicone (Polyether modified Trisiloxane 80% )	Formulator: Zhejiang Runhe Organic Silicon New Material Co. Ltd, China Formulator: Osho chemical industries Ltd	Osho Chemicals Industries Ltd	Technical grade material for Formulation PURPOSES ONLY  WHO Class U, Unlikely to present

						hazard in normal use, Green color band
41.	PERMETHRIN TECHNICAL	PCPB(CR)1439	Permethrin 95%	Heranba Industries limited <b>Formulator:</b> Osho chemical industries Ltd	Osho chemical ind. Ltd	Technical grade for Formulation PURPOSES ONLY  WHO Class II, Moderately hazardous, Yellow color band
42.	PIPERONYL Butoxide	PCPB(CR)0610	Piperonyl Butoxide 88%	Sumitomo Corporation, Japan.	Johnson Wax E.A Ltd., P.O.Box 18373, Nairobi.	Technical product, synergist - for use in formulating locally domestic insecticides, containing pyrethrins and related compounds.
43.	PIRIMIPHOS-METHYL Technical Grade	PCPB(CR)0459	Pirimiphos-Methyl 90%	Ningbo Yihwei Chemicals, China / Wefco Marketing South Africa / Bayer Environmental Sciences.	Highchem Essentials Ltd.	Technical grade for local formulation of Sofagrain for EXPORT TO IVORY COAST & BENIN ONLY. NOT FOR USE & SALE IN KENYA.



44.	PRALLE	PCPB(CR)0927	Imiprothín 50%	Sumitomo Chemical Co. Ltd., Japan / Sumitomo Corporation Ltd., Japan.	Sumitomo Corporation, Liaison Office, Nairobi.	Technical grade for formulation purposes.
45.	PROPANIL TK Technical Grade	PCPB(CR)1170	Propanil 97% w/w	United Phosphorous Ltd, India Formulator: Twiga Chemical Industries Ltd	Lachlan Kenya Ltd.	Technical grade for local formulation of Garil EC PCPB(CR)1063
46.	PROPOXUR VM 80 Technical pre-mix	PCPB(CR)0206	Propoxur 80% w/w/	Bayer Crop Science AG, Germany.	Bayer Environmental Science SA. P.O. Box 60022-00200, Nairobi.	Pre-mix for dustable powders – Technical insecticide for formulating locally of "Baygon dust" products.
47.	SPOREKILL Liquid	PCPB(CR)0336	Didecyldimethyl Ammonium chloride 120g/L	Technical from Lonza Inc, USA, ICA International.	Hygrotech E.A. Ltd.	Fungicide for the control of downy mildew in Roses and as an adjuvant for agricultural use with Nimrod and Strobry.
48.	SUMIALPHA Technical	PCPB(CR)0798	Esfenvalerate 83% w/w min	Sumitomo Chemical Co. Ltd., Japan.	Twiga Chemical Industries Ltd.	Insecticide, Technical Grade for use in formulating locally

						Sumithion Super.
49.	SUMICIDIN TG Technical Grade	PCPB(CR)1025	Fenvalerate 92%	Sumitomo Chemical Co. Ltd., Japan	Murphy Chemicals E.A Ltd	Technical grade for formulation purposes WHO Classification not applicable.
50.	THIAMETHOXAM DP Technical Grade	PCPB(CR)1046	Thiamethoxam 98% w/w	Syngenta Crop Protection AG, Switzerland	Syngenta E.A. Ltd.	Technical grade for local formulation purposes WHO Classification not applicable.
a.	THIAMETHOXAM TECHNICAL 97%	PCPB(CR)1349	Thiamethoxam 97%	Manufacturer/Registrant: GSP Crop Science Private Limited, India	Osho Chemicals Industries Limited	Technical grade for Formulation Purposes Only  WHO Class II: Moderately hazardous Yellow color band
51.	THYMOL CRYSTALS 99% TK Technical Grade material	PCPB(CR)1330	Thymol 99.0%	Penta Manufacturing Company, Division of Penta International Corporation, USA	Lachlan Kenya ltd	Technical grade material for Formulations purposes ONLY

52.	TRICLOPYR TK Technical Grade	PCPB(CR)1171	Triclopyr 96% w/w	United Phosphorous Ltd, India Formulator: Twiga Chemical Industries Ltd	Lachlan Kenya Ltd.	Technical grade for local formulation of Garil EC PCPB(CR)1063
53.	ETOC Technical	PCPB(CR)0293	Prallethrin 90% w/w	Sumitomo Chemicals Co. Ltd., Osaka, Japan.	Sumitomo Corporation, Liaison Office, Nairobi.	Technical grade insecticide for use in formulating public health products against domestic insect pests.
54.	GOKILAHT Technical Grade	PCPB(CR)0312	Cyphenothrin 92% min	Sumitomo Chemicals Co.Ltd., Japan.	Sumitomo Corporation, Liason office, Nairobi.	Technical grade insecticide for use in formulating public health products.
55.	GOKILAT S	PCPB(CR)0933	d-cyphenothrin 92 % w/w	Sumitomo Chemicals Co.Ltd., Japan / Sumitomo Corporation Ltd., Japan.	Sumitomo Corporation, Liason Office, Nairobi.	Technical grade insecticide for use in formulating public health products.
56.	LAMBDA CYHALOTHRIN TECHNICAL	PCPB(CR)1427	Lambda cyhalothrin 950g/Kg	Heranbai Industries Ltd, India. <i>Additional Manufacturing</i>	Osho Chemicals Industries	Technical Grade for Formulation Purposes ONLY

	Technical Grade			<i>Site:</i> Youth Chemical Co. Ltd, Jiangsu, China <i>Additional Source:</i> Youth Chemical. Ltd, China.		WHO Class II, Moderately hazardous, Yellow color band
57.	MIRATEX TECHNICAL	PCPB(CR)0823	Bromodiolone 98%	KI-Hara Chemicals UK.	Maj-Chemie Ltd.	Technical grade for local formulation of Miratex Pellets.
58.	NEO PYNAMIN FORTE	PCPB(CR)0930	d-tetramethrin 92 % w/w	Sumitomo Chemicals Co. Ltd., Japan / Sumitomo Corporation Ltd., Japan.	Sumitomo Corporation, Liason Office, Nairobi.	Technical grade insecticide for use in formulating public health products.
59.	NEO-PYNAMIN Technical	PCPB(CR)0449	Tetramethrin 92% minimum	Sumitomo Chemicals Co. Ltd., Japan.	Sumitomo Corporation, Liaison Office, Nairobi.	A technical grade for formulation of public health insecticides (aerosols,oil based liquid, sprays and emulsifiable concentrates).
60.	ORGANOSILICONE 80% TK	PCPB(CR)1435	Organosilicone (Polyether modified Trisiloxane 80% )	Formulator: Zheijiang Runhe Organic Silicon New Material Co. Ltd, China Formulator: Osho chemical	Osho Chemicals Industries Ltd	Technical grade material for Formulation

				industries Ltd		PURPOSES ONLY  WHO Class U, Unlikely to present hazard in normal use, Green color band
61.	PERMETHRIN Technical Concentrate	PCPB(CR)0077	Permethrin 93% m/m (25% cis/75%trans)	Sumitomo Chemicals, Japan.	Sumitomo Corporation, Liaison Office, Nairobi.	Insecticide concentrate for use locally in formulating environmental health insecticides.
62.	PERMETHRIN TECHNICAL	PCPB(CR)0908	Permethrin 40/60cis/trans- 92% w/w	UPL Ltd., India.	Dera Chemical Industries (K) Ltd.	Insecticide, technical grade for use in formulating locally insecticides for Public Health use and crop storage
63.	PROMAX TECHNICAL	PCPB(CR)1173	Propoxur 980g/Kg	Shanghai Hui Song (H&S) Agro-Solution Co. Ltd, China	Highchem Essentials Ltd	FOR FORMULATION PURPOSES ONLY
64.	PYNAMIN FORTE	PCPB(CR)0286	d-Allethrin 90% w/w	Sumitomo Chemical	Sumitomo	Technical grade

	CONCENTRATE			Co.Ltd.	Corporation, Liaison Office, Nairobi.	insecticide for use in formulating public health products against domestic insect pests.
65.	RATOL Zinc Phosphide technical	PCPB(CR)0442	Zinc Phosphide 80% w/w	UPL Ltd., India.	Dera Chemical Industries Ltd.	Rodenticide, technical grade for use in formulating locally rodenticide (FUKOKIL)
66.	SUMILARV	PCPB(CR)0932	Pyriproxyfen 95%	Sumitomo Corporation, Japan / Sumitomo Corporation Ltd., Japan.	Sumitomo Corporation, Liaison Office, Nairobi.	Technical grade for formulation of public health products.
67.	SUMIONE 94.9% Technical	PCPB(CR)0557	Metofluthrin 94.9% w/w	Sumitomo Chemical Company, Japan.	Sumitomo Corporation, Liaison Office, Nairobi.	Technical grade material for formulation of house-hold insecticides for mosquito control.
68.	SUMITHION Technical grade	PCPB(CR)0117	Fenitrothion 95% w/w	Sumitomo Chemical Co. Ltd., Osaka, Japan.	Twiga Chemical Industries Ltd.	Technical grade insecticide for use locally for formulation

						purposes.
69.	SUMITHRIN Technical	PCPB(CR)0294	d-Phenothrin 93% w/w.	Sumitomo Chemical Co. Ltd., Osaka, Japan.	Sumitomo Corporation, Liaison Office, Nairobi.	Technical grade insecticide for use in formulating public health products against domestic insect pests.
70.	CYPERGUARD TECHNICAL GRADE	PCPB(CR)1224	Cypermethrin 93%	Bimeda Chemicals Export, Ireland / Bimeda Chemicals Ltd	Bimeda Ltd.	A technical grade material for Local Formulation of Cyperguard 10%EC PCPB(CR)0733 by Cooper K-Brands Limited
71.	DELTAGUARD TECHNICAL GRADE	PCPB(CR)1223	Deltamethrin 93%	Bimeda Chemicals Export, Ireland / Bimeda Chemicals Ltd	Bimeda Ltd.	A technical grade material for Local Formulation of Deltaguard Pour On PCPB(CR)0891 by Cooper K-Brands Limited
72.	GRENADE	PCPB(CR)0577	Cyhalothrin 90%	Red Sun Corporation,	Cooper Kenya	Technical Grade

	TECHNICAL			China / MSD Animal Health	Ltd.	material for local formulation of Grenade 5% EC
73.	TICKATRAZ 97% TK Technical Grade	PCPB(CR)0393	Amitraz 97%	Zhejiang, China.	Agriner Development Company Ltd.	Technical grade material for local formulation of Tickatraz 12.5%.
74.	BELL AZOXYSTROBIN 97% TK Technical grade	PCPB(CR)1564	Azoxystrobin 970g/kg	<b>Manufacturer of a.i./Registrant:</b> Shandong Hailir Chemical Co Ltd, China	Bell Industries ltd	Technical grade material for formulation purposes.  WHO Class III (Moderately Hazardous) Blue Color Band
75.	IMIDACLOPRID 98% TK Technical grade	PCPB(CR)1574	Imidacloprid 980g/kg	<b>Manufacturer of a.i:</b> Jiangsu Subin Agrochemical Co Ltd, China <b>Registrant:</b> Ningbo Huili import and export co Ltd, china	Osho Chemical Industries Ltd	Technical grade material for formulation purposes only  WHO Class II Moderately Hazardous Yellow Color Band
76.	BELL DIFENOCONAZOLE 95% TK	PCPB(CR)1576	Difenoconazole 950g/kg	<b>Manufacturer of a.i:</b> Qingdao KYX chemical Co Ltd, china.	Bell industries Ltd	Technical grade material for formulation



				<b>Registrant:</b> Hailir pesticide and chemical group Co Ltd China		purposes only  WHO Class II Moderately Hazardous Yellow Color Band
77.	ACETAMIPRID 96% TK	PCPB(CR)1568	Acetamiprid 960g/kg	<b>Manufacturer of a.i:</b> Jiangsu Huangma Agrochemicals Co Ltd, China <b>Registrant:</b> Ningbo Huili import and export, Co Ltd China.	Osho Chemical Industries ltd	Technical grade material for formulation purposes  WHO Class II Moderately Hazardous Yellow Color Band
78.	TRIATIX TECHNICAL	PCPB(CR)0531	Amitraz Min 95%	MSD Animal Health / Sinochem International, China.	Cooper (K) Ltd.	Technical grade for local formulation of Triatix 12.5EC PCPB(CR)0397
79.	COPPER OXIDE TC Technical Grade	PCPB(CR)1675	Copper Oxide 975 g/kg (equivalent to 78% Cu)	<b>Manufacturer:</b> Koppers Performance Chemicals Inc. USA. <b>Additional Manufacturer:</b> Adchem (Australia) Pty Ltd, Australia. <b>Registrant:</b> Koppers Performance Chemical/Protim	Marlow Link Timber Products Ltd	Local formulation of Solignum CCA C60  WHO Class II Yellow Color Band Moderately hazardous

				Solignum Ltd; United Kingdom.		
80.	CHROMIC ACID TC Technical Grade	PCPB(CR)1676	Chromic acid 99%	<b>Manufacturer:</b> Koppers Performance Chemicals Inc. USA <b>Registrant:</b> Koppers Performance Chemicals/Protim Solignum Ltd; United Kingdom	Marlowlink Timber Products Ltd (K)	Local formulation of Solignum CCA C60  <i>Restricted Class; For use by professionals</i>  WHO Class 1b Red Color Band Highly Hazardous
81.	INSEMIDA TK Technical grade	PCPB(CR)1486	Imidacloprid 980g/kg	Hailir Pesticide & Chemical Group Co Ltd, China	Bell Industries Ltd	Technical grade for formulation purposes ONLY  WHO Class II Moderately hazardous Yellow Color Band
82.	BELLMETHOXAM TK Technical grade	PCPB(CR)1487	Thiamethoxam 980g/kg	Hailir Pesticide & Chemical Group Co Ltd, China	Bell Industries ltd	Technical grade for formulation purposes ONLY  WHO Class II Moderately hazardous Yellow Color Band

83.	PIRIMIPHOS-METHYL 90% TC	PCPB(CR)1562	Pyrimiphos Methyl 900g/kg	<b>Manufacturer of a.i:</b> Hunan Haili Chemical Industries Co Ltd, china <b>Registrant:</b> Ningbo Huili Import & export Co., Ltd China	Osho Chemical Industries Ltd	Technical grade Material for formulation purposes. WHO Class III (Slightly Hazardous) Blue Color Band
84.	ACEPHATE TC Technical Grade	PCPB (CR)1628	Acephate 990 g/kg	<b>Manufacturer:</b> Nantong Weilike Chemical Co Ltd, China. <b>Exporter/Registrant:</b> Ningbo Huili Import & Export Co. Ltd., China	Osho Chemical Industries Ltd	Technical Grade material for formulation purposes only. WHO class III Slightly hazardous Blue color band.
85.	MALATHION TC Technical Material	PCPB(CR)1606	Malathion 95%	<b>Manufacturer of a.i:</b> Dezhou Luba Fine Chemicals Ltd, China. <b>Registrant/Exporter:</b> Ningbo Huili Import and Export Co. Ltd, China.	Osho Chemicals Industries Ltd	Formulations purposes only. WHO Class III, Slightly Hazardous Blue color band.
86.	CARBENDAZIM TK	PCPB(CR)1453	Carbendazim 980g/kg	Ningbo H.IEC	Osho Chemicals.Ltd	Technical grade for Formulation Purposes ONLY WHO Class III Slightly hazardous Blue

						color band.
87.	CITRIC ACID 99% TK	PCPB(CR)1437	Citric acid 99%	<b>Manufacturer:</b> Nichem Solutions, India <b>Formulator:</b> Thika Wax Works limited	Thika Wax Works limited	Technical grade material for Formulation PURPOSES ONLY WHO Class III Slightly hazardous, Blue color band
88.	DELTAMETHRIN TK	PCPB(CR)1455	Deltamethrin 98%	<b>Manufacturer:</b> Gharda Chemicals Ltd; India. <b>Registrant:</b> Intervet S.A. (Pty) Ltd, South Africa	Copper K-Brands Ltd	Technical Grade material for Formulation of Decatix 5%, Coopers Spot-On & Triatix Plus WHO Class II, Moderately hazardous, Yellow color band
89.	THIOPHANATE-METHYL TK  Technical grade	PCPB(CR)1695	Thiophanate-methyl 970 g/kg	<b>Manufacturer:</b> Anhui Guangxin Agrochemical Co Ltd, China  <b>Registrant:</b> Ningbo Huili Import & Export Co Ltd, China	Osho Chemicals Industries Ltd	Technical Grade material for formulation purposes only.  WHO Class III Slightly hazardous

						Blue color band
90.	METHYL EUGENOL TK Technical grade	PCPB(CR)1697	Methyl Eugenol 99%	<b>Manufacturer:</b> Xi'an Plant Bio-engineering Co Ltd, China <b>Registrant:</b> Kenya	Kenya Biologics Ltd	Formulation purposes only.  WHO Class II Yellow Color Band
91.	THIAMETHOXAM TC Technical grade	PCPB(CR)1654	Thiamethoxam 970g/kg	<b>Manufacturer:</b> Jiangsu Agrochemical Co Ltd, China. <b>Registrant:</b> Ningbo Huili Import and Export Co Ltd, China.	Osho Chemical Industries Ltd	Technical grade material for formulation purposes.  WHO Class II Yellow Color Band Moderately hazardous
92.	1663ABAMECTIN TC	PCPB(CR) Technical Grade	Abamectin 94%	<b>Manufacturer:</b> Baicao Biotech Co. Ltd China <b>Registrant/Exporter:</b> Ningbo Huili Import & Export Co., Ltd, China	Osho Chemical Industries Ltd	Technical Grade material for formulation purposes only.  WHO class Ib Red color band Highly hazardous

93.	AMITRAZ TC Technical Grade	PCPB(CR)1673	Amitraz 98%	<b>Manufacturer:</b> Changzhou Huaxia Pesticide Co., Ltd. China <b>Registrant:</b> Ningbo Huili Import & Export Co. Ltd. China	Osho Chemical Industries Ltd	Local formulation.  WHO Class III Blue color band Slightly hazardous
94.	PCPB(CR)1674	ARSENIC ACID TC	Arsenic Acid 75%	<b>Manufacturer:</b> Koppers Performance Chemical Inc. USA <b>Registrant:</b> Koppers Performance Chemical/ Protim Solignum Ltd. United Kingdom.	Marlow Link Timber Products Ltd	Local formulation of Solignum CCA C60  <i>Restricted Class; For use by professionals</i>  WHO Class 1b Red Color Band Highly Hazardous
95.	PCPB(CR)1679	LAMBDA CYHALOTHRIN TC  Technical Grade	Lambda cyhalothrin 950g/kg	<b>Manufacturer:</b> Jiangsu Langfeng Biochemical Co Ltd, China <b>Registrant:</b> Zhejiang E-Tong Chemical Co Ltd, China	Highchem Marketing Ltd, Essentials Division	Formulation Purposes.  WHO Class II Yellow Color Band Moderately hazardous
96.	TRANSFLUTHRIN TK Technical grade	PCPB(CR)1768	Transfluthrin 985g/kg	<b>Manufacturer:</b> Bayer Vapi Private Limited India/Bayer AG Germany <b>Registrant:</b> Bayer S.A.S	Bayer East Africa Ltd	Technical grade material for local formulation purposes.

				Environmental Science, France		WHO Class III Blue Color Band Slightly hazardous
97.	INDOXACARB TK Technical grade	PCPB(CR)1773	Indoxacarb 950g/kg	<b>Manufacturer:</b> Nantong Shizuang Chemical Co., Ltd China. <b>Registrant:</b> Ningbo Huili Import and Export Co., Ltd China	Osho Chemicals Industries Ltd	Technical grade material for local formulation.  WHO Class II Moderately hazardous Yellow Color Band
98.	Fluazifop-p-butyl 92% TC Technical Grade	PCPB(CR)1802	Fluazifop-p-butyl 920g/kg	<b>Manufacturer:</b> Shandong Qiaocheng Chemical Co Ltd, China  <b>Exporter/Registrant:</b> Ningbo Huili Import & Export Co Ltd, China	Osho Chemical Industries Ltd	Technical material for formulation purposes ONLY  WHO Class II: Moderately Hazardous; Yellow color band
99.	FOSETYL- ALUMINIUM 96% TC Technical Grade	PCPB(CR)1803	Fosetyl-Aluminium 960 g/kg	<b>Manufacturer:</b> Zhejiang Jiahua Chemical Co. Ltd., China  <b>Exporter/Registrant:</b> Ningbo Huili Import & Export Co. Ltd., China	Osho Chemical Industries Ltd	Technical material for formulation purposes ONLY  WHO Class U Unlikely to present hazard in normal use; Green Color Band
100.	TEBUCONAZOLE 96% TC Technical Grade	PCPB(CR)1815	Tebuconazole 960 g/kg	<b>Manufacturer:</b> <i>Mancozeb:</i> Jiangsu United	Osho Chemical Industries Ltd	Technical material for formulation purposes ONLY.

				<p>Agrochemicals Co. Ltd., China <i>Metalaxyl:</i> Zhejiang Henben Pesticide &amp; Chemical Co. Ltd., China</p> <p><b>Formulator:</b> Shanghai Heben-Eastsun Medicaments Co. Ltd., China</p> <p><b>Registrant:</b> Nanjing Agrochemicals Co. Ltd., China</p>		<p>WHO Class II Moderately hazardous; Yellow color band</p>
101.	MESOTRIONE 98% TC Technical Material	PCPB(CR)1782	Mesotrione 980 g/kg	<p><b>Manufacturer/ Formulator:</b> Zhangye Dagong Pesticide Chemistry Co. Ltd., China.</p> <p><b>Registrant:</b> Ningbo Huili Import and Export Co., Ltd., China</p>	Osho chemicals Industries Ltd	<p>Technical grade material for formulation purposes ONLY.</p> <p>WHO Class III (Slightly Hazardous ; Blue Color Band)</p>
102.	OXYFLUORFEN TC Technical Grade	PCPB(CR)1826	Oxyfluorfen 95%	<p><b>Manufacturer:</b> Shandong Qiaochang Chemical Co.Ltd, China</p> <p><b>Registrant/Exporter:</b> Ningbo Huili Import &amp; Export Co. ltd, China</p>	Osho Chemical Industries Ltd	<p>For formulation purposes only</p> <p>WHO Class II, Moderately hazardous, Yellow color band</p>





**TABLE IV: TEMPORARY REGISTERED PRODUCTS**

SN o	Registration Number	Trade Name and Type of Formulation	Common Name of Active Ingridient (s)	Manufacturer/ Registrant/For mulator	Agent/Distributor	Uses
1	PARMETOL A 26	PCPB(TCR)0403	(Ethylenedioxy) dimethanol 89g/kg Mixture of 5-chloro- 2-methyl-2H- isothiazol-3-one and 2-methyl- 2Hisothiazol-3-one 5.9g/kg	Schulke & Mayr GmbH Robert- Koch-str. Germany	Craftsman Enterprise (K) Ltd	As preservative (fungicidal, bacterial protection)in waterborne paints adhesives, Wood coatings metal working fluids, textile auxiliaries
2	PARMETOL DF 19 FORTE	PCPB(TCR)0404	Carbendazim 100g/kg+ Diuron 200g/kg	Schulke & Mayr GmbH Robert- Koch-str. Germany	Craftsman Enterprise (K) Ltd	As a dry film preservative of microbiological damage on coated surfaces
3	PARMETOL DF 35	PCPB(TCR)0405	(Ethylenedioxy)dimet hanol 342 g/kg + Mixture of 5-chloro- 2-methyl-2H- isothiazol-3-one and	Schulke & Mayr GmbH Robert- Koch-str. Germany	Craftsman Enterprise (K) Ltd	Multifunctional product used as preservative, sensitizer for contaminated products and as plant disinfectant

			2-methyl-2-isothiazol-3-one 7g/kg			
4	MERGAL K 6N (INCAN)	PCPB(TCR)0406	N-methylchloroacetamide Anisothiazolinones	Troy Chemical Co, Thailand	Galaxy Paints & Coatings Ltd	Technical preservative for water based emulsions and paints, adhesives, thickeners, metal working fluids, textile auxiliaries For manufacture of aqueous solutions for the sanitizing pretreatment of mould-grown surface
5	TROYSAN (DRY FILM)	PCPB(TCR)0397	2-n-octyl-4-isothiazolin-3-one 45.0%	Troy Chemical Co, Thailand	Galaxy Paints & Coatings Ltd	Coatings & Adhesives, Paints
6	MERGAL K6N	PCPB(TCR)0398	2-chloro-N-(hydroxymethyl) acetamide 10%+5-chloro-2-methyl-3(2h)-isothiazolone mixt. With 2-Methyl-3(2h)-isothiazolone	Troy Chemical Co, Thailand	Crown Paints Kenya Ltd	In-can Preservative

			1%			
7	MERGAL S89	PCPB(TCR)0399	Carbendazim 9.9% + Diuron 19%	Troy Chemical Co, Thailand	Crown Paints Kenya Ltd	Dry film Preservative
8	KATHON LXE	PCPB(TCR)0400	5-Chloro-2-methyl-4-isothiazolin-3-one 1.15% min. + 2-Methyl-4-isothiazolin-3-one 0.35% min.	Dow Chemical co, USA	Crown Paints Kenya Ltd	Microbicide preservative for use in paints based on acrylic, polyvinyl acetate, styrene acrylic, and copolymer vehicles. Inhibits microbial growth that cause contamination and deterioration of paints
9	PROXEL	PCPB(TCR)0401	1, 2- Benzisothiazol-3( 2H)- one 190 g/kg	Lonza, England	Crown Paints Kenya Ltd	In-can preservative for water based paints
10	PROXEL CF	PCPB(TCR)0402	1, 2-Benzisothiazolin-3-one 50g/L + Carbendazim 5g/L	Arck UK Biocide Ltd (Subsidiary of Lonza Group), UK	Twiga Chemicals Industries Ltd	Biocide for preservation of Industrial water based products against spoilage from bacteria, yeast and fungi.
12	PARMETOL	PCPB(TCR)0404	Carbendazim	Schulke & Mayr	Craftsman	As a dry film

	DF 19 FORTE		100g/kg+ Diuron 200g/kg	GmbH Robert- Koch-str. Germany	Enterprise (K) Ltd	preservative of microbiological damage on coated surfaces
13	PARMETOL DF 35	PCPB(TCR)0405	(Ethylenedioxy)dimet hanol 342 g/kg + Mixture of 5-chloro- 2-methyl-2H- isothiazol-3-one and 2-methyl- 2Hisothiazol-3-one 7g/kg	Schulke & Mayr GmbH Robert- Koch-str. Germany	Craftsman Enterprise (K) Ltd	Multifunctional product used as preservative, sensitizer for contaminated products and as plant disinfectant.
15	MERGAL K14	PCPB(TCR)0409	5-chloro-2-methyl-3- isothiazolone & 2- methyl-3- isothiazolone. 0.5-1%	Troy Siam Company Ltd, Thailand Supplier: Tawazon Chemical Co. LLC, United Arab Emirates	Tawazon Chemical Co. EA Ltd.	In can microbiocide preservative for control of bacteria , fungi and yeast
16	MERGAL K14 PLUS	PCPB(TCR)0410	5-chloro-2-methyl-4- isothiazolin-3 -one and 2-methyl-2H- isothiazolone 1.4%	Troy Siam Company Ltd, Thailand Supplier:	Tawazon Chemical Co. EA Ltd.	In can Microbiocide preservative for control of growth of fungi, bacteria and yeast in

				Tawazon Chemical Co. LLC, United Arab Emirates		aqueous systems.
17	TROYSAN S89 PASTE	PCPB(TCR)0411	2-Octyl-2H-isothiazol-3-one 2.20%	Troy Siam Company Ltd, Thailand Supplier: Tawazon Chemical Co. LLC, United Arab Emirates.	Tawazon Chemical Co. EA Ltd	Dry film preservative for exterior use for the control of yeast, moulds and algae.
18	TROYSAN HS24/MERGAL HS24	PCPB(TCR)0412	Permethrin. 7-10%	Troy Siam Company Ltd, Thailand Supplier: Tawazon Chemical Co. LLC, United Arab Emirates	Tawazon Chemical Co. EA Ltd.	In can preservative.
19	MERGAL K12N	PCPB(TCR)0413	CMIT.MIT-5-Chloro-2-Methyl isothazolone-3one, 2-	Troy Siam Company Ltd, Thailand	Tawazon Chemical Co. EA. Ltd.	In can micro- biocide preservative for control of Bacteria fungi and

			Methyl-3(H)-isothiazolone 1.04% + Bronopol 7.5%	Supplier: Tawazon Chemical Co. LLC, United Arab Emirates.		yeast in aqueous systems. Used in water-borne paints, and preservation of detergents, household Cleaners, in inks and fountain solutions.
20	POLYPHASE AF3	PCPB(TCR)0414	IPBC-3-iodo-2-propynyl butyl Carbamate 30%	Troy Siam Company Ltd, Thailand Supplier: Tawazon Chemical Co. LLC, United Arab Emirates.	Tawazon Chemical Co. EA Ltd.	In can non-metallic fungicide preservative used in dry film protection in exterior and interior paints, wood preservative adhesives, metal working fluids, ink systems, caulks, textile applications.
21	MERGAL V615	PCPB(TCR)0415	1,6-dihydroxy-2,5-dioxahexane.0.5-1%	Troy Siam Company Ltd, Thailand Supplier: Tawazon Chemical Co. LLC, United	Tawazon Chemical Co. EA Ltd.	In can micro- biocide preservative for control of bacterial growth in aqueous Systems. Used in waterborne adhesives, pigment slurries, bitumen

				Arab Emirates.		emulsions and concrete additives.
22	MERGAL S89 PASTE	PCPB(TCR)0416	Diuron 19% + 2-Benzimidazole Carbamic acid, methyl ester 10% + Kaolin 7-10% + 2-Octyl-2isothiazole-3-one.2.2%	Troy Siam Company Ltd, Thailand Supplier: Tawazon Chemical Co. LLC, United Arab Emirates.	Basco Products (Kenya) Ltd.	Dry film fungicide preservative for control of growth of fungi and algae on paints, masonry coatings, plasters, EIFS, adhesives and caulks on architectural designs.
23	MERGAL 753	PCPB(TCR)0417	Benzisothiazolin-3(2h)-one 25-50%	Troy Siam Company Ltd, Thailand Supplier: Tawazon Chemical Co. LLC, United Arab Emirates.	Basco Products (Kenya) Ltd.	In can preservative used in metal-working fluid concentrates to control the growth of gram negative bacteria and other organisms.
24	ROCIMA 363 BIOCIDE	PCPB(TCR)0418	Diuron 20% + Carbendazim 7.5% + 2-n-octyl-4-isothiazolin-3-one 2.7%	Registrant: Dow Europe GmbH, Switzerland. Diuron: Lanxess Deutschland	Dow Chemicals E.A. Ltd.	A film preservative to prevent surface growth of fungi and algae to be use in paints and coatings.



				GmbH Germany Carbendazim: Troy Chemical Company B.V. Netherlands 2- n-octyl-4- isothiazolin-3- one: Dow Europe GmbH, Switzerland.		
24	ROCIMA 623 Microbicide	PCPB(TCR)0419	Formaldehyde 38% + {5-chloro-2-methyl- 2H isothiazol-3-one + 2-methyl-2H- isothiazol-3-one} 14.5% Ratio 3:1	Registrant: Dow Europe GmbH, Switzerland. Formaldehyde: Impag AG, Zuric Schweiz {5-chloro-2- methyl-2H isothiazol-3- one: 2-methyl- 2H-isothiazol-3- one} Dow Europe GmbH, Switzerland.	Dow Chemicals E.A. ltd.	In-can preservative to control bacterial and fungal growth in paints.

25	GROTAN TK 5 PLUS Liquid Concentrate	PCPB(TCR)0420	(Ethylenedioxy) dimethanol + 2- Octyl-2H-isothiazol- 3-one.	Schulke & Mayr mbH Robert- Koch-Str.2 22851 Norderstedt Germany.	BASF East Africa Limited.	Biocide for use as preservative against bacteria & fungus (mold, yeast) in concrete admixtures.
26	BACTERICI DE RM 50	PCPB(TCR)0421	Sodium dimethyl dithiocarbamate 40 percentage.	Enzur S. A. Industrias, Uruguay	Alpharama Ltd	Biocides for control of fungi and bacteria on hides and skin for own use by Alpharama.
27	FUNGICIDE CR 30	PCPB(TCR)0422	2- (tiocyanomethylthio) benzothiazole 30 percentage	Enzur S. A. Industrias, Uruguay	Alpharama Ltd	Biocides for control of fungi and bacteria on hides and skin for own use by Alpharama.
28	ACTICIDE EPW	PCPB(TCR)0423	3-(3,4- Dichlorophenyl)-1,1- dimethylurea (Diuron) 20% + Methyl 1H- benzimidazol-2- ylcarbamate (Carbendazim) 9% + 2-Octyl-2H-	ACTI-CHEM S.A (PTY) Ltd, South Africa	Desbro (Kenya) Ltd	Biocide for the complete protection of paints & coatings from fungal & algal growth.

			isothiazol-3-one 3%			
29	ACTICIDE FSK	PCPB(TCR)0424	5-Chloro-2-methyl- H-isithiazol-3-one/2- Methyl-2H- isothiazol-3-one (CIT/MIT) 0.7% + (ethylenedioxy)dimet hanol (EDDM) 15% + Tetraamethylol acetylenediurea 15%	ACTI-CHEM S.A (PTY) Ltd, South Africa	Desbro (Kenya) Ltd	Biocide for the wet state preservation of paints from wet state microbial contamination.
30	ACTICIDE HF	PCPB(TCR)0425	5-Chloro-2-methyl- H-isithiazol-3-one/2- Methyl-2H- isothiazol-3-one (CIT/MIT) 1.05% + Formaldehyde 3.0%	ACTI-CHEM S.A (PTY) Ltd, South Africa	Desbro (Kenya) Ltd	Biocide for the wet state preservation of paints from wet state microbial contamination.
31	ACTICIDE DB 20	PCPB(TCR)0426	2, 2-Di-Bromo-3- Nitrilo-Propionamide (DBNPA) 20%	ACTI-CHEM S.A (PTY) Ltd, South Africa	Desbro (Kenya) Ltd	Biocide for used in the shock-dose/remediation of contaminated paints.
31	ACTICIDE MBS	PCPB(TCR)0427	2-Methyl-2H- isothiazol-3-one (MIT) 2.5% + 1,2-	ACTI-CHEM S.A (PTY) Ltd, South Africa	Desbro (Kenya) Ltd	Biocide for the wet state preservation of paints from wet state microbial

			Benzisothiazolin-3-one 2.5%			contamination.
32	BIOPOL JM 15 SL Soluble Concentrate	PCPB(TCR)0428	Ethylene glycolbis(hydroxymethyl) ether $\geq 15.5\%$ - $< 18\%$ + reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H - isothiazol-3-one (3:1) $\geq 0.25\%$ - $< 0.6\%$	Chemipol, S.A. Joan Monpeo, TERRASSA - Spain	Rajchem Polymers Ltd	Biocide for In-can paint preservative against bacteria, fungi and yeast.
33	ACTICIDE L10 XX (others) Glycol based wet state preservative	PCPB(TCR)0429	2-Bromo-2-nitro-1,3-propanediol 10%	Thor GmbH, Germany	Desbro (Kenya) Ltd	In can/wet state preservative for the control of wet state microbial contamination in adhesives.
35	ACTICIDE-SPX Others	PCPB(TCR)0430	5-Chloro-2 -methyl-4-isothiazolin-3-one 1.11% + 2-Methyl-4-isothiazolin-3-one 0.37%	Acti-Chem S.A (Pty) Ltd, South Africa	Desbro Kenya	In-can preservative for the control of bacteria and fungi in water based coatings such paints.



## Appendix I: List of Banned Products

<b>BANNED PESTICIDES IN KENYA</b>			
#	<i>Common Name</i>	<i>Use</i>	<i>Date Banned</i>
*	2,4,5 T (2,4,5 – Trichloro-phenoxybutyric acid)	Herbicide	1986
*	Chlordane	Insecticide	1986
*	Chlordimeform	Insecticide	1986
*	DDT (Dichlorodiphenyl Trichloroethane)	Agriculture	1986
*	Dibromochloropropane	Soil Fumigant	1986
*	Endrin	Insecticide	1986
*	Ethylene dibromide	Soil Fumigant	1986
*	Heptachlor	Insecticide	1986
*	Toxaphene (Camphechlor)	Insecticide	1986
*	5 Isomers of Hexachlorocyclohexane (HCH)	Fungicide	1986
*	Ethyl Parathion	Insecticide All formulations banned except for capsule suspensions	1988
*	Methyl Parathion	Insecticide All formulations banned except for capsule suspensions	1988
*	Captafol	Fungicide	1989
*	Aldrin	Insecticide	2004
*	Benomyl, Carbofuran, Thiram combinations	Dustable powder formulations containing a combination of Benomyl above 7%, Carbofuran above 10% and Thiram above 15%	2004

*	Binapacryl	Miticide/Fumigant	2004
*	Chlorobenzilate	Miticide	2004
*	Dieldrin	Insecticide	2004
*	Dinoseb and Dinoseb salts	Herbicide	2004
*	DNOC and its salts (such as Ammonium Salt, Potassium salt & Sodium Salt)	Insecticide, Fungicide, Herbicide	2004
*	Ethylene Dichloride	Fumigant	2004
*	Ethylene Oxide	Fumigant	2004
*	Fluoroacetamide	Rodenticide	2004
*	Hexachlorobenzene (HCB)	Fungicide	2004
*	Mercury Compounds	Fungicides, seed treatment	2004
*	Pentachlorophenol	Herbicide	2004
*	Phosphamidon	Insecticide, Soluble liquid formulations of the substance that exceed 1000g active ingredient/L	2004
*	Monocrotophos	Insecticide/Acaricide	2009
*	All Tributyltin Compounds	All compounds including tributyltin oxide, tributyltin benzoate, tributyltin fluoride, tributyltin lineoleate, tributyltin methacrylate, tributyltin naphthenate, tributyltin chloride	2009
*	Alachlor	Herbicide.	2011
*	Aldicarb	Nematicide/Insecticide/Acaricide.	2011
*	Endosulfan	Insecticide.	2011
*	Lindane	Insecticide.	2011

## Appendix II: List of Severely Restricted Products

<b>Severely RESTRICTED PESTICIDES IN KENYA</b>		
	<i>Common name</i>	<i>Remarks</i>
1.	Benomyl, Carbofuran/Thiram combinations	Dustable powder formulations containing a combination of Benomyl below 7%, Carbofuran below 10% and Thiram below 15%.
2.	DDT (Dichlorodiphenyl trichloroethane)	Insecticide, restricted use to Public Health only for mosquito control for indoor residual spray by Ministry of Health. Banned for agricultural use.
3.	Ethyl Parathion	Insecticide, capsule suspension formulations allowed in 1998.
4.	Methyl parathion	Insecticide, capsule suspension formulations allowed in 1998.
5.	Phosphamidon	Insecticide, Soluble liquid formulations of the substance that is below 1000g active ingredient/L.





PEST CONTROL PRODUCTS BOARD

*Published by:*

Pest Control Products Board  
Waiyaki way, P. O. Box 13794-00800,  
Westlands, Nairobi, Kenya.  
Telephone: +254-020-8021846/7/8  
Mobile: 0720480904/0735778743  
Fax: +254-020-8021865  
Email: [md@pcpb.go.ke](mailto:md@pcpb.go.ke)  
[info@pcpb.go.ke](mailto:info@pcpb.go.ke)  
Website: [www.pcpb.go.ke](http://www.pcpb.go.ke)

**Regional Offices**

<p><b><u>Coast Regional Office:</u></b> <b>The Regional Manager</b> P.O. Box 10636-80101 Bamburi-Mombasa, Kenya. Tel: 2375522 Fax: 2375522 Email: <a href="mailto:coast.region@pcpb.go.ke">coast.region@pcpb.go.ke</a></p>	<p><b><u>Western Regional Office:</u></b> <b>The Regional Manager</b> P.O. Box 2757—40100, Kisumu, Kenya. Tel: 020-8068933 Email: <a href="mailto:ksm@pcpb.go.ke">ksm@pcpb.go.ke</a></p>	<p><b><u>Mt. Kenya Regional Office:</u></b> <b>The Regional Manager</b> Embu Motors Plaza P.O. Box 2742 - 60100, Embu, Kenya. Tel: 068-31026 Email: <a href="mailto:mtkenya@pcpb.go.ke">mtkenya@pcpb.go.ke</a></p>	<p><b><u>Nakuru Regional Office</u></b> <b>The Regional Manager</b> P.O Box 4507-20100 GPO, Nakuru Tel: 051-2217544 Email: <a href="mailto:southern@pcpb.go.ke">southern@pcpb.go.ke</a></p>
--	--	--	---



©2018 Pest Control Products Board  
Revised Edition 2018  
All rights reserved.

*No part of this publication may be reproduced without written permission from PCPB*

