

Bibliography

The following items are specifically referred to in the general introductory text or in the footnotes of the Index. For some individual county records, additional sources have been used that are not listed below, but they are noted within the database. Medley (1993) provides references to most of those supplementary sources earlier than 1993, and Jones (2005) provides other references, together with an general update and review of literature on Kentucky botany. In addition, collection data have been extracted from all issues of the Journal of Kentucky Academy of Science, Castanea and Sida, and these sources are not necessarily cited here, unless there is special interest in new records for regions or for the state.

Abbott, J.R. 2011. Notes on the disintegration of *Polygala* (Polygalaceae), with four new genera for the Flora of North America. *Journal of the Botanical Research Institute of Texas* 5: 125-137.

Abbott, J.R., R.L. Thompson, & R.A. Gelis. 2001. Vascular plants new to Kentucky. *Sida* 19: 1199-1202.

Abbott, J.R., R.L. Thompson, & R.A. Gelis. 2004. Noteworthy vascular plants from Kentucky: a state record, range extensions and various species of interest. *Journal of the Kentucky Academy of Science* 65: 94-103.

Abboud, M.M, W.A. Awaida, H.H Alkhateeb & A.N. Abu-Ayyad. 2018. Antitumor action of amygdalin on human breast cancer cells by selective sensitization to oxidative stress. *Nutrition and Cancer*. 8 pages.

Adams, B., G. E. Hunter, D. F. Austin, & K. H. Kerrick. 1968. The flora of Murphy's Pond. *Transactions of the Kentucky Academy of Science* 29: 25-28.

Abrams, M.D. 1998. The red maple paradox. *BioScience* 48: 355-364.

Aedo, C. 2001. The genus *Geranium* L. (Geraniaceae) in North America. II. Perennial species. *Annales Jardin Botanique de Madrid* 59: 3-65.

Aedo, C. 2012. Revision of *Geranium* (Geraniaceae) in the New World. *Systematic Botany Monographs* 95: 1-550.

Ahonsi, M.O., B. O. Agindotan, D. W. Williams, R. Arundale, M. E. Gray, T. B. Voigt, & C. A. Bradley. 2010. First report of *Pithomyces chartarum* causing a leaf blight of *Miscanthus × giganteus* in Kentucky. *Plant Disease* 94: 480.

Aiken, S.G., & L.P. Lefkovitch. 1993. On the separation of two species within *Festuca* subg. *Obtusae* (Poaceae). *Taxon* 42: 323-337.

Aksoy, A., J.M. Dixon, & W.H.G. Hale. 1998. Biological Flora of the British Isles No. 199: *Capsella bursa-pastoris* (L.) Medikus (*Thlaspi bursa-pastoris* L., *Bursa bursa-pastoris* (L.) Shull, *Bursa pastoris* (L.) Weber). *Journal of Ecology* 86: 171–186.

Albert, D.A., & L.D. Minc. 2004. Plants as regional indicators of Great Lakes coastal wetland health. *Aquatic Ecosystem Health Management* 7: 233–247.

Aldrich, P.R., G.R. Parker, C.H. Michler, & J. Romero-Severson. 2003. Whole-tree silvic identifications and the microsatellite genetic structure of a red oak species complex in an Indiana old-growth forest. *Canadian Journal of Forest Research* 33: 2228–2237.

Allen, C.M. 2017. *Adlumia fungosa* (Fumariaceae), new to the Flora of Louisiana, USA. *Journal of the Botanical Research Institute of Texas* 11: 511-512.

- Allen, N.P. 1899. Early History of the Smith's Grove Country; Warren County, Kentucky. Glasgow Times. Original articles reprinted in: G.W. McIntire & O. Blakeman. 1947. Dr. Nathan Perry Allen, 1830-1909. Published by the authors, Bowling Green, Kentucky.
- Allison, J.R. 2011. Synopsis of the *Hypericum denticulatum* complex (Hypericaceae). *Castanea* 76: 99-115.
- Allison, J.R., & T.E. Stephens. 2001. The endemic flora of Ketona dolomite outcrops in Bibb County, Alabama. *Castanea* 66: 154-205.
- Allison, T.D. 1990. The influence of deer browsing on the reproductive biology of Canada yew (*Taxus canadensis* Marsh.). *Oecologia* 83: 523-529.
- Allred, K.W. 2008. *Vulpia octoflora* (Walter) Rydberg var. *tenella* (Willdenow) Fernald: the correct name for what has been called *Vulpia octoflora* (Walter) Rydberg var. *glauca* (Nuttall) Fernald. *Phytologia* 90: 414-415.
- Al-Shamma, A., S.D. Drake, L.E. Guagliardi, L.A. Mitscher & J.K. Swayze. 1982. Antimicrobial alkaloids from *Boehmeria cylindrica*. *Phytochemistry* 21: 485-487.
- Al-Shehbaz, I.A. 1985. The genera of Brassiceae (Cruciferae; Brassicaceae) in the southeastern United States. *Journal of the Arnold Arboretum* 66: 279-311.
- Al-Shehbaz, I.A. 1987. The genera of Alyssae (Cruciferae, Brassicaceae) in the southeastern United States. *Journal of the Arnold Arboretum* 68: 185-240.
- Al-Shehbaz, I.A. 1988a. *Cardamine dissecta*, a new combination replacing *Dentaria multifida* (Cruciferae). *Journal of the Arnold Arboretum* 69: 81-84.
- Al-Shehbaz, I.A. 1988b. The genera of Arabideae (Cruciferae, Brassicaceae) in the southeastern United States. *Journal of the Arnold Arboretum* 69: 85-166.
- Al-Shehbaz, I.A., & B.G. Schubert. 1989. The Dioscoreaceae in the southeastern United States. *Journal of the Arnold Arboretum* 70: 57-95.
- Al-Shehbaz, I.A., & J.L. Zarucchi. 2008. *Boechera dentata* is the correct name for *B. shortii*. *Harvard Papers in Botany* 13: 293-294.
- Al-Snafi, A.E. 2015. Bioactive components and pharmacological effects of *Canna indica*—an overview. *International Journal of Pharmacology and Toxicology* 5: 71-75.
- Alves, T.M. de Almeida, F.L. Ribeiro, H. Kloos & C.L. Zani. 2001. Polygodial, the fungitoxic component from the Brazilian medicinal plant *Polygonum punctatum*. *Memórias do Instituto Oswaldo Cruz* 96: 831-833.
- Anderberg, A.A. 2004. [Treatments within Ericales]. In: K. Kubitski (ed). *The families and genera of vascular plants. VI. Flowering plants – Dicotyledons – Celastrales, Oxalidales, Rosales, Cornales, Ericales*. Springer, Berlin. 418 pp.
- Anderson, J.E., W-W. Ma, D.L. Smith, C-J. Chang & J.L. McLaughlin. 1992. Biologically active γ -lactones and methylketoalkenes from *Lindera benzoin*. *Journal of Natural Products* 55: 71-83.
- Anderson, L.C. 1994. A revision of *Hasteola* (Asteraceae) in the New World. *Systematic Botany* 19: 211-219.
- Anderson, E. 1933. Leatherwood (*Dirca palustris*). *Bulletin of Popular Information*. Arnold Arboretum, Harvard University. Cambridge, Massachusetts.

- Anderson, G.J., & J.D. Hill. 2001. Many to flower, few to fruit: the reproductive biology of *Hamamelis virginiana* (Hamamelidaceae). American Journal of Botany 89: 67-78.
- Anderson, R.C., A.J. Katz & M.R. Anderson. 1978. Allelopathy as a factor in the success of *Helianthus mollis* Lam. Journal of Chemical Ecology 4: 9-16.
- Anderson, W.A., Jr. 1924. The Graminales of Kentucky. M.A. thesis. University of Kentucky, Lexington, Kentucky.
- Andreas, B.K., & T.S. Cooperrider. 1979. The Apocynaceae of Ohio. Castanea 44: 238-241.
- Andrews, E.F. 1915. The *Galax* odor. Torreya 15: 16-18.
- Angiosperm Phylogeny Group [APG]. 1998. An ordinal classification for the families of flowering plants. Annals of the Missouri Botanical Garden 85: 531-553.
- Angiosperm Phylogeny Group [APG]. 2003. An update of the Angiosperm Phylogeny Group classification for the orders and families: APG II. Botanical Journal of the Linnaean Society 141: 399-436.
- Anonymous. 1977. Final Environmental Impact Statement: East Bend Station Units 1 and 2. U.S. Army Corps of Engineers, Louisville, Kentucky.
- Arda, N., N. Gören, A. Kuru, T. Pengsuparp, J.M. Pezzuto, S-X. Qiu & G.A. Cordell. 1997. Saniculoside N from *Sanicula europaea* L. Journal of Natural Products 60: 1170-1173.
- Argus, G.W. 1986. The genus *Salix* (Salicaceae) in the southeastern United States. Systematic Botany Monographs 9: 1-170.
- Arnold, M.L. 1997. Natural hybridization and evolution. Oxford University Press, New York, New York.
- Arnold, S.C., & E.O. Beal. 1980. A survey of *Scirpus* in Kentucky with problem species-complex analysis. Transactions of the Kentucky Academy of Science 42: 16-28.
- Asnani, K.M. 2003. Regeneration of woodland vegetation after deer browsing in Sharon Woods Metro Park, Franklin County, Ohio. M.Sc. thesis, Ohio State University, Columbus. 77 pages.
- Ashton, I.W., & M.T. Lerdau. 2008. Tolerance to herbivory, and not resistance, may explain differential success of invasive, naturalized, and native North American temperate vines. Diversity and Distributions 14: 169-178.
- Asnani, K.M., R.A. Klips & P.S. Curtis. 2006. Regeneration of woodland vegetation after deer browsing in Sharon Woods Metro Park, Franklin County, Ohio. Ohio Journal of Science 106: 86-92.
- Atwood, E.L. 1941. White-tailed deer foods of the United States. Journal of Wildlife Management 5: 314-332.
- Audubon, J.J. 1831. The Wild Turkey. Vol. 1, pages 1-17 in: Ornithological Biography, or an Account of the Habits of the Birds of the United States of America. Published by the author. Neill & Co. Prunters, Edinburgh. 5 volumes.
- Audubon, J.J. 1840. The Carolina Parrot. In: The Birds of America, Vol. II. Published by the author. Printed by J.B. Chevalier, New York. [Reprinted, p. 101-102 in: R. Rhodes (ed.) 2006. The Audubon Reader. Alfred A. Knopf, New York.]
- Augustine, D.J., L.E. Frelich & P.A. Jordan. 1998. Evidence for two alternate stable states in an ungulate grazing system. Ecological Applications 8: 1260-1269.
- Averill, K.M., D.A. Mortensen, E.A.H Smithwick, S. Kalisz, W.J. McShea, N.A. Bourg, J.D. Parker, A.A. Royo, M.D. Abrams, D.K. Apsley, B. Blossey, D.H. Boucher, K.L. Caraher, A. DiTommaso, S.E. Johnson, R. Masson & V.A. Nuzzo. 2017. A regional

- assessment of white-tailed deer effects on plant invasion. AoB Plants 10, no. 1: plx047.
- Awad, R., J.T. Arnason, V. Trudeau, C. Bergeron, J.W. Budzinski, B.C. Foster & Z. Merali. 2003. Phytochemical and biological analysis of skullcap (*Scutellaria lateriflora* L.): a medicinal plant with anxiolytic properties. Phytomedicine 10: 640-649.
- Awan, Z.I., H. ur Rehman, K.A. Yasin, B. Ahmed, F.A. Minhas & R.A.H. Khan. 2013. Chemical constituents and biological activities of viburnum species. International Journal of Innovative Research and Development 2(5).
- Ayaz, M., M. Junaid, F. Ullah, A. Sadiq, M.A. Khan, W. Ahmad, M. R. Shah, M. Imran & S. Ahmad. 2015. Comparative chemical profiling, cholinesterase inhibitions and anti-radicals properties of essential oils from *Polygonum hydropiper* L: a preliminary anti-Alzheimer's study. Lipids in Health and Disease 14:141. 12 pages.
- Babcock, P.A., & A.B. Segelman. 1974. Alkaloids of *Lindera benzoin* (L.) Blume (Lauraceae) I: Isolation and identification of laurotetanine. Journal of Pharmaceutical Sciences 63: 1495-1496.
- Backlund, A., & N. Pyck. 1998. Diervillaceae and Linnaeaceae, two new families of caprifolioids. Taxon 47: 657-661.
- Bailey, L.H. 1941-49. Species Batorum. The genus *Rubus* in North America. (Parts I-X plus two addenda). Gentes Herbarum 5: 1-64, 65-125, 128-198, 200-228, 230-422, 423-461, 464-503, 506-588, 590-856, 858-918; 7: 181-349, 480-526.
- Baldwin, B.G., D. Goldman, D.J. Keil, R. Patterson, T.J. Rosatti & D. Wilken (eds). 2012. The Jepson Manual. Vascular Plants of California. 2nd edition. University of California Press, Oakland.
- Baldwin, J.T., & R. Culp. 1941. Polyploidy in *Diospyros virginiana* L. American Journal of Botany 28: 942-944.
- Ballard, H.E., & D.E. Wujek. 1994. Evidence for the recognition of *Viola appalachiensis*. Systematic Botany 19: 523-538.
- Barlow, C. 2008. The Ghosts of Evolution: Nonsensical Fruit, Missing Partners, and other Ecological Anachronisms. Basic Books, New York. 352 pages.
- Barneby, R.C. 1964. Atlas of North American *Astragalus*. Memoirs of the New York Botanical Garden 13: 1-1188.
- Barnes, T.G., & S.W. Francis. 2004. Wildflowers and Ferns of Kentucky. The University Press of Kentucky, Lexington, Kentucky.
- Barnes, W.J., & G. Cottam. 1974. Some autecological studies of the *Lonicera X bella* complex. Ecology 55:40-50.
- Barnes, W.J., & E. Dibble. 1988. The effects of beaver in riverbank forest succession. Canadian Journal of Botany 66: 40-44.
- Barney, J.N., N.Tharayil, A. DiTommaso & P.C. Bhowmik. 2006. The biology of invasive alien plants in Canada. 5. *Polygonum cuspidatum* Sieb. & Zucc.[= *Fallopia japonica* (Houtt.) Ronse Decr.]. Canadian Journal of Plant Science 86: 887-906.
- Barron, D., L. Varin, R.K. Ibrahim, R. K., J.B. Harborne & C.A. Williams. 1988. Sulphated flavonoids—an update. Phytochemistry, 27: 2375-2395.
- Barton, J.E. 1919. The amount of standing timber in Kentucky. [In] The Mineral and Forest Resources of Kentucky. Vol. 1, Series 5. [Kentucky] Department of Geology and Forestry, Frankfort.
- Bartgis, R.L., G.P. Fleming & R. Wiegand. 1997. The prairie-redroot (*Ceanothus herbaceus* Raf.) in the mid-Atlantic United States. Castanea 62: 127-128.
- Bartholomew, E.A. 1941. *Galium pedemontatum* in North America. Castanea 6: 141-142.

- Baskin, J.M., and C.C. Baskin. 1979. The ecological life cycle of *Thlaspi perfoliatum* and a comparison with published studies on *Thlaspi arvense*. *Weed Research* 19: 285-292.
- Baskin, C.C., J.M. Baskin & E.W. Chester. 1993. Seed germination ecology of two mesic woodland herbs, *Nemophila aphylla* and *Phacelia ranunculacea* (Hydrophyllaceae). *Bulletin of the Torrey Botanical Club* 29:37.
- Baskin, C.C., J.M. Baskin & E.W. Chester. 2003. Ecological life cycle of *Trepocarpus aethusae* (Nutt.) ex DC. and comparisons with two other winter annual Apiaceae native to eastern United States. *Castanea* 68: 43-55.
- Baskin, J.M., & C.C. Baskin. 1982. Comparative germination responses of the two varieties of *Arenaria patula*. *Transactions of the Kentucky Academy of Science* 43: 50-53.
- Baskin, J.M., & C.C. Baskin. 1985. A floristic study of a cedar glade in Blue Licks Battlefield State Park, Kentucky. *Castanea* 50: 19-25.
- Baskin, J.M., & C.C. Baskin. 1989. The case of *Cotinus obovatus* Raf. (Anacardiaceae) in Kentucky. *Castanea* 54: 119-121.
- Baskin, J.M., C.C. Baskin & M.E. Medley. 1983. The historical geographical distribution of *Onosmodium molle* Michx. subsp. *molle* (Boraginaceae). *Bulletin of the Torrey Botanical Club* 110: 73-76.
- Baskin, J.M., D. Isely, & C.C. Baskin. 1986. Geographical origin of the specimens of *Orbexilum stipulatum* (T. & G.) Rydb. (*Psoralea stipulata* T. & G.). *Castanea* 51: 207-210. [See also Am. J. Bot. 73: 751.]
- Baskin, J.M., & C.C. Baskin. 1993. The ecological life cycle of *Perideridia americana* (Apiaceae). *The American Midland Naturalist* 129: 75-86.
- Baskauf, C.J., N.C. Jinks, J.R. Mandel & D.E. McCauley. 2013. Population genetics of Braun's Rockcress (*Boechera perstellata*, Brassicaceae), an endangered plant with a disjunct distribution." *Journal of Heredity* 105: 265-275.
- Baum, D.A. 2007. Concordance trees, concordance factors, and the exploration of reticulate genealogy. *Taxon* 56: 417-426.
- Bayer, R.J. 2006. *Antennaria*. In *Flora of North America*. Volume 19: 388-417. [See below.]
- Bayer, R.J., & G.L. Stebbins. 1987. Chromosome numbers, patterns of distribution, and apomixis in *Antennaria* (Asteraceae: Inuleae). *Systematic Botany* 12: 305-319.
- Beal, E.O., J.W. Wooten, & R.B. Kaul. 1982. Review of the *Sagittaria engelmanniana* complex (Alismataceae) with environmental correlations. *Systematic Bot.* 7: 417-432.
- Beal, E.O., & J.W. Thieret. 1987. Aquatic and Wetland Plants of Kentucky. Kentucky Nature Preserves Commission, Frankfort, Kentucky.
- Beatley, J.A. 1979. Distribution of buckeyes (*Aesculus*) in Ohio. *Castanea* 44: 150-163.
- Beaton, L.L., P.A. Van Zandt, E.J. Esselman & T.M. Knight. 2011. Comparison of the herbivore defense and competitive ability of ancestral and modern genotypes of an invasive plant, *Lespedeza cuneata*. *Oikos* 120: 1413-1419.
- Beck, J.B., R.F.C. Naczi, & P.J. Calie. 2000. Insights into the species delineation and population structure of *Solidago shortii* (Asteraceae) through morphometric analysis. *Rhodora* 103: 151-171.

- Beckett, M. R. 1956. The Flora of Clark County, Kentucky in relation to Geologic Regions. M.A. thesis. University of Kentucky. Lexington, Kentucky.
- Beckner, L. 1928. Shane's interview with pioneer William Clinkenbeard. *Filson Club History Quarterly* 2: 104-128.
- Becus, M.J. 2003. Observations on *Acalypha deamii* (Euphorbiaceae) in Ohio. *Castanea* 68: 175-178.
- Bellemare, J., G. Motzkin & D.R. Foster. 2002. Legacies of the agricultural past in the forested present: an assessment of historical land-use effects on rich mesic forests. *Journal of Biogeography* 29: 1401-1420.
- Belt, S. 2015. Plants tolerant of poultry house emissions in the Chesapeake Bay watershed. USDA-NRCS Norman A. Berg National Plant Materials Center, Beltsville, Maryland.
- Berenbaum, M. 1981. Patterns of furanocoumarin distribution and insect herbivory in the Umbelliferae: plant chemistry and community structure. *Ecology* 62: 1254-1266.
- Berman, A. 1960. An unpublished letter from G.K. Lawrence to S. Rafinesque, October 8, 1828. *Bulletin of the History of Medicine*, 34: 461-470.
- Beyhaut, E., B. Tlusty, P. van Berkum, & P.H. Graham. 2006. *Rhizobium giardinii* is the microsymbiont of Illinois bundleflower (*Desmanthus illinoensis* (Michx.) Macmillan) in midwestern prairies. *Canadian Journal of Microbiology* 52: 903-907.
- Biederman, L.A. 2000. Response of wood nettle (*Laportea canadensis*) to Euro-American land-use in southeast Minnesota. M.Sc. thesis, University of Minnesota, Minneapolis.
- Binns, S.E., B.R. Baum & J.T. Arnason. 2002. A taxonomic revision of the genus *Echinacea* (Heliantheae; Asteraceae), *Systematic Botany* 27: 610-632.
- Bir, R. 2005. Domesticating Galax. Special Crops Report. North Carolina State University. (http://www.cals.ncsu.edu/specialty_crops/publications/reports/domesticatinggalax.html).
- Bohlmann, F., U. Fritz, R.M. King & H. Robinson. 1980. Sesquiterpene and diterpene derivatives from *Solidago* species. *Phytochemistry* 19: 2655-2661.
- Boone, D., & E.W. Chester. 2009. Noteworthy Collections: Kentucky, *Fimbristylis perpusilla* R.M. Harper ex Small & Britton. *Castanea* 74: 435-436.
- Boone, M.J., C.N. Davis, L. Klasek, F. Jillian, K. Roehm & M.D. Moran. 2015. A test of potential Pleistocene mammal seed dispersal in anachronistic fruits using extant ecological and physiological analogs. *Southeastern Naturalist* 14: 22-33.
- Boonprakob, U., D.H. Byrne, C.J. Graham, W.R. Okie, T. Beckman & B.R. Smith. 2001. Genetic relationships among cultivated diploid plums and their progenitors as determined by RAPD Markers. *Journal of the American Society of Horticultural Science* 126: 451-461.
- Borris, R., G. Blaskó & G. Cordell. 1988. Ethnopharmacologic and phytochemical studies of the Thymelaeaceae. *Journal of Ethnopharmacology* 24: 41-91.
- Boufford, D.E. 1983. The systematics and evolution of *Circaeae* (Onagraceae). *Annals of the Missouri Botanical Garden* 69: 804-994.
- Boufford, D.E. 2005. *Circaeae lutetiana* sensu lato (Onagraceae) reconsidered. *Harvard Papers in Botany* 255-256.

- Boulanger, V., C. Baltzinger, S. Saïd, P. Ballon, J.-F. Picard & J.L. Dupouey. 2009. Ranking temperate woody species along a gradient of browsing by deer. *Forest Ecology and Management* 258: 1397-1406.
- Brandenburg, D.M., & J.W. Thieret. 1996. *Sclerochloa dura* (Poaceae) in Kentucky. *Transactions of the Kentucky Academy of Science* 57: 47-48.
- Brandenburg, D.M., & J.W. Thieret. 2003. *Epipactis helleborine* (Orchidaceae) in Kentucky, with an overview of literature on biology of the species. *Journal of the Kentucky Academy of Science* 64: 55-74.
- Brashier, C. K. 1966. A revision of *Commelina* (Plum.) L. in the U.S.A. *Bulletin of the Torrey Botanical Club* 93: 1-19.
- Braun, A.F. 1930. Notes and new species of Microlepidoptera from the Mineral Springs region of Adams County, Ohio. *Transactions of the American Entomological Society* 56: 1-17.
- Braun, E.L. 1937. Some relationships of the flora of the Cumberland Plateau and Cumberland Mountains in Kentucky. *Rhodora* 39: 193-208.
- Braun, E.L. 1943. An Annotated Catalog of Spermatophytes of Kentucky. John S. Swift Co., Cincinnati, Ohio.
- Braun, E.L. 1950. Deciduous Forests of Eastern North America. The Blakiston Co., Philadelphia, Pennsylvania.
- Braun, E.L. 1955. The phytogeography of the unglaciated eastern United States and its interpretation. *Botanical Review* 21: 297-375.
- Braun, E.L. 1956. Growth habits of *Arabis perstellata*. *Rhodora* 58: 292-295.
- Braun, E.L. 1961. The Woody Plants of Ohio. Ohio State University Press, Columbus, Ohio.
- Braun, E.L. 1967. The Monocotyledoneae, Cat-tails to Orchids. Ohio State University Press, Columbus, Ohio.
- Bressette, J.W., H. Beck & V.B. Beauchamp. 2012. Beyond the browse line: complex cascade effects mediated by white-tailed deer. *Oikos* 121: 1749-1760.
- Brickhouse, T.C., & N.D. Smith. 2002. The trial and execution of Socrates: sources and controversies. Oxford University Press, Oxford, England.
- Brinks, J.S., J.M. Lhotka, C.D. Barton, R.C. Warner & C.T. Agouridis. 2011. Effects of fertilization and irrigation on American sycamore and black locust planted on a reclaimed surface mine in Appalachia. *Forest Ecology and Management* 261: 640-648.
- Britton, N.L. 1901. Manual of the Flora of the Northern States and Canada. Henry Holt & Co., New York, New York.
- Britton, N.L., & A. Brown. 1896-1898 [first edition] and 1913 [second edition]. An Illustrated Flora of the Northern United States, Canada and the British Possessions. Vols. 1-3. Scribners, New York, New York.
- Broderick, S.R., M.R. Stevens, B. Geary, S.L. Love, E.N. Jellen, R.B. Dockter, S.L. Daley, & D.T. Lindgren. 2011. A survey of *Penstemon*'s genome size. *Genome* 54: 160-173.
- Brooks, R.E., & C.C. Freeman. 1989. Status report on *Trifolium stoloniferum* Muhl. ex A. Eat. (running buffalo clover) in Kansas, Nebraska, and South Dakota. Report No. 40, Kansas Biological Survey, Lawrence, Kansas. 78 pages.
- Brose, P.H., G.W. Miller & K.W. Gottschalk. 2007. Reintroducing fire to the oak forests of Pennsylvania: response of striped maple.

Pages 67–77 in Proceedings of the 2005 National Silviculture Workshop. USDA Forest Service General Technical Report PSW-203, Pacific Southwest Research Station, Albany, California.

Brown, K., Li J-H., K. Wirth, E. Wilkins, J. Tufts & F. Bahena. 2014. Determination of genistein and protein content in *Apis carnea* and *A. fortunei* from China, and *A. americana*. Modern Applied Science 9 (1).

Brown, R.L. 2003. Paleoenvironment and biogeography of the Mississippi Black Belt: evidence from insects. Pages 1-26 in Peacock, E., and T. Schauwecker (eds). 2003. Blackland Prairies of the Gulf Coastal Plain: Nature, Culture, and Sustainability. University of Alabama Press, Tuscaloosa. 348 pages.

Browne, E.T. 1962. “Lost” species of Kentucky Liliaceae. Transactions of the Kentucky Academy of Science 23: 51-57.

Browne, E.T. 1967. Herbarium and field notes on Kentucky plants. I. New state records, rarities and a new form. Castanea 32: 77-84.

Browne, E.T. 1974. Herbarium and field studies on Kentucky Plants. II. New state records and rarities. Sida 5: 271-273.

Browne, E.T., & R. Athey. 1976. Herbarium and field studies on Kentucky plants. III. New or rare flowering plants in western Kentucky. Journal of the Elisha Mitchell Scientific Society 92: 104-109.

Browne, E.T., & R. Athey. 1978. Herbarium and field studies of Kentucky plants. IV. Additional state records and rarities from western Kentucky. Castanea 43: 57-64.

Browne, E.T., & R. Athey. 1992. Vascular Plants of Kentucky: An Annotated Checklist. University Press of Kentucky, Lexington, Kentucky.

Brummer, E.C., & K.J. Moore. 2000. Persistence of perennial cool-season grass and legume cultivars under continuous grazing by beef cattle. Agronomy Journal 92: 466-471.

Brummitt, K.R. 1980. Further new names in the genus *Calystegia* (Convolvulaceae). Kew Bulletin 35: 327-334.

Brummitt, K.R. 2007. Report of the nomenclature committee for vascular plants: 58. Taxon 56: 590-594

Brunton, D.F., & D.M. Britton. 1997. Appalachian quillwort (*Isoetes appalachiana* sp. nov.; Isoetaceae), a new pteridophyte from the eastern United States. Rhodora 99: 118-133.

Brunton, D.F., & D.M. Britton. 2006. *Isoetes melanopoda* ssp. *silvatica* (subsp. nov.), a new quillwort (Isoetaceae) from eastern North America. Castanea 71: 15-30.

Bryan, C.A. 1977. A Floristic Survey of the Vascular Plants in Loess Bluff Ravines in Carlisle, Hickman, and Fulton Counties in Kentucky. M.S. thesis. Murray State University, Murray, Kentucky.

Bryan, J.A. 1996. Toward a new concept of the evolution of symbiotic nitrogen fixation in the Leguminosae. Plant and Soil 186: 151-159.

Bryant, W.S. 1973. An Ecological Investigation of Panther Rock, Anderson County, Kentucky. Ph.D. dissertation. Southern Illinois University, Carbondale, Illinois.

Bryant, W.S. 1978. An unusual forest type, hydro-mesophytic, for the Inner Blue Grass Region of Kentucky. Castanea 43: 129-137.

Brzyski, J.R., & T.M. Culley. 2011. Genetic variation and clonal structure of the rare, riparian shrub *Spiraea virginiana* (Rosaceae). Conservation Genetics 12:1323-1332.

- Buck, W.R. 1977. A new species of *Selaginella* in the *S. apoda* complex. Canadian Journal of Botany 55: 366-371.
- Buddell, G. F., & J.W. Thieret. 1985. Notes on *Erigenia bulbosa* (Apiaceae). Bartonia 51: 69-76.
- Burckhalter, R.E. 1992. The genus *Nyssa* (Cornaceae) in North America: a revision. Sida 15: 323-342.
- Burger, W.C. 2003. Another opinion: up with alphabetically arranged herbaria (and with floristic listings too for that matter). Plant Science Bulletin 50: 7-9. [See Funk (2003).]
- Burgess, K.S., & B.C. Husband. 2006. Habitat differentiation and the ecological costs of hybridization: the effects of introduced mulberry (*Morus alba*) on a native congener (*M. rubra*). Journal of Ecology 94: 1061-1069.
- Burgess, M.B., K.R. Cushman, E.T. Doucette, C.T. Frye & C.S. Campbell. 2015. Understanding diploid diversity: a first step in unraveling polyploid, apomictic complexity in *Amelanchier*. American Journal of Botany 102: 2041-2057.
- Burk, C. 1963. The hybrid nature of *Quercus laurifolia*. Journal of the Elisha Mitchell Scientific Society 79: 159-163.
- Burkhart, J.Q., J.R. Rentch & T.M. Schuler. 2013. Effects of forest management on Running Buffalo Clover (*Trifolium stoloniferum* Muhl. ex A. Eaton) distribution and abundance in the Fernow Experimental Forest. Natural Areas Journal 33: 156-162.
- Burleigh, J.G., & T.P. Holtsford. 2003. Molecular systematics of the eastern North American *Silene* (Caryophyllaceae): evidence from nuclear ITS and chloroplast *trnL* intron sequences. Rhodora 105: 76-90.
- Burner, D.M., D.J. Carrier, D.P. Belesky, D.H. Pote, A. Ares & E.C. Clausen. 2008. Yield components and nutritive value of *Robinia pseudoacacia* and *Albizia julibrissin* in Arkansas, USA. Agroforestry Systems 72: 51-62.
- Burns, R.M., & B.H. Honkala (editors). 1990. Silvics of North America. Two volumes: Conifers and Hardwoods. Agriculture Handbook 654. USDA Forest Service, Washington, D.C. [This supercedes H.A. Fowells. 1965. Agr. Handb. 271.]
- Butt, M.S., A. Nazir, M.T. Sultan & K. Schroën. 2008. *Morus alba* L., nature's functional tonic. Trends in Food Science & Technology 19: 505-512.
- Byrne, R., & J.H. McAndrews. 1975. Pre-Columbian purslane (*Portulaca oleracea* L.) in the New World. Nature 253: 726-727.
- Cahn, M.G., & J.L. Harper. 1976. The biology of the leaf mark polymorphism in *Trifolium repens* L. 2. Evidence for the selection of leaf marks by rumen fistulated sheep. Heredity 37: 327-333.
- Cain, N., S.J. Darbyshire, A. Francis, R.E. Nurse & M-J. Simard. 2010. The biology of Canadian weeds. 144. *Pastinaca sativa* L. Canadian Journal of Plant Science 90: 217-240.
- Callahan, H.S. 1997. Infraspecific differentiation in the *Amphicarpea bracteata* (Fabaceae) species complex: varieties and ecotypes. Rhodora 99: 64-82.
- Calvey, E.M., K.D. White, J.E. Matusik, D-Y. Sha & E. Block. 1998. Allium chemistry: identification of organosulfur compounds in ramp (*Allium tricoccum*) homogenates. Phytochemistry 49: 359-364.
- Campbell, J.J.N. 1985. Bamboo flowering patterns: a global view with special reference to East Asia. Journal of the American Bamboo Society 6: 17-35.
- Campbell, J.J.N. 1987. Gradients of species composition in the Central Hardwood Forest. In R.L. Hay, F.W. Woods & H. DeSelm

- (eds.). Proceedings of the Sixth Central hardwood Forest Conference, p. 325-346. University of Tennessee, Knoxville, Tennessee.
- Campbell, J.J.N. 1989. Historical evidence of forest composition in the Bluegrass region of Kentucky. In: G. Rink & C. A. Budelsky (eds.). Proceedings of the Seventh Central Hard-woods Forest Conference, p. 231-246. Southern Illinois University, Carbondale, Illinois.
- Campbell, J.J.N. 2000. Notes on North American *Elymus* species (Poaceae) with paired spikelets. I. *E. macgregorii* sp. nov. and *E. glaucus* ssp. *mackenzii* comb. nov. Journal of the Kentucky Academy of Science 61:88-98.
- Campbell, J.J.N. 2002a. Notes on North American *Elymus* species (Poaceae) with paired spikelets. II. The *interruptus* group. Journal of the Kentucky Academy of Science 63:19-38.
- Campbell, J.J.N. 2002b. Notes on North American *Elymus* species (Poaceae) with paired spikelets. III. A synoptic key. Journal of the Kentucky Academy of Science 63:39-46.
- Campbell, J.J.N. 2002c. Notes on North American *Elymus* species (Poaceae) with paired spikelets. IV. A key to the species and varieties in Kentucky. Journal of the Kentucky Academy of Science 63:47-52.
- Campbell, J.J.N. 2013. Evergreen vines in deciduous mid-temperate forests: a review of habit, habitats, mammalian herbivory, secondary chemistry and biogeographic context. Posted by the author at http://www.bluegrasswoodland.com/uploads/Evergreen_Vines_in_Deciduous_Woods.pdf
- Campbell, J.J.N. 2016. Vegetational pattern within an abandoned hay-field adjacent to old-growth at Griffith Woods, Harrison County, Kentucky. Posted by the author at http://www.bluegrasswoodland.com/uploads/Herbivory_in_the_Collection_Field_Part_I.pdf.
- Campbell, J.J.N. 2017. Green/red and white ashes (*Fraxinus* sect. *Melioides*) of east-central North America: taxonomic concepts and polyploidy. *Phytoneuron* 2017-28: 1-36.
- Campbell, J.J.N., & M.E. Medley. 1989. *Aster saxicastellii* (Asteraceae), a new species from the Rockcastle River bars in southeastern Kentucky. *Sida* 13: 277-284.
- Campbell, J.J.N., M. Evans, M.E. Medley, & N.L. Taylor. 1989. Buffalo clovers (*Trifolium stoloniferum* and *T. reflexum*): historical records, pre-settlement environment, rediscovery, endangered status, cultivation and chromosome number. *Rhodora* 90: 399-418.
- Campbell, J.J.N., & W. Meijer. 1989. The flora and vegetation of Jessamine Gorge, Jessamine County, Kentucky: a remarkable concentration of rare species in the Bluegrass region. *Transactions of the Kentucky Academy of Science* 50: 27-45.
- Campbell, J.J.N., D.T. Towles, J.R. MacGregor, R.R. Cicerello, B. Palmer-Ball, M.E. Medeley, & S. Olsen. 1989. Cooperative Inventory of Endangered, Threatened, Sensitive and Rare Species, Daniel Boone National Forest, Stanton Ranger District. Kentucky Nature Preserves Commission, Frankfort, Kentucky.
- Campbell, J.J.N., & M.E. Medley. 1990. The largest known concentration of *Silphium wasiotensis*, a plant found only in the Rugged Eastern Area of Appalachian Kentucky. *Transactions of the Kentucky Academy of Science* 51: 43-50.
- Campbell, J.J.N., A.C. Risk, V.L. Andrews, B. Palmer-Ball, Jr., & J.R. MacGregor. 1990. Cooperative Inventory of Endangered, Threatened, Sensative, and Rare Species: Daniel Boone National Forest, Stearns Ranger District. Kentucky Nature Preserves Commission, Frankfort, Kentucky.
- Campbell, J.J.N., J.E. Flotemersch, J.R. MacGregor, D. Noe, A.C. Risk, M.D. Studer, & D.T. Towles. 1991. Cooperative Inventory of Endangered, Threatened, Sensitive and Rare Species, Daniel Boone

National Forest, Berea Ranger District. Kentucky Nature Preserves Commission, Frankfort, Kentucky.

Campbell, J.J.N., D.D. Taylor, M.E. Medley, & A.C. Risk. 1991. Floristic and historical evidence of fire-maintained, grassy pine-oak “barrens” before settlement in southeastern Kentucky. Pages 359-375 in: S.C. Nodvin and T.A. Waldrop (eds.). *Fire and the Environment: Ecological and Cultural Perspectives*. Proceedings of an International Symposium. Southeastern Forest Experiment Station, Asheville, North Carolina.

Campbell, J.J.N., S. A. Bonney, J.D. Kiser, L.E. Kornman, J.R. MacGregor, L.E. Meade, & A.C. Risk. 1992. Cooperative Inventory of Endangered, Threatened, Sensitive, and Rare Species, Daniel Boone National Forest, Morehead Ranger district. Kentucky State Nature Preserves Commission. Frankfort, Kentucky.

Campbell, J.J.N., & J. Grubbs. 1992. Natural plant communities of Hopkins County, Kentucky. *Transactions of the Kentucky Academy of Science* 53: 29-38.

Campbell, J.J.N., R.R. Cicerello, J.D. Kaiser, R.R. Kiser, J.R. MacGregor, & A.C. Risk. 1993. Cooperative Inventory of Endangered, Threatened, Sensitive, and Rare Species, Daniel Boone National Forest, Red Bird Ranger District. Kentucky State Nature Preserves Commission. Frankfort, Kentucky. [Appendix A: Campbell, J.J.N., M.E. Medley, A.C. Risk, F. Levy, & T.F. Wieboldt. Notes on Three Globally Rare Species Known in the Rugged Eastern Area of the Appalachian Plateaus of Kentucky.]

Campbell, J.J.N., J.R. Abbott, R.R. Cicerello, J.D. Kiser, J.R. MacGregor, & J.G. Palis. 1994. Cooperative Inventory of Endangered, Threatened, Sensitive, and Rare Species, Daniel Boone National Forest, London Ranger district. Kentucky State Nature Preserves Commission, Frankfort, Kentucky.

Campbell, J.J.N., D.G. Ruch, & W. Meijer. 1995. The flora and vegetation of Raven Run Nature Sanctuary, Fayette County,

Kentucky. *Proceedings of the Indiana Academy of Science* 104: 139-184.

Campbell, J.J.N., & W.R. Seymour. 2013. Towards a revision of the *Rudbeckia fulgida* complex (Asteraceae), with description of a new species from the blacklands of southern USA. *Phytoneuron* 2013-90: 1-27.

Cantino, P.D. 1982. A monograph of the genus *Physostegia* (Labiatae). *Contributions from the Gray Herbarium No. 211*.

Cao, W., & Ma, J-S. 2006. Proposal to conserve the name *Elaeodendron fortunei* against *Euonymus hederaceus* (Celastraceae). *Taxon* 55: 227.

Cadenasso, M.L., S.T.A. Pickett & P.J. Morin. 2002. Experimental test of the role of mammalian herbivores on old field succession: community structure and seedling survival. *Journal of the Torrey Botanical Society* 129: 228-237.

Catling, P.M., & J.R. Brown. 1983. Morphometrics and ecological isolation in sympatric *Spiranthes* (Orchidaceae) in southwestern Ontario. *Canadian Journal of Botany* 61 : 2747-2759.

Catling, P.M., A.A. Reznicek, & W.J. Crins. 1993. *Carex juniperorum*, a new species from northeastern North America, with a key to section *Phyllostachys*. *Systematic Botany* 18: 496-501.

Catling, P.M. 1998. A synopsis of the genus *Proserpinaca* in the southeastern United States. *Castanea* 63: 408-414.

Cerros-Tlatilpa, R., J. T. Columbus & N.P. Barker. 2011. Phylogenetic relationships of *Aristida* and relatives (Poaceae, Aristidoideae) based on noncoding chloroplast (trnL-F, rpl16) and nuclear (ITS) DNA sequences. *American Journal of Botany* 98: 1868-1886.

- Česonienė, L., R. Daubaras, J. Venclovienė & P. Viškelis. 2010. Biochemical and agro-biological diversity of *Viburnum opulus* genotypes. Central European Journal of Biology 5: 864-871.
- Chafin, L.G. 2007. Sun-loving Draba [*Draba aprica*]. In: Field guide to the rare plants of Georgia. State Botanical Garden of Georgia and University of Georgia Press, Athens. 528 pages. (*draba_aprica.pdf* posted at georgiawildlife.com).
- Chambers, H.L. 1993. Chromosome survey and analysis of artificial hybrids in *Pycnanthemum*. Castanea 58: 197-208.
- Chan, E.W-C., L.Y.E. Phui-Yan & W.O.N.G. Siu-Kuin. 2016. Phytochemistry, pharmacology, and clinical trials of *Morus alba*. Chinese Journal of Natural Medicines 14: 17-30.
- Chang S-M. 2006. Female compensation through the quantity and quality of progeny in a gynodioecious plant, *Geranium maculatum* (Geraniaceae). American Journal of Botany 93: 263-270.
- Chapel, K.J., & M.A. Vincent. 2013. *Trifolium kentuckiense* (Fabaceae, Papilionoideae), a new species from Franklin and Woodford counties, Kentucky. Phytoneuron 2013-63: 1-6.
- Cheng, D., V-T. Nguyen, N. Ndihokubwayo, J. Ge & P.P.J. Mulder. 2017. Pyrrolizidine alkaloid variation in *Senecio vulgaris* populations from native and invasive ranges. PeerJ 5: e3686.
- Chatham, L.A., K.W. Bradley, G.R. Kruger, J.R. Martin, M.D.K. Owen, D.E. Peterson, J. Mithila & P.J. Tranel. 2015. A multistate study of the association between glyphosate resistance and EPSPS gene amplification in waterhemp (*Amaranthus tuberculatus*). Weed Science 63: 569-577.
- Chen, H, T. Tuck, X-H. Ji, X. Zhou, G. Kelly, A. Cuerrier & J-Z. Zhang. 2013. Quality assessment of Japanese knotweed (*Fallopia japonica*) grown on Prince Edward Island as a source of resveratrol. Journal of Agricultural and Food Chemistry 61: 6383-6392.
- Cheng, M-C., L-Y. Lin, T-H. Yu & R.Y. Peng. 2008. Hypolipidemic and antioxidant activity of mountain celery (*Cryptotaenia japonica* Hassk) seed essential oils. Journal of Agricultural and Food Chemistry 56: 3997-4003.
- Chester, E.W. 1991. The Syracaceae of Kentucky. Transactions of the Kentucky Academy of Science 52: 89-93.
- Chester, E.W. 1992. An annotated catalogue of vascular plants known from Land Between the Lakes, Kentucky and Tennessee. Austin Peay State University, Center for Field Biology. Miscellaneous Publication 6: 1-121.
- Chester, E.W., & K. Souza. 1984. *Echinodorus tenellus* var. *parvulus* (Alismataceae) in Kentucky. Sida 10: 262.
- Chester, E.W., & B.E. Wofford. 1992. Distribution and status of *Polytaenia nuttallii* D.C., prairie-parsley, in Tennessee and Kentucky. Journal of the Tennessee Academy of Science 67: 51-54.
- Chester, E.W., B.E. Wofford, R. Kral, H.R. DeSelm, & A.M. Evans. 1993. Atlas of Tennessee Vascular Plants. Vol. 1. Miscellaneous Publication 9. Center for Field Biology. Austin Peay State University, Clarksville, Tennessee
- Chester, E.W., B.E. Wofford, & R. Kral. 1997. Atlas of Tennessee Vascular Plants. Vol. 2. Miscellaneous Publication 13. Center for Field Biology, Austin Peay State University, Clarksville, Tennessee.
- Chester, E.W., B.E. Wofford, D. Estes & C. Bailey. 2009. A fifth checklist of Tennessee vascular plants. Sida, Botanical Miscellany 31. Botanical Research Institute of Texas, Fort Worth.
- Chester, E.W., & B.L. Palmer-Ball. 2011. Second county records for two Kentucky endangered species, *Echinodorus tenellus* (Alismataceae) and *Schoenoplectus hallii* (Cyperaceae). Phytoneuron 2011-43: 1-4.

- Chester, E.W., S.E. Wofford, J. Shaw, D. Estes & D.H. Webb. 2015. Guide to the Vascular Plants of Tennessee. University of Tennessee Press. 813 pages.
- Chiapella, J.O. 2007. A molecular phylogenetic study of *Deschampsia* (Poaceae: Aveneae) inferred from nuclear ITS and plastid *trnL* sequence data: support for the recognition of *Avenella* and *Vahlodea*. *Taxon* 56: 55-64.
- Chiapella, J.O., V.L. DeBoer, G.C. Amico & J.C. Kuhl. 2011. A morphological and molecular study in the *Deschampsia cespitosa* complex (Poaceae; Poeae; Airinae) in northern North America. *American Journal of Botany* 98: 1366-1380.
- Chmielewski, J.G., & J.C. Semple. 1985. The cytogeography and post-glacial migration of *Solidago flexicaulis* (Compositae) into southern Ontario. *Le Naturaliste Canadien* 112: 307-311.
- Church, G.L. 1967. Taxonomic and genetic relationships of eastern North American species of *Elymus* with setaceous glumes. *Rhodora* 69: 121-162;
- Church, S.A., and D.R. Taylor. 2005. Speciation and hybridization among *Houstonia* (Rubiaceae) species: the influence of polyplidity on reticulate evolution. *American Journal of Botany* 92: 1372-1380.
- Chytrý, M., L. Tichý, & J. Roleček. 2003. Local and regional patterns of species richness in Central European vegetation types along the pH/calcium gradient. *Folia Geobotanica* 38: 429-442.
- Cipollini, D., J. Mbagwu, C. Hillstrom, K. Barto & S. Enright. 2005. Expression of constitutive and inducible chemical defenses in native and invasive populations of *Alliaria petiolata*. *Journal of Chemical Ecology* 31: 1243-1255.
- Clapham, A.R., T.G. Tutin & E.F. Warburg. 1981. *Excursion Flora of the British Isles*, 3rd edition. Cambridge University Press, Cambridge. 1269 pages.
- Clark, R.C., C.G. Hewins, J.D. Husband, C.T. Kirk, & P.W. Long. 1997. Noteworthy collections: Kentucky, *Quercus ilicifolia* Wangenheim (Fagaceae). *Castanea* 62: 288.
- Clark, R.C., & R.M. Bauer. 2001. Woody plants of six northern Kentucky counties. *Journal of the Kentucky Academy of Science* 62: 39-51.
- Clark, R.C., R.L. Jones, T.J. Weckman, R.L. Thompson, J.W. Thieret, Kentucky State Nature Preserves Commission, and K. Freeman. 2005. State records and other noteworthy collections for Kentucky. *Sida* 21: 1909-1916.
- Clark, R.C., & T.J. Weckman. 2008. Annotated catalog and atlas of Kentucky woody plants. *Castanea Special Publication* 3: 1-114.
- Clark, T., & K.C. Lund. 2012. Presence of the indole alkaloid reserpine in *Bignonia capreolata* L. *International Journal of Pharmacognosy and Phytochemical Research* 4: 89-91.
- Clement, J.A., R.M. Bleich, H.E. Campbell, K. Naylor, M.J. Flood, R.M. Kelly, S.B. Wu, E.J. Kennelly & J.D. Schmitt. 2016. Cytotoxic olopane sesquiterpenoids from *Arnoglossum atriplicifolium*. *Natural Product Research*, 30: 2028-2033.
- Clements, R.K., J.M. Baskin & C.C. Baskin. 1998. The comparative biology of the two closely related species *Penstemon tenuiflorus* Pennell and *P. hirsutus* (L.) Willd. (Scrophulariaceae section *Graciles*): I. Taxonomy and geographical distribution. *Castanea* 63: 138-153. [For raw data: Clements, R.K. 1995. Same title. Ph.D. thesis, University of Kentucky. Lexington, Kentucky.]
- Clevenger, S., & C.B. Heiser. 1963. *Helianthus laevigatus* and *Helianthus rigidus*—hybrids or species? *Rhodora* 65: 121-133.
- Clewel, A.F. 1967. Natural hybrids between "sericea" and three native American lespedezas. *Journal of Heredity* 58: 57-58.

- Clewel, A.F., & J.W. Wooten. 1971. A revision of *Ageratina* (Compositae: Eupatorinae) from eastern North America. *Brittonia* 23: 123-143.
- Clifford, H.T. 1962. Insect pollination of *Plantago lanceolata* L. *Nature* 193: 196.
- Coder, K. 2011. Tree root parasite: *Pyrularia pubera*, buffalo nut. Native Species Series, WSFNR11-09. University of Georgia, Athens.
- Coffey, V.J., & S.B. Jones. 1980. Biosystematics of *Lysimachia* section *Seleucia* (Primulaceae). *Brittonia* 32: 309-322.
- Cogger, B.J., N.R. De Jager, M. Thomsen & C.R. Adams. 2014. Winter browse selection by white-tailed deer and implications for bottomland forest restoration in the Upper Mississippi River Valley, USA. *Natural Areas Journal* 10:144-153.
- Cohen, J.I. 2015. *Adelinia* and *Andersonglossum* (Boraginaceae), two new genera from New World species of *Cynoglossum*. *Systematic Botany* 40: 611-619.
- Collins, L.T., A.E.L. Colwell & G. Yatskeivych. 2009. *Orobanche riparia* (Orobanchaceae), a new species from the American Midwest. *Journal of the Botanical Research Institute of Texas [Sida]* 3: 3-11. See also: Collins, L.T. 1973. Systematics of Orobanche Section *Myzorrhiza* (Orobanchaceae) with emphasis on *Orobanche ludoviciana*. Ph.D. dissertation, University of Wisconsin, Madison, Wisconsin. And FNA (in prep.).
- Collins, R.J., & W.P. Carson. 2003. The fire and oak hypothesis: incorporating the influence of deer browsing and canopy gaps. Pages 44-63 in Proceedings of the 13th Central Hardwood Forest conference. General Technical Report NC-234. St. Paul, Minnesota. U.S. Department of Agriculture, Forest Service, North Central Research Station.
- Coladonato, Milo. 1993. *Ceanothus americanus*. In: Fire Effects Information System. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. [Available at [http://www.fs.fed.us/database/feis/plants/shrub/ceaame/all.html#3.\]](http://www.fs.fed.us/database/feis/plants/shrub/ceaame/all.html#3.)
- Cometa, M.F., L. Parisi, M. Palmery, A. Meneguz & L. Tomassini. 2009. In vitro relaxant and spasmolytic effects of constituents from *Viburnum prunifolium* and HPLC quantification of the bioactive isolated iridoids. *Journal of Ethnopharmacology* 123: 201-207.
- Cooperrider, T.S. 1995. The Dicotyledoneae of Ohio. Part 2. Linaceae through Campanulaceae. Ohio State University Press, Columbus, Ohio.
- Cooperrider, T.S., & R.F. Sabo. 1969. *Stachys hispida* and *S. tenuifolia* in Ohio. *Castanea* 34: 432-435.
- Cooperrider, T.S., A.W. Cusick & J.T. Kartesz (eds.). 2001. Seventh Catalog of the Vascular Plants of Ohio. Ohio State University, Columbus, Ohio.
- Cornett, M.W., L.E. Frelich, K.J. Puettmann & P.B. Reich. 2000. Conservation implications of browsing by *Odocoileus virginianus* in remnant upland *Thuja occidentalis* forests. *Biological Conservation* 93: 359-369.
- Correll, D.S., & M.C. Johnson. 1970. Manual of the Vascular Plants of Texas. Texas Research Foundation, Renner, Texas.
- Corrons, M.A., C.S. Liggieri, S.A. Trejo & M.A. Bruno. 2017. ACE-inhibitory peptides from bovine caseins released with peptidases from *Maclura pomifera* latex. *Food research international* 93: 8-15.
- Costea, M., & F.J. Tardif. 2003. The biology of Canadian weeds. 126. *Amaranthus albus* L., *A. blitoides* S. Watson and *A. blitum* L. *Canadian Journal of Plant Science* 83: 1039-1066.

- Costea, M., & F.J. Tardif. 2004. The biology of Canadian weeds. 131. *Polygonum aviculare* L. Canadian Journal of Plant Science 85: 481-506.
- Costea, M., G.L. Nesom & S. Stefanović. 2006a. Taxonomy of the *Cuscuta pentagona* complex (Convolvulaceae) in North America. Sida 22: 151-175.
- Costea, M., G.L. Nesom & S. Stefanović. 2006b. Taxonomy of the *Cuscuta gronovii* and *Cuscuta umbrosa* (Convolvulaceae) in North America. Sida 22: 197-207.
- Costea, M., G.L. Nesom & S. Stefanović. 2006c. Taxonomy of the *Cuscuta indecora* (Convolvulaceae) complex in North America. Sida 22: 209-225.
- Costich, D.E., B. Fribe, M.J. Sheehan, M. D. Casler & E.S. Buckler. 2010. Genome-size variation in switchgrass (*Panicum virgatum*): flow cytometry and cytology reveal rampant aneuploidy. Plant Genome 3: 130-141.
- Crandall, A.R. 1876. Report of the timber growth of Greenup, Carter, Boyd, and Lawrence Counties in Eastern Kentucky. Geological Survey of Kentucky Series 2. 1: 9-26.
- Cranfill, R. 1980. Ferns and Fern Allies of Kentucky. Kentucky Nature Preserves Commission, Frankfort, Kentucky.
- Cranfill, R. 1991. Flora of Hardin County, Kentucky. Castanea 56: 228-267.
- Cranfill, R., & M.E. Medley. 1981. Notes on the flora of interesting plants in Kentucky. Rhodora 83: 125-133.
- Cranfill, R., & J.W. Thieret. 1981. Thirty additions to the vascular flora of Kentucky. Sida 9: 55-58.
- Crawford, D.J., E. Landolt & D.H. Les. 1996. An allozyme study of two sibling species of *Lemna* (Lemnaceae) with comments on their morphology, ecology and distribution. Bulletin of the Torrey Botanical Club 123: 1-6.
- Croft, M.V., & P. Chow-Fraser, P. 2007. Use and development of the wetland macrophyte index to detect water quality impairment in fish habitat of Great Lakes coastal marshes. Journal of Great Lakes Research 33: 172-197.
- Cronquist, A. 1948. Notes on the Compositae of the Northeastern United States: VI. Cichoriae, Eupatoriae, and Astereae. Rhodora 50: 28-35.
- Cronquist, A. 1980. Vascular Flora of the Southeastern United States. Vol. I. Asteraceae. University of North Carolina Press, Chapel Hill, North Carolina. 261 pages.
- Cronquist, A. 1988. The Evolution and Classification of Flowering Plants. 2nd edition. New York Botanical Garden, Bronx, New York.
- Crowe, D.R., & W.H. Parker. 1981. Hybridization and agamospermy of *Bidens* in northwestern Ontario. Taxon 30: 749-760.
- Culley, T.M., & N.A. Hardiman. 2007. The beginning of a new invasive plant: a history of the ornamental Callery Pear in the United States. BioScience 57: 956-964.
- Culley, T.M., & N.A. Hardiman. 2009. The role of intraspecific hybridization in the evolution of invasiveness: a case study of the ornamental pear tree *Pyrus calleryana*. Biological Invasions 11: 1107-1119.
- Culvenor, C.C.R. 2000. Pyrrolizidine alkaloid poisoning. Pages 256-265 in: B. Butcher (ed.). Of vets, viruses and vaccines: the story of the CSIRO's Animal Health Research Laboratory, Parkville. CSIRO Publishing, Collingswood, Victoria, Australia.

- Cummings, A.J., & M. Michael. 2011. Mechanism of Action of Stinging Nettles. *Wilderness & Environmental Medicine* 22 : 136-139.
- Cusick, A.W. 1989. Seven indigenous taxa new to the vascular flora of Kentucky. *Castanea* 54: 268-270.
- Custodio, D.L., & V.F. da Veiga Jr. 2014. Lauraceae Alkaloids. Royal Society of Chemistry Advances 4: 21864-21890.
- Cybulski, J.A.C.E.K., & J.T. Wróbel. 1989. Nuphar alkaloids. *The Alkaloids* 35: 215-258. Academic Press, San Diego. Derbyshire, S.J., A. Francis, A. DiTommaso & D.R. Clements. 2012. The Biology of Canadian weeds. 150 *Erechtites hieracifolius* (L.) Raf. ex DC. *Canadian Journal of Plant Science* 92: 729-746.
- Dandelot, S., C. Robles, N. Pech, A. Cazaubon & R. Verlaque. 2008. Allelopathic potential of two invasive alien *Ludwigia* spp. *Aquatic Botany* 88: 311-316.
- Darwin, C. 1862. On the two forms, or dimorphic condition, in the species of *Primula*, and on their remarkable sexual relations. *Journal of the Proceedings of the Linnean Society of London. Botany* 6: 77–96.
- Davis, H.A. 1990. Studies in *Rubus*. *Castanea* 55: 22-30.
- Davis, H.A., A. M. Fuller & T. Davis. 1967-69. Contributions toward the revision of the Eubati of eastern North America. *Castanea* 32: 20-37, 33: 50-76, 206-241, 34: 157-179, 235-266.
- Davis, Mrs. H.A., & H.A. Davis. 1955. Collecting *Rubus* in the Upper South. *Castanea* 20: 32-33.
- Davis, T.Z., B.L. Stegelmeier, S.T. Lee, B.T. Green, & C.G. Chitko-McKown. 2018. Effect of grinding and long-term storage on the toxicity of white snakeroot (*Ageratina altissima*) in goats. *Research in Veterinary Science* 118: 419-422.
- Davies, P.A. 1955. A preliminary list of the vascular plants of Mammoth Cave National Park. *Castanea* 20: 107-127.
- De Jong, P.C. 1976. Flowering and sex expression in *Acer* L. A biosystematic study. No. 76-2. H. Veenman & Zonen B.V., Wageningen, The Netherlands. 201 pages.
- De Smet, P.A.G.M. 1997. *Phoradendron flavescens*. Pages 99-103 in: Adverse Effects of Herbal Drugs, Volume 3. Springer, Berlin and Heidelberg, Germany.
- Deam, C.C. 1940. Flora of Indiana. Indiana Department of Conservation. Indianapolis, Indiana.
- Defriese, L.H. 1884a. Report on the timbers of the north Cumberland: Bell and Harlan Counties. *Bulletin of the Kentucky Geological Survey, Series II. B*: 79-102.
- Defriese, L.H. 1884b. Report on a belt of Kentucky timbers, extending east and west along the south central part of the state, from Columbus to Pound Gap. *Bulletin of the Kentucky Geological Survey, Series II. B*: 171-232.
- DeGroote, K.V., G.L. McCartha & A.J. Pollard. 2018. Interactions of the manganese hyperaccumulator *Phytolacca americana* L. with soil pH and phosphate. *Ecological Research* 33: 1-7.
- Delph, L.F., Ying Lu, & L.D. Jayne. 1993. Patterns of resource allocation in a dioecious *Carex* (Cyperaceae). *American Journal of Botany* 80: 607-615.
- Del Tredici, P. 1981. The ginkgo in America. *Arnoldia* 41: 150-161.
- Del Tredici, P. 2008. Wake up and smell the Ginkgos. *Arnoldia* 66: 11-21.

- Dierieg, N.J., S.J. Weil, A.A. Reznicek & L.P. Bruederle. 2013. *Carex viridistellata* sp. nov. (Cyperaceae), a new cryptic species from prairie fens of the eastern United States. *Systematic Botany* 38: 82–91.
- Dibble, A.C., W.A. Wright, C.S. Campbell, & C.W. Greene. 1998. Quantitative morphology of the *Amelanchier* agamic complex (Rosaceae) at a Maine Site. *Systematic Botany* 23: 31-41.
- Dietrich, W., & W.L. Wagner. 1988. Systematics of *Oenothera* Section *Oenothera* Subsection *Raimannia* and Subsection *Nutantigemma* (Onagraceae). *Systematic Botany Monographs* 21: 1-91.
- Dietrich, W., W.L. Wagner, & P.H. Raven. 1997. Systematics of *Oenothera* Section *Oenothera* Subsection *Oenothera* (Onagraceae). *Systematic Botany Monographs* 50: 1-234.
- Dirr, M. 1997. Dirr's Hardy Trees and Shrubs: an Illustrated Encyclopedia. Timber Press, Portland, Oregon.
- Dister, D.C. 2005. Characterization of a new population maximum for *Triphora trianthophora* (Swartz) Rydberg in Ohio. *Castanea* 71: 321-324.
- DiTommaso, A., D.R. Clements, S.J. Darbyshire & J.T. Dauer. 2009. The Biology of Canadian Weeds. 143. *Apocynum cannabinum* L. *Canadian Journal of Plant Science* 89: 977-992.
- Donoghue, M. J. 1980. Flowering times in *Viburnum*. *Arnoldia* 40: 2-22.
- Dorn, R.D. 1995. A taxonomic study of *Salix* section *Cordatae* subsection *Luteae* (Salicaceae). *Brittonia* 47: 160-174.
- Dostálek, J., & V. Jehlík. 2004. *Chenopodium probstii* and *Chenopodium missouriense*: two North American plant species in the Czech Republic, Slovak Republic and neighbouring countries.
- Journal of Botanical Taxonomy and Geobotany [Feddes Repertorium] 115: 483-503.
- Downer, R.G., & P.E. Hyatt. 2003. Recommendations concerning the identification of *Carex retroflexa* and *Carex texensis* (Cyperaceae; section *Phaestoglochin* Dumort). *Castanea* 68: 245-253.
- Dueck, L.A., D. Aygoren & K.M. Cameron. 2014. A molecular framework for understanding the phylogeny of *Spiranthes* (Orchidaceae), a cosmopolitan genus with a North American center of diversity. *American Journal of Botany* 101: 1551-1571.
- Duke, J.A. 2000. Handbook of Edible Weeds. CRC Press [Chemical Rubber Company], New York.
- Duncan, T. 1980. A taxonomic study of the *Ranunculus hispidus* Michaux complex in the Western hemisphere. University of California Publications in Botany, volume 77.
- Duncan, W.H. 1967. Woody vines of the Southeastern States. *Sida* 3: 1-76.
- Duncan, W.H. 1979. Changes in *Galactia* (Fabaceae) of the southeastern United States. *Sida* 8: 170-180.
- Duncan, W.H., & L. E. Foote. 1975. Wildflowers of the Southeastern United States. University of Georgia Press, Athens, Georgia.
- Duncan, W.H., & M.B. Duncan. [in prep.] Shrubs of the Southeastern United States. University of Georgia Press, Athens, Georgia.
- Dustin, C.D., & G.A. Cooper-Driver. 1992. Changes in phenolic production in the hay-scented fern (*Dennstaedtia punctilobula*) in relation to resource availability. *Biochemical Systematics and Ecology* 20: 99-106.

- Ebinger, J.E. 1962. The varieties of *Luzula acuminata*. *Rhodora* 64: 74-83.
- Ebinger, J.E. 1993. False hellebore (*Veratrum woodii*, Liliaceae) populations in Illinois. *Transactions of the Illinois Academy of Science* 86: 85-91.
- Edeoga, H.O., & H.N. Ugbo. 1997. Histochemical localization of calcium oxalate crystals in the leaf epidermis of some *Commelinina* L. (Commelinaceae) and its bearing on taxonomy. *Acta Phytotaxonomica et Geobotanica* 48: 23-30.
- Eckenwalder, J.E., & B.P. Brown. 1986. Polyploid speciation in hybrid morning glories of *Ipomoea* L. sect. *Quamoclit* Griseb." *Canadian Journal of Genetics and Cytology* 28: 17-20.
- Edgin, B. 2004. Status and distribution of Illinois populations of *Stenanthium gramineum* (Ker-Gawl.) Morong, grass-leaved lily (Liliaceae): an endangered plant in Illinois. *Castanea* 69: 216-225.
- Egan, A.N., & K.A. Crandall. 2008. Incorporating gaps and phylogenetic characters across eight DNA regions: ramifications for North American Psoraleeae (Leguminosae). *Molecular Phylogenetics and Evolution* 46: 532-546.
- Egler, F.E. 1973. The hybrid nature of "Monarda media Willd." *Castanea* 38: 209-214.
- Ellenberg, H. 1988. *Vegetation Ecology of Central Europe*. Cambridge University Press, Cambridge, England.
- Ellis, W.H., E. Wofford & E.W. Chester. 1971. A preliminary checklist of the vascular plants of the Land Between the Lakes. *Castanea* 36: 229-246.
- Ellmore, G.S. 1981. Root dimorphism in *Ludwigia peploides* (Onagraceae): structure and gas content of mature roots. *American Journal of Botany* 68: 557-568.
- Elowsky, C.G., I.E. Jordon-Thaden & R.B. Kaul. 2013. A morphological analysis of a hybrid swarm of native *Ulmus rubra* Muhl. and introduced *U. pumila* L. (Ulmaceae) in southeastern Nebraska. *Phytoneuron* 2013-44: 1-23.
- Epling, C. 1956. The American species of *Scutellaria*. *University of California Publications in Botany* 20: 1-145.
- Erickson, R.O. 1943. Taxonomy of *Clematis* section *Viorna*. *Annals of the Missouri Botanical Garden* 30: 1-62.
- Ertsen, A.C.D., J.R.M. Alkemade, & M.J. Wassen. 1998. Calibrating Ellenberg indicator values for moisture, acidity, nutrient availability and salinity in the Netherlands. *Plant Ecology* 135: 113-124.
- Estes, D. 2006. A new narrowly endemic species of *Clematis* (Ranunculaceae: subgenus *Viorna*) from northeastern Texas. *Sida* 22: 65-77.
- Estes, D. 2010. *Viburnum bracteatum* (Adoxaceae) expanded to include *Viburnum ozarkense*. *Castanea* 75: 277-293.
- Estes, D. 2012. *Penstemon kralii* (Plantaginaceae), a new species from Alabama and Tennessee, with an updated key to the southeastern U.S. taxa. *Journal of the Botanical Research Institute of Texas* 6: 1-8.
- Estes, D., A. Floden & T. Witsell. 2012. A new species of *Glandularia* (Verbenaceae) from Tennessee and Kentucky. *Phytoneuron* (in prep).
- Estes, D., J. Shaw & C. Mausert-Mooney. 2015. *Lysimachia lewisii* (Primulaceae): a new species from Tennessee and Alabama. *Phytoneuron* 2015-17: 1-15.
- Ettman, J.K., & D.R. McAdoo. 1978. An annotated catalog and distribution account of the Kentucky Orchidaceae. *Kentucky*

Society of Natural History Charitable Trust. Louisville, Kentucky.
[In papers of M.E. Medley at EKY; also at library of GH.]

Evans, H.A. 1899. The relation of the flora to the geological formations in Lincoln County, Kentucky. *Botanical Gazette* 14: 310-314.

Ewald, J. 2003. The sensitivity of Ellenberg indicator values to the completeness of vegetation relevés. *Basic and Applied Ecology* 4: 507-513.

Eyre, F.H. 1980. Forest Cover Types of the United States and Canada. Society of American Foresters. 148 p. [Unavailable online!]

Faller, A. 1975. The Plant Ecology of Mammoth Cave National Park, Kentucky. Ph.D. dissertation. Indiana State University, Terre Haute, Indiana.

Fargione, M.J., P.D. Curtis & M.E. Richmond. 1991. Resistance of woody ornamental plants to deer damage. Cornell Cooperative Extension Fact Sheet. Cornell University, Ithaca, New York.

Farrar, D.R. 1992. *Trichomanes intricatum*: the independent *Trichomanes* gametophyte in the eastern United States. *American Fern Journal* 82: 68-74.

Farrar, D.R., & J.T. Mickel. 1991. *Vittaria appalachiana*: a name for the “Appalachian Gametophyte.” *American Fern Journal* 81: 69-75.

Fassett, N.C. 1940. A Manual of Aquatic Plants. University of Wisconsin Press. Madison, Wisconsin.

Felpin, F-X., & J. Lebreton. 2004. History, chemistry and biology of alkaloids from *Lobelia inflata*. *Tetrahedron* 60: 10127-10153.

Ferguson, C.J., & R.K. Jansen. 2002. A chloroplast DNA phylogeny of eastern *Phlox* (Polemoniaceae): implications of congruence and incongruence with the ITS phylogeny. *American Journal of Botany* 89: 1324-1335.

Fernald, M.L. 1950. Gray’s Manual of Botany. 8th edition. Van Nostrand, New York, New York.

Fernald, M. L., A.C. Kinsey & R.C. Rollins. 1958. Edible wild plants of eastern North America [revised edition]. Harper and Brothers, New York. 452 pages.

Feugang, J.M., P. Konarski, D. Zou, F.C. Stintzing, & C. Zou. 2006. Nutritional and medicinal use of cactus pear (*Opuntia* spp.) cladodes and fruits. *Frontiers in Bioscience* 11: 2574-2589.

Fischer, M.A. 1986. On the origin of *Veronica persica* (Scrophulariaceae)—a contribution to the history of a neophytic weed. *Plant Systematics and Evolution* 155: 105-132.

Fishbein, M., S.R. Kephart, M. Wilder, K.M. Halpin & S.L. Datwyler. 2010. Phylogeny of *Camassia* (Agavaceae) inferred from plastid rpl16 intron and trnD-trnY-trnE-trnT intergenic spacer DNA sequences: implications for species delimitation. *Systematic Botany* 35: 77-85.

Fisher, T.R. 1988. The Dicotyledoneae of Ohio. Part 3. Asteraceae. Ohio State University Press, Columbus, Ohio.

Fisher, R.F., & D. Binkley. 2000. Ecology and Management of Forest Soils. 3rd edition, John Wiley & Sons, New York. 489 pages..

Flint, J. 1822. Letters from America. W. & C. Tait, Edinburgh. Reprinted 1970 by Johnson Reprint Corporation, New York.

Floden, A. 2012. Notes on two rare *Solidago* (Asteraceae) in Tennessee: *S. arenicola* and *S. simplex*. *Phytoneuron*

2012-63: 1–4.

Floden, A. 2015. A new bee balm, *Monarda austroappalachiana* (Lamiaceae), from the Southern Appalachians. *Phytoneuron* 2015-28: 1–9.

Flora of China Editorial Committee [Z. Wu, P. Raven et al.]. 1996-2000+. Flora of China. Science Press and Missouri Botanical Garden, St. Louis, Missouri [see also <http://hua.huh.harvard.edu/china/>].

Flora of North America Editorial Committee. 1993-2015 (continuing). Flora of North America north of Mexico. Oxford Univ. Press, New York, New York. See also, <http://www.fna.org/>.
Volume 1 (1993a). Introduction. 372 pages.
Volume 2 (1993b). Pteridophytes and Gymnosperms. 475 pages.
Volume 3 (1997). Magnoliophyta: Magnoliidae and Hamamelidiidae. 590 pages.
Volume 4 (2003b). Magnoliophyta: Caryophylliidae (part 1). 559 pages.
Volume 5 (2003c). Magnoliophyta: Caryophylliidae (part 2). 655 pages.
Volume 7 (2010). Magnoliophyta: Salicaceae to Brassicaceae. 773 pages.
Volume 8 (2009). Magnoliophyta: Paeoniaceae to Ericaceae. 585 pages.
Volume 9 (2014). Magnoliophyta: Picramniaceae to Rosaceae. 600 pages.
Volume 19 (2006a). Magnoliophyta: Asteridae: Asteraceae (part 1). 579 pages.
Volume 20 (2006b). Magnoliophyta: Asteridae: Asteraceae (part 2). 690 pages.
Volume 21 (2006c). Magnoliophyta: Asteridae: Asteraceae (part 3). 642 pages.
Volume 22 (2000). Magnoliophyta: Alismatidae, Arecidae, Commelinidae (in part), and Zingiberidae. 352 pages.
Volume 23 (2002b). Magnoliophyta: Commelinidae (in part). Cyperaceae. 608 pages.

Volume 24 (2007). Magnoliophyta: Commelinidae (in part). Poaceae (part 1). 783 pages.

Volume 25 (2003a). Magnoliophyta: Commelinidae (in part). Poaceae (part 2). 783 pages.

Volume 26 (2002a). Magnoliophyta: Liliidae: Liliales and Orchidales. 723 pages.

Folk, R.A. 2015. Biosystematics of the Genus *Heuchera* (Saxifragaceae). Ph.D. dissertation, The Ohio State University. Columbus, Ohio.

Folk, R.A., J.C. Ginori, D.E. Soltis & A.J. Floden. 2018. Integrative identification of incipient lineages in *Heuchera longiflora* (Saxifragaceae). *Botanical Journal of the Linnaean Society* 20: 1-19.

Ford, B.A., R.F.C. Naczi, H. Ghazvini & M. Iranpour. 2006. Amplified length polymorphism analysis reveals three distinct taxa in *Carex digitalis*, section Careyanae (Cyperaceae). *Canadian Journal of Botany* 84: 1444-1452.

Ford, R.I. (ed.) 1985. Prehistoric Food Production in North America. Anthropological Papers No. 75. Museum of Anthropology, University of Michigan, Ann Arbor, Michigan. [Including several relevant papers by C.W. Cowan, P.J. Watson and others.]

Fortunato, R.H., L.P. de Queiroz & G.P. Lewis. 1996. *Lackeya*, a new genus in tribe Phaseoleae subtribe Diocleinae (Leguminosae: Papilionoideae) in North America. *Kew Bulletin* 51: 365-370.

Fowler, A., & R.E. Kissell. 2007. Relative abundance and habitat associations of swamp rabbits in eastern Arkansas. *Southeastern Naturalist* 6: 247-258.

Frankland, F. & T. Nelson. 2003. Impacts of white-tailed deer on spring wildflowers in Illinois, USA. *Natural Areas Journal* 23: 341-348.

- Fritz, K.M., M.M. Gangloff & J.W. Feminella. 2004. Habitat modification by the stream macrophyte *Justicia americana* and its effects on biota. *Oecologia* 140: 388-397.
- Fu, X-P., C-M. Dou, Y-X. Chen, X-C. Chen, J-Y. Shi, M-G. Yu & J. Xu. 2011. Subcellular distribution and chemical forms of cadmium in *Phytolacca americana* L. *Journal of Hazardous Materials* 186: 103-107.
- Fuentes-Granados, R.G., M.P. Widrlechner & L.A. Wilson. 1998. An overview of *Agastache* research. *Journal of Herbs, Spices & Medicinal plants* 6: 69-97.
- Funk, V.A. 1975. A Floristic and Geologic Survey of Selected Seeps of Calloway County, Kentucky. M.S. thesis. Murray State University. Murray, Kentucky.
- Funk, V.A. 2003. An opinion: down with alphabetically arranged herbaria (and alphabetically arranged floras too for that matter). *Plant Science Bulletin* 49: 131-132. [See response of Burger (2003).]
- Furlow, J.J. 1987a. The *Carpinus caroliniana* complex in North America. I. A multivariate analysis of geographical variation. *Systematic Botany* 12: 21-40.
- Furlow, J.J. 1987b. The *Carpinus caroliniana* complex in North America. II. Systematics. *Systematic Botany* 12: 416-434.
- Gaddela, T.W.J. 1984. Notes on *Symphytum* (Boraginaceae) in North America. *Annals of the Missouri Botanical Garden* 71: 1061-1067.
- Gaddy, L.L. 1987. A review of the taxonomy and biogeography of *Hexastylis* (Aristolochiaceae). *Castanea* 52: 186-196.
- Galla, S.F., B.L. Viers, P.E. Gradie & D.F. Saar. 2009. *Morus murrayana* (Moraceae): a new mulberry from eastern North America. *Phytologia* 91: 105-116.
- Gansberger, M., L.F.R. Montgomery & P. Liebhard. 2015. Botanical characteristics, crop management and potential of *Silphium perfoliatum* L. as a renewable resource for biogas production: a review. *Industrial Crops and Products* 63: 362-372.
- Garcia-Suarez, R., C. Alonso-Blanco, M.C. Fernandez-Carvajal, J.A. Fernandez-Prieto, A. Roca & R. Giraldez. 1997. Diversity and systematics of *Deschampsia* sensu lato (Poaceae), inferred from karyotypes, protein electrophoresis, total genomic DNA hybridization and chloroplast DNA analysis. *Plant Systematics and Evolution* 205: 99-110.
- Gardner, R.L., J.S. McCormac & D. Minney. 2004. *Dicanthelium scoparium* and *Muhlenbergia glabrifloris*: new to the flora of Ohio. *Sida* 21: 465-471.
- Garman, H. 1900. Kentucky forage plants—the grasses. *Bulletin of the Kentucky Agricultural Experiment Station* 87: 55-121 & plates.
- Garman, H. 1902. Kentucky forage plants—the clovers and their allies. *Bulletin of the Kentucky Agricultural Experiment Station* 98: 3-46.
- Garman, H. 1913. The woody plants of Kentucky. *Bulletin of the Kentucky Agricultural Experiment Station* 169: 1-62.
- Garman, H. 1914. Some Kentucky weeds and poisonous plants. *Bulletin of the Kentucky Agricultural Experiment Station* 183: 255-339. & plates.
- Garrison, J. 1992. The other side of *Lygodium palmatum*. *Fiddlehead Forum* 19: 10.

- Geller, D.P., J.W. Goodrum & S.J. Knapp. 1999. Fuel properties of oil from genetically altered *Cuphea viscosissima*. Industrial Crops and Products 9: 85-91.
- Gentry, J. L., Jr. 1963. Vascular plants of Henry County, Kentucky. M.S. thesis. University of Kentucky. Lexington, Kentucky.
- Gernandt, D.S., X.A. Dugua, A. Vázquez-Lobo, A. Willyard, A.M. Letelier, J.A. Pérez de la Rosa, D. Piñero & A. Liston. 2018i. Multi-locus phylogenetics, lineage sorting, and reticulation in *Pinus* subsection *Australes*. American Journal of Botany 105: 11-725.
- Gibson, D.J. 1989. Effects of animal disturbance on tallgrass prairie vegetation. American Midland Naturalist 121: 144-154.
- Gil, L., P. Fuentes-Utrilla, A. Soto, M.T. Cervera & C. Collada. 2004. English elm is a 2,000 year-old Roman clone. Nature 431: 1053.
- Gil-ad, N.L. 1997. Systematics of *Viola* subsection *Boreali-Americanae*. Boissiera 53: 1-130.
- Gil-ad, N.L. 1998. The micromorphologies of seed coats and petal trichomes of the taxa of *Viola* subsect. *Boreali-Americanae* (Violaceae) and their utility in discerning orthospecies from hybrids. Brittonia 50: 91-121.
- Gil-ad, N.L., & A.A. Reznicek. 1997. Evidence for hybridization of two Old World *Rhamnus* species – *R. cathartica* and *R. utilis* (Rhamnaceae) – in the New World. Rhodora 99: 1-22.
- Gillet, J.M. 1959. A revision of *Bartonia* and *Obolaria* (Gentianaceae). Rhodora 61: 43-62.
- Gillis, W.T. 1971. The systematics and ecology of poison ivy and poison oaks (*Toxicodendron*, Anacardiaceae). Rhodora 73: 72-159, 161-273, 370-443, 465-540.
- Gilman, E.F., & D.G. Watson. 1993. *Fraxinus pennsylvanica* ‘Marshall’s Seedless’: ‘Marshall’s Seedless’ green ash. [Report No.] EHN426, Florida Cooperative Extension Service, Institute of Food and Agricultural Services, University of Florida [see also updated edition at <http://edis.ifas.ufl.edu>].
- Gleason, H.A. 1952. The New Britton and Brown Illustrated Flora of the Northeastern United States and Adjacent Canada. New York Botanical Garden. Bronx, New York.
- Gleason, H.A., & A. Cronquist. 1963. Manual of Vascular Plants of Northeastern United States and Adjacent Canada. Van Nostrand. New York, New York.
- Gleason, H.A., & A. Cronquist. 1991. Manual of Vascular Plants of Northeastern United States and Adjacent Canada. 2nd edition. New York Botanical Garden, Bronx, New York.
- Goerndt, D.L., S.D. Schemnitz & W.D. Zeedyk. 1985. Managing common watercress and spring/seeps for Merriam's Turkey in New Mexico. Wildlife Society Bulletin 13: 297-301.
- Goldblatt, P., & D.E. Johnson. 2006, 2008, continuing. Index to Plant Chromosome Numbers 2001-2003 and 2004-2006. Monographs in Systematic Botany from the Missouri Botanical Garden 106 etc. See also their website (<http://mobot.mobot.org/W3T/Search/ipcn.html>) for synthesis and updates.
- Gonsoulin, G. J. 1974. A Revision of the Genus *Styrax* in North America, Central America, and the Caribbean. Sida 4: 191-258.
- Gonsoulin, G.J. 1975. *Taxus canadensis* Marsh.: a new state record for Tennessee. Castanea. 40: 253-255.
- Gordon, W. P., A.J. Forte, R.J. McMurtry, J. Gal & S.D. Nelson. 1982. Hepatotoxicity and pulmonary toxicity of pennyroyal oil and its constituent terpenes in the mouse. Toxicology and Applied Pharmacology 65: 413-424.

- Gorman, C.E., M.S. Bruton & L.D. Estes. 2011. *Macrothelypteris torresiana* (Thelypteridaceae) new to Kentucky. Journal of the Botanical Research Institute of Texas 5: 343-344.
- Graham, S.A. 1975. Taxonomy of the Lythraceae in the southeastern United States. *Sida* 6: 80-103.
- Graham, S.A. 1985. A revision of *Ammannia* (Lythraceae) in the Western Hemisphere. *Journal of the Arnold Arboretum* 66: 395-420.
- Greiner, S. 2008. *Oenothera*, a unique model to study the role of plastids in speciation. Ph.D. dissertation, Ludwig-Maximilians-Universität München, Munich, Germany. 174 pages.
- Graves, W.R. 2004. Confirmation that *Dirca* spp. (Thymelaeaceae) reproduce from rhizomes. *Rhodora* 106: 291-294.
- Graves, W.R., & W. Van de Poll. 1992. Further evidence that *Cladrastis kentukea* (Dum.-Cours.) Rudd does not fix nitrogen with rhizobia. *HortScience* 27: 1137.
- Gray, A. 1864. Manual of Botany of the Northern United States. 5th edition. Ivison, Blakeman, Taylor & Co., New York, New York. [See also: his 1872 and 1877 (two editions) "School and Field Book of Botany", consisting of "Lessons in Botany" bound with "Field, Forest, and Garden Botany", with same publisher.]
- Gray, A. 1878-86. Synoptical Flora of North America. Vol. I.—Part II. Caprifoliaceae—Compositae; and Vol. II.—Part I. Gamopetalae after Compositae. Smithsonian Institution. Washington, D.C. [Revised and amplified in 1886 from earlier editions in 1878 (Vol. I) and 1884 (Vol. II).]
- Gray, A., & B.J. Robinson (editor). 1895-97. Synoptical Flora of North America. Vol. I.—Part I. Polypetalae from the Ranunculaceae to the Polygalaceae. American Book Company, Cambridge, Mass.
- Gray, A. 1889 [1887-89]. Manual of Botany of the Northern United States. 6th edition. American Book Co., New York, New York. [Bound and distributed with his 1887 "Elements of Botany".]
- Gray, J.L. 2006. Habitat characterization and inventory of *Collinsonia verticillata* in Shawnee State Forest and State Park, Scioto County, Ohio. M.Sc. thesis, Ohio University, Athens. 69 pages.
- Greenlee, J.K., & K.S. Rai. 1986. Population differentiation of *Collinsia verna* Nuttal (Scrophulariaceae): a multifaceted approach. *Genetica* 71: 51-61.
- Greenwell, R.A. 1935. A Flora of Nelson County, Kentucky; with a selected list of economically important plants. Nazareth College, Louisville, Kentucky.
- Gross, R.S., P.A. Werner & W.R. Hawthorn. 1980. The biology of Canadian weeds. 38. *Arctium minus* (Hill) Benth. and *A. lappa* L. *Canadian Journal of Plant Science* 60: 621-634.
- Grubbs, J.T., & M.J. Fuller. 1991. Vascular Flora of Hickman County, Kentucky. *Castanea* 56: 193-214. [See also Grubbs' 1989 M.S. thesis with same title. Murray State University, Murray, Kentucky.]
- Gunn, C.R. 1959. A flora of Bernheim Forest, Bullitt County, Kentucky. *Castanea* 24: 61-98.
- Gunn, C.R. 1968a. A checklist of the vascular plants of Bullitt County, Kentucky. *Castanea* 33: 89-106.
- Gunn, C.R. 1968b. The flora of Jefferson and seven adjacent counties, Kentucky. *Annals of the Kentucky Society of Natural History* 2: 1-322.
- Guo, Y-P., J. Saukel & F. Ehrendorfer. 2008. AFLP trees versus scatterplots: evolution and phylogeography of the polyploid

- complex *Achillea millefolium* agg. (Asteraceae). *Taxon* 57: 153-169.
- Gwaltney-Brant, S.M. 2012. Mare reproductive loss syndrome. Pages 993-996, in R.C. Gupta (ed). Veterinary Toxicology (2nd edition). Elsevier, Amsterdam.
- Habtemariam, S. 1998. Cistifolin, an integrin-dependent cell adhesion blocker from the anti-rheumatic herbal drug, gravel root (rhizome of *Eupatorium purpureum*). *Planta Medica* 64: 683-685.
- Hahn, W.L. 1907. Notes on mammals of the Kankakee Valley. *Proceedings of the United States National Museum [Smithsonian Institution]* 32: 455-464.
- Haines, A. 2003. A record for *Selaginella eclipses* (Selaginellaceae) in Massachusetts. *Rhodora* 105: 189-191.
- Haines, A., E. Farnsworth & G. Morrison. 2011. New England Wild Flower Society's Flora Novae Angliae. A Manual for the Identification of Native and Naturalized Higher Vascular Plants of New England. Yale University Press, New Haven.
- Hall, C.N., & F.R. Kuss. 1989. Vegetation alteration along trails in Shenandoah National Park, Virginia. *Biological Conservation* 48: 211-227.
- Hall, S.L., R.L. McCulley & R.J. Barney. 2010. Restoration of native warm season grassland species in a tall fescue pasture using prescribed fire and herbicides. *Restoration Ecology* 20: 194–201.
- Hall, T.F., & W.T. Penfound. 1944. The biology of the American lotus, *Nelumbo lutea* (Wild.) Pers. *American Midland Naturalist* 31: 744-758.
- Hammon, N.O. (ed). 1999. My Father, Daniel Boone. The Draper Interviews with Nathan Boone. The University Press of Kentucky, Lexington, Kentucky. [Includes Nathan and Olive Boone. 1842-51. Interviews and correspondence.]
- Hannan, G.L., & M.W. Orick. 2000. Isozyme diversity in *Iris cristata* and the threatened glacial endemic *I. lacustris* (Iridaceae). *American Journal of Botany* 87: 293-301.
- Haraguchi, H., I. Ohmi, S. Sakai, A. Fukuda, Y. Toihara, T. Fujimoto, N. Okamura & A. Yagi. 1996. Effect of *Polygonum hydropiper* sulfated flavonoids on lens aldose reductase and related enzymes. *Journal of Natural Products* 59: 443-445.
- Hardin, J.W. 1957a. A revision of the American Hippocastanaceae [I & II]. *Brittonia* 9: 145-195.
- Hardin, J.W. 1957b. Studies in the Hippocastanaceae, IV. Hybridization in *Aesculus*. *Rhodora* 59: 185-203.
- Hardin, J.W. 1990. Variation patterns and recognition of varieties in *Tilia americana* s.l. *Systematic Botany* 15: 33-48.
- Harmon, P.J., D. Ford-Werntz & W. Grafton. 2006. Checklist and Atlas of the Vascular Flora of West Virginia. West Virginia Division of Natural Resources, Wildlife Resources Section, Elkins, WV.
- Harrison, E.L., L.D. Gibson & T.M. Gilligan. 2014. A new species of *Grapholita* Treitschke (Lepidoptera: Tortricidae) from the midwestern USA. *Zootaxa* 3755: 287-294.
- Hartwell, J.L., & A.W. Schrecker. 1958. The chemistry of *Podophyllum*. Pages 83-166 in: *Progress in the Chemistry of Organic Natural Products*. Springer, Vienna.
- Hartzler, R.G., & D.D. Buhler. 2000. Occurrence of common milkweed (*Asclepias syriaca*) in cropland and adjacent areas. *Crop Protection* 19: 363-366.

- Harvill, A.M. 1941. A Contribution to the Compositae of Kentucky. M.S. thesis. University of Kentucky, Lexington, Kentucky.
- Harvill, A.M., T.R. Bradley, C.E. Stevens, T.F. Wieboldt, D.M.E. Ware, & D.W. Ogle. 1986. Atlas of the Virginia Flora. Virginia Botanical Associates, Farmville, Virginia.
- Haston, E., J.E. Richardson, P.F. Stevens, M.W. Chase & D.J. Harris. 2007. A linear sequence of Angiosperm Phylogeny Group II families. *Taxon* 56: 7-12.
- Hatch, C.E. 1957. Mulberry trees and silkworms: sericulture in early Virginia. *Virginia Magazine of History and Biography* 54: 3-61.
- Hauk, W.D., C.R. Parks & M.W. Chase. 2003. Phylogenetic studies of Ophioglossaceae: evidence from rbcL and tmL-F plastid DNA sequences and morphology. *Molecular Phylogenetics and Evolution* 28: 131-151.
- Haufler, C.H., R.C. Moran, & T.A. Ranker. 1990. Biosystematic analysis of the *Cystopteris tennesseensis* (Dryopteridaceae) complex. *Annals of the Missouri Botanical Garden* 77: 314-329.
- Hawke, R.G. 1998. *Monarda* and powdery mildew resistance. *Plant Evaluation Notes* (Chicago Botanic Garden) No. 12. 4 pages.
- Hawkins, T., J.M. Baskin & C.C. Baskin. 2005. Life cycle and biomass allocation in seed- and ramet-derived plants of *Cryptotaenia canadensis* (Apiaceae), a monocarpic species of eastern North America. *Canadian Journal of Botany* 83: 518-528.
- Hawkins, T.S., D.A. Skojac, B.R. Lockhart, T.D. Leininger, M.S. Devall, N.M. Schiff. 2009. Bottomland forests in the Lower Mississippi Alluvial Plain associated with the endangered *Lindera melissifolia*. *Castanea* 74: 105-113.
- Hayashi, N., K. Maeshima & H. Komae. 1983. Phenol ethers of three North American *Hexastylis* species. *Phytochemistry* 22: 299.
- Heikens, A.L. 2003. Conservation assessment for Illinois Woodsorrel (*Oxalis illinoensis* Schwegr.). U.S.D.A., Forest Service, Eastern Region.
- Heineke, T.E. 1987. The Flora and Plant Communities of the Middle Mississippi River Valley. Ph. D. dissertation. Southern Illinois University, Carbondale, Illinois.
- Heiser, C.B., D.M. Smith, S.B. Clevenger, & W.C. Martin. 1969. The North American sunflowers (*Helianthus*). *Memoirs of the Torrey Botanical Club* 22: 1-218.
- Helton, R.C., L.L. Kirkman & L.J. Musselman. 2000. Host preference of the federally endangered hemiparasite *Schwalbea americana* L. (Scrophulariaceae). *Journal of the Torrey Botanical Society* 127: 300-306.
- Hemmings, E.L., & E.L. Core. 1976. Archaeological evidence for range extension of the Catawba tree (*Catalpa speciosa* Warden) in West Virginia. *Castanea* 41: 9-11.
- Henderson, A.G. 1998. Middle Fort Ancient Villages and Organizational Complexity in Central Kentucky. Ph. D. dissertation, University of Kentucky, Lexington, Kentucky.
- Henderson, N.C. 1962. A taxonomic revision of the genus *Lycopus* (Labiatae). *American Midland Naturalist* 68: 95-138.
- Herz, W. 2001. Chemistry of the Eupatoriinae. *Biochemical Systematics and Ecology* 29: 1115-1137.
- Hess, W.J., & N.A. Stoyanoff. 1998. Taxonomic status of *Quercus acerifolia* (Fagaceae) and a morphological comparison of four members of the *Quercus shumardii* complex. *Systematic Botany* 23: 89-100.

- Hickok, L.G., & J.C. Anway. 2008. A morphological and chemical analysis of geographical variation in *Tilia* L. of eastern North America. *Brittonia* 24: 2-8.
- Hiers, J.K., & J.P. Evans. 1997. Effects of anthracnose on dogwood mortality and forest composition of the Cumberland Plateau (USA). *Conservation Biology* 11: 1430-1435.
- Hill, L.M. 2005. The genus *Trillium* (Liliaceae) in Virginia. *Castanea* 70: 13-19.
- Hill, S. R. 1982. A monograph of *Malvastrum* A. Gray (Malvaceae: Malveae). *Rhodora* 84: 1-83, 159-264, 317-409.
- Hill, S.R. 2003. Conservation assessment for Red Honeysuckle (*Lonicera dioica* L. 'var. *glaucescens* (Rydb.) Butters'). Prepared for the U.S.D.A. Forest Service, Eastern Region, Shawnee and Hoosier National Forests. Illinois Natural History Survey.
- Hill, S.R. 2006. Conservation Assessment for False Hop Sedge (*Carex lupuliformis* Sartwell ex Dewey). Prepared for the U.S.D.A. Forest Service, Eastern Region, Shawnee and Hoosier National Forests. Illinois Natural History Survey [Center for Wildlife and Plant Ecology].
- Hill, S.R. 2007a. Conservation Assessment for the Crested Coral-root Orchid (*Hexalectris spicata* (Walter) Barnhart). Prepared for the U.S.D.A. Forest Service, Eastern Region, Shawnee and Hoosier National Forests. Illinois Natural History Survey.
- Hill, S.R. 2007b. Conservation Assessment for the Bigleaf Snowbell (*Styrax grandifolius* Ait.). Prepared for the U.S.D.A. Forest Service, Eastern Region, Shawnee and Hoosier National Forests. Illinois Natural History Survey.
- Hilty, J. 2017. Illinois Wildflowers [website]. <https://www.illinoiswildflowers.info/>
- Hinkle, C.R. 1975. A Preliminary Study of the Flora and Vegetation of Cumberland Gap National Historical Park, Middlesboro, Kentucky. M.S. thesis. University of Tennessee, Knoxville, Tennessee.
- Hipp, A.L., P.E. Rothrock, A.A. Reznicek & P.E. Berry. 2007. Chromosome number changes association with speciation in sedges: a phylogenetic study of *Carex* section *Ovales* (Cyperaceae) using AFLP data. *Alico* 23: 193-203.
- Hitchcock, A.S. 1935. Manual of the Grasses of the United States. United States Government Printing Office, Washington, D.C.
- Hitchcock, A.S., & A. Chase. 1950. Manual of the Grasses of the United States. Second Edition. United States Government Printing Office. Washington, D.C.
- Hoagland, B., & R.L. Jones. 1992. Wetland and riparian flora of the upper Green River Basin, south-central Kentucky. *Transactions of the Kentucky Academy of Science* 53: 141-153.
- Hoban, S.M., T.S. McCleary, S.E. Schlarbaum & J. Romero-Severson. 2009. Geographically extensive hybridization between the forest trees American butternut and Japanese walnut. *Biology Letters* 5: 324-327.
- Hobbs, C.H. 1992. Occurrence and distribution of *Polygonum* species in Ohio. *Ohio Journal of Science* 92: 88-97.
- Hochwender, C.G., R.J. Marquis & K.A. Stowe. 2000. The potential for and constraints on the evolution of compensatory ability in *Asclepias syriaca*. *Oecologia* 122: 361–70.
- Hodgson, C. 1998. Warren County's unsolved mystery. *The Ohio Woodland Journal*. 5: 8-9.
- Holmes, W.C. and J.R. Singhurst. 2012. *Nabalus aspera* (Asteraceae) in Louisiana. *Phytoneuron* 2012-60: 1–4.

- Holmgren, P.K., N.H. Holmgren, & L.C. Barnett. 1990. Index Herbariorum. Part I. The Herbaria of the World. 8th ed. New York Botanical Garden, Bronx, New York.
- Holmgren, N.H., P.K. Holmgren, R.A. Jess, K.M. McCauley & L. Vogel. 1998. Illustrated Companion to Gleason and Cronquist's Manual. New York Botanical Garden Bronx, New York.
- Holzmueler, E., S. Jose, M. Jenkins, A. Camp & A. Long. 2006. Dogwood anthracnose in eastern hardwood forests: what is known and what can be done? *Journal of Forestry* 104: 21-26.
- Holzmueler, E.J., S. Jose & M.A. Jenkins. 2007. Influence of calcium, potassium, and magnesium on *Cornus florida* L. density and resistance to dogwood anthracnose. *Plant and Soil* 290: 189-199.
- Homoya, M.A. 1993. Orchids of Indiana. Indiana Academy of Science, Bloomington, Indiana.
- Homoya, M.A. 1994. Indiana Barrens: classification and description. *Castanea* 59: 204-213.
- Homoya, M.A., & D.B. Abrell. 2005. A natural occurrence of the federally listed endangered Short's goldenrod (*Solidago shortii* T. & G.) [Asteraceae] in Indiana: its discovery, habitat, and associated flora. *Castanea* 70: 255-262.
- Hopkins, M. 1937. *Arabis* in eastern and central North America. *Rhodora* 39: 63-98, 106-148, 155-186, pl. 457-458.
- Horak, M.J., Z-P. Gao, D.E. Peterson & L.D. Maddux. 1998.+ Hophornbeam copperleaf (*Acalypha ostryifolia*) biology and control. *Weed Technology* 12: 515-521.
- Hörndl, E. 2007. Neglecting evolution is bad taxonomy. *Taxon* 56: 1-5.
- Horton, J. H. 1972. Studies of the southeastern United States flora. IV. Polygonaceae. *Journal of the Elisha Mitchell Scientific Society* 88: 92-102.
- Hoveland, C.S. 2007. Origin and History: Tall Fescue On-line Book. <http://forages.oregonstate.edu/is/tfis/book>
- Howe, H.F. 1995. Succession and fire season in experimental prairie plantings. *Ecology* 76: 1917-1925.
- Howe, T.D., F.J. Singer & B.B. Ackerman. 1981. Forage relationships of European wild boar invading Northern Hardwood Forest. *Journal of Wildlife Management* 45: 748-754.
- Hu, S.-Y. 1954-56. A monograph of the genus *Philadelphus*. *Journal of the Arnold Arboretum* 35: 225-333; 36: 52-109; 36: 325-368; 37: 15-90.
- Hudon, J., D. Derbyshire, S. Leckie & T. Flinn. 2013. Diet-induced plumage erythrism in Baltimore Orioles as a result of the spread of introduced shrubs. *Wilson Journal of Ornithology* 125: 88-96.
- Huffaker, W.M. 1975. A Preliminary Survey of the Vascular Flora of Upper Tygarts Creek, Carter County, Kentucky. M.S. thesis. Morehead State University, Morehead, Kentucky.
- Hulten, E., & M. Fries. 1986. Atlas of North European Vascular Plants North of the Tropic of Cancer. 3 vols. Koeltz Scientific Books, Germany.
- Hupp, C.R. 1992. Riparian vegetation recovery patterns following stream channelization: a geomorphic perspective. *Ecology* 73: 1209-1226.
- Hussey, J. 1876. Report on the botany of Barren and Edmonson counties. *Bulletin of the Geological Survey of Kentucky Series 2* 1: 34-58. [Some of his collections are located at Purdue University.]

- Hwang, B.Y., S.K. Roberts, L.R. Chadwick, C.D. Wu & A. D. Kinghorn. 2003. Antimicrobial constituents from goldenseal (the rhizomes of *Hydrastis canadensis*) against selected oral pathogens. *Planta Medica* 69: 623-627.
- Inman, R. M., & M.R. Pelton. 2002. Energetic production by soft and hard mast foods of American black bears in the Smoky Mountains. *Ursus* 13: 57-68.
- International Herald-Tribune. 2007, June 18. Kentucky faces ginseng export ban. *New York Times* (global edition), New York.
- Isaac, B.L. 2009. A phytogeographical and ecological study of *Prenanthes crepidinea* Michaux (Asteraceae). *Annals of Carnegie Museum* 78: 325-336.
- Isely, D. 1983. The *Desmodium paniculatum* (L.) DC. complex revisited. *Sida* 10: 142-158.
- Isely, D. 1990. Vascular Flora of the Southeastern United States. Vol. 3 Part 2. Leguminosae (Fabaceae). University of North Carolina Press, Chapel Hill, North Carolina.
- Isely, D. 1998. Native and naturalized Leguminoseae (Fabaceae) of the United States (exclusive of Alaska and Hawaii). Monte L. Bean Life Science Museum, Brigham Young University, Provo, Utah.
- Isely, D., & F.J. Peabody. 1984. *Robinia* (Leguminoseae: Papilioideae). *Castanea* 49: 187-202.
- Jablonski, E. 2012. New and recently described oak cultivars. In Pages 161-173 in: Proceedings of the 7th International Oak Conference, Bordeaux, France.
- Jain, R., A. Sharma, S. Gupta, I.P. Sarethy & R. Gabrani. 2011. *Solanum nigrum*: current perspectives on therapeutic properties. *Alternative Medicine Review* 16: 78-85.
- Jayasuriya, H., N.M. Koonchanok, R.L. Geahlen, J.L. McLaughlin & C-J. Chang. 1992. Emodin, a protein tyrosine kinase inhibitor from *Polygonum cuspidatum*. *Journal of Natural Products* 55: 696-698.
- Jensen, U. 1995. Secondary compounds of the Ranunculiflorae. Pages 85-97 in: *Systematics and Evolution of the Ranunculiflorae*. Springer, Vienna.
- Jensen, N. 1997. Canada milkvetch (*Astragalus canadensis*) planting guide. USDA-NRCS, Plant Materials Center, Bismarck, North Dakota. 1 page.
- Jeong, B.R., & I. Sivanesan. 2016. Micropropagation, berberine content and antitumor activity of *Jeffersonia dubia* (Maxim.) Benth et Hook. *Plant Cell, Tissue and Organ Culture* 124: 453-458.
- Jing, S.W., & P.D. Coley. 1990. Dioecy and herbivory: the effect of growth rate on plant defense in *Acer negundo*. *Oikos* 58: 369-377.
- Johnson, A.S., P.E. Hale, W.M. Ford, J.M. Wentworth, J.R. French, O.F. Anderson & G.B. Pullen. 1995. White-tailed deer foraging in relation to successional stage, overstory type and management of southern Appalachian forests. *American Midland Naturalist*: 18-35.
- Johnson, G.P. 1988. Revision of *Castanea* Sect. *Balanocastanon* (Fagaceae). *Journal of the Arnold Arboretum* 69: 25-49.
- Johnson, G.P. 2013. *Prunus americana* (Rosaceae) in the Arkansas flora. *Phytoneuron* 2013-33: 1-5.
- Johnson, M.C. 1960. A new evergreen grapefern discovered in Johnson County, Kentucky. *Castanea* 25: 103-105.
- Johnson, M.T.J., R.G. FitzJohn, S.D. Smith, M.D. Rausher & S.P. Otto. 2011. Loss of sexual recombination and segregation is associated with increased diversification in evening primroses. *Evolution* 65: 3230-3240.

- Johnson, W.C., & C.S. Adkisson. 1985. Dispersal of beech nuts by blue jays in fragmented landscapes. *American Midland Naturalist* 113: 319-324.
- Johnston, M.C. 1958. The Texas species of *Croton* (Euphorbiaceae). *Southwestern Naturalist* 3: 175-203.
- Joly, S., & A. Bruneau. 2007. Delimiting species boundaries in *Rosa* Sect. *Cinnamomeae* (Rosaceae) in Eastern North America. *Systematic Botany* 32: 819-836.
- Jones, G.N. 1968. Taxonomy of American species of lindens (*Tilia*). *Illinois Biological Monographs* 39. Illinois Biological Survey, Urbana, Illinois.
- Jones, R.L. 1983. A systematic study of *Aster* section *Patentes* (Asteraceae). *Sida* 10: 41-81.
- Jones, R.L. 2005. Plant Life of Kentucky. University Press of Kentucky, Lexington, Kentucky. 834 pages.
- Jones, R.L., R.L. Thompson & R.C. Clark. 2007. A Reference List to Field Botany in Kentucky (1985–2006). *Journal of the Kentucky Academy of Science* 68: 145-180.
- Jones, R.L., C.T. Witsell & G.L. Nesom. 2008. Distribution and taxonomy of *Symphyotrichum sericeum* and *S. pratense* (Asteraceae: Astereae). *Journal of the Botanical Research Institute of Texas* 2: 731-739.
- Jones, S.B. 1972. A systematic study of the fasciculate groups of *Vernonia* (Compositae). *Brittonia* 24: 28-45.
- Joshi, B.S., K.M. Moore, S.W. Pelletier, M.S. Puar & B.N. Pramanik. 1992. Saponins from *Collinsonia canadensis*. *Journal of Natural Products* 55: 1468-1476.
- Juan, R., I. Fernandez & J. Pastor. 1997. Morphological and anatomical studies on fruits of *Veronica* from south-west Spain. *Botanical Journal of the Linnean Society* 123: 157-171.
- Junio, H.A., A.A. Sy-Cordero, K.A. Ettefagh, J.T. Burns, K.T. Micko, T.N. Graf, S.J. Richter, R.E. Cannon, N.H. Oberlies & N.B. Cech. 2011. Synergy-directed fractionation of botanical medicines: a case study with goldenseal (*Hydrastis canadensis*). *Journal of Natural Products* 74: 1621-1629.
- Kadereit, J.W. 2004. The Families and Genera of Vascular Plants. VII – Flowering Plants – Dicotyledons – Lamiales (except Acanthaceae including Avicenniaceae). Springer, Berlin.
- Kalisz, S., D.W. Vogler & K.M. Hanley. 2004. Context-dependent autonomous self-fertilization yields reproductive assurance and mixed mating. *Nature* 430: 884-887.
- Kami, T., S. Ôtaishi, S. Hayashi & T. Matsuura. 1969. A study on low-boiling chemical constituents of *Cryptotaenia japonica* Hassk. *Agricultural and Biological Chemistry* 33: 1717-1722.
- Kartesz, J.T. 1999. A Synonymized Checklist and Atlas with Biological Attributes for the Vascular Flora of the United States, Canada and Greenland. In: J.T. Kartesz & C.A. Meacham. *Synthesis of the North American Flora*, Version 1.0. North Carolina Botanical Garden, Chapel Hill, North Carolina.
- Kartesz, J.T. 2011. BONAP's North American Plant Atlas (NAPA) [generated from updated version of Kartesz (1999) at <http://www.bonap.org/Map.Switchboard.html>]. Biota of North America Program (BONAP), Chapel Hill, North Carolina.
- Kartesz, J.T., P. Allen & J.W. Thieret. 1997. *Epilobium brachycarpum* (Onagraceae) in Kentucky. *Transactions of the Kentucky Academy of Sciences* 58: 99.

- Kasson, M. T., M.D. Davis & D.D. Davis. 2013. The Invasive *Ailanthus altissima* in Pennsylvania: a case study elucidating species introduction, migration, invasion, and growth patterns in the northeastern U.S. Northeast. *Nat.* 20 (Monogr. 10):1-60.
- Katona, K., M. Kiss, N. Bleier, J. Székely, M. Nyeste, V. Kovács, A. Terhes et al. 2013. Ungulate browsing shapes climate change impacts on forest biodiversity in Hungary. *Biodiversity and Conservation* 22: 1167-1180.
- Kays, S.J., & S.F. Nottingham. 2008. Biology and Chemistry of Jerusalem Artichoke, *Helianthus tuberosus* L. CRC Press, Taylor and Francis Group, New York. 363 pages.
- Kearney, T.H. Jr. 1893. Notes on the flora of southeastern Kentucky, with a list of the plants collected in Harlan and Bell Counties in 1893. *Bulletin of the Torrey Botanical Club* 20: 474-485.
- Kearney, T.H. Jr. 1894. New or little known plants from the southern states. *Bulletin of the Torrey Botanical Club* 21: 260-265.
- Keener, C.S. 1976. Studies in the Ranunculaceae of the southeastern United States. IV. *Ranunculus* L. *Sida* 6: 266-283.
- Keener, B.R., & R. Kral. 2003. A new species of *Solidago* (Asteraceae: Astereae) from north central Alabama. *Sida* 20: 1589-1592. [*Solidago arenicola*].
- Keller, H.W., P.G. Davison, C.H. Haufler & D.B. Lesmeister. 2003. *Polypodium appalachianum*: an unusual tree canopy epiphyte in the Great Smoky Mountains National Park. *American Fern Journal* 93: 36-41.
- Kellerman, G.D. 1959. A Survey of the Aquatic Plants of Western Kentucky. M.S. thesis. University of Louisville, Louisville, Kentucky.
- Kellogg, C.H., & S.D. Bridgham. 2004. Disturbance, herbivory and propagule dispersal control dominance of an invasive grass. *Biological Invasions* 6: 319-329.
- Kelly, L.M. 2001. Taxonomy of *Asarum* section *Asarum* (Aristolochiaceae). *Systematic Botany* 26: 17-53.
- Kemp, J.R., P.G. Kevan & U. Posluszny, U. 1993. Morphological differences and changes of the gynoecium in short-lived flowers of *Rosa setigera* Michaux and their relationship to dioecy. *International Journal of Plant Science* 154: 550-556.
- Kern, J.R., & J.H. Cardellina. 1982. Native American medicinal plants. Falcarindiol and 3-O-methylfalcarindiol from *Osmorhiza occidentalis*. *Journal of Natural Products* 45: 774-776.
- Kerr, L.A., B.J. Johnson & G.E. Burrows. 1986. Intoxication of cattle by *Perilla frutescens* (purple mint). *Veterinary and Human Toxicology* 28: 412-416.
- Khalid, S., & U. Saleem. 2018. Phytochemical and pharmacological importance of *Malva neglecta*: an updated review. *Pharmacology On Line Newsletter* 2: 52-62.
- Kim, H-S., C.F. Shoemaker, Fang Zhong, G.E. Bartley & W.H. Yokoyama. 2011. Edible gel coating of *Brasenia schreberi* leaves lowers plasma cholesterol in hamsters. *FASEB Journal* 32: Number 1 Supplement, page 438-5 [?].
- Kim, S-T., S.E. Sultan, & M.J. Donoghue. 2008. Allopolyploid speciation in *Persicaria* (Polygonaceae): insights from a low-copy nuclear region. *Proceedings of the National Academy of Science* 105: 12370-12375.
- Klamer, D. 1976. Violets of the United States. A.S. Barnes & Co., Cranbury, New Jersey.

- Klips, R.A., & G.D. Keeney. 2010. Aggregation, oviposition and emergence of hibiscus seed beetles (*Althaeus hibisci*) at a central Ohio marsh. American Midland Naturalist 163: 64-75.
- Knapp, W.M., & R.F.C. Naczi. 2008. Taxonomy, morphology, and geographic distribution of *Juncus longii* (Juncaceae). Systematic Botany 33: 685-694.
- Knight, A.P., & R.G. Walter. 2001. A Guide to Plant Poisoning of Animals in North America. Teton New Media. Jackson, Wyoming. 367 pages.
- Knight-Trent, A.H., & M.J. Cupp. 2000. Pokeweed. Pages 237-243 in: Toxicology and Clinical Pharmacology of Herbal Products. Humana Press, Totowa, New Jersey.
- Koike, S., H. Morimoto, Y. Goto, C. Kozakai & K. Yamazaki. 2008. Frugivory of carnivores and seed dispersal of fleshy fruits in cool-temperate deciduous forests. Journal of Forest Research 13: 215-222.
- Kowano, T., & S. Kowano. 1964. Critical taxa of grasses with North American and eastern Asiatic distribution. Canadian Journal of Botany 42: 859-884.
- Kentucky State Nature Preserves Commission [KSNPC]. 2000. Rare and extirpated biota of Kentucky. Journal of the Kentucky Academy of Science 61: 115-132.
- Kentucky State Nature Preserves Commission [KSNPC]. 2001. Natural Heritage Database. Frankfort, Kentucky.
- Kribel, J.R.G, K.B. Kolman & S. Ware. 2011. Rapid change in sapling and seedling layers in an otherwise stable hardwood forest: an effect of deer browsing. Castanea 76: 140-148.
- Krings, A. 2004. Abaxial foliar vestiture of *Desmodium* Desv. (Fabaceae) in North Carolina and vegetative recognition of the species. Vulpia 3: 140-172.
- Krings, A., & Xiang Q.-Y. 2005. Taxonomy of the *Gonolobus* complex (Apocynaceae: Asclepiadoideae) in the southeastern United States: ISSR evidence and parsimony analysis. Harvard Papers in Botany 10: 147-159.
- Krochmal, A. 1975. New Jersey Tea (*Ceanothus americanus* L.): a Nitrogen-fixing plant for forest soils. USDA Forest Service Research Note SE-215. Southeastern Forest Experiment Station, Asheville, North Carolina.
- Kubitzki, K. (ed). 1998. The families and genera of vascular plants. III. Flowering plants - Monocotyledons - Lilianae (except Orchidaceae). Springer, Berlin.
- Kupchan, S. Morris, B. Dasgupta, E. Fujita & M. L. King. 1963. The alkaloids of American lotus, *Nelumbo lutea*. Tetrahedron 19: 227-232.
- Kusak, J., & D. Huber. 1998. Brown bear habitat quality in Gorski Kotar, Croatia. Ursus 10: 281-291.
- Kusano G., S. Orihara, D. Tsukamoto, M. Shibano, M. Coskun, A. Guvenc & C.S. Erdurak. 2002. Five new nortropane alkaloids and six new amino acids from the fruit of *Morus alba* L. growing in Turkey. Chemical & Pharmaceutical Bulletin 50: 185-192.
- Ladd, D.M. 1993. Coefficients of Conservatism for Missouri Vascular Flora. The Nature Conservancy. St. Louis, Missouri, U.S.A.
- Ladd, D., & J.R. Thomas. 2015. Ecological checklist of the Missouri flora for Floristic Quality Assessment. Phytoneuron 2015-12: 1-274.

- Lakela, O. 1937. A monograph of the genus *Tiarella* L. in North America. American Journal of Botany 24: 344-351.
- Lampe, K.F. 1988. Rhododendrons, mountain laurel, and mad honey. Journal of the American Medical Association 259: 2009.
- Lamont, E.L. 1990. *Eupatorium steelei* (Asteraceae), a new species from the southern Appalachian Mountains of eastern U.S.A. Brittonia 42: 279-282.
- Lance, R. 2006. The hawthorns (*Crataegus*) of Georgia. Tipularia (Journal of the Georgia Botanical Society) 21: 15-39.
- Lance, R. 2011. New alignments in North American *Crataegus* (Rosaceae). Phytoneuron 2011-3: 1-8.
- Lance, R. 2014. Haws. A Guide to Hawthorns of the Southeastern United States. Published by the author, Mills River, North Carolina. 518 pages.
- Latting, J. 1961. The biology of *Desmanthus illinoensis*. Ecology 42: 487-493.
- Lavergne, S., & J. Molofsky. 2007. Increased genetic variation and evolutionary potential drive the success of an invasive grass. Proceedings of the National Academy of Sciences of the U.S.A. 104: 3883-3888.
- Lawton, R. O., & P. Cothran. 2000. Factors influencing reproductive activity of *Juniperus virginiana* in the Tennessee Valley. Journal of the Torrey Botanical Society 127: 271-279.
- Leck, M.A., & C.F. Leck. 2005. Vascular plants of a Delaware River tidal freshwater wetland and adjacent terrestrial areas: seed bank and vegetation comparisons of reference and constructed marshes and annotated species lists. Bulletin of the Torrey Botanical Society 132: 323-354.
- Leopold, D.J., & R.N. Muller. 1983. Hosts of *Pyrularia pubera* Michx. (Santalaceae) in the field and culture. Castanea 48: 138-145.
- Les, D.H., L.J. Mehrhoff, M.A. Cleland & J.D. Gabel. 1997. *Hydrilla verticillata* (Hydrocharitaceae) in Connecticut. Journal of Aquatic Plant Management 35: 10-14.
- Levin, D.A. 1963. Natural hybridization between *Phlox maculata* and *P. glaberrima* and its evolutionary significance. American Journal of Botany 50: 714-720.
- Levin, D.A. 1966. The *Phlox pilosa* complex: crossing and chromosome relationships. Brittonia 18: 142-162.
- Levin, G.A. 1999a. Evolution in the *Acalypha gracilens/monococca* complex (Euphorbiaceae): morphological analysis. Systematic Botany 23: 269-287.
- Levin, G.A. 1999b. Notes on *Acalypha* (Euphorbiaceae) in North America. Rhodora 101: 217-233.
- Lev-Yadun, S. 2009. Aposematic (warning) coloration in plants. Pages 167-202 in: Plant-Environment Interactions. Springer, Berlin, Heidelberg.
- Lewis, W.H. 1958, A monograph of the genus *Rosa* in North America. III. *R. setigera*. Southwestern Naturalist 3: 154-174.
- Lewis, W.H. 2008. *Rosa carolina* (Rosaceae) subspecies and hybrids in eastern and midwestern United States, Canada, and Mexico. Novon 18: 192-198.
- Li, C.S., D. Zhu, J. Deng, M.X. Che & W.W. Huang. 2006. Study on the extraction technology and determination of flavonoids in *Crytotaenia japonica*. Food Science 27: 357-360.
- Li, X.X., Yu M.F., Ruan X., Zhang Y.Z., & Wang Q. 2014. Phytotoxicity of 4, 8-dihydroxy-1-tetralone isolated from *Carya*

- cathayensis* Sarg. to various plant species. *Molecules* 19: 15452-15467.
- Liang, S.Y., & S.W. Seagle. 2002. Browsing and microhabitat effects on riparian forest woody seedling demography. *Ecology* 83: 212-227.
- Liao, W-J., Y-M. Yuan, & D-Y. Zhang. 2007. Biogeography and evolution of flower color in *Veratrum* (Melanthiaceae) through inference of a phylogeny based on multiple DNA markers. *Plant Systematics and Evolution* 267: 177-190.
- Libby, G., R.L. Mears, & C.T. Bloom. 1997. Noteworthy vascular plant discoveries from Kentucky. *Transactions of the Kentucky Academy Science* 58: 74-79.
- Libby, G.W., & C.T. Bloom. 1998. *Nestronia umbellula* Rafinesque (Santalaceae) from the Highland Rim of Kentucky. *Castanea* 63: 161-164.
- Lidén, M., T. Fukuhara, J. Rylander & B. Oxelman. 1997. Phylogeny and classification of Fumariaceae, with emphasis on *Dicentra* s.l., based on the plastid gene rps16 intron. *Plant Systematics and Evolution* 206: 411-420.
- Lim, T.K. 2016. *Nymphaea odorata*. Edible Medicinal and Non-Medicinal Plants 11: 114-117. Springer, Cham, Switzerland.
- Lind, E.M., E.P. Myron, J. Giaccai & J.D. Parker. 2012. White-tailed deer alter specialist and generalist insect herbivory through plant traits. *Environmental Entomology* 41: 1409-1416.
- Linde-Laursen, I. 2004. Cytogenetic analysis of *Miscanthus* 'Giganteus', an interspecific hybrid. *Hereditas* 119: 297-300.
- Lipscomb, B.L. 1980. *Cyperus difformis* L. (Cyperaceae) in North America. *Sida* 8: 320-327.
- Lipscomb, B.L., & G.L. Nesom. 2007. *Galium anglicum* (Rubiaceae) new for Texas and notes on the taxonomy of the *G. parisiense* / *divaricatum* complex. *Journal of the Botanical Research Institute of Texas* 1: 1269-1276.
- Lint, H., & C. Epling. 1945. A revision of *Agastache*. *American Midland Naturalist* 33: 207-230.
- Linder, C.R., & L.H. Rieseberg. 2004. Reconstructing patterns of reticulate evolution in plants. *American Journal of Botany* 91: 1700-1708.
- Linney, W.M. 1880. Report on the timber of Boyle and Mercer counties. *Bulletin of the Kentucky Geological Survey, Series II*. 5: 353-384.
- Linney, W.M. 1882. Report on the botany of Madison, Lincoln, Garrard, Washington, and Marion counties, Kentucky. *Bulletin of the Kentucky Geological Survey, Series II*. 7: 3-57.
- Little, E.L., Jr. 1971. *Atlas of United States Trees: Vol. 1. Conifers and Important Hardwoods*. U.S.D.A., Forest Service. Washington, D. C.
- Little, E.L., Jr. 1977. *Atlas of United States Trees: Vol. 4. Minor Eastern Hardwoods*. U.S.D.A, Forest Service. Washington, D. C.
- Little, E.L., Jr. 1981. *Atlas of United States Trees: Vol. 6. Supplement*. U.S.D.A., Forest Service, Washington, D.C.
- Livshultz, T., D.J. Middleton, M.E. Endress, & J.K. Williams. 2007. Phylogeny of Apocynoideae and the APSA clade (Apocynaceae s.l.). *Annals of the Missouri Botanical Garden* 94: 324-359.
- Loconte, H., & W.H. Blackwell. 1981. A new species of blue cohosh (*Caulophyllum*, Berberidaceae) in eastern North America. *Phytologia* 49: 483.

- Loconte, H., & W.H. Blackwell. 1985. Intrageneric taxonomy of *Caulophyllum* (Berberidaceae). *Rhodora* 87: 463-469.
- Locklear, J.H. 2011. *Phlox ovata* L. (Polemoniaceae): clarification of the nomenclature of the Allegheny Phlox. *Castanea* 76: 116-117.
- Lovett-Doust, L., A. MacKinnon & J. Lovett-Doust. 1985. Biology of Canadian weeds: 71. *Oxalis stricta* L., *O. corniculata* L., *O. dillenii* Jacq. ssp. *dillenii* and *O. dillenii* Jacq. ssp. *filipes* (Small) Eiten. *Canadian Journal of Plant Science* 65: 691-709.
- Lucansky, T.W., & K.T. Clough 1986. Comparative anatomy and morphology of *Asclepias perennis* and *Asclepias tuberosa* subspecies *Rolfsii*. *Botanical Gazette* 147: 290-301
- Luckow, M. 1993. Monograph of *Desmanthus* (Leguminosae-Mimosoideae). *Systematic Botany Monographs* 38: 1-166.
- Luken, J.O., & J.W. Thieret. 1996. Amur honeysuckle, its fall from grace. *Bioscience* 46: 18-24.
- Lyons, K.E. 2010. *Phalaris arundinacea*. In J. Randall, M. Robinson, T. Morisawa and B. Rice. Element Stewardship Abstracts. Global Species Invasive Team, The Nature Conservancy. See websites: <http://www.invasive.org/gist/esadocs/documents/phaaru.pdf> and http://wiki.bugwood.org/Phalaris_arundinacea
- Maas, M., A.M. Deters, & A. Hensel. 2011. Anti-inflammatory activity of *Eupatorium perfoliatum* L. extracts, eupafolin, and dimeric guaianolide via iNOS inhibitory activity and modulation of inflammation-related cytokines and chemokines. *Journal of Ethnopharmacology* 137: 371-381.
- Mackenzie, K.K. 1931-35. Poaceae, Cyperaceae, Cypereae [Cariceae]. *North American Flora* 18 (parts 1-7): 1-168.
- MacRae, T.C. 2010. Crystallofolia ("Frost Flowers"). *Journal of the Webster Groves Nature Study Society* 82: 10-12.
- Maddox, D.M., A. Mayfield, & N.H. Poritz. 1985. Distribution of yellow starthistle (*Centaurea solstitialis*) and Russian knapweed (*Centaurea repens*). *Weed Science* 33: 315-327.
- Maganha, E.G., R. da Costa Halmenschlager, R.M. Rosa, J.A.P. Henriques, A.L.L. de P. Ramos & J. Saffi. 2010. Pharmacological evidences for the extracts and secondary metabolites from plants of the genus *Hibiscus*. *Food Chemistry* 118: 1-10.
- Mahoney, A.M., & R.R. Kowal. 2008. Three new varieties of *Packera paupercula* (Asteraceae, Senecioneae) in midwestern and southeastern North America. *Novon* 18: 220-228.
- Majure, L.C. 2007. The ecology and morphological variation of *Opuntia* (Cactaceae) species in the Mid-south, United States. M.Sc. thesis. Dept. of Biological Sciences, Mississippi State University, Starkville, Mississippi.
- Majure, L.C., & G.N. Ervin. 2008. The Opuntias of Mississippi. *Haseltonia* 14: 111-126.
- Majure, L.C., W.S. Judd, P.S. Soltis, & D.E. Soltis. 2012. Cytogeography of the *Humifusa* clade of *Opuntia* s.s. Mill. 1754 (Cactaceae, Opuntioideae, Opuntieae): correlations with Pleistocene refugia and morphological traits in a polyploid complex. *Comparative Cytogenetics* 6: 53-77.
- Majure, L.C., W.S. Judd, P.S. Soltis, & D.E. Soltis. 2017. Taxonomic revision of the *Opuntia humifusa* complex (Opuntieae: Cactaceae) of the eastern United States. *Phytotaxa* 290: 1-65.
- Marowski, R.M.D., & I.N. Morrison. 1989. The biology of Canadian weeds. 91. *Malva pusilla* Sm. (= *M. rotundifolia* L.). *Canadian Journal of Plant Science* 69: 861-879.

- Mangaly, J.K. 1968. A cytotaxonomic study of *Smilax* Section *Coprosmanthus*. *Rhodora* 70: 247-273.
- Mankowski, A., T. Esker & J. Walk. 2014. Final recovery planning outline with listing status review triggers for the Illinois Endangered Eryngium Stem Borer (*Papaipema eryngii*). Illinois Endangered Species Protection Board. Springfield, Illinois. 17 pages.
- Manske, R.H.F. 1965. The Alkaloids of Calycanthaceae 1. The Alkaloids: Chemistry and Physiology 8: 581-589. Academic Press, Cambridge, Massachusetts.
- Markwith, S.H., L.J. Davenport, J. Shelton, K.C. Parker K.C. & M.J. Scanlon. 2009. Ichthyochory, the Suwannee Strait, and population divergence in *Hymenocallis coronaria*. *Florida Scientist* 72: 28-36.
- Marion, L.. 1950. The Pyrrolidine Alkaloids. The Alkaloids: Chemistry and Physiology 1: 91-106. Academic Press.
- Marques, J.V., D.S. Dalisay, H. Yang, C. Lee, L.B. Davin & N.G. Lewis. 2014. A multi-omics strategy resolves the elusive nature of alkaloids in *Podophyllum* species. *Molecular BioSystems* 10: 2838-2849.
- Martin, W.S., W. S. Bryant, S. J. Lassetter, & J. B. Varner. 1979. The Kentucky River Palisades, Flora and Vegetation. The Nature Conservancy. Richmond, Kentucky.
- Martindale, I.C. 1876. Ferns from Rockcastle Springs, Kentucky. *Botanical Gazette* 2: 62-63.
- Martin, P.H., & P.L. Marks. 2006. Intact forests provide only weak resistance to a shade-tolerant invasive Norway maple (*Acer platanoides* L.)." *Journal of Ecology* 94: 1070-1079.
- Masters, J.A. 2014. Invasive plants as drivers and passengers of community change in a disturbed urban forest. Ph. D, dissertation, University of Louisville. 110 pages.
- Mattingly, K.Z., R.W. McEwan, R.D. Paratley, S.R. Bray, J.R. Lempke & M.A. Arthur. 2016. Recovery of forest floor diversity after removal of the nonnative, invasive plant *Euonymus fortunei*. Biology Faculty Publications. 241. 17 pages.
- McCarron, J.K., K.W. M. Leod & W.H. Conner. 1998. Flood and salinity stress of wetland woody species, buttonbush (*Cephalanthus occidentalis*) and swamp tupelo (*Nyssa sylvatica* var. *biflora*). *Wetlands* 18:165-175.
- McCarthy, B.C., & J.A. Quinn. 1990. Reproductive ecology of *Carya* (Juglandaceae): phenology, pollination, and breeding system of two sympatric tree species. *American Journal of Botany* 77: 261-273.
- McCarthy, D.M., & R.J. Mason-Gamer. 2016. Chloroplast DNA-based phylogeography of *Tilia americana* (Malvaceae). *Systematic Botany* 41: 865-880.
- McClintock, E. 1957. A monograph of the genus *Hydrangea*. *Proceedings of the California Academy of Sciences* 24: 147-256.
- McClintock, E., & C. Epling. 1942. A review of the genus *Monarda* (Labiatae). *University of California Publications in Botany* 20: 147-194.
- McCormak, J. 1993. Swamp cottonwood (*Populus heterophylla*) in Ohio. *Michigan Botanist* 35-39; see also correction on p. 235.
- McCoy, T. N. 1938-39. The ferns and fern allies of Kentucky. *American Fern Journal* 28: 41-46, 29: 101-110.
- McCoy, T.N., & G. E. Hunter. 1968. New county records of ferns and fern allies in Kentucky. *Castanea* 33: 342-344.

- McDaniel, J.C. 1962. New cultivars in two hardy American Hydrangeas. Proceedings of the International Plant Propagator's Society 12: 110-114.
- McEwan, R.W., R.N. Muller, M.A. Arthur & H.H. Housman. 2000. Temporal and ecological patterns of flowering dogwood mortality in the mixed mesophytic forest of eastern Kentucky. Journal of the Torrey Botanical Society 127: 221-229.
- McFarland, F.T. 1942. A catalogue of the vascular plants of Kentucky. Castanea 7: 77-108.
- McFarland, J.W. 1941. The Vascular Plants of Jessamine County, Kentucky. M.S. thesis. University of Kentucky, Lexington, Kentucky.
- McInteer, B.B. 1940. Some noteworthy plants of Kentucky. I. Castanea 5: 103-106.
- McKenzie, P.M., & D. Ladd. 1995. Status of *Bromus nottowayanus* in Missouri. Missouriensis 16: 57-68.
- McKinney, L.E. 1992. A Taxonomic Revision of the Acaulescent Blue Violets (*Viola*) of North America. Sida, Botanical Miscellany. 7: 1-60.
- McKinney, L.E., M. Evans, & K.A. Nicely. 1990 [approx.] The Flora of Mammoth Cave National Park. Kentucky State Nature Preserves Commission, Frankfort, Kentucky.
- McKinney, L.E., G. Libby, & R. Mears. 2000. New and noteworthy records of *Carex* (Cyperaceae) for Kentucky. Castanea 65: 221-224.
- McKinney, L.E., & N.H. Russell. 2002. Violaceae of the southeastern United States. Castanea 67: 369-379.
- McMurtrie, H. 1819. Florula Louisvillensis. In: "H. M'Murtrie, M.D." Sketches of Louisville and Its Environs. S. Penn, Louisville, Kentucky. [Henry McMurtrie, 1793-1865, resided in Louisville ca. 1815-19, but the "florula" is considered to be have been contributed by C.S. Rafinesque (Slack 1941, Merrill 1949).]
- Meade, D. 1796. Letter to Joseph Prentis in Webb-Prentis Papers, Alderman Library, University of Virginia. Printed with commentary in: Gill, H.B. & G.M. Curtis. 1992. A Virginian's first views of Kentucky: David Meade to Joseph Prentis, August 14, 1796. Register of the Kentucky Historical Society 90: 117-139.
- Meade, L., B. Binion, P. Measel, B. Hamm, & P.D. Haragan. 1997. Horned-pondweed, *Zanichellia palustris* (Zanichelliaceae) from northern and central Kentucky. Transactions of the Kentucky Academy of Science 58: 99-100.
- Mears, J.A. 1975. The taxonomy of *Parthenium* section *Partheniastrum* DC. (Asteraceae—Ambrosiinae). Phytologia 31: 463-482.
- Mears, R.L. 1999. A taxonomic study of the genera *Cyperus* and *Kyllinga* (Cyperaceae) in Kentucky. M.S. thesis, Eastern Kentucky University, Richmond, Kentucky.
- Mears, R.L., & G.W. Libby. 1995. New records of *Cyperus* (Cyperaceae) from Kentucky. Castanea 60: 79-82.
- Medley, M.E. 1986. Status Report on *Rubus whartoniae* Bailey. 20 pages + 5 maps. Prepared for the United States Fish and Wildlife Service, Region 4. Asheville, North Carolina.
- Medley, M.E. 1989. *Silphium wasiotensis* (Asteraceae), a new species from the Appalachian Plateaus in eastern Kentucky. Sida 13: 285-291.

- Medley, M.E. 1993. An annotated catalog of the known or reported vascular flora of Kentucky. Ph.D. dissertation, University of Louisville, Louisville, Kentucky. 375 pages.
- Medley, M.E., R. Cranfill & J. W. Thieret. 1983. Vascular flora of Kentucky: additions and other noteworthy collections. *Sida* 10: 114-122.
- Medley, M.E., H. Bryan, J. MacGregor, & J.W. Thieret. 1985. *Achyranthes japonica* (Miq.) Nakai (Amaranthaceae) new to North America. *Sida* 11: 92-95.
- Meerts, P. 1997. Foliar macronutrient concentrations of forest understorey species in relation to Ellenberg's indices and potential relative growth rate. *Plant and Soil* 189: 257-265.
- Meijer, W. 1972a. Composite Family (Asteraceae) in Kentucky. Published by the author, University of Kentucky Book Store, Lexington, Kentucky.
- Meijer, W. 1972b. The potentials of weeds. *Association of Southeastern Biologists Bulletin* 19: 85.
- Meijer, W. 1976a. A note on *Podostemum ceratophyllum* Michx., as an indicator of clean streams in and around the Appalachian Mountains. *Castanea* 41: 319-324.
- Meijer, W. 1976b. Notes on the flora of the Sinking Creek System and Elkhorn Source Areas in the Inner Bluegrass Region of Kentucky. *Transactions of the Kentucky Academy of Science* 37: 77-84.
- Meijer, W., J.J.N. Campbell, H. Setser and L.E. Meade. 1981. Swamp forests on high terrace deposits in the Bluegrass and Knobs Regions of Kentucky. *Castanea* 46: 122-135.
- Mennema, J. 1989. A taxonomic revision of *Lamium* (Lamiaceae). *Leiden Botanical Series* 11: 1-196.
- Mereness, N.D. (ed). 1916. Travels in the American Colonies. The MacMillan Co., New York. [including Colonel William Fleming. 1779-83. Journals.]
- Meriglano, M.F., & P. Lesica. 1998. The native status of reed canarygrass (*Phalaris arundinacea* L.) in the Inland Northwest, USA. *Natural Areas Journal* 18: 223-230.
- Merrill, E.D. 1949. Index Rafinesquianus. Arnold Arboretum, Jamaica Plain, Massachusetts.
- Metcalfe, D.J. 2005. Biological Flora of the British Isles: *Hedera helix* L. *Journal of Ecology* 93: 632-648.
- Michaux, A. 1793-96. Journal of Andre Michaux [translated from French]. In R.G. Thwaites (ed.). 1904. Early Western Travels, 1748-1846. Volume III. Arthur Clark Co., Cleveland, Ohio.
- Michaux, A. 1803. Flora Boreali-Americana. Facsimile Edition-1974. Hafner Publishing Co., New York, New York.
- Michaux, F.A. 1805. Travels to the West of the Allegheny Mountains in the States of Ohio, Kentucky, and Tennessee [reprint]. In R.G. Thwaites (ed.). 1904. Early Western Travels, 1748-1846. Volume III. Arthur Clark Co., Cleveland, Ohio.
- Miller, A.K. 1986. A Flora of Carroll County, Kentucky. M.Sc. thesis, University of Louisville. Louisville, Kentucky.
- Mims, F. 2010. In search of the giant ragweed. MyUSA, San Antonio's Homepage, Sep 12 [<http://www.mysanantonio.com/default/article/In-search-of-the-giant-ragweed-655739.php>].
- Minorsky, P.V. 2018. The functions of foliar nyctinasty: a review and hypothesis. *Biological Reviews* 93: . 14 pages.

- Mitchell, R.S. 1976. Submergence experiments in nine species of semi-aquatic *Polygonum*. American Journal of Botany 63: 1158–1165.
- Moerman, D.E., 2009. Native American Medicinal Plants: an Ethnobotanical Dictionary. Timber Press, Portland, Oregon. 456 pages.
- Mohlenbrock, R.H. 1982. Illinois Convolvulaceae in the Missouri Botanical Garden Herbarium. Annals of the Missouri Botanical Garden 69: 393-401.
- Mohlenbrock, R.H. 1985. Illinois Flora Update. Erienia: the Journal of the Southern Illinois Native Plant Society 5:53-64 [Southern Illinois University, Carbondale, Illinois.]
- Mohlenbrock, R.H. 1986. Guide to the Vascular Flora of Illinois. Southern Illinois University Press, Carbondale and Edwardsville.
- Mohlenbrock, R.H. 2011. The Illustrated Flora of Illinois. Sedges: *Carex*. Second Edition [with new illustrations by P.W. Nelson]. Southern Illinois University, Carbondale. 430 pages.
- Mohlenbrock, R.H., & D.M. Ladd. 1978. Distribution of Illinois Vascular Plants. Southern Illinois University Press, Carbondale and Edwardsville, Illinois.
- Mohlenbrock, R.H., & J. Schwegman. 1969. New and unusual grass and sedge records for Illinois. Transactions of the Illinois State Academy of Science 62: 100-101.
- Mohlenbrock, R.H., D.R. Windler, & D. O'Dell. 1966. New and otherwise interesting plant collection reports from Kentucky. Castanea 31: 296-301.
- Moldenke, H. N. 1980. A Sixth Summary of the Verbenaceae, Avicenniaceae, Stilbaceae, Chloanthaceae, and Eriocaulaceae of the World as to valid taxa, geographic distribution, and Synonymy. Phytologia Memoirs. No. 2.
- Moore, M. 1991. Classification and systematics of eastern North American *Vitis* L. (Vitaceae) north of Mexico. Sida 14: 339-367.
- Morand-Prieur, M.E., C. Raquin, J.A. Shykoff & N. Frascaria-Lacoste. 2003. Males outcompete hermaphrodites for seed siring success in controlled crosses in the polygamous *Fraxinus excelsior* (Oleaceae). American Journal of Botany 90: 949-953.
- Morgan, D.R., & D.E. Soltis. 1993. Phylogenetic relationships among members of Saxifragaceae sensu lato based on rbcL sequence data. Annals of the Missouri Botanical Garden 80: 631-660.
- Morgan, E.C., & J.A. Borysiewisz. 2012. The invasion of *Phellodendron amurense* into the urban and suburban woodlands of the New York City region. Urban Habitats 7 (March).
- Morris, D.R., V.C. Baligar, T.M. Schuler, & P.J. Harmon. 2002. Biological nitrogen fixation and habitat of running buffalo clover. Journal of Plant Nutrition. 25:735-746.
- Morris, C.D., J.L. Callahan, & R.H. Lewis. 1990. Distribution and abundance of larval *Coquillettidia perturbans* in a Florida freshwater marsh. Journal of the American Mosquito Control Association, 6: 452-460.
- Morsink, W.A.G., & P.D. Pratt. 1984. Shumard Oak, *Quercus shumardii*, in Essex County, Ontario. Canadian Field-Naturalist 98: 470-478.
- Morton, J.K. 2004. New combinations in North American Caryophyllaceae. Sida 21: 887-888.
- Moseley, E.L. 1941. Milk Sickness Caused by White Snakeroot. Ohio Academy of Science, Bowking Green, Ohio. 171 pages.

- Mosyakin, S.L. 1995. New taxa of *Corispermum* L. (Chenopodiaceae), with preliminary comments on the taxonomy of the genus in North America. *Novon* 5: 340-353.
- Muenscher, W.C. 1944. Aquatic Plants of the United States. Cornell University Press. Ithaca, New York.
- Muir, J. 1916. A Thousand-Mile Walk to the Gulf. Edited by W.F. Badè. Houghton Mifflin Co., Boston, Massachusetts.
- Mukherjee, P.K., D. Mukherjee, A.K. Maji, S. Rai & M. Heinrich. 2009. The sacred lotus (*Nelumbo nucifera*)—phytochemical and therapeutic profile. *Journal of Pharmacy and Pharmacology* 61: 407-422.
- Müller-Schwarze, D., B.A. Schulte, L-X. Sun, A. Müller-Schwarze & C. Müller-Schwarze. 1994. Red maple (*Acer rubrum*) inhibits feeding by beaver (*Castor canadensis*). *Journal of Chemical Ecology* 20: 2021-2034.
- Müller-Waldeck, F., J. Sitzmann, W.H. Schnitzler & J. Graßmann. 2010. Determination of toxic perilla ketone, secondary plant metabolites and antioxidative capacity in five *Perilla frutescens* L. varieties. *Food and Chemical Toxicology* 48: 264-270.
- Mulligan, G.A. 1980. The genus *Cicuta* in North America. *Canadian Journal of Botany* 58: 1755-1767.
- Munz, P.A. 1937. Studies in *Oenothera* X. The subgenus Kneiffia (genus *Oenothera*) and miscellaneous new species of *Oenothera*. *Bulletin of the Torrey Botanical Club* 64: 287-306.
- Munz, P.A. 1938. Studies in Onagraceae. XI. A revision of the genus *Gaura*. *Bulletin of the Torrey Botanical Club* 65: 105-122, 211-228.
- Munz, P.A. 1965. Onagraceae. North American Flora. New York Botanical Garden, series 2, part 5: 1-278.
- Murphy, G.W. 1970. A preliminary survey of the flora of Casey County, Kentucky. *Castanea* 35: 118-131.
- Murphy, L.S. 1917. The red spruce: its growth and management. U.S.D.A. Bulletin 544. Government Printing Office, D.C.
- Murphy, S., V. Mitchell, J. Thurman, C.N. Davis, M.D. Moran, J. Bonumwezi, S. Katz, J.L. Penner & M.D. Moran. 2018. Seed dispersal in Osage orange (*Maclura pomifera*) by squirrels (*Sciurus* spp.). *American Midland Naturalist* 180: 312-318.
- Musselman, L.J. 1985. *Orobanche ramosa* in Kentucky. *Castanea* 50: 57-58.
- Musselman, L.J., and J.F. Bolin. 2008. Branched broomrape, *Orobanche ramosa* (Orobanchaceae), in the southeastern United States. *Southeastern Biology* 55: 293.
- Naczi, R.F.C. 1999. *Carex planispicata*, a widespread and frequent new species of *Carex* section *Griseae* (Cyperaceae) from the eastern United States of America. *Journal of the Kentucky Academy of Science* 60: 37-44.
- Naczi, R.F.C., & J.W. Thieret. 1996. Invasion and spread of *Coincyda monensis* (Brassicaceae) in North America. *Sida* 17: 43-53.
- Naczi, R.F.C., A.A. Reznicek, & B.A. Ford. 1998. Morphological, geographical, and ecological differentiation in the *Carex willdenowii* complex (Cyperaceae). *American Journal of Botany* 85: 434-437.
- Naczi, R.F.C., & B.A. Ford. 2001. Systematics of the *Carex jamesii* complex (Cyperaceae: sect. *Phyllostachyae*). *Sida* 19: 853-84.
- Naczi, R.F.C., R. Kral, & C.T. Bryson. 2001. *Carex cumberlandensis*, a new species of section *Careyanae* (Cyperaceae) from the eastern United States of America. *Sida* 19: 993-1014.

- Naczi, R.F.C., R.L. Jones, F.J. Metzmeier, M.A. Gorton, & T.J. Weckman. 2002a. Native flowering plant species new or otherwise significant in Kentucky. *Sida* 20: 397-402.
- Naczi, R.F.C., C.T. Bryson, & T.S. Cochrane. 2002b. Seven new species and one new combination in *Carex* (Cyperaceae) from North America. *Novon* 12: 508-532.
- Naczi, R.F.C., D.B. Poindexter, C.T. Bryson, D.A. Werier & D. Estes. 2015. New state records of *Carex* sect. *Acrocystis* (Cyperaceae) from the eastern USA. *Phytoneuron* 2015-11: 1-4.
- Nagata, T., M. Hasebe, T. Toriba, H. Taneda & P.R. Crane. 2016. Sex conversion in *Ginkgo biloba* (Ginkgoaceae). *Journal of Japanese Botany* 91: 120-127.
- NatureServe. 2012. NatureServe Explorer: an online encyclopedia of life [<http://www.natureserve.org/explorer/>].
- Nelson, A.D., W.J. Elisens, & D. Benesh. 1998. Notes on chromosome numbers in *Chelone* (Scrophulariaceae). *Castanea* 63: 183-187.
- Nelson, J.B. 1981. *Stachys* (Labiatae) in Southeastern United States. *Sida* 9: 104-123.
- Nelson, J.B. 2008. A new hedge-nettle (*Stachys*: Lamiaceae) from the Interior Highlands of the United States and keys to the southeastern species. *Journal of the Botanical Research Institute of Texas* 2: 761-770.
- Nelson, J.C. 1918. *Erigenia bulbosa*. *American Botanist* 23: 31.
- Nelson, J.C. 1919. Plants of Boone County, Kentucky. *Proceedings of the Indiana Academy of Science* 29: 125-143.
- Nepal, M.D., M.H. Mayfield, & C.J. Ferguson. 2012. Identification of eastern North America *Morus* (Moraceae): taxonomic status of *M. murrayana*. *Phytoneuron* 2012-26: 1-6.
- Nesom, G.L. 1983. *Galax* (Diapensiaceae), geographic variation in chromosome number. *Systematic Botany* 8: 1-14.
- Nesom, G.L. 1990. Taxonomy of *Solidago petiolaris* (Astereae: Asteraceae) and related Mexican species. *Phytologia* 69: 445-456.
- Nesom, G.L., & J.T. Kartesz. 2000. Observations on the *Ludwigia uruguayensis* complex (Onagraceae) in the United States. *Castanea* 65: 123-125.
- Nesom, G.L. 2001a. Taxonomic review of *Chrysogonium* (Asteraceae: Heliantheae). *Sida* 19: 141-297.
- Nesom, G.L. 2001b. Notes on variation in *Pseudognaphalium obtusifolium* (Asteraceae: Gnaphalieae). *Sida* 19: 615-619.
- Nesom, G.L. 2004. New species of *Gamochaeta* (Asteraceae: Gnaphalieae) from the eastern United States and comments on similar species. *Sida* 21: 717-741.
- Nesom, G.L. 2005. Taxonomic review of *Astranthium integrifolium* (Asteraceae: Astereae). *Sida* 21: 2015-2021.
- Nesom, G.L. 2006. Taxonomic review of *Symphyotrichum patens* (Asteraceae: Astereae). *Sida* 22: 1075-1080.
- Nesom, G.L. 2009. Again: taxonomy of yellow-flowered caulescent *Oxalis* (Oxalidaceae) in eastern North America. *Journal of the Botanical Research Institute of Texas* 3: 727-738.
- Nesom, G.L. 2010a. A new species of *Verbena* (Verbenaceae) from northeastern Mexico and an overview of the *V. officinalis* group. *Phytoneuron* 2010-13: 1-13.

- Nesom, G.L. 2010b. Notes on *Fraxinus profunda* (Oleaceae). *Phytoneuron* 2010-32: 1-6.
- Nesom, G.L. 2010c. *Fraxinus biltmoreana* and *F. smallii* (Oleaceae), forest trees of the eastern United States. *Phytoneuron* 2010-51: 1-30.
- Nesom, G.L. 2010d. Overview of *Liriope* and *Ophiopogon* (Ruscaceae) naturalized and commonly cultivated in the USA. *Phytoneuron* 2010-56: 1-31.
- Nesom, G.L., D.D. Spaulding, & H.E. Horne. 2014. Further observations on the *Oxalis dillenii* group (Oxalidaceae). *Phytoneuron* 2014-12: 1-10.
- Ness, J. 2003. *Catalpa bignonioides* alters extrafloral nectar production after herbivory and attracts ant bodyguards. *Oecologia*, 134: 210-218.
- Newell, C.A., & J.M.J. de Wet. 1974. Morphological and cytological variability in *Tripsacum dactyloides* (Gramineae). *American Journal of Botany* 61: 652-664.
- Neyland, R., & M.K. Hennigan. 2004. A cladistic analysis of *Monotropa uniflora* (Ericaceae) inferred from large ribosomal subunit (26S) rRNA gene sequences. *Castanea* 69: 265-271.
- Norden, A.H., & L.K. Kirkman. 2004a. Factors controlling the fire-induced flowering response of the federally endangered *Schwalbea americana*. *Journal of the Torrey Botanical Society* 131: 16-22.
- Nixon, C.M., & J. Ely. 1969. Foods eaten by a beaver colony in southeast Ohio. *Ohio Journal of Science* 69: 313-319.
- Norden, A.H., & L.K. Kirkman. 2004b. Herbivory of the federally endangered *Schwalbea americana*. *Castanea* 69: 67-69.
- Nye, T. G., II. 1961. An Ecological Study of *Draba ramosissima* Desv. with Notes on the Intraspecific Taxonomy and Leaf Morphology of the Species. M.S. thesis. University of Kentucky, Lexington, Kentucky.
- Oakes J.A., & R.Y. Wang. 2016. Toxalbumins. In: J. Brent, K. Burkhardt, P. Dargan, B. Hatten, B. Megarbane & R. Palmer (eds). *Critical Care Toxicology*. Springer, Cham, Switzerland. 11 pages.
- Ochsmann, J. 2001. On the taxonomy of spotted knapweed (*Centaurea stoebe* L.). Pages 33-41 in L. Smith (ed). *Proceedings of the First International Knapweed Symposium of the Twenty-first Century* (Coeur d'Alene, Idaho). USDA, Agricultural Research Service, Albany, California.
- Odadi, W.O., T.P. Young & J.B. Okeyo-Owuor. 2007. Effects of wildlife on cattle diets in Laikipia rangeland, Kenya. *Rangeland Ecology & Management* 60: 179-185.
- Ogle, D.W. 1991. *Spiraea virginiana* Britton. I. Delineation and distribution. II. Ecology and species biology. *Castanea* 56: 287-296, 297-303.
- Ohi-Toma, T., T. Sugawara, H. Murata, S. Wanke, C. Neinhuis & J. Murata. 2006. Molecular phylogeny of *Aristolochia* sensu lato (Aristolochiaceae) based on sequences of rbcL, matK, and phyA genes, with special reference to differentiation of chromosome numbers. *Systematic Botany* 31: 481-492.
- Ohwi, J. 1975. *Flora of Japan*. Originally published in 1953; translated by F. G. Meyer & E. H. Walker. Smithsonian Institution Press, Washington, D.C.
- O'Kane, S.L., Jr., & I.A. Al-Shehbaz. 2002. *Paysonia*, a new genus segregated from *Lesquerella* (Brassicaceae). *Novon* 12: 379-381.
- O'Kane, S.L., Jr., & I.A. Al-Shehbaz. 2003. Phylogenetic position and generic limits of *Arabidopsis* (Brassicaceae) based on

- sequences of nuclear ribosomal DNA. Annals of the Missouri Botanical Garden 90: 603-612.
- Olmstead, R.G., C.W. dePamphilis, A.D. Wolfe, N.D. Young, W.J. Elisons & P.A. Reeves. 2001. Disintegration of the Scrophulariaceae. American Journal of Botany 88: 348-361.
- Orchard, L. P. 1984. Butternut canker: host range, disease resistance, seedling-disease reactions and seed-borne transmission. Ph.D. dissertation, University of Wisconsin, Madison.
- Osborne, D.C., D.W. Sparling & R.L. Hopkins. 2012. Influence of conservation reserve program mid-contract management and landscape composition on northern bobwhite in tall fescue monocultures. Journal of Wildlife Management 76: 566-574.
- Otani, T. 2003. Seed dispersal and predation of fleshy fruit by Japanese macaques in the cool temperate zone of northern Japan. Mammal Study 28: 153-156.
- Ott, J. 1999. Pharmahuasca: human pharmacology of oral DMT plus harmine. Journal of Psychoactive Drugs, 31: 171-177.
- Ousley, J.B., & A.C. Risk. 1998. Preliminary bryophyte and vascular flora of the Hog Hollow Seeps, Bath County. Journal of the Kentucky Academy of Science 59: 97. [*Carex seorsa*.]
- Owen, D.F., & W.R. Whiteway. 1980. *Buddleia davidii* in Britain: history and development of an associated fauna. Biological Conservation 17: 149-155.
- Pachter, I.J., D.E. Zacharias & O. Ribeiro. 1959. Indole alkaloids of *Acer saccharinum* (the Silver Maple), *Dictyoloma incanescens*, *Piptadenia colubrina*, and *Mimosa hostilis*. The Journal of Organic Chemistry 24: 1285-1287.
- Padgett, D.J. 2007. A monograph of *Nuphar* (Nymphaeaceae). Rhodora 109: 1-107.
- Paine, L.K., & C.A. Ribic. 2002. Comparison of riparian plant communities under four land management systems in southwestern Wisconsin. Agriculture, Ecosystems & Environment 92: 93-105.
- Paler, M.H., & D.S. Barrington. 1995. The hybrid *Cystopteris fragilis* × *tenuis* (Dryopteridaceae) and the relationship between its tetraploid progenitors. Systematic Botany 20: 528-545.
- Palmer, E.J. 1927. On Nuttall's trail through Arkansas. Journal of the Arnold Arboretum 8: 24-55.
- Palmer-Ball, B., Jr., J.J.N. Campbell, M.E. Medley, D.T. Towles, J.R. MacGregor, & R.R. Cicerello. 1988. Cooperative Inventory of Endangered, Threatened, Sensitive or Rare Species: Daniel Boone National Forest, Somerset District. Kentucky Nature Preserves Commission, Frankfort, Kentucky.
- Park, B., M. Sinnott-Armstrong, C. Schlutius, J.P. Zuluaga, E.L. Spriggs, R.G. Simpson, E.Benavides et al. 2018. Sterile marginal flowers increase visitation and fruit set in the hobblebush (*Viburnum lantanoides*, Adoxaceae) at multiple spatial scales. Annals of Botany 123: 381-390.
- Parker, M.A. 1996. Cryptic species within *Amphicarpaea bracteata* (Leguminosae): evidence from isozymes, morphology, and pathogen specificity. Canadian Journal of Botany 74: 1640-1650.
- Parker, M.A., J.L. Doyle & J.J. Doyle. 2004. Comparative phylogeography of *Amphicarpaea* legumes and their root-nodule symbionts in Japan and North America. Journal of Biogeography 31:425-434.
- Parks, C. R., & J. W. Hardin. 1963. Yellow Erythroniums of the eastern United States. Brittonia 15: 245-259.

- Patrick, T.S. 1984. *Trillium sulcatum* (Liliaceae), a new species of the southern Appalachians. *Brittonia* 36: 26-36.
- Patterson, D.T. 1976. The history and distribution of five exotic weeds in North Carolina. *Castanea* 41: 177-180.
- Patton, B.P. 2013. Waterhemp (*Amaranthus tuberculatus*) in soybean in Kentucky conditions. M.Sc. thesis, University of Kentucky (Plant and Soil Sciences). 70 pages.
- Paun, O., C. Lehnebach, J.T. Johansson, P. Lockhart, & E. Hörandl. 2005. Phylogenetic relationships and biogeography of *Ranunculus* and allied genera (Ranunculaceae) in the Mediterranean region and the European alpine system. *Taxon* 54: 911-930.
- Pearce, R.B., & J.S. Pringle. 2017. Joe Pye, Joe Pye's Law, and Joe-Pye-Weed: the history and eponymy of the common name Joe-Pye-Weed for *Eutrochium* species (Asteraceae). *Great Lakes Botanist* 56: 177-200.
- Peet, R.K., J.D. Fridley, & J.M. Gramling. 2003. Variation in species richness and species pool size across a pH gradient in forests of the southern Blue Ridge. *Folia Geobotanica* 38: 191-401.
- Pearson, J.A., P.D. Cantino, & H.E. Ballard. 2006. A taxonomic revision of *Collinsonia* (Lamiaceae) based on phonetic analysis of morphological variation. *Systematic Botany* 31: 398-409.
- Pearson, J.A., A.A. Reznicek & J.C. Semple. 2012. Polyploidy, infraspecific cytotype variation, and speciation in goldenrods: the cytogeography of *Solidago* subsect. *Humiles* (Asteraceae) in North America. *Taxon* 61: 197-210.
- Pelser, P.B., B. Nordenstam, J.W. Kadereit, & L.E. Watson. 2007. An ITS phylogeny of tribe Senacionae (Asteraceae) and a new delimitation of *Senecio* L. *Taxon* 56: 1077-1104.
- Pennell, F.W. 1928. *Agalinis* and allies in eastern North America. I. *Proceedings of the Academy of Natural Sciences of Philadelphia* 80: 339-449.
- Pennell, F.W. 1929. *Agalinis* and allies in eastern North America. II. *Proceedings of the Academy of Natural Sciences of Philadelphia* 81: 111-249.
- Pennell, F.W. 1935. The Scrophulariaceae of the Eastern Temperate North America. *Philadelphia Academy of Natural Sciences Monograph* 1: 1-650.
- Penny, G.M., & J.C. Neal. 2003. Light, temperature, seed burial, and mulch effects on Mulberry Weed (*Fatoua villosa*) seed germination. *Weed Technology*: 17: 213-218.
- Penskar, M.R. 2004. Special plant abstract for *Agalinis skinneriana* (Skinner's gerardia). Michigan Natural Features Inventory. Lansing. Michigan State University.
- Perkins, S. E. III. (ed.). 1938. Letters by Rafinesque to Dr. Short in the Filson Club Archives. *Filson Club Historical Quarterly* 12: 200-239.
- Pettengill, J.B., & M.C. Neel. 2008. Phylogenetic patterns and conservation among North American members of the genus *Agalinis* (Orobanchaceae). *BioMed Central Evolutionary Biology* 8: 264 (17 pages).
- Peters, M., R. Oberrath & K. Böhning-Gaese. 2003. Seed dispersal by ants: are seed preferences influenced by foraging strategies or historical constraints? *Flora-Morphology, Distribution, Functional Ecology of Plants* 198: 413-420.
- Peterson, P.M., K. Romaschenko, N. Snow & G. Johnson. 2012. A molecular phylogeny of *Leptochloa* (Poaceae: Chloridoideae: Chlorideae). *Annals of Botany* 109: 1317–1329.

- Philbrick, C.T. 1983. Contributions to the reproductive biology of *Panax trifolium* L. (Araliaceae). *Rhodora* 84: 97-114.
- Phipps, J.B. 1998. Synopsis of *Crataegus* series *Apiifoliae*, *Cordatae*, *Microcarpae*, and *Brevispinae* (Rosaceae subfam. Maloideae). *Annals of the Missouri Botanical Garden* 85: 475-491.
- Phipps, J.B. 2012. Critical taxa in *Crataegus* series *Molles* (Rosaceae): typifications, new combinations, and taxonomic review. *Phytoneuron* 2012-78: 1-23.
- Pierce, A.R., W.R. Bromer & K.N. Rabenold. 2008. Decline of *Cornus florida* and forest succession in a *Quercus-Carya* forest. *Plant Ecology* 195: 45-53.
- Pilatowski, R.E. 1982. A taxonomic study of the *Hydrangea arborescens* complex. *Castanea* 47: 84-98.
- Pleasants, J. M., and K. Oberhauser. 2012. Milkweed loss in agricultural fields because of herbicide use: effect on the monarch butterfly population. *Insect Conservation and Diversity* 6: 135-144.
- Pohl, R.W. 1955. Toxicity of ferns and equisetum. *American Fern Journal* 45: 95-97.
- Poindexter, D.B., & R.L. Thompson. 2008. Six noteworthy vascular plants for Kentucky: two state records and four range extensions. *Journal of the Kentucky Academy of Science* 69: 66-68.
- Poindexter, D.B., & J.B. Nelson. 2011. A new hedge-nettle (*Stachys*: Lamiaceae) from the Southern Appalachian Mountains. *Journal of the Botanical Research Institute of Texas* 5: 405-411.
- Poindexter, D.B. and R.F.C. Naczi. 2014. Taxonomy and geographic distribution of *Carex lucorum* var. *austrolucorum* (section *Acrocystis*, Cyperaceae). *Brittonia* 66: 358-370.
- Pomper, K.W., S.B. Crabtree, D.R. Layne, R.N. Peterson, J. Masanbi & D. Wolfe. 2008. The Kentucky Pawpaw Regional Variety Trial. *Journal of the American Pomological Society* 62: 58-69.
- Pooler, M.R., R.L. Dix & J. Feely. 2002. Interspecific hybridization between the native bittersweet, *Celastrus scandens*, and the introduced invasive species, *C. orbiculatus*. *Southeastern Naturalist* 1: 69-76.
- Pors, B., & P.A. Wener. 1989. Individual flowering time in a goldenrod (*Solidago canadensis*): field experiment shows genotype more important than environment. *American Journal of Botany* 76: 1681-1688.
- Post, A.R, W.A. Wall, A. Krings & J.C. Neal. 2009. Introduced lesser celandine (*Ranunculus ficaria*, *Ranunculus*) and its putative subspecies in the United States: a morphometric analysis. *Journal of the Botanical Institute of Texas* 3: 193-209.
- Potts, L.F., F.A. Luzzio, S.C. Smith, M. Hetman, P. Champy & I. Litvan. 2012. Annonacin in *Asimina triloba* fruit: implication for neurotoxicity. *Neurotoxicology* 33: 53-58.
- Price, S.F. 1893. Flora of Warren County Kentucky. Published by the author, New London, Wisconsin. [See also handwritten additions made ca. 1907 in her original copy at Missouri Botanical Garden; photocopy in collection of M.E. Medley with R. Jones at Eastern Kentucky University.]
- Price, S.F. 1900. [Notes from western Kentucky.] *The Plant World* 3: 47, 53, 94-95..
- Price, S.F. 1901. Notes from western Kentucky. *The Plant World* 4: 143-144, 177 [addenda].
- Price, S.F. 1906-7. Perusin' the "Pennyrile" Country. *American Botany* 11: 76-81, 105-112.

- Pringle, J.S. 1966. *Gentiana puberulenta* sp. nov., a known but unnamed species of the North American prairies. *Rhodora* 68: 209-214.
- Pringle, J.S. 1967. Taxonomy of *Gentiana*, section *Pneumonanthe*, in eastern North America. *Brittonia* 19: 1-32.
- Pryer, K.M., H. Schneider, A.R. Smith, R. Cranfill, P. Wolf, J.S. Hunt & S.D. Sipes. 2001. Horsetails and ferns are a monophyletic group and the closest living relatives to seed plants. *Nature* 409: 618-622.
- Puff, C. 1976. The *Galium trifidum* group (Galium sect. Aparinoides, Rubiaceae). *Canadian Journal of Botany* 54: 1911-1925.
- Qazi, S., D. Lombardo & M. Abou-Zaid. 2018. A metabolomic and HPLC-MS/MS analysis of the foliar phenolics, flavonoids and coumarins of the *Fraxinus* species resistant and susceptible to Emerald Ash Borer. *Molecules* 23: 2734, 19 pages.
- Quinn, J.A., & S.J. Meiners. 2004. Growth rates, survivorship, and sex ratios of *Juniperus virginiana* on the New Jersey Piedmont from 1963 to 2000. *Journal of the Torrey Botanical Society* 131: 187-194.
- Rachich, J., and R.J. Reader. 1999. An experimental study of wetland invasibility by purple loosestrife (*Lythrum salicaria*). *Canadian Journal of Botany* 77: 1499-1503.
- Radford, A. E., H. E. Ahles, & C. R. Bell. 1964. Manual of the Vascular Flora of the Carolinas. University of North Carolina Press, Chapel Hill, North Carolina.
- Rafinesque, C.S. 1817. Art. 8 Museum of Natural Sciences. *American Monthly Magazine* 2: 118-119.
- Rafinesque, C.S. 1819. Botany of Kentucky, on its principal features. *Western Review and Miscellaneous Magazine* 1: 92-95.
- Rafinesque, C.S. 1820. *Annals of Nature; or Annual Synopsis of New Genera and Species of Animals and Plants Discovered in North America*. Printed for the author by Thomas Smith. Lexington, Kentucky.
- Rafinesque, C.S. 1822. The Cosmonist—No. VIII. On the botany of the western limestone region. *Kentucky Gazette*, new series 1:2-3, April 4th [newspaper printed in Lexington].
- Rafinesque, C.S. 1824. *Florula Kentuckiensis*. Pages 12-16 in: First Catalogues and Circulars of the Botanical Garden of Transylvania University at Lexington in Kentucky. Transylvania Botanical Garden Company. Lexington, Kentucky.
- Rafinesque, C.S. 1825. *Neogenyton or 66 N[ew] G[enera] of North Amer[ican] Plants*. Published by the Author. Reprinted in 1913 by the American Midland Naturalist.
- Rafinesque, C.S. 1828-30. *Medical Flora; or, Manual of the Medical Botany of the United States of North America*. Samuel C. Atkinson, Philadelphia. 2 vols.
- Rafinesque, C.S. 1830. Extrait d'une lettre de M.C.S. Rafinesque, professor à Philadelphie, adressée à M. le professeur De Candolle. *Bulletin Botanique* [par N.C. Seringe, Genève] 8: 214-221.
- Rafinesque, C.S. 1832. Account of 32 N. Sp. of plants from Florida. *Atlantic Journal and Friend of Knowledge* in Eight Numbers. Number 4, pages 146-148.
- Rafinesque, C.S. 1833. *Herbarium Rafinesquianum*. Published by the author. Philadelphia, Pennsylvania.
- Rafinesque, C.S. 1836a. *New Flora and Botany of North America*. Published by the author, Philadelphia, Pennsylvania. First Part: 100

- pages. Second Part, Neophyton: 96 pages. Third Part, New Sylva: 96 pages. Fourth Part, Neobotanon: 112 pages.
- Rafinesque, C.S. 1836b. Flora Telluriana. Printed for the author by H. Probasco Co. Philadelphia, Pennsylvania. In Four Parts.
- Rafinesque, C.S. 1840. Autikon Botanikon. Published by the author. Philadelphia, Pennsylvania.
- Ram, S. 2010. Research practices in herbal medicinal plant: a case study of Podophyllotoxin. Annals of Library and Information Studies 57: 65-7.
- Ramp, P.F., & S.N. Stephenson. 1988. Gender dimorphism in growth and mass partitioning by box-elder (*Acer negundo* L.). American Midland Naturalist 119: 420-430.
- Raven, P.H., & D.P. Gregory. 1972. A revision of the genus *Gaura* (Onagraceae). Memoirs of the Torrey Botanical Club 23: 1-96.
- Ray, J.D. 1956. The genus *Lysimachia* in the New World. Illinois Biological Monographs 24: 1-160.
- Raymond, J.W. 2006. The horticultural improvement of the American Persimmon. Nutshell (September): 20-27 [see also updated version in 2007 at www.simmonfruit.net].
- Reed, C.F., & P. G. Reed. 1951. Host distribution of mistletoe in Kentucky. Castanea 16: 7-15.
- Reed, C.F. 1952. Notes on the ferns of Kentucky III. *Cheilanthes feei* on Silurian limestone in Kentucky. American Fern Journal 42: 53-56.
- Reed, C.F. 1970. Selected Weeds of the United States. United States Government Printing Office, Washington, D.C.
- Reed, C.F. 1981. *Cypripedium kentuckiense* Reed, a new species of orchid in Kentucky. Phytologia 48: 426-428.
- Reed, P.B. 1988. National List of Plant Species that Occur in Wetlands. Agricultural Handbook 366. U.S.D.A., Washington, DC.
- Rehder, A. 1907. *Quercus prinoides* Willd. var. *rufescens* var. nov. Rhodora 9: 60-62.
- Reveal, J.L. 1991. *Rhus hirta* (L.) Sudworth, a newly revived correct name for *Rhus typhina* L. (Anacardiaceae). Taxon 40: 489-492.
- Reveal, J.L., & F.R. Barrie. 1991. On the identity of *Hedysarum violaceum* Linnaeus (Fabaceae). Phytologia 71: 456-461.
- Riddell, J.L. 1834-35. Synopsis of the Flora of the Western States. Western Journal of the Medical & Physical Sciences 8: 329-374 (1834); 489-556 (1835). E. Deming, Cincinnati, Ohio.
- Rieseberg, L.H. 1995. The role of hybridization in evolution: old wine in new skins. American Journal of Botany 82: 944-953.
- Riley-Hulting, E.T., A. Delgado-Salinas & M. Lavin. 2004. Phylogenetic systematics of *Strophostyles* (Fabaceae): a North American temperate genus within a neotropical diversification. Systematic Botany 29: 627-653.
- Ripley, T.H., & J.P. McClure. 1963. Deer browse resources of north Georgia. U.S. Forest Service Resource Bulletin SE-2. Asheville, North Carolina. 21 pages.
- Robertson, K.R. 1974. The genera of Rosaceae in the southeastern United States. Journal of the Arnold Arboretum 55: 303-333; 344-401; 611-662.
- Robinson, B.L., & M.L. Fernald. 1908. Gray's New Manual of Botany. 7th edition. American Book Co., New York, New York.

- Robinson, H. 1960. The genus *Gerardia* in Tennessee. Journal of the Tennessee Academy of Science 35: 9-16.
- Robinson, H. 1986. A key to the common errors of cladistics. Taxon 35: 309-311.
- Rock, J. 2000. Managing rare plant populations with fire in Great Smoky Mountains National Park. Pages 116-119 in: D.A. Yaussey (ed.). Proceeding of a Workshop on Fire, People, and the Central Hardwoods Landscape. USDA Forest Service, General Technical Report NE-274.
- Roden, J.S., 2003. Modeling the light interception and carbon gain of individual fluttering aspen (*Populus tremuloides* Michx) leaves. Trees 17: 117-126.
- Rodgers, V.L., K.A. Stinson & A.C. Finzi. 2007. Ready or not, garlic mustard is moving in: *Alliaria petiolata* as a member of eastern North American forests. Bioscience 58: 1-11.
- Roeder, E., H. Wiedenfel & J.A. Edgar. 2015. Pyrrolizidine alkaloids in medicinal plants from North America. Die Pharmazie-An International Journal of Pharmaceutical Sciences, 70: 357-367.
- Roehm, K., & M.D. Moran. 2013. Is the coyote (*Canis latrans*) a potential seed disperser for the American persimmon (*Diospyros virginiana*)? American Midland Naturalist 169: 416-422.
- Rogers, H.J. 1941. The Flora of McCreary County, Kentucky. M.S. thesis. University of Kentucky, Lexington, Kentucky.
- Rogers, H.J. 1942. *Mosla dianthera* in North America. Castanea 7: 48-49. [See also, Transactions of the Kentucky Academy of Science 11: 62-63.]
- Rohrer, J.R., M.A. O'Brien & J.A. Anderson. 2008. Phylogenetic analysis of North American plums (*Prunus* sect. *Prunocerasus*: Rosaceae) based on nuclear *LEAFY* and *S6PDH* sequences. Journal of the Botanical Research Institute of Texas 2: 401-414.
- Rollins, R.C. 1993. The Cruciferae of Continental North America. Stanford University Press, Stanford, California.
- Romaschenko, K., P.M. Peterson, R.J. Soreng, O. Futorna & A. Susanna. 2011. Phylogenetics of *Piptatherum* s.l. (Poaceae: Stipeae): evidence for a new genus, *Piptatheropsis*, and resurrection of *Patis*. Taxon 60: 703-1716.
- Romero-Cerecero, O., A. Zamilpa-Álvarez, A. Ramos-Mora, D. Alonso-Cortés, J. Enrique Jiménez-Ferrer, M. Estrella Huerta-Reyes & J. Tortoriello. 2011. Effect on the wound healing process and in vitro cell proliferation by the medicinal Mexican plant *Ageratina pichinchensis*. Planta Medica 77: 979-983.
- Rosenthal, C.O. 1951. A new *Heuchera* from Missouri together with some notes on the *Heuchera parviflora* group. Rhodora 53: 105-109.
- Ross, J. 1882. Life and Times of Elder Reuben Ross. Grant, Faires and Rodgers, Philadelphia, Pennsylvania.
- Ross-Davis, A., Z-L. Huang, J. McKenna, M. Ostry & K. Woeste. 2008. Morphological and molecular methods to identify butternut (*Juglans cinerea*) and butternut hybrids: relevance to butternut conservation. Tree Physiology 28: 1127-1133.
- Rossell, C.R., S. Patch & S. Salmons. 2007. Effects of deer browsing on native and non-native vegetation in a mixed oak-beech forest on the Atlantic coastal plain. Northeastern Naturalist 14(1): 61-72.
- Rossell, C.R., K. Selm, H.D. Clarke, J.L. Horton, J.R. Ward & S.C. Patch. 2013. Impacts of beaver foraging on the federally threatened Virginia Spirea (*Spiraea virginiana*) along the Cheoah River, NC. Southeastern Naturalist 12: 439-447.

- Rotherham, I.D. 2005. Alien Plants and the Human Touch. *Journal of Practical Ecology and Conservation*, Special Series, No. 4: 63-76.
- Rothrock, P.E., & R.H. Wagner. 1975. *Eleocharis acicularis* (L.) R. & S.; the autecology of an acid tolerant sedge. *Castanea* 40: 279-289.
- Rothrock, P.E. A.A. Reznicek & A.L. Hipp. 2009. Taxonomic study of the *Carex tenera* group (Cyperaceae). *Systematic Botany* 34: 297-311.
- Rothrock, P.E., A.A. Reznicek & C.T. Bryson. 2011. Geographic range and morphological and chromosomal variability of *Carex molestiformis* (Cyperaceae) east of the Mississippi River. *Castanea* 76: 178-182.
- Royo, A.A., R. Collins, M.B. Adams, C. Kirschbaum & W.P. Carson. 2010. Pervasive interactions between ungulate browsers and disturbance regimes promote temperate forest herbaceous diversity. *Ecology*, 91, 93–105.
- Russell, N.H. 1965. Violets (*Viola*) of central and eastern United States: an introductory survey. *Sida* 2: 1-113.
- Russell, N.H., & A.C. Risser. 1960. The hybrid nature of *Viola emarginata* Brainerd. *Brittonia* 12: 298-305.
- Ryder, M.L. 1994. Fascinating *Fullonum*. *Circaeа* [Journal of the Association for Environmental Archaeology] 11: 23-31.
- Saeki, I., C.W. Dick, B.V. Barnes & N. Murakami. 2011. Comparative phylogeography of red maple (*Acer rubrum* L.) and silver maple (*Acer saccharinum* L.): impacts of habitat specialization, hybridization and glacial history. *Journal of Biogeography* 38: 992-1005.
- Salisbury, E. 1974. The variations in the reproductive organs of *Stellaria media* (sensu stricto) and allied species with special regard to their relative frequency and prevalent modes of pollination. *Proceedings of the Royal Society B* 185: 331-342.
- Santamour, F.S. 1965. Cytological studies in red and silver maples and their hybrids. *Bulletin of the Torrey Botanical Club* 92: 127–134.
- Santamour, F.S., & A.J. McArdle. 1983. Checklist of cultivars of North American ash (*Fraxinus*) species. *Journal of Arboriculture* 9: 271-276.
- Sarangi, D., L.D. Sandell, G.R. Kruger, S.Z. Knezevic, S.Irmak & A.J. Jhala. 2017. Comparison of herbicide programs for season-long control of glyphosate-resistant common waterhemp (*Amaranthus rudis*) in soybean. *Weed technology* 31: 53-66.
- Sargent, C.S. 1905 [first edition] and 1926 [second edition]. *Manual of the Trees of North America*. Houghton Mifflin Co., Boston, Massachusetts.
- Saltonstall, K., P.M. Peterson & R.J. Soreng. 2004. Recognition of *Phragmites australis* ssp. *americanus* (Poaceae: Arundinoideae) in North America: evidence from morphological and genetic analysis. *Sida* 21: 683-692. [See also: K. Saltonstall@ nps.gov/ plants/ alien/fact/ phau1.htm].
- Schaffner, J.H. 1914. Ecological varieties as illustrated by *Salix interior*. *The Ohio Naturalist* [became *Ohio J. Sci.*] 14: 255-256.
- Scheen, A.C., C. Lindqvist, C.G. Fossdal & V.A. Albert. 2008. Molecular phylogenetics of tribe Synandreae, a North American lineage of lamioid mints (Lamiaceae). *Cladistics* 24: 299–314.
- Schierenbeck, K.A. 2005. Japanese honeysuckle (*Lonicera japonica*) as an invasive species; history, ecology, and context. *Critical Reviews in Plant Sciences* 23: 391-400.

- Schilling, E.E., & A. Floden. 2012. Barcoding the Asteraceae of Tennessee, tribes Gnaphalieae and Inuleae. *Phytoneuron* 2012-99: 1–6.
- Schmalzer, P.A., T.S. Patrick & H.R. Deselm. 1985. Vascular flora of the Obed Wild and Scenic River. *Castanea* 50: 71-88.
- Schmitzer, V., R. Veberic & F. Stampar. 2012. European elderberry (*Sambucus nigra* L.) and American elderberry (*Sambucus canadensis* L.): botanical, chemical and health properties of flowers, berries and their products. Pages 127-144 in: C. Tuberoso (Ed.), *Berries: Properties, Consumption and Nutrition*. Nova Biomedical, Hauppauge & New York.
- Schnee, B.K., & D.M. Waller. 1986. Reproductive behavior of *Amphicarpa bracteata* (Leguminosae), an amphicarpic annual. *American Journal of Botany* 73: 376–386.
- Schitzler, A., & F. Essl. 2015. From horticulture and biofuel to invasion: the spread of *Miscanthus* taxa in the USA and Europe. *Weed Research* 55: 221–225.
- Schotz, A.R., & A.J. Datillo. 2012. Noteworthy collections: Alabama [*Elymus churchii*]. *Castanea* 77: 387-389.
- Schuylar, A.E. 1967. A taxonomic revision of North American leafy species of *Scirpus*. *Proceedings of the Academy of Natural Sciences of Philadelphia* 119: 295-323.
- Schwegman, J.E. 1982. A new species of *Oxalis*. *Phytologia* 50: 463-467.
- Schweitzer, S.H., F.C. Bryant & D.B. Webster. 1993. Potential forage species for deer in the southern mixed prairie. *Journal of Range Management* 46: 70-75.
- Scora, R.W. 1967. Interspecific relationships in the genus *Monarda* (Labiatae). *University of California Publications in Botany* 41: 1-71.
- Scott, R. & W.C. Sullivan. 2007. A review of suitable companion crops for black walnut. *Agroforestry Systems* 71: 185-193.
- Seaman, F.C. 1982. Sesquiterpene lactones as taxonomic characters in the Asteraceae. *Botanical Review* 48: 121-594.
- Seargent, M. 1942. Aquatic Seed Plants of Jefferson County, Kentucky and Its Environs. M.A. thesis. University of Louisville. Louisville, Kentucky.
- Seeman, M.F., & H.D. Wilson. 1984. The food potential of *Chenopodium* for the prehistoric midwest. Pages 299-316 in: P. Munson (ed). *Experiments and Observations on Aboriginal Wild Plant Food Utilization in Eastern North America. Prehistory Research Series* 6(2). Indiana Historical Society, Indianapolis.
- Seibert, S.G., & M.R. Pelton. 1994. Nutrient content of Squawroot, *Conopholis americana*, and its importance to southern Appalachian black bears, *Ursus americanus* (Carnivora: Ursidae). *Brimleyana* 21: 151-156.
- Semple, J.C. 1983. Range expansion of *Heterotheca camporum* (Compositae: Astereae) in the southeastern United States. *Brittonia* 35: 140-146.
- Semple, J.C., S.B. Heard & L. Brouillet. 2002. Cultivated and Native Asters of Ontario (Compositae: Astereae). *University of Waterloo Biology Series Number 41*. Dept. of Biology, Univ. of Waterloo, Ontario.
- Semple, J.C., & D. Estes. 2012. Discovery of *Solidago porteri* (Asteraceae: Astereae) in Alabama and Tennessee and a second population in Georgia. *Phytoneuron* 2014-45: 1-11.

- Simple, J.C., & K. Gandhi. 2012. Neotypification of *Solidago buckleyi* (Asteraceae: Astereae) and observations on its distribution. *Phytoneuron* 2012-111: 1-5.
- Simple, J.C., L. Tong, & P. Pastolero. 2012. Neotypification of *Solidago salicina* (Asteraceae: Astereae) and a multivariate comparison with *S. patula*. *Phytoneuron* 2012-55: 1–6.
- Simple, J.C., H. Rahman, S. Bzovsky, M.K. Sorour, K. Kornobis, R. Lopez Laphitz & L. Tong. 2015. A multivariate morphometric study of the *Solidago altissima* complex and *S. canadensis* (Asteraceae: Astereae). *Phytoneuron* 2014-10: 1–31.
- Senica, M., F. Stampar, R. Veberic & M. Mikulic-Petkovsek. 2017. The higher the better? Differences in phenolics and cyanogenic glycosides in *Sambucus nigra* leaves, flowers and berries from different altitudes. *Journal of the Science of Food and Agriculture* 97: 2623-2632.
- Sérandour, J., J. Willison, W. Thuiller, P. Ravanel, G. Lempérière, & M. Raveton. 2010. Environmental drivers for *Coquillettidia* mosquito habitat selection: a method to highlight key field factors. *Hydrobiologia* 652: 377-388.
- Sewell, M., & M.A. Vincent. 2006. Biosystematics of the *Phacelia ranunculacea* complex (Hydrophyllaceae). *Castanea* 71: 192-209.
- Shacklette, H.T. 1937. The Flora of Union County, Kentucky. M.S. thesis. University of Kentucky, Lexington, Kentucky.
- Shaler, N.S. 1884. Report on a belt of timbers on a line east and west from Columbus to Pound Gap. Pages 171-232 in: Geological Survey of Kentucky. Timber and Botany [Series] B. Yeoman Press, Frankfort [comprising reports initially published 1876-1880].
- Schaneberg, B. T., W.L. Applequist & I.A. Khan. 2002. Determination of aristolochic acid I and II in North American species of *Asarum* and *Aristolochia*. *Die Pharmazie* 57: 686-689.
- Sharma, O.P., R.K. Dawra, N.P. Kurade & P.D. Sharma. 1998. A review of the toxicosis and biological properties of the genus *Eupatorium*. *Natural Toxins*, 6: 1-14.
- Shaw, P.J., & K. Shackleton. 2011. Carnivory in the teasel *Dipsacus fullonum* – the effect of experimental feeding on growth and seed set. *PLOS One* 6: e17935.
- Shaw, J., & R.L. Small. 2004. Addressing the “hardest puzzle in American pomology:” phylogeny of *Prunus* sect. *Prunocerasus* (Rosaceae) based on seven noncoding chloroplast DNA regions. *American Journal of Botany* 91: 985-996.
- Shaw, J., & R.L. Small. 2005. Chloroplast DNA phylogeny and phylogeography of the North American plums (*Prunus* subgenus *Prunus* section *Prunocerasus*; Rosaceae). *American Journal of Botany* 92: 2011-2030.
- Short, C.W. 1828-29. *Prodromus florulae Lexingtoniensis, secundum florendi aetatum digestae*. *Transylvania Journal of Medicine and the Associated Sciences* 1: 92-99, 251-265, 407, 422, 560-575. 2: 438-453.
- Short, C.W. 1836. A sketch of the progress of botany in western America. *Transylvania Journal of Medicine and Associated Sciences* 9: 324-350. Reprinted: 1841. [Hooker’s] *Journal of Botany* 3: 97-124.
- Short, C.W., R. Peter & H.A. Griswold. 1833. Catalogue of the native phaenogamus plants and ferns of Kentucky. *Transylvania Journal of Medicine and the Associated Sciences* 6: 490-501.
- Short, C.W., & R. Peter. 1834. A supplementary catalogue of the plants of Kentucky. *Transylvania Journal of Medicine and the Associated Sciences* 7: 598-600.

- Short, C.W., & R. Peter. 1835. A second supplementary catalogue of the plants of Kentucky. *Transylvania Journal of Medicine and the Associated Sciences* 8: 575-582.
- Short, C.W. 1837. Third supplementary catalogue of the plants of Kentucky. *Transylvania Journal of Medicine and Associated Sciences* 10: 336-340.
- Short, C.W. 1840. A fourth supplementary catalogue of the plants of Kentucky. *Western Journal of Medicine* 2: 283-288.
- Shrestha, P., & J.D. Lubell. 2015. Suitability of eight northeastern US native shrubs as replacements for invasive plants in a difficult landscape site with white-tailed deer pressure. *HortTechnology* 25: 171-176.
- Shukla, R., S. Srivastava, P.K. Dwivedi, S. Sarkar, S. Gupta & A. Mishra. 2013. Preliminary pharmacognostical and phytochemical investigations on the various part of *Typha angustifolia*. *International Journal of Biological and Pharmaceutical Research* 4: 19-22.
- Sickels, F.A., & R.L. Simpson. 1985. Growth and survival of giant ragweed (*Ambrosia trifida* L.) in a Delaware River freshwater tidal wetland. *Bulletin of the Torrey Botanical Club* 112: 368-375.
- Sieren, D.J. 1981. The taxonomy of the genus *Euthamia*. *Rhodora* 83: 551-579.
- Simmers, R.W., & R. Kral. 1982. A new species of *Blephilia* from northern Alabama. *Rhodora* 94: 1-14.
- Simon, M.F., R.G. Luciano, P. de Queiroz, T.E. Särkinen, V.F. Dutra & C.E. Hughes. 2011. The evolutionary history of *Mimosa* (Leguminosae): toward a phylogeny of the sensitive plants. *American Journal of Botany* 98: 1201-1221.
- Sinclair, A., & P.M. Catling. 2001. Cultivating the increasingly popular medicinal plant, goldenseal: review and update. *American Journal of Alternative Agriculture* 16: 131-140.
- Sinclair, A., & P.M. Catling. 2004. Restoration of *Hydrastis canadensis*: experimental test of a disturbance hypothesis after two growing seasons. *Restoration Ecology* 12: 184-189.
- Skogen, K.A., L. Senack & K.E. Holsinger. 2010. Dormancy, small seed size and low germination rates contribute to low recruitment in *Desmodium cuspidatum* (Fabaceae). *Journal of the Torrey Botanical Society* 137: 355-365.
- Slack, M. 1941. A Survey of the Flora of Cherokee Park [Louisville, Kentucky], 1937-1941. M.S. thesis. Cornell University, Ithaca, New York.
- Slater, M.A., & R.C. Anderson. 2014. Intensive selective deer browsing favors success of *Asimina triloba* (Paw Paw) a native tree species. *Natural Areas Journal* 34: 178-187.
- Small, R.K. 1898. Studies in the botany of the southeastern United States.—XIV. *Rudbeckia truncata*. *Bulletin of the Torrey Botanical Club* 25: 475-480.
- Small, R.K. 1903. Flora of the Southeastern United States. 1st edition. Published by the author, New York, New York.
- Small, R.K. 1913. Flora of the Southeastern United States. 2nd edition. Published by the author, New York, New York.
- Small, R.K. 1933. Manual of the Southeastern Flora. University of North Carolina Press, Chapel Hill, North Carolina. 1554 pages.
- Šmarda, P., L. Horová, O. Knápek, H. Dieck, M. Dieck, K. Ražná, P. Hrubík et al. 2018. Multiple haploids, triploids, and tetraploids found in modern-day “living fossil” *Ginkgo biloba*. *Horticulture Research* 5: 55, 12 pages.

- Smida, I., C. Charpy-Roubaud, S.Y. Cherif, F. Torre, G. Audran, S. Smiti & J. Le Petit, J. 2015. Antibacterial properties of extracts of *Ludwigia peploides* subsp. *montevidensis* and *Ludwigia grandiflora* subsp. *hexapetala* during their cycle of development. *Aquatic Botany* 121: 39-45.
- Smith, A.R., K.M. Pryer, E. Schuettpelz, P. Korall, H. Schneider & P.G. Wolf. 2006. A classification of extant ferns. *Taxon* 55: 705-731.
- Smith, B. 2006. Eastern North America as an independent center of plant domestication. *Proceedings of the National Academy of Science* 103: 12223-12228.
- Smith, E.D. 1976. A biosystematic survey of *Coreopsis* in eastern United States and Canada. *Sida* 6: 123-215.
- Smith, D.M. 1960. The chromosome number of *Helianthus decapetalus*. *Transactions of the Kentucky Academy of Science* 21: 17-19.
- Smith, H.H. 1923, 1928, 1932. Ethnobotany of the Menomini Indians; Ethnobotany of the Meskwaki Indians; Ethnobotany of the Ojibwe Indians. *Bulletin of the Public Museum of the City of Milwaukee* 4:1-174, 4:175-326, 4:327-525.
- Smith, R.A., P. Scharko, D. Bolin & C.B. Hong. 2000. Intoxication of sheep exposed to Ozark Milkweed (*Asclepias viridis* Walter). *Veterinary and Human Toxicology* 42: 349-50.
- Smith, R.M. 1977. The Celastraceae Alkaloids. *The Alkaloids: Chemistry and Physiology* 16: 215-248. Academic Press, New York.
- Smith, T.W., & M.J. Waterway. 2008a. Evaluating species limits and hybridization in the *Carex complanata* complex using morphology, amplified fragment length polymorphisms, and restriction fragment analysis. *Botany (NRC Research Press)* 86: 809-826.
- Smith, T.W., & M.J. Waterway. 2008b. Evaluating the taxonomic status of the globally rare *Carex roanensis* and allied species using morphology and amplified fragment length polymorphisms. *Systematic Botany* 33: 525-535.
- Soltis, D.E., P.S. Soltis, P.K. Endress & M.W. Chase. 2005. *Phylogeny and Evolution of Angiosperms*. Sinauer, Sunderland, Massachusetts.
- Soltis, D.E., P.S. Soltis, D.W. Schemske, J.F. Hancock, J.N. Thompson, B.C. Husband & W.S. Judd. 2008. Autopolyploidy in angiosperms: have we grossly underestimated the number of species? *Taxon* 56: 13-30.
- Sorrie, B.A. 2012. A new combination in *Viburnum* section *Odontotinus* (Adoxaceae). *Phytoneuron* 2012-29: 1-2.
- Soteres, J.K., & D.S. Murray. 1982. Root Distribution and Reproductive Biology of Honeyvine Milkweed (*Cynanchum laeve*). *Weed Science* 30: 158-163.
- Soulimani, R., C. Younos, S. Jarmouni, D. Bousta, R. Misslin & F.s Mortier. 1997. Behavioural effects of *Passiflora incarnata* L. and its indole alkaloid and flavonoid derivatives and maltol in the mouse. *Journal of Ethnopharmacology* 57: 11-20.
- Southeast Exotic Pest Plants Council. 2011 (ongoing). Early Detection and Distribution Mapping System (<http://www.eddmaps.org/southeast/distribution/>). Center for Invasive Species and Ecosystem Health, University of Georgia, Athens.
- Spaulding, D.D. 2013a. Key to the dodders (*Cuscuta*, Convolvulaceae) of Alabama and adjacent states. *Phytoneuron* 2013-74: 1-15.

- Spaulding, D.D. 2013b. Key to the bindweeds (*Calystegia* / *Convolvulus*, Convolvulaceae) of Alabama and adjacent states. *Phytoneuron* 2013-83: 1–12.
- Sporne, K.R. 1982. The advancement index vindicated. *New Phytologist* 91: 137-145.
- Sridhar, K.R., & R. Bhat. 2007. Lotus-A potential nutraceutical source. *Journal of Agricultural Technology* 3: 143-155.
- Stace, C. 1997. New Flora of the British Isles. Second edition. University of Cambridge Press, Cambridge, England. 1130 pp.
- Starkenmann, C., L. Luca, Y. Niclass, E. Praz & D. Roguet. 2006. Comparison of volatile constituents of *Persicaria odorata* (Lour.) Sojak (*Polygonum odoratum* Lour.) and *Persicaria hydropiper* L. Spach (*Polygonum hydropiper* L.). *Journal of Agricultural and Food Chemistry* 54: 3067-3071.
- Steckel, L.E., & M.A. McClure. 2015. "Oh, Beautiful Star-of-Bethlehem (*Ornithogalum umbellatum*)." *Weed Technology* 29: 874-877.
- Stevens, J.F., M. Ivancic, M.L. Deinzer & E. Wollenweber. 1999. A novel 2-hydroxyflavanone from *Collinsonia canadensis*. *Journal of Natural Products* 62: 392-394.
- Stevens, P.F. 2012 (continuing). Angiosperm Phylogeny Website. Version 9, June 2008: <http://www.mobot.org/MOBOT/research/APG/>.
- Stewart, J.F., C.G. Tauer & C.D. Nelson. 2012. Bidirectional introgression between loblolly pine (*Pinus taeda* L.) and shortleaf pine (*P. echinata* Mill.) has increased since the 1950s. *Tree Genetics & Genomes* 8: 725-735.
- Stewart, J.F., R.E. Will, K.M. Robertson & C.D. Nelson. 2015. Frequent fire protects shortleaf pine (*Pinus echinata*) from introgression by loblolly pine (*P. taeda*). *Conservation Genetics* 16: 491-495.
- Stewart, M.J., & V. Steenkamp. 2001. Pyrrolizidine poisoning: a neglected area in human toxicology. *Therapeutic Drug Monitoring* 23: 698-708.
- Steyermark, J.A. 1963. Flora of Missouri. Iowa State University Press, Ames, Iowa.
- Strakosh, T.R., J.L. Eitzmann, K.B. Gido & C.S. Guy. 2005. The response of water willow *Justicia americana* to different water inundation and desiccation regimes. *North American Journal of Fisheries Management* 25: 1476-1485.
- Stoneberg-Holt, S.D., L. Horova, P. Bures, J. Janecek & V. Cernoch. 2003. Molecular variability in *Poa pratensis* agg. in Montana. Pages 89 in Monocots III. The Third International Conference on the Comparative Biology of the Monocotyledons & The Fourth International Symposium on Grass Systematics and Evolution. Claremont, California, U.S.A.
- Strausbaugh, P.D., & E.L. Core. 1977. Flora of West Virginia. Seneca Books, Grantsville, West Virginia.
- Stuessy, T.F., & C. König. 2008. Patrocladistic classification. *Taxon* 57: 594-601.
- Sudbrink, D.L., J.F. Grant, & P.L. Lambdin. 2001. Incidence of Canada thistle, *Cirsium arvense* (Asteraceae) along interstate highways in Tennessee. *Castanea* 66: 401-406.
- Sullivan, J. 2004. The genus *Physalis* (Solanaceae) in the southeastern United States. *Rhodora* 106: 305-326.
- Swain, E., & J.E. Poulton. 1994. Immunocytochemical localization of prunasin hydrolase and mandelonitrile lyase in stems and leaves of *Prunus serotina*. *Plant Physiology* 106: 1285-1291.

- Swan, D.C. 2010. The North American Lotus (*Nelumbo lutea* Willd Pers.) - Sacred Food of the Osage People. Ethnobotany Research and Applications 8: 249-253.
- Swink, F., & G. Wilhelm. 1994. Plants of the Chicago Region, Indiana Academy of Science, Indianapolis. 932 pages.
- Taft, J.B., G.S. Wilhelm, D.M. Ladd, & L.A. Masters. 1997. Floristic quality assessment for vegetation in Illinois, a method for assessing vegetation integrity. *Erigenia* 15: 3-95.
- Taft, J.B., C. Hauser, & K.R. Robertson. 2006. Estimating floristic integrity in tallgrass prairie. *Biological Conservation* 131: 42-51.
- Tago, Y., M. Wei, N. Ishii, A. Kakehashi & H. Wanibuchi. 2010. Evaluation of the subchronic toxicity of dietary administered *Equisetum arvense* in F344 rats. *Journal of Toxicologic Pathology* 23: 245-251.
- Takahashi, T., T. Shishido, S. Ogura & S. Sato. 2009. Effects of above-ground damage due to cattle grazing on the survival and regrowth of *Miscanthus sinensis* tillers. *Japanese Journal of Grassland Science* 55: 15-20.
- Tallamy, D.W. 2009. Bringing Nature Home: how you can sustain wildlife with native plants [updated and expanded]. Timber Press, Portland. 358 pages.
- Tanis, S.R., & D.G. McCullough. 2012. Differential persistence of blue ash and white ash following emerald ash borer invasion. *Canadian Journal of Forest Research* 42: 1542-1550.
- Terasmae, J. 1960. A palynological study of Pleistocene interglacial beds at Toronto, Ontario. Contribution to Canadian Palynology No. 2, Part II. Geological Survey of Canada Bulletin 56: 23-41.
- Terrell, E.E. 1996. Revision of *Houstonia* (Rubiaceae-Hedyotidae). *Systematic Botany Monographs* 48: 1-118.
- Terrell, E.E. 2001. Taxonomy of *Stenaria* (Rubiaceae: Hedyotideae), a new genus including *Hedyotis nigricans*. *Sida* 19: 591-614.
- Thieret, J.W. 1973. Sex and the angiosperms. *Sida* 5: 59-60. [See response of Wagner, W.H. 1975. Sex and the angiosperms: another proposition. *Sida* 6: 63-66.]
- Thieret, J.W., & J. R. Baird. 1985. *Thlaspi alliaceum* (Cruciferae) in Kentucky and Indiana. *Transactions of the Kentucky Academy of Science* 46: 145-147.
- Thimonier, A., J.L. Dupouey, F. Bost, & M. Becker. 2006. Simultaneous eutrophication and acidification of a forest ecosystem in North-East France. *New Phytologist* 126: 533-539.
- Thomas, J.R. 2015. Revision of *Dichanthelium* sect. *Lanuginosa* (Poaceae). *Phytoneuron* 2015-50: 1-58.
- Thomas, P.A., M. El-Barghathi & A. Polwart. 2011. Biological Flora of the British Isles: *Euonymus europaeus* L. *Journal of Ecology* 99: 345-365.
- Thomassie, G., A. Shadow & M. Brakie. 2012. Plant guide for ashy sunflower (*Helianthus mollis* Lam.). USDA-Natural Resources Conservation Service, Golden Meadow Plant Materials Center. Galliano, Louisiana.
- Thompson, A.C., G.F. Nicollier & D.F. Pope. 1987. Indolealkylamines of *Desmanthus illinoensis* and their growth inhibition activity. *Journal of Agricultural and Food Chemistry* 35: 361-365.
- Thompson, R.L., & F.D. Noe. 2003. American mistletoe (*Phoradendron leucarpum*, Viscaceae) in Rockcastle County, Kentucky. *Journal of the Kentucky Academy of Science* 64: 29-35.

- Thompson, R.L., & D.B. Poindexter. 2006. Vascular flora of the Elk and Bison Prairie, Land Between the Lakes National Recreation Area, Trigg County, Kentucky. *Castanea* 71: 105-123.
- Thompson, R.L., D.B. Poindexter, K. Rivers Thompson, and P.F. Threadgill. 2013. *Thlaspi alliaceum* (Brassicaceae) naturalized in Georgia, Missouri, and North Carolina. *Phytoneuron* 2013-86: 1–13.
- Thorne, R.F. 1981. A synopsis of the class Angiospermae (Annonopsida). Pages 277-295 in: D.A. Young & D.S. Seigler (eds). *Phytochemistry and Angiosperm Phylogeny*. Praeger Publishers, New York, New York.
- Threadgill, P.F. 1981. The ecological life-cycle of *Frasera carolinensis*, a long-lived monocarpic perennial. *American Midland Naturalist* 105: 277-289.
- Tian, T., Chen H. & Zhao Y.Y. 2014. Traditional uses, phytochemistry, pharmacology, toxicology and quality control of *Alisma orientale* (Sam.) Juzep: a review. *Journal of Ethnopharmacology* 158: 373-387.
- Timmerman-Erskine, M., J. Ballenger, R.R. Dute & R.S. Boyd. 2003. Allozyme investigation of the *Trillium pusillum* Michaux complex (Trilliaceae): taxonomic and conservation implications. *Journal of the Torrey Botanical Society* 130: 1-10.
- Todd, J.B. 1927. Winter food of cottontail rabbits. *Journal of Mammalogy* 8: 222-228.
- Torrey, J., & A. Gray 1838-1843. A Flora of North America. 2 vols. Wiley & Putnam, New York, New York.
- Torrey, R.H. 1931. Frost flowers reported 100 years ago. *Torreya* 31: 148-149.
- Townsend, D.S., Meyer, A.D. 2002. Rapid recovery of witch hazel (*Hamamelis virginiana* L.) by sprouting, following release from white-tailed deer (*Odocoileus virginianus* Zimm.) browsing. *Natural Areas Journal* 22: 290-295.
- Townsend, J.F. 1997. An unusual concentration of the federally endangered *Schwalbea americana* L. (Scrophulariaceae) in South Carolina. *Castanea* 62: 281-282.
- Townsend, J.F. 2013. Recognition of *Boltonia asteroides* var. *glastifolia* and reestablishment of a more restrictive taxonomic concept for *Boltonia asteroides* var. *asteroides*. *Phytoneuron* 2013-9: 1–8.
- Trauth-Nare, A.E., & R.F.C. Naczi. 1998. Taxonomic status of the varieties of Seneca Snakeroot, *Polygala senega* (Polygalaceae). Suppl. to *American Journal of Botany* 85: 163 (abstract). [See also *Transactions of the Kentucky Academy of Science* 58: 39.]
- Treiber, M. 1980. Biosystematics of the *Arisaema triphyllum* complex. Ph.D. Dissertation. University of North Carolina, Chapel Hill, North Carolina.
- Triplett, J.K., A.S. Weakley & L.G. Clark. 2006. Hill Cane (*Arundinaria appalachiana*), a new species of bamboo (Poaceae: Bambusoideae) from the Southern Appalachian Mountains. *Sida* 22: 79-95.
- Triplett, J.K., & L.G. Clark. 2010. Phylogeny of the temperate bamboos (Poaceae: Bambusoideae: Bambuseae) with an emphasis on *Arundinaria* and its allies. *Systematic Botany* (in press).
- Trusty, J.L., B.G. Lockaby, W.C. Zipperer & L.R. Goertzen. 2008. Horticulture, hybrid cultivars and exotic plant invasion: a case study of *Wisteria* (Fabaceae). *Botanical Journal of the Linnaean Society* 158: 593-601.

- Tsao, R., R. Yang & J.C. Young. 2003. Antioxidant isoflavones in osage orange, *Maclura pomifera* (Raf.) Schneid. Journal of Agricultural and Food chemistry 51: 6445-6451.
- Tucker, A.O., & D.E. Fairbrothers. 1990. The origin of *Mentha × gracilis* (Lamiaceae). I. Chromosome numbers, fertility, and three morphological characters. Economic Botany 44: 183-213.
- Tucker, A.O., & N.H. Dill. 1989. Nomenclature and distribution of *Eupatorium × truncatum*, with comments on the status of *E. resinosum* var. *kentuckiense* (Asteraceae). Castanea 54: 43-48.
- Tucker, A.O., & M.E. Preston & H.H. Iltis. 1989. History of the LCU herbarium. Taxon 38: 196-203.
- Tucker, A.O., M.J. Maciarello, P.W. Burbage & G. Sturtz. 1994. Spicebush [*Lindera benzoin* (L.) Blume var. *benzoin*, Lauraceae]: a tea, spice, and medicine. Economic Botany 48: 333-336.
- Tucker, A.O., & H.L. Chambers. 2002. *Mentha canadensis* L. (Lamiaceae): a relict amphidiploid from the Lower Tertiary. Taxon 51: 703-718.
- Tucker, A.O., & R.F.C. Naczi. 2007. *Mentha*: an overview of its classification and relationships. Pages 1-39 in: B.M. Lawrence (ed.). Mint: the Genus *Mentha*. Medicinal and Aromatic Plants – Industrial Profiles. Vol. 44. CRC Press, Boca Raton, Florida.
- Tucker, G.C. 1989. The genera of Commelinaceae in the southeastern United States. Journal of the Arnold Arboretum 70: 97-130.
- Tutin, T.G., V.H. Heywood, N.A. Burges, D.H. Valentine, S.M. Walters, and D.A. Webb. 2001. Flora Europaea. Cambridge University Press. [On CD as compilation of 5 vols. published 1964 to 1993.]
- Turner, B.L. 1995. Synopsis of the genus *Onosmodium* (Boraginaceae). Phytologia 78: 39-60.
- Ude, C., M. Schubert-Zsilavecz & M. Wurglics. 2013. *Ginkgo biloba* extracts: a review of the pharmacokinetics of the active ingredients. Clinical Pharmacokinetics 52: 727-749.
- U.S.D.A. Natural Resources Conservation Service [NRCS]. 2012. PLANTS Database [<http://plants.usda.gov>]. National Plant Data Center, Baton Rouge, Louisiana.
- U.S. Drug Enforcement Administration. 1992. Cannabis Yields. Report by Mississippi State University, 11 pages [available at <http://www.equalrights4all.org/LegalPros/dea92.pdf>].
- Valder, P. 1995. Wisterias: a comprehensive guide. Timber Press, Portland, Oregon.
- Van Driesche, R.V., B. Blossey, M. Hoddle, S. Lyon, R. Reardon. 2002. Biological control of invasive plants in the eastern United States. U.S. Forest Service: Forest Health Technology Enterprise Team—Morgantown, West Virginia. FHTET-2002-04.
- Van Uytvanck, & M. Hoffman. 2009. Impact of grazing management on forest ground flora and bramble understorey. Acta Oecologica 35: 523-532.
- Vasiliauskas, S.A., & L.W Aarssen. 1992. Sex ratio and neighbor effects in monospecific stands of *Juniperus virginiana*. Ecology 73: 622-632.
- Veldkamp, J.F. 2009. The authorship of *Bromus pubescens* (Gramineae). Journal of the Torrey Botanical Society 136: 137-138.
- Venkatesha, S.H., & K.D. Moudgil. 2016. Celastrol and its role in controlling chronic diseases. In: Gupta S., Prasad S., Aggarwal B. (eds). Anti-inflammatory Nutraceuticals and Chronic Diseases. Advances in Experimental Medicine and Biology 928: 267-289.. Springer, Cham.

- Verdcourt, B. 2004. The variation of *Sida rhombifolia* L. (Malvaceae) in East Africa. Kew Bulletin 59: 233-239.
- Verlooove F. 2016. Manual of the Alien Plants of Belgium. Botanic Garden of Meise, Belgium [alienplantsbelgium.be].
- Vetter, J. 2004. Poison hemlock (*Conium maculatum* L.). Food and Chemical Toxicology 42: 1373-1382.
- Vincent, M.A. 2001. The genus *Trifolium* in Kentucky. Journal of the Kentucky Academy of Science 62: 1-17.
- Vincent, M.A. 2004a. Spread of *Fatoua villosa* (mulberry weed; Moraceae) in North America. Journal of the Kentucky Academy of Science 65: 67-75.
- Vincent, M.A. 2004b. Vegetative proliferation in *Eragrostis minor* (little lovegrass; Poaceae). Journal of the Kentucky Academy of Science 65: 67-75.
- Vincent, M.A. 2005. On the spread and current distribution of *Pyrus calleryana* in the United States. Castanea 70: 20-31.
- Vogel, S. 2009. Leaves in the highest and lowest winds: temperature, force and shape. New Phytologist 183: 13–26.
- Villari, C., D.A. Herms, J.G.A. Whitehill, D. Cipollini & P. Bonello. 2016. Progress and gaps in understanding mechanisms of ash tree resistance to emerald ash borer, a model for wood-boring insects that kill angiosperms. New Phytologist 209: 63-79.
- Waggy, M.A. 2010. *Hedera helix*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. <<https://www.fs.fed.us/database/feis/plants/vine/hedhel/all.html>>
- Wakeland, B., & R.K. Swihart. 2009. Ratings of white-tailed deer preferences for woody browse in Indiana. Proceedings of the Indiana Academy of Science 118: 96-101.
- Walck, J.L. 2000. Chromosome number of the sandstone rockhouse endemic *Thalictrum mirabile* (Ranunculaceae), and clarification of its endemism. Journal of the Kentucky Academy of Science 61: 62-63.
- Walck, J.L., J.M. Baskin, C.C. Baskin & S.W. Francis. 1996. Sandstone rockhouses of the eastern United States, with particular reference to the ecology and evolution of the endemic plant taxa. Botanical Review 62: 311-362.
- Walck, J.L., & S.N. Hidayati. 2007. Ombrohydrochory and its relationship to seed dispersal and germination strategies in two temperate North American *Oenothera* species (Onagraceae). International Journal of Plant Science 168: 1279-1290.
- Wallender, E. 2008. Systematics of *Fraxinus* (Oleaceae) and evolution of dioecy. Plant Systematics and Evolution 273: 25-49.
- Wamelink, G.W.W., V. Joosten, H.F. van Dobben, & F. Berendse. 2002. Validity of Ellenberg indicator values judged from physico-chemical field measurements. Journal of Vegetation Science 13: 269-278.
- Wang, C., M.H. Perlin, R.R. Van Stockum Jr., C.H. Hamilton & D.B. Wagner. 1997. Chloroplast DNA polymorphisms in *Tsuga canadensis* and *Tsuga caroliniana*. Canadian Journal of Forest Research 27: 1329-1335.
- Wang, M-M., Chen H-B., Wang J-H., Song Z-Q. & Li S-B. 2010. Genetic relationship of *Chaenomeles* cultivars revealed by SRAP analysis. Scientia Agricultura Sinica 2010-03.
- Wang, S-C., & J.H. Hart. 2007. Heartwood extractives of *Maclura pomifera* and their role in decay resistance. Wood and Fiber Science 15: 290-301.

- Wang, W-G., X-H. Su, X-Y. Tang, Y-Q. Hou & Q-C. Hu. 2013. Environmental risk assessment and management of exotic wetland plants used for treatment of rural domestic sewage. *Journal of Ecology and Rural Environment* 29: 191-196.
- Ward, D.B. 1998. *Pueraria montana*: the correct scientific name of the kudzu. *Castanea* 63: 76-77.
- Ward, D.B. 2004a. *Acer floridanum*: the correct scientific name for the Florida maple. *Castanea* 69: 230-233.
- Ward, D.B. 2004b. New combinations in the Florida flora II. *Novon* 14: 365-371.
- Ward, D.B. 2006. Keys to the Flora of Florida – 14, *Viola* (Violaceae). *Phytologia* 83: 242-252.
- Ward, D.B. 2007. Keys to the flora of Florida— 17, *Ruellia* (Acanthaceae). *Phytologia* 89: 293-299.
- Ward, D.B. 2011. *Yucca filamentosa* and *Yucca flaccida* (Agavaceae) are distinct taxa in their type localities. *Castanea* 76:222-228.
- Ward, D.B., & J.H. Wiersema. 2008. Proposal to reject the name *Juglans alba* (*Carya alba*) (Juglandaceae). *Taxon* 57: 308-309.
- Ward, J. K., T.E. Dawson & J.R. Ehleringer. 2002. Responses of *Acer negundo* genders to interannual differences in water availability determined from carbon isotope ratios of tree ring cellulose. *Tree Physiology* 22: 339-346.
- Ware, D.M.E. 1983. Genetic fruit polymorphism in North American *Valerianella* (Valerianaceae) and its taxonomic implications. *Systematic Botany* 8: 33-44.
- Warnock, M.J. 1995. A taxonomic conspectus of North American *Delphinium*. *Phytologia* 78: 73-101.
- Warren, J. 2015. Is wind-mediated passive leaf movement an effective form of herbivore defence? *Plant Ecology and Evolution* 148: 52-56.
- Wawrosch, C., B. Kopp & H. Wiederfield. 2000. Permanent monitoring of pyrrolizidine alkaloid content in micropropagated *Tussilago farfara* L.: a tool to fulfill statutory demands for the quality of coltsfoot in Austria and Germany/ *Acta Horticulturae* 530: 469-472.
- Weakley, A.S. 2015. Flora of the Southern and Mid-Atlantic States. University of North Carolina Herbarium, University of North Carolina, Chapel Hill. [This is a working draft available at <http://www.herbarium.unc.edu/flora.htm>.]
- Weakley, A.S., R.J.. LeBlond, B.A. Sorrie, C.T. Witsell. L.D. Estes, K. Gandhi, K.G. Mathews & A. Ebihara. 2011. New combinations, rank changes, and nomenclatural and taxonomic notes in the vascula flora of the southeastern United States. *Journal of the Botanical Research Institute of Texas* 5: 437-455.
- Weakley, A.S., D.B. Poindexter, R.J. LeBlond, B.A. Sorrie, C.H. Karlsson, P.J. Williams, E.L. Bridges et al. 2017. New combinations, rank changes, and nomenclatural and taxonomic comments in the vascular flora of the southeastern United States. II. *Journal of the Botanical Research Institute of Texas* 11: 291-325.
- Webb, D.H. 1987. Notes on disjunct populations of *Listera australis* Lindl. from Kentucky and Tennessee. *Castanea* 43: 23-25.
- Webb, W. S. & W. D. Funkhouser. 1936. Rockshelters in Menifee County, Kentucky. Publication of the Department of Anthropology & Archaeology, University of Kentucky 3: 129-167.
- Weber, H.E. 1995. *Rubus*. In H.J. Conert et al. (eds), Gustav Hegi—Illustrierte Flora von Mitteleuropa [3rd edition]. 4.2a: 284-595. Blackwell, Berlin, Germany.

- Weckman, T.J. 2000. Nannyberry (*Viburnum lentago* L.: Caprifoliaceae) excluded from the Kentucky flora. Journal of the Kentucky Academy of Science 61: 30-33.
- Weckman, T.J., J.E. Weckman, R.L. Thompson, & D.L. White. 2002. Noteworthy collections of Kentucky—new records and a summary of naturalized *Viburnum* taxa. Castanea 67: 104-106.
- Weeks, S.S., & H.P. Weeks. 2012. Shrubs and Woody vines of Indiana and the Midwest: Identification, Wildlife Values, and Landscaping Use. Purdue University Press, West Lafayette, Indiana. 463 pages.
- Wells, E.F. 1984. A revision of the genus *Heuchera* (Saxifragaceae) in eastern North America. Systematic Botany Monographs 3: 45-121.
- Weishaert, C.G. 1971. Vascular Plants of Ohio. 3rd edition. Kendall/Hunt Publishing Company, Dubuque, Iowa.
- Werier, D.A. 2006. *Carex reznicekii*, a new widespread species of *Carex* Section *Acrocystis* (Cyperaceae) from eastern North America. Sida 22: 1049-1070.
- Werth, C.R., A.M. Evans & D.M.E. Ware. 1988. The southern woodfern *Dryopteris ×australis* in Tennessee and Virginia. Castanea 53: 263–271.
- Wharton, M.E. 1945. Floristics and Vegetation of the Devonian-Mississippian Black Shale Region of Kentucky. Ph.D. dissertation. University of Michigan, Ann Arbor, Michigan.
- Wharton, M.E., & R.W. Barbour. 1991. Bluegrass Land and Life: Land Character, Plants, and Animals of the Inner Bluegrass Region of Kentucky; Past, Present, and Future. University Press of Kentucky, Lexington, Kentucky.
- Wherry, E.T. 1955. The Genus *Phlox*. Morris Arboretum, Philadelphia, Pennsylvania.
- White, D.L., & N.C. Drozda. 2006. Status of *Solidago albopilosa* Braun (white-haired goldenrod) [Asteraceae], a Kentucky endemic. Castanea 71: 124-128.
- Whitehead, M.R., & C.R. Brown. 1940. The seed of the spider lily, *Hymenocallis occidentalis*. American Journal of Botany 27: 199-203.
- Whitson, M., L. Trauth & A. Tullis. 2009. Documenting the distribution of *Portulaca oleracea* in Kentucky. Journal of the Kentucky Academy of Science 70: 94-96.
- Whittemore, A.T. 2004. Sawtooth oak (*Quercus acutissima*, Fagaceae) in North America. Sida 21: 447-454.
- Whittemore, A.T. 2006. Notes on southwestern Moraceae. Sida 22: 769-775.
- Whittemore, A.T. 2011. *Ulmus americana* (Ulmaceae) is a polyploid complex. American Journal of Botany 98: 754-760.
- Whittemore, A.T., & K.C. Nixon. 2005 (1683) Proposal to reject the name *Quercus prinus* (Fagaceae). Taxon 54: 213-214.
- Whittemore, A.T., J.J.N. Campbell, Z.L. Xia, C.H. Carlson, D. Atha & R.T. Olsen. 2018. Ploidy variation in *Fraxinus* L. (Oleaceae) of eastern North America: genome size diversity and taxonomy in a suddenly endangered genus. International Journal of Plant Sciences 179: 377-389.
- Widrlechner, M.P. 1998. The genus *Rubus* L. in Iowa. Castanea 63: 415-465.
- Widrlechner, M.P., J.R. Thompson, J.K. Iles & P.M. Dixon. 2004. Models for predicting the risk of naturalization of non-native woody plants in Iowa. Journal of Environmental

- Horticulture, 22, 23–31.
- Wieboldt, T.F., & J.C. Semple. 2003. *Solidago faucibus* (Asteraceae: Astereae), a new mesic forest goldenrod from the Appalachian Mountains. *Sida* 20: 1595-1603.
- Wiegand, K.M. 1912. The genus *Amelanchier* in eastern North America. *Rhodora* 14: 117-161.
- Wight, W.F. 1915. Native American species of *Prunus*. Bulletin of the U.S. Department of Agriculture 179, 75 pages.
- Wilbur, H. 1976. Life history evolution in seven milkweeds of the genus *Asclepias*. *Journal of Ecology* 64: 223-240.
- Wilbur, R.L. 1988. The correct scientific name of the pale, yellow, or white gentian of the eastern United States. *Sida* 13: 161-165.
- Wilbur, R.L. 2003. What is the correct name for the bristly greenbrier? *Rhodora* 105: 250-259.
- Wildberger, R.H. 1880. Some plants of Franklin County, Kentucky. *Botanical Gazette* 5: 44-45, 70-71.
- Wilhalm, T. 2008. *Digitaria ciliaris* in Europe. *Willdenowia* 39: 247–259
- Wilkins, G.R. 1985. Late-Quaternary vegetational history at Jackson Pond, Larue County, Kentucky. M.S. thesis. University of Tennessee, Knoxville, Tennessee.
- Williams, S.C., U. Ramakrishnan & J.S. Ward. 2006. Deer damage management options. Connecticut Agricultural Experiment Station, Bulletin 1005. 14 pages.
- Willis, R.J. 2000. *Juglans* spp., juglone and allelopathy. *Allelopathy Journal* 7:1-55
- Wilson, L. M. 1976. A Distributional Survey of the Vascular Plants of Sandy Branch in the Loess Bluff Area of Carlisle County, Kentucky. M.S. thesis. Murray State University, Murray, Kentucky.
- Windham, M.D., & I.A. Al-Shehbaz. 2007. New and noteworthy species of *Boechera* (Brassicaceae) III: additional sexual diploids and apomictic hybrids. *Harvard Papers in Botany* 12: 235-257.
- Wittig, R., & H. Neite. 1986. Acid indicators around the trunk base of *Fagus sylvatica* in limestone and loess beechwoods: distribution pattern and phytosociological problems. *Plant Ecology* 64: 113-199.
- Wofford, B.E. 2006. A new species of *Stenanthium* (Melanthiaceae) from Tennessee, U.S.A. *Sida* 22: 447-459.
- Wofford, B.E., & R.L. Jones. 1988. *Fimbristylis perpusilla* Harper (Cyperaceae) from the Cumberland Plateau of Tennessee. *Castanea* 53: 299-302.
- Wood, J.R.I., B.R.M. Williams, T.C. Mitchell, M.A. Carine, D.J. Harris & R.W. Scotland. 2015. A foundation monograph of *Convolvulus* L. (Convolvulaceae). *PhytoKeys* 51: 1-282.
- Woodburn, W. L. 1911. Development of the embryo sac and endosperm in some seedless persimmons. *Bulletin of the Torrey Botanical Club* 38: 379-384.
- Woodward, H. H. 1967. Flora of the Horner Bird and Wildlife Sanctuary, Oldham County, Kentucky. M.S. thesis, University of Louisville, Louisville, Kentucky.
- Woods, M. 1983. The Vascular Flora of Calloway County, Kentucky. M.S. thesis. Murray State University, Murray, Kentucky.
- Woods, M. 2005. A revision of the North American species of *Apios* (Fabaceae). *Castanea* 70: 85-100.

- Woods, M., & M.J. Fuller. 1988. The vacular flora of Calloway County, Kentucky. *Castanea*. 53: 89-109.
- Woods, T.M., D.C. Hartnett & C.J. Ferguson. 2008. High propagule production and reproductive fitness homeostasis contribute to the invasiveness of *Lespedeza cuneata* (Fabaceae). *Biological Invasions* 11: 1913-1927.
- Woodson, R.E. 1964. The geography of flower color in butterflyweed. *Evolution* 18: 143-163.
- Worcester, L., M.H. Mayfield & C.J. Ferguson. 2012. Cytotypic variation in *Phlox pilosa* ssp. *pilosa* (Polemoniaceae) at the western edge of its range in the central United States. *Journal of the Botanical Research Institute of Texas* 6: 443-451.
- Wu, Y., X-M. Wang, S-X. Bi, W. Zhang, R-M. Li, R-J. Wang, B-Y. Yu & J. Qi. 2017. Novel cytotoxic steroid saponins from the roots of *Liriope muscari* (Decne.) LH Bailey. *Royal Society of Chemistry Advances* 7: 13696-13706.
- Wunderlin, R.P. 1972. New combinations in Compositae. *Annals of the Missouri Botanical Garden* 59: 471-473.
- Wymer, D.A., & E. Abrams. 2003. Early Woodland plant use and gardening: evidence from an Adena hamlet. *Midcontinental Journal of Archaeology* 28: 175-194.
- Yamazaki, K. 2011. Gone with the wind: trembling leaves may deter herbivory. *Biological Journal of the Linnean Society* 104: 738-747.
- Yang., Y., & P.E. Berry. 2011. Phylogenetics of the *Chamaesyce* clade (*Euphorbia*, Euphorbiaceae): reticulate evolution and long-distance dispersal in a prominent C₄ lineage. *American Journal of Botany* 98: 1486-1503.
- Yatskievych, G. 1999, 2006, 2013. Steyermark's Flora of Missouri. Three volumes. Missouri Dept. of Conservation and Missouri Botanical Garden Press, St. Louis, Missouri.
- Yockteng, R., H.E. Ballard, G. Mansion, I. Dajoz & S. Nadot. 2003. Relationships among pansies (*Viola* section *Melanium*) investigated using ITS and ISSR markers. *Plant Systematics and Evolution* 241: 153-170.
- Youngken, H.W. 1930. The pharmacognosy, chemistry and pharmacology of viburnum. *Journal of the American Pharmaceutical Association* 19: 680-704.
- Zalapa, J.E., J. Brunet & R.P. Guries. 2010. The extent of hybridization and its impact on the genetic diversity and population structure of an invasive tree, *Ulmus pumila* (Ulmaceae). *Evolutionary Applications* 3: 157-168.
- Zale, P.J., & P. Jourdan. 2015. Genome size and ploidy of *Phlox paniculata* and related germplasm in subsections *Paniculatae* and *Phlox*. *Journal of the American Society for Horticultural Science* 140: 436-448.
- Zale, P.J., D.W.H. Robarts & P. Jourdan. 2016. Genome size and ploidy levels of creeping phlox and related germplasm of mat-forming taxa from eastern and western North America. *Scientia Horticulturae* 203: 53-61.
- Zamuroenko, V.A., N.A. Klyuev, B.V. Bocharov, V.S. Kabanov & A.M. Zakharov. 1989. An investigation of the component composition of the essential oil of *Monarda fistulosa*. *Chemistry of Natural Compounds* 25: 549-551.
- Zander, R.H. 2000, Nov. 17. Identification of chestnut (*Castanea*) species. *Res Botanica*, Missouri Botanical Garden. Published online (www.mobot.org/plantscience/Res_Bot).

Zander, R.H. 2008. Evolutionary inferences from non-monophyly on molecular trees. *Taxon* 57: 1182-1188.

Zelenski, S.G. 1977. Alkaloids of *Nelumbo lutea* (Willd.) Pers. (Nymphaeaceae). *Journal of Pharmaceutical Sciences* 66: 1627-1628.

Zhang J.B., Li R.Q., Xiang X.G., S.R. Manchester, Lin L, W. Wang, J. Wen & Chen Z.D. 2013. Integrated fossil and molecular data reveal the biogeographic diversification of the Eastern Asian-Eastern North American disjunct hickory genus (*Carya* Nutt.). *PLOS ONE* 8(7): e70449.

Zhang, X., Zhang C. & Zhao X. 2014. Effect of sex ratio, habitat factors and neighborhood competition on stem growth in the dioecious tree *Fraxinus mandshurica*. *Ecological Research* 29: 309-317.

Zumwalde, B.A. 2015. Systematic Revision of the *Viola pedatifida* Group and Evidence for the Recognition of *Viola virginiana*, a New Narrow Endemic of the Virginia Shale Barrens. Ph.D. dissertation, Ohio University, Athens. 181 pages.