

| Flora in Brisbane's Inner West<br>based on all know historical records |   |               |
|--|---|---------------|
| Scientific Names   | Common Names                                  | Family        |
| <i>Abutilon oxycarpum</i>  | Flannel Weed                                  | Malvaceae     |
| <i>Acacia amblygona</i>  |   | Mimosaceae    |
| <i>Acacia complanata</i>   | Flat-stemmed Wattle                           | Mimosaceae    |
| <i>Acacia concurrens</i>   | Black Wattle                                  | Mimosaceae    |
| <i>Acacia disparrima</i>   | Brown Salwood, (Short)/Hickory Wattle         | Mimosaceae    |
| <i>Acacia fasciculifera</i>  | Scrub Ironbark                                | Mimosaceae    |
| <i>Acacia fimbriata</i>  | Brisbane/Fringed Wattle                       | Mimosaceae    |
| <i>Acacia hubbardiana</i>  | Yellow Prickly Moses                          | Mimosaceae    |
| <i>Acacia leiocalyx</i>  | Early Black Wattle                            | Mimosaceae    |
| <i>Acacia macradenia</i>   | Zigzag Wattle                                 | Mimosaceae    |
| <i>Acacia maidenii</i>   | Maiden's Wattle                               | Mimosaceae    |
| <i>Acacia melanoxylon</i>  | Blackwood                                     | Mimosaceae    |
| <i>Acacia muellerana</i>   | A Wattle (rare GMcD)                          | Mimosaceae    |
| <i>Acacia penninervis</i>  | Mountain Hickory, Watermelon Wattle           | Mimosaceae    |
| <i>Acacia podalyriifolia</i>   | Qld Silver Wattle                             | Mimosaceae    |
| <i>Acacia</i> sp. ( <i>juncifolia</i> ??)                              |   | Mimosaceae    |
| <i>Acacia spectabilis</i>  | Glory/Piliga Wattle                           | Mimosaceae    |
| <i>Acalypha capillipes</i>   |   | Euphorbiaceae |
| <i>Acalypha eremorum</i>   | Acalypha                                      | Euphorbiaceae |
| <i>Acalypha nemorum</i>  | Soft Acalypha                                 | Euphorbiaceae |
| <i>Acmella grandiflora</i> var. <i>brachyglossa</i>                    | ?   | Asteraceae    |
| <i>Acmena smithii</i> syns. <i>Eugenia</i> / <i>Syzygium</i> s.        | Narrow-leaf/Creek Lilly Pilly, Satinash       | Myrtaceae     |
| <i>Acronychia laevis</i>   | Glossy Acronychia, Yellow Boxwood, Hard Aspen | Rutaceae      |
| <i>Acronychia pauciflora</i>   | Soft Acronychia                               | Rutaceae      |
| <i>Acrotriche aggregata</i>  | Tall/Red Groundberry                          | Epacridaceae  |
| <i>Actephila lindleyi</i>  | Actephila                                     | Euphorbiaceae |
| <i>Adiantum atroviride</i> , syn <i>A. aethiopicum</i>                 | Common/Soft Maidenhair Fern                   | Adiantaceae   |
| <i>Adiantum formosum</i>   | Giant/Black Stemmed Maidenhair                | Adiantaceae   |
| <i>Adiantum hispidulum</i>   | Rough Maidenhair, Five Finger Fern            | Adiantaceae   |
| <i>Adiantum wistrigida</i>   | Fern  | Adiantaceae   |
| <i>Aegiceras corniculatum</i>  | River Mangrove                                | Myrsinaceae   |
| <i>Agathis robusta</i>   | Kauri Pine                                    | Araucariaceae |
| <i>Ailanthus triphysa</i>  | White Bean                                    | Simaroubaceae |
| <i>Alangium villosum</i> subsp. <i>tomentosum</i>                      | Hairy Muskwood                                | Alangiaceae   |
| <i>Alchornea ilicifolia</i>  | Native Holly                                  | Euphorbiaceae |
| <i>Alectryon connatus</i>  | Grey Bird's Eye                               | Sapindaceae   |
| <i>Alectryon subcinereus</i>   | Wild Quince                                   | Sapindaceae   |
| <i>Alectryon tomentosus</i>  | Hairy Alectryon, Hairy Bird's Eye, Red-jacket | Sapindaceae   |
| <i>Allocasuarina littoralis</i>  | Black/Coastal She-oak                         | Casuarinaceae |
| <i>Allocasuarina torulosa</i>  | Forest she-oak                                | Casuarinaceae |

| Flora in Brisbane's Inner West<br>based on all know historical records       |                                       |                  |
|--|---------------------------------------|------------------|
| Scientific Names   | Common Names                          | Family           |
| <i>Alocasia brisbanensis</i>   | Cunjevoi                              | Araceae          |
| <i>Alphitonia excelsa</i>  | Red Ash/Soap Tree                     | Rhamnaceae       |
| <i>Alpinia caerulea</i>  | Native Ginger                         | Zingiberaceae    |
| <i>Alstonia constricta</i>   | Quinine Tree, Bitter Bark             | Apocynaceae      |
| <i>Alternanthera nana</i>  | Hairy Joyweed                         | Amaranthaceae    |
| <i>Alyxia ruscifolia</i>   | Chain Fruit                           | Apocynaceae      |
| <i>Amyema cambagei</i>   | Mistletoe                             | Loranthaceae     |
| <i>Amylotheca dictyophleba</i>   | A Rainforest Mistletoe                | Loranthaceae     |
| <i>Aneilema acuminatum</i>   |                                       | Commelinaceae    |
| <i>Angophora leiocarpa</i> syn. <i>A. costata</i>                            | Smooth Bark/Coastal Apple, Rusty Gum  | Myrtaceae        |
| <i>Anisomeles malabarica</i>   |                                       | Lamiaceae        |
| <i>Aphananthe philippinensis</i>   | Native/Rough-leaved Elm               | Ulmaceae         |
| <i>Aphanopetalum resinsum</i>  | Gum Vine                              | Cunoniaceae      |
| <i>Apium prostratum</i>  | Sea Celery                            | Apiaceae         |
| <i>Araucaria bidwillii</i>   | Bunya Pine                            | Araucariaceae    |
| <i>Araucaria cunninghamii</i>  | Hoop Pine                             | Araucariaceae    |
| <i>Archonotophoenix cunninghamiana</i>                                       | Bangalow/Piccabeen Palm               | Arecaceae        |
| <i>Argyrodendron trifoliolatum</i>   | White Booyong, Brown Tulip Oak        | Sterculiaceae    |
| <i>Aristida queenslandica</i>  | Wiregrass                             | Poaceae          |
| <i>Aristolochia</i> sp. ( <i>nova</i> )                                      |                                       | Aristolochiaceae |
| <i>Aristolochia</i> sp. aff. <i>A. pubera</i>                                |                                       | Aristolochiaceae |
| <i>Arytera distylis</i>  | Twin-leaved Coogera                   | Sapindaceae      |
| <i>Arytera divaricata</i>  | Coogera                               | Sapindaceae      |
| <i>Arytera foveolata</i>   | Pitted Coogera                        | Sapindaceae      |
| <i>Arytera varicarta</i>   |                                       | Sapindaceae      |
| <i>Aspidium</i> sp   |                                       |                  |
| <i>Asplenium attenuatum</i>  | Walking Fern                          | Aspleniaceae     |
| <i>Asplenium australasicum</i>   | Birds Nest Fern                       | Aspleniaceae     |
| <i>Astrida</i> sp.   | Wiregrass                             |                  |
| <i>Astrotricha floccosa</i>  |                                       | Araliaceae       |
| <i>Auranticarpa rhombifolia</i> ( <i>ium</i> )<br>syn. <i>Pittosporum</i> r. | Hollywood, Diamond-leaved Pittosporum | Pittosporaceae   |
| <i>Austromyrtus acmenoides</i>   | Scrub Ironwood                        | Myrtaceae        |
| <i>Austromyrtus bidwillii</i>  | Scrub Python Tree                     | Myrtaceae        |
| <i>Austromyrtus gonoclada</i>  | Angle-stemmed Myrtle                  | Myrtaceae        |
| <i>Austromyrtus hillii</i>   | Scaly Myrtle                          | Myrtaceae        |
| <i>Austrosteenisia blackii</i>   | Blood Vine                            | Fabaceae         |
| <i>Avicennia marina</i>  | Grey Mangrove                         | Avicenniaceae    |
| <i>Backhousia citriodora</i>   | Lemon Ironwood/Myrtle                 | Myrtaceae        |
| <i>Backhousia myrtifolia</i>   | Grey Myrtle, Carrol, Ironwood         | Myrtaceae        |
| <i>Baeckea</i> sp  |                                       | Myrtaceae        |
| <i>Baloghia inophylla</i> ( <i>lucida</i> ?)                                 | Scrub Bloodwood                       | Euphorbiaceae    |
| <i>Beilschmiedia elliptica</i>   | Brown/Grey Walnut                     | Lauraceae        |
| <i>Beilschmiedia obtusifolia</i>   | Blush Walnut, Hard Bolly Gum          | Lauraceae        |
| <i>Blechnum</i> sp.  | Fern                                  | Blechnaceae      |

**Flora in Brisbane's Inner West**  
based on all know historical records

| <b>Scientific Names</b>  | <b>Common Names</b>                         | <b>Family</b>   |
|--|---|-----------------|
| <i>Bolboschoenus</i> sp.   | Club Rush ??                                | Cyperaceae      |
| <i>Bothriochloa decipiens</i>                                    | Pitted Blue Grass                           | Poaceae         |
| <i>Botrychium australe</i>                                       | Austral Moonwort, Parsley Fern              | Ophioglossaceae |
| <i>Brachychiton acerifolius</i>                                  | Flame Tree                                  | Sterculiaceae   |
| <i>Brachyscome microcarpa</i>                                    | Blue Daisy                                  | Asteraceae      |
| <i>Brachyscome multifida</i>                                     | Hawkesbury River Daisy                      | Asteraceae      |
| <i>Bracteantha bracteata</i> (tum) syn.<br><i>Helichrysum b.</i> | Golden Everlasting/Paper Daisy              | Asteraceae      |
| <i>Breynia oblongifolia</i>                                      | Coffee Bush, Breynia                        | Euphorbiaceae   |
| <i>Bridelia exaltata</i>   | Scrub/Brush Ironbark                        | Euphorbiaceae   |
| <i>Bridelia leichardtii</i>                                      | Bridelia                                    | Euphorbiaceae   |
| <i>Buckinghamia celcissima</i>                                   | Ivory Curl Tree                             | Protaceae       |
| <i>Bursaria spinosa</i>  | Prickly Pine, Blackthorn                    | Pittosporaceae  |
| <i>Caelospermum paniculatum</i>                                  | <i>Caelospermum paniculatum</i>             | Rubiaceae       |
| <i>Caladenia catenta</i>   | White Fingers                               | Orchidaceae     |
| <i>Callicarpa pedunculata</i>                                    | Native Mulberry, Velvet Leaf                | Verbenaceae     |
| <i>Callistemon citrinus</i>                                      | Crimson Bottlebrush                         | Myrtaceae       |
| <i>Callistemon salignus</i>                                      | White Bottlebrush                           | Myrtaceae       |
| <i>Callistemon viminalis</i>                                     | Weeping Red Bottle Brush                    | Myrtaceae       |
| <i>Calotis dentex</i>  | White Burr Daisy                            | Asteraceae      |
| <i>Canthium buxifolium</i>                                       | Stiff Canthium                              | Rubiaceae       |
| <i>Canthium coprosmoides</i>                                     | Coast Canthium                              | Rubiaceae       |
| <i>Canthium lamprophyllum</i>                                    | Large-leaved Canthium                       | Rubiaceae       |
| <i>Canthium microphyllum</i>                                     | Small-leaved Canthium                       | Rubiaceae       |
| <i>Canthium odoratum</i>   | Shiny-leaf Canthium, Sweet Suzie            | Rubiaceae       |
| <i>Capparis arborea</i>  | Native Pomegranate, Caper Bush              | Capparaceae     |
| <i>Capparis sarmentosa</i>                                       | Scrambling Pomegranate, Climbing Caper Bush | Capparaceae     |
| <i>Capparis velutina</i>   | Hairy Native Pomegranate                    | Capparaceae     |
| <i>Carissa ovata</i>   | Currant Bush, Carissa                       | Apocynaceae     |
| <i>Cassine australis</i> syn.<br><i>Elaeodendron australe</i>    | Red Olive-Plum                              | Celastraceae    |
| <i>Cassytha filiformis</i>                                       | Devil's Twine                               | Lauraceae       |
| <i>Castanospermum australe</i>                                   | Black Bean, Moreton Bay Chestnut            | Fabaceae        |
| <i>Casuarina cunninghamiana</i>                                  | River/She Oak                               | Casuarinaceae   |
| <i>Casuarina glauca</i>  | Swamp She-oak                               | Casuarinaceae   |
| <i>Cayratia acris</i>  | Hairy Water Vine                            | Vitaceae        |
| <i>Cayratia clematidea</i>                                       | Slender Grape                               | Vitaceae        |
| <i>Celastrus subspicata/tus</i>                                  | Large-Leaf/Staff Vine                       | Celastraceae    |
| <i>Celtis paniculata</i>   | Native Celtis                               | Ulmaceae        |
| <i>Centella asiatica</i>   | Pennywort                                   | Apiaceae        |
| <i>Centratherum punctatum</i> (? Subs.<br><i>Australianum</i> )  |   | Asteraceae      |
| <i>Cheilanthes distans</i>                                       | Bristly Cloak Fern                          | Adiantaceae     |
| <i>Cheilanthes sieberi</i>                                       | Mulga Fern                                  | Adiantaceae     |
| <i>Cheilanthes</i> sp.   |   | Adiantaceae     |
| <i>Chiloglottis reflexa</i>                                      |   |                 |
| <i>Chiloglottis sylvestris</i>                                   | Ground Orchid                               |                 |

| Flora in Brisbane's Inner West<br>based on all know historical records |                                       |                       |
|--|---------------------------------------|-----------------------|
| Scientific Names   | Common Names                          | Family                |
| <i>Christella dentata</i>  | Binung                                | Thelypteridaceae      |
| <i>Chrysocephalum apiculatum</i>                                       | Yellow Buttons                        | Asteraceae            |
| <i>Chrysopogon fallax</i>  | Golden Beard Grass                    |                       |
| <i>Cissus antarctica</i>   | Wild Grape, Kangaroo/Water Vine       | Vitidaceae            |
| <i>Cissus hypoglauca</i>   | Five Leafed Watervine - Jungle Grape  | Vitidaceae            |
| <i>Cissus opaca</i>  | Small Leaved Water Vine, Native Grape | Vitidaceae            |
| <i>Citrus australis</i> syn. <i>Microcitrus a.</i>                     | Native Lime                           | Rutaceae              |
| <i>Cleistanthus cunninghamii</i>                                       | Cleistanthus                          | Euphorbiaceae         |
| <i>Clematis glycinoides</i>  | Headache Vine, Traveller's Joy        | Ranunculaceae         |
| <i>Clerodendrum floribundum</i>  | Lolly Bush, Smooth Clerodendrum       | Verbenaceae/Lamiaceae |
| <i>Clerodendrum tomentosum</i>   | Hairy Lollybush                       | Verbenaceae/Lamiaceae |
| <i>Coelospermum paniculatum</i>  |                                       | Rubiaceae             |
| <i>Commelina cyanea</i> (? <i>diffusa</i> )                            | Scurvy Weed, Wandering Jew            | Commelinaceae         |
| <i>Commersonia bartramia</i>   | Brown Kurrajong                       | Sterculiaceae         |
| <i>Commersonia fraseri</i>   | Brush Kurrajong                       | Sterculiaceae         |
| <i>Cordyline petiolaris</i>  | Broad/Large-leaf Palm Lily            | Agavaceae             |
| <i>Cordyline rubra</i>   | Red Fruit Palm Lily                   | Agavaceae             |
| <i>Corymbia henryi</i> syn. <i>Eucalyptus h.</i>                       | Large-leaved Spotted Gum              | Myrtaceae             |
| <i>Corymbia citriodora</i> syn. <i>Eucalyptus maculata/c.</i>          | Spotted/Lemon-scented Gum             | Myrtaceae             |
| <i>Corymbia intermedia</i> syn. <i>Eucalyptus l.</i>                   | Pink Bloodwood                        | Myrtaceae             |
| <i>Corymbia ptychocarpa</i> syn. <i>Eucalyptus p.</i>                  | Swamp Bloodwood                       | Myrtaceae             |
| <i>Corymbia tessellaris</i> syn. <i>Eucalyptus t.</i>                  | Moreton Bay Ash, Carbeen              | Myrtaceae             |
| <i>Crinum pedunculatum</i>   | River/Swamp Lily                      | Amaryllidaceae        |
| <i>Crotalaria humifusa</i>   |                                       | Fabaceae              |
| <i>Crotalaria montana</i>  | Rattlepod                             | Fabaceae              |
| <i>Croton insularis</i>  | Silver Croton                         | Euphorbiaceae         |
| <i>Croton verreauxii</i>   | Native Cascarilla (?)                 | Euphorbiaceae         |
| <i>Cryptocarya bidwilli</i>  | Yellow Laurel                         | Lauraceae             |
| <i>Cryptocarya laevigata</i>   | Red-fruited Laurel                    | Lauraceae             |
| <i>Cryptocarya microneura</i>  | Murrogun, Common Laurel               | Lauraceae             |
| <i>Cryptocarya obovata</i> ( <i>tus</i> )                              | Pepperberry Tree, White Walnut.       | Lauraceae             |
| <i>Cryptocarya triplinervis</i>  | Three-veined/Brown Laurel             | Lauraceae             |
| <i>Culcita dubia</i>   | False Bracken                         |                       |
| <i>Cullen tenax</i>  | Emu Foot                              |                       |
| <i>Cupaniopsis anacardioides</i>                                       | Tuckeroo                              | Sapindaceae           |
| <i>Cupaniopsis parvifolia</i>  | Fine/Small Leaf Tuckeroo              | Sapindaceae           |
| <i>Curculigo capitulata</i>  | Weevil Plant                          | Hypoxidaceae          |
| <i>Cyathia cooperi</i>   | Scaly/Coin-spot/Soft Tree Fern        | Cyatheaceae           |
| <i>Cyclophorus serpens</i>   |                                       |                       |

| Flora in Brisbane's Inner West<br>based on all know historical records |   |                 |
|--|---|-----------------|
| Scientific Names   | Common Names                            | Family          |
| <i>Cymbopogon refractus</i>  | Barb-wire Grass                         | Poaceae         |
| <i>Cynanchum bowmanii</i>  |   | Asclepiadaceae  |
| <i>Cyperus difformis</i>   | Dirty Dora, Rice Sedge                  | Cyperaceae      |
| <i>Cyperus enervis</i>   | ?                                       | Cyperaceae      |
| <i>Cyperus gracilis</i>  | Whisker Sedge                           | Cyperaceae      |
| <i>Cyperus iria</i>  |   | Cyperaceae      |
| <i>Cyperus macrostachyos</i>   |   | Cyperaceae      |
| <i>Cyperus pilosus</i>   |   | Cyperaceae      |
| <i>Cyperus polystachyos</i> var.<br><i>polystachyos</i>                |   | Cyperaceae      |
| <i>Cyperus tetraphyllus</i>  |   | Cyperaceae      |
| <i>Cyperus vaginatus</i>   |   | Cyperaceae      |
| <i>Daucus glochidiatus</i>   | Australian Carrot                       | Apiaceae        |
| <i>Davallia pyxidata</i>   | Hare's-foot Fern                        | Davalliaceae    |
| <i>Daviesia ulicifolia</i>   | Native Gorse                            | Fabaceae        |
| <i>Daviesia umbellulata</i>  | Prickly Daviesia                        | Fabaceae        |
| <i>Daviesia villifera</i> syn. <i>D. squarrosa</i>                     | A Prickly Native Gorse                  | Fabaceae        |
| <i>Decaspermum humile</i>  | Silky Myrtle, Native Currant            | Myrtaceae       |
| <i>Dendrobium gracilicaule</i>   | Banana Orchid                           |                 |
| <i>Dendrobium speciosum</i>  | King Orchid                             |                 |
| <i>Dendrocnide photinophylla</i>                                       | Shiny-leaved Stinging Tree              | Urticaceae      |
| <i>Dendrophthoe</i> sp.  | Mistletoe                               | Loranthaceae    |
| <i>Denhamia celastroides</i>   | Orange Boxwood                          | Celastraceae    |
| <i>Denhamia pittosporoides</i>   | Veiny Denhamia, Broad-leaved<br>Boxwood | Celastraceae    |
| <i>Denhamia</i> sp.  |   | Celastraceae    |
| <i>Derris involuta</i>   | Fish-Poison/Derris Vine                 | Fabaceae        |
| <i>Desmodium rhytidophyllum</i>  | Tusty-Tick/Hairy Trefoil                | Fabaceae        |
| <i>Desmodium trichostachyum</i>  |   | Fabaceae        |
| <i>Dianella caerulea</i>   | Blue Flax Lily                          | Liliaceae       |
| <i>Dianella longifolia</i>   | Slender Flax Lily                       | Liliaceae       |
| <i>Dichelanchna micrantha</i>  | Short Haired Plume Grass                |                 |
| <i>Dichondra repens</i>  | Kidney Weed                             | Convolvulaceae  |
| <i>Digitaria parviflora</i>  | Few-flowered Fingergrass                |                 |
| <i>Dioscorea transversa</i>  | Native/Pencil Yam                       | Dioscoreaceae   |
| <i>Diospyros fasciculosa</i>   | Grey Ebony                              | Ebenaceae       |
| <i>Diospyros ferrea</i> var. <i>geminata</i>                           |   | Ebenaceae       |
| <i>Diospyros geminata</i>  | Scaly/Queensland Ebony                  | Ebenaceae       |
| <i>Diospyros pentamera</i>   | Myrtle Ebony                            | Ebenaceae       |
| <i>Diploglottis australis</i>  | Native Tamarind                         | Sapindaceae     |
| <i>Dipodium punctatum</i>  | Hyacinth Orchid                         |                 |
| <i>Dodonaea triangularis</i>   | Small-leaved Hop Bush                   | Sapindaceae     |
| <i>Dodonaea triquetra</i>  | Forest/Native Hop Bush                  | Sapindaceae     |
| <i>Dodonaea viscosa</i>  | Sticky Hop Bush                         | Sapindaceae     |
| <i>Doodia aspera</i>   | Prickly Rasp Fern                       | Blechnaceae     |
| <i>Doodia caudata</i>  | Small Rasp Fern                         | Blechnaceae     |
| <i>Doodia media</i>  | Rasp Fern                               | Blechnaceae     |
| <i>Drosera ?pelata</i>   | ?Tall Sundew                            | Droseraceae     |
| <i>Drymaria cordata</i> subsp. <i>diandra</i>                          | Tropical Chick Weed                     | Caryophyllaceae |

| Flora in Brisbane's Inner West<br>based on all know historical records |                                    |                |
|--|------------------------------------|----------------|
| Scientific Names   | Common Names                       | Family         |
| <i>Drynaria rigidula</i> (?wigida)                                     | Basket Fern                        | Polypodiaceae  |
| <i>Drypetes deplanchei</i> syn. <i>D. australasica</i>                 | Yellow Tulip                       | Euphorbiaceae  |
| <i>Dysoxylum rufum</i>   | Hairy Rosewood, Rusty Bean         | Meliaceae      |
| <i>Echinostephia aculeata</i> syn. <i>Stephania a.</i>                 | Prickly Snake Vine                 |                |
| <i>Echinostephia scandens</i>  |                                    |                |
| <i>Eclipta platyglossa</i>   | Yellow Eclipta                     | Asteraceae     |
| <i>Ehretia acuminata</i>   | Koda                               | Boraginaceae   |
| <i>Einadia nutans</i> syn. <i>Rhagodia n.</i>                          |                                    | Chenopodiaceae |
| <i>Elaeocarpus grandis</i>   | Blue Quandong                      | Elaeocarpaceae |
| <i>Elaeocarpus obovatus</i> (ta)                                       | Hard Quandong, Blueberry Ash       | Elaeocarpaceae |
| <i>Elattostachys nervosa</i>   | Green Tamarind                     | Sapindaceae    |
| <i>Elattostachys xylocarpa</i>   | White Tamarind/Walnut              | Sapindaceae    |
| <i>Eleocharis equisetina</i>   |                                    |                |
| <i>Embelia australiana</i>   | Embelia                            | Myrsinaceae    |
| <i>Entolasia stricta</i>   | Wiry Panic                         |                |
| <i>Eragrostis</i> sp.  |                                    |                |
| <i>Eragrostis spartinoides</i>   | A Lovegrass                        |                |
| <i>Eremochloa bimaculata</i>   | Poverty Grass                      |                |
| <i>Eucalyptus argophloia</i>   | Chinchilla White Gum               | Myrtaceae      |
| <i>Eucalyptus carnea</i>   | Broad-leaved White Mahogany        | Myrtaceae      |
| <i>Eucalyptus crebra</i>   | Narrow-leaved/Grey/Red Ironbark    | Myrtaceae      |
| <i>Eucalyptus curtisii</i>   | Plunkett Mallee                    | Myrtaceae      |
| <i>Eucalyptus fibrosa</i>  | Broad Leaved Red Ironbark          | Myrtaceae      |
| <i>Eucalyptus grandis</i>  | Rose/Flooded Gum                   | Myrtaceae      |
| <i>Eucalyptus major</i>  | Mountain/Qld Grey Gum              | Myrtaceae      |
| <i>Eucalyptus microcorys</i>   | Tallowwood                         | Myrtaceae      |
| <i>Eucalyptus moluccana</i>  | Gum-topped Box                     | Myrtaceae      |
| <i>Eucalyptus propinqua</i>  | Small-fruited/Grey Gum             | Myrtaceae      |
| <i>Eucalyptus siderophloia</i>   | Grey Ironbark                      | Myrtaceae      |
| <i>Eucalyptus tereticornis</i>   | Forest Red/Qld Blue Gum            | Myrtaceae      |
| <i>Eucalyptus umbra</i>  | Yellow Stringybark, White Mahogany | Myrtaceae      |
| <i>Eupomatia bennettii</i>   | Small Bolwarra                     | Eupomatiaceae  |
| <i>Eupomatia laurina</i>   | Smooth Bolwarra, Native Guava      | Eupomatiaceae  |
| <i>Euroschinus falcata</i>   | Pink Poplar, Ribbonwood            | Anacardiaceae  |
| <i>Eustrephus latifolius</i>   | Wombat Berry                       | Philesiaceae   |
| <i>Exocoecaria agallocha</i>   | Milky Mangrove, Blind-your-eye     | Euphorbiaceae  |
| <i>Ficus coronata</i>  | Creek Sandpaper Fig                | Moraceae       |
| <i>Ficus fraseri</i>   | Shiny Sandpaper Fig                | Moraceae       |
| <i>Ficus macrophylla</i>   | Moreton Bay Fig                    | Moraceae       |
| <i>Ficus obliqua</i>   | Small-leaved Moreton Bay Fig       | Moraceae       |
| <i>Ficus opposita</i>  | A Sandpaper Fig                    | Moraceae       |

| Flora in Brisbane's Inner West<br>based on all know historical records |   |                 |
|--|---|-----------------|
| Scientific Names   | Common Names                                    | Family          |
| <i>Ficus virens</i> var. <i>sublanceolata</i>                          | White Fig                                       | Moraceae        |
| <i>Ficus watsonia</i>  | Small-leaf Fig                                  | Moraceae        |
| <i>Fimbristylis dichotoma</i> ? <i>ferruginea</i>                      | Fringe Rush                                     | Cyperaceae      |
| <i>Flagellaria indica</i>  | Whip Vine, Supplejack                           | Flagellariaceae |
| <i>Flindersia australis</i>  | Crow's Ash, Queensland Teak                     | Rutaceae        |
| <i>Flindersia bennettiana</i>  | Bennet's Ash                                    | Rutaceae        |
| <i>Flindersia collina</i>  | Leopard Ash                                     | Rutaceae        |
| <i>Flindersia schottiana</i>   | Bumpy Ash, Silver Ash, Cudgerie                 | Rutaceae        |
| <i>Gahnia aspera</i>   | Saw Sedge, Sword Grass                          | Cyperaceae      |
| <i>Geijera salicifolia</i>   | Brush Wilga                                     | Rutaceae        |
| <i>Geitonoplesium cymosum</i>  | Scrambling Lily                                 | Philesiaceae    |
| <i>Geranium homeanum</i>   | Cranes Bill                                     | Geraniaceae     |
| <i>Glochidion ferdinandi</i>   | Cheese Tree, Buttonwood                         | Euphorbiaceae   |
| <i>Glochidion sumatranum</i>   | Umbrella/Buttonwood/Large-leaved<br>Cheese Tree | Euphorbiaceae   |
| <i>Glycine clandestina</i>   | Glycine Pea                                     | Fabaceae        |
| <i>Glycine tabacina</i>  | Variable Glycine Pea                            | Fabaceae        |
| <i>Glycine tomentella</i>  | Hairy Glycine Pea                               | Fabaceae        |
| <i>Gmelina leichardtii</i>   | White Beech, Grey Teak                          | Verbenaceae     |
| <i>Goodenia grandiflora</i>  | Mountain Primrose                               | Goodeniaceae    |
| <i>Goodenia rotundifolia</i>   | Round-leaf/Star Goodenia                        | Goodeniaceae    |
| <i>Grevillea banksii</i>   | Banks Grevillea, Red Silky Oak                  | Proteaceae      |
| <i>Grevillea robusta</i>   | Silky Oak                                       | Proteaceae      |
| <i>Grevillea venusta</i>   | Marmalade Grevillea                             | Proteaceae      |
| <i>Grewia lattifolia</i>   | Dogs Balls, Dysentery Plant                     | Tiliaceae       |
| <i>Guioa semiglauca</i>  | Wild/Native Quince, Guioa                       | Sapindaceae     |
| <i>Gymnostachys anceps</i>   | Settlers Flax                                   | Araceae         |
| <i>Hakea sericea</i>   | White Hakea                                     | Proteaceae      |
| <i>Hakea florulenta</i>  |   | Proteaceae      |
| <i>Hardenbergia violacea</i>   | Native/False Sarsaparilla                       | Fabaceae        |
| <i>Harnieria hygrophilioides</i>                                       | -   |                 |
| <i>Harpullia hillii</i>  | Blunt-leaved Tulipwood                          | Sapindaceae     |
| <i>Harpullia pendula</i>   | Tulipwood                                       | Sapindaceae     |
| <i>Hernandia bivalvis</i>  | Grease Nut                                      | Hernandiaceae   |
| <i>Heterodea muelliri</i>  |   |                 |
| <i>Hexagonia</i> sp  |   |                 |
| <i>Hibbertia aspera</i>  | Guinea Flower                                   | Dilleniaceae    |
| <i>Hibbertia stricta</i>   | A Guinea Flower                                 | Dilleniaceae    |
| <i>Hibertia scandens</i>   | Golden Guinea Flower                            | Dilleniaceae    |
| <i>Hibiscus heterophyllus</i>  | Native Hibiscus/Rosella                         | Malvaceae       |
| <i>Hibiscus tilaceus</i>   | Cotton Tree. Not a local species                | Malvaceae       |
| <i>Hippocratea barbata</i> syn.<br><i>Loeseneriella b.</i>             | Knot Vine                                       | Celastraceae    |
| <i>Hodgkinsonia ovatiflora</i>   | Golden Ash                                      | Rubiaceae       |
| <i>Hovea acutifolia</i>  | Pointed-leaf Hovea                              | Fabaceae        |

| Flora in Brisbane's Inner West<br>based on all know historical records |   |                  |
|--|---|------------------|
| Scientific Names   | Common Names  | Family           |
| <i>Hovea longipes</i>  | Hovea   | Fabaceae         |
| <i>Hoya australis</i>  | Native Hoya, Waxflower Vine                               | Asclepiadaceae   |
| <i>Hybanthus monopetalus</i>   | Spade Flower, Ladies Slipper                              | Violaceae        |
| <i>Hydrocotyle laxiflora</i>   | Pennywort (Stinking?)                                     | Apiaceae         |
| <i>Hydrocotyle pedicellosa</i>   | Large Pennywort   | Apiaceae         |
| <i>Hydrocotyle sp.</i>   | Pennyworth, Pennyweed                                     | Apiaceae         |
| <i>Hymenosporum flavum</i>   | Native Frangipani   | Pittosporaceae   |
| <i>Hypoxis hygrometrica</i>  | Nut Lily, Golden Stars                                    |                  |
| <i>Imperata cylindrica</i>   | Blady Grass   | Poaceae          |
| <i>Indigofera australis</i>  | Native/Australian Indigo                                  | Fabaceae         |
| <i>Ipomoea plebeia</i>   | Bellvine  | Convolvulaceae   |
| <i>Ischaemum australe</i>  | a grass   |                  |
| <i>Ixora beckleri</i>  | Native Ixora  | Rubiaceae        |
| <i>Jacksonia scoparia</i>  | Dogwood, Native Broom                                     | Fabaceae         |
| <i>Jagera pseudorhus</i>   | Foambark, Pink Tamarind                                   | Sapindaceae      |
| <i>Jasminum simplicifolium subsp. Australiense</i>                     | Native Jasmine  | Oleaceae         |
| <i>Juncus usitatus</i>   | Juncus  | Juncaceae        |
| <i>Kennedia rubicunda</i>  | Running Postman, Red Kennedy Pea, Dusky/Scarlet Coral Pea | Fabaceae         |
| <i>Lastreopsis munita</i>  |   |                  |
| <i>Laxmannia gracilis</i>  | Wire Lily   | Anthericaceae    |
| <i>Legnephora moorei</i>   | Round/Big Leaf Vine                                       | Menispermaceae   |
| <i>Lepidosperma laterale</i>   | Variable Sword Sedge                                      | Cyperaceae       |
| <i>Leptospermum polygalifolium syn. L. flavescens</i>                  | Wild May  | Myrtaceae        |
| <i>Leucopogon juniperinus</i>  | Prickly Heath   | Epacridaceae     |
| <i>Litsea reticulata</i>   | Bolly Gum   | Lauraceae        |
| <i>Lobelia purpurascens</i>  | White Root  | Campanulaceae    |
| <i>Lomandra confertifolia var. pallida</i>                             | Mat Rush  | Xanthorrhoeaceae |
| <i>Lomandra filiformis</i>   | Fine-Leaved Matrush                                       | Xanthorrhoeaceae |
| <i>Lomandra hystrix</i>  | Creek Mat Rush  | Xanthorrhoeaceae |
| <i>Lomandra laxa</i>   | Mat Rush  | Xanthorrhoeaceae |
| <i>Lomandra longifolia</i>   | Spiny-headed Matrush                                      | Xanthorrhoeaceae |
| <i>Lomandra multiflora</i>   | Many-Flowered Matrush                                     | Xanthorrhoeaceae |
| <i>Lophostemon confertus</i>   | Brush/Brisbane Box  | Myrtaceae        |
| <i>Lophostemon suaveolens</i>  | Swamp Box   | Myrtaceae        |
| <i>Macadamia integrifolia</i>  | Macadamia/Queensland Nut                                  | Proteaceae       |
| <i>Macaranga tanarius</i>  | Macaranga   | Euphorbiaceae    |
| <i>Maclura cochinchinensis</i>   | Cockspur Thorn  | Moraceae         |
| <i>Macrozamia lucida</i>   | Pineapple Zamia, Burrawang, A Cycad                       | Zamiaceae        |
| <i>Macrozamia miquelii</i>   | Burrawang/Zamia Palm                                      | Zamiaceae        |
| <i>Malaisia scandens</i>   | Burny Vine  | Moraceae         |
| <i>Mallotus clooxyloides</i>   | Green Kamala, Odour Bush                                  | Euphorbiaceae    |
| <i>Mallotus discolor</i>   | Yellow Kamala   | Euphorbiaceae    |
| <i>Mallotus philippensis</i>   | Red Kamala  | Euphorbiaceae    |
| <i>Maytenus disperma</i>   | Orange bush   | Celastraceae     |
| <i>Maytenus silvestris</i>   | Orange Bark   | Celastraceae     |



| Flora in Brisbane's Inner West<br>based on all know historical records |  |                   |
|--|--|-------------------|
| Scientific Names   | Common Names                           | Family            |
| <i>Melaleuca armillaris</i>  | Bracelet Honey Myrtle                  | Myrtaceae         |
| <i>Melaleuca bracteata</i>   | River/Black Tea Tree                   | Myrtaceae         |
| <i>Melaleuca linariifolia</i>  | Snow In Summer                         | Myrtaceae         |
| <i>Melaleuca quinquinervia</i>   | Large Leaved Paperbark                 | Myrtaceae         |
| <i>Melaleuca stypheloides</i>  | Prickly/Prickly-leafed Paperbark       | Myrtaceae         |
| <i>Melastoma affine/polyanthum</i>                                     | Blue Tongue, Native Lasiandra          | Melastomataceae   |
| <i>Melia azedarach var. australasica</i>                               | White Cedar                            | Meliaceae         |
| <i>Melicope micrococca syn. Euodia m.</i>                              | White Doughwood/Euodia                 | Rutaceae          |
| <i>Melicope elleryana syn. Euodia e.</i>                               | Pink Euodia                            | Rutaceae          |
| <i>Mentha sp. aff. diemenica</i>                                       | Native Mint                            | Lamiaceae         |
| <i>Microlaena stiploides</i>   | Weeping Grass                          |                   |
| <i>Mischocarpus anodontus</i>  | Veiny Pear-Fruit                       | Sapindaceae       |
| <i>Mischocarpus pyriformis</i>   | Yellow Pear-Fruit                      | Sapindaceae       |
| <i>Morinda acutifolia</i>  | Veiny Morinda                          | Rubiaceae         |
| <i>Morinda jasminoides</i>   | Sweet Morinda                          | Rubiaceae         |
| <i>Myoporum debile</i>   | Boobiala, Winter Apple                 | Myoporaceae       |
| <i>Nephrolepsis cordifolia</i>   | Fishbone Fern                          |                   |
| <i>Nostoc</i>  |  |                   |
| <i>Notelaea longifolia</i>   | Native/Large/Long-Leaved Mock Olive    | Oleaceae          |
| <i>Notothixos incanus</i>  | A Mistletoe                            | Viscaceae         |
| <i>Oberonia sp.</i>  | Epiphytic Orchid                       |                   |
| <i>Olea paniculata</i>   | Native Olive                           | Oleaceae          |
| <i>Olearia nernstii</i>  | Snow Bush                              | Asteraceae        |
| <i>Omalanthus nutans syn. O. populifolius?</i>                         | Native Poplar/Bleeding Heart           | Euphorbiaceae     |
| <i>Omolanthus stillingiifolius</i>                                     |  | Euphorbiaceae     |
| <i>Opercularia diphylla</i>  | ?                                      | Rubiaceae         |
| <i>Opercularia hispida</i>   |  | Rubiaceae         |
| <i>Oplismenus aemulus</i>  | Creeping Beard Grass                   | Poaceae           |
| <i>Oplismenus hirtellus</i>  | Pademelon Grass                        | Poaceae           |
| <i>Ottelia ovaliflora</i>  | Swamp Lily                             | Hydrocharitaceae  |
| <i>Ottochloa gracillima</i>  | Graceful Grass                         | Poaceae           |
| <i>Owenia venosa</i>   | Emu Apple, Rose Almond, Crow's Apple   | Meliaceae         |
| <i>Oxalis rubens</i>   |  | Oxalidaceae       |
| <i>Ozothamnus diosmifolius(um) syn. Helichrysum d.</i>                 | Sago Bush                              | Asteraceae        |
| <i>Pandorea jasminoides</i>  | Scrub Wonga Vine, Bower/Vine of Beauty | Bignoniaceae      |
| <i>Pandorea pandorana</i>  | Wonga Vine                             | Bignoniaceae      |
| <i>Pararchidendron pruinosum</i>                                       | Snow Wood                              | Mimosaceae        |
| <i>Pararistolochia praevenosa</i>                                      | Richmond Birdwing Vine                 | Aristolochiaceae? |
| <i>Parsonsia brisbanensis</i>  | Brisbane Parsonsia                     | Apocynaceae       |
| <i>Parsonsia fulva</i>   |  | Apocynaceae       |
| <i>Parsonsia lanceolata</i>  | Rough Silkpod Vine                     | Apocynaceae       |

| Flora in Brisbane's Inner West<br>based on all know historical records |  |                |
|--|--|----------------|
| Scientific Names   | Common Names                               | Family         |
| <i>Parsonsia straminea</i>   | Monkey Rope/Giant Silk Pod Vine            | Apocynaceae    |
| <i>Paspalidium distans</i>   | A grass                                    |                |
| <i>Passiflora herbertiana</i>  | Native/Yellow Passion Flower/Vine          | Passifloraceae |
| <i>Pavetta australiensis</i>   | Pavetta                                    | Rubiaceae      |
| <i>Pellea paradoxa</i>   | a fern                                     |                |
| <i>Pentaceras australis</i>  | Penta/Bastard-crow's Ash                   | Rutaceae       |
| <i>Peperomia leptostachya</i>  | Native Peperomia                           | Peperomiaceae  |
| <i>Persoonia cornifolia</i>  | Geebung                                    | Proteaceae     |
| <i>Petalostigma pubescens</i>  | Bitter Bark, Quinine Bush                  | Euphorbiaceae  |
| <i>Petalostigma triloculare</i>  | Forest Quinine, Q Berry                    | Euphorbiaceae  |
| <i>Phragmites australis</i>  | Common/River Reed, Ruhr                    | Poaceae        |
| <i>Phyllanthus virgatus</i>  | Twiggy Phyllanthus                         | Euphorbiaceae  |
| <i>Physalis minima</i>   | Native Gooseberry                          | Solanaceae     |
| <i>Picris conyzoides</i>   | ?  | Asteraceae     |
| <i>Piliostigma glabrum</i>   | Plum Myrtle                                | Myrtaceae      |
| <i>Pimelea latifolia</i>   | Rice Flower                                | Thymelaeaceae  |
| <i>Pipterus argenteus</i>  | Native Mulberry                            | Urticaceae     |
| <i>Pittosporum revolutum</i>   | Brisbane Laurel, Yellow/Forest Pittosporum | Pittosporaceae |
| <i>Pittosporum rhombifolium</i>  | White Holly                                | Pittosporaceae |
| <i>Pittosporum undulatum</i>   | Sweet Pittosporum                          | Pittosporaceae |
| <i>Pittosporum lancifolium(ius)</i><br><i>syn. Citriobatus l.</i>      | Thornbush                                  | Pittosporaceae |
| <i>Pittosporum multiflorum/pauciflora(us) syn. Citriobatus m./p.</i>   | Orange Thorn                               | Pittosporaceae |
| <i>Planchonella cotinifolia</i>  | Small-leaved Coondoo                       | Sapotaceae     |
| <i>Planchonella myrsinoides syn. Pouteria m.</i>                       | Yellow Boxwood                             | Sapotaceae     |
| <i>Planchonella pohlmaniana syn. Pouteria p.</i>                       | Yellow Boxwood, Engraver's Wood            | Sapotaceae     |
| <i>Plantago sp.</i>  |  | Plantaginaceae |
| <i>Platynerium bifurcatum</i>  | Elkhorn Fern                               | Polypodiaceae  |
| <i>Platynerium superbum syn. P. grande</i>                             | Staghorn Fern                              | Polypodiaceae  |
| <i>Plectranthus parviflorus</i>  | Forest Plectranthus                        | Lamiaceae      |
| <i>Pleogyne australis</i>  | Wiry Grape, Hard Heart Leaf Vine           | Menispermaceae |
| <i>Plumbago zeylanica</i>  | Native Plumbago                            | Plumbaginaceae |
| <i>Podocarpus elatus</i>   | Brown/Plum Pine                            | Podocarpaceae  |
| <i>Pollia crispata</i>   | Pollia                                     | Commelinaceae  |
| <i>Pollia macrophylla</i>  | Large-leaved Pollia                        | Commelinaceae  |
| <i>Polyalthia nitidissima</i>  | Canary Beech                               | Annonaceae     |
| <i>Polygonium sp.</i>  | Smart Weed                                 | ?Polygonaceae  |
| <i>Polygonum(us) strigosum</i>   |  | Polygonaceae   |
| <i>Polymeria sp.</i>   |  | Convolvulaceae |
| <i>Polyscias elegans</i>   | Celerywood                                 | Araliaceae     |
| <i>Pomaderris ferruginea</i>   | Pommaderris                                | Rhamnaceae     |

**Flora in Brisbane's Inner West**  
based on all know historical records

| <b>Scientific Names</b>                                     | <b>Common Names</b>              | <b>Family</b>  |
|---|----------------------------------|----------------|
| <i>Pomax umbellata</i>                                      | Pomax                            | Rubiaceae      |
| <i>Proiphys cunninghamii</i>                                | Brisbane Lily                    | Amarylidaceae  |
| <i>Pseuderanthemum variabile</i>                            | Love Flower                      | Acanthaceae    |
| <i>Pseudoweinmannia lachnocarpa</i>                         | Marrara                          | Cunoniaceae    |
| <i>Psychotria daphnoides</i>                                | Smooth Psychotria                | Rubiaceae      |
| <i>Psychotria loniceroides</i>                              | Hairy Psychotria                 | Rubiaceae      |
| <i>Pteridium esculentum</i>                                 | Bracken Fern                     | Pteridaceae?   |
| <i>Pteris tremula</i>                                       | Tender Bracken                   | Pteridaceae    |
| <i>Pterostylis mutica</i>                                   | Nodding Greenhood Orchid         | Orchidaceae    |
| <i>Pterostylus sp. (nutans??)</i>                           | Greenhood Orchid                 | Orchidaceae    |
| <i>Pultenaea cunninghamii</i>                               | Grey Bush Pea                    | Fabaceae       |
| <i>Pultenaea microphylla</i>                                |                                  | Fabaceae       |
| <i>Pultenaea millarii</i>                                   |                                  | Fabaceae       |
| <i>Pultenaea retusa</i>                                     |                                  | Fabaceae       |
| <i>Pultenaea villosa</i>                                    | Hairy Pea Bush, Kerosene Bush    | Fabaceae       |
| <i>Pyrossia rupestris</i>                                   | Rock Felt Fern                   | Polypodiaceae  |
| <i>Ranunculus inundatus</i>                                 | River/Swamp Buttercup            | Ranunculaceae  |
| <i>Rapanea variabilis</i>                                   | Muttonwood                       | Myrtaceae      |
| <i>Rauwenhoffia leichardtii</i> syn.<br><i>Melodorum l.</i> | Zig Zag Vine                     | Annonaceae     |
| <i>Rhodamnia argentea</i>                                   | Malletwood, White Myrtle         | Myrtaceae      |
| <i>Rhodamnia dumicola</i>                                   | Rib-fruited Malletwood           | Myrtaceae      |
| <i>Rhodamnia rubescens</i>                                  | Mallet Wood, Scrub Turpentine    | Myrtaceae      |
| <i>Rhodomyrtus psidioides</i>                               | Native Guava                     | Myrtaceae      |
| <i>Rhodosphaera rhodanthema</i>                             | Tulip Satinwood, Deep Yellowwood | Anacardiaceae  |
| <i>Rhysotoechia bifoliolata</i>                             | Twin-leaf Tuckeroo               | Sapindaceae    |
| <i>Riccia duplex</i>  | ?                                |                |
| <i>Richardsonia scabra</i>                                  |                                  |                |
| <i>Ripogonum album</i>                                      | White Supplejack                 | Smilacaceae    |
| <i>Ripogonum brevifolium</i>                                | Small-leaved Supplejack          | Smilacaceae    |
| <i>Rubus moluccanus</i>                                     | Molucca/Native Raspberry/Bramble | Rosaceae       |
| <i>Rubus parvifolius</i>                                    | Native Raspberry                 | Rosaceae       |
| <i>Sambucus gaudichaudiana</i>                              | White elder                      | Sambucaceae    |
| <i>Samolus valerandi</i>                                    | Common Brook-Weed                | Primulaceae    |
| <i>Sarcochilus ceciliae</i>                                 | Fairy Bells                      |                |
| <i>Sarcochilus sp.</i>                                      | An epiphytic orchid              |                |
| <i>Sarcopetalum harveyanum</i>                              |                                  | Menispermaceae |
| <i>Schefflera actinophylla</i>                              | Umbrella Tree                    |                |
| <i>Schoenoplectus mucronatus</i>                            |                                  |                |
| <i>Schoenoplectus validus</i>                               |                                  |                |
| <i>Scolopia braunii</i>                                     | Flintwood                        | Flacourtiaceae |
| <i>Scutellaria humilis</i>                                  |                                  | Lamiaceae      |
| <i>Secamone elliptica</i>                                   |                                  | Asclepiadaceae |
| <i>Selaginella brisbanensis</i>                             | Fern ally                        |                |
| <i>Sesbania cannabina</i>                                   | Yellow Pea-bush                  | Fabaceae       |

| Flora in Brisbane's Inner West<br>based on all know historical records |   |                |
|--|---|----------------|
| Scientific Names   | Common Names                                | Family         |
| <i>Sigesbeckia orientalis</i>  | Indian Weed                                 | Asteraceae     |
| <i>Siphonodon australis(le)</i>  | Ivorywood                                   | Celastraceae   |
| <i>Smilax australis</i>  | Barbed-Wire Vine                            | Smilacaceae    |
| <i>Solanum densevestitum</i>   |   | Solanaceae     |
| <i>Solanum stelligerum</i>   | Star Nightshade, Devil's Needles            | Solanaceae     |
| <i>Sorghum arundinacem</i>   | Wild Sorghum                                |                |
| <i>Stenocarpus sinuatus</i>  | Wheel Of Fire Tree                          | Proteaceae     |
| <i>Stephania aculeata</i>  | Prickly Snake Vine                          | Menispermaceae |
| <i>Stephania japonica</i>  | Snake/Tape Vine                             | Menispermaceae |
| <i>Sterculia quadrifida</i>  | Peanut tree                                 | Sterculiaceae  |
| <i>Streblus brunonianus</i>  | Whalebone Tree                              | Moraceae       |
| <i>Streblus pendulinus</i>   | Whalebone Tree                              | Moraceae       |
| <i>Swainsona fraseri</i>   |   | Fabaceae       |
| <i>Swainsona galegifolia</i>   | Darling/Smooth D. Pea                       | Fabaceae       |
| <i>Symplocos harroldii</i>   | Hairy Hazelwood                             | Symplocaceae   |
| <i>Syncarpia glomulifera</i>   | Turpentine                                  | Myrtaceae      |
| <i>Synoum glandulosum</i>  | Scentless Rosewood                          | Meliaceae      |
| <i>Syzygium australe</i>   | Brush/Scrub Cherry, Creek Satinash/Satinash | Myrtaceae      |
| <i>Syzygium francisii</i>  | Giant Water Gum                             | Myrtaceae      |
| <i>Syzygium luehmannii</i>   | Riberry, Small-Leaf Lilly Pilly             | Myrtaceae      |
| <i>Tabernaemontana pandacaqui</i>                                      | Banana Bush, Native Gardenia                | Apocynaceae    |
| <i>Tetragonia tetragonioides</i>                                       | New Zealand Sea Spinach                     | Tetragoniaceae |
| <i>Tetrastigma nitens</i>  | Shining Grape                               | Vitaceae       |
| <i>Themeda triandra/australis</i>                                      | Kangaroo Grass                              | Poaceae        |
| <i>Tinospora smilacina</i>   |   | Menispermaceae |
| <i>Toechima tenax</i>  | Pitted-Leaved Steelwood, Brush Teak         | Sapindaceae    |
| <i>Toona australis syn. T. ciliata</i>                                 | Red Cedar                                   | Meliaceae      |
| <i>Trachymene sp.</i>  | Native Parsnip                              | Apiaceae       |
| <i>Tragia novae-hollandiae</i>   | Stinging Vine                               | Euphorbiaceae  |
| <i>Trema tomentosa</i>   | Native/Poison Peach                         | Ulmaceae       |
| <i>Tricoryne anceps</i>  |   | Anthericaceae  |
| <i>Triglochin procerum</i>   | Water Ribbons                               |                |
| <i>Tristaniopsis laurina</i>   | Water Gum, Kanuka                           | Myrtaceae      |
| <i>Trochocarpa laurina</i>   | Tree Heath                                  | Epacridaceae   |
| <i>Trophis scandens</i>  | Burny Vine                                  |                |
| <i>Tylophora benthamii</i>   |   | Asclepiadaceae |
| <i>Typha orientalis</i>  | Bullrush, Cumbungi                          |                |
| <i>Urtica incisa</i>   | Scrub/Stinging Nettle                       | Urticaceae     |
| <i>Vernonia cinerea</i>  | Vernonia                                    | Asteraceae     |
| <i>Viola hederaceae</i>  | Ivy-leaf Violet                             | Violaceae      |
| <i>Vitex ligum-vitae, syn. Premna l-v</i>                              | Satinwood                                   | Verbenaceae    |
| <i>Wahlenbergia stricta subsp stricta</i>                              | Australian/Tall Bluebell                    | Campanulaceae  |
| <i>Waterhousea floribunda</i>  | Weeping Lilly Pilly/Satinash                | Myrtaceae      |
| <i>Wedelia biflora</i>   | Native Wedelia                              | Asteraceae     |

**Flora in Brisbane's Inner West**  
based on all know historical records

| <b>Scientific Names</b>   | <b>Common Names</b>                                 | <b>Family</b>    |
|---------------------------|---|------------------|
| <i>Wikstroemia indica</i> | Tie Bush, Bootlace Bark/Bush,<br>Bushman's Bootlace | Thymelaeaceae    |
| <i>Wilkiea huegeliana</i> | Veiny Wilkiea                                       | Monimiaceae      |
| <i>Xanthorrhoea sp.</i>   | Forest Grass Tree, Black Boy                        | Xanthorrhoeaceae |
| <i>Zieria minutiflora</i> |   | Rutaceae         |
| <i>Zieria smithii</i>     | Sandfly Zieria/Bush                                 | Rutaceae         |