

INDEX

- Abathomphalus mayaroensis* Subzone, 630-632
 African plate, 815
 Amirante Ridge, 430
 Amphibolite, 17, 416, 429, 449
 Amphibolite flows, 17
 Amsterdam Island, 214
 Andaman Island, 408
 Angular unconformity, 351
 Anomalies, magnetic, 86, 91, 382, 383
 Anorthosites, 413
 Apatite, 122, 216
Appendicisporites distocarinatus Zone, 504
 Argo Abyssal Plain, 351
 Ash, volcanic *see* volcanic ash
 Australian Mineral Province, 492, 493, 495
 Australian plate, 369, 807
 Baked contact, 413
 Barisan Mountains, 408
 Basal iron oxide facies, 470
 Basalt, 17, 41, 449, 470, 863
 amphibole bearing, 413, 418
 amygdular, 425, 431, 460
 dolerite, 377
 flows, 122, 124, 377
 pillows, 459, 460, 471
 see also lava pillows
 scoriaceous, 428
 sills, 120, 122
 Site 213, 365, 429, 450
 Site 214, 120, 122, 425, 429, 450, 460, 462, 463
 Site 215, 195, 196, 429, 434, 450, 459
 Site 216, 215, 216, 381, 428, 429, 450, 460
 vesicular, 378, 425, 428, 460
 Basalt-sediment contact, 805
 Basaltic glass, 216
 Bay of Bengal, 268, 403, 492, 711
 Bedding, graded, 805
 Beidellite, 122, 805
Bekoma bidarfensis Zone, 526
 Bengal Fan, 193, 198, 267, 274, 325, 330, 365, 366-367, 711, 806, 810, 825
 turbidites of, 198, 199, 267, 268, 274
 Bengal geosyncline, 406
 Benthonic foraminifera *see* Foraminifera, benthonic
 Bioturbation, 196, 213, 215, 271, 326, 328, 330, 478
 Bogoro Limestone, 807
 Boundaries, stratigraphic
 Cretaceous-Cenozoic, 351
 Cretaceous-Paleocene, 378
 Cretaceous-Tertiary, 377, 624
 middle/lower Eocene, 617
 Eocene-Oligocene, 611, 636
 upper/middle Eocene, 611
 Miocene/Pliocene, 611, 636
 Oligocene/Miocene, 636
 Paleocene-Eocene, 378, 618, 636
 Pliocene-Quaternary, 18
 Brachiopods, 805
Broinsonia parca Zone, 603
 Broken Ridge, 397
 Btahmaputra River, 711
 Buliminids, 126
 Burrows *see* bioturbation
Buryella clinata Zone, 526
 Calcareenite
 Korojon, 808
 Toolonga, 808
 Calcareous turbidites, 398
Calocyclella
 costata Zone, 219, 526, 530, 531, 538, 539
 virginis Zone, 219, 274, 526, 530, 531, 533, 534, 535, 536, 540
 Campbell Plateau, 604
Cannartus petterssoni Zone, 19, 90, 126, 219, 526, 527, 528, 530, 532, 533, 535, 538
 Carbonate compensation depth, 267, 580
 Site 211, 19, 21
 Site 212, 37, 42, 46, 805
 Site 213, 92
 Site 214, 11, 122
 Site 216, 220
 Carnarvon Basin, 808
Catinaster coalithus Zone, 329, 578, 602
 Cenozoic Radiolaria zonation, 526
 Central Bengal Fan, 325
 Central Indian Ocean Basin, 193, 366
 basalts, 459
 Central Indian Ridge, 11
Ceratolithus
 rugosus Zone, 578
 tricorniculatus Zone, 578, 602
 Chagos Fracture Zone, 815
 Chagos-Laccadive Plateau, 815
 Chagos-Laccadive Ridge, 11
 Chemistry of basalts, 460-463
 Chert, 213, 215, 271, 272, 478, 497, 535, 805
 formation and diagenesis, 543
 nodules, 196
 stringers, 478
Chiasmolithus grandis Zone, 273, 579
 Chilled margin, 17, 19, 88, 122, 413, 416, 419, 423, 427, 459
 Chlorite, 216, 489
 Chlorophyll derivatives, 677
 Christmas Island, 13, 19, 483
 Christmas Rise, 351, 360
 Cibicidids, 126
 Clinoptilolite, 492
 Clinopyroxene, 216, 425, 427
 Coal, petrography of, 485
 Coccolith zonation *see* nannofossil zonation or specific zone name
Coccolithus doronicoides Zone, 602
 Cocos Basin, 362, 365

- Cocos Keeling Plateau, 13
 Cocos Rise, 365
 Cocos Seamount, 397
 Cocos-Roo Rise, 492
 Collosphaerids, 90, 532, 533
 Conglomerates, volcanic, 122
 Contact, baked, 413
 sediment-basement, 381, 384
 Contact zones, 471, 622, 805
 Copper, native, 213, 216
Corbisema hastata Zone, 604
 Correlation of seismic reflectors and lithology, 90, 126, 198, 219, 274, 330
 Cretaceous-Cenozoic boundary, 351
 Cretaceous-Paleocene boundary, 378
 Cretaceous-Tertiary boundary, 218, 219, 273, 377, 381, 583, 624, 807, 809
 nannofossil assemblages at, 583
 Cristobolite, 482
 Cross-lamination, 271, 272, 805
 Cross-stratification, 478
Cruciplacolithus tenuis Zone, 578, 603, 605
 Currents
 turbidity, 44, 330, 406, 411, 492, 711
 bottom, 42
Cyclococcolithina
 formosa Zone, 273, 579
 robusta Zone, 126, 578
 Decan Province, 492
 Deep-water facies, foraminifera of, 623
 Denudation of Himalayas, 330
 Detrital minerals, 805
 Diabase, 416, 432, 449
 sills, 16, 19, 21, 365, 378, 413, 429, 449, 471, 822
 Diagenesis as related to chert formation, 543
 Diapirism, 410
 Diatom occurrence, 604
 Diatom zonation,
 Pseudoeunotia doliolus Zone, 601, 603, 604
 Thalassiosira convexa Zone, 604
Dictyocha epidon Zone, 601
 Dinoflagellates, 806
Discoaster
 asymmetricus Zone, 577, 578
 barbadensis Zone, 273, 579, 602
 brouweri Zone, 577, 602
 diastypus Zone, 90, 198, 579, 603
 exilis Zone, 578, 602
 hamatus Zone, 578, 602
 lodoensis Zone, 126, 579, 603
 mohleri Zone, 198, 578, 603, 604
 multiradiatus Zone, 90, 198, 273, 579, 603, 604
 neohamatus Zone, 219, 273, 578, 602, 605
 nobilis Zone, 603
 quinqueramus Zone, 273, 578, 602, 605
 sublodoensis Zone, 579, 603
 surculus Zone, 577
 Disconformity, 622
 Dissolution of foraminifera, 805
Distephanus crux Zone, 603
 Dolarenite, 272, 808
 Dolerite, 377
 Dolomite, saccharoidal, 477, 478
 Dolomite rhombs, 216, 272
 Dolomitization, 274, 479, 482
Dorcadospyrus
 alata Zone, 90, 126, 219, 274, 526, 528, 530, 532, 533, 534, 535, 538
 ateuchus Zone, 219, 274, 526, 531, 532, 533, 534, 535, 536, 540
 Dunite, 413
Eiffelithus augustus Zone, 19, 579, 603
Emiliana huxleyi Zone, 126, 273, 329, 577, 602
 Eocene-Paleocene boundary, 618, 636
 Eocene foraminifera stratigraphy, 622
 Middle/lower Eocene boundary, 617
 Eocene-Oligocene boundary, 611, 636
 Eocene Radiolaria zonation, 526
 Upper/middle Eocene boundary, 611
 Fecal pellets, 272, 328
Fasciculithus tympaniformis Zone, 198, 578, 603, 604, 605
 Fault, transform, 214
 Faulting, 410
 Fish teeth, 90
 Flows, basalt, 122, 124, 377
 Foraminifera, benthonic, 18, 90, 126, 329
 deep-water facies, 623
 Mesozoic, 629
 Miocene, 636
 on Ninetyeast Ridge, 611
 Eocene, 622
 Oligocene, 611
 Paleocene, 622
 Paleocene to Eocene, 611
 Pleistocene, 611, 635
 Pliocene, 636
 Foraminifera, planktonic, occurrence
 Site 212, 43, 611, 635
 Site 213, 89
 Site 214, 124, 622, 635
 Site 215, 197, 636
 Site 216, 218, 611, 636
 Site 217, 273, 637
 Site 218, 329, 611
 preservation, 124, 197
 Zonation
 Abathomphalus mayaroensis Subzone, 630, 631, 632
 Globorotalia pusilla pusilla Zone, 506
 Globotruncana contusa-stuartiformis Assemblage Zone, 630, 632
 Globotruncana fornicata-stuartiformis Assemblage Zone, 630, 631, 632, 633
 Globotruncana
 gansseri Zone, 273, 807
 mayaroensis Zone, 273
 Morozovella subbotinae-Pseudohastigerina wilcoxensis Subzone, 90
 Morozovella wilcoxensis Zone, 90
 Planorotalites pseudomenardii Zone, 273

- Rugotruncana*
subpennyi Zonule, 632, 633, 634
subcircumnodifer Subzone, 632, 633, 634
- Framboidal pyrite, 485
Gabbro, 413
Gambierina edwardsii Zone, 504, 505, 506
Ganges Province, 492
Ganges River, 711
Ganges-Brahmaputra Delta, 406
Ganges-Brahmaputra River system, 330, 492
Gas chromatography, 681
Gastropods, 122, 805
Geochemistry program
 Site 211, 17
 Site 212, 42
 Site 213, 89
 Site 214, 124
 Site 215, 197
 Site 216, 216
 Site 217, 272
 Site 218, 328
Geothermal measurements, 388
Gephyrocapsa oceanica Zone, 273, 602, 604
Glaucinite, 120, 122, 215, 271, 274, 478, 805
Globorotalia pusilla pusilla Zone, 506
Globotruncana contusa-stuartiformis Assemblage Zone
 630, 632
Globotruncana fornicata-stuartiformis Assemblage Zone,
 630, 631, 632, 633, 634
Globotruncana
 gansseri Zone, 273, 807
 mayaroensis Zone, 273
Globotruncanella mayaroensis Zone, 807
Goethite, 37
Gondwanaland, 407
Graded bedding, 326, 327, 805
Heavy minerals, 16, 17, 196, 326, 711
Helicopontosphaera
 ampliapertura Zone, 602
 reticulata Zone, 602
Heliolithus kleinpelli Zone, 126, 198, 578, 603
Himalayas, 406, 408
 denudation of, 330
Holocene-Pleistocene boundary, 330
Hydrocarbon analyses, 671
 and kerogen studies, 671, 677
Igneous petrology, 413, 419, 421, 422, 426, 429
Igneous rock/sediment contacts, 622
Igneous rocks
 anorthosite, 413
 dunite, 413
 gabbro, 413
 pyroxenite, 413
 serpentinite, 413
 spilite, 413
Illite, 489
Indian plate, 220, 369, 806, 807, 815
Indo-Antarctic Ridge, 369
Indo-Burman Ranges, 408
Indonesian Arc system, 21, 413
Indonesian Islands, 492
Indonesian Province, 492
Indonesian Trench system, 21
Inoceramus, 18, 271, 272, 273, 478, 634, 805
Inter-ridge Province, 492
Interstitial water studies, 657, 662, 663
Investigator Fracture Zone, 46, 47
Iron ore, 122, 216
Iron oxide nodules, 196
Iron oxide-manganese facies, 86, 88
Iron oxide facies, basal, 470
Java Trench, 13, 19, 86, 274, 377
Kaolinite, 489, 492, 495, 805
Kerogen studies, 671, 677
Korojon Calcarenite, 18, 808
Lacustrine environment, 506
Laminated sediments, 37, 271, 272, 327, 805
Lapilli tuff, 122, 129
Laterite, 493
Lava, pillow, 17, 21, 42, 46, 88, 92, 195, 196
Lignite, 120, 122
Limestone, 41, 120, 122, 427, 471
Limonite, 120, 122
Lithaphidites quadratus Zone, 579, 603
Lynchnocanoma elongata Zone, 219, 526, 530, 531, 540
Lygistipollenites palmei Zone, 504, 505, 506
Maestrichtian-Campanian boundary, 377
Magnetic anomalies, 11, 86, 91, 382, 383, 388, 815
Magnetite, 459, 460
Major element analysis, 477
Manganese, 805
Manganese nodules, 37, 41, 42, 86, 88, 270
Mendocino Fracture Zone, 382
Mesozoic foraminifera, 629
Metabasalt, 37, 422, 429, 434
Metahalloysite, 490, 495
Micula mura Zone, 605
Miocene-Oligocene boundary, 636
Miocene
 foraminifera, 636
 -Pliocene boundary, 611, 636
 Radiolaria zonation, 526
 sediments, 543
Miria Marl, 808
Molluscs, 122, 215, 216, 271, 274, 805
Morozovella subbotinae-Pseudohastigerina wilcoxensis
 Subzone, 90
Morozovella velascoensis Zone, 90
Mud cracks, 476
Nannofossil assemblages, Cretaceous-Tertiary boundary,
 583
Nannofossil occurrence
 Site 211, 582
 Site 212, 44, 582, 601
 Site 213, 90, 582, 603
 Site 214, 126, 583, 603
 Site 215, 198, 582
 Site 216, 218, 582
 Site 217, 273, 604
 Site 218, 329, 583, 605

- Nannofossil ooze, sedimentation rate of, 805
 Nannofossil preservation, 198
 Nannofossil zonation
- Broinsonia parca* Zone, 603
 - Catinaster coalithus* Zone, 329, 578, 602
 - Ceratolithus*
 - rugosus* Zone, 578
 - tricorniculatus* Zone, 578, 602
 - Chiasmolithus grandis* Zone, 273, 579
 - Coccolithus doronicoides* Zone, 602
 - Cruciplacolithus tenuis* Zone, 578, 603, 605
 - Cyclococcolithna*
 - formosa* Zone, 273, 579
 - robusta* Zone, 126, 578
 - Discoaster*
 - asymmetricus* Zone, 577, 578
 - barbadensis* Zone, 273, 579, 602
 - brouweri* Zone, 577, 602
 - diastypus* Zone, 90, 198, 579, 603
 - exilis* Zone, 578, 602
 - hamatus* Zone, 578, 602
 - lodoensis* Zone, 126, 579, 603
 - mohleri* Zone, 198, 578, 603, 604
 - multiradiatus* Zone, 90, 198, 273, 579, 603, 604
 - neohamatus* Zone, 219, 273, 578, 602, 605
 - nobilis* Zone, 603
 - quinqueramus* Zone, 273, 578, 602, 605
 - sublodoensis* Zone, 579, 603
 - surculus* Zone, 577
 - Eiffelithus augustus* Zone, 19, 579, 603
 - Emiliana huxleyi* Zone, 126, 273, 329, 577, 602
 - Fasciculithus tympaniformis* Zone, 198, 578, 603, 604, 605
 - Gephyrocapsa oceanica* Zone, 273, 602, 604
 - Helicopontosphaera*
 - ampliaptera* Zone, 602
 - reticulata* Zone, 602
 - kleinpelli* Zone, 126, 198, 578, 603
 - Lithaphidites quadratus* Zone, 579, 603
 - Micula mura* Zone, 605
 - Nannotetrina*
 - alata* Zone, 579
 - quadrata* Zone, 603, 605
 - Nephrolithus frequens* Zone, 218, 219, 579, 603, 806
 - Pseudoemiliana lacunosa* Zone, 273, 577
 - Reticulofenestra*
 - pseudoumbilica* Zone, 577, 602
 - umbilica* Zone, 602, 605
 - Sphenolithus*
 - belemnus* Zone, 273, 578, 602
 - ciperoensis* Zone, 273, 578, 602, 604
 - distentus* Zone, 579, 602
 - heteromorphus* Zone, 273, 578, 602
 - predistentus* Zone, 579
 - Tetralithus*
 - nitidus trifidus* Zone, 579
 - trifidus* Zone, 603
 - Tribrachiatulus*
 - contortus* Zone, 603
 - orthostylus* Zone, 198, 579, 603
 - Triquetrorhabdulus carinatus* Zone, 578, 602
 - Nannotetrina*
 - alata* Zone, 579
 - quadrata* Zone, 603-605
 - Nepheloid layer, 582
 - Nephrolithus frequens* Zone, 218, 219, 579, 603, 806
 - New Amsterdam Island, 430
 - Nicobar Fan, 13, 21, 86, 711, 816
 - Nicobar Islands, 408
 - Ninetyeast Ridge, 21, 85, 86, 91, 213, 267, 365, 366, 377-378, 397, 406, 408, 410-411, 452, 460, 477, 492, 495, 681, 815
 - basalts of, 463
 - origin of, 469
 - paleoclimate, 507
 - subsidence, 477, 482, 805
 - temperature measurements, 392
 - Nodules
 - manganese, 37, 41, 86, 270
 - iron oxide, 196
 - Nonvesicular basalt, 425, 428
 - Nothofagidites*
 - asperus* Zone, 505, 506
 - senectus* Zone, 505
 - Ob Fracture Zone, 413
 - Oligocene
 - Eocene boundary, 611, 636
 - Miocene boundary, 218, 273, 636
 - foraminifera, 611
 - Radiolaria zonation, 526
 - Olivine, 427
 - Ommatartus*
 - antepenultimus* Zone, 19, 90, 126, 198, 219, 274, 526, 528, 530, 532, 533, 534, 535, 536, 538
 - penultimus* Zone, 90, 126, 198, 219, 274, 526, 528, 530, 532, 533, 534, 535, 536, 538
 - Organic carbon analyses, 671
 - Orosphaerids, 90, 532
 - Ostracods, 126
 - Otway Basin, 506
 - Oysters, 271, 274, 478, 805
 - Palagonite, 196, 493
 - Paleocene
 - Eocene boundary, 378, 618, 636
 - foraminifera, 622
 - Radiolaria zonation, 526
 - Paleoclimate, Ninetyeast Ridge, 507
 - Paleolatititude, 128, 369
 - Paleomagnetism, 369
 - Paludal environment, 504, 506
 - Palygorskite, 88, 492, 493, 495, 497, 805
 - Palynomorphs, 122, 503, 806
 - Pebble Point Formation, 506
 - Pelecypods, 805
 - Phillipsite, 86, 196, 493
 - Phormocyrtis striata striata* Zone, 526
 - Pillow lava, *see* lava, pillow
 - Planorotalites pseudomenardii* Zone, 273
 - Pleistocene foraminifera assemblage, 635-636
 - Pliocene
 - foraminifera assemblage, 636

- Miocene boundary, 611, 636
- Radiolaria zonation, 526
- Quaternary boundary, 18
- Podocyrtris*
 - ampla ampla* Zone, 534
 - ampla* Zone, 274, 526, 533, 536, 542
 - chalara* Zone, 219, 526, 535, 543
 - goetheana* Zone, 219, 526, 535, 543
 - mitra* Zone, 219, 274, 526, 532, 533, 534, 535, 536, 542
- Pollen zonation
 - Appendicisporites distocarinatus* Zone, 504
 - Gambierina edwardsii* Zone, 504, 505, 506
 - Lygistepollenites balmei* Zone, 504, 505, 506
 - Nothofagidites*
 - asperus* Zone, 505, 506
 - senectus* Zone, 505
 - Pseudoemiliana lacunosa* Zone, 273, 577
 - Pseudoenotia doliolus* Zone, 601, 603, 604
 - pteridophytes*, 504
 - Pterocanium prismatium* Zone, 90, 126, 198, 526, 527, 529, 532, 534, 537
- Pumice, 86
- Pumpellyite, 419
- Pyrite, 122, 271, 485, 495
 - framboidal, 485
- Pyroxene, 459, 460
- Pyroxenite, 413
- Radiolaria
 - Cenozoic, 526
 - Chiasmolithus grandis* Zone, 90, 126, 219, 274, 522, 526, 528, 529, 530, 532, 534, 535, 538
 - Dorcadospyrus ateuchus* Zone, 219, 274, 526, 531, 532, 533, 534, 535, 536, 540
 - Eocene, 526
 - Events, Leg 22, 537-542
 - Lychnocanoma elongata* Zone, 219, 526, 530, 531, 540
 - Miocene, 526
 - Occurrence
 - Site 211, 526
 - Site 212, 44, 528
 - Site 213, 90
 - Site 214, 126, 532
 - Site 215, 198, 534
 - Site 216, 219, 535
 - Site 217, 274, 535
 - Site 218, 330, 536
 - Oligocene, 526
 - Ommatartus*
 - antepenultimus* Zone, 19, 90, 126, 198, 219, 274, 526, 528, 530, 532, 533, 534, 535, 536, 538
 - penultimus* Zone, 90, 126, 198, 219, 274, 526, 528, 530, 532, 533, 534, 535, 536, 538
 - Paleocene, 526
 - Phormocyrtis striata striata* Zone, 526
 - Pliocene, 526
 - Podocyrtris*
 - ampla ampla* Zone, 534
 - ampla* Zone, 274, 526, 533, 536, 542
 - chalara* Zone, 219, 526, 535, 543
 - goetheana* Zone, 219, 526, 535, 543
 - mitra* Zone, 219, 274, 526, 532, 533, 534, 535, 536, 536, 542
 - Pterocanium prismatium* Zone, 90, 126, 198, 526, 527, 529, 532, 534, 537
 - Quaternary, 526, 527, 529, 533, 534, 537
 - Spongaster pentas* Zone, 90, 219, 126, 198, 526, 527, 529, 532, 533, 534, 535, 536, 537
 - Theocampe mongolfieri* Zone, 526
 - Theocotyle cryptocephala cryptocephala* Zone, 526
 - Theocyrtris*
 - bromia* Zone, 533
 - tuberosa* Zone, 219, 274, 526, 531, 532, 533, 534, 535, 536, 540
 - Thyrosocyrtis*
 - bromia* Zone, 219, 274, 532, 534, 535, 536, 541
 - triacantha* Zone, 274, 526, 533, 536, 542
 - preservation of, 542
 - reworking of, 543
 - systematics, 544
 - zonation
 - Bekoma bidarfensis* Zone, 526
 - Buryella clinata* Zone, 526
 - Calocyrcletta*
 - costata* Zone, 219, 526, 530, 531, 535, 538, 539
 - virginis* Zone, 219, 274, 526, 530, 531, 533, 534, 535, 536, 540
 - Cannartus petterssoni* Zone, 19, 90, 219, 526, 527, 528, 530, 532, 533, 535
 - Reef limestone, 483
 - talus, 482
 - Reticulofenestra*
 - pseudoumbilica* Zone, 273, 577, 602
 - umbilica*, 602, 605
 - Reunion Island, 430
 - Roo Rise, 351, 360
 - Rugotruncana*
 - subpennyi* Zonule, 632, 633, 634
 - subcircumnodifer* Subzone, 632, 633, 634
 - Saccharoidal dolomite, 477, 478
 - Sandstone, tuffaceous, 366
 - Scoriaceous basalt, 428
 - Scott Plateau, 351
 - Sea floor spreading, 92, 276
 - Sea level, changes of, 410
 - Sediment-basement contact, 381, 384
 - Sedimentary structures, 271, 327, 805
 - Sedimentation rates
 - Site 211, 18, 19
 - Site 212, 46, 805
 - Site 213, 805
 - Site 214, 805
 - Site 215, 805
 - Site 216, 218, 805
 - Site 217, 805
 - Site 218, 325, 330
 - Seismic refraction measurements, correlation with unconformities, 407
 - Serpentinities, 413
 - Shallow-water facies 623

- Siderite, 485
- Siliceous microfossils, occurrence of, 805
- Silicoflagellate occurrence
- Site 211, 601
 - Site 213, 601
 - Site 214, 604
- Silicoflagellate zonation
- Corbisema hastata* Zone, 604
 - Dictyochoa epiodon* Zone, 601
 - Distephanus crux* Zone, 603
- Sills
- andesite, 19
 - diabase, 16, 19, 21, 120, 122, 365, 378, 413, 429, 449
- Site 211, 13-36
- basalt, 17, 429
 - basement, 19
 - carbonate compensation depth, 19, 21
 - diabase, 16, 416, 429, 432, 449
 - foraminifera
 - benthonic, 18
 - planktonic, 611
 - geochemistry program, 17
 - major element analysis, 477
 - nannofossil occurrence, 582
 - operations, 13
 - noncarbonate deposits, origin of, 492
 - Radiolaria occurrence, 526
 - sedimentation rate, 18, 19
 - silicoflagellate occurrence, 601
 - summary of, 818
 - trace element analysis, 471, 477
 - turbidites, 21
 - volcanic activity, 37
 - volcanic ash, 15
 - volcanic material, 16, 17, 21
 - X-ray mineralogy, 694, 698
- Site 212, 37-84
- basalt, 41
 - carbonate compensation depth, 37, 42, 46, 805
 - currents
 - turbidity, 44
 - bottom, 42
 - foraminifera occurrence, 43, 611, 635
 - geochemistry program, 42
 - goethite, 37
 - interstitial water studies, 657
 - limestone, 41
 - major element analysis, 477
 - manganese, 37, 42
 - manganese nodules, 37, 41
 - metabasalt, 37, 429, 434
 - nannofossil occurrence, 44, 582, 601
 - operations, 37
 - noncarbonate deposits, origin of, 492
 - Radiolaria occurrence, 44, 528
 - sedimentation rate, 46, 805
 - seismic reflectors, 397, 399
 - summary of, 805, 818
 - terrigenous material, 42
 - trace elements, 471
 - volcanic material, 41
 - X-ray mineralogy results, 694, 699, 700
- Site 213, 85-118
- basalt, 86, 365, 429, 434, 450
 - carbonate compensation depth, 92
 - correlation of seismic reflectors and lithology, 90
 - fish teeth, 90
 - foraminifera
 - benthonic, 90
 - planktonic, 89
 - geochemistry, 89
 - iron oxide-manganese facies 86, 88
 - major element analysis, 477
 - manganese, 88
 - nodules, 86, 88
 - Miocene sediments, 543
 - nannofossil occurrence, 90, 582, 603
 - noncarbonate deposits, origin of, 493
 - operations, 86
 - sea-floor spreading, 92
 - sedimentation rates, 805
 - silicoflagellate occurrence, 601
 - subsidence, 92
 - summary of, 805, 822
 - temperature data, 388
 - trace element analysis, 471, 477
 - unconformities, 89
 - volcanic material, 86
 - X-ray mineralogy results, 695, 701
- Site 214, 119-192
- basalt, 120, 122, 124, 425, 429, 450, 460, 463
 - beidellite, 122
 - carbonate compensation depth, 11, 122
 - chemistry of basalts, 460, 462
 - correlation of seismic reflectors and lithology, 126
 - foraminifera occurrence, 124, 622, 635
 - preservation, 124
 - geochemistry program, 124
 - interstitial water studies, 657
 - iron ore, 122
 - lignite, 120, 122
 - limestone, 120, 122
 - limonite, 120, 122
 - nannofossil occurrence, 126, 582, 603
 - operations, 120
 - origin of noncarbonate deposits, 495
 - paleolatitude, 128
 - palynomorphs, 122
 - pyrite, 122
 - Radiolaria occurrence, 126, 528, 532
 - sedimentation rate, 805
 - shallow-water facies, 623
 - silicoflagellates, 604
 - subsidence, 128
 - summary of, 805
 - temperature data, 389
 - tuff, 120, 122
 - volcanic conglomerates, 122
 - volcanic material, 120, 122
 - X-ray mineralogy results, 695, 702, 703
- Site 215, 193-212
- basalt, 195, 196, 429, 434, 450, 459
 - bioturbation, 196
 - chert nodules, 196

- correlation of seismic reflectors and lithology, 198
- diatom occurrence, 604
- foraminifera
 - occurrence, 197, 636
 - preservation, 197
- geochemistry program, 197
- iron oxide nodules, 196
- Miocene sediments, 643
- nannofossil
 - occurrence, 198, 582
 - preservation, 198
- operations, 195
- Radiolaria occurrence, 198, 529, 534
- sedimentation rates, 805
- summary of, 805
- volcanic material, 196
- X-ray mineralogy results, 696
- Site 216, 213-266
 - basalts, 215, 216, 381, 428, 429, 450, 460, 463
 - bioturbation, 215
 - carbonate compensation depth, 220
 - chert, 213, 215
 - copper, native, 213, 216
 - correlation between seismic reflectors and lithology, 219
 - dolomite rhombs, 216
 - foraminifera occurrence, 218, 611, 636
 - geochemistry program, 216
 - interstitial water studies, 662
 - iron ore, 216
 - molluscs, 215, 216
 - nannofossil occurrence, 218, 582
 - nannofossil zonation, 604
 - operations, 214
 - Radiolaria occurrence, 219, 530, 531, 532
 - sedimentation rate, 218, 805
 - subsidence, 220
 - summary of, 805
 - temperature data, 389
 - tuff, 215, 216
 - tuffaceous sandstone, 366
 - unconformities, 535
 - volcanic material, 215, 216
 - X-ray mineralogy results, 696, 705, 706
- Site 217, 267-324
 - bioturbation, 271
 - chert, 271, 272, 535
 - chlorophyll derivatives, 677
 - correlation of seismic reflectors and lithology, 274
 - dolarenite, 272, 808
 - dolomite rhombs, 272
 - fecal pellets, 272
 - foraminifera occurrence, 272, 611, 637
 - geochemistry program, 272
 - hydrocarbon and kerogen studies, 671
 - Inoceramus, 271, 272
 - manganese nodules, 270
 - molluscs, 271, 274
 - nannofossil occurrence, 273, 604
 - Oligocene-Miocene boundary, 273
 - operations, 268
 - oysters, 271, 274
 - pyrite, 271
 - Radiolaria occurrence, 274, 533, 534, 535
 - Radiolaria zonation, 533-536
 - sedimentary structures, 271
 - sedimentation rates, 805
 - subsidence, 267, 274
 - summary of, 805
 - temperature data, 389
 - volcanic material, 270, 271
 - X-ray mineralogy, 482, 707
- Site 218, 325-350
 - bioturbation, 328
 - chlorophyll derivatives, 677
 - correlation of seismic reflectors and lithology, 330
 - fecal pellets, 328
 - foraminifera
 - benthonic, 329
 - planktonic, 329, 611
 - geochemistry program, 328
 - hydrocarbon and kerogen studies, 677
 - interstitial water studies, 663
 - nannofossil occurrence, 329, 583, 605
 - operations, 325
 - Radiolaria occurrence, 330, 536
 - sedimentary structures, 327
 - sedimentation rate, 325, 330
 - summary of, 805
 - turbidite, 326
 - worm tubes, 328
 - X-ray mineralogy results, 696, 697, 708-710
- Smectite, 419, 422, 461, 489, 493, 495
- Southeast Indian Ridge, 214
- Sphenolithus*
 - belemnus* Zone, 273, 578, 602
 - ciperoensis* Zone, 273, 578, 602, 604
 - distentus* Zone, 273, 579, 602
 - heteromorphus* Zone, 273, 578, 602
 - predistentus* Zone, 579, 602
- Spilites, 413
- Spongaster pentas* Zone, 90, 126, 198, 219, 526, 527, 529, 532, 533, 534, 535, 537
- Spreading rate, 381, 382, 383
- St. Paul Islands, 214, 430
- Stichocorys peregrina* Zone, 90, 126, 198, 219, 274, 526, 528, 529, 532, 533, 534, 535, 536, 537
- Subduction Zone, 410
- Subsidence
 - Ninetyeast Ridge, 477, 482, 805
 - Site 213, 92
 - Site 214, 128
 - Site 216, 220
 - Site 217, 267, 274
- Sunda Trench, 21
- Systematics, Radiolaria, 544
- Tasman Fracture Zone, 11
- Tectonism, 825
- Temperature measurements, Ninetyeast Ridge, 392
- Tethyan Sea, 406

Tetralithus
 nitidus trifidus Zone, 579
 trifidus Zone, 603
Thalassiosira convexa Zone, 604
Thecampe mongolfieri Zone, 44, 526, 529
Thecotyle cryptocephala cryptocephala Zone, 526
Theocyrtis
 bromia Zone, 533
 tuberosa Zone, 219, 274, 526, 531, 532, 533, 534, 535, 536, 540
 Thermal conductivity measurements, 389
Thyrosocyrtis
 bromia Zone, 219, 274, 532, 534, 535, 536
 triacantha Zone, 274, 526, 533, 536, 542
 Toolonga Calcarenite, 808
 Trachytic texture, 460
 Transform fault, 214
Tribrachiatus
 contortus Zone, 603
 orthostylus Zone, 198, 579, 603
 Tridymite, 482
Triquetrorhabdulus carinatus Zone, 578, 602
 Tuff, 120, 122, 215, 216, 423
 Tuffaceous sandstone, 366
 Turbidites, 21, 198, 199, 267, 268, 274, 325, 330, 351, 365, 397, 406, 492, 711, 713
 Turbidity currents, 44, 330, 406, 410, 411, 492, 711
 Unconformity, 89, 406, 407, 408, 410, 411
 Unconformity, angular, 351
 Volcanic ash, 15, 86, 215, 270, 351, 365, 377, 492
 conglomerates, 122
 Volcanic activity, 37, 410
 Volcanic glass, 41, 120, 122, 196, 270, 271
 Volcanic material, 16, 17, 21, 37, 86, 120, 122, 215, 216, 270, 427
 Volcanogenic sediments, 215, 216, 805
 Wallaby Plateau, 397
 Wharton Basin, 13, 37, 85, 365, 397, 469, 492, 816
 Wharton Deep, 46
 Woody material, 485
 Worm tubes, 328
 X-ray mineralogy of dolomite, 482
 X-ray mineralogy methods, 693
 X-ray mineralogy results, 693-710
 Xylite, 485
 Zeolites, 497, 805
 Zeolitic sediments, 37, 86, 195, 196, 199, 365