

INDEX

- Acoustic basement, age in Argentine Basin, 19
Acoustic reflectors, Argentine Basin, 8
Acuturris, new nannofossil genus, 296
Aguilhas Fracture Zone, 27, 999
Albian foraminifera, 522
Albian-Cenomanian foraminifera, 520, 523
Aptian-Albian Austral foraminifera, 531
Amminoides, 219
Andean Cordillera, uplift of, 9
Andean-West Antarctic Cordillera, 998
Antarctic Bottom Water, 87, 100, 101, 262, 263, 580, 701, 705
 transport of into the Argentine Basin, 9
Antarctic Circumpolar Current, 1008
Antarctic Convergence, 5, 588
Antarctic Divergence, 588
Antarctic drilling program, 5
Antarctic glaciation, 1006
Antarctic Intermediate Water, 263
Antarctissa conradae Zone, 153
Aptian-Albian boundary, 283
Argentine Basin, 7, 87
 acoustic reflectors, 8
 age of, 9
Assemblage characteristics, nannos, 291
Archaeomonads, Eocene, 689
 geologic occurrence of, 689
 Oligocene, 689
 systematic paleontology, 690
 use as guide fossil, 690
Atlantic, Miocene paleoclimatology of, 749
Axopodorhabdus, new nannofossil genus, 297
Bahia Aguirre, 30
Basalt, methods and result, 923
Basement calcrete, 216
Bathymetric data, method of collecting, 945
Beach deposit, 871
Blelemnites, 214, 219, 1000
Benthonic forams, 497
Biogeography, late Paleocene Atlantic, 752
 Early Miocene Atlantic, 753
 Oligocene Atlantic, 753
Biostratigraphy,
 Neogene, 580
 Paleocene, 752
 Site 326, 22
 Site 327, 34
 Site 328, 96
 Site 329, 150
 Site 330, 217
 Site 331, 262
Biotites, 902
Biscutum coronom, new nannofossil species, 297
 dissimilis, new species, 298
 holetum, new species, 297
 magnum, new species, 298
 notaculum, new species, 298
Biscutum constans Subzone, 374, 310
Bogorovia veniamini Partial Range Zone, 587
 defined, 586
Boletuvelum, new nannofossil genus, 298
Boletuvelum canders, new species, 298
Bottom currents, 22, 101, 263, 285
 erosion by, 262
 Late Cretaceous, 537
Braarudosphaera gartneri, new nannofossil species, 310
 minuta, new species, 310
Broinsonia vercandia, new nannofossil species, 299
Burdwood Bank, 30
Burrowing, 33, 34, 95, 149, 212
Calcareous deposition at high latitudes, 36
Calcite,
 acicicular, 865
 fibrous, 865
 post-depositional, 866
 scolenohedral, 865
 secondary growth of, 867
Calcrete, 871, 906, 925
Campanian-Maestrichtian forams, 522, 532
Carbon-carbonate analyses, method of, 12
Carbonate compensation depth, 43
Cenomanian forams, 520
Cenomanian-Santonian hiatus, 531
Cenozoic forams, 493
 nannos,
 paleoecology of, 294
 systematic paleontology, 295
 oceanic circulation, high southern latitudes, 1008
Centosphaera, new nannofossil genus, 299
Centosphaera barbuta, new species, 299
Chiastozygus litterarius Zone, 35, 283, 286
Chondrites, 95
Circumarctic current system, 19, 143, 581, 1006
Circumpolar Deep Water (CPDW), 588
Climatic deterioration, Antarctica, 1006
Cone-in-cone structures, 865
Corals, 219, 881
Corbisema cuspis, new silicoflagellate species, 711
 hastata Zone, 40, 701, 705
 defined, 707
 navicula constricta, new subspecies, 712
 triacantha Zone, 700
Core disturbance, 11
Core labeling, 10
Corillithion achylosom Peak Zone, 274, 283, 286
Corillithion helotatus, new nannofossil species, 299
 perch-nielseni, new species, 310
 sonarius, new species, 299
Coscinodiscus elliptopora/Actinocyclus ingens
 Concurrent-Range Zone, 97, 98, 578
 kolbei/Rhizosolenia barbii Range Zone, 97, 578
Coscinodiscus lentiginosus Partial-Range Zone, 39, 97, 98, 576, 578, 588
Coscinodiscus sp. Zone, 583

- Coscinodiscus vigilans-Craspedodiscus coscinodiscus* Zone, 587
Coscinodiscus vulnificus, new diatom species, 593
Cosmiodiscus insignis Partial-Range Zone, 97, 578, 588
 Cretaceous paleotemperatures, 532
 Cretaceous-Tertiary Boundary, 259
 stratigraphic hiatus, 45
 Current winnowing, 262
Denticula antarctica Partial-Range Zone, 153, 579, 583
 antarctica/Coscinodiscus lewisanus Zone, 153, 579
 hustedtii Partial-Range Zone, 97, 98, 153, 578, 579, 588
 hustedtii/D. lauta Partial-Range Zone, 97, 153, 578, 579
 lauta/D. antarctica Partial-Range Zone, 97, 153, 578, 579
 nicobarica Zone, 583
 Diatom biostratigraphy, Neogene, 580
 Paleogene, 583
 correlation with calcareous nanno zones, 585
 method of sample preparation, 575
 new species,
 Coscinodiscus vulnificus, 593
 Hemiaulus inaequilaterus, 594
 Nitzschia clementia, 595
 Site 326, 22, 576
 Site 327, 38, 576
 Site 328, 97, 578
 Site 329, 153, 578
 Site 330, 218, 579
 Site 331, 262, 580
 Taxonomy, 590
 Zonation,
 Eocene, 585
 Oligocene, 585
 Paleogene, 583
 Zones,
 Bogorovia veniamini Partial-Range Zone, 587
 defined, 586
 Coscinodiscus ellipitopora/Actinocyclus ingens Concurrent Range Zone, 97, 98, 578
 Coscinodiscus kolbei/Rhizosolenia barboi Range Zone, 97, 578
 Coscinodiscus lentiginosus Partial-Range Zone, 39, 97, 98, 576, 578, 588
 Coscinodiscus sp. Zone, 583
 Coscinodiscus vigilans-Craspedodiscus coscinodiscus Zone, 587
 Cosmiodiscus insignis Partial-Range Zone, 97, 578
 Denticula antarctica Partial-Range Zone, 153, 579, 583
 D. antarctica/Coscinodiscus lewisanus Zone, 153, 579
 D. hustedtii Partial-Range Zone, 97, 98, 153, 578, 579, 588
 D. hustedtii/D. lauta Partial-Range Zone, 97, 153, 578, 579
 D. lauta/D. antarctica Partial-Range Zone, 97, 153, 578, 579
 Denticula nicobarica, 583
 Hemiaulus incisus Partial-Range Zone, 586
 defined, 587
 H. inaequilaterus Partial-Range Zone, 39, 576, 578
 defined, 584
 Melosira architecturalis Zone, 578, 586
 Nitzschia interfrigidaria Partial-Range Zone, 97, 98, 578, 588
 N. paeinterfrigidaria Partial-Range Zone, 97, 578
 Odontotropis klavsenii Zone, 578
 defined, 583
 O. falklandensis Zone, 40
 Pyrgopyxis eocena/Pterotheca aculeifera Zone, 98, 578
 defined, 583
 Pyrgopyxis (Pyxilla) sp. Zone, 583, 587
 P. prolongata Zone, 578, 586, 587
 Rhizosolenia barboi/Nitzschia kerguelensis Partial-Range Zone, 97, 578
 Sceptroneis sp. A Partial-Range Zone, 576
 defined, 583
 Dictyocha aculeata Zone, 97
 deflandrei Zone, 97, 701, 707
 defined, 704
 fallacia, new species, 713
 frenguelli Subzone, 705
 Discoaster/Chiasmolithus ratio as a paleoclimatic indicator, 753
 Discoaster gemmeus Zone, 295
 multiradiatus Zone (NP9), 38, 150, 153, 276, 286, 295, 296, 583, 746
 Dissolution, foraminifera tests, 529, 531
Distephanus boliviensis boliviensis Zone, 97
 crux fenestratus, new subspecies, 714
 speculum A Zone, 97, 705
 defined, 701
 speculum B Zone, 97, 705
 defined, 705
 Downhole contamination, 12
 Drake Passage, 7
 bottom currents, 19
 magnetic anomalies, 19
 nannofossils from, 270
 opening of, 8, 9, 19, 27, 45, 89, 156, 1008
 Dropstones, 858, 864
 Early Miocene biogeography, Atlantic, 753
Eiffellithus turiseiffeli Zone, 34, 38, 283
Emiliania huxleyi Zone, 285
Ericsonia subdisticha/Helicopontosphaera reticulata Zone (NP21/22), 746
Ethmorhabdus (?) frondosus, new nannofossil species, 300
Eucyrtidium calvertense Zone, 98
 Euxinic conditions, 212, 214, 866, 896, 998
 Faceted clasts, 857
 Falkland-Agulhas Fracture Zone, 1002, 1003
 Falkland basement, geologic history of, 910
 Falkland Basin, 7
 Falkland Fracture Zone, 27, 87, 259
 Falkland Islands, 270
 metamorphic complex, 7
 mafic dykes, 7
 Falkland Plateau,
 character of basement, 9, 996

- circulation of water, 998, 1000
 heavy mineral suite, 873
 ice-rafted debris from, 9
 Late Cretaceous and Paleogene sediments on, 1006
 orthographic drawing of, 7
 paleoglacial data, 860
 predrift setting of, 996
 Site 329, 143
 subsidence of, 35, 998
 Falkland Trough, 30, 101, 1006
Fasciculithus involutus Zone, 34, 38, 269, 583, 585
 defined, 274
tympaniformis Zone, 295, 296
 Ferromanganese nodules, 858
 Flood-plain conditions, 871
 Foraminifera
 Albian, 522, 523
 Albian-Cenomanian, 520
 Aptian-Albian, 531
 assemblages,
 Site 327, 519
 benthonic, 497, 524
 Assemblage I, 497
 Assemblage II, 498
 Assemblage III, 498
 Assemblage IV, 499
 Assemblage IVa, 499
 Campanian-Maestrichtian, 522
 Cenomanian, 520
 comparison with other DSDP Southern Hemisphere sites, 528
 comparison with continental assemblages, 528
 correlation of Site 327 with Site 330/330A, 522
 dissolution of, 524, 531
 lysocline, 525
 Miocene, 496
 Oligocene, 496
 Paleocene/Eocene, 496
 new species, *Globigerinelloides impensens*, 541
 paleoecology of, 524
 Pleistocene, 497
 provinces and dissolution facies, 529
 provinces, Campanian-Maestrichtian, 532
 Santonian, 522
 Site 326, 23, 493
 Site 327, 36, 494
 paleoecology of, 37, 524
 Site 328, 97, 494
 Site 329, 151, 494
 benthonic, 152
 Site 330, 218
 benthonic, 218
 taxonomy, 500, 541
 test dissolution of, 520
 Tethyan assemblages, 532
 Zonation,
 Globorotalia inflata, 151, 497
 truncatulinoides, 151, 494, 497
 Morozovella subbotinae Zone, 496
 M. velascoensis Zone, 496
 Planorotalites pseudomenardii Zone, 152, 496
 Subbotina angiporoides, 151
 Zone N6-7, 496
 Zone N16 (U. Miocene), 151
 Zone P18-P20, 152
 Zone P21, 496
 Fossil preservation, 35
 Garnets, 905
 Gault Clay, 283, 300
 Geochemistry of basalts, 896
 Geochemical studies of sediments,
 Site 328, 929
 Site 329, 929
 variations at, 930
 Geochemistry, Gondwanaland, 926
 Geophysical observations, Leg 36 underway data, 945
 Glaciation, implications for in East Antarctica, 860
 Globigerinelloides impensens, new foraminifera species, 520
 Globorotalia inflata Zone, 151, 497
 truncatulinoides Zone, 151, 494, 497
 Gondwanaland, initial break-up of, 998
 Gondwanian orogeny, 221
 Gondwanide fold belt, 226, 998
 Gneiss, metasedimentary, 215
 Grain-size analyses, method of, 12
 Granite pegmatite, 216, 895
 Gypsum veins, fibrous, 866
 Helicopontosphaera reticulata (NP22) Zone, 746
 Heliolithus kleinpellii Zone, 295
 riedeli Zone, 295
 sp. A., new species, 296
 universus, new species, 296
 universus Zone, 34, 38, 270, 276, 295, 296, 583, 585
 defined, 274
 vema zone, 98
 Hemiaulus inaequilaterus Partial-Range Zone, 39, 576, 578
 defined, 584
 new species, 594
 incisus Partial-Range Zone, 587
 defined, 586
 Horizon A, 87, 89, 99, 180, 101, 259, 994, 1005
 nature of, 9
 Horizon B, 87, 89, 100, 101
 Hydrocarbon generating capability, Mesozoic sapropelic claystone, 941
 Icebergs, 103
 Ice-rafted material, 9, 34
 Ice-shelves, Antarctic, age of, 860
 Inoceramus, 32, 33, 212, 217, 219, 221, 226, 520, 522
 Ismolithus recurvus Zone, 286
 Jeletzkiella, new genus, Mollusca, 847
 Jeletzkiella falklandensis, new species, 847
 Jurassic nannofossils, paleoecology of, 291
 Jurassic marine transgression, 871
 Karoo Supergroup, 998
 Lapideacassis tricornis, new species, 301
 Late Cretaceous bottom currents, 537
 Leg 36, objectives, 5
 background, 5
 program modifications, 7
 Lithological summary,
 Site 326, 20

- Site 327, 31
 Site 328, 90
 Site 329, 145
 Site 330, 211
 Site 331, 260
Lodo Formation, 295
 Lower-middle Albian nannofossils, paleoecology of, 292
Lucianorhabdus arborius, new species, 301
 Lysocline, foraminiferal, 525
 Magallanes Basin, 101
 Magnetic anomalies,
 South Atlantic Basin, 7
 Anomaly 33, 259, 263
 Anomaly 34, 259
 Malvinas Outer Basin, 7, 87, 102, 1007
 late Mesozoic-late Eocene sedimentation on, 1004
 Manganese nodules, 23, 101, 857, 993
 Marine transgression, Jurassic, 880
 Maurice Ewing Bank, 27, 40, 150, 154, 215, 271, 1006
 See also: Site 327 and Site 330,
 Megafossils, 32, 214, 215, 217, 219, 221
 See also: specific fossil names,
 Mesozoic, 846, 881
Melosira architecturalis Zone, 578, 586
Mesocena apiculata subzone, 705
 circulus Zone, 97, 154, 701, 707
 defined, 704
 circulus/M. diodon Zone, 704, 707
 defined, 701
 diodon, 97, 154, 701, 704
 Metasedimentary gneisses, 215, 871
 Microsyenite intrusion, 216, 881
 Mid-Atlantic Ridge offset, 1002
 Miocene, climatic history of, 749
 Miocene foraminifera, 496
 Miocene-early Pliocene stratigraphic hiatus, 588
 Miocene-Oligocene boundary, 153, 285, 583, 587
 Miocene-Pliocene boundary, 581
Misceomarginatus, new nannofossil genus, 301
Misceomarginatus pleniporus, new species, 301
Monomarginatus, new nannofossil genus, 301
Monomarginatus pectinatus, new species, 301
 quaternarius, new species, 302
 Morozovella subbotinae Zone, 496
 velascoensis Zone, 496
 Mozambique Ridge, tholeiitic basalt, 7
 Nannofossils, calcareous,
 assemblage, characteristics of, 291
 late Paleocene, 746
 Oligocene, 747
 Miocene, 749
 biogeography of, 745
 Cenozoic, 294
 Discoaster/Chiasmolithus ratio as a paleoclimatic indicator, 753
 early Miocene, 746
 Jurassic, 291
 lower-middle Albian, 292
 method for analyzing, 274
 middle-late Miocene, 746
 Miocene migrations of, 749
 Neocomian-Aptian, 291
 new genera,
 Genus Acuturis, 296
 Axopodorhabdus, 297
 Boletuvelum, 298
 Centosphaera, 299
 Misceomarginata, 301
 Monomarginatus, 301
 Okkalithus, 302
 Orastrom, 303
 Phanulithus, 304
 Pharus, 304
 Seribiscutum, 310
 Teichorhabdus, 306
 new species,
 Braarudosphaera gartneri, 310
 minuta, 310
 Biscutum holetum, 297
 coronum, 297
 dissimilis, 298
 magnum, 298
 notaculum, 298
 Boletuvelum candens, 298
 Broinsonia vercundia, 299
 Centosphaera barbata, 299
 Corollithion helotatus, 299
 senarius, 300
 Corollithion perch-nielseni, 310
 Ethmorhabdus (?) frondosus, 300
 Heliolithus universus, 296
 Heliolithus sp. A., 296
 Lapideacassis tricornis, 301
 Lucianorhabdus arborius, 301
 Misceomarginatus pleniporus, 301
 Monomarginatus pectinatus, 301
 quaternarius, 302
 Okkalithus australis, 302
 Orastrum asarotum, 303
 Palaeopontosphaera erismata, 303
 Phanulithus additus, 304
 Pharus simulacrum, 304
 Retecapsa tridentata, 306
 Seribiscutum bijugum, 310
 Sollasites falklandensis, 311
 thiersteini, 311
 Teichorhabdus ethmos, 306
 Vekshinella (?) parma, 307
 paleoecology, 291
 Site 326, 23, 289
 Site 327, 37
 as indicators of surface water temperature, 38
 Site 328, 97, 291
 Site 329, 152, 283
 Site 330, 218, 286
 Site 331, 291
 Taxonomy, 295, 759
 zonation, 271
 Biscutum constans Subzone, 274, 310
 Chiastozygus litterarius, 35, 283, 286
 Corollithion achylosum peak Zone, 274, 283, 286
 Discoaster gemmeus Zone, 295
 multiradiatus Zone (NP9), 38, 150, 153, 276, 286, 295, 296, 583, 746
 Eiffellithus turriseiffeli Zone, 34, 38, 283

- Emiliania huxleyi* Zone, 285
Ericsonia subdisticha/Helicopontosphaera reticulata Zone (NP21/22), 745
Fasciculithus involutus Zone, 34, 38, 276, 583, 585
 defined, 274
Fasciculithus tympaniformis Zone, 295, 296
Helicopontosphaera reticulata Zone (NP22), 746
Heliolithus kleinpellii Zone, 295
riedeli Zone, 295
universus Zone, 34, 38, 270, 276, 295, 296, 583, 585
 defined, 274
Isthmolithus recurvus Zone, 286
Nephrolithus frequens Zone, 34, 36, 38, 294, 522
Orthostylus tribachiatus Zone, 34, 150, 153, 276, 286, 295
Parhabdolithus angustus Zone, 35, 38, 283, 520
Prediscosphaera cretacea, 35, 38, 218, 274, 283, 286, 300, 307, 310, 311, 520
Sphenolithus predistentus Zone (NP23), 746
Sollasites falklandensis Subzone, 286, 311
 defined, 274
Tranolithus orionatus Subzone, 307
 defined, 274
Tribachiatus orthostylus Zone, 745
Vekshinella stradneri Zone, 288
Naviculopsis biapiculata Zone, 97, 154, 701, 704, 707
constricta, 701, 705
 defined, 705
trispinosa subzone, 705, 707
 Navigation, methods of, 945
 Neocomian-Aptian nannofossils, paleoecology of, 291
 Nepheloid layer, 104, 262
Nephrolithus frequens Zone, 34, 36, 38, 294, 522
Nitzschia clementia, new species 595
interfrigidaria Partial-Range Zone, 97, 98, 578
praainterfrigidaria Partial-Range Zone, 97, 578
 Oceanic circulation, high southern latitudes, 1008
 Oceanic formation, 583
Odontotropis falklandensis Zone, 40
klavsenii Zone, 576
 defined, 583
Okkolithus, new nannofossil genus, 302
australis, new species, 302
 Oligocene biogeography, Atlantic, 753
 foraminifera, 495
Onychites, 219, 829
Orastrum, new nannofossil genus, 303
asarotum, new species, 303
Orthostylus tribachiatus Zone, 34, 150, 153, 276, 286, 295
 Ostracodes, Site 327, 37
 Oxfordian-Aptian stratigraphic hiatus, 884, 886
 Oxygen minimum zone, 1000, 1001
Palaeopontosphaera erismata, new nannofossil species, 303
 Paleocene biogeography, Atlantic, 752
 Eocene boundary, fossils of, 8
 foraminifera, 496
 Paleoclimatology, Atlantic in the Miocene 749
 Paleoecology, nannofossils, 291
 foraminifera, 524
 Paleoenvironment, silicoflagellates, 700
 Paleogene biostratigraphy, 583
 Paleoglacial data, Falkland Plateau, 860
 implications from coarse detritus in sediments, 857
 Paleomagnetic time scale, 578, 581
 Paleotemperatures, Cretaceous, 532
 as determined from silicoflagellate occurrences 699, 700
 Palynology
 dinoflagellates, 817
 South Atlantic, 761
 taxonomic list, 817
 Palynomorphs
 Site 327, 410, 761, 819
 Site 328, 99, 764
 Site 330, 219, 765, 819
 correlation with other sections, 764, 765
 Early Cretaceous, 763, 765
 early Tertiary, 761
 environment of deposition, 764, 765, 766
 Late Cretaceous, 762
 Late Jurassic, 765
 Mesozoic, 817
Parhabdolithus angustus Zone, 35, 38, 283, 520
 Pelecypods, 214
Phanolithus, new nannofossil genus, 304
additus, new species, 304
Pharus, new nannofossil genus, 304
simularium, new species, 304
 Physical properties of sediments,
 Site 327, 33
 Site 328, 95
 Site 329, 149
 Site 330, 216
 Site 331, 262
 Plagioclases, 906
Planorotalites pseudomenardii Zone, 152, 496
 Plant material, 95
 Pleistocene foraminifera, 497
 Polar Front, 588
Prediscosphaera cretacea Zone, 35, 38, 218, 274, 283, 286, 300, 307, 310, 311, 320
Pseudomicromarsupium, new silicoflagellate genus, 716
gombosum, new silicoflagellate species, 716
Pyrgupyx eocena/Pterotheca aculeifora Zone, 98, 578
 defined, 585
Pyrgupyx (pyxilla) sp. Zone, defined, 583, 587
prolongata Zone, 578, 586, 587
 Quartz grains, analysis of, 858
 glacial surface morphology of, 858
 Radiolaria
 Site 326, 23
 Site 327, 98
 Site 329, 153
 Site 330, 219
 Site 331, 262
 zonation
Antarctissa conradae Zone, 153
denticulata Zone, 98
Eucyrtidium calvertense Zone, 98
Helotholus vema Zone, 98
Stylatractus circulus Zone, 98
universus Zone, 98
Theocalyptra bicornis spongotorax Zone, 98

- Reflection profile, correlation with lithology, 40, 99, 154, 220, 981, 982
- Retecapsa tridenta*, new nannofossil species, 306
- Rhizosolenia barboi/Nitzschia kerguelensis* Partial-Range Zone, 578
- Rifting, Africa and South America, 884
- Ripples, giant, 262, 263
- Santa Cruz Formation, 873
- Santonian foraminifera, 522
- Sceptroneis* sp. A Partial-Range Zone, 576
defined, 583
- Scolecodonts, 219
paleoecology of, 829
Site 330, 829
systematic paleontology, 830
- Sediment accumulation rate,
Site 327, 42
Site 328, 102
Site 329, 146, 148, 156
Site 330, 885
- Sediment classification, 15
- Seismic reflection data, method of collecting, 945, 973
profiles, correlation between sites, 971, 983
- Seribiscutum*, new nannofossil genus, 310
bijugum, new species, 310
- Serie Riocacitica, 310, 871
- Serie Andesitica, 871
- Shallow-water pre-Neogene biostratigraphy, 22
- Silicoflagellates, biostratigraphy, 700
history of study, 697
- Leg 36, 697
new genera
Genus *Pseudomicromarsupium*, 716
- new species
Corbisema cuspis, 711
Dictyocha fallacia, 713
Pseudomicromarsupium gombosom, 716
- paleoenvironmental use for, 699, 700
- Site 327, 40, 705, 884
- Site 328, 97, 705
- Site 329, 154, 707
- Site 330, 218, 707
- Site 331, 707
- systematic paleontology, 707
- zonation, 701
Corbisema hastata Zone, 701, 705
defined, 705
- Corbisema triacantha* Zone, 700
- Dictyocha aculeata* Zone, 97
deflandrei Zone, 97, 701, 707
defined, 704
- frenguelli* Subzone, 705
- Distephanus boliviensis boliviensis* Zone, 97
speculum A Zone, 97, 701, 705
defined, 701
- speculum B* Zone, 97, 705
defined, 701
- Mesocena apiculata* Subzone, 705
circulus Zone, 97, 154, 701, 707
defined, 704
- Mesocena circulus/M. diodon* Zone, 701, 704, 707
defined, 701
- Mesocena diodon* Zone, 97, 154, 701, 704
- Naviculopsis biapiculata* Zone, 97, 154, 701, 704, 707
- constricta* Zone, 701
defined, 704
- trispinosa* Subzone, 705
- Site 326, Drake Passage, 19
background and objectives, 19
biostratigraphic summary, 23
- diatoms, 576
- foraminifera, 493
- lithological summary, 20
- nannofossils, 289
- paleoglacial implications, coarse detritus in sediments, 857
- site survey and operations, 19
- Site 327, Maurice Ewing Bank, 27
biostratigraphic summary, 34
- correlation of reflection profiles with lithology, 40
- diatoms, 37, 576
- foraminifera, 36, 494, 519, 524
- lithological summary, 31
- megafossils, 846
- nannofossils, 37, 275
- objectives, 32
- organic material in sediments, 40
- ostracodes, 37
- paleoecology, 35
- paleoglacial implications, coarse detritus in sediments, 857
- palynomorphs, 40, 761, 819
- physical properties, 33
- preservation of fossils, 35
- Radiolaria, 40
- sediment accumulation rate, 42
- silicoflagellates, 38, 705
- sonobuoy, 30
- survey and operations, 30
- Site 328, Malvinas Outer Basin, 87
background and objectives, 87
- correlation of reflection profiles with lithology, 99
- diatoms, 578
- foraminifera, 494
- geochemistry of sediments, 929
- lithological summary, 90
- nannofossils, 291
- operations, 89
- paleoglacial implications of coarse detritus in sediments, 858
- palynology, 764
- sediment accumulation rate, 102
- silicoflagellates, 705
- site survey, 89
- summary and conclusions, 100, 994
- Site 329, Falkland Plateau, 143
background and objectives, 9, 143
- biostratigraphy, 150
- correlation of reflection profiles with lithology, 154, 977
- diatoms, 578
- foraminifera, 495
- geochemistry of sediments, 929

- lithological summary, 145
 nannofossils, 283
 operations, 143
 paleoglacial implications of coarse detritus in sediments, 860
 physical properties of sediments, 149
 sediment accumulation rates, 146, 156
 silicoflagellates, 707
 site survey, 143
 summary and conclusions, 154, 994
 Site 330, Maurice Ewing Bank, 207
 background and objectives, 9
 beef-in-shale textures, 865
 biostratigraphy, 217
 cone-in-cone structures, 865
 correlation between reflection profiles and lithology, 220
 diatoms, 218, 579
 foraminifera, 218, 527, 578
 lithologic summary, 211
 megafossils, 846
 nannofossils, 218, 286
 organic material in sediments, 941
 palynomorphs, 219, 765, 819
 physical properties, 216
 Radiolaria, 219
 scolecodonts, 829
 site survey, 210
 summary and conclusions, 220, 996
 Site 331, Argentine Basin, 259
 background and objectives, 259
 biostratigraphy, 262
 diatoms, 262, 580
 lithology, 260
 nannofossils, 291
 physical properties, 262
 silicoflagellates, 707
 site survey and operations, 259
 summary and conclusions, 263
Sollasites falklandensis, new nannofossil species, 311
thiersteini, new species, 311
falklandensis Subzone, 286, 311
 defined, 274
- South Atlantic Basin, magnetic anomalies, 7
Sphenolithus predistentus Zone (NP23), 746
 Stratigraphic hiatus, Turonian-Coniacian, 27
 Cretaceous-Tertiary, 45
 Oxfordian-Aptian, 884, 886
Stylatractus circularis Zone, 98
universus Zone, 98
 Subantarctic surface water, 588
Subbotinae angiporoides Zone, 96, 496
 Subsidence, Falkland Plateau, 35
 Systematic paleontology,
 archeomonads, 690
 diatoms, 590
 foraminifera, 500, 541
 mollusca, 846
 palynology, 817
 scolecodonts, 819
 silicoflagellates, 699
 Tectonics, as related to sedimentation, 886
Teichorhabdus, new nannofossil genus, 306
ethnos, new species, 306
 "Terminal Cretaceous Event," 36
 Tethyan foraminifera assemblage, 533
Theocalyptra bicornis spongothorax Zone, 98
 Thermal history, organic matter in Mesozoic sediments, 943
 Tholeiitic basalt, 7
 Tourmaline, 905
Tranolithus orionatus Subzone, 307
 define, 274
Tribrachiatus orthostylus Zone, 38, 745
 Turbidity currents, 23
 Turonian-Coniacian stratigraphic hiatus, 27
 Underway geophysical observations, Leg 36, 945
 Veins, basic, 216
Vekshinella (?) parma, new species, 307
stradneri Zone, 288
Vema Channel, 860
 Volcanic glass, 871
 source of in Leg 36 material, 873
 X-ray diffractometer analyses, 42
 X-ray fluorescence analyses, 930
 X-ray mineralogy, 12
Zoophycos, 34, 95, 149, 212