

HUMMINGBIRDS of the Madre de Dios watershed, Perú

1

Joseph A. Tobias, Philip Koch, Chris Merkord

Asociación para la Conservación de la Cuenca Amazónica / Amazon Conservation Association

Photos: J.Tobias (JT), P. Koch (PK), C. Merkord (CM); with contributions from R. Ahlman (RA), N. Athanas (NA), C. Bushell (CB), V. Claverie (VC), G. Gerra (GG), A. Grosset (AG), J. Harding (JHa), J. Hornbuckle (JHo), Dan Lane (DFL), D. Lebbin (DJL), J. Lowen (JL), S. Metildi (SM), Z. Peterson (ZP), F. Schmitt (FSchm), F. Schultz (FSchu), S. Sommazzi (SS), D. Stotz (DS), U. Valdez (UV), R. Williams (RW), S. Woods (SW). Produced by: R.B. Foster & T.S. Wachter, with support from Ellen Hyndman Fund and Moore Foundation.

© J.A. Tobias [EGI, Oxford University; joseph.tobias@zoo.ox.ac.uk], P. Koch, C. Merkord. Support from Amazon Conservation Association (ACCA) and Gordon & Betty Moore Foundation.

© Environmental & Conservation Programs, The Field Museum, Chicago, IL 60605 USA. [RRRC@fmnh.org] [www.fmnh.org/animalguides] Rapid Color Guide # 230 version 2. 02/2008

A: Treeline/scrub/puna (> 3300 m). B: Montane forests and scrub (1000–3300 m). C: Foothill/submontane forests and scrub (400–1000 m). D: Lowland forest and grasslands (0–400 m)



COLIBRÍES de la cuenca de Madre de Dios, Perú

Joseph A. Tobias, Philip Koch, Chris Merkord


Asociación para la Conservación de la Cuenca Amazónica / Amazon Conservation Association

Fotos de : J.Tobias (JT), P. Koch (PK), C. Merkord (CM); con contribuciones de R. Ahlman (RA), N. Athanas (NA), C. Bushell (CB), V. Claverie (VC), G. Gerra (GG), A. Grosset (AG), J. Harding (JHa), J. Hornbuckle (JHo), Dan Lane (DFL), D. Lebbin (DIL), J. Lowen (JL), S. Metildi (SM), Z. Peterson (ZP), F. Schmitt (FSchm), F. Schultz (FSchu), S. Sommazzi (SS), D. Stotz (DS), U. Valdez (UV), R. Williams (RW), S. Woods (SW). Producido por R.B. Foster & T.S. Wachter, con ayuda del Ellen Hyndman Fund y Moore Foundation.

© J.A. Tobias [EGI, Oxford University; joseph.tobias@zoo.ox.ac.uk], P. Koch, C. Merkord. Ayuda de la Asoc. para la Conserv. de la Cuenca Amazónica (ACCA) y del Moore Foundation.

© Environmental & Conservation Programs, The Field Museum, Chicago, IL 60605 USA. [RRC@fmnh.org] [www.fmnh.org/animalguides] Rapid Color Guide # 230 versión 2. 02/2008

A: Ceja de selva/matorral/puna (> 3300 m). B: Bosque montano/matorral (1000–3300 m). C: Piedemonte/bosque montano bajo/matorral (400–1000 m). D: Selva baja/pampas (0–400 m)



HUMMINGBIRDS of the Madre de Dios watershed, Perú

3

Joseph A. Tobias, Philip Koch, Chris Merkord

Asociación para la Conservación de la Cuenca Amazónica / Amazon Conservation Association

Photos: J.Tobias (JT), P. Koch (PK), C. Merkord (CM); with contributions from R. Ahlman (RA), N. Athanas (NA), C. Bushell (CB), V. Claverie (VC), G. Gerra (GG), A. Grosset (AG), J. Harding (JHa), J. Hornbuckle (JHo), Dan Lan (DFL), D. Lebbin (DIL), J. Lowen (JL), S. Metildi (SM), Z. Peterson (ZP), F. Schmitt (FSchm), F. Schultz (FSchu), S. Sommazzi (SS), D. Stotz (DS), U. Valdez (UV), R. Williams (RW), S. Woods (SW). Produced by: R.B. Foster & T.S. Wachter, with support from Ellen Hyndman Fund and Moore Foundation.

© J.A. Tobias [EGI, Oxford University; joseph.tobias@zoo.ox.ac.uk], P. Koch, C. Merkord. Support from Amazon Conservation Association (ACCA) and Gordon & Betty Moore Foundation.

© Environmental & Conservation Programs, The Field Museum, Chicago, IL 60605 USA. [RRRC@fmnh.org] [www.fmnh.org/animalguides] Rapid Color Guide # 230 version 2. 02/2008

A: Treeline/scrub/puna (> 3300 m). B: Montane forests and scrub (1000–3300 m). C: Foothill/submontane forests and scrub (400–1000 m). D: Lowland forest and grasslands (0–400 m)



20 *Klais guimeti pallidiventris* ♀ NA
B,C JT RA

21 *Lophornis delattrei* ♂ PK
B,C,D JT

21 *Lophornis delattrei* ♂ JT
B,C,D RA

21 *Lophornis delattrei* ♀ RA



22 *Lophornis chalybeus chalybeus* SW
D JT

22 *Lophornis chalybeus verreauxii* ♂ Juv. JT

23 *Discosura popelairii* ♂ PK
B,C JT

23 *Discosura popelairii* ♀ JT



25 *Chlorostilbon mellisugus peruanus* ♂ JT
C,D PK

26 *Chlorostilbon aureoventris aureoventris* ♂ JT

26 *Chlorostilbon aureoventris aureoventris* ♀ JT

27 *Thalurania furcata boliviensis* ♂ PK



27 *Thalurania furcata boliviensis* ♂ JT

27 *Thalurania furcata boliviensis* ♀ JT

29 *Hylocharis cyanus rostrata* ♂ DJL
C,D JT

29 *Hylocharis cyanus rostrata* ♂ Juv. JT

COLIBRÍES de la cuenca de Madre de Dios, Perú

Joseph A. Tobias, Philip Koch, Chris Merkord

Asociación para la Conservación de la Cuenca Amazónica / Amazon Conservation Association

Fotos de : J.Tobias (JT), P. Koch (PK), C. Merkord (CM); con contribuciones de R. Ahlman (RA), N. Athanas (NA), C. Bushell (CB), V. Claverie (VC), G. Gerra (GG), A. Grosset (AG), J. Harding (JHa), J. Hornbuckle (JHo), Dan Lane (DFL), D. Lebbin (DIL), J. Lowen (JL), S. Metildi (SM), Z. Peterson (ZP), F. Schmitt (FSchm), F. Schultz (FSchu), S. Sommazzi (SS), D. Stotz (DS), U. Valdez (UV), R. Williams (RW), S. Woods (SW). Producido por R.B. Foster & T.S. Wachter, con ayuda del Ellen Hyndman Fund y Moore Foundation.

© J.A. Tobias [EGI, Oxford University; joseph.tobias@zoo.ox.ac.uk], P. Koch, C. Merkord. Ayuda de la Asoc. para la Conserv. de la Cuenca Amazónica (ACCA) y del Moore Foundation.

© Environmental & Conservation Programs, The Field Museum, Chicago, IL 60605 USA. [RRC@fmnh.org] [www.fmnh.org/animalguides] Rapid Color Guide # 230 versión 2. 02/2008

A: Ceja de selva/matorral/puna (> 3300 m). B: Bosque montano/matorral (1000–3300 m). C: Piedemonte/bosque montano bajo/matorral (400–1000 m). D: Selva baja/pampas (0–400 m)



29 *Hylocharis cyanus rostrata*
C,D ♀ JT

30 *Chrysuronia oenone josephinae*
B,C,D ♂ PK

30 *Chrysuronia oenone josephinae*
B,C,D ♂ JT

30 *Chrysuronia oenone josephinae*
B,C,D ♀ JT



31 *Polytmus guainumbi thaumantias*
D ♂ JT

32 *Polytmus theresiae leucorrhous*
D ♂ JT

32 *Polytmus theresiae leucorrhous*
D ♀ JT

33 *Chrysolampis mosquitus*
D? ♂ JT



33 *Chrysolampis mosquitus*
D? ♂ JT

33 *Chrysolampis mosquitus*
D? ♀ JT

33 *Chrysolampis mosquitus*
D? ♀ JT

34 *Taphrospilus hypostictus*
B,C JT



34 *Taphrospilus hypostictus*
B,C JT

35 *Amazilia chionogaster chionogaster*
B ♂ JT

35 *Amazilia chionogaster hypoleucus*
B ♂ JT

37 *Amazilia lactea bartletti*
B,C,D ♂ JT

HUMMINGBIRDS of the Madre de Dios watershed, Perú

5

Joseph A. Tobias, Philip Koch, Chris Merkord

Asociación para la Conservación de la Cuenca Amazónica / Amazon Conservation Association

Photos: J.Tobias (JT), P. Koch (PK), C. Merkord (CM); with contributions from R. Ahlman (RA), N. Athanas (NA), C. Bushell (CB), V. Claverie (VC), G. Gerra (GG), A. Grosset (AG), J. Harding (JHa), J. Hornbuckle (JHo), Dan Lan (DFL), D. Lebbin (DIL), J. Lowen (JL), S. Metildi (SM), Z. Peterson (ZP), F. Schmitt (FSchm), F. Schultz (FSchu), S. Sommazzi (SS), D. Stotz (DS), U. Valdez (UV), R. Williams (RW), S. Woods (SW). Produced by: R.B. Foster & T.S. Wachter, with support from Ellen Hyndman Fund and Moore Foundation.
 © J.A. Tobias [EGI, Oxford University; joseph.tobias@zoo.ox.ac.uk], P. Koch, C. Merkord. Support from Amazon Conservation Association (ACCA) and Gordon & Betty Moore Foundation.
 © Environmental & Conservation Programs, The Field Museum, Chicago, IL 60605 USA. [RRRC@fmnh.org] [www.fmnh.org/animalguides] Rapid Color Guide # 230 version 2. 02/2008
A: Treeline/scrub/puna (> 3300 m). B: Montane forests and scrub (1000–3300 m). C: Foothill/submontane forests and scrub (400–1000 m). D: Lowland forest and grasslands (0–400 m)



COLIBRÍES de la cuenca de Madre de Dios, Perú

Joseph A. Tobias, Philip Koch, Chris Merkord


Asociación para la Conservación de la Cuenca Amazónica / Amazon Conservation Association

Fotos de : J.Tobias (JT), P. Koch (PK), C. Merkord (CM); con contribuciones de R. Ahlman (RA), N. Athanas (NA), C. Bushell (CB), V. Claverie (VC), G. Gerra (GG), A. Grosset (AG), J. Harding (JHa), J. Hornbuckle (JHo), Dan Lane (DFL), D. Lebbin (DIL), J. Lowen (JL), S. Metildi (SM), Z. Peterson (ZP), F. Schmitt (FSchm), F. Schultz (FSchu), S. Sommazzi (SS), D. Stotz (DS), U. Valdez (UV), R. Williams (RW), S. Woods (SW). Producido por R.B. Foster & T.S. Wachter, con ayuda del Ellen Hyndman Fund y Moore Foundation.

© J.A. Tobias [EGI, Oxford University; joseph.tobias@zoo.ox.ac.uk], P. Koch, C. Merkord. Ayuda de la Asoc. para la Conserv. de la Cuenca Amazónica (ACCA) y del Moore Foundation.

© Environmental & Conservation Programs, The Field Museum, Chicago, IL 60605 USA. [RRC@fmnh.org] [www.fmnh.org/animalguides] Rapid Color Guide # 230 versión 2. 02/2008

A: Ceja de selva/matorral/puna (> 3300 m). B: Bosque montano/matorral (1000–3300 m). C: Piedemonte/bosque montano bajo/matorral (400–1000 m). D: Selva baja/pampas (0–400 m)



HUMMINGBIRDS of the Madre de Dios watershed, Perú

7

Joseph A. Tobias, Philip Koch, Chris Merkord


Asociación para la Conservación de la Cuenca Amazónica / Amazon Conservation Association

Photos: J.Tobias (JT), P. Koch (PK), C. Merkord (CM); with contributions from R. Ahlman (RA), N. Athanas (NA), C. Bushell (CB), V. Claverie (VC), G. Gerra (GG), A. Grosset (AG), J. Harding (JHa), J. Hornbuckle (JHo), Dan Lan (DFL), D. Lebbie (DIL), J. Lowen (JL), S. Metildi (SM), Z. Peterson (ZP), F. Schmitt (FSchm), F. Schultz (FSchu), S. Sommazzi (SS), D. Stotz (DS), U. Valdez (UV), R. Williams (RW), S. Woods (SW). Produced by: R.B. Foster & T.S. Wachter, with support from Ellen Hyndman Fund and Moore Foundation.

© J.A. Tobias [EGI, Oxford University; joseph.tobias@zoo.ox.ac.uk], P. Koch, C. Merkord. Support from Amazon Conservation Association (ACCA) and Gordon & Betty Moore Foundation.

© Environmental & Conservation Programs, The Field Museum, Chicago, IL 60605 USA. [RRC@fmnh.org] [www.fmnh.org/animalguides] Rapid Color Guide # 230 version 2. 02/2008

A: Treeline/scrub/puna (> 3300 m). B: Montane forests and scrub (1000–3300 m). C: Foothill/submontane forests and scrub (400–1000 m). D: Lowland forest and grasslands (0–400 m)



COLIBRÍES de la cuenca de Madre de Dios, Perú

Joseph A. Tobias, Philip Koch, Chris Merkord

Asociación para la Conservación de la Cuenca Amazónica / Amazon Conservation Association

Fotos de : J.Tobias (JT), P. Koch (PK), C. Merkord (CM); con contribuciones de R. Ahlman (RA), N. Athanas (NA), C. Bushell (CB), V. Claverie (VC), G. Gerra (GG), A. Grosset (AG), J. Harding (JHa), J. Hornbuckle (JHo), Dan Lane (DFL), D. Lebbin (DIL), J. Lowen (JL), S. Metildi (SM), Z. Peterson (ZP), F. Schmitt (FSchm), F. Schultz (FSchu), S. Sommazzi (SS), D. Stotz (DS), U. Valdez (UV), R. Williams (RW), S. Woods (SW). Producido por R.B. Foster & T.S. Wachter, con ayuda del Ellen Hyndman Fund y Moore Foundation.

© J.A. Tobias [EGI, Oxford University; joseph.tobias@zoo.ox.ac.uk], P. Koch, C. Merkord. Ayuda de la Asoc. para la Conserv. de la Cuenca Amazónica (ACCA) y del Moore Foundation.

© Environmental & Conservation Programs, The Field Museum, Chicago, IL 60605 USA. [RRC@fmnh.org] [www.fmnh.org/animalguides] Rapid Color Guide # 230 versión 2. 02/2008

A: Ceja de selva/matorral/puna (> 3300 m). B: Bosque montano/matorral (1000–3300 m). C: Piedemonte/bosque montano bajo/matorral (400–1000 m). D: Selva baja/pampas (0–400 m)



60 *Lesbia nuna nuna*

A,B ♂

GG/SS

60 *Lesbia nuna pallidiventris*

A,B

♀

61 *Ramphomicron microrhynchum albiventre*

A

♂

61 *Ramphomicron microrhynchum albiventre*

A

♀

VC



62 *Oreonympha nobilis*

A ♂



62 *Oreonympha nobilis*

A

♀



63 *Metallura tyrianthina smaragdinicollis*

A,B

♂



63 *Metallura tyrianthina smaragdinicollis*

A,B


♀

JT



64 *Metallura aeneocauda*

A,B ♂



64 *Metallura aeneocauda*

A,B

♀



65 *Chalcostigma ruficeps*

B

♂



65 *Chalcostigma ruficeps*

B


♂

RW



65 *Chalcostigma ruficeps*

B ♀




66 *Chalcostigma olivaceum pallens*

A

♂


FSchm



67 *Chalcostigma stanleyi vulcani*

A

♂



67 *Chalcostigma stanleyi vulcani*

A

♀

JT

HUMMINGBIRDS of the Madre de Dios watershed, Perú

9

Joseph A. Tobias, Philip Koch, Chris Merkord




Asociación para la Conservación de la Cuenca Amazónica / Amazon Conservation Association

Photos: J.Tobias (JT), P. Koch (PK), C. Merkord (CM); with contributions from R. Ahlman (RA), N. Athanas (NA), C. Bushell (CB), V. Claverie (VC), G. Gerra (GG), A. Grosset (AG), J. Harding (JHa), J. Hornbuckle (JHo), Dan Lam (DFL), D. Lebbin (DIL), J. Lowen (JL), S. Metildi (SM), Z. Peterson (ZP), F. Schmitt (FSchm), F. Schultz (FSchu), S. Sommazzi (SS), D. Stotz (DS), U. Valdez (UV), R. Williams (RW), S. Woods (SW). Produced by: R.B. Foster & T.S. Wachter, with support from Ellen Hyndman Fund and Moore Foundation.

© J.A. Tobias [EGI, Oxford University; joseph.tobias@zoo.ox.ac.uk], P. Koch, C. Merkord. Support from Amazon Conservation Association (ACCA) and Gordon & Betty Moore Foundation.

© Environmental & Conservation Programs, The Field Museum, Chicago, IL 60605 USA. [RRCC@fmnh.org] [www.fmnh.org/animalguides] Rapid Color Guide # 230 version 2. 02/2008

A: Treeline/scrub/puna (> 3300 m). B: Montane forests and scrub (1000–3300 m). C: Foothill/submontane forests and scrub (400–1000 m). D: Lowland forest and grasslands (0–400 m)



Altitudinal distribution of HUMMINGBIRDS/COLIBRÍES in the Madre de Dios watershed

A: Treeline/scrub/puna (> 3300 m).

B: Montane forest and scrub (1000–3300 m).

C: Foothill/submontane forest and scrub (400–1000 m).

D: Lowland forest and grasslands (0–400 m)

No.	Nombre científico	Nombre inglés	A	B	C	D
1	<i>Eutoxeres condamini gracilis</i>	Buff-tailed Sicklebill		•	•	
2	<i>Glaucis hirsutus hirsutus</i>	Rufous-breasted Hermit		•	•	•
3	<i>Threnetes leucurus rufigastra</i>	Pale-tailed Barbthroat			•	•
4	<i>Phaethornis ruber ruber</i>	Reddish Hermit				•
5	<i>Phaethornis stuarti</i>	White-browed Hermit	•	•		
6	<i>Phaethornis hispidus</i>	White-bearded Hermit		•	•	
7	<i>Phaethornis guy apicalis</i>	Green Hermit	•	•		
8	<i>Phaethornis koepckeae</i>	Koepcke's Hermit	•	•		
9	<i>Phaethornis philippii</i>	Needle-billed Hermit			•	
10	<i>Phaethornis malaris</i>	Great-billed Hermit			•	
11	<i>Doryfera ludoviae</i>	Green-fronted Lancebill	•			
12	<i>Doryfera johannae</i>	Blue-fronted Lancebill	•			
13	<i>Campylopterus largipennis aequatorialis</i>	Gray-breasted Sabrewing		•	•	
14	<i>Eupetomena macroura macroura</i>	Swallow-tailed Hummingbird			•	
15	<i>Florisuga mellivora</i>	White-necked Jacobin	•	•	•	
16	<i>Colibri delphinae</i>	Brown Violet-ear	•	•		
17	<i>Colibri thalassinus</i>	Green Violet-ear	•	•		
18	<i>Colibri coruscans</i>	Sparkling Violet-ear	•	•	•	
19	<i>Anthracothorax nigricollis</i>	Black-throated Mango		•	•	
20	<i>Klais guimeti pallidiventris</i>	Violet-headed Hummingbird	•	•		
21	<i>Lophornis delattrei</i>	Rufous-crested Coquette	•	•	•	
22	<i>Lophornis chalybeus verreauxii</i>	Festive Coquette				•
23	<i>Discosura popelairii</i>	Wire-crested Thorntail	•	•		
24	<i>Discosura langsdorffi</i>	Black-bellied Thorntail				•
25	<i>Chlorostilbon mellisugus peruanus</i>	Blue-tailed Emerald		•	•	
26	<i>Chlorostilbon aureoventris aureoventris</i>	Glittering-bellied Emerald				•
27	<i>Thalurania furcata boliviensis</i>	Fork-tailed Woodnymph		•	•	
28	<i>Hylocharis sapphirina</i>	Rufous-throated Sapphire			•	
29	<i>Hylocharis cyanus rostrata</i>	White-chinned Sapphire		•	•	
30	<i>Chrysuronia oenone josephinae</i>	Golden-tailed Sapphire	•	•	•	
31	<i>Polytmus guainumbi thaumantias</i>	White-tailed Goldenthroat				•
32	<i>Polytmus theresiae leucorrhous</i>	Green-tailed Goldenthroat				•
33	<i>Chrysolampis mosquitos</i>	Ruby-topaz Hummingbird				?
34	<i>Taphrolesbius hypostictus</i>	Many-spotted Hummingbird	•	•		
35	<i>Amazilia chionogaster</i>	White-bellied Hummingbird	•			
36	<i>Amazilia viridicauda</i>	Green-and-white Hummingbird	•			
37	<i>Amazilia lactea bartletti</i>	Sapphire-spangled Emerald	•	•	•	
38	<i>Adelomyia melanogenys</i>	Speckled Hummingbird	•			
39	<i>Phlogophilus harterti</i>	Peruvian Piedtail	•			
40	<i>Heliodoxa branickii</i>	Rufous-webbed Brilliant	•	•		
41	<i>Heliodoxa schreibersii whitelyana</i>	Black-throated Brilliant	•	•		
42	<i>Heliodoxa aurescens</i>	Gould's Jewelfront		•	•	
43	<i>Heliodoxia rubinoides aequatorialis</i>	Fawn-breasted Brilliant	•			
44	<i>Heliodoxa leadbeateri otero</i>	Violet-fronted Brilliant	•	•		
45	<i>Boissonneaua matthewsii</i>	Chestnut-breasted Coronet	•			
46	<i>Aglaeactis cupripennis caumanotonotus</i>	Shining Sunbeam	•			
47	<i>Aglaeactis castelnauii castelnauii</i>	White-tufted Sunbeam	•			
48	<i>Oreotrochilus estella</i>	Andean Hillstar	•			
49	<i>Lafresnaya lafresnayi</i>	Mountain Velvetbreast		•		
50	<i>Coeligena coeligena obscura</i>	Bronzy Inca		•	•	
51	<i>Coeligena torquata omissa</i>	Collared Inca		•	•	
52	<i>Coeligena violifer osculans</i>	Violet-throated Starfrontlet		•		
53	<i>Ensifera ensifera</i>	Sword-billed Hummingbird	•	•		
54	<i>Pterophanes cyanopterus peruvianus</i>	Great Sapphirewing	•	•		
55	<i>Patagona gigas peruviana</i>	Giant Hummingbird	•			
56	<i>Heliangelus amethysticollis amethysticollis</i>	Amethyst-throated Sunangel	•	•		
57	<i>Eriocnemis luciani sapphiropygia</i>	Sapphire-vented Puffleg	•			
58	<i>Haplophaedia assimilis assimilis</i>	Buff-thighed Puffleg		•	•	
59	<i>Ocreatus underwoodii addae</i>	Booted Racket-tail		•	•	
60	<i>Lesbia nuna</i>	Green-tailed Trainbearer	•	•		
61	<i>Ramphomicron microrhynchum albiventris</i>	Purple-backed Thornbill	•			
62	<i>Oreonympha nobilis</i>	Bearded Mountaineer	•			
63	<i>Metallura tyrianthina smaragdinicollis</i>	Tyrian Metaltail	•	•		
64	<i>Metallura aeneocauda</i>	Scaled Metaltail	•	•		
65	<i>Chalcostigma ruficeps</i>	Rufous-capped Thornbill		•		
66	<i>Chalcostigma olivaceum</i>	Olivaceous Thornbill	•			
67	<i>Chalcostigma stanleyi</i>	Blue-mantled Thornbill	•			
68	<i>Aglaiaocercus kingi</i>	Long-tailed Sylph		•		
69	<i>Schistes geoffroyi</i>	Wedge-billed Hummingbird	•	•		
70	<i>Heliothryx auritus</i>	Black-eared Fairy			•	•
71	<i>Heliomaster longirostris</i>	Long-billed Starthroat			•	•
72	<i>Calliphlox amethystina</i>	Amethyst Woodstar		•	•	•
73	<i>Chaetocercus mulsant</i>	White-bellied Woodstar		•	•	