Categories

- Base Model Package Contents

- Docks/Chargers

- Power Supplies

- General Accessories

- Holsters/Cases

- Vehicle Holder

- Batteries

- Cables

- Power Line Cords

Base Model Package Contents

- WiFi
- 3G/4G (HSPA+)

www.adc.datalogic.com

Base Model Package Contents - WiFi

Includes: Battery (1,800 mAh for WiFi models), Universal Power Supply with regional plugs, Lanyard, Tethered Guitar Pick Stylus, Micro USB Cable

Base Model Package Contents - 3G/4G (HSPA+)

Includes: Battery (3,600 mAh for 3G/4G (HSPA+) models), Universal Power Supply with regional plugs, Lanyard, Tethered Guitar Pick Stylus, Micro USB Cable

www.adc.datalogic.com

Docks/Chargers

- 94A150036 - DOCK, SINGLE SLOT, LYNX

- 94A150037 - CHARGER, 4 SLOT DOCK, LYNX

- 94A150038 - DOCK, ETHERNET 4 SLOT, LYNX

- 94A150039 - CHARGER, 4 SLOT BATTERY, LYNX

Single Slot Dock - 94A150036

Single slot desk mount dock with RS-232/ Micro USB communication and Spare Battery Charging Bay. Includes power supply (94ACC1381). Communications cable (94A051968) included with base unit. RS232 Serial cable (94A051020) and USB Host Cable (94A051969) sold separately.

Four Slot Charging Dock - 94A150037

Multi Charge Only Dock, recharges 4 terminals and 4 spare battery charging bays. Power supply (94ACC1385) included. (Requires Power Line Cord, sold separately)

Four Slot Ethernet Dock - 94A150038

Multi Ethernet Dock, recharges 4 terminals and 4 spare battery charging bays.
Power Supply (94ACC1385) included. (Requires Power Line Cord, sold separately)

Four Slot Battery Charger Dock - 94A150039

Multi Battery Charger, recharges 4 spare batteries. Charges standard battery, 94ACC0064 and high capacity battery, 94ACC0065. Power Supply (94ACC1385) included. (Requires Power Line Cord, sold separately)

Power Supplies

- [94ACC1385 - POWER SUPPLY, CHARGER, MULTI BATTERY CHARGER (MBC) AND DOCK](#)

- [94ACC1381 - POWER SUPPLY, DOCK, POWER PLUG 2.1MM](#)

- [94ACC0071 - POWER SUPPLY, MICROUSB](#)

  www.adc.datalogic.com

Power Supply - 94ACC1385

Power supply for Multi Battery Charger (94A150039), 4-Slot Charging (94A150037) and 4-slot Ethernet Dock (94A150038). Power line cord has to be ordered separately.

Power Supply - 94ACC1381

Power supply for single slot dock, regional plugs included. For use with Single Slot Dock (94A150036).

Power Supply- 94ACC0071

Micro USB Power supply for Lynx, for direct charge through the USB port.

General Accessories

- 94ACC1371 - MODULE, ETHERNET, SINGLE SLOT DOCK

- 94ACC1372 - MODULE, MODEM, SINGLE SLOT DOCK

- 94ACC0067 - STYLUS, GUITAR PICK W/ CORD (5PCS), LYNX

- 94ACC0068 – STYLUS, TELESCOPIC W/ CORD (5PSC), LYNX

- 94ACC0069 – LANYARD (5 PCS), LYNX

- 95ACC0002 - HEADSET VXI VR12

- 95ACC0003 - MICRO USB CABLE CLIP KIT (5PCS)

Single Slot Ethernet Dock - 94ACC1371

Module, Ethernet Communication for Single Slot Dock.

Single Slot Modem Dock - 94ACC1372

Module, Modem Communication for Single Slot Dock.

www.adc.datalogic.com

Stylus, Guitar Pick – 94ACC0067

STYLUS, GUITAR PICK W/ CORD (5PCS)

www.adc.datalogic.com

Stylus, Telescopic – 94ACC0068

STYLUS, TELESCOPIC W/ CORD (5PSC),

Lanyard – 94ACC0069

LANYARD (5pcs), LYNX

Lanyard – 94ACC0069

LANYARD (5pcs), LYNX

19 © 2012 Datalogic ADC, Inc. • Confidential Proprietary Information   www.adc.datalogic.com

Headset – 95ACC0002

HEADSET VXI VR12. REQUIRES CABLE 94A050037, SOLD SEPARATELY

Cable Clip – 95ACC0003

MICRO USB CABLE CLIP KIT (5PCS)

Holsters/Cases

- **94ACC0070 – BELT HOLSTER FOR LYNX**

- **94ACC1230 - CLIP, FOR BELT, SWIVEL FOR FUNCTIONAL CASES**

Belt Holster, Lynx - 94ACC0070

BELT HOLSTER, LYNX. BELT CLIP (94ACC1230)INCLUDED

Belt Clip – 94ACC1230

Clip, for Belt, Swivel for Functional Cases (10 pcs)

© 2012 Datalogic ADC, Inc. • Confidential Proprietary Information

www.adc.datalogic.com

Vehicle Holder

- 94A150051 - VEHICLE HOLDER, LYNX
- 94ACC0075 - RAM MOUNT FOR VEHICLE HOLDER

Vehicle Holder, Lynx - 94A150051

VEHICLE HOLDER, LYNX. REQUIRES 94A051975 AND 94A051976 TO RECHARGE DIRECTLY FROM VEHICLE. INCLUDES MOUNTING SCREWS.

Ram Ball Mount for Vehicle Holder - 94ACC0075

RAM MOUNT FOR VEHICLE HOLDER

Batteries

- <u>94ACC0065 - BATTERY, HIGH CAPACITY, LYNX</u>
- <u>94ACC0064 - BATTERY, STANDARD CAPACITY, LYNX</u>

Batteries - 94ACC0065

Battery, 3600 mAh High Capacity, Lynx. Included with 3G/4G (HSPA+) model

Batteries - 94ACC0064

Battery, 1800mAh Standard Capacity, Lynx (included with WiFi Lynx)

Cables

- 94A051020 - CAB-427 RS232 NULL MODEM CABLE

- 94A051970 - CABLE, USB HANDYLINK, CLIENT

- 94A051971 - CABLE, USB HANDYLINK, HOST

- 94A051972 - CABLE, RS232 HANDYLINK, CLIENT

- 94A051973 - CABLE, RS232 HANDYLINK, HOST

- 94A051968 - CABLE, MICROUSB, CLIENT

More Options

Cables

- 94A051969 - CABLE, MICROUSB, HOST

- 94A051975 - CAR ADAPTER FOR PVD

- 94A051976 - PVD CAR ADAPTER TO DEVICE

- 94A051974 - CABLE, DEX

- 94A050037 - CABLE HANDYLINK AUDIO – VXI VR12

More Options

www.adc.datalogic.com

Cables – 94A051020

Cable for dock-PC (RS232) communication

Cables - 94A051970

Cable from device (Handylink) to USB. Device works as client. Connects to PC, 2m straight cable

Cables - 94A051971

Cable from device (Handylink) to female USB. Device works as host. Connects to printers or most other peripherals. 15cm straight cable

Cables - 94A051972

Cable from device (Handylink) to female DB9 RS232. Null Modem Cable.
Connects to PC. 2m straight cable

www.adc.datalogic.com

Cables - 94A051973

Cable from device (Handylink) to male DB9 RS232. Straight through cable, Power on Pin 9 (5V @ 500mA). Connects to printers, scanners, or most other peripherals. 15cm straight cable

Cables - 94A051968

Cable from Micro USB (dock) to USB. Device works as client. 2m straight cable.

www.adc.datalogic.com

Cables - 94A051969

Cable from Micro USB (dock) to female USB. Device works as host. 1m straight.

Cables - 94A051975

Car Adapter for PMD (to supply power to PMD from the cigarette lighter.
Already included in the PMD box).

Cables - 94A051976

Adapter, from PMD Car Adapter to device (to supply power from the cigarette lighter to device, both 94A051975 and 94A051976 are required). 15cm straight cable

Cables - 94A051974

Cable, DEX. 3m coiled cable

Cables - 94A050037

CABLE HANDYLINK AUDIO – VXI VR12

Power Line Cords

- 95ACC1113 - POWER CORD,120V AC,USA,STD,ROHS

- 95ACC1213 - POWER CORD,IEC C13,UK,ROHS

- 94ACC1150 - POWER CORD EU 3-PIN (5 PCS)

- 95A051041 - POWER CORD,IEC/EUR,ROHS

- 95ACC1215 - POWER CORD,IEC C13,AUSTRALIA,ROHS

- 95ACC1212 - POWER CORD,IEC,JAPAN,ROHS

- 95ACC1284 - PWR CRD,IEC C13, ARGENTINA,ROHS

- 95ACC1214 - POWER CORD,IEC,ITALY,ROHS

Power Line Cord – United States - 95ACC1113

Power Cord, 120V AC, IEC/US

Power Line Cord – United Kingdom - 95ACC1213

Power Cord, 240V AC, UK

www.adc.datalogic.com

Power Line Cord – Europe - 94ACC1150

Power Cord, 3 pin (Euro Plug) - 5 pcs

Power Line Cord – IEC/Europe - 95A051041

Power Cord, AC, IEC/EUR

www.adc.datalogic.com

# Power Line Cord – IEC/Australia - 95ACC1215

Power Cord, IEC/Australian

# Power Line Cord – IEC/Japan - 95ACC1212

Power Cord, IEC/Japan

Power Line Cord – Argentina - 95ACC1284

Power Cord,IEC C13, Argentina,ROHS

www.adc.datalogic.com

Power Line Cord – Italy- 95ACC1214

Power Cord, IEC/Italy

www.adc.datalogic.com