

66. Family TEPHRITIDAE

By D. Elmo Hardy & Richard H. Foote

Tephritidae is a large family of predominantly picture-winged, usually highly ornamented flies with brightly contrasting color patterns on the bodies. Approximately 4,500 species are now known worldwide. This catalog lists about 573 species in 128 genera and 25 subgenera. Fruit flies of most of the world's tropics are still poorly known, and comparatively little biological data or host information are available for most of the fauna. There is no universal agreement on the higher classification of the family on a worldwide basis. For this catalog we prefer to arrange the genera in 4 subfamilies: Dacinae, Trypetinae, Myopitinae, and Tephritisinae.

Although members of this family are commonly called fruit flies, the vast majority of the world's species are not frugivorous. Species of the subfamily Dacinae are exclusively fruit breeders and attack all kinds of fleshy fruits, including those of cucurbitaceous and solanaceous crops, and members of the genus *Dacus* s. l. comprise the major economic pests of this region. Except for some genera of fruit-breeding Trypetinae, the non-dacine Tephritidae breed predominantly in various tissues of living plants. Tephritisinae breed predominantly in flower heads of Compositae (Asteraceae), and some are gall formers and stem borers in Compositae, Goodenaceae, and some other plant families. The Trypetinae have a wide range of biological associations: some are fruit breeders (largely in native and endemic hosts) and are seldom economically important in these regions, some are leaf miners; some infest flower heads (feeding on seeds and ovaries); some breed in buds of large flowers such as *Bauhinia*, *Bombax*, and *Hibiscus*; many of the Acanthonevrini, especially Gastrozonina, are associated with bamboo, with some boring in the young shoots, others in the terminal growths. Some Trypetinae show a marked departure from the usual breeding habits

of the family: *Termitoxoa* Hendel has been reared from galleries of *Mastotermes* in northern Australia (Hill 1921); Phytalmiini apparently breed in rotting bark or wood; species of *Dirioxa* have been reared from decaying fruit and rotting bark of mahogany trees (*Dysoxylum*) in northern Queensland (1 species of *Dirioxa* has been reared from decaying wood); *Dacopsis* breeds in thick stringy bark of fallen *Dysoxylum* trees in Papua New Guinea; and some species of *Themara* have been collected commonly on trunks of fallen trees and may be bark breeders. The strangest association known for a "fruit fly" is that of *Alloeomyia flava* from Papua New Guinea, which has been collected only in traps baited with human feces; no doubt it is a scavenger.

At the time this manuscript went to press, Dr. R.A.I. Drew was near publication of a monograph of the Dacinae of New Guinea, the new taxa of which unfortunately were not available for inclusion in this catalog. The classificatory changes in the subfamily have been incorporated in this catalog, but his work will add over 100 new species and will necessitate major changes in the nomenclature of the Dacinae.

Refs.: Hering (1947b, key world Tephritidae subfams., tribes), Hardy (1956a, classif. world Dacinae; 1977b, cat. Oriental spp.; 1983c, rev. Indonesian, New Guinean, adjacent Is Euphrantini; 1985, rev. Indonesian, New Guinean Schistopterinae; 1986a, rev. Indonesian, New Guinean, adjacent Is Adramini; 1986b, rev. Indonesian, New Guinean, Bismarck Arch, Solomon Is Acanthonevrina; 1987, rev. Indonesian, New Guinean, Bismarck Arch, Solomon Is Trypetini, Aciurini, Ceratitini; 1988, rev. Indonesian, New Guinean, Bismarck Arch, Solomon Is, Tephritisinae), Drew (1972a, gen., subg. classif. S Pacific Dacinae; 1975, zoogeogr. S Pacific Dacinae; 1978, econ. import. S Pacific Dacinae), Hardy & Delfinado (1980, rev. Hawaiian spp.).

Subfamily DACINAE

Genus BACTROCERA Macquart

BACTROCERA Macquart, 1835: 452. Type species: *Bactrocera longicornis* Macquart, 1835, mon.

Subgenus AFRODACUS Bezzi

AFRODACUS Bezzi, 1924b: 469 (as gen.). Type species: *Chaetodacus biguttulus* Bezzi, 1922, mon. *aenigmatica* Malloch, 1931k: 261 (*Dacus*). Western Samoa.

brunnea Perkins & May, 1949: 18 (*Afrodacus*). Australia (Qld).

jarvisi Tryon, 1927: 201 (*Chaetodacus*). Australia (Qld); Australia (NSW, NT, WA), Lord Howe I.

careya Tryon, 1927: 202 (*Chaetodacus jarvisi* var.). *Nomen nudum*.

australis Hendel, 1928b: 341 (*Dacus*). Australia (NT).

halteratus Hendel, 1928b: 342 (*Dacus australis* var.). Australia (Qld).

minuta Drew, 1971: 29 (*Dacus*). Vanuatu.

tigrina May, 1953: 339 (*Afrodacus*). Australia (Qld).

flavinotus May, 1958: 293 (*Afrodacus*). Australia (Qld).

furvus May, 1958: 294 (*Afrodacus*). Australia (Qld).

Subgenus ASIADACUS Perkins

ASIADACUS Perkins, 1937: 57 (as gen.). Type species: *Chaetodacus bakeri* Bezzi, 1919, orig. des. *absolutus* Walker, 1861e: 22 (*Dacus*). Indonesia (Maluku).

Subgenus AUSTRODACUS Perkins

AUSTRODACUS Perkins, 1937: 56 (as gen.). Type species: *Dacus cucumis* French, 1907, orig. des. *cucumis* French, 1907: 307 (*Dacus tryoni* var.). Australia (Qld); Australia (NSW, NT).

Subgenus BACTROCERA Macquart

BACTROCERA Macquart, 1835: 452 (as gen.). Type species: *Bactrocera longicornis* Macquart, 1835, mon.

DASYNEURA Saunders, 1842: 60 (as gen.). Type species: *Dasyneura zonata* Saunders, 1842, mon.

STRUMETA Walker, 1856a: 33 (as gen.). Type species: *Strumeta conformis* Walker, 1856 [= *Dacus umbrorus* Fabricius, 1805], mon.

CHAETODACUS Bezzi, 1913b: 93 (as gen.). Type species: *Musca ferruginea* Fabricius, 1784 [preocc., = *Dacus dorsalis* Hendel, 1912], orig. des.

MARQUESADACUS Malloch, 1932m: 145. Type species: *Chaetodacus perfuscus* Aubertin, 1929, orig. des.

APODACUS Perkins, 1939: 26 (as gen.). Type species: *Apodacus cheesmanae* Perkins, 1939 (as *cheesmani*), orig. des.

abdominalis Drew, 1971: 48 (*Dacus*). PNG (PNG).

abdominalis Drew, 1971: 50 (*Dacus*). PNG (Bismarck Arch).

abdominalis Drew, 1971: 52 (*Dacus*). PNG (PNG).

abscondita Drew & Hancock in Drew et al., 1981: 54 (*Dacus*). Australia (Qld).

aeruginosa Drew & Hancock in Drew et al., 1981: 57 (*Dacus*). Australia (Qld).

allwoodi Drew, 1979: 79 (*Dacus*). Australia (NT).

alyxiae May, 1953: 335 (*Strumeta*). Australia (Qld); PNG (PNG).

amplexiseta May, 1962: 66 (*Strumeta*). Australia (Qld).

ampla Drew, 1971: 55 (*Dacus*). PNG (Bismarck Arch).

anomala Drew, 1971: 57 (*Dacus*). Vanuatu.

anthracina Drew, 1971: 59 (*Dacus*). PNG (Bismarck Arch).

antigone Drew & Hancock in Drew et al., 1981: 59 (*Dacus*). Australia (Qld).

aqilonis May, 1965: 62 (*Strumeta*). Australia (NT); Australia (WA).

atra Malloch, 1938a: 113 (*Dacus*). French Polynesia (Austral Is).

aterrima Drew, 1972b: 204 (*Dacus*). PNG (Bougainville I).

- atramentata** Hering, 1941e: 9 (*Strumeta*). PNG (Bismarck Arch).
- aurantiaca** Drew & Hancock in Drew et al., 1981: 62 (*Dacus*). Australia (Qld).
- bancroftii** Tryon, 1927: 199 (*Chaetodacus*). Australia (Qld).
- barringtoniae** Tryon, 1927: 196 (*Chaetodacus*). Australia (Qld).
- biarcuata** Walker, 1865b: 122 (*Dacus*). "New Guinea" [= Indonesia (Irian Jaya)]; PNG (Bougainville I, PNG), Solomon Is.
- bidentata** May, 1963: 527 (*Strumeta*). Australia (Qld).
- breviaculea** Hardy, 1951b: 145 (*Dacus*). Australia (Qld).
- brevistriata** Drew, 1968b: 77 (*Strumeta*). PNG (PNG).
- bryoniae** Tryon, 1927: 192 (*Chaetodacus*). Australia (Qld); Australia (NSW, NT), PNG (Bismarck Arch, PNG).
- costalis** Shiraki, 1933: 66. Japan.
- cacuminatus** Hering, 1941c: 46 (*Strumeta*). Australia (Qld); Australia (NSW, Vic), Lord Howe I.
- solani* Jarvis, 1922a: 247 [1922b: 309] (*Dacus tryoni* var.). *Nomen nudum*.
- major* Tryon, 1927: 195 (*Chaetodacus dorsalis* var.). *Nomen nudum*.
- solani* Perkins & May, 1949: 14 (*Strumeta*). Australia (Qld).
- dorsalis*, Tryon, 1927, not Hendel, 1912, misid.
- caliginosa** Hardy, 1970: 116 (*Dacus*). PNG (Bismarck Arch).
- carbonaria** Hendel, 1927c: 61 (*Dacus*). PNG (Bismarck Arch).
- cheesmae** Perkins, 1939: 27 (*Apodacus*; as *cheesemani*). PNG (PNG); Australia (Qld).
- confluens** Drew, 1971: 35 (*Dacus*). PNG (Bougainville I).
- curvifera** Walker, 1864: 229 (*Dacus*). Indonesia (Irian Jaya); PNG (Bismarck Arch, PNG).
- speculifer* Walker, 1865b: 122 (*Dacus*). "New Guinea" [= Indonesia (Irian Jaya)].
- curvipennis** Froggatt, 1909: 93 (*Dacus*). Fiji; New Caledonia (New Caledonia), Vanuatu.
- decumana** Drew, 1972b: 205 (*Dacus*). PNG (Bougainville I); Solomon Is.
- diaphana** Hering, 1953: 508 (*Strumeta*). Indonesia (Irian Jaya).
- distincta** Malloch, 1931k: 259 (*Dacus*). Western Samoa; American Samoa, Fiji, Tonga.
- distotriseriata** Hardy, n. n. Vanuatu.
- triseriatus* Drew, 1971: 90 (*Dacus*). Vanuatu. [Preocc. Curran, 1927.]
- dorsalis** Hendel, 1912b: 18 (*Dacus*). Taiwan; Belau, Guam, Hawaiian Is, Indonesia (Maluku), Northern Marianas; USA [introduced; not established], Oriental Reg.
- ferruginea* Fabricius, 1794: 342 (*Musca*). "India orientali." [Preocc. Scopoli, 1763.]
- conformis* Doleschall, 1858: 122. Indonesia (Maluku).
- dyscrita** Drew, 1971: 63 (*Dacus*). PNG (Bismarck Arch).
- ebenea** Drew, 1971: 65 (*Dacus*). New Caledonia (New Caledonia).
- endiandrae** Perkins & May, 1949: 9 (*Strumeta*). Australia (Qld); Australia (NSW), PNG (PNG).
- enochra** Drew, 1972b: 207 (*Dacus*). PNG (Bougainville I); Solomon Is.
- epicharis** Hardy, 1970: 119 (*Dacus*). PNG (Bismarck Arch); Solomon Is.
- erubescensis** Drew & Hancock in Drew et al., 1981: 64 (*Dacus*). Australia (Qld); PNG (PNG).
- exspoliata** Hering, 1941d: 54 (*Strumeta*). PNG (PNG).
- facialis** Coquillet, 1909b: 12 (*Dacus*). Tonga; ?New Caledonia (New Caledonia).
- tongensis* Froggatt, 1911: 870 (*Dacus*). Tonga.
- fascialis*, error for *facialis*.
- fagraea** Tryon, 1927: 188 (*Chaetodacus*). Australia (Qld).
- frauenfeldi** Schiner, 1868: 262 (*Dacus*). Solomon Is; Australia (Qld), Belau, Kiribati (Gilbert Is), Marshall Is, Micronesia, Northern Marianas, PNG (Bismarck Arch, Bougainville I, PNG), Solomon Is; Indonesia, Malaysia (Pen), Singapore.
- albistrigatus* de Meijere, 1911b: 377 (*Dacus*). Indonesia (Java).
- froggatti** Bezzi, 1928: 101 (*Chaetodacus*). Not given [Solomon Is]; ?Indonesia (Maluku), PNG (Bougainville I, PNG);
- moluccensis*, Hardy & Adachi, 1954, not Perkins, 1939, misid.
- zonatus*, Froggatt, 1909, not Saunders, 1842, misid.
- fuliginis** Drew & Hancock in Drew et al., 1981: 66 (*Dacus*). Australia (Qld); PNG (PNG).
- fulvicauda** Perkins, 1939: 13 (*Strumeta*). PNG (PNG).

- halfordiae** Tryon, 1927: 190 (*Chaetodacus*). Australia (Qld); Australia (NSW).
gurneyi Perkins, 1934: 41 (*Chaetodacus*). Australia (NSW & Qld).
- hispidula** May, 1958: 301 (*Strumeta*). Australia (Qld).
- humilis** Drew & Hancock in Drew *et al.*, 1981: 68 (*Dacus*). Australia (Qld).
- incisus* Walker – not Australasian/Oceanian.
- indecora** Drew, 1971: 37 (*Dacus*). PNG (Bismarck Arch).
- kirki** Froggatt, 1911: 871 (*Dacus*). Not given [?Fiji]; American Samoa, French Polynesia (Austral Is, Society Is), Niue, Tonga, Western Samoa.
- kraussi** Hardy, 1951b: 156 (*Dacus*). Australia (Qld).
- lampabilis** Drew, 1971: 67 (*Dacus*). PNG (Bismarck Arch).
- laticauda** Hardy, 1950b: 87 (*Dacus*). Australia (Qld).
fuscatus Perkins & May, 1949: 5 (*Strumeta*). Australia (Qld). [Preocc. Wiedemann, 1819.]
- latifrons** Hendel, 1915: 425 (*Chaetodacus*). Taiwan; Hawaiian Is [immigrant]; Oriental Reg.
- lineata** Perkins, 1939: 16 (*Strumeta*). PNG (PNG).
- longicornis** Macquart, 1835: 452, 453. Solomon Is; PNG (Bismarck Arch, Bougainville I).
denigratus Drew, 1971: 61 (*Dacus*). PNG (Bismarck Arch).
- luteola** Malloch, 1931k: 262 (*Dacus*). French Polynesia (Society Is); French Polynesia (Tuamotu Arch).
incertus Malloch, 1938a: 113 (*Dacus*). French Polynesia (Tuamotu Arch).
- manskii** Perkins & May, 1949: 3 (*Strumeta*). Australia (Qld).
- mayi** Hardy, 1951b: 161 (*Dacus*; n. n. for *bilineata* Perkins & May). Australia (Qld).
bilineata Perkins & May, 1949: 7 (*Strumeta*). Australia (Qld). [Previously considered a junior secondary homonym in *Dacus*; *mayi* valid under I.C.Z.N. Code Art. 59b.]
- melanota** Coquillett, 1909b: 13 (*Dacus*). Cook Is.
raro tongae Froggatt, 1911: 872 (*Dacus*). Cook Is.
- melas** Perkins & May, 1949: 12 (*Strumeta*). Australia (Qld).
- mendosa** May, 1958: 303 (*Strumeta*). Australia (Qld); Australia (NT).
- moluccensis** Perkins, 1939: 17 (*Strumeta*). Indonesia (Maluku); PNG (Bismarck Arch, Bougainville I, PNG).
- mucronis** Drew, 1971: 70 (*Dacus*). New Caledonia (New Caledonia).
- musae** Tryon, 1927: 197 (*Chaetodacus*). Australia (Qld); PNG (Bismarck Arch, PNG), Solomon Is
musa Tryon, 1927: 187 (*Chaetodacus tryoni* var.). *Nomen nudum*.
dorsopicta Tryon, 1927: 198 (*Chaetodacus musae* var.). Australia (Qld).
- mutabilis** May, 1952: 6 (*Strumeta*). Australia (Qld).
- neohumeralis** Hardy, 1951b: 169 (*Dacus tryoni* var.; n. n. for *humeralis* Perkins). Australia (Qld); Australia (NSW), PNG (PNG).
humeralis Perkins, 1934: 42 (*Chaetodacus*). Australia (Qld). [Previously considered a junior secondary homonym in *Dacus*; *neohumeralis* valid under I.C.Z.N. Code Art. 59b.]
- neonigritus** Hardy, n. n. PNG (Bismarck Arch); PNG (Bougainville I, PNG), Solomon Is.
nigritus Drew, 1971: 75 (*Dacus*). PNG (Bismarck Arch). [Preocc. Hardy, 1955.]
- nigella** Drew, 1968b: 78 (*Strumeta*). PNG (PNG).
- nigrescens** Drew, 1968a: 23 (*Asiadacus*). PNG (Bismarck Arch); PNG (Bougainville I).
- nigrescentis** Drew, 1971: 72 (*Dacus*). PNG (Bismarck Arch); PNG (Bougainville I, PNG).
- notatagena** May, 1953: 337 (*Strumeta*). Australia (Qld).
- obliqua** Malloch, 1939d: 238 (*Dacus*). PNG (Bismarck Arch); PNG (Bougainville I).
- obscura** Malloch, 1931: 264 (*Dacus*). Western Samoa; American Samoa, Niue, Tonga.
- occipitalis* Bezzi – not Australasian/Oceanian.
- ochromarginis** Drew, 1971: 40 (*Dacus*). PNG (Bismarck Arch).
- ochrosiae** Malloch, 1942: 201 (*Dacus*). Guam; Northern Marianas.
- opiliae** Drew & Hardy, 1981: 131 (*Dacus*). Australia (NT); Australia (WA).
- pallida** Perkins & May, 1949: 10 (*Strumeta*). Australia (Qld); Australia (NT).
- passiflorae** Froggatt, 1911: 870 (*Dacus*). Fiji; Niue.
- pectoralis** Walker, 1859a: 114 (*Dacus*). Indonesia (Maluku); Indonesia (Java).
- pedestris** Bezzi, 1914: 322 (*Chaetodacus*). Philippines; ?Indonesia (Irian Jaya); SE Oriental Reg.
- peninsularis** Drew & Hancock in Drew *et al.*, 1981: 70 (*Dacus*). Australia (Qld); PNG (PNG).

- pepisalae** Froggatt, 1911: 869 (*Dacus*). Solomon Is; PNG (Bougainville I).
- perfusca** Aubertin in Aubertin & Cheesman, 1929: 173 (*Strumeta*). French Polynesia (Marquesas).
- perkinsi** Drew & Hancock in Drew et al., 1981: 72 (*Dacus*). Australia (Qld).
- phaea** Drew, 1971: 77 (*Dacus*). PNG (Bismarck Arch); PNG (PNG).
- phaleriae** May, 1956: 159 (*Strumeta*). Australia (Qld).
- picea** Drew, 1972b: 208 (*Dacus*). PNG (Bougainville I); Solomon Is.
- pseudodistincta** Drew, 1971: 79 (*Dacus*). PNG (Bismarck Arch); Australia (Qld), PNG (PNG).
- psidii** Froggatt, 1899: 500 (*Tephritis*). New Caledonia (New Caledonia); Australia (NSW), Tonga, Western Samoa.
- virgatus** Coquillett, 1909b: 13 (*Dacus*). Tonga.
- ornatissimus** Froggatt, 1909: 93 (*Dacus*). New Caledonia (New Caledonia).
- pulchra** Tryon, 1927: 206. Australia (Qld).
- quadrata** May, 1963: 530 (*Strumeta*). Australia (Qld); PNG (Bismarck Arch, PNG).
- quadrisetosa** Bezzi, 1928: 102 (*Chaetodacus*). Vanuatu.
- recurrents** Hering, 1941c: 47 (*Strumeta*). PNG (PNG).
- redunca** Drew, 1971: 82 (*Dacus*). Vanuatu; Australia (Qld), PNG (Bougainville I, PNG), Solomon Is.
- resima** Drew, 1971: 85 (*Dacus*). PNG (PNG); Australia (Qld).
- robiginosa** May, 1958: 305 (*Strumeta*). Australia (Qld).
- romigae** Drew & Hancock in Drew et al., 1981: 75 (*Dacus*). Australia (Qld).
- rufescens** May, 1967: 81 (*Strumeta*). Australia (Qld).
- rufofuscula** Drew & Hancock in Drew et al., 1981: 77 (*Dacus*). Australia (Qld).
- russeola** Drew & Hancock in Drew et al., 1981: 80 (*Dacus*). Australia (Qld).
- rutila** Hering, 1941c: 45 (*Strumeta*). PNG (PNG); Indonesia (Irian Jaya).
- seguyi** Hering, 1939a: 165 (*Strumeta*). Indonesia (Irian Jaya); PNG (Bismarck Arch, PNG).
- peculiaris* Malloch, 1939d: 235 (*Dacus*). PNG (Bismarck Arch).
- setinervis** Malloch, 1938a: 112 (*Dacus*). Pitcairn Is.
- silvicola** May, 1962: 68 (*Strumeta*). Australia (Qld).
- simulata** Malloch, 1939d: 241 (*Dacus*). Solomon Is; PNG (Bougainville I), Vanuatu.
- strigata** Perkins, 1934: 43 (*Chaetodacus*). Australia (Qld); Australia (Vic).
- tenuifascia** May, 1965: 64 (*Strumeta*). Australia (NT); Australia (WA).
- trifaria** Drew, 1971: 87 (*Dacus*). PNG (Bismarck Arch).
- trivialis** Drew, 1971: 93 (*Dacus*). PNG (PNG); Australia (Qld), Indonesia (Irian Jaya).
- tryoni** Froggatt, 1897: 410 (*Tephritis*). Australia (Qld); Australia (NSW, Vic), Easter I, French Polynesia (Austral Is, Society Is), Lord Howe I, New Caledonia (New Caledonia), PNG (PNG).
- juglandis* Tryon, 1927: 188 (*Chaetodacus tryoni* var.). Australia (Qld).
- sarcococephali* Tryon, 1927: 188 (*Chaetodacus tryoni* var.). Australia (Qld).
- umbrosa** Fabricius, 1805: 274 (*Dacus*). Indonesia (Sumatra); New Caledonia (New Caledonia), PNG (Bismarck Arch, Bougainville I, PNG), Solomon Is, Vanuatu; widesp. E Oriental Reg.
- frenchi* Froggatt, 1909: 22 (*Dacus*). New Caledonia (New Caledonia).
- unifasciata** Malloch, 1939d: 233 (*Dacus*). Solomon Is.
- unipunctata** Malloch, 1939d: 245 (*Dacus*). Solomon Is.
- unistriata** Drew, 1971: 96 (*Dacus*). PNG (Bismarck Arch); PNG (PNG).
- varipes** Malloch, 1939d: 240 (*Dacus*). Solomon Is.
- vulgaris** Drew, 1971: 99 (*Dacus*). PNG (PNG).
- zonatus** Saunders, 1842: 61 (*Dasyneura*). India; Indonesia (Maluku); Reunion I, widesp. Oriental Reg.
- maculigera* Doleschall, 1858: 122. Indonesia (Maluku).

Subgenus DIPLODACUS May

DIPLODACUS May, 1952: 12 (as gen.). Type species: *Dacus signatifer* Tryon, 1927, orig. des.
signatifera Tryon, 1927: 210 (*Dacus*). Australia (Qld); Australia (NT).

Subgenus GYMNODACUS Munro

GYMNODACUS Munro, 1938: 117 (*Dacus* subg.). Type species: *Dacus mesomelas* Bezzii, 1908, orig. des. *calophylli* Perkins & May, 1949: 16 (*Asiadacus*). Australia (Qld); Belau; Malaysia (Pen), Singapore. *hastigerina* Hardy, 1954b: 19 (*Dacus*). PNG (Bismarck Arch).

Subgenus HEMIZEUGODACUS Hardy

HEMIZEUGODACUS Hardy, 1951b: 131 (*Dacus* subg.). Type species: *Dacus aglaiae* Hardy, 1951, orig. des.

NEOZEUGODACUS May, 1952: 10 (as gen.). Type species: *Neozeugodacus aureus* May, 1952, orig. des. *aglaiae* Hardy, 1951b: 132 (*Dacus*). Australia (Qld). *aurea* May, 1952: 10 (*Neozeugodacus*). Australia (Qld).

Subgenus JAVADACUS Hardy

JAVADACUS Hardy, 1983a: 26. Type species: *Dacus montanus* Hardy, 1983, orig. des.

aberrans Hardy, 1951b: 118 (*Afrodacus*). Australia (Qld).

mesoniger May, 1952: 8 (*Afrodacus*). Australia (Qld).

Subgenus MELANODACUS Perkins

MELANODACUS Perkins, 1937: 57 (as gen.). Type species: *Dacus niger* Tryon, 1927, orig. des.

nigra Tryon, 1927: 211 (*Dacus*). Australia (Qld).

satanella Hering, 1941c: 48 (*Melanodacus*). PNG (PNG).

Subgenus NOTODACUS Perkins

NOTODACUS Perkins, 1937: 56 (as gen.). Type species: *Tephritis xanthodes* Broun, 1904, orig. des.

xanthodes Broun, 1904a: 306 [1905a: 3] (*Tephritis*) [1905b: 327 (*Dacus*)]. Cook Is; American Samoa, Fiji, Tonga, Vanuatu, Western Samoa.

Subgenus PAPUODACUS Drew

PAPUODACUS Drew, 1972a: 13 (*Dacus* subg.). Type species: *Dacus pallescentis* Drew, 1971, orig. des.

neopallescentis Hardy, n. n. PNG (PNG).

pallescentis Drew, 1971: 44. PNG (PNG) (*Dacus*). [Preocc. Hardy, 1955.]

Subgenus PARADACUS Perkins

PARADACUS Perkins, 1938: 143 (as gen.). Type species: *Paradacus fulvipes* Perkins, 1938, orig. des.

areolata Walker, 1861d: 295 (*Dacus*). Indonesia (Maluku).

decipiens Drew, 1972a: 130 (*Dacus*). PNG (Bismarck Arch).

perplexa Walker, 1861e: 14 (*Dacus*). Indonesia (Maluku).

implexus Perkins, 1939: 34 (*Dacus*). *Nomen nudum*.

Subgenus PARATRIDACUS Shiraki

PARATRIDACUS Shiraki, 1933: 109 (as gen.). Type species: *Dacus yayeyamanus* Matsumura, 1916 [= *Dacus expandens* Walker, 1859], orig. des.

atrisetosa Perkins, 1939: 29 (*Zeugodacus*). PNG (PNG).

papuaensis Malloch, 1939f: 412 (*Dacus*). PNG (PNG).

rubidus May, 1958: 297 (*Melanodacus*). PNG (PNG).

coracina Drew, 1971: 46 (*Dacus*). PNG (PNG).

expandens Walker, 1859a: 114 (*Dacus*). Indonesia (Maluku); Australia (Qld), PNG (PNG); India, Indonesia, Japan, Malaysia (Pen), Philippines, Ryukyu Is, Sri Lanka.

yayeyamanus Matsumura, 1916: 413 (*Dacus*). Japan.

yayemanus, error for *yayeyamanus*.

Subgenus PARAZEUGODACUS Shiraki

PARAZEUGODACUS Shiraki, 1933: 107 (as gen.). Type species: *Parazeugodacus matsumurai* Shiraki, 1933, orig. des.
matsumurai Shiraki, 1933: 107 (*Parazeugodacus*). Bonin Is.

Subgenus POLISTOMIMETES Enderlein

POLISTOMIMETES Enderlein, 1920a: 358 (as gen.). Type species: *Polistomimetes minax* Enderlein, 1920, orig. des.
DACULUS Speiser, 1924: 140 (as gen.). Type species: *Musca oleae* Gmelin, 1790, orig. des.
HETERODACULUS Hardy, 1951b: 134 (*Dacus*). Type species: *Dacus visendus* Hardy, 1951, orig. des.
decurtans May, 1965: 61 (*Daculus*). Australia (NT); Australia (Qld, WA).
discipennis Walker, 1861d: 294 (*Dacus*). Indonesia (Maluku).
exigua May, 1958: 300 (*Psilodacus*). Australia (Qld).
murrayi Perkins, 1939: 25 (*Daculus*). Australia (Qld).
pagdeni Malloch, 1939d: 243 (*Dacus*). Solomon Is.
toxopeusi Hering, 1953: 510 (*Daculus*). Indonesia (Irian Jaya).
visenda Hardy, 1951b: 135 (*Dacus*). Australia (Qld); PNG (PNG).

Subgenus SINODACUS Zia

SINODACUS Zia, 1936: 157 (as gen.). Type species: *Sinodacus hochii* Zia 1936, orig. des.
PACIFODACUS Drew, 1972a: 12 (*Dacus* subg.). Type species: *Asiadacus triangularis* Drew, 1968, orig. des.
abdopallescens Drew, 1971: 31 (*Dacus*). PNG (PNG).
aneuvittata Drew, 1971: 33 (*Dacus*). New Caledonia (New Caledonia).
emarginata Perkins, 1939: 24 (*Neodacus*). PNG (PNG).
perpusilla Drew, 1971: 42 (*Dacus*). New Caledonia (New Caledonia).
salamander Drew & Hancock in Drew et al., 1981: 51 (*Dacus*). Australia (Qld).
strigifinis Walker, 1861d: 295 (*Dacus*). Indonesia (Maluku); Australia (Qld), PNG (PNG), Solomon Is.
lanceolatus Perkins, 1939: 22 (*Neodacus*). PNG (PNG).
albolateralis Malloch, 1939f: 413 (*Dacus*). PNG (PNG).
atritus May, 1962: 65 (*Asiadacus strigifinis* ssp.). PNG (PNG).
triangularis Drew, 1968a: 21 (*Asiadacus*). PNG (Bismarck Arch); PNG (Bougainville I).
univittata Drew, 1972b: 189 (*Dacus*). PNG (Bougainville I).

Subgenus ZEUGODACUS Hendel

ZEUGODACUS Hendel, 1927a: 26 (*Dacus* subg.). Type species: *Dacus caudatus* Fabricius, 1805, orig. des.
abdoangusta Drew, 1972b: 191 (*Dacus*). PNG (Bougainville I); Indonesia (Sulawesi).
amoena Drew, 1972b: 192 (*Dacus*). PNG (Bougainville I).
boninensis Hardy & Adachi, 1956: 12 (*Dacus*). Bonin Is.
brachus Drew, 1972b: 194 (*Dacus*). PNG (PNG).
chorista May, 1962: 72 (*Zeugodacus*). Australia (Qld); PNG (PNG).
cucurbitae Coquillett, 1899b: 129 (*Dacus*). Hawaiian Is [introduced]; Australia (NT), Guam, Indonesia (Irian Jaya), Northern Marianas, PNG (Bismarck Arch, Bougainville I, PNG), Solomon Is; Mauritius, widesp. Oriental Reg.
curta Drew, 1972b: 195 (*Dacus*). PNG (Bismarck Arch).
emittens Walker, 1860a: 152 (*Dacus*). Indonesia (Sulawesi); Indonesia (Maluku); Indonesia (Nusa Tenggara).
chrysotoxus Hendel, 1912b: 24 (*Dacus*). Indonesia (Maluku).
chrysotaxus, error for *chrysotoxus*.
exornata Hering, 1941d: 55 (*Zeugodacus*). Indonesia (Maluku).
fallacis Drew, 1972b: 196 (*Dacus*). Australia (Qld).

fulvifacies Perkins, 1939: 32 (*Zeugodacus*). New Caledonia (New Caledonia).
gracilis Drew, 1972b: 198 (*Dacus*). Vanuatu.
reflexa Drew, 1971: 101 (*Dacus*). PNG (Bismarck Arch).
trichota May, 1962: 74 (*Zeugodacus*). PNG (PNG); PNG (Bismarck Arch).
ubiquita Hardy, 1973: 71 (*Dacus*). Philippines; PNG (Bismarck Arch).

Nomen nudum in *Bactrocera* Macquart

nigrofasciata Tryon, 1927: 199 (*Dacus*).

Genus DACUS Fabricius

DACUS Fabricius, 1805: 272. Type species: *Dacus armatus* Fabricius, 1805, des. Hendel, 1927a: 24.

Subgenus CALLANTRA Walker

CALLANTRA Walker, 1860a: 153 (as gen.). Type species: *Callantra smieroides* Walker, 1860, orig. des.
axanus Hering, 1938: 410 (*Callantra*). Indonesia (Maluku); Australia (NT, Qld, WA), PNG (Bismarck Arch, PNG); Indonesia (Nusa Tenggara).
auricoma May, 1956: 153 (*Callantra*). Australia (Qld).
capillaris Drew, 1972b: 185 (*Callantra*). PNG (Bougainville I).
longicornis Wiedemann, 1830a: 524. Indonesia (Java); Indonesia (Maluku).
maya Drew, 1972b: 187 (*Callantra*). PNG (PNG).
petioliformus May, 1956: 151 (*Callantra*). Australia (Qld).
pusillus May, 1965: 58 (*Callantra*). Australia (Qld).
smieroides Walker – not Australasian/Oceanian.
solomonensis Malloch, 1939d: 236. Solomon Is; PNG (Bougainville I).
unicolor Hendel, 1927c: 58 (*Callantra*). PNG (Bismarck Arch).
vespoides Doleschall, 1858: 123 (*Bactrocera*). Indonesia (Maluku).

Subgenus DACUS Fabricius

DACUS Fabricius, 1805: 272 (as gen.). Type species: *Dacus armatus* Fabricius, 1805, des. Hendel, 1927a: 24.

TRIDACUS Bezzii, 1915: 86 (as gen.). Type species: *Dacus armatus* Fabricius, 1805, des. Collart, 1935: 9.
NEODACUS Perkins, 1937: 58 (as gen.). Type species: *Neodacus newmani* Perkins, 1937, orig. des.
absonifacies May, 1956: 156 (*Polistomimetus*). Australia (Qld).
bellulus Drew & Hancock in Drew et al., 1981: 50. Australia (Qld); Australia (NT), PNG (PNG).
newmani Perkins, 1937: 58 (*Neodacus*). Australia (WA); widesp. Australia.
signatifrons May, 1956: 155 (*Neodacus*). Australia (Qld).

Subgenus DIDACUS Collart

DIDACUS Collart, 1935: 33 (*Dacus* subg.). Type species: *Dacus ciliatus* Loew, 1862, orig. des.
aequalis Coquillett, 1909a: 794. Australia (NSW); Australia (Qld).
hardyi Drew, 1979: 74. Australia (NT).

Genus PARACALLANTRA Hendel

PARACALLANTRA Hendel, 1927c: 59. Type species: *Paracallantra vespiformis* Hendel, 1927, orig. des.
vespiformis Hendel, 1927c: 60. PNG (Bismarck Arch).

Subfamily TRYPETINAE

Tribe ACANTHONEVRINI

Subtribe ACANTHONEVRINA

Genus ACANTHONEVRA Macquart

ACANTHONEVRA Macquart, 1843: 377(220). Type species: *Acanthonevra fuscipennis* Macquart, 1843, orig. des.

RIOXOPTILONA Hendel, 1914c: 78. Type species: *Trypeta vaga* Wiedemann, 1830, orig. des.
ACANTHONEURA, error for *Acanthonevra*.

acidiomorpha Hendel, 1928b: 360. Australia (NSW).
 acidomorpha, error for *acidiomorpha*.

australina Hendel, 1928b: 359. Australia (Qld).

bicolor Macquart, 1855: 144(124) (*Urophora*). Australia (SA); Australia (NSW).

ceramensis de Meijere, 1913a: 61 (*dunlopi* Wulp var.). Indonesia (Maluku); Malaysia (Sabah).
jarvisi Tryon, 1927: 221 (*Roxa*). Australia (Qld); Australia (NSW).

nigriventris Malloch, 1939f: 432. Australia (NSW).

incerta Hardy, 1986b: 18. Indonesia (Irian Jaya).

Genus ALLOEOMYIA Hardy

ALLOEOMYIA Hardy, 1986b: 29. Type species: *Alloeomyia flava* Hardy, 1986, orig. des.
flava Hardy, 1986b: 30. PNG (PNG).

Genus ANCHIACANTHONEVRA Hardy

ANCHIACANTHONEVRA Hardy, 1986b: 31. Type species: *Anchiacanthonevra maculipennis* Hardy, 1986, orig. des.
maculipennis Hardy, 1986b: 31. PNG (Bismarck Arch).

Genus BULOLOA Hardy

BULOLOA Hardy, 1986b: 32. Type species: *Buloloa spinicosta* Hardy, 1986, orig. des.
spinicosta Hardy, 1986b: 33. PNG (PNG).

Genus CHEESMANOMYIA Malloch

CHEESMANOMYIA Malloch, 1939f: 419. Type species: *Cheesmanomyia unica* Malloch, 1939 [= *Roxa nigra* de Meijere, 1906], orig. des.
nigra de Meijere, 1906b: 95 (*Roxa*). Indonesia (Irian Jaya); PNG (PNG).
 unica Malloch, 1939f: 420. Indonesia (Irian Jaya).

Genus CLUSIOSOMA Malloch

CLUSIOSOMA Malloch, 1926d: 547. Type species: *Clusiosoma semifusca* Malloch, 1926 [= *Acanthoneura minuta* de Meijere, 1913], orig. des.

Subgenus CLUSIOSOMA Malloch

CLUSIOSOMA Malloch, 1926d: 547 (as gen.). Type species: *Clusiosoma semifusca* Malloch, 1926 [= *Acanthoneura minuta* de Meijere, 1913], orig. des.
centrale Malloch, 1939f: 426. PNG (PNG).
dami Hardy, 1986b: 40. PNG (Bismarck Arch); ?PNG (PNG).

- daruense* Hardy, 1986b: 41. PNG (PNG).
laterale Walker, 1865b: 123 (*Dacus*). "New Guinea" [= Indonesia (Irian Jaya)]; PNG (PNG).
biseriata Malloch, 1939f: 426. PNG (PNG).
melanthe Hering, 1947a: 2. PNG (Bismarck Arch).
minutum de Meijere, 1913a: 62 (*Acanthoneura*). Indonesia (Irian Jaya); Australia (Qld), PNG (PNG).
semifusca Malloch, 1926d: 548. Australia (Qld).
nigricorne Hardy, 1986b: 45. PNG (PNG).
nigripenne Hardy, 1986b: 46. PNG (PNG).
partitum Malloch, 1939f: 425. PNG (PNG).
pleurale Malloch, 1939d: 259. Solomon Is.
pullatum Hering, 1941d: 60. PNG (PNG).
subpullatum Hardy, 1986b: 50. PNG (PNG).
vittiferum Walker, 1865b: 126 (*Psila*). "New Guinea" [= Indonesia (Irian Jaya)].

Subgenus PARACLUSIOSOMA Hardy

- PARACLUSIOSOMA** Hardy, 1986b: 52. Type species: *Clusiosoma papuaense* Hardy, 1986, orig. des.
papuaense Hardy, 1986b: 52. PNG (PNG).

Genus CLUSIOSOMINA Malloch

- CLUSIOSOMINA** Malloch, 1939f: 426 (*Clusiosoma* subg.). Type species: *Clusiosoma puncticeps* Malloch, 1939, mon.
puncticeps Malloch, 1939f: 426 (*Clusiosoma*). Australia (NSW); Australia (Qld).

Genus DACOPSIS Hering

- DACOPSIS** Hering, 1944a: 2. Type species: *Dacopsis dacina* Hering, 1944 [= *Seraca signata* Walker, 1860], orig. des.
SOPHIRA, authors, not Walker, 1856, misid.
apicalis Hardy, 1980b: 151. PNG (Bismarck Arch).
flava Edwards, 1915b: 421 (*Rioxa*). Indonesia (Irian Jaya); PNG (PNG).
picturata Hardy, 1980b: 155. PNG (PNG).
holoxantha Hering, 1941e: 21 (*Sophira*). PNG (Bismarck Arch); PNG (PNG); Malaysia (Sarawak).
quadripunctata Malloch, 1939d: 255 (*Sophira*). Solomon Is.
signata Walker, 1860a: 165 (*Seraca*). Indonesia (Sulawesi); Indonesia (Maluku); Philippines.
dacina Hering, 1944a: 3. Indonesia (Maluku).

Genus DIARRHEGMA Bezzı

- DIARRHEGMA** Bezzı, 1913b: 76, 108. Type species: *Dacus modestus* Fabricius, 1805, orig. des.
modestum Fabricius, 1805: 278 (*Dacus*). India; Indonesia (Maluku); widesp. Oriental Reg.
paritii Doleschall, 1856: 412 (*Tephritis*). Indonesia (Maluku).

Genus DIARRHEGOIDES Malloch

- DIARRHEGOIDES** Malloch, 1939f: 437. Type species: *Diarrhegooides hastata* Malloch, 1939, orig. des.
araucariae Tryon, 1927: 219 (*Rioxa*). Australia (Qld).
bicalcaratus Hering, 1944a: 4. Australia (Qld).
hastatus Malloch, 1939f: 437. PNG (PNG); ?Indonesia (Irian Jaya).

Genus DIRIOXA Hendel

- DIRIOXA** Hendel, 1928b: 353 (*Rioxa* subg.). Type species: *Trypetia musae* Froggatt, 1899 [= *Trypetia pornia* Walker, 1849], orig. des.

confusa Hardy, 1951b: 183 (*Rioxoa*). Australia (Qld).

pornia Walker, 1849: 1039 (*Trypeta*). Australia (NSW); American Samoa, Australia (Qld), Fiji, French Polynesia (Society Is), New Caledonia (New Caledonia), NZ (NZ), Vanuatu.

musae Foggatt, 1899: 501 (*Trypeta*). Vanuatu.

testacea Hendel, 1928b: 352 (*Rioxoa*). Australia (Qld). N. comb.

Genus EMHERINGIA Hardy, n. n.

HERINGOMYIA Hardy, 1986b: 67. Type species: *Acanthoneura longiplaga* Hering, 1939, orig. des. [Preocc. Hardy, 1963.]

EMHERINGIA Hardy, n. n. (for *Heringomyia*).

longiplaga Hering, 1939a: 174 (*Acanthoneura*). Indonesia (Maluku). N. comb.

Genus ENICOPTERINA Malloch

ENICOPTERINA Malloch, 1939g: 240. Type species: *Enicopterina bivittata* Malloch, 1939, orig. des. **bivittata** Malloch, 1939g: 241. Fiji.

Genus ENOPLOPTERON de Meijere

ENOPLOPTERON de Meijere, 1913c: xl [1915b: 127]. Type species: *Enoplopteron hieroglyphicum* de Meijere, 1913, mon.

hieroglyphicum de Meijere, 1913c: xl [1915b: 127]. PNG (PNG); Indonesia (Irian Jaya).

occulatum Hardy, 1986b: 62. PNG (PNG).

reticulatum Hardy, 1986b: 62. PNG (PNG).

Genus GRESSITTIDIUM Hardy

GRESSITTIDIUM Hardy, 1986b: 64. Type species: *Gressittidium flavicoxa* Hardy, 1986, orig. des. **flavicoxa** Hardy, 1986b: 64. PNG (PNG); Indonesia (Irian Jaya).

Genus HEMICLUSIOSOMA Hardy

HEMICLUSIOSOMA Hardy, 1986b: 66. Type species: *Hemiclusiosoma trivittatum* Hardy, 1986, orig. des.

trivittatum Hardy, 1986b: 66. PNG (PNG).

Genus HEXACINIA Hendel

HEXACINIA Hendel, 1914c: 82 [1915: 459]. Type species: *Acinia stellata* Macquart, 1851 [preocc., = *Acinia radiosa* Rondani, 1868], orig. des.

punctifera Walker, 1861e: 15 (*Sophira*). Indonesia (Maluku); Indonesia (Irian Jaya), PNG (PNG). *multipunctata* Malloch, 1939f: 438. PNG (PNG).

flavipunctata Hering, 1940: 8. Indonesia (Maluku).

stellipennis Walker, 1860a: 156 (*Trypeta*). Indonesia (Sulawesi); Solomon Is; Indonesia (Sumatra), Malaysia (Sabah), Philippines.

Genis HYPONEOTHEMARA Hardy

HYPONEOTHEMARA Hardy, 1986b: 71. Type species: *Trypeta multistriga* Walker, 1859, orig. des. **formosa** Malloch, 1939d: 255 (*Neothemara*). Solomon Is.

multistriga Walker, 1859a: 119 (*Trypeta*). Indonesia (Maluku); Indonesia (Irian Jaya), PNG (PNG); Indonesia (Sulawesi).

setinervis Hering, 1953: 520 (*Dirioxa*). PNG (PNG).

Genus KERTESZIOLA Hering

KERTESZIOLA Hering, 1941c: 50. Type species: *Ptilona lateralis* Kertész, 1901 [= *Helomyza meritoria* Walker, 1864], orig. des.
acanthoneurides Hering, 1953: 516 (*Rioxa*). Indonesia (Irian Jaya).
flava Hardy, 1986b: 76. PNG (PNG).
meritoria Walker, 1864: 218 (*Helomyza*). Indonesia (Irian Jaya); Indonesia (Maluku), PNG (PNG).
lateralis Kertész, 1901c: 428 (*Ptilona*). PNG (PNG).

Genus LYRONOTUM Hering

LYRONOTUM Hering, 1941f: 112. Type species: *Acanthoneura seriata* de Meijere, 1915, orig. des.
seriatum de Meijere, 1915b: 125 (*Acanthoneura*). PNG (PNG).

Genus MIMOEUPHRANTA Hardy

MIMOEUPHRANTA Hardy, 1986b: 79. Type species: *Mimoeuphranta diaspora* Hardy, 1986, orig. des.
diaspora Hardy, 1986b: 80. PNG (PNG); Indonesia (Irian Jaya).

Genus NEOTHEMARA Malloch

NEOTHEMARA Malloch, 1939d: 253. Type species: *Rioxa formosipennis* Walker, 1861, orig. des.
NESTHEMARA, error for *Neothemara*.
digressa Hardy, 1986b: 82. PNG (PNG).
formosipennis Walker, 1861b: 252 (*Rioxa*). Indonesia (Irian Jaya); PNG (PNG).
trigonifera Hering, 1951a: 7 (*formosipennis* f.). "New Guinea."

Genus NOTHOCLUSIOSOMA Hardy

NOTHOCLUSIOSOMA Hardy, 1986b: 85. Type species: *Trypanocentra vittithorax* Malloch, 1939, orig. des.
vittithorax Malloch, 1939f: 429 (*Trypanocentra*). PNG (PNG); Indonesia (Irian Jaya).

Genus OTHNIOCERA Hardy

OTHNIOCERA Hardy, 1986b: 87. Type species: *Othniocera pictipennis* Hardy, 1986, orig. des.
aberrans Hardy, 1986b: 88. PNG (PNG).
pallida Hardy, 1986b: 89. PNG (PNG).
pictipennis Hardy, 1986b: 90. PNG (PNG).

Genus PAEDOHEXACINIA Hardy

PAEDOHEXACINIA Hardy, 1986b: 92. Type species: *Paedohexacinia flavithorax* Hardy, 1986, orig. des.
clusiosomopsis Hardy, 1986b: 92. PNG (PNG).
flavithorax Hardy, 1986b: 93. PNG (PNG).

Genus PARAPHASCA Hardy

PARAPHASCA Hardy, 1986b: 94. Type species: *Paraphasca taenifera* Hardy, 1986, orig. des.
taenifera Hardy, 1986b: 94. PNG (PNG).

Genus PHASCA Hering

PHASCA Hering, 1953: 518. Type species: *Phasca bidens* Hering, 1953 [= *Helomyza ortaloides* Walker, 1865], orig. des.
bicunea Hardy, 1986b: 97. PNG (PNG).

- connexa** Hardy, 1986b: 99. PNG (PNG); Indonesia (Irian Jaya).
maculifacies Hardy, 1986b: 100. PNG (PNG).
ortaloides Walker, 1865b: 116 (*Helomyza*). "New Guinea" [= Indonesia (Irian Jaya)]; PNG (PNG).
bidens Hering, 1953: 519. Indonesia (Irian Jaya).
sedlaceki Hardy, 1986b: 102. PNG (PNG).
trifasciata Hardy, 1986b: 103. PNG (PNG); Indonesia (Irian Jaya).

Genus POLYARA Walker

- POLYARA** Walker, 1859a: 122. Type species: *Polyara insolita* Walker, 1859, orig. des.
bambusae Hardy, 1986b: 105. PNG (PNG).
insolita Walker, 1859a: 123. Indonesia (Maluku); Indonesia (Irian Jaya), PNG (PNG).
leptotrichosa Hardy, 1986b: 107. PNG (PNG).

Genus PSEUDACANTHONEURA Malloch

- PSEUDACANTHONEURA** Malloch, 1939f: 434. Type species: *Pseudacanthoneura septemnotata* Malloch, 1939 [= *Acanthoneura sexguttata* de Meijere, 1913], orig. des.
aberrans Hardy, 1986b: 109. PNG (PNG).
sexguttata de Meijere, 1913b: 364 (*Acanthoneura*). PNG (PNG); Australia (Qld), Indonesia (Irian Jaya).
septemnotata Malloch, 1939f: 434. PNG (PNG).

Genus PSEUDONEOTHEMARA Hardy

- PSEUDONEOTHEMARA** Hardy, 1986b: 111. Type species: *Themarohystrix exul* Curran, 1936, orig. des.
exul Curran, 1936: 27 (*Themarohystrix*). Solomon Is; PNG (Bismarck Arch).
repleta Walker, 1861d: 296 (*Strumeta*). Indonesia (Maluku).

Genus QUASIRHABDOCHAETA Hardy

- QUASIRHABDOCHAETA** Hardy, 1986b: 114. Type species: *Quasirhabdochaeta singularis* Hardy, 1986, orig. des.
singularis Hardy, 1986b: 114. PNG (Bismarck Arch).

Genus RABAULIA Malloch

- RABAULIA** Malloch, 1939d: 257. Type species: *Rabaulia fascifacies* Malloch, 1939, orig. des.
fascifacies Malloch, 1939d: 258. Solomon Is; PNG (Bismarck Arch).
invittata Hering, 1951a: 6. Indonesia (Irian Jaya).
nigrotibia Hering, 1941d: 61. PNG (PNG).

Genus RABAULIOMORPHA Hardy

- RABAULIOMORPHA** Hardy, 1970: 122. Type species: *Rabauliomorpha gibbosa* Hardy, 1970, orig. des.
gibbosa Hardy, 1970: 124. PNG (Bismarck Arch); Indonesia (Irian Jaya), PNG (PNG).

Genus RIOXA Walker

- RIOXA** Walker, 1856a: 35. Type species: *Rioxa lanceolata* Walker, 1856, mon.
sexmaculata Wulp, 1880: 185 [1881: 51] (*Ptilona*). Indonesia (Sumatra); Indonesia (Irian Jaya); widesp. Oriental Reg.
sumatrana Enderlein, 1911b: 449. Indonesia (Sumatra); Solomon Is.

Genus SOPHIROPSIS Hardy

SOPHIROPSIS Hardy, 1986b: 126. Type species: *Termitioroxa improbata* Hering, 1941, orig. des. *calcarata* Hardy, 1986b: 128. PNG (PNG).
improbata Hering, 1941e: 22 (*Termitioroxa*). PNG (PNG); Indonesia (Irian Jaya).

Genus STIGMATOMYIA Hardy

STIGMATOMYIA Hardy, 1986b: 129. Type species: *Stigmatomyia arcuata* Hardy, 1986, orig. des. *arcuata* Hardy, 1986b: 129. PNG (PNG).

Genus TERMITORIOXA Hendel

TERMITORIOXA Hendel, 1928b: 351 (*Rioxoa* subg.). Type species: *Rioxoa termitoxena* Bezzi, 1919, mon. *RIOXENA*, error for *Termitioroxa*.
termitoxena Bezzi, 1919b: 1, 2 (*Rioxoa*). Australia (NT).

Genus THEMARA Walker

THEMARA Walker, 1856a: 33. Type species: *Themara ampla* Walker, 1856 [= *Achias maculipennis* Westwood, 1848], mon.
lunifera Hering, 1938: 408. Philippines; Solomon Is.

Genus THEMAROHYSTRIX Hendel

THEMAROHYSTRIX Hendel, 1914c: 432. Type species: *Themarohystrix erinaceus* Hendel, 1914 [= *Strumeta helomyzoides* Walker, 1864], orig. des.
alpina Hardy, 1986b: 143. PNG (PNG).
bivittata Hardy, 1986b: 145. Indonesia (Irian Jaya).
flaviceps Malloch, 1939f: 422. PNG (PNG).
helomyzoides Walker, 1864: 220 (*Strumeta*). Indonesia (Maluku); Indonesia (Irian Jaya).
helemyzoides, error for *helomyzoides*.
hyalina Hardy, 1986b: 147. PNG (PNG).
nigrifacies Hardy, 1986b: 149. Indonesia (Irian Jaya).
perkinsi Hardy, 1986b: 149. Indonesia (Irian Jaya).
suttoni Malloch, 1939f: 423. PNG (PNG); Indonesia (Irian Jaya).
variabilis Hardy, 1986b: 151. PNG (PNG); Indonesia (Irian Jaya).

Genus THEMAROIDES Hendel

THEMAROIDES Hendel, 1914c: 77. Type species: *Helomyza quadrifera* Walker, 1861, orig. des.
RIOXINA Hering, 1941e: 16. Type species: *Rioxoa debeauforti* de Meijere, 1906 [= *Seraca abbreviata* Walker, 1865], orig. des.
abbreviatus Walker, 1865b: 117 (*Seraca*). "New Guinea" [= Indonesia (Irian Jaya)]; PNG (PNG).
debeauforti de Meijere, 1906b: 94 (*Rioxoa*). Indonesia (Irian Jaya).
quadrifer Walker, 1861b: 246 (*Helomyza*). PNG (PNG); Indonesia (Irian Jaya, Maluku).
opitatura Walker, 1865b: 116 (*Helomyza*). "New Guinea" [= Indonesia (Irian Jaya)].
ampla, Doleschall, 1858, not Walker, 1856, misid.
robertsi Hardy, 1986b: 156. PNG (PNG).
vittatus Hardy, 1986b: 158. PNG (PNG).
xanthosoma Hardy, 1986b: 160. PNG (PNG).

Genus THEMAROIDOPSIS Hering

THEMAROIDOPSIS Hering, 1941e: 17. Type species: *Acanthoneura insignis* de Meijere, 1913, orig. des.

insignis de Meijere, 1913b: 366 (*Acanthoneura*). Indonesia (Irian Jaya).
quinquevittata Hardy, 1986b: 162. PNG (PNG).
rufescens Hardy, 1986b: 163. Solomon Is.
tetraspilota Hardy, 1986b: 164. PNG (PNG).

Genus TRYPANOCENTRA Hendel

TRYPANOCENTRA Hendel, 1914c: 33 [1915: 433]. Type species: *Trypanocentra nigripennis* Hendel, 1914 [preocc., = *Trypanocentra atripennis* Malloch, 1939], orig. des.

Subgenus CLUSIOMORPHA Hering

CLUSIOMORPHA Hering, 1941f: 111 (as gen.). Type species: *Clusiosoma funebre* Hering, 1941, orig. des.
atrifacies Hardy, 1986b: 173. PNG (PNG).
bipectinata Hardy, 1986b: 174. PNG (PNG).
funebris Hering, 1941d: 61 (*Clusiosoma*). PNG (PNG).
gressitti Hardy, 1986b: 176. Indonesia (Irian Jaya).
nigripennis de Meijere, 1913b: 366 (*Acanthoneura*). Indonesia (Irian Jaya); PNG (Bismarck Arch, PNG).
tenuifemorale Hering, 1941d: 58 (*Clusiosoma*). PNG (PNG).
adustata Hering, 1947a: 3. PNG (Bismarck Arch).
adjusta, error for *adustata*.

Subgenus TRYPANOCENTRA Hendel

TRYPANOCENTRA Hendel, 1914c: 33 [1915: 433] (as gen.). Type species: *Trypanocentra nigripennis* Hendel, 1914 [preocc., = *Trypanocentra atripennis* Malloch, 1939], orig. des.
atripennis Malloch, 1939f: 430 (n. n. for *nigripennis* Hendel). ?PNG (PNG).
nigripennis Hendel, 1914c: 33 [1915: 434]. "Indischen-Archipel" [prob. = New Guinea]. [Preocc. de Meijere, 1914.]
longicornis Hardy, 1986b: 168. PNG (PNG).
mallochi Hardy, 1986b: 169. PNG (PNG).
nigridorsalis Hering, 1941d: 59 (*Clusiosoma*). PNG (PNG).
nigrithorax Malloch, 1939f: 428. PNG (PNG).
tricuneata Hardy, 1986b: 172. PNG (PNG).

Genus WALKERAITIA Hardy

WALKERAITIA Hardy, 1986b: 177. Type species: *Helomyza nivistriga* Walker, 1861, orig. des.
nivistriga Walker, 1861b: 246 (*Helomyza*). "New Guinea."

Genus XARNUTA Walker

XARNUTA Walker, 1856a: 28. Type species: *Xarnuta leucotelis* Walker, 1856, mon.
confusa Malloch, 1939d: 261. Solomon Is; Australia (Qld), PNG (PNG).
cribralis Hering, 1941d: 57. PNG (PNG); PNG (Bismarck Arch).
leucotela Walker, 1856a: 28. Singapore; Indonesia (Irian Jaya, Maluku); widesp. Oriental Reg.
stellaris Hardy, 1970: 85. Philippines; PNG (Bismarck Arch, PNG), Solomon Is.

Subtribe GASTROZONINA

Genus AGNOSTOPHANA Hering

AGNOSTOPHANA Hering, 1953: 510. Type species: *Agnostophana veterrima* Hering, 1953, orig. des.

AGNOSTOPHARA, error for *Agnostophana*.
vetterima Hering, 1953: 512. PNG (PNG); Indonesia (Irian Jaya).

Genus CALLISTOMYIA Bezzi

CALLISTOMYIA Bezzi, 1913b: 124. Type species: *Callistomyia pavonina* Bezzi, 1913, orig. des.
flavilabris Hering, 1953: 513. Indonesia (Irian Jaya); Malaysia (Pen).
horni Hendel, 1928b: 361. Australia (WA); Australia (NT, Qld), PNG (PNG).

Genus CARPOPHTHORELLA Hendel

CARPOPHTHORELLA Hendel, 1914c: 80 [1915: 448]. Type species: *Carpophthorella magnifica* Hendel, 1914 [= *Trypeta nigrifascia* Walker, 1860], mon.
nigrifascia Walker, 1860a: 158 (*Trypeta*). Indonesia (Sulawesi); Indonesia (Maluku), PNG (PNG); Indonesia (Sumatra), Malaysia (Sarawak), Taiwan.
retorta Walker, 1861e: 16 (*Trypeta*). Indonesia (Maluku).
magnifica Hendel, 1914c: 80. Taiwan.
bifasciata de Meijere, 1916a: 48 (*Gastrozona*). Indonesia (Sumatra).
albiscutellata Enderlein, 1920a: 354 (*Gastrozona*). Indonesia (Sumatra).
setifrons Malloch, 1939d: 263. Solomon Is.

Genus COPIOLEPIS Enderlein

CPIOLEPIS Enderlein, 1920a: 341. Type species: *Copiolepis quadrisquamosa* Enderlein, 1920, orig. des.
quadrisquamosa Enderlein, 1920a: 341. PNG (Bismarck Arch); Indonesia (Irian Jaya), PNG (PNG).

Genus EPACROCERUS Hardy

EPACROCERUS Hardy, 1982b: 80. *Epacrocerus splendens* Hardy, 1982, orig. des.
apiculatus Hardy, 1982b: 80. PNG (PNG).
maculatus Hardy, 1982b: 82. PNG (PNG); Indonesia (Irian Jaya).
quadrivittatus Hardy, 1982b: 82. PNG (PNG).
splendens Hardy, 1982b: 85. PNG (PNG); Indonesia (Irian Jaya).

Genus EXALLOSOPHIRA Hardy

EXALLOSOPHIRA Hardy, 1980b: 149. Type species: *Exalloosphira elegans* Hardy, 1980, orig. des.
elegans Hardy, 1980b: 149. Solomon Is.

Genus ORTALOPTERA Edwards

ORTALOPTERA Edwards, 1915b: 419. Type species: *Ortaloptera cleitamina* Edwards, 1915, mon.
callistomyia Hering, 1941e: 11. PNG (PNG); Indonesia (Irian Jaya).
cleitamina Edwards, 1915b: 420. Indonesia (Irian Jaya).

Genus PARACHLAENA Hering

PARACHLAENA Hering, 1944a: 3. Type species: *Rhacochlaena greenwoodi* Bezzi, 1928, orig. des.
greenwoodi Bezzi, 1928: 110 (*Rhacochlaena*). Fiji.

Genus POLYAROIDEA Hardy

POLYAROIDEA Hardy, 1988a: 105. Type species: *Polyaroidea distincta* Hardy, 1988, orig. des.
distincta Hardy, 1988a: 106. PNG (PNG).
opposita Hardy, 1988a: 106. PNG (PNG).

univittata Hardy, 1988a: 107. PNG (PNG).

Genus PROEPACROCERUS Hardy

PROEPACROCERUS Hardy, 1988a: 110. Type species: *Proepacrocerus pallidoviridus* Hardy, 1988, orig. des.

pallidoviridus Hardy, 1988a: 110. Indonesia (Irian Jaya).

Genus PSEUDACROTOXA Hering

PSEUDACROTOXA Hering, 1941c: 51. Type species: *Pseudacrotoxa appendicigera* Hering, 1941, orig. des.

appendicigera Hering, 1941c: 52. PNG (PNG).

Genus SOPHIRA Walker

SOPHIRA Walker, 1856a: 34. Type species: *Sophira venusta* Walker, 1856, mon.

venusta Walker, 1856a: 35. Singapore; Indonesia (Maluku); "Borneo," Indonesia (Sumatra).

Genus STYMBARA Walker

STYMBARA Walker, 1865b: 127. Type species: *Stymbara vagaria* Walker, 1865, mon.

CURVINERVUS Hardy, 1959: 203. Type species: *Strumeta concisa* Walker, 1864, orig. des.

concisa Walker, 1864: 227 (*Strumeta*). Indonesia (Maluku); Indonesia (Irian Jaya), PNG (PNG).

vagaria Walker, 1865b: 127. "New Guinea" [= Indonesia (Irian Jaya)]. N. syn.

walkeri Hardy, 1959: 203 (*Curvinervus*; unnec. n. n. for *concisa* Walker). [The names *concisa*

Walker, 1861 and *concisa* Walker, 1864 were neither primary nor secondary homonyms at the time of the new replacement name by Hardy.]

Genus TAENIOSTOLA Bezzi

TAENIOSTOLA Bezzi, 1913b: 119. Type species: *Taeniorhina vittigera* Bezzi, 1913, orig. des.

limbata Hendel, 1915: 435. Taiwan; PNG (PNG); India, Nepal, Thailand.

Genus TANYMETOPUS Hardy

TANYMETOPUS Hardy, 1982b: 88. Type species: *Tanymetopus claripennis* Hardy, 1982, orig. des.

claripennis Hardy, 1982b: 88. PNG (PNG); PNG (Bismarck Arch.).

Genus UDAMOLOBIUM Hardy

UDAMOLOBIUM Hardy, 1982b: 90. Type species: *Udamolobium pictulum* Hardy, 1982, orig. des.

pictulum Hardy, 1982b: 90. PNG (PNG).

Genus XENOSOPHIRA Hardy

XENOSOPHIRA Hardy, 1980b: 157. Type species: *Xenosophira invibrissata* Hardy, 1980, orig. des.

invibrissata Hardy, 1980b: 158. PNG (PNG).

vibrissata Hardy, 1980b: 159. PNG (PNG).

Tribe ACIURINI

Genus ACIUROPSIS Hardy

ACIUROPSIS Hardy, 1974: 96. Type species: *Aciuropsis pusio* Hardy, 1974, orig. des.

pusio Hardy, 1974: 96. Philippines; PNG (PNG).

Genus CURTICELLA Hardy

CURTICELLA Hardy, 1959: 209. Type species: *Trypetia approximans* Walker, 1860, orig. des. *approximans* Walker, 1860a: 160 (*Trypetia*). Indonesia (Sulawesi); Indonesia (Irian Jaya), PNG (Bismarck Arch, PNG).

Genus SPHAENISCUS Becker

SPHAENISCUS Becker, 1908: 138. Type species: *Sphaeniscus brevicauda* Becker, 1908 [= *Aciura filiola* Loew, 1869], mon.

SPHENISCOMYIA Bezzi, 1913b: 146 (unjust. n. n. for *Sphaeniscus*).

SPHENISCUS Bezzii, 1913b: 146 (unjust. emend. of *Sphaeniscus*). [Preocc. Brisson, 1760.]

atilius Walker, 1849: 1021 (*Trypetia*). China; widesp. Australasian/Oceanian Regs.; widesp. Oriental Reg.

melaleuca Walker, 1864: 238 (*Trypetia*). Indonesia (Maluku).

sexmaculata, authors, not Macquart, 1843, misid.

binoculatus Bezzii, 1928: 115 (*Sphaeniscus*). Fiji.

Genus XANTHACIURA Hendel

XANTHACIURA Hendel, 1914c: 86. Type species: *Trypetia chrysura* Thomson, 1869, orig. des. *connexionalis* Benjamin, 1934: 45. USA; Hawaiian Is [introduced; ?established]; Mexico to Nicaragua, Jamaica to Bahamas.

Tribe ADRAMINI

Genus ADRAMA Walker

ADRAMA Walker, 1859a: 117. Type species: *Adrama selecta* Walker, 1859, mon.

biseta Malloch, 1939e: 332. Australia (Qld); Australia (NT).

fuscoapicata Malloch, 1939d: 249. Solomon Is.

ismayi Hardy, 1986a: 64. PNG (Bismarck Arch).

rufithorax Malloch, 1939d: 249. Solomon Is; PNG (Bismarck Arch).

rufiventris Walker, 1860b: 163 (*Enicoptera*). Indonesia (Maluku).

ceramensis de Meijere, 1914b: 192. Indonesia (Maluku).

selecta, de Meijere, 1913, not Walker, 1859, misid.

selecta Walker, 1859a: 118. Indonesia (Maluku); Indonesia (Irian Jaya), PNG (PNG); Philippines.

cruciata Walker, 1865b: 126 (*Psila*). "New Guinea" [= Indonesia (Irian Jaya)].

papuaensis Malloch, 1939e: 333. PNG (PNG).

spinata Enderlein, 1920a: 360. PNG (Bismarck Arch); Australia (Qld), PNG (PNG), Solomon Is.

centralis Malloch, 1939d: 247. Solomon Is.

Genus BRANDTOMYIA Hardy

BRANDTOMYIA Hardy, 1986a: 68. Type species: *Brandtomyia spuria* Hardy, 1986, orig. des.

spuria Hardy, 1986a: 69. PNG (Bismarck Arch).

Genus CRINITISOPHIRA Hardy

CRINITISOPHIRA Hardy, 1986a: 69. Type species: *Crinitisophira bicolor* Hardy, 1986, orig. des.

bicolor Hardy, 1986a: 70. Indonesia (Maluku); PNG (PNG).

Genus ICHNEUMONOSOMA de Meijere

ICHNEUMONOSOMA de Meijere, 1914b: 195. Type species: *Lagarosia imitans* de Meijere, 1911, orig. des.
consors Walker, 1861d: 296 (*Adrama*). Indonesia (Maluku); PNG (PNG).

Genus TERASTIOMYIA Bigot

TERASTIOMYIA Bigot, 1859b: 310. Type species: *Terastiomyia lobifera* Bigot, 1859, mon.
NEOSOPHIRA Hendel, 1914d: 8, 138 [1914e: 15, 76]. Type species: *Sophira distorta* Walker, 1857, orig. des.
TERASTOMYIA, error for *Terastiomyia*.
clavigera Hardy, 1958a: 79 (*Neosophira*). Indonesia (Maluku).
lobifera Bigot, 1859b: 311. Indonesia (Sulawesi); Indonesia (Maluku).
ferruginea Hendel, 1914d: 138 (*Neosophira*). Indonesia (Maluku).

Tribe CERATITINI

Genus CERATITELLA Malloch

CERATITELLA Malloch, 1939f: 452. Type species: *Ceratitis loranthi* Froggatt, 1911, orig. des.
bifasciata Hardy, 1967: 133. Australia (Qld); Australia (NSW), Indonesia (Irian Jaya), PNG (PNG).
loranthi Froggatt, 1911: 863 (*Ceratitis*). Australia (WA); Australia (NSW, SA, Vic).
tomentosa de Meijere, 1914b: 207. Indonesia (Java); Australia (Qld); widesp. Oriental Reg.
asiatica Hendel, 1967a: 130. Pakistan.
unifasciata Hardy, 1967: 137. Australia (Qld); Australia (NT).

Genus CERATITIS Macleay

CERATITIS Macleay, 1829: 482. Type species: *Ceratitis citriperda* Macleay, 1829 [= *Tephritis capitata* Wiedemann, 1824], mon.
capitata Wiedemann, 1824: 55 (*Tephritis*). “India Orient”; widesp. W Australia, Hawaiian Is [introduced]; USA [introduced], pantrop.

Tribe EUPHRANTINI

Genus CYCLOPSIA Malloch

CYCLOPSIA Malloch, 1939f: 444. Type species: *Cyclopsia inaequalis* Malloch, 1939 [= *Dacus inscripta* Walker, 1861], orig. des.
inscripta Walker, 1860b: 162 (*Dacus*). “Amboyna,” error [= “Borneo”]; Indonesia (Irian Jaya), PNG (PNG).
inaequalis Malloch, 1939f: 445. Indonesia (Irian Jaya).

Genus EUPHRANTA Loew

EUPHRANTA Loew, 1862d: 28. Type species: *Musca connexa* Fabricius, 1794, mon.

Subgenus EUPHRANTA Loew

EUPHRANTA Loew, 1862d: 28 (as gen.). Type species: *Musca connexa* Fabricius, 1794, mon.
basalis Walker, 1865b: 126 (*Psila*). “New Guinea” [= Indonesia (Irian Jaya)].
bilineata Hardy, 1983c: 162. PNG (PNG).
latifasciata Hardy, 1983c: 165. PNG (PNG).
minor Hendel, 1928b: 362. Australia (NT).

- pallida** Hardy, 1983c: 169. Indonesia (Irian Jaya).
quadrimaculata Hardy, 1983c: 170. Indonesia (Irian Jaya).
scutellata Malloch, 1939d: 252. Solomon Is.
simonthomasi Hardy, 1983c: 172. Indonesia (Irian Jaya).
transiens Walker, 1860b: 164 (*Trypeta*). Indonesia (Maluku).
tricolor Hardy, 1983c: 174. PNG (PNG).
variabilis Kertész, 1901c: 426. Indonesia (Irian Jaya).
vitabilis Hardy, 1970: 125. PNG (Bismarck Arch); Indonesia (Irian Jaya), PNG (PNG).

Subgenus RHACOCHLAENA Loew

- RHACOCHLAENA** Loew, 1862d: 50 (as gen.). Type species: *Trypeta toxoneura* Loew, 1846, orig. des.
STAURELLA Bezzi, 1913b: 121 (as gen.). Type species: *Musca crux* Fabricius, 1794, orig. des.
bischofii Kertész, 1901c: 427 (*Ptilona*). Indonesia (Irian Jaya); Philippines.
brunneifemur Hardy, 1983c: 181. Indonesia (Irian Jaya).
flavina Hering, 1941d: 56 (*Staurella*). PNG (PNG); ?Niue.
lemniscata Enderlein, 1911b: 426 (*Trypeta*). Taiwan; Fiji, Northern Marianas, PNG (PNG); Burma,
India.
rivulosa Bezzi, 1928: 109. Fiji.
linociera Hardy, 1951b: 176. Australia (Qld).
marginata Hardy, 1983c: 191. PNG (PNG).
mediofusca Hering, 1941e: 14 (*Staurella*). PNG (Bismarck Arch).
moluccensis Hardy, 1983c: 192. Indonesia (Maluku).
nigroapicalis Hardy, 1983c: 194. PNG (PNG).
perkinsi Hardy, 1983c: 195. Indonesia (Irian Jaya).
punctilabris Bezzi, 1928: 107 (*Ocneros*). Fiji; Tonga, Western Samoa.
quatei Hardy, 1983c: 195. Indonesia (Irian Jaya).
sedlaceki Hardy, 1983c: 196. PNG (PNG); PNG (Bismarck Arch).
solitaria Hardy, 1983c: 196. PNG (Bismarck Arch).

Subgenus XANTHOTRYPTETA Malloch

- XANTHOTRYPTETA** Malloch, 1939d: 250. Type species: *Xanthotrypeta bimaculata* Malloch, 1939, orig.
des.
bimaculata Malloch, 1939d: 250 (*Xanthotrypeta*). Solomon Is.

Genus PARAEUPHRANTA Hardy

- PARAEUPHRANTA** Hardy, 1959: 173. Type species: *Dacus furcifer* Walker, 1861, orig. des.
furcifera Walker, 1861e: 14 (*Dacus*). Indonesia (Maluku).

Genus PTILONA Wulp

- PTILONA** Wulp, 1880: 183. Type species: *Ptilona brevicornis* Wulp, 1880 [= *Rioxia confinis* Walker,
1856], des. Bezzi, 1913b: 68.
PTIOLINA, error for *Ptilona*.
confinis Walker, 1856c: 132 (*Rioxia*). Malaysia (Sarawak); Indonesia (Irian Jaya, Maluku); widesp.
Oriental Reg.
alboguttata Doleschall, 1858: 124 (*Themara*). Indonesia (Maluku).
basifascia Walker, 1860b: 158 (*Trypeta*). Indonesia (Maluku).
bimaculata Walker, 1860b: 164 (*Rioxia*). Indonesia (Maluku).

Genus SOITA Walker

- SOITA** Walker, 1865c: 135. Type species: *Soita psilooides* Walker, 1865, mon.

psiloides Walker, 1865c: 136. Indonesia (Irian Jaya); PNG (PNG).

Tribe OEDASPINI

Genus OEDASPOIDES Hendel

OEDASPOIDES Hendel, 1927c: 63. Type species: *Oedaspoides acuticornis* Hendel, 1927, mon. *acuticornis* Hendel, 1927c: 63. Australia (NSW).
escheri Bezzi, 1910b: 19 (*Oedaspis*). Australia (NSW).

Genus PROCECIDOCHARES Hendel

PROCECIDOCHARES Hendel, 1914c: 91 [1915: 42]. Type species: *Trypetia atra* Loew, 1862, orig. des. *alani* Steyskal, 1974: 639. Mexico; Hawaiian Is [introduced].
utilis Stone, 1947: 97. Mexico; Australia (NSW, Qld) [introduced], Hawaiian Is [introduced], NZ (NZ) [introduced; ?established].

Tribe PHYTALMIINI

Genus DIPLOCHORDA Osten Sacken

DIPLOCHORDA Osten Sacken, 1881a: 484. Type species: *Diplochorda myrmex* Osten Sacken, 1881, des. McAlpine & Schneider, 1978: 159.
NESADRAMA Perkins, 1939: 2. Type species: *Nesadrama longistigma* Perkins, 1939, mon. *aneura* Malloch, 1939c: 175. PNG (PNG).
brevicornis Saunders, 1861: 414, 415 (*Elaphomyia*). Indonesia (Irian Jaya).
concisa Walker, 1861b: 252 (*Dacus*). Indonesia (Irian Jaya).
minor Malloch, 1939c: 178. PNG (PNG).
myrmex Osten Sacken, 1881a: 488. Indonesia (Irian Jaya); Philippines.
 petiolata Hardy, 1974: 105 (*Nesadrama*). Philippines.
ophion Osten Sacken, 1881a: 488. Indonesia (Irian Jaya).
trineata de Meijere, 1913c: xl [1915b: 124 (as *trilineata*)]. Indonesia (Irian Jaya).
 myrmex, Malloch, 1939, not Osten Sacken, 1881, misid.
 trilineata, error for *trineata*.
trugida Walker, 1865c: 134 (*Dacus*). Indonesia (Irian Jaya); PNG (PNG).
 longistigma Perkins, 1939: 3 (*Nesadrama*). PNG (PNG).
 concisa, Malloch, 1939, not Walker, 1861, misid.
unistriata Malloch, 1939c: 179. PNG (PNG).

Genus PHYTALMIA Gerstaecker

PHYTALMIA Gerstaecker, 1860: 169. Type species: *Phytalmia cervicornis* Gerstaecker, 1860, des. Enderlein, 1936a: 229.
ELAPHOMYIA Saunders, 1861: 413. Type species: *Elaphomyia alcicornis* Saunders, 1861, des. Enderlein, 1936a: 230.
ARCHIPHYTALMIA Enderlein, 1936a: 230. Type species: *Archiphytalmia prisca* Enderlein, 1936 [= *Phytalmia cervicornis* Gerstaecker, 1860], orig. des.
alcicornis Saunders, 1861: 415 (*Elaphomyia*). Indonesia (Irian Jaya).
antilocapra McAlpine & Schneider, 1978: 170. PNG (PNG).
biarmata Malloch, 1939c: 174. PNG (PNG); Indonesia (Irian Jaya).
cervicornis Gerstaecker, 1860: 173. "Nova Guinea"; Indonesia (Irian Jaya), PNG (PNG).
 cervicornis Saunders, 1861: 414 (*Elaphomyia*). Indonesia (Irian Jaya).
 prisca Enderlein, 1936a: 230 (*Archiphytalmia*). Indonesia (Irian Jaya).
megalotis Gerstaecker, 1860: 172. "Nova Guinea"; Indonesia (Irian Jaya), PNG (PNG).

wallacei Saunders, 1861: 413, 414 (*Elaphomyia*). Indonesia (Irian Jaya).
mouldsi McAlpine & Schneider, 1978: 166. Australia (Qld).

Genus ROBERTSOMYIA Hardy

ROBERTSOMYIA Hardy, 1983b: 228. Type species: *Robertsomyia paradoxa* Hardy, 1983, orig. des.
paradoxa Hardy, 1983b: 230. PNG (PNG).

Genus SESSILINA McAlpine & Schneider

SESSILINA McAlpine & Schneider, 1978: 171. Type species: *Dacus nigrilinea* Walker, 1861, orig. des.
horrida McAlpine & Schneider, 1978: 173. Indonesia (Irian Jaya).
literata McAlpine & Schneider, 1978: 173. PNG (PNG).
nigrilinea Walker, 1861b: 251 (*Dacus*). Indonesia (Irian Jaya); PNG (PNG).
wollastoni Edwards, 1915b: 418 (*Phytalmia*). Indonesia (Irian Jaya).

Tribe TRYPETINI

Genus ACIDOXANTHA Hendel

ACIDOXANTHA Hendel, 1914c: 83. Type species: *Acidoxantha punctiventris* Hendel, 1914, orig. des.
ACIDIOXANTHA Hendel, 1915: 450 (unjust. emend. of *Acidoxantha*).
 Undetermined sp.—Indonesia (Maluku), PNG (PNG) (Hardy, 1987: 272).

Genus AGARISTINA Hering

AGARISTINA Hering, 1953: 514. Type species: *Agaristina picea* Hering, 1953, orig. des.
picea Hering, 1953: 515. Indonesia (Irian Jaya); PNG (PNG).

Genus ANOMOIA Walker

ANOMOIA Walker, 1835b: 80. Type species: *Trypeta gaedii* Meigen, 1830 (as *goedii*) [= *Musca purmundus* Harris, 1780], mon.
PHAGOCARPUS Rondani, 1871a: 171 [1871b: 31]. Type species: *Musca purmundus* Harris, 1780, mon.
NEANOMOEA Hendel, 1914c: 84. Type species: *Neanomoea approximata* Hendel, 1914, orig. des.
curvinervis Bezzi, 1928: 114 (*Pseudospheniscus*). Fiji.
dividua Hardy, 1987: 277. PNG (PNG).
klossi Edwards, 1919: 51 (*Phagocarpus*). Indonesia (Sumatra); PNG (PNG); China, Philippines.
occultus Hering, 1939c: 144 (*Phagocarpus*). China.
melanopoda Hering, 1953: 522. Indonesia (Irian Jaya); PNG (PNG).
modica Hardy, 1987: 282. PNG (PNG); Indonesia (Irian Jaya).
nigrithorax Malloch, 1939f: 449. PNG (PNG); Indonesia (Irian Jaya).
curvivenis Hering, 1953: 522. Indonesia (Irian Jaya).
quadrata Malloch, 1939d: 275. Solomon Is.

Genus CRASPEDOXANTHITEA Hardy

CRASPEDOXANTHITEA Hardy, 1987: 285. Type species: *Craspedoxanthitea flaviseta* Hardy, 1987,
 orig. des.
flaviseta Hardy, 1987: 286. PNG (PNG).
indistincta de Meijere, 1913b: 364 (*Trypeta*). Indonesia (Irian Jaya).

Genus CRISTOBALIA Malloch

CRISTOBALIA Malloch, 1939d: 265. Type species: *Cristobalia lutea* Malloch, 1939, orig. des.

lutea Malloch, 1939d: 265. Solomon Is.

Genus CYCASIA Malloch

CYCASIA Malloch, 1942: 202. Type species: *Cycasia oculata* Malloch, 1942, orig. des.
oculata Malloch, 1942: 203. Guam.

Genus GRIPHOMYIA Hardy

GRIPHOMYIA Hardy, 1987: 290. Type species: *Griphomyia spilota* Hardy, 1987, orig. des.
argentifrons Hardy, 1987: 292. PNG (PNG).
brunnipennis Hardy, 1987: 292. PNG (PNG).
spilota Hardy, 1987: 293. PNG (PNG).
vittata Hardy, 1987: 295. PNG (Bougainville I).
vittifrons Hardy, 1987: 296. PNG (PNG).

Genus HEMILEA Loew

HEMILEA Loew, 1862d: 32. Type species: *Trypetta dimidiata* Costa, 1844, orig. des.
araliae Malloch, 1939d: 271. PNG (Bismarck Arch).
atrata Hardy, 1987: 302. PNG (PNG).
bipars Walker, 1861e: 23 (*Sophira*). Indonesia (Maluku); PNG (PNG); Laos, Philippines.
flavoscutellata Malloch, 1939d: 270. Solomon Is.
lineomaculata Hardy, 1987: 306. PNG (PNG).

Genus LALOKIA Hardy

LALOKIA Hardy, 1987: 309. Type species: *Lalokia tetraspilota* Hardy, 1987, orig. des.
tetraspilota Hardy, 1987: 309. PNG (PNG).

Genus MYOLEJA Rondani

MYOLEJA Rondani, 1856: 112. Type species: *Tephritis lucida* Fallén, 1826, orig. des.
HENDELINA Hardy, 1951b: 179. Type species: *Pseudopheniscus angulatus* Hendel, 1913, orig. des.
PSEUDOSPHENISCUS, authors, not Hendel, 1914, misid.
MYIOLEIA, **MYOLEJA**, **MYOLIA**, **MYOLIA**, errors for *Myoleja*.
australina Hardy, 1951b: 180 (*Hendelina*). Australia (Qld).
bicuneata Hardy, 1987: 317. PNG (PNG).
bifida Bezzi, 1928: 112 (*Pseudospheniscus*). Fiji. N. comb.
bimaculata Hardy, 1987: 318. PNG (PNG).
conjuncta de Meijere, 1913a: 61 (*Anomoea*). Indonesia (Irian Jaya); Indonesia (Maluku), PNG
(Bismarck Arch), Solomon Is.
apicifasciatus Malloch, 1939d: 267 (*Pseudospheniscus*). Solomon Is.
erebia Hering, 1941d: 62 (*Pseudospheniscus*). PNG (PNG); Malaysia (Sabah).
fossata Fabricius, 1805: 320 (*Tephritis*). India; Indonesia (Maluku), PNG (Bismarck Arch, PNG),
Solomon Is; widesp. Oriental Reg.
elimia Walker, 1849: 1033 (*Trypetta*). Philippines.
regularis Doleschall, 1858: 119 (*Ortalis*). Indonesia (Maluku).
lieflincki Hering, 1952: 286 (*Neanomoea*). Indonesia (Java).
humeralis Hendel, 1915: 452 (*Pseudospheniscus*). PNG (PNG); PNG (Bismarck Arch).
megaloba Hardy, 1987: 327. PNG (PNG).
mesopleuralis Malloch, 1939g: 242 (*Pseudospheniscus*). Fiji. N. comb.
nigrescens Shiraki, 1968: 42 (*Hendelina*). Ryukyu Is; Indonesia (Irian Jaya), PNG (PNG).
nigroscutellata Hering, 1939b: 18 (*Neanomoea*). Burma; Guam, Northern Marianas; Indonesia (Java),
Malaysia (Sarawak).

- bisecta* Hardy & Adachi, 1956: 17 (*Hendelina*). Guam.
- propreincerta* Hardy, 1987: 331. PNG (Bougainville I); Solomon Is.
- reclusa* Hardy, 1987: 334. Solomon Is.
- shirakii* Hardy, 1987: 335. Solomon Is; PNG (Bismarck Arch, PNG).
- superflucta* Enderlein, 1911b: 428 (*Trypetia*). Taiwan; Indonesia (Maluku); Malaysia (Pen, Sarawak), Philippines, Ryukyu Is.
- taylori* Malloch, 1939f: 450 (*Pseudospheniscus*). PNG (PNG); Indonesia (Irian Jaya), Micronesia, PNG (Bismarck Arch), Solomon Is. N. comb.
- parva* Hardy & Adachi, 1956: 18 (*Hendelina*). Micronesia.
- unicuneata* Hardy, 1987: 338. PNG (PNG).

Genus ORNITHOSCHEMA de Meijere

- ORNITHOSCHEMA** de Meijere, 1914b: 221. Type species: *Ornithoschema oculatum* de Meijere, 1914,
orig. des.
- oculatum* de Meijere, 1914b: 221. Indonesia (Java); PNG (Bismarck Arch), Solomon Is; Malaysia
(Sabah).

Genus PARACERATITELLA Hardy

- PARACERATITELLA** Hardy, 1967: 138. Type species: *Paraceratitella oblonga* Hardy, 1967, orig. des.
- compta* Hardy, 1987: 342. PNG (PNG).
- connexa* Hardy, 1987: 344. Solomon Is.
- urycephala* Hardy, 1967: 140. Australia (Qld); Australia (NT, WA).
- oblonga* Hardy, 1967: 143. Australia (Qld).

Genus PARACRISTOBALIA Hardy

- PARACRISTOBALIA** Hardy, 1987: 345. Type species: *Paracristobalia polita* Hardy, 1987, orig. des.
- polita* Hardy, 1987: 346. PNG (PNG).

Genus RHAGOLETIS Loew

- RHAGOLETIS** Loew, 1862d: 44. Type species: *Musca cerasi* Linnaeus, 1758, mon.
- conversa* Brèthes, 1919: 43 (*Spilographa*). Chile; Easter I.

Genus TANAODEMA Hardy

- TANAODEMA** Hardy, 1987: 350. Type species: *Tanaodema porrecta* Hardy, 1987, orig. des.
- porrectum* Hardy, 1987: 351. PNG (PNG).

Genus TARPHOBREGMA Hardy

- TARPHOBREGMA** Hardy, 1987: 353. Type species: *Tarphobregma pandani* Hardy, 1987, orig. des.
- carinatifrons* Hardy, 1987: 354. PNG (PNG).
- pandani* Hardy, 1987: 358. PNG (PNG).

Genus VIDALIA Robineau-Desvoidy

- VIDALIA** Robineau-Desvoidy, 1830: 719. Type species: *Vidalia impressifrons* Robineau-Desvoidy, 1830,
mon.
- STEMONOCERA* Rondani, 1870a: 30 [1870c: 26]. Type species: *Musca cornuta* Scopoli, 1772, mon.
- PSÉUDINA* Malloch, 1939f: 446. Type species: *Pseudina buloloae* Malloch, 1939, orig. des.
- bicolor* Hardy, 1987: 364. PNG (PNG).
- buloloae* Malloch, 1939f: 446 (*Pseudina*). PNG (PNG).

Subfamily MYOPITINAE

Genus UROPHORA Robineau-Desvoidy

EURIBIA Meigen, 1800: 36. Suppressed by I.C.Z.N., 1963b: 339.

UROPHORA Robineau-Desvoidy, 1830: 769. Type species: *Musca cardui* Linnaeus, 1758, des. Westwood, 1840: 149.

quadrifasciata Meigen, 1826: 331 (*Trypetia*). Germany; Australia (NT); Palearctic Reg.

quadrifaciata. Incorr. orig. spell. of *quadrifasciata* (Meigen, 1826: 331).

stylata Fabricius, 1775: 785 (*Musca*). "Angliae nemoribus" [= ?England]; Australia (NT); Pakistan, Palearctic Reg.

Subfamily TEPHRITINAE

Tribe DITHRYCINI

Genus EUTRETA Loew

EUTRETA Loew, 1873b: 276. Type species: *Trypetia sparsa* Wiedemann, 1830, des. Coquillett, 1910: 543.

xanthochaeta Aldrich, 1923b: 261. Mexico; Hawaiian Is [introduced], Australia [introduced; ?established]; ?Guatemala.

sparsa, authors, not Wiedemann, 1830, misid.

Tribe SCHISTOPTERINI

Genus PARARHABDOCHAETA Hardy

PARARHABDOCHAETA Hardy, 1985: 61. Type species: *Rhabdochaeta convergens* Hardy, 1974, orig. des.

albolineata Hardy, 1985: 62. Indonesia (Irian Jaya).

Genus RHABDOCHAETA de Meijere

RHABDOCHAETA de Meijere, 1904b: 109. Type species: *Rhabdochaeta pulchella* de Meijere, 1904, mon. *asteria* Hendel, 1915: 462. Taiwan; PNG (PNG); India, Japan, Laos, Philippines, Ryukyu Is.

crockeri Curran, 1936: 28. Solomon Is; Indonesia (Irian Jaya), PNG (Bismarck Arch, PNG). *cockeri*, error for *crockeri*.

guamiae Malloch, 1942: 204. Guam.

pluscula Hardy, 1970: 128. PNG (Bismarck Arch).

pulchella de Meijere, 1904b: 109. Indonesia (Java); Australia (Qld), Indonesia (Irian Jaya), PNG (PNG).

Genus RHOCHMOPTERUM Speiser

RHOCHMOPTERUM Speiser, 1910: 185. Type species: *Rhochmopterum neuropteripenne* Speiser, 1910, mon.

venustum de Meijere, 1914b: 215 (*Rhabdochaeta*). Indonesia (Java); Australia (NSW, Qld), Indonesia (Irian Jaya), PNG (PNG); Indonesia (Nusa Tenggara), Laos, Malaysia (Pen), Ryukyu Is, Thailand, Vietnam.

Genus SCHISTOPTERUM Becker

SCHISTOPTERUM Becker, 1903: 137. Type species: *Schistopterum moebiusi* Becker, 1903, mon. *ismayi* Hardy, 1982a: 88. PNG (PNG).

Tribe TEPHRELLINI

Genus SPATHULINA Rondani

SPATHULINA Rondani, 1856: 113. Type species: *Spathulina sicula* Rondani, 1856, orig. des.
acroleuca Schiner, 1868: 268 (*Tephritis*). Australia (NSW); widesp. Australia (excl. Tas), Bonin Is, Fiji,
Guam, Indonesia (Irian Jaya), New Caledonia (New Caledonia), PNG (Bismarck Arch,
PNG), "Samoa," Solomon Is, Tonga; India, Indonesia, Japan, Philippines, Ryukyu Is,
Taiwan, Afrotrop., Palearctic Regs.
parca Bezzi, 1913b: 159 (*Oxyna*). India.
undecimguttata Thomson, 1869: 581 (*Trypeta*; as *II-guttata*). Australia (NSW).

Genus TEPHRELLA Bezzi

TEPHRELLA Bezzi, 1913b: 151. Type species: *Tephrella decipiens* Bezzi, 1913, orig. des.
HENDRELLA Munro, 1938: 117. Type species: *Trypeta caloptera* Loew, 1850 (as *Afiufa caloptera* Lolu),
orig. des.
australis Malloch, 1939f: 456. Australia (WA); Australia (NSW, Qld), PNG (PNG).
heringi Hardy, 1970: 129. PNG (Bismarck Arch).
sexincisa Malloch, 1939d: 272. Solomon Is; Indonesia (Nusa Tenggara).

Tribe TEPHRITINI

Genus ACINIA Robineau-Desvoidy

ACINIA Robineau-Desvoidy, 1830: 775. Type species: *Acinia jaceae* Robineau-Desvoidy, 1830 [=
Tephritis corniculata Zetterstedt, 1819], des. Rondani, 1871a: 6 [1871b: 4].
picturata Snow, 1894: 173 (*Tephritis*). USA; Hawaiian Is, Johnston Atoll, Wake I [all introduced]; West
Indies, Mexico to Guatemala.
furcata, authors, not Fabricius, 1794, misid.

Genus CAMPIGLOSSA Rondani

CAMPIGLOSSA Rondani, 1870a: 123 [1870c: 49] (*Oxyna* subg.). Type species: *Tephritis irrorata* Fallén,
1814, orig. des.
fuscata Macquart, 1851: 266(293) (*Acinia*). Australia (Tas); Australia (ACT, NSW, Qld, SA, Vic). N.
comb.

Genus CHRYSOTRYPANEA Malloch

CHRYSOTRYPANEA Malloch, 1939f: 457. Type species: *Chrysotrypaea trifasciata* Malloch, 1939, orig.
des.
lugubris Macquart, 1847a: 43 [1847b: 109] (*Tephritis*). "Nouvelle-Hollande"; Australia (Tas). N. comb.
trifasciata Malloch, 1939f: 457. Australia (Vic).

Genus DIOXYNA Frey

STYLVIA Robineau-Desvoidy, 1830: 754. Type species: *Stylya bidentis* Robineau-Desvoidy, 1830, des.
Hering, 1954: 167. [Original type-species designation of *Stylya maculata* Robineau-Desvoidy,
1830, by Demarest in d'Orbigny, 1848: 78 is of a species considered a *nomen dubium* (Foote &
Blanc, 1979: 170; White, 1986: 148).]
DIOXYNA Frey, 1945: 62. Type species: *Trypeta sororcula* Wiedemann, 1830, orig. des.
brachybasis Hardy, 1988b: 21. PNG (PNG); Indonesia (Irian Jaya).
conflicta Curran, 1929a: 11 (*Ensina*). New Caledonia (New Caledonia); Indonesia (Irian Jaya), PNG
(Bismarck Arch).

- funalis* Hering, 1944a: 8 (*Paroxyna*). "New Guinea."
- sororcula** Wiedemann, 1830a: 509 (*Trypeta*). Canary Is; widesp. Australia (excl. Tas), Bonin Is, Cook Is, Easter I, Fiji, French Polynesia (Marquesas, Society Is), Hawaiian Is, Indonesia (Irian Jaya), Marshall Is, Northern Marianas, PNG (Bismarck Arch, PNG); pantrop.
- picciola* Bigot, 1857c: 347 [1857d: 827] (*Acinia*). Cuba.
- plicicollis*, error for *picciola*.

Genus ELAPHROMYIA Bigot

ELAPHROMYIA Bigot, 1859b: 314. Type species: *Elaphromyia melas* Bigot, 1859 [= *Trypeta adatha* Walker, 1849], mon.

PARALLOPTERA Bezzi, 1913b: 154. Type species: *Paralloperta pterocallaeformis* Bezzi, 1913, orig. des. *transversa* Hardy, 1988b: 29. PNG (PNG).

Genus ENSINA Robineau-Desvoidy

ENSINA Robineau-Desvoidy, 1830: 751. Type species: *Ensina scorzonerae* Robineau-Desvoidy, 1830 [= *Musca sonchi* Linnaeus, 1767], des. Foote & Freidberg, 1981: 30.

ENSINIA, error for *Ensina*.

sonchi Linnaeus, 1767: 998 (*Musca*). Sweden; Hawaiian Is [introduced]; widesp. Old World, Neotrop. Reg.

Genus EUARESTA Loew

EUARESTA Loew, 1873b: 296. Type species: *Trypeta festiva* Loew, 1862, des. Coquillett, 1910: 540.

CAMAROMYIA Hendel, 1914c: 95. Type species: *Trypeta bullans* Wiedemann, 1830, orig. des.

EVARESTA, error for *Euaresta*.

aqualis Loew, 1862a: 86 (*Trypeta*). USA; Australia (ACT, Qld, Vic) [introduced], Fiji [introduced; ?established]; S Canada.

bullans Wiedemann, 1830a: 506 (*Trypeta*). Uruguay; Australia (NSW, Qld, Vic) [introduced]; Israel, South Africa, Turkey, USA, USSR, S Europe.

Genus NEOTEPHRITIS Hendel

NEOTEPHRITIS Hendel, 1935: 54. Type species: *Trypeta finalis* Loew, 1862, orig. des.

nigripilosa Hardy in Hardy & Delfinado, 1980a: 48. Hawaiian Is.

paludosae Hardy in Hardy & Delfinado, 1980a: 51. Hawaiian Is.

Genus PAROXYNA Hendel

PAROXYNA Hendel, 1927b: 146. Type species: *Trypeta tessellata* Loew, 1844, orig. des.

angustipennis Malloch, 1938a: 115. French Polynesia (Austral Is.).

brunneimacula Hardy, 1988b: 37. PNG (PNG).

fouica Hering, 1951a: 14 (n. n. for *longirostris* Thomson). Tonga.

longirostris Thomson, 1869: 586 (*Trypeta*). Tonga. [Preocc. Loew, 1846.]

media Malloch, 1938a: 116. French Polynesia (Austral Is.).

orientalis de Meijere, 1908a: 130 (*Tephritis*). Indonesia (Java); Australia (Qld); Sri Lanka, SE Asia.

apiciclara Hardy, 1973: 326 (*Stylinia*). Vietnam.

paula Hering, 1941d: 64. PNG (PNG); Indonesia (Maluku).

putrida Hering, 1941b: 39. Indonesia (Nusa Tenggara); PNG (PNG).

stigmosa de Meijere, 1916b: 83 (*Tephritis*). Indonesia (Sumatra); PNG (PNG); Indonesia (Nusa Tenggara, Timor).

timorensis Hering, 1940: 8. Indonesia (Nusa Tenggara).

Genus PHAEOGRAMMA Grimshaw

PHAEOGRAMMA Grimshaw, 1901: 47. Type species: *Phaeogramma vittipennis* Grimshaw, 1901, orig. des.

hispida Hardy in Hardy & Delfinado, 1980a: 54. Hawaiian Is.
vittipennis Grimshaw, 1901: 48. Hawaiian Is.

Genus PLATENSINA Enderlein

PLATENSINA Enderlein, 1911b: 453. Type species: *Platensina sumbana* Enderlein, 1911, mon.
TEPHROSTOLA Bezzi, 1913b: 193. Type species: *Trypeta acrostacta* Wiedemann, 1824, orig. des.
ampla de Meijere, 1914b: 217. Indonesia (Java); Indonesia (Maluku), PNG (PNG).
amplipennis Walker, 1860a: 159 (*Trypeta*). Indonesia (Sulawesi); Australia (Qld), Guam, Micronesia, Northern Marianas, PNG (PNG), Solomon Is; Indonesia, Laos, Malaysia (Pen), Taiwan, Thailand, Vietnam.

platyptera Hendel, 1915: 461. Taiwan.
malaia Curran, 1936: 29. Solomon Is.
dubia Malloch, 1939f: 459. Australia (Qld).
dilatata Hering, 1941d: 63. PNG (PNG).
parvipuncta Malloch, 1939f: 458. Australia (Qld).
zodiocalis Bezzi, 1913b: 165 (*Tephritis*). India; Australia (NT, Qld), Indonesia (Maluku); widesp. Oriental Reg.
zodiakalis, error for *zodiocalis*.

Genus PLIOMELAENA Bezzi

PLIOMELAENA Bezzi, 1918a: 220 (key) [1918b: 930] (*Euaresta* subg.). Type species: *Euaresta brevifrons* Bezzi, 1918, des. Munro, 1937: 13.

INDARESTA Hering, 1941b: 36. Type species: *Indaresta callista* Hering, 1941, orig. des.
callista Hering, 1941b: 36 (*Indaresta*). Indonesia (Nusa Tenggara); Indonesia (Irian Jaya), PNG (PNG).

Genus SCEDELLA Munro

SCEDELLA Munro, 1957: 988. Type species: *Trypeta caffra* Loew, 1861, orig. des.
formosella Hendel, 1915: 465 (*Euribia*). Taiwan; Guam, Indonesia (Irian Jaya, Maluku), PNG (Bismarck Arch, PNG), Solomon Is; Indonesia (Nusa Tenggara), Malaysia (Pen), Philippines, Ryukyu Is.

Genus SPHENELLA Robineau-Desvoidy

SPHENELLA Robineau-Desvoidy, 1830: 773. Type species: *Sphenella linariae* Robineau-Desvoidy, 1830 [= *Tephritis marginata* Fallén, 1814], mon.

novaguineensis Hardy, 1988b: 62. PNG (Bismarck Arch); Indonesia (Irian Jaya), PNG (PNG).
ruficeps Macquart, 1851: 261(288) (*Urophora*). Australia (Tas); widesp. Australia.

heterura Thomson, 1869: 584 (*Trypeta*). Australia (NSW).
sinensis Schiner, 1868: 267. China; Indonesia (Irian Jaya), PNG (PNG), widesp. Oriental Reg.
sinensis Thomson, 1869: 585 (*Trypeta*). China. [Preocc. Schiner, 1868.]

Genus TEPHRITIS Latreille

TEPHRITIS Latreille, 1804: 196. Type species: *Musca arnicae* Linnaeus, 1758, des. Cresson, 1914a: 278.
cassiniae Malloch, 1931h: 395. NZ (NZ).
cometa Loew, 1840b: 157 (*Trypeta*). "aus der Wiener Gegend" [= Austria]; ?Australasian/Oceanian [= prob. misid.]; USSR, Europe, Middle East.
fascigera Malloch, 1931h: 391. NZ (NZ).

- marginata** Malloch, 1931h: 394. NZ (NZ).
pelia Schiner, 1868: 271 (*Tephritis*). Australia (NSW); widesp. Australia.
pentagonella Bezzi, 1928: 117 (*Euribia*). Fiji.
plebeia Malloch, 1931h: 393. NZ (NZ).
poenia Walker, 1849: 1025 (*Trypeta*). Indonesia (Irian Jaya); widesp. Australia, PNG (PNG).
leontodontis, authors, not De Geer, 1776, ?misid.
pelia, Malloch, 1939, not Schiner, 1868, misid.
thoracica Malloch, 1931h: 392. NZ (NZ).

Genus TETREUARESTA Hendel

TETREUARESTA Hendel, 1928b: 368. Type species: *Trypeta obscuriventris* Loew, 1873, orig. des. *obscuriventris* Loew, 1873b: 313 (*Trypeta*). Brazil; Fiji [introduced; ?established], Hawaiian Is [introduced]; ?Bolivia, ?Colombia, Cuba, Jamaica, Puerto Rico.

Genus TRUPANEA Schrank

- TRUPANEA** Guettard, 1762: 170. Unavailable name; genus-group name proposed in a non-binomial work.
TRUPANEA Schrank, 1795: 147. Type species: *Trupanea radiata* Schrank, 1795 [= *Musca stellata* Fuessly, 1775], mon.
TRYPANEA Agassiz, 1847: 380 (unjust. emend. of *Trupanea*).
TRYPANOIDEA Bryan, 1924: 367 (*Tephritis* subg.). Type species: *Trypeta crassipes* Thomson, 1869, orig. des.
alboapicata Malloch, 1931h: 401. NZ (NZ).
arboreae Hardy in Hardy & Delfinado, 1980a: 66. Hawaiian Is.
artemisiae Hardy in Hardy & Delfinado, 1980a: 68. Hawaiian Is.
asteria Schiner, 1868: 270 (*Tephritis*). India & Indonesia (Java); PNG (PNG), Solomon Is.
beardsleyi Hardy in Hardy & Delfinado, 1980a: 69. Hawaiian Is.
bidensicola Hardy in Hardy & Delfinado, 1980a: 72. Hawaiian Is.
celaenoptera Hardy in Hardy & Delfinado, 1980a: 72. Hawaiian Is.
centralis Malloch, 1931h: 402. NZ (NZ).
completa Malloch, 1931h: 400. NZ (NZ).
crassipes Thomson, 1869: 583 (*Trypeta*). Hawaiian Is.
cratericola Grimshaw, 1901: 46 (*Tephritis*). Hawaiian Is.
dempta Hardy in Hardy & Delfinado, 1980a: 78. Hawaiian Is.
denotata Hardy in Hardy & Delfinado, 1980a: 80. Hawaiian Is.
dubautiae Bryan, 1921: 477 (*Tephritis*). Hawaiian Is.
dubautiae Terry, 1912: 147. *Nomen nudum*.
dubia Malloch, 1931h: 401. NZ (NZ).
extensa Malloch, 1931h: 402. NZ (NZ).
fenwicki Malloch, 1931h: 404. NZ (NZ).
glauca Thomson, 1869: 581 (*Trypeta*). Australia (NSW); widesp. Australia and Pacific; Indonesia (Java).
joycei Hardy in Hardy & Delfinado, 1980a: 84. Hawaiian Is.
latinota Hardy, 1988b: 74. PNG (PNG); Indonesia (Irian Jaya).
limpidapex Grimshaw, 1901: 46 (*Tephritis*). Hawaiian Is.
lipochaetae Hardy in Hardy & Delfinado, 1980a: 88. Hawaiian Is.
longipennis Malloch, 1931h: 398. NZ (NZ).
lyneborgi Hardy, 1970: 131. PNG (Bismarck Arch).
marginalis Hardy in Hardy & Delfinado, 1980a: 90. Hawaiian Is.
megaspila Hardy in Hardy & Delfinado, 1980a: 91. Hawaiian Is.
neoapicalis Hardy, n. n. Hawaiian Islands.
apicalis Hardy in Hardy & Delfinado, 1980a: 64. Hawaiian Is. [Preocc. Macquart, 1838.]

- nigripennis* Hardy in Hardy & Delfinado, 1980a: 92. Hawaiian Is.
pantosticta Hardy in Hardy & Delfinado, 1980a: 93. Hawaiian Is.
pekeloi Hardy in Hardy & Delfinado, 1980a: 95. Hawaiian Is.
perkinsi Hardy in Hardy & Delfinado, 1980a: 97. Hawaiian Is.
rufa Hardy, 1988b: 79. PNG (PNG).
simplex Malloch, 1932m: 146. French Polynesia (Marquesas).
 simplicissima Malloch, 1929: 413. *Nomen nudum*.
swezeyi Bryan, 1921: 478 (*Tephritis*). Hawaiian Is.
unimaculata Malloch, 1931h: 403. NZ (NZ).
vitiosa Foote, n. n. NZ (NZ).
 imperfecta Malloch, 1931h: 403. NZ (NZ). [Preocc. Coquillett, 1902.]
vittigera Malloch, 1931h: 400. NZ (NZ).
watti Malloch, 1931h: 403. NZ (NZ).

Unplaced species of Tephritidae

- albida* Walker, 1853: 384 (*Trypeta*). Australia (SA).
brevivitta Walker, 1865b: 124 (*Trypeta*). "New Guinea" [= Indonesia (Irian Jaya)].
 brevivittata, error for *brevivitta*.
diversata Walker, 1865b: 124 (*Trypeta*). "New Guinea" [= Indonesia (Irian Jaya)].
immaculata Macquart, 1855: 145(125) (*Terellia*). French Polynesia (Marquesas).
rufitarsis Macquart, 1847a: 94 [1847b: 110] (*Terellia*). "Nouvelle-Hollande."