

## Family PLATYPEZIDAE

Platypezidae, or flat-footed flies, are found worldwide primarily in sylvan habitats and are comprised of about 250 species in some 14 genera. Immatures of extant forms are fungivores. Adult males swarm before mating using trees or bushes as swarm markers. Some are attracted to wood smoke. The family is found in the fossil record as long ago as the Jurassic and consists of 11 species in 9 genera.

In addition to the determined material listed below, the family has been recorded by Poinar (1992) from the Oligocene/Miocene amber of the Dominican Republic. Undetermined material from the Cretaceous has been recorded by McAlpine & Martin (1969) (Canada), and Whalley (1981) (Lebanon). The record of the family from the Upper Jurassic/Lower Cretaceous of Siberia (Zherichin, 1978) has been shown by Kovalev (1989b) to be a misidentification for the thau-maleid *Mesothaumaleia fossilis* Kovalev.

### Genus CALLOMYIA Meigen

**CLEONA** Meigen, 1800: 30. Suppressed by I.C.Z.N. (1963: 339).

\***CALLOMYIA** Meigen, 1804: 311. Type species: *Callomyia elegans* Meigen, 1804, by monotypy.

\***CALLIMYIA** Agassiz, 1846: 59, 60 (unjustified emendation of *Callomyia*). Type species: *Callomyia elegans* Meigen, 1804, automatic.

**hypolitha** Cockerell, 1909b: 57. NE: USA (Eocene) [C].

**torporata** Scudder, 1890: 555. NE: USA (Eocene) [C].

### Genus EUCLIMYIA Cockerell

\***EUCALLIMYIA** Cockerell, 1911: 82. Type species: *Eucallimyia fortis* Cockerell, 1911, by monotypy.

**fortis** Cockerell, 1911: 82. NE: USA (Oligocene) [C].

### Genus LITHOPETIA Zhang

**LITHOPETIA** Zhang, 1987: 598. Type species: *Lithopetia hirsuta* Zhang, 1987, by original designation.

**hirsuta** Zhang, 1987: 598. PA: China (Upper Jurassic) [C].

**Genus MESOPETIA Zhang**

**MESOPETIA** Zhang, 1987: 597. Type species: *Mesopetia tuanwangensis* Zhang, 1987, by original designation.

**tuanwangensis** Zhang, 1987: 597. PA: China (Upper Jurassic) [C].

**Genus OPETIA Meigen**

\***OPETIA** Meigen, 1830: 357. Type species: *Opetia nigra* Meigen, 1830, by monotypy.

**atra** Statz, 1940: 141. PA: Germany (Oligocene) [C].

**Genus OPPENHEIMIELLA Meunier**

**OPPENHEIMIELLA** Meunier, 1893d: 231. Type species: *Oppenheimiella baltica* Meunier, 1893, by monotypy.

**baltica** Meunier, 1893d: 232. PA: Baltic Region (Eocene/Oligocene) [A].

**Genus PALAEOPETIA Zhang**

**PALAEOPETIA** Zhang, 1987: 596. Type species: *Palaeopetia laiyangensis* Zhang, 1987, by original designation.

**laiyangensis** Zhang, 1987: 596. PA: China (Upper Jurassic) [C].

**Genus PSEUDOPETIA Zhang**

**PSEUDOPETIA** Zhang, 1987: 598. Type species: *Pseudopetia grandis* Zhang, 1987, by original designation.

**PSEUDOPETIA**. Incorrect original spelling of *Pseudopetia* (Zhang, 1987: 602).

**exilis** Zhang, 1987: 600. PA: China (Upper Jurassic) [C].

**grandis** Zhang, 1987: 599. PA: China (Upper Jurassic) [C].

**Genus SINOLESTA Hong & Wang**

**SINOLESTA** Hong & Wang, 1988: 388. Type species: *Sinolesta lata* Hong & Wang, 1988, by original designation.

**lata** Hong & Wang, 1988: 388. PA: China (Upper Jurassic) [C].