



Hunt Institute for Botanical Documentation  
5th Floor, Hunt Library  
Carnegie Mellon University  
4909 Frew Street  
Pittsburgh, PA 15213-3890  
Telephone: 412-268-2434  
Email: [huntinst@andrew.cmu.edu](mailto:huntinst@andrew.cmu.edu)  
Web site: [www.huntbotanical.org](http://www.huntbotanical.org)

The Hunt Institute is committed to making its collections accessible for research. We are pleased to offer this digitized item.

*Usage guidelines*

We have provided this low-resolution, digitized version for research purposes. To inquire about publishing any images from this item, please contact the Institute.

*About the Institute*

The Hunt Institute for Botanical Documentation, a research division of Carnegie Mellon University, specializes in the history of botany and all aspects of plant science and serves the international scientific community through research and documentation. To this end, the Institute acquires and maintains authoritative collections of books, plant images, manuscripts, portraits and data files, and provides publications and other modes of information service. The Institute meets the reference needs of botanists, biologists, historians, conservationists, librarians, bibliographers and the public at large, especially those concerned with any aspect of the North American flora.

Hunt Institute was dedicated in 1961 as the Rachel McMasters Miller Hunt Botanical Library, an international center for bibliographical research and service in the interests of botany and horticulture, as well as a center for the study of all aspects of the history of the plant sciences. By 1971 the Library's activities had so diversified that the name was changed to Hunt Institute for Botanical Documentation. Growth in collections and research projects led to the establishment of four programmatic departments: Archives, Art, Bibliography and the Library.

Digitized by Hunt Institute for Botanical Documentation

Digitized by Hunt Institute for Botanical Documentation

Plantae seches enricos du senegal.

Par. M<sup>rs</sup> Adanson.

ce catalogue est selon les numeros de L'herbier.

N<sup>o</sup>. 2. *Convolvulus*

- N<sup>o</sup>. 2. A. *Convolvulus* <sup>indicus Batatas. Diabus Raii. hist.</sup>  
*convolvulus foliis cordatis angulatis radice tuberosa L. herb.*  
- 2 B. *Convolvulus folio sagittato longissimo et angustissimo*  
- 2 C. *Convolvulus foliis cordatis*  
- 2 D. *Convolvulus forte idem ac praecedens.*  
- 2 E. *Convolvulus folio longo angusto vix aurito.*  
- 2 F. *Ipomoea foliis palmatis floribus aggregatis Linn.*  
*volubilis Zeylanica per Cezrinus dicta. dist. h. e. M.*

N<sup>o</sup>. 3. A. *Chenopodium erectum ramosissimum foliis triang-*  
*ularibus dentatis, caemis ramosis caulem superantibus*  
*Linn. h. Cliff. chenopodium per Anserinus 2. Tab. 16.*

- N<sup>o</sup>. 4. B. *deest specimen. Cassia.*  
*chamaecrista pavonis minor. spec. nova*  
- 4 C. *Cassia foliolis duorum parium obverso orabit.*  
*Linn. fl. Zeyl. abtus Prosp. alp.*  
- 4 D. *Cassia pulpa seca. non edulis. in gambien. situs avoit.*

- N<sup>o</sup>. 5. B. *amaranthoides marina repens Polygoni folio*  
*capitulis argenteis. Plum.*  
- 5 C. *Amaranthus humilis foliis oppositis, flocculis*  
*in alis conglomeratis. Burm. Th. Zeyl. p. 12.*  
*f. 4. f. 2.*

N. 2662. *S. oldenlandia* foliis linearibus umbellis nudis ~  
lateralibus alternis. Linn. fl. Zeyl. 67. p. 27.  
anterrhinum humile angustifolium floribus gemellis ~  
ex alii foliorum producto. Burm. Th. Zeyl. 22. Fiss.

N. 29. *S. hibicus* incornis foliis serratis, inferioribus ovatis  
integris superioribus trilobis. Linn. h. Cliff. 350.  
*Ketmia indica* gossypii folio, acetosae sapore Plum. sp. 2.  
- 29. C. *hibicus*. Dem. aut varietas.

N. 30. *S. sida* foliis subrotundis cordatis acuminatis. Linn.  
h. Cliff. abutilon indicum. God. Pempt.

- 30. B. *sida*. species, forte nova.

- 30. B. *sida* foliis tomentosis cordatis floribus sparsis ad alas foliorum.  
una. sp. cl. p.

- 30. C. *sida* foliis lanceolatis rhomboidibus serratis. Linn. h. Cliff.  
*malvinda unicornis* folio rhomboides perennit. Dill. h. Cl. h.

- 30. D. Dicit. specimen. *Sida* foliis cordato lanceolatis  
acuminatis integerrimis. Linn. fl. Zeyl. 251.  
*abutilon periplocas* acutioris folio fructu scabato. Willd.

- 30. E. Dicit. specimen.

- 30. F. *sida* caulibus fol. et calycibus pilosis. floribus glomeratis.

N. 36. *S. indigofera* leguminibus pendulis lanatis tetragonis.  
Linn. fl. Zeyl. 272. *astragalus* spicatus siliquis  
pendulis hirsutis foliis serratis Burm. Th. Zeyl. 37.

- 36. B. *indigofera* leguminibus horizontalibus terribus  
foliis pinnatis ternatis que. Linn. fl. Zeyl. 274.  
*astragalus zeylanicus* tenellus viridis foliis  
subrotundis. Burm. Th. Zeyl. 39.

N. 36. C. Indigofera leguminibus arcuatis in caulis racemis  
foliis brevioribus. Linn. fl. Zeyl. 273.  
Anil sive nil indorum color. J. Bauh. 2. 945.  
- 36. D. an anonid specios.

N. 37. ~~hibiscus~~ ~~foliis ovatis quinquepartitis~~ ~~lobatis~~  
~~lobatis~~  
hibiscus. spec. Flor.

N. 38. C. D.

- 38. B. Spermacoe hispida foliis oppositis ovatis  
Linn. fl. Zeyl. 62.  
Galcoptis Zeylanica folio oblongo flore albo Puom. fl.  
Zeyl. 103. T. 20. f. 3.

N. 38. C. Spermacoe nitida  
alt. spec.

- 38. D. Spermacoe  
alt. spec.

- 38. E. Spermacoe foliis longis angustis glabris limbo albicante.

N. 41. C. Capparis aculeis geminis foliis ovatis utrimque acutis.  
Linn. fl. Zeyl. 210.  
Capparis spinosa foliis oblongis. herm. Zeyl. 7. et  
Puom. fl. Zeyl. 53.

N. 50. B. Peruvia.

N. 59. B. Alacia - quae est Mimosa interius floribus secundis  
in capitulum globosum, legumina simplicia subcylindrica  
compressa longissima lavi, intus pulposa edulis. De Ed.  
Purpurea galia.

N. 59. C. *Acacia gummitera guineensis* floribus spiratis albis -  
spinis ad exortum foliorum tritibus. D. D. herb.  
*Mimosa aculeata* floribus polyandris spiratis similibus  
legumine simplici elliptica omnium maxime compressa lavi. D. ad.

- 59 D. *Acacia* - *Scung.* Duobus  
*Mimosa spinosa* floribus dicandris spiratis, inferioribus  
castratis pedicellis

- 59 E. *Acacia* - *Gonake.* Duobus  
*Mimosa spinosa* floribus polyandris in capitulum globosum. D. ad.  
A. *Acacia* validissimis et longissimis aculeis albicansibus munita  
flori lutes. inst. r. h. ad. cat.

N. 60 A. *forte, Stapelia* - Linn. *Saffonu.* Duobus  
*Asclepias* foliis oblongo ovalibus amplexicaulis. Linn. fl.  
Zeyl. 212. *Prodelosar.* alp. Egypt. 43. F. 46. *Coluc*  
h. mal. 2. T. 31.

N. 64. B. *Phyllanthus* foliis pinnatis floriferis floribus pedunculatis  
caule herbaceo erecto. Linn. fl. Zeyl. 157. N. 331.

Digitized by [Johns Hopkins Institute for Botanical Documentation](http://www.jhu.edu/~ihs)  
- 64. C. *Phyllanthus* foliis pinnatis floriferis floribus sessilibus  
caule herbaceo procumbente. Linn. fl. Zeyl. 157. N. 332.

N. 72. C. *Grewia*

N. 73. *Borochaavia diffusa* Linn. fl. Zeyl. N. 10.

N. 77. A. novum Genus. ~~de~~ deest specimen et desideratur  
fructus medicaginis sed diversus et singularis -

N. 78. A. *Pepo* - *Gromon.* deest specimen

N<sup>o</sup> 79. a. Solanum 93. fl. Zeyl.  
an Melongena fructu rotunda inst.

- 79. B. Doest specimen & les graines sont du Lyoperbilon-

- 79. C. Doest specimen.

- 79. D. Solanum caulo aculeato hirsuto foliis angulatis -  
villois integerrimis spinis utrinque coactis, calycibus

inermibus Linn. fl. Zeyl. 94. ~~an~~ Solanum indicum

- 79. E. Doest specimen. flore borraginif. Rob. icon. 24.

N<sup>o</sup> 80. B. forte Gerardia.

ignota et parva distincta.

Digitized by Hunt Institute for Botanical Documentation

N<sup>o</sup> 81. Turnera.

Planta vero singularis et generis novi a Turnera distincta.

N<sup>o</sup> 82. a. Corchorus capsulis oblongis ventricosis foliorum infimis  
serratisve rotatis reflexis. Linn. fl. Zeyl. 213. Corchorus  
Plin. l. 13. p. 117.

- 82. B. Corchorus vera ac praecedens.

- 82. C. Corchorus foliis longis angustis serratis <sup>in herbis</sup> fructu brevi -  
conio terribi conglomerato ad alas foliorum.

- 82. D. Corchorus <sup>quasi est</sup> ~~quasi est~~ alia olitoria seu Corchorus americana  
angusta barbato folio capsula strickiori. Pluk. -  
Phyt. T. 127. f. 4.



- N. 53. c. Argemone - Linn. h. Cliff. Argemone mexicana - Inst. v. h.
- N. 54. c. tribulus foliis quinque parium. Linn. fl. Zeyl. 168.  
tribulus terrestris indiae orientalis foliis vicia subtundis  
et villosis. Inst. v. h.
- N. 55. c. Physalis. quae et varietas sequenti. Juxta Linnæum.  
alkekengi indicum glabrum chenopodii folio. Will. h. Cliff.
- 56. b. Physalis annua ramosissima ramis angulatis glabris  
foliis dentato serratis. L. h. Cliff.  
alkekengi indicum glabrum capsici folio. Will. h. Cliff.
- N. 56. A. Mercurialis. folio Mercurialis africanus discolor  
folio viola tricoloris. Cab. Pl. Bur. Bat. et Plura  
Amalth. 148.
- N. 57. a. Lapsana.
- 57. b. Lapsana
- N. 58. a. novum genus. docet specimen. sed semina ressem-  
blent a ceteris duae species de Ambrosia.
- N. 59. c. Ornithogali species quae mihi vixit novum genus  
Pulchrum in morbo veneris adhibetur. nondum  
floruit in horto Bujis.
- N. 90. a. Crithronium. Gloriosa Linn. h. Cliff.  
mathonia malabarorum. h. L. Bat.
- N. 91. c. Jasminum. Cranthemum Linn. fl. Zeyl. N. 15. p. 6.  
caracter vero N. 1032. p. 3. Hedysium Linn.
- N. 92. c. novum genus. an frutescens species.
- N. 93. c. Scilla. videtur species sed qualis.
- N. 94. c. Ptelaea. Dolonaea Linn. h. Cliff. Staphylobotryum  
foliis Lauri angustis. Plum. spec. 14.

N. 95. A. Ocimum. Sect. Specimen.

- 95. B. Ocimum. imperfectum.

N. 96. A. ignota. imperfectum specimen.

N. 97. A. novum genus.

1871.

N. 98. A. ad datum accedere videtur. N. G. fructu affine. ad  
~~fructu affine. ad datum accedere videtur. N. G. fructu affine. ad~~

N. 99. A. Annona foliis lanceolatis glabris nitidit secundum  
nervis sulcatis. Linn. h. Cliff.

N. 99. A. annona.

N. 99. B. annona.

N. 99. C. annona.

N. 100. A. Ziziphus.  
Rhamnus pedunculatis corimbatis floribus axillariis, aculeis  
subgeminatis recurvis, foliis subseratis utrinque laciniatis. L. f. Zeyl.

- 100. B. Ziziphus. indulus nemorosus foliis nervosis subtus  
sericatis. D. Garin. Perin. Todd. h. h. Mal. part. 42. 44.  
jujuba aculeata nervosis foliis infra sericatis flavis -  
Burm. Th. Zeyl. 131. 7. 61.

jujuba indica rotundifolia spinosa foliis majoribus  
subtus lanuginosis et incand. Breyer. prod. 2. p. 6.  
Rhamnus pedunculatis aggregatis floribus semi digynis aculeis recurvis  
foliis subseratis subtus tomentosis. Linn. h. Zeyl. 169.

N. 101. novum genus. Specimen putidum et desolatum.

N. 102. forte Bombia. Specimen destrutum, altamora a Bombia diversum.

N. 103. Erythrina, foliis ternatis, caule spinoso Linn. h. Cliff. 754.

N. 104. nomen ovulof. Neou -

- 104. B. novum genus, Pado provincium, fructus edulis -  
nomen mangiarum. Mangpata.

N. 105. A. Borassus. Nomen sacros. Roan.

Borassus frondibus palmatis. Linn. fl. Zeyl. 395. p. 147.

N. 106. A. adhatoda. Ruellia pedunculata multifloris Diabotomifera  
pedunculo longioribus. Linn. h. Cliff.  
speculum veneris impatiens majus. Roan. hist. p. 100.

- 106. B. adhatoda. Ruellia

~~sp.~~

- 106. C. adhatoda.

N. 124. A.

N. 107. A. Isiamum.

N. 108. A. novum genus.

N. 109. A. novum genus. an ~~Vicia~~ sp. Paloturien.

N. 110. A. Lauri spec. forte Cuscuta.

N. 111. A. Viola.

Viola furcata madraspatensis basi facie, retundantibus  
mit foliis Pluk. Phyt. 120. f. 4.

N. 112. novum genus.

N. 113. A. novum genus. an Crucianellia sp.

N. 114. A. Craban

Jatropha foliis cordatis angulatis Linn. h. Cliff.

N. 114. B. Craban.  
Zuccoidea americana Gossypii folio. inst. r. h.

N. 115. A. Luciana.

an Mollugo foliis oppositis lanceolatis vasis alternis pedunculis  
intercalibus confertis unifloris. Linn. fl. Zeyl. 52.

N. 116. A. Polygala

N. 117. A. Serratula

N. 118. A. Rivinia. Inest specimen. semen non est hujus  
plantae.

N. 119. A. *Torynia* - ovum putridum et depositum specimen -

N. 120. B. Cucumis, an *Melothria* Linn Gen

N. 121. C. *Analoga* hirta fl. Zeyl. 347. varietas. B.

N. 122. D. ~~an *Torynia*~~ *Carilla* Linn Gen

N. 123. Bident

- 124. videri. 106.

N. 125. A. novum genus.

ign.

N. 126. A. an *Panicum*.

- 126. B. *Milium*.

N. 127. ~~novum genus~~ *Syntherisma*. *Leidyotis*

*Oldenlandia* pedunculis bifloris petalo longioribus, foliis  
oppositis lanceolatis Linn fl. Zeyl. 64.

N. 128. A. holcus. et *Milium* quod frumenti loco quoties  
incolis colitur. videri specimen

N. 129. B. videri specimen

N. 129. A. *Panicum* videri specimen.

N. 129. B. an *Gramen* quiescens spica longa nutante Peten. Gu Zeyh.  
t. 2. N. 7.

N. 130. C. *Poa*

- 130. B. *Poa*

- 130. C. *Poa*. *Gramen* amoris indiae orientalis panicula  
sparsa glumarum petalis huc illuc undatim inflexis  
Pluk. Phyt. t. 190. f. 7.

- 130. D. *Poa*.

*Gramen* maderaspatanum panicula spicata longa  
speciosissima Pluk. Phyt. t. 190. f. 8.

N. 130. C. Poa. . Bod.

N. 132. A. novum genus hylito proximum. *Celmia brasiliensis*  
foliis frons fructu pyramidalis lacinato. inst.

N. 133. A. *Zueltia*. in potius *Justicia*

N. 134. A. *utricularia*

— B. *utricularia*

N. 135. A. *Nymphaea* 194. fl. Zeyl. deest specimen.

N. 135. B. *Nymphaea*

N. 136. A. *Chenopodium* foliis subulatis superius planis, subtus  
convexis. Linn. h. Cliff. 46.

*Chenopodium* sedi folio minimo, facie Kali, semine splendente  
annuum. Boerh. Lugd. 2. p. 49.

Digitized by Hunt Institute for Botanical Documentation

N. 137. A. *Tamarix* floribus portulacoid. L. h. Cliff.

*Tamarix* carbonensis. L. h. Cliff.

N. 138. A. *Aschynomene* caule laevi folio infimo quadrifido. L. h. Cliff.  
*hedysabrum majus* Zeylanicum annuum mimosa foliis -  
inst. v. h.

N. 139. A. *Alisma*. Sagittaria foliis cordatis. Roy. fl. Leyd.

— et 166. A. *Alisma*. quae ant. *Alisma* fructu subovato echinato.

N. 140. B. *Portulaca* foliis linearibus acutis caule procumbente  
pilosis Roy. fl. Leyd. *Portulaca* curassavica  
lanuginosa procumbens. Par. Bot.

N. 141. A. *Melochia* floribus capitalibus capitulis  
subrotundis. Linn. fl. Zeyl. 246. *Melochia*  
*corchori* folio Dill. hort. Elth. 221. T. 176. fig. 217.

- N. 142. a. Celosia. Achyranthes caule erecto. (h. Cliff.) floribus  
 reflexi spicae appressis. Linn. fl. Zeyl. 105.  
 amaranthus spicatus Zeylanicus foliis oblongis  
 amarantho siculis bottonis similit. Pourn. Th. Zeyl. 76. f. 3.
- 142. B. a. Achyranthes caule erecto. Linn. h. Cliff.  
 amaranthus siculis radice perovni. Pourn. Th.
- 142. C. Celosia. Achyranthes floribus externa lanatis, interrupte  
 spicatis Linn. fl. Zeyl. 103. Blitum scandens fructu-  
 lapaeo. Pourn. Th. Zeyl. 47. f. 14. Vellia - Codic. h. Mal. 10. f. 33
- N. 143. a. novum genus monadelphica.

N. 144. a. hibiscus.

N. 145. a. novum genus hibiscus potissimum.

N. 146. a. Bauhinia. nomen duobus. Ranae ex hujus cortice  
 funiculos in rotibus tenendis conficiunt.

Bauhinia foliis cordatis subtriangulis laciniis rotundatis  
 Linn. h. Cliff.

N. 147. a. novum genus ad Crataeam audent. Nomen duobus  
 Guianam, in venereis morbis optima.

N. 148. a. novum genus, gynandria Polyandria.

Pittia foliis ovatis cordatis. Linn. fl. Zeyl. 322.

Kodda part. hort. Mal. II. p. 63. f. 32. Kodda part. palustris  
 foliis oblongo et spongioso. Plum. n. p. 30.

N. 149. a. novum genus hexandria fide Saurorum referent.

- 149. a. ead. planta sed junior.

N. 150. <sup>2</sup>. *Cephalanthus foliis oppositis*. Linn. Fl. Zeyl. 53.  
arbor indica fructu aggregato globoso Raii hist. 144.  
Katu, tinea. h. Mal. 3. 7. 33.

N. 151. <sup>2</sup>. forte *Rhexia*. Linn. 375.

N. 152. <sup>2</sup>. novum genus. *Pongati*. h. Mal. 11. 7. 24.

*Peristaria* similis planta aquatica india orientalis -  
floribus summo caule in capitulum oblongum glomeratis  
Capsulis foliaceis. Pluk. Mant. 148.

N. 153. <sup>2</sup>. *Ludwigia*. capitulis oblongis. Linn. h. Cliff.

~~justicia~~ <sup>erecta</sup> ~~erecta~~ floribus tetrapetalis ostentans sessilis Linn.  
Fl. Zeyl. 170.

- N. 160. <sup>2</sup>. *Ludwigia*. Planta sine flore et adulta.

N. 154. <sup>2</sup>. novum genus *Didynamia angiosperma*.

N. 154. <sup>3</sup>. novum genus *Didynamia angiosperma*.

N. 155. <sup>2</sup>. novum genus. Plantula ad *Didynamiam* referenda.

N. 156. <sup>2</sup>. novum genus.

*hottonia* flori solitaria ex foliorum alii proveniente Burn.

Th. Zeyl. 121. 7. 55. f. 1. *Sarcfraga* Zeylon. millefolii -  
folio flori albo. herb. Hartog. *Tijudam-tijera* h. Mal. 12. 7. 36

N. 157. forte *Phyllanthus*. 303. fl. Zeyl. *Myrobalanus* dictus -  
sed hoc genus toto caelo a *Phyllantho* differt.

- 157. <sup>2</sup>. *Gramen*. exemplar imperfectum.

N. 158. <sup>2</sup>. forte *Dactylis*. Linn. nomen *ovulof*, lab lab -

*Gramen* panicum *distachyophorum* s. *spila gemella* -  
binis granorum ordinibus uno versus constante, india  
orientalis Pluk. Mant. 94. Phyt. 7. 350 -  
Ponne vara gupillo Malabarorum.

N. 159. A. forte aiva. nomen ouolof. sep.

— 159. B. forte hoteus.

N. 160. vide 159.

N. 161. A. Pharrateum. potius mollugo.

alino maderaspata galls foliis floribus communi  
pediculis ternis. Pluk. Phyt. 128. f. 3.

N. 162. A. Statice. . Celosia erecta foliis oppositis linearibus  
panicula dichotoma Linn. fl. Zeyl. Paronichia foliis  
ad genicula confertis acutis, floribus umbellatis. Burm. Fl. Zeyl.

N. 163. A. Pharnaceo proximum. f.

N. 164. A. Cyperus.

— 164. B. Cyperus.

Digitized by Hunt Institute for Botanical Documentation

N. 164. C. Cyperus. Gramen cyperoides pumilum elegans a  
maderaspata. Pluk. Phyt. 191. f. 8. Krafft!

N. 165. A. jatropa.

N. 166. A. novum genus. Conchous spica oblonga conglomerata  
Roy. fl. Loyd. 72. Gramen americanum spica echinata  
majoribus locustis. Pluk. alm. 174.

— 166. B. Conchous spica oblonga conglomerata avistis longioribus

N. 167. A. Damasonium. videtur alisma fructu sericomi L. trich.

N. 168. vid. 169. alisma fructu subovata echinato.

N. 169 mollugo. ~~forte mollugo. seu tallitighe de spicio.~~  
elatitico Linn. alimastrium. P. et R. 178. spicio.

N. 170. novum genus. an Limosyloca spicio.

N. 171. vortona.



N. 172. A. novum genus. Kikimas Leuk.  
Sisypus minor capitulo subrotundo.

N. 173. A. novum genus.  
Tanicum

N. 174. A. forbe menyanthes.

Nymphæa indica minor, floribus cum petalis ex foliorum  
pediculis procurrentibus. Pluk. Phyt. T. 209. f. 2.

Nymphæa caroliniana floribus pluribus parvis e -  
pediculis foliorum erascentibus. Poliv.

N. 175. Verberina

eupatoriophalarum balsamina femina folio, flori albo  
dividit. Vahl. art. acad. R. P.

N. 176. A. Tanacetum.

Cotula foliis pinnatis multifidis -  
corollis radiis verticillatis. Linn. h. Cliff. 417. —

Ananthocylus chamamelis folio Vahl. art. acad. 1719. p.  
249. Dil. h. Cliff. 26. T. 33. f. 25.

N. 177. A. Heliotropium foliis cordato ovali, acutis subobtusis -  
spicis solitariis. Linn. h. Cliff. 45. At Zeyl. 70.

Heliotropium americanum cavaleum foliis hermini -  
art. acad. R. P.

- 177 - B.

- 177 - C. Heliotropium. Myosotis scorpioidis an potius -  
Heliotropium minus erectum foliis subtus incanis -  
S' Madagascar Pluk. Phyt. T. 48. f. 7.

- 177 - D. Heliotropium.

N. 178. N. genus. Phaseolus exiguus glaber trifolius foliis  
siliqua plana compressa Burm. Ph. Zeyl. 166. T. 84.  
Phaseolus Zeylanicus minimus florea rubello siliqua  
minima herb. Hartog.

N. 140. A. *Oryza* Math.

N. 140. A. forte *Melica*. Linn. 64 4. fl. N.º. 21 grains. est -  
glucos. una capsula 20. & siva. unde a 20. p. 20.

N. 140. B. *Vitis* idea *Madraspatanensis*, *nicurii* (forte) *malabarici* -  
*de* *Kocher*. *ditta*. Pluk. Phyt. 69. f. 3.

N. 141. A. novum genus convolvulo proximum, styli duo -  
*convoluta* *linguli* *bifidi*. cetera uti convolvulus.

76. fl. *Lept.*  
*Convolvulus* *caeruleus* *myosotis* *indicus* *erectus* *passerinae*  
*minoris* folio *ramosissimus*. Pluk. Phyt. 8. 167. f. 2.

N. 142. A. *Gossypium* nomen duobus. *outenadav*. species hujus  
*lana* sequenti multo praestat.

*Gossypium* *caulo* *erecto*. Linn. h. Cliff.

- 142. B. *Gossypium*. *outenu* *duobus*.

N. 143. A. novum genus. *leguminosa*

N. 144. A. forte *Lagurus*. Linn.

Digitized by Hunt Institute for Botanical Documentation  
*Gramen* *avenaceum* *madraspatanum*, *panicula* *sparsa*  
*aristis* *longioribus* *ornata*. Pluk. 149. f. 3.

N. 145. A. novum genus. nomen duobus. *Born* *caareba*. Plum  
*caareba* *foliis* *orbiculati*  
*non* *umbellati*. Linn. h. *caareba* *foliis* *orbiculati*

N. 146. A. forte *Bryonia*. *Bryonia* *foliis* *palmatis* *scabris* -  
*laciniis* *lanceolatis* *serratis*, *lateralibus* *minimis*. Linn.  
h. Cliff. 452. *Bryonia* *zeylanica* *foliis* *profundis*  
*laciniatis*. h. L. Bab. *fl. Zeyl.* 355.

N. 147. A. *gnaphalium*.

N. 148. A. *Lotus*.

N. 149. A. *Salix*

- N. 190. A. *Dalechampia* Linn. 931. *descriptio Plumbeiana et -  
Borvhaaviana neutra praestat.*  
*Dalechampia scandens lupuli foliis fructu hispido toinoco Plumbeo 19. 17.*
- N. 191. A. *Monarda*.
- N. 192. A. *Arachis*. Linn. h. cliff. 346. *Carpogonum*. End.  
*Arachidna quadrifolia villosa floris lutes Plum. 49.*
- N. 193. A. *Dolichos*. Linn. 704. *Phalcolus* 544. fl. Zeyl.
- N. 194. A. *aloe quincentio radice geniculata foliis ex viridi et atro  
undulatione variegatis comm. hort. amst. et Prasl.*
- N. 195. *Sphora tomentosa foliis subtundit Linn. fl. Zeyl.*
- N. 196. A. *novum genus in monococcia univandria. Lactisat.*  
ign.
- N. 197. A. ~~novum~~. *ad novum genus annonae Linn. proximum  
Luce oulof. tenet per la maniquette. et fruct  
est connu sous le nom de pivoire d'ethiopie.*
- N. 198. A. *forte tabernae montana.*
- Digitized by Hunt Institute for Botanical Documentation
- N. 199. A. *forte bignonia*
- ign.  
- 199. B. h. ———
- ign.  
N. 200. A. *folles douces.*
- ign.
- N. 201. A. *Leonurus.*
- N. 201. B. *Leonurus foliis lanceolatis subserratis obtusiusculis  
calycibus autodontatis. Linn. fl. Zeyl. 227.*
- N. 202. A. *Morinda.*
- N. 203. A. *forte justicia.*
- N. 204. A. *forte fransfeldia. folles aigres*
- ign.  
- 204. B. ——— *grasses folles aigres.*
- ign.

- N. 205. <sup>2</sup> Coffea nova species. frutex. 3. pedum altus. ramis crassis  
rectis, folia ampla ovato obtusa opposita.
- N. 206. <sup>4</sup> forte *Uardendrum*.
- N. 207. <sup>2</sup> ~~affinis spec.~~ forte *Mammea* vel *Guaiacum* Linn.
- N. 208. <sup>2</sup> forte *Hippophae* Linn. 494.  
ign.
- N. 209. <sup>2</sup> N. genus *Dioecia monadelphica* *standra*. folia hura  
ign.
- N. 210. <sup>2</sup> *Anacardium* Linn.
- N. 211. <sup>2</sup> Coffea affinis. Novum genus *Roadelia* Linn. affinis.
- N. 212. <sup>2</sup> N. genus. N. 10.  
ign. ad singularis arbutula.
- Digitized by Hunt Institute for Botanical Documentation
- N. 213. <sup>2</sup> pulcherrima arb. *Rhoi* Linn. *poecima*.
- N. 214. <sup>2</sup> novum arboris genus in monoccia *syngenesia* -  
floribus distinctis, fructum vero nondum vidi. in gambia  
reperiendum. ondit quo est uno specio de *colico* -
- N. 215. <sup>2</sup> novum genus. N. 10. fructus. Doupa mollis ostiulo  
ign. *fata*. *dehax*. *sublof*. *Dulit*
- N. 216. <sup>2</sup> novum genus. vere singularis fructus *in medio utroque spinosus*
- N. 217. <sup>4</sup> *Calla* Linn. *spec.* specimen destructum.
- N. 218. <sup>2</sup> *Arum* maximum *spec.* altum. in gambia.
- N. 219. <sup>2</sup> *Poliandria monogynia*. ad *cambojiam* Linn. fl. *Zeyl*  
*accident.*
- N. 220. <sup>2</sup> *Jasmino-nerium* fl. *Zeyl*. 405.  
et. *Kohomba*. *herm.* *Zeyl*. 25. Linn. fl. *Zeyl*. 633.  
forte *certera* Linn. 216.

N. 221. A. Palma Rharica - Linn. Hamina 6.

- 221. B. Palma. Id. alt. sp.

N. 222. D. Phumbago foliis petiolatis. L. h. Cliff.

N. 223. 2. Neri species. Narium indicum folio subrotundo undulato  
crasso flore viride rubente. Burm. Th. Zeyl. 168 T. 74. f. 1.  
Nolompala hi mal. 9. Tab. 3. 4. p. 6.  
Apocynum malabaricum arborescentis limonii folio -  
flore ex flavo rubescente Aliquit maximis comm. in notis.

N. 224. a. fagara

N. 225. A. N. genus.

ign.

N. 226. A. certe Genipa. Linn. fructu 10. pedum altus fructus -  
editur. nomen vulg. Guia Ka barogu.

N. 227. A. forte Schinus. Linn.

ign.

N. 228. A. N. genus diocia monadelphica 10 ad 14 andia

Digitized by Hunt Institute for Botanical Documentation

ign.

N. 229. C. Celtis. est foliis integerrimis pedunculis racemosis.

N. 230. B. novum genus Rhoi proximam.

ign.

N. 231. an Ximonia. N. genus. Ham. 47.

N. 232. Leguminosa ejusdem ordinis ac Guaiacum. Sobam. Cuscut

N. 233. ~~apocynum~~ <sup>officinalis</sup> ~~mal.~~ - N. g. ejusdem ordinis ac Rubia

*[Faint handwritten notes and bleed-through from the reverse side of the page, including names like 'Celtis', 'Rhois', and 'Guaiacum']*