

New

KÖNIG DIGITAL PHOTO FRAME 7" BLACK TOUCH KEYS



Luxuriously designed 7" digital photo frame. Special feature are the touch sensitive buttons. Simply touch the frame and the icons will illuminate. These sensitive buttons can then be used to operate the functions of the frame. After several seconds, the lights will dim and the frame looks completely smooth and black again.

- 7" Active Matrix LCD
- Reads SD, MMC, MS and USB sticks
- Compatible with MP3, MPEG1, MPEG2, MPEG4, JPG
- Stereo speakers
- Dimensions: 220x150x25

CMP-DIGFRAME20



New

KÖNIG DIGITAL PHOTO KEYCHAIN 1.5"



This digital photo keychain with extra large display is the ideal gadget for taking your favourite photos with you. For max. 70 photos.

- Connection: USB 1.1
- Format: BMP or JPG
- Memory: 8 Mb internal
- Display: 1.5" CXTN colour screen
- Playing time: Max. 4 hrs
- Compatible with: Windows® XP/Vista

CMP-DIGCHAIN12



New

KÖNIG DIGITAL USB PHOTO KEYCHAIN 1.1"



This digital photo keychain is the ideal gadget for taking your favourite photos with you. For max. 180 photos.

- Connection: USB 1.1
- Format: BMP or JPG
- Memory: 8 Mb internal
- Display: 1.1" CXTN colour screen
- Playing time: max. 4 hrs
- Compatible with: Windows® XP/Vista


CMP-DIGCHAIN11



KÖNIG 45-IN-1 CARD READER IRON NET + SDHC

Copy data at high speed from and to your memory flash card.

- Suited for most types of memory cards also SDHC cards
- USB2.0 connection
- Power LED
- In strong and cool housing



CMP-CARDRW65



KÖNIG 4 PORT USB 2.0 TOWER HUB

4-ports turnable HUB

- Ideal for travellers
- HUB for several larger USB devices




CMP-USB2HUB14



KÖNIG 4 PORT USB 2.0 HUB

- Plug and play
- Automatic system configuration
- Chains up to 127 USB devices
- USB and ACPI compliant
- Bus + AC Powered



CMP-USB2HUB22



KÖNIG MULTIMEDIA STEREO HEADSET

- With in-line volume control
- Adjustable microphone arm
- Ideal for internet, chatting etc.
- Grey



CMP-HEADSET10



KÖNIG MULTIMEDIA STEREO HEADSET

- Headset with adjustable microphone arm
- In-line volume control
- Ideal solution for internet communication or other voice processing applications
- Colour: Grey



CMP-HEADSET11



KÖNIG CHATPACK USB WEBCAM 480K + HEADSET



This chatpack consists of a headset and a clip-on webcam that is easy to clip on to any monitor.

- Resolution video: 800 x 600, 640 x 480, 352 x 288
- Resolution photos: 800 x 600, 640 x 480
- CMOS sensor: 480k pixels
- Video mode: 24bit true colour
- Format: AVI (video), JPG (photos)
- Interface: USB 2.0
- Lens: 1/4" CMOS
- Supports: Windows 98SE/ME/2000/XP

CMP-CHATPACK10



KÖNIG BLUETOOTH® STEREO HEADSET

With this advanced, fine designed Bluetooth® headset you can enjoy music on the computer, mobile phone or MP3 player without any cables.

- Microphone (mobile phone calls)
- Function buttons: accept/end calls and volume adjustment
- Built-in rechargeable battery (10 hrs)
- Range: 10 m




CMP-HEADSET30



KÖNIG USB WEBCAM 300K

- Max.resolution: 640 x 480
- Video mode: 24bit true colour
- Microphone: No
- Supports: Windows® 98SE/2000/Me/NT/XP/Vista



CMP-WEBCAM21



KÖNIG ROUND WEBCAM USB2.0

- Max.resolution: 1280 x 1024
- Video modus: 24bit true colour
- Sensor: 1/4" CMOS
- Microphone: yes
- Supports: Windows 2000/XP/VISTA



CMP-WEBCAM25



KÖNIG USB WEBCAM WITH NIGHT VISION

- Max.resolution: 1280 x 960
- Video mode: 24bit true colour
- Sensor: 1/4" CMOS
- Microphone: Yes
- Supports: Windows® 98SE/ME/2000/XP/Vista



CMP-WEBCAM75



KÖNIG NOTEBOOK WEBCAM USB2.0

- Max.resolution: 1280 x 1024
- Video mode: 24bit true colour
- Sensor: 1/4" CMOS
- Microphone: No
- Supports: Windows® 2000/XP/Vista



CMP-WEBCAM86



KÖNIG 3 BUTTON BALL MOUSE

- With scroll wheel
- For left or right hand
- PS/2 connection



CMP-MOUSE30



KÖNIG USB FULL SIZE AND MINI MOUSE

Smart combination of a full and mini size mouse.

- Resolution: 800 DPI
- Scroll wheel
- USB connection
- Buttons: 3

CMP-MOUSE52



KÖNIG OPTICAL MOUSE

- Resolution: 400 DPI
- USB connection (PS/2 adaptor incl.)
- Scroll wheel




CMP-MOUSE60WHI



KÖNIG GEL MOUSE PAD

- Mouse pad with gel wrist support
- Innovative form for optimal support of the wrist and fore-arm
- Colour: Grey



CMP-MATGEL21



KÖNIG BASIC KEYBOARD

- 107 Keys
- 3 Extra keys: wake, sleep and power
- PS/2 connection



CMP-KB22/NL



KÖNIG BLUETOOTH® 2.0 USB ADAPTER

- Bluetooth® V2.0 standard
- Backwards compatible
- Operating range: 100 m
- Windows® ME / 2000 /XP / Vista



CMP-BLUEKEY25



KÖNIG FLOPPY DRIVE USB

Very suitable if you want to transfer files from floppy disks to your computer.


- USB interface
- For 3.5" 720 KB or 1.44 MB floppy disks
- Compact and lightweight

CMP-FDDUSB10



KÖNIG FIREWIRE PCI CONTROLLER

- 3 External and 1 internal port
- Data transfer: 100/200/400 Mbps
- Supports Windows® 98 SE, ME, 2000, XP



CMP-FW1394/3P



KÖNIG RF MEDIA CENTER CONTROLLER FOR VISTA™

Flat and ergonomic designed RF Vista™ Media Center Controller.

- Piano varnish
- 52 Function keys
- 2.4 Ghz RF Protocol
- Certified for Vista™
- Dimensions: 199 x 61 x 34.6 mm
- Battery: 2 x AAA Alkaline

CMP-MEDIAREM11




KÖNIG 2.1 SUBWOOFER SET

Stylish designed 2.1 subwoofer set which exists in 2 satellite speakers and a compact subwoofer.

- Volume- and bass control
- On/off switch
- Subwoofer: 18W RMS
- Satellites: 2 x 2 W

CMP-SP2.1/R



KÖNIG IDE - SATA CONVERTER

This converter is a IDE to S-ATA converter. If there is no IDE connection free in the computer system, but there are free S-ATA connections, you can use this converter to convert your IDE hard disk or CD-ROM player to a S-ATA device.

- Dimensions: 58 x 25 mm



CMP-SATACONV11



KÖNIG USB 5.1 3D SOUND CONTROLLER

Compact and transparent USB 5.1 3D Sound Audio Adapter for a superb surround sound for a notebook or desktop. Now DVDs and music can be enjoyed even more!

- USB 2.0/1.1/1.0 compliant
- Auto driver installation, Plug & Play USB device
- Drive two channels speakers directly
- Support 3D positional sound and virtual 5.1 channel soundtrack
- Digital class B power amplifier inside
- LED status indicator
- Works with Windows® Xp / 2000 / Me / 98SE
- Size: 51.5 x 23.0 x 12.6 mm
- Weight: 8 g
- USB extension cable included
- 3.5 mm connection



CMP-SOUNDUSB12



KÖNIG VIDEO TO VGA CONVERTER

This converter can be used to convert video signals from various sources (e.g. DVD/VCR/camcorder/game console) to VGA output. The converter is capable of displaying a sharp, stable image on an LCD monitor.



CMP-VGACONV11



KÖNIG 2.0 SPEAKER SET USB




- Suitable for PC and notebook users
- Ideal for use during travelling
- No soundcard necessary
- Audio and sound through USB

CMP-SPUSB



KÖNIG AUDIO SWITCH



- Switch between speakers and headset with one button
- Easier to reach all sound card connections
- Connections for speaker set, headphone and microphone
- Volume control
- Microphone mute button

CMP-SWITCH17



KÖNIG USB TO IRDA CONVERTER

Converter for a wireless connection between desktop PC and PDA, notebook, digital camera, mobile phone and other mobile devices.

- Easily send ringtones from the PC to a mobile phone
- Synchronize PC with PDA, laptop or mobile phone



CMP-USBIRDA11



KÖNIG USB 2.0 MANUAL SWITCH

Connect a printer with USB connection or other device with USB connection and control them from two computers. Select a computer by pressing the push button on the upper part of the switch. At the selected port a LED will burn.



CMP-USBSW2



USB - PS/2 ADAPTER

For connecting a PS/2 keyboard and PS/2 mouse on a USB port.

- Perfectly suited for notebooks.
- 1x USB A plug to 2x PS/2 socket



CMP-USBADAP2



MULTI CABLE TESTER

This cable tester controls the cable before and after installation and is suitable for RJ45, RJ11, USB and coax (BNC).
· Max. cable length: 1.8 km

LED status

- screening of each connector
- testing
- short-circuit
- connection
- none-parallel
- 25/50 Ohm termination




CMP-RCT1



STONE GENERATOR AND PROBE

This tone generator and probe are suitable for installing network and checking objects.

- Continuity/fault of a wire
- Polarity of the circuit
- Network or the working voltage of the modular cable



CMP-RCT10



KÖNIG UTP CAT6 NETWORK CABLE ON REEL

This CAT6 and CAT5e UTP cables has unshielded twisted pairs with a flexible core.



Ordercode:
CMP-NWU6R25

Length:
25 m



CMP-NWU6R50

50 m



CMP-NWU6R100

100 m



CMP-NWU6R305

305 m



CMP-NWU6R25S

25 m



CMP-NWU6R50S

50 m



CMP-NWU6R100S

100 m



CMP-NWU5R50

50 m



CMP-NWU5R25S

25 m



CAT6 FTP CABLE ON REEL

with flexible cores

- FTP cable, shielded twisted pairs CAT.6, PR 24AWG
- Conductors: 4x2x24
- Formation: Stranded
- Ext. mm: 6,0
- Ext. core mm: 1,0
- Color: grey
- Length: 100m
- Price per metre

FTP-6100



FTP CABLE REEL 305m
Price shown per metre
FTP-6305




FTP CAT5 CABLE REEL

FTP cable, shielded twisted pairs CAT.5e.
Compared to the UTP cable less interference!

- Conductors: 4x2x24 AWG
- Formation: Solid
- Ext.: 6.0 mm
- Ext. core mm: 1.0 mm
- Colour: grey
- Length: 305 m
- Price per metre

FTP-8305




CAT6 UTP CABLE

UTP cat6 cable 100m reel
Price per metre

UTP-6100

· Length: 305 m

UTP-6305



UTP CAT5 CABLE ON REEL

This CAT 5 network Cable is perfect for use with 10 Base-T and 100 Base-T Ethernet networks.

Price shown per metre.

UTP-8305



PARALLEL PRINTER CABLE

- For connecting parallel devices or use with data switches
- 25 pins male - 36 pins male
- Length: 3.00 m

CABLE-111



HIGH SPEED USB 2.0 CABLE A-B

- Speed: USB 2.0
- Length: 3.00 m

CABLE-141/3HS



USB 1.1 CABLE A-B

- Speed: USB 1.1
- Length: 3.00 m

CABLE-141/3



USB - RS232 CONVERTER

- Transfers data to RS232 serial port via USB ports
- USB plug type "A" to DB 9 plug
- Length: 1.80 m

CABLE-146/2



KONIG ACTIVE USB 2.0 EXTENSION CABLE

- Active USB extension cable
- Speed: USB 2.0
- Length: 5.00 m

CABLE-147HS



MONITOR DATA CABLE HD15M - HD15M

- HD15M - HD15M
- Length: 1.80 m

CABLE-172



D-SUB EXTENSION CABLE

- DB9 male - DB9 female
- Length: 1.80 m

CABLE-151



HIGH-END MONITOR CABLE

- Connector: HD15M - 5x BNC
- Length: 1.80 m

CABLE-174



HIGH-END MONITOR CABLE

- HD15M - HD15M
- With ferrite cores
- Double shielded
- Length: 10.0 m

CABLE-177/10



DVI-D DUAL LINK CABLE

- Dual link cable: 24+1 male - 24+1 male
- With ferrite cores
- Cable length: 5.00 m

CABLE-193/5



HIGH-END MONITOR CABLE

- HD15M - HD15M
- With ferrite cores
- Double shielded
- Length: 10 m

CABLE-177/20



DVI-A - VGA CABLE

- DSUB 15 male - DVI-A 12+5 pins male
- With ferrite cores

CABLE-195



DVI-I DUAL LINK CABLE

- Dual link cable: 24+4+1 male - 24+4+1 male
- With ferrite cores
- Cable length: 10.0 m

CABLE-198/10



FIREWIRE IEEE 1394 DIGITAL VIDEO CABLE

- 4 pin - 6 pin
- Length: 1.80 m

CABLE-271



USB 2.0 CONNECTION CABLE FOR 14 PIN FUJI CAMERA

- Connection: USB A male - Fuji 14 pin male
- Length: 1.80 m

CABLE-290



CAT5e UTP PATCHCABLE

- Connection: 2 x RJ45 connector
- Length: 20.0 m
- Colour: Grey

UTP-0008/20



Pure Signal König Computer Cables in blister

Get the most out of PC games, music and networks with the new König Computer Cables.

Due to the high quality materials they provide vivid images, a powerful and clear sound, optimal data transfer and prevent signal interference: always a flawless and pure signal!


This advanced cable concept exclusively consists of fast movers with:

- High end materials
- Extra coating
- Solid design aluminum plugs

Extra service: the packaging

The especially designed packaging has an unique feature: a cut-away in order to feel the high quality of the aluminum plugs. Check and buy!

For more information on this unique fast mover König computer cables visit www.semenedis.com.



KÖNIG HDMI TO DVI-D CONNECTION CABLE

König HDMI to DVI-D connection cable

- Connections: HDMI 19pin male - DVI-D 18+1 male
- Colour cable: Black nylon net
- Colour plugs: Silver Aluminium



Ordercode: **CMP-CE033/1.5** **Length:** 1.50 m



CMP-CE033/2.5 2.50 m



KÖNIG HDMI CONNECTION CABLE

König HDMI connection cable

- Connection: HDMI 19pin male - HDMI 19pin male
- Plugs: nickel plated
- Version: HDMI 1.3
- Colour cable: Black nylon net
- Colour plugs: Silver Aluminium



Ordercode: **CMP-CE034/2.5** **Length:** 2.50 m



CMP-CE034/5 5.00 m



KÖNIG FTP CAT5e PATCHCABLE

König FTP CAT5e Patchkabel

- Connections: RJ45 8pin male - RJ45 8pin male
- Plugs: Nickel plated
- Colour cable: Black
- Colour plugs: Silver Aluminium




Ordercode: **CMP-CE051/1** **Length:** 1.00 m



CMP-CE051/3 3.00 m



KÖNIG USB2.0 CONNECTION CABLE



König USB2.0 connection cable

- Connections: USB A male - mini 5pin male (nickel plated)
- Colour cable: Black
- Colour plugs: Silver Aluminum

Ordercode: **Length:**
CMP-CE013/1.8 1.80 m



KÖNIG VGA CONNECTION CABLE



König VGA connection cable

- Connections: VGA HD15 male - VGA HD15 male
- Plugs: Nickel plated
- Colour cable: Black
- Colour plugs: Silver Aluminum

Ordercode: **Length:**
CMP-CE021/1.8 1.80 m



KÖNIG DVI-D DUAL LINK CONNECTION CABLE



König DVI-D Dual Link connection cable

- Connections: DVI-D 24+1 male - DVI-D 24+1 male
- Plugs: Nickel plated
- Colour cable: Black nylon net
- Colour plugs: Silver Aluminum

Ordercode: **Length:**
CMP-CE022/3 3.00 m



KÖNIG DVI-D DUAL LINK CONNECTION CABLE



König DVI-D Dual Link connection cable

- Connections: DVI-D 24+1 male - DVI-D 24+1 male
- Plugs: Nickel plated
- Colour cable: Black nylon net
- Colour plugs: Silver Aluminum

Ordercode: **Length:**
CMP-CE030/1.5 1.50 m



KÖNIG DVI-A TO VGA CONNECTION CABLE



König DVI-A to VGA connection cable

- Connections: DVI-A 12+5 male - VGA HD15 male
- Plugs: Nickel plated
- Colour cable: Black nylon net
- Colour plugs: Silver Aluminum

Ordercode: **Length:**
CMP-CE031/1.5 1.50 m



KÖNIG DVI-I DUAL LINK CONNECTION CABLE



König DVI-I Dual Link connection cable

- Connections: DVI-I 24+5 male - DVI-I 24+5 male Nickel plated With thumbscrews
- Length: 2.5m
- Color cable: Black nylon net
- Color plugs: Silver Aluminum

Ordercode: **Length:**
CMP-CE032/2.5 2.50 m



KÖNIG FIREWIRE CONNECTION CABLE



König FireWire connection cable

- Connections: FW 6pin male - FW 6pin male
- Plugs: Nickel plated
- Colour cable: Black
- Colour plugs: Silver Aluminum

Ordercode: **Length:**
CMP-CE042/1.8 1.80 m



KÖNIG FTP CAT5e CROSSCABLE



König FTP CAT5e patch cable

- Connections: RJ45 8pin male - RJ45 8pin male
- Plugs: Nickel plated
- Colour cable: Black
- Colour plugs: Silver Aluminum

Ordercode: **Length:**
CMP-CE050/15 15.0 m



**KÖNIG COLOR CCTV VANDAL
PROOF DOME CAMERA**



- Professional CCTV camera in vandal proof housing
- Complete with bracket for wall mounting

Supplied without AC/DC adapter.
Recommended AC/DC adapter: SEC-P.SUP.10

- Image chip: 1/3" CCD
- Resolution: 420 TV lines
- Lens: 4-9mm varifocal
- Illumination: 0.8 Lux

SEC-CAM330



**KÖNIG CCTV COLOUR CAMERA
IN PIR HOUSING**



- Professional CCTV camera hidden in a PIR housing
- Ideal for hidden security and observation

Supplied without AC/DC adapter
Recommended AC/DC adapter: SEC-P.SUP.10

- Image chip: 1/4" CCD
- Resolution: 400 TV lines
- Lens: 3.6mm pinhole
- Illumination: 1.0 Lux

SEC-CAM410



**KÖNIG COLOR CCTV CAMERA IN
SMOKE ALARM HOUSING**



Ideal as hidden camera. Smoke alarm is passive.

Supplied without AC/DC adapter.
Recommended AC/DC adapter: SEC-P.SUP.10

- Pickup Device: 1/3" CCD
- Resolution: 400 lines
- Illumination: 0.05 Lux
- Lens: 3.6mm

SEC-CAM370



**KÖNIG 14" COLOUR SECURITY
MONITOR**



CCTV monitor for observation and security

- Tube: 37cm CRT (14") kleur
- Video in: 2x (1Vp-p, 75 Ohm)
- Video out: 2x (1Vp-p, 75 Ohm)
- Audio in: 2x RCA (<350mV)
- Audio out: 2x RCA (<350mV)
- Switcher: 2 channels (manual)
- Weight: 11.5Kg
- Dimensions: 361x371x410mm

SEC-MON31



KÖNIG 8 CHANNEL DIGITAL VIDEO RECORDER

Not For Use In The UK



SEC-DVR20



KÖNIG 4 CHANNEL SECURITY HDD RECORDER

Compact size hard disk recorder for basic CCTV systems.

- Built-in quad processor for overall view
- With 12V connection for mobile use
- 4 CH camera input
- 1 Monitor output
- Harddisk (not supplied) capacity to 300 GB (Seagate recommended)
- Dimensions: 185 x 125 x 80 mm



SEC-DVR200



KÖNIG SECURITY ALARM MET TELEPHONE DIALER

- Motion detection alarm with built-in telephone dialer
- Easy to operate with 4-digit personal code
- Alarm automatic dials telephone numbers with own message
- Preprogrammed exit and entry delay
- Perfect for securing any room or area



SEC-APD10



MINI MOTION SENSOR ALARM



- Specifications:
- Detection range: 7 m
 - Detection angle: 120°
 - Working current: <=5mA
 - Alarm sound: >=85db
 - Operating voltage: DC9V

SEC-PIR20



KÖNIG SECURITY ALARM WITH MOTION DETECTION

- Mini alarm with motion detection
- Easy to operate with remote control
- Quick installation without any wiring
- Preprogrammed exit and entry delay
- Perfect for securing any room or area



SEC-APR10



KÖNIG DUMMY SECURITY CAMERA



Dummy security camera in professional black housing. With motion detection.

- Included mounting bracket
- Power: 2 x AA 1.5 V battery (not incl.)
- Size: 16.5(H) x 5(W) x 13(D) cm

SEC-DUMMYCAM



KÖNIG CAMERA BRACKET



Straight Camera bracket 9.5cm for security cameras

SEC-BRACK40



HQ OPTICAL SMOKE ALARM



Fast smoke detection because of the fotocel.

- 85 DB alarm signal
- Easy to install
- Test switch
- Runs on 9 V batterij (excl.)

SEC-SA10



KÖNIG DESIGN DVB-T ANTENNA

- Frequency range: 47 MHz ~ 870 MHz
- Amplifier gain: 22 +/-3 dB
- Size: L 190 x W 260 x H 40 mm

KN-DVBT-IN30



New

KÖNIG USB DVB-T RECEIVER

Budget König DVB-T receiver with USB connection for laptop or desktop. Suitable for the reception of free-to-air terrestrial signals.

- Software for viewing, time-shifting, recording software
- Teletext and EPG

DVB-T USB20



GOLDEN INTERSTAR SINGLE LNB

- Universal 40 mm single LNB
- Signal/noise ratio: 0.2 dB
- Input Frequency: 10.7 - 12.75 GHz

LNB-GI201



KÖNIG SINGLE MONOBLOCK LNB 4.3"

Universal 23 mm monoblock LNB for the reception of Astra 1 and Astra3 on one receiver. It works optimal with an 80 cm, but also with a 60 cm dish.

- Theoretical signal/noise ratio: 0.3 dB
- Diseqc Version: V2.0
- Adaptor ring: 23/40 mm
- Frequency range: 10.7 - 12.75 GHz

LNB-ASTRABLOCK



GOLDEN INTERSTAR TWIN LNB

- Universal 40 mm twin LNB
- Signal/noise ratio: 0.2dB
- Input Frequency: 10.7 - 12.75 GHz

LNB-GI202



KÖNIG TWIN MONOBLOCK LNB 4.3"

Universal 23 mm twin monoblock LNB for the reception of Astra 1 and Astra3 on max. two receivers. Use an 80 cm dish for an optimal result, but a 60 cm version is also compatible.

- Theoretical signal/noise ratio: 0.3 dB
- Diseqc version: V2.0
- Adaptor ring: 23/40 mm (incl.)
- Frequency range: 10.7 - 12.75 GHz

LNB-ASTRATWIN



STEEL DISH

Steel dish with LNB-holder (23 en 40 mm).

SAT-60



KÖNIG QUAD MONOBLOCK LNB 4.3"

Universal 23 mm quad monoblock LNB for the reception of Astra 1 and Astra3 on max. four receivers. Use an 80 cm dish for an optimal result, but a 60 cm version is also compatible.

- Theoretical signal/noise ratio: 0.3 dB
- Diseqc version: V2.0
- Adaptor ring: 23/40 mm (incl.)
- Frequency range: 10.7 - 12.75 GHz

LNB-ASTRAQUAD



HQ DISEQC SWITCH 2/1



DiSEqC-Switch with 2 Inputs and 1 Output for reception of 2 satellites for 1 satellite receiver.

- DiSEqC Version: 2.0
- Type: 2-way (A/B)
- Freq. range: 950-2300 MHz
- Isolation: > 35 dB
- Insertion loss: max. 2 dB

SAT-SWITCH10



HQ DISEQC SWITCH 4/1



DiSEqC-Switch with weathercap. The switch has 4 Inputs and 1 Output for reception of 4 satellites for 1 satellite receiver.

- Model: Standard
- DiSEqC Version: 2.0
- Type: 4-way (A/B/C/D)
- Freq. range (MHz): 950~2300

SAT-SWITCH20W



KÖNIG MONO MODULATOR



Mono RF modulator which distributes an audio and video signal into the UHF band of your TV-set. The selection of the UHF channel can be done via 8 micro switches on the lower side of the housing. A test generator is built-in.

- PLL modulator
- RF output: 70 dB μ V
- Frequency range: Channel 21-69
- Standard: PAL G

SAT-MOD1



HQ SATFINDER



Satellite signal strength meter for positioning satellite dishes.

- Frequency range from 950 MHz to 2050 MHz
- Audible indication
- Power supply by SAT receiver

SATFINDER-HQ



SEMI-PROFESSIONAL SATMETER

The semi-professional satmeter can be used as stand-alone meter with powering the LNB as well as in loop through operation with satellite RX powering the LNB.

- Switches for measuring horizontally or vertically signals
- 22 KHz signal for choosing high or low band signals
- With rechargeable batteries
- Battery test
- Frequency range : 950-2150 MHz



SATMETER10

KÖNIG CATV F-SPLITTER

Splitter in a zinc diecast housing, nickel plated.

Freq. range: 5 - 1000 MHz



Ordercode: **FC-2SPLT-KN** **Type:** 1x in - 2x out **Loss in/out:** 5-1000 MHz **Qty:** 3.7 - 4.2 dB

FC-3SPLT-KN 1x in - 3x out 5-1000 MHz 5.7 - 6.8 dB

FC-4SPLT-KN 1x in - 4x out 5-1000 MHz 7.0 - 8.0 dB



KÖNIG SATELLITE F-SPLITTER

Splitter in a zinc diecast housing with satellite DC-power pass, nickel plated.

Freq. range: 5 - 2400 MHz



Ordercode: **FC-2SPLT-ST-KN** **Type:** 1x in - 2x out **Loss in/out:** 5-2400 MHz **Qty:** 4.5 - 6.5 dB

FC-3SPLT-ST-KN 1x in - 3x out 5-2400 MHz 6.0 - 10.5 dB

FC-4SPLT-ST-KN 1x in - 4x out 5-2400 MHz 10.0 - 11.5 dB



KÖNIG FM/TV INDOOR ANTENNA

Indoor aerial with a built-in amplifier and an adjustable dish.

- Frequency range: 40 - 862 MHz
- Reach: VHF 20dB, UHF 36dB
- Reach control: 30 dB
- Noise figure: 6 dB
- Max output level: 100 dB µV
- Power: 12VDC or 220VAC




ANT-102-KN



KÖNIG UHF ANTENNA

König antenna for the reception of UHF signals. Suitable for DVB-T signals.

- Channels: 21-69
- Impedance: 75 Ohm
- Connector: F-type
- Gain: 15dB



ANT-UHF20-KN



END TYPE WALLBOX

Coax walloutlet socket (endbox), FM and TV outputs. Supplied with distance frame and cover.



CX WALLBOX2



END TYPE WALLBOX TV/FM/SAT

Coax wall outlet socket/socket with tap. FM, TV and Satellite (F) outputs. Delivered with wall plate and cover.



CX WALLBOX3



Coaxial cable especially suitable for 100 hertz Televisions



Ordercode:	Length:	Colour:
CX100 1.5/B	1.50 m	White
CX100 1.5	1.50 m	Black
CX100 2.5	2.50 m	White
CX100 2.5/B	2.50 m	Black
CX100 10.0	10.0 m	White



KÖNIG MP3 PLAYER USB 2.0



- 1 GB internal memory
- USB 2.0 High speed
- MP3, WMA
- ID3 tag support
- Digital Voice Recording

MP3-PLAY32/1GB



New

KÖNIG DIGITAL VOICE RECORDER

Voice recorder with Voice Activated Recording Function.

- Two voice directories and one remind message directory with each directory capable of up to 127 voice messages
- Selected playing pause, single message, all messages delete
- Repeat from any point: repeat, follow and compare
- Recording time and recording time traceable (date, hour, min)
- VOR (voice activated recording function)
- 5 Levels recording sensitivity control
- Four-grade battery level display with low-level alarming
- Hold key function



DMR-STICK4



KÖNIG PORTABLE MP3 SPEAKER SET

The connection of a MP3 player is very easy thanks to the short cable with the 3.50 mm plug. The MP3 player can be placed in the small bucket on the front.



MP3-SP10



iPOD Docking Station



- Makes charging and synchronizing easier than ever
- With stereo line out for simple connection with active speakers or a stereo system
- Suitable for iPod® / iPod® mini / iPod® Video, iPod® Nano 1st and 2nd generation
- Easy to use

IPD-DOCK10



KÖNIG 4-IN-1 RACING WHEEL

Racing wheel for the Playstation® 2 and PC.

- Dual vibration
- Full analogue foot pedals
- Programmable steering angle
- Programmable button configuration
- Compatible with Windows® 95/98, ME, NT, 2000 and XP



GAME-WHEEL10



KÖNIG UNIVERSAL WIRELESS CONTROL PAD

2.4 GHz Wireless controller for both XBOX®, PS2™ as Game Cube™

- 2 Analogue shoulder trigger buttons
- 8-Way analogue D-Pad
- 2 Built-in vibration-motors



GAME-WCONT20



New

KÖNIG CHARGE STATION FOR SINGLE PS3 CONTROLLER

This control pad charging station has a multi-colour LED light on the front and back of the charging dock. It includes a USB cable.



GAMPS3-CHARGES



New

KÖNIG EXTERNAL COOLING FAN FOR PS3

Keep your PlayStation 3 cool for better performance and longer lifespan. This cooler keeps the temperature low by using 3 high speed fan which have speed control. The fan is powered via USB.



GAMPS3-FAN



New

KÖNIG XBOX360 PLAY AND CHARGE KIT

Instantly charge your XBOX360 gamepad without stop playing. The battery will be charged during playing a game, plug the cable into the console and the controller and the battery will be charged. A 2100mAH is included.



GAMX360-POWSET



New

KÖNIG LIVE HEADSET SUITABLE FOR XBOX 360™

This headset is easy to use, just plug it into your controller. The light-weight construction makes it comfortable to wear.



GAMX360-HSET10



New

KÖNIG WII MOTE CHARGE STATION WITH BATTERY

Make sure your controller stay charged so you can keep on playing! This charging station can charge 1 Wii™ remote controller via USB. The 1200mAH battery enables hours of playing time.



GAMWII-CHARGES



New

KÖNIG SPORTS PACK FOR WII™

Picture yourself on a tennis court, baseball field, golf court or in a race car! With this sports pack it is all possible. Connect right before playing one of the supplied attributes and experience these sports for real in your own living room.

- Tennis racket
- Golf club
- Baseball bat
- Racing wheel



GAMWII-SPORTK1

