

# Index

- acoustic emission 328, 391
  - bearing pad welds 337
  - detection of yield point 330
  - end cap welding 335
  - miniature disc bend test 328
  - monitoring of hydrotesting 390, 395
  - on-line monitoring 330, 331, 332, 391, 393
  - resistance spot welding 392
  - spacer pad welding 336
- advanced eddy current techniques 374
  - characterization of defects 377
  - eddy current imaging 375
  - impedance imaging 377, 378
  - impedance imaging system 376
  - weld centre line 377
- alloy 718 84
  - transformation (TTT) diagram 84
- aluminium and alloys 67, 286
  - AC welding 286
  - Al-Mg fillers 286, 287
  - composition 69
  - electron beam welding 71
  - GMAW 71
  - GTAW 70
  - hot shortness cracking 286
  - intergranular cracking 286
  - mechanical properties 69
  - physical properties 67
  - preheating 286
  - pressure welding 71
  - pre-weld cleaning 286
  - types and grades 68
- aluminium base alloys to steels 109
  - solid state welding 110
- aluminium bronze 91
  - hot cracking 91
  - martensitic transformation 92
- austenitic stainless steel 37, 284, 346
  - $Cr_{eq}/Ni_{eq}$  ratio 37
  - delta-ferrite control 284
  - fully austenitic grades 44
  - interpass temperature 284
  - nitrogen-added grades 44
  - post-weld heat treatment 46
  - stress relief cracking 44
  - welding process selection 348, 349
  - welding stabilized grades 43
- bend tests 360
  - face bend 361
  - guided bend test jig 361
  - root bend 361
  - side bend 361
  - wrap-around jig 361
- bonding 2
  - Coulombic force 1, 3
  - covalent 2
  - ionic 2
  - metallic 2
- brass and nickel silver 92
  - hot shortness cracking 93
  - zinc fuming 93
- butt weld configurations 237
  - joint terminology 237
- carbon steels 32, 282, 345, 346
  - heat treatment cycle 346
  - low hydrogen procedures 282
  - post-weld stress relieving 282
  - stress relieving 32
  - weldability and carbon content 282
  - welding consumables 345, 346
- cast iron 30
  - electrodes for 31
- Charpy V-notch impact test 362
  - test specimen 363
  - transition curve 363
- C-Mn steels 32
  - effect of steelmaking process 32
  - cooling time ( $t_{8/5}$ ) 24
  - $t_{100}$  26
- coated electrodes 125, 128
  - cast iron 131
  - cellulosic 129

- coating materials 126
- development 125, 126
- iron powder 129
- rutile 129
- stainless steel 131
- storage and handling 132
- cobalt base alloys to steel joints 109
- code design approach 292, 306
  - ASME Section VIII Div. 1 292
  - joining unequal thickness 301
  - joint efficiency 296, 297
  - nozzle-shell junction 301, 302, 303
  - section thickness 295
  - weld stress formulae 294, 295
- copper 90
  - oxygen free (OFHC) 90
  - phosphorus deoxidised 90
  - steam reaction 90
  - tough pitch copper (ETP) 90
- copper alloys, age-hardenable 93
  - beryllium oxide toxicity 94
- copper base alloys 87
  - classification 87
  - joint designs 95
  - PWHT 95
  - shielding gases 94
  - thermit welding 94
  - welding characteristics 88, 89
  - welding practice 94
- copper base alloys to steels 109
  - filler metals 109
  - preheat temperatures for GTAW 109
- copper-nickel 93
  - hot cracking 93
- corrosion 183
  - corrosion cell 184
  - electrochemical reactions 183
  - factors influencing 184
  - manifestations 184
- corrosion of weldments 192
  - austenitic stainless steel welds 199, 200
  - effect of microsegregation 196
  - effect of microsegregation 196
  - effect of residual stresses 209
  - effect of secondary phases 205, 206
  - effect of transformation in SS weld metal 208, 210
  - effect of weld defects 194
  - HAZ corrosion in Cr-Mo steels 211
  - preferential attack in multiphase weld metal 198
  - unmixed zone 192, 193
- creep test 365
  - ASTM E 139 366
  - creep test curve 366
- Cr-Mo steels 33–36
  - delta-ferrite 33
  - reheat cracking 33
  - temper embrittlement 33
  - type IV cracking 34
- diffusion welding 169
  - variables 170
- dished ends 324
  - intergranular SCC 323
  - residual stresses in 324
- dissimilar metal welding 97, 302, 303
  - buttering 102
  - carbon migration 104
  - coefficient of thermal expansion (CTE) 100, 302, 303
  - corrosion resistance 105
  - dilution 98
  - effects of residual stresses 105
  - filler metal selection 101
  - joint design 103
  - joint integrity 97
  - melting temperatures 99
  - oxide notches 105
  - preheat and PWHT 103
  - problems in 97
  - service considerations 103
  - thermal conductivity 100
  - welding processes 100
- dissipation of welding heat 10
  - conduction 10
  - peak temperature 10
  - thermal cycles 10
- drop weight test 365
  - ASTM E 208 364
  - RT-NDT 364
- duplex stainless steels 55
  - austenite reversion 62
  - CCT diagram 61
  - compositions 55
  - corrosion resistance 56
  - chromium nitride precipitation 65
  - ferrite control 62
  - ferrite-austenite balance 60
  - pitting resistance equivalent 64
  - preheat and interpass temperature 61
  - PWHT 63
  - welding consumables 63

- welding procedures 60
- welding processes 63
- eddy current testing 232
  - ANN analysis 378
  - discontinuities detected 234
  - exciting current 233
  - on-line 378
  - principle and procedure 233
  - sorting of welding consumables 235
  - test coil 233
  - variables influencing, 234
- edge preparation 352, 353
  - clad repairs 353
  - nozzle to shell welds 352
- effect of magnetic field 7
  - arc deflection, arc blow 7
  - residual magnetism 8
- electrode polarity 6
  - DCEP, DCEN 6, 7
- embrittlement of SS welds 45
  - effect of weld composition 45
  - sigma phase 45
- energy input and distribution 8, 9
  - energy loss 8
  - transfer (arc) efficiency 9
- environment-sensitive cracking 188
  - corrosion fatigue 191
  - effect of applied potential on SCC 203
  - effect of delta ferrite on SCC 203
  - effect of heat input on SCC 206
  - effect of media on SCC of austenitic SS 221
  - factors influencing SCC 189
  - hydrogen damage 191
  - hydrogen embrittlement (HE) 190
  - mitigation of HE 191
  - stress corrosion cracking (SCC) 189
- failure analysis 324, 325
  - dished ends 324
  - metallic bellows 325, 326
- fatigue performance 296
  - acceptable weld profile 299
  - effect of offset ratio 299
  - effect of reinforcement bead angle 299
- fatigue test 365
  - S-N plot 366
- ferritic stainless steels 48, 284
  - 475°C embrittlement 50, 285
  - austenitic filler (use of) 285
  - compositions 49
  - filler material selection 52
  - gaseous contamination 285
  - impact transition temperature 50
  - intergranular corrosion 52
  - notch toughness 52
  - phase diagram 49
  - post-weld annealing 52, 285
  - sigma phase 51
- field NDE of components 269
  - angular T-joint 275
  - annular gap measurement 273, 276
  - measurement of liquid level 276
  - multi-wall image techniques 273
- fitness-for-purpose 225, 304
- flash butt welding 163
  - variables 164
- flux coating 128
  - functions 128
- foil butt seam welding 163
- friction welded products 165
  - dissimilar metal joining 167, 168
  - similar metal joints 165
- friction welding 164
  - applications 164, 166
- gas metal arc welding (GMAW) 116
  - arc self-regulation 119
  - equipment and current source 117
  - power source characteristic 118
  - wire melting characteristics 117, 118
- gas tungsten arc welding (GTAW) 134, 135
  - AC waveforms 144
  - AC welding 143
  - back purging 146
  - DC pulsed welding 141
  - effect of polarity 142
  - high frequency start 146
  - power source characteristics 140
  - shielding gases 145
  - tungsten electrodes 137
  - welding torches 136
- good engineering practices 306
  - fabrication rules 306
  - inspection assessment 306
- GTAW variables 146
  - arc current 147
  - arc voltage 147
  - automatic welding 148
  - defects 150
  - machine welding 148
  - manual welding 148

- travel speed 148
- weld preparation 149
- wire feed 148
- halogen leak detectors 257
  - halide torch 258, 259
  - heated anode 258, 259
  - SF<sub>6</sub> detectors 257, 260
  - thermal conductivity detector 259, 260
- hardness test 360
  - hardness traverse 360
- heat affected zone 19
  - hardenability 21
  - lower/upper critical temperature 19
  - microstructure 19
  - prior austenite grain size 21
  - sub-zones 19
- heat-treatable aluminium alloys 72
  - aging, natural and artificial 72
  - Al-Zn-Mg 72
- hot cracking 15
  - interfacial energy ratio 16
  - shrinkage stresses 15
  - wetting angle 16
- hot cracking in duplex SS 64
  - effect of Cu and P 64
- hot cracking in Ni alloys 83
  - constitutional liquation of NbC 83, 84
  - gamma-Laves eutectic 83
- hot cracking in stainless steels 40
  - evaluation criteria 43
  - ferrite number 41
  - mechanisms 40
  - relation to  $Cr_{eq}/Ni_{eq}$  ratio 41
  - relation to P+S content 41
  - self-restraint tests 43
  - tests for 42
  - types 40
  - Varestraint test 42
- hot cracking in steels 22
  - HCS, UCS parameters 23
- HSLA steels 32, 33
  - local brittle zones 33
  - softening of the HAZ 33
- hydrogen-assisted cracking 23
  - carbon equivalent 24
  - diffusible hydrogen 24
  - Graville Diagram 26
  - hardness control approach 24
  - hydrogen control approach 25
  - minimum preheat temperature 26
  - restraint factor 26
  - sources of hydrogen 23
  - tests for 27
    - weld metal 33
- hydrostatic pressure test 265
  - pneumatic testing 265
  - venting 265
- infrared thermography 331
  - end cap welds 336
  - resistance spot welds 334
  - temperature profiles 331
- intelligent welding system 332
  - expert systems 337
  - narrow gap welding 333
- interfaces in welding 2
  - adsorbed layers 4
  - contaminants 4
  - theoretical strength 3
- joining methods 1
- lamellar tearing 27
  - through-thickness ductility 28
- leak test methods 254
  - bubble emission techniques 255
  - minimum detectable leakage rates 266
  - ultrasonic leak detection 257
  - vacuum box technique 257
  - vacuum retention test 256
- leak testing of systems 266
  - major tanks and vessels 267
- leak test methods 254
  - pressure change method 254
- leak testing 253, 264
  - calibration standards 264
  - instrument calibration 264
  - leak 253
  - leak rate 253
  - system calibration 265
  - test sensitivity 253
  - units 253, 254
- leak testing of systems 266
  - large volume piping system 266
- leak types 254
  - real leak 254
  - virtual leak 254
- liquation cracking 17
  - grain boundary migration 17
  - partially melted zone 17
- liquid penetrant inspection 227

- developer, types 228
- fluorescent penetrant systems 228, 229
- fluorescent penetrants 228
- penetrant, types 227
- types of developers 228
- types of penetrants 227
- variables 228
- localised corrosion 187
  - crevice corrosion 187
  - effect of heat input 204
  - effect of nitrogen content 205
  - intergranular corrosion 192
  - pitting corrosion 187
- low alloy steel welding 283
  - post-weld stress relieving 283
  - preheat 283
- low hydrogen electrodes 130, 133
  - coating properties 133
  - mechanical properties 134
  - rebaking 134
  - running properties 133
- magnetic Barkhausen noise analysis 317
  - assessment of PWHT 317, 318, 319
  - identification of weld zones 323
- magnetic particle testing 229
  - circular magnetization 230
  - continuous magnetisation 230
  - demagnetisation methods 232
  - demagnetization 232
    - leakage field 229
  - magnetisation current 230
  - magnetisation methods 230
  - magnetization current 230
  - magnetization methods 230
  - prod contact method 231
  - prod contacts 231
  - residual magnetisation method 230
  - skin effect 230
  - use of yoke 231
  - weld inspection 231
  - yoke, positioning 231
- maraging steels 283
  - cleaning procedures 283
  - role of fit-up 284
  - post-weld ageing 35
- martensitic stainless steels 286
  - preheat temperatures 286
  - compositions 53
  - filler materials 54
  - preheat and PWHT 55
  - transformation temperatures 54
  - welding procedures 54
- mass spectrometer leak detection 260, 261
  - accumulation testing 263, 264
  - bell jar method 261, 263
  - detector probe 261
  - helium bombing 262, 263
  - hood method 261, 262
  - tracer probe 261
- mechanical tests 355
  - ANSI/AWS B4.0 355
  - ASTM A 370 355
  - bend tests 361
  - Charpy V-notch impact test 362, 363
  - creep test 366
  - drop weight test 365
  - fatigue test 365
  - hardness test 360
  - plain strain fracture toughness test 363
  - spot welds (for) 359
  - tension shear test 357, 358
  - tension test 356
- metal transfer modes in GMAW 119
  - globular transfer 121, 122
  - short circuit transfer 120
  - spray transfer 122, 123
- metallic bellows 325
  - stress relieving 326
- microsegregation 14
  - effect of convective mixing on 15
  - effect of solid diffusion on 15
  - equilibrium phase diagram 14
  - growth morphologies 14, 15
  - partition coefficient 14
  - partitioning 14
- miniature disc bend test 328
  - load-deflection curve 329
  - offset ratio 299
  - secondary bending stress 299
  - stress magnification factor 299
- NDT of welded components 224
  - defects 224
  - fitness for purpose 225
  - imperfections 224
- nickel base alloys 79
  - classification 79
  - filler metals for 81
  - joint designs 86
  - oxide removal 287
  - precipitation-hardenable 82

- process selection 85
- PWHT 86
- shielding gases 85
- solid solution alloys 80
- weld defects 86
- welding practice 85
- nickel base alloys to steel joints 107
  - filler metals 108
- nickel steels 34
  - consumables for 34
- non-destructive tests 225
- on-line monitoring 330, 331, 332
  - acoustic emission 330
  - ANN analysis 333
  - end cap welding 335
  - infrared thermography 331, 332
  - resistance spot welds 333
  - ultrasonic measurements 332
- phosphor (tin) bronze 92
  - hot cracking 92
- plane strain fracture toughness 363
  - ASTM E 399 364
  - compact tension test 364
- prediction of delta-ferrite 39
  - DeLong diagram 39
  - Schaeffler diagram 39
  - WRC-92 diagram 39
- process variables in GMAW 123
  - arc voltage 124
  - cold lapping 124
  - electrode extension 124
  - shielding gas 125
  - welding current 123
  - welding speed 124
- projection welding 162
  - products 162
  - testing 162
- quality and reliability 304, 306
- quality assurance 224, 248
  - QA programme 248
  - quality 248
- quality control 278
  - after welding 281
  - before welding 280
  - during welding 280
  - fitness for purpose 279
  - role of joint design 281, 282
  - workmanship standard 279
- radiographic exposure techniques 244–247
  - double wall penetration 245, 247
  - single wall penetration 244, 246
- radiographic testing 238
  - ASTM E-142 242
  - ASTM E-99 242
  - butt welds 244
  - corner joints 245
  - defect evaluation 243
  - defect evaluation 243
  - double wall penetration 245, 247
  - encapsulated source 241
  - fillet welds 244, 245
  - film viewing 243
  - film viewing 243
  - geometric factors 240
  - geometric factors 240
  - industrial X-ray film 242
  - industrial X-ray films 242
  - lap joints 245
  - penetrameters 242
  - principle and procedure 238, 239
  - radiographic sensitivity 242
  - radiographic sensitivity 242
  - radioisotope camera 241
  - single wall penetration 244, 246
  - sources 241
  - sources in radiography 241
  - various joint configurations 244
- radiography, high resolution 370
  - detection of porosity 374
  - image processing 374
  - on-line fluoroscopy 372
  - radiography system 373
  - radiography, real time 372
  - resolution 372
  - rod anode X-ray head 372
- reheat cracking 28
  - susceptibility parameters 29
  - methods to reduce 29
  - butter-bead temper bead technique 325
  - half-bead technique 326
- residual stress assessment 396
  - acoustic Barkhausen noise 396
  - hole drilling technique 397, 400
  - magnetic Barkhausen noise 396
  - ultrasonic velocity 396, 399, 400
  - X-ray diffraction 397
  - non-destructive techniques 396
- residual stresses in welds 172
  - basic mechanism 172

- effect on fracture 178
- effects on fatigue strength 178
- effects on performance 178
- environmental effects 178
- measurement 182
- types 173
- typical stress distributions in plates 174
- weld residual stresses, origin 173
- residual stresses, factors influencing 174
  - component dimensions 175
  - differential cooling 176
  - material properties 174
  - phase transformations 176
  - shrinkage 175
  - sources of 175
- residual stresses, methods to reduce 179
  - mechanical methods 179
  - monotonic overload 180
  - thermal stress relief 181
  - vibratory stress relief 180
- resistance welding 157
  - heat generation 157
- resistance welding machines 157
  - classification 158
  - flash butt welding 158
  - machine selection 158
  - projection welding 158
  - seam welding 158
  - spot welding 158
- resistance welding process 159
  - automation 160
  - sequence timers 160
  - synchronous controls 160
- safety in GTAW 150
  - fume hazard 150
  - radiant energy hazard 151
- seam welding 162
  - testing 163
- sensitisation in the HAZ 212
  - carbide precipitation in SS 213, 214
  - CCS diagram 215
  - effect of heat input 212
  - effect of thermal cycles 212
  - elemental effects on kinetics 219
  - EPR technique 217
  - mitigation techniques 220
  - TTS diagrams 214
- silicon bronze 91
  - hot cracking 91
- solidification mode 38
  - relation to  $Cr_{eq}/Ni_{eq}$  ratio 39
- spot welding of sheets 160
  - dial indexing table 160
  - quality control 161
  - spot welded products 161
  - testing 161, 358, 359
- stainless steel to carbon steel joints 106
  - difference in CTE 106
  - filler metal selection 106
  - use of transition piece 107
- stainless steels 284
  - carbon pickup 284
- steel welds 22
  - cold cracking 23
  - hot cracking 22, 23
  - liquation cracking 22
- strain age embrittlement 30
  - Al content 30
- strain-age cracking in Ni alloys 83
  - effect of Al and Ti content 83
- submerged arc welding, SAW 151
  - flux feed and recovery systems 154
  - power sources 153
  - weld defects 156
  - welding head mounting 152, 153
  - welding set-up 152
  - welding variables 154
  - wire feed system 152
- super-austenitic grades 46
- temper embrittlement 30
  - J factor 30
- tension tests 356
  - all-weld-metal test 356
  - cross-tension test 359
  - for spot welds 358
  - longitudinal weld test 357
  - peel test 360
  - tension-shear test 357, 359
  - transverse weld test 357
- titanium alloys 73–75, 287
  - basket weave alpha 78
  - CCT diagram 77
  - classification by strength 74
  - classification by structure 74
  - effect of impurities 73
  - embrittlement 287
  - hot cracking 78
  - normalised strength 75
  - phase diagram 76
  - post-weld cleaning 288

- precautions in welding 75
- pre-weld cleaning 287
- PWHT 77
- side-plate alpha 78
- tube-tubesheet weld joints 315, 316
  - microfocal radiography 316
- ultrasonic examination 235–240, 307
  - acoustic anisotropy 237
  - advanced signal analysis 307–9
  - angle beam examination 238, 239, 240
  - autopower spectra 312, 314
  - characteristics of ultrasonic waves 236
  - demodulated autocorrelogram 310
  - digital signal analysis 313
  - end plug weld 313
  - fuel pin 312, 313
  - inspection system 235
  - normal beam examination 240
  - scanning techniques 237
  - spectral analysis 311
  - tandem technique 238
  - test techniques 237
  - transducers 235
  - transducers and probes 236
  - typical defect patterns 239
- ultrasonic techniques 379
  - EMAT 387
  - EMATs for fatigue cracks 389
  - SAFT 380, 381
  - SAFT for tee joint 382, 383
  - synthetic aperture focusing technique 380, 381
  - time of flight diffraction 384
  - TOFD 384
  - TOFD compression wave 387
  - TOFD for end cap weld 385
  - TOFD shear wave 386
  - TOFD single probe 386
- ultrasonic testing of welds 237
  - detecting the weld centre line 238
  - double probe technique 238
  - joint configurations 237
  - single probe technique 238
  - single vee joint 239
  - various joint configurations 240
- ultrasonic velocity measurement 321
  - for assessment of PWHT 322
  - ultrasonic imaging 322
  - weld profile 322
- ultrasonic wave characteristics 235
  - longitudinal waves 235
  - surface waves 235
  - transverse waves 235
- ultrasonic waves 236
  - longitudinal waves 236
  - Rayleigh waves 236
  - transverse waves 236
- ultrasonic welding 169
  - applications 169
  - uniform corrosion 184
    - corrosion rate 185
    - erosion corrosion 188
    - galvanic corrosion 185
    - galvanic series 186
    - leaching or dealloying 188
  - unmixed zone 192, 193, 202, 204
    - effect of welding process 193
    - in multipass welds 193
    - preferential attack 204
- visual inspection 225
  - borescope 226
  - borescope 226
  - CCD camera 225
  - endoscope 226
  - endoscope 227
  - flexible borescope 227
  - flexible fibre-optic borescope 227
  - microscope 226
  - microscope 226
  - optical aids 226
  - optical aids for 226
- visual techniques 368
  - internal curvature of tubes 369
  - replica 369
  - videomagescopy 369
- weld cladding 110
  - application considerations 111
  - composition control in overlays 111
  - dilution 112
  - stainless steel filler metals 111
- weld cladding processes 113
  - alloy addition through flux 113
  - electroslag overlaying 114
  - flux-cored wire 114
  - metal powder addition in SAW 113
  - other nonferrous overlays 115
  - plasma hot wire process 114
  - SAW 113
  - solid state cladding 115
  - tubular wire in SAW 113



- weld defects 224
- weld discontinuities 297
  - classification 297
- weld imperfections 224
- weld joint design 289
  - design rules 292
  - joint and groove designs 291
  - objectives 289
  - role of designer 289
- weld joint zones 11
- weld penetration 17
  - convective flow mechanisms 17, 18
  - effect of surface active elements 17, 18
  - improvement 17, 18
- weld puddle shape 11, 12
  - effect of welding speed 12
- weldability 30
- welder performance qualification 251
  - renewal of 252
- welding arc 5
  - regions 5
  - temperature distribution 5
  - voltage distribution across 5
  - volt-ampere characteristic 6
- welding consumable qualification 249
  - qualification tests 249, 250
- welding consumables 342
  - ASME Section IIC 345
  - dissimilar welds 351
  - selection criteria 342
  - urea reactor 353
  - welded dished ends 351
- welding cost formulae 350
  - deposition rates 351
- welding procedure qualification 249
  - essential variables 251
- welding procedure qualification 249
  - supplementary essential variables 251
- welding processes 2
  - classification 2
- X-ray residual stress measurement
  - dished ends 324
  - repair welding procedure 326