QDCORD.COM





LEADING CALL CENTRE HEADSET CABLE SUPPLIER



As the leading Generic call centre headset cable supplier, we have over 20-year experience on design and manufacture professional and durable headset cables with perfectly compatible quick-disconnect (QD) plug in our own factory. All of our products are fully compatible with major headset brands in the world.

WHY CHOOSING US?

- QD-P or QD-G are fully compatible with major headset brands in the world
- High Durable Quality for Call Centre Use

 High durability is one of our key competitive edges. We have committed to design and build better industrial quality standard for manufacturing our own QD cord for contact centre agents.
- Full Product Range

 Different cable solutions are offered to be compatible with all major phone systems in the world.
- Tailor-Made for Customers

 Tailor-made or design is also provided for QD connectors and cables to all customers.
- International Quality Assurance

 All our products are following the international standards of related regulations.

HOT ITEMS

1 ML 504 USB Adapter

P-QD

G-QD



Part Number # 680504-20 / 680504-30 USB Adapter w/ Call control, Mute and Volume control buttons Cable Length: 1.8M Diameter: 0.26mm

Designed for MS Lync® System

2 connexx PHS Intelligent Cord

P-QD



Part Number # 220882-30 Coiled Cord w/ QD Mute Switch to RJ9 Mod Plug Cable Length: 2M Diameter: 25mm

S33 Training Box



Part Number # 640020 S33 Training Box w/ Rec Jack

Support 2 Headset Jack w/ Mute & Vol.

connexx i12 Intelligent Cord







Part Number # 220800-20 / 220800-30 Coiled Cord, w/ QD to RJ9 Mod Plug Cable Length: 1.8M Diameter: 25mm

Universal cord for different phone system

Equivalent to: GN 1200

connexx i16 Intelligent Cord





Part Number # 202860-20 Coiled Cord, w/ QD to RJ9 Mod Plug Cable Length: 1.8M Diameter: 25mm

Designed for Avaya 16xx / 96xx Series

Equivalent to: GN 1216

1 USB Adapter

1. ML 504 USB Adapter



Part Number # 680504-20 USB Adapter w/ Call Control, Mute and Volume Control Buttons

Cable Length: 1.8M Diameter: 0.26mm

Designed for MS Lync® System

2. ML 504 USB Adapter





Part Number # 680504-30 USB Adapter w/ w/ Call Control, Mute and Volume Control Buttons

Cable Length: 1.8M Diameter: 0.26mm

Designed for MS Lync® System

3. XX 503 USB Adapter



Designed for UC Communication

4. XX 503 USB Adapter



Part Number # 680503-30 USB adapter w/ Mute Switch and Volume control Button Cable Length: 1.8M Diameter: 0.26mm

Designed for UC Communication

5. 101A USB Adapter



Part Number # 680109-20 USB Adapter w/ QD Volume Control Button Cable Length: 1.8M Diameter: 0.26mm

Designed for VoIP Communication

6. 101A USB Adapter





Part Number # 680109-30 USB Adapter w/ QD Volume Control Button Cable Length: 1.8M Diameter: 0.26mm

Designed for VoIP Communication

2 Intelligent Cord

1. connexx i12 Intelligent Cord



Part Number # 220800-20 / 220800-30 Coiled Cord. w/ QD to RJ9 Mod Plua Cable Length: 1.8M Diameter: 25mm

Universal cord for different phone system

Equivalent to: GN 1200





i12 Setting Table - the 8 switch positions and corresponding telephone system

Switch Position Mod Plug Wiring		Matching Telephone System	Amplified Microphone
1	M-, R, R, M+	Standard	No
2	R, M-, M+, R	Cisco IP Phone 79xx series	No
3	R, M+, M-, R	Ascom office and Phillips phones	No
4	M+, R, R, M-	Japanese phones, NEC, Nitsuko	No
5	R, R, M+, M-	Plantronics Vista Base	No
6	M+, R, R, M-	Panasonic phones with modular plug	Yes
7	M-, R, R, M+	Nortel digital phones and AVAYA IP phones	Yes
8	R, M-, M+, R	AVAYA Callmaster V and VI, Cisco IP phones 79xx series	Yes

2. connexx i16 Intelligent Cord





Part Number # 220860-20 Coiled Cord, w/ QD to RJ9 Mod Plug Cable Length: 1.8M Diameter: 25mm

Designed for Avaya 16xx / 96xx Series

Equivalent to: GN 1216





2 Intelligent Cord

1. connexx PHC Intelligent Cord





Part Number # 220877-20 / 220877-30 Coiled Cord w/ Coiled Cord to RJ9 Mod Plug Cable Length: 1.8M Diameter: 0.26mm

Designed for:

AVAYA 2410, 2420, 4406, 4412, 4424, 4406D+, 4412D+, 4424D+, 4424LD+, 4610SW, 4620, 4620SW, 4621SW, 5410, 5420, 5610, 5620, 6416D+M, 6424D+M

2. connexx PHS Intelligent Cord





Part Number # 220882-20 / 220882-30 Coiled Cord w/ QD Mute Switch to RJ9 Mod Plug w/ Mute Switch Button Cable Length: 1.8M Diameter: 0.26mm

Designed for:

AVAYA 1608, 1616, 9608, 9610, 9611, 9620, 9621, 9630, 9630G, 9640, 9640G, 9641, 9641G, 9650, 9650C, 9670, 9670G

3 Switch Box



Part Number # 640010 S22 Handset/Headset Switch Box w/ Rec Jack w/ Mute & Vol.



Part Number # 640020 S33 Training Box w/ Rec Jack

Support 2 Headset Jack w/ Mute & Vol.

4 Supervisory Cord / Y Cord

G-QD



Part Number # 202810-20 Straight Cord, Both Live (Tx & Rx) Cable Length: 1.3M Diameter: 0.26mm

Equivalent to: GN 8312-129





Part Number # 202810-30 Straight Cord, Both Live (Tx & Rx) Cable Length: 1.3M Diameter: 0.26mm

G-QD



Part Number # 202820-20 Straight Cord, Supervisor Side Mute Red Mark

Cable Length: 1.3M Diameter: 0.26mm

Equivalent to: GN 8312-009 (US GN Part # 2735 2101)





Part Number # 202820-30 Straight Cord, Supervisor Side Mute Red Mark

Cable Length: 1.3M Diameter: 0.26mm

G-QD



Part Number # 202880-20 Straight Cord w/ Mute Switch - Supervisor Side Cable Length: 1.3M Diameter: 0.26mm





Part Number # 202880-30 Straight Cord w/ Mute Switch - Supervisor Side Cable Length: 1.3M Diameter: 0.26mm

Equivalent to: PLT 27019-03

G-QD



Part Number # 201411-20 Coiled Cord (M-,R,R,M+) Cable Length: 1.8M Round Cable, Dia: 0.26mm

Equivalent to: GN 8800-01-01 / 1003945 VXI 201400 (QD1026G)

Supported phone system: Avaya / AT&T / Lucent 6400, 8400 Series Comdial SCS Impact Series Nortel Norstar M700 Series Nortel Meridian M2000, M3900, M5000, M8000, M9000 Series and other applicants





Part Number # 201411-30 Coiled Cord (M-,R,R,M+) Cable Length: 1.8M Round Cable, Dia: 0.26mm

Equivalent to: PLT 27190-01 (U10P) VXI 201797 (QD1026P)

Supported phone system: Avaya / AT&T / Lucent 6400, 8400 Series Comdial SCS Impact Series Nortel Norstar M700 Series Nortel Meridian M2000, M3900, M5000, M8000, M9000 Series and other applicants



Part Number # 201421-20 Coiled Cord (R,M-,M+,R)

Yellow Mark

Cable Length: 1.8M

Round Cable, Dia: 0.26mm

Equivalent to:

GN 8800-02 / 27361101 VXI 202722 (QD1029G)

Supported phone system: Avaya / AT&T / Lucent CallMaster V, VI, 500 AM Cisco 7900 Series





Part Number # 201421-30 Coiled Cord (R,M-,M+,R)

Yellow Mark

Cable Length: 1.8M Round Cable, Dia: 0.26mm

Equivalent to: PLT 26716-01(U10) VXI 201492 (QD1029P)

Supported phone system: Avaya / AT&T / Lucent CallMaster V, VI, 500 AM Cisco 7900 Series

G-QD



Coiled Cord (M+,R,R,M-)
Green Mark
Cable Length: 2M
Round Cable,Dia: 0.26mm

Part Number # 201441-20

Supported phone system: Japanese phones, NEC, Nitsuko Equivalent to: GN 8800-04

P-QD

Supported phone system:

Japanese phones, NEC, Nitsuko



Part Number # 201441-30 Coiled Cord (M+,R,R,M-) Green Mark

Cable Length: 2M Round Cable, Dia: 0.26mm

G-QD



Part Number # 201461-20 Coiled Cord (M+,M-,R,R)

Red Mark

Cable Length: 2M

Round Cable, Dia: 0.26mm

Equivalent to: GN 8800-06

VXI 202722 (QD1029G)

P-QD



Part Number # 201461-30 Coiled Cord (M+,M-,R,R)

Red Mark

Cable Length: 2M

Round Cable, Dia: 0.26mm

Cord item	Mod Plug Wiring	Label Mark	Matching Phone System
XX 01 Cord	M-,R,R,M+	No Mark	Stanard Phone, Nortel Meridian, Norstar N700, Siemens, Alcatel
XX 02 Cord	R,M-,M+,R	Yellow Mark	Avaya, Call Master V/VI, Cisco IP 79XX, Plantronics M12
XX 04 Cord	M+,R,R,M-	Green Mark	Avaya 16XX/96XX, Panasonic, NEC, Nitsuko
XX 06 Cord	M+,M-,R,R	Red Mark	

G-QD



Part Number # 207414-20 Coiled Cord (M-,R,R,M+) Cable Length: 4M Flat Cable: 2.4 x 4.8mm

Equivalent to: GN 8800-01-01 / 1003945 VXI 201400 (QD1026G)

Supported phone system: Avaya / AT&T / Lucent 6400, 8400 Series Comdial SCS Impact Series Nortel Norstar M700 Series

Nortel Meridian M2000, M3900, M5000, M8000, M9000 Series and other applicants

P-QD



Part Number # 207414-30 Coiled Cord (M-,R,R,M+) Cable Length: 4M Flat Cable: 2.4 x 4.8mm

Equivalent to: PLT 27190-01 (U10P) VXI 201797 (OD1026P)

Supported phone system:
Avaya / AT&T / Lucent 6400, 8400 Series
Comdial SCS Impact Series
Nortel Norstar M700 Series
Nortel Meridian M2000, M3900, M5000, M8000, M9000 Series and other applicants

G-QD



Part Number # 207424-20
Cable Coiled Cord (R,M-,M+,R)
Yellow Mark
Length: 4M Flat Cable: 2.4 x 4.8mm

Equivalent to: GN 8800-02 / 27361101 VXI 202722 (QD1029G)

Supported phone system: Avaya / AT&T / Lucent CallMaster V, VI, 500 AM Cisco 7900 Series P-QD



Part Number # 207424-30 Cable Coiled Cord (R,M-,M+,R) Yellow Mark

Length: 4M Flat Cable: 2.4 x 4.8mm

Equivalent to: PLT 26716-01(U10) VXI 201492 (QD1029P)

Supported phone system: Avaya / AT&T / Lucent CallMaster V, VI, 500 AM Cisco 7900 Series

G-QD



Part Number # 207444-20 Coiled Cord (M+,R,R,M-)

Green Mark

Cable Length: 4M Flat Cable: 2.4 x 4.8mm

Equivalent to: GN 8800-04

Supported phone system: Japanese phones, NEC, Nitsuko



Part Number # 207444-30 Coiled Cord (M+,R,R,M-)

Green Mark

Cable Length: 4M Flat Cable: 2.4 x 4.8mm

Supported phone system: Japanese phones, NEC, Nitsuko



Part Number # 207464-20 Coiled Cord (M+,M-,R,R)

Red Mark

Cable Length: 4M Flat Cable: 2.4 x 4.8mm

Equivalent to: GN 8800-06 VXI 202722 (QD1029G)





Part Number # 207464-30 Coiled Cord (M+,M-,R,R)

Red Mark

Cable Length: 4M Flat Cable: 2.4 x 4.8mm

Cord item	Mod Plug Wiring	Label Mark	Matching Phone System
XX 01 Cord	M-,R,R,M+	No Mark	Stanard Phone, Nortel Meridian, Norstar N700, Siemens, Alcatel
XX 02 Cord	R,M-,M+,R	Yellow Mark	Avaya, Call Master V/VI, Cisco IP 79XX, Plantronics M12
XX 04 Cord	M+,R,R,M-	Green Mark	Avaya 16XX/96XX, Panasonic, NEC, Nitsuko
XX 06 Cord	M+,M-,R,R	Red Mark	

6 Lower Cord - QD to Jack





Part Number # 201696-20 Striaght Cord, 1 x2.5mm Jack [3 Pole] Cable Length: 0.12M Diameter: 0.26mm





Part Number # 201696-30 Striaght Cord, 1x2.5mm [3 Pole] Cable Length: 0.12M Diameter: 0.26mm

G-QL



Part Number # 201691-20 Coiled Cord, 1x2.5mm Jack [3 Pole]

Cable Length: 1.5M Diameter: 0.26mm

Equivalent to: GN 8800-00-46 / 8800-01-46 VXI 201629 (QD1095G)



P-QD



Part Number # 201691-30 Coiled Cord, 1x2.5mm Jack

[3 Pole]

Cable Length: 1.5M Diameter: 0.26mm

Equivalent to: PLT 66527-01 VXI QD 1095P



6 Lower Cord - QD to Jack

G-QD



Part Number # 201736-20 Coiled Cord, 1x3.5mm Jack [3 Pole] Cable Length: 1.5M Diameter: 0.26mm







Part Number # 201736-30 Coiled Cord, 1x3.5mm Jack [3 Pole]

Cable Length: 1.5M Diameter: 0.26mm



G-QD



Part Number # 201746-20 Coiled Cord, 1x3.5mm Jack [4 Pole]

0-1-1-1

Cable Length: 1.5M Diameter: 25mm

Designed for iPhone / Samsung



P-QD



Part Number # 201746-30 Coiled Cord, 1x3.5mm Jack [4 Pole]

Cable Length: 1.5M Diameter: 25mm

Designed for iPhone / Samsung



7 Lower Cord - QD to PC

G-QD



Part Number # 201680-20 Coiled Cord, 2x3.5mm Jack [3 Pole] Cable Length: 1.5M Diameter: 25mm

Equivalent to: GN 8734-599 VXI 202911 (QD1030G)





Part Number # 201680-30 Coiled Cord, 2x3.5mm Jack [3 Pole]

Cable Length: 1.5M Diameter: 25mm

Equivalent to: PLT 28959-01 VXI 202687 (QD1030P)

8 Accessories

G-QD



Part Number # 260601-20 QD Mute Switch (QD to QD)

For Direct Connect Solution Cannot use in Y Cord

Equivalent to: GN 8855-00-00

P-QD



Part Number # 260601-30 QD Mute Switch (QD to QD)

For Direct Connect Solution Cannot use in Y Cord

G-QE





Part Number # 260828 QD Convertor (QD to QD)

QD Convert between G-QD to P-QD

Equivalent to: GN 01-0418 (P10)



Foam Ear Cushion Part Number # 280221 Foam Style, Big szie, Full cover (D=52mm)



Leatherette Ear Cushion Part Number # 280212 Donut Style, Big Size (D=52mm)



Foam Ear Cushion (Donut) Part Number # 280222 Foam / Donut Style, Big szie, Full cover (D=52mm) Suitable for H251



Microphone Foam Cover Part Number # 280201 Microphone Foam / Screen for professional headset



Clothing Clip Part Number # 280911 Attach wires to your clothing with this handy clip

QDCORD.COM





info@qdcord.com www.qdcord.com

