

SIA PERFO



AUTOMOTIVE BODY REPAIR PRODUCTS

ABRASIVES • POLISHING & COMPOUNDING • SEALANTS & ADHESIVES
FILLERS, PUTTIES & FIBRE GLASS • MIXING & SPRAYING
MASKING • CLEANING • HEALTH & SAFETY

FinishLine
Designed and developed by Abcon

RUPES®

Farécla

EVERCOAT

MONOPOL
Peintures - Paints - Pitture - Farben - VERT


DREUMEX

PFERD


sia


Jika


VIRTUS
M

Hilka



Our range of products for the automotive refinishing industry has expanded significantly in the last two years. We offer a complete finishing system which includes products from brands including:

FINISHLINE
EVERCOAT (Fillers)
VIRTUS & FARECLA (Polishing Compounds)
SIKA (Sealants)
RUPES (Sanders, Polishers and Dust Extraction)
MONOPOL (Commercial Paints)

We also supply all of the consumables that bodyshops use on a day-to-day basis. Whether you are sourcing peelable spray booth coating, mixing boards and cups, spreaders, masking tape, foam tape, spray guns, disposable suits, spill kits or anything else you can think of, we aim to be your one stop shop. These products along with a SIA range of Swiss abrasives to supplement our own manufactured products ensure that you will find all of your refinishing and detailing supplies with us.


FinishLine

AUTOMOTIVE BODY REPAIR COATINGS

Designed & Developed
by ABCON



FINISH LINE	
Body Fillers	6
Primers	7
Clear Coats	8
Ancillaries	9-11
New Products	12-13
Quick Change Discs	14
Abrasives	14-15



VELCRO DISCS
SIA1948 siaflex
SIA1950 siaspeed
SIA1947 blueline
SIA1815 siatop
Microfilm
SIA VELVET
SIA CARAT
SIA7900 sianet

16



EVERCOAT
Fillers, Putties, Stoppers and
Adhesives

26



SIKA
Sealers and Adhesives

30



VELCRO STRIPS
70 x 125 8 Holes
70 x 198 8 Holes
70 x 420 14 Holes
115x228 10/18 Holes

22



FARECLA
Polishing Compounds
WAX Protection

33




SANDPAPER & FLEECE
Sponged Sandpaper Roll
Emery & Sandpaper Rolls
Sanding Sheets
Fleece Pads & Rolls

24



VIRTUS
Polishing Compounds
WAX Protection

38



POLISHING HEADS 39
Compounding, Buffing,
Polishing Heads and
Backing Pads - M14



BACKING PADS & BLOCKS 43
5/16" & M8 Backing Pads
Foam Interface Pads
Pad Savers
Sanding Blocks



CLEANING PRODUCTS 45
Microfibre Towels & Tack Cloth
Applicator Pads
Spill Kits & Paper Rolls
Wipes & Rags



MIXING PRODUCTS 49
Mixing Borads & Spreaders
Mixing Cups & Leads
Paint Strainers



MASKING PRODUCTS 51
Tapes & Foam Tapes
Masking Tapes
Masking Paper & Film



SPRAY GUNS 56
Gravity Feed Spray Guns
Suction Spray Guns
Paint Gun Strainers



TECHNICAL AEROSOLS 57
Paint, Primers, Clear Coats,
Zinc Protection etc.



UNIPLAST 58
Hot Stapler & Staples



GENERAL ABRASIVES 60
Clean & Strip Tools
Cutting & Grinding Discs
File Belts & Mini Discs
Spindle Mounted Wheels
TC Burrs



WIRE BRUSHES 67
Wire Cup & Wheel Brushes
Spindle Mounted Wire Brushes
Spray Gun Cleaning Kit
Wire Brush Retail Displays



MACHINERY 70
Electric Sander & Polisher
Mini Pneumatic Tools
Air Orbital Sander
MBX Metal Blacter Kit



RUPES TOOLS 72
Pneumatic Tools
Electric Tools
Dust Extraction Systems
Rupes Big Foot Range



MONOPOL 79
Commercial & Industrial Paints
Cromatic Mixing System



OTHER PRODUCTS 80
Miscellaneous



HEALTH & SAFETY 82
Gloves & Gauntlets
Safety Glasses
Ear Defenders & Ear Plugs
Disposable Suits
Masks & Respirators



DREUMEX 86
Special, Plus & Classic Series
Hand Care & Protection
Hand Wipes
Dispensers

BODY FILLERS

Multi-Fill Multifunctional Putty



WORKING TIME: 3-5mins

DRYING TIME: 20min

SANDING: P120-320

Combines the deep filling properties of a fill-putty with the high surface quality of a finishing putty. Due to its excellent density it has very good shaping properties. It can also be used as a finishing putty, leaving a smooth surface without pores. Excellent sanding properties.

7400.10080 (1.8Kg)

Feather Sand Lightweight Putty



WORKING TIME: 4-6mins

DRYING TIME: 20-30min

SANDING: P120-320

Multifunctional lightweight putty. 25% lighter than standard putties. Very easy application and easy sanding, with no sand paper clogging. Good for larger surface areas.

7400.10085 (4.5Kg)

Glass Fibre Reinforced Putty



WORKING TIME: 3-5mins

DRYING TIME: 16-30min

SANDING: P120-320

Glass fibre reinforced putty for all deep filling and bridging works. Excellent sanding properties. Can be used on all applications.

7400.10075 (1.8Kg)

Multi Putty Universal Plastic Putty



WORKING TIME: 3-5mins

DRYING TIME: 16-30min

SANDING: P120-320

Multifunctional lightweight putty. 25% lighter than standard putties. Very easy application and easy sanding, with no sand paper clogging.

7400.10081 (500g)

7400.10082 (200g)

PRIMERS

SuperBuild
High Build 1K Acrylic Primer



DRYING TIME: 20-25min@20C°

FILM THICKNESS: 55-140µm

NORMAL COATS: 1-2

Our High Build 1k Acrylic Primer has very good covering and insulating properties. Great adhesion to common bare metal surface: steel, aluminium and zinc.
Fast drying.

7400.10065 (20Kg)

SuperBuild 1K Reducer

7400.10066 (30Ltr)

Primer 41
2K Fast-Dry Acrylic Primer



DRYING TIME: 2.5-3h@20C°

DRYING TIME: 15-20min@60C°

FILM THICKNESS: 40-180µm

NORMAL COATS: 1-2

Excellent filling properties as well as great adhesion to the puttied surface. Quick drying and easy sanding. Available in Grey/Black/White.

7400.10030 (1Ltr Set)

7400.10036 (3.6Ltr) – White

7400.10035 (3.6Ltr) – Grey

7400.10037 (3.6Ltr) – Black

Primer 41 Hardener

Hardener for 2K Primer 41

7400.10350 (900ml)

Primer 51
2K Acrylic High Build Primer



DRYING TIME: 15-7h@20C°

DRYING TIME: 30min@60C°

FILM THICKNESS: 120-240µm

NORMAL COATS: 1-2

ANTI-CORROSIVE

Excellent filling properties as well as great adhesion to the puttied surface. Quick drying and easy sanding. Available in Grey/Black/White.

Primer 51 Hardener

Hardener for Primer 51

7400.10400 (700ml)

7400.10401 (4.0Ltr)

7400.10045 (Grey 20Ltr)

Primer 61
Wet on Wet Multipurpose Primer



DRYING TIME: 15-20min@20C°

FILM THICKNESS: 30µm

NORMAL COATS: 2

RECOAT AFTER: 20min

SANDING AFTER: 3h

ANTI-CORROSIVE

Multipurpose Primer for Wet on Wet application or sanding version. Very good flow and isolation properties. Topcoat after 20 minutes, or sanding after 3 hours and 20 deg C.

7400.10055 (Grey 3.5Ltr)

7400.10060 (Grey 20.0Ltr)

Primer 61 Hardener

Hardener for 2K Primer 61

7400.10550 (600ml)

7400.10600 (4.0Ltr)

CLEAR COATS

Diamond Clear 2K HS Clear Anti Scratch

DRYING TIME: 15min@60C°

FILM THICKNESS: 45-750µm

NORMAL COATS: 1-2



High gloss, Great UV stability, resistance guarantee and excellent appearance and durability. Efficient drying times to match all conditions.

7400.10015 (1.0Ltr)

7400.10010 (5.0Ltr)

Diamond Clear Hardener Diamond Clear 2K Hardener

7400.10100 Fast (500ml)

7400.10110 Fast (2.5Ltr)

Diamond Clear Rapid 2K Clear Coat - Fast Air Dry

DRYING TIME: 1-1.5h@20C°

DRYING TIME: 10min@60C°

FILM THICKNESS: 60-70µm

NORMAL COATS: 1.5-2



Extremely fast drying Full Body Clear Coat
Good finish and high gloss + final hardness
High Solid + VOC Contain
Polishing after 15min @ 60C°
Air Dry from 1-2hours @ 20C°

7400.10026 (1.0Ltr)

7400.10021 (5.0Ltr)

Diamond Clear Rapid Hardener Diamond Clear 2K Hardener – Rapid

7400.10201 Xtra Fast (500ml)

7400.10221 Fast (2.5Ltr)

Diamond Clear Plus 2K Premium UHS Clear Coat

DRYING TIME: 4-5h@20C°

DRYING TIME: 20min@60C°

FILM THICKNESS: 50-55µm

NORMAL COATS: 1-2



Sets new standards for Premium Clear Coats. Exceeds all expectations concerning application, levelling, brilliance and UV stability. Full UHS - 15 minute bake.

7400.10025 (1.0Ltr)

7400.10020 (5.0Ltr)

Diamond Clear Plus Hardener Diamond Clear Plus 2K Hardener

7400.10200 Xtra Fast (500ml)

7400.10220 Fast (2.5Ltr)

Diamond Clear Ultra 2K Premium Ultra Clear Coat

DRYING TIME: 2-3h@20C°

DRYING TIME: 15min@60C°

FILM THICKNESS: 50-55µm

NORMAL COATS: 1.5-2



Save Time and Money
Fast Air Drying
Air Drying @ 20 deg in 2-3 Hours
(Handle Dry) and in 5-6 Hours (Polish Dry)
High Solid Clear Coat
Long pot life enables safe and easy painting for multi-panels and full re-sprays
Highly Resistant against UV Light and Weather Conditions
May be applied over solvent and waterborne base coats

7400.10016 (5.0Ltr)

Diamond Clear Ultra Hardener Diamond Clear Ultra Hardener

7400.10101 Fast (2.5Ltr)

ANCILLARIES

2K Uni Hardener (Fast) Use for 2K Acrylic Products in Range

7400.1080 (1.0Ltr)
7400.1081 (2.5Ltr)
7400.1082 (5.0Ltr)



2K Thinner Use for 2K Acrylic Products in Range



7400.1040 (1.0Ltr)
7400.10410 (5.0Ltr)

Degreaser Solvent Based Degreaser



Solvent based degreaser for general surface preparation prior to painting.

7400.10250 (5.0Ltr)

ANCILLARIES

Classic Stone Chip Protection Based on Rubber and Resins

Our Classic Stone Chip Protection is based on rubber and resins, has noth anti-corrosive and sound deadening qualities. Fully over paintable.

- 7400.10090 (Black 1.0Ltr)
- 7400.10091 (White 1.0Ltr)
- 7400.10092 (Grey 1.0Ltr)



Underbody (Black) Classic Underbody Protection



Classic underbody protection based on scultz. Excellent long term anti-corrosion defences with good sound deadening qualities.

- 7400.10095 (1.0Ltr)

Seam Sealer Polyurethane Based Seam Sealer



Polyurethane base seam sealer for multi-purpose uses in the body shop. Permanently elastic and great adhesion. Paintable, sandable.

- 7400.10300 (White 310ml)
- 7400.10302 (Black 310ml)
- 7400.10301 (Grey 310ml)

ANCILLARIES

Fibre DIY 2K Fibreglass Repair Kit



Fast curing Polyester Repair Kit for the repair of rust holes and GRP components. Kit includes hardener and glass-fiber-mat. Quick-drying polyester resin filters the mat and glass cloth excellently. Easy application.

Contains additives which cause the reduction of styrene emissions during and after application, as well as an additive which causes the hardened laminate not to have a sticky surface after drying, which is particularly important when machining with abrasive materials. Excellent adhesion to steel surfaces. For car body repairs, construction and home DIY).

7400.10071 (250g)

Accelerator 1Ltr Drying Time Enhancer



Enhance drying times of our Primers, Clears and Topcoats by up to 20%. Special additive for improving drying times on all Finish Line ancillaries Products:

7400.10420 (1.0Ltr)

FinishLine has been designed and developed to improve the finishing experience for body shop personnel

**Call our sales office on 049 5552340
to find your local stockist**

NEW PRODUCTS

Foam
Compounding Foam

150x50 White M14

4326.44635



Polishing Foam

150x50 Black M14

4326.44640



Foamed Wool Pad

6.5" x 1" Purple Wool
Polishing/Buffering Pad

4330.58-4265



Interface Pad

150mm 15 hole

4328.0180



Flexible Block

Flexible Split
Soft Sanding Block
150 X 90mm


7016.0024



Flexible Block

Flexible Sanding Block
150 X 90mm
Multi Cut

7016.0023



Paper Floor Mats
Compounding Foam

Paper Floor Mats
(box of 250)
smooth (10 pack)

1600.0320



**Sound Deadening
Pads**


250x500mm
1600.4009

500x500mm
1600.4010



NEW PRODUCTS

Masking Paper



Size	Code
12" / 300mm	1600.0307
18" / 450mm	1600.0305
24" / 600mm	1600.0311
36" / 900mm	1600.0306
48" / 1200mm	1600.0309


Paint Absorbent Masking Film



4x150m Roll
1600.0302

5x120m Roll
1600.0303

Paint Gun Strainers



Gravity Feed 10PK
1620.3008

Suction

Iwata Graco 10PK
1620.3009

DeVil Sagola 10PK
1620.3010

Car Seat Covers



Car Seat Covers
TSC100 (box 100)

1600.0308

Safety Cutting Blade



RAZOR
Bohemian
Safety Blades
(100PK)

1620.3001


Blade



Plastic Sheeting
Safety Cutting Blade
(10Pk)

1600.1027

Beetroot Board



(1 x 100 sheet)

1600.1019

QUICK CHANGE DISCS AND ABRASIVES


QUICK CHANGE DISCS

ZK – Zirconia Alumina

Zirconia Alumina ZK type is suitable for all metals
 Extended lifetime
 Aggressive cutting power
 Cool cut

Product Profile

Available sizes: 25, 38, 50, 75mm
 Mounting styles: SD, RD
 Grit Range: P24-120
 Backing: 2ply



SD TYPE


Screw connection with
 Inner metal thread



Dia/Grit	24	36	40	60	80	120
25	SD25 ZK-024	SD25 ZK-036	SD25 ZK-040	SD25 ZK-060	SD25 ZK-080	SD25 ZK-120
38	SD38 ZK-024	SD38 ZK-036	SD38 ZK-040	SD38 ZK-060	SD38 ZK-080	SD38 ZK-120
50	SD50 ZK-024	SD50 ZK-036	SD50 ZK-040	SD50 ZK-060	SD50 ZK-080	SD50 ZK-120
75	SD75 ZK-024	SD75 ZK-036	SD75 ZK-040	SD75 ZK-060	SD75 ZK-080	SD75 ZK-120

RD TYPE

Screw connection with
 outer plastic thread



Dia/Grit	24	36	40	60	80	120
25	RD25 ZK-024	RD25 ZK-036	RD25 ZK-040	RD25 ZK-060	RD25 ZK-080	RD25 ZK-120
38	RD38 ZK-024	RD38 ZK-036	RD38 ZK-040	RD38 ZK-060	RD38 ZK-080	RD38 ZK-120
50	RD50 ZK-024	RD50 ZK-036	RD50 ZK-040	RD50 ZK-060	RD50 ZK-080	RD50 ZK-120
75	RD75 ZK-024	RD75 ZK-036	RD75 ZK-040	RD75 ZK-060	RD75 ZK-080	RD75 ZK-120

FinishFlex Sheets

130mm x 170mm Sheets

Grit	600	800	1500
Code	7190.10600F	7190.10800F	7190.11500F
Colour	Blue	Yellow	Orange




ABRASIVES

Zirconia File Sander Belts

Abcon is the only converter of Abrasive Discs and Belts in Ireland and we can manufacture any size to suit your requirement!

Available in Grits
36 – 60 – 80 – 120



Part No	Size	Pack QTY	Min Order
ABN006X00305VBQ-Grit	06x305	10	200
ABN013X00305VBQ-Grit	13x305	10	200
ABN010X00330VBQ-Grit	10x330	10	200
ABN003X00457VBQ-Grit	03x457	10	200
ABN006X00457VBQ-Grit	06x457	10	200
ABN013X00457VBQ-Grit	13x457	10	200
ABN006X00520VBQ-Grit	06x520	10	200
ABN013X00520VBQ-Grit	13x520	10	200
ABN020X00520VBQ-Grit	20x520	10	200
ABN006X00533VBQ-Grit	06x533	10	200
ABN010X00533VBQ-Grit	10x533	10	200
ABN013X00533VBQ-Grit	13x533	10	200
ABN006X00610VBQ-Grit	06x610	10	200
ABN013X00610VBQ-Grit	13x610	10	200


Velcro Discs

6+1 Hole Velcro Discs

Grit	80	120	150	180
Code	7131.0080F	7131.0120F	7131.0150F	7131.0180F
Grit	240	320	400	500
Code	7131.0240F	7131.0320	7131.0400F	7131.0500F




1948 siaflex Velcro Discs



Size	Grit	PU	OU	7 Hole	Multi Hole
150	40	50	500	7172.2040	---
150	60	50	500	7172.2060	---
150	80	100	600	7172.2080	7157.5080
150	120	100	600	7172.2120	7157.5120
150	150	100	600	7172.2150	---
150	180	100	600	7172.2180	7157.5180
150	240	100	600	7172.2240	7157.5240
150	320	100	600	7172.2320	7157.5320
150	400	100	600	7172.2400	7157.5400
150	500	100	600	7172.2500	7157.5500
150	600	100	600	---	7157.5600


1948 siaflex Velcro Discs

Size	Grit	PU	OU	Part No
150	40	50	500	7168.1040
150	60	50	500	7168.1060
150	80	100	600	7168.1080
150	100	100	600	7168.1100
150	120	100	600	7168.1120
150	150	100	600	7168.1150
150	180	100	600	7168.1180
150	220	100	600	7168.1220
150	240	100	600	7168.1240
150	320	100	600	7168.1320
150	400	100	600	7168.1400
150	500	100	600	7168.1500
150	600	100	600	7168.1600




Size	Grit	PU	OU	Part No
200	40	50	500	7169.0040
200	60	50	500	7169.1060
200	80	100	600	7169.0080
200	120	100	600	7169.0120

1950 siaspeed Velcro Discs




Size	Grit	PU	OU	No Holes	7 Hole	15 Hole
150	40	50	500	7177.0040	7174.0040	7179.0040
150	60	50	500	7177.0060	7174.0060	7179.0060
150	80	100	600	7177.0080	7174.0080	7179.0080
150	100	100	600	7177.0100	7174.0100	---
150	120	100	600	7177.0120	7174.0120	7179.0120
150	150	100	600	7177.0150	7174.0150	7179.0150
150	180	100	600	7177.0180	7174.0180	7179.0180
150	220	100	600	---	7174.0220	7179.0220
150	240	100	600	7177.0240	7174.0240	7179.0240
150	320	50	600	7182.0320	7183.0320	7179.1320
150	400	50	600	7182.0400	7183.0400	7179.1400
150	500	50	600	7182.0500	7183.0500	7179.1500

1815 siatop Reinforced Velcro Discs No Holes Power Cut for Metal Surfaces.



Grit	PU	OU	115mm	150mm
40	50	500	7110.0040	7119.0040
60	50	500	7110.0060	7119.0060
80	100	600	7110.0080	7119.0080
120	100	600	7110.0120	7119.0120


SIA 1947 Economy Line Velcro Discs 7 Hole The Universal Series for Automotive and Metal



Size	Grit	PU	OU	Part No
150	40	100	600	7173.0040
150	60	100	600	7173.0060
150	80	100	600	7173.0080
150	120	100	600	7173.0120
150	180	100	600	7173.0180
150	240	100	600	7173.0240
150	320	100	600	7173.0320
150	400	100	600	7173.0400
150	500	100	600	7173.0500
150	500	100	600	7173.0600

Micro Film Velcro Discs

Suitable for Dry sanding / Denibbing



(Pack of 50 pcs.)

125mm				
Grit	Dia.	No Holes		
800	125	7187.0800		
1000	125	7187.1000		
1200	125	7187.1200		
1500	125	7187.1500		
2000	125	7187.2000		
150mm				
Grit	Dia.	No Holes	7 Hole	9 Hole
800	150	7182.0800	7183.0800	7184.0800
1000	150	7182.1000	7183.1000	7184.1000
1200	150	7182.1200	7183.1200	7184.1200
1500	150	7182.1500	7183.1500	7184.1500
2000	150	7182.2000	7183.2000	7184.2000

Features:

- Open coat stearated
- Excellent Cutting Performance
- Longer lasting life and durable
- Perfect Sanding Surface
- Especially, excellent for contour sanding without folding

The comparison between standard paper discs and new Micro Film Discs.



The plastic film backing is proven to prolong the life of the disc to last 5-6 times longer than cheaper paper discs and 3 times longer than a high quality paper disc. They also speed up the sanding process as more area is sanded than with a standard paper disc. This is because of the unique plastic film surface, there is no build up or clogging and will remove 5% more material in the same time than with a quality paper disc.

50 and 75mm Mini Velcro Discs

Available Grits: P80-120-150-180-240-320



(Pack of 50 pcs.)

Size	Series	PU	OU	Part No
50	1947	50	100	7139.2 State Grit
75	1947	50	100	7139.0 State Grit

Daisy Mini PSA Discs

SIA1913 High Performance Material



(Pack of 100 pcs.)

Shape	Grit	PU	OU	Part No
Daisy	1500	100	100	7029.1500
Daisy	2000	100	100	7029.2000
Daisy	2500	100	100	7029.2500


SIA Finiblock 37mm PSA Holder

Use with Daisy Mini PSA Discs

Dia	Type	PU	OU	Part No
37	PSA	1	1	7029.0001

SIA Hand Block Blue/White

Size	Part No.
75 x 125	7004.0001



SIA Rubber Sanding Block

Size	Part No.
70 x 125	7016.0040

Use with
Sanding Sheets

SIAFAST Sanding Block - 75x125


Size	Part No.
75 x 125	7016.0022

With hard and soft
foam backing!



Velvet Velcro Discs No Holes



Producing a matt finish on conventional lacquers.



Applications:


- Final sanding of filler in hard-to-reach areas
- Fine sanding of flatted surfaces prior to polishing
- Final sanding of solid surface

Application	Size	Grit	PU	OU	Part No
Use for blending panels and scotching bumpers	150	1000	10	60	7152.1000
Use for de-nibbing the base coat while still in the spray booth	150	2000	10	60	7152.2000
Use for final surface preparation before polishing	150	3000	10	60	7152.3000
Use for extra fine finish for very dark or prestige vehicles	150	4000	10	60	7152.4000



Siacarat Diamond Siafast Velcro Discs No Holes


Matt and refined finishing of very hard surfaces such as scratch resistant clear coats and lacquers.



Description:

siacarat velvet – a brilliant solution when the progress is slow and difficult. The ingenious velvet technology combines the refined velvet net backed abrasive with a special foam cushioning to equalize application pressure and the well proven siafast fastening system.

Application	Size	Grit	PU	OU	Part No
Use for pre-sanding	150	500	2	20	7178.0500
Use for blending panels and scotching bumpers	150	1000	2	20	7178.1000
Use for de-nibbing the base coat while still in the spraybooth	150	2000	2	20	7178.2000
Use for final surface preparation before polishing	150	3000	2	20	7178.3000



sianet


The powerful Net-backed abrasive



Net-backed Discs & Strips – sianet

The special net structure of sianet enables dust-free sanding with the highest abrasive performance.

- Full-surface dust extraction
- High removal rate without clogging
- Very efficient and productive
- High tear resistance, thanks to sturdy net backing



Net-backed Discs 150mm


Size	Grit	PU	OU	Part No
150	80	25	250	7123.5080
150	120	25	250	7123.5120
150	150	25	250	7123.5150
150	180	25	250	7123.5180
150	240	25	250	7123.5240
150	320	25	250	7123.5320

Net-backed Strips 70x420mm

Size	Grit	PU	OU	Part No
150	80	25	250	7123.9080
150	120	25	250	7123.9120
150	150	25	250	7123.9150
150	180	25	250	7123.9180
150	240	25	250	7123.9240
150	320	25	250	7123.9320

1950 siaspeed siafast Velcro Strips - 8 Hole


High-performance sanding mineral ensures very high removal rate and long life



Size	Grit	PU	OU	Part No
70x125	40	50	500	7012.0040
70x125	60	50	500	7012.0060
70x125	80	100	600	7012.0080
70x125	120	100	600	7012.0120
70x125	180	100	600	7012.0180
70x125	240	100	600	7012.0240
70x125	320	100	600	7012.10320
70x125	400	100	600	7012.10400

1950 siaspeed siafast Velcro Strips - 8 Hole


High-performance sanding mineral ensures very high removal rate and long life



Size	Grit	PU	OU	Part No
70x198	40	50	500	7015.0040
70x198	60	50	500	7015.0060
70x198	80	100	600	7015.0080
70x198	120	100	600	7015.0120
70x198	180	100	600	7015.0180
70x198	240	100	600	7015.0240
70x198	320	100	600	7015.10320

1950 siaspeed siafast Velcro Strips - 14 Hole

High-performance sanding mineral ensures very high removal rate and long life




SIA 1950 Velcro Strips with New Multihole System

Size	Grit	PU	OU	Part No
70x420	40	50	500	7010.0040
70x420	60	50	500	7010.0060
70x420	80	100	600	7010.0080
70x420	120	100	600	7010.0120
70x420	180	100	600	7010.0180
70x420	240	100	600	7010.0240
70x420	320	100	600	7010.10320
70x420	400	100	600	7010.10400

1950 siaspeed siafast Velcro Strips - 10/18H

High-performance sanding mineral ensures very high removal rate and long life



Size	Grit	PU	OU	Part No
115x228	40	50	500	7009.0040
115x228	60	50	500	7009.0060
115x228	80	100	600	7009.0080
115x228	120	100	600	7009.0120
115x228	180	100	600	7009.0180
115x228	240	100	600	7009.0240
115x228	320	100	600	7009.10320
115x228	400	100	600	7009.10400

Siaspeed Siasoft Sponge Backed Roll - 115mm x 25M

Pre-sanding of curves, edges and shaped forms

Size	Grit	PU	OU	Part No
115mm x 25M	150	1	1	7206.0150
115mm x 25M	180	1	1	7206.0180
115mm x 25M	240	1	1	7206.0240
115mm x 25M	320	1	1	7206.0320
115mm x 25M	400	1	1	7206.0400
115mm x 25M	500	1	1	7206.0500
115mm x 25M	800	1	1	7206.0800



Emery Roll - General Purpose (50M)

High performance emery cloth for long life

Width	Part No
25mm	7222.State grit
40mm	7221.State grit
50mm	7220.State grit
100mm	7223.State grit
115mm	7224.State grit



Premium Paper Rolls (1919 Siawood Production Sandpaper)

Pre-sanding of curves, edges and shaped forms

Grit	PU	OU	115mm x 50M	70mm x 50M
40	1	1	7250.0040	7250.3040
60	1	1	7250.0060	7250.3060
80	1	1	7250.0080	7250.3080
100	1	1	7250.0100	--
120	1	1	7250.0120	7250.3120
150	1	1	7250.0150	7250.3150
180	1	1	7250.0180	7250.3180
220	1	1	7250.0220	--
240	1	1	7250.0240	7250.3240
280	1	1	7250.0280	--
320	1	1	7250.0320	7250.3320
400	1	1	7250.0400	7250.3400




70mm x 50M Rolls!

Wide range of Special Sized rolls in Paper, Cloth or Non Woven
Available in short Delivery Times.

Contact us with your Specific Requirements.

1913 Siawat Plain Wet & Dry Sheets C weight - 230 x 280mm




Special Automotive
Product!

Size	Grit	PU	OU	Part No
230x280	60	50	250	7025.0060
230x280	80	50	250	7025.0080
230x280	100	50	250	7025.0100
230x280	120	50	250	7025.0120
230x280	150	50	250	7025.0150
230x280	180	50	500	7025.0180
230x280	220	50	500	7025.0220
230x280	240	50	500	7025.0240
230x280	280	50	500	7025.0280
230x280	320	50	500	7025.0320
230x280	400	50	500	7025.0400
230x280	500	50	500	7025.0500
230x280	600	50	500	7025.0600
230x280	800	50	500	7025.0800
230x280	1000	50	500	7025.1000
230x280	1200	50	500	7025.1200
230x280	1500	50	500	7025.1500
230x280	2000	50	500	7025.2000
230x280	2500	50	500	7025.2500

1919 Siawood Production Sanding Sheets Coarse Cut - Red - E weight - 230 x 280mm

Size	Grit	PU	OU	Part No
230x280	40	25	125	7033.0040
230x280	80	50	250	7033.0080

Matador C weight - 230 x 280mm



Premium Wet & Dry
Sandpaper Sheets


Size	Grit	PU	OU	Part No
230x280	60	50	250	7022.0060
230x280	80	50	250	7022.0080
230x280	120	50	250	7022.0120
230x280	150	50	250	7022.0120
230x280	180	50	500	7022.0180
230x280	220	50	500	7022.0220
230x280	240	50	500	7022.0240
230x280	280	50	500	7022.0280
230x280	320	50	500	7022.0320
230x280	360	50	500	7022.0360
230x280	400	50	500	7022.0400
230x280	500	50	500	7022.0500
230x280	600	50	500	7022.0600
230x280	800	50	500	7022.0800
230x280	1000	50	500	7022.1000
230x280	1200	50	500	7022.1200
230x280	1500	50	500	7022.1500
230x280	2000	50	500	7022.2000



Premium Wet & Dry
Sandpaper Sheets

Siaspeed Fleece - Non Woven Handpads

Use for Scotching



Size	Grade	PU	OU	Part No
152x229	Very Fine/ Red	10	200	4600.4001
152x229	Ultra Fine/ Grey	10	200	4600.4002
152x229	Micro Fine/ Gold	10	200	4600.4003

Siaspeed Fleece - Perforated Non Woven

1/2 Handpads for Scotching



Size	Grade	PU	OU	Part No
115x152	Very Fine/ Red	30	150	4600.5001
115x152	Ultra Fine/ Grey	30	150	4600.5002
115x152	Micro Fine/ Gold	30	150	4600.5003

Siaspeed Fleece - Non Woven Rolls for Scotching - 100mm x 10M

Producing a matt finish on conventional lacquers



Size	Grade	PU	OU	Part No
100 x 10M	Very Fine/ Red	1	10	7272.4001
100 x 10M	Ultra Fine/ Grey	1	10	7272.4002
100 x 10M	Micro Fine/ Gold	1	10	7272.4003

Features & Benefits

- Improved flexibility for hard to reach areas
- Consistent scratch pattern due to improved grain consistency
- Increased lifetime as a result of grain distribution through the fleece
- Can be used Wet or Dry
- Improved tear resistance

VIRTUS 447 FLATTING PASTE

A Liquid rapid rubbing compound for flattening. Cleans a Flats surfaces uniformly before painting.



Capacity	PU	OU	Part No
1Litre	1	1	4330.447.1000

Use with SIA Hand Pads

RAGE ULTRA

Premium Lightweight Filler 3L

Rage® Ultra is the world's best sanding body filler. Its unparalleled sanding qualities are a result of the patent pending formula that contains renewable technology. Its non-sag formula has excellent filling properties, while eliminating the need for finishing putty.

Sands easy with 80grit!

Eliminates Finishing Putties from the repair process!



Weight	PU	OU	Part No
1L	4	4	4327.101232
3L	8	8	4327.101341

EURO GOLD

Premium Lightweight Filler

Rage Gold is Americas #1 selling premium body filler. It's thick crème consistency spreads very smoothly with less surface texture. Rage Gold is formulated with a premium quality resin for optimum curing performance and is specially designed to sand with minimal effort. It has excellent adhesion to steel, aluminum and zinc.

Apply in thin layers and spread smoothly.

Working time: 3-4 minutes

Dry to Sand Time: 15 minutes with clog free sanding even in extreme temperature conditions



Weight	PU	OU	Part No
1.5L	4	4	4327.1668
3.0L	4	4	4327.4106

Z - GRIP

Premium Lightweight Filler

UPOL Easy , Fantastic Equivalent.

An advanced, clog-free, lightweight body filler for today's high tech metals. Formulated with ZNX-7® for superior adhesion to galvanized steel, bare steel and aluminum. Part of the MetalWorks® System that honors the OEM corrosion warranty. Contains Hattonite™ for effortless sanding. Blue cream hardener included.

Apply in thin layers and spread smoothly.

Working time: 3-4 minutes

Dry to Sand Time: 20 minutes with clog free sanding even in extreme temperature conditions



Weight	PU	OU	Part No
3L	4	4	4327.1667

Cream Hardener - Blue

Quick hardening, non-separating, cream hardener formulated for use with 50:1 mix body fillers, stoppers, putties, and specialty fillers.



Use with all Evercoat Fillers and Stoppers

Weight	PU	OU	Part No
78gr.	24	24	4327.1475

EZ ULTRA LITE WEIGHT - Ultra Lite Weight Filler

Revolutionary new bodyfiller from EVERCOAT. Ideal for large repairs with excellent vertical hold, mixes easily, spreads without dragging. The worlds lightest, easiest sanding Polyester body filler
Excellent value for money
Excellent vertical hold
Mixes and spreads easily with no dragging
Can be applied to Steel, Galvanised, Aluminium and hard Plastic substrates
Once cured, sanding is effortless with a fine finish in record time.



Very good for deep filling without sinkage

Weight	PU	OU	Part No
3L	4	4	4327.101342

FIBER TECH Fiber Reinforced Body Filler 814gr. (715ml.)

UPOL Fiber, DAVIDS P40 Equivalent
A multi fiber reinforced body filler with wide variety of applications. Fiber Tech combines Kevlar® plus long and short strand fiberglass to give superior strength with gap filling properties.



Can be mixed with Z-Grip or Rage Gold for greater strength to filler

Weight	PU	OU	Part No
1.5L	6	6	4327.4116

Multi Putty

Universal Plastic Putty

Multifunctional lightweight putty. 25% lighter than standard putties. Very easy application and easy sanding, with no sandpaper clogging. Working time: 3-5 minutes. Drying time: 16-30 mins. Sanding: P120-320.



Weight	PU	OU	Part No
500g			7400.10081
200g			7400.10082

EVERCOAT®

Call us to arrange a demo from our Technical Sales Rep to see just how good these products are!

Tel 049 555 2340

**REDUCES
PRIMER
APPLICATIONS!**



EASY SAND Lightweight Stopper Finishing Crème - 880ml

UPOL Dolphin Glaze, UPOL Top Stop Gold Equivalent
A primer-like polyester finishing and blending putty for filling and skim coating bodywork, pinholes, grind marks, low spots, and other surface imperfections.

Adheres well to steel, galvanized, other zinc coated steel, aluminum, and most rigid to semi-rigid fiberglass and thermo-set plastics.

Weight	PU	OU	Part No
880ml	6	6	4327.1669

**Works great for blending
with Z-Grip or Rage Gold**

POLY-FLEX

Flexible Polyester Glazing Putty - 880ml

A flexible polyester glazing putty designed for spot filling and skim coating over repair areas on flexible bumpers and plastic parts. Its flowable viscosity is ideal for filling minor imperfections such as sand scratches, nicks, dings and gouges. Poly-Flex™ may also be used to skim coat over repair areas or large surface areas that have the original paint still intact. Blue cream hardener included.

**Extremely
flexible!**



898 MULTI FIX EPOXY

2K Plastic Repair – 250ml

3M55047, LORD FUSOR FA142,

UPOL PLASTIX Equivalent

A fast setting, two component epoxy repair material for bumper repair and general purpose bonding. Multi Fix has excellent adhesion to most plastics without the need for adhesion promoter. It dries to sand in approximately 15-20 minutes with excellent featheredge results. Supplied with two static mix tips.

Use with Heavy Duty 26:1 Caulking Gun or Standard Pneumatic Caulking Gun

Work Time: 4-6 minutes

Sanding Time: 15-20 minutes

Paint Time: 30minutes / Full Cure: 4-6 hours



**ECONOMIC!
No need for expensive
Applicator Gun**

Weight	PU	OU	Part No
880ml	6	6	4327.4411

Weight	PU	OU	Part No
250ml	6	6	4327.4898

440 EXPRESS Pinhole Eliminator - Kit Finishing Crème - 880ml

Reduce the cost of rework due to pin holes!

Kit contains: 1 x 18ml Bottle, 12 x applicator pads, 2 x pad holders


A fast drying sealer that fills micro size pinholes in body work. 440 Express is a thin liquid polymer that you simply wipe onto the repair, allow 15 minutes to dry and then prime. No additional sanding required.

Description	PU	OU	Part No
440 Applicator + 12Pads	1	1	4327.4439
440 Express Bottle - 473ml	1	1	4327.4440
440 Express Kit 118ml Bottle + 12Pads	1	1	4327.4444



Application Technique

- 1 - Shake 440 Express and apply to 439 Applicator
- 2 - Wipe 440 Express over the entire repair area
- 3 - Allow to dry 15 minutes and apply primer



SLICK SAND High Build Spray Filler

Use with 2.2 Spray Tip!

A high build 2K spray filler designed for filling and leveling large areas. Slick Sand can be applied directly over steel, aluminum, zinc, reinforced composite and epoxy primer. It easily applies through conventional spray equipment and can be painted directly over with most automotive and industrial paints.

MANUAL CAULKING GUN - 18:1

Manually operated 18:1 caulkung gun to be used with Evercoat's adhesive products.



Use with 2.2
Spray Tip!



Weight	PU	OU	Part No
946ml	6	6	4327.4708
3.78L	4	4	4327.4709

Item	PU	OU	Part No
Gun	1	1	4327.0831

SikaFlex Sealant 212 FC (310ml) - Also suitable for commercial vehicles



Colour	PU	OU	Part No
Black	12	12	4324.0075
White	12	12	4324.0076
Grey	12	12	4324.0077

Flexible sealant, can be sanded, Odourless, Adheres to a wide range of substrates, Can be painted over with most automotive paints (pre testing recommended)

SikaFlex Sealant 221 (310ml) - Premium



Colour	PU	OU	Part No
Black	12	12	4324.0040
White	12	12	4324.0041

Suitable for sealing, seam sealing & simple bonding. Fast curing, quick over paint time, can be sanded, silicone free.

Sprayable Sealant SikaFlex 529 - Multi-Purpose

Designed for use as an elastic low-build sealant for Internal lock seams & lap joints in vehicles body assemblies. Can be brushed & applied by hand, can be sanded

Description	PU	OU	Part No
SikaFlex 529 - Ochre (300ml)	12	12	4324.0030
SikaJet Flow Gun	1	1	4324.050087



Brushable Seam Sealer 1Kg & Nylon Sealer Brush



Product	PU	OU	Part No
Sealer	1	1	1600.4005
Brush	1	1	1600.4003

SikaFlex 552 (310ml)

A high-performance elastic gap-filling 1-C structural assembly adhesive that cures on exposure to atmospheric humidity to form a durable elastomer. Sikaflex contains no isocyanate.

Colour	PU	OU	Part No
Black	12	12	4324.0060
White	12	12	4324.0062



Windscreen Adhesives

SikaFlex 255 FC (310ml) - Original



Colour	PU	OU	Part No
Black	12	12	4324.0009

For bonding windshields to vehicle bodyshells
Exposed bare steel should be primed with Sika 206G&P exposed paint clean with Sika 205 and prime. Clean glass with Sika Activator or Sika Cleaner.
Can be over painted, non-corrosive, sets hard.

Sika Tack Drive Fast Curing - 1H drive away time



Colour	PU	OU	Part No
Black	12	12	4324.0010

Bosseal – Complete Windscreen Fitting Kit

Desc.	PU	OU	Part No
Windscreen Kit	1	1	4324.0019
Windscreen Sealer	1	1	4324.80045

Contents:

310ml Cartridge,
30ml Activator and Primer,
Lint Free Appl. Cloth



Triangular Cutting Sealer Wire 25mtr

Desc.	PU	OU	Part No
25Mtr. - Triangular	1	1	4324.0012

Description:

25 meters of steel wire, particularly tough, very effective in cutting the polyurethane, due to its triangular shape which gives a greater capacity incision, resulting in faster cutting convenient and simple.



Sika Cleaner 205 - Use for improving adhesion.

Capacity	PU	OU	Part No
1 Litre	1	1	4324.0016

An alcohol based solution containing a bond-activating substance for cleaning and activating bond faces prior to bonding and sealing with Sikaflex products.

Sika Activator - Pre-treatment of surfaces

Capacity	PU	OU	Part No
250ml	1	1	4324.0025

A cleaning and activating agent specifically formulated for the treatment of bond faces in direct glazing work prior to application of various Sika polyurethane adhesives.

PRIMER / ACTIVATOR 25ML 4320.0028

Sika Remover 208 - Degreasing Pure Solvent

Capacity	PU	OU	Part No
----------	----	----	---------

Sika Remover 208 (1 Litre) is a degreasing pure solvent, used to remove uncured Sikaflex from materials and tools.

Anti-Stone Chip Coating



Colour	Capacity	PU	OU	Part No
White	1Litre	6	6	4323.2000
Grey	1Litre	6	6	4323.2001
Black	1Litre	6	6	4323.2002

Use with Under Body Coating Gun
see page 62



Sika Primer 206 G+P - Black

Capacity	PU	OU	Part No
100ml	1	1	4324.0026

Sika Primer 206 G+P for fibre glass inside (Layup side), ABS, steel alu and other materials of the Sikaflex series 2XX and Sikatak. The priming colour black prevents from corrosion and improves the glue. Consumption approx. 150g/ m²



Anti-stone chip coatings are used to protect vulnerable, painted parts of the vehicle such as sills, wings, wheel arches and valances. Most body corrosion results from stone chips to susceptible exposed paintwork. Stone chips can penetrate the paint and underlying protective coatings to allow corrosion to eat into the substrate from the surface.

Anti-stone chip coatings are over paintable, flexible, stone chip and corrosion resistant.

Farecla Advanced G3 - Paste



Capacity	PU	OU	Part No
400g	1	12	4325.0019
1 KG	1	6	4325.0020
3 KG	1	4	4325.0021

Farecla Advanced G3 - Liquid

Capacity	PU	OU	Part No
500ml	1	12	4325.0022
1 Litre	1	6	4325.0023
1 G (US)	1	4	4325.0024



Farecla G3 Premium G3 - Liquid

Capacity	PU	OU	Part No
1 Litre	1	6	4325.0101



G-Mop Compounding Head
150mm - White
Use with Farecla G3, G4, G6



Farecla G3 Fine - Liquid

G3 Fine offers a significant improvement in speed and quality of finish. Superb on darker colours.

Capacity	PU	OU	Part No
1 Litre	1	6	4325.0103



Type	System	PU	OU	Part No
Standard	M14	1	12	4325.0009
Standard	Velcro	1	12	4325.0012



Standard

Farecla G12 - Fine Cut Liquid Compound

Ultra High Gloss on Dark Colours!!!



Capacity	PU	OU	Part No
500ml	1	6	4325.0081

Waffle Polishing Pad for Farcla G12 (2pk)



Size / Pack of	PU	OU	Part No
150mm / 2pcs.	1	1	4325.0015

Farecla G10 - Fine Cut Finishing Compound

Ideal for Swirl mark removal



Product Description

G10 Finishing Compound is ideal for removing light scratches or swirl marks, especially on darker colours.

Will also restore older paintwork and bring the true colour back.

Capacity	PU	OU	Part No
500ml	1	12	4325.0031
1 Litre	1	6	4325.0032

Farecla GLAZE

Use for both Hand and Machine



Product Description

A final finishing Glaze with excellent filling capabilities for minor scratches and swirls. It will give the ultimate showroom finish, which is durable as well as breathable.

Capacity	PU	OU	Part No
1 Litre	1	6	4325.0033

G-Mop Polishing Head 150mm - Black
Use with Farecla G10, GLAZE



Type	System	PU	OU	Part No
Standard	Velcro	2	12	4325.0013

Back Plate
Use with Velcro Backed Mops - 6"



Size	PU	OU	Part No
M14 / 6"	1	6	4325.0036
5/8" / 6"	1	6	4325.0037

Farecla Care Scratch Remover



Capacity	PU	OU	Part No
150ml	1	12	4325.0039



Farécla is a world-class manufacturer & supplier of surface finishing solutions to over 120 countries worldwide.

Responding to our customers' needs

VIRTUS 447 Acquamat - Flattening Liquid 1L

Silicone and wax free. Do not leave marks.




Flattening liquid rubbing compound, made with technologically advanced raw materials, can be diluted just by adding water. It is used to flat (without scratchings) the surfaces which have to be repainted, ensuring a good grip to the new coat during the finishing.

Can be removed using water, does not create problems such as formation of bubbles due to humidity.

Capacity	PU	OU	Part No
1 Litre	1	12	4325.1042

Use with
Siaspeed Fleece - Non Woven Handpads



Size	Grade	PU	OU	Part No
152x229	Very Fine/ Red	10	200	4600.4001
152x229	Ultra Fine/ Grey	10	200	4600.4002
152x229	Micro Fine/ Gold	10	200	4600.4003



Farecla G3 Wax

Deep Gloss and Protection

Does not Dry out in direct sunlight.

Can be applied to plastics and trim to give excellent finish without turning hazy or white.



Capacity	PU	OU	Part No
1 Litre	1	6	4325.0034
1 G (US)	1	2	4325.0035

Microfibre Finishing Cloth – Lint free Valeting and Dusting

Use with Farecla WAX TOP, G-MAT, G7



Colour	PU	OU	Part No
Yellow	1	1	4325.0044

Farecla Advanced G7 - Paste

Very Coarse fast cutting paste compound for use by hands on cellulose and fibreglass.



Capacity	PU	OU	Part No
3 KG	1	4	4325.0029

Farecla Guide Dust

Dry Coat Defect Detection

Guide Dust is the quickest and most cost effective system for highlighting imperfections such as pinholes and scratches in fillers and primer.



Capacity	PU	OU	Part No
100ml	1	12	4325.1050

HIGH QUALITY EUROPEAN FOAMS

White Compounding Ultimate - M14

Size	Colour	PU	OU	Part No
150 x 50	White	1	1	4326.44635



Black Polishing Ultimate - M14

Size	Colour	PU	OU	Part No
150 x 50	Black	1	1	4326.44640

432



COARSE CUT - Remove P1200 - P2000

Extra fast cut for refinishing of all types of Auto-paints and gelcoats
Water Miscible & Silicone Free.

1Litre 4320.0028

476



ONE STEP - CUT & POLISH (3M 80349, Farecla G3)

A liquid abrasive for the fast removal of final paints defects such as sanding marks P1500-2000, leaving a high gloss finish in one step. The product does not mask the imperfections, scratches & holograms with cosmetic oils, but eliminates them completely. Use on all types of paint, including acrylic, water based, high solid low VOC, two component, single component, scratch resistant ceramic paints & original products of automotive OEM's. Free from Amonia & Silicone.

125ml 4330.476.0125
1Litre 4330.476.1000

473



OEM ABRASIVE CERAMIC POLISH (3M 80349, Farecla G10)

A Fine cut compound for use on new low VOC & Antiscratch clear coats. (Mercedes, Ferrari etc.)

Also excellent as a single step compound on standard 2K paint systems. Use with Foam Wool Pad for removal of deep defects followed by soft foam pad for high gloss finish.

125ml 4330.473.0125
1Litre 4330.473.1000

472



OEM ULTRA FINE CERAMIC POLISH (3M 50383 Ultrafine, Farecla G12)

An extremely fast cutting polish designed to polish out any swirl marks & holograms For use on all automotive paint systems including high solid low VOC, water based, anti-scratch both fresh and cured.

Leaves a rich deep gloss finish on dark colours.

125ml 4330.472.0125
500ml 4330.472.0500
1Litre 4330.472.1000

471



SPRAY POLISH

Liquid transparent spray polish containing polymers for the removal of possible haloes & for a gloss finish on the paint.

Can also be used on plastics to restore a gloss finish.

Very easy to use.

500ml 4330.471.0500
5Litre 4330.471.5000.04

453



HIGH GLOSS POLISH

A PTFE Polish that renovates and restores high gloss to both old and new paints, and gives a long lasting protection against atmospheric agents.

Does not stain plastics. Can be used both for hand and machine applications.

Apply and remove the product approx. 20-30minutes after application.

125ml 4330.453.0125
1Litre 4330.453.1000

463



HIGH PROTECT SEALANT

A high content PTFE Polish, that renovates & restores high gloss to both old & new paints.

Can last up to 2 years or 10 Car Washes.

For high protection remove the product approx.30-60 minutes after application.

Can be applied in very warm conditions. Will also renovate plastic materials.

125ml 4330.463.0125
500ml 4330.463.0500
1Litre 4330.463.1000

VIRTUS 472 - ONE STEP SYSTEM

ADVANTAGES

- High quality American foam
- Open cell structure improves air flow to aid in cooling the surface
- Quick change hook & loop backing system
- Long life foam



APPLICATION GUIDE

STEP 1

Use small amount of Virtus 476 Gel with Wool Pad at medium speed about 1200-1600 RPM for the removal of deep defects.

STEP 2

Use Virtus 472 with Soft Foam Pad (Black) on dark colours for a deep gloss finish.



150MM LAMBS WOOL BONNET HEAVY CUT ACTION

Ultimate Pure Sheepskin sewn into Velcro fixing
No synthetic wool mixture

Part No: 4330.58.4265

165MM S/BUFF FINISHING PAD

Foam removes light swirls & creates a
luxurious high gloss finish

Part No: 4326.1023

BACKING PAD

Part No: 4330.351.0402.42

Scangrip SUNMATCH - High CRI LED hand lamp for colour matching



Charging dock
included.

Type	PU	OU	Part No
High CRI LED	1	1	1620.0050

Scangrip SUNMATCH is a brand new LED hand lamp designed for auto painting, polishing and prep-zone operations.

The ultra high CRI (colour rendering index) LED reveals colour mistakes, swirl marks, small scratches and dents.

Scangrip SUNMATCH is easy to place for optimal lighting, due to the powerful built-in magnet and the flexible body.

SUNMATCH operates in two steps with outputs of either 180 or 400 lumens. At step two the lamp will automatically power down after three minutes to prevent over heating. After a few seconds it will be ready for use again. Step one runs continuously.

Technical Specifications:

- Ultra high CRI COB LED
- 95 CRI
- 4500 KELVIN
- 1100/550 lux (step 1/step 2)
- 400/180 lumens (step 1/step 2)
- IP65
- 1h/3h operating time
- Charging time 4h

Polishing & Compounding Heads

Snake Type Foam Pad - 150mm

Recommended for fresh soft paints.

Easier work with all foam surface area
Minimal chance of hologram and swirl marks
Shorter work time and Optimal cream using.

Use on Fresh Paint




Colour	PU	OU	Part No
Yellow	1	1	4329.2621

Square Type Foam Pad - 150mm

For use on hard, old paints.

Shorter work time and reduced heat transfer.
Easier work with all foam surface area
Faster eliminating the oxidized paint.

Use on Old Paint



Colour	PU	OU	Part No
Blue	1	1	4329.2741

Black Waffle Foam Pad - 150mm

To be used for surface finishing

Ideal for final polishing with cream polish.
The pad can be used at high speeds
and prevents the polishing paste from burning.

Colour	PU	OU	Part No
Black	1	1	4329.2431

Use for Ultra Finishing



ORANGE Firm Cut Foam Pad - Velcro

**Replacement for
3M Green Compounding Foam**



Colour	PU	OU	Part No
Orange	1	1	4326.44405


BLACK Soft Polishing Foam Pad - Velcro 160mm



Colour	PU	OU	Part No
Black	1	1	4326.1023

FOAMED WOOL 6.5 INCH BUFFING/POLISHING PAD

These manufactured Foamed Wool pads polish like a wool pad but finish like a foam pad, giving your vehicle's paint the best qualities of each. Natural wool pads have a tendency to become frayed, matted, and begin linting. The deterioration of a wool pad results in a pad that provides less cushion between the buffer and the paint, and the matted wool poses a greater risk of scratching the paint.



FOAMED WOOL 7 INCH BUFFING/POLISHING PADS ARE CAPABLE OF REMOVING 1500 GRIT SCRATCHES, LEAVING A SMOOTH FINISH WITH NO HAZING AND FEW, IF ANY, COMPOUNDING SWIRLS.



4330.351.0402.42

**SUPER FLEXIBLE
BACKING PAD!**




POLYSPONGE - CONTAMINATION REMOVER

ONLY BY HAND IT SAFELY AND EASILY REMOVES PAINT OVER SPRAY, WATER SPOTS, TREE SAP, RAIL DUST AND OTHER BONDED SURFACE CONTAMINANTS FROM THE SURFACE OF AUTOMOTIVE PAINT, GLASS, MOLDINGS AND PLASTIC.

Virtus Polysponge works fast and achieves professional results with the new advanced rubber polymer technology, which replaces the use of clay bars.

Polysponge works great with 671 Polymer Spray Polish lubricant. Unlike the clay bar, the Polysponge can be cleaned by simply rinsing off the accumulated contaminants with water. If you drop the Polysponge on the ground, no worries, just rinse the sponge pad clean and you're ready to keep using it. 471 Polymer Spray Polish allows for sturdy and controlled handling, unlike clay bars where constant reshaping is required. There is a significant difference between Virtus Polysponge and clay bars. An outstanding machine/advanced polymer combination makes Virtus Polysponge the best contamination removal tool ever. The paint will be smooth like a new car.

AutoScrub
Decontamination
Sponge Combo
4330.100861



Poly Disk Contamination
4328.0829



Virtus 471 Acqualux Liquid
Spray Polish 4330.471.0500

**AS USED BY GERMAN OEM
CAR MANUFACTURERS**

Polishing & Compounding Heads

Foamed Wool Pad - 150mm

Use for compounding and final polishing

The pad that not only cuts aggressively but which also finishes down well, meaning that less compounding is subsequently required to correct any pig-tailing

Colour	PU	OU	Part No
Purple	1	1	4330.58-4265



165mm M14 Backplate - Velcro Flexible



Type	PU	OU	Part No
165 - Flexible	1	1	4330.351.0402.42

115mm M14 Backplate - Velcro Soft Interface



Type	PU	OU	Part No
115 - Soft	1	1	4326.1006

115mm M14 Backplate - Velcro Hard



Type	PU	OU	Part No
115 - Hard	1	1	4326.1005






150mm M14 Backplate - Velcro Soft Interface



Type	PU	OU	Part No
150 - Soft	1	1	7100.1120

Backing Pads





Orbital Sander Velcro Pads 5/16" Max: 12000 RPM !!!

Low Profile			Thick Profile	
150mm- Plain	150mm- 6Hole	150mm- Multihole	150mm- Plain	150mm- 6Hole
				
7100.1085	7100.1095	7100.1097	7100.1086	7100.1087

Velcro Pads M8 (FESTOOL & RUPES)

Velcro Pad M8 & 5/16"

Velcro Pad 5/16"

Low Profile		Low Profile	Mini
150mm- 15Hole	150mm- Multihole	150mm- Multihole	50 & 75mm - Plain
			
7100.1165	1402.981.340	7100.1083	1620.2020 (75mm) 1620.2021 (50mm)

Suitable for

FESTOOL **RUPES**

automotive systems

Interface Pad 150mm - Soft / Velcro

The pad has 10mm of Sponge Foam which produces a soft back up pad for fine sanding.

Pad Saver 150mm

Use to protect Velcro Pad. Especially good with Net Sanding Disc



Type	Dia.	PU	OU	Part No
Multihole	125	1	1	4328.0180



Ideal for use with Micro Film Velcro Discs
See Page 3



Type	Dia.	PU	OU	Part No
Multihole	150	1	1	7100.A0767



Ideal for use with Net Velcro Discs
See Page 6


Sanding Blocks

D/E Blocks




Holes	Size	PU	OU	Part No
8	70 x 125	1	1	7016.0005
8	70 x 198	1	1	7016.0010
18	115 x 228	1	1	7016.0015
14	70 x 420	1	1	7016.0020

Conversion Strips to convert Self-Adhesive or 3M™ hookit2 to Velcro



Holes	Size	PU	OU	Part No
10	115 x 280	2	2	7016.0030
14	70 x 420	2	2	7016.0031



SIA Hand Block Blue/White - Velcro

Size	Part No.
75 x 125	7004.0001

CALL OUR SALES OFFICE +353 (0)49 5552340

Our customers' experience is our primary focus

Cleaning Products

Microfibre Finishing Cloth - Lint free

Use for Valeting and Dusting



Colour	PU	OU	Part No
Yellow	1	1	4325.0044

BUFFING «Scratchless» White

WONDER Towels

Pack of 2pcs. Extra fluffy



Colour	PU	OU	Part No
--------	----	----	---------

Tack Cloth 18" x 3"

Pack of 10pcs.




Colour	PU	OU	Part No
Standard	1	1	1620.MB10
Water Based	1	1	1620.AQ10

Wheel Scrubbers - Pack of 3pcs.

A gentle yet highly effective wheel cleaning



Size	PU	OU	Part No
250mm	1	1	4326.40650



Oval Shaped Dual Applicator Pads

Professional

Colour	PU	OU	Part No
B / R / Y	1	1	4326.40800

Cleaning Products

Spill Kits

Extremely effective

Capacity	PU	OU	Part No
20 Litre	1	1	1600.0051
30 Litre	1	1	1600.0052



20 LITRE SPILL KIT - UNIVERSAL

- Clear Vinyl Bag
 - 10 Pads
 - 2 Socks
 - 1 Bag & Tie
 - 1 Instruction Sheet
- Also available in Universal and Chemical.

30 LITRE SPILL KIT - UNIVERSAL

- Clear Vinyl Bag
 - 15 Pads
 - 3 Socks
 - 1 Bag & Tie
 - 1 Instruction Sheet.
- Also available in Universal and Chemical.

30Ltr - Oil Dry Cellulose and clay granulate

Lightweight mix of dust free non-slip cellulose and clay granulate



Weight	PU	OU	Part No
30Ltr	1	1	1600.0105

Multipurpose Cloth Roll

400 Non Woven Sheets



Sheets	PU	OU	Part No
400	1	1	4313.1017


Paper Milo Rolls 230mm x 1500M

**White HD Long Milo Roll
Premium Quality**



Type	PU	OU	Part No
Standard Green	1	1	4313.1015
Premium White	1	1	4313.1016

Blue Solvent Wipes – Centerfeed Roll Centre-feed roll dispenser box



Description	PU	OU	Part No
225 Sheets	1	1	1620.3013

Blue spun polypropylene solvent wipe
Very good oil absorption

Blue Embossed Paper Roll



Description	PU	OU	Part No
Economy 1Ply	1	1	4313.1005
Premium 2 Ply Embossed	1	1	4313.1009
Floor Stand	1	1	4313.2001

Centerfeed Roll 2 Ply Blue 150M (6 pack) 150M



Size	PU	OU	Part No
200mm x 150M	1	1	4313.1020

Cleaning Products

Polishing Cloth Soft Wipe - Dispenser Roll

300 sheets per roll 260mm x380mm

Low lint wipe that has been specifically designed for finishing, meaning it will not scratch even the newest paintwork.



Description	PU	OU	Part No
300 Sheets	1	1	1620.3014

Preclean Wipe - Dispenser Roll

300 sheets per roll 250mm x350mm

Spirit wiper roll is a 100% melted down polypropylene non-woven wipe perfect for all solvent and spirit wiping applications.



Description	PU	OU	Part No
300 Sheets	1	1	1620.3015

Black Refuge Sacks - 200pcs. (250gm)

(8 rolls x 25 bags)



Contents	PU	OU	Part No
Black	1	1	4316.1001

Bag of Rags - 10KG

(Ideal for general wiping)


Scanned for no zip or buttons



Contains	PU	OU	Part No
Colour	1	1	1600.1012
White	1	1	1600.1013


Mixing Products

Beetroot Board - Multilayered mixing board Supplied with 100 disposable sheets



Use with	PU	OU	Part No
body filler, pastes etc.	1	1	1600.1019


Spray out Cards (100pk) The bold pattern to check paint coverage.



Use a spray out card to check that the paint colour matches before applying it to the car.

Colour	PU	OU	Part No
White	1	1	1600.1032

Metal Body Filler Spatula Set - Japan Style Supplied in plastic bag



Set of	PU	OU	Part No
4pcs.	1	1	R.ATH.107840

Plastic Spreaders Beveled Edge



Size / Pack of	PU	OU	Part No
105 x 70mm / 10pce	1	1	1600.1022



Razor Blades (Bohemian Safety Blades) High Quality

Pack of	PU	OU	Part No
100pcs.	1	1	1620.3001

Mixing Products

Plastic Mixing Cups and Lids - 100% closure

Durable Clear Plastic Beakers with straight sides for accurate measuring.

Graduated Measurement



Description	OU	Part No
-------------	----	---------

385ml Mixing Cup	200	1600.100330
------------------	-----	-------------

750ml Mixing Cup	200	1600.100331
------------------	-----	-------------

1400ml Mixing Cup	200	1600.100332
-------------------	-----	-------------

300ml Mixing Cup	100	1600.100333
------------------	-----	-------------

385ml Mixing Cup Lid	200	1600.100334
----------------------	-----	-------------

750ml Mixing Cup Lid	200	1600.10335
----------------------	-----	------------

1400ml Mixing Cup Lid	200	1600.100336
-----------------------	-----	-------------



ECONOMIC Wooden Mixing Stick (box of 100)

Use for mixing paint in the mixing cup

Description	PU	OU	Part No
-------------	----	----	---------

Box of 100 Sticks	50	50	1622.2010
-------------------	----	----	-----------

600cc Calibrated Poly Mixing Cups & Lids

Sturdy construction, Solvent resistant

Nylon Paint Strainers (Box of 100pcs.)

Suitable for both solvent and waterbased paints




Economy

Description	PU	OU	Part No
-------------	----	----	---------

Cups	50	50	1600.5003
------	----	----	-----------

Lids	50	50	1600.5012
------	----	----	-----------



**High Quality
Low Price**

Desc. / Application	PU	OU	Part No
---------------------	----	----	---------

125mic/White based paints	1	1	1600.0202
---------------------------	---	---	-----------

190mic / All Paint Types	1	1	1600.0201
--------------------------	---	---	-----------

Masking Products

Double Sided Foam Tape - High Quality
With a modified acrylic adhesive



Size	PU	OU	Part No
6mm x 10M	1	1	1600.0322
9mm x 10M	1	1	1600.0316
12mm x 10M	1	1	1600.0317
19mm x 10M	1	1	1600.0323
25mm x 10M	1	1	1600.0318
50mm x 10M	1	1	1600.0319

Duct Tape - Silver
Premium Grade



Size	PU	OU	Part No
50mm x 50M	1	1	4323.3006

Fine Line Plastic Tape - Highly conformable
Easy to curve and contour



Size	PU	OU	Part No
3mm	1	1	1600.0403
6mm	1	1	1600.0406

Macbond Clear Bonding Tape (Acrylic)
Ultra High Bond / Double Sided

Ultra High Bond!
3M 80322 Alternative



Size	PU	OU	Part No
12mm x 10M	1	1	4323.3011
19mm x 10M	1	1	4323.3008

Masking Products

Round Foam Masking Tape

Supplied in individual boxes in strips

A strip of adhesive foam for protecting door edges, trunk, hood and other openings on the vehicle, speeding up the protection process prior to painting, acting as a barrier preventing dust and paint from entering the inside of the vehicle.



Wide / Strips x Length	PU	OU	Part No
13mm / 10 x 5M	1	1	1600.0327
19mm / 7 x 5M	1	1	1600.0328

Filler Mask 3Line Foam Tape

Highly recommended to mask the joints between the doors

3 LINE Tape is the optimal solution for preventing paint from penetrating non primer and base coat applications, preventing paint from penetrating non desired areas.



Wide / Strips x Length	PU	OU	Part No
30mm / 6 x 5M	1	1	1600.0329

Disposable Car Seat Covers

(Box of 100Pcs)

Seat covers are packed in dispenser carton



Description	PU	OU	Part No
10mic.	1	1	1600.0308

CALL US FOR INFORMATION
ON A WIDER RANGE
OF MASKING PRODUCTS
TEL 049 555 2340





Rice Paper Tape

Thin and strong yellow masking tape. Made with the rice plant fiber. It is covered with an acrylic adhesive. Its easy use, let draw rectum and clear lines. Good adherence, does not leave residues. Good outdoor and hot resistance (more than 120° during an hour). Recommended for water paints.

Size	PU	OU	Part No
19mm x 50M	1	1	1600.0427
25mm x 50M	1	1	1600.0426

Our expertise saves you time!

CALL OUR SALES OFFICE +353 (0)49 5552340

Clear Packaging Tape (6pk)

Individual rolls packed in shrink wrap of 10s

Size	PU	OU	Part No
48mm x 132M	1	1	1004.2008

48mmx132M



Flat Foam Masking Tape



Flat Foam Masking Tape:
The fast and alternative way to mask doors and other gaps.

Making previously unmaskable gaps simple easy to protect.

Eliminates unnecessary rework due to unwanted paint edges.

Just one size to choose for every occasion.

Size	PU	OU	Part No
20mm x 50M	1	1	1600.0313

No Edge Blending Tape



No Edge Blending Tape:
The fast and accurate way to mask styling lines and panels to avoid hard paint edges.

Ideal for door apertures.

Leaves no paint edges.

Eliminates unnecessary rework due to unwanted paint edges.

Just one size to choose for every occasion.

Size	PU	OU	Part No
20mm x 5M	1	1	1600.0314

Perforated Trim Masking Tape



Perforated Masking Tape:
The ideal way to protect rubbers, trims and body side mouldings during spraying.

Pre-perforated for easy tear off.
No need for scissors.

Very flexible to follow contours and tight curves.

Easy lifting tab.

Size	PU	OU	Part No
50mm x 10M	1	1	4323.3007

Masking Tape

Premium Grade Automotive Masking (80°C)

Size	OU	Part No
19mm x 50M	96	1650.4019
25mm x 50M	72	1650.4025
38mm x 50M	48	1650.4038
48mm x 50M	36	1650.5048

Characteristics

Adhesive tape manufactured with crepe paper and pressure sensitive, medium adhesion and rubber-resin adhesive.

Very conformable, good tensile strength and strong holding. Designed for applications where baking is required with temperatures up to 80°F. Good tape-on-tape adhesion. Solvent, water and oil resistant.

Applications

Used on surfaces like, glass aluminum, steel, paper or plastic masking, plastics, rubber moldings, chrome parts, plastic parts, wood and other flat surfaces. Removes easily without staining or leaving residue.



Paint Absorbent Masking Film

High Quality. Special Automotive Product

Pre-Taped Masking Film			
Size	PU	OU	Part No
180cmx25yrs	1	1	4323.3002
34cm x 25yrs	1	1	4323.3003
90cm x 25yrs	1	1	4323.3004
60cm x 25yrs	1	1	4323.3005

CALL OUR SALES OFFICE +353 (0)49 5552340

Our customers' experience is our primary focus

Spray Guns




Deltalyo A7006GSS Gravity Feed Spray Gun
Supplied with 600ml paint container

Set up Options	PU	OU	Part No
1.4mm	1	1	1620.1019
1.6mm	1	1	1620.1020
1.8mm	1	1	1620.1021
2.0mm	1	1	1620.1022

**High Quality
Economy Spray Gun**

Spray Gun Holders Special Automotive Products



Description	PU	OU	Part No
Sp. Gun Holder with paint strainer holder	1	1	1620.1045
Magnetic Sp. Gun Holder	1	1	1620.1025

Deltalyo A7006RSS Suction Spray Gun
Supplied with a 1000ml paint container



Set up Options	PU	OU	Part No
1.4mm	1	1	1620.1004
1.8mm	1	1	1620.1006

Technical Aerosols & Spray Paints

Spray Cavity Wax White, 500ml.



4328.1007

A wax for protecting cavities in vehicle body, adhesive and highly resistant to abrasion, heat, humidity and harsh climates such as coastal climates.

ETCH Primer, 400ml.



4328.1006

An advanced epoxy build primer which has been especially designed to promote excellent adhesion to difficult metals and also protects the metal from surface rust prior to painting with either enamel or acrylic top coats.

Textured Bumper Spray Black, 500ml.



1601.0060 - Black

A coarse textured coating for an excellent finish, with a high grade composition for a faster drying time and superior adhesion to metal, wood and plastic. It is used for restoring plastic surfaces typically found on vehicle parts

Textured Bumper Spray Grey, 500ml.



1601.0061 - Grey

A coarse textured coating for an excellent finish, with a high grade composition for a faster drying time and superior adhesion to metal, wood and plastic. It is used for restoring plastic surfaces typically found on vehicle parts

K3010 Zinc Spray, 400ml.



4323.2003

Ideal for providing corrosion protection galvanized layer. 98% zinc content.

Paint - WHITE Gloss, 500ml.



1601.0018

Paint - BLACK High Gloss, 500ml.



1601.0015 - High Gloss
1601.0016 - Satin Matt
1601.0017 - Black Matt

Paint - WHEEL SILVER, 500ml.



1601.0050

Clear Lacquer, 400ml.



1601.0022

Grey Primer



1601.0011

Peeleable Spray Booth Coating, 5L.





1600.4012

A transparent water-based product, used for protecting spray booth interiors. This product forms a coat on the surface which attracts dust particles. Simple to apply by painting on booth walls.

Once the layer on the chosen surface is dirty, it is easily removed with water or by pulling; in one stroke it is removed leaving no trace.

UNIPLAST - Hot Stapler



Product Description:

UNIPLAST hot stapler, is the fastest and most efficient solution for repairing plastics. It can repair and reinforce any piece of plastic such as; bumpers, instrument panels, headlight supports and fairing, etc.

UNIPLAST is a small and easy to use device. Its configuration is very simple, an on/off button to start the device and an option for the temperature you want to heat the staple to.



UNIPLAST has three different positions; slow temperature (L) for 1.5mm plastic thickness, Medium temperature (M) for 2mm plastic thickness, and high temperature (H) suitable for more than 2mm plastic thickness.













UNIPLAST provides you with an excellent repairing level and incredible savings in time and money.



PartNo.1620.2101

UNIPLAST - Staples



Application	Type	Description	Part No
		S Shape (100 units) - Ø 0.6mm Stainless Steel Clamp S 0.6mm format suitable for the repair of plastic.	1620.2200
		S Shape (100 units) - Ø 0.8mm Stainless Steel Clamp S 0.8mm format suitable for the repair of plastic.	1620.2201
		U Shape (100 units) - Ø 0.6mm Stainless Steel Clamp U 0.6mm format suitable for the repair of plastic.	1620.2202
		U Shape (100 units) - Ø 0.8mm Stainless Steel Clamp U 0.8mm format suitable for the repair of plastic.	1620.2203
		V Shape (100 units) - Ø 0.8mm Stainless Steel Clamp V 0.8mm format suitable for the repair of plastic.	1620.2204
		M Shape (100 units) - Ø 0.7mm Stainless Steel Clamp M 0.7mm format suitable for the repair of plastic.	1620.2205

File Belt Sander Belts


Available Grits: 40 - 60 - 80 - 120 - 180 - 320 - 400




Size	PU	OU	Part No
06x305	10	200	State Size and Grit
13x305	10	200	State Size and Grit
10x330	10	200	State Size and Grit
03x457	10	200	State Size and Grit
06x457	10	200	State Size and Grit
13x457	10	200	State Size and Grit
06x520	10	200	State Size and Grit
13x520	10	200	State Size and Grit
20x520	10	200	State Size and Grit
06x533	10	200	State Size and Grit
10x533	10	200	State Size and Grit
13x533	10	200	State Size and Grit
06x610	10	200	State Size and Grit
13x610	10	200	State Size and Grit

Air Drive Tool for Sanding Belts (10x330mm)

Model BS09 - Belt Size 10 x 330mm



Model	PU	OU	Part No
BS09	1	1	1091.2001



Air Drive Tool for Sanding Belts (20x520mm)

Model BS10 - Belt Size 20 x 520mm

Model	PU	OU	Part No
BS10	1	1	1091.2002

Abcon is the only Irish converter of Abrasive Belts and Discs.
We can manufacture any size to suit your requirements.

CALL OUR SALES OFFICE +353 (0)49 5552340

For all your surface finishing requirements.

Clean and Strip Disc - 115mm Type 27

Use with angle grinder for cleaning and rust removal

Dia .	PU	OU	Part No
115	5	5	4200.3001



Clean and Strip Spindle Mounted Disc

Use with Drill or Polisher for cleaning and rust removal

Dia. / Shank	PU	OU	Part No
100 / 6mm	5	5	4203.1006



Clean and Strip Plain Disc

Use with Drill or Polisher

Item	PU	OU	Part No
Disc - 115x13mm	1	1	4201.1115
Holder for 1 disc	1	1	2402.2204
Holder for 2 discs	1	1	2402.2205



Quick Change Discs - Screw on plastic thread - Aluminium Oxide General Grinding

Grits Available:

36-40-60-80-120-180-240-320



BEST SELLER

Dia.	PU	OU	Part No
25	50	600	6171 - State Grit
38	50	600	6173 - State Grit
50	50	600	6174 - State Grit
Q.Ch.Disc 50mm - Grit 36			6174.0036
75	50	600	6175 - State Grit

Quick Change Discs - Screw on plastic thread - Surface Conditioning Cleaning and Fine Grinding

Grades Available:

Coarse - Medium - Fine



BEST SELLER

Dia.	PU	OU	Part No
25	20	200	6199 - State Grade
38	20	200	6201 - State Grade
50	20	200	6202 - State Grade
Q.Ch.Disc 50mm - Coarse			6202.0001
75	20	200	6203 - State Grade

Quick Change Disc Holders Rubber Backing Pad



Dia.	Type	PU	OU	Part No
25	Shank 6mm	1	1	6003.1170
38	Shank 6mm	1	1	6003.1175
50	Shank 6mm	1	1	6003.1180-M
75	Shank 6mm	1	1	6003.1185-M
75	Thread M14	1	1	6003.1200

Air Driven Angle Grinder with 6mm Colet & Quick Change Disc Kit in Sturdy Plastic Case Supplied with tool



Air Driven Grinder 18000 RPM


PU	OU	Part No
1	1	1091.2003

Quick Change Disc Kit 50pce
Supplied with Tool

PU	OU	Part No
1	1	6005.1991

General Abrasives & Tools

KF708 Fibre Discs - Aluminium Oxide General Grinding




Dia.	Grit	PU	OU	Part No
100	24	25	250	5300.1024
100	36	25	250	5300.1036
100	60	25	250	5300.1060
100	80	25	250	5300.1080
100	120	25	250	5300.1120
115	24	25	250	5300.2024
115	36	25	250	5300.2036
115	40	25	250	5300.2040
115	60	25	250	5300.2060
115	80	25	250	5300.2080
115	120	25	250	5300.2120

Stingray Flap Discs - Zirconia Fiberglass Backed - Flat



Dia.	Grit	PU	OU	Part No
115	40	10	60	5206.4004
115	60	10	60	5206.6004
115	80	10	60	5206.8004
115	120	10	60	5206.1203
180	40	10	10	5204.4001
180	60	10	10	5204.6001
180	80	10	10	5231.0080
180	120	10	10	5231.0120

4819 Fibre Discs - Zirconia Power Cut




Dia.	Grit	PU	OU	Part No
115	24	25	250	5305.2024
115	36	25	250	5305.2036
115	40	25	250	5305.2040
115	60	25	250	5305.2060
115	80	25	250	5305.2080
115	120	25	250	5305.2120
180	24	25	250	5305.4024
180	36	25	250	5305.4036
180	60	25	250	5305.4060
180	80	25	250	5305.4080
180	120	25	250	5305.4120

Flap Discs - Surface Conditioning Cleaning and Fine Grinding - Conical



Dia.	Grade	PU	OU	Part No
115	Fine	10	10	4650.5001
115	Medium	10	10	4650.5002
115	Coarse	10	10	4650.5003



Cutting Discs - Flat (Skinny Discs)

PFERD



Size	PU	OU	Part No
100 x 1.0	25	25	5002.1001
115 x 1.0	25	25	5004.1002
230 x 1.9	25	25	5011.1002

Cutting Discs - Depressed Centre

PFERD



Size	PU	OU	Part No
100 x 2.4	25	25	5001.1001
115 x 2.4	25	25	5003.1006
230 x 3.0	25	25	5010.1010

Mini Cutting Discs and Drive Tools

Use with Arbor (6mm Shank)



Size (D x T x Bore)	PU	OU	Part No
76 x 1.3 x 10mm	10	50	5016.1019
Arbor / 6mm Shank - 10mm	1	1	2403.4325

Air Powered Cut-off Tool

Use with 75mm Cut-off Wheels



Model	Use with	Part No
T5812	75 x1.0 Wheel	1620.2011

Grinding Discs (Depressed Centre) - PFERD

Use with Angle Grinder




Size	PU	OU	Part No
100 x 6.0	10	10	5031.1005
115 x 7.0	10	10	5032.1008
230 x 7.0	10	10	5035.1005



Spindle Mounted Flap Wheels with 6mm Shank - Aluminium Oxide

Dia. x Length	Grit	PU	OU	Part No
25 x 15	40	10	10	4020.0040
25 x 15	80	10	10	4020.0080
25 x 15	120	10	10	4020.0120
25 x 15	180	10	10	4020.0180
25 x 15	240	10	10	4020.0240
30 x 15	40	10	10	4035.0040
30 x 15	80	10	10	4035.0080
30 x 15	120	10	10	4035.0120
30 x 15	180	10	10	4035.0180
30 x 15	240	10	10	4035.0240
40 x 20	40	10	10	4043.0040
40 x 20	80	10	10	4043.0080s
40 x 20	120	10	10	4043.0120
40 x 20	180	10	10	4043.0180
40 x 20	240	10	10	4043.0240
50 x 20	40	10	10	4053.0040
50 x 20	80	10	10	4053.0080
50 x 20	120	10	10	4053.0120
50 x 20	180	10	10	4053.0180
50 x 20	240	10	10	4053.0240
60 x 40	40	10	10	4066.0040
60 x 40	80	10	10	4066.0080
60 x 40	120	10	10	4066.0120
60 x 40	180	10	10	4066.0180
60 x 40	240	10	10	4066.0240
80 x 50	40	10	10	4087.0040
80 x 50	80	10	10	4087.0080
80 x 50	120	10	10	4087.0120
80 x 50	180	10	10	4087.0180
80 x 50	240	10	10	4087.0240



Countertop Display Box - Assorted 40 pcs.


Popular Sizes and Grits	1	1	4149.5400
-------------------------	---	---	-----------



Wide range of Spindle Mounted Flap Wheels Available with short Delivery Times. Contact us with your Specific Requirements.



Shape A - 6mm Shank

Cylinder

Shape	Dia. x L.	Part No.
	06 x 18	A60618.State Cut
	08 x 20	A60820.State Cut
	10 x 20	A61020.State Cut
	12 x 25	A61225.State Cut
	15 x 25	A61525.State Cut
	20 x 25	A62025.State Cut
	25 x 25	A62525.State Cut


Shape B - 6mm Shank

Cylinder with End Cut

Shape	Dia. x L.	Part No.
	06 x 18	B60618.State Cut
	08 x 20	B60820.State Cut
	10 x 20	B61020.State Cut
	12 x 25	B61225.State Cut
	15 x 25	B61525.State Cut
	20 x 25	B62025.State Cut



Shape C - 6mm Shank

Ball Nosed Cylinder

Shape	Dia. x L.	Part No.
	06 x 18	C60618.State Cut
	08 x 20	C60820.State Cut
	10 x 20	C61020.State Cut
	12 x 25	C61225.State Cut
	15 x 25	C61525.State Cut
	20 x 25	C62025.State Cut
	25 x 25	C62525.State Cut


Shape F - 6mm Shank

Ball Nosed Tree

Shape	Dia. x L.	Part No.
	06 x 18	F60618.State Cut
	08 x 20	F60820.State Cut
	10 x 20	F61020.State Cut
	12 x 25	F61225.State Cut
	15 x 25	F61525.State Cut
	20 x 25	F62025.State Cut
	20 x 38	F62038.State Cut


Shape G - 6mm Shank

Pointed Tree

Shape	Dia. x L.	Part No.
	06 x 18	G60618.State Cut
	08 x 20	G60820.State Cut
	10 x 20	G61020.State Cut
	12 x 25	G61225.State Cut
	15 x 25	G61525.State Cut
	20 x 25	G62025.State Cut
	20 x 38	G62038.State Cut

Shape H - 6mm Shank

Flame

Shape	Dia. x L.	Part No.
	08 x 20	H60820.State Cut
	12 x 35	H61232.State Cut
	15 x 35	H61535.State Cut
	20 x 42	H62042.State Cut

**WIDE RANGE OF COATED AND SPECIAL TC BURRS
AVAILABLE ON REQUEST!**

Wire Brushes

75mm Wire Cup Brush - Shank 6mm

Brass plated brush



Dia / Shank	PU	OU	Part No
75mm / 6mm	1	1	R.HIL.950038

100mm Wheel Brush - Shank 6mm

Brass plated brush



Dia / Shank	PU	OU	Part No
100mm / 6mm	1	1	R.HIL.950045

Knotted Wire Cup Brush - Thread M14

Use for HD cleaning and removing paint and rust



Dia / Thread	PU	OU	Part No
65mm / M14	1	1	R.HIL.960259
100mm / M14	1	1	R.HIL.960044

Knotted Wire Wheel Brush - Thread M14

Use for HD cleaning and removing paint and rust



Dia / Thread	PU	OU	Part No
100mm / M14	1	1	R.HIL.961140

Crimped Wire Cup Brush - Thread M14

Use for cleaning and removing paint and rust



Dia / Thread	PU	OU	Part No
100mm / M14	1	1	R.HIL.960143

Spray Gun Cleaning Kit - (on blister card)

Contains needle, sticks, brushes



Set of	PU	OU	Part No
8pcs.	1	1	1620.3011

Wire Brushes

Wire Brush Displays Hilka

Display	Qty.	Part No.
Spindle Wire Brush Wheel	24pcs.	R.HIL.100020
Hand Scratch Brush	24pcs.	R.HIL.404241
4 Row Steel Wire Brush	24pcs.	R.HIL.903140



Variable Speed Electric Polisher 180mm Thumb Operated Speed Control

Powerful professional 1200W Sander Polisher. Variable speed control. Sturdy D handle for improved control and comfort. Safety lock off button prevents accidental starting. Suitable for workshop applications. Complete with sanding and polishing bonnet and spare motor brushes. No Load Speed 600- 3000 rpm. 180 mm Sander and Polishing Pad.

This is an ideal machine for introduction into Rotary Machine Polishing!

Power	PU	OU	Part No
1200W	1	1	R.HIL.101379



1200W
800 - 3000RPM



Mini Air DA Angle Sander 50/75mm Use with Mini Velcro Discs (50 & 75mm)

Power	PU	OU	Part No
Sander	1	1	1620.2019
Backing Pad - 50mm	1	1	1620.2021
Backing Pad - 75mm	1	1	1620.2020

Air Powered Cut-off Tool - T5812

Use with 75mm Cut-off Wheels



Model	Use with	Part No
85330003	76 x1.0 Wheel	1620.2011

Straight Line Sander - T5110

Use with 70 x 420mm Velcro Strips

See page 8 for
70mm Abrasive Rolls



Model	Use with	Part No
T5110	70 x 420mm V. Strips	1620.2004

Air Nibbler - T5314

It's an excellent choice for paint and auto-body shops



Model	Cuts Per Minute	Part No
T5314	3200	1620.2009

Air Body Saw - T5840

Use with one hand, great for autobody work



Model	Description	Part No
T5840	Cuts aluminum, plastic etc	1620.2003

Mini Die Grinder

Maximum quality, durability and performance



Model	RPM / Collet	Part No
G32M	22.000 / 6mm	1091.2004

Mini Angle Die Grinder

It's an excellent choice for paint and auto-body shops



Model	RPM / Collet	Part No
DG36M	20.000 / 6mm	1091.2003

High Performance BOSCH Orbital Sanders Special Offer (Sander + Velcro Discs 500pcs)



**+500
VELCRO DISCS!**

Model/Orbit	Use with	Part No
Dex150/5.0mm	P40 - P400 Discs	7173.0002

**CALL OUR SALES OFFICE
+353 (0)49 5552340**

MBX Metal Blaster Kit - SP-121



**Fastest way to remove
stickers and grafics
when using
Eraser Wheel**



Description	Part No
MBX Metal Blaster	1621.0001
Eraser Wheel	1621.1010
MBX Wire Wheel Brush	1621.1020

The MBX Metal Blaster System is the ultimate power tool for the removal of undercoatings, seam sealers, mesh, corrosion, rust, paint, vinyl decals and pin strips.

Skorpio E

Random Orbital Sander

The newest addition to the Rupes random orbital sander range, the Skorpio E marks the introduction of brushless motor technology to their already innovative, compact, and ergonomic products. Available in two versions (3mm or 6mm orbit), this palm sander is sure to be a hit whatever the need.



Weighing only 1.2kg, the transformerless electric powered palm sander is twice as light as others in its class, leaving you with the best possible manoeuvrability in difficult to reach and tight spaces. Comparable to a traditional 500-Watt electric sander, the built-in brushless motor provides enough power to finish the job quickly and provides a constant speed, even when under heavy load.



Features:

- Brushless Motor Technology
- Ergonomic Design
- Available in 3mm or 6mm orbit
- Weighs only 1.2kg
- Water, Dust and Dirt Proof
- Air Extraction Hose
- Central Air Intake

The motor is also water, dust, and dirt proof protecting against whatever may be thrown at it, without the need for repeated maintenance. Coupled with both an air extraction hose and a new type of Rupes designed pad with central air intake, the sander extracts dust quicker and more efficiently, leaving your work clear to continue and providing you with a top-quality finish. Although thanks to the Skorpio E's universal application, it works to the highest of standards if you find yourself without air.

Designed with the comfort of use in mind, Rupes designed the Skorpio E with a soft rubber grip and more space for the user's ring and little finger, making a more relaxed and comfortable hold. Variable speed control allows RPM from 4,000 to 10,000 ensuring that whatever the application, top class results are possible and an easy to use start/stop function provides safety in every situation.

Rupes Skorpio E

1400.RX156A/KitA
(Contains 100 No G120/G240/G320 Velcro Discs)

1400.153/KitA
(Contains 100 No G240/G320/G500 Velcro Discs)

RUPES BIGFOOT ROTARY POLISHER STANDARD KIT

1400.LH19E/STN



RUPES MILLE PLANETARY POLISHER DELUXE KIT

1400.LK900E/DLX



RUPES BIGFOOT POLISHER LHR15 MK2 DELUXE KIT

1400.LHR15MK2/DLX



RUPES IBRID NANO LONG NECK KIT

1400.HR81ML/DLX



BIG FOOT MARK II KIT

1400.LHR21MK2/STN

1400.LHR21MK2

1400.LHR21MK2/DLX (Deluxe Version)



RANDOM ORBITAL POLISHER - LHR21ES (500W)

Anti Hologram (Revs: 1700 - 4200 RPM Orbit: 21.0mm)



Model: LHR21ES/STD
STANDARD KIT (1400.LHR21ES/STD)

STD CONTENT
1 x LHR 21ES Polisher
2 x Polishing Compound 250ml
MEDIUM, FINE
2 x Polishing Foam 155/180mm
MEDIUM, FINE
4 x Coloured Microfiber Cloth

Model: LHR21ES/DLX
DELUXE KIT (1400.LHR21ES/DLX)

DLX CONTENT
1 x LHR 21ES Polisher
4 x Polishing Compound 250ml
COARSE, MEDIUM, FINE, U.FINE
4 x Polishing Foam 155/180mm
COARSE, MEDIUM, FINE, U.FINE
4 x Coloured Microfiber Cloth
1 x BIG FOOT Tools Bag
1 x BIGFOOT apron

RANDOM ORBITAL POLISHER - LHR12E DUETTO (400W)

All-in-one sanding and polishing system for painted surfaces (Revs: 4000 - 5500 RPM Orbit: 12.0mm)



Model: LHR12E/DLX
DELUXE KIT (1400.LHR12E/DLX)

DLX KIT CONTENT
1 x LHR 12E Duetto Random Orbital Polisher
1 x LHR 12E Duetto 125mm Backing Plate
2 x Polishing Compound 250ml - COARSE, FINE
2 x 130/150mm Foam Polishing Pads - COARSE, FINE
1 x 125mm Interface Pad
3 x 125mm 2000 Grit Sanding Discs
3 x 125mm 3000 Grit Sanding Discs
4 x Coloured Microfiber Cloths
1 x Rupes Big Foot Detailing Apron
1 x Rupes Big Foot Soft Polisher Bag

NEW MINI RANDOM ORBITAL POLISHER - LHR75E (400W)

400W - Use for difficult shapes and for spot repair operations



Model: LHR75E/DLX
DELUXE KIT (1400.LHR75E/DLX)

Revs: 4000 - 5500 RPM
Orbit: 12mm

DLX KIT CONTENT
1 x LHR 75E Mini Random Orbital Polisher
1 x LHR 75E 75mm Backing Plate
2 x Polishing Compound 250ml - COARSE, FINE
2 x 80/100mm Foam Polishing Pads - COARSE, FINE
4 x Coloured Microfiber Cloths
1 x Rupes Big Foot Detailing Apron
1 x Rupes Big Foot Soft Polisher Bag

**REVOLUTIONARY
EFFICIENT
EASY TO USE
PERFECT RESULTS**



1400.LHR21ES/STD

RANDOM ORBITAL POLISHER - LHR21ES (STD)

21mm Orbit

Perfect for working large surface area.



1400.LHR12E/STN

RANDOM ORBITAL POLISHER - LHR12E DUETTO (STD)

12mm Orbit

Sanding and Polishing. Ideal for deep correction operations.



1401.LHR75

RANDOM ORBITAL POLISHER - LHR75E MINI

12mm Orbit

Ideal for difficult shapes and for spot repair operations.



1402.9.BF180S/16
1402.9.BF100S/4

1402.9.BF180M/16
1402.9.BF100M/4

FOAM POLISHING PADS

WHITE (EXTRA FINE) - Showroom condition ultra gloss finish

YELLOW (FINE) - High gloss level and excellent speed of correction.



1402.9.BF180J/16
1402.9.BF100J/4

1402.9.BF180H/16
1402.9.BF100H/4

GREEN (MEDIUM) - Good finish and reduced correction speed

BLUE (COARSE) - High performance and reduced heat.



1402.9.BF170XM/16
1402.9.BF150XM/16

1402.9.BF150XH

MICROFIBER POLISHING PADS

BLUE (CUTTING) - Use for removing heavy swirl marks, scratches etc.

YELLOW (FINISHING) - Restore the depth and clarity to paintwork, removing halogramms and light swirl marks.

Mobile Dust Extraction Unit Twin (Air / Electric System Station)



Model: S130L (1400.S130L)
Extremely silent
30lit Capacity
Connector for hoses:
Ø 25 - 29 - 38 - 50 mm

Model: KS260EPN
65lit Capacity
Powerful, robust
and reliable

Part No: 1400.KS260EPN

Mobile Dust Extraction Unit Electric



Mobile Dust Extraction Unit Air / Electric



Model: S130PL (1400.S130PL)
Extremely silent
30lit Capacity
Connector for hoses:
Ø 25 - 29 - 38 - 50 mm



1402.037.1101/5

KS260 Range

Replacement Dust Bags for Mobile Unit Pkt 5
Suitable for KS260 Range

1402.130.1108/5

S130 Range

Replacement Dust Bags for Mobile Unit Pkt 5
Suitable for S130 and S235 Range

RUPES KR2 TURBINE WORKSTATION FOR 2 WORKING SPOTS

KR2 IS A REAL MOBILE WORKSTATION TO PROVIDE THE USER EVERYTHING HE NEEDS FOR DAILY WORK, THANKS TO A WIDE RANGE OF ACCESSORIES INCLUDED.

DESCRIPTION

The integrated turbine vacuum unit guarantees optimal suction performances and high reliability even for heavy duty applications.

Maximum health protection is guaranteed by the ultra-high efficiency class "M" PTFE filter (following standard EN 60335-2-69).

PTFE filter membrane is able to block very thin dust particles (99,9% efficiency with 0,3µm dusts).

TECHNICAL DATA

Side channel pump	filter	•
Electric supply	filter	230V / 2P
Power	Watt/hp	1500/2
Weight	kg	115
Vacuum max	mm/H2O	2200
Noise	dB(A)	65
Tank capacity	l	23
Flow capacity	m3/h	240
Filter surface	m2	1
Tools connections	nr	2
Working pressure	bar	6
Manual filter cleaning		•
Performance display		•
ID Vacuum nozzle	mm	50
Size (HxWxD)	cm	136x98x62

SUPPLIED

Antistatic hose assembly 5 m Ø 29 mm electric
Swing arm
Hose/Cable holder
Storage bay
2-way union complete with 1 clapet valve
Perforated board with hooks set 10 pcs incl.
Reel holder
Dust bag (3 pcs.)
Air pressure regulator

Part No. 1400.KR2



Random Orbital Sander General Use



Model: ER155TE (1400.ER155TE)
Dia: 150mm
Variable Speed
Orbit: 5.0mm

Random Orbital Sander General Use



Model: ER05TE (1400.ER05TE)
Dia: 150mm
Variable Speed
Orbit: 5.0mm

Random Orbital Sander General Use

Available in 6,9 & 12mm Orbits
for specific Requirements



Model: BR106AE (1400.BR106AE)
Dia: 150mm
Variable Speed
Orbit: 6.0mm

Orbital Half Sheet Sander 115x225MM - 10Holes



Model: SSPFVR (1400.SSPFVR)
Size: 115x225mm
Velcro
Orbit: 5.0mm

Angular Polisher V/Speed 1100W



Model: LH18ENS (1400.LH18ENS)
Power: 1100W
Variable Speed
Revs: 750-1850 RPM

Electric Heat Gun Paint Stripping / Removal of films



Model: GTV16 (1400.GTV16)
Power: 1600W
Air flow: 350 - 500 l/m
Temp: 350 - 500 °C

Rupes Sander 80x130MM - with dust filter unit



Model: LE71T (1400.LE71T)
Size: 80x120mm

Orbital Long Bed Sander 70x400MM - 14Holes



Model: SL42AE (1400.SL42AE)
Size: 70x400mm
Velcro
Orbit: 4.8mm

75MM Random Orbital Sander Spot Repair



Model: RA75A (1401.RA75A)
Fitting: 5/16"
Dia: 75mm
Orbit: 3.0mm

Random Orbital Sander General Use

Available in 6,9 & 12mm Orbits
for specific Requirements



Model: RH353T (1401.RH353T)
Rupes Skorpio III 150mm
3mm Orbital Sander with dust extraction

Random Orbital Sander General Use



Model: TA151 (1401.TA151)
Fitting: 5/16"
Dia: 150mm
Orbit: 5.0mm

Random Orbital Sander General Use - Large Surface



Model: TA562AN (1401.TA562AN)
Dia: 200mm
Orbit: 5.2mm

Orbital Surface Sander 115x225mm - 10 Holes



Model: SO210AP (1401.SO210AP)
Fitting: Clips (included)
Size: 115x225mm
Orbit: 5.2mm

Random Orbital Sanders Compact Series



Model: RE21AC (1401.RE21AC)
RE21ACM: 80x130mm

Orbital Long Bed Sander 70x400MM - 14Holes



Model: SLP41A (1401.SLP41A)
Size: 70x400mm
Velcro
Orbit: 4.8mm

Rupes Air Sander 70x198MM



Model: RE21AL (1401.RE21AL)
Size: 70x198mm

Random Orbital Sander Delta Triangular



Model: RS21A (1401.RS21A)
Special Delta Pad
Revs: 0 - 11000RPM
Orbit: 3.0mm

HD Angle Grinder Very compact body



Model: IGA125 (1401.IGA125)
Disc Dia: 125mm
Revs: 11000RPM
Thread: M14

Mini Roloc Wheel Grinder Use with 50mm Quick Change Discs



Model: TE21P (1401.TE21P)
Disc Size: 50mm
Revs: 25000RPM
Collet: 6mm



1402.981.500

ER & RH Range

150MM Velcro MultiHole Backing Pad (M8)
Suitable for ER & RH Range



1402.981.440

RA & BR Range

150MM Velcro MultiHole Backing Pad (5/16)
Suitable for RA & BR Range



1402.981.090

LR31 Model

150MM Velcro MultiHole Backing Pad
Suitable for LR31 Model



1402.981.100

AK/BK/EK Range

150MM Velcro 6+1 Hole Backing Pad
Suitable for AK/BK/EK Range



1402.981.340

**LHR15-21
BigFoot Range**

150MM Velcro Backing Pad (M8)
Suitable for LHR15-21 BigFoot Range



1402.986.003

RE21AM

80x130MM Velcro Backing Pad
Suitable for RE21AM



1402.988.001

RE21AL

70X198MM Velcro MultiHole Backing Pad
Suitable for RE21AL



1402.983.002

SSPF

115X210MM Rubber Backing Pad
Suitable for SSPF c/w Clips



1402.62.55MH

SSPF VR

115X225MM Velcro MultiHole Backing Pad
Suitable SSPF VR



1402.618.083

SL42/SLP41

70X400MM Rubber Backing Pad
Suitable for SL42 / SLP41



1402.619.153MH

SL42AEV

70X400MM Velcro Multihole Backing Pad
Suitable for SL42AEV



1402.9.BF180H/16

Blue

155/180MM Blue Hard Buffer Head PKT 2

1402.9.BF180J/16

Green

155/180MM Green Buffer Head PKT 2

1402.9.BF180M/16

Yellow

155/180MM Yellow Buffer Head PKT 2

1402.9.BF180S/16

White

155/180MM Beige Buffer Head PKT 2

1402.9.BFZEPHIR/8

**ZEPHIR
Coarse Cut**

For major paint correction work

1402.9.BFQUARTZ/8

**QUARTZ
Medium Cut**

For the removal of superficial scratches

1402.9.BFKERAMIK500/8

**KERAMIK
Fine Polish**

For light defect removal without holograms

1402.9.BFKERAMIK/8

**DIAMOND
Ultra Fine Polish**

For final finishing to showroom conditions

MONOPOL

Commercial Paints

COMMERCIAL & INDUSTRIAL PAINTS
CHROMATIC MIXING SYSTEM
COST EFFECTIVE
MULTI CHOICE APPLICATIONS

TRUCKS AND LIGHT COMMERCIAL VEHICLES
 MONOPOL 2K SYSTEMS WITH HIGH COVERING POWER.
 THE LINES HAS SPECIALLY:

- HIGH GLOSS
- LOW VOC
- HIGH PERFORMANCES

IF YOU CHOOSE THIS PRODUCTS YOU CAN REDUCE THE COST,
 AND REDUCE THE SOLVENT EMISSIONS.
 THOSE LINES ARE A NEW EVOLUTION FROM THOSE EXISTING
 INTO THE MARKET GIVING:

- INCREASING THE PRODUCTIVITY
- EASY TO USE
- EXCELEN MECHANICAL AND CHEMICAL RESISTANCES
- HIGH QUALITY FINISH



APPLICATIONS



PRODUCT EXAMPLE

903 - 2K MS ACRYL TOPCOAT
 FAMILY 1 - CALSS 7A (VOC

APPLICATION

LORRIES, CARS, BUSES, LIGHT COMMERCIAL, INDUSTRIAL
 VEHICLES, INDUSTRY, AGRICULTURAL ...ETC

ALL APAQUE AND METALLIC TINTS

SPECULAR GLOSS

90-96% at 60° angle

THEORETICAL COVERAGE

10 - 14sqm per litre for 50µ dry

THICKNESS

Dry: 40-50µ
 Wet: 100-130µ

DRYING TIME

Dust Free: 40min at 20°C
 Dry to touch: 90min at 20°C
 Baking: 45min at 60°C

ADJUSTMENT

HVLP SPLAY GUN
 Nozzle: 1.2mm
 Pressure: 2Bar
 Number of coats: 1-2

Other Products

Under Body Coating Gun

Professional



Description	PU	OU	Part No
Professional	1	1	1600.4020

100mm Stripe Removal Wheel-M6 Thr. Shank

A vinyl, non-abrasive material.



Description	PU	OU	Part No
High Performance	1	1	1600.1025



Manual Safety Trimmer - Safety Blade

Multi-purposed Plastic and Paper Sheet Cutter



Type	PU	OU	Part No
Single Blade	1	1	1600.0304

Sound Deadening Pads - Smooth

Easy to fit and can be over painted



Dimensions	PU	OU	Part No
250 x 500mm x 10pcs	1	1	1600.4009
250 x 500mm x 10pcs	1	1	1600.4010

Paper Floor Mats - 250pcs.

Packed in a box of 250

Pack of	PU	OU	Part No
250pcs.	1	1	1600.0320

Other Products

Automatic Welding Helmet

Lens size 90 x 110mm. Viewing area - 42x96 mm



Lens can be set to	PU	OU	Part No
shades 9 to 13	1	1	RSW.WH04B

Epoxy Putty - Rectorseal

Bonds to most surfaces and hardens in 15-20 min.



Available in
Display of 24pcs.



Description	PU	OU	Part No
1piece	1	1	R.TOD.EP200

PFERD Paint Peeler & Car Body Files

High Quality Products - Made in Germany!

Item	PU	OU	Part No
Paint Peeler	1	1	2274.0003
Spare File	10	10	2274.0004

Paint peelers are used for fine finishing work on very small coated surfaces for correcting defects in paintwork, such as foreign matter, dust particles or air bubbles. The file peels off very thin paint layers. A compact design makes the file suitable for use in hard-to-reach areas. The crowned shape prevents scratches. Precision-cut, razor-sharp teeth with an ideal geometry provide a very high quality score-free surface finish. Peeled surfaces can be painted or processed right away. The replaceable file is cut on both sides, and mounted on a plastic holder. The peeling depth is fine-adjustable via two set screws.



Item	Type	Cut	PU	OU	Part No
File Holder	Adjustable	---	1	1	2271.0050
Spare File	350mm - C1	Coarse	1	1	2271.0005
Spare File	350mm - C2	Medium	1	1	2271.0002
Spare File	350mm - C3	Fine	1	1	2271.0003

PFERD car body files are not only for use in the car industry. They are also ideal for sheet metal work, where a smooth and scratch less finish is required for subsequent painting without prior polishing. A special finishing method produces razor sharp teeth ensuring an outstanding cutting capacity. PFERD car body files are produced in 6 different cuts from extra coarse to extra fine. The special feature of the car body file is the convex cross-section. The cutting area is not flat, but is higher in the middle than at the edges.



Health & Safety

Latex Clear Gloves
Pre-powdered



Qty.	Part No.
10x100pcs	1600.3010

Nitrile Blue Gloves
Powder Free



Qty.	Part No.
10x100pcs	1600.3011

Nylon Handling Work Gloves
Highly flexible



Size	Part No.
Large (Size 9)	1660.0020
Ex.Large (Size 10)	1660.0021

Riggers Work Gloves
Heavy Duty.



Part No.
R.HIL.995527

Maxim Gloves
Extra Thick NBR nitrile glove



Size	Part No.
Small	1600.3051
Large	1600.3053
Extra Large	1600.3054

Welders Gauntlets
Fully lined leather



Size	Part No.
Size: L	RSW.KEVRED

Safety Goggles
Soft frame with good vision




Part No.
R.HIL.990027

Safety Glasses - Anti Fog
Amber - Yellow



Colour	Part No.
Yellow	1630.0010

Safety Glasses - Anti Fog
Clear



Colour	Part No.
Clear	1630.0011

Proshield Disposable Suit - Internal Stitching Type 5/6 Approved

STANDARD

Size	Part No.
Medium	1660.0012
Large	1660.0013
XL	1660.0014
XXL	1660.0015
XXXL	1660.0016

NYLON

Size	Part No.
Medium	4323.1002
Large	4323.1004
XL	4323.1005
XXL	4323.1006
XXXL	4323.1007



Ear Defenders

Lightweight and sturdy constr.



Part No.

R.HIL.808209

Ear Defenders

Zone 3 High db



Part No.

1660.1002

Foam Ear Plugs (Box 200pcs)

High level of protection



Description

Part No.

Standard

1076.1101

Corded

1076.1102

Disposable Paint Respirator - A1 B1 P2

Included prefilter can be replaced

Item	PU	OU	Part No
Disposable Paint Respirator - A1 B1 P2	1	1	1620.0001
Spare Prefilters	10	10	1620.0021

**HIGH PROTECTION
LOW COST**

**Disposable Mask - No Maintenance
Ideal For Mixing Rooms
Gun Cleaning
Sanding Fresh 2k Paint and Primers
De Masking after Baking
Other Low Exposure
Isocyanate Operations**

**A1 B1 P2
PROTECTION**



**THE ONE DISPOSABLE PAINT
RESPIRATOR
ON THE MARKET FOR
ISOCYANATE OPERATIONS**

A - Protection against ORGANIC VAPOURS resulting from the decomposition of living substances and oil derived products: gas, gasoil, high-aromatic solvents (ex: White spirit, cellulosed paints).

B - Protection against INORGANIC VAPOURS and GASES (except carbon monoxide): chlorinated products, aliphatic solvents (polyurethane, isocyanates...).

P - Protection against dust, particles, smoke and mists (P1, P2, P3 classes). Class 2: At least 94% of the aerosol is stopped (i.e. penetration < 6 %).

**Replaces 3M
06941 & 06782
with one
disposable mask!**

9000E Series Respirator Mask Professional

Item	PU	OU	Part No
Respirator Mask Kit (Medium)	1	1	1620.0020
Respirator Mask Kit (Large)	1	1	1620.0019
Organic Vapour Filters (10pcs.)	1	1	1620.0021
Particulate Filter (2 pk)	1	1	1620.0022

1620.0040 mask
Full Face Respirator without cartridges

1620.0041 replacement filters
Full Face Resp Cartridges (set of 2) A2P3



Health & Safety

Disposable Cup Mask FFP2
With Valve



**FFP2
FFP3**

Fold Flat Mask FFP2
With Valve - 10pk



FFP2

Fold Flat Mask FFP2 - Carbon
With Valve - 10pk



**P2 - Carbon
Welding Mask**

Type	Part No.	Type	Part No.	Type	Part No.
FFP2 - 20pk	1630.0000	UCF-P2V	1630.0005	UCF-P2CV	1630.0004
FFP3 - 10pk	1630.0003				

50pc Dust Mask
Protects against dust and mists



Part No.

R.HIL.600056

5 pce Dust Masks with Valve
Valve gives added comfort



Part No.

R.HIL.505054

Air Supplied Visor Respirator

The Valmy air fed breathing mask is designed primarily for use in Automotive Sprayshops

Item	PU	OU	Part No
Visor Respirator	1	1	1620.0006

Modern state of the art headpiece has improved vision and better ventilation/cooling for the wearer.

Modern functional design of the regulator design is compact and affords protection for the replaceable de-odoriser filter element. Higher protection factor than many workshop breathing masks. Integral head covering protects the scalp.

The unit comprises the following items:

- Complete headpiece with low pressure warning device.
- Belt mounted preset air flow regulator with deodorizer filter.
- 2 disposable visor covers.



SPECIAL (WHITE PASTE): Rust, Diesel, Brake Fluid, Grease



Solvent-free hand cleansing paste for medium to heavy duty soiling such as lubricants, diesel, brake fluid, cement and rust. It is especially suitable for use in the automotive, construction and metalworking industries.

SOLVENT FREE!
Gentle on Hands

Capacity	PU	OU	Part No
Jar 550ml	12	12	1599.2414
Tin 4.2 Litre	4	4	1599.2411
Pot 2.8KG with Dispenser	4	4	1599.2418

Capacity	PU	OU	Part No
Bucket 15 Litre	1	1	1599.2416
Bucket 30 Litre	1	1	1599.2419

PLUS (YELLOW GEL): Tar, Rubber, Bitumen, Oil, Grease



This extra powerful citrus hand cleansing's gel is ideal for heavy soilings such as tar, paint, glue and lacquer. It is especially suitable for use in garages, workshops, the printing industry and the painting and decorating industry.

Capacity	PU	OU	Part No
Tin 4.5 Litre	4	4	1599.2424
Pot 2.8KG with Dispenser	4	4	1599.2423

Capacity	PU	OU	Part No
Bucket 15 Litre	1	1	1599.2426

CLASSIC (RED GEL): Rubber, Bitumen, Fat, Grease, Oil



Hand cleansing gel for medium soiling's such as oil, fats, grease, bitumen and rubber. It is especially suitable for use in garages, workshops and the metalworking industry.

Capacity	PU	OU	Part No
Jar 600ml	12	12	1599.2401
Tin 4.5 Litre	4	4	1599.2403

Capacity	PU	OU	Part No
Bucket 15 Litre	1	1	1599.2406
Bucket 30 Litre	1	1	1599.2407

Expert: Extreme specialist soiling
Paints, inks, adhesives, lacquers and sealants



SOLVENT FREE!



Gentle on Hands

Capacity	PU	OU	Part No
1 Litre	1	1	1599.2440
3 Litre	1	1	1599.2442

Dreumex Solu Cleaner
Extremely economical and efficient degreasant



Capacity	PU	OU	Part No
5 Litre	1	1	1599.2650
25 Litre	1	1	1599.2651

Dreumex Wall Mount Dispenser Pumps
Use with 4.5 Tins



Description	PU	OU	Part No
Use with 4.5 Tins	1	1	1599.2557

Hand Care & Protection
Supplied in 250ml Tubes



Item	Use for	PU	OU	Part No
Universal Protect	pre-work protect	12	12	1599.2510
Natural Care	natural recovery of the skin	12	12	1599.2513

Dreumex Power Wipes Pot
Oil, Grease, Fat



**Suitable for
cleansing
without water**

Description	PU	OU	Part No
Hand Wipes - 70pcs	1	1	1599.2431

Dreumex Wall Mount Dispenser Pumps
Use with 15L Buckets



Description	PU	OU	Part No
Bucket 15L (for CL or SP)	1	1	1599.2558
Bucket 15L (for PLUS)	1	1	1599.2559

DREUMEX Dispensers



One2Clean



Description

Unique (touch-free) dispensing system for optimal hygiene.

Advantages

'1 Dispenser' concept for total hand care system.

Quantity control guarantees economical use saves up to 60%!

Easy to mount 'click-and-use' concept.

Removable click-in pump.

Robust and strong.

EX4000



Description

Robust dispenser for use in all industrial environments.

Advantages

Pump is fixed in the cartridge.

A new pump with every new cartridge.

Guarantees optimal hygiene in all industrial environments.

Standard



Description


Standard dispensers for hand cleansers supplied in 4.5 ltr and 15 ltr packaging.

Advantages

Cheapest solution for dispenser wall mounting.

Easy to install.

Easy in use.



Follow Abcon on:

