


ISSN 0486-4271



Repertorium Plantarum Succulentarum LII (2001)

*Index nominum novarum plantarum succulentarum anno MMI editorum
nec non bibliographia taxonomica ab U. Eggli et D. C. Zappi
compositus.*

International Organization for Succulent Plant Study
Internationale Organisation für Sukkulantenforschung

November 2002

ISSN 0486-4271

Conventions used in Repertorium Plantarum Succulentarum

- Repertorium Plantarum Succulentarum attempts to list, under separate headings, newly published names of succulent plants and relevant literature on the systematics of these plants, on an annual basis. New names noted after the issue for the relevant year has gone to press are included in later issues. Specialist periodical literature is scanned in full (as available at the libraries at ZSS and Z or received by the compilers). Also included is information supplied to the compilers direct. It is urgently requested that any reprints of papers not published in readily available botanical literature be sent to the compilers.
- Validly published names are given in **bold face** type, accompanied by an indication of the nomenclatural type (name or specimen dependent on rank), followed by the herbarium acronyms of the herbaria where the holotype and possible isotypes are said to be deposited (first acronym for holotype), according to Index Herbariorum, ed. 8 and supplements as published in Taxon. Invalid, illegitimate, or incorrect names are given in *italic* type face. In either case a full bibliographic reference is given. For new combinations, the basionym is also listed. For invalid, illegitimate or incorrect names, the articles of the ICBN which have been contravened are indicated in brackets (note that the numbering of some regularly cited articles has changed in the Tokyo (1994) edition of ICBN).
- The compilers would like to point out that they do not accept any names that might be inadvertently validated in this volume of RPS.
- Bibliographic details of papers dealing only with the description of one or two new taxa are not repeated in the bibliographic section.
- Abbreviations for periodicals are those suggested in 'Bibliography of Succulent Plant Periodicals' (U. Eggli in Friciana 60: 1-139, 1998 ('1995')) for specialized periodicals, or those of Bibliographia Periodicorum Huntianum (including Supplement) for most other periodicals.

Konventionen im Zusammenhang mit dem Repertorium Plantarum Succulentarum

- Das Repertorium Plantarum Succulentarum ist eine jährlich herausgegebene Zusammenstellung neuer Namen für sukkulente Pflanzen und der relevanten systematischen Literatur. Neue Namen, die nach der Drucklegung der Ausgabe des betreffenden Jahres bekannt werden, erscheinen in der nächsten erreichbaren Ausgabe. Spezialisierte Zeitschriften werden umfassend durchgesehen, soweit sie in den Bibliotheken von Z und ZSS vorhanden sind oder den Herausgebern privat vorliegen. Die Herausgeber bitten alle Autoren dringend, Separata relevanter Publikationen zur Verfügung zu stellen, vor allem wenn es sich um Beiträge in schwer zugänglichen Serien handelt.
- Gültig veröffentlichte Namen werden in **Fettschrift** wiedergegeben unter Angabe des nomenclatorischen Typs (Name oder Belegexemplar je nach Rangstufe; gefolgt von den Herbarakürzungen [entsprechend Index Herbariorum, ed. 8, und in Taxon publizierten Supplementen] der publizierten Hinterlegungsorte für Holotyp [1. Abkürzung] und Isotypen). Ungültige, illegitime oder falsch angewandte Namen erscheinen in *Kursivschrift* unter Angabe (in Klammer) derjenigen Artikel des ICBN, die verletzt worden sind. In allen Fällen folgen die kompletten bibliographischen Angaben. Für Umkombinationen wird auch das Basionym angegeben. Dabei ist zu beachten, dass die Nummerierung einiger häufig zitierten Artikel mit dem Erscheinen der Tokyo-Version (1994) des ICBN geändert hat.
- Die Herausgeber weisen mit aller Deutlichkeit darauf hin, dass sie keinen Namen anerkennen, der zufälligerweise in dieser Ausgabe des RPS validiert worden sein könnte.
- Beiträge, welche nur Beschreibungen eines oder zweier Taxa enthalten, werden in der bibliographischen Liste nicht separat aufgeführt.
- Die Abkürzungen für spezialisierte Sukkulanten-Zeitschriften richten sich nach 'Bibliography of Succulent Plant Periodicals' (U. Eggli in Friciana 60: 1-139, 1998 ('1995')), für allgemeine botanische Zeitschriften in der Regel nach Bibliographia Periodicorum Huntianum und Supplement.

Compiled by / Zusammengestellt von:

U. Eggli, Sukkulanten-Sammlung Zürich, Mythenquai 88, CH-8002 Zürich, Switzerland.
D. C. Zappi, The Herbarium, Royal Botanic Gardens Kew, Richmond, Surrey TW9 3AE, U.K.

Available from (incl. back issues) / Erhältlich durch (inkl. bereits erschienene Hefte):

IOS, c/o Sukkulanten-Sammlung Zürich (address above / Adresse siehe oben).

© by IOS, Zürich (Switzerland) 2002. ISSN 0486-4271.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying or otherwise, without the prior written permission of the copyright holder.

Compilers' Preface

A special word of thanks goes to Katherine Challis from the Index Kewensis team at the Royal Botanic Gardens Kew, for stimulating discussions on tricky nomenclatural problems, of which there were quite a few in the past year.

As in previous years, Reto Nyffeler has lent his helping hand and provided access to numerous references from non-specialist botanical periodicals. Detlev Metzing has kindly assisted with the interpretation of some infrageneric names in *Gymnocalycium*. The help of both these colleagues as well as that of David R. Hunt is greatly acknowledged.

Vorwort der Herausgeber

Ein spezielles Dankeschön geht an Katherine Challis vom Index Kewensis-Team an den Royal Botanic Gardens Kew für beflügelnde Diskussionen schwieriger Nomenklaturprobleme. Solche Probleme gab es im Berichtsjahr mehr als genug.

Wie in früheren Jahren hat Reto Nyffeler uns zahlreiche Literaturhinweise aus allgemeinen botanischen Zeitschriften zugänglich gemacht. Detlev Metzing hat uns freundlicherweise bei der Interpretation einiger infragenerischer Namen von *Gymnocalycium* geholfen. Beiden diesen Kollegen sowie auch David R. Hunt gebührt unser Dank.

Corrections to previous volumes

- The name *Echinocereus engelmannii* ssp. *variegatus* was erroneously given as correct in RPS 51. Since a taxon having priority at subspecific rank was included as synonym, the name is, however, incorrect under Art. 11.4 and 52.3.
- The name *Parodia slabaiana* is not formed in accordance with Art. 60.11 and must be corrected to *P. slabana*.
- The name *Thelocactus* ser. *Bicolores* (Kladiwa) Doweld, reported as validly published in RPS 50, is invalid under Art. 36.1 since the basionym is itself invalid under Art. 36.1.
- The name *Euphorbia decaryi* ‘Purple Knight’ was published for a primary hybrid between *E. decaryi* and *E. cylindrifolia*. The correct name is therefore *Euphorbia* ‘Purple Knight’.
- The name *Euphorbia gossypina* ssp. *mangulensis* S. Carter was incorrectly given as "var. *mangulensis*" in RPS 51.

Korrekturen zu früheren Bänden

- Der Name *Echinocereus engelmannii* ssp. *variegatus* wurde in RPS 51 irrtümlicherweise als korrekt aufgelistet. Da in der Synonymie ein Taxon mit Priorität auf der Ebene der Unterart genannt wird, ist der Name jedoch unter Art. 11.4 und 52.3 nicht korrekt.
- Der Name *Parodia slabaiana* ist nicht gemäss Art. 60.11 gebildet und muss zu *P. slabana* korrigiert werden.
- Der Name *Thelocactus* ser. *Bicolores* (Kladiwa) Doweld wird in RPS 50 als gültig publiziert betrachtet, ist aber unter Art. 36.1 ungültig, da bereits das Basionym unter Art. 36.1 ungültig ist.
- Der Name *Euphorbia decaryi* ‘Purple Knight’ wurde für eine Primärhybride zwischen *E. decaryi* und *E. cylindrifolia* publiziert. Der korrekte Name lautet deshalb *Euphorbia* ‘Purple Knight’.
- Der Name *Euphorbia gossypina* ssp. *mangulensis* S. Carter wurde in RPS 51 fälschlich als "var. *mangulensis*" wiedergegeben.

NOMINA NOVA

AGAVACEAE

- Agave ×ajoensis** W. C. Hodgson, Novon 11(4): 414-415, ill., 2001. Typus: *Hodgson et al.* 4478 (DES, ORPI). [= *A. deserti* var. *simplex* × *A. schottii* var. *schottii*.]
- Agave bicolor** (Solano & García-Mendoza) Thiede & Eggli, Kakt. and. Sukk. 52(6): 166, 2001. Basionym: *Polianthes bicolor*.
- Agave deserti** var. **pringlei** (Engelmann ex Orcutt) W. C. Hodgson & Reveal, Novon 11(4): 413, 2001. Basionym: *Agave pringlei*. [Bracket author erroneously given as "Gentry".]
- Agave deserti** var. **simplex** (Gentry) W. C. Hodgson & Reveal, Novon 11(4): 413, 2001. Basionym: *Agave deserti* ssp. *simplex*.
- Agave fusca** (Ravenna) Thiede & Eggli, Kakt. and. Sukk. 52(6): 166, 2001. Basionym: *Manfreda fusca*.
- Agave phillipsiana** W. C. Hodgson, Novon 11(4): 410-411, ill., 2001. Typus: *Hodgson* 11861 (DES, GCNP, MO [photo]).
- Agave polianthes** Thiede & Eggli, Kakt. and. Sukk. 52(6): 166, 2001. [Nom. nov. pro *Polianthes tuberosa* Linné 1753 (*non Agave tuberosa* Miller 1768).]
- Agave virginica** ssp. **lata** (Shinners) Thiede & Eggli, Kakt. and. Sukk. 52(6): 167, 2001. Basionym: *Agave lata*.
- Furcraea martinezii** García-Mendoza & L. de la Rosa, Bol. Soc. Bot. México No. 66: 121-123, ill., 2001. Typus: *García-Mendoza et de la Rosa* 6526 (MEXU etc.). [Dated 2000, publ. spring 2001.]
- Furcraea parmentieri** (Roezl ex Ortgies) García-Mendoza, Bol. Soc. Bot. México No. 66: 115, ill. (p. 116), 2001. Basionym: *Yucca parmentieri*. [Dated 2000, publ. spring 2001.]
- Hesperoyucca newberryi** (McKelvey) Clary, Sida 19(4): 845, 2001. Basionym: *Yucca newberryi*.
- Hesperoyucca peninsularis** (McKelvey) Clary, Sida 19(4): 845, 2001. Basionym: *Yucca peninsularis*.
- Yucca** Ser. *Filamentosae* Hochstätter, Kaktusblüte 2001: 7, 2001. *Nom. inval.* (Art. 37.5).
- Yucca baccata** ssp. **thornberi** (McKelvey) Hochstätter, Succulenta 80(4): 172, 2001. Basionym: *Yucca thornberi*.
- Yucca baccata** ssp. **vespertina** (McKelvey) Hochstätter, Succulenta 80(4): 170, ill. (p. 171), 2001. Basionym: *Yucca baccata* var. *vespertina*.
- Yucca brevifolia** ssp. **herbertii** (Munz) Hochstätter, Succulenta 80(6): 267-268, ill. (p. 266), 2001. Basionym: *Yucca brevifolia* fa. *herbertii*. [The name given as basionym is itself a combination, but the correct basionym name is given under further synonyms with a complete reference.]

Yucca brevifolia ssp. **jaegeriana** (McKelvey) Hochstätter, Succulenta 80(6): 267, ill., 2001. Basionym: *Yucca brevifolia* var. *jaegeriana*.

Yucca filamentosa ssp. **concava** (Haworth) Hochstätter, Kaktusblüte 2001: 11, 2001. Basionym: *Yucca concava*.

Yucca filamentosa ssp. **smalliana** (Fernald) Hochstätter, Kaktusblüte 2001: 10, 2001. Basionym: *Yucca smalliana*.

AIZOACEAE

Aizoanthemum hispanicum (Linné) H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae A-E, 29, ill. (t. I: [5]), 2001. Basionym: *Aizoon hispanicum*. [Dated 2002, received Nov. 2001.]

Aizoanthemum rehmannii (Schinz) H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae A-E, 29, ill. (t. I: [6]), 2001. Basionym: *Mesembryanthemum rehmannii*. [Dated 2002, received Nov. 2001.]

Amphibolia laevis (Aiton) H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae A-E, 38, ill. (t. III: [5]), 2001. Basionym: *Mesembryanthemum laeve*. [Dated 2002, received Nov. 2001.]

Antimima aristulata (Sonder) Chesselet & G. F. Smith, Bradleya 19: 123, ill. (p. 122), 2001. Basionym: *Mesembryanthemum aristulatum*.

Antimima insidens (L. Bolus) Chesselet, Aloe 38(1-2): 17, 2001. Basionym: *Ruschia insidens*.

Aptenia geniculiflora (Linné) L. Bittrich ex Gerbaulet, in H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae A-E, 67, ill. (t. XII: [3]), 2001. Basionym: *Mesembryanthemum geniculiflorum*. [Name first cited (as "in preparation") in Bot. Jahrb. Syst. 119: 197, 1997. Dated 2002, received Nov. 2001.]

Aptenia haeckelianana (A. Berger) Bittrich ex Gerbaulet, in H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae A-E, 68, ill. (t. XII: [4]), 2001. Basionym: *Mesembryanthemum haeckelianum*. [Dated 2002, received Nov. 2001.]

Astridia lutata (L. Bolus) Friedrich ex H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae A-E, 83, ill. (t. XV: [8]), 2001. Basionym: *Astridia velutina* var. *lutata*. [Dated 2002, received Nov. 2001. Name first used by Friedrich in sched. (M).]

Chasmophyllum stanleyi (L. Bolus) H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae A-E, 116, ill. (t. XXIV: [8]), 2001. Basionym: *Mesembryanthemum stanleyi*. [Dated 2002, received Nov. 2001.]

Cheiridopsis minor (L. Bolus) H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae A-E, 123, 2001. Basionym: *Cheiridopsis meyeri* var. *minor*. [Dated 2002, received Nov. 2001.]

- Cheiridopsis namaquensis** (Sonder) H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae A-E, 124, ill. (t. XXVI: [2]), 2001. Basionym: *Mesembryanthemum namaquense*. [Dated 2002, received Nov. 2001.]
- Conophytum brunneum** S. A. Hammer, in H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae A-E, 145, 2001. Typus: *Hammer* 2593 (BOL). [Dated 2002, received Nov. 2001. Repeated in New Views Gen. *Conophytum*, 93, ill. (p. 77), 2002, but type here given as 'Hammer & Bruyns 2592'.]
- Conophytum ectypum** ssp. *sulcatum* (L. Bolus) S. A. Hammer, in H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae A-E, 149, 2001. Basionym: *Conophytum sulcatum*. [Dated 2002, received Nov. 2001.]
- Conophytum jucundum** ssp. *marlothii* (N. E. Brown) S. A. Hammer, in H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae A-E, 154, 2001. Basionym: *Conophytum marlothii*. [Dated 2002, received Nov. 2001.]
- Conophytum mirabile** A. R. Mitchell & S. A. Hammer, in H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae A-E, 159, 2001. Typus: *Hammer* 2604 (BOL). [Name first mentioned (as nude name) by S. A. Hammer, Genus *Conophytum*, 251, 1993. Dated 2002, received Nov. 2001.]
- Conophytum stephanii** ssp. *helmutii* (Lavis) S. A. Hammer, in H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae A-E, 168, 2001. Basionym: *Conophytum helmutii*. [Dated 2002, received Nov. 2001.]
- Conophytum subterraneum** Smale & T. Jacobs, Bradleya 19: 15-17, ill., 2001. Typus: *Desmet et Smale* 3186 (BOL).
- Corpuscularia angustifolia** (L. Bolus) H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae A-E, 176, 2001. Basionym: *Delosperma angustifolium*. [Dated 2002, received Nov. 2001.]
- Corpuscularia angustipetala** (Lavis) H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae A-E, 176, 2001. Basionym: *Delosperma angustipetalum*. [Dated 2002, received Nov. 2001.]
- Corpuscularia appressa** (L. Bolus) H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae A-E, 176, 2001. Basionym: *Delosperma appressum*. [Dated 2002, received Nov. 2001.]
- Corpuscularia britteniae** (L. Bolus) H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae A-E, 177, ill. (t. XXXIII: [7]), 2001. Basionym: *Delosperma britteniae*. [Dated 2002, received Nov. 2001.]
- Corpuscularia gracilis** H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae A-E, 177, ill. (t. XXXIII: [8]), 2001. Based on *Hall* 102/59. *Nom. illeg.* (Art. 52.1). [Dated 2002, received Nov. 2001. Published as new combination but to be treated as *nom. nov. pro Delosperma gracile* L. Bolus 1961 (*non* L. Bolus 1958) according to Art. 58.1 Ex. 1 (ICBN 2000). The name is illegitimate, however, since the replacement name *D. gracillimum* L. Bolus 1964 should have been taken up.]
- Deilanthe hilmarii** (L. Bolus) H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae A-E, 183, ill. (t. XXXIV: [7]), 2001. Basionym: *Cheiridopsis hilmarii*. [Dated 2002, received Nov. 2001.]
- Delosperma cronomeyerianum** (A. Berger) H. Jacobsen ex H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae A-E, 191, 2001. Basionym: *Mesembryanthemum cronomeyerianum*. [Dated 2002, received Nov. 2001. Name first used invalidly by H. Jacobsen, Handb. Succ. Pl. 3: 1096, 1960.]
- Delosperma gautengense** H. E. K. Hartmann, Aloe 38(1-2): 6-7, ill., 2001. Typus: *Hartmann* 33805 (HBG, BOL, PRE).
- Delosperma invalidum** (N. E. Brown) H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae A-E, 197, 2001. Basionym: *Mesembryanthemum invalidum*. [Dated 2002, received Nov. 2001.]
- Delosperma purpureum** H. E. K. Hartmann, Aloe 38(1-2): 10-11, ill., 2001. Typus: *Hartmann* 33808 (HBG).
- Drosanthemum longipes** (L. Bolus) H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae A-E, 241, 2001. Basionym: *Delosperma longipes*. [Dated 2002, received Nov. 2001.]
- Gibbaeum haaglenii** H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae F-Z, 38, 2001. Typus: [lecto – icono]: Beitr. Sukk.-kunde -pflege 1938, ill. p. 90 [Lectotype designated by H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae F-Z, 38, 2001, for the replaced synonym]. *Nom. illeg.* (Art. 52.1). [Dated 2002, received Nov. 2001. *Nom. nov. pro Gibbaeum haagei* Schwantes 1938, incorrectly treated as illegitimate name by H. E. K. Hartmann, l.c.]
- Gibbaeum nuciforme** (Haworth) Glen & H. E. K. Hartmann, in H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae F-Z, 40, ill. (t. III: [2]), 2001. Basionym: *Mesembryanthemum nuciforme*. [Dated 2002, received Nov. 2001. Name first mentioned by S. A. Hammer, Genus *Conophytum*, 253, 1993.]
- Jordaaniella spongiosa** (L. Bolus) H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae F-Z, 69, ill. (t. X: [2]), 2001. Basionym: *Mesembryanthemum spongiosum*. [Dated 2002, received Nov. 2001.]
- Lithops herrei** cv. **Splendido** Piccione, Cact. Succ. J. (US) 73(2): 76, ill., 2001. [A selection obtained in cultivation.]
- Lithops otzeniana** cv. **Ceský Granát** Pavelka, Kaktusy 37(1): 28, ill., 2001. [A horticultural selection.]
- Malephora ochracea** (A. Berger) H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae F-Z, 140, 2001. Basionym: *Mesembryanthemum ochraceum*. [Dated 2002, received Nov. 2001.]
- Malephora smithii** (L. Bolus) H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae F-Z, 141, ill. (t. XV: [6]), 2001. Basionym: *Hymenocylus smithii*. [Dated 2002, received Nov. 2001.]
- Mesembryanthemum eurystigmatum** Gerbaulet, in H. E. K. Hartmann, Ill. Handb. Succ. Pl. Ai-

zoaceae F-Z, 148, ill. (t. XVI: [6]), 2001. Typus: *Anonymous* s.n. in *BOL* 18999 (BOL). [Dated 2002, received Nov. 2001. *Nom. nov.* pro *Cryophytum clavatum* L. Bolus 1929 (*non* Haworth 1794).]

Meyerophytum globosum (L. Bolus) Ihlenfeldt, in H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae F-Z, 170, ill. (t. XVIII: [6]), 2001. Basionym: *Conophyllum globosum*. [Dated 2002, received Nov. 2001.]

Peersia vanheerdei (L. Bolus) H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae F-Z, 202, ill. (t. XXIV: [6]), 2001. Basionym: *Rhinephyllum vanheerdei*. [Dated 2002, received Nov. 2001.]

Trichodiadema introrsum (Haworth ex Hooker) Niesler, in H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae F-Z, 344, ill. (t. XLVII: [6]), 2001. Basionym: *Mesembryanthemum introrsum*. [Dated 2002, received Nov. 2001. First published invalidly (Art. 33.2) in Bradleya 15: 13, 1997.]

Zaleya camillei (Cordemoy) H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae F-Z, 352, 2001. Basionym: *Trianthema camillei*. [Dated 2002, received Nov. 2001. Sphalm. 'camillii'.]

Zaleya redimita (Melville) Bhandari, Fl. Indian Desert, 185, 1978. Basionym: *Trianthema redimita*. [Repeated by H. E. K. Hartmann, Ill. Handb. Succ. Pl. Aizoaceae F-Z, 353, 2001 ('2002').]

ALOACEAE

Aloe cv. Badeel D. M. Cumming ex D. M. Cumming, Haworthiad 15(2): 46, ill. (p. 45), 2001. [Parentage unknown, including *Aloe descoingsii* and *A. deltoideodonta*.]

Aloe hazeliana var. **howmanii** (Reynolds) S. Carter, in Exell & al., Fl. Zambes. 12(3): 61, 2001. Basionym: *Aloe howmanii*.

Aloe lowensis L. E. Newton, Cact. Succ. J. (US) 73(3): 156-157, ill., 2001. Typus: *Hartmann et Newton* 28585 (EA) [Holotype erroneously cited for K in IHSP 1: 149, 2001].

Gasteria pendulifolia van Jaarsveld, Cact. Succ. J. (US) 73(2): 68-70, ill., 2001. Typus: *van Jaarsveld et Kok* 13742 (NBG).

Gasteria polita van Jaarsveld, Cact. Succ. J. (US) 73(3): 127-129, ill., 2001. Typus: *van Jaarsveld et Kok* 13742 (NBG).

Haworthia cv. **Moori Nosono** hort. ex Mays, Alsterworthia Internat. 1(1): 4-5, fig. 27 (p. 9), 2001. [A variegated *H. cymbiformis* form of unknown origin. Also published in Russian in Kaktus Klub 2001(4-5): 28.]

Haworthia bronkhorstii M. Hayashi, Haworthiad 15(1): 16, fig. 3 (p. 9), 2001. Typus: *Hayashi* 96/4 (Res. Inst. Evol. Biol. Tokyo). [Name first used without Latin diagnosis or typification in Haworthia Study No. 4: 8-9, ill., 2000.]

Haworthia chromatica M. Hayashi, Haworthia

Study No. 4: 8-9, 2000. *Nom. inval.* (Art. 36.1, 37.1). [Name again used without typification etc. in Haworthiad 15(1): 17, 2001.]

Haworthia crassii M. Hayashi, Haworthiad 15(1): 16, figs. 1-2 (p. 9), 2001. Typus: *Hayashi* 97/1 (Res. Inst. Evol. Biol. Tokyo). [Name first used without Latin diagnosis or typification in Haworthia Study No. 4: 8, ill., 2000. Named for "S. J. Crous" and taken as intentional Latinization.]

Haworthia grandis M. Hayashi, Haworthia Study No. 4: 9, 2000. *Nom. inval.* (Art. 36.1, 37.1).

Haworthia limifolia var. **arcana** G. F. Smith & N. Crouch, Bradleya 19: 118-119, ill., 2001. Typus: *Crouch et Smith* 7 (PRE).

Haworthia meiringii M. Hayashi, Haworthia Study No. 4: 10, 2000. *Nom. inval.* (Art. 36.1, 37.1). [Perhaps cryptically based on *H. maraisii* var. *meiringii* M. B. Bayer, but this is not apparent from the entirely Japanese text.]

Haworthia opalina M. Hayashi, Haworthiad 15(1): 17, fig. 8 (p. 19), 2001. Typus: *Hayashi* 93/1 (Res. Inst. Evol. Biol. Tokyo). [Name first used without Latin diagnosis or typification in Haworthia Study No. 4: 8, ill., 2000.]

Haworthia retusa var. **quimutica** M. Hayashi, Haworthiad 15(1): 17, figs. 6-7 (p. 19), 2001. Typus: *Hayashi* 96/3 (Res. Inst. Evol. Biol. Tokyo). [Name first used without Latin diagnosis or typification in Haworthia Study No. 4: 9, 2000.]

Haworthia rooibergensis (J. Esterhuizen & Battista) M. Hayashi, Haworthia Study No. 4: 9, 2000. *Nom. inval.* (Art. 33.3), based on *Haworthia mucronata* var. *rooibergensis*. [Status as combination deduced from the epithet and a cryptic but incomplete literature reference in the entirely Japanese text.]

Haworthia rossouwii var. **calcarea** (M. B. Bayer) M. B. Bayer, Aloe 38(1-2): 36, 2001. Basionym: *Haworthia mirabilis* var. *calcarea*.

Haworthia rossouwii var. **petrophila** (M. B. Bayer) M. B. Bayer, Aloe 38(1-2): 36, 2001. Basionym: *Haworthia variegata* var. *petrophila*.

Haworthia scabra var. **johannii** M. Hayashi, Haworthiad 15(1): 16-17, figs. 4-5 (pp. 9, 19), 2001. Typus: *Hayashi* 97/11 (Res. Inst. Evol. Biol. Tokyo). [Name first used without Latin diagnosis or typification in Haworthia Study No. 4: 8, ill. (p. 10), 2000.]

Haworthia striata M. Hayashi, Haworthia Study No. 4: 10, 2000. *Nom. inval.* (Art. 36.1, 37.1). [Probably cryptically based on another taxon, but this is not apparent from the entirely Japanese text.]

Haworthia toonensis M. Hayashi, Haworthia Study No. 4: 10, 2000. *Nom. inval.* (Art. 36.1, 37.1). [Perhaps cryptically based on *H. heidelbergensis* var. *toonensis* M. B. Bayer, but this is not apparent from the entirely Japanese text.]

Haworthia zenigata M. Hayashi, Haworthiad 15(1): 20, figs. 9-10 (p. 18), 2001. Typus: Res. Inst. Evol. Biol. Tokyo. [Name first used with-

out Latin diagnosis or typification in Haworthia Study No. 4: 8, 2000.]

ASCLEPIADACEAE

- Ballyanthus** Bruyns, Aloe 37(4): 76, 2001. Typus: *Stapelia prognatha* P. R. O. Bally. [Dated 2000, received 2. March 2001.]
- Ballyanthus prognathus** (P. R. O. Bally) Bruyns, Aloe 37(4): 76, 2001. Basionym: *Stapelia prognatha*. [Dated 2000, received 2. March 2001.]
- Brachystelma brownianum** (S. Moore) Meve, Pl. Syst. Evol. 228: 103, 2001. Basionym: *Tenaris browniana*.
- Brachystelma burchellii** var. **grandiflorum** (N. E. Brown) Meve, Pl. Syst. Evol. 228: 103, 2001. Basionym: *Macropetalum burchellii* var. *grandiflorum*.
- Brachystelma naoroji** P. Tetali & al., Rheedia 8(1): 75-77, illus., 1998. Typus: *Tetali* 72A (AHMA). [Omitted previously.]
- Brachystelma swarupa** Kishore & Goyder, Kew Bull. 56(1): 210-212, illus., 2001. Typus: *Kishore Kumar* 18505 (KFRI, K, MH).
- Ceropegia arabica** var. **powysi** (D. V. Field) Meve & R. Mangelsdorff, Bot. J. Linn. Soc. 137: 105, ill. (p. 103), 2001. Basionym: *Ceropegia powysi*.
- Ceropegia yemenensis** Meve & R. Mangelsdorff, Bot. J. Linn. Soc. 137: 100, ill. (p. 101, 103), 2001. Typus: *Mangelsdorff* Y24 (B, FR, UBT) [Ex cult.].
- Cynanchum ambovombense** (Liede) Liede & Meve, Adansonia, sér. 3, 23(2): 350, 2001. Basionym: *Folotsia ambovombensis*.
- Cynanchum antsiranense** (Meve & Liede) Liede & Meve, Adansonia, sér. 3, 23(2): 350, 2001. Basionym: *Sarcostemma antsiranense*.
- Cynanchum decorsei** (Costantin & Gallaud) Liede & Meve, Adansonia, sér. 3, 23(2): 350, 2001. Basionym: *Sarcostemma decorsei*.
- Cynanchum elachistemmoides** (Liede & Meve) Liede & Meve, Adansonia, sér. 3, 23(2): 350, 2001. Basionym: *Sarcostemma elachistemmoides*.
- Cynanchum floriferum** Liede & Meve, Adansonia, sér. 3, 23(2): 350, 2001. Typus: *Perrier* 12104 (P). [*Nom. nov. pro Folotsia floribunda* Descoings 1961 (*non Cynanchum floribundum* R. Brown 1809).]
- Cynanchum gerrardii** ssp. **bekinolense** (Choux) Liede & Meve, Adansonia, sér. 3, 23(2): 349, 2001. Basionym: *Cynanchum bekinolense*.
- Cynanchum grandidieri** Liede & Meve, Adansonia, sér. 3, 23(2): 350-351, 2001. Typus: *Perrier* 1442 (P). [*Nom. nov. pro Decanema grandiflorum* Jumelles & H. Perrier 1908 (*non Cynanchum grandiflorum* Cavanilles 1797).]
- Cynanchum humbert-capuronii** Liede & Meve, Adansonia, sér. 3, 23(2): 351, 2001. Typus: *Humbert et Capuron* 29382 (P). [*Nom. nov. pro Folotsia humbertii* Liede 1996 (*non Cyn-*

- anchum humbertii* Choux 1926).]
- Cynanchum insigne** (N. E. Brown) Liede & Meve, Adansonia, sér. 3, 23(2): 351, 2001. Basionym: *Platykeleba insignis*.
- Cynanchum mariense** (Meve & Liede) Liede & Meve, Adansonia, sér. 3, 23(2): 351, 2001. Basionym: *Karimbolea mariensis*.
- Cynanchum membranaceum** (Liede & Meve) Liede & Meve, Adansonia, sér. 3, 23(2): 351, 2001. Basionym: *Sarcostemma membranaceum*.
- Cynanchum tolari** Liede & Meve, Adansonia, sér. 3, 23(2): 351, 2001. Typus: *Grandidier* s.n. (P [lecto]). [*Nom. nov. pro Prosopostelma madagascariense* Jumelles & H. Perrier 1911 (*non Cynanchum madagascariense* (K. Schumann) K. Schumann 1895).]
- Cynanchum verrucosum** (Descoings) Liede & Meve, Adansonia, sér. 3, 23(2): 351, 2001. Basionym: *Karimbolea verrucosa*.
- Dictyanthus macvaughianus** (W. D. Stevens) W. D. Stevens, Novon 10(3): 243, 2000. Basionym: *Matelea macvaughiana*. [Omitted previously.]
- Dictyanthus sepicola** (W. D. Stevens) W. D. Stevens, Novon 10(3): 243, 2000. Basionym: *Matelea sepicola*. [Omitted previously.]
- Eriostemma** (Schlechter) Kloppenburg & Gilding, Fraterna 14(2): 1, 2001. Typus: *Hoya coronaria* Blume. [Name first used in l.c. 14(1): 14, 2001. The citation of the basionym is cryptic and the combination is presented in a way that raises arguments to treat it as invalid under Art. 33.3.]
- Eriostemma** cv. **Ruthie** Gilding, Fraterna 14(3): 1-4, illus., 2001. [= *Eriostemma* hybr. × *E. ariadna*.]
- Eriostemma affinis** (Hemsley) Kloppenburg & Gilding, Fraterna 14(2): 4, 2001. *Nom. inval.* (Art. 33.3), based on *Hoya affinis*.
- Eriostemma ariadna** (Decaisne) Kloppenburg & Gilding, Fraterna 14(2): 4, 2001. *Nom. inval.* (Art. 33.3), based on *Hoya ariadna*.
- Eriostemma ciliata** (Elmer ex C. M. Burton) Kloppenburg & Gilding, Fraterna 14(2): 4, 2001. *Nom. inval.*, based on *Hoya ciliata*, *nom. inval.* (Art. 7.3, 37.1).
- Eriostemma coronaria** (Blume) Kloppenburg & Gilding, Fraterna 14(2): 4, 2001. *Nom. inval.* (Art. 33.3), based on *Hoya coronaria*.
- Eriostemma gigas** (Schlechter) Kloppenburg & Gilding, Fraterna 14(2): 4, 2001. *Nom. inval.* (Art. 33.3), based on *Hoya gigas*.
- Eriostemma guppyi** (Hemsley) Kloppenburg & Gilding, Fraterna 14(2): 4, 2001. *Nom. inval.* (Art. 33.3), based on *Hoya guppyi*.
- Eriostemma hollrungii** (Warburg) Kloppenburg & Gilding, Fraterna 14(2): 4, 2001. *Nom. inval.* (Art. 33.3), based on *Hoya hollrungii*.
- Eriostemma lauterbachii** (K. Schumann) Kloppenburg & Gilding, Fraterna 14(2): 4, 2001. *Nom. inval.* (Art. 33.3), based on *Hoya lauterbachii*.
- Eriostemma lutea** (Kosteletzky) Kloppenburg & Gilding, Fraterna 14(2): 4, 2001. *Nom. inval.* (Art. 33.3), based on *Hoya lutea*.

- Eriostemma madulidii** (Kloppenburg) Kloppenburg & Gilding, Fraterna 14(2): 4, 2001. *Nom. inval.* (Art. 33.3), based on *Hoya madulidii*.
- Eriostemma neoguineensis** (Engler) Kloppenburg & Gilding, Fraterna 14(2): 4, 2001. *Nom. inval.* (Art. 33.3), based on *Hoya neoguineensis*. [Sphalm. 'neoguineensis'.]
- Eriostema peekelii** (Markgraf) Kloppenburg & Gilding, Fraterna 14(2): 4, 2001. *Nom. inval.* (Art. 33.3), based on *Hoya peekelii*.
- Eriostema pulgarensis** (Elmer) Kloppenburg & Gilding, Fraterna 14(2): 4, 2001. *Nom. inval.* (Art. 33.3), based on *Hoya pulgarensis*.
- Eriostema purpurea** (Blume) Kloppenburg & Gilding, Fraterna 14(2): 4, 2001. *Nom. inval.* (Art. 33.3), based on *Hoya purpurea*.
- Eriostema velutina** (Wight) Kloppenburg & Gilding, Fraterna 14(2): 4, 2001. *Nom. inval.* (Art. 33.3), based on *Hoya velutina*.
- Hoya cinnamomifolia** var. **purpureofusca** (Hooper) Kloppenburg, Fraterna 14(1): 12, ill., 2001. Basionym: *Hoya purpureofusca*.
- Hoya clemensiorum** T. Green, Fraterna 14(3): 11-15, ill., (4): 9, 2001. Typus: *Green* 91032 (BISH) [Ex cult. T. Green, Hawaii]. [Sphalm. 'clemensii' but named for "J. and M. S. Clemens".]
- Hoya diversifolia** var. **el-nidicus** (Kloppenburg) Kloppenburg, Fraterna 14(1): 13, 2001. Basionym: *Hoya el-nidicus*.
- Hoya kloppenburgii** T. Green, Fraterna 14(2): 11-12, ill., 2001. Typus: *Green* 97057 (BISH) [Ex cult. T. Green].
- Hoya spartioides** (Bentham) Kloppenburg, Fraterna 14(2): 8, 2001. Basionym: *Astrostema spartioides*. [Bracket author given as 'Kuntz'. The correct basionym citation is found at the end of the paragraph following the actual combination, and by applying the principle of "benefit of the doubt", the combination can be accepted as valid.]
- Hoya thailandica** Thaithong, Nordic J. Bot. 21(2): 143-145, ill., 2001. Typus: *Thaithong* 1488 (BK, AAU). [Repeated in Hoyan 23(2): 28-29, cover ill., 2001.]
- Hoya wibergiae** Kloppenburg, Fraterna 14(1): 5-8, ill., 2001. Typus: *Anonymus* s.n. in *Kloppenburg* 951074 (UC).
- Huernia** cv. **Brisbane Buoy** M. Holmes, Cact. Succ. J. (Woollahra) 23(3): 46-48, ill., 2001. [A chance hybrid raised in cultivation. Cultivar epithet partly mis-spelled 'Brisbane Boy' in the protologue (cf. l.c. 23(4): 57, 2002).]
- Ischnolepis natalensis** (Schlechter) Venter, Ann. Missouri Bot. Gard. 88(4): 565, 2001. Basionym: *Pentopetia natalensis*.
- Orbea abayensis** (M. G. Gilbert) Bruyns, Aloe 37(4): 73, 2001. Basionym: *Caralluma abayensis*. [Dated 2000, received 2. March 2001.]
- Orbea albocastanea** (Marloth) Bruyns, Aloe 37(4): 73, 2001. Basionym: *Stapelia albocastanea*. [Dated 2000, received 2. March 2001.]
- Orbea araysiana** (Lavranos & Bilaidi) Bruyns, Aloe 37(4): 73, 2001. Basionym: *Stultitia araysiana*. [Dated 2000, received 2. March 2001.]
- Orbea baldratii** (A. C. White & B. Sloane) Bruyns, Aloe 37(4): 73, 2001. Basionym: *Caralluma baldratii*. [Dated 2000, received 2. March 2001.]
- Orbea baldratii** ssp. **somalensis** Bruyns, Aloe 37(4): 73, ill., 2001. Typus: *Bally* 16017 (ZSS). [Dated 2000, received 2. March 2001.]
- Orbea carnosa** (Stent) Bruyns, Aloe 37(4): 73, 2001. Basionym: *Caralluma carnosa*. [Dated 2000, received 2. March 2001.]
- Orbea caudata** (N. E. Brown) Bruyns, Aloe 37(4): 73, 2001. Basionym: *Caralluma caudata*. [Dated 2000, received 2. March 2001.]
- Orbea caudata** ssp. **rhodesiaca** (L. C. Leach) Bruyns, Aloe 37(4): 74, 2001. Basionym: *Caralluma caudata* ssp. *rhodesiaca*. [Dated 2000, received 2. March 2001.]
- Orbea chrysostephana** (Deflers) Bruyns, Aloe 37(4): 74, 2001. Basionym: *Stapelia chrysostephana*. [Dated 2000, received 2. March 2001.]
- Orbea commutata** (A. Berger) Bruyns, Aloe 37(4): 74, 2001. Basionym: *Caralluma commutata*. [Dated 2000, received 2. March 2001.]
- Orbea conjuncta** (A. C. White & B. Sloane) Bruyns, Aloe 37(4): 74, ill. (p. 73), 2001. Basionym: *Stultitia conjuncta*. [Dated 2000, received 2. March 2001.]
- Orbea decaisneana** (Lemaire) Bruyns, Aloe 37(4): 74, 2001. Basionym: *Boucerosia decaisneana*. [Dated 2000, received 2. March 2001.]
- Orbea deflersiana** (Lavranos) Bruyns, Aloe 37(4): 74, 2001. Basionym: *Caralluma deflersiana*. [Dated 2000, received 2. March 2001.]
- Orbea denboefii** (Lavranos) Bruyns, Aloe 37(4): 74, 2001. Basionym: *Caralluma denboefii*. [Dated 2000, received 2. March 2001.]
- Orbea distincta** (E. A. Bruce) Bruyns, Aloe 37(4): 74, 2001. Basionym: *Caralluma distincta*. [Dated 2000, received 2. March 2001.]
- Orbea dummeri** (N. E. Brown) Bruyns, Aloe 37(4): 74, 2001. Basionym: *Stapelia dummeri*. [Dated 2000, received 2. March 2001.]
- Orbea dummeri** ssp. **circes** (M. G. Gilbert) Bruyns, Aloe 37(4): 74, 2001. Basionym: *Caralluma circes*. [Dated 2000, received 2. March 2001.]
- Orbea gemugofana** (M. G. Gilbert) Bruyns, Aloe 37(4): 74, 2001. Basionym: *Caralluma gemugofana*. [Dated 2000, received 2. March 2001.]
- Orbea gerstneri** (Letty) Bruyns, Aloe 37(4): 74, 2001. Basionym: *Caralluma gerstneri*. [Dated 2000, received 2. March 2001.]
- Orbea gerstneri** ssp. **elongata** (R. A. Dyer) Bruyns, Aloe 37(4): 74, 2001. Basionym: *Caralluma gerstneri* ssp. *elongata*. [Dated 2000, received 2. March 2001.]
- Orbea hardyi** (R. A. Dyer) Bruyns, Aloe 37(4): 74, 2001. Basionym: *Stultitia hardyi*. [Dated

- 2000, received 2. March 2001.]
- Orbea huernioides** (P. R. O. Bally) Bruyns, Aloe 37(4): 74, 2001. Basionym: *Caralluma huernioides*. [Dated 2000, received 2. March 2001.]
- Orbea huillensis** (Hiern) Bruyns, Aloe 37(4): 74, 2001. Basionym: *Caralluma huillensis*. [Dated 2000, received 2. March 2001.]
- Orbea huillensis** ssp. **flava** Bruyns, Aloe 37(4): 75, ill. (p. 73), 2001. Typus: *Bruyns* 5522 (BOL). [Dated 2000, received 2. March 2001.]
- Orbea knobelii** (E. Phillips) Bruyns, Aloe 37(4): 75, 2001. Basionym: *Stapelia knobelii*. [Dated 2000, received 2. March 2001.]
- Orbea laikipiensis** (M. G. Gilbert) Bruyns, Aloe 37(4): 75, 2001. Basionym: *Pachycymbium laikipiense*. [Dated 2000, received 2. March 2001.]
- Orbea laticorona** (M. G. Gilbert) Bruyns, Aloe 37(4): 75, 2001. Basionym: *Caralluma sprengeri* ssp. *laticorona*. [Dated 2000, received 2. March 2001.]
- Orbea lugardii** (N. E. Brown) Bruyns, Aloe 37(4): 75, 2001. Basionym: *Caralluma lugardii*. [Dated 2000, received 2. March 2001.]
- Orbea luntii** (N. E. Brown) Bruyns, Aloe 37(4): 75, 2001. Basionym: *Caralluma luntii*. [Dated 2000, received 2. March 2001.]
- Orbea lutea** (N. E. Brown) Bruyns, Aloe 37(4): 75, 2001. Basionym: *Caralluma lutea*. [Dated 2000, received 2. March 2001.]
- Orbea lutea** ssp. **vaga** (N. E. Brown) Bruyns, Aloe 37(4): 75, 2001. Basionym: *Stapelia vaga*. [Dated 2000, received 2. March 2001.]
- Orbea maculata** ssp. **kaokoensis** Bruyns, Aloe 37(4): 75, ill. (p. 73), 2001. Typus: *Bruyns* 4083 (BOL). [Dated 2000, received 2. March 2001.]
- Orbea maculata** ssp. **rangeana** (Dinter & A. Berger) Bruyns, Aloe 37(4): 76, 2001. Basionym: *Caralluma rangeana*. [Dated 2000, received 2. March 2001.]
- Orbea melanantha** (Schlechter) Bruyns, Aloe 37(4): 76, 2001. Basionym: *Stapelia melanantha*. [Dated 2000, received 2. March 2001.]
- Orbea rogersii** (L. Bolus) Bruyns, Aloe 37(4): 76, 2001. Basionym: *Stapelia rogersii*. [Dated 2000, received 2. March 2001.]
- Orbea sacculata** (N. E. Brown) Bruyns, Aloe 37(4): 76, 2001. Basionym: *Caralluma sacculata*. [Dated 2000, received 2. March 2001.]
- Orbea schweinfurthii** (A. Berger) Bruyns, Aloe 37(4): 76, 2001. Basionym: *Caralluma schweinfurthii*. [Dated 2000, received 2. March 2001.]
- Orbea semitubiflora** (L. E. Newton) Bruyns, Aloe 37(4): 76, ill. (p. 72), 2001. Basionym: *Angol-luma semitubiflora*. [Dated 2000, received 2. March 2001.]
- Orbea sprengeri** (Schweinfurth) Bruyns, Aloe 37(4): 76, 2001. Basionym: *Huernia sprengeri*. [Dated 2000, received 2. March 2001.]
- Orbea sprengeri** ssp. **foetida** (M. G. Gilbert) Bruyns, Aloe 37(4): 76, 2001. Basionym: *Ca-*
- ralluma sprengeri* ssp. *foetida*. [Dated 2000, received 2. March 2001.]
- Orbea sprengeri** ssp. **ogadensis** (M. G. Gilbert) Bruyns, Aloe 37(4): 76, 2001. Basionym: *Ca-*
- ralluma sprengeri* ssp. *ogadensis*. [Dated 2000, received 2. March 2001.]
- Orbea subterranea** (E. A. Bruce & P. R. O. Bally) Bruyns, Aloe 37(4): 76, 2001. Basionym: *Ca-*
- ralluma subterranea*. [Dated 2000, received 2. March 2001.]
- Orbea tubiformis** (E. A. Bruce & P. R. O. Bally) Bruyns, Aloe 37(4): 76, 2001. Basionym: *Ca-*
- ralluma tubiformis*. [Dated 2000, received 2. March 2001.]
- Orbea ubomboensis** (I. Verdoorn) Bruyns, Aloe 37(4): 76, 2001. Basionym: *Caralluma ubomboensis*. [Dated 2000, received 2. March 2001.]
- Orbea valida** (N. E. Brown) Bruyns, Aloe 37(4): 76, 2001. Basionym: *Caralluma valida*. [Dated 2000, received 2. March 2001.]
- Orbea valida** ssp. **occidentalis** Bruyns, Aloe 37(4): 76, ill. (p. 74), 2001. Typus: *Bruyns* 6465 (BOL). [Dated 2000, received 2. March 2001.]
- Orbea vibratilis** (E. A. Bruce & P. R. O. Bally) Bruyns, Aloe 37(4): 76, 2001. Basionym: *Ca-*
- ralluma vibratilis*. [Dated 2000, received 2. March 2001.]
- Orbea wilsonii** (P. R. O. Bally) Bruyns, Aloe 37(4): 76, 2001. Basionym: *Caralluma wilsonii*. [Dated 2000, received 2. March 2001.]
- Orbea wissmannii** (O. Schwartz) Bruyns, Aloe 37(4): 76, 2001. Basionym: *Caralluma wissmannii*. [Dated 2000, received 2. March 2001.]
- Orbea wissmannii** var. **eremastrum** (O. Schwartz) Bruyns, Aloe 37(4): 76, 2001. Basionym: *Caralluma eremastrum*. [Dated 2000, received 2. March 2001.]
- Orbea wissmannii** var. **parviloba** Bruyns, Aloe 37(4): 76, 2001. Typus: *Miller et King* 5336 (E). [Dated 2000, received 2. March 2001.]
- Pseudolithos mccoyi** Lavranos & Mies, Asklepios No. 82: 28-30, ill., 2001. Typus: *McCoy* 2305 (MO).
- Rhytidocaulon mccoyi** Lavranos & Mies, Cact. Succ. J. (US) 73(6): 299-303, ill., 2001. Typus: *Lavranos et al.* 31332 (MO, P, UPS).

ASPHODELACEAE

- Bulbine erectipilosa** G. Williamson, Aloe 38(1-2): 28, 2001. Typus: *Williamson* 5928 (NBG). [*Nom. nov. pro Bulbine canaliculata* G. Williamson 2000 (*non* *B. canaliculata* (Aiton) Sprengel 1825).]

ASTERACEAE

Kleinia isabellae Dioli & Mesfin, Cact. Succ. J. (US) 73(2): 72, 2001. Typus: *Dioli* 20 (ETH). [First published invalidly (Art. 37.1) in l.c. 72(6): 303-304, illus., 2000.]

CACTACEAE

Acharagma roseana (Bödeker) E. F. Anderson, Cact. Succ. J. (US) 71(6): 323, 1999. Basionym: *Echinocactus roseanus*. [Omitted previously.]

Ancistrocactus uncinatus ssp. **crassihamatus** (F. A. C. Weber) Doweld, Cactus & Co. 5(2): 92, 2001. Basionym: *Echinocactus crassihamatus*.

Ancistrocactus uncinatus ssp. **wrightii** (Engelmann) Doweld, Cactus & Co. 5(2): 86, 2001. Basionym: *Echinocactus uncinatus* var. *wrightii*.

Arrojadoa braunii Van Heek & W. Strecker, Kaktusbüte 2001: 15-16, ill., 2001. *Nom. inval.* (Art. 36.1, 37.1). [Given as provisional name.]

Bartschella blossfeldiana (Bödeker) Doweld, Novosti Sist. Vyssh. Rast. 33: 167, 2001. Basionym: *Mammillaria blossfeldiana*.

Cochemiea sheldonii (Britton & Rose) Doweld, Novosti Sist. Vyssh. Rast. 33: 165, 2001. Basionym: *Neomammillaria sheldonii*.

Consolea millspaughii ssp. **caymanensis** Areces, Brittonia 53(3): 100-103, illus. (p. 106), 2001. Typus: *Areces* 2402 (K, NY).

Coryphantha Sect. **Gracilicoryphantha** Dicht & A. Lüthy, Cact. Syst. Init. No. 11: 21, 2001. Typus: *Coryphantha gracilis* L. Bremer & A. B. Lau.

Coryphantha Sect. **Neocoryphantha** (Backeberg) Dicht & A. Lüthy, Cact. Syst. Init. No. 11: 10, 2001. Basionym: *Coryphantha* Subgen. *Neocoryphantha*. [Cryptic combination, arguably valid under ICBN 2000 Art. 41.2(b).]

Coryphantha Sect. **Ottonis** Dicht & A. Lüthy, Cact. Syst. Init. No. 11: 13, 2001. Typus: *Coryphantha ottonis* (Pfeiffer) Lemaire.

Coryphantha Sect. **Robustispina** Dicht & A. Lüthy, Cact. Syst. Init. No. 11: 9, 2001. Typus: *Coryphantha robustispina* (Schott ex Engelmann) Britton & Rose.

Coryphantha Ser. **Clavatae** Dicht & A. Lüthy, Cact. Syst. Init. No. 11: 11, 2001. Typus: *Coryphantha clavata* (Scheidweiler) Backeberg.

Coryphantha Ser. **Echinoideae** Dicht & A. Lüthy, Cact. Syst. Init. No. 11: 10, 2001. Typus: *Coryphantha echinoidea* (Quehl) Britton & Rose.

Coryphantha Ser. **Pycnacantheae** Dicht & A. Lüthy, Cact. Syst. Init. No. 11: 15, 2001. Typus: *Coryphantha pycnacantha* (Martius) Lemaire.

Coryphantha Ser. **Retusae** Dicht & A. Lüthy, Cact. Syst. Init. No. 11: 14, 2001. Typus: *Coryphantha elephantidens* (Lemaire) Lemaire.

Coryphantha Ser. **Salinenses** Dicht & A. Lüthy, Cact. Syst. Init. No. 11: 15, 2001. Typus: *Coryphantha salinensis* (Poselger) Dicht & A. Lüthy.

Coryphantha Subser. **Corniferae** Dicht & A. Lüthy, Cact. Syst. Init. No. 11: 19, 2001. Typus: *Coryphantha cornifera* (De Candolle) Lemaire.

Coryphantha Subser. **Delaetianae** Dicht & A. Lüthy, Cact. Syst. Init. No. 11: 20, 2001. Typus: *Coryphantha delaetiana* (Quehl) A. Berger.

Coryphantha Subser. **Neglectae** Dicht & A. Lüthy, Cact. Syst. Init. No. 11: 20, 2001. Typus: *Coryphantha neglecta* L. Bremer.

Coryphantha clavata ssp. **stipitata** (Scheidweiler) Dicht & A. Lüthy, Cact. Syst. Init. No. 11: 12, 2001. Basionym: *Mammillaria stipitata*.

Coryphantha durangensis ssp. **cuencamensis** (L. Bremer) Dicht & A. Lüthy, Cact. Syst. Init. No. 11: 18, 2001. Basionym: *Coryphantha cuencamensis*.

Coryphantha elephantidens ssp. **bumamma** (Ehrenberg) Dicht & A. Lüthy, Cact. Syst. Init. No. 11: 14, 2001. Basionym: *Mammillaria bumamma*.

Coryphantha elephantidens ssp. **greenwoodii** (Bravo) Dicht & A. Lüthy, Cact. Syst. Init. No. 11: 14, 2001. Basionym: *Coryphantha greenwoodii*.

Coryphantha pseudoechinus ssp. **lauui** (L. Bremer) Dicht & A. Lüthy, Cact. Syst. Init. No. 11: 20, 2001. Basionym: *Coryphantha lauui*.

Cumulopuntia recurvata Gilmer & H.-P. Thomas, Kakt. and. Sukk. 52(4): 85-92, illus., 2001. Typus: Márquez s.n. (SI 28459, ZSS).

Cylindropuntia alcahes var. **gigantensis** E. F. Anderson, Cact. Family, 204, 2001. *Nom. inval.* (Art. 36.1, 37.1). [Ascribed to Rebman.]

Cylindropuntia alcahes var. **mcgillii** E. F. Anderson, Cact. Family, 204, 2001. *Nom. inval.* (Art. 36.1, 37.1). [Ascribed to Rebman.]

Cylindropuntia californica var. **parkeri** (J. M. Coulter) Pinkava, J. Arizona-Nevada Acad. Sci. 33(2): 150, 2001. Basionym: *Opuntia echinocarpa* var. *parkeri*.

Cylindropuntia ×campii (M. A. Baker & Pinkava) M. A. Baker & Pinkava, J. Arizona-Nevada Acad. Sci. 33(2): 150, 2001. Basionym: *Opuntia ×campii*.

Cylindropuntia cedrosensis Rebman ex E. F. Anderson, Cact. Family, 207, 2001. *Nom. inval.* (Art. 36.1, 37.1).

Cylindropuntia delgadilloana Rebman & Pinkava, J. Arizona-Nevada Acad. Sci. 33(2): 154-155, illus., 2001. Typus: Rebman 2566 (ASU 195838, BCME, SD).

Cylindropuntia ×fosbergii (C. B. Wolf pro sp.) Rebman & al., J. Arizona-Nevada Acad. Sci. 33(2): 150, 2001. Basionym: *Opuntia ×fosbergii*. [First used by E. F. Anderson, Cact. Family, 208, 2001, and there erroneously attributed to Backeberg 1958.]

Cylindropuntia ganderi (C. B. Wolf) Rebman & Pinkava, J. Arizona-Nevada Acad. Sci. 33(2):

- 150, 2001. Basionym: *Opuntia acanthocarpa* ssp. *ganderi*.
Cylindropuntia ganderi var. *catavinensis* E. F. Anderson, Cact. Family, 208-209, ill., 2001. *Nom. inval.* (Art. 36.1, 37.1). [Ascribed to Rebman.]
- Cylindropuntia wolffii** (L. D. Benson) M. A. Baker, J. Arizona-Nevada Acad. Sci. 33(2): 150, 2001. Basionym: *Opuntia echinocarpa* var. *wolffii*. [Combination attributed to Rebman by E. F. Anderson, Cact. Fam., 215, 2001.]
- Discocactus bahiensis** ssp. *gracilis* P. J. Braun & E. Esteves P., Kakt. and. Sukk. 52(11): 290, ills. (pp. 286-289), 2001. Typus: *Braun et Esteves Pereira* s.n. (UFG 22432).
- Echinocereus engelmannii* ssp. *llanuraensis* (Rutow) Paredes Aguilar & al., Cact. Sonora, México, 26, 2000. *Nom. inval.* (Art. 33.3), based on *Echinocereus nicholii* ssp. *llanuraensis*. [Attributed to "Felger 1999".]
- Echinocereus knippelianus* var. *schatzlei* Nitzschke ex Bohata & al., Kaktusy 31(1): 3-5, ills., 2001. *Nom. inval.* (Art. 36.1, 37.1). [Said to have been recently published, but without any reference to a protologue.]
- Echinopsis backebergii* ssp. *hertrichiana* (Backeberg) E. F. Anderson, Cact. Family, 268, 2001. *Nom. inval.* (Art. 34.1c, 33.3), based on *Lobivia hertrichiana*. [Ascribed to G. D. Rowley 1982, who published such a combination under *Lobivia backebergii*.]
- Echinopsis cinnabarina* ssp. *acanthoplegma* (Backeberg) E. F. Anderson, Cact. Family, 263, in syn., 2001. *Nom. inval.*, based on *Pseudolobivia acanthoplegma*, nom. *inval.* (Art. 37.1). [Attributed to "G. D. Rowley 1982".]
- Echinopsis cinnabarina* ssp. *prestoana* (Cárdenas) E. F. Anderson, Cact. Family, 263, in syn., 2001. *Nom. inval.* (Art. 33.3), based on *Lobivia prestoana*. [Attributed to "G. D. Rowley 1982".]
- Epithelantha petri** Halda & Horácek, Acta Mus. Richnov. Sect. Nat. 7(2): 72, 2000. Typus: *Halda et Horácek* 850513 (PR). [Omitted previously.]
- Eriosyce crista** ssp. *totoralensis* (F. Ritter) Kattermann, Cact. Syst. Init. No. 12: 14, 2001. Basionym: *Pyrrhocactus totoralensis*.
- Eriosyce curvispina** ssp. *armata* (F. Ritter) Kattermann, Cact. Syst. Init. No. 12: 14, 2001. Basionym: *Pyrrhocactus armatus*.
- Eriosyce curvispina** ssp. *tuberisulcata* (Jacobi) Kattermann, Cact. Syst. Init. No. 12: 14, 2001. Basionym: *Echinocactus tuberisulcatus*.
- Eriosyce napina** ssp. *duripulpa* (F. Ritter) Kattermann, Cact. Syst. Init. No. 12: 14, 2001. Basionym: *Chileorebutia duripulpa*.
- Eriosyce simulans** (F. Ritter) Kattermann, Cact. Syst. Init. No. 12: 14, 2001. Basionym: *Pyrrhocactus simulans*.
- Eriosyce subgibbosa** ssp. *nigrihorrida* (Backeberg) Kattermann, Cact. Syst. Init. No. 12: 14, 2001. Basionym: *Neopoteria nigrihorrida*.
- Eriosyce subgibbosa** ssp. *vallenarensis* (F. Ritter) Kattermann, Cact. Syst. Init. No. 12: 14, 2001.
- Basionym: *Neopoteria vallenarensis*.
Eriosyce subgibbosa ssp. *wagenknechti* (F. Ritter) Kattermann, Cact. Syst. Init. No. 12: 14, 2001. Basionym: *Neopoteria wagenknechti*.
- Escobaria grata** M. Kaplan & al., Kaktusy 37(2): 34-37, ills., 2001. Typus: *Snicker et al.* s.n. (PR 11515).
- Frailea densispina** (Hofacker & Herm) N. Gerloff, Cactus & Co. 5(3): 142, ills., 2001. Basionym: *Frailea buenekeri* ssp. *densispina*.
- Gymnocalycium** Sect. **Microsemineum** H. Till, Gymnocalycium 14(2): 401, 2001. *Nom. inval.* (Art. 36.1, 52.1). [Based on *G. saglionis* (Cels) Britton & Rose.]
- Gymnocalycium** Sect. **Pirisemineum** (W. Till & Hesse) H. Till, Gymnocalycium 14(2): 401, 2001. Basionym: *Gymnocalycium* Subgen. *Pirisemineum*.
- Gymnocalycium** Ser. **Chacoense** H. Till, Gymnocalycium 14(2): 401, 2001. Typus: *Gymnocalycium chacoense* Amerhauser.
- Gymnocalycium** Ser. **Macrosemineum** (Schütz ex Metzing) H. Till, Gymnocalycium 14(2): 401, 2001. *Nom. illeg.* (Art. 52.1).
- Gymnocalycium** Ser. **Microsemineum** (Schütz) H. Till, Gymnocalycium 14(2): 401, 2001. *Nom. inval.* (Art. 36.1, 52.1). [Based on *G. saglionis* (Cels) Britton & Rose.]
- Gymnocalycium** Ser. **Multiflora** H. Till, Gymnocalycium 14(2): 401, 2001. Typus: *Gymnocalycium multiflorum* (Hooker) Britton & Rose.
- Gymnocalycium** Ser. **Periferalia** (Schütz) H. Till, Gymnocalycium 14(2): 401, 2001. Basionym: *Gymnocalycium* Sect. *Periferalia*.
- Gymnocalycium** Subsect. **Macrosemineum** (Schütz ex Metzing) H. Till, Gymnocalycium 14(2): 401, 2001. *Nom. illeg.* (Art. 52.1). [Illegitimate versus *Gymnocalycium* Ser. *Uruguayensis* Buxbaum 1968, which is cited in the synonymy of the new section.]
- Gymnocalycium** Subsect. **Microsemineum** (Schütz) H. Till, Gymnocalycium 14(2): 401, 2001. *Nom. inval.* (Art. 36.1, 52.1). [Based on *G. saglionis* (Cels) Britton & Rose.]
- Gymnocalycium** Subsect. **Pileisperma** Buxbaum ex H. Till, Gymnocalycium 14(2): 401, 2001. Typus: *Gymnocalycium stellatum* Spegazzini.
- Gymnocalycium** Subsect. **Schickendantziana** (Buxbaum) H. Till, Gymnocalycium 14(2): 401, 2001. Basionym: *Gymnocalycium* Ser. *Schickendantzianae*.
- Gymnocalycium** Subsect. **Terminalia** (Schütz) H. Till, Gymnocalycium 14(2): 401, 2001. *Nom. illeg.* (Art. 52.1?).
- Gymnocalycium berchtii** Neuhuber, Gymnocalycium 10(3): 219-220, ills., 1997. Typus: *Neuhuber* 89-158 (WU). [Previously omitted from RPS.]
- Gymnocalycium bergeri** Neuhuber, Kakt. Tolko 2001(1): B-C, ills., 2001. Based on *Neuhuber* 99-991. *Nom. inval.* (Art. 36.1, 34.1b). [Published as provisional name.]
- Gymnocalycium delaetii** fa. **antherosacos** Neuhuber, Gymnocalycium 14(4): 423, ills. (pp. 422-423), 2001. Typus: *Neuhuber* 88-41

- (BA). [Based on *Gymnocalycium antherosacum* F. Ritter 1980 (*nom. inval.*, Art. 32.1c).]
- Gymnocalycium gaponii** Neuhuber, Kaktus Klub 2001(2-3): 4-10, ill., 2001. Typus: *Neuhuber* 91-362/1222 (BA, WU). [Simultaneously also published in *Gymnocalycium* 14(3): 409-412, 2001.]
- Gymnocalycium hyptiacanthum** ssp. **paucicostatum** (R. Kiesling) Papsch, *Gymnocalycium* 14(1): 390, 2001. Basionym: *Gymnocalycium schroederianum* ssp. *paucicostatum*.
- Gymnocalycium hyptiacanthum** ssp. **schroederianum** (Osten) Papsch, *Gymnocalycium* 14(1): 390, 2001. Basionym: *Gymnocalycium schroederianum*.
- Gymnocalycium schickendantzii** ssp. **bergeri** Neuhuber, *Gymnocalycium* 14(4): 420-421, ill., (pp. 418-419), 2001. Typus: *Neuhuber* 90-308 (BA).
- Hylocereus ×stendatus** E. Meier, Kakt. and. Sukk. 52(6): 143, ill., 2001. [Published as cultivar group; = *Hylocereus stenopterus* × *H. undatus*.]
- Hylocereus ×stendatus** cv. **Connie Mayer** E. Meier, Kakt. and. Sukk. 52(6): 144, ill., (p. 141), 2001. [A selection from the original cross.]
- Hylocereus ×stendatus** cv. **Kathie Van Arum** E. Meier, Kakt. and. Sukk. 52(6): 144, ill., 2001. [A selection from the original cross.]
- ×**Hyloselenicereus** E. Meier, Kaktusblüte 2001: 38, 2001. [Could be interpreted as provisional and thus invalid since given in the form [translated] "... F. Sibl once proposed the name in an unpublished paper, and I find it very apt".] [= *Hylocereus* × *Selenicereus*.]
- ×**Hyloselenicereus** cv. **Kesselring** E. Meier, Kaktusblüte 2001: 38, 2001. [Could be interpreted as provisional and thus invalid since it was published in the form [translated]: "I therefore propose to name this plant ..., which would have the advantage that"]
- Krainzia gracilis** (Pfeiffer) Doweld, Novosti Sist. Vyssh. Rast. 33: 169, 2001. Basionym: *Mammillaria gracilis*.
- Mammillaria** cv. **Catadan** Xhonneux, Cact. Aventures No. 52: 26, ill. (p. 29), 2001. [A F4 selection from *M. gracilis* hybrids.]
- Mammillaria** cv. **Mauve** Xhonneux, Cact. Aventures No. 52: 28-29, ill., 2001. [A backcross of *M. gracilis* with a F4 selection of a *M. gracilis* hybrid.]
- Mammillaria gieseckei** Rogozinski, Mitteilungsbl. AfM 25(3): 113, 115, ill. (p. 102), 2001. Based on *Rogozinski* 139a. *Nom. inval.* (Art. 36.1, 37.1). [Given as 'n.n.'.]
- Mammillaria gracilis** cv. **Constant** Xhonneux, Cact. Aventures No. 52: 27, ill., 2001. [A selection from F4 crosses of *M. gracilis* hybrids.]
- Mammillaria gracilis** cv. **Nid Surprise** Xhonneux, Cact. Aventures No. 52: 29, ill., 2001. [A selection from F4 crosses of *M. gracilis* hybrids.]
- Mammillaria gracilis** cv. **Petit Prince** Xhonneux, Cact. Aventures No. 52: 29, ill., 2001. [A selection from F4 crosses of *M. gracilis* hybrids.]
- Mammillaria gracilis** cv. **Reine Fabiola** Xhonneux, Cact. Aventures No. 52: 28, 2001. [A selection from F4 crosses of *M. gracilis* hybrids.]
- Mammillaria gracilis** cv. **Roi Baudoïn** Xhonneux, Cact. Aventures No. 52: 28, ill. (p. 26), 2001. [A selection from F4 crosses of *M. gracilis* hybrids.]
- Mammillaria gracilis** cv. **Valencia** Xhonneux, Cact. Aventures No. 52: 26, 2001. [A F4 selection of *M. gracilis* hybrids.]
- Mammillaria jamaicensis** Areces, Cact. Succ. J. (US) 73(1): 37-39, ill., SEM-ills., 2001. Typus: *Areces-Mallea et Proctor* 6399 (IJ, NY).
- Mammillaria perezdelarosae** ssp. **andersoniana** W. A. & B. Fitz Maurice, Cact. Succ. J. (US) 73(5): 264-265, ill., 2001. Typus: *Fitz Maurice* 2416 (MEXU).
- Matucana madisoniorum** cv. **Sárka** Kobr ex Halda, Cactaceae etc. 11(1): 40, ill., 2001. [A white-flowered horticultural selection.]
- Neochilenia** cv. **China Wonder** hort. ex Ríha, Kaktusy 37(3): 93, ill., 2001. [A cultivar obtained from the USA.]
- Notocactus** Ser. **Setacei** Prauser, Internoto 22(1): 6-7, 2001. Typus: *Notocactus concinnus*. First used by various sources as provisional name since 1976 and then invalidly (Art. 36.1) published by Havlicek in Kakt. Vilag 18(4): 75, 1989 for an unranked taxon by Fric & Kreuzinger 1935 (cf. RPS 41).
- Notocactus** Ser. **Werdermanniani** Prauser, Internoto 22(2): 14-15, 2001. Typus: *Notocactus werdermannianus*. Used as provisional name since 1976 by various sources and invalidly (Art. 36.1) published by Havlicek (as 'Werdermannianae'), Kakt. Vilag. 18(4): 75, 1989 (cf. RPS 41).
- Notocactus** Subser. **Concinni** Prauser, Internoto 22(2): 9, 12, 2001. Typus: *Notocactus concinnus*. Name first used invalidly (Art. 36.1, 37.1) by Havlicek (as 'Concinnus') in Kakt. Vilag. 18(4): 75, 1989 (cf. RPS 41).
- Notocactus** Subser. **Scopae** Prauser, Internoto 22(2): 13-14, 2001. Typus: *Notocactus scopae*.
- Notocactus scopae* var. *caputproliferans* N. Gerloff & Zahra, Brit. Cact. Succ. J. 19(4): 177, ill., 2001. Based on *Gerloff* 36. *Nom. inval.* (Art. 34.1a, 36.1). [Published as provisional name.]
- Opuntia aureispina** (S. Brack & K. D. Heil) Pinckava & B. D. Parfitt, J. Arizona-Nevada Acad. Sci. 33(2): 150, 2001. Basionym: *Opuntia macrocentra* var. *aureispina*. [First published invalidly (Art. 33.3, note 1) in Sida 13: 128, 1988, and then erroneously included as valid in RPS 39.]
- Opuntia pachyrhiza** H. M. Hernández & al., Novon 11(3): 309-311, ill., 2001. Typus: *Hernández et al.* 3312 (MEXU, ASU, ENCB, IEB, K, MEXU, MO, SLP).
- Opuntia ×rooneyi** M. P. Griffith, Cact. Succ. J. (US) 73(6): 307-309, ill., 2001. Typus:

- Griffith* 71 (SRSC, RSA, TEX). [= *O. aureispina* × *O. macrocentra*.]
- Parodia pilayensis** Beckert, Mitteilungsbl. Inter-Parodia-Kette No. 16: 17-18, ill., 2001. *Nom. inval.* (Art. 34.1b, 36.1). [Published as provisional name.]
- Peyotl diffusus** (Croizat) Sotomayor & al., Cactus & Co. 5(4): 227, 2001. *Nom. inval.* (Art. 43.1), based on *Lophophora echinata* var. *diffusa*.
- Peyotl viridescens** (Halda) Sotomayor & al., Cactus & Co. 5(4): 227, 2001. *Nom. inval.* (Art. 43.1), based on *Lophophora diffusa* ssp. *viridescens*.
- Peyotl zacatensis** var. *fricii* (Habermann) Sotomayor & al., Cactus & Co. 5(4): 228, 2001. *Nom. inval.* (Art. 43.1), based on *Lophophora fricii*.
- Pilosocereus bohlei** Hofacker, Kakt. and. Sukk. 52(10): 255-256, ill., 2001. *Hofacker* 442 (UFG 24356, ZSS [seeds only]).
- Rimacactus** Mottram, Bradleya 19: 75, 2001. Typus: *Eriosyce laui* J. Lüthy.
- Rimacactus laui** (J. Lüthy) Mottram, Bradleya 19: 76, ill. (pp. 77, 80-81), 2001. Basionym: *Eriosyce laui*.
- Sclerocactus pubispinus** ssp. *spinosior* (Engelmann) Veres, Kaktusy 31(1): 26, 2001. *Nom. inval.* (Art. 33.2), based on *Echinocactus whipplei* var. *spinosior*.
- Sclerocactus pubispinus** var. *schleseri* (K. D. Heil & S. L. Welsh) Veres, Kaktusy 31(1): 26, 2001. *Nom. inval.* (Art. 33.2), based on *Sclerocactus schleseri*.
- Selenicereus extensus** (Salm-Dyck ex De Candolle) Leuenberger, Bot. Jahrb. Syst. 123(1): 56, 2001. Basionym: *Cereus extensus*.
- Sulcorebutia breviflora** ssp. *haseltonii* (Cárdenas) Fritz, Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl. 14(5): 75, 2001. Basionym: *Rebutia haseltonii*.
- Sulcorebutia breviflora** ssp. *laui* (Diers) Fritz, Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl. 14(5): 75, 2001. Basionym: *Sulcorebutia breviflora* var. *laui*.
- Sulcorebutia crispata** ssp. *aureicapillata* Halda & al., Acta Mus. Richnov. Sect. Nat. 7(2): 74, 2000. Typus: *Halda et Horácek* 9911316 (PR).
- Sulcorebutia crispata** ssp. *hertusii* Halda & Horácek, Acta Mus. Richnov. Sect. Nat. 7(2): 74, 2000. Typus: *Halda et Horácek* 9911316 (PR). [*Sphalm. 'hertusi'*.]
- Sulcorebutia gerosenilis** Ríha & Arandia, Kaktusy 37(3): 88-90, ill., 2001. Typus: *Arandia* s.n. (PR 11517).
- Sulcorebutia hertusii** (Halda & Horácek) Halda & Horácek, Acta Mus. Richnov. Sect. Nat. 8(1): 34, 2001. Basionym: *Sulcorebutia crispata* ssp. *hertusii*.
- Sulcorebutia hertusii** ssp. *aureicapillata* (Halda & al.) Halda & al., Acta Mus. Richnov. Sect. Nat. 8(1): 34, 2001. Basionym: *Sulcorebutia crispata* ssp. *aureicapillata*.
- Sulcorebutia mariana** var. *prantneri* Augustin & Hentzschel, Succulenta 80(2): 89-93, ill., SEM-ills., 2001. Typus: *Swoboda* 81 (LPB, WU).
- Sulcorebutia vasqueziana** cv. *Aurea* hort. ex Ríha, Kaktusy 37(3): 94, ill., 2001. [A form obtained in cultivation in the Czech Republic.]
- Sulcorebutia vasqueziana** ssp. *alba* (Rausch) Fritz & Gertel, Inform.-brief Freundeskreis Echinopseen No. 31: 13, 2001. Basionym: *Sulcorebutia alba*.
- Sulcorebutia vasqueziana** ssp. *chatajillensis* (Oeser & Brederoo) Gertel & Sída, Inform.-brief Freundeskreis Echinopseen No. 31: 13, 2001. Basionym: *Sulcorebutia verticillacantha* var. *chatajillensis*.
- Sulcorebutia vasqueziana** ssp. *losenickyana* (Rausch) Gertel & Sída, Inform.-brief Freundeskreis Echinopseen No. 31: 13, 2001. Basionym: *Sulcorebutia losenickyana*.
- Tephrocactus bonnieae** (D. J. Ferguson & R. Kiesling) Stuppy, Kew Bull. 56(4): 1003, 2001. Basionym: *Puna bonnieae*.
- ×**Trichoma F.** Font & Picca, Bradleya 19: 59, 2001. [= *Trichocereus* × *Denmoza*.]
- ×**Trichoma roseiflora** F. Font & Picca, Bradleya 19: 59, ill. (pp. 62, 64), 2001. Typus: *Font et Picca* 9 (SI 28463). [= *Trichocereus atacamensis* × *Denmoza rhodacantha*.]
- Weberocereus frohningiorum** Ralf Bauer, Kakt. and. Sukk. 52(9): 228-230, ill., 2001. Typus: *Anonymous* s.n. in *Frohning* 9067 (ZSS, K).
- Weingartia fidaiiana** ssp. *westii* (Hutchinson) Slaba, Kaktusy 37(3): 66, 2001. Basionym: *Gymnocalycium westii*.
- Weingartia fidaiiana** var. *lecoriensis* (Cárdenas) Slaba, Kaktusy 37(3): 66, 2001. Basionym: *Weingartia lecoriensis*. [Cryptic combination, attributed to Donald 1979.]
- Weingartia fidaiiana** var. *vilcayensis* (Cárdenas) Slaba, Kaktusy 37(3): 66, 2001. Basionym: *Weingartia vilcayensis*. [Cryptic combination, attributed to Donald 1979.]
- Yavia** R. Kiesling & Piltz, Kakt. and. Sukk. 52(3): 57-62, ill., 2001. Typus: *Yavia cryptocarpa* R. Kiesling & Piltz.
- Yavia cryptocarpa** R. Kiesling & Piltz, Kakt. and. Sukk. 52(3): 57-62, ill., 2001. Typus: *Kiesling et al.* 9882 (SI).

CRASSULACEAE

- Aizopsis ellacombianus** (Praeger) P. V. Heath, Calyx 4(5): 172, 2001. Basionym: *Sedum ellacombianum*. [*Sphalm. 'ellacumbanum'*.]
- Aizopsis florifera** (Praeger) P. V. Heath, Calyx 4(5): 172, 2001. Basionym: *Sedum floriferum*.
- Aizopsis litoralis** (Komarov) P. V. Heath, Calyx 4(5): 172, 2001. Basionym: *Sedum litorale*.
- Aizopsis takesimensis** (Nakai) P. V. Heath, Calyx 4(5): 172, 2001. Basionym: *Sedum takesimense*.
- Aizopsis zokuriensis** (Nakai) P. V. Heath, Calyx 4(5): 172, 2001. Basionym: *Sedum zokuriense*.
- Crassula badsoortensis** van Jaarsveld, Aloe 38(1-2): 29-30, ill., 2001. Typus: *van Jaars-*

- veld* 16111 (NBG). [Sphalm. 'badspoortense'.]
- Graptosedum** cv. **Alpenglow** Trager, Cact. Succ. J. (US) 73(2): 96, ill., 2001. [= *Graptopetalum paraguayense* × *Sedum* sp.]
- ✗**Graptosedum** cv. **California Sunset** R. Stephenson, Sedum Soc. Newslett. No. 58: 98-99, figs. 84-85, 2001. [Given without data on origin or parentage and as "new combination".]
- ✗**Graptoveria** cv. **Pik-Ruz** Moullec, Sedum Soc. Newslett. No. 59: 20, 2001. [Based on an anonymous hybrid in cultivation. Further description in l.c. No. 60: 45-46, t. 102-104, 2002.]
- Hylotelephium** cv. **Václav Plestil's Red** Hlavatý, Sedum Soc. Newslett. No. 57: 76-77, ill. (cover), 2001. [*Hylotelephium populifolium* × ?*H. cauticola*.]
- Orostachys gorovoii** Dudkin & S. Gontcharova, Bot. Zhurn. (Moscow & Leningrad) 86(6): 143-145, ill., 2001. Typus: *Dudkin* s.n. (LE, Herb. BG Vladivostok, Herb. Inst. Biochem. Vladivostok).
- Phedimus aizoon** var. **floribundus** (Nakai) H. Ohba, in Iwatsuki & al., Fl. Jap. 2b: 19-20, 2001. Basionym: *Sedum aizoon* var. *floribundum*.
- Sedum alexanderi** Eggli, Kakt. and. Sukk. 52(8): 206, ill., 2001. Typus: *MacDougall* s.n. (NY). [*Nom. nov. pro Sedum platyphyllum* Alexander 1942 non (Schrenk) Hamet 1929 nec S. H. Fu 1951.]
- Sedum oligospermum** var. **emarginatum** (S. H. Fu) Byalt, Novosti Sist. Vyssh. Rast. 33: 131, 2001. Basionym: *Sedum bracteatum* var. *emarginatum*.
- Sedum polytrichoides** var. **setouchiense** (Murata & Yuasa) H. Ohba, Fl. Jap. 2b: 27, 2001. Basionym: *Sedum yabeanum* var. *setouchiense*.
- Sedum polytrichoides** var. **yabeanum** (Makino) H. Ohba, Fl. Jap. 2b: 27, 2001. Basionym: *Sedum yabeanum*.
- Sedum uniflorum** var. **pumilum** H. Ohba, Fl. Jap. 2b: 26, 2001. Based on *Mori* s.n.. Incorrect name (Art. 11.4). [Name first used invalidly (Art. 32.1c) by H. Ohba in Y. Tsukamoto, Grand Dict. Hortic. 3: 69, 1989.]
- Sedum vietnamense** Byalt, Kaktus Klub 2001(1): 28-29, ill., 2001. Typus: *Nguen Tion Hiep et Vander Cloet* NTH2214 (LE).
- Sempervivum ricci** Iberite & Anzalone, Webbia 56(1): 165-167, ill., 2001. Typus: *Iberite* UG 56.45 (RO). [Based on *Sempervivum italicum* Ricci 1961, nom. inval.]
- Sinocrassula paoshingensis** var. **spinulosa** H. Ohba & al., J. Jap. Bot. 76(4): 223-225, 2001. Typus: *Akiyama* et al. 105516 (KUN, A, TI, TNS).
- Tylecodon nolteei** Lavranos, Pianta Grasse 20(3): 124-126, ill., 2001. Typus: *Lavranos* 31258 (PRE, MO, P). [Dated 2000, received at ZSS 15. 3. 2001.]

DRACAENACEAE

- Sansevieria** cv. **Tom Grumbley** L. E. Newton, Sansevieria No. 2: 8-9, ill., 2001.
- Sansevieria nitida** Chahinian, Cact. Succ. J. (US) 73(3): 120-121, ill., 2001. Typus: *Chahinian* 301 (MO, NY).

EUPHORBIACEAE

- Euphorbia amicorum** S. Carter, Cact. Succ. J. (US) 73(4): 177-178, ill., 2001. Typus: *Lavranos et Newton* 13171 (K).
- Euphorbia itremensis** Kimnach & Lavranos, Cact. Succ. J. (US) 73(1): 42-44, ill., 2001. Typus: *Lavranos et al.* 30000 (P, HNT).
- Euphorbia venteri** L. C. Leach ex R. H. Archer & S. Carter, Flow. Pl. Afr. 57: 86-90, ill., t. 2176, 2001. Typus: *Venter et al.* 174 (PRE, UNIN).

GERANIACEAE

- Pelargonium** Sect. **Reniformia** Dreyer, South Afr. J. Bot. 66(1): 44-45, 2000. Typus: *Pelargonium reniforme* Curtis. Said to be a combination for *Pelargonium* Subsect. *Reniformia* Knuth 1912, but the section is also given as "Sect. nov.", with Latin diagnosis, and without clear bibliographical reference to a basionym.
- Pelargonium auritum** var. **carneum** (Harvey) E. M. Marais, Studies Pelargonium Sect. Hoarea (Geraniac.), 277, 2000. Basionym: *Pelargonium hirsutum* var. *carneum*.
- Pelargonium vinaceum** E. M. Marais, Studies Pelargonium Sect. Hoarea (Geraniac.), 226, 2000. Typus: *Marais* 77 (NBG, BOL, K, MO, PRE). [Reference erroneously given as "South Afr. J. Bot. 67: [in press], 2001" in Ill. Handb. Succ. Pl., Dicot., 271, 2002.]

HYACINTHACEAE

- Fusilium emdeorum** J. Tang & Weiglin, Feddes Repert. 112(7-8): 505-506, ill., 2001. Typus: *Müller-Dobties* 86017c (PRE, B, BTU, K, M, MO, NBG, S, WIND, Z).

LAMIACEAE

- Burnatastrum cylindraceum** (Bentham) P. V. Heath, Calyx 4(5): 175, 2001. Basionym: *Plectranthus cylindraceus*.

NOLINACEAE

Beaucarnea sanctomariana L. Hernández, Novon 11(1): 50-53, illus., 2001. Typus: *Wendt* 5914 (MEXU, CHAPA, LL, MO, UAT). [Epithet arguably correctable to 'sanctamariana', since named for the village of Santa Maria.]

PORFULACACEAE

Phemeranthus aurantiacus (Engelmann) Kiger, Novon 11(3): 319, 2001. Basionym: *Talinum aurantiacum*.

Phemeranthus brevicaulis (S. Watson) Kiger, Novon 11(3): 319, 2001. Basionym: *Talinum brevicaule*.

Phemeranthus calcaricus (S. Ware) Kiger, Novon 11(3): 320, 2001. Basionym: *Talinum calcaricum*.

Phemeranthus calycinus (Engelmann) Kiger, Novon 11(3): 320, 2001. Basionym: *Talinum calycinum*.

Phemeranthus humilis (Greene) Kiger, Novon 11(3): 320, 2001. Basionym: *Talinum humile*.

Phemeranthus longipes (Wooton & Standley) Kiger, Novon 11(3): 320, 2001. Basionym: *Talinum longipes*.

Phemeranthus marginatus (Greene) Kiger, Novon 11(3): 320, 2001. Basionym: *Talinum marginatum*.

Phemeranthus mengesii (W. Wolf) Kiger, Novon 11(3): 320, 2001. Basionym: *Talinum mengesii*.

Phemeranthus parviflorus (Nuttall) Kiger, Novon 11(3): 320, 2001. Basionym: *Talinum parviflorum*.

Phemeranthus rugospermus (Holzinger) Kiger, Novon 11(3): 320, 2001. Basionym: *Talinum rugospermum*.

Phemeranthus sediforme (von Poellnitz) Kiger, Novon 11(3): 320, 2001. Basionym: *Talinum sediforme*.

Phemeranthus thompsonii (N. D. Atwood & S. L. Welsh) Kiger, Novon 11(3): 321, 2001. Basionym: *Talinum thompsonii*.

Phemeranthus validulus (Greene) Kiger, Novon 11(3): 321, 2001. Basionym: *Talinum validulum*.

RUBIACEAE

Hydnophytum ferrugineum P. I. Forster, Austrobaileya 6(1): 103-105, illus., 2001. Typus: *Forster et al.* PIF21406 (BRI, K, MEL).

BIBLIOGRAPHIA

- [1] Abdel-Sattar, E. & al. (2001). Penicilosides A-C, C-15 oxypregnane glycosides from *Caralluma penicillata*. *Phytochemistry* 57(8): 1213-1217.
- [2] Afferni, M. (2001). *Mammillaria amajacensis* – alcuni commenti – some comments. *Cactus & Co.* 5(3): 148-153, ills.
- [3] Afferni, M. (2001). Mathematical patterns of the petal arrangement in the flowers of some Mammillarias and *Epithelantha micromeris*. *J. Mammillaria Soc.* 41(2): 21-23, diags.
- [4] Afferni, M. (2001). Due *Opuntia* naturalizzate nel territorio del comune di Firenze. *Piante Grasse* 20(3): 119-123, ills. [Dated 2000, received at ZSS 15. 3. 2001.]
- [5] Aké Assi, L. (2001). Flore de la Côte-d'Ivoire: Catalogue systématique, biogéographie et écologie. I. *Boissiera* 57: 396 pp., ills. [Covering ferns, gymnosperms and dicotyledons (families A-M). Vol. 2 published 2002.]
- [6] Akiyama, S. & al. (2001). A new variety of *Sinocrassula paoshingensis* (S.H.Fu) H.Ohba & al. (*Crassulaceae*). *J. Jap. Bot.* 76(4): 222-226, ills.
- [7] Alanis Flores, G. J. & al. (2001). Notas sobre la adaptación y reproducción de *Calibanus hookeri* (Lem.) Trel. "Sacamecate" en un jardín botánico. *Cact. Suc. Mex.* 46(2): 40-44, ills. (p. 47).
- [8] Albers, F. & Meve, U. (2001). A karyological survey of *Asclepiadoideae*, *Periplocoideae*, and *Secamonoideae*, and evolutionary considerations within *Apocynaceae* s.l. *Ann. Missouri Bot. Gard.* 88(4): 624-656, diag., ills.
- [9] Anaya, A. (2001). *Grusonia bradtiana*. *Cact. Aventures No.* 51: 12-15, ills.
- [10] Anaya, A. (2001). Das Habitat von *Mammillaria laui* fa. *subducta*. *Mitteilungsbl. AfM* 25(1): 6-7, 23, 25, ills.
- [11] Anderson, E. F. (2001). The Cactus Family. Portland (US: OR): Timber Press. 776 pp., ills. [For a list of corrections to erroneous captions see Hunt, D. R. (ed.), *Cact. Syst. Init.* No. 12: 29-32, 2001.]
- [12] Applequist, W. L. & Wallace, R. S. (2001). Phylogeny of the Portulaceous cohort based on ndhF sequence data. *Syst. Bot.* 26(2): 406-419.
- [13] Archer, C. (2001). *Jodrellia fistulosa*, a new generic record for the Flora of Southern Africa. *Bothalia* 31(1): 39-40, map.
- [14] Archer, R. H. & al. (2001). (1478) Proposal to conserve the name *Boophone* Herbert with that spelling (*Amaryllidaceae*). *Taxon* 50(2): 569-571.
- [15] Areces Mallea, A. E. (2001). A new species of *Mammillaria* series *Supertextae* (*Cactaceae*) from Jamaica. *Cact. Succ. J. (US)* 73(1): 35-41, ills. [Includes a historical account of early Jamaican *Mammillaria* records and a key to the *Mammillaria* species in the West Indies.]
- [16] Areces Mallea, A. E. (2001). A new opuntioid cactus from the Cayman Islands, B.W.I., with a discussion and key to the genus *Consolea* Lemaire. *Brittonia* 53(1): 96-107, maps, ills., key.
- [17] Arizona Rare Plant Committee (2001). Arizona rare plant field guide. Phoenix (US: AZ): Arizona Heritage Data Management & Arizona Game and Fish Department. [Illustration folder-file including *Agavaceae*, *Cactaceae*, *Portulacaceae*.]
- [18] Baker, M. A. & Johnson, R. A. (2001). Morphometric analysis of *Escobaria sneedii* var. *sneedii*, *E. sneedii* var. *leei*, and *E. guadalupensis* (*Cactaceae*). *Syst. Bot.* 25(4): 577-587, map, diags. [Dated 2000, publ. early 2001.]
- [19] Banerjee, G. & Mukherjee, A. (2001). Seedling morphology of a common medicinal weed – *Trianthemum portulacastrum*. *Phytomorphology* 51(2): 181-184, ills.
- [20] Bates, B. (2001). The decline of the type locality of *Rebutia caniguralii*. *Cact. Succ. J. (US)* 73(5): 248-249, ills.
- [21] Batov, S. G. (2001). Kaktusy na roda *Lophophora* Coul. 1894 [Russian: Cacti from the genus *Lophophora*]. Rostov na Dony (RU): Izdatelstvo Feniks. 96 pp., ills.
- [22] Batov, S. G. (2001). [Russian:] Some ideas about a phylogeny of *Ariocarpus* Scheidw. *Kaktus Klub* 2001(4-5): 45-51, ills., map.
- [23] Battista, L. (2001). Notes on the *Haworthia scabra* Haw. complex. *Haworthiad* 15(2): 42-43, ills. (p. 45).
- [24] Bauer, R. (2001). *Lepismium asuntapatense* Kessler, Ibisch & Barthlott – eine neue und noch wenig bekannte Art aus Bolivien. *EPIG Rundschreiben* 13(1): 26-28, ill.
- [25] Bauer, R. (2001). Eine neue Art aus Costa Rica: *Weberocereus froehningiorum* Ralf Bauer spec. nov. *Kakt. and. Sukk.* 52(9): 225-230, ills., SEM-ills., key. [Includes a key to all taxa of the genus.]
- [26] Bauer, R. & Dorsch, R. (2001). In Kultur beobachtet: Anmerkungen zu *Selenicereus hondurensis* (Schumann) Britton & Rose. *EPIG Rundschreiben* 13(2): 74-76, ill.
- [27] Bayer, M. B. (2001). *Haworthia rossouwii* V.Poelln. and the demise of *H. serrata* Bayer. *Aloe* 38(1-2): 31-36, ills.
- [28] Beaman, J. H. & al. (2001). The plants of Mount Kinabalu, 4. Dicotyledon families *Acanthaceae* to *Lythraceae*. Kota Kinabalu (Sabah,

- Malaysia): Natural History Publications. 570 pp., ills. [Asclepiadaceae (*Ceropegia*, *Hoya*): pp. 128-133.]
- [29] Beckert, K. (2001). *Parodia splendens* – Versuch einer Klärung. Mitteilungsbl. Inter-Parodia-Kette No. 16: 3-7, ills.
- [30] Beckert, K. (2001). Gefunden: *Parodia multicostata* Ritter & Jelinek. Mitteilungsbl. Inter-Parodia-Kette No. 17: 3-5, ills.
- [31] Bergner, S. (2001). Hat *N. [trococactus] linkii* (Lehm.) Herter immer weniger Narbenäste als *N. ottonis* (Lehm.) A. Berger ex Backeb.? Internoto 22(2): 46-50, ills.
- [32] Berresford, P. (2001). Hunting the hedgehog 2 – up the Rio Grande to Big Bend. Brit. Cact. Succ. J. 19(2): 64-69, (3): 114-121, ills. [Included for the illustrations depicting variability in USA-taxa of *Echinocereus*. Continued from l.c. 16(3): 115-126, 1998.]
- [33] Bischofberger, U. (2001). In search of Euphorbias in South Ethiopia. Part 2. Province Gamu Gofa. Euphorbiaceae Study Group Bull. 14(1): 4-15, ills. [Continued from vol. 13.]
- [34] Blümlhuber, R. (2001). *Pediocactus simpsonii* im Süden Utahs. Kakt. and. Sukk. 52(2): 50-51, ills.
- [35] Bobich, E. G. & Nobel, P. S. (2001). Vegetative reproduction as related to biomechanics, morphology and anatomy of four cholla cactus species in the Sonoran Desert. Ann. Bot. (London), n.s. 87(4): 485-493.
- [36] Bobich, E. G. & Nobel, P. S. (2001). Biomechanics and anatomy of cladode junctions for two *Opuntia* (Cactaceae) species and their hybrid. Amer. J. Bot. 88(3): 391-400, diags., ills.
- [37] Boer, W. M. de & al. (2001). Further comment on *Mammillaria* subgenus *Cryptocarpa*. J. Mammillaria Soc. 41(2): 26.
- [38] Bohata, J. & al. (2001). San Juan, Mpo. Galeana, Nuevo León. *Echinocereus knippelianus* var. *schatzlei* Nitzschke. Kaktusy 37(1): 3-5, ills., map.
- [39] Bohle, B. (2001). Discokakteen in Minas Gerais und Bahia. Kaktusblüte 2001: 2-6, ills. [Included for the illustrations.]
- [40] Bohm, B. A. & Stuessy, T. F. (2001). Flavonoids of the Sunflower family (Asteraceae). Wien (A): Springer-Verlag. xii + 831 pp., ills.
- [41] Bolliger, T. (2001). Sukkulanten aus der Mongolei (*Orostachys*, *Sedum*, *Zygophyllum*). Kakt. and. Sukk. 52(3): 71-76, ills., map.
- [42] Bowers, J. E. & Pierson, E. A. (2001). Implications of seed size for seedling survival in *Carnegiea gigantea* and *Ferocactus wislizeni* (Cactaceae). Southw. Naturalist 46(3): 272-281.
- [43] Boyle, T. H. & Idnurm, A. (2001). Physiology and genetics of self-incompatibility in *Echinopsis chamaecereus* (Cactaceae). Sexual Pl. Reprod. 13(6): 323-327, ill.
- [44] Böhm, G. (2001). Auf der Suche nach *Echinocereus chisoensis* W. T. Marshall. Echinocereenfreund 14(4): 93-99, ills.
- [45] Breckwoldt, S. & K. (2001). *Echinocereus mapimiensis* E. F. Anderson, W. Hodgson & P. Quirk. Echinocereenfreund 14(1): 24-27, ills., SEM-ill.
- [46] Breckwoldt, S. & K. (2001). Gibt es gelb bedornte *Ferocactus pilosus*? Kakt. and. Sukk. 52(12): 343, ill.
- [47] Breuer, I. (2001). Variability within and between species. Part 1 / Part 2. The meaning of morphological features for further taxonomic studies. Alsterworthia. Internat. 1(1): 6-7, ills. (p. 8-9), maps; (2): 6-7, ills. (p. 8-9), maps.
- [48] Breuer, I. (2001). New haworthias in cultivation – with remarks on their taxonomic relevance. Haworthiad 15(2): 50-63, (3): 84-91, ills.
- [49] Brummitt, R. K. (2001). Report of the Committee for Spermatophyta: 52. Taxon 50(4): 1179-1182. [Includes a note on the possible homonymy of *Navajoa* Croizat.]
- [50] Brunner, D. (2001). *Crassulaceae* DC. In: Stevens, W. D. & al. (eds.): Flora de Nicaragua; vol. 1: 685-688, key. St. Louis (US: MO): Missouri Botanical Garden Press.
- [51] Bruyns, P. V. (2001). New combinations in the genus *Orbea*. Aloe 37(4): 72-76, ills. [Dated 2000, received 2. March 2001 by U. Eggli, 1. March 2001 by Kew (K. Challis, pers. comm.).]
- [52] Burgoyne, P. M. (2001). Fascinating *Frithia* – Notes on a summer-rainfall window-plant. Cact. Succ. J. (US) 73(1): 12-19, ills., key.
- [53] Burton, C. M. (2001). *Eriostemma* – A new genus? Hoyan 23(1): 13-15.
- [54] Burton, C. M. (2001). *Hoya Kloppenburgii* Green. Hoyan 23(1): 16-18, ills.
- [55] Burton, C. M. (2001). "Wee *Hoya bella*" – or what? Hoyan 23(1): 3-6, ills.
- [56] Burton, C. M. (2001). *Hoya acuta* ? *Hoya parasitica* ? *Hoya verticillata* ? Hoyan 23(1): 6-11, ills., (2): 35 [addendum].
- [57] Butler, A. (2001). The real *Sansevieria ehrenbergii*? Sansevieria No. 1: 1-2, ills. (incl. p. 5: fig. 2).
- [58] Butler, A. & Hirose, Y. (2001). To make your mouth water. Haworthiad 15(2): 47, ills. (pp. 44-45). [On *Haworthia* hybrids.]
- [59] Byalt, V. V. (2001). *Crassulaceae*. In: Tzvelev, N. N. (ed.): Flora Europaea Orientalis; 10: 250-285, keys. St. Petersburg (RU): Mir i Semia, Academia Chemico-Pharmaceutica Petropolitana.
- [60] Byalt, V. V. (2001). [Russian:] What is *Oro-*

- stachys erubescens* (*Crassulaceae*)? Bot. Zhurn. (Moscow & Leningrad) 86(4): 135-137.
- [61] Byalt, V. V. (2001). [Russian:] *Sedum vietnamense* Byalt (*Crassulaceae*) – a new species of Stonecrop from Vietnam. Kaktus Klub 2001(1): 27-34, ill., map.
- [62] Byalt, V. V. (2001). [Russian:] *Sedum oligospermum* Maire (*Crassulaceae*) – nomen correctum neglectum pro specie *S. bracteatum* Diels. Novosti Sist. Vyssh. Rast. 33: 130-131.
- [63] Callejas, R. (2001). *Piperaceae* C. Agardh. In: Stevens, W. D. & al. (eds.): Flora de Nicaragua; vol. 3: 1928-1950, key. St. Louis (US: MO): Missouri Botanical Garden Press.
- [64] Carrillo-Reyes, P. & al. (2001). Nuevos registros de Cactáceas columnares para el Estado de Zacatecas, México. Cact. Suc. Mex. 46(4): 83-89, ill., maps. [Dated 2001, received Feb. 2002 and thus probably only published 2002.]
- [65] Carter, S. (2001). *Aloaceae*. In: Pope, G. V. (ed.): Flora Zambesiaca; 12(3): 48-98. Richmond (GB): Royal Botanic Gardens Kew.
- [66] Carter, S. & Leach, L. C. (2001). *Euphorbiaceae* subfamily *Euphorbioideae*, tribe *Euphorbieae*. In: Pope, G. V. (ed.): Flora Zambesiaca; 9(5): 339-465, ill., keys. Richmond (GB): Royal Botanic Gardens Kew.
- [67] Chalet, J.-M. (2001). Nouveau site pour *Mammillaria melaleuca* Karwinsk [sic!] ex Salm-Dyck. Succulentes 24(3): 23-24, ill.
- [68] Chalet, J.-M. (2001). *Coryphantha octacantha* (De Candolle) Britton et Rose (JMC 1578). Succulentes 24(4): 11-12, ill.
- [69] Chalet, J.-M. (2001). *Echinocereus pulchellus* (Martius) Seitz ssp. *venustus* Blum et Rischer ssp. nov. (JMC 1769). Succulentes 24(4): 18-19, ill.
- [70] Cházaro Basáñez, M. J. & Hernandez Cházaro, P. (2001). Introduction à la flore succulente du Mexique: *Nopalxochia ackermannii*. Cact. Aventures No. 52: 13-17, ill.
- [71] Cházaro Basáñez, M. J. (2001). In situ: *Agave pendula* Schnitts. Cact. Aventures No. 49: 12-15, ill., map.
- [72] Chesselet, P. & al. (2001). The habit and peculiar inflorescence of *Ottosonderia monticola* (Sond.) L. Bolus, *Mesembryanthemaceae*. Aloe 37(4): 88-90, ill. [Dated 2000, received 2. March 2001 by U. Eggli.]
- [73] Chesselet, P. & al. (2001). A new tribal classification for the *Mesembryanthemaceae* Fenzl based on characters of the floral nectary. Aloe 38(1-2): 25-28, diags.
- [74] Clary, K. H. (2001). The genus *Hesperoyucca* (*Agavaceae*) in the western United States and Mexico: New nomenclatural combinations. Sida 19(4): 839-847, ill.
- [75] Clement, E. J. (2001). Confusion over the circumscription of *Sedum hispanicum* L. Bot. Soc. Brit. Isles News 87: 49-50.
- [76] Clement, E. J. (2001). *Sedum telephium* and its allies in Britain. Bot. Soc. Brit. Isles News 87: 55-57.
- [77] Cole, D. T. (2001). *Pachypodium* pathos. Cactus & Co. 5(1): 4-13, ill. [Republisht with modifications from Prickly Paragraphs 1987: 5-9.]
- [78] Cole, D. T. (2001). *Lithops naureeniae*. Cactus & Co. 5(4): 231-237, ill.
- [79] Collenette, S. (2001). Succulent Asclepiads in Oman – part 1. Asklepios No. 83: 19-24, map, ill.
- [80] Collenette, S. (2001). *Adenium* in Arabia – again. Brit. Cact. Succ. J. 19(1): 52-53, ill. [On *Adenium arabicum* from Oman.]
- [81] Collenette, S. (2001). Carallumas, old and new, in Saudi Arabia – Part 1 / Part 2. Brit. Cact. Succ. J. 19(3): 122-127, (4): 208-213, ill. [Continued l.c. 20(1), 2002.]
- [82] Corman, P. (2001). Une visite sur le site d'*Espeletia frutescens*. Succulentes 24(4): 13-17, ill.
- [83] Craib, C. (2001). Geophytic Pelargoniums. Field and cultivation studies of *Pelargonium* section *Hoarea*. Hatfield (RSA): Umdaus Press. x + 126 pp., ill., maps.
- [84] Craib, C. (2001). *Pelargonium nephrophyllum*. Curtis's Bot. Mag., ser. nov., 18(3): 149-152, t. 422.
- [85] Craib, C. & Condy, G. (2001). *Pelargonium oblongatum*. Flow. Pl. Afr. 57: 76-80, t. 2174, map.
- [86] Crook, R. & Mottram, R. (2001). *Opuntia* index. Part 7. Nomenclatural note and P-Q. Bradleya 19: 91-116, ill.
- [87] Csotonyi, J. T. & Addicott, J. F. (2001). Competition between mutualists: The role of differential flower abscission in Yuccas. Oikos 94(3): 557-565.
- [88] Dehn, R. (2001). Noch einmal zu *Mammillaria orcuttii* Boed. Mitteilungsbl. AfM 25(2): 50-53, 69, 73, ill.
- [89] Demissew, S. & al. (2001). Endemism and patterns of distribution of the genus *Aloe* (*Aloeaceae*) in the flora of Ethiopia and Eritrea. Biol. Skr. 54: 233-246.
- [90] Denduangboripant, J. & al. (2001). Evolution in *Aeschynanthus* (*Gesneriaceae*) inferred from ITS sequences. Pl. Syst. Evol. 228(3-4): 181-197, ill.
- [91] Deschâtres, R. & Greuter, W. (2001). *Crassulaceae*. In: Greuter, W. & Raus, T. (eds.): Med-Checklist Notulae, 20. Willdenowia 31(2): 322. [On *Sedum cepaea* on Crete.]

- [92] Dicht, R. & Lodé, J. (2001). *Coryphantha hintoniorum* Dicht & Luethy = *Coryphantha roederiana* Boedeker ? Cact. Aventures No. 49: 8-10, illus.
- [93] Dicht, R. & Lüthy, A. D. (2001). A new conspectus of the genus *Coryphantha*. Cact. Syst. Init. No. 11: 5-22, key, diag.
- [94] Dicht, R. F. & Lüthy, A. D. (2001). *Coryphantha gracilis* Bremer & Lau – ergänzende Beobachtungen im Feld und in Kultur. Kakt. and. Sukk. 52(1): 281-285, illus., SEM-illus.
- [95] Dold, T. (2001). Haworthia herbivory and the Leopard Tortoise in the Eastern Cape. Haworthiad 15(1): 20-21, ill. (p. 18).
- [96] Dold, T. (2001). Some bits of *Bergeranthus*. Mesemb Study Group Bull. 16(2): 26-30, illus., key. [Includes a key to separate the genera *Bergeranthus*, *Hereroa* and *Rhombophyllum*.]
- [97] Dold, T. & Hammer, S. (2001). Notes on the *Faucaria* from the forest: *Faucaria nemorosa* L. Bolus ex L. E. Groen. Aloe 38(1-2): 37-38, illus.
- [98] Dold, T. & Hammer, S. (2001). Dyer's *Delosperma* rediscovered. Cact. Succ. J. (US) 73(2): 73-75, illus.
- [99] Donath, H. (2001). *Angolluma commutata* (Berger). Avonia 19(1): 1-4, illus.
- [100] Doni, C. (2001). Quebrada Botija. Notes from Chile. Taccuino cileno. Cactus & Co. 5(4): 211-218, illus. [On *Copiapoa* spp.]
- [101] Doweld, A. B. (2000). O lektotypu rodu *Notocactus* (K. Schum.) Fric. Minimus 2000(3-4): 52-56. [Dated 2000, probably only published mid-2001.]
- [102] Doweld, A. B. (2001). On the nomenclature of the genus *Cylindropuntia*. Cact. Syst. Init. No. 12: 21-22.
- [103] Doweld, A. B. (2001). Il genere / The genus *Ancistrocactus* (Britton & Rose). Relazioni filogenetiche e classificazione. Phylogenetic relationships and classification. Cactus & Co. 5(2): 62-102, illus., SEM-illus.
- [104] Doweld, A. B. (2001). *Stenocactus*: Lectotypus und Autor. Kakt. and. Sukk. 52(5): 127-132, illus.
- [105] Doweld, A. B. (2001). *Mammillaria* Haw., Sektion *Conoidothelae* ist ein illegitimer Name. Mitteilungsbl. AfM 25(1): 2-6.
- [106] Doweld, A. B. (2001). [Russian:] Conspectus systematicus tribus *Cacteae* (*Cactaceae*), genera et taxa supragenerica, 2. Novosti Sist. Vyssh. Rast. 33: 163-171.
- [107] Doweld, A. B. (2001). Il genere *Stenocactus* (K. Schumann) A. Berger: Origine e relazioni filogenetiche. / The genus *Stenocactus*: Origin and phylogenetic relationships. Piante Grasse 20(3): 94-108, illus., SEM-illus. [Dated 2000, received at ZSS 15. 3. 2001.]
- [108] Doweld, A. B. & Greuter, W. (2001). Nomenclatural notes on *Ancistrocactus* (*Cactaceae*). Taxon 50(3): 875-877.
- [109] Doweld, A. B. & Greuter, W. (2001). Nomenclatural notes on *Notocactus* and on Alwin Berger's "Kakteen". Taxon 50(3): 879-885.
- [110] Duthion, N. (2001). *Cucurbitaceae* caudiformes. Cact. Aventures No. 50: 2-12, illus. [An illustrated checklist.]
- [111] Eggli, U. (2001). *Sedum alexanderi* – ein neuer Name für eine schon länger bekannte Art aus Mexiko. Kakt. and. Sukk. 52(8): 206-209, illus.
- [112] Eggli, U. (ed.) (2001). Illustrated handbook of succulent plants. Monocotyledons. Berlin (D) etc.: Springer-Verlag. xiv + 354 pp., 32 col. pl., keys.
- [113] Eggli, U. (ed.) (2001). CITES *Aloe* and *Pachypodium* checklist. Richmond (GB): Royal Botanic Gardens, Kew. vi + 160 pp.
- [114] Eggli, U. (ed.) (2001). Sukkulanten-Lexikon. Band 1. Einkeimblättrige Pflanzen (Monocotyledonen). Stuttgart (D): Verlag Eugen Ulmer. xvi + 367 pp., 32 t., keys.
- [115] Eguiarte, L. E. & al. (2001). Evolución de la familia *Agavaceae*: Filogenia, biología reproductiva y genética de poblaciones. Bol. Soc. Bot. México No. 66: 131-150, diags. [Dated 2000, published spring 2001.]
- [116] Eichler, M. (2001). Die Gattung *Parodia* in Argentinien – Beitrag zur Lösung oder Verwirrung total. Mitteilungsbl. Inter-Parodia-Kette No. 17: 9-17, illus., maps.
- [117] Ellert, A. F. N. (2001). Euphorbias of Matabeleland, Zimbabwe. Desert Pl. 17(2): 16-25, illus.
- [118] Endress, M. E. & Stevens, W. D. (2001). The renaissance of the *Apocynaceae* s.l.: Recent advances in systematics, phylogeny, and evolution: Introduction. Ann. Missouri Bot. Gard. 88(4): 517-522.
- [119] Esser, H.-J. & Chayamarit, K. (2001). Notes on *Euphorbia* (*Euphorbiaceae*) in Thailand. Harvard Pap. Bot. 6(1): 261-266.
- [120] Esterhuizen, J. M. (2001). A framework for *Haworthia*. Alsterworthia Internat. 1(1): 10-13.
- [121] Esterhuizen, J. M. (2001). Notes on *Haworthia asperula* (Haw.). Alsterworthia Internat. 1(2): 10-11, illus. (pp. 9, 11).
- [122] Esterhuizen, J. M. (2001). *Haworthia koelmaniorum* (Oberm. & Hardy) and *Haworthia mcmurtryi* (Scott). Mpumalanga's contribution to the genus *Haworthia*. Alsterworthia Internat. 1(2): 14-15, illus. (p. 9).
- [123] Esterhuizen, J. M. (2001). *Haworthia correcta* Poelln. – notes, observations and comments. Alsterworthia Internat. 1(3): 6-7, 10, illus.

- (p. 8).
- [124] Etter, J. & Kristen, M. (2001). Alla ricerca dell'agavi "da parete" di Sonora. In search of the "cliff-hanger" Agaves of Sonora. *Cactus & Co.* 5(3): 166-185, illus.
- [125] Evans, T. M. & al. (2001). Phylogenetic relationships in the *Commelinaceae*: I. A cladistic analysis of morphological data. *Syst. Bot.* 25(4): 668-691, diags. [Dated 2000, publ. early 2001.]
- [126] Ewest, W. (2001). *Aloe* aus Äthiopien. *Avonia* 19(2): 29-32, illus.
- [127] Favell, P. (2001). *Aloe ahmarensis* and its allies. *Cact. Succ. J. (US)* 73(4): 200-203, illus., map.
- [128] Ferguson, D. & Leroy, A. (2001). Classificatie van het genus *Mammillaria* volgens Dave Ferguson met nota's von Leroy Albert. *Cact. Vetpl. (Wijnegem - 2)* 18(4): (5); 74-78, (6): 91-93, (7): 101-104, illus.
- [129] Fickenscher, K. (2001). Warum *Echinopsis aurea* keine *Lobivia* darstellt. Inform.-brief Freundeskreis Echinopseen No. 31: 28-31, illus.
- [130] Filardo Kerstupp, S. & al. (2001). Producción y comercialización de frutos comestibles de *Opuntia* spp. en el Valle del Mezquital. *Cact. Suc. Mex.* 46(1): 15-25, illus. (p. 2, 27), key. [Includes a key to 10 species.]
- [131] Fishbein, M. (2001). Evolutionary innovation and diversification in the flowers of *Asclepiadaceae*. *Ann. Missouri Bot. Gard.* 88(4): 603-623, diags., SEM-illus.
- [132] Fitz Maurice, W. A. & B. (2001). Fieldnotes: Another look at *Mammillaria bombycina* and *M. perezdelarosae*, and something new: *M. perezdelarosae* ssp. *andersoniana*. *Cact. Succ. J. (US)* 73(5): 263-268, illus., map.
- [133] Fitz Maurice, W. A. & B. (2001). *Mammillaria nana*, a new look. *Cact. Succ. J. (US)* 73(6): 290-293, illus., map.
- [134] Fitz Maurice, W. A. & B. (2001). *Mammillaria eschanzieri* (sic) etc. once again. *J. Mammillaria Soc.* 41(2): 20.
- [135] Fleming, T. H. & al. (2001). Sonoran Desert columnar cacti and the evolution of generalized pollination systems. *Ecol. Monogr.* 71(4): 511-530.
- [136] Font, F. & Picca, P. (2001). Natural hybridization between *Trichocereus atacamensis* (Philippi) Marshall and *Denmoza rhodacantha* (Salm-Dyck) Britton & Rose (*Cactaceae*). *Bradleya* 19: 59-66, illus., SEM-illus.
- [137] Font, F. & Picca, P. (2001). The geographic and conservation status of *Lobivia walteri* and *Trichocereus smrzianus*. *Brit. Cact. Succ. J.* 19(1): 2-14, illus., map.
- [138] Forster, P. I. (2001). *Hydnophytum ferrugineum* (*Rubiaceae*: *Hydnophytina*), a new species of ant-plant from Cape York Peninsula, Queensland. *Austrobaileya* 6(1): 103-106, illus., key. [Includes a key to Australian taxa of *Hydnophytinae*.]
- [139] Frank, G. R. W. (2001). *Echinocereus grandis* – Ein Besuch auf Isla San Esteban und Isla San Lorenzo. *Echinocereenfreund* 14(1): 19-23, illus.
- [140] Frank, G. R. W. & al. (2001). Die Echinocereen der Baja California. The Echinocerei of Baja California. *Echinocereenfreund* 14: Sonderausgabe 2000/2001; 341 pp., illus., SEM illus., maps.
- [141] Fritz, G. (2001). Some critical comments about the IOS *Cactaceae* Consensus Group's concept of *Rebutia*. *Cact. Succ. J. (US)* 73(5): 250-253. [Updated and translated from the original version in *Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl.* 8(8): 125-128, 1995.]
- [142] Fritz, G. (2001). Enige verdere bedenkingen bij de zuidelijke verwantschappen van *Sulcorebutia breviflora* Backeberg. *Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl.* 14(5): 70-76, illus.
- [143] Fritz, G. & Gertel, W. (2001). Einige Bemerkungen zu *Sulcorebutia vasqueziana* subsp. *alba* (Rausch) Fritz & Gertel. *Kakt. and. Sukk.* 52(8): 197-200, illus., map.
- [144] Fritz, G. & Gertel, W. (2001). Enige bemerkingen bij *Sulcorebutia vasqueziana* subsp. *alba* (Rausch) Fritz & Gertel. *Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl.* 14(9): 151-154, illus.
- [145] Fu, K. T. & Ohba, H. (2001). *Crassulaceae*. In: Wu, Z.-Y. & Raven, P. H. (eds.): *Flora of China*; 8: 202-268, keys. Beijing (China): Science Press / St. Louis (US: MO): Missouri Botanical Garden Press.
- [146] Fuchs, A. & S. (2001). Weissrosa Blüten bei *Mammillaria baumii*. *Kakt. and. Sukk.* 52(10): 260-261. [Observations based on cultivated material.]
- [147] Gallo, L. (2001). Proposta di esclusione di *Sedum telephium* L. spp. *telephium* e *S. t.* ssp. *fabaria* (Koch) Kirschleger (*Crassulaceae*) dalla flora del Piemonte. *Allionia* 37: 167-171. [Dated 2000, publ. 2001 (L. Gallo, pers. comm.).]
- [148] Gallo, L. (2001). Segnalazioni floristiche relative ad alcune entità esotiche spontaneizzate in Croazia (Republika Hrvatska) con cenni sulla loro distribuzione italiana. *Gortania* 22: 77-79. [On naturalized succulents. Dated 2000, publ. 2001 (L. Gallo, pers. comm.).]
- [149] Gapon, V. (2001). [Russian:] For whom the genus *Leuchtenbergia* was named? *Kaktus Klub* 2001(4-5): 39-44, (6): 42-50, illus. [Second part (issue 6) only published early in 2002.]
- [150] García-Mendoza, A. (2001). Revisión taxonómica de las especies arborescentes de *Furcraea* (*Agavaceae*) en México y Guatemala. *Bol. Soc. Bot. México* No. 66: 113-129, maps, key, illus.

- [Dated 2000, published spring 2001.]
- [151] Gehrig, H. & al. (2001). Molecular phylogeny of the genus *Kalanchoe* (Crassulaceae) inferred from nucleotide sequences of the ITS-1 and ITS-2 regions. *Pl. Sci.* (Elsevier) 160(5): 827-835.
- [152] Gemmrich, W. (2001). Was war *Echinocactus tephraeanthus* Link et Otto? *Internoto* 22(3): 71-79, illus.
- [153] Gereau, R. E. (2001). *Portulacaceae* Juss. In: Stevens, W. D. & al. (eds.): *Flora de Nicaragua*; vol. 3: 2180-2183, key. St. Louis (US: MO): Missouri Botanical Garden Press.
- [154] Gerloff, N. (2001). Anmerkungen zu *N.[otocactus] macambarensis* Prestlé. *Internoto* 22(1): 26-30, illus.
- [155] Gerloff, N. (2001). Eine kleine Winterreise. *Internoto* 22(2): 53-65, illus., map. [On *Notocactus* distribution in Rio Grande do Sul.]
- [156] Gerloff, N. (2001). Fruchtbildung bei *Notocactus schumannianus* (Nicolai) Fric. *Internoto* 22(3): 100-102, illus.
- [157] Gerloff, N. (2001). Sucher in der Serra Geral. *Internoto* 22(3): 90-98, illus. [On the occurrence of *Notocactus magnificus* and *N. warasii*.]
- [158] Gerloff, N. & Zahra, R. (2001). *Notocactus scopo* – its varieties and related species. *Brit. Cact. Succ. J.* 19(4): 170-178, illus., map.
- [159] Gertel, W. (2001). Wenn zwei das Gleiche tun ... Inform.-brief Freundeskreis Echinopseen No. 31: 15-20, illus. [On *Sulcorebutia langeri*, *S. augustinii*, *S. cardenasiiana* and *S. mizquensis*.]
- [160] Gess, R. (2001). *Tylecodon cacalioides* and a long-proboscid horse-fly. *Veld. Fl.* (1975+) 87(3): 127, illus.
- [161] Gibson, A. C. & Rundel, P. W. (2001). *Browningia candelaris* in the Andean pre-puna of northern Chile. *Cact. Succ. J. (US)* 73(1): 27-33, illus.
- [162] Gilmer, K. & Hofacker, A. (2001). *Sinningia macrostachya* (Lindley) Chautems. *Kakt. and. Sukk.* 52(6): 155-158, illus.
- [163] Gilmer, K. & Thomas, H.-P. (2001). *Cumulopuntia recurvata* Gilmer & H.-P. Thomas sp. nov.. *Kakt. and. Sukk.* 52(4): 85-82, illus., map.
- [164] Giusti, Z. (2001). Profiles. *Echinocactus grusonii*. *Cactus & Co.* 5(1): 32-47, illus. [Included for the illustrations.]
- [165] Golding, J. (2001). Hurting towards extinction. Five charismatic, threatened Red Data List plants. *Veld. Fl.* (1975+) 87(1): 29-31, illus. [Includes *Euphorbia perangusta* and *Gerrardanthus tomentosus*.]
- [166] Govaerts, R. & al. (2000). World checklist and bibliography of *Euphorbiaceae* (with *Pandaceae*). Richmond (GB): Royal Botanic Gardens, Kew. 4 vols., 1621 pp., illus.
- [167] Goyder, D. J. (2001). *Asclepiadaceae* or *Apocynaceae*? *Asklepios* No. 83: 13-16.
- [168] Goyder, D. J. (2001). A revision of the tropical African genus *Trachycalymma* (K. Schum.) Bullock (*Apocynaceae*: *Asclepiadoideae*). *Kew Bull.* 56(1): 129-161, key.
- [169] Graham, A. & al. (2001). Studies in neotropical paleobotany. XV. A Mio-Pliocene palynoflora from the Eastern Cordillera, Bolivia: Implications for the uplift history of the Central Andes. *Amer. J. Bot.* 88(9): 1545-1557, illus., map.
- [170] Green, T. (2001). *Absolmsia spartioides* [sic!] – an update. *Fraterna* 14(2): 5-6, ill.
- [171] Guillot Ortiz, D. & Meer, P. van der (2001). Siete taxones nuevos del género *Opuntia* Mill. en la Provincia de Valencia: Aspectos históricos, ecológicos y reproductivos. *Flora Montiberica* 19: 37-44.
- [172] Guralnik, L. J. & Jackson, M. D. (2001). The occurrence and phylogenetics of Crassulacean acid metabolism in the *Portulacaceae*. *Int. J. Pl. Sci.* 162(2): 257-262.
- [173] Gutman, F. & al. (2001). Molecular typing of *Cereus peruvianus* clones and their genetic relationships with other *Cereus* species evaluated by RAPD analysis. *J. Hort. Sci. Biotechnol.* 76(6): 709-713.
- [174] Güner, A. & al. (eds.) (2000). Flora of Turkey and the East Aegean Islands. Volume 11 (Supplement 2). Edinburgh (GB): University Press. [*Portulacaceae* (Kit Tan): p. 44; *Crassulaceae* (various authors): pp. 118-136, 336-337.]
- [175] Hamann, O. (2001). Demographic studies of three indigenous stand-forming plant taxa (*Scalesia*, *Opuntia*, and *Bursera*) in the Galapagos Islands, Ecuador. *Biodivers. & Conserv.* 10(2): 223-250.
- [176] Hammer, S. A. (2001). Press Down on Bud Superior: Translation, transition, and pleasure in *Haworthia*, or small change (and big changes) in *Haworthia*. *Haworthiad* 15(2): 40-42.
- [177] Hammer, S. A. (2001). Keeling over. *Mesemb Study Group Bull.* 16(4): 80-81. [On *Coenophytum* hybrids.]
- [178] Hanáček, P. & Ricánek, M. (2001). Za sukulenty do Íránu. *Adenium* 2001(2): 26-31, illus.
- [179] Hancke, F. L. & al. (2001). Chromosome associations of three interspecific, dibasic *Lachenalia* hybrids. *South Afr. J. Bot.* 67(2): 193-198.
- [180] Hand, R. (ed.) (2001). Supplementary notes to the flora of Cyprus II. *Willdenowia* 31(2): 383-409. [Includes data on *Crassula*.]
- [181] Hargreaves, B. J. (2001). Is *Adenium* a valid genus? *Asklepios* No. 81: 23. [Dated Dec. 2000, received 19. 2. 2001 at ZSS.]
- [182] Hargreaves, B. J. (2001). *Euphorbia ventneri* [sic] – an opportunity lost. *Euphorbia-*

- ceae Study Group Bull. 14(3): 94-98, illus.
- [183] 't Hart, H. (2001). *Sedum aetnense* in Greece. Sedum Soc. Newslett. No. 56: 49-50, illus.
- [184] Hartmann, H. E. K. (2001). The genus *Delosperma* in Gauteng. I. A new species in the white-flowered group: *Delosperma gautengense* H. E. K. Hartmann. Aloe 38(1-2): 4-8, illus., key.
- [185] Hartmann, H. E. K. (2001). The genus *Delosperma* in Gauteng. II. A new species in the group with purple flowers: *D. purpureum* H. E. K. Hartmann. Aloe 38(1-2): 9-12, illus., key.
- [186] Hartmann, H. E. K. (2001). Notes on *lampranthus otzenianus* and *L. uniflorus* (*Mesembryanthema*, *Aizoaceae*). Bradleya 19: 83-90, illus., map, key.
- [187] Hartmann, H. E. K. (ed.) (2001). Illustrated Handbook of Succulent Plants: *Aizoaceae* A-E, *Aizoaceae* F-Z. Berlin / Heidelberg (D) / New York (US): Springer-Verlag. 2 vols.; xv + 285 pp. + 48 t.; xv + 371 pp. + 48 t.; keys, maps. [With contributions by several other authors (not indexed separately). Dated 2002 on the copyright page but received late Nov. 2001.]
- [188] Hartmann, S. & al. (2001). Extensive ribosomal DNA genic variation in the columnar cactus *Lophocereus*. J. Molec. Evol. 53(2): 124-134.
- [189] Haslinger, G. (2001). Meine Erfahrungen mit dem / My experience with the *Sclerocactus spinosior* (Engelmann) Woodruff & L. Benson and *Sclerocactus pubispinus* (Engelmann) L. Benson complex. Part / Teil 1. Cactaceae Rev. 4(1): 4-12, illus.
- [190] Haslinger, G. (2001). Meine Erfahrungen mit / My experience with *Sclerocactus spinosior* (Engelmann) Woodruff & L. Benson and *Sclerocactus pubispinus* (Engelmann) L. Benson. Part / Teil 2. Cactaceae Rev. 4(2): 4-19, illus.
- [191] Hayashi, M. (2001). [Japanese]: Superstition in taxonomic criteria and cladistical analysis of *Haworthia*. Haworthia Study No. 5: 12-15, diag.
- [192] Hayashi, M. (2001). [Japanese]: Origin and variegation of *Haworthia picta*. Haworthia Study No. 5: 8-10, illus.
- [193] Hayashi, M. (2001). [Japanese]: Some comments about *Haworthia* hybrids. Haworthia Study No. 6: 8-10, illus.
- [194] Hayashi, M. (2001). Species concept and taxonomic systems for the genus *Haworthia*. Haworthiad 15(1): 4-15.
- [195] Heath, P. V. (2001). Notes on Mesembrianthaceous epithets (first decade). Calyx 4(5): 164-165.
- [196] Heath, P. V. (2001). Non *Phedimus* sed *Phedimus*. Calyx 4(5): 172-173.
- [197] Heek, W. van & Strecker, W. (2001). Die Gattung *Uebelmannia* Buining. Knittelfeld (A): Gesellschaft Österreichischer Kakteenfreunde. 32 pp., illus., map. [Originally published as Kaktusy 37(Speciál 2), 2000. The German translation is published anonymously.]
- [198] Heek, W. van & Strecker, W. (2001). Am Wuchsart: *Micranthocereus flaviflorus* ssp. *densiflorus*. Kakt. und. Sukk. 52(12): 309-314, illus.
- [199] Heek, W. van & Strecker, W. (2001). *Micranthocereus flaviflorus* aus Bahia. Kakt. und. Sukk. 52(6): 149-151, illus.
- [200] Heek, W. van & Strecker, W. (2001). Arrojadoen, versteckte Kostbarkeiten. Kaktusblüte 2001: 13-16, illus. [Included for the illustrations.]
- [201] Hentzschel, G. & K. (2001). *Sulcorebutia* or *Rebutia*? Cact. Succ. J. (US) 73(5): 237-242, illus.
- [202] Herman, P. P. J. & Condy, G. (2001). *Kleinia galpinii*. Flow. Pl. Afr. 57: 92-95, t. 2177, map.
- [203] Hernández, H. M. & al. (2001). Diversity, spatial arrangement, and endemism of *Cactaceae* in the Huizache area, a hot-spot in the Chihuahuan Desert. Biodivers. & Conserv. 10(7): 1097-1112, maps.
- [204] Hernández, H. M. & al. (2001). Studies on Mexican *Cactaceae*. II. *Opuntia megarrhiza*, a poorly known endemic from San Luis Potosí, Mexico. Brittonia 53(4): 528-533, illus., map.
- [205] Herzog, D. (2001). Post aus Cafayate. Mitteilungsbl. Inter-Parodia-Kette No. 16: 8. [On *Parodia rubristaminea*, *P. glischrocarpa* etc.]
- [206] Hlavatý, L. (2001). *Sedum surculosum* Coss. var. *luteum* Emb. Sedum Soc. Newslett. No. 59: 4-5, illus. incl. figs. 92-93 (centre-fold).
- [207] Hochstätter, F. (2001). Il genere *Yucca* L. (Agavaceae). 2. / 3. / 4. parte. Piante Grasse 21(1): 2-13, (2): 68-76, (3): 108-110, illus., maps. [Continued from l.c. 20(2), 2000.]
- [208] Hochstätter, F. (2001). *Yucca* L. (Agavaceae): Vom Atlantik zu den Smoky Mountains und Blue Ridge. Kaktusblüte 2001: 7-12, illus. [Revision of the *Y. filamentosa* and *Y. flaccida* complex.]
- [209] Hochstätter, F. (2001). Het geslacht *Yucca* (Agavaceae). 6. Serie *Faxoniana* McKelvey. Succulenta 80(1): 38-45, illus., map. [Continued from vol. 79.]
- [210] Hochstätter, F. (2001). Het geslacht *Yucca* (Agavaceae). 7. Serie *Treculeana* McKelvey. Succulenta 80(2): 78-85, (3): 129-133, illus., maps.
- [211] Hochstätter, F. (2001). Het geslacht *Yucca* (Agavaceae). 8. Serie *Baccatae* (soorten met vlezige vruchten). Succulenta 80(4): 166-173, (5): 223-227, illus., map.

- [212] Hochstätter, F. (2001). Het geslacht *Yucca* (Agavaceae). 9. *Yucca brevifolia*. *Succulenta* 80(6): 262-268, ills., SEM-ills. [Continued l.c. 81(1), 2002.]
- [213] Hodgson, W. C. (2001). Taxonomic novelties in American *Agave* (Agavaceae). *Novon* 11(4): 410-416, ills.
- [214] Hofacker, A. (2001). Wir stellen vor. Ein seltsamer Fund von Horst und Uebelmann aus Brasilien. *EPIG Rundschreiben* 12(3-4): 92-94, ill. [Dated 2000, received 22. Feb. 2001.]
- [215] Hofacker, A. (2001). *Leocereus bahiensis* Britton & Rose. *Kakt. and. Sukk.* 52(7): centre page pullout 2001/14, ills.
- [216] Hofer, A. (2001). Il genere / The genus *Anticistrocactus* (Britton & Rose). Distribuzione ed ecologia. Distribution and ecology. *Cactus & Co.* 5(2): 62-99, ills.
- [217] Hofmann, B. (2001). Die Suche nach *Echinocactus polycephalus* Engelmann & Bigelow. *Kakt. and. Sukk.* 52(7): 169-172, ills.
- [218] Hofmann, B. (2001). *Mammillaria crassior* Reppenhagen. *Mitteilungsbl. AfM* 25(3): 120-125, ills.
- [219] Holmes, S. (2001). A *Euphorbia* from Thailand. *Euphorbiaceae Study Group Bull.* 14(2): 70. [On *Euphorbia antiquorum*.]
- [220] Höfelein, H. (2001). Hybridisierung bei Turbinicarpen. *Turbi-Now No.* 10: 20-22, ills.
- [221] Huft, M. J. (2001). *Euphorbiaceae: Pedianthus* Juss. In: Stevens, W. D. & al. (eds.): *Flora de Nicaragua*; vol. 1: 894. St. Louis (US: MO): Missouri Botanical Garden Press.
- [222] Hunt, D. R. (2001). *Rebutia* rebuttoned. *Cact. Succ. J. (US)* 73(6): 304-306.
- [223] Hunt, D. R. (2001). Coping with *Copiapoa* – continued. *Cact. Syst. Init. No.* 12: 15-17.
- [224] Hunt, D. R. (2001). Eschewing *M.[ammillaria] eschauzieri*. *J. Mammillaria Soc.* 41(1): 5.
- [225] Hunt, D. R. (ed.) (2001). Coping with *Copiapoa*. *Cact. Syst. Init. No.* 11: 23-29.
- [226] Hunt, D. R. (ed.) (2001). ICSG Conference Milborne Port, UK, 4. - 7. June 2001. *Cact. Syst. Init. No.* 12: 3-13. [Includes discussions of *Copiapoa*, *Eriosyce* and *Opuntia* systematics.]
- [227] Ickert-Bond, S. & Pinkava, D. J. (2001). Vascular plant types in the Arizona State University Herbarium. *Sida* 19(4): 1039-1059. [Includes numerous *Cactaceae* and *Agavaceae*.]
- [228] Ihlenfeldt, H.-D. (2001). Fruits in *Pterodiscus* Hook, and a key to the species. *Mitt. Inst. Allg. Bot. Hamburg* 28/29: 5-21, ills. [Dated 2000 on the cover, publ. early 2001.]
- [229] Iliff, J. (2001). ICSG Conference: Afterthoughts on the *Opuntioideae* session. *Cact. Syst. Init. No.* 12: 19-21. [Mainly on Chilean *Opuntia* spp.]
- [230] Iliff, J. (2001). A revision of *Maihueniopsis*. *Tephrocactus Study Group* 7(3): 461-463. [See further comments by R. Mottram and R. Kiesling in l.c. (4): 477-480.]
- [231] Ippolito, G. (2001). In viaggio nelle Piccole Antille / Travelling in the Lesser Antilles: *Melocactus broadwayi*. *Cactus & Co.* 5(1): 14-21, ills.
- [232] Jaarsveld, E. J. van & Pienaar, U. de Villiers (2001). Vygies. Gems of the veld. Guida ai mesembriantemi del Sudafrica. A garden and field guide to the South African Mesembs. Venegono (I): *Cactus & Co.* 240 pp., ills., maps. [Dated 2000, received early 2001.]
- [233] Jaarsveld, E. van (2001). The *Sansevieria* species of South Africa and Namibia. *Sansevieria* No. 2: 20-21, ill. [To be continued. Republished from *Aloe* 31(1), 1994, with a revised second part.]
- [234] Jaarsveld, E. van & Wyk, B. van (2001). South African and Namibian succulents on the edge: The cliff face home. *Aloe* 37(4): 77-79, ills. [Dated 2000, received 2. March 2001 by U. Eggli.]
- [235] Jacobs, T. (2001). Wild guesses about new *Conophytum* species. *Mesemb Study Group Bull.* 16(1): 15-17, ills.
- [236] Jacquemin, D. (2000). Les succulentes ornementales. Agavacées pour les climats méditerranéens. Marly-le-Roi (F): Editions Champflour. 272 pp., ills. [Vol. 2 published 2001.]
- [237] Jacquemin, D. (2001). Les succulentes ornementales. Agavacées pour les climats méditerranéens. Marly-le-Roi (F): Editions Champflour. 312 pp., ills. [Vol. 1 published 2000.]
- [238] Jeffrey, C. (2001). *Cucurbitaceae* Juss. In: Stevens, W. D. & al. (eds.): *Flora de Nicaragua*; vol. 1: 688-717, key. St. Louis (US: MO): Missouri Botanical Garden Press. [Includes the caudiciform *Doyerea emetocathartica*.]
- [239] Johnson, S. D. & al. (2001). Of mice and Massonias. *Veld. Fl.* (1975+) 87(4): 166-167, ills. [On pollination.]
- [240] Johnson, S. D. & al. (2001). Rodent pollination in the African lily *Massonia depressa* (*Hyacinthaceae*). *Amer. J. Bot.* 88(10): 1768-1773, ills., map.
- [241] Jonkers, B. (2001). In search of Moroccan *Aeonium arboreum*. *Brit. Cact. Succ. J.* 19(2): 89-96, ills., map.
- [242] Jonkers, B. (2001). *Carpobrotus* revisited. *Brit. Cact. Succ. J.* 19(4): 179-188, ills., map. [On the distribution and naming of plants in Europe.]
- [243] Jorgensen, T. H. & Olesen, J. M. (2001). Adaptive radiation of island plants: Evidence from

- Aeonium* (Crassulaceae) of the Canary Islands. Perspect. Pl. Ecol. Evol. & Syst. 4(1): 29-42.
- [244] Kass, R. J. (2001). Mortality of the endangered Wright fishhook cactus (*Sclerocactus wrightiae*) by an Opuntia-borer beetle (*Cerambycidae: Moneilema semipunctatum*). West. North Amer. Naturalist 61(4): 495-497.
- [245] Kativu, S. (2001). *Asphodelaceae*. In: Pope, G. V. (ed.): Flora Zambesiaca; 12(3): 25-48, keys. Richmond (GB): Royal Botanic Gardens Kew.
- [246] Kiesling, R. (2001). Cactées: La sous-famille des *Opuntioideae* en Amérique du Sud. Succulentes 24(3): 3-9, (4): 3-10, ills.
- [247] Kiesling, R. & al. (2001). The first geophytic *Lobivia* (Cactaceae). Cact. Succ. J. (US) 73(4): 179-186, ills. [On *Lobivia bonnieae*.]
- [248] Kiger, R. W. (2001). New combinations in *Phermeranthus* Rafinesque (Portulacaceae). Novon 11(3): 319-321. [Includes extensive synonymy information.]
- [249] Klak, C. (2001). Die Gattung *Lampranthus* (Ruschioideae, Aizoaceae) in Südafrika. Kakt. and. Sukk. 52(2): 29-36, ills., map.
- [250] Kleijn, D. & Donkelaar, R. van (2001). Notes on the taxonomy and ecology of the genus *Hoya* (Asclepiadaceae) in Central Sulawesi. Blumea 46(3): 457-483, ills.
- [251] Kleinheyer, F. J. (2001). Ungewöhnliche Blütenbildung bei *Turbinicarpus*. Kakt. and. Sukk. 52(10): 276-277, ills. [On flowers originating from the axils.]
- [252] Kleszewski, K.-P. (2001). Eine interessante Population von *Astrophytum myriostigma* Lemaire. Kakt. and. Sukk. 52(4): 93-94, ills.
- [253] Kleszewski, K.-P. (2001). *Astrophytum myriostigma* Lemaire entlang der Carretera Rural von Las Tablas in Richtung Norden. Kaktusbüte 2001: 21-24, ills.
- [254] Klikar, J. (2001). Kubánské kaktusy – stálé neznámé? Cactaceae etc. 11(1): 9-18, (2): 55-59, (3): 93-97, ills.
- [255] Klopfenstein, O. & Cieza Padilla, N. (2001). Cactées du Pérou: *Matucana aureiflora*: une nouvelle variété? Cact. Aventures No. 50: 13-17, ills.
- [256] Kluge, M. & al. (2001). Implications of genotypic diversity and phenotypic plasticity in the ecophysiological success of CAM plants, examined by studies on the vegetation of Madagascar. Pl. Biol. 3(3): 214-222, diags.
- [257] Kock, D. de (2001). Views on the Stapeliads: The complete checklist of the Stapeliads (Ceropegieae: Asclepiadoideae) – Part 2 / Part 3 / Part 4. Asklepios No. 81: 28-32; No. 82: 31-36; No. 83: 4-12. [No. 81 dated Dec. 2000, received 19. 2. 2001 at ZSS. Continued from No. 80.]
- [258] Kurzweil, H. & Linder Smith, C. (2001). *Machairophyllum vanbredae* [sphalm. ‘vanbredei’]. Flow. Pl. Afr. 57: 64-69, t. 2172, map.
- [259] Kuzin, S. (2001). [Russian:] *Mammillaria candida*. Kaktus Klub 2001(1): 10-12, ills. [Included for the illustrations showing variability.]
- [260] Lampo, F. (2001). Moelijk, die [Mammillaria] *crucigera*? Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl. 14(8): 139-144, ills.
- [261] Landrum, J. V. (2001). Wide-band tracheids in leaves of genera in Aizoaceae: The systematic occurrence of a novel cell type and its implications for the monophyly of the subfamily Ruschioideae. Pl. Syst. Evol. 227(1): 49-61, ills.
- [262] Lane, S. (2001). *Aloe chabaudii* var. *mlanjeana*. Aloe 37(4): 91, ills. [Dated 2000, received 2. March 2001 by U. Eggli. Illustrating variability.]
- [263] Lange, M. (2001). *Echinocereus santaritensis* Blum & Rutow. Kakt. and. Sukk. 52(2): 43-46, ills.
- [264] Lange, P. (2001). *Cordyline indivisa* in the Hamilton Basin. J. Auckland Bot. Soc. 56(2): 66.
- [265] Lau, A. B. (2001). Príbeh objevení *Coryphantha tripugionacantha* A. B. Lau. Kaktusy 37(4): 98-99, ills.
- [266] Lauchs, G. (2001). *Rhytidocaulon fulleri* – gar nicht so selten. Wollaus 14(3): 12-13.
- [267] Lautner, J. (2001). Am Standort. *Selenice-reus validus* Arias & Guzmán. EPIG Rundschreiben 12(3-4): 76-80, ills. [Dated 2000, received 22. Feb. 2001.]
- [268] Lavranos, J. J. (2001). Una notevole nuova specie di *Tylecodon* (Crassulaceae) originaria del Namaqualand meridionale (Sudafrica) / A remarkable new species of *Tylecodon* ... from Southern Namaqualand (South Africa). Piante Grasse 20(3): 124-128, ills. [Dated 2000, received at ZSS 15. 3. 2001.]
- [269] Lavranos, J. J. & Mies, B. (2001). A new species of *Rhytidocaulon* (Apocynaceae – Asclepiadaceae [sic!]) from south eastern Yemen. Cact. Succ. J. (US) 73(6): 299-303, ills., map. [Includes a distribution map of 5 taxa in S Arabia.]
- [270] Lavranos, J. J. & al. (2001). Montagne des Français – an ultimate paradise in Madagascar. Cact. Succ. J. (US) 73(1): 4-11, ills. [Included for the illustrations.]
- [271] Lawant, P. & Winthagen, D. (2001). *Euphorbia resinifera* portrayed in a manuscript herbal nearly fifteen hundred years ago. Bradleya 19: 3-14, ills., maps.
- [272] Lechner, P. (ed.) (2001). Turbinicarpen im Bild. Turbi-Now No. 9: 28 pp., ills. [Dated Dec. 2000, received at ZSS 23. March 2001. A pictorial of all taxa of the genus.]

- [273] Lenz, L. W. & Hanson, M. A. (2001). Yuccas (*Agavaceae*) of the international Four Corners: Southwestern USA and northwestern Mexico. *Aliso* 19(2): 165-179, maps, illus.
- [274] Leuenberger, B. E. (2001). *Selenicereus extensus* (*Cactaceae*), new combination and taxonomic history (Studies on the Flora of the Guianas, no. 93). *Bot. Jahrb. Syst.* 123(1): 47-62, illus.
- [275] Leuenberger, B. E. (2001). *Harrisia bonplandii*, case history of a controversial name in *Cactaceae* from South America. *Bot. Jahrb. Syst.* 123(2): 145-178, illus.
- [276] Leuenberger, B. E. (2001). The type specimen of *Opuntia cardiosperma* (*Cactaceae*), new synonyms and new records from Argentina and Paraguay. *Willdenowia* 31(1): 171-179, illus., map.
- [277] Leuenberger, B. E. (2001). *Opuntia paraguayensis* (*Cactaceae*) reassessed. *Willdenowia* 31(1): 181-187, illus.
- [278] Li, J. Y. & al. (2001). [Chinese:] Developmental and anatomical studies on the leaves of *Aloe arborescens*. *Acta Bot. Boreal.-Occid. Sin.* 21(5): 905-909.
- [279] Liede, S. & Meve, U. (2001). New combinations and new names in Malagasy *Asclepiadoidae* (*Apocynaceae*). *Adansonia*, sér. 3, 23(2): 347-351.
- [280] Linzen, T. (2001). Die Mammillarien. Ergänzungslieferung 2000. Osnabrück (D): Arbeitskreis für Mammillarienfreunde. [114 pp.], illus. [Continued from 2000.]
- [281] Lodé, J. (2001). Cacti from New Mexico. *Cact. Aventures* No. 49: 20-25, illus. [Included for the checklist.]
- [282] Lopez-Serrano, M. & al. (2001). Primary transcripts of *ndhD* of *Liliaceae* and *Aloaceae* require editing of the start and 20th codons. *J. Exp. Bot.* 52(354): 179-180.
- [283] Lowry, M. (2001). The Andean 'Trichos'. *Cact. Syst. Init.* No. 12: 23-24, maps.
- [284] López González, G. (2001). Sobre la correcta aplicación del nombre *Sedum lagascae* Pau (*Crassulaceae*). *Anales Jard. Bot. Madrid* 59(1): 148-150.
- [285] Lökvist, B. & Hultgård, U.-M. (1999). Chromosome numbers in South Swedish vascular plants. *Opera Bot.* 137: 42 pp. [Omitted previously. *Crassulaceae*: p. 18.]
- [286] Lukes, V. (2001). *Thelocactus heterochromus* v Mexiku v roce 2000. *Cactaceae etc.* 11(4): 139-142, illus. [Included for the illustrations depicting variability.]
- [287] Lutz, E. (2001). *Echinocereus decumbens* Clover & Jotter wiedergefunden. *Echinocereenfreund* 14(3): 68-75, illus., (4): 88-89 [erratum].
- [288] Lüpnitz, D. (2001). Die pflanzengeographische Bedeutung marokkanischer Drachenbaum-Populationen. *Palmengarten* 64(2): 128-137, illus., map.
- [289] Lüthy, J. M. (2001). The *Turbinicarpus mandragora* complex. *Bradleya* 19: 19-54, illus., SEM-ills., map, key.
- [290] Lüthy, J. M. (2001). A revised classification of the "primitive" *Mammillarias*. *J. Mammillaria Soc.* 41(1): 6-11, illus.
- [291] Macías-Rodríguez, M. A. (2001). Plantas suculentas de la Laguna de Sayula, Jalisco, México. *Nakari* 12(2): 17-26, map, illus.
- [292] Magallán Hernández, F. & Hernández Sandoval, L. (2001). La familia *Agavaceae* en el Estado de Querétaro, México. *Bol. Soc. Bot. México* No. 66: 103-112, maps. [Dated 2000, published spring 2001.]
- [293] Malallah, G. A. & al. (2001). Chromosome numbers of the Kuwaiti flora, III. *Willdenowia* 31(2): 411-418, illus. [Includes *Aizoon hispanicum*.]
- [294] Mandujano, M. C. & al. (2001). Integration of demographic annual variability in a clonal desert cactus. *Ecology* 82(2): 344-359, diags.
- [295] Mangelsdorff, R. (2001). Bericht zum Wiederfund von *Euphorbia leuconeura* Bloiss [sic!]. *Kaktusblüte* 2001: 43-52, illus., maps.
- [296] Mangutsch, P. (2001). Einige gelungene Hybriden aus meiner Sammlung. *Kakt. und Sukk.* 52(4): 99-100, illus. [On hybrids of *Hildewintera* and *Denmoza* with several other genera.]
- [297] Manos, P. S. & al. (2001). Phylogenetic analysis of *Ipomoea*, *Argyreia*, *Stictocardia*, and *Turbera* suggests a generalized model of morphological evolution in Morning Glories. *Syst. Bot.* 26(3): 585-602, diags.
- [298] Marais, E. M. & Condy, G. (2001). *Pelargonium radicum*. *Flow. Pl. Afr.* 57: 82-85, t. 2175, map.
- [299] Marriott, R. (2001). *Cleistocactus × Oreocereus* – an interesting hybrid. *Brit. Cact. Succ. J.* 19(4): 198-199, ill.
- [300] Marticorena, C. & Baeza, C. (2001). *Piperaceae*. In: Marticorena, C. & Rodríguez, R. (eds.): *Flora de Chile*; 2(1): 26-32, 87-88, key, illus., maps. Concepción (Chile): Universidad de Concepción.
- [301] Martínez, D. & al. (2001). Aspectos ecológicos de *Mammillaria otero* Glass & R. Foster en la región Mixteca de Oaxaca, México. *Cact. Suc. Mex.* 46(2): 32-39, diags., ill. (p. [30]).
- [302] Marx, G. (2001). *Euphorbia brevirama* N. E. Br. *Euphorbiaceae Study Group Bull.* 14(2): 56-67, illus.
- [303] Matarese, G. P. & Palisano, G. (2001).

- Astrophytum*. Notes on the genus and cultivation tips. Appunti sul genere e note di coltivazione. Cactus & Co. 5(4): 189-210, ills. [Included for the illustrations depicting variability. Errata l.c. 6(1): 3, 2002.]
- [304] Mauseeth, J. D. & Stone-Palmquist, M. E. (2001). Root wood differs strongly from shoot wood within individual plants of many *Cactaceae*. Int. J. Pl. Sci. 162(4): 767-776, ills.
- [305] Mays, H. (2001). Directory of plants distributed by International Succulent Introductions 1958 - 2001 with alphabetical index. Preston (GB): Published by the author. 124 pp. [An edition covering the period 1958 - 1996 and without alphabetical index was published 1996.]
- [306] McCraith, S. & Carlaw, G. (2001). Mountain Cabbage Tree (*Cordyline indivisa*) in the Hunua Ranges: An Observation. J. Auckland Bot. Soc. 56(1): 20-21.
- [307] McLaughlin, S. P. & Williams, R. R. (2001). Carbohydrates and flowering in *Hesperaloe funifera* (Koch) Trel. (Samandoque). Bol. Soc. Bot. México No. 66: 67-72. [Dated 2000, published spring 2001.]
- [308] McMullen, C. K. (1999). Flowering plants of the Galápagos. Ithaca (US: NY): Comstock Publishing / Cornell University Press. 370 pp., ills. [Included for the illustrations of several endemic succulents.]
- [309] Meier, E. (2001). Eine neue *Hylocereus*-Cultivar-Gruppe. Kakt. and. Sukk. 52(6): 141-144, ills.
- [310] Meier, E. (2001). Die "Kesselring'sche Hybride". Kaktusblüte 2001: 1, 38, ill. [On a suspected *Hylocereus* × *Selenicereus* hybrid.]
- [311] Mejia, M. & al. (2001). *Pereskia quisqueiana* Alain (*Cactaceae*). Historia y conservación. Moscosoa 12: 45-53.
- [312] Menges, E. S. & al. (2001). Comparative genetics of seven plants endemic to Florida's Lake Wales ridge. Castanea 66(1-2): 98-114, maps. [Includes *Nolina brittoniana*.]
- [313] Metzing, D. & Thiede, J. (2001). Testa sculpture in the genus *Frailea* (*Cactaceae*). Bot. J. Linn. Soc. 137: 65-70, ills.
- [314] Meulenhoff, J. (2001). *Agave americana* L.: Een hattrick fouten. Bull. Bot. Tuinen Wageningen 39: 12-16.
- [315] Meve, U. (2001). To which genus does *Stapelia miscella* N. E. Br. belong? Asklepios No. 81: 6-10, ills. [Dated Dec. 2000, received 19. 2. 2001 at ZSS.]
- [316] Meve, U. (2001). *Hoya heuschkeliana*, a neo-endemic of Mt. Balusan (Philippines, Luzon), and remarks on the urceolate flower type in *Asclepiadoideae*. Asklepios No. 82: 7-10, ills. [Reprinted in Fraterna 14(4): 6-10, ills., 2001.]
- [317] Meve, U. (2001). Bestäubungssysteme bei *Pelargonium* (*Geraniaceae*). Avonia 18(3): 61-70, ills. [Dated 2000, received 26. 3. 2001 at ZSS.]
- [318] Meve, U. & Liede, S. (2001). Inclusion of *Tenaris* and *Macropetalum* in *Brachystelma* (*Apocynaceae* – *Asclepiadoideae* – *Ceropegiae*) inferred from non-coding nuclear and chloroplast DNA sequences. Pl. Syst. Evol. 228(1-2): 89-105, ills.
- [319] Meve, U. & Liede, S. (2001). Reconsideration of the status of *Lavraria*, *Larryleachia* and *Notechidnopsis* (*Asclepiadoideae* – *Ceropegiae*). South Afr. J. Bot. 67(2): 161-168, ills., SEM-ills.
- [320] Meve, U. & Mangelsdorff, R. M. (2001). A new *Ceropegia* species from Yemen, and reconsideration of the status of *C. arabica*, *C. barbigera* and *C. powysii* (*Apocynaceae*: *Asclepiadoideae* – *Ceropegiae*). Bot. J. Linn. Soc. 137(1): 99-105, ills.
- [321] Meve, U. & Wolf, F. (2001). *Echidnopsis bentii* N. E. Brown (*Ceropegiae*) auf Sokotra gefunden. Kakt. and. Sukk. 52(5): 113-119, ills.
- [322] Meve, U. & al. (2000). Some comments and corrections on the *Asclepiadaceae* in the Upland Kenya Wild Flowers by A. D. Q. Agnew and S. Agnew. J. East Afr. Nat. Hist. Soc. 88: 85-90. [Omitted previously. Dated 1999, publ. 2000 fide U. Meve (pers. comm., Oct. 2001).]
- [323] Meve, U. & al. (2001). RAPD analysis and taxonomic reconsideration of the *Ceropegia aristolochioides* complex (*Apocynaceae* – *Ceropegiae*). Pl. Biol. 3(6): 622-628.
- [324] Mazzia, R. (2001). Les *Aloe* de Madagascar. Succulentes 24(2): 5-10, ills. [On *A. capitata*, *A. macroclada* and *A. divaricata*.]
- [325] Mies, B. A. (2001). Interessante Euphorbiaceen der Insel Sokotra (Jemen, Horn von Afrika). Teil 2. Avonia 18(2): 44-52, 60, ills. [Dated 2000, received 26. 3. 2001 at ZSS. Concluded from l.c. 18(1), 2000.]
- [326] Mies, B. A. & Lavranos, J. J. (2001). Auf Pflanzensuche am Ras Fartaq. Kakt. and. Sukk. 52(8): 214-221, ills.
- [327] Mikhaltsov, A. (2001). [Russian:] Out-ecological investigation of *Orostachys spinosus* KA-99/1 population. Kaktus Klub 2001(2-3): 28-35, ills., map.
- [328] Mohlenbrock, R. H. (2001). The illustrated flora of Illinois: Flowering plants (Pokeweed, Four-o'clocks, Carpetweeds, Cacti, Purslanes, Goosefoots, Pigweeds, and Pinks). Carbondale (US: IL): Southern Illinois University Press. Ed. 2, 277 pp.
- [329] Moran, R. (2001). *Crassula pageae* (*Pagella archeri*) and disagreement about genera. Cact. Succ. J. (US) 73(4): 194-197, ills.
- [330] Mosco, A. & Zanovello, C. (2001). *Lodia mandragora* and *Turbinicarpus pailanus*:

- Brothers, stepbrothers or strangers? Cact. Syst. Init. No. 12: 28-29.
- [331] Mosco, A. & Zanovello, C. (2001). L'interessante historia di una pianta rara. The interesting history of a rare plant. *Lodia mandragora*. Cactus & Co. 5(3): 124-135, illus.
- [332] Mosco, A. & Zanovello, C. (2001). *Lodia mandragora* and *Turbinicarpus paillanus* – una parentela discutibile / a questionable relationship / eine zweifelhafte Verwandtschaft. Turbi-Now No. 10: 23-28, illus. (incl. cover).
- [333] Mostacedo, B. & al. (2001). La vegetación de las lájas en la región de Lomerío, Santa Cruz, Bolivia. Acta Amazon. 31(1): 11-25.
- [334] Mucha, A. & Sobka, H. (2001). Rodzaj *Parodia* Spiegazzini. Swiat Kakt. 35(1-2): 1-37, illus., 2 pl. following p. 64. [Continued from vol. 34.]
- [335] Murdy, W. H. & Carter Brown, M. E. (2001). Speciation in *Talinum* in the southeastern United States. Castanea 66(1-2): 145-153, maps, diag.
- [336] Nassar, J. M. (1999). Comparative population genetic structure of Venezuelan cacti and estimates of their mating systems. Coral Gables (US: FL): University of Miami, Ph.D. thesis.
- [337] Nassar, J. M. & al. (2001). Genetic variation and population structure of the mixed-mating cactus, *Melocactus curvispinus* (Cactaceae). Heredity 87(1): 69-79, maps, diag.
- [338] Neduchal, J. (2001). [Czech:] New interesting results of molecular, anatomical and morphological investigations of plants in Subtribe *Notocactinae* (Buxbaum) – the genera *Parodia* and *Notocactus* are clearly different. Cactaceae etc. 11(1): 34-35.
- [339] Neuhuber, G. J. A. (2001). *Gymnocalycium nigriareolatum* Backeberg. Die schönsten Fundorte Teil 3. *Gymnocalycium* 14(1): A-B, illus. [Included for the illustrations. Continued from vol. 13. A replacement for the original page was published with l.c. 14(2), 2001.]
- [340] Neuhuber, G. J. A. (2001). *Gymnocalycium parvulum* (Speg.) Speg. Die schönsten Fundorte Teil 1 / Teil 2. *Gymnocalycium* 14(2): A-B, illus.; (3): A-B, illus. [Included for the illustrations.]
- [341] Neuhuber, G. J. A. (2001). Ein Neufund in der Provinz Salta: *Gymnocalycium schiedianum* subsp. *bergeri* und die Validierung und Neubewertung von Ritter's *Gymnocalycium antherosacos* als *Gymnocalycium delaetii* fa. *antherosacos*. *Gymnocalycium* 14(4): 417-424, illus., maps.
- [342] Neuhuber, G. J. A. (2001). *Gymnocalycium berchtii*. Die schönsten Fundorte. *Gymnocalycium* 14(4): A-B, illus.
- [343] Neut, P. (2001). Enkele, nogal verwarringende, Boliviaanse en Argentijnse Beauty's. Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl. 14(10): 168-169, ill. [On *Parodia neglecta*.]
- [344] Newton, L. E. (2001). Stem-succulent species of *Cissus* in Kenya. Brit. Cact. Succ. J. 19(1): 17-20, illus.
- [345] Newton, L. E. (2001). Notes on Kenyan Aloes: A new record and a new species. Cact. Succ. J. (US) 73(3): 154-158, illus.
- [346] Nilsson, Ö. (2001). *Portulacaceae*. In: Jonsell, B. & Karlsson, T. (eds.): Flora Nordica; 2: 76-83, illus., maps, illus. Stockholm (S): Bergius Foundation, Royal Swedish Academy of Sciences.
- [347] Nyffeler, R. (2001). What about the tribe *Notocacteae*? Cact. Syst. Init. No. 12: 25-27, illus.
- [348] Nyhuus, T. (2001). *Absolmsia spartioides* [sic!] Kuntz [sic]. Fraterna 14(2): 6-8, illus. [Includes illustrations of a flowering plant.]
- [349] Odehnal, J. (2001). *Gymnocalycium zegarrae* M. Cárdenas. Gymnofil 29(1-2): 6-11, illus.
- [350] Odehnal, J. (2001). *Lobivia pugionacantha* v. *cornuta* (Rausch) Rausch 1975. Kaktusy 37(1): 5-6, illus.
- [351] Odehnal, J. (2001). Rod *Sulcorebutia* – poznámky pod carou. Kaktusy 37(Speciál 2): 32 pp., illus., maps.
- [352] Odehnal, J. & Seda, V. (2001). *Rebutia cincinnata* Rausch a její průbuzné. Kaktusy 37(4): 100-101, illus.
- [353] Oeser, R. & Köllner, G. (2001). *Weingartia (Cumingia) torotorensis*? Teil II. Inform.-brief Freundeskreis Echinopseen No. 30: 49-54, No. 31: 21-24, illus. [No. 30 dated Oct. 2000, received at ZSS 24. 4. 2001. Cont. from l.c. No. 29, 2000.]
- [354] Ohba, H. (2001). *Crassulaceae*. In: Iwatsuki, K. & al. (eds.): Flora of Japan; 2b: 10-31, keys. Tokyo (J): Kodansha Ltd.
- [355] Ohba, H. (2001). [Japanese:] Henk 't Hart (1944 - 2000) and his contribution to the taxonomy of the *Crassulaceae*. J. Jap. Bot. 76(4): 239-242.
- [356] Oleszek, W. & al. (2001). Resveratrol and other phenolics from the bark of *Yucca schidigera* Roezl. J. Agric. Food Chem. 49(2): 747-752.
- [357] Oleszek, W. & al. (2001). Steroidal saponins of *Yucca schidigera* Roezl. J. Agric. Food Chem. 49(9): 4392-4396.
- [358] Olfelt, J. P. & al. (2001). What data determine whether a plant taxon is distinct enough to merit legal protection? A case study of *Sedum integrifolium* (*Crassulaceae*). Amer. J. Bot. 88(3): 401-410, map, diag.
- [359] Opel, M. & Hammer, S. (2001). Elusive Eriospermums. Cact. Succ. J. (US) 73(4): 187-193, illus.
- [360] Palomino, G. & Heras, H. M. (2001).

- Karyotypic studies in *Opuntia cochinera*, *O. hyptiacantha*, and *O. streptacantha* (Cactaceae). *Caryologia* 54(2): 147-154.
- [361] Papsch, W. (2001). Die pampinen Gymnocalycien. 3. *Gymnocalycium hyptiacanthum* (Lemaire) Britton & Rose. *Gymnocalycium* 14(1): 385-392, illus. [Continued from vol. 13.]
- [362] Papsch, W. (2001). Die pampinen Gymnocalycium. *Gymnocalycium reductum*. Schlüssel der infraspezifischen Formen. *Gymnocalycium* 14(1): 393-394, illus., map, key.
- [363] Papsch, W. (2001). Die Kakteengattungen Patagoniens. *Kakt. and. Sukk.* 52(9): 239-249, illus., map.
- [364] Parolin, P. (2001). Seed expulsion in fruits of *Mesembryanthema* (Aizoaceae): A mechanistic approach to study the effect of fruit morphological structures on seed dispersal. *Flora* 196(4): 313-322, illus.
- [365] Pavelka, P. jr. (2001). Komentár k novým popisům jihoafričkých rostlin. *Cactaceae etc.* 11(3): 103-105.
- [366] Pennisi Svoboda, V. & McConnell, D. B. (2001). Taxonomic relevance of calcium oxalate cuticular deposits in *Dracaena* Vand. ex L. *HortScience* 36(6): 1033-1036.
- [367] Perndl, H. (2001). *Turbinicarpus pseudo-macrochele* und seine infraspezifischen Taxa – Teil II. *Turbi-Now* No. 10: 3-9, 14, 19, illus. [Part 1 published (by H. Nagl & H. Perndl) in l.c. No. 6, 1999.]
- [368] Perry, P. L. (2001). *Bulbinella*: A synopsis. *Alsterworthia Internat.* 1(2): 13.
- [369] Petit, S. (2001). The reproductive phenology of three sympatric species of columnar cacti on Curacao. *J. Arid Environm.* 49(3): 521-531.
- [370] Petrik, P. (2001). Strucha velkokveta (*Portulaca grandiflora*): Zplanela v Praze [Czech: *Portulaca grandiflora* naturalized in Prague]. *Zprávy Českoslov. Bot. Společn.* 35(2): 169-171. [Dated 2000, publ. 2001 fide RBG Kew.]
- [371] Pfab, M. F. & Witkowski, E. T. F. (2000). A simple population viability analysis of the critically endangered *Euphorbia clivicola* R. A. Dyer under four management scenarios. *Biol. Conservation* 96(3): 263-270, diags.
- [372] Pfosser, M. F. & Speta, F. (2001). Bufadienolide und DNA-Sequenzen: Über Zusammenhalt und Aufteilung der *Urgineoideae* (*Hyacinthaceae*). *Stapfia* 75: 177-250.
- [373] Phillips, M. (2001). *Sansevieria* sp. 'Kitonga'. *Sansevieria* No. 1: 10, illus. [On an unidentified species from Tanzania.]
- [374] Phillips, S. M. (2001). Species delimitation in *Portulaca* Sect. *Portulaca* (*Portulacaceae*) in east and northeast tropical Africa. *Biol. Skr.* 54: 31-48, SEM-ills., keys.
- [375] Pilbeam, J. (2001). *Mammillaria superstexta* lays *Mammillaria lanata* to rest. *Brit. Cact. Succ. J.* 19(2): 103-105, illus.
- [376] Pilbeam, J. (2001). Those pesky numbers in *Sulcorebutia*. *Cact. Succ. J. (US)* 73(5): 223-231, illus. [On Swoboda-collections of this genus.]
- [377] Pinkava, D. J. & al. (2001). Nomenclatural changes in *Cylindropuntia* and *Opuntia* (Cactaceae) and notes on interspecific hybridization. *J. Arizona-Nevada Acad. Sci.* 33(2): 150.
- [378] Piven, N. M. & al. (2001). Reproductive biology of *Henequén* (*Agave fourcroydes*) and its wild ancestor *Agave angustifolia* (Agavaceae). I. Gametophyte development. *Amer. J. Bot.* 88(11): 1966-1976, illus.
- [379] Pot, J. (2001). *Rebutia* – one genus or two? *Cact. Succ. J. (US)* 73(5): 243-245, illus.
- [380] Potgieter, K. & Albert, V. A. (2001). Phylogenetic relationships within *Apocynaceae* s.l. based on trnL intron and trnL-F spacer sequences and propagule characters. *Ann. Missouri Bot. Gard.* 88(4): 523-549, diags.
- [381] Powell, A. M. & Weedin, J. F. (2001). Chromosome numbers in Chihuahuan Desert Cactaceae. III. Trans-Pecos Texas. *Amer. J. Bot.* 88(3): 481-485.
- [382] Prauser, W. (2001). Die Pflanzengruppe der *Setacei*. Teil 2: Taxonomische Neubestimmungen. *Internoto* 22(1): 3-18, illus. [Continued from vol. 21.]
- [383] Prestlé, K. H. (2001). *Gymnocalycium melanocarpum* (Arechavaleta) Britton & Rose. Ein verschollen geglaubtes Taxon wurde wiedergefunden. *Gymnocalycium* 14(3): 413-416, illus.
- [384] Prieto, A. S. & al. (2001). Aspectos ecológicos de una población del cactus columnar *Stenocereus griseus* (Haw) F. Buxb en áreas xerofíticas de Cerro Colorado, Estado Sucre, Venezuela. *Bol. Centro Invest. Biol. Univ. Zulia* 35(2): 108-123.
- [385] Pritchard, D. (2001). Relations: *Euphorbia crassipes* Marl. and *Euphorbia fusca* Marl. *Euphorbiaceae Study Group Bull.* 14(3): 107-109, ill.
- [386] Procházka, J. (2001). Interessante *Gymnocalycium* aus der Provinz La Rioja. *Gymnocalycium* 14(4): 413-416, illus.
- [387] Puime, G. (2001). *Givotia madagascariensis* Baillon and *Jatropha mahafalensis* Jum. & Perrier. *Euphorbiaceae Study Group Bull.* 14(1): 16-19, ill.
- [388] Radcliffe-Smith, A. (2001). Genera Euphorbiacearum. Richmond (GB): Royal Botanic Gardens Kew. x + 455 pp., illus., keys. [Succulent taxa: pp. i-x, 1-3, 38-43, 287-290, 398-420 (*Euphorbieae*).]
- [389] Ramirez Pinto, L. (2001). Cacti of Boli-

- via: *Blossfeldia* spec. nova. Cact. Aventures No. 49: 29, ill.
- [390] Rauh, W. (2001). Ergänzende Bemerkungen zu *Aloe leandrii* Bosser. Kakt. and. Sukk. 52(3): 66-68, ills.
- [391] Rebman, J. P. (2001). The succulents of Islote Toro, Baja California, Mexico. Cact. Suc. Mex. 46(3): 52-55, ills. (cover, inside cover, inside back cover).
- [392] Rebman, J. P. & Pinkava, D. J. (2001). *Opuntia* cacti of North America – an overview. Florida Entomol. 84(4): 475-483, ills.
- [393] Rebmamn, N. (2001). Baja California [2. partie]. Succulentes 24(1): 16-24, ills., map. [Continued from vol. 23.]
- [394] Rebmamn, N. (2001). *Pachypodium inopinatum* (Apocynaceae). Une nouvelle espèce de Madagascar. Succulentes 24(2): 27-32, ills.
- [395] Ricánek, M. & Hanácek, P. (2001). Two Stapeliad species from Iran. Asklepios No. 82: 21-26, ills. [On *Borealluma (Caralluma) plicatiloba*, *B. tuberculata* and *Cryptollum edulis*.]
- [396] Richards, D. J. (2001). Some notes on a few Sansevierias of Zimbabwe. Sansevieria No. 2: 5-9, ills.
- [397] Richter, I. (2001). "Höllefeige" – *Euphorbia piscatoria* Ait. und weitere endemische Pflanzen auf der Insel Porto Santo. Avonia 19(1): 8-18, ills., map.
- [398] Rischer, W. (2001). *Echinocereus acifer* und seine Verwandten. Echinocereenfreund 14(2): 31-53, ills., map.
- [399] Rischer, W. (2001). Blührhythmus der *Echinocereus scheeri*-Gruppe. Kakt. and. Sukk. 52(12): 317-322, ills.
- [400] Rischer, W. (2001). Die Fundorte von *Mammillaria longiflora* (Britton & Rose) A. Berger. Kakt. and. Sukk. 52(7): 178-182, ills., map.
- [401] Rodríguez Ortega, C. E. & Franco, M. (2001). La retención de semillas en el género *Mammillaria* (Cactaceae). Cact. Suc. Mex. 46(3): 63-67.
- [402] Römer, R. (2001). Am Fundort von *Echinocereus hancockii* und Umgebung – Fragmente einer abenteuerlichen Baja California Reise. Echinocereenfreund 14(1): 3-10, ills.
- [403] Römer, R. C. (2001). *Echinocereus grandis* auf der Isla San Esteban und Isla San Lorenzo. Kakt. and. Sukk. 52(4): 101-103, ills.
- [404] Rogers, G. K. (1999). The biology and distribution of the Barbados Maypole (*Agave barbadensis* Trel.). Caribbean J. Sci. 35(3/4): 318-321, ills., map. [Omitted previously.]
- [405] Rogozinski, H. (2001). The never ending story of *Mammillaria gasseriana / stella-de-tacubaya*. J. Mammillaria Soc. 41(4): 38-40, ills.
- [406] Rogozinski, H. (2001). Pozorování na *Mammillaria candida* Scheidw. Kaktusy 37(2): 61-63, ills., SEM-ills.
- [407] Rogozinski, H. (2001). *Mammillaria dixanthocentron* und die ihr nahestehenden Arten. Mitteilungsbl. AfM 25(2): 56-68, 70, 72, (3): 100-118, ills. [Concluded in 25(4), 2002 ('2001').]
- [408] Rojas-Aréchiga, M. & Batis, A. I. (2001). Las semillas de Cactáceas – ¿forman bancos en el suelo? Cact. Suc. Mex. 46(4): 76-82. [Dated 2001, received Feb. 2002 and thus probably only published 2002.]
- [409] Rouiller, F. (2001). *Pilosocereus nobilis* à Marie Galante. Cact. Aventures No. 52: 22-25, ills., map.
- [410] Rowley, G. D. (2001). Pep for plantsmen – Part 1; scrutinizing *Peperomia*. Brit. Cact. Succ. J. 19(3): 151-155, ills.
- [411] Rowley, G. D. (2001). Pep for plantsmen – Part 2; the geophytic Peperomias. Brit. Cact. Succ. J. 19(4): 200-205, ills. [Continued l.c. 20(1), 2002.]
- [412] Römer, R. C. (2001). Nochmals *Echinocereus pamanesiorum* ssp. *bonatzii* (R. C. Römer) R. C. Römer. Echinocereenfreund 14(3): 61-67, ills., map.
- [413] Römer, R. C. & al. (2001). Neue Erkenntnisse zur Blütezeit von *Echinocereus ferreiranus* H. E. Gates und *Echinocereus lindsayi* J. Meyrán in der Natur und in Kultur. Echinocereenfreund 14(4): 100-103, ills.
- [414] Ruedas, M. & al. (2001). Respuesta germinativa y crecimiento de plántulas de *Mammillaria magnimamma* (Cactaceae) bajo diferentes condiciones ambientales. Bol. Soc. Bot. México No. 66: 25-35. [Dated 2000, published spring 2001.]
- [415] Russo, L. (2001). A mission in life: Thomas Hanbury and his garden at La Mortola, Italy. Bradleya 19: 67-74, ills.
- [416] Russo, L. (2001). *Euphorbia bulbispina* Rauh & Razafindratsira. Un'affascinante specie del Madagascar. A fascinating species from Madagascar. Cactus & Co. 5(4): 229-230, ills.
- [417] Rutow, J. & Blum, W. (2001). *Echinocereus apachensis* W. Blum et J. Rutow. Echinocereenfreund 14(1): 11-15, ills.
- [418] Ryding, O. & Paton, A. (2001). *Plectranthus aegyptiacus*, the correct name for *P. tenuiflorus* and Forsskål's *Ocimum zatarhendi* (Labiatae). Kew Bull. 56(3): 691-696.
- [419] Sahley, C. T. (2001). Vertebrate pollination, fruit production, and pollen dispersal of *Stenocereus thurberi* (Cactaceae). Southw. Naturalist 46(3): 261-271.
- [420] Schmiedel, U. (2001). Specialized succulents from southern African quartz fields: Tracing

- the ecology of a fascinating flora. Cact. Succ. J. (US) 73(4): 170-175, illus., map.
- [421] Scott, R. (2001). *Aloe haemanthifolia* in Baviaan's Kloof. Alsterworthia Internat. 1(1): 14.
- [422] Scott, R. (2001). *Gasteria glomerata*. Haworthiad 15(1): 27-31, illus. [Includes data on infrageneric hybridization.]
- [423] Shirley, P. (2001). Sulawesi Tengah 1994 updated. Asklepios No. 81: 20-22, 24, illus. [Dated Dec. 2000, received 19. 2. 2001 at ZSS. Included for the *Hoya* illustrations. Reprinted in Fraterna 14(3): 5-10, illus., 2001.]
- [424] Shiva Kameshwari, M. N. & Muniyamma, M. (2001). Scanning electron microscopic studies on leaf surface and seed surface in some taxa of *Liliaceae*. Phytomorphology 51(2): 137-144. [Includes *Drimiopsis*, *Sansevieria*, *Urginea*.]
- [425] Silva, H. & al. (2001). Anatomía del tejido fotosintético de diez taxa de *Opuntia* establecidos en el secano árido mediterráneo de Chile. Revista Chilena Hist. Nat. 74(2): 341-351, SEM-illus.
- [426] Singh, M. (2001). *Euphorbia antiquorum* und ihre Verwandtschaft. Avonia 18(2): 53-57, illus. [Dated 2000, received 26. 3. 2001 at ZSS.]
- [427] Sinha, B. K. & Srivastava, S. K. (2001). Genus *Dracaena* Vandelli ex L. in Andaman and Nicobar Islands. Bull. Bot. Surv. India 38(1-4): 14-18, ill., key. [Volume for 1996, publ. 2001 fide RBG Kew library.]
- [428] Siwakoti, M. (2001). Additions to the flora of Nepal: V. J. Econ. Taxon. Bot. 24(3): 655-656. [Volume for 2000, publ. 2001 fide RBG Kew library.]
- [429] Slaba, R. (2001). *Oreocereus umeriensis* n.n., vysokohorský ekotyp *O. fossulatus* (Lab.) Backbg. Kaktusy 37(2): 38-41, illus.
- [430] Slaba, R. (2001). *Weingartia fidaiiana* (Backeb.) Werd. a ji blízce príbuzné taxonomy. Kaktusy 37(3): 66-71, illus.
- [431] Smith, G. F. & Crouch, N. R. (2001). Notes on African plants. *Asphodelaceae*. *Aloe greatheadii* var. *davyana* (*Alooideae*), a new locality in KwaZulu-Natal, South Africa. Bothalia 31(1): 31, map.
- [432] Smith, G. F. & Crouch, N. R. (2001). A broader taxonomic concept of *Aloe greatheadii* var. *davyana*, a widespread and common maculate from southern Africa. Bradleya 19: 55-58, illus., map.
- [433] Smith, G. F. & al. (2001). *Crassula tetragona* subsp. *acutifolia*. Curtis's Bot. Mag., ser. nov., 18(1): 23-27, illus., t. 409.
- [434] Smith, G. F. & al. (2001). *Aloe suffulta*. Flow. Pl. Afr. 57: 16-22, t. 2163, map.
- [435] Smith, G. F. & al. (2001). *Kleinia longiflora*. Flow. Pl. Afr. 57: 96-102, t. 2178, map.
- [436] Smith, P. & al. (2001). Rare plants rediscovered in the Northern Cape. SABONET News 6(1): 51-52, illus. [On *Dioscorea elephantipes* and *Cylindrophyllum hallii*.]
- [437] Solomon, J. C. (2001). *Cactaceae* Juss. In: Stevens, W. D. & al. (eds.): Flora de Nicaragua; vol. 1: 509-519, key. St. Louis (US: MO): Missouri Botanical Garden Press.
- [438] Sotomayor, J. M. (2001). *Ariocarpus fissuratus* ssp. *bravoanus* (Hernández et Anderson). Situation actuelle. Succulentes 24(1): 25-32, illus.
- [439] Sotomayor, J. M. & al. (2001). *Turbinicarpus knuthianus* (Boedeker) John & Riha – distribution, ecology and conservation status. Cact. Succ. J. (US) 73(2): 77-80, illus., map.
- [440] Sotomayor, J. M. & al. (2001). *Ariocarpus kotschoubeyanus* (Lemaire) Schumann 1897. Distribuzione, caratterizzazione degli habitat y stato di conservazione / Distribution, habitat characterisation and conservation status. Cactus & Co. 5(1): 22-31, illus., map. [Czech version in Kaktusy 37(2): 55-58, illus., 2001.]
- [441] Sotomayor, J. M. & al. (2001). *Peyotl zacatensis* Hernández. Riabilitazione di un genere e un binomio dimenticati. Rehabilitation of a forgotten genus and binomen. Cactus & Co. 5(4): 219-228, illus.
- [442] Sotomayor, J. M. & al. (2001). [Russian:] *Ariocarpus fissuratus* ssp. *hintonii*. Actual situation. Kakt. Tolko 2001(1): 11-17, illus. (p. A).
- [443] Sotomayor, J. M. & al. (2001). [Russian:] *Ariocarpus agavooides* (Castaneda) Anderson from San Luis Potosí. Kakt. Tolko 2001(2): 5-7, illus. (p. B).
- [444] Sotomayor, J. M. & al. (2001). *Coryphantha vogtherriana* Werdermann & Bödeker. Distribuzione, habitat e stato di conservazione. Piante Grasse 21(4): 156-165, illus., map. [Dated as having been printed 27. 12. 2001 but only received 21. Feb. 2002, thus probably effectively only published Feb. 2002.]
- [445] Sotomayor, J. M. & al. (2001). *Turbinicarpus beguinii* (Taylor) Mosco & Zanovello (1997). Distribución, ecología y estado de conservación de las localidades en el Estado de San Luis Potosí. Verbreitung, Ökologie und Gefährdung im Bundesstaat San Luis Potosí. Turbi-Now No. 10: 10-13, 21, illus., map.
- [446] Spearing, J. K. (2001). A preliminary study of the morphology of seedlings of the genus *Huernia* (Asclepiadaceae). Asklepios No. 83: 25-38, illus.
- [447] Spinnler, H. (2001). An den Standorten von *Mammillaria saboae* Glass und *Mammillaria longiflora* (Britton & Rose) Berger in Chihuahua, Mexiko. Marktredwitzer Kakt.-freund No. 5: 21-27, illus. [Included for the illustrations.]
- [448] Starha, R. & Pavelka, P. (2001). Sekce *Ophthalmophyllum* (Dinter & Schwantes) Tischer.

- Cactaceae etc. 11(4): 153-160, illus.
- [449] Stedje, B. (2001). Notes on African plants. *Hyacinthaceae*. The generic delimitation within *Hyacinthaceae*, a comment on works by F. Speta. Bothalia 31(2): 192-195.
- [450] Steinmann, V. W. (2001). The evolution of succulence in the New World species of *Euphorbia* (*Euphorbiaceae*). Claremont (US: CA): Claremont Graduate University, unpubl. Ph.D. thesis. viii + 182 pp., illus.
- [451] Stephenson, R. (2001). Mercantour houseleeks and a cautionary tale. Brit. Cact. Succ. J. 19(2): 76-81, illus. [On *Sempervivum tectorum* variability etc.]
- [452] Stephenson, R. (2001). Mixed-up kid. Cact. Succ. J. (US) 73(2): 82-83, illus. [On *Aeonium ×praegeri*.]
- [453] Stephenson, R. (2001). Greek Macedonian stonecrops part II. Sedum Soc. Newslett. No. 56: 41-56, maps. [Part 1 was a paper on *S. tuberiferum* in l.c. No. 55, 2000.]
- [454] Steyn, E. M. A. & Smith, G. F. (2001). Notes on African plants. *Portulacaceae*. *Talinum paniculatum*, a naturalized weed in South Africa. Bothalia 31(2): 195-197, ill.
- [455] Steyn, E. M. A. & Smith, G. F. (2001). Miscellaneous notes. *Aloaceae*. Are ovules and seeds in *Lomatophyllum* Willd. (*Aloe* Sect. *Lomatophyllum* sensu auct.) anatropous and exarillate? Bothalia 31(2): 237-240, illus.
- [456] Strigl, F. (2001). Die Geschichte des rot blühenden *N.[otocactus] submammulosus* aus meiner Sicht und Beobachtung. Internoto 22(3): 82-88, illus.
- [457] Strigl, F. (2001). *Gymnocalycium nigrioleolatum* f. *carmineum* Till. Kakt. and. Sukk. 52(2): 37-38.
- [458] Stuchlík, S. (2001). *Notocactus turecekianus* (Kiesling) Abraham. Internoto 22(1): 18-21, illus.
- [459] Studier, G. (2001). Die Dornen der Mammillarien – Formen und Unterschiede, Teil I. Mitteilungsbl. AfM 25(3): 125-133, illus. [Continued in l.c. 25(4), 2002 ('2001').]
- [460] Szutorisz, G. (2001). A *Cactaceae* család *Mammillaria* nemzetiségek evolúciós modellje. 6. fejezet. 1. Rész. I *Premammillaria* fajcsoport. *Hydrochilus* fajsor [series]. 3. A Kaliforniae félsziget déli felének fajai. Kakt. Világ 25(1): 25-28, (3): 25-30. [= Polyedra 2000/3 [erroneous numbering, number already used in 2000]; second part in Polyedra 2001/2.]
- [461] Tang, W. (2001). Leaf succulent *Cycas*. Encephalartos No. 68: 11, illus. (p. 20).
- [462] Taylor, N. P. (2000). Taxonomy and phytogeography of the *Cactaceae* of Eastern Brazil. Richmond (GB): Royal Botanic Gardens, Kew; unpublished Ph.D. thesis. 398 + 16 pp., illus., maps.
- [463] Taylor, N. P. (2001). Roots and mucilage in *Copiapoa*. Cact. Syst. Init. No. 12: 18.
- [464] Tel-Zur, N. & al. (2001). Hybridization between species and genera of fruit-crop vine cacti of the genera *Hylocereus* and *Selenicereus*. HortScience 36(3): 441. [Abstract only.]
- [465] Thiede, J. & Eggli, U. (2001). Einbeziehung von *Manfreda* Salisbury und *Polianthes* Linné in *Agave* Linné (*Agavaceae*): Weitere Umbenennungen. Kakt. and. Sukk. 52(6): 166-167.
- [466] Thiele, H. (2001). Auf Ritters Spuren – am Standort von *Parodia multicostata*. Mitteilungsbl. Inter-Parodia-Kette No. 16: 9-11, illus.
- [467] Thomson, G. (2001). The melocacti of Aruba – revisited. Brit. Cact. Succ. J. 19(3): 144-150, illus., map.
- [468] Thorwart, H.-J. (2001). Die "Drachenaloen" des südlichen Afrika. Avonia 19(2): 23-28, illus.
- [469] Till, H. (2001). Neuordnung der Gattung *Gymnocalycium*. *Gymnocalycium* 14(2): 395-404, diags., map, illus. [Includes a key to subgenera and series.]
- [470] Trocha, W. (2001). Episoden zu *Echinocereus ortegae* und ssp. *koehresianus*. Kaktusblüte 2001: 29-37, illus.
- [471] Turland, N. J. & Barrie, F. R. (2001). Family name listings modified in Appendix IIB of the *Saint Louis Code*. Taxon 50(3): 897-903. [Includes Agavaceae, Aizoaceae, Asclepiadaceae, Commelinaceae, Compositae, Crassulaceae, Geraniaceae, Gesneriaceae, Icacinaceae, Labiateae, Lamiaceae, Liliaceae, Moringaceae, Passifloraceae, Portulacaceae, Tetragoniaceae.]
- [472] Uhl, C. H. (2001). A multigeneric hybrid in the Mexican *Crassulaceae*. Cact. Succ. J. (US) 73(4): 204-207, illus. [On *Graptopetalum × Pachphytum × Cremnophila*.]
- [473] Valencia, R. & al. (2001). Libro rojo de las plantas endémicas del Ecuador. Quito (Ecuador): Herbario QCA, Pontifica Universidad Católica del Ecuador etc. 450 pp., maps. [*Cactaceae* p. 153; *Portulacaceae* p. 394.]
- [474] Vega Katia, G. & al. (2001). Analysis of genetic diversity in *Agave tequilana* var. Azul using RAPD markers. Euphytica 119(3): 335-341.
- [475] Velázquez Enciso, L. E. & Soltero Quintana, R. (2001). Micropropagación de *Epithelantha micromeris* (Eng.) Weber ex Britton et Rose var. *micromeris* (*Cactaceae*). Cact. Suc. Mex. 46(3): 56-62, illus.
- [476] Veldhuisen, R. van (2001). *Euphorbia globosa*. Succulenta 80(4): 190-196, illus.
- [477] Veldhuisen, R. van (2001). *Euphorbia stellispina* [sphalm. 'stellaespina'] Haworth. Succulenta 80(5): 236-239, illus.

- [478] Venter, H. J. T. & Verhoeven, R. L. (2001). Diversity and relationships within the *Periplocoideae* (Apocynaceae). Ann. Missouri Bot. Gard. 88(4): 550-568, diag., key.
- [479] Veres, G. (2001). *Sclerocactus pubispinus* (Engelmann) L. Benson. Kaktusy 37(1): 23-26, ills., map.
- [480] Verhoeven, R. L. & Venter, H. J. T. (2001). Pollen morphology of *Periplocoideae*, *Secamonoideae* and *Asclepiadoideae* (Apocynaceae). Ann. Missouri Bot. Gard. 88(4): 569-582, SEM-ills.
- [481] Viana, M. L. de & al. (2001). Biología floral y polinizadores de *Trichocereus pasacana* (Cactaceae) en el Parque Nacional Los Cardones, Argentina. Revista Biol. Trop. 49(1): 279-285, diag.
- [482] Viljoen, A. M. & Wyk, B-E. van (2001). A chemotaxonomic and morphological appraisal of *Aloe* series *Purpurascentes*, *Aloe* section *Anguialoe* and their hybrid, *Aloe broomii*. Biochem. Syst. & Ecol. 29(6): 621-631, diags., map.
- [483] Vollmer, B. (2001). Am Standort. *Epiphyllum phyllanthus* var. *pittieri* (Weber) Kimnach und *Epiphyllum phyllanthus* var. *guatemalense* (Britton & Rose) Kimnach. EPIG Rundschreiben 12(3-4): 80-82, ill. [Dated 2000, received 22. Feb. 2001.]
- [484] Vries, J. de (2001). Zu Blüten schnitten bei Sulcorebutien. Inform.-brief Freundeskreis Echinopseen No. 30: 37-41, ills. [Dated Oct. 2000, received at ZSS 24. 4. 2001. On *S. langeri* and *S. augustinii* etc.]
- [485] Walker, C. C. (2001). Introducing the *Nolinaceae*. Brit. Cact. Succ. J. 19(4): 214-221, ills.
- [486] Wanie, J. A. (2001). Strední Kolumbie (a dalsí zajímavá stanoviste kaktusu) [Czech: Central Colombia: A rarely visited region with interesting cacti]. Cactaceae etc. 11(1): 21-25, ills.
- [487] Weber, R. (2001). Bemerkungen zu einigen grobdornigen Formen aus dem *Rebutia fiebrigii* (Guerke) Br. & R.-Komplex. Teil II. Inform.-brief Freundeskreis Echinopseen No. 30: 41-48, ills. [Dated Oct. 2000, received at ZSS 24. 4. 2001. Cont. from l.c. No. 29, 2000.]
- [488] Webster, G. L. (2001). *Euphorbiaceae: Jatropha* L. In: Stevens, W. D. & al. (eds.): Flora de Nicaragua; vol. 1: 887-888, key. St. Louis (US: MO): Missouri Botanical Garden Press.
- [489] Williamson, G. (2001). Notes on important plant localities in the Richtersveld National Park. Aloe 37(4): 80-82, ills., map. [Dated 2000, received 2. March 2001 by U. Eggli.]
- [490] Williamson, G. (2001). Notes on the vegetation and climate of the Richtersveld National Park. Aloe 37(4): 83-87, ills., maps. [Dated 2000, received 2. March 2001 by U. Eggli.]
- [491] Winkler, G. (2001). Was ist eigentlich ...?
- Weniger Bekanntes von Walter Rausch und anderen. *Rebutia gavazzii* Mosti. Inform.-brief Freundeskreis Echinopseen No. 30: 59-62, ills. [Dated Oct. 2000, received at ZSS 24. 4. 2001.]
- [492] Wu, Z.-Y. & Raven, P. H. (eds.) (2001). Flora of China. Vol. 8. *Brassicaceae through Saxifragaceae*. Beijing (China): Science Press / St. Louis (US: MO): Missouri Botanical Garden Press. xii + 506 pp., keys. [*Moringaceae*: p. 196; *Crassulaceae*: pp. 202-268.]
- [493] Wybraniec, S. & al. (2001). Betacyanins from vine cactus *Hylocereus polyrhizus*. Phytochemistry 58(8): 1209-1212.
- [494] Wyk, A. E. van & Smith, G. F. (2001). Regions of floristic endemism in Southern Africa. A review with emphasis on succulents. Hatfield (RSA): Umdaus Press. viii + 199 pp., ills., maps.
- [495] Xhonneux, G. (2001). Une histoire d'hybrides de *Mammillaria gracilis* à fleurs roses, violettes et mauves. Cact. Aventures No. 52: 26-29, ills.
- [496] Zachar, M. (2001). Komentáře k niektorým novým taxónom. Kaktusy 37(1): 7-9, ills. [On *Mammillaria gisela*, *M. marcosii*, *M. machucae* and *M. scheinvariana*.]
- [497] Zahra, R. (2001). *Pierrebraunia brauniorum* Esteves. Brit. Cact. Succ. J. 19(1): 15-16, ills. [Included for the illustrations.]

BIBLIOGRAPHIA

Cross-References of Author Names

- Addicott, J. F.: → Csotonyi, J. T.
 Albert, V. A.: → Potgieter, K.
 Baeza, C.: → Marticorena, C.
 Barrie, F. R.: → Turland, N. J.
 Batis, A. I.: → Rojas-Aréchiga, M.
 Blum, W.: → Rutow, J.
 Carlaw, G.: → McCraith, S.
 Carter Brown, M. E.: → Murdy, W. H.
 Chayamarit, K.: → Esser, H.-J.
 Cieza Padilla, N.: → Klopfenstein, O.
 Condy, G.: → Craib, C.
 Condy, G.: → Herman, P. P. J.
 Condy, G.: → Marais, E. M.
 Crouch, N. R.: → Smith, G. F.
 Donkelaar, R. van: → Kleijn, D.
 Dorsch, R.: → Bauer, R.
 Eggli, U.: → Thiede, J.
 Franco, M.: → Rodríguez Ortega, C. E.
 Gertel, W.: → Fritz, G.
 Greuter, W.: → Deschâtres, R.
 Greuter, W.: → Doweld, A. B.
 Hammer, S.: → Dold, T.
 Hammer, S.: → Opel, M.
 Hanson, M. A.: → Lenz, L. W.
 Hanácek, P.: → Ricánek, M.
 Heras, H. M.: → Palomino, G.
 Hernandez Cházaro, P.: → Cházaro Basáñez, M. J.
 Hernández Sandoval, L.: → Magallán Hernández, F.
 Hirose, Y.: → Butler, A.
 Hofacker, A.: → Gilmer, K.
 Hultgård, U.-M.: → Lökvist, B.
 Idnurm, A.: → Boyle, T. H.
 Jackson, M. D.: → Guralnik, L. J.
 Johnson, R. A.: → Baker, M. A.
 Kristen, M.: → Eitter, J.
 Köllner, G.: → Oeser, R.
 Lavranos, J. J.: → Mies, B. A.
 Leach, L. C.: → Carter, S.
 Leroy, A.: → Ferguson, D.
 Liede, S.: → Meve, U.
 Linder Smith, C.: → Kurzweil, H.
 Lodé, J.: → Dicht, R.
 Lüthy, A. D.: → Dicht, R.
 Lüthy, A. D.: → Dicht, R. F.
 Mangelsdorff, R. M.: → Meve, U.
 McConnell, D. B.: → Pennisi Svoboda, V.
 Meer, P. van der: → Guillot Ortiz, D.
 Meve, U.: → Albers, F.
 Meve, U.: → Liede, S.
 Mies, B.: → Lavranos, J. J.
 Mottram, R.: → Crook, R.
 Mukherjee, A.: → Banerjee, G.
 Muniyamma, M.: → Shiva Kameshwari, M. N.
 Nobel, P. S.: → Bobich, E. G.
 Ohba, H.: → Fu, K. T.
 Olesen, J. M.: → Jorgensen, T. H.
 Palisano, G.: → Matarese, G. P.
 Paton, A.: → Ryding, O.
 Pavelka, P.: → Starhá, R.
 Picca, P.: → Font, F.
 Piennaar, U. de Villiers: → Jaarsveld, E. J. van
 Pierson, E. A.: → Bowers, J. E.
 Pinkava, D. J.: → Ickert-Bond, S.
 Pinkava, D. J.: → Rebman, J. P.
 Raven, P. H. (eds.): → Wu, Z.-Y.
 Ricánek, M.: → Hanácek, P.
 Rundel, P. W.: → Gibson, A. C.
 Seda, V.: → Odehnal, J.
 Smith, G. F.: → Steyn, E. M. A.
 Smith, G. F.: → Wyk, A. E. van
 Sobka, H.: → Mucha, A.
 Soltero Quintana, R.: → Velázquez Enciso, L. E.
 Speta, F.: → Pfosser, M. F.
 Srivastava, S. K.: → Sinha, B. K.
 Stevens, W. D.: → Endress, M. E.
 Stone-Palmquist, M. E.: → Mauseth, J. D.
 Strecker, W.: → Heek, W. van
 Stuessy, T. F.: → Bohm, B. A.
 Thiede, J.: → Metzing, D.
 Thomas, H.-P.: → Gilmer, K.
 Venter, H. J. T.: → Verhoeven, R. L.
 Verhoeven, R. L.: → Venter, H. J. T.
 Wallace, R. S.: → Applequist, W. L.
 Weedin, J. F.: → Powell, A. M.
 Williams, R. R.: → McLaughlin, S. P.
 Winthagen, D.: → Lawant, P.
 Witkowski, E. T. F.: → Pfab, M. F.
 Wolf, F.: → Meve, U.
 Wyk, B.-E. van: → Viljoen, A. M.
 Wyk, B. van: → Jaarsveld, E. van
 Zahra, R.: → Gerloff, N.
 Zanovello, C.: → Mosco, A.