


ISSN 0486-4271



**Repertorium  
Plantarum  
Succulentarum  
LIII (2002)**

# **Repertorium Plantarum Succulentarum LIII (2002)**

*Index nominum novarum plantarum succulentarum anno MMII editorum  
nec non bibliographia taxonomica ab U. Eggli et D. C. Zappi  
compositus.*

International Organization for Succulent Plant Study  
Internationale Organisation für Sukkulantenforschung

November 2003

ISSN 0486-4271

### **Conventions used in Repertorium Plantarum Succulentarum**

- Repertorium Plantarum Succulentarum attempts to list, under separate headings, newly published names of succulent plants and relevant literature on the systematics of these plants, on an annual basis. New names noted after the issue for the relevant year has gone to press are included in later issues. Specialist periodical literature is scanned in full (as available at the libraries at ZSS and Z or received by the compilers). Also included is information supplied to the compilers direct. It is urgently requested that any reprints of papers not published in readily available botanical literature be sent to the compilers.
- Validly published names are given in **bold face** type, accompanied by an indication of the nomenclatural type (name or specimen dependent on rank), followed by the herbarium acronyms of the herbaria where the holotype and possible isotypes are said to be deposited (first acronym for holotype), according to Index Herbariorum, ed. 8 and supplements as published in Taxon. Invalid, illegitimate, or incorrect names are given in *italic* type face. In either case a full bibliographic reference is given. For new combinations, the basionym is also listed. For invalid, illegitimate or incorrect names, the articles of the ICBN which have been contravened are indicated in brackets (note that the numbering of some regularly cited articles has changed in the Tokyo (1994) edition of ICBN).
- The compilers would like to point out that they do not accept any names that might be inadvertently validated in this volume of RPS.
- Bibliographic details of papers dealing only with the description of one or two new taxa are not repeated in the bibliographic section.
- Abbreviations for periodicals are those suggested in 'Bibliography of Succulent Plant Periodicals' (U. Eggli in Friciana 60: 1-139, 1998 ('1995')) for specialized periodicals, or those of Bibliographia Periodicorum Huntianum (including Supplement) for most other periodicals.

### **Konventionen im Zusammenhang mit dem Repertorium Plantarum Succulentarum**

- Das Repertorium Plantarum Succulentarum ist eine jährlich herausgegebene Zusammenstellung neuer Namen für sukkulente Pflanzen und der relevanten systematischen Literatur. Neue Namen, die nach der Drucklegung der Ausgabe des betreffenden Jahres bekannt werden, erscheinen in der nächsten erreichbaren Ausgabe. Spezialisierte Zeitschriften werden umfassend durchgesehen, soweit sie in den Bibliotheken von Z und ZSS vorhanden sind oder den Herausgebern privat vorliegen. Die Herausgeber bitten alle Autoren dringend, Separata relevanter Publikationen zur Verfügung zu stellen, vor allem wenn es sich um Beiträge in schwer zugänglichen Serien handelt.
- Gültig veröffentlichte Namen werden in **Fettschrift** wiedergegeben unter Angabe des nomenclatorischen Typs (Name oder Belegexemplar je nach Rangstufe; gefolgt von den Herbarakürzungen [entsprechend Index Herbariorum, ed. 8, und in Taxon publizierten Supplementen] der publizierten Hinterlegungsorte für Holotyp [1. Abkürzung] und Isotypen). Ungültige, illegitime oder falsch angewandte Namen erscheinen in *Kursivschrift* unter Angabe (in Klammer) derjenigen Artikel des ICBN, die verletzt worden sind. In allen Fällen folgen die kompletten bibliographischen Angaben. Für Umkombinationen wird auch das Basionym angegeben. Dabei ist zu beachten, dass die Nummerierung einiger häufig zitierten Artikel mit dem Erscheinen der Tokyo-Version (1994) des ICBN geändert hat.
- Die Herausgeber weisen mit aller Deutlichkeit darauf hin, dass sie keinen Namen anerkennen, der zufälligerweise in dieser Ausgabe des RPS validiert worden sein könnte.
- Beiträge, welche nur Beschreibungen eines oder zweier Taxa enthalten, werden in der bibliographischen Liste nicht separat aufgeführt.
- Die Abkürzungen für spezialisierte Sukkulanten-Zeitschriften richten sich nach 'Bibliography of Succulent Plant Periodicals' (U. Eggli in Friciana 60: 1-139, 1998 ('1995')), für allgemeine botanische Zeitschriften in der Regel nach Bibliographia Periodicorum Huntianum und Supplement.

Compiled by / Zusammengestellt von:

U. Eggli, Sukkulanten-Sammlung Zürich, Mythenquai 88, CH-8002 Zürich, Switzerland.  
D. C. Zappi, The Herbarium, Royal Botanic Gardens Kew, Richmond, Surrey TW9 3AE, U.K.

Available from (incl. back issues) / Erhältlich durch (inkl. bereits erschienene Hefte):

IOS, c/o Sukkulanten-Sammlung Zürich (address above / Adresse siehe oben).

© by IOS, Zürich (Switzerland) 2003. ISSN 0486-4271.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying or otherwise, without the prior written permission of the copyright holder.

### **Compilers' Preface**

The present issue of the "Repertorium" is one of the largest so far compiled. Reasons for this are manyfold, and the incumbent production of the "Cactus Lexicon" certainly provides its share of new names.

Thanks go to R. Nyffeler and B. Leuenberger for their special help with obscure literature and references to general botanical journals. Further thanks go to N. P. Taylor as well as the Index Kewensis team and Katherine Challis for stimulating discussions on nomenclatural issues. Finally, we are especially grateful to all those authors – members of IOS or not – that have supplied the ZSS library with separate prints of their papers. Their kindness has facilitated the compilation of this Repertorium. In this context, we should like to remind all those publishing on succulent plants in "general" botanical journals to supply a reprint to the IOS archives at the Sukkulanten-Sammlung Zürich.

### **Vorwort der Herausgeber**

Die vorliegende Ausgabe des "Repertorium" gehört zu den grössten, die bisher zusammengestellt wurden. Dafür gibt es mehrere Gründe, wobei die in naher Zukunft zu erwartende Veröffentlichung des "Cactus Lexicon" sicherlich auch zur Flut neuer Namen beiträgt.

Ein Dankeschön geht an R. Nyffeler und B. Leuenberger für die spezielle Hilfe im Zusammenhang mit schwer zu erhaltender Literatur sowie für die Hilfe bei Veröffentlichungen in allgemeinen botanischen Zeitschriften. Ein weiterer Dank geht an N. P. Taylor sowie das Team des Index Kewensis und Katherine Challis für die befruchtenden Diskussionen nomenklatorischer Problemfälle. Schliesslich geht ein Dank an alle Autorinnen und Autoren – Mitglieder der IOS oder nicht – welche die Bibliothek ZSS mit Separatdrucken ihrer Veröffentlichungen bedient haben. Diese Hilfe hat uns die Zusammenstellung dieses Repertorioms wesentlich erleichtert. In diesem Zusammenhang dürfen wir alle diejenigen, welche in "allgemeinen" botanischen Zeitschriften über Sukkulanten publizieren, bitten, das IOS-Archiv an der Sukkulanten-Sammlung Zürich doch jeweils mit einem Sonderdruck zu bedienen.

**Correction to previous volumes**

- The name *Notocactus* subser. *Werdermannianus* Prauser was incorrectly shown as having the rank of ser. in RPS 52. Thanks go to W. Prauser for pointing this out. In addition, the name *Notocactus* subser. *Tabulares* Prauser was not included in RPS in the belief that the name was previously published (see this issue for details).

**Korrektur zu früheren Bänden**

- Der Name *Notocactus* subser. *Werdermannianus* Prauser wurde im RPS 52 fälschlicherweise unter der Rangstufe ser. aufgeführt, und wir danken W. Prauser für seinen entsprechenden Hinweis. Darüberhinaus wurde der Name *Notocactus* subser. *Tabulares* Prauser ausgelassen, weil wir angenommen hatten, dass dieser Name bereits früher veröffentlicht worden sei (vgl. die vorliegende Ausgabe für weitere Angaben).

# NOMINA NOVA

## AGAVACEAE

- Agave** *garciae-mendozae* Galván & L. Hernández, Cact. Succ. J. (US) 74(4): 188, illus. (pp. 189-190), 2002. Typus: *Galván et Galván* 4646 (ENCB, CHAPA, MEXU, MO, QMEX, UAMIZ).
- Agave** *ovatifolia* G. Starr & Villarreal, Sida 20(2): 495-496, ill., 2002. Typus: *Villarreal et al.* 9180 (MEXU, ANSM, TEX).
- Agave** *victoriae-reginae* ssp. *swobodae* Halda, Acta Mus. Richnov. Sect. Nat. 7(2): 71, 2000. Typus: *Halda* 8504315 (PR). [Amplified description in l.c. 9(1): 2-3, fig. 2, 2003 ('2002').]
- Yucca** Ser. **Baccatae** Hochstätter, Cactaceae Rev. 5(1): 19, 2002. Typus: *Yucca baccata* Torrey.
- Yucca** Ser. **Faxonianae** Hochstätter, Cactaceae Rev. 5(1): 19, 2002. Typus: *Yucca faxoniana* (Trelease) Sargent.
- Yucca** Ser. **Filamentosae** Hochstätter, Cactaceae Rev. 5(1): 18, 2002. Typus: *Yucca filamentosa*. First published invalidly (Art. 37.5) in Kaktusbüste 2001: 7, 2001 (cf. RPS 52).
- Yucca** Ser. **Glaucæ** Hochstätter, Cactaceae Rev. 5(1): 18, 2002. Typus: *Yucca glauca* Nuttall.
- Yucca** Ser. **Gloriosæ** Hochstätter, Succulenta 81(2): 89, (3): 135 [erratum], 2002. Typus: *Yucca gloriosa* Linné (cf. erratum).
- Yucca** Ser. **Harrimanae** Hochstätter, Cactaceae Rev. 5(1): 17, 2002. Typus: *Yucca harrimanae* Trelease.
- Yucca** Ser. **Rupicolæ** Hochstätter, Cactaceae Rev. 5(1): 17, 2002. Typus: *Yucca rupicola* Scheele.

## AIZOACEAE

- Cheiridopsis** *umbrosa* S. A. Hammer & Desmet, Cact. Succ. J. (US) 74(3): 114-115, illus. (pp. 112-113), 2002. Typus: *Barnhill et Hammer* 2300A (BOL).
- Conophytum** cv. **Don Juan** S. A. Hammer, New Views Gen. Conophytum, 291, ill., 2002. [= *C. maughanii* ssp. *maughanii* × *C. stephanii* ssp. *helmutii*.]
- Conophytum** cv. **Eleanor's Ruby** S. A. Hammer, New Views Gen. Conophytum, 290, ill., 2002. [= *C. lithopsoides* ssp. *boreale* × (*C. lithopsoides* ssp. *lithopsoides* × *C. lithopsoides* ssp. *koubergense*).]
- Conophytum** cv. **Firesphere** S. A. Hammer, New Views Gen. Conophytum, 292, ill., 2002. [= *C. maughanii* ssp. *maughanii* × *C. stephanii* ssp. *helmutii*.]
- Conophytum** cv. **Hanamatsuri** S. A. Hammer, New Views Gen. Conophytum, 286, ill., 2002. [A flower colour variant of *Conophytum* 'Goshu-Goruma'.]

- Conophytum** cv. **Mabel's Fire** S. A. Hammer, New Views Gen. Conophytum, 296, ill., 2002. [= *C. wettsteinii* × *C. flavum* ssp. *flavum*, F2 generation.]
- Conophytum** cv. **Mabel's Milkman** S. A. Hammer, New Views Gen. Conophytum, 288, ill., 2002. [= *C. ectypum* ssp. *brownii* × *C. bilobum*.]
- Conophytum** cv. **Madame K** S. A. Hammer, New Views Gen. Conophytum, 291, ill., 2002. [= *C. maughanii* ssp. *armeniacum* × *C. obcordellum* var. *ceresonianum*.]
- Conophytum** cv. **Nancibelle** S. A. Hammer, New Views Gen. Conophytum, 297, ill., 2002. [= (*C. wettsteinii* × *C. flavum* ssp. *flavum*) × *C. cucundrum* ssp. *fragile* "avenantii".]
- Conophytum** cv. **Night and Day** S. A. Hammer, New Views Gen. Conophytum, 288, ill., 2002. [= *C. friedrichiae* × *C. ficiforme*.]
- Conophytum** cv. **Rose Dawn** S. A. Hammer, New Views Gen. Conophytum, 291, ill., 2002. [= *C. maughanii* ssp. *maughanii* × *C. stephanii* ssp. *helmutii*.]
- Conophytum** cv. **Secret of Suzanne** S. A. Hammer, New Views Gen. Conophytum, 289, ill., 2002. [= *C. ectypum* ssp. *brownii* × *C. bilobum*; = *Conophytum* × *marnierianum*.]
- Conophytum arthurofago** (S. A. Hammer) S. A. Hammer, New Views Gen. Conophytum, 64, 2002. Basionym: *Conophytum lithopsoides* ssp. *arthurofago*. [Validity of the combination questionable under Art. 33.3 and depending on the interpretation of what constitutes an "indication" of the replaced name. This comment applies to all other combinations published in this book.]
- Conophytum bilobum** ssp. **altum** (L. Bolus) S. A. Hammer, New Views Gen. Conophytum, 85, 2002. Basionym: *Conophytum altum*.
- Conophytum bilobum** ssp. **claviferens** S. A. Hammer, New Views Gen. Conophytum, 86, fig. 62 (p. 74), 2002. Typus: *Hammer et Marx* 2465 (BOL).
- Conophytum bilobum** var. **elishae** (N. E. Brown) S. A. Hammer, New Views Gen. Conophytum, 85, 2002. Basionym: *Mesembryanthemum elishae*.
- Conophytum bilobum** var. **linearilucidum** (L. Bolus) S. A. Hammer, New Views Gen. Conophytum, 85, 2002. Basionym: *Conophytum linearilucidum*.
- Conophytum bilobum** var. **muscosipapillatum** (Lavis) S. A. Hammer, New Views Gen. Conophytum, 85, 2002. Basionym: *Conophytum muscosipapillatum*.
- Conophytum** *depressum* ssp. **perdurans** S. A. Hammer, New Views Gen. Conophytum, 121, ill. (p. 101), 2002. Typus: *Hammer et Smale* 458/88 (BOL).
- Conophytum ectypum** ssp. **brownii** (Tischer) S. A. Hammer, New Views Gen. Conophytum,

- 125, ills. (p. 103), 2002. Basionym: *Conophytum brownii*.
- Conophytum ectypum** ssp. **ignavum** S. A. Hammer, New Views Gen. Conophytum, 125, ills. (p. 104), 2002. Typus: Hammer et al. 2425 (BOL).
- Conophytum francoiseae** (S. A. Hammer) S. A. Hammer, New Views Gen. Conophytum, 133, ills. (p. 109), 2002. Basionym: *Conophytum wettsteinii* ssp. *francoiseae*.
- Conophytum hermarium** (S. A. Hammer) S. A. Hammer, New Views Gen. Conophytum, 142, ills. (p. 110), 2002. Basionym: *Conophytum smorenkaduense* ssp. *hermarium*.
- Conophytum jucundum** ssp. **fragile** (Tischer) S. A. Hammer, New Views Gen. Conophytum, 165, ills. (p. 148), 2002. Basionym: *Conophytum fragile*.
- Conophytum jucundum** ssp. **ruschii** (Schwantes) S. A. Hammer, New Views Gen. Conophytum, 165, ills. (p. 149), 2002. Basionym: *Conophytum ruschii*.
- Conophytum marginatum** ssp. **haramoepense** (L. Bolus) S. A. Hammer, New Views Gen. Conophytum, 181, ills. (p. 154), 2002. Basionym: *Ophthalmophyllum haramoepense*.
- Conophytum marginatum** ssp. **littlewoodii** (L. Bolus) S. A. Hammer, New Views Gen. Conophytum, 181, ills. (p. 154), 2002. Basionym: *Conophytum littlewoodii*.
- Conophytum minusculum** ssp. **aestiflorens** S. A. Hammer & Smale, in S. A. Hammer, New Views Gen. Conophytum, 187–188, ills. (p. 159), 2002. Typus: Mitchell 448a (NBG).
- Conophytum obscurum** ssp. **sponsaliorum** (S. A. Hammer) S. A. Hammer, New Views Gen. Conophytum, 212, ills. (p. 197), 2002. Basionym: *Conophytum bachelorum* ssp. *sponsaliorum*.
- Conophytum pellucidum** ssp. **saueri** S. A. Hammer & Smale, in S. A. Hammer, New Views Gen. Conophytum, 216, ills. (p. 202), 2002. Typus: Sauer 89/0401 (BOL).
- Conophytum swanepoelianum** ssp. **rubrolineatum** (Rawé) S. A. Hammer, New Views Gen. Conophytum, 263, ills. (p. 247), 2002. Basionym: *Conophytum rubrolineatum*.
- Conophytum tantillum** ssp. **eenkokerense** (L. Bolus) S. A. Hammer, New Views Gen. Conophytum, 265, ills. (p. 248), 2002. Basionym: *Conophytum eenkokerense*.
- Conophytum velutinum** ssp. **polyandrum** (Lavis) S. A. Hammer, New Views Gen. Conophytum, 279, ills. (p. 254), 2002. Basionym: *Conophytum polyandrum*.
- Delospermeae** Chesselet & al., Taxon 51(2): 306, 2002. Typus: *Delosperma* N. E. Brown. [Used as tribal name in *Mesembryanthemaceae*. First used as provisional name in Aloe 38(1-2): 27, 2001]
- Dorotheantheae** Chesselet & al., Taxon 51(2): 306, 2002. Basionym: *Dorotheanthinae*. [Used as tribal name in *Mesembryanthemaceae*. First used as provisional name in Aloe 38(1-2): 27, 2001]
- Drosanthemum dipageae** H. E. K. Hartmann, Bradleya 20: 146, figs. 7-9 (p. 127), 2002. Typus: Hartmann 34260 (HBG).
- Hallianthus griseus** S. A. Hammer & U. Schmiedel, Cact. Succ. J. (US) 74(5): 227-231, ills., 2002. Typus: Hammer et al. 2575 (BOL).
- Jordaaniella anemoniflora** (L. Bolus) van Jaarsveld, Haseltonia 8: 41, ill. (p. 39), 2002. Basionym: *Mesembryanthemum anemoniflorum*. [Vol. for 2001, post-marked Dec. 2002.]
- Jordaaniella maritima** (L. Bolus) van Jaarsveld, Haseltonia 8: 41, ills. (p. 40), 2002. Basionym: *Mesembryanthemum maritimum*. [Vol. for 2001, post-marked Dec. 2002.]
- Lithops bromfieldii** var. **bromfieldii** ‘White Nymph’ Y. Shimada, Mesemb Study Group Bull. 17(3): 62, ill. (p. 60), 2002. [A horticultural selection from crossing different clones of the taxon. Reprinted in ISIJ Newslett. No. 54: 2, 2003 (without ill.).]
- Malephora pienaarri** van Jaarsveld, Haseltonia 8: 39-40, ill. (p. 38), 2002. Typus: de Villiers Pienaar s.n. (NBG). [Vol. for 2001, post-marked Dec. 2002.]

## ALOACEAE

- Aloe cv. Midas** Audissou, Alsterworthia Internat. 2(1): 3, ills., 2002. [= *Aloe rauhii* × *A. bellatula*] × *A. sladeniana*.]
- Aloe cv. Tiny Gem** Audissou, Alsterworthia Internat. 2(1): 5, ill., 2002. [= *Aloe descoingsii* × *A. sladeniana*.]
- Aloe andohahelensis** Castillon, J. Bot. Soc. Bot. France 16: 41-44, 2002. Typus: Castillon 9 (P). [Dated 2001, publ. 2002 fide K.]
- Aloe arborescens** cv. **Compton** van Jaarsveld, Veld. Fl. (1975+) 88(2): 63, ill., 2002. [A horticultural selection obtained at Kirstenbosch National Botanical Gardens.]
- Aloe arborescens** cv. **Eloff** van Jaarsveld, Veld. Fl. (1975+) 88(2): 64, ill., 2002. [A horticultural selection obtained at Kirstenbosch National Botanical Gardens.]
- Aloe arborescens** cv. **Huntley** van Jaarsveld, Veld. Fl. (1975+) 88(2): 64, ill., 2002. [A horticultural selection obtained at Kirstenbosch National Botanical Gardens.]
- Aloe arborescens** cv. **Jack Marais** van Jaarsveld, Veld. Fl. (1975+) 88(2): 65, ill., 2002. [A horticultural selection obtained at Kirstenbosch National Botanical Gardens.]
- Aloe arborescens** cv. **John Winter** van Jaarsveld, Veld. Fl. (1975+) 88(2): 65, ill., 2002. [A horticultural selection obtained at Kirstenbosch National Botanical Gardens.]
- Aloe arborescens** cv. **Mathews** van Jaarsveld, Veld. Fl. (1975+) 88(2): 64, ill., 2002. [A horticultural selection obtained at Kirstenbosch National Botanical Gardens.]
- Aloe arborescens** cv. **Pearson** van Jaarsveld, Veld. Fl. (1975+) 88(2): 63, ill., 2002. [A hor-

- ticultural selection obtained at Kirstenbosch National Botanical Gardens.]
- Aloe arborescens** cv. **Philip le Roux** van Jaarsveld, Veld. Fl. (1975+) 88(2): 65, ill., 2002. [A horticultural selection obtained at Kirstenbosch National Botanical Gardens.]
- Aloe arborescens** cv. **Rycroft** van Jaarsveld, Veld. Fl. (1975+) 88(2): 64, ill., 2002. [A horticultural selection obtained at Kirstenbosch National Botanical Gardens.]
- Aloe canis* S. Lane, Aloe 38(3/4): 72-73, ill., 2002. Typus: MAL [Apparently based on 2 syntypes from Malawi]. *Nom. inval.* (Art. 9.1, 37.1). [Sphalm. 'canii'].
- Aloe carolineae* L. E. Newton, Brit. Cact. Succ. J. 20(4): 205, ill., 2002. Typus: *Newton et al.* 5764 (EA).
- Aloe dichotoma* ssp. *pillansii* (L. Guthrie) Zonneveld, Bradleya 20: 10, 2002. Basionym: *Aloe pillansii*.
- Aloe dichotoma* ssp. *ramosissima* (Pillans) Zonneveld, Bradleya 20: 10, 2002. Basionym: *Aloe ramosissima*.
- Aloe hoffmannii* Lavranos, Cact. Succ. J. (US) 74(3): 116-118, ill., 2002. Typus: *Röösli et Hoffmann* 43/95 (P).
- Aloe mahraensis* Lavranos & McCoy, Cact. Succ. J. (US) 74(5): 238-240, ill., 2002. Typus: *Lavranos et al.* 31475 (MO, P).
- Aloe mitriformis* ssp. *comptonii* (Reynolds) Zonneveld, Bradleya 20: 10, 2002. Basionym: *Aloe comptonii*.
- Aloe mitriformis* ssp. *distans* (Haworth) Zonneveld, Bradleya 20: 10, 2002. Basionym: *Aloe distans*.
- Aloe praetermissa* T. A. McCoy & Lavranos, Cact. Succ. J. (US) 74(1): 27-28, ill., 2002. Typus: *McCoy* 2298 (MO, K, P).
- Aloe rebmannii* Lavranos, Cact. Succ. J. (US) 74(3): 118-120, ill., 2002. Typus: *Rebmann* s.n. (P).
- Aloe teissieri* Lavranos, Cact. Succ. J. (US) 74(2): 65-66, ill., 2002. Typus: *Teissier* 232 (P).
- ✗*Gasteraloe* cv. **Lucia** Audissou, Alsterworthia Internat. 2(1): 5, ill., 2002. [= *Gasteria glomerata* × *Aloe parvula*.]
- ✗*Gasterhaworthia* cv. **Black Snake** Audissou, Alsterworthia Internat. 2(1): 4, ill., 2002. [= *Haworthia koelmaniorum* × *Gasteria baylisiana*.]
- ✗*Gasterhaworthia* cv. **Sabrina** Audissou, Alsterworthia Internat. 2(1): 4, ill., 2002. [= *Haworthia longiana* × *Gasteria glomerata*.]
- Gasteria carinata* var. *retusa* 'White Shark' Mak, Alsterworthia Internat. 2(3): 14, ill., 2002.
- Haworthia* cv. **Crocodile Skin** Audissou, Alsterworthia Internat. 2(1): 4, ill., 2002. [= *Haworthia koelmaniorum* × *H. limifolia* var. *ubomboensis*.]
- Haworthia* cv. **Green Sword** Mak, Alsterworthia Internat. 2(2): 4, ill., 2002. [= *Haworthia blackburniae* × *H. emelyae* var. *major* hybrid.]
- Haworthia* cv. **Lady Lai Kuen** Mak, Alsterworthia Internat. 2(3): 14, ill., 2002. [= *Haworthia bayeri* × *H. emelyae* var. *comptoniana*.]
- Haworthia** cv. **Zenigata** Mak, Alsterworthia Internat. 3(1): 4, ill. (p. 3), 2003. [Based on *Haworthia zenigata* M. Hayashi 2001.]
- Haworthia* Subgen. *Globosiflora* M. Hayashi, Alsterworthia Internat. 2(3): 9, 2002. *Nom. inval.* (Art. 36.1, 37.1). [Mentioned in passing in the form of a "false example".]
- Haworthia* Subgen. *Trigonoflora* M. Hayashi, Alsterworthia Internat. 2(3): 9, 2002. *Nom. inval.* (Art. 36.1, 37.1). [Mentioned in passing in the form of a "false example".]
- Haworthia agnis** Battista, Alsterworthia Internat. 2(2): 8-9, ill., 2002. Typus: *Battista et Archer* 01-01 (PAD (HG 1029)).
- Haworthia albertinensis* Breuer, Alsterworthia Internat. 2(3): 3, ill., 2002. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia albispina** M. Hayashi, Haworthia Study No. 8: 1-2, ill., 2002. Typus: *Hayashi* 02-48 (Res. Inst. Evol. Biol., Tokyo).
- Haworthia bayeri* var. *scabrifolia* Breuer, Alsterworthia Internat. 2(3): 3, ill., 2002. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia bolusii** var. **pringlei** (C. L. Scott) M. B. Bayer, Haworthiad 16(2): 62, 2002. Basionym: *Haworthia pringlei*.
- Haworthia breueri** M. Hayashi, Haworthia Study No. 7: 14, ill., 2002. Typus: *Hayashi* 84-25 (Res. Inst. Evol. Biol., Tokyo).
- Haworthia cooperi** var. **doldii** M. B. Bayer, Haworthiad 16(2): 65-66, ill. (p. 71), 2002. Typus: *Dold* 3961 (GRA).
- Haworthia cooperi** var. **gracilis** (von Poellnitz) M. B. Bayer, Haworthiad 16(2): 64, 2002. Basionym: *Haworthia gracilis*.
- Haworthia cooperi** var. **isabellae** (von Poellnitz) M. B. Bayer, Haworthiad 16(2): 65, 2002. Basionym: *Haworthia isabellae*.
- Haworthia cooperi** var. **picturata** (M. B. Bayer) M. B. Bayer, Haworthiad 16(2): 65, 2002. Basionym: *Haworthia gracilis* var. *picturata*.
- Haworthia cooperi** var. **tenera** (von Poellnitz) M. B. Bayer, Haworthiad 16(2): 65, 2002. Basionym: *Haworthia tenera*.
- Haworthia cooperi** var. **viridis** (M. B. Bayer) M. B. Bayer, Haworthiad 16(2): 65, 2002. Basionym: *Haworthia gracilis* var. *viridis*.
- Haworthia correcta** var. **lucida** M. Hayashi, Haworthia Study No. 7: 14, ill., 2002. Typus: *Hayashi* 86-33 (Res. Inst. Evol. Biol., Tokyo).
- Haworthia cymbiformis** var. **obtusa** 'Chik-chun Mak' Mak, Alsterworthia Internat. 2(2): 3, ill., 2002. [A yellow variegated sport obtained in cultivation.]
- Haworthia decipiens** var. **virella** M. B. Bayer, Haworthiad 16(2): 63-64, ill. (p. 66-70), 2002. Typus: *Bayer* 2070 (NBG).
- Haworthia decipiens** var. **xiphiophylla** (Baker) M. B. Bayer, Haworthiad 16(2): 63, 2002. Basionym: *Haworthia xiphiophylla*.
- Haworthia devriesii* Breuer, Alsterworthia Internat. 2(3): 3, ill., 2002. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia enigma** M. Hayashi, Haworthia Study

- No. 7: 14, ill., 2002. Typus: *Hayashi* 96-5 (Res. Inst. Evol. Biol. Tokyo).
- Haworthia esterhuizenii** M. Hayashi, Haworthia Study No. 7: 14, ill., 2002. Typus: *Hayashi* 96-6 (Res. Inst. Evol. Biol. Tokyo). [*Non H. esterhuizenii* Breuer 2002 (*nom. nud.*).]
- Haworthia esterhuizenii* Breuer, Alsterworthia Internat. 2(3): 3-4, ill., 2002. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name. *Non Haworthia esterhuizenii* M. Hayashi 2002.]
- Haworthia hayashii** M. Hayashi, Haworthia Study No. 7: 14, ill., 2002. Typus: *Hayashi* 81-122 (Res. Inst. Evol. Biol. Tokyo).
- Haworthia jansenvillensis* Breuer, Alsterworthia Internat. 2(3): 4, ill., 2002. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia leightonii* var. *davidii* Breuer, Alsterworthia Internat. 2(3): 4-5, ill., 2002. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia leightonii* var. *doldii* Breuer, Alsterworthia Internat. 2(3): 4-5, ill., 2002. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia magnifica* var. *pseudomutica* Breuer, Alsterworthia Internat. 2(3): 4-5, ill., 2002. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia mucronata* var. *calitzdorpensis* Breuer, Alsterworthia Internat. 2(3): 4-5, ill., 2002. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia multifolia* var. *sandkraalensis* Breuer, Alsterworthia Internat. 2(3): 5, ill., 2002. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia odetteae* Breuer, Alsterworthia Internat. 2(3): 5-6, ill., 2002. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia picta* var. *janvlokii* Breuer, Alsterworthia Internat. 2(3): 5-6, ill., 2002. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia picta* var. *tricolor* Breuer, Alsterworthia Internat. 2(3): 5-6, ill., 2002. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia pygmaea** var. **pygmaea** ‘Frosty Cream’ Mak, Alsterworthia Internat. 2(2): 3, ill., 2002. [A variegated form encountered in cultivation.]
- Haworthia pygmaea** var. **pygmaea** ‘Silver Thunder’ Mak, Alsterworthia Internat. 2(2): 3, ill., 2002. [From material cultivated in Japan, probably selected from a wild population.]
- Haworthia scottii* Breuer, Alsterworthia Internat. 2(3): 5-6, ill., 2002. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia tradouwensis* Breuer, Alsterworthia Internat. 2(3): 6-7, ill., 2002. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia tretyrensis* Breuer, Alsterworthia Internat. 2(3): 6-7, ill., 2002. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]

*Haworthia truncata* var. *minor* Breuer, Alsterworthia Internat. 2(3): 6-7, ill., 2002. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]

*Haworthia viscosa* var. *variabilis* Breuer, Alsterworthia Internat. 2(3): 6-7, ill., 2002. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]

## APOCYNACEAE

**Pachypodium namaquanum** cv. **Umdaus** Halda, Atlas Sukk. 5: no. 187, ill., 2002. [Dated 2001, published c. Dec. 2002 or even Jan. 2003 (received 20. 1. 2003). A cristate form.]

## ASCLEPIADACEAE

**Anomalluma mccoyi** (Lavrano & Mies) Meve & Liede, Pl. Syst. Evol. 234(1-4): 204, 2002. Basionym: *Pseudolithos mccoyi*.

**Apteranthes burchardii** ssp. **maura** (Maire) Meve & F. Albers ex Meve & Liede, Pl. Syst. Evol. 234(1-4): 198, 2002. Basionym: *Caralluma burchardii* var. *maura*.

**Apteranthes munbyana** (Decaisne) Meve & Liede, Pl. Syst. Evol. 234(1-4): 199, 2002. Basionym: *Boucerosia munbyana*.

**Apteranthes staintonii** (H. Hara) Meve & Liede, Pl. Syst. Evol. 234(1-4): 199, 2002. Basionym: *Caralluma staintonii*.

**Apteranthes tuberculata** (N. E. Brown) Meve & Liede, Pl. Syst. Evol. 234(1-4): 199, 2002. Basionym: *Caralluma tuberculata*.

**Boucerosia frerei** (G. D. Rowley) Meve & Liede, Pl. Syst. Evol. 234(1-4): 200, 2002. Basionym: *Caralluma frerei*.

**Brachystelma cummingii** A. P. Dold, Bothalia 32(1): 71-73, ill., 2002. Typus: *Dold* 4368 (GRA).

**Caralluma geniculata** (Gravely & Mayurathan) Meve & Liede, Pl. Syst. Evol. 234(1-4): 197, 2002. Basionym: *Caralluma adscendens* var. *geniculata*.

**Caudanthera edulis** (Edgeworth) Meve & Liede, Pl. Syst. Evol. 234(1-4): 201, 2002. Basionym: *Boucerosia edulis*.

**Ceropegia zambesiaca** Masinde & Meve, Kew Bull. 57: 205-208, ill., 2002. Typus: *Bingham* s.n. (K, EA, MSUN, UBT) [Ex cult. Münster and Bayreuth].

**Desmidorchis adenensis** (Deflers) Meve & Liede, Pl. Syst. Evol. 234(1-4): 202, 2002. Basionym: *Boucerosia adenensis*.

**Desmidorchis arabica** (N. E. Brown) Collenette, Brit. Cact. Succ. J. 20(1): 7, ill., 2002. Basionym: *Caralluma arabica*. [Sphalm. ‘arabicus’. Repeated by Meve & Liede, Pl. Syst. Evol. 234(1-4): 202, 2002.]

**Desmidorchis awdeliana** (Deflers) Meve & Liede, Pl. Syst. Evol. 234(1-4): 202, 2002. Basio-

- nym: *Boucerosia awdeliana*. [Sphalm. 'awdelianus'.]
- Desmidorchis flava** (N. E. Brown) Meve & Liede, Pl. Syst. Evol. 234(1-4): 202, 2002. Basionym: *Caralluma flava*. [Sphalm. 'flavus']. Name first used invalidly (Art. 33.3) by Collenette, Asklepios No. 84: 12, 2002.]
- Desmidorchis foulcheri-delbosci** (Lavrano) Collenette, Asklepios No. 84: 12, 2002. *Nom. inval.* (Art. 33.3), based on *Caralluma foulcheri-delbosci*.
- Desmidorchis hexagona** (Lavrano) Collenette, Asklepios No. 84: 12, 2002. *Nom. inval.* (Art. 33.3), based on *Caralluma hexagona*. [Sphalm. 'hexagonus'.]
- Desmidorchis lavrani** (Rauh & Wertel) Meve & Liede, Pl. Syst. Evol. 234(1-4): 202, 2002. Basionym: *Caralluma lavrani*.
- Desmidorchis petraea** (Lavrano) Collenette, Brit. Cact. Succ. J. 20(1): 11, illus. (p. 9), 2002. Basionym: *Caralluma petraea*.
- Desmidorchis rauhii** (Lavrano) Collenette, Asklepios No. 84: 12, 2002. *Nom. inval.* (Art. 33.3), based on *Caralluma rauhii*.
- Hoya acicularis** T. Green & Kloppenburg, Fraterna 15(4): 7-12, illus., 2002. Typus: *Green* 93031 (BISH).
- Hoya buottii** Kloppenburg, Fraterna 15(4): 1-5, illus., cover ill., 2002. Typus: *Anonymous* s.n. (CAHUP 67049).
- Hoya gildingii** Kloppenburg, Fraterna 15(1): 10, 2002. Typus: *Anonymous* s.n. ex *Hort. E. K. Wiberg* 97009 (UC) [Ex cult. E. K. Wiberg.]. [First used invalidly (Art. 37.6) in l.c. 14(4): 1-3, illus., cover-ill., 2001.]
- Hoya juannguiana** Kloppenburg, Fraterna 15(1): 1-6, illus., cover-ill.; (2): 15 [erratum], 2002. Typus: *Kloppenburg* 2001 (UC).
- Hoya nabawanensis** Kloppenburg & Wiberg, Fraterna 15(2): 2-6, illus., 2002. Typus: *Wiberg* 2002 (UC).
- Hoya siariae** Kloppenburg, Fraterna 15(3): 1-4, illus., cover ill., 2002. Typus: *Siar* 200012 (CHAUP).
- Hoya sipitangensis** Kloppenburg & Wiberg, Fraterna 15(3): 4-7, illus., 2002. Typus: *Wiberg et al.* 52002 (UC).
- Hoya xtuanfanua** A. Whistler & Kloppenburg, Fraterna 15(2): 13-17, illus., 2002. Based on *Whistler* 10958. *Nom. inval.* (Art. 37.6). [= *H. australis* × *H. chlorantha*, naturally occurring.]
- Hoya whistleri** Kloppenburg, Fraterna 15(1): 7-10, illus., 2002. Typus: *Whistler* 3139 (BISH).
- Monolluma hexagona** (Lavrano) Meve & Liede, Pl. Syst. Evol. 234(1-4): 203, 2002. Basionym: *Caralluma hexagona*.
- Monolluma socotrana** (Balfour fil.) Meve & Liede, Pl. Syst. Evol. 234(1-4): 203, 2002. Basionym: *Boucerosia socotrana*.
- Monolluma solenophora** (Lavrano) Meve & Liede, Pl. Syst. Evol. 234(1-4): 204, 2002. Basionym: *Caralluma solenophora*.
- Orbea carnosa** ssp. *keithii* (R. A. Dyer) Bruyns, Syst. Bot. Monogr. 63: 89, illus. (p. 90), 2002. Basionym: *Caralluma keithii*.
- Orbea cirtes** (M. G. Gilbert) Bruyns, Syst. Bot. Monogr. 63: 78, illus. (p. 79), 2002. Basionym: *Caralluma cirtes*.
- Orbea gilbertii** (Plowes) Bruyns, Syst. Bot. Monogr. 63: 46, 2002. Basionym: *Angolluma gilbertii*.
- Orbea semota** ssp. *orientalis* Bruyns, Syst. Bot. Monogr. 63: 136-137, illus., 2002. Typus: *Luke* 5511 (BOL).
- Orbea spregeri** ssp. *commutata* (A. Berger) Bruyns, Syst. Bot. Monogr. 63: 50, illus., 2002. Basionym: *Caralluma commutata*.
- Orbea taitica** Bruyns, Syst. Bot. Monogr. 63: 97-98, illus., 2002. Typus: *Luke et al.* 5561 (BOL, K).
- Pseudolithos gigas** Dioli, Kew Bull. 57(4): 985-986, ill. (fig. 1B, p. 987), 2002. Typus: *Dioli* 25 (ETH, K).
- Pseudolithos harardheranus** Dioli, Kew Bull. 57(4): 987-988, ill., 2002. Typus: *Dioli* 35 (K).
- Richtersveldia** Meve & Liede, Pl. Syst. Evol. 234(1-4): 204, 2002. Typus: *Trichocaulon columnaris* Nel.
- Richtersveldia columnaris** (Nel) Meve & Liede, Pl. Syst. Evol. 234(1-4): 205, 2002. Basionym: *Trichocaulon columnare*.
- Socotrella** Bruyns & A. G. Miller, Novon 12(3): 330-333, 2002. Typus: *Socotrella dolichocnema* Bruyns & A. G. Miller.
- Socotrella dolichocnema** Bruyns & A. G. Miller, Novon 12(3): 330-333, 2002. Typus: *Miller* 19110 (E).

## ASPHODELACEAE

- Bulbine alba** van Jaarsveld, Haseltonia 8: 37-39, illus., 2002. Typus: *de Villiers Pienaar* s.n. (NBG). [Vol. for 2001, post-marked Dec. 2002.]

## ASTERACEAE

- Kleinia mccoyi** L. E. Newton, Cact. Succ. J. (US) 74(5): 216-219, illus., 2002. Typus: *McCoy* 2374 (MO, P).
- Othonna pavelkiae** Lavranos, Cact. Succ. J. (US) 74(3): 142-145, illus., 2002. Typus: *Pavelka* s.n. (PRE, P).

## BEGONIACEAE

- Begonia jarmilae** Halda, Acta Mus. Richnov. Sect. Nat. 7(2): 71-72, 2000. Typus: *Halda* 8504314 (PR). [Omitted previously. Amplified description in l.c. 9(1): 9-10, fig. 13, 2003 ('2002').]

## CACTACEAE

- Acanthorhipsalis brevispina** F. Ritter ex Doweld, Sukkulenty 4(1-2): 34, 2002. Typus: *Ritter* 1419 (SGO). [First published invalidly (Art. 37.1, 37.3) by F. Ritter, Kakt. Südamer. 4: 1260, fig. 1114, 1981.]
- Acanthorhipsalis monacantha** ssp. *kimnachii* Doweld, Sukkulenty 4(1-2): 41, 2002. Typus: *Aguilar* s.n. (HNT, HEID, US). [*Nom. nov. pro Rhapisalis monacantha* var. *espinosa* Kimnach 1995. Dated 2001, publ. Dec. 2002 or later.]
- Acharagma roseanum** ssp. *galeanense* (Haugg) D. R. Hunt, Cact. Syst. Init. No. 14: 7, 2002. Basionym: *Escobaria roseana* ssp. *galeanensis*. [Sphalm. 'roseana', 'galeanensis'.]
- Airampoa albisaetacea** (Backeberg) Doweld, Turczaninowia 5(2): 28, 2002. Basionym: *Opuntia albisaetacea*.
- Airampoa armata** (Backeberg) Doweld, Turczaninowia 5(2): 28, 2002. Basionym: *Opuntia armata*.
- Airampoa ayrampo** (Azara) Doweld, Turczaninowia 5(2): 28, 2002. Basionym: *Cactus ayrampo*.
- Airampoa boliviensis** (Backeberg) Doweld, Turczaninowia 5(2): 29, 2002. Basionym: *Opuntia boliviensis*.
- Airampoa cedergreniana** (Backeberg) Doweld, Turczaninowia 5(2): 29, 2002. Basionym: *Opuntia cedergreniana*.
- Airampoa chilensis** (F. Ritter) Doweld, Turczaninowia 5(2): 29, 2002. Basionym: *Platypuntia chilensis*.
- Airampoa corrugata** (Salm-Dyck) Doweld, Turczaninowia 5(2): 29, 2002. Basionym: *Opuntia corrugata*.
- Airampoa erectoclada** (Backeberg) Doweld, Turczaninowia 5(2): 29, 2002. Basionym: *Opuntia erectoclada*.
- Airampoa ianthinantha** (F. Ritter) Doweld, Turczaninowia 5(2): 29, 2002. Basionym: *Platypuntia ianthinantha*.
- Airampoa microdisca** (F. A. C. Weber) Doweld, Turczaninowia 5(2): 29, 2002. Basionym: *Opuntia microdisca*.
- Airampoa minuscula** (Backeberg) Doweld, Turczaninowia 5(2): 30, 2002. Basionym: *Tephrocactus minusculus*.
- Airampoa orurensis** (Cárdenas) Doweld, Turczaninowia 5(2): 30, 2002. Basionym: *Opuntia orurensis*.
- Airampoa panellana** (Backeberg) Doweld, Turczaninowia 5(2): 30, 2002. Basionym: *Opuntia armata* var. *panellana*.
- Airampoa picardoi** (Marnier-Lapostolle) Doweld, Turczaninowia 5(2): 30, 2002. *Nom. inval.*, based on *Opuntia picardoi*, *nom. inval.* (Art. 37.1).
- Airampoa silvestris** (Backeberg) Doweld, Turczaninowia 5(2): 30, 2002. Basionym: *Opuntia silvestris*.
- Airampoa tilcarense** (Backeberg) Doweld, Turczaninowia 5(2): 30, 2002. Basionym: *Opuntia tilcarense*.
- ×Aporberocereus innesii** (Kimmach) Doweld, Sukkulenty 4(1-2): 40, 2002. Basionym: *Selecnicereus innesii*. [Dated 2001, publ. Dec. 2002 or later.]
- Ariocarpus fissuratus** fa. *gracilis* Hovorka & al., Kaktusy 38(1): 3-5, ills., 2002. *Nom. inval.* (Art. 34.1b, 36.1). [Published as provisional name]
- Armatocereus godingianus** ssp. *brevispinus* (J. E. Madsen) D. R. Hunt, Cact. Syst. Init. No. 14: 9, 2002. Basionym: *Armatocereus brevispinus*.
- Arrojadoa multiflora** ssp. *hofackeriana* P. J. Braun & Esteves, Kakt. and. Sukk. 53(3): 75, ills. (pp. 71-73), 2002. Typus: *Horst et Uebelmann* HU 1394 (UFG 22429, ZSS).
- Astrocytropuntia subulata** ssp. *exaltata* (A. Berger) D. R. Hunt, Cact. Syst. Init. No. 14: 11, 2002. Basionym: *Opuntia exaltata*.
- Astrocytropuntia** R. S. Wallace & S. L. Dickie, Succ. Pl. Res. 6: 20, 2002. Typus: *Astrocytropuntia* Backeberg.
- Brasiliopuntia brasiliensis** ssp. *bahiensis* (Britton & Rose) P. J. Braun & Esteves, Schumannia No. 3: 188, 2002. Basionym: *Opuntia bahiensis*. [Dated 2001 on the cover, publ. 15. 1. 2002.]
- Brasiliopuntia brasiliensis** ssp. *subacarpa* (Rizzini & A. Mattos) P. J. Braun & Esteves, Schumannia No. 3: 188, 2002. Basionym: *Brasilopuntia subacarpa*. [Dated 2001 on the cover, publ. 15. 1. 2002.]
- Browningia candelaris** ssp. *icaensis* (F. Ritter) D. R. Hunt, Cact. Syst. Init. No. 14: 12, 2002. Basionym: *Browningia icaensis*.
- Chiapasophyllum** Doweld, Sukkulenty 4(1-2): 32, 2002. Typus: *Epiphyllum chrysocardium* Alexander. [Dated 2001, publ. Dec. 2002 or later.]
- Chiapasophyllum chrysocardium** (Alexander) Doweld, Sukkulenty 4(1-2): 32, 2002. Basionym: *Epiphyllum chrysocardium*.
- Cleistocactus brookeae** ssp. *vulpis-cauda* (F. Ritter & Cullmann) Mottram, Cact. Syst. Init. No. 13: 10, 2002. Basionym: *Cleistocactus vulpis-cauda*.
- Cleistocactus candelilla** ssp. *piraymirensis* (Cárdenas) Mottram, Cact. Syst. Init. No. 13: 10, 2002. Basionym: *Cleistocactus piraymirensis*.
- Cleistocactus chrysocephalus** (F. Ritter) Mottram, Cact. Syst. Init. No. 13: 11, 2002. Basionym: *Cephalocleistocactus chrysocephalus*.
- Cleistocactus granditessellatus** (Rauh & Backeberg) Leuenberger, Bot. Jahrb. Syst. 124(1): 20, ill. (p. 22), 2002. Basionym: *Loxanchoceatus granditessellatus*.
- Cleistocactus hyalacanthus** ssp. *tarijensis* (Cárdenas) Mottram, Cact. Syst. Init. No. 13: 11, 2002. Basionym: *Cleistocactus tarijensis*.
- Cleistocactus longiserpens** Leuenberger, Bot. Jahrb. Syst. 124(1): 23-25, ills., 2002. Typus: *Hutchison* 1576 (USM, F, NY, UC, US).

- [*Nom. nov. pro Borzicactella serpens sensu F. Ritter (non Cactus serpens Kunth 1823).]*
- Cleistocactus sulcifer** (Rauh & Backeberg) Leuenberger, Bot. Jahrb. Syst. 124(1): 22, 2002. Basionym: *Loxanthocereus sulcifer*.
- Cleistocactus tomensis** ssp. **micropetalus** (F. Ritter) Mottram, Cact. Syst. Init. No. 13: 12, 2002. Basionym: *Cleistocactus micropetalus*.
- Copiapoa** Sect. **Echinopoa** Doweld, Sukkulenty 4(1-2): 48, 2002. Typus: *Echinocactus echinoides* Lemaire ex Salm-Dyck. Dated 2001, publ. Dec. 2002 or later.
- Copiapoa** Sect. **Pilocopiapoa** (F. Ritter) Doweld, Sukkulenty 4(1-2): 48, 2002. Basionym: *Pilocopiapoa*. [Dated 2001, publ. Dec. 2002 or later.]
- Copiapoa** Ser. **Cinerei** Doweld, Sukkulenty 4(1-2): 48, 2002. Typus: *Echinocactus cinereus* Philippi.
- Copiapoa** Ser. **Echinoidei** Doweld, Sukkulenty 4(1-2): 48, 2002. Typus: *Echinocactus echinoides* Lemaire ex Salm-Dyck.
- Copiapoa** Ser. **Feroceis** Doweld, Sukkulenty 4(1-2): 48, 2002. Typus: *Pilocopiapoa solaris* F. Ritter.
- Copiapoa** Ser. **Humiles** Doweld, Sukkulenty 4(1-2): 49, 2002. Typus: *Copiapoa hypogaea* F. Ritter.
- Copiapoa** Ser. **Thelodei** Doweld, Sukkulenty 4(1-2): 55, 2002. Typus: *Echinocactus cinerascens* Salm-Dyck.
- Copiapoa ahremephiana** N. P. Taylor & G. J. Charles, Cact. Syst. Init. No. 13: 15, 2002. Typus: *Ferryman* 53 (K).
- Copiapoa calderana** ssp. **atacamensis** (Middle-ditch) D. R. Hunt, Cact. Syst. Init. No. 13: 12, 2002. Basionym: *Copiapoa atacamensis*. [Repeated by Doweld, Sukkulenty 4(1-2): 55, 2002 ('2001').]
- Copiapoa cinerea** ssp. **columna-alba** (F. Ritter) D. R. Hunt, Cact. Syst. Init. No. 13: 13, 2002. Basionym: *Copiapoa column-a-alba*. [First used invalidly (Art. 24, 32) by Meregalli, Piante Grasse 11(4): 20, 1992 ('1991'; rank cryptically indicated l.c. p. 2); and repeated by Doweld, Sukkulenty 4(1-2): 48, 2002 ('2001').]
- Copiapoa cinerea** ssp. **eremophila** (F. Ritter) Doweld, Sukkulenty 4(1-2): 49, 2002. Basionym: *Copiapoa eremophila*.
- Copiapoa coquimbana** ssp. **pendulina** (F. Ritter) Doweld, Sukkulenty 4(1-2): 55, 2002. Basionym: *Copiapoa pendulina*.
- Copiapoa coquimbana** ssp. **pseudocoquimbana** (F. Ritter) Doweld, Sukkulenty 4(1-2): 55, 2002. Basionym: *Copiapoa pseudocoquimbana*.
- Copiapoa coquimbana** ssp. **vallenarensis** (F. Ritter) Doweld, Sukkulenty 4(1-2): 55, 2002. Basionym: *Copiapoa vallenarensis*.
- Copiapoa decorticans** N. P. Taylor & G. J. Charles, Cact. Syst. Init. No. 13: 15, 2002. Typus: *Hoffmann et al.* s.n. (K).
- Copiapoa grandiflora** ssp. **ritteri** Doweld, Sukkulenty 4(1-2): 55, 2002. Typus: *Ritter* 1457 loc. 1 (U 7655). [*Nom. nov. pro Copiapoa esmeraldana* F. Ritter 1980.]
- Copiapoa humilis** ssp. **longispina** (F. Ritter) Doweld, Sukkulenty 4(1-2): 49, 2002. Basionym: *Copiapoa longispina*.
- Copiapoa humilis** ssp. **taltalensis** (Werdermann) Doweld, Sukkulenty 4(1-2): 49, 2002. Incorrect name (Art. 6.6, 11.4), based on *Echinocactus taltalensis*. [Incorrect name, since *C. humilis* was published 1953, the basionym 1929.]
- Copiapoa humilis** ssp. **tocopillana** (F. Ritter) D. R. Hunt, Cact. Syst. Init. No. 13: 14, 2002. Basionym: *Copiapoa tocopillana*. [Repeated by Doweld, Sukkulenty 4(1-2): 49, 2002 ('2001').]
- Copiapoa humilis** ssp. **varispinata** (F. Ritter) D. R. Hunt, Cact. Syst. Init. No. 13: 14, 2002. Basionym: *Copiapoa varispinata*.
- Copiapoa hypogaea** ssp. **cobrensis** Doweld, Sukkulenty 4(1-2): 49, 2002. Typus: *Ritter* 540 loc. 1 (U 117651B). [Based on *Copiapoa tenuissima* F. Ritter 1963 (*nom. inval.*, Art. 37.1).]
- Copiapoa hypogaea** ssp. **tenuissima** F. Ritter ex D. R. Hunt, Cact. Syst. Init. No. 13: 14, 2002. Typus: *Ritter* 540 loc. 2 (U). [Based on *C. tenuissima* F. Ritter 1963 (*nom. inval.*, Art. 37.1).]
- Copiapoa marginata** ssp. **robustispina** Doweld, Sukkulenty 4(1-2): 49, 2002. Neotypus: *Ritter* 245 loc. 1 (ZSS T4806). [Based on *Copiapoa bridgesii* sensu F. Ritter 1980.]
- Copiapoa megarhiza** ssp. **echinata** (F. Ritter) Doweld, Sukkulenty 4(1-2): 55, 2002. Basionym: *Copiapoa echinata*.
- Copiapoa montana** ssp. **olivana** (F. Ritter) Doweld, Sukkulenty 4(1-2): 49, 2002. Incorrect name (Art. 6.6, 11.4), based on *Copiapoa olivana*. [If *C. montana* was in fact invalidly published by F. Ritter 1960 as purported by Doweld (l.c.) and was only validated by Doweld, l.c., this combination is incorrect for priority reasons.]
- Copiapoa rupestris** ssp. **desertorum** (F. Ritter) D. R. Hunt, Cact. Syst. Init. No. 13: 15, 2002. Basionym: *Copiapoa desertorum*.
- Copiapoa rupestris** ssp. **hornilloensis** (F. Ritter) Doweld, Sukkulenty 4(1-2): 55, 2002. Basionym: *Copiapoa hornilloensis*.
- Copiapoa rupestris** ssp. **rubriflora** (F. Ritter) Doweld, Sukkulenty 4(1-2): 55, 2002. Basionym: *Copiapoa rubriflora*.
- Copiapoeae** (Doweld) Doweld, Sukkulenty 4(1-2): 47, 2002. Basionym: *Copiapoinae*. [Dated 2001, publ. Dec. 2002 or later.]
- Coryphantha kracikii** Halda & al., Cactaceae etc. 12(1): 12-13, illus., 2002. Typus: *Swoboda* s.n. in *Halda* 4709 (PR). [Sphalm. 'kraciki'. Republished in Acta Mus. Richnov. Ser. Nat. 9(1): 53-55, figs. 64, 2003 ('2002').]

- Cumulopuntia boliviiana** ssp. **dactylifera** (Vaupel) D. R. Hunt, Cact. Syst. Init. No. 14: 12, 2002. Basionym: *Opuntia dactylifera*.
- Cumulopuntia boliviiana** ssp. **echinacea** (F. Ritter) D. R. Hunt, Cact. Syst. Init. No. 14: 12, 2002. Basionym: *Tephrocactus echinaceus*.
- Cumulopuntia boliviiana** ssp. **ignescens** (Vaupel) D. R. Hunt, Cact. Syst. Init. No. 14: 12, 2002. Basionym: *Opuntia ignescens*.
- Cylindropuntia alcahes** var. **burrageana** (Britton & Rose) Rebman, J. Arizona-Nevada Acad. Sci. 34(1): 45, 2002. Basionym: *Opuntia burrageana*. [First used invalidly (Art. 33.3) by E. F. Anderson, Cact. Fam., 204, 2001.]
- Cylindropuntia bigelovii** var. **ciribe** (Engelmann ex J. M. Coulter) Rebman, J. Arizona-Nevada Acad. Sci. 34(1): 45, 2002. Basionym: *Opuntia ciribe*. [First used invalidly (Art. 33.3) by E. F. Anderson, Cact. Fam., 205, 2001.]
- Cylindropuntia californica** var. **delgadilloana** (Rebman & Pinkava) Rebman, J. Arizona-Nevada Acad. Sci. 34(1): 45, 2002. Basionym: *Cylindropuntia delgadilloana*. [First used invalidly (Art. 33.3) by E. F. Anderson, Cact. Fam., 206, 2001.]
- Cylindropuntia californica** var. **rosarica** (G. E. Lindsay) Rebman, J. Arizona-Nevada Acad. Sci. 34(1): 45, 2002. Basionym: *Opuntia rosarica*. [First used invalidly (Art. 33.3) by E. F. Anderson, Cact. Fam., 206, 2001.]
- Cylindropuntia densispina** (Ralston & Hilsenbeck) Pinkava, J. Arizona-Nevada Acad. Sci. 34(1): 45, 2002. Basionym: *Opuntia densispina*.
- Cylindropuntia imbricata** var. **arborescens** (Engelmann) Bulot, Succulentes 25(no. spécial): 39, 2002. Basionym: *Opuntia arborescens*.
- Cylindropuntia lindsayi** (Rebman) Rebman, J. Arizona-Nevada Acad. Sci. 34(1): 45, 2002. Basionym: *Opuntia lindsayi*. [First used invalidly (Art. 33.3) by E. F. Anderson, Cact. Fam., 210, 2001.]
- Cylindropuntia molesta** var. **clavellina** (Engelmann ex J. M. Coulter) Rebman, J. Arizona-Nevada Acad. Sci. 34(1): 45, 2002. Basionym: *Opuntia clavellina*. [First used invalidly (Art. 33.3) by E. F. Anderson, Cact. Fam., 211, 2001.]
- Cylindropuntia sanfelipensis** (Rebman) Rebman, J. Arizona-Nevada Acad. Sci. 34(1): 45, 2002. Basionym: *Opuntia sanfelipensis*. [First used invalidly (Art. 33.3) by E. F. Anderson, Cact. Fam., 212, 2001.]
- Cylindropuntia santamaria** (E. M. Baxter) Rebman, J. Arizona-Nevada Acad. Sci. 34(1): 45, 2002. Basionym: *Grusonia santamaria*. [First used invalidly (Art. 33.3) by E. F. Anderson, Cact. Fam., 213, 2001.]
- Deamia chontalensis** (Alexander) Doweld, Sukkulenty 4(1-2): 41, 2002. Basionym: *Nyctocereus chontalensis*. [Dated 2001, publ. Dec. 2002 or later.]
- ✗**Disisocactus** Doweld, Sukkulenty 4(1-2): 40, 2002. [Dated 2001, publ. Dec. 2002 or later.] [= *Disisorhipsalis* × *Disocactus*. Non *Disisocactus* G. Kunze 1845, which Doweld (l.c.) treats as illegitimate (sic!) orthographical variant vs. *Disocactus* Lindley 1845.]
- ✗**Disisocactus petersenii** Doweld, Sukkulenty 4(1-2): 40, 2002. [= *Disisorhipsalis macrantha* × *Disocactus nelsonii*. Abbreviation of the genus name erroneously given as "H."]
- Disisorhipsalis** Doweld, Sukkulenty 4(1-2): 40, 2002. Typus: *Pseudorhipsalis macrantha* Alexander. [Dated 2001, publ. Dec. 2002 or later.]
- Disisorhipsalis macrantha* (Alexander) Doweld, Sukkulenty 4(1-2): 40, 2002. *Nom. inval.* (Art. 33.3), based on *Pseudorhipsalis macrantha*.
- Disocactus nelsonii** ssp. **hondurensis** (Kimmach) Doweld, Sukkulenty 4(1-2): 41, 2002. Basionym: *Disocactus nelsonii* var. *hondurensis*. [Dated 2001, publ. Dec. 2002 or later.]
- Echinocactus mexicanus** (Glass & Fitz Maurice) Halda, Acta Mus. Richnov. Sect. Nat. 7(2): 72, 2000. Basionym: *Geohintonia mexicana*. [Omitted previously.]
- Echinocereus llanuraensis** (Rutow) W. Blum & D. Felix, Echinocereenfreund 15(1): 16, ills. (p. 10-11, 14-15), 2002. Basionym: *Echinocereus nicholii* ssp. *llanuraensis*.
- Echinopsis arachnacantha** ssp. **densiseta** (Rausch) M. Lowry, Cact. Syst. Init. No. 13: 16, 2002. Basionym: *Lobivia arachnacantha* var. *densiseta*.
- Echinopsis arachnacantha** ssp. **sulphurea** (R. Vázquez) M. Lowry, Cact. Syst. Init. No. 13: 17, 2002. Basionym: *Lobivia arachnacantha* var. *sulphurea*.
- Echinopsis arachnacantha** ssp. **torrecillasensis** (Cárdenas) M. Lowry, Cact. Syst. Init. No. 13: 17, 2002. Basionym: *Echinopsis torrecillasensis*.
- Echinopsis caulescens** (F. Ritter) M. Lowry, Cact. Syst. Init. No. 14: 13, 2002. Basionym: *Trichocereus caulescens*.
- Echinopsis ferox** ssp. **potosina** (Werdermann) M. Lowry, Cact. Syst. Init. No. 13: 17, 2002. Basionym: *Echinopsis potosina*.
- Echinopsis formosa** ssp. **bruchii** (Britton & Rose) M. Lowry, Cact. Syst. Init. No. 14: 13, 2002. Basionym: *Lobivia bruchii*.
- Echinopsis formosa** ssp. **kieslingii** (Rausch) M. Lowry, Cact. Syst. Init. No. 14: 13, 2002. Basionym: *Lobivia kieslingii*.
- Echinopsis formosa** ssp. **korethroides** (Backeberg) M. Lowry, Cact. Syst. Init. No. 14: 13, 2002. Basionym: *Echinopsis korethroides*.
- Echinopsis formosa** ssp. **randallii** (Cárdenas) M. Lowry, Cact. Syst. Init. No. 14: 13, 2002. Basionym: *Trichocereus randallii*.
- Echinopsis formosa** ssp. **rosarioana** (Rausch) M. Lowry, Cact. Syst. Init. No. 14: 13, 2002. Basionym: *Lobivia rosarioana*.
- Echinopsis huascha** ssp. **robusta** (Rausch) M. Lowry, Cact. Syst. Init. No. 14: 14, 2002. Basionym: *Lobivia huascha* var. *robusta*.
- Echinopsis tarijensis** ssp. **bertramiana** (Backeberg) M. Lowry, Cact. Syst. Init. No. 14: 14, 2002. Basionym: *Trichocereus bertramianus*.

- Epiphyllanthus microsphaericus** ssp. **candidus** (Löfgren) Doweld, Sukkulenty 4(1-2): 41, 2002. Basionym: *Zygocactus candidus*. [Dated 2001, publ. Dec. 2002 or later.]
- Eriocereinae** Doweld, Sukkulenty 4(1-2): 28, 33, 2002. Typus: *Eriocereus* (A. Berger) Riccobono. [Dated 2001, publ. Dec. 2002 or later.]
- ✗**Eriocereopsis** Doweld, Sukkulenty 4(1-2): 34, 2002. [Dated 2001, publ. Dec. 2002 or later.] [= *Eriocereus* × *Echinopsis*.]
- ✗**Eriocereopsis jusbertii** (Rebut ex K. Schumann) Doweld, Sukkulenty 4(1-2): 41, 2002. Basionym: *Cereus jusbertii*.
- Eriosyce aspillagae** ssp. **maechlerorum** Helmut Walter, Kakt. and. Sukk. 53(10): 258-262, ill., 2002. Typus: Walter 142 (CONC, M). [Sphalm. 'maechleri', but named for father and son Mächler.]
- Erythrorhipsalis clavata** (F. A. C. Weber) Doweld, Sukkulenty 4(1-2): 29, 2002. Basionym: *Rhipsalis clavata*.
- Erythrorhipsalis clavata** ssp. **delicatula** (Löfgren) Doweld, Sukkulenty 4(1-2): 31, 2002. Basionym: *Rhipsalis clavata* var. *delicatula*.
- Erythrorhipsalis juengeri** (Barthlott & N. P. Taylor) Doweld, Sukkulenty 4(1-2): 31, 2002. Basionym: *Rhipsalis juengeri*.
- Erythrorhipsalis ormindoii** (N. P. Taylor & Zappi) Doweld, Sukkulenty 4(1-2): 31, 2002. Basionym: *Rhipsalis ormindoii*.
- Erythrorhipsalis pulchra** (Löfgren) Doweld, Sukkulenty 4(1-2): 31, 2002. Basionym: *Rhipsalis pulchra*.
- Epostoa lanata** ssp. **huanucoensis** (F. Ritter) G. Charles, Cact. Syst. Init. No. 14: 15, 2002. Basionym: *Epostoa huanucoensis*.
- Epostoa lanata** ssp. **lanianuligera** (F. Ritter) G. Charles, Cact. Syst. Init. No. 14: 15, 2002. Basionym: *Epostoa lanianuligera*.
- Epostoa lanata** ssp. **ruficeps** (F. Ritter) G. Charles, Cact. Syst. Init. No. 14: 15, 2002. Basionym: *Epostoa ruficeps*.
- Epostoa melanostele** ssp. **nana** (F. Ritter) G. Charles, Cact. Syst. Init. No. 14: 15, 2002. Basionym: *Epostoa nana*.
- Eulychnia breviflora** ssp. **iquiquensis** (K. Schumann) D. R. Hunt, Cact. Syst. Init. No. 14: 16, 2002. Basionym: *Cereus iquiquensis*.
- Eulychnia breviflora** ssp. **ritteri** (Cullmann) D. R. Hunt, Cact. Syst. Init. No. 14: 16, 2002. Basionym: *Eulychnia ritteri*.
- Ferocactus cylindraceus** ssp. **eastwoodiae** (L. D. Benson) N. P. Taylor, Cact. Syst. Init. No. 14: 16, 2002. Basionym: *Ferocactus acanthodes* var. *eastwoodiae*.
- Ferocactus fordii** ssp. **borealis** N. P. Taylor, Cact. Syst. Init. No. 14: 16, 2002. Typus: *Ferguson* 8 (K).
- Frailea amerhauseri** Prestlé, Succulenta 81(3): 132-134, ill., 2002. Typus: *Amerhauser* 95-929a (LPB, WU). [First mentioned in Papsch & Pöschl, Österreicher in der Welt der Kakteen, 24-25, ill., 2000.]
- Grusonia** Subgen. **Corynopuntia** (F. M. Knuth) Stuppy, Succ. Pl. Res. 6: 48, 2002. Basionym:
- Corynopuntia*.
- Grusonia** Subgen. **Marenopuntia** (Backeberg) Stuppy, Succ. Pl. Res. 6: 48, 2002. Basionym: *Marenopuntia*.
- Grusonia** Subgen. **Micropuntia** (Daston) Stuppy, Succ. Pl. Res. 6: 48, 2002. Basionym: *Micropuntia*.
- Grusonia densispina** (Ralston & Hilsenbeck) Rebman, J. Arizona-Nevada Acad. Sci. 34(1): 45, 2002. Basionym: *Opuntia densispina*.
- Gymnocalycium** cv. **andbald** S. Stuchlík, Kaktusy 38(2): 56-58, ill., 2002. [Hybrids developed from *G. baldianum* × *G. andreae*.]
- Gymnocalycium amoenum** (H. Till) J. G. Lambert, Succulenta 81(5): 230, 2002. Basionym: *Gymnocalycium parvulum* var. *amoenum*.
- Gymnocalycium erolesii** Neuhuber & C. A. L. Bercht, Gymnocalycium 15(4): 475-476, ill., 2002. Typus: *Eroles* PE00-25 (BA, WU).
- Gymnocalycium horstii** ssp. **buenekeri** (Swales) P. J. Braun & Hofacker, Schumannia No. 3: 188, 2002. Basionym: *Gymnocalycium buenekeri*. [Dated 2001 on the cover, publ. 15. 1. 2002.]
- Gymnocalycium lukasikii** Halda & Kupcák, Acta Mus. Richnov. Sect. Nat. 7(2): 72-73, 2000. Typus: *Prochazka* 100/237 (PR). [Sphalm. 'lukasiki'. Amplified description in l.c. 9(1): 19-20, fig. 26, 2003 ('2002').]
- Gymnocalycium mostii** fa. **kurtzianum** (Gürke) H. Till & Amerhauser, Gymnocalycium 15(1): 430, 2002. Basionym: *Echinocactus kurtzianus*.
- Gymnocalycium mostii** ssp. **ferocior** Backeberg ex H. Till & Amerhauser, Gymnocalycium 15(1): 435, ill. (p. 434), 2002. Typus: *Borth* s.n. (CORD) [Ex cult. H. Till no. 905.]. [Based on *Gymnocalycium hybopleurum* var. *ferocior* Backeberg 1966 (*nom. inval.*).]
- Gymnocalycium mostii** var. **immemoratum** (Castellanos & H. V. Lelong) H. Till & Amerhauser, Gymnocalycium 15(1): 431, ill., 2002. Basionym: *Gymnocalycium immemoratum*.
- Gymnocalycium mostii** var. **miradorense** H. Till & Amerhauser, Gymnocalycium 15(1): 432, ill., 2002. Typus: *Amerhauser* 419 (CORD).
- Gymnocalycium paraguayanum** fa. **fleischerianum** Meregalli & al., Candollea 57(2): 313, ill. (p. 304), 2002. Typus: *Metzing* et al. 4 (SI).
- Gymnocalycium robustum** R. Kiesling & al., Cact. Succ. J. (US) 74(1): 4-8, ill., 2002. Typus: *Kiesling* et *Ferrari* 9883 (SI).
- Gymnocalycium schroederianum** ssp. **boessii** R. Kiesling & al., Kakt. and. Sukk. 53(9): 226-228, ill., 2002. Typus: *Ferrari* 3/88 (SI).
- Gymnocalycium valnicekianum** ssp. **prochazkianum** (Sorma) H. Till & Amerhauser, Gymnocalycium 15(2): 452, 2002. Basionym: *Gymnocalycium prochazkianum*.
- Gymnocalycium valnicekianum** var. **bicolor** H. Till & Amerhauser, Gymnocalycium 15(2): 452, 2002. Typus: *Till* 1051 (BA) [Ex cult. H. Till, from a plant originally received from B. Schütz (ill. in l.c. 445).]. [Published as combi-

- nation for *G. bicolor* Schütz 1962 (*nom. inval.*, Art. 37.1) but to be treated as cryptic but valid publication of a new taxon (type given as "neotypus").]
- Gymnorebutia** Doweld, Sukkulenty 4(1-2): 24, 2002. Typus: *Weingartia pulquinensis* Cárdenas. [Based on *Weingartia* Subgen. *Cumingia* F. Brandt 1983. Dated 2001, publ. Dec. 2002 or later.]
- Gymnorebutia buiningiana** (F. Ritter) Doweld, Sukkulenty 4(1-2): 24, 2002. Basionym: *Weingartia buiningiana*.
- Gymnorebutia hediniana** (Backeberg) Doweld, Sukkulenty 4(1-2): 24, 2002. Basionym: *Weingartia hediniana*.
- Gymnorebutia neocummingii** (Backeberg) Doweld, Sukkulenty 4(1-2): 24, 2002. Basionym: *Weingartia neocummingii*.
- Gymnorebutia neocummingii** ssp. **multispina** (F. Ritter) Doweld, Sukkulenty 4(1-2): 24, 2002. Basionym: *Weingartia multispina*.
- Gymnorebutia neocummingii** ssp. **trollii** (Oeser) Doweld, Sukkulenty 4(1-2): 24, 2002. Basionym: *Weingartia trollii*.
- Gymnorebutia pulquinensis** (Cárdenas) Doweld, Sukkulenty 4(1-2): 24, 2002. Basionym: *Weingartia pulquinensis*.
- Gymnorebutia pulquinensis** ssp. **corroana** (Cárdenas) Doweld, Sukkulenty 4(1-2): 24, 2002. Basionym: *Weingartia pulquinensis* var. *corroana*.
- Gymnorebutia riograndensis** (F. Ritter) Doweld, Sukkulenty 4(1-2): 24, 2002. Basionym: *Weingartia riograndensis*.
- Haageocereus decumbens** ssp. **tenuis** (F. Ritter) D. R. Hunt, Cact. Syst. Init. No. 14: 17, 2002. Basionym: *Haageocereus tenuis*.
- Haageocereus pseudomelanostele** ssp. **chryseus** D. R. Hunt, Cact. Syst. Init. No. 14: 17, 2002. Typus: *Ritter* 147a (U). [*Nom. nov. pro Haageocereus chryseus* F. Ritter 1981, *nom. inval.*]
- Heliocereus** Sect. **Heliochia** Doweld, Sukkulenty 4(1-2): 42, 2002. Typus: = *Heliocereus* Sect. *Heliochus* × Sect. *Nopalxochia*..
- Heliocereus** Sect. **Nopalxochia** (Britton & Rose) Doweld, Sukkulenty 4(1-2): 42, 2002. Basionym: *Nopalxochia*. [Dated 2001, publ. Dec. 2002 or later.]
- Heliocereus ackermannii* (Lindley) Doweld, Sukkulenty 4(1-2): 42, 2002. *Nom. inval.* (Art. 33.6), based on *Cactus ackermannii*. [Invalidity based on ICBN 2000, Art. 33.6, Ex. 11.]
- Heliocereus ×capelleanus** (Rother) Doweld, Sukkulenty 4(1-2): 42, 2002. Basionym: *Phyllocactus ×capelleanus*. [Basionym erroneously cited as *Cereus capelleanus*, but to be treated as valid under Art. 33.4 (ICBN 2000).]
- Heliocereus conzattianus** (T. MacDougall) Doweld, Sukkulenty 4(1-2): 42, 2002. Basionym: *Nopalxochia conzattiana*.
- Heliocereus ×jenkinsonii** (McIntosh) Doweld, Sukkulenty 4(1-2): 42, 2002. Basionym: *Cactus jenkinsonii*.
- Heliocereus macdougallii** (Alexander) Doweld, Sukkulenty 4(1-2): 42, 2002. Basionym: *Lob-eira macdougallii*.
- Heliocereus phyllanthoides** (De Candolle) Doweld, Sukkulenty 4(1-2): 42, 2002. Basionym: *Cactus phyllanthoides*.
- Heliocereus schrankii** ssp. **helenae** (Scheinvar) Doweld, Sukkulenty 4(1-2): 42, 2002. Basionym: *Heliocereus elegantissimus* var. *helenae*.
- Heliocereus schrankii** ssp. **stenopetalus** (Bravo ex S. Arias Montes & al.) Doweld, Sukkulenty 4(1-2): 42, 2002. Basionym: *Heliocereus elegantissimus* var. *stenopetalus*.
- Heliocereus speciosus** ssp. **amecaensis** (Heese) Doweld, Sukkulenty 4(1-2): 41, 2002. Basionym: *Cereus amecaensis*. [Dated 2001, publ. Dec. 2002 or later.]
- Heliocereus ×violaceus** (F. & T. Smith ex Masters) Doweld, Sukkulenty 4(1-2): 42, 2002. Basionym: *Phyllocactus violaceus*.
- ×**Heliorhipsalis** Doweld, Sukkulenty 4(1-2): 40, 2002. [Dated 2001, publ. Dec. 2002 or later.] [= *Heliocereus* × *Disisorhipsalis*.]
- ×**Helioseleniphyllum** Doweld, Sukkulenty 4(1-2): 41, 2002. [Dated 2001, publ. Dec. 2002 or later.] [= *Heliocereus* × (*Selenicereus* × *Epiphyllum*).]
- ×**Helioseleniphyllum** cv. **Nelson Mandela** (Süpplie) Doweld, Sukkulenty 4(1-2): 42, 2002. Basionym: *Seleniphyllia* cv. Nelson Mandela. [Basionym erroneously cited as ×*Epiphyllia* cv. Nelson Mandela. Dated 2001, publ. Dec. 2002 or later.]
- ×**Heliphyllum amaranthinum** (Regel) Doweld, Sukkulenty 4(1-2): 41, 2002. Basionym: *Phyllocactus crenatus* var. *amaranthinus*. [Dated 2001, publ. Dec. 2002 or later.]
- ×**Heliphyllum splendens** (Regel) Doweld, Sukkulenty 4(1-2): 41, 2002. Basionym: *Phyllocactus crenatus* var. *splendens*.
- Hylocarpidinae** Doweld, Sukkulenty 4(1-2): 37, 2002. Typus: *Hylocarpis* Doweld. [Dated 2001, publ. Dec. 2002 or later.]
- Hylocarpis** Doweld, Sukkulenty 4(1-2): 37, 2002. Typus: *Rhipsalis pentaptera* A. Dietrich. [Dated 2001, publ. Dec. 2002 or later.]
- Hylocarpis** Sect. **Polygonorhipsalis** Doweld, Sukkulenty 4(1-2): 37, 2002. Typus: *Rhipsalis floccosa* Salm-Dyck ex Pfeiffer 1837.
- Hylocarpis** **floccosa** (Salm-Dyck ex Pfeiffer) Doweld, Sukkulenty 4(1-2): 37, 2002. Basionym: *Rhipsalis floccosa*.
- Hylocarpis** **floccosa** ssp. **hohenauensis** (F. Ritter) Doweld, Sukkulenty 4(1-2): 37, 2002. Basionym: *Rhipsalis hohenauensis*.
- Hylocarpis** **floccosa** ssp. **pittieri** (Britton & Rose) Doweld, Sukkulenty 4(1-2): 37, 2002. Basionym: *Rhipsalis pittieri*.
- Hylocarpis** **floccosa** ssp. **pulvinigera** (G. Lindberg) Doweld, Sukkulenty 4(1-2): 37, 2002. Basionym: *Rhipsalis pulvinigera*.
- Hylocarpis** **floccosa** ssp. **tucumanensis** (F. A. C. Weber) Doweld, Sukkulenty 4(1-2): 37, 2002. Basionym: *Rhipsalis tucumanensis*.
- Hylocarpis** **monteazulensis** (F. Ritter) Doweld, Sukkulenty 4(1-2): 38, 2002. Basionym: *Rhip-*

- salis monteazulensis.*
- Hylorhipsalis pacheco-leonis** (Löfgren) Doweld, Sukkulenty 4(1-2): 39, 2002. Basionym: *Rhipsalis pacheco-leonis*.
- Hylorhipsalis pacheco-leonis** ssp. **catenulata** (Kinnach) Doweld, Sukkulenty 4(1-2): 39, 2002. Basionym: *Rhipsalis paradoxa* var. *catenulata*.
- Hylorhipsalis paradoxa** (Salm-Dyck ex Pfeiffer) Doweld, Sukkulenty 4(1-2): 39, 2002. Basionym: *Lepismium paradoxum*.
- Hylorhipsalis paradoxa** ssp. **septentrionalis** (N. P. Taylor & Barthlott) Doweld, Sukkulenty 4(1-2): 39, 2002. Basionym: *Rhipsalis paradoxa* ssp. *septentrionalis*.
- Hylorhipsalis pentaptera** (A. Dietrich) Doweld, Sukkulenty 4(1-2): 39, 2002. Basionym: *Rhipsalis pentaptera*.
- Hylorhipsalis rugulosa** (Lemaire) Doweld, Sukkulenty 4(1-2): 38, 2002. Basionym: *Rhipsalis rugulosa*.
- Hylorhipsalis rugulosa** ssp. **epiphyllanthoides** (Backeberg) Doweld, Sukkulenty 4(1-2): 38, 2002. Basionym: *Lepismium epiphyllanthoides*.
- Hylorhipsalis sulcata** (F. A. C. Weber) Doweld, Sukkulenty 4(1-2): 39, 2002. Basionym: *Rhipsalis sulcata*.
- Hylorhipsalis trigonoides** Doweld, Sukkulenty 4(1-2): 38, 2002. Typus: *Hoehne* s.n. (SP, K). [= *Rhipsalis trigona* auctt. non Pfeiffer 1837, quoad descr. Lat. K. Schumann in Martius, Fl. Brasil. 4(2): 283, 1890.]
- Lagenosocereus** Doweld, Turczaninowia 5(1): 8, 2002. Typus: *Cereus luetzelburgii* Vaupel.
- Lagenosocereus luetzelburgii** (Vaupel) Doweld, Turczaninowia 5(1): 8, 2002. Basionym: *Cereus luetzelburgii*.
- Lymanbensonia crenata** (Britton) Doweld, Sukkulenty 4(1-2): 34, 2002. Basionym: *Hariota crenata*. [The text shows a question mark (?) between the new name and the basionym, but this is interpreted as a printer's error for the equal sign (=). Dated 2001, publ. Dec. 2002 or later.]
- Maihueniopsis** Subgen. **Puna** (R. Kiesling) Stuppy, Succ. Pl. Res. 6: 50, 2002. Basionym: *Puna*.
- Mammillaria gracilis** cv. **Golden Coral** A. Mikhaltsov, Kaktus Klub 2002(1): 51, ill., 2002. [A horticultural selection, representing a cristate-fasciated growth form.]
- Mammillaria parkinsonii** ssp. **cadereytensis** (R. T. Craig) Rogozinski & Plein, Mitteilungsbl. AfM 26(1): 15, 2002. Basionym: *Mammillaria cadereytensis*. [Repeated in J. Mammillaria Soc. 43(2): 19, 2003.]
- Mammillaria roemerii** Wolfgang Krüger & Rischer, Mitteilungsbl. AfM 26(2): 96-101, ill., (incl. pp. 79, 81, 83), 2002. Typus: Krüger 497 (UAT 21344).
- Mammillaria saetigera** ssp. **woodsii** (R. T. Craig) Rogozinski & Plein, Mitteilungsbl. AfM 26(3): 110, 114, 2002. Basionym: *Mammillaria woodsii*. [Basionym reference cryptically given on p. 110.]
- Mammillaria schiedeana** ssp. **giselae** (Martínez-Avalos & Glass) J. Lüthy, Kakt. and. Sukk. 49(8): 184, ill. (pp. 181-184), 1998. Basionym: *Mammillaria giselae*. [Omitted previously.]
- Mammillaria vagaspina** ssp. **immersa** Mészáros & Szutorisz, Debreceni Pozsgás-Tár 5(2): 73-79, ill., 2002. Based on *Mészáros* 139. *Nom. inval.* (Art. 37.1?). [Validity doubtful since the type is stated as having been collected "23. Sept. 1984 et 10. - 11. Nov. 1984".]
- Matucana aurantiaca** ssp. **fruticosa** (F. Ritter) Mottram, Cact. Syst. Init. No. 14: 17, 2002. Basionym: *Matucana formosa*.
- Matucana aurantiaca** ssp. **hastifera** (F. Ritter) Mottram, Cact. Syst. Init. No. 14: 17, 2002. Basionym: *Matucana hastifera*.
- Matucana aurantiaca** ssp. **polzii** (Diers & al.) Mottram, Cact. Syst. Init. No. 14: 17, 2002. Basionym: *Matucana polzii*.
- Mediocactus extensus** (Salm-Dyck ex De Candolle) Doweld, Sukkulenty 4(1-2): 42, 2002. Basionym: *Cereus extensus*. [Dated 2001, publ. Dec. 2002 or later.]
- Mediocactus inermis** (Otto ex Pfeiffer) Doweld, Sukkulenty 4(1-2): 42, 2002. Basionym: *Cereus inermis*. [Dated 2001, publ. Dec. 2002 or later.]
- Mediocactus murrillii** (Britton & Rose) Doweld, Sukkulenty 4(1-2): 42, 2002. Basionym: *Selenicereus murrillii*.
- Mediocactus spinulosus** (De Candolle) Doweld, Sukkulenty 4(1-2): 42, 2002. Basionym: *Cereus spinulosus*.
- Mediocactus tricae** (D. R. Hunt) Doweld, Sukkulenty 4(1-2): 42, 2002. Basionym: *Selenicereus tricae*.
- Mediocactus vagans** (K. Brandegee) Doweld, Sukkulenty 4(1-2): 42, 2002. Basionym: *Cereus vagans*.
- Mediocactus wercklei** (F. A. C. Weber) Doweld, Sukkulenty 4(1-2): 42, 2002. Basionym: *Cereus wercklei*.
- Melocactinae** (Salm-Dyck) Doweld, Turczaninowia 5(1): 9, 2002. Basionym: *Melocactae*.
- Melocactus andinus** ssp. **soatensis** Fernández-Alonso & Xhonneux, Cact. Aventures No. 56: 5-6, ill., 2002. Typus: *Jaramillo* et al. 902 (COL [holotype consisting of 3 sheets]).
- Melocactus concinnus** ssp. **axiniphorus** (Buining & Brederoo) P. J. Braun & Esteves, Schumannia No. 3: 188, 2002. Basionym: *Melocactus axiniphorus*. [Dated 2001 on the cover, publ. 15. 1. 2002.]
- Melocactus curvispinus** ssp. **koolwojkianus** (Suringar) G. Thomson, Bradleya 20: 38, 2002. Basionym: *Melocactus koolwijkianus*.
- Melocactus curvispinus** ssp. **obtusipetalus** (Lemaire) Xhonneux & Fernández-Alonso, Cact. Aventures No. 56: 8, ill. (p. 7, 9), 2002. Basionym: *Melocactus obtusipetalus*.
- Melocactus guanensis** Xhonneux & Fernández-Alonso, Cact. Aventures No. 56: 10-11, ill., 2002. Typus: Xhonneux et al. 2042 (COL)

- [Holotype consisting of 3 sheets.]
- Melocactus hernandezii** Fernández-Alonso & Xhonneux, Cact. Aventures No. 56: 11-12, ill., 2002. Typus: *Saravia et al.* 4255 (COL) [Holotype consisting of 3 sheets.]
- Melocactus levitatus fa. securituberculatus** (Buining & Brederoos) P. J. Braun & Esteves, Schumannia No. 3: 188, 2002. Basionym: *Melocactus securituberculatus*. [Dated 2001 on the cover, publ. 15. 1. 2002.]
- Melocactus pescaderensis** Xhonneux & Fernández-Alonso, Cact. Aventures No. 56: 13-14, ill., 2002. Typus: *Saravia et al.* 915 (COL).
- Melocactus schatzlii** ssp. **chicamochaensis** Xhonneux & Fernández-Alonso, Cact. Aventures No. 56: 14-15, ill., 2002. Typus: *Saravia* 2060 (COL).
- Melocactus zehntneri** ssp. **arcuatuspinus** (Brederoos & Eerkens) P. J. Braun & Esteves, Schumannia No. 3: 188, 2002. Basionym: *Melocactus arcuatuspinus*. [Dated 2001 on the cover, publ. 15. 1. 2002.]
- Neopoteriinae** Buxbaum ex Doweld, Sukkulenty 4(1-2): 47, 2002. Typus: *Neopoteria* Britton & Rose. [Dated 2001, publ. Dec. 2002 or later.] [Name first used invalidly in Kranz, Die Kakt. 60, CVI: [1], 1975 (*nom. nud.*).]
- Nopalea hondurensis** (Standley) R. Puente ex Rebman, J. Arizona-Nevada Acad. Sci. 34(1): 45, 2002. Basionym: *Opuntia hondurensis*.
- Nothorhipsalis** Doweld, Sukkulenty 4(1-2): 29, 2002. Typus: *Rhipsalis houletteana* Lemaire. [Based on *Rhipsalis* Ser. *Houllietiana* Britton & Rose 1923 = *Rhipsalis* Subgen. *Phyllorhipsalis* Buxbaum 1970 (descr. Lat.) non K. Schumann 1898. Dated 2001, publ. Dec. 2002 or later.]
- Nothorhipsalis boliviiana** (Britton) Doweld, Sukkulenty 4(1-2): 29, 2002. Basionym: *Hariota boliviiana*.
- Nothorhipsalis houletteana** (Lemaire) Doweld, Sukkulenty 4(1-2): 29, 2002. Basionym: *Rhipsalis houletteana*.
- Nothorhipsalis houletteana** ssp. **regnellii** (G. A. Lindberg) Doweld, Sukkulenty 4(1-2): 29, 2002. Basionym: *Rhipsalis regnellii*.
- Nothorhipsalis lorentziana** (Grisebach) Doweld, Sukkulenty 4(1-2): 29, 2002. Basionym: *Rhipsalis lorentziana*.
- Nothorhipsalis paranganiensis** (Cárdenas) Doweld, Sukkulenty 4(1-2): 29, 2002. Basionym: *Acanthorhipsalis paranganiensis*.
- Nothorhipsalis warmingiana** (K. Schumann) Doweld, Sukkulenty 4(1-2): 29, 2002. Basionym: *Rhipsalis warmingiana*.
- Notocactus** Subser. **Tabulares** Prauser, Internoto 22(1): 12, 2001. Typus: *Notocactus tabularis* (Cels ex K. Schumann) A. Berger. First used invalidly (Art. 36.1, 37.1, see RPS 41) by Havlicek, Kakt. Vilag 18(4): 76, 1989 ('1988') (as 'Tabularis').
- Notocactus haasianus* U. Unger, Internoto 23(4): 105-107, ill., 2002. Based on *van Vliet* 119. *Nom. inval.* (Art. 36.1). [Published as provisional name. See also I.c. 24(1): 5-7, ill., 2003.]
- Notocactus katherinae** van Vliet, Succulenta 81(5): 200-204, ill., 2002. Typus: *van Vliet* 140 (IAC 42187).
- Ophiorhapisalis** (K. Schumann) Doweld, Sukkulenty 4(1-2): 39, 2002. Basionym: *Rhipsalis* Subgen. *Ophiorhapisalis*. [Dated 2001, publ. Dec. 2002 or later.]
- Ophiorhapisalis lumbrioides** (Lemaire) Doweld, Sukkulenty 4(1-2): 39, 2002. Basionym: *Cereus lumbrioides*.
- Ophiorhapisalis lumbrioides** ssp. **aculeata** (F. A. C. Weber) Doweld, Sukkulenty 4(1-2): 39, 2002. Basionym: *Rhipsalis aculeata*.
- Opuntia debreczyi** Sztorisz, Kakt. Vilag 26(4): 115-117, ill. (p. 109-110), 2002. Typus: *Heacock* s.n. in DRB 65535 (BP).
- Opuntia macrorhiza** var. **grandiflora** (Engelmann) Bulot, Succulentes 25(no. spécial): 39, 2002. Basionym: *Opuntia rafinesquei* var. *grandiflora*.
- Opuntia macrorhiza** var. **greenei** (Engelmann ex Coulter) Bulot, Succulentes 25(no. spécial): 39, 2002. Basionym: *Opuntia mesacantha* var. *greenei*.
- Opuntia polyacantha** var. **utahensis** (Engelmann) Bulot, Succulentes 25(no. spécial): 39, 2002. Basionym: *Opuntia sphaerocarpa* var. *utahensis*.
- Opuntia pottsii** var. **montana** (Engelmann & J. M. Bigelow) Bulot, Succulentes 25(no. spécial): 40, 2002. Basionym: *Opuntia cymochila* var. *montana*. [Basionym erroneous and here corrected in accordance with ICBN Art. 33.4.]
- Opuntia saxatilis** ssp. **minutispina** (P. J. Braun & Esteves) P. J. Braun & Esteves, Schumannia No. 3: 188, 2002. Basionym: *Opuntia saxatilis* var. *minutispina*. [Dated 2001 on the cover, publ. 15. 1. 2002.]
- Opuntia saxatilis** ssp. **occibahiensis** (P. J. Braun & Esteves) P. J. Braun & Esteves, Schumannia No. 3: 188, 2002. Basionym: *Opuntia saxatilis* var. *occibahiensis*. [Dated 2001 on the cover, publ. 15. 1. 2002.]
- Opuntia saxatilis** ssp. **pomosa** (P. J. Braun & Esteves) P. J. Braun & Esteves, Schumannia No. 3: 188, 2002. Basionym: *Opuntia saxatilis* var. *pomosa*. [Dated 2001 on the cover, publ. 15. 1. 2002.]
- Oreocereus doelzianus** ssp. **calvus** (Rauh & Bäckeberg) Mottram, Cact. Syst. Init. No. 14: 18, 2002. Basionym: *Morawetzia doelziana* var. *calva*.
- Oreocereus doelzianus** ssp. **sericatus** (Ritter) Mottram, Cact. Syst. Init. No. 14: 18, 2002. Basionym: *Morawetzia sericata*.
- Parodia haselbergii** fa. **microdasys** (P. J. Braun) P. J. Braun, Schumannia No. 3: 188, 2002. Basionym: *Notocactus graessneri* fa. *microdasys*. [Dated 2001 on the cover, publ. 15. 1. 2002.]
- Parodia ladae** Halda & Horáček, Acta Mus. Richnov. Sect. Nat. 7(2): 73, 2000. Typus: *Halda et Horáček* 9911320 (PR). [Amplified description in I.c. 9(1): 23-24, fig. 33, 2003 ('2002'). German translation in Mitteilungsbl.

- Inter-Parodia-Kette No. 18: 9-10, 2002.]
- Parodia subterranea** var. **aurea** Slaba, Kaktusy 38(2): 47, ills. (p. 45), 2002. Typus: *Slaba* 62a (PR 4703).
- Peniocereeae** Doweld, Sukkulenty 4(1-2): 28, 2002. Typus: *Peniocereus* Britton & Rose. [Based on subtribus *Nyctocereinae* Buxbaum 1958. Dated 2001, publ. Dec. 2002 or later.]
- Pfeiffera boliviiana** (Britton) D. R. Hunt, Cact. Syst. Init. No. 14: 18, 2002. Basionym: *Hariota boliviiana*.
- Pilosocereinae** Doweld, Turczaninowia 5(1): 9, 2002. Typus: *Pilosocereus* Byles & G. D. Rowley.
- Pilosocereus goianus** P. J. Braun & Esteves, Brit. Cact. Succ. J. 20(2): 100-103, ills., 2002. Typus: *Esteves P.* 89 (UFG 14.873).
- Pilosocereus laniflorus** (N. P. Taylor & Zappi) P. J. Braun & Esteves, Schumannia No. 3: 188, 2002. Basionym: *Cipocereus laniflorus*. [Dated 2001 on the cover, publ. 15. 1. 2002.]
- Pilosocereus machrisii** ssp. **cristalinensis** (P. J. Braun & Esteves) P. J. Braun & Esteves, Schumannia No. 3: 188, 2002. Basionym: *Pilosocereus cristalinensis*. [Dated 2001 on the cover, publ. 15. 1. 2002.]
- Pseudoacanthocereus brasiliensis** fa. **boreominarum** (Rizzini & A. Mattos) P. J. Braun & Esteves, Schumannia No. 3: 188, 2002. Basionym: *Pseudoacanthocereus boreominarum*. [Dated 2001 on the cover, publ. 15. 1. 2002.]
- Pseudorhipsalis ramulosa** ssp. **jamaicensis** (Britton & Rose) Doweld, Sukkulenty 4(1-2): 42, 2002. Basionym: *Rhipsalis jamaicensis*. [Dated 2001, publ. Dec. 2002 or later.]
- Pseudozygocactus epiphyloides** ssp. **bradei** (Campos-Porto & A. Castellanos) Doweld, Sukkulenty 4(1-2): 42, 2002. Basionym: *Hariota epiphyloides* var. *bradei*. [Dated 2001, publ. Dec. 2002 or later.]
- Rebutia breviflora** (Backeberg) D. R. Hunt, Cact. Syst. Init. No. 14: 19, 2002. Basionym: *Sulcorebutia breviflora*.
- Rebutia fischeriana** Slaba, Kaktusy 38(3): 66-69, ills., 2002. Typus: *Fischer* 54 (PR 4704).
- Rebutia vasqueziana** (Rausch) D. R. Hunt, Cact. Syst. Init. No. 14: 19, 2002. Basionym: *Sulcorebutia vasqueziana*.
- Rhipsalidopsisidinae** Doweld, Sukkulenty 4(1-2): 31, 2002. Typus: *Rhipsalidopsis* Britton & Rose. [Dated 2001, publ. Dec. 2002 or later.]
- Rhipsalis* Ser. *Micranthae* Doweld, Sukkulenty 4(1-2): 31, 2002. *Nom. inval.* (Art. 36.1, 37.1). [Dated 2001, publ. Dec. 2002 or later.]
- Rhipsalis** Subgen. *Cereorhipsalis* Doweld, Sukkulenty 4(1-2): 43, 2002. Typus: *Rhipsalis mesembryanthoides* Haworth.
- Rhipsalis** Subgen. *Micranthae* Doweld, Sukkulenty 4(1-2): 43, 2002. Typus: *Rhipsalis micrantha* (Kunth) De Candolle. Dated 2001, publ. Dec. 2002 or later.
- ✗**Schlumberphillum** Süpplie, Schlumbergera, [3], 2000. [Publication not seen. = *Schlumbergera* × *Epiphyllum*.]
- ✗**Schlumbergeranthus** Doweld, Sukkulenty 4(1-2): 37, 2002. [= *Schlumbergera* × *Epiphyllanthus*. Dated 2001, publ. Dec. 2002 or later.]
- ✗**Schlumbergeranthus exoticus** (Barthlott & Rauh) Doweld, Sukkulenty 4(1-2): 43, 2002. Basionym: *Schlumbergera* × *exotica*.
- ✗**Schlumisocactus** Süpplie, Schlumbergera, [3], 2000. [Publication not seen. = *Schlumbergera* × *Disocactus*.]
- ✗**Seleliacereus neuberti** Doweld, Sukkulenty 4(1-2): 43, 2002. *Nom. illeg.* (Art. 52.1). [*Nom. nov. pro Cereus beckmannii* Weingart 1934 (*non Cereus boeckmannii* Otto ex Salm-Dyck 1850). Dated 2001, publ. Dec. 2002 or later.]
- Stenocereus humilis** (Britton & Rose) D. R. Hunt, Cact. Syst. Init. No. 14: 11, 2002. Basionym: *Lemaireocereus humilis*.
- Sulcorebutia canigueralii** ssp. **frankiana** (Rausch) J. de Vries, Inform.-brief Freundeskreis Echinopseen No. 32: 3, 2002. *Nom. inval.* (Art. 33.3), based on *Sulcorebutia frankiana*.
- Sulcorebutia canigueralii** ssp. **pasopayana** (F. H. Brandt) J. de Vries, Inform.-brief Freundeskreis Echinopseen No. 32: 3, 2002. *Nom. inval.* (Art. 33.3), based on *Weingartia pasopayana*.
- Sulcorebutia canigueralii** ssp. **pulchra** (Cárdenas) J. de Vries, Inform.-brief Freundeskreis Echinopseen No. 32: 3, 2002. *Nom. inval.* (Art. 33.3), based on *Rebutia pulchra*.
- Sulcorebutia tarabucoensis** ssp. **callecallensis** (F. H. Brandt) J. de Vries, Inform.-brief Freundeskreis Echinopseen No. 32: 4, 2002. *Nom. inval.* (Art. 33.3), based on *Weingartia callecallensis*.
- Sulcorebutia tarabucoensis** ssp. **cardenasiana** (R. Vásquez) J. de Vries, Inform.-brief Freundeskreis Echinopseen No. 32: 5, 2002. *Nom. inval.* (Art. 33.3), based on *Sulcorebutia cardenasiana*.
- Sulcorebutia tarabucoensis** ssp. **crispata** (Rausch) J. de Vries, Inform.-brief Freundeskreis Echinopseen No. 32: 6, 2002. *Nom. inval.* (Art. 33.3), based on *Sulcorebutia crispata*.
- Sulcorebutia tarabucoensis** ssp. **elizabethae** J. de Vries, Inform.-brief Freundeskreis Echinopseen No. 32: 5, 2002. *Nom. inval.* (Art. 34.1b, 36.1). [Published as provisional name.]
- Sulcorebutia tarabucoensis** ssp. **gemmae** (Mosti & Rovida) J. de Vries, Inform.-brief Freundeskreis Echinopseen No. 32: 5, 2002. *Nom. inval.* (Art. 33.3), based on *Sulcorebutia gemmae*.
- Sulcorebutia tarabucoensis** ssp. **mandinganensis** J. de Vries, Inform.-brief Freundeskreis Echinopseen No. 32: 4, 2002. *Nom. inval.* (Art. 34.1b, 36.1). [Published as provisional name.]
- Sulcorebutia tarabucoensis** ssp. **naunacaensis** J. de Vries, Inform.-brief Freundeskreis Echinopseen No. 32: 5, 2002. *Nom. inval.* (Art. 34.1b, 36.1). [Published as provisional name.]
- Sulcorebutia tarabucoensis** ssp. **rauschii** (G. Frank) J. de Vries, Inform.-brief Freundeskreis Echinopseen No. 32: 4, 2002. *Nom. inval.* (Art. 33.3, 11.4), based on *Sulcorebutia rauschii*.

- Sulcorebutia veronikae** Halda & al., Acta Mus. Richnov. Sect. Nat. 7(2): 74-75, 2000. Typus: *Lips* 981105 (PR). [Omitted previously. Amplified description in l.c. 9(1): 32, fig. 42, 2003 ('2002').]
- Tacinga inamoena** (K. Schumann) N. P. Taylor & Stuppy, Succ. Pl. Res. 6: 119, illus. (p. 116-117), 2002. Basionym: *Opuntia inamoena*.
- Tacinga palmadora** (Britton & Rose) N. P. Taylor & Stuppy, Succ. Pl. Res. 6: 112, ill. (p. 116), 2002. Basionym: *Opuntia palmadora*.
- Tacinga ×quipa** (F. A. C. Weber pro sp.) N. P. Taylor & Stuppy, Succ. Pl. Res. 6: 120, 2002. Basionym: *Opuntia ×quipa*.
- Tacinga saxatilis** (F. Ritter) N. P. Taylor & Stuppy, Succ. Pl. Res. 6: 115, 2002. Basionym: *Platyopuntia saxatilis*.
- Tacinga saxatilis** ssp. *estevensis* (P. J. Braun) N. P. Taylor & Stuppy, Succ. Pl. Res. 6: 118, 2002. Basionym: *Opuntia estevensis*.
- Tacinga wernerii** (Eggli) N. P. Taylor & Stuppy, Succ. Pl. Res. 6: 111, illus. (p. 116), 2002. Basionym: *Opuntia wernerii*.
- Tephrocactus pulcherrimus** Halda & Horácek, Acta Mus. Richnov. Sect. Nat. 7(2): 75, 2000. Typus: *Halda et Horácek* 0011528 (PR). [Omitted previously. Amplified description in l.c. 9(1): 32-33, fig. 43, 2003 ('2002').]
- Thelocactus rinconensis** ssp. *icamolensis* Halda & Kupcák, Acta Mus. Richnov. Sect. Nat. 7(2): 75, 2000. Typus: *Halda* 8504545 (PR). [Omitted previously. Amplified description published in l.c. 9(1): 41-42, fig. 52, 2003 ('2002').]
- Thelocactus vaskoanus** Halda & al., Acta Mus. Richnov. Sect. Nat. 7(2): 75-76, 2000. Typus: *Vasko* 10223 (PR). [Omitted previously. Amplified description (sub *T. tulensis* ssp. *vaskoanus*) in l.c. 9(1): 45, fig. 56, 2003.]
- Turbinicarpus** Sect. **Gymnocalycium** (Backeberg) J. Lüthy, Cact. Syst. Init. No. 14: 21, 2002. Basionym: *Gymnocalycium*.
- Turbinicarpus** Ser. **Pseudomacrochelae** J. Lüthy, Cact. Syst. Init. No. 14: 22, 2002. Typus: *Turbinicarpus pseudomacrochele* (Backeberg) Buxbaum & Backeberg.
- Turbinicarpus ×kubesai** Halda & Kupcák, Acta Mus. Richnov. Sect. Nat. 7(2): 76, 2000. Typus: PR [Ex cult. P. Kupcák PK 980910]. [Sphalm. 'kubesi'. = *T. pseudomacrochele* × *T. kraiñzianus*; = *T. sphacellatus* hort. Amplified description published in l.c. 9(1): 46, fig. 57, 2003 ('2002').]
- Turbinicarpus macrochele** ssp. *kupcakii* Halda & Horácek, Acta Mus. Richnov. Sect. Nat. 7(2): 76, 2000. Typus: *Halda et Horácek* 850488 (PR). [Omitted previously. Sphalm. 'kupcaki'.]
- Turbinicarpus pseudomacrochele** ssp. *minimus* (G. Frank) J. Lüthy & A. Hofer, Cact. Syst. Init. No. 14: 20, 2002. Basionym: *Turbinicarpus kraiñzianus* fa. *minimus*. [First published invalidly (Art. 33.4) in Kakt. and. Sukk. 50(11): 280, 1999.]
- Turbinicarpus saueri** ssp. *knuthianus* (Bödeker) J. Lüthy, Cacti CITES App. I, 9, 2002. Basionym: *Echinocactus knuthianus*. [Dated 2001, publ. Jan. 2002 fide pers. comm. from the author.]
- Weberocereinae** Doweld, Sukkulenty 4(1-2): 32, 2002. Typus: *Weberocereus* Britton & Rose. [Dated 2001, publ. Dec. 2002 or later.]
- Weberocereus biolleyi** ssp. *panamensis* (Britton & Rose) Doweld, Sukkulenty 4(1-2): 43, 2002. Basionym: *Weberocereus panamensis*. [Dated 2001, publ. Dec. 2002 or later.]
- Weberocereus estrellensis** (F. A. C. Weber ex Wercklé) Doweld, Sukkulenty 4(1-2): 43, 2002. Basionym: *Cereus estrellensis*.
- Weingartia neocumingii** var. *augustinii* Amerhauser, Gymnocalycium 15(4): 480-481, illus., 2002. Typus: *Swoboda* 37 (LPB, WU). [Sphalm. 'augustini'.]
- Weingartia neocumingii** var. *hentzscheliana* Amerhauser, Gymnocalycium 15(4): 481-482, illus., 2002. Typus: *Swoboda* 158 (LPB, WU, ZSS).
- Weingartia neocumingii** var. *lagarpampensis* Amerhauser, Gymnocalycium 15(4): 482-483, illus., 2002. *Swoboda* 160 (LPB, WU).
- Weingartia neocumingii** var. *longigibba* (F. Ritter) Augustin & Hentzschel, Gymnocalycium 15(3): 464, illus., 2002. Basionym: *Weingartia longigibba*. [Combination repeated in Cactus & Co. 7(2): 113, 2003.]
- Werckleocereus glaber** ssp. *mirandae* (Bravo) Doweld, Sukkulenty 4(1-2): 43, 2002. Basionym: *Selenicereus mirandae*. [Dated 2001, publ. Dec. 2002 or later.]

## CRASSULACEAE

- Aeonium calderense** Malmus, Piante Grasse 22(4): 136-137, ill., 2002. *Nom. inval.* (Art. 36.1, 37.1).
- Aeonium escobarii** Malmus, Piante Grasse 22(4): 136, ill. (p. 134), 2002. *Nom. inval.* (Art. 36.1, 37.1).
- Aichryson bituminosum** Bañares, Willdenowia 32(2): 222-224, ill., 2002. Typus: *Bañares* 42121 (TFC, B).
- Crassula** cv. **Gandalf** M. Holmes, Cact. Succ. J. (Woollahra) 23(5): 81-82, ill., 2002. [= *Crassula deceptor* (male) × *C. mesembrianthemopsis*.]
- Crassula** cv. **Star Child** M. Holmes, Cact. Succ. J. (Woollahra) 23(5): 80-81, ill., 2002. [= *Crassula deceptor* (male) × *Crassula 'Starburst'*.]
- Crassula colligata** Tölken, South Austral. Naturalist 76(1-2): 6-7, 2002. Typus: *Donner* 9127 (AD, NBG, NCU, NSW).
- Crassula colligata** ssp. **lamproserma** Tölken, South Austral. Naturalist 76(1-2): 9, 2002. Typus: *Heiligers* 79023 (AD, CANB).
- Crassula extrorsa** Tölken, South Austral. Naturalist 76(1-2): 10, 2002. Typus: *Tölken* 8653 (AD, MEL, PERTH).
- Dudleya attenuata** ssp. **australis** Moran, Haselton-

- nia 8: 60-61, ills., 2002. Typus: *Moran* 17080 (SD, [isotypes to be distributed]). [Vol. for 2001, post-marked Dec. 2002.]
- Echeveria compressicaulis** Eggli & N. P. Taylor, Curtis's Bot. Mag., ser. nov., 19(4): 224-226, ills., t. 450, 2002. Typus: *Taylor* 675 (K).
- Graptopetalum** cv. **Heaven** Coccorese, Sedum Soc. Newslett. No. 60: 32-33, t. 97, 2002. [= *G. filiferum* × *G. pentandrum* var. *superbum*.]
- Graptopetalum marginatum** Kimnach & Moran, Cact. Succ. J. (US) 74(4): 196-198, ills., 2002. Typus: *Ullrich* s.n. (HNT, MEXU, US). [Publication place incorrectly given as Haseltonia in IHSP.]
- Greenovia aurea* var. *subalpina* Malmkmus, Piante Grasse 22(3): 124-125, ills., 2002. *Nom. inval.* (Art. 36.1, 37.1).
- Greenovia diplocycla* var. *gigantea* Malmkmus, Piante Grasse 22(3): 125-126, ill., 2002. *Nom. inval.* (Art. 36.1, 37.1).
- Hylotelephium pакisticum** (G. Sarwar) G. Sarwar, Fl. Pakistan no. 209: 44, 2002. Basionym: *Sedum pакisticum*.
- Hylotelephium populifolium** cv. **Kurt Weckstrom** R. Stephenson, Sedum Soc. Newslett. No. 61: 53, ill. (t. 106), 2002. [A spontaneous garden hybrid, most probably *H. populifolium* × *H. spectabile*.]
- Phedimus** Sect. **Stolonifer** (Fröderström) Byalt, in Tzvelev, Fl. Europ. Orient. 10: 284, 2001. Basionym: *Sedum* Ser. *Stoloniferum*. [Sphalm. 'Stoloniferus'.]
- Phedimus crenatus** (Desfontaines) Byalt, in Tzvelev, Fl. Europ. Orient. 10: 284, 2001. Basionym: *Crassula crenata*.
- Phedimus spurius** cv. **John Creech** R. Stephenson & al., Sedum Soc. Newslett. No. 60: 41-42, t. 98, 2002. [A horticultural selection from cultivated material supposedly having been collected in the Altai Mts., Russia.]
- Phedimus spurius** cv. **Leningrad White** R. Stephenson & al., Sedum Soc. Newslett. No. 60: 42-43, t. 105, 2002. [A horticultural selection based on material originally received from Leningrad Botanical Garden.]
- Rosularia adenotricha** ssp. **chitralica** G. Sarwar, Fl. Pakistan no. 209: 58, 2002. Typus: *Sarwar et Omer* s.n. (KUH).
- Rosularia viguieri** (Hamet) G. Sarwar, Fl. Pakistan no. 209: 51, 2002. Basionym: *Sedum adenotrichum* var. *viguieri*.
- Sedum** cv. **Lajos** B. Horvath, Sedum Soc. Newslett. No. 62: 81, 2002. [A naturally occurring stable variegated sport of *Sedum* 'Autumn Joy'.]
- Sedum** cv. **Rockery Challenger** Femenia, Sedum Soc. Newslett. No. 63: 11, figs. 128-129, 2002. [Of unknown parentage, probably involving *S. mexicanum* and *S. sarmentosum*.]
- Sedum** Ser. **Elegans** 't Hart & Alpinar, Edinburgh J. Bot. 56(2): 193, 1999. Typus: *Sedum ince* 't Hart & Alpinar. Omitted previously.
- Sedum nevolcanicum** Pérez-Calix & I. García, Acta Bot. Mex. 58: 58-60, ills., 2002. Typus: *García et Hernandez* 5542 (IEB, CIMI,

ENCB, MEXU).

**Sedum pallidum** ssp. **bithynicum** (Boissier) Byalt, in Tzvelev, Fl. Europ. Orient. 10: 279, 2001. Basionym: *Sedum bithynicum*.

**Sempervivum carpathicum** ssp. **heterophyllum** (Hazslin) Letz, Phyton (Horn) 42(1): 113, 2002.

## CUCURBITACEAE

**Apodanthera undulata** var. **australis** McVaugh, in W. R. Anderson (ed.), Fl. Novo-Galic. 3: 493-496, ills., 2001. Typus: *Dieterle* 3550 (MICH).

## DRACAENACEAE

**Sansevieria maduraiensis** Binojkumar, J. Econ. Taxon. Bot. 26(2): 458, ill. (p. 460), 2002. Typus: *Binojkumar* s.n. (CAL, MH).

**Sansevieria sinus-simiorum** Chahinian, Sansevieria No. 3: 24-26, ills.; No. 4: 9 [erratum], 2002. Typus: *Burdett* s.n. in *Chahinian* 316 p.p. (MO, NY).

**Sansevieria trifasciata** cv. **Daria** Chahinian, Sansevieria No. 3: 2, ill., 2002. [A selection from nursery-grown *S. trifasciata* 'Laurentii Compta'.]

**Sansevieria trifasciata** cv. **Fontanella** Chahinian, Sansevieria No. 4: 3, ill., 2002.

**Sansevieria trifasciata** cv. **Gold Flame** Chahinian, Sansevieria No. 3: 2, ill., 2002. [A horticultural selection without origin.]

**Sansevieria trifasciata** cv. **Golden Street** Chahinian, Sansevieria No. 4: 4, ill., 2002. [Obtained in cultivation, and first received under the invalid cultivar name 'Golden Stricta'.]

**Sansevieria trifasciata** cv. **Green Lace** Chahinian, Sansevieria No. 4: 3-4, ill., 2002.

**Sansevieria trifasciata** cv. **Herminia** Chahinian, Sansevieria No. 3: 4, ill., 2002. [A form obtained in cultivation, either from *S. trifasciata*, or from *S. trifasciata* 'Slimmerette'.]

**Sansevieria trifasciata** cv. **Laurentii Striolated** Chahinian, Sansevieria No. 4: 4, ill., 2002.

**Sansevieria trifasciata** cv. **Midnight** Chahinian, Sansevieria No. 3: 3, ill., 2002.

**Sansevieria trifasciata** cv. **Midnight Shine** Chahinian, Sansevieria No. 4: 2, ill., 2002.

**Sansevieria trifasciata** cv. **Morgenstern's Futura Aurea** Chahinian, Sansevieria No. 3: 3, ill., 2002.

**Sansevieria trifasciata** cv. **Okeechobee** Chahinian, Sansevieria No. 4: 2-3, ill., 2002. [Obtained from naturalized plants in Florida.]

**Sansevieria trifasciata** cv. **Twisted Sister** Chahinian, Sansevieria No. 3: 3, ill., 2002. [A form of *S. trifasciata* 'Futura'.]

ERIOSPERMACEAE

(IEB).

**Eriospermum** Sect. **Cyathiflorum** P. L. Perry *ex* Thiede, Bothalia 32(1): 76, 2002. Typus: *Eriospermum cooperi* Baker. Name first used invalidly (Art. 37.1) by P. L. Perry, Contr. Bol. Herb. 17: 120, 1994.

**Eriospermum** Sect. **Ligulatum** P. L. Perry *ex* Thiede, Bothalia 32(1): 76, 2002. Typus: *Eriospermum flagelliforme* (Baker) J. C. Manning. Name first used invalidly (Art. 37.1) by P. L. Perry, Contr. Bol. Herb. 17: 77, 1994.

EUPHORBIACEAE

**Euphorbia castillonii** Lavranos, Succulentes

25(3): 3-6, ill., 2002. Typus: *Castillon* 8 (P).

**Euphorbia patentispina** S. Carter, Nordic J. Bot. 21(6): 567-568, ill., 2001. Typus: *Thulin et al.* 10211 (K, UPS).

**Euphorbia razafindratsirae** Lavranos, Succulentes 25(3): 6-8, ill., 2002. Typus: *Razafindratsira* s.n. (P).

PEDALIACEAE

**Uncarina decaryi** Humbert *ex* Ihlenfeldt, Kakt. and. Sukk. 53(5): 124-125, ill., 2002. Typus: *Decary* 9223 (P). [First published invalidly (Art. 37.1) in Adansonia, n.s., 2(2): 210-211, 1962.]

PONTULACACEAE

**Anacampseros vespertina** Thulin, Kew Bull. 57(3): 741-745, 2002. Typus: *Thulin et al.* 10603 (UPS, K).

**Phemeranthus mexicanus** (Hemsley) G. Ocampo, Acta Bot. Mex. 59: 77, ill. (p. 78), 2002. Basionym: *Talinum mexicanum*.

**Phemeranthus multiflorus** (Rose & Standley) G. Ocampo, Acta Bot. Mex. 59: 79, 2002. Basionym: *Talinum multiflorum*.

**Phemeranthus napiformis** (De Candolle) G. Ocampo, Acta Bot. Mex. 59: 79, 2002. Basionym: *Talinum napiforme*.

**Portulaca dodomaensis** M. G. Gilbert, Kew Bull. 55: 800, fig. 1: f-h, 2000. Typus: *Polhill et Paulo* 1287 (K, EA, SRGH). [Omitted previously.]

**Portulaca greenwayi** M. G. Gilbert, Kew Bull. 55: 775, fig. 1: a-e, 2000. Typus: *Greenway* 9251 p.p. (K, EA). [Omitted previously.]

**Portulaca guanajuatensis** G. Ocampo, Acta Bot. Mex. 58: 1-3, ill., 2002. Typus: *Ocampo et Medellín* 1152 (IEB etc.).

**Portulaca rzedowskiana** G. Ocampo, Sida 20(2): 487-489, ill., 2002. Typus: *Escobedo* 2035

## BIBLIOGRAPHIA

- [1] Abraham, W.-R. (2002). Beobachtungen an *Pilosocereus azureus* F. Ritter. Kakt. and. Sukk. 53(1): 20-23, ills.
- [2] Adıgüzel, N. & Aytaç, Z. (2001). Flora of Ceylanpinar State Farm (Sanliurfa - Turkey). Fl. Medit. 11: 333-361, map. [*Crassulaceae*: p. 346.]
- [3] Afferni, M. (2002). Geometria e matematica della forma dei cacti. Certeze, ipotesi, teorie. Firenze (I): Alinea Editrice. 94 pp., diags.
- [4] Aké Assi, L. (2002). Flore de la Côte-d'Ivoire: Catalogue systématique, biogéographie et écologie. II. Boissiera 58: 401 pp., ills. [Covering dicotyledons (families A-M) and monocotyledons. Vol. 1 published 2001.]
- [5] Al Hmaid, F. M. A. (2002). Revision of the genus *Aloe* L. in Saudi Arabia. Arab Gulf J. Sci. Res. 20(3): 123-132.
- [6] Albers, F. & Meve, U. (eds.) (2002). Illustrated Handbook of Succulent Plants. *Asclepiadaceae*. Berlin (D) etc.: Springer-Verlag. xiv + 318 pp., 48 t.
- [7] Albers, F. & Meve, U. (eds.) (2002). Sukkulanten-Lexikon. Band 3. *Asclepiadaceae* (Seidenpflanzengewächse). Stuttgart (D): Verlag Eugen Ulmer. xvi + 322 pp., 48 t.
- [8] Allorge-Boiteau, L. (2002). Les cactées introduites à Madagascar. Succulentes 25(1): 9-16, ills.
- [9] Allorge-Boiteau, L. (2002). Redécouverte à Madagascar de *Crassula micans* Vahl ex Baill., récoltée par Commerson. Succulentes 25(2): 32-36, ills., map, key.
- [10] Anaya, A. (2002). A journey to the land of / Un viaggio nella terra di *Mammillaria perezdelarosae*. Cactus & Co. 6(2): 89-101, ills.
- [11] Appenzeller, O. (2002). Lose-Blatt-Sammlung des AfM. Lieferung 2001. [*Mammillaria*] Nomen nudum. Homburg/Saar (D): Published by the author. 4 pp. + 100 sheets. [Dated 2001, distributed 2002. Comments on historical *nomina nuda* in *Mammillaria*.]
- [12] Appenzeller, O. (2002). Lose-Blatt-Sammlung des AfM. Lieferung 2002. [*Mammillaria*] Nomina nuda. Homburg/Saar (D): Published by the author. 4 pp. + 100 sheets. [Comments on historical *nomina nuda* in *Mammillaria*.]
- [13] Appenzeller, O. (ed.) (2002). Die Mammillarien. Ergänzungslieferung 2001. Münster etc. (D): Arbeitskreis für Mammillarienfreunde e.V. 56 sheets, ills.
- [14] Applequist, W. L. & Wallace, R. S. (2002). Deletions in the plastid trnT-trnL intergenic spacer defines clades within *Cactaceae* subfamily *Cactoideae*. Pl. Syst. Evol. 231: 153-162, ill.
- [15] Ardisson, G. & Delanoy, G. (2002). *Harriisia earlei* Britton & Rose, 1920 dans son habitat. Succulentes 25(4): 25-30, ills.
- [16] Arizaga, S. & Ezcurra, E. (2002). Propagation mechanisms in *Agave macroacantha* (*Agavaceae*), a tropical arid-land succulent rosette. Amer. J. Bot. 89(4): 632-641, ills.
- [17] Augustin, K. & Hentschel, G. (2002). Die Gattung *Weingertia* Werdermann. Teil 1: Besprechung und Neuordnung. *Gymnocalyicum* 15(3): 453-472, ills., map. [English and Italian version in *Cactus & Co.* 7(2): 91-126, ills., 2003. Partial Russian translation in Kakt. Tolko 2002(4'): 9-16, ills. (pl. A), 2003; l.c. 2003(1): 11-16, ills. (pl. D).]
- [18] Baltisberger, M. (2002). Cytological investigations on some Albanian plant species. *Candollea* 56(2): 245-259, map, ills. [Includes data on *Jovibarba heuffelii* (p. 252).]
- [19] Bañares Baudet, A. (2002). On some poorly known taxa of *Aichryson* Sect. *Aichryson* and *A. bituminosum* sp. nova (*Crassulaceae*). *Willdenowia* 32(2): 221-230, ills., map, key. [Includes a key to the pubescent-leaved species.]
- [20] Banerjee, G. & Mukherjee, A. (2001). Pharmacognostic studies on *Portulaca oleracea* L. I. Leaf. In: Maheshwari, J. K. & Jain, A. P. (eds.): Recent researches in plant anatomy and morphology; pp. 69-77, ills. Jodhpur (India): Scientific Publishers (India).
- [21] Barmon, A. de (2002). *Mammillaria dioica* K. Brandegee – deserves its name? Cact. Adventures No. 55: 10-13, ills. [Data from experiments on the dioecy of this taxon.]
- [22] Barsch, F. (2002). Die Kakteen des Biosphärenreservates Huiricuta. Kakt. and. Sukk. 53(3): 57-65, ills., map.
- [23] Bayer, M. B. (2002). *Haworthia* update. Essays on *Haworthia* – Volume 1. Hatfield (RSA): Umdaus Press. viii + 63 pp., ills., maps.
- [24] Bayer, M. B. (2002). An odd collection of *Haworthia* from Rooiberg, Calitzdorp. *Aloe* 38(3-4): 71, ill. [Dated 2001, received 1. May 2002.]
- [25] Bayer, M. B. (2002). An odd population of *Haworthia* *arachnoidea* var. *nigricans*. *Aloe* 38(3-4): 76-79, ills. [Dated 2001, received 1. May 2002.]
- [26] Bayer, M. B. (2002). Small hairy things. *Haworthiad* 16(2): 48-52, ills. [On several taxa of *Haworthia*.]
- [27] Bayer, M. B. (2002). New names and combinations in *Haworthia*. *Haworthiad* 16(2): 62-71, ills.

- [28] Beaston, B. (2002). Cacti in Oregon and Washington. Part 1 / 2. Kakteen in Oregon und Washington. Teil 1 / 2. Cactaceae Rev. 5(1): 3-9, (2): 4-10, illus.
- [29] Beckert, K. (2002). *Parodia subterranea* und Verwandte. Mitteilungsbl. Inter-Parodiakette No. 18: 8-23, No. 19: 11-12, illus., maps.
- [30] Benadom, D. (2002). *Aloe* index: Part 1. *A. aageodonta* Newton to *A. bussei* Berger / Part 2. *A. caesia* Salm-Dyck to *A. eylesii* Christian. Part 3. *A. falcata* Baker to *A. itremensis* Reynolds. Haworthiad 16(1): 33-40; (2): 74-80; (3): 116-120.
- [31] Bergner, S. (2002). Ist die Gattung *Brasiliocactus* Backeberg monotypisch? Internoto 23(1/2): 25-27, illus.
- [32] Bergner, S. (2002). *Notocactus linkii* var. *albispinus* W. R. Abraham. Internoto 23(1/2): 43-48, illus.
- [33] Biedinger, N. (2002). *Selenicereus wittii* – ein seltener epiphytischer Kaktus aus amazischen Regenwäldern. Kakt. and. Sukk. 53(6): 160-162, illus., SEM-illus.
- [34] Biel, B. (2002). Contributions to the flora of the Aegean Islands of Lesvos and Limnos, Greece. Willdenowia 32(2): 209-219, illus. [Includes a record of *Rosularia serrata*.]
- [35] Binojkumar, M. S. (2002). A study on the genus *Sansevieria* Thunb. (Dracaenaceae) in India. J. Econ. Taxon. Bot. 26(2): 455-463, illus., key.
- [36] Blum, W. & Felix, D. (2002). *Echinocereus lanuraensis* (J. Rutow) W. Blum et D. Felix. Begründung der Arteigenständigkeit. Echinocereenfreund 15(1): 3-18, illus., map.
- [37] Blum, W. & Felix, D. (2002). *Echinocereus engelmannii* und einige seiner Formen. Echinocereenfreund 15(2): 36-53, illus., map.
- [38] Bobich, E. G. & Nobel, P. S. (2002). Cladode junction regions and their biomechanics for arborescent *Platyopuntias*. Int. J. Pl. Sci. 163(4): 507-517.
- [39] Boetsch, J. R. (2002). The *Aizoaceae* and *Molluginaceae* of the southeastern United States. Castanea 57(1): 42-53.
- [40] Bohle, B. (2002). *Melocactus azureus* Buining et Brederoo, der "Bläue" aus Bahia, Brasilien. Kaktusblüte 2002: 15-19, illus.
- [41] Boyd, S. (2001). New records for the vascular flora of the Santa Ana Mountains, California. Aliso 20(1): 43-44. [Includes *Crassula solieri*.]
- [42] Boyle, T. H. & Anderson, E. F. (2002). Biodiversity and conservation. In: Nobel, P. S. (ed.): Cacti. Biology and uses; pp. 125-141. Berkeley (US: CA) etc.: University of California Press.
- [43] Bradley, K. A. & Woodmansee, S. W. (2002). A significant new population of the rare Semaphore Pricklypear Cactus, *Opuntia corallicola* (Cactaceae). Sida 20(2): 809-811.
- [44] Braun, P. J. & Esteves P., E. (2002). Eine neue Unterart aus Bahia, Brasilien: *Arrojadoa multiflora* ssp. *hofackeriana* P. J. Braun & Esteves. Kakt. and. Sukk. 53(3): 71-75, illus., map. [Included for the distribution map of the species of *Arrojadoa* subgen. *Albertbuiningia*.]
- [45] Braun, P. J. & Esteves P., E. (2002). Zur Taxonomie von *Pilosocereus* Byles & G. D. Rowley (Cactaceae). Kakt. and. Sukk. 53(9): 239-244, illus.
- [46] Braun, P. J. & Esteves P., E. (2002). Kakteen und andere Sukkulanten in Brasilien. Schumannia No. 3: 235 pp., illus., maps. [Dated 2001 on the cover, publ. 15. 1. 2002.]
- [47] Breckwoldt, S. & K. (2002). Auf der Suche nach Fundorten von *Echinocereus pulchellus* ssp. *acanthosetus* (Arias & Guzmán) Blum in Oaxaca. Kaktusblüte 2002: 43-45, illus.
- [48] Bregman, R. (2002). Some notes on the recent taxonomic confusion in cacti. Cact. Syst. Init. No. 13: 18-20.
- [49] Bressler, B. (2002). *×Myrtgerocactus lindsayi* – a natural hybrid. Cact. Succ. J. (US) 74(3): 108-111, illus., map.
- [50] Breuer, I. (2002). A comment on Bayer's latest taxonomic contribution. Alsterworthia Internat. 2(1): 13-14, illus. [On *Haworthia rossouwii* and *H. serrata*, etc.]
- [51] Breuer, I. (2002). Comments on *Haworthia correcta*. Alsterworthia Internat. 2(1): 5.
- [52] Breuer, I. (2002). Late breaking news. Alsterworthia Internat. 2(3): 14. [On taxa of *Haworthia* recently described as new by M. Hayashi.]
- [53] Breuer, I. (2002). Introduction for some proposed *Haworthia* taxa. Alsterworthia Internat. 2(3): 2-7, illus. [Japanese translation in Haworthia Study No. 9: 6-9, illus., 2003.]
- [54] Breuer, I. (2002). An *Haworthia* species concept update. Alsterworthia Internat. Spec. Issue No. 1: 24 pp., illus.
- [55] Breuer, I. (2002). Some interesting and attractive Haworthias for the collector; part 2. Haworthiad 16(1): 10-20, illus. [Continued from I.c. 15(4), 2001.]
- [56] Breuer, I. (2002). Nekolik pestitelsky atraktivních a zajímavých rostlin rodu *Haworthia*. Kaktusy 38(Speciál 1): 32 pp., illus., map.
- [57] Bruyns, P. V. (2002). Monograph of *Orbea* and *Ballyanthus* (Apocynaceae – Asclepiadoideae – Ceropogiae). Ann Arbor (US: MI): American Society of Plant Taxonomists. 196 pp., illus., maps, key. [= Syst. Bot. Monogr. vol. 63.]
- [58] Bruyns, P. V. & Miller, A. G. (2002). *Socotrella*, a new genus of Stapeliad (Apocynaceae – Asclepiadoideae) from the island of Socotra.

- ra. Novon 12(3): 330-333.
- [59] Bullock, E. J. (2002). A 1973 checklist of the Aloes in the vicinity of the national parks in the Melsetter area. Ingens Bull. No. 26: 16-21.
- [60] Butterworth, C. A. & al. (2002). Molecular systematics of tribe *Cacteae* (*Cactaceae*: *Cactoideae*): A phylogeny based on rpl16 intron sequence variation. Syst. Bot. 27(2): 257-270, diags.
- [61] Byalt, V. V. (2002). A forgotten species of the genus *Sedum* L. (*Crassulaceae*) in the Urals. Sedum Soc. Newslett. No. 63: 22-27, ill. [On *S. uralense*. See also a paper in Russian on the same subject in Bot. Zhurn. 83(1): 126-129, 1998.]
- [62] Caddick, L. R. & al. (2002). Yams reclassified: A recircumscription of *Dioscoreaceae* and *Dioscoreales*. Taxon 51(1): 103-114.
- [63] Calderón Moya-Méndez, N. (2002). Diagnóstico poblacional de las Cactáceas de Manchay, Provincia de Lima. Quepo 16: 40-45, ill., map.
- [64] Casas, A. & Barbera, G. (2002). Meso-American domestication and diffusion. In: Nobel, P. S. (ed.): *Cacti. Biology and uses*; pp. 143-162. Berkeley (US: CA) etc.: University of California Press.
- [65] Castroviejo, S. (ed.) (2001). Claves de Flora Iberica. Plantas vasculares de la Península Ibérica e Islas Baleares. Vol. I. *Pteridophyta, Gymnospermae, Angiospermae (Lauraceae - Euphorbiaceae)*. Madrid (E): Real Jardín Botánico / Consejo Superior de Investigaciones Científicas. [*Crassulaceae*: pp. 448-458, ill., keys.]
- [66] Charles, G. (2002). *Micranthocereus* Bkbg. Brit. Cact. Succ. J. 20(1): 2-6, ill.
- [67] Chauser-Volfson, E. & al. (2002). Anatomical structure and distribution of secondary metabolites as a peripheral defence strategy in *Aloe hereroensis* leaves. Bot. J. Linn. Soc. 138(1): 107-116, ill.
- [68] Chesselet, P. & Smith, G. F. (2002). The rediscovery of *Ruschia acutangula* (Haw.) Schwantes (*Mesembryanthemaceae* Fenzl). Bradleya 20: 17-22, ill., map.
- [69] Chesselet, P. & Wyk, A. E. van (2002). Notes on African plants. *Mesembryanthemaceae*. Mesembs with nut-like schizocarpic fruit and *Ruschianthemum* Friedrich sunk under *Stoeberia* Dinter & Schwantes. Bothalia 32(2): 187-190, ill.
- [70] Chesselet, P. & al. (2002). A new tribal classification of *Mesembryanthemaceae*: Evidence from floral nectaries. Taxon 51(2): 295-308, diags.
- [71] Chrték, J. & Slavík, B. (2000). Contribution to the flora of Cyprus, 4. Fl. Medit. 10: 235-259, maps. [*Crassulaceae*: p. 254.]
- [72] Clarkson, J. J. & al. (2002). Phylogenetic relationships in *Burseraceae* based on plastid rps16 intron sequences. Kew Bull. 57(1): 183-193, diag.
- [73] Cody, M. L. (2002). Growth form variation in columnar cacti (*Cactaceae*: *Pachycereeae*) within and between North American habitats. In: Fleming, T. H. & Valiente-Banuet, A. (eds.): Columnar cacti and their mutualists; pp. 164-188. Tucson (US: AZ): University of Arizona Press.
- [74] Cole, D. T. (2002). *Lithops* locality data. Schwindegg (D): Rafael Matysiuk. 33 pp., maps. [Also available in updated form at [www.lithops.info](http://www.lithops.info).]
- [75] Cole, D. T. (2002). Atop the Brandberg – at last! / In vetta al Brandberg – finalmente! Cactus & Co. 6(2): 69-88, ill., map. [Reprinted with modifications from *Aloe* 23(4): 81-85, 1986, and *Excelsa* 13: 29-35, 1988.]
- [76] Cole, D. T. (2002). *Lithops coleorum*. Un splendido intruso / A beautiful intruder! Cactus & Co. 6(4): 191-198, ill.
- [77] Collenette, S. (2002). Succulent Asclepiads in Oman – part 2. Asklepios No. 84: 12-15, ill. [Continued from l.c. No. 83, 2001.]
- [78] Collenette, S. (2002). Carallumas, old and new, in Saudi Arabia – Part 3. Brit. Cact. Succ. J. 20(1): 7-12, ill., map. [Continued from l.c. 19(3), 2001.]
- [79] Contreras, C. & Valverde, T. (2002). Evaluation of the conservation status of a rare cactus (*Mammillaria crucigera*) through the analysis of its population dynamics. J. Arid Environm. 51(1): 89-102, diag.
- [80] Copacescu, S. V. (2001). Cactusii. Monografie. Bucuresti (R): Editura "Ceres". 695 pp., ill., 1 folding pl.
- [81] Corman, P. (2002). *Melocactus praeerupticola*, une espèce endémique de République Dominicaine en danger de disparition. Succulentes 25(1): 17-20, ill.
- [82] Craib, C. (2002). *Ceropegia craibii*: A new discovery from the Vryheid District in KwaZulu-Natal. Aloe 39(2): 36-47, ill.
- [83] Craib, C. (2002). An ecological account of *Ceropegia craibii* – a rare and beautiful species from Natal, South Africa. Cact. Succ. J. (US) 74(3): 135-139, ill.
- [84] Craib, C. (2002). *Bulbine flavosa* [sic!]. An interesting tuberous species from western Gauteng and Mpumalanga. Veld. Fl. (1975+) 88(1): 20-21, ill.
- [85] Crook, R. & Mottram, R. (2002). *Opuntia* index. Part 8: R. Bradleya 20: 51-66, ill. [Continued from l.c. 19.]
- [86] Crouch, N. R. & al. (2002). Batting curses and beating depression: *Adenia gummifera* in Zulu traditional medicine. Bradleya 20: 67-78, maps, ill. [Includes distribution maps for several other

- taxa.]
- [87] Cruz, M. & Casas, A. (2002). Morphological variation and reproductive biology of *Polaskia chende* (Cactaceae) under domestication in Central Mexico. *J. Arid Environm.* 51(4): 561-576, map, diags.
- [88] Cuénoud, P. & al. (2002). Molecular phylogenetics of *Caryophyllales* based on nuclear 18s rDNA and plastid rbcL, atpB, and matK DNA sequences. *Amer. J. Bot.* 89(1): 132-144, diags.
- [89] Dávila-Aranda, P. & al. (2002). Phyogeography of the columnar cacti (tribe *Pachycereeae*) in Mexico: A cladistic approach. In: Fleming, T. H. & Valiente-Banuet, A. (eds.): Columnar cacti and their mutualists; pp. 25-41. Tucson (US: AZ): University of Arizona Press.
- [90] Delaigue, R. (2002). *Crassula tillaea* Lester-Garland (*Crassulaceae*) à Mallevéal (Loire). *Bull. Mens. Soc. Linn. Lyon* 71(3): 123-124.
- [91] Delanoy, G. (2002). *Melocactus borhidii* in habitat. *Cactus & Co.* 6(3): 172-183, illus.
- [92] Delanoy, G. (2002). Alla ricerca di *Melocactus harlowii* (Br. & R.) Vaupel nel meridione di Cuba. *Piante Grasse* 22(3): 96-105, illus.
- [93] Delanoy, G. (2002). Een reis door Cuba. *Succulenta* 81(1): 28-35, illus. [Included for the illustrations. Hungarian translation in Kakt. Világ 26(6): 183-185, illus., 2002.]
- [94] Dicht, R. F. & Lüthy, A. D. (2002). La sorprendente variabilità delle / The amazing variability of *Coryphantha*. *Cactus & Co.* 6(4): 199-220, illus.
- [95] Dold, T. (2002). Mary Elizabeth Barber – South African Stapeliad pioneer. *Aloe* 38(3-4): 52-55, illus. [Dated 2001, received 1 May 2002.]
- [96] Dold, T. & Cumming, D. (2002). Notes on the species of *Brachystelma* R. Br. occurring in the Eastern Cape Province of South Africa. *Asklepios No.* 84: 4-11, illus.
- [97] Dold, T. & al. (2002). Conventional wisdom, or the rediscovery of *Bergeranthus artus* L. Bolus. *Aloe* 39(2): 30-32, illus., map.
- [98] Dornberger, W. (2002). *Echinocereus pectinatus* mit gelber Narbe. *Echinocereenfreund* 15(2): 34-35, illus.
- [99] Doweld, A. B. (2001). Prosylabus Tracheophytorum. Tentamen systematis plantarum vascularium (Tracheophyta). Moscow (RU): Geos. 200 pp. [*Caryophyllidae* (incl. many succulent plant families) pp. 41-43].
- [100] Doweld, A. B. (2002). Frühere gütig publizierte Sektions-Namen in der Gattung *Mammillaria* Haw.: Eine zusammenfassende Darlegung. *Mitteilungsbl. AfM* 25(4): 143-147. [Dated 2001, published Feb. 2002.]
- [101] Doweld, A. B. (2002). *Gymnorebutia*, a new re-circumscribed generic name in Cactaceae Durande. *Sukkulenty* 4(1-2): 24-25. [Dated 2001 but publ. Dec. 2002 or Jan. 2003 (V. Gapon, pers. comm. May 2003).]
- [102] Doweld, A. B. (2002). Re-classification of *Rhipsalideae*, a polyphyletic tribe in the *Cactaceae* Durande. *Delineatio et revisio critica tribuum Rhipsalideae DC. et Hylocereeae F. Buxb. (Cactaceae)*. *Sukkulenty* 4(1-2): 25-45, SEM-ills. [Dated 2001 but publ. Dec. 2002 or Jan. 2003 (V. Gapon, pers. comm. May 2003).]
- [103] Doweld, A. B. (2002). On the phylogeny and systematics of the genus *Copiapoa* Britton et Rose (*Copiapoeae* Doweld – *Cactaceae* Durande). *Sukkulenty* 4(1-2): 46-56, SEM-ills. [Dated 2001 but publ. Dec. 2002 or Jan. 2003 (V. Gapon, pers. comm. May 2003).]
- [104] Doweld, A. B. (2002). [Russian:] On the genus *Airampo* Fric (*Opuntioideae* – *Cactaceae*). *Turczaninowia* 5(2): 26-31.
- [105] Doweld, A. B. (2002). [Russian:] A typification of the species of *Hylocereus* (*Hylocereeae* – *Cactaceae*). *Turczaninowia* 5(1): 11-16, illus.
- [106] Dubrovsky, J. G. & North, G. B. (2002). Root structure and function. In: Nobel, P. S. (ed.): *Cacti. Biology and uses*; pp. 41-56. Berkeley (US: CA) etc.: University of California Press.
- [107] Edington, J. A. (2002). §*Umbilicus rupestris*: Eastward ho? *Bot. Soc. Brit. Isles News* 90: 12-13.
- [108] Eerkens, G. (2002). *Melocactus brongniartii*. *Succulenta* 81(1): 13-14, ill.
- [109] Eggli, U. (2002). Checklist *Cactaceae*. Checklist *Crassulaceae*. In: Sturmühler, W. (ed.): *Vorarbeiten zu einer "Flora von Istrien". Teil V. Carinthia II* 112: 555, 557-558.
- [110] Eggli, U. (ed.) (2002). Illustrated handbook of succulent plants. Dicotyledons. Berlin (D) etc.: Springer-Verlag. xviii + 545 pp., 64 col. pl., keys.
- [111] Eggli, U. (ed.) (2002). Sukkulanten-Lexikon. Band 2. Zweikeimblättrige Pflanzen (Dicotyledonen) ausgenommen *Aizoaceae*, *Asclepiadaceae*, *Cactaceae* und *Crassulaceae*. Stuttgart (D): Verlag Eugen Ulmer. xix + 579 pp., 64 t., keys.
- [112] Endress, M. E. (2002). *Apocynaceae* and *Asclepiadaceae*: United they stand. *Haseltonia* 8: 2-9, illus., diags. [Vol. for 2001, post-marked Dec. 2002.]
- [113] Erdelska, O. & Ovecka, M. (2002). Some economizing mechanisms in the process of sexual reproduction in angiosperms. *Biologia (Bratislava)* 57(1): 45-49. [Includes data on *Epiphylloides*.]
- [114] Escoto-Rodriguez, M. & Bullock, S. H. (2002). Long-term growth rates of Cirio (*Fouquieria columnaris*), a giant succulent of the Sonoran Desert in Baja California. *J. Arid Environ.*

- ronm. 50(4): 593-611, ill., map, diag.
- [115] Esparza-Olguin, L. & al. (2002). Demographic analysis of a rare columnar cactus (*Neobuxbaumia macrocephala*) in the Tehuacan Valley, Mexico. Biol. Conservation 103(3): 349-359.
- [116] Esterhuizen, J. M. (2002). *Haworthia marginata* (Lam.) Stearn – A prominent but threatened species. Alsterworthia Internat. 2(1): 11-12, ill.
- [117] Esterhuizen, J. M. (2002). Views on *Haworthia retusa* (L.) Duv. – The oldest described retuse *Haworthia*, but still the grand old lady of *Haworthia* in the southern Cape. Alsterworthia Internat. 2(2): 5-7, ill.
- [118] Etter, J. & Kristen, M. (2002). *Agave nayaritensis*. Cact. Succ. J. (US) 74(5): 241-244, ill.
- [119] Etter, J. & Kristen, M. (2002). Portly fellows (Ferocacti of Baja California) / Quei 'signori imponenti': I Ferocacti della Baja California. Cactus & Co. 6(1): 4-31, ill. [Included for the copious illustrations.]
- [120] Ewest, W. (2002). *Dioscorea fastigiata* Gay – ein Geophyt aus Chile. Kakt. and. Sukk. 53(5): 135-138, ill.
- [121] Fernández-Alonso, J. L. & Xonneux, G. (2002). Taxonomic news and synopsis of the genus *Melocactus* Link & Otto in Colombia. Cact. Aventuras No. 56: 2-15, ill., key.
- [122] Fitz Maurice, W. A. & B. (2002). More on *Mammillaria stella-de-tacubaya* and *M. gasseriiana*. J. Mammillaria Soc. 42(2): 17-18.
- [123] Fitz Maurice, W. A. & B. (2002). Another look at *Mammillaria glochidiata* Martius. J. Mammillaria Soc. 42(4): 41-42.
- [124] Fleming, T. H. (2002). Pollination biology of four species of Sonoran Desert columnar cacti. In: Fleming, T. H. & Valiente-Banuet, A. (eds.): Columnar cacti and their mutualists; pp. 207-224. Tucson (US: AZ): University of Arizona Press.
- [125] Fleming, T. H. & Valiente-Banuet, A. (eds.) (2002). Columnar cacti and their mutualists. Evolution, ecology, and conservation. Tucson (US: AZ): University of Arizona Press. xiii + 371 pp., ill., maps.
- [126] Fletcher, E. (2002). I Baobab, l'Australia e la Gondwana. Piante Grasse 22(4): 140-148, ill., maps, key.
- [127] Flores Martínez, A. & al. (2002). Aspectos sobre la ecología y reproducción de *Mammillaria kraehenbuehlii* (Kraenzl) Kraenzl en la Mixteca de Oaxaca, México. Cact. Suc. Mex. 47(3): 57-68.
- [128] Frank, G. R. W. & Konnert, M. (2002). Neue Erkenntnisse über die Arteigenständigkeit des *Echinocereus metternii*. Echinocereenfreund 15(3): 59-83, map, ill., SEM-ills.
- [129] Gallo, L. (2002). Le *Crassulaceae* della Valle d'Aosta. Distribuzione, morfologia ed ecologia. Saint-Pierre (I): Museo Regionale di Scienze Naturali. 264 pp., key, maps. [= Museo Regionale di Scienze Naturali, Monografie 3. Dated 2001 but published March 2002 (L. Gallo, pers. comm.).]
- [130] Gallo, L. (2002). Remarks on *Sedum litorneum* Guss. Sedum Soc. Newslett. No. 62: 79-81.
- [131] Gambart, P. (2002). Présentation des dernières évolutions de la systématique du genre *Lophophora* (Lemaire ex Salm-Dyck) Coulter. Succulentes 25(3): 17-27, ill., map.
- [132] Gapon, V. (2002). [Russian:] For whom the genus *Leuchtenbergia* was named? Kaktus Klub 2001(6): 43-50, ill. [Concluded from 2001(5). Dated 2001, published 2002.]
- [133] Gapon, V. (2002). [Russian:] For whom the genus *Leuchtenbergia* was named? Kaktus Klub 2002(1): 42-50, ill. [Continued from 2001(6), publ. 2002.]
- [134] García-Mendoza, A. (2002). Distribution of *Agave* (Agavaceae) in Mexico. Cact. Succ. J. (US) 74(4): 177-187, ill., maps.
- [135] Gebauer, A. (2003). Zum Thema *N.[otocactus] haasianus* n.n. DV 119". Internoto 24(1): 5-7, ill.
- [136] Gebruers, W. (2002). *Mammillaria senilis* – zelffertiel of -steriel? Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl. 15(3): 44-45, ill.
- [137] Gemmrich, W. & Gerloff, N. (2002). *Notocactus fuscus* F. Ritter 1979. Propagierung einer bemerkenswerten und dekorativen Art. Internoto 23(1/2): 3-21, ill., map.
- [138] Gerloff, N. (2002). Weitere Anmerkungen zu einigen seltenen Notokakteen. Internoto 23(1/2): 33-42, ill.
- [139] Gerloff, N. (2002). *Notocactus rauschii* van Vliet mit roten Blüten. Internoto 23(3): 61-64, ill.
- [140] Gerloff, N. (2002). *Notocactus calvescens* N. Gerloff & A. D. Nilson. Internoto 23(4): 89-94, ill., map.
- [141] Gerloff, N. (2003). Meine Sicht über *Notocactus minusculus* Hofacker & Herm 1996. Internoto 24(1): 7-16, ill.
- [142] Gerloff, N. & Metzing, D. (2002). Zur Verbreitung der Gattung *Gymnocalycium* in Südbrasilien. Kakt. and. Sukk. 53(2): 29-39, ill., map. [Russian translation in Kaktus Klub 2002(2): 35-44, ill., maps, 2002 (with mostly new ill.).]
- [143] Ghazanfar, S. A. (2002). The genus *Pachycymbium* (N. E. Br.) M. Gilbert (Asclepiadaceae) in Oman. Asklepios No. 84: 16-18, ill.
- [144] Gilmer, K. & Thomas, H.-P. (2002). *Pterocactus fischeri* Britton & Rose in Ar-

- gentinien. Kakt. and. Sukk. 53(7): 169-171, illus.
- [145] Glen, A. (2002). *Mammillaria moelleriana*. J. Mammillaria Soc. 42(4): 38-39, illus. [On the variability.]
- [146] Glen, H. F. (2002). Notes on African plants. *Portulacaceae*. The synonymy of *Ceraria namaquensis* (Sond.) H. Pearson & E. L. Stephens. Bothalia 32(2): 196-197.
- [147] Godínez-Alvarez, H. & al. (2002). The role of seed dispersers in the population dynamics of the columnar cactus *Neobuxbaumia tetetzo*. Ecology 83(9): 2617-2629, ill., diags.
- [148] Gonçalves, M. L. (2002). Flora de Cabo Verde: Plantas Vasculares. 70. *Asclepiadaceae*. Lisboa (P): Instituto de Investigação Científica Tropical e Instituto Nacional de Investigação e Desenvolvimento Agrário. 11 pp., keys. [Includes *Sarcostemma*.]
- [149] Gonçalves, M. L. (2002). Flora de Cabo Verde: Plantas Vasculares. 41. *Crassulaceae*. Lisboa (P): Instituto de Investigação Científica Tropical e Instituto Nacional de Investigação e Desenvolvimento Agrário. [?] pp., keys. [Publication not seen.]
- [150] González Durán, A. & al. (2001). El género *Opuntia* en Jalisco. Guía de campo. Guadalajara (MEX): Universidad de Guadalajara. 136 pp., illus., key.
- [151] Gorelick, R. (2002). DNA sequence and cactus classification – a short review. Bradleya 20: 1-4.
- [152] Greenhouse, J. A. & Strother, J. L. (2002). *Hesperoyucca whipplei* and *Yucca whipplei* (*Agavaceae*). Madroño 49(1): 20-21.
- [153] Griffith, M. P. (2001). Experimental hybridization of northern Chihuahuan Desert region *Opuntia* (*Cactaceae*). Aliso 20(1): 37-42.
- [154] Guillot Ortiz, D. & Meer, P. van der (2002). Sobre dos especies de *Agave* y una de *Yucca* (*Agavaceae*) descritas por Cavanilles en 1802. Flora Montiberica 21: 38-49.
- [155] Gutte, G. (2002). *Astrophytum asterias* – einige Aspekte zu seiner Entdeckung und Beschreibung. Berliner Kakt.-Blätt. No. 2: 5-11.
- [156] Hammer, S. A. (2002). Dumpling and his wife: New views on the genus *Conophytum*. Norwich (GB): EAE Creative Colour Ltd. 398 pp., illus.
- [157] Hammer, S. A. (2002). The rudest *Cheiridopsis*. Mesemb Study Group Bull. 17(2): 30-31.
- [158] Hammer, S. A. (2002). On and Ophthalmophyllums, or the Gang of Four. Mesemb Study Group Bull. 17(4): 78-79.
- [159] Hamrick, J. L. & al. (2002). Genetic diversity in columnar cacti. In: Fleming, T. H. & Valiente-Banuet, A. (eds.): Columnar cacti and their mutualists; pp. 122-133. Tucson (US: AZ): University of Arizona Press.
- [160] Hannan-Jones, M. A. & Playford, J. (2002). The biology of Australian weeds 40. *Bryophyllum* Salisb. species. Pl. Protect. Quart. 17(2): 42-57.
- [161] Hannon, D. P. (2002). *Manfreda* and its allies. Cact. Succ. J. (US) 74(5): 245-251, illus.
- [162] Hannon, D. P. & Perlman, S. (2002). The genus *Brighamia*. Cact. Succ. J. (US) 74(2): 67-76, illus.
- [163] Hargreaves, B. J. (2002). How many species of *Adenium* are there? Asklepios No. 85: 4-6, illus.
- [164] Hargreaves, B. J. (2002). *Euphorbia bergii* White, Dyer & Sloane. Euphorbiaceae Study Group Bull. 15(2): 54-59, illus., map.
- [165] Hargreaves, B. J. (2002). *Euphorbia malevola* – back in Botswana. Euphorbiaceae Study Group Bull. 15(3): 87-90, ill., map.
- [166] Hartman, S. & al. (2002). Phylogenetic origins of *Lophocereus* (*Cactaceae*) and the senita cactus-senita moth pollination mutualism. Amer. J. Bot. 89(7): 1085-1092.
- [167] Hayashi, M. (2002). Floral characters: Superstitions in taxonomic criteria. Alsterworthia Internat. 2(3): 8-9, 13-14. [On *Haworthia* classification.]
- [168] Hayashi, M. (2002). *Haworthia cooperi*, *H. obtusa*, *H. joeyae*. Haworthia Study No. 7: 7-9, illus.
- [169] Hayashi, M. (2002). Localities of Haworthia. 1-3. Haworthia Study No. 8: 6-11, 14, illus.
- [170] Heek, W. van & Strecker, W. (2002). Am Wuchsart von *Micranthocereus uilianus* Brederoo & Bercht. Kakt. and. Sukk. 53(10): 267-272, illus.
- [171] Heek, W. van & Strecker, W. (2002). Am Fundort von *Micranthocereus streckeri*. Kakt. and. Sukk. 53(5): 113-116, illus.
- [172] Heil, K. D. & Porter, J. M. (2001). A new Flora for Arizona in preparation. *Cactaceae*. Cactus Family. Part 5. *Pediocactus* Britt. & J. N. Rose and *Sclerocactus* Britt. & J. N. Rose. J. Arizona-Nevada Acad. Sci. 33(1): 9-18, keys, illus., maps. [Omitted previously.]
- [173] Hentzschel, G. (2002). Morphology and anatomy of *Yucca* L. (*Agavaceae*) seeds. In: Hochstätter, F. Yucca II; pp. 45-56, illus., SEM-illus. Mannheim (D): Fritz Hochstätter.
- [174] Herm, K. & al. (2001). Kakteen in Brasilien. Cacti in Brazil. Hügelsheim (D): Offsetdruckerei GmbH Peter Naber. 176 pp., illus., maps.
- [175] Hernández Martínez, M. M. & Sánchez Martínez, E. (2002). Informe de una nueva localidad de *Mammillaria mathildae* y una propuesta para modificar su categoría legal de conservación. Cact. Suc. Mex. 47(1): 4-10.

- [176] Heyligers, P. C. (2002). The occurrence of *Tetragonia decumbens* and *Trachyandra divaricata* in southern Australia. West. Austral. Naturalist 23(3): 187-196.
- [177] Hils, A. (2001). *N.[otocactus] brevihamatus* var. *mollispinus* (F. Ritter) Theunissen – Die Suche nach diesem Taxon geht weiter. Internoto 22(4): 120-123, ill., map.
- [178] Hochstätter, F. (2002). *Yucca* II (*Agavaceae*). Indehiscent-fruited species in the southwest, midwest and east of the USA. Mannheim (D): Published by the author. 340 pp., illus, maps, keys. [Vol. 1 published 2000.]
- [179] Hochstätter, F. (2002). Documentation of nomenclature of tribe [sic!] / Dokumentation der Nomenklatur Tribe [sic!] *Sclerocactus* (*Cactaceae*) I / II. Cactaceae Rev. 5(1): 15-17, (2): 15-19.
- [180] Hochstätter, F. (2002). The series of the genus / Die Serien von Genus *Yucca* L. (*Agavaceae*). Cactaceae Rev. 5(1): 17-20, illus.
- [181] Hochstätter, F. (2002). Il genere *Yucca* L. (*Agavaceae*). 5. Piante Grasse 22(3): 90-95, illus. [Continued from l.c. 21(4), 2001; continued l.c. 23(1), 2003.]
- [182] Hochstätter, F. (2002). Het geslacht *Yucca* (*Agavaceae*). 10. Serie *Filamentosae*. Succulenta 81(1): 36-43, illus., key. [Continued from l.c. 80(6), 2001.]
- [183] Hochstätter, F. (2002). Het geslacht *Yucca* (*Agavaceae*). 11. Serie *Gloriosae*. Succulenta 81(2): 89-94, illus., key; (3): 135 [erratum]. [Continued l.c. 82(1), 2003.]
- [184] Hofacker, A. (2002). White-spined Discocacti from the Brazilian state of Bahia. Brit. Cact. Succ. J. 20(4): 197-203, illus., map.
- [185] Hofacker, A. (2002). Endlich in der Natur gefunden? *Harrisia jusbertii* (Rebut) Fric. Kakt. and. Sukk. 53(10): 253-257, illus. [On a supposed discovery in Venezuela.]
- [186] Hofacker, A. (2002). Der Formenkreis um *Parodia scopula* (Sprengel) N. P. Taylor. Kakt. and. Sukk. 53(6): 141-152, illus.
- [187] Hofacker, A. (2002). Der Formenkreis um *Discocactus bahiensis* Britton & Rose in Bahia, Brasilien. Kakt. and. Sukk. 53(8): 200-205, illus., map.
- [188] Hofacker, A. (2002). Die "Malacocarpen" – Parodien mit Wollscheitel in Süd-Brasilien, Uruguay und Brasilien [sic!]. Kaktusblüte 2002: 32-39, illus.
- [189] Hofer, A. (2002). *Mammillaria solisioides* Backeberg. Ein Winterblüher aus dem Grenzgebiet Puebla / Oaxaca. Mitteilungsbl. AfM 26(3): 147-153, illus. (incl. p.145).
- [190] Hofmann, B. (2002). Zu den Standortansprüchen ausgewählter Mammillarienarten. Mitteilungsbl. AfM 26(4): 169-171, 189, illus. [On *Mammillaria elongata* and var. *echinaria*.]
- [191] Holland, J. N. & Angelis, D. L. de (2002). Ecological and evolutionary conditions for fruit abortion to regulate pollinating seed-eaters and increase plant reproduction. Theor. Pop. Biol. 61(3): 251-263.
- [192] Holland, J. N. & Fleming, T. H. (2002). Co-pollinators and specialization in the pollinating seed-consumer mutualism between senita cacti and senita moths. Oecologia 133(4): 534-540.
- [193] Holmes, M. (2002). Two new hybrids of *Crassula deceptor*. Cact. Succ. J. (Woollahra) 23(5): 80-82, illus.
- [194] Holmes, W. C. & White, H. L. (2002). *Aloeaceae*. In: Flora of North America north of Mexico; 26: 410-412, ill., maps, key. New York (US: NY) / Oxford (GB): Oxford University Press.
- [195] Hovorka, L. & al. (2002). Pozoruhodná populace *Ariocarpus fissuratus* (Engelm.) K. Sch. Kaktusy 38(1): 3-5, illus.
- [196] Hunt, D. R. (2002). *Opuntia monacantha*: Pollen morphology and neotype. Cact. Syst. Init. No. 14: 3, SEM-ill.
- [197] Hunt, D. R. (2002). That's *Opuntia*, that was! Succ. Pl. Res. 6: 245-249.
- [198] Hunt, D. R. (2002). Alphabetical list of currently accepted [*Opuntia*] species. Succ. Pl. Res. 6: 250-254.
- [199] Hunt, D. R. & Taylor, N. P. (eds.) (2002). Studies in the *Opuntioideae* (*Cactaceae*). Milborne Port (GB): David Hunt. 255 pp., illus. [= Succ. Pl. Res., vol. 6.]
- [200] Hunt, D. R. & Taylor, N. P. (eds.) (2002). Notulae systematicae Lexicon Cactacearum spectantes I. Cact. Syst. Init. No. 13: 10-17; l.c. No. 14: 12, 13 [erratum].
- [201] Hunt, D. R. & Taylor, N. P. (eds.) (2002). Notulae systematicae Lexicon Cactacearum spectantes II. Cact. Syst. Init. No. 14: 7-19.
- [202] Iliff, J. (2002). The Andean Opuntias: An annotated checklist of the indigenous non-platyopuntioid Opuntias (*Cactaceae* – *Opuntioideae*) of South America. Succ. Pl. Res. 6: 133-244, illus., keys.
- [203] Ishmuratova, M. M. (2002). [Russian:] *Rhodiola iremelica* (*Crassulaceae*) in the southern Urals. Bot. Zhurn. (Moscow & Leningrad) 87(5): 38-50.
- [204] Jaarsveld, E. J. van (2002). *Aloe arborescens* and its nine cultivars. Veld. Fl. (1975+) 88(2): 63-65, illus.
- [205] Jacobs, T. (2002). Controversial saxetana thoughts. Mesemb Study Group Bull. 17(2): 32. [On *Conophytum saxetanum* and related taxa.]
- [206] Janeba, Z. (2002). *Opuntia weberi* Spegazzini. Kaktusy 38(1): 8-9, illus.

- [207] Janeba, Z. (2002). *Opuntia alexanderi* Britton & Rose. Kaktusy 38(2): 37-38, ills.
- [208] Jeanmonod, D. (2002). Espèces disparues de Corse. In: Jeanmonod, D. & Schlüssel, A. (eds.): Notes et contributions à la flore de Corse, 38. Candollea 56(2): 350-362. [Lists *Sedum litorneum*.]
- [209] Jonkers, B. (2002). Is *Caralluma edulis* a mosquito-pollinated Stapeliad? Asklepios No. 85: 7-9, ills.
- [210] Jorgensen, T. H. (2002). The importance of phylogeny and ecology in microgeographical variation in the morphology of four Canarian species of *Aeonium* (*Crassulaceae*). Biol. J. Linn. Soc. 76(4): 521-533, map, ill., diag.
- [211] Jucker, H.-J. & Eggli, U. (2002). *Gymnocalycium chacoense* Amerhauser. Kakt. and. Sukk. 53(11): 295-301, ills., map.
- [212] Jürgens, A. (2002). Floral scent compounds in nocturnal *Conophytum* species: Chemical composition and its relevance to taxonomy and pollination biology. In: Hammer, S.: Dumpling and his wife: New views on the genus *Conophytum*; appendix 4 (pp. 322-331, diags.). Norwich (GB): EAE Creative Colour Ltd.
- [213] Karle, R. & al. (2002). Polyploidy-induced changes in the breeding behavior of *Hatiora* × *graeseri* (*Cactaceae*). J. Amer. Soc. Hort. Sci. 127(3): 397-403.
- [214] Kiesling, R. & al. (2002). *Gymnocalycium schroederianum* ssp. *boessii*, subsp. nov. Kakt. and. Sukk. 53(9): 225-232, ills. [Includes a key to all ssp. of *G. schroederianum*.]
- [215] Kilian, N. & al. (2002). New and noteworthy records for the flora of Yemen, chiefly of Hadramout and Al-Mahra. Willdenowia 32(2): 239-269, map. [Includes several taxa of *Asclepiadaceae* and *Asteraceae*.]
- [216] Kit Tan & Iatrou, G. (2001). Endemic plants of Greece. The Peloponnese. Kobenhavn (DK): Gads Forlag. [*Crassulaceae*: pp. 163-164, t. 24.]
- [217] Klak, C. (2002). Recent studies in *Lampranthus* N. E. Br. Mesemb Study Group Bull. 17(4): 70-75, ills.
- [218] Kleszewski, K.-P. (2002). Im Habitat von *Astrophytum coahuilense* (Möller) Kayser. Kaktusblüte 2002: 7-10, ills., map.
- [219] Kleszewski, K.-P. & Hoock, H. (2002). Wuchsformen von *Astrophytum capricorne* var. *minor*. Kakt. and. Sukk. 53(12): 309-313, ills., diag.
- [220] Kubitzki, K. & Bayer, C. (eds.) (2002). The families and genera of vascular plants. Vol. 5: Flowering plants – Dicotyledons. *Malvales*, *Caparales* and non-betalain *Caryophyllales*. Berlin (D) etc.: Springer-Verlag. x + 418 pp., ills., keys. [This volume includes *Cochlospermaceae* (pp. 71-74), *Brassicaceae* (pp. 75-174) and *Moringaceae* (pp. 312-314).]
- [221] Kumar Mishra, D. & Singh, N. P. (2001). Endemic and threatened flowering plants of Maharashtra. Calcutta (India): Botanical Survey of India / Ministry of Environments and Forests. [= Flora of India, series 4. *Asclepiadaceae* (*Brachystelma*, *Ceropegia*, *Frerea*): pp. 126-157, t. 5-9; *Euphorbiaceae* (*Euphorbia*, *Jatropha*) pp. 201-207.]
- [222] Kunte, L. & Sedivý, V. (2002). Rod *Ariocarpus* Scheidweiler. Kaktusy 38(Special 2): 32 pp., ills., map. [Also published in a German edition in early 2003.]
- [223] Kurzweil, H. (2002). Notes on the genus *Machaerophyllum* (*Mesembryanthemaceae*) – its taxonomy, distribution and ecology. Aloe 39(1): 8-14, ills.
- [224] Lajos, P. (2002). [Hungarian:] House-leeks. Debrecen (HU): Magyar Kaktuszgyűjtők Országos Egyesülete etc. 177 pp., ills., 24 col. pl.
- [225] Lambert, J. (2002). *Pyrrhocactus andreaeanaus*. Succulenta 81(1): 15-18, ills.
- [226] Lambert, J. (2002). *Gymnocalycium parvulum* Spieg.: Eindelijk teruggevonden! Succulenta 81(5): 227-231, ills., map.
- [227] Landrum, J. V. (2002). Four succulent plant families and 40 million years of evolution and adaptation to xeric environments: What can stem and leaf anatomical characters tell us about their phylogeny? Taxon 51(3): 463-473, ills., diags.
- [228] Lane, S. (2002). A new *Aloe* in Malawi. Aloe 38(3-4): 72-73, ills. [Dated 2001, received 1. May 2002.]
- [229] Lange, M. & Rischer, W. (2002). Eine umstrittene Pflanze: *Echinocereus salm-dyckianus*. Kakt. and. Sukk. 53(5): 127-130, ills.
- [230] Lapp, M. & al. (2002). Micromorfología de semillas de algunas especies de la tribu *Cereeae* (*Cactaceae*). Phyton (Buenos Aires) 2001: 35-46. [Dated 2001, published 2002.]
- [231] Lau, A. B. (2002). Eine Überraschung zwischen Ichocan und Shirac, Provinz Cajamarca, Peru. Avonia 20(1): 11-12, ills. [On a supposedly new species of *Peperomia*, subsequently described as *P. cereoides*.]
- [232] Lautner, J. (2002). Ein wunderschöner neuer *Selenicereus*. Kakt. and. Sukk. 53(2): 40-42, ills. [Included for the illustrations of *Selenicereus validus*.]
- [233] Lavranos, J. J. & McCoy, T. A. (2002). Yemeni Aloes: A new species and a synonymized variety. Cact. Succ. J. (US) 74(5): 237-240, ills.
- [234] Lavranos, J. J. & al. (2002). The last corner of Yemen. Cact. Aventures No. 53: 2-15, ills.

- [235] Lemay, A.-M. (2002). Let's hear from Hoyas about their story! *Fraterna* 15(2): 7-9, diag. [Includes a cladogram based on DNA.]
- [236] Letz, R. (2002). The nomenclature of the *Sempervivum montanum* group (*Crassulaceae*) in the Carpathians. *Phyton (Horn)* 42(1): 109-115.
- [237] Letz, R. & Marhold, K. (1998). Multivariate morphometric study of the *Sempervivum montanum* group (*Crassulaceae*) in the West Carpathians. *Phyton (Horn)* 38(2): 323-336, illus., diags., map. [Omitted previously.]
- [238] Leuenberger, B. E. (2002). Humboldt & Bonpland's *Cactaceae* in the herbaria at Paris and Berlin. *Willdenowia* 32(1): 137-153, illus.
- [239] Leuenberger, B. E. (2002). The South American *Opuntia* Ser. *Armatae* (= *O.* Ser. *Elatae*) (*Cactaceae*). *Bot. Jahrb. Syst.* 123(4): 413-439, illus., key.
- [240] Leuenberger, B. E. (2002). The misunderstood *Cleistocactus serpens*, and *C. longisepens*, a new name for a species of *Cactaceae* from Peru. *Bot. Jahrb. Syst.* 124(1): 13-20, illus.
- [241] Leuenberger, B. E. & Eggli, U. (2002). *Opuntia grata* Philippi und ihre nächste Verwandtschaft: *Opuntia ovata* Pfeiffer und *O. darwinii* Henslow. *Kakt. and. Sukk.* 53(4): 85-92, illus.
- [242] Li, N. Y. & al. (2002). [Chinese:] Studies on identification and classification of genomic DNA in *Aloe* by RAPD analysis. *Acta Bot. Boreal.-Occid. Sin.* 22(6): 1432-1437.
- [243] Liede, S. & Kunze, H. (2002). *Cynanchum* and the *Cynanchinae* (*Apocynaceae – Asclepiadoideae*): A molecular, anatomical and latex triterpenoid study. *Org. Div. Evol.* 2(3): 239-269, diags., illus.
- [244] Liede, S. & Täuber, A. (2002). Circumscription of the genus *Cynanchum* (*Apocynaceae – Asclepiadoideae*). *Syst. Bot.* 27(4): 789-800.
- [245] Lindsey, K. L. & al. (2002). Cyclooxygenase inhibitory activity of *Aloe* species. *South Afr. J. Bot.* 68(1): 47-50, diags.
- [246] Lodé, J. (2002). Adventures in Kalahari. *Asklepios No.* 84: 19-23, illus., map. [Includes a non-exhaustive list of succulents native to Botswana.]
- [247] Lodé, J. (2002). New data for the Canary Islands. *Cact. Aventures No.* 54: 16-17, illus. [On *Ceropegia* hybr. and *Sedum stellatum*.]
- [248] Lodé, J. (2002). Succulents in [sic!] El Hierro. *Cact. Aventures No.* 56: 16-19, illus. [Includes checklist.]
- [249] López, R. P. & Beck, S. (2002). Phyto-geographical affinities and life form composition of the Bolivian Prepuna. *Candollea* 57(1): 77-96, map.
- [250] Lowry, M. (2002). *Echinopsis*. In: Hunt, D. R. & Taylor, N. P. (eds.): *Notulae systematicae Lexicon Cactacearum spectantes I. Cact. Syst. Init. No. 13*: 16-17.
- [251] Lucas, E. J. (2002). *Pachyphytum coeruleum*. *Curtis's Bot. Mag.*, ser. nov., 19(2): 78-82, illus., t. 438.
- [252] Lucas, E. J. (2002). *Bryophyllum gas-tonis-bonnieri*. *Kalanchoe eriophylla*. *Curtis's Bot. Mag.*, ser. nov., 19(4): 227-236, illus., t. 451-452.
- [253] Lukes, V. (2002). Poznámky k variabilite *Thelocactus leucacanthus* na přírodních lokalitách. *Cactaceae etc.* 12(4): 123-129, illus.
- [254] Luna-Morales, C. del & al. (2001). Cultivares tradicionales mixtecos de *Stenocereus pruinosus* y *S. stellatus* (*Cactaceae*). *Anales Inst. Biol. UNAM* 72(2): 131-155.
- [255] Lüthy, J. M. (2002). Further comments on *Turbinicarpus* and a key to species. *Cact. Syst. Init. No. 14*: 21-25, key. [Republished, together with a German translation, in *TurbiNow* No. 14: 25-31, 2003.]
- [256] Lüthy, J. M. & Moser, U. (2002). The cacti of CITES Appendix I. Bern (CH): Bundesamt für Veterinärwesen. 52 + [210] pp., illus., maps. [Dated 2001, publ. Jan. 2002 fide pers. comm. from the author.]
- [257] Machado, M. (2002). A *Copiapoa krainziana* tale. *Brit. Cact. Succ. J.* 20(2): 58-68, illus. [On distribution and variability.]
- [258] Madsen, J. E. (2002). Cactus en el sur de Ecuador. In: Aguirre, M. Z. & al. (eds.): *Botanica austroecuatoriana: Estudios sobre los recursos vegetales en las provincias de El Oro, Loja y Zamora-Chinchipe*; pp. 289-303, illus. Quito (Ecuador): Ediciones Abya Yala.
- [259] Maiti, R. K. & al. (2002). Dermal surface comparison between some species of *Cactaceae* and its possible relation with the adaptation to arid conditions. *Crop Res. (Hissar)* 23(3): 540-545.
- [260] Maiti, R. K. & al. (2002). Floral biology of three species of *Mammillaria*. *Crop Res. (Hissar)* 24(1): 154-160.
- [261] Maiti, R. K. & al. (2002). Morphology, anatomy and some aspects of floral biology of two species of *Mammillaria*. *J. Bot. Soc. Bengal* 56(1-2): 27-32.
- [262] Maiti, R. K. & al. (2002). Exploring the genera of *Cactaceae*, including 18 species of *Mammillaria*. *Phyton (Buenos Aires)* 2002: 187-192.
- [263] Mak, H. C. K. (2002). Small Haworthias and *H. parksiana* hybrids. *Haworthiad* 16(2): 55-57, illus., (3): 112 [erratum].
- [264] Malkmus, B. (2002). *Greenovia* (*Crassulaceae*): Succulente endemiche delle Isole Canarie. Succulent endemics of the Canary Islands.

- Piante Grasse 22(3): 123-128, ills.
- [265] Malkmus, B. (2002). Il genere *Aeonium* Webb & Berthelot (*Crassulaceae*): uno sguardo su nuove specie. The genus *Aeonium*: Outlook to new species. Piante Grasse 22(4): 134-139, ills.
- [266] Marx, G. (2002). *Euphorbia albertainis* N. E. Brown, another mystery solved. Euphorbiaceae Study Group Bull. 15(1): 8-16, ills.
- [267] Matuszewski, G. (2002). *Coryphantha glassii* Dicht & A. Lüthy. Cactaceae etc. 12(3): 92-94, ills.
- [268] Mauseth, J. D. & Ostolaza, C. (2002). Parkas? Ice picks? Oxygen bottles? A cactus expedition in highland Peru – Part 1 / Part 2 / Part 3. Cact. Succ. J. (US) 74(2): 52-63, (3): 127-133, (5): 212-215, ills.
- [269] McIntosh, M. E. (2002). Flowering phenology and reproductive output in two sister species of *Ferocactus* (*Cactaceae*). Pl. Ecol. 159(1): 1-13.
- [270] McIntosh, M. E. (2002). Plant size, breeding system, and limits to reproductive success in two sister species of *Ferocactus* (*Cactaceae*). Pl. Ecol. 162(2): 273-288.
- [271] McVaugh, R. (2001). Flora Novo-Galicana. A descriptive account of the vascular plants of Western Mexico. Volume 3: *Ochnaceae* to *Loasaceae*. Ann Arbor (US: MI): University of Michigan Herbarium. [This volumes includes a comment on the numbering of Sessé & Moçino collections, and the following families with succulent taxa: *Bombacaceae* (pp. 148-159), *Caricaceae* (pp. 460-477), *Fouquieriaceae* (pp. 478-482), *Cucurbitaceae* (p. 483 et seq.), *Begoniaceae* (p. 653 et seq.); all with key and ills.]
- [272] Meregalli, M. (2002). *Gymnocalycium quehlianum* – eine Geschichte ohne Ende. *Gymnocalycium* 15(2): XVI. [Czech translation in *Gymnofil* 30(3-4): 25-28, 2002.]
- [273] Meregalli, M. & al. (2000). Seed morphology in the *Gymnocalycium hossei*-group (*Cactaceae*): A useful tool for taxonomic studies. Allionia 37: 217-232. [Omitted previously.]
- [274] Meregalli, M. & al. (2002). Systematics of the *Gymnocalycium paraguayense-fleischerianum* group (*Cactaceae*): Morphological and molecular data. Candollea 57(2): 299-315, map, ills., SEM ills.
- [275] Meve, U. (2002). *Asclepiadaceae* – Ein aktueller Überblick über die "Orchideen der Zweikeimblättrigen Pflanzen". Kakt. and. Sukk. 53(12): 327-334, ills.
- [276] Meve, U. (2002). Species numbers and progress in Asclepiad taxonomy. Kew Bull. 57(2): 459-464.
- [277] Meve, U. & Liede, S. (2002). Floristic exchange between mainland Africa and Madagascar: Case studies in *Apocynaceae* – *Asclepiadoideae*. J. Biogeogr. 29: 865-873.
- [278] Meve, U. & Liede, S. (2002). A molecular phylogeny and generic rearrangement of the Stapelioid *Ceropegiae* (*Apocynaceae* – *Asclepiadoideae*). Pl. Syst. Evol. 234(1-4): 171-209, diags.
- [279] Middleditch, H. (ed.) (2002). Finding which sort of *Tephrocactus*? Chileans No. 60: 101-108, ills. (incl. inside front-cover). [On *Opuntia camachoi* and *O. glomerata* from Chile.]
- [280] Middleditch, H. (ed.) (2002). *Echinopsis eyriesii* Turpin. Chileans No. 60: 108-123, ills.
- [281] Middleditch, H. (ed.) (2002). [*Copiapoa columnaris* and related taxa]. Chileans No. 60: 123-135, ills. (incl. front cover).
- [282] Middleditch, H. (ed.) (2002). A visit to Culpina. Chileans No. 60: 135-144, ills. [On *Parodia culpinensis* etc.]
- [283] Mies, B. A. & Lavranos, J. J. (2002). *Kleinia deflersii* am Jebel Urays (Jemen). Kakt. and. Sukk. 53(4): 105-110, ills.
- [284] Mikhaltsov, A. (2002). [Russian:] Succulent plant chimaeras. Kaktus Klub 2002(2): 4-16, ills. [Included for the illustrations.]
- [285] Molero, J. & al. (2002). Karyological evolution and molecular phylogeny in Macaronesian dendroid spurge (*Euphorbia* Subsect. *Pachycladae*). Pl. Syst. Evol. 231(1-4): 109-132.
- [286] Momberger, P. (2002). *Ariocarpus confusus* – die konfuse Wollfrucht. Kaktusblüte 2002: 41-42, ill.
- [287] Monje, P. V. & Baran, E. J. (2002). Characterization of calcium oxalates generated as biominerals in cacti. Pl. Physiol. (Rockville) 128(2): 707-713.
- [288] Moran, R. (2002). *Dudleya attenuata*, with the new subspecies *australis*. Heseltonia 8: 58-62, ills. [Volume for 2001, post-marked Dec. 2002.]
- [289] Mort, M. E. & al. (2002). Phylogenetics and evolution of the Macaronesian clade of *Crassulaceae* inferred from nuclear and chloroplast sequence data. Syst. Bot. 27(2): 271-288, diags.
- [290] Mosco, A. & Zanolotto, C. (2002). *Thelocactus*. An introduction to the genus / Un'introduzione al genere. Cactus & Co. 6(3): 144-171, ills., maps, key; (4): 190 [erratum].
- [291] Mottram, R. (2002). Charles Plumier, the King's Botanist – his life and work. With a facsimile of the original cactus plates and text from *Botanicon Americanum* (1689 - 1697). Bradleya 20: 79-120, ills., map.
- [292] Mühl, A. (2002). *Pediocactus simpsonii* Engelmann in Arizona. Cactaceae Rev. 5(1): 10-14, ills. [Included for the illustrations.]
- [293] Nakanishi, H. (2002). Splash seed dispersal by raindrops. Ecol. Res. (Tokyo) 17(6): 663-671. [Includes data on 2 species of *Sedum*.]

- [294] Nason, J. D. & al. (2002). Historical vicariance and postglacial colonization effects on the evolution of genetic structure in *Lophocereus*, a Sonoran Desert columnar cactus. *Evolution* 56(11): 2214-2226, maps.
- [295] Nassar, J. M. & al. (2002). Allozyme diversity and genetic structure of the leafy cactus (*Pereskia guamacho* (Cactaceae)). *J. Heredity* 93(3): 193-200.
- [296] Naumenko, A. (2002). [Russian:] Rhodiolas of Kirgizia. *Kaktus Klub* 2002(1): 36-38, illss.
- [297] Navarro Carbalal, M. del C. & Flores Martínez, A. (2002). Aspectos demográficos de *Echinocereus pulchellus* var. *pulchellus* en el Municipio de Chignahuapan, Puebla. *Cact. Suc. Mex.* 47(2): 24-32, diags.
- [298] Neduchal, J. (2001). Überraschende Funde aus der Untergattung *Malacocarpus* in Kolumbien. *Internoto* 22(4): 107-114, illss.
- [299] Neduchal, J. (2002). *Notocactus* Fric 1928 – *Malacocarpus* (Salm-Dyck 1850) Buxbaum et Krainz 1967. Malá monografie. *Atlas Kakt.* 16(Suppl.): 44 pp., illss. [= *Minimus* 32(1-4), 2001. Dated 2001, received late 2002.]
- [300] Neuhuber, G. (2002). *Gymnocalycium riojense* Fric ex H. Till & W. Till. Die schönsten Fundorte. Teil 1 - 3. *Gymnocalycium* 15(1): A-B, (2): A-B, (4): A-B, illss. [Part 4 in l.c. 16(1): A-B, illss., 2003.]
- [301] Neumann, P. (2002). *Echinopsis yuquina* D. R. Hunt – eine neue Art? *Kakt. and. Sukk.* 53(1): 1-4, illss.
- [302] Neut, P. (2002). *Parodia gigantea* Fric ex Krainz 1957. *Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl.* 15(5): 75-76, ill.
- [303] Neut, P. (2002). *Notocactus 'gladiatus'* n.n. Karl-Heinz Prestlé & Otokar Sida. *Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl.* 15(7): 108-110, ill.
- [304] Newton, L. E. (2002). On the identity of *S.[ansevieria] braunii* and *S. forskoiana*. *Sansevieria* No. 3: 19-20.
- [305] Newton, L. E. (2002). *Sansevieria volken-sii*. *Sansevieria* No. 4: 10-11.
- [306] Niklas, K. J. & al. (2002). The biomechanics of *Pachycereus pringlei* root systems. *Amer. J. Bot.* 89(1): 12-21, illss.
- [307] Noack, J. (2002). Auf der Suche nach *Gymnocalycium armatum*. *Kakt. and. Sukk.* 53(8): 211-213, illss., map.
- [308] Nobel, P. S. (ed.) (2002). *Cacti. Biology and uses.* Berkeley (US: CA) etc.: University of California Press. x + 280 pp., illss.
- [309] Nyffeler, R. (2002). Phylogenetic relationships in the Cactus Family (Cactaceae) based on evidence from TrnK/MatK and TrnL-TrnF sequences. *Amer. J. Bot.* 89(2): 312-326, diags.
- [310] Oakman, N. A. & al. (2002). Conservation status of two succulent endemics of Soqotra Island, Yemen. *Bradleya* 20: 23-28, illss. [On *Aloe perryi* and *Duvaliandra dioscoridis*.]
- [311] Oberlander, K. C. & al. (2002). Biogeography of *Oxalis* (Oxalidaceae) in South Africa: A preliminary study. *Bothalia* 32(1): 97-100.
- [312] Oldach, T. & J. (2002). *Echinocereus* spec. nov. Solitario. *Echinocereenfreund* 15(1): 21-26, illss., SEM-illss.
- [313] Olson, M. E. (2002). Wood and bark anatomy in *Moringa* (Moringaceae). *Haseltonia* 8: 85-121, illss., maps. [Volume for 2001, post-marked Dec. 2002.]
- [314] Olson, M. E. (2002). Combining data from DNA sequences and morphology for a phylogeny of *Moringaceae* (Brassicales). *Syst. Bot.* 27(1): 55-73, illss., map.
- [315] Omino, E. A. (2002). *Apocynaceae* (part 1). In: Beentje, H. J. (ed.): *Flora of Tropical East Africa*. Rotterdam (NL) / Brookfield (US): A. A. Balkema. 114 pp., illss., keys, map. [*Adenium*: pp. 67-69, illss.]
- [316] Opel, M. R. (2002). Chromosome numbers of *Conophytum* and related genera. In: Hammer, S. A.: Dumpling and his wife: New views on the genus *Conophytum*; appendix 5 (pp. 332-340, map). Norwich (GB): EAE Creative Colour Ltd.
- [317] Opel, M. R. (2002). *Conophytum* leaf structures. In: Hammer, S. A.: Dumpling and his wife: New views on the genus *Conophytum*; appendix 3 (pp. 300-321, illss., SEM-illss.). Norwich (GB): EAE Creative Colour Ltd.
- [318] Opel, M. R. (2002). *Aspazoma* in the Veld and under glass. *Mesemb Study Group Bull.* 17(3): 59-60, ill.
- [319] Ostolaza N., C. (2002). The cacti of the San Juan river bassin, Peru – a conservation survey. *Brit. Cact. Succ. J.* 20(1): 29-42, illss., maps.
- [320] Papsch, W. (2002). *Gymnocalycium pro-chazkianum* vorgestellt. *Gymnocalycium* 15(1): 437-440, illss.; (3): xviii [erratum]. [Czech translation in *Gymnofil* 31(1-2): 26-29, 2003.]
- [321] Pavelka, P. (2002). *Conophytum jarmilae (danielii)* a *Conophytum haniae (tomasi)*. *Adenium* 15(1): 3-7, illss.
- [322] Pavelka, P. (2002). *Titanopsis calcarea* (Marloth) Schwantes, syn. *Titanopsis fulleri* Tischer. *Kaktusy* 38(1): 19-20, illss. (p. 32).
- [323] Pelser, P. B. & al. (2002). Tackling speciose genera: Species composition and phylogenetic position of *Senecio* Sect. *Jacobaea* (Asteraceae) based on plastid and nrDNA sequences. *Amer. J. Bot.* 89(6): 929-939, diags. [Includes several succulent taxa.]
- [324] Phillips, S. M. (2002). *Portulacaceae*. In: Beentje, H. J. (ed.): *Flora of Tropical East Africa*.

- Rotterdam (NL) / Brookfield (US): A. A. Balkema. 40 pp., ills.
- [325] Piacenta, S. & al. (2002). A novel phenolic spiro derivative, Yuccaone A, from *Yucca schidigera* bark. *Tetrahedron Lett.* 43(50): 9133-9136.
- [326] Picca, P. & Font, F. (2002). Populations of *Lobivia pugionacantha* var. *pugionacantha* in Argentina. *Brit. Cact. Succ. J.* 20(3): 147-155, ills., SEM-ills., map.
- [327] Piens, E. J. M. (2002). Het geslacht *Aeonium* Webb & Berthelot. Mereleke-Gent (B): Published by the author. 141 pp., ills., maps.
- [328] Pilbeam, J. (2002). Rebutias with a tendency to "sphericosity" - A to L. *Brit. Cact. Succ. J.* 20(1): 13-21, ills. [Included for the illustrations.]
- [329] Pilbeam, J. (2002). Rebutias with a tendency to "sphericosity" - M to Z. *Brit. Cact. Succ. J.* 20(3): 123-133, ills. [Included for the illustrations.]
- [330] Pimienta-Barrios, E. & Castillo, R. F. del (2002). Reproductive biology. In: Nobel, P. S. (ed.): *Cacti. Biology and uses;* pp. 75-90. Berkeley (US: CA) etc.: University of California Press.
- [331] Pinkava, D. J. (2002). On the evolution of continental North American *Opuntioideae* (*Cactaceae*). *Succ. Pl. Res.* 6: 59-98, maps. [Includes extensive checklist with cytological data.]
- [332] Prange, U. (2002). *Notocactus rauschii* van Vliet und *Notocactus spinibarbis* F. Ritter. *Internoto* 23(3): 55-60, ills., map.
- [333] Prantner, J. (2002). *Echinopsis ferox* var. *longispina*. *Kakt. and. Sukk.* 53(3): 66-68, ills.
- [334] Prantner, J. (2002). *Echinopsis lateritia* und deren Formen aus der Sicht eines *Echinopsis*-Liebhabers. *Kakt. and. Sukk.* 53(8): 197-199, ills. [Included for the illustrations.]
- [335] Prestlé, K.-H. (2002). Antworten zum Aggregat [*Notocactus*] "werdermannianus" in Uruguay. *Internoto* 23(3): 64-69, ills.
- [336] Pritchard, D. (2002). Notes on *Euphorbia esculenta* Marl. *Euphorbiaceae Study Group Bull.* 15(2): 50-53, ills.
- [337] Pullen, T. (2002). Een mooie hybride. *Succulenta* 81(1): 46-47, ill. [*Denmoza* × *Cleistocactus*.]
- [338] Pullen, T. (2002). Het *Rebutia pygmaea*-complex. *Succulenta* 81(4): 152-160, ills.; (5): 199 [erratum]. [Numerous species now recognized as cultivars.]
- [339] Pysek, P. & al. (2002). Catalogue of alien plants of the Czech Republic. *Preslia* 74(2): 97-186. [Includes 2 species of *Sedum*.]
- [340] Rae, J. G. & Ebert, T. A. (2002). Demography of the endangered Fragrant Prickly Apple Cactus, *Harrisia fragrans*. *Int. J. Pl. Sci.* 163(4): 631-640, diags.
- [341] Rebmann, N. (2002). *Copiapoa sp. nova* Botija Valley, Schulz et Kapitany. *Succulentes* 25(2): 30-31, ills.
- [342] Reddy, C. S. & Dutt, C. B. S. (2002). *Ceropegia bulbosa* Roxb. (*Asclepiadaceae*). A new record for Orissa, India. *J. Econ. Taxon. Bot.* 25(3): 719-720. [Volume for 2001, publ. 2002 fide K.]
- [343] Reddy, C. S. & Taju Vasavaya, S. (2002). Additions to the weed flora of Andhra Pradesh, India. *J. Econ. Taxon. Bot.* 26(1): 195-198. [Includes species of *Peperomia*, *Pilea* and *Talinum*.]
- [344] Retamozo Ch., E. (2002). Formas polínicas de Cactáceas en Arequipa. *Quepo* 16: 28-32, SEM-ills.
- [345] Reyes, O. & al. (2001). Evaluación del estado de conservación de *Wigginsia vorwerkiana* (Werdermann) D. M. Porter (*Cactaceae*) en las zonas semiáridas de La Sabana de Bogotá. *Perez-Arbelaezia* 5(12): []. [Publication not seen.]
- [346] Richterova, I. (2002). [Czech:] The varieties of *Escobaria vivipara* (Nutt.) F. Buxbaum in Arizona and neighbourhood. *Kaktusy* 38(2): 34-36, ills.
- [347] Ríha, J. (2002). [Czech:] The genus *Ariocarpus* in the Aramberri Valley, Nuevo León, Mexico. *Kaktusy* 38(3): 92-96, ills., map.
- [348] Rischer, W. (2002). Fundorte von *Mammillaria senilis* Loddiges ex Salm-Dyck. *Mitteilungsbl. AfM* 25(4): 148-153, map, ills. (pp. 165, 167). [Dated 2001, published Feb. 2002.]
- [349] Rischer, W. & Rutow, J. (2002). *Echinocereus scheeri* (Salm-Dyck) Scheer and its closest relatives. *Brit. Cact. Succ. J.* 20(2): 104-108, ills., map.
- [350] Rogatskin, D. (2002). *Gymnocalycium baldianum*. *Kaktus Klub* 2002(1): 4-8, ills.
- [351] Rogozinski, H. (2002). *Mammillaria dixanthocentron* und die ihr nahestehenden Arten. Dritter Teil und Schluss. *Mitteilungsbl. AfM* 25(4): 154-164, 166, 168, ills., maps. [Concluded from 25(3), 2001. Dated 2001, publ. Feb. 2002.]
- [352] Rogozinski, H. & Plein, W. (2002). Der *Mammillaria parkinsonii* - *saetigera* - *klossingiana*-Komplex in der Reihe *Leucocephalae* (Lemaire) K. Schumann. [Teil 1] / [Teil 2] / [Teil 3] / [Teil 4]. *Mitteilungsbl. AfM* 26(1): 2-26; (2): 55-78, 80; (3): 107-127; (4): 192-207, maps, SEM-ills., ills. [English translation of part 1 in *J. Mammillaria Soc.* 43(2): 14-21, ills., 2003.]
- [353] Rohloff, J. (2002). Volatiles from rhizomes of *Rhodiola rosea* L. *Phytochemistry* 59(6): 655-661.
- [354] Rojas-Aréchiga, M. & al. (2001). Seed germination of wild and cultivated *Stenocereus*

- stellatus* (Cactaceae) from the Tehuacán-Cuicatlán valley, central Mexico. J. Arid Environm. 49: 279-287.
- [355] Rosas Barrera, M. D. & Mandujano Sánchez, M. C. (2002). La diversidad de historias de vida de cactáceas, aproximación por el triángulo demográfico. Cact. Suc. Mex. 47(2): 33-41, diags.
- [356] Rossetto, M. & al. (2002). Is the genus *Cissus* (Vitaceae) monophyletic? Evidence from plastid and nuclear ribosomal DNA. Syst. Bot. 27(3): 522-533, diags.
- [357] Rossi-Caruzo, M. B. & Cordeiro, I. (2001). *Crassulaceae*. In: Fiúza de Melo, M. M. da & al. (eds.): Flora Fanerogâmica da Ilha do Cardoso; 8: 19-23, key, ills. São Paulo (BR): Instituto de Botânica. [Received July 2002 and thus probably only published 2002.]
- [358] Rowley, G. D. (2002). Pep for plantsmen – Part 3, the window-leaved Peperomias. Brit. Cact. Succ. J. 20(1): 43-49, ills., key. [Continued from l.c. 19(4), 2001.]
- [359] Rowley, G. D. (2002). Pep for plantsmen – Part 4, the flat-leaved semi-succulent Peperomias. Brit. Cact. Succ. J. 20(3): 137-140, ills., key.
- [360] Rowley, G. D. (2002). Pep for plantsmen – Part 5; Peperomias in cultivation. Brit. Cact. Succ. J. 20(4): 191-194, ills.
- [361] Rowley, G. D. (2002). L'onnipresente Pianta Candela / The ubiquitous Candle Plant: *Senecio articulatus*. Cactus & Co. 6(1): 44-49, ills.
- [362] Römer, R. C. (2002). Zur Blütezeit am Fundort des *Echinocereus pensilis*. Kakt. and. Sukk. 53(4): 99-104, ills.
- [363] Römer, R. C. (2002). Op de groeiplaats van *Echinocereus munzii* (Parish) P. Pierce & Fosberg, noordelijk van Laguna Juárez in Baja California. Succulenta 81(5): 232-235, ills. (incl. p. 226).
- [364] Römer, R. C. & al. (2002). Explorations in the habitat of *Echinocereus lindsayi*. Brit. Cact. Succ. J. 20(4): 170-176, ills.
- [365] Rudzinski, H. (2002). Die Gattung *Mammillaria* Haworth im Wandel der Zeiten. Nürnberg / Bierenbachtal (D): Arbeitskreis für Mammillarienfreunde / H. Rudzinski. 57 pp.
- [366] Rudzinski, H. (2002). Die Reihen *Elegantes* K. Schumann und *Supertextae* D. R. Hunt. Mitteilungsbl. AfM 26(2): 84-95.
- [367] Ruiz, A. & al. (2002). Cacti in the dry formations of Colombia. In: Fleming, T. H. & Valiente-Banuet, A. (eds.): Columnar cacti and their mutualists; pp. 324-341. Tucson (US: AZ): University of Arizona Press.
- [368] Runemark, H. (2000). Reports 1110 - 1188. In: Kamari, G. & al. (eds.): Mediterranean chromosome number reports – 10. Fl. Medit. 10: 386-402. [*Crassulaceae*: pp. 387-388.]
- [369] Rust, S. & al. (2002). The flowers of *Drosanthemum* Schwantes (*Ruschioideae*, *Aizoaceae*). Bradleya 20: 121-147, diags., ills.
- [370] Sarwar, G. R. (2002). *Crassulaceae*. In: Flora of Pakistan, no. 209. Karachi (Pakistan): Department of Botany, University of Karachi / St. Louis (US: MO): Missouri Botanical Press. 64 pp.
- [371] Schädlich, V. (2002). Die Gymnocalycien des Gran Chaco und der Savannen aus Argentinien, Bolivien und Paraguay. Eine Studienfahrt zu den Standorten von *Gymnocalycinum eurypleurum* Ritter. Teil 1. *Gymnocalycium* 15(4): 485-488, ills., map. [Part 2 of this series published by H. Till & Amerhauser, l.c. 16(2), 2003.]
- [372] Schlumpberger, B. O. (2002). Dehydrogeosmin produzierende Kakteen: Untersuchungen zur Verbreitung, Duftstoff-Produktion und Bestäubung. Beuren / Stuttgart (D): Verlag Grauer. [x] + 138 pp., ills., maps, diags. [= Ph.D. thesis.]
- [373] Schmidt, B. (2002). *Euphorbia antiquorum* in Burma? Avonia 20(1): 13-14, ills.
- [374] Schmiedel, U. (2002). *Conophytum* and the quartz fields. In: Hammer, S. A.: Dumpling and his wife: New views on the genus *Conophytum*; appendix 7 (pp. 349-362, ills.). Norwich (GB): EAE Creative Colour Ltd.
- [375] Schmiedel, U. & Jürgens, N. (2002). Untersuchungen zur Steuerung der Lebensformenzusammensetzung der Quarzflächen-Vegetation im südlichen Afrika. Ber. Reinhold-Tüxen-Ges. 14: 45-58, ills.
- [376] Scholz, E. (2002). Über *Lobivia hertrichiana* Bckbg. var. *lauii* [sic!] (Don.) Rausch. Inform.-brief Freundeskreis Echinopseen No. 32: 10-17, ills., map. [On distribution and flower colour variation.]
- [377] Schumacher, M. & R. (2002). Die Mammillarien um *M. standleyi* (Br. & R.) Orcutt und *M. sonorensis* Craig in der Reihe *Mammillaria* (syn. *Macrothelae*). Mitteilungsbl. AfM 26(3): 128-146; (4): 172-182, ills., maps. [Continued in l.c. 27(1).]
- [378] Scobell, S. A. & Scott, P. E. (2001). Visitators and floral traits of a hummingbird-adapted cactus (*Echinocereus coccineus*) show only minimal variation along an elevational gradient. Amer. Midl. Naturalist 147(1): 1-15, ills.
- [379] Sedivý, V. (2002). [Czech:] Mexican *Echinomastus* from the the group of *E. unguispi-nus* (Engelm.) Br. & R. Kaktusy 38(2): 50-54, ills., map.
- [380] Sedivý, V. (2002). [Czech:] Do we know what *Ariocarpus elongatus* is? Kaktusy 38(4): 121-125, ills.
- [381] Sennblad, B. & Bremer, B. (2002). Classification of *Apocynaceae* s.l. according to a new

- approach combining Linnean and phylogenetic taxonomy. *Syst. Biol.* 51(3): 389-409, diags.
- [382] Shaw, J. M. H. (2002). *Bulbine semibarbata* (R. Br.) Haw., a Leek Lily by any other name. *Alsterworthia Internat.* 2(3): 19-20, key.
- [383] Shaw, J. M. H. (2002). *Bulbine semibarbata* (R. Br.) Haw., the Leek Lily as a new British alien. *Bot. Soc. Brit. Isles News* 91: 45-46.
- [384] Silva, B. P. da & Parente, J. P. (2002). Chemical properties and biological activity of a polysaccharide from *Melocactus depressus*. *Pl. Med.* 68(1): 74-76.
- [385] Silva, B. P. da & al. (2002). A new bioactive steroidal saponin from *Agave attenuata*. *Zeitschr. Naturforsch. Sect. C, Biosci.* 57(5-6): 423-428.
- [386] Simpson, P. (2000). Dancing leaves. The story of New Zealand's Cabbage Tree, ti kouka. Christchurch (NZ): Canterbury University Press. 324 pp., ills. [On *Cordyline australis*.]
- [387] Singh, M. (2002). Succulent plants of India. An introduction. Noida (India): Published by the author. [1-6 pp.], 65 pp., ills.
- [388] Slaba, R. (2002). *Corryocactus melanotrichus* (K. Sch.) Br. & R. a ty ostatní – rostliny ve sbírkách témer neznámé. *Kaktusy* 38(1): 23-26, ills.
- [389] Slauson, L. A. (2002). Insights on the pollination biology of *Agave* (Agavaceae). *Heseltonia* 8: 10-23, ills. [Volume for 2001, post-marked Dec. 2002.]
- [390] Slauson, L. A. (2002). Effects of fire on the reproductive biology of *Agave palmeri* (Agavaceae). *Madroño* 49(1): 1-11, map, diags.
- [391] Smale, T. (2002). A tale of two species – unravelling *C. jarmilae* / *danielii* and *C. hanae* / *tomasii*. In: Hammer, S. A.: Dumpling and his wife: New views on the genus *Conophytum*; appendix 2 (pp. 298-299). Norwich (GB): EAE Creative Colour Ltd.
- [392] Smale, T. (2002). *Bulbine* – a neglected genus. *Brit. Cact. Succ. J.* 20(4): 207-214, ills. [Included for the illustrations.]
- [393] Smale, T. (2002). Too many Ophthalmophyllums? *Mesemb Study Group Bull.* 17(3): 54-57, ills.
- [394] Smale, T. (2002). Variation of *Conophytum roodiae*. *Mesemb Study Group Bull.* 17(3): 60-61, ills.
- [395] Smith, G. F. & Steyn, E. M. A. (2002). The Red Yucca, *Hesperaloe parviflora*: A beautiful Agavaceous species. *Aloe* 39(2): 42-45, ills. [Included for the illustrations.]
- [396] Smith, G. F. & Steyn, E. M. A. (2002). *Agave wercklei*: A Mesoamerican species in South Africa. *Bradleya* 20: 45-50, maps, ills.
- [397] Smith, G. F. & Steyn, E. M. A. (2002). The first record of *Agave celsii* var. *albicans* (Agavaceae), a Mexican plant, in South Africa. *South Afr. J. Bot.* 68(3): 397-400.
- [398] Smith, G. F. & al. (2002). Infrageneric classification of *Haworthia* (Aloaceae): Perspectives from nectar sugar analysis. *Syst. Geogr. Pl.* 71(2): 391-397. [Dated 2001, publ. 2002 fide K.]
- [399] Soriano, P. J. & Ruiz, A. (2002). The role of bats and birds in the reproduction of columnar cacti in the Northern Andes. In: Fleming, T. H. & Valiente-Banuet, A. (eds.): Columnar cacti and their mutualists; pp. 241-263. Tucson (US: AZ): University of Arizona Press.
- [400] Sotomayor, J. M. (2002). *Coryphantha puleineana* (Backeberg) Glass, 1968. Distribution, habitat et statut de conservation. *Succulentes* 25(4): 12-16, ills., map.
- [401] Sotomayor, J. M. & al. (2002). *Coryphantha maiz-tablasensis* Backeberg. Distribuzione, habitat e stato di conservazione. *Piante Grasse* 22(2): 68-79, ills, map.
- [402] Spearing, J. K. (2002). Apparent apogamy in a Stapeliad. *Asklepios No.* 85: 6.
- [403] Spinnler, H. (2002). Kakteen am Standort: Standorte des *Echinocereus pectinatus* (Scheidweiler) Engelmann. *Marktredwitzer Kakt.-freund* 6: 3-14, ills. [Included for the illustrations.]
- [404] Staate, W. (2002). Weisse Blüte bei *Mammillaria hernandezii*. *Kakt. and. Sukk.* 53(9): 247-248, ills.
- [405] Staník, R. (2002). [Czech:] *Coryphantha kraciki* [sic!] – The beauty from Durango. *Cactaceae etc.* 12(3): 84-86, ills.
- [406] Starha, R. (2002). Constituents of *Gymnocalycium riojense* Fric ex H.Till & W.Till (Cactaceae). *Biochem. Syst. & Ecol.* 30(4): 365-366.
- [407] Steinmann, V. W. (2002). Diversidad y endemismo de la familia Euphorbiaceae en México. *Acta Bot. Mex.* 61: 61-93.
- [408] Steinmann, V. W. & Porter, J. M. (2002). Phylogenetic relationships in *Euphorbieae* (Euphorbiaceae) based on ITS and ndhF sequence data. *Ann. Missouri Bot. Gard.* 89(4): 453-490.
- [409] Stephenson, R. (2002). *Sedum surculosum* var. *luteum*. *Cact. Succ. J. (US)* 74(1): 29-30, ills.
- [410] Stephenson, R. (2002). *Sedum villosum* Linnaeus: La succulenta europea che sta scomparsa più in fretta? / The fastest disappearing European succulent? *Cactus & Co.* 6(1): 50-55, ills.
- [411] Stephenson, R. (2002). Anmerkungen zu sukkulenten Cultivar. *Kakt. and. Sukk.* 53(7): 189-192, ills. [Included for the illustration showing extreme forms of *Sedum album*.]
- [412] Stephenson, R. (2002). Tweaking the map of Greece. *Sedum Soc. Newslett.* No. 61: 59, maps. [On the distribution of *Sedum urvillei* and

*S. laconicum.*]

- [413] Stephenson, R. (2002). *Sedum gypsophilum* B. L. Turner. Sedum Soc. Newslett. No. 61: 61, t. 114-115.
- [414] Stephenson, R. (2002). Mallorca revisited. Sedum Soc. Newslett. No. 62: 74-79, map. [On *Sedum* spp. on Mallorca.]
- [415] Stephenson, R. (2002). Bansko and beyond part 1 – The Rila Mountains. Sedum Soc. Newslett. No. 63: 15-20, ills., map. [Cont. l.c. No. 64, 2003.]
- [416] Stephenson, R. (2002). *Sedum aff. chrysocaulum* J. A. McDonald. Sedum Soc. Newslett. No. 63: 6-9, figs. 123.
- [417] Stevenson, J. E. & Mauseth, J. D. (2002). Cavitation and embolism repair in the dimorphic wood of *Rhipsalis lumbrioides* (Cactaceae). Haseltonia 8: 51-57, ills. [Volume for 2001, post-marked Dec. 2002.]
- [418] Stone-Palmquist, M. E. & Mauseth, J. D. (2002). The structure of enlarged storage roots in cacti. Int. J. Pl. Sci. 163(1): 89-98, ills.
- [419] Strigl, F. (2001). *Notocactus ottonis* aus Paraguay. Internoto 22(4): 115-119, ills.
- [420] Strittmatter, L. I. & al. (2002). Subdioecy in *Consolea spinosissima* (Cactaceae): Breeding system and embryological studies. Amer. J. Bot. 89(9): 1373-1387, ills.
- [421] Stuchlík, S. (2002). Rostliny kolem *Notocactus oxycostatus* Buining & Brederoo. Kaktusy 38(1): 10-12, ills.
- [422] Studier, G. (2002). Die Dornen der Mammillarien – Formen und Unterschiede, Teil II. Mitteilungsbl. AfM 25(4): 170-176, ills., (pp. 167, 169). [Continued from l.c. 25(3). Dated 2001, publ. Feb. 2002.]
- [423] Studier, G. (2002). Die Dornen der Mammillarien – Formen und Unterschiede, Teil III. Mitteilungsbl. AfM 26(4): 183-188, ills. [Cont. from l.c. 25(4); cont. in l.c. 27(1).]
- [424] Stuppy, W. (2002). Seed characters and the generic classification of the *Opuntioideae* (Cactaceae). Succ. Pl. Res. 6: 25-58, ills., key. [Includes a key to genera and subgenera.]
- [425] Tang, Y. & al. (2002). Seed dispersal pattern and germination test of *Rhodiola sachalinensis*. J. Forestry Res. 13(2): 123-126.
- [426] Taylor, N. P. (2002). Homogenizing *Pilosocereus*? Cact. Syst. Init. No. 14: 28.
- [427] Taylor, N. P. (2002). *Rhipsalis clavata*. Curtis's Bot. Mag., ser. nov., 19(3): 160-164, ills., t. 446.
- [428] Taylor, N. P. & al. (2002). Realignment and revision of the *Opuntioideae* of Eastern Brazil. Succ. Pl. Res. 6: 99-132, ills., maps, keys.
- [429] Terrazas, T. & Loza-Cornejo, S. (2002). Phylogenetic relationships of *Pachycereeae*: A cladistic analysis based on anatomical-morphological data. In: Fleming, T. H. & Valiente-Banuet, A. (eds.): Columnar cacti and their mutualists; pp. 66-86. Tucson (US: AZ): University of Arizona Press.
- [430] Terrazas, T. & Mauseth, J. D. (2002). Shoot anatomy and morphology. In: Nobel, P. S. (ed.): Cacti. Biology and uses; pp. 23-40. Berkeley (US: CA) etc.: University of California Press.
- [431] Thiele, H. (2002). Auf Ritter's Spuren – am Standort von *Parodia subterranea*. Mitteilungsbl. Inter-Parodia-Kette No. 18: 3-7; No. 19: 9-10, ills.
- [432] Thomson, G. (2002). A re-evaluation of the taxonomic status of the genus *Melocactus* in Aruba, Netherlands Antilles. Bradleya 20: 29-44, ills., map, diags., key.
- [433] Thulin, M. (2002). *Anacampseros* (Portulacaceae) in the Horn of Africa region. Kew Bull. 57(3): 741-745.
- [434] Till, H. (2002). Zur Klarstellung von *Gymnocalycium quehlianum* (Haage ex Quehl) Vaupel ex Hosseus. Gymnocalycium 15(2): 441-444, ills. [On the disputed lecto- / neotypification of the name.]
- [435] Till, H. & Amerhauser, H. (2002). Revision des *Gymnocalycium mostii*-Aggregates. Teil 1: *Gymnocalycium mostii* (Gürke) Britton & Rose und seine Formen. Gymnocalycium 15(1): 425-436, ills., map.
- [436] Till, H. & Amerhauser, H. (2002). Revision des *Gymnocalycium mostii*-Aggregates Teil II: *Gymnocalycium valnicekianum* und seine Formen. Gymnocalycium 15(2): 445-452, ills.
- [437] Tölken, H. R. (2002). The annual taxa of the *Crassula sieberiana* complex in South Australia. South Austral. Naturalist 76(1-2): 4-13.
- [438] Tománek, J. (2002). [Czech:] Some critical notes about the new classification of *Gymnocalycium*. Gymnofil 30(1-2): 27-31, ills.
- [439] Torres Dorneles, N. (2002). Die Pflanzen von Minas do Camaqua. Internoto 23(4): 83-89, ills. [Synopsis of the Cactaceae. Continued l.c. 24(1), 2003.]
- [440] Turner, B. L. & Turner, M. W. (2002). Natural populations of *Hesperaloe* (Agavaceae) in Texas. Lundellia 5: 34-43.
- [441] Uhl, C. H. (2002). Hybrids of *Pachyphytum hookeri* (Crassulaceae) and their chromosomes. Haseltonia 8: 63-84, ills. [Volume for 2001, post-marked Dec. 2002.]
- [442] Valiente-Banuet, A. & Godínez-Alvarez, H. (2002). Population and community ecology. In: Nobel, P. S. (ed.): Cacti. Biology and uses; pp. 91-108. Berkeley (US: CA) etc.: University of California Press.

- [443] Valiente-Banuet, A. & al. (2002). Biotic interactions and population dynamics of columnar cacti. In: Fleming, T. H. & Valiente-Banuet, A. (eds.): Columnar cacti and their mutualists; pp. 225-240. Tucson (US: AZ): University of Arizona Press.
- [444] Vassiljeva, I. M. (2002). [Russian:] Seed morphology of some genera of the tribe *Notocacteae* F. Buxb. (*Cactaceae*). *Sukkulenty* 4(1-2): 10. [Dated 2001 but publ. Dec. 2002 or Jan. 2003 (V. Gapon, pers. comm. May 2003).]
- [445] Vassiljeva, I. M. (2002). Comparative morphological study of some genera from the tribe *Notocacteae* Buxb. (*Cactaceae*). *Sukkulenty* 4(1-2): 11-19, ill., SEM-ills. [Dated 2001 but publ. Dec. 2002 or Jan. 2003 (V. Gapon, pers. comm. May 2003).]
- [446] Vassiljeva, I. M. (2002). [Russian:] The pollen morphology of some genera of the *Cactaceae* (the tribe *Notocacteae* F. Buxb. in connection with its taxonomy). *Sukkulenty* 4(1-2): 20-21. [Dated 2001 but publ. Dec. 2002 or Jan. 2003 (V. Gapon, pers. comm. May 2003).]
- [447] Vassiljeva, I. M. (2002). [Russian:] Comparative morphological study of the initial stages of ontogenesis of some genera of the tribe *Notocacteae* F. Buxb. (*Cactaceae*). *Sukkulenty* 4(1-2): 21-23. [Dated 2001 but publ. Dec. 2002 or Jan. 2003 (V. Gapon, pers. comm. May 2003).]
- [448] Velazco Macías, C. G. & Alanis Flores, G. J. (2002). Listado preliminar de las Cactáceas y Agaváceas de la Sierra "El Viejo", Sonora, región prioritaria para la conservación en México. *Sida* 20(1): 349-354.
- [449] Veldhuisen, R. van (2002). *Euphorbia susannae* Marloth. *Succulenta* 81(4): 176-182, ill. [Included for the illustrations.]
- [450] Verhoek, S. & Hess, W. J. (2002). *Agavaceae*. In: Flora of North America north of Mexico; 26: 413-465. New York (US: NY) / Oxford (GB): Oxford University Press.
- [451] Vesela, D. & al. (2002). Dracophane, a metacyclophane derivative from the resin of *Dra- caena cinnabari* Balf. *Phytochemistry* 61(8): 967-970.
- [452] Viljoen, A. M. & al. (2002). The chemotaxonomic value of the diglucoside anthrone homonataloside B in the genus *Aloe*. *Biochem. Syst. & Ecol.* 30(1): 35-43.
- [453] Vlk, S. (2002). *Euphorbia gymnochloioides* Gilbert et Carter. *Cactaceae etc.* 12(4): 136-138, ill.
- [454] Vlk, V. (2002). *Monadenium reflexum* Chiov. *Kaktusy* 38(1): 26-27, ill.
- [455] Vries, J. de (2002). Umkombinieren, ist das eine Lösung für die Vielfalt an Artnamen (Vorschläge zu *Sulcorebutia canigueralii* und *tarabucoensis*). Inform.-brief Freundeskreis Echinopseen No. 32: 1-8, ill.
- [456] Wagner, G. F. (2002). Einige Bemerkungen zur Familie *Mesembryanthemaceae* (3). *Avonia* 20(1): 3-10, ill. [On *Deilanthe*, *Conophytum*, *Erepsia*.]
- [457] Wagner, G. F. (2002). Populations of *Deilanthe thudichumi* (L. Bolus) S. A. Hammer in the area Vanwyksvlei / Carnarvon / Pampoenoort (Northern Cape). *Mesemb Study Group Bull.* 17(1): 13-15, ill.
- [458] Wagner, G. F. (2002). A new population of *Conophytum reconditum* A. R. Mitchell. *Mesemb Study Group Bull.* 17(1): 16, ill. (p. [14]).
- [459] Wagner, G. F. (2002). *Conophytum brunneum* S. A. Hammer spec. nov. *Mesemb Study Group Bull.* 17(2): 26-27, ill.
- [460] Wagner, G. F. (2002). *Conophytum chauviniae* (Schwantes) S. A. Hammer – rediscovery of the type locality? *Mesemb Study Group Bull.* 17(2): 26-28, ill.
- [461] Waldeis, D. & Konnert, M. (2002). Isoenzymanalysen von *Echincereus* Sect. *Wilcoxia*. Kakt. and. Sukk. 53(2): 43-48, ill.
- [462] Wallace, R. S. (2002). The phylogeny and systematics of columnar cacti: An overview. In: Fleming, T. H. & Valiente-Banuet, A. (eds.): Columnar cacti and their mutualists; pp. 42-65. Tucson (US: AZ): University of Arizona Press.
- [463] Wallace, R. S. & Dickie, S. L. (2002). Systematic implications of chloroplast DNA sequence variation in subfam. *Opuntioideae* (*Cactaceae*). *Succ. Pl. Res.* 6: 9-24, diag.
- [464] Wallace, R. S. & Gibson, A. C. (2002). Evolution and systematics. In: Nobel, P. S. (ed.): Cacti. Biology and uses; pp. 1-21. Berkeley (US: CA) etc.: University of California Press.
- [465] Warne, J. A. (2002). [Czech:] Where *Wigginsia vorwerkiana* (Werd.) D. M. Porter grows. *Cactaceae etc.* 12(1): 1, 3-8, ill. [See J. Neduchal, Internoto 22(4): 107-114, ill., 2001, for information on the same populations.]
- [466] Weber, R. (2002). *Rebutia kupperiana* Boedecker [sic!]. Inform.-brief Freundeskreis Echinopseen No. 32: 24-27, ill.
- [467] Weisbarth, M. (2002). Eine unbekannte *Ariocarpus*-Form? Kakt. and. Sukk. 53(6): 163-165, ill. [On aberrant pectinately spined individuals of *A. retusus*.]
- [468] Weiss, H. & al. (2002). Karyology of plant species endemic to Ullung Island (Korea) and selected relatives in peninsular Korea and Japan. *Bot. J. Linn. Soc.* 138(1): 93-105, ill. [Includes data on *Sedum takesimense*.]
- [469] Whitehouse, C. M. (2002). *Asphodelaceae*. In: Beentje, H. J. (ed.): Flora of Tropical East Africa. Rotterdam (NL) / Brookfield (US): A. A. Balkema. 19 pp.
- [470] Whiteley, D. (2002). Additional notes on *Mammillaria flavidicentra*. *J. Mammillaria Soc.*

- 42(2): 20.
- [471] Williamson, G. (2002). Endemic Euphorbias from Zambia with notes on habitat and ecology. *Aloe* 38(3-4): 58-70, map, illus. [Dated 2001, received 1. May 2002.]
- [472] Williamson, G. (2002). The first record of *Euphorbia stabelioides* from Namibia. *Aloe* 38(3-4): 74-75, illus. [Dated 2001, received 1. May 2002.]
- [473] Winkler, G. (2002). Zum Thema "*Rebutia gavazzii* Mosti – Kommentar von Herrn Busch". Inform.-brief Freundeskreis Echinopseen No. 32: 30-32. [Includes data on the typification of *Echinopsis pygmaea*.]
- [474] Wittau, H.-J. & Winkler, G. (2002). *Lobivia cinnabarina* (Hooker) Britton & Rose R 62. Kakt. and. Sukk. 53(4): 94-97, illus.
- [475] Yang, H. & al. (2002). A new glucoside from *Rhodiola fastigiata* (Crassulaceae). *Acta Bot. Sin.* 44(2): 224-226.
- [476] Yelenevsky, A. G. & al. (2002). On some rare plants of Saratov Province. *Byull. Moskovsk. Obshch. Isp. Prir., Otd. Biol.* 107(2): 57. [Includes *Sempervivum pumilum*.]
- [477] Yetman, D. & Devender, T. R. van (2002). The Organpipe Cactus, *Stenocereus thurberi*: The distribution, morphology, and ethnobotany of Pitahayas. *Haseltonia* 8: 30-36, illus., map. [Volume for 2001, post-marked Dec. 2002.]
- [478] Zona, S. (2002). *Agave decipiens*, endemic to Florida. *Haseltonia* 8: 24-29, illus., map. [Volume for 2001, post-marked Dec. 2002.]
- [479] Zonneveld, B. J. M. (2002). Genome size analysis of selected species of *Aloe* (Aloaceae) reveals the most primitive species and results in some new combinations. *Bradleya* 20: 5-12.

## BIBLIOGRAPHIA

### Cross-References of Author Names

- Alanis Flores, G. J.: → Velazco Macías, C. G.  
 Amerhauser, H.: → Till, H.  
 Anderson, E. F.: → Boyle, T. H.  
 Angelis, D. L. de: → Holland, J. N.  
 Aytaç, Z.: → Adıgüzel, N.  
 Baran, E. J.: → Monje, P. V.  
 Barbera, G.: → Casas, A.  
 Bayer, C. (eds.): → Kubitzki, K.  
 Beck, S.: → López, R. P.  
 Bremer, B.: → Sennblad, B.  
 Bullock, S. H.: → Escoto-Rodriguez, M.  
 Casas, A.: → Cruz, M.  
 Castillo, R. F. del: → Pimienta-Barrios, E.  
 Cordeiro, I.: → Rossi-Caruzo, M. B.  
 Cumming, D.: → Dold, T.  
 Delanoy, G.: → Ardisson, G.  
 Devender, T. R. van: → Yetman, D.  
 Dickie, S. L.: → Wallace, R. S.  
 Dutt, C. B. S.: → Reddy, C. S.  
 Ebert, T. A.: → Rae, J. G.  
 Eggli, U.: → Jucker, H.-J.  
 Eggli, U.: → Leuenberger, B. E.  
 Esteves P., E.: → Braum, P. J.  
 Ezcurra, E.: → Arizaga, S.  
 Felix, D.: → Blum, W.  
 Fleming, T. H.: → Holland, J. N.  
 Flores Martínez, A.: → Navarro Carbajal, M. del C.  
 Font, F.: → Picca, P.  
 Gerloff, N.: → Gemmrich, W.  
 Gibson, A. C.: → Wallace, R. S.  
 Godínez-Alvarez, H.: → Valiente-Banuet, A.  
 Hentschel, G.: → Augustin, K.  
 Hess, W. J.: → Verhoeck, S.  
 Hoock, H.: → Kleszewski, K.-P.  
 Iatrou, G.: → Kit Tan  
 Jürgens, N.: → Schmiedel, U.  
 Konnert, M.: → Frank, G. R. W.  
 Konnert, M.: → Waldeis, D.  
 Kristen, M.: → Etter, J.  
 Kunze, H.: → Liede, S.  
 Lavranos, J. J.: → Mies, B. A.  
 Liede, S.: → Meve, U.  
 Loza-Cornejo, S.: → Terrazas, T.  
 Lüthy, A. D.: → Dicht, R. F.  
 Mandujano Sánchez, M. C.: → Rosas Barrera, M. D.  
 Marhold, K.: → Letz, R.  
 Mauseth, J. D.: → Stevenson, J. E.  
 Mauseth, J. D.: → Stone-Palmquist, M. E.  
 Mauseth, J. D.: → Terrazas, T.  
 McCoy, T. A.: → Lavranos, J. J.  
 Meer, P. van der: → Guillot Ortiz, D.  
 Metzing, D.: → Gerloff, N.  
 Meve, U. (eds.): → Albers, F.  
 Miller, A. G.: → Bruyns, P. V.  
 Moser, U.: → Lüthy, J. M.  
 Mottram, R.: → Crook, R.  
 Mukherjee, A.: → Banerjee, G.  
 Nobel, P. S.: → Bobich, E. G.  
 North, G. B.: → Dubrovsky, J. G.  
 Ostolaza, C.: → Mauseth, J. D.  
 Ovecka, M.: → Erdelska, O.  
 Parente, J. P.: → Silva, B. P. da  
 Perlman, S.: → Hannon, D. P.  
 Playford, J.: → Hannan-Jones, M. A.  
 Plein, W.: → Rogozinski, H.  
 Porter, J. M.: → Heil, K. D.  
 Porter, J. M.: → Steinmann, V. W.  
 Rischer, W.: → Lange, M.  
 Ruiz, A.: → Soriano, P. J.  
 Rutow, J.: → Rischer, W.  
 Scott, P. E.: → Scobell, S. A.  
 Sedivý, V.: → Kunte, L.  
 Singh, N. P.: → Kumar Mishra, D.  
 Slavík, B.: → Chrtěk, J.  
 Smith, G. F.: → Chesselet, P.  
 Steyn, E. M. A.: → Smith, G. F.  
 Strecker, W.: → Heek, W. van  
 Strother, J. L.: → Greenhouse, J. A.  
 Sánchez Martínez, E.: → Hernández Martínez, M. M.  
 Taju Vasavaya, S.: → Reddy, C. S.  
 Taylor, N. P. (eds.): → Hunt, D. R.  
 Thomas, H.-P.: → Gilmer, K.  
 Turner, M. W.: → Turner, B. L.  
 Täuber, A.: → Liede, S.  
 Valiente-Banuet, A. (eds.): → Fleming, T. H.  
 Valverde, T.: → Contreras, C.  
 Wallace, R. S.: → Applequist, W. L.  
 White, H. L.: → Holmes, W. C.  
 Winkler, G.: → Wittau, H.-J.  
 Woodmansee, S. W.: → Bradley, K. A.  
 Wyk, A. E. van: → Chesselet, P.  
 Xhonneux, G.: → Fernández-Alonso, J. L.  
 Zanolotto, C.: → Mosco, A.