


ISSN 0486-4271



International Organisation
for Succulent Plant Study

Organización Internacional
para el Estudio de
Plantas Suculentas

Organisation Internationale
de Recherche sur les
Plantes Succulentes

Internationale Organisation
für Sukkulanten-Forschung

IOS

**Repertorium
Plantarum
Succulentarum
LVII (2006)**

Repertorium Plantarum Succulentarum LVII (2006)

*Index nominum novarum plantarum succulentarum anno MMVI
editorum nec non bibliographia taxonomica ab U. Eggli, D. C.
Zappi et R. Nyffeler compositus.*

International Organization for Succulent Plant Study
Internationale Organisation für Sukkulantenforschung

October 2007

ISSN 0486-4271

Conventions used in Repertorium Plantarum Succulentarum

- Repertorium Plantarum Succulentarum attempts to list, under separate headings, newly published names of succulent plants and relevant literature on the systematics of these plants, on an annual basis. New names noted after the issue for the relevant year has gone to press are included in later issues. Specialist periodical literature is scanned in full (as available at the libraries at ZSS and Z or received by the compilers). Also included is information supplied to the compilers direct. It is urgently requested that any reprints of papers not published in readily available botanical literature be sent to the compilers.
- Validly published names are given in **bold face** type, accompanied by an indication of the nomenclatural type (name or specimen dependent on rank), followed by the herbarium acronyms of the herbaria where the holotype and possible isotypes are said to be deposited (first acronym for holotype), according to Index Herbariorum, ed. 8 and supplements as published in Taxon. Invalid, illegitimate, or incorrect names are given in *italic* type face. In either case a full bibliographic reference is given. For new combinations, the basionym is also listed. For invalid, illegitimate or incorrect names, the articles of the ICBN which have been contravened are indicated in brackets (note that the numbering of some regularly cited articles has changed in the Tokyo (1994) edition of the ICBN).
- The compilers would like to point out that they do not accept any names that might be inadvertently validated in this volume of RPS.
- Bibliographic details of papers dealing only with the description of one or few new taxa are not repeated in the bibliographic section.
- Abbreviations for periodicals are those suggested in ‘Bibliography of Succulent Plant Periodicals’ (U. Eggli in Friciana 60: 1-139, 1998 ('1995')) for specialized periodicals, or those of Bibliographia Periodicorum Huntianum Ed. 2 (BPH2) for most other periodicals.

Konventionen im Zusammenhang mit dem Repertorium Plantarum Succulentarum

- Das Repertorium Plantarum Succulentarum ist eine jährlich herausgegebene Zusammenstellung neuer Namen für sukkulente Pflanzen und der relevanten systematischen Literatur. Neue Namen, die nach der Drucklegung der Ausgabe des betreffenden Jahres bekannt werden, erscheinen in der nächsten erreichbaren Ausgabe. Spezialisierte Zeitschriften werden umfassend durchgesehen, soweit sie in den Bibliotheken von Z und ZSS vorhanden sind oder den Herausgebern privat vorliegen. Die Herausgeber bitten alle Autoren dringend, Separata relevanter Publikationen zur Verfügung zu stellen, vor allem wenn es sich um Beiträge in schwer zugänglichen Serien handelt.
- Gültig veröffentlichte Namen werden in **Fettschrift** wiedergegeben unter Angabe des nomenklatortischen Typs (Name oder Belegexemplar je nach Rangstufe; gefolgt von den Herbarakürzungen [entsprechend Index Herbariorum, ed. 8, und in Taxon publizierten Supplementen] der publizierten Hinterlegungsorte für Holotyp [1. Abkürzung] und Isotypen). Für Umkombinationen wird das Basionym angegeben. Ungültige, illegitime oder falsch angewandte Namen erscheinen in *Kursivschrift* unter Angabe (in Klammer) derjenigen Artikel des ICBN, die verletzt worden sind. In allen Fällen folgen die kompletten bibliographischen Angaben. Im Weiteren ist zu beachten, dass die Nummerierung einiger häufig zitieter Artikel mit dem Erscheinen der Tokyo-Version (1994) des ICBN geändert hat.
- Die Herausgeber weisen mit aller Deutlichkeit darauf hin, dass sie keinen Namen anerkennen, der zufälligerweise in dieser Ausgabe des RPS validiert worden sein könnte.
- Beiträge, welche nur Beschreibungen eines oder weniger Taxa enthalten, werden in der bibliographischen Liste nicht separat aufgeführt.
- Die Abkürzungen für spezialisierte Sukkulanten-Zeitschriften richten sich nach ‘Bibliography of Succulent Plant Periodicals’ (U. Eggli in Friciana 60: 1-139, 1998 ('1995')), für allgemeine botanische Zeitschriften in der Regel nach Bibliographia Periodicorum Huntianum Ed. 2 (BPH2).

Compiled by / Zusammengestellt von:

U. Eggli, Sukkulanten-Sammlung Zürich, Mythenquai 88, CH-8002 Zürich, Switzerland.
D. C. Zappi, The Herbarium, Royal Botanic Gardens Kew, Richmond, Surrey TW9 3AE, U.K.
R. Nyffeler, Institut für Systematische Botanik der Universität Zürich, Zollikerstrasse 107, CH-8008 Zürich.

Available from (incl. back issues) / Erhältlich durch (inkl. bereits erschienene Hefte):

IOS, c/o Sukkulanten-Sammlung Zürich (address above / Adresse siehe oben).

© by IOS & Sukkulanten-Sammlung, Zürich (Switzerland) 2007. ISSN 0486-4271.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying or otherwise, without the prior written permission of the copyright holder.

Compilers' Preface

Once again, a voluminous issue of RPS is presented to the public. Thanks to the increasing availability of digital publications, the compilation of RPS is becoming a little bit easier in comparison with the old times, which enables us produce this issue again "just in time".

The bibliography section lists again a vast variety of papers on different aspects of succulent plant biology, and it is a joy to see these varied research efforts and our steadily growing understanding of the biology of these plants.

In the last issue of RPS, we announced the availability of the bibliography database, which is maintained at ZSS, on the web. Unfortunately, the URL provided was erroneous. The correct address for the RPS bibliography website is: <http://www.zuerich-herbarien.unizh.ch/spic/> – Currently, this website is a prototype that will be further developed in due time.

Many people have been helping with the compilation and editing of this RPS. A word of thanks goes to Katherine Challis of the IK Team as well as to Nigel Taylor for nomenclatural advice. Danielle Stäheli of the Institute of Systematic Botany of the University of Zürich has helped in locating systematic literature for inclusion. Further thanks go to Victor Gapon, Roy Mottram and Gordon Rowley for supplying corrections for several errors in the past RPS issue.

Vorwort der Herausgeber

Wiederum können wir ein umfangreiches RPS-Heft vorlegen. Dank der stetig wachsenden Erhältlichkeit digitaler Publikationen ist das Zusammenstellen des RPS im Vergleich zur "guten alten Zeit" einiges einfacher geworden, und wir freuen uns, auch dieses Heft wieder fahrplangemäss veröffentlichen zu können.

Der Bibliographie-Teil enthält auch dieses Jahr wieder eine überraschende Vielfalt an Veröffentlichungen zu den unterschiedlichsten Aspekten der Biologie sukkulenter Pflanzen. Diese vielen Forschungsprojekte tragen in erfreulicher Weise zu unserem wachsenden Verständnis der Biologie dieser Pflanzen bei.

Im letzten RPS-Heft informierten wir über die Zugangsmöglichkeiten zur Bibliographie-Datenbank der Sukkulanten-Sammlung Zürich über das Web. Leider hat sich dabei eine falsche Internet-Adresse eingeschlichen. Die korrekte URL der RPS-Bibliographie-Webseite lautet: <http://www.zuerich-herbarien.unizh.ch/spic/> – Bei dieser Webseite handelt es sich um einen Prototyp, der sobald möglich weiter entwickelt werden wird.

Mehrere Personen haben die Zusammenstellung und Redaktion dieses Heftes erleichtert. Ein Dank geht an Katherine Challis vom IK-Team sowie an Nigel Taylor, welche uns nomenklatiorisch beratend zur Seite standen. Danielle Stäheli vom Institut für Systematische Botanik der Universität Zürich war bei der Beschaffung systematisch wichtiger Literatur behilflich. Ein Dankeschön geht ferner an Victor Gapon, Roy Mottram und Gordon Rowley, welche uns auf diverse Fehler in der letzten RPS-Ausgabe aufmerksam gemacht haben.

Corrections to previous volumes

- The name *Epostoa guentheri* (Kupper) Buxbaum was inadvertently validated by Krainz, Die Kakteen, part 18, C Va [], 1961, and the combination reported in RPS 56 is superfluous.
- The name +*Hylogymnocalycium* ‘Singulare’ (P. V. Heath) G. D. Rowley should have been shown as +*Hylogymnocalycium* ‘Singular’ G. D. Rowley.
- The name *Lophophora koehresii*, shown as valid and legitimate in RPS 56, is illegitimate versus *Lophophora viridescens* (Halda) Halda 1997, which ultimately is based on the same basionym.
- The name *Sclerocactus whipplei* ssp. *heilii* was shown to be valid and legitimate in RPS 56, but it is in fact illegitimate and the prioritable and homotypic *S. cloverae* ssp. *cloverae* (established through the publication of *S. cloverae* ssp. *brackii* Heil & Porter 1994) should have been taken up.
- The name shown as *Sulcorebutia purpurea* ssp. *lindae* in RPS 56 is erroneous, and the taxon was published as *Sulcorebutia tarabucoensis* ssp. *lindae*.
- The nomenclatural status of 3 cultivar names published 2005 by Mikhaltsov, *Ferocactus townsendianus* ‘Variegated Surprise’, *Gymnocalycium* ‘Mars’ and *Gymnocalycium* ‘Zebra Violet’ is in dispute. The references to the previously published descriptions are not accompanied by a complete page reference, which makes the names invalid under the ICBN (in analogy to Art. 33.4 etc.). The ICNCP is less specific in this respect (see esp. recommendation 24B.1), and the names in question are therefore established (‘valid’) under the ICNCP.

Korrekturen zu früheren Bänden

- Der Name *Epostoa guentheri* (Kupper) Buxbaum wurde bereits 1961 durch Krainz, Die Kakteen, part 18, C Va [], gültig veröffentlicht, und die in RPS 56 aufgeführte Kombination ist deshalb überflüssig.
- Der Name +*Hylogymnocalycium* ‘Singulare’ (P. V. Heath) G. D. Rowley muss korrekt als +*Hylogymnocalycium* ‘Singular’ G. D. Rowley zitiert werden.
- Der Name *Lophophora koehresii* wurde in RPS 56 als gültig und legitim betrachtet, ist aber gegenüber *Lophophora viridescens* (Halda) Halda 1997 illegitim, da dieser auf letztlich demselben Basionym basiert.
- Der Name *Sclerocactus whipplei* ssp. *heilii* wurde in RPS 56 ebenfalls als gültig und legitim aufgelistet, ist aber in Tat und Wahrheit illegitim, und der prioritäre homotypische Name *S. cloverae* ssp. *cloverae* (durch die Publikation von *S. cloverae* ssp. *brackii* Heil & Porter 1994 etabliert) muss aufgenommen werden.
- Der in RPS 56 als *Sulcorebutia purpurea* ssp. *lindae* aufgelistete Name ist falsch, und das Taxon wurde als *Sulcorebutia tarabucoensis* ssp. *lindae* veröffentlicht.
- Der nomenklatorische Status der 2005 durch Mikhaltsov publizierten Cultivarnamen *Ferocactus townsendianus* ‘Variegated Surprise’, *Gymnocalycium* ‘Mars’ und *Gymnocalycium* ‘Zebra Violet’ ist diskutabel. Bei den Verweisen auf die vorgängig veröffentlichten Beschreibungen fehlen die vollständigen Seitenangaben, was diese Namen unter dem ICBN in Analogie zu Art. 33.4 etc. ungültig macht. Der ICNCP ist weniger strikt (siehe insbesondere die Empfehlung 24B.1), und die fraglichen Namen sind deshalb unter dem ICNCP gültig veröffentlicht (‘established’).

NOMINA NOVA

AGAVACEAE

- Agave filifera** 'Afterglow' G. D. Rowley, Tropae, 253, 280, ill., 2006. [A variegated form.]
- Agave ×guemensis** D. Guillot & Van der Meer, Stud. Bot. (Salamanca) 24: 87-89, 2006. Typus: *Anonymous* s.n. in VAL 169523 (VAL 169523). [= *Agave polyacantha* × *A. wahreniana*. Dated 2005, publ. 2006 fide Kew library.]
- Agave potatorum** 'Bonanza' G. D. Rowley, Tropae, 254, 280, ill., 2006. [A variegated form.]

Agave vazquezgarciae Cházaro, Novon 16: 459-460, ills., 2006. Typus: *Cházaro-Basáñez & Vázquez-García* 8172 (IBUG, GUADA, MEXU, MO, WIS, XAL, ZEA). [Name first used invalidly (Art. 32.1d, ICBN 2006) in *Succulentas* (Barcelona) No. 31: 13, 2005 (cf. RPS 56).]

AIZOACEAE

- Antimima levynsiae** (L. Bolus) S. A. Hammer, Cact. Succ. J. (US) 78(2): 67, 2006. Basionym: *Mesembryanthemum levynsiae*.
- Dactylospis digitata** ssp. *littlewoodii* (L. Bolus) Klak, Kew Bull. 61(3): 397, 2006. Basionym: *Dactylospis littlewoodii*.
- Delosperma basuticum** 'White Nugget' Kelaidis, Cact. Succ. J. (US) 78(4): 193, ill., 2006.
- Lithops amicorum** D. T. Cole, Cactus & Co. 10(1): 58-59, ills., 2006. Typus: *Cole* 410 (WIND).
- Lithops aucampiae** ssp. *aucampiae* 'Firebrandt' K. Green, Mesemb Study Group Bull. 21(2): 42, fig. 21.18 (p. 30), 2006. [A red mutation.]
- Lithops bromfieldii** var. *glaudinae* 'Embers' K. Green, Mesemb Study Group Bull. 21(2): 42, fig. 21.19 (p. 30), 2006. [A red mutant.]
- Lithops fulviceps** var. *laevigata* D. T. Cole, Cactus & Co. 10(1): 62-63, ills., 2006. Typus: *Cole* 412 (PRE).
- Lithops gesinae** var. *annae* 'Hanawared' Shimada, Mesemb Study Group Bull. 21(4): 78-79, ill., 2006. [A colour form obtained in cultivation.]
- Lithops hookeri** var. *dabneri* 'Annarosa' Piccione, Cactus & Co. 10(2): 115-116, ill., 2006. [A horticultural mutant.]
- Lithops lesliei** var. *venteri* 'Ventergreen' Shimada, Mesemb Study Group Bull. 21(4): 78-79, ill., 2006. [A colour form obtained in cultivation.]

Phyllobolus pearsonii N. E. Brown ex S. A. Hammer, Cact. Succ. J. (US) 78(2): 67, 2006. Typus: *Pearson* 6441 (K, B, BOL) [Type material at B and BOL cited from Gerbaulet 1995.]. [Name first used invalidly (Art. 32.1c) by N. E. Brown in Gard. Chron., ser. 3, 78: 412-413, in clavi, 1925; there not to be treated as combination for *Mesembryanthemum pearsonii* N. E. Brown 1912 (cf. Gerbaulet, Taxon 43: 75, 1994).]

Stoeberia utilis ssp. *lerouxiae* van Jaarsveld, Aloe 43(1): 20, ills. (pp. 18-19), 2006. Typus: *Pers* s.n. (BOL).

ALOACEAE

- Aloe 'Chaba'** Audissou, Alsterworthia Internat. 6(3): 23, ill., 2006. [= *Aloe bakeri* × *A. haworthioides*) × *Aloe* 'Cha Cha'.]
- Aloe 'Spence's Superb'** S. Spence, Alsterworthia Internat. 6(3): 3, ills., 2006. [= *Aloe bellatula* × *A. haworthioides*.]
- Aloe alexandrei** Ellert, Cact. Succ. J. (US) 78(1): 11, ills., (pp. 10-14), 2006. Typus: *Ellert* 1175 (ARIZ, MO, NY, P).
- Aloe antonii** Castillon, Cact. World 24(3): 130, ills. (pp. 129-132), 2006. Typus: *Castillon* 25 (HBG, P).
- Aloe castilloniae** Castillon, Succulent 2006(3): 21-24, ills., 2006. Typus: *Castillon* 24 (HBG, P).
- Aloe challisi** van Jaarsveld, Aloe 43(2-3): 36-37, ills., 2006. Typus: *van Jaarsveld & Challis* 19801 (PRE).
- Aloe charlotteae** Castillon, Bradleya 24: 67-69, ills., 2006. Typus: *Castillon* 22 (HBG, P).
- Aloe deltoidea** var. *fallax* Castillon, Succulent 2006(1): 2021, ills., 2006. Typus: *Castillon* 19 (HBG).
- Aloe eximia** Lavranos & T. A. McCoy, Cact. World 24(4): 199-200, ills., 2006. Typus: *Pronk* s.n. in *Lavranos* 32025 (TAN).
- Aloe humilis** 'Reach-for-the-Sky' J. Verhoeven, Alsterworthia Internat. 6(3): 6, ills., 2006. [A variegated horticultural selection.]
- Aloe johannis** Castillon, Succulent 2006(1): 18-19, ills., 2006. Typus: *Castillon* 18 (HBG, P).
- Aloe kaokoensis** van Jaarsveld & al., Bothalia 36(1): 75-76, ills., 2006. Typus: *van Jaarsveld & Swanepoel* 19504 (WIND).
- Aloe koenii** Lavranos & Kerstin Koch, Cact. Succ. J. (US) 78(5): 222-223, ills., 2006. Typus: *Koenen* 1/82 (FT).
- Aloe miskatana** S. Carter, Nordic J. Bot. 24(3): 245-247, ills., 2006. Typus: *Thulin* & al. 9460 (UPS, K).

- Aloe mitsioana** Castillon, Bradleya 24: 69-71, ill., 2006. Typus: *Castillon* 23 (HBG, P).
- Aloe orlandoi** Lavranos, Cact. Succ. J. (US) 78(2): 65, ill., (pp. 62-64), 2006. Typus: *Orlando & Azzouni* 231802 (FT). [Sphalm. 'orlandi' (cf. ICBN Rec. 60C1(a)).]
- Aloe pronkii** Lavranos & al., Cact. Succ. J. (US) 78(4): 198-200, ill., 2006. Typus: *Pronk* s.n. in *Lavranos* 32024 (TAN, Z).
- Aloe rendillorum** L. E. Newton, Bradleya 24: 107-108, ill., 2006. Typus: *Newton & Powys* 4511, (K, EA).
- Aloe saronarae** Lavranos & T. A. McCoy, Kakt. und. Sukk. 57(4): 94-96, ill., 2006. Typus: *Röösli & Hoffmann* 22/02 (TAN, Z).
- Aloe vanrooyenii** G. F. Smith & N. Crouch, Botalia 36(1): 73-74, ill., (2): 174, 2006. Typus: *Crouch & Smith* 2 (NH).
- ✗**Alworthia** 'Fantasy' G. D. Rowley, Teratopia, 142-143, 280, ill., 2006. [A variegated hybrid (*Aloe bellatula* × *Haworthia* sp.).]
- ✗**Gasteraloe** 'Kabela' R. Scott, Alsterworthia Internat. 6(1): 2, ill., 2006. [= *Gasteria* 'Perfectus' × *Aloe aristata*.]
- ✗**Gasteraloe** 'Prince Warty' Audissou, Alsterworthia Internat. 6(3): 23, ill., 2006. [= *Aloe prinslooii* × *Gasteria* 'Little Warty'.]
- ✗**Gasteraloe** 'Syrah' Audissou, Alsterworthia Internat. 6(3): 22, ill., 2006. [= *Gasteria nitida* var. *nitida* 'Beckeri' × *Aloe sladeniana*.]
- Gasteria** 'Bunny Silver' Ron Evans, Haworthiad 20(1): 5, ill., 2006. [A horticultural selection from a batch of *G. poellnitziana* × *G. bicolor*.]
- Gasteria croucheri** ssp. **pendulifolia** (van Jaarsveld) Zonneveld, Pl. Syst. Evol. 251: 225, 2005. Basionym: *Gasteria pendulifolia*.
- ✗**Gasterlirion** Mays & G. D. Rowley, Alsterworthia Internat. 6(2): 10, 2006. [= *Gasteria* × *Chortolirion*.]
- Haworthia** 'Cynara' Audissou, Alsterworthia Internat. 6(3): 23, ill., 2006. [= *Haworthia arachnoidea* var. *nigricans* × *H. pubescens*.]
- Haworthia** 'Fouras' Audissou, Alsterworthia Internat. 6(3): 22, ill., 2006. [= *Haworthia pubescens* × *H. pulchella* var. *pulchella*.]
- Haworthia** 'Garasu' M. Hayashi & Mays, Alsterworthia Internat. 6(2): 21, ill., 2006. [A selected clone of a hybrid *H. comptoniana* × *H. sp.*]
- Haworthia** 'Java' Cocozza, Haworthiad 20(2): 63-69, ill., 2006. [An F1 hybrid *H. mirabilis* × *H. magnifica* var. *splendens*.]
- Haworthia** 'Marilyn' M. Hayashi & Mays, Alsterworthia Internat. 6(2): 21, ill., 2006. [Obtained in cultivation from seed obtained from *Haworthia* 'Garasu', with unrecorded pollen donor.]
- Haworthia** 'Pearl of Dew' Audissou, Alsterworthia Internat. 6(3): 22, ill., 2006. [= *Haworthia retusa* fa. *geraldii* × *H. cymbiformis* var. *reddii*.]
- Haworthia** 'Whirlpool' Trager, Cact. Succ. J. (US) 78(2): 80, ill., 2006. [= *H. truncata* × *H. retusa*.]
- Haworthia** 'Yayoi-Nishiki' M. Hayashi & Mays, Alsterworthia Internat. 6(2): 22, ill., 2006. [= *Haworthia emelyae* (*picta* form) × *H. sp.* (probably *H. pygmaea*).]
- Haworthia akaoni** M. Hayashi, Haworthia Study No. 16: 13, fig. 3, 2006. Typus: *Hayashi* 02-16 (Res. Inst. Evol. Biol. Tokyo).
- Haworthia angiras** M. Hayashi, Haworthia Study No. 14: 13, fig. 3 (p. 14), 2005. Based on *Hayashi* 03-250. *Nom. inval.* (Art. 37.7).
- Haworthia ao-onii** M. Hayashi, Haworthia Study No. 16: 13, fig. 2, 2006. Typus: *Hayashi* 02-45 (Res. Inst. Evol. Biol. Tokyo).
- Haworthia bathylis** M. Hayashi, Haworthia Study No. 15: 16, ill., 2006. Typus: *Hayashi* 06-81 (Res. Inst. Evol. Biol., Tokyo).
- Haworthia bayeri** 'Zaramado Variegated' M. Hayashi & Mays, Alsterworthia Internat. 6(2): 23-24, ill., 2006. [A selection obtained in cultivation.]
- Haworthia borealis** M. Hayashi, Haworthia Study No. 15: 14, fig. 5 (p. 13), 2006. Typus: *Hayashi* 97-73 (Res. Inst. Evol. Biol., Tokyo).
- Haworthia candida** M. Hayashi, Haworthia Study No. 16: 16, ill., 2006. Typus: *Hayashi* 06-196 (Res. Inst. Evol. Biol. Tokyo).
- Haworthia cangoensis** M. Hayashi, Haworthia Study No. 14: 13, fig. 2 (p. 14), 2005. Based on *Hayashi* 05-37. *Nom. inval.* (Art. 37.7).
- Haworthia capillaris** M. Hayashi, Haworthia Study No. 16: 16, ill., 2006. Typus: *Hayashi* 03-371 (Res. Inst. Evol. Biol. Tokyo).
- Haworthia ciliata** M. Hayashi, Haworthia Study No. 14: 11, fig. 4 (p. 9), 2005. Based on *Hayashi* 03-387. *Nom. inval.* (Art. 37.7).
- Haworthia crystallina** M. Hayashi, Haworthia Study No. 15: 16, ill., 2006. Typus: *Hayashi* 05-175 (Res. Inst. Evol. Biol., Tokyo).
- Haworthia cymbiformis** 'Harry Mak' G. D. Rowley, Teratopia, 23, 263, 280, ill., 2006. [A variegated form.]
- Haworthia davidi** (Breuer) M. Hayashi & Breuer ex M. Hayashi, Haworthia Study No. 14: 11, 2005. Basionym: *Haworthia leightonii* var. *davidi*.
- Haworthia dekenahii** 'Sanekata's Variegated' M. Hayashi & Mays, Alsterworthia Internat. 6(2): 23, ill., 2006. [A selection from a habitat-collected clone of *H. dekenahii*.]
- Haworthia diaphana** M. Hayashi, Haworthia Study No. 15: 16, ill., 2006. Typus: *Hayashi* 06-065 (Res. Inst. Evol. Biol., Tokyo).
- Haworthia doldii** (M. B. Bayer) M. Hayashi, Haworthia Study No. 14: 11, 2005. Basionym: *Haworthia cooperi* var. *doldii*.
- Haworthia dura** M. Hayashi, Haworthia Study No. 14: 11, fig. 2 (p. 9), 2005. Based on *Hayashi* 04-20. *Nom. inval.* (Art. 37.7).
- Haworthia emelyae** 'Royal White' M. Hayashi & Mays, Alsterworthia Internat. 6(2): 22, ill., 2006. [A selected clone of *H. emelyae*.]

- Haworthia erii* M. Hayashi, Haworthia Study No. 14: 11, fig. 5 (p. 9), 2005. Based on *Hayashi* 03-219. *Nom. inval.* (Art. 37.7).
- Haworthia ernstii* M. Hayashi, Haworthia Study No. 14: 11, fig. 6 (p. 10), 2005. Based on *Hayashi* 04-060. *Nom. inval.* (Art. 37.7).
- Haworthia ianthina* M. Hayashi, Haworthia Study No. 14: 12, fig. 12, 2005. Based on *Hayashi* 03-199. *Nom. inval.* (Art. 37.7).
- Haworthia incrassata* M. Hayashi, Haworthia Study No. 14: 12, fig. 11, 2005. Based on *Hayashi* 04-102. *Nom. inval.* (Art. 37.7).
- Haworthia joubertiae* M. Hayashi, Haworthia Study No. 14: 16, ill., 2005. Based on *Hayashi* 03-300. *Nom. inval.* (Art. 37.7).
- Haworthia kogmanensis* M. Hayashi, Haworthia Study No. 14: 14, fig. 5 (p. 15), 2005. Based on *Hayashi* 05-217. *Nom. inval.* (Art. 37.7).
- Haworthia lachnosa** M. Hayashi, Haworthia Study No. 16: 16, ill., 2006. Typus: *Hayashi* 03-26 (Res. Inst. Evol. Biol. Tokyo).
- Haworthia laxa* M. Hayashi, Haworthia Study No. 14: 14, fig. 6 (p. 15), 2005. Based on *Hayashi* 03-005. *Nom. inval.* (Art. 37.7).
- Haworthia lazulis* M. Hayashi, Haworthia Study No. 14: 11, fig. 8 (p. 10), 2005. Based on *Hayashi* 02-24. *Nom. inval.* (Art. 37.7).
- Haworthia limbata* M. Hayashi, Haworthia Study No. 14: 16, ill., 2005. Based on *Hayashi* 04-108. *Nom. inval.* (Art. 37.7).
- Haworthia luri* M. Hayashi, Haworthia Study No. 14: 11-12, fig. 9 (p. 10), 2005. Based on *Hayashi* 03-448. *Nom. inval.* (Art. 37.7).
- Haworthia marmorata** M. Hayashi, Haworthia Study No. 15: 14, fig. 2 (p. 13), 2006. Typus: *Hayashi* 03-205 (Res. Inst. Evol. Biol., Tokyo).
- Haworthia montana* M. Hayashi, Haworthia Study No. 14: 14, fig. 7 (p. 15), 2005. Based on *Hayashi* 03-004. *Nom. inval.* (Art. 37.7).
- Haworthia migrata** M. Hayashi, Haworthia Study No. 15: 14, fig. 4 (p. 13), 2006. Typus: *Hayashi* 03-006 (Res. Inst. Evol. Biol., Tokyo).
- Haworthia odysséi* M. Hayashi, Haworthia Study No. 14: 13-14, fig. 4, 2005. Based on *Hayashi* 05-1. *Nom. inval.* (Art. 37.7).
- Haworthia ohkuwae** M. Hayashi, Haworthia Study No. 16: 13, fig. 4, 2006. Typus: *Hayashi* 06-321 (Res. Inst. Evol. Biol. Tokyo). [Sphalm. 'ohkuwai'.]
- Haworthia pellucida* M. Hayashi, Haworthia Study No. 14: 12, fig. 10, 2005. Based on *Hayashi* 03-279. *Nom. inval.* (Art. 37.7).
- Haworthia picta** 'Mr. K. Ohkuwa's Silver Green' M. Hayashi & Mays, Alsterworthia Internat. 6(2): 23, ill., 2006. [A seed-raised clone of the Moegi group of *Haworthia picta* var. *janvlokii*.]
- Haworthia pygmaea** 'Seiji' M. Hayashi & Mays, Alsterworthia Internat. 6(2): 22, ill., 2006. [A selected clone of *H. pygmaea*.]
- Haworthia pygmaea** 'Tsuyu-Simo' M. Hayashi & Mays, Alsterworthia Internat. 6(2): 22, ill., 2006. [A selected clone of *H. pygmaea*.]
- Haworthia rava* M. Hayashi, Haworthia Study No. 14: 11, fig. 3 (p. 9), 2005. Based on *Hayashi* 03-156. *Nom. inval.* (Art. 37.7).
- Haworthia royalis* M. Hayashi, Haworthia Study No. 14: 13, fig. 1 (p. 14), 2005. Based on *Hayashi* 03-256. *Nom. inval.* (Art. 37.7).
- Haworthia sparsa** M. Hayashi, Haworthia Study No. 16: 13, fig. 1, 2006. Typus: *Hayashi* 95-36 (Res. Inst. Evol. Biol. Tokyo).
- Haworthia splendens** 'Silver King' M. Hayashi & Mays, Alsterworthia Internat. 6(2): 21, ill., 2006. [A selection of *H. splendens* obtained in cultivation in Japan.]
- Haworthia tarkasia** M. Hayashi, Haworthia Study No. 15: 14, fig. 6 (p. 13), 2006. Typus: *Hayashi* 95-28 (Res. Inst. Evol. Biol., Tokyo).
- Haworthia vitris* M. Hayashi, Haworthia Study No. 14: 16, ill., 2005. Based on *Hayashi* 02-011. *Nom. inval.* (Art. 37.7).

APOCYNACEAE

- Kappia** Venter & al., South Afr. J. Bot. 72(4): 530, 2006. Typus: *Raphionacme lobulata* Venter & R. L. Verhoeven.
- Kappia lobulata** (Venter & R. L. Verhoeven) Venter & al., South Afr. J. Bot. 72: 530, 2006. Basionym: *Raphionacme lobulata*.

ASCLEPIADACEAE

- Ceropegia macmasteri** A. P. Dold, South Afr. J. Bot. 72(1): 144-146, ill., 2006. Typus: *Dold* 4699 (GRA).
- Dischidia cornuta** Livshultz, Blumea 50(1): 118-121, ill., 2005. Typus: *Livshultz* 02-50 (BH, A, L, MO, Nation. Univ. Laos).
- Dischidia dohpii** T. B. Tran & Livshultz, Blumea 50(1): 122-125, ill., 2005. Typus: *Averyanov* & al. 5197 (HN, A, MO).
- Hoya linavergeriae** Kloppenburg & Siar ex Kloppenburg, Fraterna 19(4): 11-18, ill., 2006. Typus: *Golamco* s.n. in *Vergara* s.n. (CAHUP 68632).
- Hoya luciae** Kloppenburg & Siar ex Kloppenburg, Fraterna 19(4): 8-10, ill., 2006. Typus: *Bicknell* 1494 (CAHUP).
- Hoya stoneana** Kloppenburg & Siar ex Kloppenburg, Fraterna 19(4): 19-23, ill., 2006. Typus: *Anonymous* s.n. (CAHUP). [Sphalm. 'stoneiana'.]
- Hoya vanuatuensis** T. Green, Fraterna 19(2): 4, ill., (pp. 1, 5-6), 2006. Typus: *Green* 76148 (BISH 721207) [Ex cult. T. Green, Jan. 2006.].

Hoya viracensis Kloppenburg & Siar ex Kloppenburg, Fraterna 19(4): 5-7, illus., 2006. Typus: *Barbon* & al. PPI005658 (PNH, BISH, CAHUP).

Rhytidocaulon arachnoideum T. A. McCoy, Cact. Succ. J. (US) 78(4): 183, illus. (pp. 178-182), 2006. Typus: *Specks* 1853 in McCoy 2804 (MO, UPS).

ASPHODELACEAE

Bulbine lolita S. A. Hammer, Cact. Succ. J. (US) 78(2): 70-71, illus., 2006. Typus: *Lavrano*s 31140 (HNT).

ASTERACEAE

Senecio stapeliiformis var. **minor** 'Panoply' G. D. Rowley, Teratopia, 167, 230, 280, illus., 2006. [A crested form. Name given as *Senecio stapeliiformis* 'Panoply' l.c. p. 280.]

BURSERACEAE

Commiphora gariepensis Swanepoel, Bothalia 36(1): 52-55, illus., 2006. Typus: *Swanepoel* 148 (WIND, PRE).

CACTACEAE

Ancistrocactus leucoganus D. Donati, Piante Grasse 26(4): 152-154, illus., 2006. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]

Austrocylindropuntia Subgen. **Cumulopuntia** (F. Ritter) G. D. Rowley, Tephrocactus Study Group 12(3): 42, 2006. Basionym: *Cumulopuntia*. [Published under the pseudonym R. Glenwood.]

Austrocylindropuntia boliviiana (Salm-Dyck) G. D. Rowley, Tephrocactus Study Group 12(3): 42, 2006. Basionym: *Opuntia boliviiana*. [Published under the pseudonym R. Glenwood.]

Austrocylindropuntia chichensis (Cárdenas) G. D. Rowley, Tephrocactus Study Group 12(3): 42, 2006. Basionym: *Tephrocactus chichensis*. [Published under the pseudonym R. Glenwood.]

Austrocylindropuntia rossiana (W. Heinrich & Backeberg) G. D. Rowley, Tephrocactus Study Group 12(3): 42, 2006. Basionym: *Tephrocactus pentlandii* var. *rossianus*. [Published under the pseudonym R. Glenwood.]

Austrocylindropuntia sphaerica (C. F. Förster) G. D. Rowley, Tephrocactus Study Group 12(3): 42, 2006. Basionym: *Opuntia sphaerica*. [Published under the pseudonym R. Glenwood.]

Aystostera azurduyensis J. de Vries, Succulenta 85(2): 56-59, illus. (incl. cover, p. 55), 2006. Typus: *de Vries* & van Zomeren 267 (LPB, WU).

Brownningia hernandezii Fernández Alonso, Revista Acad. Colomb. Ci. Exact. Fis. Nat. 30(114): 20-21, figs. 1-4 (pp. 21-23, 25), 2006. Typus: *Fernández-Alonso* & al. 23.878 (COL, HUA).

Cereus 'Vortex' G. D. Rowley, Teratopia, 116, 140, 280, illus., 2006. [A form exhibiting spiral torsion.]

×Chamaelobivia 'Alexandrine' Lodé, Cact.-Avent. No. 68: 25, ill., 2006. [= *Chamaecereus silvestrii* × *Lobivia* sp.]

Cleistocactus 'Ana' Lodé, Cact.-Avent. No. 68: 26, ill., 2006. [= *Cleistocactus smaragdiflorus* × *C. sp.*]

Cleistocactus colademononis (Diers & Krahn) Mottram, Cact. World 24(1): 21, 2006. Basionym: *Hildebrandtia colademononis*.

Cleistocactus strausii 'Quantum Leap' G. D. Rowley, Teratopia, 129, 280, ill., 2006. [A monstrose and cristate form.]

Copiapoa angustiflora H. E. Walter & al., Cact. World 24(4): 188, illus. (pp. 186-192), 2006. Typus: *Walter* 436 (SGO).

Copiapoa hypogaea ssp. **lau** (Diers) G. Charles, Cact. Syst. Init. No. 21: 10, 2006. Basionym: *Copiapoa lau*.

Copiapoa leonensis I. Schaub & Keim, Cactus & Co. 10(2): 124-125, illus. (pp. 118-126), 2006. Typus: *Schaub & Keim* s.n. (SGO 151588).

Coryphantha macromeris var. **rinae** Lodé, Cact.-Avent. No. 68: 25, ill., 2006. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]

Cumulopuntia sphaerica var. **unguispina** (Backeberg) de Morree, Succulenta 85(3): 130, illus., 2006. *Nom. inval.* (Art. 33.3), based on *Opuntia unguispina*. [Name published unintentionally.]

Disocactus ×**capelleanus** (Rother) E. Meier, EPIG No. 57: 16, 2006. Basionym: *Phyllocactus* ×*capelleanus*.

Disocactus ×**moennighoffii** (Fischer) E. Meier, EPIG No. 57: 17, 2006. Basionym: *Cereus* ×*moennighoffii*.

Disophyllum amarantinum (G. D. Rowley) E. Meier, EPIG No. 57: 17, 2006. Basionym: *Epixochia amarantina*.

×**Disophyllum charltonii** (G. D. Rowley) E. Meier, EPIG No. 57: 17, 2006. *Nom. inval.* (Art. 33.4), based on ×*Heliphylum charltonii*. [The name indicated as basionym is a later combination, which invalidates this name.]

×**Disoselenicereus fulgidus** (Hooker pro sp.) E. Meier, EPIG No. 57: 17, 2006. Basionym: *Cereus* ×*fulgidus*. [Name first used invalidly (Art.

- 33.4) in l.c. No. 56: 11, 2006.]
- ×Disoselnicereus maynardi** (Paxton) E. Meier, EPIG No. 57: 17, 2006. Basionym: *Cereus ×maynardi*. [Name first used invalidly (Art. 33.4) by Hofacker, Kakt. und. Sukk. 57(2): 51-52, 2006.]
- Echinocactus horizonthalonius** ssp. **diabolicus** Halda & al., Acta Mus. Richnov. Sect. Nat. 13(1): 1-2, ill. (inside front cover, pp. 3, 11), 2006. Typus: Vacek & Vasko VZD497 (Herb. Halda 061133). [Dated 2006, received at ZSS 10, 2. 2007.]
- Echinocereus santaritensis** ssp. **bacanorensis** (Rischer & Trocha) Rischer & D. Felix, Echinocereenfreund 19(3): 91, ill. (pp. 95, 97-98), 2006. Basionym: *Echinocereus salm-dyckianus* ssp. *bacanorensis*.
- Echinocereus viridiflorus** var. **canus** A. M. Powell & Weedin, Cacti Trans-Pecos Adjacent Areas, 273, tt. 171-172, 2004. Typus: *Powell & Powell* 6012 (SRSC, MO, TEX). [Omitted previously.]
- Echinocereus yavapaiensis** M. A. Baker, Pl. Syst. Evol. 258(1): 79-81, ill., 2006. Typus: *Baker & Lisenby* 13723 (ASU).
- Eriosyce** Subgen. **Chileonapina** (Kreuzinger) H. E. Walter & Mächler, Cact. World 24(3): 139, 2006. Basionym: *Hildmannia* Subgen. *Chileonapina*. [Ascribed to A. E. Hoffmann & H. E. Walter.]
- Eriosyce islayensis** ssp. **omasensis** (Ostolaza & T. Mischler) G. Charles, Cact. Syst. Init. No. 21: 11, 2006. Basionym: *Isaya omasensis*.
- Eriosyce napina** ssp. **fankhauseri** (F. Ritter) Mächler & H. E. Walter, Cact. World 24(3): 140, 2006. Basionym: *Thelocephalia fankhauseri*.
- Eriosyce napina** ssp. **riparia** Mächler & H. E. Walter, Cact. World 24(3): 142, ill. (pp. 138-141), 2006. Typus: *Walter* 487 (SGO).
- Frailea odieri** var. **malleolata** (F. Ritter) J. M. Watson, Gayana, Bot. 63(1): 124, 2006. Basionym: *Chileorebutia malleolata*. [Technically valid even though inadvertently published.]
- Frailea alexandri** Metzing, Bradleya 24: 124-125, ill. (pp. 121, 123-124), 2006. Typus: *Metzing & al.* 38 (HBG).
- Frailea mammifera** ssp. **angelesiae** R. Kiesling & Metzing, Cact. Syst. Init. No. 21: 17-18, ill., 2006. Typus: *Kiesling & Lopez* 5930 (SI) [Ex cult. R. Kiesling, 1985.].
- Frailea pygmaea** ssp. **tuyensis** (Buining & G. Moser) Metzing, Cact. Syst. Init. No. 21: 16, ill. (p. 17), 2006. Basionym: *Frailea cataphracta* var. *tuyensis*.
- Grusonia** Subgen. **Cylindropuntia** (Engelmann) G. D. Rowley, Tephrocactus Study Group 12(3): 43, 2006. Basionym: *Opuntia* Subgen. *Cylindropuntia*. [Published under the pseudonym E. Goodwyn.]
- Grusonia** Subgen. **Pereskiopsis** (Britton & Rose) G. D. Rowley, Tephrocactus Study Group 12(3): 42, 2006. Nom. illeg. (Art. 52.1). [Pub-
- lished under the pseudonym E. Goodwyn. The basionym *Pereskiopsis* has priority at generic level.]
- Grusonia abyssi** (Hester) G. D. Rowley, Tephrocactus Study Group 12(3): 43, 2006. Basionym: *Opuntia abyssi*. [Published under the pseudonym E. Goodwyn.]
- Grusonia acanthocarpa** (Engelmann & J. M. Bigelow) G. D. Rowley, Tephrocactus Study Group 12(3): 43, 2006. Basionym: *Opuntia acanthocarpa*. [Published under the pseudonym E. Goodwyn.]
- Grusonia alcahes** (F. A. C. Weber) G. D. Rowley, Tephrocactus Study Group 12(3): 43, 2006. Basionym: *Opuntia alcahes*. [Published under the pseudonym E. Goodwyn.]
- Grusonia anteojoensis** (Pinkava) G. D. Rowley, Tephrocactus Study Group 12(3): 43, 2006. Basionym: *Opuntia anteojoensis*. [Published under the pseudonym E. Goodwyn.]
- Grusonia aquosa** (F. A. C. Weber) G. D. Rowley, Tephrocactus Study Group 12(3): 42, 2006. Basionym: *Opuntia aquosa*. [Published under the pseudonym E. Goodwyn.]
- Grusonia arbuscula** (Engelmann) G. D. Rowley, Tephrocactus Study Group 12(3): 43, 2006. Basionym: *Opuntia arbuscula*. [Published under the pseudonym E. Goodwyn.]
- Grusonia bigelovii** (Engelmann) G. D. Rowley, Tephrocactus Study Group 12(3): 43, 2006. Basionym: *Opuntia bigelovii*. [Published under the pseudonym E. Goodwyn. Sphalm. 'bigelovii'.]
- Grusonia blakeana** (J. G. Ortega) G. D. Rowley, Tephrocactus Study Group 12(3): 42, 2006. Basionym: *Pereskiopsis blakeana*. [Published under the pseudonym E. Goodwyn.]
- Grusonia californica** (Torrey & A. Gray) G. D. Rowley, Tephrocactus Study Group 12(3): 43, 2006. Basionym: *Cereus californicus*. [Published under the pseudonym E. Goodwyn.]
- Grusonia caribaea** (Britton & Rose) G. D. Rowley, Tephrocactus Study Group 12(3): 44, 2006. Basionym: *Opuntia caribaea*. [Published under the pseudonym E. Goodwyn.]
- Grusonia cholla** (F. A. C. Weber) G. D. Rowley, Tephrocactus Study Group 12(3): 44, 2006. Basionym: *Opuntia cholla*. [Published under the pseudonym E. Goodwyn.]
- Grusonia ×congesta** (Griffiths pro sp.) G. D. Rowley, Tephrocactus Study Group 12(3): 44, 2006. Basionym: *Opuntia ×congesta*. [Published under the pseudonym E. Goodwyn.]
- Grusonia davisii** (Engelmann & J. M. Bigelow) G. D. Rowley, Tephrocactus Study Group 12(3): 44, 2006. Basionym: *Opuntia davisii*. [Published under the pseudonym E. Goodwyn.]
- Grusonia ×deserta** (Griffiths pro sp.) G. D. Rowley, Tephrocactus Study Group 12(3): 44, 2006. Basionym: *Opuntia ×deserta*. [Published under the pseudonym E. Goodwyn.]

- Grusonia diguetii** (F. A. C. Weber) G. D. Rowley, Tephrocactus Study Group 12(3): 42, 2006. Basionym: *Opuntia diguetii*. [Published under the pseudonym E. Goodwyn.]
- Grusonia echinocarpa** (Engelmann & J. M. Bigelow) G. D. Rowley, Tephrocactus Study Group 12(3): 44, 2006. Basionym: *Opuntia echinocarpa*. [Published under the pseudonym E. Goodwyn.]
- Grusonia ×fosbergii** (C. B. Wolf pro sp.) G. D. Rowley, Tephrocactus Study Group 12(3): 44, 2006. Basionym: *Opuntia ×fosbergii*. [Published under the pseudonym E. Goodwyn.]
- Grusonia fulgida** (Engelmann) G. D. Rowley, Tephrocactus Study Group 12(3): 44, 2006. Basionym: *Opuntia fulgida*. [Published under the pseudonym E. Goodwyn.]
- Grusonia ganderi** (C. B. Wolf) G. D. Rowley, Tephrocactus Study Group 12(3): 44, 2006. Basionym: *Opuntia acanthocarpa* ssp. *ganderi*. [Published under the pseudonym E. Goodwyn.]
- Grusonia hystrix** (Grisebach) G. D. Rowley, Tephrocactus Study Group 12(3): 44, 2006. Basionym: *Opuntia hystrix*. [Published under the pseudonym E. Goodwyn.]
- Grusonia imbricata** (Haworth) G. D. Rowley, Tephrocactus Study Group 12(3): 44, 2006. Basionym: *Cereus imbricatus*. [Published under the pseudonym E. Goodwyn.]
- Grusonia kellermanii** (Rose) G. D. Rowley, Tephrocactus Study Group 12(3): 42, 2006. Basionym: *Pereskia kellermanii*. [Published under the pseudonym E. Goodwyn.]
- Grusonia ×kelvinensis** (V. Grant & K. A. Grant pro sp.) G. D. Rowley, Tephrocactus Study Group 12(3): 44, 2006. Basionym: *Opuntia ×kelvinensis*. [Published under the pseudonym E. Goodwyn.]
- Grusonia kleiniae** (De Candolle) G. D. Rowley, Tephrocactus Study Group 12(3): 44, 2006. Basionym: *Opuntia kleiniae*. [Published under the pseudonym E. Goodwyn.]
- Grusonia leptocalyx** (De Candolle) G. D. Rowley, Tephrocactus Study Group 12(3): 44, 2006. Basionym: *Opuntia leptocalyx*. [Published under the pseudonym E. Goodwyn.]
- Grusonia lindsayi** (Rebman) G. D. Rowley, Tephrocactus Study Group 12(3): 44, 2006. Basionym: *Opuntia lindsayi*. [Published under the pseudonym E. Goodwyn.]
- Grusonia molesta** (Brandegge) G. D. Rowley, Tephrocactus Study Group 12(3): 44, 2006. Basionym: *Opuntia molesta*. [Published under the pseudonym E. Goodwyn.]
- Grusonia munzii** (C. B. Wolf pro hybr.) G. D. Rowley, Tephrocactus Study Group 12(3): 44, 2006. Basionym: *Opuntia munzii*. [Published under the pseudonym E. Goodwyn.]
- Grusonia ×neoarbuscula** (Griffiths pro sp.) G. D. Rowley, Tephrocactus Study Group 12(3): 44, 2006. Basionym: *Opuntia ×neoarbuscula*. [Published under the pseudonym E. Goodwyn.]
- Grusonia porteri** (Brandegee ex F. A. C. Weber) G. D. Rowley, Tephrocactus Study Group 12(3): 42, 2006. Basionym: *Opuntia porteri*. [Published under the pseudonym E. Goodwyn.]
- Grusonia prolifera** (Engelmann) G. D. Rowley, Tephrocactus Study Group 12(3): 45, 2006. Basionym: *Opuntia prolifera*. [Published under the pseudonym E. Goodwyn.]
- Grusonia ramosissima** (Engelmann) G. D. Rowley, Tephrocactus Study Group 12(3): 45, 2006. Basionym: *Opuntia ramosissima*. [Published under the pseudonym E. Goodwyn.]
- Grusonia robertsii** Rebman, Madroño 53(3): 278-279, 2006. Typus: Rebman 7795 (SD, ASU, BCMEX, HCIB).
- Grusonia rosea** (De Candolle) G. D. Rowley, Tephrocactus Study Group 12(3): 45, 2006. Basionym: *Opuntia rosea*. [Published under the pseudonym E. Goodwyn.]
- Grusonia rotundifolia** (De Candolle) G. D. Rowley, Tephrocactus Study Group 12(3): 43, 2006. Basionym: *Pereskia rotundifolia*. [Published under the pseudonym E. Goodwyn.]
- Grusonia sanfelipensis** (Rebman) G. D. Rowley, Tephrocactus Study Group 12(3): 45, 2006. Basionym: *Opuntia sanfelipensis*. [Published under the pseudonym E. Goodwyn.]
- Grusonia spinosior** (Engelmann & J. M. Bigelow) G. D. Rowley, Tephrocactus Study Group 12(3): 45, 2006. Basionym: *Opuntia whipplei* var. *spinosior*. [Published under the pseudonym E. Goodwyn.]
- Grusonia tesajo** (Engelmann) G. D. Rowley, Tephrocactus Study Group 12(3): 45, 2006. Basionym: *Opuntia tesajo*. [Published under the pseudonym E. Goodwyn.]
- Grusonia ×tetracantha** (Toumey pro sp.) G. D. Rowley, Tephrocactus Study Group 12(3): 45, 2006. Basionym: *Opuntia ×tetracantha*. [Published under the pseudonym E. Goodwyn.]
- Grusonia thurberi** (Engelmann) G. D. Rowley, Tephrocactus Study Group 12(3): 45, 2006. Basionym: *Opuntia thurberi*. [Published under the pseudonym E. Goodwyn.]
- Grusonia tunicata** (Lehmann) G. D. Rowley, Tephrocactus Study Group 12(3): 45, 2006. Basionym: *Cactus tunicatus*. [Published under the pseudonym E. Goodwyn.]
- Grusonia versicolor** (Engelmann ex Toumey) G. D. Rowley, Tephrocactus Study Group 12(3): 45, 2006. Basionym: *Opuntia versicolor*. [Published under the pseudonym E. Goodwyn.]
- Grusonia verticillata** (Vaupel) G. D. Rowley, Tephrocactus Study Group 12(3): 43, 2006. Basionym: *Pereskia verticillata*. [Published under the pseudonym E. Goodwyn.]
- Grusonia ×viridiflora** (Britton & Rose pro sp.) G. D. Rowley, Tephrocactus Study Group 12(3): 45, 2006. Basionym: *Opuntia ×viridiflora*. [Published under the pseudonym E. Goodwyn.]
- Grusonia ×vivipara** (Rose pro sp.) G. D. Rowley, Tephrocactus Study Group 12(3): 45, 2006. Basionym: *Opuntia ×vivipara*. [Published un-

- der the pseudonym E. Goodwyn.]
- Grusonia whipplei** (Engelmann & J. M. Bigelow) G. D. Rowley, Tephrocactus Study Group 12(3): 45, 2006. Basionym: *Opuntia whipplei*. [Published under the pseudonym E. Goodwyn.]
- Grusonia wolfii** (L. D. Benson) G. D. Rowley, Tephrocactus Study Group 12(3): 45, 2006. Basionym: *Opuntia echinocarpa* var. *wolfii*. [Published under the pseudonym E. Goodwyn.]
- Grusonia zehntneri** (Britton & Rose) G. D. Rowley, Tephrocactus Study Group 12(3): 43, 2006. Basionym: *Pereskia zehntneri*. [Published under the pseudonym E. Goodwyn.]
- Gymnocalycium** Subsect. **Castellanosiana** (Buxbaum) H. Till, *Gymnocalycium* 19(2): 665, 2006. Basionym: *Gymnocalycium* Ser. *Castellanosiana*.
- Gymnocalycium castellanosii** ssp. **bozsingianum** (Schütz) Amerhauser & H. Till, *Gymnocalycium* 19(3): 675, ill., 2006. Basionym: *Gymnocalycium bozsingianum*.
- Gymnocalycium castellanosii** var. **rigidum** H. Till, *Gymnocalycium* 19(2): 670, ill. (pp. 669-670), 2006. Typus: *Fechser* s.n. in *Hort. H. Till* 900 (BA) [Ex cult. Hort. H. Till].
- Gymnocalycium coloradense** F. Berger, *Gymnocalycium* 19(4): 693-695, ill., 2006. Typus: *Berger* 97-72/291 (BA).
- Gymnocalycium spegazzinii** var. **armatum** (F. Ritter) Slaba & Sorma, *Atlas Kakt.* 21: t. 14, 2006. Basionym: *Gymnocalycium armatum*. [First published invalidly (Art. 33.4) in *Kakty* 40(3): 69, 2004 (cf. RPS 55).]
- Gymnocalycium strigianum** ssp. **aeneum** Meregalli & Guglielmone, *Cactus & Co.* 10(2): 74-75, ill., 2006. Typus: *Meregalli* s.n. (TO-HG).
- Hatiora** 'American Weirdoo' Süpplie, Epi-Flora (Nijmegen) No. 3: 16-17, ill., 2006. [= *Hatiora* 'Yvonne' × 'Red Spider'.]
- Hatiora** 'Independence Day' Süpplie, Epi-Flora (Nijmegen) No. 3: 16-17, ill., 2006. [= *Hatiora* 'Eva' × *Hatiora rosea*.]
- Hatiora** 'Queen of Hearts' Süpplie, Epi-Flora (Nijmegen) No. 3: 16, ill., 2006. [= *Hatiora* #45 × #12.]
- Hatiora** 'Whestos Memory' Süpplie, Epi-Flora (Nijmegen) No. 3: 16-17, ill., 2006. [= *Hatiora* 'Roermonds Beauty' × #45.]
- Hatiora** ×*graeseri* 'Michel Combernon' Süpplie, Epi-Flora (Nijmegen) No. 2: 5, ill., 2005. [= *Hatiora rosea* × *H. rosea* 'Simply the Best'.]
- ×*Heliaaporus* 'Helga D' Düsterhaus, Epi-Flora (Nijmegen) No. 2: 11, ill., 2005. *Nom. inval.* (Art. 43.1). [= ×*Heliaaporus* 'Mallisonii' × *Aporocactus flagelliformis*.]
- ×*Lepiscactus* Süpplie, Epiphyllum [1], 54, 2005. [= *Lepismium* × *Disocactus*.]
- ×*Lepiscactus* 'Incas Golden Dream' Süpplie, Epiphyllum [1], 54, ill. (p. 51), 2005. [= *Lepismium paranganiense* × (*Disocactus macranthus* × *D. nelsonii*).]
- Lobivia** 'Amada' Lodé, Cact.-Avent. No. 68: 27, ill., 2006. [Of unknown parentage.]
- Lobivia acchaensis** Eb. Scholz, *Echinopseen* 3(1): 3-5, ill., 2006. Typus: *Scholz* 134 (USM, WU).
- Lophophora williamsii** 'Caespitosa' (Y. Ito) G. D. Rowley, *Cact. World* 24(4): 205, 2006. Basionym: *Lophophora williamsii* var. *caespitosa*.
- Lophophora williamsii** 'Decipiens' (Croizat) G. D. Rowley, *Cact. World* 24(4): 205, 2006. Basionym: *Lophophora williamsii* var. *decipiens*.
- Lophophora williamsii** 'Diffusa' (Croizat) G. D. Rowley, *Cact. World* 24(4): 205, 2006. Basionym: *Lophophora echinata* var. *diffusa*.
- Lophophora williamsii** 'Echinata' (Croizat) G. D. Rowley, *Cact. World* 24(4): 205, 2006. Basionym: *Lophophora echinata*.
- Lophophora williamsii** 'Fricii' (Habermann) G. D. Rowley, *Cact. World* 24(4): 205, 2006. Basionym: *Lophophora fricci*.
- Lophophora williamsii** 'Grymii' (Halda & al.) G. D. Rowley, *Cact. World* 24(4): 205, 2006. Basionym: *Lophophora williamsii* ssp. *grymii*.
- Lophophora williamsii** 'Jourdaniana' (Habermann) G. D. Rowley, *Cact. World* 24(4): 205, 2006. Basionym: *Lophophora jourdaniana*.
- Lophophora williamsii** 'Koehresii' (Ríha) G. D. Rowley, *Cact. World* 24(4): 205, 2006. Basionym: *Lophophora diffusa* var. *koehresii*.
- Lophophora williamsii** 'Kubesae' (Halda & al.) G. D. Rowley, *Cact. World* 24(4): 205, 2006. Basionym: *Lophophora diffusa* ssp. *kubesae*.
- Lophophora williamsii** 'Lewinii' (Hennings) G. D. Rowley, *Cact. World* 24(4): 205, 2006. Basionym: *Anhalonium lewinii*.
- Lophophora williamsii** 'Lutea' (Rouhier) G. D. Rowley, *Cact. World* 24(4): 205, 2006. Basionym: *Echinocactus williamsii* var. *lutea*.
- Lophophora williamsii** 'Pentagona' (Croizat) G. D. Rowley, *Cact. World* 24(4): 205, 2006. Basionym: *Lophophora williamsii* var. *pentagona*.
- Lophophora williamsii** 'Pluricostata' (Croizat) G. D. Rowley, *Cact. World* 24(4): 205, 2006. Basionym: *Lophophora williamsii* var. *pluricostata*.
- Lophophora williamsii** 'Swobodana' (Halda & al.) G. D. Rowley, *Cact. World* 24(4): 205, 2006. Basionym: *Lophophora diffusa* var. *swobodana*.
- Lophophora williamsii** 'Texana' (Fric ex Backeberg) G. D. Rowley, *Cact. World* 24(4): 205, 2006. Basionym: *Lophophora lutea* var. *texana*.
- Lophophora williamsii** 'Ziegleri' (Werdermann ex Borg) G. D. Rowley, *Cact. World* 24(4): 205, 2006. Basionym: *Lophophora ziegleri*.
- Mammillaria** 'Freaky' G. D. Rowley, *Teratopia*, 105, 280, ill., 2006. [A monstrose form.]
- Mammillaria** 'Mili' Lodé, Cact.-Avent. No. 68: 28, ill., 2006. [Of unknown parentage, probably involving *Mammillaria microcarpa* var. *oliviae*.]

- Mammillaria eriacantha** ssp. *velizii* J. Linares, Cact.-Avent. Int. No. 70: 4-5, illus. (pp. 3-6), 2006. Typus: *Linares & al.* 11199 (USCG, BIGU, EAP).
- Mammillaria lasiacantha** ssp. *viesensis* (Rogozinski & Appenzeller) Rogozinski & Plein, Mitteilungsbl. AfM 30(4): 177, 2006. Basionym: *Mammillaria viesensis*.
- Mammillaria lasiacantha** var. *gasseriana* (Bödeker) Rogozinski & Plein, Mitteilungsbl. AfM 30(4): 177, 2006. Basionym: *Mammillaria gasseriana*.
- Mammillaria lasiacantha** var. *hamatispina* (Backeberg) Rogozinski & Plein, Mitteilungsbl. AfM 30(4): 178, 2006. *Nom. inval.*, based on *Mammillaria magallanii* var. *hamatispina*, *nom. inval.* (Art. 8.4). [Name first used invalidly (Art. 36.1, 37.1) by E. Kuhn ex Linzen, Inform.-brief. ZAG Mammillarien 7(2): 25, 1981.]
- Mammillaria manana** W. A. & B. Fitz Maurice, Cact. World 24(1): 8-9, illus. (pp. 7-10), 2006. Typus: *Machuca* s.n. in IBUG 9610 (IBUG).
- Mammillaria stella-de-tacubaya** var. *egregia* (Backeberg ex Rogozinski & Appenzeller) Rogozinski & Plein, Mitteilungsbl. AfM 30(4): 180, 2006. Basionym: *Mammillaria egregia*.
- Mammillaria theresiae** 'Albatross' Gapon, Kakt. Klub 2005(4): 47, ill., 2006. [Based on *Mammillaria theresiae* fa. *albiflora* hort.]
- Mammillaria zeilmanniana** fa. *aurea* Abel, Debrezeni Pozsgás-Tár 8(3): 147-148, ill., 2005. *Nom. inval.* (Art. 36.1, 37.1). [A chlorophyll-deficient mutant.]
- Melocactus conoideus** ssp. *braunii* (Esteves) Guiggi, Atti Soc. Ital. Sci. Nat. Mus. Civico Storia Nat. Milano 147(2): 338 ['340'], 2006. Basionym: *Melocactus braunii*. [First published invalidly (Art. 33.4, whole page range of the paper given) in Succulentae 2004(4): 19, 2004, and erroneously reported as valid in RPS 55.]
- Melocactus harlowii** ssp. *perezassoi* (Areces) Guiggi, Atti Soc. Ital. Sci. Nat. Mus. Civico Storia Nat. Milano 147(2): 337, 2006. Basionym: *Melocactus perezassoi*.
- Melocactus intortus** ssp. *broadwayi* (Britton & Rose) Guiggi, Atti Soc. Ital. Sci. Nat. Mus. Civico Storia Nat. Milano 147(2): 338 ['340'], 2006. Basionym: *Cactus broadwayi*.
- Melocactus lemairei** ssp. *praerupticola* (Areces) Guiggi, Atti Soc. Ital. Sci. Nat. Mus. Civico Storia Nat. Milano 147(2): 337-338 ['340'], 2006. Basionym: *Melocactus praerupticola*.
- Melocactus matanzanus** ssp. *actinacanthus* (Areces) Guiggi, Atti Soc. Ital. Sci. Nat. Mus. Civico Storia Nat. Milano 147(2): 337, 2006. Basionym: *Melocactus actinacanthus*.
- Micranthocereus hofackerianus** (P. J. Braun & Esteves) M. Machado, Kakt. and. Sukk. 57(9): 272, 2006. Basionym: *Arrojadoa multiflora* ssp. *hofackeriana*.
- Neoraimondia arequipensis** ssp. *gigantea* (Werdermann & Backeberg) R. Eastwood & R. Vila, Quepo No. 20: 29, 2006. *Nom. inval.* (Art. 33.4), based on *Cereus macrostibas* var. *giganteus*. [Ascribed to Ostolaza.]
- Opuntia 'Maverick'** G. D. Rowley, Teratopia, 112, 280, ill., 2006. [A proliferating form.]
- Opuntia altomagdalensis** Xhonneux, Cact.-Avent. Int. No. 71: 29-31, ill., 2006. Typus: *Xhonneux* 2867 (COL).
- Opuntia elata** var. *cardiosperma* (K. Schumann) R. Kiesling, in Burkart, A. & Bacigalupo, N. M. (eds.), Fl. Ilustr. Entre Ríos (Argentina) IV: 412, 2005. Basionym: *Opuntia cardiosperma*.
- Opuntia ficus-indica** 'Eyeful' G. D. Rowley, Teratopia, 121, 136, 280, ill., 2006. [A proliferating variegated form.]
- Opuntia funalis** (Britton & Rose) G. D. Rowley, Tephrocactus Study Group 12(3): 46, 2006. Basionym: *Tacinga funalis*.
- Parodia pilayaensis** Beckert ex Diers & Beckert, Kakt. and. Sukk. 57(11): 296-300, ill., 2006. Typus: *Beckert* 74 (LPB). [First published as invalid provisional name ('pilayensis') (Art. 34.1b, 36.1) in Mitteilungsbl. Inter-Parodia-Kette No. 17: 17-18, ill., 2001 (cf. RPS 52).]
- Parodia setifera** var. *balboaeensis* Käsinger, Mitteilungsbl. Inter-Parodia-Kette No. 23: 6, ill., 2006. Typus: *Käsinger* 26 (GOET).
- Parodia setifera** var. *jujuvensis* Käsinger, Mitteilungsbl. Inter-Parodia-Kette No. 23: 10, 2006. Typus: *Käsinger* 41 (GOET). [First published invalidly (Art. 37.2, 8.2) l.c. No. 20: 3, ill., 2003 (cf. RPS 54).]
- Parodia subterranea** var. *occulta* (F. Ritter) Romulski, Kakt. Inne 3(2): 77, 2006. Basionym: *Parodia occulta*.
- Parodia subterranea** var. *slabana* (Halda & Horácek) Romulski, Kakt. Inne 3(2): 77, 2006. Basionym: *Parodia slabana*. [Sphalm. 'slabaina'.]
- Parodia uhligiana** Backeberg ex Diers & Rausch, Kakt. and. Sukk. 57(9): 226-227, ill., 2006. Typus: *Lau* 568 (WU, SI). [First published invalidly (Art. 8.4) by Backeberg, Descr. Cact. Nov. 3: 12, 1963, and erroneously included as valid in RPS 14.)]
- Peniocereus guatemalensis** (Britton & Rose) D. R. Hunt, Cact. Syst. Init. No. 21: 14, 2006. Basionym: *Nyctocereus guatemalensis*.
- Rebutia heliosa** ssp. *cajasensis* (Donald) Ríha & Seda, Kaktusy 42(4): 126, 2006. Basionym: *Rebutia heliosa* var. *cajasensis*.
- Rebutia heliosa** ssp. *condorensis* (Donald) Ríha & Seda, Kaktusy 42(4): 126, 2006. Basionym: *Rebutia heliosa* var. *condorensis*.
- Rebutia heliosa** ssp. *teresae* Kníze & al., Kaktusy 42(3): 86, ill. (pp. 84-86), 2006. Typus: *Seda* s.n. (PRC 451007).
- Rebutia kraiñziana** 'Prodigy' G. D. Rowley, Teratopia, 121, 280, ill., 2006. [A monstrose form, in the trade as *R. kraiñziana* var.

- breviseta nuda.*]
- Rebutia marsoneri** 'Haywire' G. D. Rowley, Teratopia, 132, 280, ill., 2006. [A monstrose form.]
- Rebutia spiralisepala** (Schütz) Sída, Atlas Kakt. 21: t. 29, 2006. Basionym: *Mediolobivia spiralisepala*.
- Schlumbergera truncata** 'Fogo Brazilian' Colpaert, Epi-Flora (Nijmegen) No. 3: 2-3, ills., 2006. [Derived from crossings of wild-collected clones.]
- ×**Sclerocereus** G. D. Rowley, Teratopia, 105, 124, 280, 2006. [= *Sclerocactus* × *Echinocereus*.]
- ×**Sclerocereus** 'John White' G. D. Rowley, Teratopia, 105, 124, 280, ill., 2006. [= *Echinocereus knippelianus* × *Sclerocactus papyracanthus*.]
- Sulcorebutia arenacea** var. **candiae** (Cárdenas) Gertel & J. de Vries, Cactus & Co. 10(1): 41, 2006. Basionym: *Rebutia candiae*.
- Sulcorebutia arenacea** var. **kamiensis** (Brederoo & Donald) Gertel & J. de Vries, Cactus & Co. 10(1): 41, 2006. Basionym: *Sulcorebutia menesesii* var. *kamiensis*.
- Sulcorebutia arenacea** var. **mensesii** (Cárdenas) Gertel & J. de Vries, Cactus & Co. 10(1): 41, 2006. Basionym: *Rebutia mensesii*.
- Sulcorebutia azurduyensis** Gertel & al., Kakt. and. Sukk. 57(9): 241-242, ills., 2006. Typus: Gertel 270 (ZSS, LPB).
- Sulcorebutia cantargalloensis** Gertel & al., Kakt. and. Sukk. 57(2): 45-47, ills., 2006. Typus: Jucker 964 (ZSS, LPB, ZSS).
- Sulcorebutia purpurea** ssp. **santiaginensis** (Rausch) Slaba, Kaktusy 42(4): 123, ills., 2006. Basionym: *Sulcorebutia santiaginensis*.
- Sulcorebutia vargasii** var. **viridissima** Diers & Krahn, Succulenta 85(1): 13, ill., 2006. Typus: Krahn 996 (B, BOLV, LPB).
- Sulcorebutia verticillacantha** ssp. **cuprea** (Rausch) Slaba, Kaktusy 42(3): 69, 2006. Basionym: *Sulcorebutia verticillacantha* var. *cuprea*.
- Tephrocactus** Subgen. **Maihueniopsis** (Spegazzini) G. D. Rowley, Tephrocactus Study Group 12(3): 46, 2006. Basionym: *Maihueniopsis*. [Published under the pseudonym R. Gonolow.]
- Tephrocactus archiconoideus** (F. Ritter) G. D. Rowley, Tephrocactus Study Group 12(3): 46, 2006. Basionym: *Maihueniopsis archiconoidea*. [Published under the pseudonym R. Gonolow. Sphalm. 'archiconoidea'.]
- Tephrocactus clavarioides** (Otto ex Pfeiffer) G. D. Rowley, Tephrocactus Study Group 12(3): 46, 2006. Basionym: *Opuntia clavarioides*. [Published under the pseudonym R. Gonolow.]
- Tephrocactus erectocladus** (Backeberg) G. D. Rowley, Tephrocactus Study Group 12(3): 46, 2006. Basionym: *Opuntia erectoclada*. [Published under the pseudonym R. Gonolow.]
- Tephrocactus microdiscus** (F. A. C. Weber) G. D. Rowley, Tephrocactus Study Group 12(3): 46, 2006. Basionym: *Opuntia microdiscus*. [Published under the pseudonym R. Gonolow.]
- Tephrocactus soehrense** (Britton & Rose) G. D. Rowley, Tephrocactus Study Group 12(3): 46, 2006. Basionym: *Opuntia soehrense*. [Published under the pseudonym R. Gonolow.]
- Tephrocactus tilcarensis** (Backeberg) G. D. Rowley, Tephrocactus Study Group 12(3): 46, 2006. Basionym: *Opuntia tilcarensis*. [Published under the pseudonym R. Gonolow.]
- +**Uebelmannia** G. D. Rowley, Teratopia, 100-101, 280, 2006. [Graft chimeras between *Uebelmannia* (scion) and *Echinopsis* (stock).]
- +**Uebelmannia** 'Treetopper' G. D. Rowley, Teratopia, 100-101, 280, 2006. [*Uebelmannia pectinifera* grafted on *Echinopsis* sp.]
- Weingartia fidiana** ssp. **amerhauseri** Augustin, Gymnocalycium 19(4): 685, ills., 2006. Typus: Amerhauser 987 (LBP, WU). [Sphalm. 'fidaiana'.]

COMMELINACEAE

- Cyanotis repens** Faden & D. M. Cameron, Novon 15: 110-111, ills., 2005. Typus: *Brenan & al.* 14672 (K, EA, US).
- Cyanotis repens** ssp. **robusta** Faden & D. M. Cameron, Novon 15: 113, ill. (p. 111), 2005. Typus: *Glover & al.* 463 (K, EA).

CRASSULACEAE

- Aeonium** 'Harry Mak' G. D. Rowley, Teratopia, 86, 234, 280, ills., 2006. [A variegated form.]
- Aeonium** 'Joel's Antidote' G. Tavormina, Cact.-Avent. Int. No. 72: 18-19, ill., 2006. [= *A. lindleyi* × *A. volkeri*.]
- Aeonium** ×*banaresii* G. Tavormina & S. Tavormina, Piante Grasse 26(2): 48, 2006. *Nom. illeg.* (Art. 52.1). [*Nom. nov. illeg. pro Greenovia ×aureozoon* Bramwell & G. D. Rowley 1973.]
- Aeonium** ×*extinctum* (P. V. Heath) G. Tavormina & S. Tavormina, Piante Grasse 26(2): 49, 2006. Basionym: ×*Greenonium extinctum*.
- Aeonium** ×*gordonii* G. Tavormina & S. Tavormina, Piante Grasse 26(2): 50, 2006. [*Nom. nov. pro ×Greenonium rowleyi* Bramwell ex P. V. Heath 1992 (*non Aeonium ×rowleyi* Bramwell ex P. V. Heath 1992).]
- Aeonium** ×*lambii* (Voggenreiter) G. Tavormina & S. Tavormina, Piante Grasse 26(2): 49, 2006. *Nom. illeg.* (Art. 53.1), based on ×*Greenonium lambii*. [*Non Aeonium ×lambii* G. D. Rowley 1973.]
- Aeonium** ×*laxiflorum* (Macarrón & Bañares) G. Tavormina & S. Tavormina, Piante Grasse 26(2): 49, 2006. Basionym: ×*Greenonium la-*

- xiflorum.*
- Aeonium ×riosjordanii** (Bañares) G. Tavormina & S. Tavormina, Piante Grasse 26(2): 49-50, 2006. Basionym: *×Greenonium riosjordanii*.
- Aeonium ×uhlpii** G. Tavormina & S. Tavormina, Piante Grasse 26(2): 49, 2006. Typus: [icono]: Uhl, Amer. J. Bot. 48(2): 117, 121, 1961. [= *Aeonium aureum* × *A. diplocyclum*.]
- Aeonium ×zoae** G. Tavormina & S. Tavormina, Piante Grasse 26(2): 49, 2006. Typus: [icono]: Proc. Roy. Irish Acad. 38B: t. 26, 1929. [*Nom. nov. pro ×Greenonium bramwellii* G. D. Rowley ex P. V. Heath 1992 (*non Aeonium ×bramwellii* G. D. Rowley ex P. V. Heath 1992).]
- Aizopsis middendorfiana* ssp. *arcuata* (Voroshilov & Shlothauser) S. Gontcharova, Sedoideae Russian Far East Fl., 85, 2006. *Nom. inval.* (Art. 34.1b), based on *Sedum middendorfianum* ssp. *arcuatum*. [As "comb. nov. prov.". Sphalm. 'arcuatum'.]
- Aizopsis ×pilososa* S. Gontcharova & Koldaeva, in S. Gontcharova, Sedoideae Russian Far East Fl., 86, t. 16 (p. 210), 2006. Based on *Koldaeva & Gontcharova* s.n. *Nom. inval.* (Art. 34.1b, 36.1). [Published as provisional name.]
- Aizopsis pseudohybrida* (Voroshilov & Shlothauser) S. Gontcharova, Sedoideae Russian Far East Fl., 86, 2006. *Nom. inval.* (Art. 34.1b), based on *Sedum pseudohybridum*. [As "comb. nov. prov.".]
- Crassula rupestris** 'Whiteout' G. D. Rowley, Teratopia, 238, 280, ill., 2006. [A variegated form.]
- ×**Cremnopetalum** 'Fred Wass' R. Stephenson, Sedum Soc. Newslett. No. 78: 95-97, ill., 2006. [Most probably *Graptopetalum paraguayense* × *Crennophila nutans*.]
- Kalanchoe** 'Orangery' Jankalski, Cact. Succ. J. (US) 78(2): 80, ill., 2006. [Probably = *K. manginii* × *K. jongmansii*.]
- Kalanchoe** 'Pink Sparkler' Jankalski, Cact. Succ. J. (US) 78(2): 83, 2006. [A variegated sport of the hybrid *K. daigremontiana* × *K. delagoensis*, also known as *Kalanchoe* 'Houghton's Hybrid' in one of Johnson's catalogues, and formally named *Kalanchoe* ×*houghtonii* in 2006.]
- Kalanchoe** Subgen. **Calophysia** Descoings, J. Bot. Soc. France No. 33: 24, 2006. Typus: *Kalanchoe arborescens* Hamet.
- Kalanchoe** ×*houghtonii* D. B. Ward, Cact. Succ. J. (US) 78(2): 94, ill. (pp. 92-93), 2006. Typus: *Ward* 10700 (FLAS, FTG, NY, SD, US, USF). [The putative hybrid *K. delagoensis* × *K. daigremontiana*.]
- Kalanchoe maromokotrensis** Descoings & Rebmann, Succulentes 2006(3): 10-16, ill., 2006. Typus: *Rebmann* & *Richaud* s.n. in Descoings 28312 (P) [Ex cult. B. Descoings].
- Kalanchoe rebmannii** Descoings, J. Bot. Soc. Bot. France No. 33: 29-31, ill., 2006. Typus: *Rebmann* s.n. in Descoings 28320 (P).
- Monanthes amydrost* (Nyffeler) Byalt & al., Wall Pepper, Houseleek other Crassulaceae 114, 2004. *Nom. inval.* (Art. 33.4), based on *Monanthes polypylla* ssp. *amydrost*. [Omitted previously.]
- Pachyphytum compactum** 'Brainwave' G. D. Rowley, Teratopia, 244, 280, ill., 2006. [A crested form.]
- Pachyphytum saltensis** Brachet & al., Cact. Suc. Mex. 51(2): 47-50, ill., 2006. Typus: *Reyes* & al. 3644 (MEXU).
- Phedimus selskianus** 'Goldilocks' Jelitto ex R. Stephenson, Sedum Soc. Newslett. No. 76: 30-31, ill., 2006.
- Phedimus spurius** 'Cream Split' Lockett, Sedum Soc. Newslett. No. 76: 33-34, ill., 2006. [A variegated form obtained in cultivation.]
- Rhodiola* Sect. *Algidae* (Borissova) S. Gontcharova, Sedoideae Russian Far East Fl., 90, 2006. *Nom. inval.* (Art. 34.1b). [As "comb. nov. prov.". Sphalm. 'Algida'.]
- ×**Sedeveria** 'Letizia' Moullec, Sedum Soc. Newslett. No. 76: 28-29, ill., 2006. [= *Sedum cespitosum* × *Echeveria setosa* var. *ciliata*.]
- Sedum** 'China Doll' Fagerlund, Sedum Soc. Newslett. No. 79: 9-12, ill., 2006. [Probably *Sedum crennophila* × *S. dendroideum*.]
- Sedum allantoides* 'Goldii' (Matuda) R. Stephenson, Sedum Soc. Newslett. No. 79: 20, 2006. *Nom. inval.* (Art. 33.4), based on *Graptopetalum goldii*. [Bracket author erroneously given as 'Alexander'.]

DRACAENACEAE

Sansevieria 'Doris Pfennig' Chahinian, Sansevieria No. 13: 5-6, ill., 2006. [Dated 2005, received 30. 1. 2006. = *Sansevieria pinguicula* × *S. phillipsiae*.]

EUPHORBIACEAE

- Euphorbia** Sect. **Articulofruticosae** Bruyns, Taxon 55(2): 416, 2006. Typus: *Euphorbia aequoris* N. E. Brown.
- Euphorbia** Sect. **Frondosae** Bruyns, Taxon 55(2): 416, 2006. Typus: *Euphorbia goetzei* Pax.
- Euphorbia** Subgen. **Monadenium** (Pax) Bruyns, Taxon 55(2): 411, 2006. Basionym: *Monadenium*.
- Euphorbia** Subsect. **Deuterocallli** (Croizat) Bruyns, Taxon 55(2): 415, 2006. Basionym: *Euphorbia* Sect. *Deuterocallli*.
- Euphorbia** Subsect. **Goniostema** (Baillon ex Boissier) Bruyns, Taxon 55(2): 415, 2006. Basionym: *Euphorbia* Sect. *Goniostema*.
- Euphorbia** *bianoensis* (Malaisse & Lecron) Bruyns, Taxon 55(2): 412, 2006. Basionym: *Monadenium bianoense*.

- Euphorbia bimaculata** Bruyns, Taxon 55(2): 412, 2006. Typus: Kässner 956 (BM, K). [Nom. nov. pro *Synadenium compactum* N. E. Brown 1911.]
- Euphorbia bimaculata** var. **rubra** (S. Carter) Bruyns, Taxon 55(2): 412, 2006. Basionym: *Synadenium compactum* var. *rubrum*.
- Euphorbia bisiegels** Bruyns, Taxon 55(2): 412, 2006. Typus: Polhill & Paulo 1319 (K). [Nom. nov. pro *Monadenium elegans* S. Carter 1987.]
- Euphorbia bisellenbeckii** Bruyns, Taxon 55(2): 412, 2006. Typus: Ellenbeck 2102 (K). [Nom. nov. pro *Monadenium ellenbeckii* N. E. Brown 1911.]
- Euphorbia bisglobosa** Bruyns, Taxon 55(2): 412, 2006. Typus: Richards 14022 (K, EA). [Nom. nov. pro *Monadenium globosum* P. R. O. Bally & S. Carter 1987.]
- Euphorbia bodenghieniae** (Malaisse & Lecron) Bruyns, Taxon 55(2): 412, 2006. Basionym: *Monadenium bodenghieniae*.
- Euphorbia burkartii** Bacigalupo, in Burkart, A. & Bacigalupo, N. M. (eds.), Fl. Ilustr. Entre Ríos (Argentina) 4: 126-127, illus., 2005. Typus: Troncoso & al. 2334 (SI).
- Euphorbia catenata** (S. Carter) Bruyns, Taxon 55(2): 412, 2006. Basionym: *Monadenium catenatum*.
- Euphorbia chevalieri** (N. E. Brown) Bruyns, Taxon 55(2): 412, 2006. Basionym: *Monadenium chevalieri*.
- Euphorbia clarae** (Malaisse & Lecron) Bruyns, Taxon 55(2): 412, 2006. Basionym: *Monadenium clarae*.
- Euphorbia crenata** (N. E. Brown) Bruyns, Taxon 55(2): 412, 2006. Basionym: *Monadenium crenatum*.
- Euphorbia cupricola** (Malaisse & Lecron) Bruyns, Taxon 55(2): 412, 2006. Basionym: *Monadenium cupricola*.
- Euphorbia descampsii** (Pax) Bruyns, Taxon 55(2): 412, 2006. Basionym: *Monadenium descampsii*.
- Euphorbia dilunguensis** (Malaisse & Lecron) Bruyns, Taxon 55(2): 412, 2006. Basionym: *Monadenium dilunguense*.
- Euphorbia discoidea** (P. R. O. Bally) Bruyns, Taxon 55(2): 412, 2006. Basionym: *Monadenium discoideum*.
- Euphorbia echinulata** (Stapf) Bruyns, Taxon 55(2): 412, 2006. Basionym: *Monadenium echinulatum*.
- Euphorbia filiformis** (P. R. O. Bally) Bruyns, Taxon 55(2): 412, 2006. Basionym: *Monadenium chevalieri* var. *filiforme*.
- Euphorbia friesii** (N. E. Brown) Bruyns, Taxon 55(2): 412, 2006. Basionym: *Monadenium friesii*.
- Euphorbia fwambense** (N. E. Brown) Bruyns, Taxon 55(2): 412, 2006. Basionym: *Monadenium fwambense*.
- Euphorbia gladiata** (P. R. O. Bally) Bruyns, Taxon 55(2): 412-413, 2006. Basionym: *Monadenium yattanum* var. *gladiatum*.
- Euphorbia greuteri** N. Kilian & al., Willdenowia 36(1): 442-445, illus., 2006. Typus: B.
- Euphorbia guentheri** (Pax) Bruyns, Taxon 55(2): 413, 2006. Basionym: *Monadenium guentheri*.
- Euphorbia hedigeriana** (Malaisse & Lecron) Bruyns, Taxon 55(2): 413, 2006. Basionym: *Monadenium hedigerianum*.
- Euphorbia herbacea** (Pax) Bruyns, Taxon 55(2): 413, 2006. Basionym: *Monadenium herbaceum*.
- Euphorbia heteropoda** var. **formosa** (P. R. O. Bally) Bruyns, Taxon 55(2): 413, 2006. Basionym: *Monadenium schubei* var. *formosum*.
- Euphorbia iancannellii** Bruyns, Taxon 55(2): 413, 2006. Typus: Leach & Cannell 14592 (LISC, BM, SRGH). [Nom. nov. pro *Monadenium cannellii* L. C. Leach 1973.]
- Euphorbia invenusta** (N. E. Brown) Bruyns, Taxon 55(2): 413, 2006. Basionym: *Monadenium invenustum*.
- Euphorbia invenusta** var. **angusta** (P. R. O. Bally) Bruyns, Taxon 55(2): 413, 2006. Basionym: *Monadenium invenustum* var. *angustum*.
- Euphorbia kaessneri** (N. E. Brown) Bruyns, Taxon 55(2): 413, 2006. Nom. illeg. (Art. 53.1), based on *Monadenium kaessneri*. [Non *Euphorbia kaessneri* Pax 1909 (non-succulent). Validly renamed *Euphorbia neokaessneri* Bruyns 2007.]
- Euphorbia kimbreyana** (G. Williamson) Bruyns, Taxon 55(2): 413, 2006. Basionym: *Monadenium kimbreyanum*.
- Euphorbia kirkii** (N. E. Brown) Bruyns, Taxon 55(2): 413, 2006. Basionym: *Synadenium kirkii*.
- Euphorbia kundelunguensis** (Malaisse) Bruyns, Taxon 55(2): 413, 2006. Basionym: *Monadenium kundelunguense*.
- Euphorbia lamarckii** var. **broussonetii** (Link) Molero & Rovira, Vieraea 32: 118, 2004. Basionym: *Euphorbia broussonetii*.
- Euphorbia letestuana** (Denis) Bruyns, Taxon 55(2): 413, 2006. Basionym: *Monadenium letestuanum*.
- Euphorbia lindenii** (S. Carter) Bruyns, Taxon 55(2): 413, 2006. Basionym: *Monadenium lindenii*.
- Euphorbia lugardiae** (N. E. Brown) Bruyns, Taxon 55(2): 413, 2006. Basionym: *Monadenium lugardiae*.
- Euphorbia mafingensis** (Hargreaves) Bruyns, Taxon 55(2): 413, 2006. Basionym: *Monadenium mafingense*.
- Euphorbia magnifica** (E. A. Bruce) Bruyns, Taxon 55(2): 413, 2006. Basionym: *Monadenium magnificum*.
- Euphorbia mamfwensis** (Malaisse & Lecron) Bruyns, Taxon 55(2): 413, 2006. Basionym: *Monadenium mamfwense*.

- Euphorbia neoangolensis** Bruyns, Taxon 55(2): 413, 2006. Typus: *Williams* s.n. in *Bally* 11950 (G, K). [*Nom. nov. pro Monadenium angolense* P. R. O. Bally 1961.]
- Euphorbia neoarborescens** Bruyns, Taxon 55(2): 413, 2006. Typus: *Harris* s.n. in *Bally* E236 (EA, K). [*Nom. nov. pro Monadenium arborescens* P. R. O. Bally 1959.]
- Euphorbia neocapitata** Bruyns, Taxon 55(2): 413, 2006. Typus: *St. Clair-Thompson* 654 (K). [*Nom. nov. pro Monadenium capitatum* P. R. O. Bally 1959.]
- Euphorbia neococcinea** Bruyns, Taxon 55(2): 413, 2006. Typus: *Fischer* 521 (K). [*Nom. nov. pro Monadenium coccineum* Pax 1894.]
- Euphorbia neocrispia** Bruyns, Taxon 55(2): 413, 2006. Typus: *Sacleux* 2320 (P, K). [*Nom. nov. pro Monadenium crispum* N. E. Brown 1913.]
- Euphorbia neocymosa** Bruyns, Taxon 55(2): 413, 2006. Typus: *Bagshawe* 850 (BM, K). [*Nom. nov. pro Synadenium cymosum* N. E. Brown 1911.]
- Euphorbia neoerubescens** Bruyns, Taxon 55(2): 413, 2006. Typus: *Lort-Phillips* s.n. (BM). [*Nom. nov. pro Lertia erubescens* Rendle 1898. Treated as superfluous name by Bruyns, Euphorbia World 3(1): 5, 2007, in view of a prioritizable name included in the concept of the taxon.]
- Euphorbia neogilletti** Bruyns, Taxon 55(2): 413, 2006. Typus: *Gillett & al.* 22265 (K, EA, FT, MOG, PRE). [*Nom. nov. pro Monadenium gilletti* S. Carter 1993.]
- Euphorbia neoglabrata** Bruyns, Taxon 55(2): 413, 2006. Typus: *Richards* 11209 (K). [*Nom. nov. pro Synadenium glabratum* S. Carter 1987.]
- Euphorbia neoglaucescens** Bruyns, Taxon 55(2): 413, 2006. *Busse* 1147 (K). [*Nom. nov. pro Synadenium glaucescens* Pax 1903.]
- Euphorbia neogoeletzei** Bruyns, Taxon 55(2): 413, 2006. Typus: *Goetze* 1017 (K). [*Nom. nov. pro Monadenium goetzei* Pax 1902.]
- Euphorbia neogossweileri** Bruyns, Taxon 55(2): 413, 2006. Typus: *Gossweiler* s.n. (BM). [*Nom. nov. pro Monadenium gossweileri* N. E. Brown 1911.]
- Euphorbia neogracilis** Bruyns, Taxon 55(2): 413, 2006. Typus: *Burtt* 3529 (K). [*Nom. nov. pro Monadenium gracile* P. R. O. Bally 1959.]
- Euphorbia neohalipedicola** Bruyns, Taxon 55(2): 413-414, 2006. Typus: *Leach* 11262 (LISC, BM, BR, K, MO, NBG, NH, PRE, SRGH). [*Nom. nov. pro Synadenium halipedicola* L. C. Leach 1984.]
- Euphorbia neomontana** Bruyns, Taxon 55(2): 414, 2006. Typus: *Bally* E62 (EA, K). [*Nom. nov. pro Monadenium montanum* P. R. O. Bally 1959.]
- Euphorbia neoparviflora** Bruyns, Taxon 55(2): 414, 2006. Typus: *Whyte* s.n. (K). [*Nom. nov. pro Monadenium parviflorum* N. E. Brown 1911.]
- Euphorbia neopedunculata** Bruyns, Taxon 55(2): 414, 2006. Typus: *Richards* 7053 (K). [*Nom. nov. pro Monadenium pedunculatum* S. Carter 1987.]
- Euphorbia neoreflexa** Bruyns, Taxon 55(2): 414, 2006. Typus: *Vatova* 845 (FT, K). [*Nom. nov. pro Monadenium reflexum* Chiovenda 1951.]
- Euphorbia neorubella** Bruyns, Taxon 55(2): 414, 2006. Typus: *Glover* s.n. in *Bally* E390 (EA, K). [*Nom. nov. pro Monadenium montanum* var. *rubellum* P. R. O. Bally 1959.]
- Euphorbia neorugosa** Bruyns, Taxon 55(2): 414, 2006. Typus: *Bidgood & al.* 1976 (K). [*Nom. nov. pro Monadenium rugosum* S. Carter 1987.]
- Euphorbia neospinescens** Bruyns, Taxon 55(2): 414, 2006. Typus: *Goetze* 1099 (BM, K). [*Nom. nov. pro Synadenium spinescens* Pax 1901.]
- Euphorbia neostapelioides** Bruyns, Taxon 55(2): 414, 2006. Typus: *Jaeger* 359 (K). [*Nom. nov. pro Monadenium stapelioides* Pax 1909. Treated as superfluous name by Bruyns, Euphorbia World 381). 5, 2007, in view of the inclusion of a prioritizable name in the concept of the taxon.]
- Euphorbia neostapelioides** var. *congesta* (P. R. O. Bally) Bruyns, Taxon 55(2): 414, 2006. Basionym: *Monadenium stapelioides* fa. *congestum*. [Treated as superfluous name by Bruyns, Euphorbia World 381). 5, 2007, in view of the inclusion of a prioritizable name in the concept of the taxon.]
- Euphorbia neostolonifera** Bruyns, Taxon 55(2): 414, 2006. Typus: *Rauh* Ke179 (G, K). [*Nom. nov. pro Monadenium rhizophorum* var. *stoloniferum* P. R. O. Bally 1961.]
- Euphorbia neovirgata** Bruyns, Taxon 55(2): 414, 2006. Typus: *Greenway & Rawlins* 9457 (K). [*Nom. nov. pro Monadenium virgatum* P. R. O. Bally 1961.]
- Euphorbia orobanchoides** (P. R. O. Bally) Bruyns, Taxon 55(2): 414, 2006. Basionym: *Monadenium orobanchoides*.
- Euphorbia orobanchoides** var. *calycina* (P. R. O. Bally) Bruyns, Taxon 55(2): 414, 2006. Basionym: *Monadenium orobanchoides* var. *calycina*.
- Euphorbia pseudograntii** Bruyns, Taxon 55(2): 414, 2006. Based on *Grant* 754. *Nom. illeg.* (Art. 53.1). [*Nom. nov. pro Synadenium grantii* Hooker fil. 1867. Non *Euphorbia pseudograntii* Pax 1901 (non-succulent). See correction published in Euphorbia World 3(1): 5, 2007.]
- Euphorbia pseudohirsuta** Bruyns, Taxon 55(2): 414, 2006. Typus: *Walter* 1 (K). [*Nom. nov. pro Monadenium hirsutum* P. R. O. Bally 1959.]
- Euphorbia pseudolaevis** Bruyns, Taxon 55(2): 414, 2006. Typus: *Whyte* s.n. (K). [*Nom. nov. pro Monadenium laeve* Stapf 1900.]

- Euphorbia pseudomollis** Bruyns, Taxon 55(2): 414, 2006. Typus: Scheffler 137 (BM, K). [*Nom. nov. pro Synadenium molle* Pax 1909.]
- Euphorbia pseudonervosa** Bruyns, Taxon 55(2): 414, 2006. Typus: Richards 3656 (K). [*Nom. nov. pro Monadenium nervosum* P. R. O. Bally 1959. Treated as superfluous name by Bruyns, Euphorbia World 3(1): 5, 2007, in view of a prioritizable name included in the concept of the taxon.]
- Euphorbia pseudonudicaulis** Bruyns, Taxon 55(2): 414, 2006. Typus: Adamson s.n. cult. in Bally E133 (EA, K). [*Nom. nov. pro Monadenium nudicaule* P. R. O. Bally 1959.]
- Euphorbia pseudopetiolata** Bruyns, Taxon 55(2): 414, 2006. Typus: Burtt 3710 (K). [*Nom. nov. pro Monadenium petiolatum* P. R. O. Bally 1959.]
- Euphorbia pseudoracemosa** (P. R. O. Bally) Bruyns, Taxon 55(2): 414, 2006. Basionym: *Monadenium pseudoracemosum*.
- Euphorbia pseudoracemosa** var. *lorifolia* (P. R. O. Bally) Bruyns, Taxon 55(2): 414, 2006. Basionym: *Monadenium pseudoracemosum* var. *lorifolium*.
- Euphorbia pseudosimplex** Bruyns, Taxon 55(2): 414, 2006. Typus: *Anonymus* s.n. (not located). [*Nom. nov. pro Monadenium simplex* Pax 1898.]
- Euphorbia pseudostellata** Bruyns, Taxon 55(2): 414, 2006. Typus: Bally 9380 (EA, K). [*Nom. nov. pro Monadenium stellatum* P. R. O. Bally 1959.]
- Euphorbia pseudotrinervis** Bruyns, Taxon 55(2): 414, 2006. Typus: MacArthur s.n. in Bally E109 (EA, K). [*Nom. nov. pro Monadenium trinerve* P. R. O. Bally 1959.]
- Euphorbia pseudovolkensii** Bruyns, Taxon 55(2): 414, 2006. Typus: Volkens 1059a (B, BM, K). [*Nom. nov. pro Synadenium volkensii* Pax 1895.]
- Euphorbia pudibunda** (P. R. O. Bally) Bruyns, Taxon 55(2): 414, 2006. Basionym: *Monadenium pudibundum*.
- Euphorbia pudibunda** var. *lanata* (S. Carter) Bruyns, Taxon 55(2): 414, 2006. Basionym: *Monadenium pudibundum* var. *lanatum*.
- Euphorbia pudibunda** var. *rotundifolia* (Malaisse & Lecron) Bruyns, Taxon 55(2): 414, 2006. Basionym: *Monadenium pudibundum* var. *rotundifolium*.
- Euphorbia renneyi** (S. Carter) Bruyns, Taxon 55(2): 414, 2006. Basionym: *Monadenium renneyi*.
- Euphorbia rhizophora** (P. R. O. Bally) Bruyns, Taxon 55(2): 415, 2006. Basionym: *Monadenium rhizophorum*.
- Euphorbia ritchiei** (P. R. O. Bally) Bruyns, Taxon 55(2): 415, 2006. Basionym: *Monadenium ritchiei*.
- Euphorbia ritchiei** ssp. *marsabitensis* (S. Carter) Bruyns, Taxon 55(2): 415, 2006. Basionym: *Monadenium ritchiei* ssp. *marsabitense*.
- Euphorbia ritchiei** ssp. *nyambensis* (S. Carter) Bruyns, Taxon 55(2): 415, 2006. Basionym: *Monadenium ritchiei* ssp. *nyambense*.
- Euphorbia schaijesii** (Malaisse) Bruyns, Taxon 55(2): 415, 2006. Basionym: *Monadenium schaijesii*.
- Euphorbia shebeliensis** (M. G. Gilbert) Bruyns, Taxon 55(2): 415, 2006. Basionym: *Monadenium shebeliense*.
- Euphorbia spectabilis** (S. Carter) Bruyns, Taxon 55(2): 415, 2006. Basionym: *Monadenium spectabile*.
- Euphorbia spinulosa** (S. Carter) Bruyns, Taxon 55(2): 415, 2006. Basionym: *Monadenium spinulosum*.
- Euphorbia susannae** 'Maelstrom' G. D. Rowley, Teratopia, 204, 280, fig. 444 (p. 216), 2006. [A cristate and variegated form.]
- Euphorbia syncalycina** Bruyns, Taxon 55(2): 415, 2006. Typus: Haerdi 580/0 (K). [*Nom. nov. pro Synadenium calycinum* S. Carter 1987.]
- Euphorbia syncameronii** Bruyns, Taxon 55(2): 415, 2006. Typus: Cameron s.n. (K). [*Nom. nov. pro Synadenium cameronii* N. E. Brown 1901.]
- Euphorbia torrei** (L. C. Leach) Bruyns, Taxon 55(2): 415, 2006. Basionym: *Monadenium torrei*.
- Euphorbia triangolensis** Bruyns, Taxon 55(2): 415, 2006. Typus: Grossweiler 997 (K). [*Nom. nov. pro Synadenium angolense* N. E. Brown 1911.]
- Euphorbia woodii** 'Salad Bowl' G. D. Rowley, Teratopia, 26, 280, ill., 2006. [A crested form.]
- Euphorbia yattana** (P. R. O. Bally) Bruyns, Taxon 55(2): 415, 2006. Basionym: *Monadenium yattanum*.
- Monadenium** 'Nikodemus' Jankalski, Cact. Succ. J. (US) 78(2): 81, ill., 2006. [= *M. rubellum* × *M. stoloniferum*.]

GERANIACEAE

- Pelargonium vanderwaltii** van Jaarsveld, Aloe 43(2-3): 32-33, ill., 2006. Typus: van Jaarsveld & al. 18873 (PRE).

HYACINTHACEAE

- Drimia cremnophila** van Jaarsveld, Aloe 42(4): 81-82, ill., 2006. Typus: van Jaarsveld & al. 97 (PRE). [Dated 2005, received March 2006.]
- Drimia loedolffiae** van Jaarsveld, Aloe 43(2-3): 50, ill., 2006. Typus: van Jaarsveld & Voigt 17914 (NBG).

Drimia mzimvubensis van Jaarsveld, Aloe 42(4): 82-83, illus., 2006. Typus: *van Jaarsveld & al.* 58 (PRE). [Dated 2005, received March 2006.]

Ornithogalum kirstenii J. C. Manning & Goldblatt, Bothalia 36(1): 86-87, ill. (p. 88), 2006. Typus: *Manning* 2942 (NBG, K, MO).

Ornithogalum volutare J. C. Manning & Goldblatt, Bothalia 36(1): 88, 2006. [*Nom. nov. pro Ornithogalum circinatum* J. C. Manning & Goldblatt 2004, which is itself a *nom. nov. pro Albula spiralis* Linné fil. 1782 (*non Ornithogalum spirale* Schinz 1896 nec *Ornithogalum circinatum* Linné fil. 1781).]

Claytonia ozarkensis J. M. Miller & K. L. Chambers, Syst. Bot. Monogr. 78: 75, fig. 31 (p. 76), 2006. Typus: *Steyermark* 4725 (MO).

LAMIACEAE

Plectranthus ramosior (Bentham) van Jaarsveld, Aloe 43(2-3): 46, illus. (pp. 44-45), 2006. Basionym: *Plectranthus madagascariensis* var. *ramosior*.

Tetradenia tuberosa T. J. Edwards, South Afr. J. Bot. 72: 203-204, ill., 2006. Typus: *Edwards & al.* 3245 (NU, K, E, NH, PRE, MO).

Thornicroftia lotteri T. J. Edwards & McMurtry, South Afr. J. Bot. 72: 202-203, ill., 2006. Typus: *McMurtry* 11764 (NU, PRE). [Sphalm. 'lotterii'.]

PORFULACACEAE

Anacampseros vanthielii G. Williamson, Aloe 43(1): 12-13, illus., 2006. Typus: *Williamson* 6028 (BOL).

Avonia gariepensis G. Williamson, Aloe 43(1): 14-15, illus., 2006. Typus: *Williamson* 6027 (BOL).

Avonia perplexa G. Williamson, Aloe 43(1): 15-16, illus., 2006. Typus: *Williamson* 6024 (BOL).

Calandrinia crispipetala Oubbens, Nuytsia 16(1): 100-101, illus., 2006. Typus: *Oubbens* 72/03 (PERTH, CANB, K).

Calandrinia kalanniensis Oubbens, Nuytsia 16(1): 102-103, illus., 2006. Typus: *Oubbens* 3/04 (PERTH, CANB, K).

Calandrinia translucens Oubbens, Nuytsia 16(1): 104-105, illus., 2006. Typus: *Oubbens* 65A/03 (PERTH, CANB, K).

Claytonia multiscapa ssp. *czukczorum* (Volkova) J. M. Miller & K. L. Chambers, Syst. Bot. Monogr. 78: 58, 2006. Basionym: *Claytonia czukczorum*.

Claytonia multiscapa ssp. *pacifica* (McNeill) J. M. Miller & K. L. Chambers, Syst. Bot. Monogr. 78: 59, 2006. Basionym: *Claytonia lanceolata* var. *pacifica*.

BIBLIOGRAPHIA

- [1] Acosta, J. P. (2005) Na nowym stanowisku / On another stand of *Echinopsis bolligeriana*. Kakt. Inne 2005(5): [40-41], illus.
- [2] Afferni, M. (2006) Somigianza e diversità tra *Sedum rubens* e *Sedum hispanicum*. Piante Grasse 26(1): 23-25, illus.
- [3] Afferni, M. (2006) *Sedum album* L. e le sue sottospecie in Italia. Piante Grasse 26(2): 70-73, illus.
- [4] Afferni, M. (2006) Il genere *Hylotelephium* in Toscana. Piante Grasse 26(3): 108-111, illus.
- [5] Albano, P.-O. (2006) Palmiers succulents? Succulentes 2006(1): 12-16, illus. [Spanish translation in Revista Circ. Colecc. Cact. Crasas Rep. Argent. 5(3): 84-86, illus. (p. 80), 2006.]
- [6] Albers, F. & Walt, J. J. A. van der (2006) *Geraniaceae*. In: Kubitzki, K. (ed.): The families and genera of vascular plants, vol. 9, pp. 157-167, illus., key. Berlin / Heidelberg (D): Springer. [Dated 2007, received 14. Dec. 2006.]
- [7] Allorge, L. (2006) Fleurs et fruits de Baobabs (*Adansonia*, *Malvaceae*). A tous seigneurs, tout honneur. Succulentes 2006(4): 3-10, illus.
- [8] Alsemgeest, W. & al. (2006) Agaven en bloei. 1. *Agave spicata* Cavanilles. Succulenta 85(1): 167-171, illus.
- [9] Alsemgeest, W. & al. (2006) Agaven en bloei. 2. *Agave obscura*. Succulenta 85(5): 211-216, illus.
- [10] Alsemgeest, W. & al. (2006) Het geslacht *Thelocactus* Britton en Rose. 22. De nieuwste ontwikkelingen deel 5. *Thelocactus hexaedrophorus* var. *roseus*, een keuze tussen *Thelocactus hexaedrophorus* ssp. *kvetae*, *francii*, *jarmilae* of var. *roseus*. Succulenta 85(6): 252-254, ill.
- [11] Amerhauser, H. & Till, H. (2006) Ergebnisse langjähriger Pflanzenstudien und Beobachtungen an den heimatlichen Standorten. Teil 2. *Gymnocalycium castellanosii* Backeb. subsp. *bozingianum* (Schütz) Amerhauser & H. Till. Gymnocalycium 19(3): 671-676, illus. [Part 1 published by H. Till, l.c. 19(2), 2006, part 3 published by Hüttner, l.c. 19(3), 2006.]
- [12] Anderberg, A. A. & al. (2006) *Compositae*. In: Kubitzki, K. (ed.): The families and genera of vascular plants, vol. 8, pp. 61-588, illus., key. Berlin / Heidelberg (D): Springer. [Dated 2007, received 14. Dec. 2006.]
- [13] Angel, C. del & al. (2006) Nuclear genome size and karyotype analysis in *Mammillaria* species (*Cactaceae*). Caryologia 59: 177-186.
- [14] Anonymus (2006) En peligro. *Leptocereus quadricostatus*. Bol. Soc. Latinoamer. Caribe Cact. otras Suc. 3(3): 15, ill.
- [15] Anonymus (2006) A selection of international programme activities. Botswana. Samara No. 11: 4-5, ill. [Includes distribution record for *Cyphostemma humile*.]
- [16] Aona, L. Y. S. & al. (2006) Pollination biology of three Brazilian species of *Micranthocereus* Backeb. (*Cereeae*, *Cactoideae*) endemic to the "campos rupestres". Bradleya 24: 39-52, illus.
- [17] Appel, R. (2006) Feldnummernliste. *Echinocereus triglochidiatus* ssp. *triglochidiatus*, *Echinocereus triglochidiatus* ssp. *mojavensis*, *Echinocereus triglochidiatus* ssp. *mojavensis* f. *inermis*. Frostharte Kakt. 3(2): 52-60.
- [18] Appenzeller, O. (2006) Kritische Antwort auf die "Anmerkungen zur Erstbeschreibung der *M.[ammillaria] paulii*" von Werner Bruns. Mitteilungsbl. AfM 30(4): 172-173, ill.
- [19] Applequist, W. L. & al. (2006) Molecular evidence resolving the systematic position of *Hectorella* (*Portulacaceae*). Syst. Bot. 31(2): 310-319. [Includes a molecular phylogeny for the whole family.]
- [20] Arakaki, M. & al. (2006) *Cactaceae* endémicas del Perú. Revista Peruana Biol. 13(2): 193s-219s, maps.
- [21] Arias, S. & Terrazas, T. (2006) Análisis cladístico del género *Pachycereus* (*Cactaceae*) con caracteres morfológicos. Brittonia 58(3): 197-216, illus.
- [22] Arias-Coyotl, E. & al. (2006) Effectiveness of bats as pollinators of *Stenocereus stellatus* (*Cactaceae*) in wild, managed in situ, and cultivated populations in La Mixteca Baja, central Mexico. Amer. J. Bot. 93(11): 1675-1683, maps.
- [23] Arroyo-Cosultchi, G. & al. (2006) The systematic significance of seed morphology in *Stenocereus* (*Cactaceae*). Taxon 55(4): 983-992, SEM-ills.
- [24] Assogbadjo, A. E. & al. (2006) Patterns of genetic and morphometric diversity in Baobab (*Adansonia digitata*) populations across different climatic zones of Benin (West Africa). Ann. Bot. (Oxford), n.s. 97: 819-830, map.
- [25] Audissou, J.-A. (2006) Moroccan Stapeliads. Asclepios No. 94: 18-27, illus. [Dated 24. 12. 2005, received 1. 2. 2006.]
- [26] Audissou, J.-A. (2006) The genus *Sarcocaulon*. Cact.-Avent. Int. No. 70: 8-14, illus. [Included for the illustrations.]
- [27] Bacigalupo, N. M. (2005) *Euphorbiaceae*, Euforbiáceas. In: Burkart, A. & Bacigalupo, N. M. (eds.): Flora ilustrada de Entre Ríos (Argentina). Parte IV: Dicotiledónes Arquiclamídeas B: *Geraniales* a *Umbelliflorales*; pp. 101-195, illus., keys. Buenos Aires (ARG): Colección Científica del

I.N.T.A., Tomo VI, IV.

- [28] Bair, A. & al. (2006) [Vascular plants of Arizona:] *Portulacaceae*. Purslane family. *Canotia* 2 (1): 1-22, key, illus., maps.
- [29] Baker, M. (2006) A new florally dimorphic hexaploid, *Echinocereus yavapaiensis* sp. nov. (section *Triglochidiatus*, *Cactaceae*) from central Arizona. *Pl. Syst. Evol.* 258(1): 63-83, map, illus.
- [30] Baker, M. A. (2006) Circumscription of *Echinocereus arizonicus* subsp. *arizonicus*: Phenetic analysis of morphological characters in section *Triglochidiatus* (*Cactaceae*), part II. *Madroño* 53(4): 388-399.
- [31] Bakker, F. T. & al. (2006) DNA sequence evolution in fast evolving mitochondrial DNA nad1 exons in *Geraniaceae* and *Plantaginaceae*. *Taxon* 55(4): 887-896.
- [32] Barmon, A. de (2006) *Notocactus* sp. aus der Sierra Ancasti mit roten Blüten gehört nicht zur Gruppe der Neonotocacteen. *Internoto* 27(2): 35-37, illus.
- [33] Barraza Morales, A. & al. (2006) Variabilidad genética en *Agave angustifolia* Haw. de la Sierra Sonorense, México, determinada con marcadores AFLP. *Revista Fitotec. Mex.* 29(1): 1-8.
- [34] Barrie, F. R. (ed.) (2006) Proposals to conserve or reject. Report of the General Committee: 9. *Taxon* 55(3): 795-800. [Includes decisions on earlier proposals, many including succulents.]
- [35] Bates, B. (2006) *Sulcorebutia vasqueziana* ssp. *pedroensis*. *Cact. World* 24(4): 225.
- [36] Bauer, D. & Waechter, J. L. (2006) Sinopse taxonómica de *Cactaceae* epífiticas no Rio Grande do Sul, Brasil. *Acta Bot. Brasil.* 20(1): 225-239, illus., keys.
- [37] Bauer, R. (2006) *Weberocereus imitans* (Kinnach & Hutchison) Buxbaum, ein seltener Gast in unseren Sammlungen. *EPIG No.* 56: 14-20, illus.
- [38] Bauer, R. (2006) *Hildewintera colademononis* Diers & Krahn – eine äußerst attraktive Art auch für Sammlungen epiphytischer Kakteen. *EPIG No.* 57: 5-12, illus.
- [39] Bayer, M. B. (2006) *Haworthia* update. Essays on *Haworthia*. Volume 2. St. Michaels on Wyre (GB): Harry Mays / Alsterworthia International. 165 pp., illus., maps. [Some of the chapters of this volume have been previously published in the form of independent journal papers.]
- [40] Bayer, M. B. (2006) More about *Haworthia* on Kaboega. *Alsterworthia Internat.* 6(2): 2-5, illus. [Included for the illustrations depicting the variability of *H. cooperi*.]
- [41] Bayer, M. B. (2006) *Haworthia variegata* var. *modesta* – Potberg. *Haworthiad* 20(3): 75-77, illus.
- [42] Bayer, M. B. (2006) *Haworthia variegata* var. *hemicrypta* – Potberg. *Haworthiad* 20(3): 78-85, illus.
- [43] Bayley, G. (2006) Relationship of *Selenicerus*, *Hylocereus*, *Epiphyllum* and *Disocactus* inferred from cotyledons. *New Zealand Cact. Succ. J.* 59(4): 109-110, ill.
- [44] Becerra, J. X. (2005) Timing the origin and expansion of the Mexican tropical dry forest. *Proc. Nation. Acad. Sci. USA* 102(31): 10919-10923, maps.
- [45] Beckert, K. (2006) *Gymnocalycium armatum* Ritter – 2001 wiederentdeckt. *Gymnocalycium* 19(1): 651-654, illus.
- [46] Bercht, L. & Schädlisch, V. (2006) De Chaco geeft een geheim prijs. *Succulenta* 85(6): 268-273, illus., map. [On *Gymnocalycium mihanovichii* and *G. friedrichii*.]
- [47] Bester, S. P. (2006) Notes on African plants. *Apocynaceae*. New records of *Adenium boehmianum* in the FSA region. *Bothalia* 36(1): 63-64, ill., map.
- [48] Békefi, J. (2006) [Hungarian:] Further habitats and forms of *Melocactus peruvianus* in Peru. *Kakt. Világ* 30(2): 48-63, illus.
- [49] Bima, T. & Snicer, J. (2006) *Echeveria subrigida* "Kráska z Queretara". *Cactaceae etc.* 16(4): 128-131, illus.
- [50] Blancas, J. J. & al. (2006) Manejo tradicional y conservación de la biodiversidad de *Polaskia* spp. (*Cactaceae*) en México. *Zonas Áridas (Lima)* 10: 20-40, map, illus.
- [51] Blom, M. & al. (2006) Artbeskrivningar. *Hoyatelegrafen* 13(4): 4-19, illus. [On *Hoya multiflora*, *H. meliflua* and *H. imbricata*.]
- [52] Bogner, J. (2006) Nachtrag zur Beschreibung von *Peperomia polzii* Rauh ex Bogner (*Piperaceae*). *Kakt. and. Sukk.* 57(7): 181-182, illus.
- [53] Bohata, J. & al. (2006) *Lophophora fricii* Habermann: Storia di una pianta misteriosa. The history of a mysterious plant. *Cactus & Co.* 10(2): 83-99, illus.
- [54] Boyle, T. H. (2006) Cacti. *Schlumbergera truncata*, *S. × buckleyi*, *Hatiiora gaertneri*. In: Anderson, N. O. (ed.): Flower breeding and genetics. Issues, challenges and opportunities for the 21st century; pp. 361-388, illus. Berlin etc. (D): Springer Verlag.
- [55] Böhm, G. & Böhm, G. (2006) *Echinocereus russanthus* Weniger ssp. *weedinii* Leuck ex Blume & Lange. *Echinocereenfreund* 19(4): 123-127, illus.
- [56] Brachet Ize, C. & al. (2006) *Pachyphytum saltensis* Brachet, Reyes & Mondragón, una nueva especie para el estado de Zacatecas, México. *Cact.*

- Suc. Mex. 51(2): 46-51, illus. [Includes data on the distribution of *Graptopetalum amethystinum*.]
- [57] Brand, T. (2006) *Momordica rostrata* – ein ungewöhnliches Kürbisgewächs. Kakt. and. Sukk. 57(9): 248-250, illus.
- [58] Braun, P. J. (2006) *Euphorbia estevesii* N. F. A. Zimmermann & P. J. Braun. A strange discovery from Goiás, central Brazil. Euphorbia World 2(1): 21-23, illus.
- [59] Braun, P. J. & Esteves Pereira, E. (2006) Neues von *Discocactus diersianus* und über Artenschutzprobleme in Zentralbrasilien. Kakt. and. Sukk. 57(12): 315-321, illus.
- [60] Braun, P. J. & Hofacker, A. (2006) The pendant cacti of Brazil. Cact. Succ. J. (US) 78(6): 286-299, illus.
- [61] Breckwoldt, S. & Breckwoldt, K. (2006) Eine Reise in den Norden Chihuahuas. Echinocereenfreund 19(4): 130-135, illus. [Illustrating variability of *Echinocereus coccineus* ssp. *rosei*.]
- [62] Breckwoldt, S. & al. (2006) Der *Echinocereus pulchellus*-Komplex. Echinocereenfreund 19 (1): 1-36, (2): 43-77, illus., SEM-ills., map.
- [63] Bregman, R. (2006) Twee weinig bekende *Matucana*'s. Succulenta 85(6): 274-277, illus. [On *Matucana mamillaris* and *M. calocephala*.]
- [64] Brummitt, R. K. (ed.) (2006) Report of the Committee for *Spermatophyta*: 57. Taxon 54(4): 1093-1103. [Dated 2005, published Jan. 2006. Includes data on proposal 1465 to conserve *Brasiliocactus* against *Acanthocephala*.]
- [65] Bruns, W. (2006) Anmerkungen zur Erstbeschreibung der *M.[ammillaria] paulii*. Mitteilungsbl. AfM 30(1): 40-41, SEM-ill.
- [66] Bruyns, P. V. & al. (2006) A new subgeneric classification for *Euphorbia* (*Euphorbiaceae*) in southern Africa based on ITS and psbA-trnH sequence data. Taxon 55(2): 397-420, key. [Corrigenda published in Euphorbia World 3(1): 5, 2007.]
- [67] Buddensiek, V. (2006) A sister to *Euphorbia antisiphilitica*. Euphorbia World 2(2): 4, ill.
- [68] Burghardt, M. (2005) *Epostoa lanata* subsp. *roseiflora* – czy nowosc z Ekwadoru? / a new plant from Ecuador? Kakt. Inne 2005(4): 15-20, illus.
- [69] Burghardt, M. (2005) *Epostoa frutescens* – studium srodowiskowe i takonomiczne / a habitat and taxonomic study. Kakt. Inne 2005(5): [5-9, 11], illus.
- [70] Burgoyne, P. M. (2006) Notes on African plants. *Mesembryanthemaceae*. The identity of *Ruschia promontorii*. Bothalia 36(2): 163-167, illus., map.
- [71] Butterworth, C. A. (2006) Molecular phylogenetics of *Cactaceae* Jussieu – a review. In: Sharma, A. K. & Sharma, A. (eds.): Plant genome: Biodiversity and evolution, volume 1C: Phanerogams (Angiosperm – Dicotyledons); pp. 489-524. Enfield (US: NH): Science Publishers.
- [72] Cáceres H., F. & Poma, I. (2006) Le cactacee presenti in Yura (Arequipa, Peru): Tassonomia, ecologia e distribuzione / Taxonomy, ecology and distribution of *Cactaceae* species in Yura. Cactus & Co. 10(2): 101-113, illus.
- [73] Campbell, M. & Stephenson, R. (2006) A study of one of England's largest natural sites for *Sedum villosum*. Cact. World 24(2): 82-84, illus.
- [74] Carter, S. (2006) Tree Euphorbias of Tropical Africa. Euphorbia World 2(1): 5-8, illus.
- [75] Casas, A. & al. (2006) Maintenance of phenotypic and genotypic diversity in managed populations of *Stenocereus stellatus* (*Cactaceae*) by indigenous peoples in Central Mexico. Biodivers. & Conservation 15: 879-898, map.
- [76] Cerón Stuva, A. & al. (2006) Taxonomía, ecología y conservación ex situ de las Cactáceas de Lima. Zonas Áridas (Lima) No. 10: 115-128, illus., maps.
- [77] Cervera, J. C. & al. (2006) Microhabitats, germination, and establishment for *Mammillaria guamieri* (*Cactaceae*), a rare species from Yucatán. Int. J. Pl. Sci. 167(2): 310-318.
- [78] Chalet, J.-M. (2006) *Echinocereus metornii*. Un piccolo gioiello della Sierra Mojada. A tiny jewel of Sierra Mojada. Cactus & Co. 10(3): 143-147, illus.
- [79] Chalet, J.-M. (2006) *Echinocereus pulchellus* ssp. *venustus*. Cactus & Co. 10(4): 251-257, illus. [Included for the illustrations.]
- [80] Chalet, J.-M. (2006) *Hildewintera colademononis* Diers & Krahn. Succulentes 2006(4): 31-34, illus.
- [81] Chapotin, S. M. & al. (2006) A biomechanical perspective on the role of large stem volume and high water content in Baobab trees (*Adansonia* spp., *Bombacaceae*). Amer. J. Bot. 93: 1251-1264, illus.
- [82] Chávez Martínez, R. J. & al. (2006) *Mammillaria mieheana* Tiegel, una variante de *Mammillaria densispina* (Coulter) Orcutt generada bajo condiciones de escasa iluminación. Nakari 17(2): 37-41, illus.
- [83] Cházaro Basáñez, M. & Vazquez-Garcia, A. (2006) In situ: *Agave durangensis*. Cact.-Avent. Int. No. 72: 24-30, illus.
- [84] Cházaro Basáñez, M. J. & al. (2006) In situ: *Agave gypsophila* H. S. Gentry. Cact.-Avent. Int. No. 70: 15-19, illus.
- [85] Cházaro-Basáñez, M. J. & al. (2006) *Heliocereus cinnabarinus* (*Cactaceae*), un nuevo registro para Veracruz, México. Bol. Soc. Latino-

- amer. Caribe Cact. otras Suc. 3(3): 11-13, illus. [English version in Cact. World 24(4): 174-176, illus., 2006. Republished in Suculentas No. 37: 5-12, illus., 2007.]
- [86] Cházaro Basáñez, M. J. & al. (2006) *Ferocactus repenhuagenii*. Una cactácea poco conocida en su hábitat. Una cactácea poc coneguda en el seu hàbitat. Suculentas (Barcelona) No. 35: 4-15, illus.
- [87] Chvastek, J. (2006) Melokaktusy v Kari-biku. Cactaceae etc. 16(1): 4-8, illus. (incl. p. 1).
- [88] Clark Tapia, R. & al. (2006) Reproductive consequences of clonal growth in *Stenocereus eruca*, a rare clonal cactus of the Sonoran Desert. Evol. Ecol. 20: 131-142, map.
- [89] Clark, J. L. & al. (2006) Phylogenetic relationships and generic boundaries in the *Episcieae* (*Gesneriaceae*) inferred from nuclear, chloroplast, and morphological data. Taxon 55(2): 313-336, illus.
- [90] Colaco, M. A. S. & al. (2006) Biologia reprodutiva de *Melocactus glaucescens* Buining & Bredero e *M. paucispinus* G. Heimen & R. Paul (Cactaceae), na Chapada Diamantina, Nordeste do Brasil. Revista Brasil. Bot. 29: 239-249.
- [91] Columbus, J. T. & al. (eds.) (2006) Monocots. Comparative biology and evolution (excluding Poales). Claremont (US: CA): Rancho Santa Ana Botanic Garden. x + 735 pp. [= Aliso, 22.]
- [92] Costanzo, M. (2006) Storie di Semprevivi. L'inafferrabile Semprevivo delle Dolomiti e l'ibrido che non c'era. / *Sempervivum* stories. The elusive Houseleek of the Dolomites and the hybrid that wasn't there before. Cactus & Co. 10(1): 44-56, illus., map.
- [93] Craib, C. (2006) Grass Aloes in the South African Veld. Hatfield (RSA): Umdaus Press. xii + 156 pp., illus., maps. [Dated 2005, received early March 2006.]
- [94] Craib, C. (2006) *Cyphostemma segmentatum* in Sekhukuneland. Cact. Succ. J. (US) 78(3): 142-145, illus.
- [95] Craven, P. & Vorster, P. (2006) Patterns of plant diversity and endemism in Namibia. Bothalia 36(2): 175-189, maps.
- [96] Crayn, D. M. & al. (2004) Multiple origins of Crassulacean Acid Metabolism and the epiphytic habit in the neotropical family *Bromeliaceae*. Proc. Nation. Acad. Sci. USA 101(10): 3703-3708. [Omitted previously.]
- [97] Cumming, D. M. (2006) *Poellnitzia* Uite-waal: Inferred relationships from limited hybridization. Alsterworthia Internat. 6(1): 13-16.
- [98] Dar, S. & al. (2006) Diurnal and nocturnal pollination of *Marginatocereus marginatus* (Pachycereeae: Cactaceae) in Central Mexico. Ann. Bot. (Oxford), n.s. 97: 423-427.
- [99] Das, A. B. & Mohanty, S. (2006) Karyotype analysis and in situ nuclear DNA content in seven species of *Echinopsis* Zucc. of the family *Cactaceae*. Caryologia 71: 75-79.
- [100] Davis, C. (2006) New *Agave* exhibit showcases Arizona natives. Sonoran Quart. 60(1): 4-6, illus. [Includes a checklist of taxa for Arizona.]
- [101] DeChaine, E. G. & Martin, A. P. (2005) Marked genetic divergence among Sky Island populations of *Sedum lanceolatum* (Crassulaceae) in the Rocky Mountains. Amer. J. Bot. 92: 477-486, map.
- [102] Delanoy, G. (2006) *Melocactus conoideus*: Habitat e conservazione / habitat and conservation. Cactus & Co. 10(3): 133-142, illus.
- [103] Descoings, B. (2006) Le genre *Kalanchoe* (Crassulaceae): Structure et définition. J. Bot. Soc. Bot. France No. 33: 3-28, illus.
- [104] Diggs, G. M. & al. (2006) Illustrated flora of East Texas. Volume 1: Introduction, Pteridophytes, gymnosperms and monocots. Fort Worth (US: TX): Botanical Research Institute of Texas & Austin College. xvi + 1594 pp., illus. [= Sida, vol. 26. Includes Agavaceae, Bromeliaceae, Commelinaceae, Nolinaceae.]
- [105] Donati, A. (2006) *Sempervivum atlanticum*: Osservazioni in situ su una specie poco studiata. Piante Grasse 26(3): 100-103, illus.
- [106] Donati, D. (2006) Considerazioni sul genere *Ancistrocactus* Br. & R. Evidenziazione di un suo membro misconosciuto dalle caratteristiche eccezionali. Piante Grasse 26(4): 151-154, illus.
- [107] Drezner, T. D. (2006) Saguaro (*Carnegiea gigantea*) densities and reproduction over the northern Sonoran desert. Phys. Geogr. 27: 505-518.
- [108] Drezner, T. D. (2006) The regeneration of a protected Sonoran Desert cactus since 1800 AD over 50,000 km² of its range. Pl. Ecol. 183(1): 171-176.
- [109] Duret, C. (2006) Indigenous and endemic succulent plants on Reunion Island. Cact.-Avent. Int. No. 71: 2-10, illus.
- [110] Ebert, T. A. (2006) Density-dependent responses of cacti, *Cylindropuntia bigelovii* and *C. echinocarpa* (Cactaceae), in the desert of southern California, USA. J. Arid Environm. 66: 609-619.
- [111] Edwards, E. J. (2006) Correlated evolution of stem and leaf hydraulic traits in *Pereskia* (Cactaceae). New Phytol. 172: 479-489.
- [112] Edwards, E. J. & Diaz, M. (2005) Ecological physiology of *Pereskia guamacho*, a cactus with leaves. Pl. Cell Environm. 29(2): 247-256.
- [113] Edwards, E. J. & Donoghue, M. J. (2006) *Pereskia* and the origin of the cactus life-form.

- Amer. Naturalist 167: 777-793.
- [114] Eguiarte, L. E. & al. (2006) Zur Naturgeschichte der Gattung *Agave*: Taxonomie, Ökologie und Schutz (Teil 1) / [Teil 2]. Avonia 24 (1): 8-19, (2): 37-49, illus., maps.
- [115] Ellis, A. G. & Weis, A. E. (2006) Coexistence and differentiation of "flowering stones": The role of local adaptation to soil microenvironment. J. Ecol. 94(2): 322-335, illus., map.
- [116] Ellis, A. G. & al. (2006) Evolutionary radiation of "stone plants" in the genus *Argyroderma* (*Aizoaceae*): Unravelling the effects of landscape, habitat, and flowering time. Evolution 60(1): 39-55, illus., map.
- [117] Emming, J. (2006) Special conservation report. The threat that invasive weeds and wildfires pose to our North American desert biomes. Part 2. The Sonoran Saguaros. Cact. Succ. J. (US) 78(1): 15-21, 43, illus.
- [118] Erbar, C. & Leins, P. (2006) Floral ontogeny and systematic position of the *Didiereaceae*. Pl. Syst. Evol. 261: 165-185, illus.
- [119] Ettelt, J. (2006) Die wechselvolle Geschichte der *Sulcorebutia breviflora*. Kakt. and. Sukk. 57(6): 155-161, illus.
- [120] Ettelt, J. & Riedel, W. (2006) *Echinopsis klingleriana* aus dem bolivianischen Tiefland. Kakt. and. Sukk. 57(10): 262-265, illus.
- [121] Etter, J. & Kristen, M. (2006) Mexican cliff-dwellers. In search of *Graptopetalum*, *Pachyphytum* and *Cremonophila*. Cact. Succ. J. (US) 78 (6): 251-260, illus.
- [122] Ewest, W. (2006) Sukkulanten auf den Kapverden. Avonia 24(2): 31-36, illus.
- [123] Ewest, W. (2006) *Euphorbia tuckeyana* Steudel ex Webb 1849. Euphorbia World 2(1): 18-20, illus., map.
- [124] Felix, D. (2006) Interessante Standorte in USA und Mexiko. Teil 5: *Echinocereus ctenoides* (Engelmann) Lemaire am Standort nordwestlich Melchor Muzquiz, Coahuila. Echinocereenfreund 19(2): 78-82, illus.
- [125] Fernández-Alonso, J. L. (2006) El "dato o canonón del Chicamocha", una especie colombiana de *Browningia* (*Cactaceae*), recientemente descrita. Bol. Soc. Latinoamer. Caribe Cact. otras Suc. 3 (1): 6-8, illus.
- [126] Feuillet, C. & MacDougal, J. M. (2006) *Passifloraceae*. In: Kubitzki, K. (ed.): The families and genera of vascular plants, vol. 9, pp. 270-281, illus., key. Berlin / Heidelberg (D): Springer. [Dated 2007, received 14. Dec. 2006.]
- [127] Figueredo Urbina, C. J. (2006) Proyectos. Biología de la polinización y el papel de los murciélagos en la reproducción sexual de *Pilosocereus tillianus* (*Cactaceae*). Bol. Soc. Latino-
- amer. Caribe Cact. otras Suc. 3(1): 3.
- [128] Fitz Maurice, W. A. & Fitz Maurice, B. (2006) *Mammillaria series Stylothelae*. J. Mammillaria Soc. 46(1): 3-8, key.
- [129] Fitz Maurice, W. A. & Fitz Maurice, B. (2006) Correspondence [Spine count of *Mammillaria lasiacantha* forma *stella-de-tacubaya*]. J. Mammillaria Soc. 46(2): 55, ill.
- [130] Fitz Maurice, W. A. & al. (2006) *Echinocactus grusonii*, a new location for the Golden Barrel. Cact. World 24(4): 169-173, illus.
- [131] Fleming, T. H. (2006) Reproductive consequences of early flowering in Organ Pipe cactus, *Stenocereus thurberi*. Int. J. Pl. Sci. 167(3): 473-481, map.
- [132] Flores, J. & al. (2006) Effect of light on germination of seeds of *Cactaceae* from the Chihuahuan Desert, Mexico. Seed Sci. Res. 16: 149-155.
- [133] Fontaine, P. & Delanoy, G. (2006) *Micranthocereus* Backeberg (1938). Succulentes 2006(2): 24-31, illus., map.
- [134] Forster, P. I. (2006) Variazioni su / Variations on *Agave potatorum* (*Agavaceae*). Cactus & Co. 10(3): 167-182, illus. [Illustrating variability.]
- [135] Fukuya, T. (2006) Beautiful succulents. *Haworthia*. Tokyo? (J): Publisher not recorded. 64 pp., illus. [Included for the illustrations. Copies in Europe that have been distributed by H. Mays, Alsterworthia International, have a loose 1 page-sheet inserted titled "Correct names in Fukuya's book by Dr. Hayashi".]
- [136] Gamisans, J. & al. (2006) *Crassulaceae*. In: Jeanmonod, D. & Schlüssel, A. (eds.): Notes et contributions à la flore de Corse, XXI. Candollea 61(1): 117-118. [On *Sedum andegavense*.]
- [137] Gapon, V. (2006) [Russian:] Big travels of a small *Lophophora*. Kakt. Klub 2005(3): 28-34, illus., map. [Dated 2005, publ. Feb. 2006. On *Lophophora diffusa* var. *koehresii*.]
- [138] Garvie, L. A. J. (2006) Decay of cacti and carbon cycling. Naturwissenschaften 93: 114-118.
- [139] Gerloff, N. (2006) *N.[otocactus] langsdorfii* var. *leprosorum* (F. Ritter) Hofacker (Synonym: *Wigginsia leprosorum* F. Ritter). Internoto 27(1): 3-13, illus.
- [140] Gerloff, N. (2006) Was ist *Notocactus cristatoides* F. Ritter? Internoto 27(4): 86-89, illus.
- [141] Gertel, W. & Vries, J. de (2006) *Sulcorebutia* [2]. Una revisione delle specie dell'area settentrionale – a revision of the species of the northern distribution area. Il complesso di / The complex of *Sulcorebutia steinbachii* (Werdermann) Backeberg. Cactus & Co. 10(1): 26-42, illus. [Continued from Fritz & al., l.c. 8(3), 2004. Slightly

- revised German version in *Echinopseen* 3(2): 40-55, ill., 2006.]
- [142] Gildenhuys, S. (2006) *Aloe polyphylla* in the Mountain Kingdom of Lesotho. *Aloe* 42(4): 74-78, ill. [Dated 2005, received March 2006.]
- [143] Gildenhuys, S. (2006) Golden showers of the Little Karoo. *Aloe* 43(1): 4-5, ill. [On *Tylecodon cacalioides*.]
- [144] Gildenhuys, S. (2006) The unique and beautiful *Aloe karasbergensis*. *Aloe* 43(2-3): 47-48, ill.
- [145] Gildenhuys, S. (2006) The three most abundant tree *Euphorbia* species of the Transvaal (South Africa). *Euphorbia World* 2(1): 9-14, ill.
- [146] Gloser, J. (2006) [Czech:] *Melocactus perezassoi* – a mysterious relict from Central Cuba. *Kaktusy* 42(1): 24-27, ill.
- [147] Goetsch, B. & Hernández, H. M. (2006) Beta diversity and similarity among cactus assemblages in the Chihuahuan Desert. *J. Arid Environm.* 65: 513-528, maps.
- [148] Gomes, F. L. A. F. & al. (2006) Somatic embryogenesis and plant regeneration in *Opuntia ficus-indica* (L.) Miller (Cactaceae). *Sci. Hort.* 108: 15-21.
- [149] Gontcharova, S. B. (2006) [Russian:] *Sedoideae* (Crassulaceae) of the Russian Far East flora. Vladivostok (RU): Dalnauka. 222 pp., ill.
- [150] Gontcharova, S. B. & al. (2006) Phylogenetic relationships among members of the subfamily *Sedoideae* (Crassulaceae) inferred from the ITS region sequences of nuclear rDNA. *Russ. J. Genet.* 42(6): 654-661. [Original Russian text published in *Genetika* 42(6): 803-811, 2006.]
- [151] Good-Avila, S. V. & al. (2006) Timing and rate of speciation in *Agave* (Agavaceae). *Proc. Nation. Acad. Sci. USA* 103(24): 9124-9129.
- [152] Gorelick, R. (2006) *Coryphantha dasycantha* found in New Mexico ... and the cacti at Anthony Gap. *Cact. Succ. J. (US)* 78(4): 184-189, ill.
- [153] Green, T. & Kloppenburg, D. (2006) A *Hoya* / *Eriostemma* hybrid and varietal list. *Fraterna* 19(1): 7-8.
- [154] Guiggi, A. (2006) *Lobivia silvestrii* (Speg.) Rowley (Cactaceae). In: Selvaggi, A. & al. (eds.): Note floristiche piemontesi n. 13-47; pp. 431-432. Rivista Piemont. Storia Nat. 27: 429-441.
- [155] Guillot Ortiz, D. (2006) *Nopalea dejuncta* Salm-Dyck, un nuevo taxón alóctono para la flora española. *Bouteloua* 1: 71-72, ill.
- [156] Guillot Ortiz, D. & Meer, P. van der (2006) Claves para los distintos taxones cultivados como ornamentales en la Península Ibérica e Islas Baleares de la especie *Agave americana* L. *Bouteloua* 1: 13-20, key, ill.
- [157] Guillot Ortiz, D. & Meer, P. van der (2006) Tres taxones invasores pertenecientes al género *Opuntia* Mill. nuevos para la flora ibérica. *Bouteloua* 1: 52-54.
- [158] Guillot Ortiz, D. & Rosselló Picornell, J. A. (2005) *Kalanchoe ×hybrida* Jacobs., un nuevo taxón invasor en la Comunidad Valenciana. *La gascalia* 25: 176.
- [159] Guillot Ortiz, D. & al. (2006) El género *Polianthes* L. en la Península Ibérica e Islas Baleares. *Bouteloua* 1: 63-69, key, ill.
- [160] Gurvich, D. E. & al. (2006) The diverse globose cactus community of Argentina's Sierras Chicas. Ecology and conservation. *Cact. Succ. J. (US)* 78(5): 224-230, ill., map.
- [161] Gutte, G. (2006) Der Mann hinter den Agaven(namen): Biographische Notizen zu Georg Albano von Jacobi. *Berliner Kakt.-Blätt.* No. 6: 10-16, ill. [Included for the bibliographical information.]
- [162] Haevermans, T. (2003) *Euphorbia*. In: Goodmann, S. M. & Benstead, J. P. (eds.): The natural history of Madagascar; pp. 384-391. Chicago (US: IL): University of Chicago Press. [Omitted previously.]
- [163] Haevermans, T. (2006) Taxonomy of the *Euphorbia pyrifolia* clade. *Euphorbia World* 2(2): 21-24, ill., map.
- [164] Hand, R. (ed.) (2006) Supplementary notes on the flora of Cyprus V. *Willdenowia* 36 (2): 761-809, ill. [Includes *Aizoaceae* and *Crassulaceae* distribution notes.]
- [165] Hargreaves, B. J. (2006) The extremes of *Aloe excelsa*. *Alsterworthia Internat.* 6(1): 6-8, ill., map. [Includes a distribution map of the Botswana / Zimbabwe border area.]
- [166] Hargreaves, B. J. (2006) Variations in *Euphorbia griseola* Pax in Botswana. *Euphorbia World* 2(2): 5, ill.
- [167] Hargreaves, B. J. & Turner, Q. (2006) The extremes of *Hoodia* in Botswana. *Asklepios* No. 94: 5-7, ill., map. [Dated 24. 12. 2005, received 1. 2. 2006.]
- [168] Hargreaves, B. J. & al. (2006) More on Adeniums in Botswana. *Asklepios* No. 94: 3-4, ill. [Dated 24. 12. 2005, received 1. 2. 2006.]
- [169] Harpke, D. & al. (2006) Phylogenetic evaluation of chloroplast trnL-trnF DNA sequence variation in the genus *Mammillaria* (Cactaceae). *Schlechtendalia* 14: 7-16, map.
- [170] Hartmann, H. E. K. (2006) Adaptations and phytogeography in the Ice-Plant family (*Aizoaceae*) – the interaction of the genetic equipment and ecological parameters. II. Hide-and-seek: Plants sunk in the ground. *Bradleya* 24: 1-38, ill., maps, key.

- [171] Haugg, E. (2006) Hybriden mit *Hildewintera aureispina*. *Hybriden-J.* 2006(1): 11, tt. 8-11.
- [172] Havas, L. (2006) Egy titokzatos kaktusz vándorlása, avagy a *mandragora* útja *Napina*-tól *Lodia*-ig és még azon is túl [Hungarian: The wandering of [*Turbinicarpus mandragora*]. Kakt. Világ 30(5): 186-193, illus. [Included for the illustrations.]
- [173] Hayashi, M. (2005) The [*Haworthia*] *Lapis* group. Haworthia Study No. 14: 8-12, illus.
- [174] Hayashi, M. (2006) Hybrids and cultivar names. Haworthia Study No. 15: 10. [Includes a large number of new cultivar and cultivar group names not separately indexed for RPS.]
- [175] Hayashi, M. (2006) [*Haworthia*] *Marumianna* grup. Haworthia Study No. 15: 12-15, illus.
- [176] Hayashi, M. (2006) Revision of the [*Haworthia*] *margaritifera* group. Haworthia Study No. 16: 12-13, illus.
- [177] Hayashi, M. (2006) Revision of the [*Haworthia*] *cymbiformis* group. Haworthia Study No. 16: 4-9, illus.
- [178] Hearn, D. J. (2006) *Adenia* (*Passifloraceae*) and its adaptive radiation: Phylogeny and growth form diversification. *Syst. Bot.* 31(4): 805-821, illus.
- [179] Heek, W. van & Bohle, B. (2006) Die Variationsbreite von *Uebelmannia pectinifera*. Kakt. and. Sukk. 57(2): 29-35, illus.
- [180] Heek, W. van & Strecker, W. (2006) La storia infinita degli *Ariocarpus* e di altri microgenechi affini. *Piante Grasse* 26(2: Suppl.): 1-80, illus. [Included for the illustrations.]
- [181] Hermsen, E. J. & al. (2006) The impact of extinct taxa on understanding the early evolution of Angiosperm clades: An example incorporating fossil reproductive structures of *Saxifragales*. *Pl. Syst. Evol.* 260: 141-169. [Includes some data on *Crassulaceae*.]
- [182] Hernández-Oria, J. G. & al. (2006) Estado de conservación de *Echinocereus schmollii* (Weing.) N. P. Taylor en Cadereyta de Montes, Querétaro, México. *Cact. Suc. Mex.* 51(3): 68-95, illus., map.
- [183] Hershkovitz, M. A. (2006) Ribosomal and chloroplast DNA evidence for diversification of Western American *Portulacaceae* in the Andean region. *Gayana, Bot.* 63(1): 13-74.
- [184] Hill, A. (ed.) (2006) More comments received on *Puna clavarioides* (Pfeiff.) Kiesling. *Tephrocactus Study Group* 12(2): 17-18. [Includes list of localities.]
- [185] Hils, M. (2006) *Matelea cyclophylla* – eine seltene und ungewöhnliche Sukkulente. Kakt. and. Sukk. 57(10): 274-275, illus. [Includes illus. of fruit and seed.]
- [186] Hochstätter, F. (2006) The genus / Die Gattung *Sclerocactus* Britton & Rose *Cactaceae*. Part V. *Cactaceae Rev.* 9(1): 4-19, illus., keys. [Continued from l.c. 8(2), 2005.]
- [187] Hochstätter, F. (2006) *Sclerocactus*. (1). *Succulenta* 85(2): 60-65, illus. [Continued from l.c. 84(6).]
- [188] Hofacker, A. (2006) Comments on some Parodias from southern Brazil. *Cact. Syst. Init.* No. 21: 18-21, illus.
- [189] Hofer, A. (2006) Cactées épiphytes. *Succulentes* 2006(spécial): 80 pp., illus. [Illustrated synopsis with complete synonymies but no descriptions.]
- [190] Hunt, D. R. (2006) Further comments on *Mammillaria* gene-sequence data. *Cact. Syst. Init.* No. 21: 21-24, illus.
- [191] Hunt, D. R. & Taylor, N. P. (eds.) (2006) *Notulae Systematicae Lexicon Cactacearum Spectantes VII*. *Cact. Syst. Init.* No. 21: 4-15.
- [192] Hunt, D. R. & al. (2006) The new cactus lexicon. Milborne Port (GB): dh books. Text vol.: x + 372 pp., key; Atlas vol.: xiv + 526 pp., illus.
- [193] Hüttner, T. (2006) Ergebnisse langjähriger Pflanzenstudien und Beobachtungen an den heimatlichen Standorten. Teil 3. *Gymnocalycium castellanosi* Backeb. subsp. *bozsingianum* var. *armillatum* Piltz. *Gymnocalycium* 19(3): 677-682, illus. [Part 2 published by Amerhauser & H. Till l.c. 19(3), 2006.]
- [194] Infante, D. (2006) Asexual genetic variability in *Agavaceae* determined with inverse sequence-tagged repeats and amplification fragment length polymorphism analysis. *Pl. Molec. Biol.* 24: 205-217.
- [195] Irnstorfer, O. (2006) Betrifft: *Parodia uhligiana* (*Cactaceae*) – eine Neubeschreibung. Kakt. and. Sukk. 57(11): 306.
- [196] Irnstorfer, O. (2006) Nauwelijs bekend ... *Parodia augustinii* Weskamp. *Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl.* 19(9): 139-141, illus.
- [197] Jaarsveld, E. J. van (2006) Notes on *Stoeberia arborea* and its allies. *Aloe* 43(1): 18-22, illus., key, map.
- [198] Jaarsveld, E. J. van (2006) *Othonna triplinervia*, a neglected cliff dwelling beauty. *Cact. Succ. J. (US)* 78(6): 316-317, illus.
- [199] Jaarsveld, E. J. van & Wyk, A. E. van (2006) *Aloe challisii*, a new cliff-dwelling *Aloe* from Mpumalanga, and a checklist of the obligate cliff-dwelling Aloes in South Africa and Namibia. *Aloe* 43(2-3): 36-41, illus., map, key.
- [200] Jaarsveld, E. J. van & Wyk, A. E. van (2006) *Drimia loedolffiae*, a new succulent cliff-dwelling species from the Eastern Cape, South Africa. *Aloe* 43(2-3): 49-51, illus., map, key. [In-

- cludes a key to and a tabular synopsis of all cliff-dwelling *Drimia* spp. from the Eastern Cape.]
- [201] Jaekel, A. & Jaekel, F. (2006) Cumprimentos da foto do pampa 3. Internoto 27(3): 69-72, illus. [Includes distribution data for *Notocactus uebelmannianus*.]
- [202] Jankalski, S. (2006) Regarding *Beschornertia chiapensis*. Cact. Succ. J. (US) 78(1): 29-30.
- [203] Jankalski, S. (2006) Geofytické euforbie zo skupiny *Euphorbia apios*. Cactaceae etc. 16(3): 90-92, key. [Key to some caudiciform *Euphorbia* spp. from Asia Minor and Africa.]
- [204] Jankalski, S. (2006) An index to N. E. Brown's Monograph [of *Sansevieria*]. Sansevieria No. 14: 23-25.
- [205] Janssen, T. & Bremer, K. (2004) The age of major monocot groups inferred from 800+ rbcL sequences. Bot. J. Linn. Soc. 146: 385-398.
- [206] Janssens, S. & al. (2006) Phylogenetics of *Impatiens* and *Hydrocera* (*Balsaminaceae*) using chloroplast atpB-rbcL spacer sequences. Syst. Bot. 31(1): 171-180.
- [207] Jeanmonod, D. & Schlüssel, A. (2006) Notes et contributions à la flore de Corse, XXI. *Candollea* 61(1): 93-134, illus., maps. [Includes *Opuntia* spp. (pp. 112-113).]
- [208] Jonkers, B. (2006) Balsam-bearing bonsai – potentially. Cact. World 24(4): 211-219, illus. [On succulent *Euphorbia* spp. from Morocco and Macaronesia.]
- [209] Jürgens, A. & al. (2006) The chemical nature of fetid floral odours in Stapeliads (*Apocynaceae – Asclepiadoideae – Ceropegieae*). New Phytol. 172: 452-468, illus.
- [210] Kelaidis, P. (2006) *Rosularia*. The unknown hardy succulent. Cact. Succ. J. (US) 78(5): 231-236, illus. [Included for the illustrations.]
- [211] Kemble, B. (2006) *Agave guadalajarana*. Cact. Succ. J. (US) 78(3): 126-130, illus. [Included for the illustrations.]
- [212] Kiesling, R. & Metzing, D. (2005) *Cactaceae*, Cactáceas. In: Burkart, A. & Bacigalupo, N. M. (eds.): Flora ilustrada de Entre Ríos (Argentina). Parte IV: Dicotiledóneas Arquiclamídeas B: *Geriales* a *Umbelliflorales*; pp. 401-444, illus., keys. Buenos Aires (ARG): Colección Científica del I.N.T.A., Tomo VI, IV.
- [213] Kilian, N. & Hubaishan, M. A. (eds.) (2006) Biodiversity of Socotra. Forests, woodlands and bryophytes. Englera 28: 1-175, illus., maps.
- [214] Kiss, C. (2006) *Obregonia denegrii*. Kakt. Vilag 30(5): 198-202, illus. [Included for the detail observations of spine development.]
- [215] Klaassen, P. (2006) Three Chilean succulent Euphorbias. Cact. World 24(3): 145-149, illus.
- [216] Klak, C. & al. (2006) Phylogeny and revision of *Brownanthus* and its close allies *Aspazoma* and *Dactylopis* (*Aizoaceae*) based on morphology and four DNA regions. Kew Bull. 61(3): 353-400, illus., map, key.
- [217] Kleszewski, K.-P. (2006) *Astrophytum caput-medusae* D. Hunt. Ein *Astrophytum*? Kaktusbüte 2006: 31-38, illus. [Included for the detailed illustrations.]
- [218] Klikar, J. (2006) Kaktusy rodu *Oroya*. Cactaceae etc. 16(4): 141-145, illus.
- [219] Kulhánek, T. (2006) *Gymnocalycium bozingianum* Schütz na nalezištích. Gymnofil 34(1): 5-8, map, illus. (front & back cover, center page pullout).
- [220] Kulhánek, T. & Odehnal, J. (2006) Variabilita *Gymnocalycium spegazzinii* Britton et Rose. Kaktusy 42(Speciál 3): 36 pp., illus., maps.
- [221] Kunte, L. & Snicer, J. (2006) *Jatropha macrorhiza* Benth. – veecný život pod zemí. Kaktusy 42(4): 113-115, illus. [Included for the illustrations.]
- [222] Kyndt, T. & al. (2005) Species relationships in the genus *Vasconcellea* (*Caricaceae*) based on molecular and morphological evidence. Amer. J. Bot. 92(6): 1033-1044.
- [223] Lambert, S. M. & al. (2006) Allozyme diversity and morphometrics of the endangered *Melocactus glaucescens* (*Cactaceae*), and investigation of the putative hybrid origin of *Melocactus ×albicephalus* (*Melocactus ernestii* × *M. glaucescens*) in north-eastern Brazil. Pl. Spec. Biol. 21: 93-108.
- [224] Lambert, S. M. & al. (2006) Allozyme diversity and morphometrics of *Melocactus paucispinus* (*Cactaceae*) and evidence for hybridization with *M. concinnum* in the Chapada Diamantina, north-eastern Brazil. Ann. Bot. (Oxford), n.s. 97: 389-403, illus., map.
- [225] Lammers, T. G. (2006) *Campanulaceae*. In: Kubitzki, K. (ed.): The families and genera of vascular plants, vol. 8, pp. 26-56, illus., key. Berlin / Heidelberg (D): Springer. [Dated 2007, received 14. Dec. 2006.]
- [226] Lampo, F. (2006) *Sclerocactus 'torreyi'* in het Capitol Reef N.P. Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl. 19(8): 115-119, illus.
- [227] Landrum, J. V. (2006) Wide-band tracheids in genera of *Portulacaceae*: Novel, non-xylary tracheids possibly evolved as an adaptation to water stress. J. Pl. Res. 119: 497-504, illus.
- [228] Lausser, A. & Lausser, E. (2006) Naturhybriden in der Gattung *Ariocarpus* (*Cactaceae*). Kakt. and. Sukk. 57(4): 85-92, illus.
- [229] Lawant, P. & Suntjens, R. (2006) *Euphorbia handiensis*: Will it exist in the future? A recent status survey and conservation action plan. Eu-

- phorbia World 1(3): 18-29, illus.
- [230] Lawat, P. & Winthagen, D. (2006) *Euphorbia tribuloides*: A species lost for ever? Euphorbia World 2(1): 26-29, illus.
- [231] Lebatha, P. & al. (2006) *Ledebouria, Resnova* and *Drimiopsis*: A tale of three genera. Taxon 55(3): 643-652.
- [232] Lebrun, J.-P. & Stork, A. L. (2006) Tropical African flowering plants. Ecology and distribution. Volume 2: *Euphorbiaceae - Dichapetalaceae*. Genève (CH): Éditions des Conservatoire et Jardin Botaniques. 306 pp., maps. [This volume includes the *Euphorbiaceae* with a distribution map for each species.]
- [233] Lei, Y. & al. (2006) Determination of genetic variation in *Rhodiola crenulata* from the Hengduan Mountains region, China, using inter-simple sequence repeats. Genet. Molec. Biol. 29(2): 339-344.
- [234] León, B. (2006) *Crassulaceae* endémicas del Perú. Revista Peruana Biol. 13(2): 268s-270s, maps.
- [235] León, B. (2006) *Euphorbiaceae* endémicas del Perú. Revista Peruana Biol. 13(2): 295s-301s, maps.
- [236] León, B. (2006) *Portulacaceae* endémicas del Perú. Revista Peruana Biol. 13(2): 577s-578s, maps.
- [237] Leuenberger, B. E. & Arroyo-Leuenberger, S. (2006) Humboldt, Bonpland, Kunth and the type specimen of *Rauhia multiflora* (Amaryllidaceae) from Peru. Willdenowia 36: 601-609, illus.
- [238] Lewis, G. & al. (2005) Legumes of the World. Richmond (GB): Royal Botanic Gardens, Kew. 592 pp., illus.
- [239] Linder, H. P. (2006) *Melianthaceae*. In: Kubitzki, K. (ed.): The families and genera of vascular plants, vol. 9, pp. 250-259, illus., key. Berlin / Heidelberg (D): Springer. [Dated 2007, received 14. 12. 2006. Includes *Tetilla* (formerly *Saxifragaceae*).]
- [240] Linzen, T. (2006) *Mammillaria esseriana* Boedecker – ein Phantom? Mitteilungsbl. AfM 30 (2): 80-83, illus.
- [241] Linzen, T. (2006) Lau 1496 – eine weitere interessante Form der *M.[mammillaria] laui*. Mitteilungsbl. AfM 30(4): 182-185, illus.
- [242] Linzen, T. (ed.) (2006) Ergänzungslieferung zum Werk Die Mammillarien (LBS-Lieferung 2005). Düsseldorf (D): Arbeitskreis für Mammillarienfreunde. Loose pages, illus.
- [243] Liske, R. (2006) *Echinocereus* Hybr.[ide]: *Ec. reichenbachii* × *Ec. triglochidiatus*. Hybriden-J. 2006(3): 4-5, t. 2.
- [244] Liu, H.-F. & al. (2006) Anatomy of laticifers in *Jatropha curcas* L. J. Trop. Subtrop. Bot. 14: 294-300.
- [245] Livshultz, T. & al. (2005) *Dischidia* (Apocynaceae, Asclepiadoideae) in Laos and Vietnam. Blumea 50(1): 113-134, illus., key.
- [246] Lodé, J. (2006) Succulent plants of Gran Canaria. Cact.-Avent. Int. No. 70: 24-33, illus., map. [Includes a checklist.]
- [247] Low, B. & al. (2006) *Aloe kouebokkeveldensis*. A new species of *Aloe*, endemic to the Cape fynbos. Veld. Fl. (1975+) 2006(March): 30-33, illus.
- [248] Luteyn, J. L. & Wilbur, R. L. (2005) Flora Costaricensis. Family 172 *Ericaceae*. Fieldiana, Bot., n.s., No. 45: 1-107, illus., keys. [Includes succulent taxa of *Macleania* and *Sphyrospermum*.]
- [249] Lüthy, J. M. (2006) The Aloes and Euphorbias of CITES Appendix I and the genus *Pachypodium*. Bern (CH): Bundesamt für Veterinärwesen. 162 pp., illus., maps, CD-ROM.
- [250] Lüthy, J. M. (2006) A nice Fameflower (*Phemeranthus*) from northern Coahuila, Mexico. Cact. Succ. J. (US) 78(5): 237-239, illus.
- [251] Lüttge, U. (2005) Genotypes – phenotypes – ecotypes: Relations to Crassulacean Acid Metabolism. Nova Acta Leop. 93(342): 177-193.
- [252] Lynch, A. H. & al. (2006) Leaf anatomy and systematics of *Hyacinthaceae*. Kew Bull. 61: 145-159.
- [253] Machado, M. (2006) Cuál es el papel de la hibridación en la evolución de *Cactaceae*? Bol. Soc. Latinoamer. Caribe Cact. otras Suc. 3(3): 7-11, illus.
- [254] Machado, M. (2006) *Micranthocereus hofackerianus* (Cactaceae) – eine neue Kombination für ein bemerkenswertes Taxon. Kakt. und Sukk. 57(10): 267-273, illus.
- [255] Maddams, W. F. & Miller, J. (2006) Conservation of *Yavia cryptocarpa*. Plantsman, n.s., 5 (1): 48-51, illus.
- [256] Mallavadhani, U. V. & al. (2006) Development of diagnostic microscopic and chemical markers of some *Euphorbia* latexes. J. Integr. Pl. Biol. 48: 1115-1121.
- [257] Mancilla-Margallí, N. A. & López, M. G. (2006) Water-soluble carbohydrates and fructan structure patterns from *Agave* and *Dasyliion* species. J. Agric. Food Chem. 54: 7832-7839.
- [258] Martorell, C. & al. (2006) Morphological consequences of the trade-off between growth and reproduction in a columnar cactus (*Lophocereus schottii*). Pl. Ecol. 183: 125-131, ill.
- [259] Marx, G. (2006) *Crassula barbata* Thunb., a new record from the Little Karoo. Aloe 42(4): 72-73, illus. [Dated 2005, received March 2006.]
- [260] Marx, G. (2006) *Haworthia*: A still life of

- polished silverware. *Aloe* 43(1): 6-8, illus. [On *H. albispina* and *H. arachnoidea*. Republished in *Haorthiad* 20(3): 86-89, illus., 2006.]
- [261] Marx, G. (2006) Some re-evaluating notes on *Euphorbia multiramosa* Nel. *Euphorbia World* 1(3): 9-13, illus.
- [262] Mathieu, G. & Callejas Posada, R. (2006) New synonymies in the genus *Peperomia* Ruiz & Pav. (*Piperaceae*) – an annotated checklist. *Candollea* 61(2): 331-363.
- [263] Matías-Palafox, M. L. & Jiménez-Sierra, C. (2006) Evaluación del riesgo de extinción de las poblaciones de *Turbinicarpus horripilus* (Lem.) Vác. John & Riha, cactácea endémica de la Barranca de Metztitlán, México. *Cact. Suc. Mex.* 51(4): 100-110, illus.
- [264] Matías-Palafox, M. L. & Jiménez-Sierra, C. (2006) Características demográficas y reproductivas de / Charakteristika zur Populationsentwicklung und Reproduktion von *Turbinicarpus horripilus* (Lem.) Vác. John & Riha (*Cactaceae*). *Turbi-Now* No. 20: 9. [Abstract only.]
- [265] Matuszewski, G. (2006) Nowe populacje z kregu *Turbinicarpus*. Neue *Turbinicarpus*-Populationen. New *Turbinicarpus* populations. *Turbi-Now* No. 20: 3-9, illus.
- [266] Matuszewski, G. & Snicer, J. (2006) *Turbinicarpus saueri* ssp. *septentrionalis* – eine Neuheit unter den mexikanischen Raritäten. *Turbi-Now* No. 19: 3-7, illus., map.
- [267] Mauseth, J. D. (2006) *Blossfeldia* lacks cortical bundles and persistent epidermis; is it basal within *Cactoideae*. *Bradleya* 24: 73-82, illus.
- [268] Mauseth, J. D. (2006) Wood in the cactus subfamily *Opuntioideae* has extremely diverse structure. *Bradleya* 24: 93-106, illus.
- [269] Mauseth, J. D. (2006) Structure-function relationships in highly modified shoots of *Cactaceae*. *Ann. Bot. (Oxford)*, n.s. 98: 901-926, illus.
- [270] Mauseth, J. D. & al. (2006) A mistletoe that attacks cacti. *Ligaria cuneifolia* infects *Coryocactus brevistylus*. *Cact. Succ. J. (US)* 78(2): 88-91, illus.
- [271] McMaster, C. (2006) *Ceropegia macmasteri*, a newly described species of *Ceropegia* from the Eastern Cape. *Veld. Fl.* (1975+) 2006(3): 158-159, illus.
- [272] McMaster, C. & Dold, T. (2006) A newly described species, *Ceropegia macmasteri*, from Eastern Cape, South Africa. *Aloe* 43(2-3): 59-60, illus., map.
- [273] Medel-Narvaez, A. & al. (2006) Patterns of abundance and population structure of *Pachycealus pringlei* (*Cactaceae*), a columnar cactus of the Sonoran Desert. *Pl. Ecol.* 187(1): 1-14.
- [274] Medhanie, G. & Dioli, M. (2006) Observations on three poorly known Aloes from Eritrea. *Aloe schoelleri*, *Aloe steudneri* & *Aloe eu-massawana*. *Cact. Succ. J. (US)* 78(1): 36-41, illus.
- [275] Meier, E. (2006) Neues von der 'Roten Königin' oder: Das Ende eines weiteren Mythos. *EPIG* No. 56: 9-13, illus.
- [276] Meier, E. (2006) Über *xHyloselenicereus 'Kesselring'*. *EPIG* No. 57: 18-23, illus.
- [277] Meier, E. (2006) Die *Schlumbergera orssichiana* Story. *Kaktusbüte* 2006: 42-46, illus.
- [278] Melo-de-Pinna, G. F. & al. (2006) Wide-band tracheids in Brazilian cacti. *Bradleya* 24: 53-60, illus.
- [279] Meregalli, M. (2006) [Russian:] Notes on the name *Gymnocalycium hyptiacanthum*. *Kakt. Klub* 2005(3): 40-42, ill. [Dated 2005, publ. Febr. 2006.]
- [280] Metzing, D. (2006) A note on *Frailea cataphracta*. *Cact. Syst. Init.* No. 21: 16.
- [281] Metzing, D. & Kiesling, R. (2006) Notes on the diversity, biology, and taxonomy of *Frailea* (*Cactaceae*). *Bradleya* 24: 115-128, illus., maps.
- [282] Meve, U. & Heneidak, S. (2005) A morphological, karyological and chemical study of the *Apteranthes (Caralluma) europaea* complex. *Bot. J. Linn. Soc.* 149: 419-432, illus., SEM-illus., map, key.
- [283] Middleditch, H. (ed.) (2006) *Trichocereus atacamensis*. *Chileans* 20(64): 1-7, illus.
- [284] Middleditch, H. (ed.) (2006) *Austrocactus* – back to the roots. *Chileans* 20(64): 26-36, maps.
- [285] Middleditch, H. (ed.) (2006) Did we find *Parodia obtusa*? *Chileans* 20(64): 36-40.
- [286] Middleditch, H. (ed.) (2006) *Gymnocalycium valnicekianum*. *Chileans* 20(64): 9-17, illus.
- [287] Mikhaltsov, A. (2006) [Russian:] Anatomical-morphological peculiarities of variegated forms of cacti from the genus *Gymnocalycium* Pfeiff. *Kakt. Klub* 2005(4): 13-21, illus. [Continued in l.c. 2006(1).]
- [288] Mikhaltsov, A. (2006) [Russian:] Anatomical-morphological peculiarities of variegated forms of cacti from the genus *Gymnocalycium* Pfeiff. Part 2. *Kakt. Klub* 2006(1): 14-19, illus. [Continued from l.c. 2005(4), 2006.]
- [289] Miller, J. M. & Chambers, K. L. (2006) Systematics of *Claytonia* (*Portulacaceae*). *Syst. Bot. Monogr.* 78: 236 pp., illus., maps, keys.
- [290] Molero, J. & al. (2006) Chromosome studies on plants from Paraguay II. *Candollea* 61 (2): 373-392. [Includes *Talinum paniculatum* (p. 381).]
- [291] Monroe, A. K. (2006) The revision of species-rich genera: A phylogenetic framework for the strategic revision of *Pilea* (*Urticaceae*) based on

- cpDNA, nrDNA, and morphology. Amer. J. Bot. 93(3): 426-441.
- [292] Morree, J. J. de (2006) *Cumulopuntia sphaerica* var. *unguispina*. Succulenta 85(3): 130-132, illus.
- [293] Morree, J. J. de (2006) *Frailea mammifera* en *Frailea angelesii* gecombineerd. Succulenta 85 (5): 232-238, illus.
- [294] Mosti, S. & al. (2006) Le succulente del Dhofar. The succulents of Dhofar. II. Cactus & Co. 10(1): 4-25, illus. [Continued from l.c. 9(4), 2005.]
- [295] Mottram, R. (2006) *Hildewintera* – a winter's tail. Cact. World 24(1): 19-22, illus.
- [296] Mottram, R. (2006) *Acanthocephala* versus *Brasilicactus*. Cact. World 24(2): 90-91, ill.
- [297] Mottram, R. (2006) *Opuntia (Corynopuntia) bulbispina*. Cact. World 24(3): 156, ill. [On flower colour.]
- [298] Mottram, R. (2006) Osservazioni sulle / Observations in *Borzicactinae*. Cactus & Co. 10 (3): 183-190, illus.
- [299] Muñoz, F. & al. (2006) Opuntias en Maldonado, Uruguay. Quepo 20: 84-90, illus.
- [300] Muñoz-Urias, A. & al. (2006) Reproductive isolation in fragmented wild populations of *Opuntia streptacantha*. J. Profess. Assoc. Cact. Developm. 8: 26-38.
- [301] Múlgura, M. E. (2005) *Oxalidaceae*, Oxalidáceas. In: Burkart, A. & Bacigalupo, N. M. (eds.): Flora ilustrada de Entre Ríos (Argentina). Parte IV: Dicotiledónes Arquiclamídeas B: *Gerniales a Umbelliflorales*; pp. 1-24, illus., keys. Buenos Aires (ARG): Colección Científica del I.N.T.A., Tomo VI, IV.
- [302] Mühl, A. (2006) Rediscovery of / Die Wiederentdeckung von *Pediocactus simpsonii* (Engelmann) Britton & Rose ssp. *robustior* (Coulter) Hochstätter in the Tobin Range (formerly Havallah Mts., Pershing County, Nevada. Cactaceae Rev. 9 (2): 4-12, illus., map.
- [303] Navarro Carbajal, M. del C. & Juárez Tentle, M. (2006) Evaluación de algunos parámetros demográficos de *Mammillaria zephyranthoides* en Cuautinchán, Puebla, México. Zonas Aridas (Lima) 10: 74-83.
- [304] Nee, M. (2004) *Neoramondia herzogiana* (Backeb erg) Buxbaum. Carapari w Parque Nacional Amboró (Boliwia). Kakt. Inne No. 2: 26-30, illus., (incl. p. 23).
- [305] Neeff, P. (2005) Beiträge zur Taxonomie der Gattung *Sempervivum* L. (Crassulaceae) unter besonderer Berücksichtigung der in Kleinasien vorkommenden Sippen. Essen (D): Universität Duisburg-Essen, Campus Essen, unpublished Ph.D. thesis. 150 pp., illus.
- [306] Nepi, M. & al. (2006) Nectary structure and nectar presentation in *Aloe castanea* and *A. greatheadii* var. *davyana* (Asphodelaceae). Pl. Syst. Evol. 257: 45-55.
- [307] Ness, J. H. & al. (2006) Integrating quality and quantity of mutualistic service to contrast ant species protecting *Ferocactus wislizeni*. Ecology 87: 912-921.
- [308] Neuhuber, G. J. A. (2006) Ergebnisse langjähriger Pflanzenstudien und Beobachtungen an den heimatischen Standorten. Teil 3. *Gymnocalycium acorragatum* Lambert. Gymnocalycium 19 (4): 687-690, illus.
- [309] Neut, P. (2006) *Parodia lembkei* Weskamp. Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl. 19(3): 41-42, ill.
- [310] Neut, P. (2006) *Parodia riojensis* Ritter & Weskamp. Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl. 19(4): 62-64, ill.
- [311] Newton, L. E. (2006) Seeds of *Euphorbia lenewtonii*. Euphorbia World 2(2): 14, illus.
- [312] Newton, L. E. (2006) What is *Sansevieria patens*? Sansevieria No. 13: 3, ill. [Dated 2005, received 30. 1. 2006.]
- [313] Newton, L. E. (2006) The publication date of the name *Sansevieria stuckyi*. Sansevieria No. 14: 15-16, illus.
- [314] Newton, L. E. (2006) Why no books on Kenyan Aloes? Succ. News 2006(1): 2-3, key. [Includes a key to artificial species groups.]
- [315] Niklas, K. J. & al. (2006) A comparison between the record height-to-stem diameter allometries of *Pachycaulis* and *Leptocaulis* species. Ann. Bot. (Oxford), n.s. 97: 79-83.
- [316] Noack, J. (2006) Beobachtungen an der bolivianischen *Neowerdermannia vorwerkii*. Kakt. and. Sukk. 57(11): 302-303. [Included for the illustrations of flower colour variability.]
- [317] Nyffeler, R. (2007) The closest relatives of cacti: Insights from phylogenetic analyses of chloroplast and mitochondrial sequences with special emphasis on relationships in the tribe *Anacampserotae*. Amer. J. Bot. 94(1): 89-101.
- [318] Nyhuus, T. & al. (2006) Artbeskrivningar. Hoyatelegrafen 13(2): 4-12, illus. [On *Hoya onychoides*, *H. megalaster* and *H. patella*.]
- [319] O'Quinn, R. & Hufford, L. (2006) Shoot morphology in the *Claytonia sibirica* complex (Portulacaceae). Madroño 53(1): 1-10.
- [320] Oaxaca-Villa, B. & al. (2006) Reproductive biology in wild and silvicultural managed populations of *Escontria chiotilla* (Cactaceae) in the Tehuacán valley, central Mexico. Genetic Resources Crop Evol. 53: 277-287, map.
- [321] Obbens, F. (2006) A review of the tuberous *Calandrinia* species (section *Tuberosae*), including

- three new species for Western Australia. *Nuytsia* 16(1): 95-115, key, ill., SEM-ills., maps.
- [322] Obermaier, J. (2006) *Escobaria vivipara* und *Opuntia fragilis* in Manitoba. *Kakt. and. Sukk.* 57(12): 309-314, ill.
- [323] Odehnal, J. (2006) *Echinopsis mamillosa* Gürke var. *kermesina* (Kraenzl.) Friedrich. *Kaktusy* 42(1): 27-30, ill., map.
- [324] Odehnal, J. (2006) *Lobivia marsoneri* (Werd.) Backeb. a její varieta *iridescens* (Backeb.) Rausch. *Kaktusy* 42(2): 59-61, ill., map.
- [325] Odehnal, J. (2006) *Pyrrhocactus vertongenii* J. G. Lambert. *Kaktusy* 42(4): 128-130, ill., (incl. back cover). [Included for the illustrations.]
- [326] Ohr, M. & Ohr, A. (2006) Eine Reise zu mexikanischen Standorten von / A tour to Mexican habitats of *Echinocereus pectinatus*. Rosstal (D): Published by the authors. 80 pp., ill., 1 CD-ROM. [Included for the illustrations.]
- [327] Oldach, T. & al. (2006) *Echinocereus trichochidiatus* Engelmann. Suche nach dem Typstandort. *Frostharte Kakt.* 3(2): 37-44, ill.
- [328] Olson, M. E. (2003) Ontogenetic origins of floral bilateral symmetry in *Moringaceae* (*Brassicales*). *Amer. J. Bot.* 90(1): 49-71, ill.
- [329] Olson, M. E. (2005) Wood, bark, and pith anatomy in *Pittoeaulon* ("*Senecio*, *Asteraceae*): Water storage and systematics. *J. Torrey Bot. Soc.* 132(2): 173-186, ill.
- [330] Olson, M. E. & Rosell, J. A. (2006) Using heterochrony to detect modularity in the evolution of stem diversity in the plant family *Moringaceae*. *Evolution* 60(4): 724-734, ill.
- [331] Oome, S. (2006) Variable cotyledon numbers in / Variable Anzahl der Kotyledonen bei *Mammillaria beneckeii* (*Cactaceae*). *Mitteilungsbl. AfM* 30(4): 202-212, ill.
- [332] Ortega-Baes, P. & Godínez-Alvarez, H. (2006) Global diversity and conservation priorities in the *Cactaceae*. *Biodivers. & Conservation* 15: 817-827.
- [333] Ortega-Baes, P. & Rojas-Aréchiga, M. (2007) Seed germination of *Trichocereus terscheckii* (*Cactaceae*): Light, temperature and gibberellic acid effects. *J. Arid Environm.* 69: 169-176.
- [334] Osorio Zambrano, M. A. & al. (2006) Estudio de la variabilidad genética asexual en *Agave cocui* Trelease mediante el uso de marcadores moleculares. *Nakari* 17(1): 1-7, ill. [CD-ROM publication.]
- [335] Ostolaza, C. (2006) El género *Armatocereus* Backeberg. *Zonas Áridas* (Lima) 10: 144-154, ill., map.
- [336] Ostolaza, C. & al. (2006) Cacti of the Pativilca river basin, Lima, Peru. *Cact. World* 24 (3): 117-128, ill., map.
- [337] Palleiro, N. & al. (2006) Aborted fruits of *Opuntia microdasys* (*Cactaceae*): Insurance against reproductive failure. *Amer. J. Bot.* 93(4): 505-511.
- [338] Papp, L. (2006) [Hungarian:] Plant rarities. *Sedum caespitosum* (Cavailles) De Candolle 1923 [sic!]. *Debrecenti Pozsgás-Tár* 9(1): 50-52, ill.
- [339] Papsch, W. (2006) [Russian:] A botanical rarity: *Sempervivum pittonii*. *Kakt. Klub* 2005(3): 16-20, ill. [Dated 2005, publ. Febr. 2006.]
- [340] Parker, D. (2006) *Echinocereus parkeri*. *Tijdschr. Liefhebb. Cact. Vtpt. Kamerpl.* 19(1): 6-9, (2): 30-32, (3): 45-48, ill. [Russian version with partly different ills. in *Kakt. Klub* 2006(1): 28-35, ill., 2006.]
- [341] Petersen, G. & al. (2006) RNA editing and phylogenetic reconstruction in two monocot mitochondrial genes. *Taxon* 55(4): 871-886. [Includes data on *Agavaceae*.]
- [342] Pettersson, R. & Pualsson, K. (eds.) (2006) 10 ar med Sydhojan 1996-2006. Trelleborg (S): Sydsvenska Hoyasällskapet. 40 pp., ill. [Illustrated synopsis of *Hoya* spp. in cultivation, included for the illustrations.]
- [343] Piedra-Malagón, E. M. & al. (2006) El género *Ficus* (*Moraceae*) en el Estado de Morelos, México. *Acta Bot. Mex.* 75: 45-75, ill., maps, key.
- [344] Pilbeam, J. & Weightman, B. (2006) *Ariocarpus* et cetera. The special, smaller genera of Mexican cacti. Hornchurch (GB): British Cactus and Succulent Society. 140 pp., ill., map.
- [345] Pino, G. (2006) *Echeveria chilensis*, suculenta peruana endémica y sus variedades. *Quepo No.* 20: 60-72, ill.
- [346] Pino, G. (2006) Estado actual de las suculentas en el Perú. *Zonas Áridas* (Lima) No. 10: 155-173.
- [347] Plein, W. (2006) Gedanken zur Entwicklung und Verwandtschaft von Mammillarien im nordwestlichen Mexiko. Thoughts on evolution and relationship of Mammillarias in north-western Mexico. *Mitteilungsbl. AfM* 30(3): 144-153, ill., map.
- [348] Pot, J. (2006) L'uso dell'analisi degli isoenzimi per lo studio della dispersione di *Sulcorebutia*. The use of isoenzyme analysis to study the dispersal of *Sulcorebutia*. *Cactus & Co.* 10(4): 235-250, ill.
- [349] Pozner, R. & Cocucci, A. (2006) Floral structure, anther development, and pollen dispersal of *Halophytum ameghinoi* (*Halophytaceae*). *Int. J. Pl. Sci.* 167: 1091-1098, ill.
- [350] Prestlé, K.-H. (2006) *Notocactus uebelmannianus* fa. *nilsonii* Gerloff & Neduchal und die Tücken der Natur. *Internoto* 27(1): 14-19, ill.

- [351] Prestlé, K.-H. (2006) *Notocactus gutierrezii* Abraham. Internoto 27(3): 51-58, illus.
- [352] Price, R. (2006) A crossing of two Mexican species. Cact. Succ. J. (Woolllahra) 25(4): 75-77, illus. [On *Echinocereus schmollii* × *E. knippelianus* var. *kruegeri*.]
- [353] Proches, S. & al. (2006) An overview of the Cape geophytes. Biol. J. Linn. Soc. 87(1): 27-43, maps.
- [354] Proosdij, A. S. J. van (2001) Arnoldo's Zakflora. Wat in het wild groeit en bloeit op Aruba, Bonaire en Curaçao. Amsterdam / Zutphen (NL): Natuurwetenschappelijke Studiekring voor het Caraïbisch Gebied / Walburg Pers. 287 pp., illus., keys.
- [355] Puente, R. & Hamman, C. (2006) Hummingbirds and Prickly-Pears: Flower adaptations in the genus *Nopalea*. Sonoran Quart. 60(2): 4-6, illus.
- [356] Puff, C. & Nemomissa, S. (2005) Plants of the Simen. A flora of the Simen Mountains and surroundings, northern Ethiopia. Meise (B): National Botanic Garden. iv + 258 pp., illus. [= Scripta Botanica belgica, Vol. 37.]
- [357] Reyes-Agüero, J. A. & al. (2006) Reproductive biology of *Opuntia*: A review. J. Arid Environm. 64: 549-585.
- [358] Ricánek, M. & Hanácek, P. (2006) The Socotran tayf – *Aloe forbesii* Balf. f. in habitat. Alsterworthia Internat. 6(2): 14-18, illus.
- [359] Ricánek, M. & Hanácek, P. (2006) In search of *Socotrella*. Cact. Succ. J. (US) 78(1): 6-9, illus.
- [360] Richter, I. (2006) Le Cylindropunzie della Bassa California (Baja California). Cylindropuntien in Baja California. Piante Grasse 26(2): 52-66, illus.
- [361] Ríha, J. (2006) [Czech:] *Mammillaria saboae* Glass subsp. *roczekii* Rischer et Krüger – a new *Mammillaria* with big flowers from western Mexico, state of Durango. Kaktusy 42(2): 34-37, illus.
- [362] Ríha, J. (2006) Zajímavost, která nám unikla – *Pygmaeocereus biebliei* Diers. Kaktusy 42(4): 107-109, illus.
- [363] Ríha, J. (2006) *Haageocereus lanuginosus* [sic!, corr. *lanugispinus*] Ritter, syn. *Haageocereus* [sic!, corr. *Pygmaeocereus*] *densiaculeatus*, aneb vyjasnení jednoho omylu. Kaktusy 42(4): 110-111, illus.
- [364] Rischer, W. & Felix, D. (2006) *Echinocereus santaritensis* Blum & Rutow. Echinocereenfreund 19(3): 87-100, illus., SEM-illus., map.
- [365] Rivera-Marchand, B. & Ackerman, J. D. (2006) Bat pollination breakdown in the Caribbean columnar cactus *Pilosocereus royenii*. Bio-tropica 38: 635-642, illus.
- [366] Rodríguez Fuentes, A. & Scheinvar, L. (2006) *Acanthocereus baxaniensis* und *A. tetragonus* in Kuba? Kakt. und Sukk. 57(5): 113-116, illus.
- [367] Rodríguez G., R. G. & al. (2006) Preliminares fitoquímicos y actividad bactericida de *Ariocarpus kotschobeanus* [sic!] (Lem.) K. Schum. y *Ariocarpus retusus* Scheidw. (Cactaceae). Bol. Soc. Latinoamer. Caribe Cact. otras Suc. 3(1): 8-10, illus.
- [368] Rodríguez-Arevalo, I. & al. (2006) Use, management, and domestication process of *Pachycereus hollianus* (F. A. C Weber) Buxb. (Cactaceae) in the Tehuacan-Cuicatlán Valley, Mexico. Interciencia (Caracas) 31: 677-685.
- [369] Rodríguez-Ortega, C. & al. (2006) Serotiny and seed germination in three threatened species of *Mammillaria* (Cactaceae). Basic Appl. Ecol. 7: 533-544, ill.
- [370] Rogerson, C. (2006) *Conophytum bruynii*. Notes on a rare *Conophytum* from the northern Knersvlakte, South Africa. Cact. World 24(3): 114-116, illus.
- [371] Rogozinski, H. (2006) Besprechung einiger Veröffentlichungen zur Problematik um / Discussion of various published documents concerning the matter of *M.[ammillaria] gasseriana* Boed., *M. stella-de-tacubaya* Heese und *M. viesensis* Rogozinski et Appenzeller. Teil 4 / Teil 5 / Teil 6 und Schluss. Mitteilungsbl. AfM 30(1): 30-39, (2): 60-79, (3): 130-142, (4): 174-180, illus., SEM-illus. [Continued from vol. 29.]
- [372] Romulski, T. (2006) Quisqualuro i inne. Wstęp do boliwijskich gatunków *Harrisia* / Quisqualuro and others. An introduction to the Bolivian species of *Harrisia*. Kakt. Inne 3(3): 120-125, illus.
- [373] Roth, R. (2006) Floral splendour in the depths of winter. Cact. World 24(1): 27-29, illus. [On *Aloe maculata* flower colour variation and pollination.]
- [374] Rowley, G. D. (2006) Teratopia. The world of cristate and variegated succulents. Tradate (I): Cactus & Co. Libri. 287 pp., illus.
- [375] Rowley, G. D. (2006) Intergeneric hybrids in the Asphodelaceae subfamily Aloioideae. Alsterworthia Internat. 6(2): 8-11, illus.
- [376] Rowley, G. D. (2006) So how many succulents are there? Cact. World 24(2): 89.
- [377] Rowley, G. D. (2006) *Lophophora* – species and cultivars. Cact. World 24(4): 201-210, illus.
- [378] Rowley, G. D. (2006) *Opuntia* – fission or fusion? Part II – resolution. Tephrocactus Study Group 12(3): 37, 42-47. [Part 1 published l.c. 10(2), 2004.]

- [379] Ruedas, M. & al. (2006) Analysis of the factors that affect the distribution and abundance of three *Neobuxbaumia* species. *Acta Oecol.* 29: 155-164, ill.
- [380] Ruinaard, H. (2006) Messung des DNS-Gehalts und der Ploidität der Gattung *Echinocereus* mittels Flow Cytometry. *Echinocereenfreund* 19(3): 101-106, ill.
- [381] Ruinaard, H. (2006) Op zoek naar groeiplaatsen van *Echinocereus sanitensis*. *Succulenta* 85(5): 198-204, ill.
- [382] Sabogal, A. & Zerbe, S. (2005) Asociación de Cactáceas en el bosque seco del norte del Perú. Estudios de caso, Las Lomas, Jaguay Negro y Coto de Caza El Angolo. Zonas Áridas (Lima) No. 9: 143-149, ill.
- [383] Salinas Revilla, N. & Alvarez Moscoso, E. (2006) Anatomía y morfología de *Corycactus erectus* (Backeberg) Ritter (Cactaceae). Zonas Áridas (Lima) 10: 102-114, ill.
- [384] Salvador, F. M. & al. (2006) Adiciones a la flora andina peruana del departamento de Huánuco, I. *Candollea* 61(2): 279-291, map. [Includes *Crasula venezuelensis* (p. 283).]
- [385] Sanz-Elorza, M. & al. (2006) Further naturalised *Cactaceae* in northeastern Iberian Peninsula. *Anales Jard. Bot. Madrid* 63(1): 7-11.
- [386] Schelkunova, N. (2006) [Russian:] Turnip trimmed with lace. *Kakt. Klub* 2005(3): 7-10, ill. [Dated 2005, publ. Febr. 2006. Included for the illustrations of *Jatropho berlandieri*.]
- [387] Schlumpberger, B. O. & al. (2006) A unique cactus with scented and possibly bat-dispersed fruits: *Rhipsalis juengeri*. *Pl. Biol.* 8: 265-270, ill.
- [388] Scholz, E. (2006) Was ist *Lobivia spec.* L154a, Huanoquite? *Echinopseen* 3(2): 65-70, ill.
- [389] Schulz, R. (2006) *Copiapoa* in their environment. Teesdale (AU): Schulz Publishing. 240 pp., ill., maps.
- [390] Seda, V. (2006) Skupina *Rebutia heliosa* Rausch z provincie Cercado, departament Tarija, Bolívia. *Kaktusy* 42(3): 87-90, ill.
- [391] Sheahan, M. C. (2006) *Zygophyllaceae*. In: Kubitzki, K. (ed.): The families and genera of vascular plants, vol. 9, pp. 488-500, ill., key. Berlin / Heidelberg (D): Springer. [Dated 2007, received 14. Dec. 2006.]
- [392] Smith, G. F. & Crouch, N. R. (2006) Notes on African plants. *Asphodelaceae*. Corrections to the eponymy and geographical distribution of *Aloe vanrooyenii*. *Bothalia* 36(2): 174, map.
- [393] Snicer, J. (2005) *Ariocarpus retusus* a jeho problematické trídení. I. *Cactaceae etc.* 15(2): 60-66, ill., map. [Continued in l.c. 16(1), 2006.]
- [394] Snicer, J. (2006) *Ariocarpus retusus* a jeho problematické trídení. II. *Cactaceae etc.* 16(1): 25-31, ill., map. [Continued from l.c. 15(2), 2005.]
- [395] Sorma, V. (2006) Seznam polních čísel taxonu rodu *Gymnocalycium* Vladimíra Sormy [Czech: List of fieldnumbers of Vladimír Sorma for the genus *Gymnocalycium*]. *Gymnofil* 34(2): 26-28.
- [396] Sotomayor, M. & al. (2006) *Pelecyphora strobiliformis* (Werdermann) Fric & Schelle ex Kreuzinger (Cactaceae): A new locality in San Luis Potosí, Mexico. *Bradleya* 24: 111-114, ill., map.
- [397] Spee, B. (2006) Het vraagstuk van *Pitto-caulon (Senecio) praecox*. *Succulenta* 85(5): 217-221, ill.
- [398] Springate, L. (2006) Tibetan expedition. *Sedum Soc. Newslett.* No. 77: 61-70, ill. [Included for the illustrations of Tibetan *Crassulaceae* taxa.]
- [399] Springate, L. (2006) Rhodiolas with green caudex leaves. *Sedum Soc. Newslett.* No. 78: 97-99, ill.
- [400] Staník, R. (2006) *Maihueniopsis glomerata* (Haworth) R. Kiesling. *Cactaceae etc.* 16(2): 43-45, ill., (incl. p. 41). [On the variability of Chilean material.]
- [401] Staník, R. (2006) *Coryphantha maiz-tablasensis* Backeberg. *Cactaceae etc.* 16(2): 78-80, ill. [Included for the illustrations.]
- [402] Stanley, R. E. (2006) Some comments on *Mammillaria lindsayi*. *J. Mammillaria Soc.* 46(3): 61-62, ill. (p. 71).
- [403] Stanley, R. E. (2006) Some notes on *M.(ammillaria) albilanata*. *J. Mammillaria Soc.* 46(4): 102-105, ill. (pp. 97-99).
- [404] Stephenson, R. (2006) Much confusion over *Sedum confusum* Hemsl analysed. *Cact.-Avent.* No. 68: 29-31, ill.
- [405] Stephenson, R. (2006) [Sedum] Section *Centripetalia*. *Sedum Soc. Newslett.* No. 79: 18-21, ill.
- [406] Stephenson, R. & Stephenson, J. (2006) Black Sea to White Sea in fourteen days – part 1. *Sedum Soc. Newslett.* No. 79: 4-9, ill., map. [Includes distribution data for *Sedum confertiflorum* and *Phedimus obtusifolius*.]
- [407] Stephenson, R. (ed.) (2006) Description of a plant in cultivation thought to be close to *Rhodiola smithii*. *Sedum Soc. Newslett.* No. 77: 54-55, ill.
- [408] Stephenson, R. (ed.) & Tavormina, G. (2006) Sicilian identification. *Sedum Soc. Newslett.* No. 79: 12-13. [On the Sicilian distribution of *Sedum gypsicola*.]
- [409] Stirling, R. M. (2006) *Hoya macgillivrayii*

- F. M. Bailey in habitat and cultivation. Fraterna 19 (3): 3-11, ills.
- [410] Strittmatter, L. I. & al. (2006) Comparative microsporangium development in male-fertile and male-sterile flowers of *Consolea* (Cactaceae): When and how does pollen abortion occur. Grana 45: 81-100.
- [411] Stuchlík, S. (2006) *Gymnocalycium megalothenon* (Sencke ex K. Schumann) Britton et Rose versus *Gymnocalycium denudatum* (Link et Otto) Pfeiffer ex Mittler. Gymnofil 34(2): 3-9, ills. (center page pullout).
- [412] Stuchlík, S. (2006) *Notocactus buiningii* (Buxbaum) F. Ritter ist ein interessanter Kaktus. Internoto 27(4): 75-83, ills., map. [Revised and translated from a paper in Kaktusy 41(4): 102-105, 2005, with an additional distribution map.]
- [413] Stuchlík, S. (2006) *Notocactus multicostatus* Buining et Brederoo. Kaktusy 42(2): 47-50, ills., map.
- [414] Stuchlík, S. (2006) *Notocactus rauschii* van Vliet v prirode a v kultuře. Minimus 37(3-4): 1-5, ills.
- [415] Stuchlík, S. (2006) Poznámky k *Notocactus katharinæ* van Vliet. Minimus 37(3-4): 11-13, ills.
- [416] Stuchlík, S. (2006) *Notocactus macambensis* Prestlé má jubileum. Kaktusy 42(4): 104-107, ills.
- [417] Suehs, C. M. & al. (2006) The evolutionary potential of invasive *Carpobrotus* (Aizoaceae) taxa: Are pollen-mediated gene flow potential and hybrid vigor levels connected? Evol. Ecol. 20: 447-463.
- [418] Sultan, A. & al. (2006) Pollinarium morphology in *Ceropegia bulbosa* Roxb. and allies from Pakistan. Asklepios No. 94: 12-15, ills. [Dated 24. 12. 2005, received 1. 2. 2006.]
- [419] Suzán-Azpiri, H. & Sosa, V. J. (2006) Comparative performance of the giant Cardon Cactus (*Pachycereus pringlei*) seedlings under two leguminous nurse plant species. J. Arid Environm. 65: 351-362.
- [420] Süpplie, F. (2005) *Epiphyllum*. Nijmegen (NL): Epiphytic Plant Research and Information Center. 80 pp., ills. [Undated. Dealing with epiphytic hybrids, and including numerous new cultivars (pp. 49-54, not listed separately in this RPS).]
- [421] Süpplie, F. (2005) Neue Hybriden epiphytischer Kakteen. New hybrids from epiphytic cacti. Epi-Flora (Nijmegen) No. 2: 20-21, ills. [Includes 8 new cultivars (not listed in this RPS).]
- [422] Süpplie, F. (2006) *Schlumbergera*: The directory of species and hybrids. Nijmegen (NL): Epiphytic Plant Research and Information Center. 104 pp., ills. [Copyright date given as 2006, but received in May 2007. Probably not much more than a re-issue of the directory published 2004.]
- [423] Süpplie, F. (2006) Neue Hybriden epiphytischer Kakteen. New hybrids from epiphytic cacti. Epi-Flora (Nijmegen) No. 3: 26-27, ills. [8 new *Epiphyllum* hybrids, not listed separately in this RPS.]
- [424] Süpplie, F. (2006) Vánoční kaktusy – rod *Schlumbergera*. Kaktusy 42(speciál 2): 32 pp., ills.
- [425] Tavormina, G. (2006) Succulente della flora italiana. Le specie esotiche naturalizzate in Italia. Piante Grasse 26(4): 140-150, ills.
- [426] Tavormina, G. & Tavormina, S. (2006) *Aeonium* sezione *Greenovia*. Opinioni attuali sulla classificazione della sezione *Greenovia* del genere *Aeonium* e ibridi naturali. Piante Grasse 26(2): 46-51, ills.
- [427] Teissier, M. & al. (2006) Madagascar. A paradise at risk. Tradate (I): Cactus & Co. Libri. 64 pp., ills. [Included for the illustrations.]
- [428] Terrazas, T. & al. (2005) Anatomía caulinar de las especies del género *Stenocereus* (Cactaceae). Acta Bot. Venez. 28(2): 321-336, ills.
- [429] Terry, M. & Mauseth, J. D. (2006) Root-shoot anatomy and post-harvest vegetative clonal development in *Lophophora williamsii* (Cactaceae: Cactaceae): Implications for conservation. Sida 22: 565-592.
- [430] Terry, M. & al. (2006) Development and characterization of microsatellite loci in endangered *Astrophytum asterias* (Cactaceae). Molec. Ecol. Notes 6: 865-866.
- [431] Thiede, J. & Eggli, U. (2006) *Crassulaceae*. In: Kubitzki, K. (ed.): The families and genera of vascular plants, vol. 9, pp. 83-118, ills., key. Berlin / Heidelberg (D): Springer. [Dated 2007, received 14. Dec. 2006.]
- [432] Thulin, M. (ed.) (2006) Flora of Somalia. Volume 3. Richmond (GB): Royal Botanic Gardens Kew. [4] + ii + 626 pp., 4 col. pl., ills., keys. [This volume includes Apocynaceae (incl. Asclepiadaceae), Convolvulaceae, Lamiaceae, Pedaliaceae and Asteraceae, with additions to several other families in an appendix.]
- [433] Till, H. (2006) Ergebnisse langjähriger Pflanzenstudien und Beobachtungen an den heimatlichen Standorten. Teil 1. *Gymnocalycium castellanosii* s.str. *Gymnocalycium* 19(2): 663-670, ills., map. [Part 2 published by H. Amerhauser & H. Till, l.c. 19(3), 2006.]
- [434] Till, H. & Amerhauser, H. (2006) Die *Gymnocalycium* des Gran Chaco und der Savannen aus Argentinien, Bolivien und Paraguay. Teil 8. *Gymnocalycium mihanovichii* und seine Formenvielfalt. *Gymnocalycium* 19(1): 655-662, ills.

- [435] Trevisan, A. (2006) Mammillarie messicane in habitat dello stato di Guanajuato. *Piante Grasse* 26(4): 155-164, illus.
- [436] Valerio, R. & Ramirez, N. (2003) Exogamic depression and reproductive biology of *Talinum paniculatum* (Jacq.) Gaertner (*Portulacaceae*). *Acta Bot. Venez.* 26(2): 111-124.
- [437] Valverde, P. L. & Zavala-Hurtado, J. A. (2006) Assessing the ecological status of *Mammillaria pectinifera* Weber (*Cactaceae*), a rare and threatened species endemic of the Tehuacán-Cuicatlán region in central Mexico. *J. Arid Environm.* 64: 193-208, ill.
- [438] Valverde, P. L. & al. (2006) Evaluación de la función termoreguladora del pseudocefalo en *Cephalocereus columna-trajani* (Karw. ex Pfeiff.) K. Schum. *Cact. Suc. Mex.* 51(2): 52-63, illus.
- [439] Vander Wall, S. B. & al. (2006) Joshua Tree (*Yucca brevifolia*) seeds are dispersed by seed-caching rodents. *Ecoscience* 13(4): 539-543.
- [440] Varga, Z. (2006) Peru útinapló II. rész: Matucana-k és Oroya-k földjén. *Kakt. Világ* 30 (5): 212-219, illus. [Included for the illustrations.]
- [441] Velazco Macías, C. G. (2006) Rodzaj *Ariocarpus* w Nuevo León. Srodowisko i ochrona. The genus *Ariocarpus* in Nuevo León, Mexico. Habitat and conservation. *Kakt. Inne* 3(4): 156-164, illus., map.
- [442] Veldhuisen, R. van (2006) Some notes on *Euphorbia punicea* Swartz and related species. *Euphorbia World* 1(3): 5-8, illus. [Included for the illustrations.]
- [443] Veldhuisen, R. van (2006) *Euphorbia* subgenus *Euphorbia* section *Triacanthium* Jacobsen. *Euphorbia World* 2(2): 6-13, illus. [To be continued.]
- [444] Veldhuisen, R. van (2006) *Euphorbia albipollinifera*. *Succulenta* 85(3): 119-125, illus.
- [445] Veres, G. (2006) *Sclerocactus pubispinus* (Engelmann) L. Benson forma s ruzovým kvetom. *Kaktusy* 42(3): 70-72, illus. [On flower colour variability.]
- [446] Vries, J. de & Gertel, W. (2006) *Sulcorebutia tarabucoensis* ssp. *patriciae* – a spectacular new *Sulcorebutia*. *Cact. World* 24(3): 109-113, illus. [Much expanded from a contribution to *Echinopeen* 2(2): 58-59, illus., 2005.]
- [447] Vrskovsky, B. (2006) *Jatropha glandulifera* Roxburgh. A little-known semi-succulent shrub from India. *Euphorbia World* 2(1): 24-25, illus.
- [448] Vrskový, B. P. (2006) Euforbie z Cedoku. *Cactaceae etc.* 16(3): 93-101, illus. [On caudiciform *Euphorbia* spp. from Turkey, Cyprus and Africa.]
- [449] Vrskový, B. P. (2006) Sansevierie z Červeného ostrova a hyacintovky. *Cactaceae etc.* 16 (4): 132-140, illus. [Includes a photograph of flowering *Sansevieria sambiranensis*.]
- [450] Wabuyele, E. (2006) *Aloe kilifiensis* (*Aloeceae*) newly recorded for Tanzania. *J. East Afr. Nat. Hist. Soc.* 95(2): 227-229, illus.
- [451] Wabuyele, E. & al. (2006) Distribution, diversity and conservation of the genus *Aloe* in Kenya. *J. East Afr. Nat. Hist. Soc.* 95(2): 213-225, maps.
- [452] Wagner, G. F. (2006) Seltsame *Eriospermum*-Species aus dem westlichen Südafrika (2). *Avonia* 24(1): 1-7, illus. [Continued from l.c. 23(1), 2005.]
- [453] Walter, H. & Mächler, W. (2006) Rearrangements in the systematics of *Eriosyce napina* (Philippi) Kattermann (*Cactaceae*). *Cact. World* 24(3): 135-143, illus., map.
- [454] Walter, H. & Mächler, W. (2006) An old acquaintance from the Guanillos Valley (Prov. de Atacama, Chile) is finally validated. *Cact. World* 24(4): 185-192, illus., map. [On *Copiapoa* spp. from N Chile.]
- [455] Walter, J. (2006) Vorkommen und Verbreitung der infraspezifischen Sippen des Gemüse-Portulaks (*Portulaca oleracea*, *Portulacaceae*) in Österreich – Schlüssel und erster Überblick. *Neilreichia* 4: 235-242.
- [456] Wanke, S. & al. (2006) Phylogeny of the genus *Peperomia* (*Piperaceae*) inferred from the trnK/matK region (cpDNA). *Pl. Biol.* 8: 93-102.
- [457] Wanntorp, L. & al. (2006) Wax plants disentangled: A phylogeny of *Hoya* (*Marsdenieae*, *Apocynaceae*) inferred from nuclear and chloroplast DNA sequences. *Molec. Phylogen. Evol.* 39: 722-733, map, illus.
- [458] Wanntorp, L. (2007) Pollinaria of *Hoya* (*Marsdenieae*, *Apocynaceae*) – shedding light on molecular phylogenetics. *Taxon* 56(2): 465-478, illus.
- [459] Wanntorp, L. & al. (2006) Towards a monophyletic *Hoya* (*Marsdenieae*, *Apocynaceae*): Inferences from the chloroplast trnL region and the rbcL-atpB spacer. *Syst. Bot.* 31(3): 586-596, illus.
- [460] Ward, D. B. (2006) A name for a hybrid *Kalanchoe* now naturalized in Florida. *Cact. Succ. J. (US)* 78(2): 92-95, illus.
- [461] Ward, D. B. (2006) A nomenclatural history of southeastern filiferous *Yucca*, with selection of a neotype for *Y. flaccida*. *Castanea* 71(1): 80-84.
- [462] Watson, J. M. (2006) How to cite botanical authors, with particular reference to the *Cactaceae*. *Gayana, Bot.* 63(1): 119-122.
- [463] Wen, J. (2006) *Vitaceae*. In: Kubitzki, K. (ed.): The families and genera of vascular plants, vol. 9, pp. 467-479, illus., key. Berlin / Heidelberg

(D): Springer. [Dated 2007, received 14. Dec. 2006.]

[464] Whitehouse, C. M. (2006) Proposal to reject the name *Euphorbia longifolia* (*Euphorbiaceae*). *Taxon* 55(4): 1046.

[465] Wilde, W. J. J. O. de & Duyfjes, B. E. E. (2006) Redefinition of *Zehneria* and four new related genera (*Cucurbitaceae*), with an enumeration of the Australasian and Pacific species. *Blumea* 52 (1): 1-88, ills., keys. [Included for the new generic classification; no succulent species treated.]

[466] Williamson, G. (2006) Interesting succulent Euphorbias from south Central Africa. *Euphorbia World* 2(2): 25-29, ills., map.

[467] Wilson, T. C. & al. (2006) Morphological and anatomical development in the *Vitaceae*. VIII. Comparative development of three *Cyphostemma* (*Vitaceae*) species reveals important vegetative and reproductive differences among the species. *Canad. J. Bot.* 84(5): 702-716.

[468] Wu, Z. & Chen, S. (eds.) (2006) Flora Yunnanica, Tomus 12 (Spermatophyta). Beijing (China): Science Press. 884 pp., ills., keys. [Includes *Aizoaceae* and *Cactaceae*.]

[469] Yap, K. F. (2006) *Hoya scortechinii* – a new Singapore record? *Fraterna* 19(1): 10-11, ills.

[470] Yap, K. F. (2006) *Hoya latifolia* – an elite of the forest canopy. *Fraterna* 19(3): 13-17, ills.

[471] Yetman, D. (2006) The Organ Pipe Cactus. Tucson (US: AZ): University of Arizona Press. viii + 72 pp., ills., map.

[472] Zhang, L.-B. & al. (2006) Phylogeny of the *Cucurbitales* based on DNA sequences of nine loci from three genomes: Implications for morphological and sexual system evolution. *Molec. Phylogen. Evol.* 39: 305-322.

[473] Zonneveld, B. J. M. (2006) De verklaring voor het ontstaan en stabiliseren van cristaten. *Succulenta* 85(2): 83-91, ills.

[474] Zonneveld, B. J. M. & Jaarsveld, E. J. van (2005) Taxonomic implications of genome size for all species of the genus *Gasteria* Duval (*Aloaceae*). *Pl. Syst. Evol.* 251: 217-227, maps.

BIBLIOGRAPHIA

Cross-References of Author Names

- Ackerman, J. D.: → Rivera-Marchand, B.
 Alvarez Moscoso, E.: → Salinas Revilla, N.
 Amerhauser, H.: → Till, H.
 Arroyo-Leuenberger, S.: → Leuenberger, B. E.
 Bohle, B.: → Heek, W. van
 Breckwoldt, K.: → Breckwoldt, S.
 Bremer, K.: → Janssen, T.
 Böhm, G.: → Böhm, G.
 Callejas Posada, R.: → Mathieu, G.
 Chambers, K. L.: → Miller, J. M.
 Chen, S. (eds.): → Wu, Z.
 Cocucci, A.: → Pozner, R.
 Crouch, N. R.: → Smith, G. F.
 Delanoy, G.: → Fontaine, P.
 Diaz, M.: → Edwards, E. J.
 Dioli, M.: → Medhanie, G.
 Dold, T.: → McMaster, C.
 Donoghue, M. J.: → Edwards, E. J.
 Duyfjes, B. E. E.: → Wilde, W. J. J. O. de
 Eggli, U.: → Thiede, J.
 Esteves Pereira, E.: → Braun, P. J.
 Felix, D.: → Rischer, W.
 Fitz Maurice, B.: → Fitz Maurice, W. A.
 Gertel, W.: → Vries, J. de
 Godínez-Alvarez, H.: → Ortega-Baes, P.
 Hamman, C.: → Puente, R.
 Hanácek, P.: → Ricánek, M.
 Heneidak, S.: → Meve, U.
 Hernández, H. M.: → Goetsch, B.
 Hofacker, A.: → Braun, P. J.
 Hubaishan, M. A. (eds.): → Kilian, N.
 Hufford, L.: → O'Quinn, R.
 Jaarsveld, E. J. van: → Zonneveld, B. J. M.
 Jaekel, F.: → Jaekel, A.
 Jiménez-Sierra, C.: → Matías-Palafox, M. L.
 Juárez Tentle, M.: → Navarro Carbajal, M. del C.
 Kiesling, R.: → Metzing, D.
 Kloppenburg, D.: → Green, T.
 Kristen, M.: → Etter, J.
 Lausser, E.: → Lausser, A.
 Leins, P.: → Erbar, C.
 López, M. G.: → Mancilla-Margalli, N. A.
 MacDougal, J. M.: → Feuillet, C.
 Martin, A. P.: → DeChaine, E. G.
 Mauseth, J. D.: → Terry, M.
 Meer, P. van der: → Guillot Ortiz, D.
 Metzing, D.: → Kiesling, R.
 Miller, J.: → Maddams, W. F.
 Mohanty, S.: → Das, A. B.
 Mächler, W.: → Walter, H.
 Nemomissa, S.: → Puff, C.
 Odehnal, J.: → Kulhánek, T.
 Ohr, A.: → Ohr, M.
 Poma, I.: → Cáceres H., F.
- Pualsson, K. (eds.): → Pettersson, R.
 Ramirez, N.: → Valerio, R.
 Riedel, W.: → Ettelt, J.
 Rojas-Aréchiga, M.: → Ortega-Baes, P.
 Rosell, J. A.: → Olson, M. E.
 Rosselló Picornell, J. A.: → Guillot Ortiz, D.
 Scheinvar, L.: → Rodríguez Fuentes, A.
 Schliessel, A.: → Jeanmonod, D.
 Schädlich, V.: → Bercht, L.
 Snicer, J.: → Bima, T.
 Snicer, J.: → Kunte, L.
 Snicer, J.: → Matuszewski, G.
 Sosa, V. J.: → Suzán-Azpiri, H.
 Stephenson, J.: → Stephenson, R.
 Stephenson, R.: → Campbell, M.
 Stork, A. L.: → Lebrun, J.-P.
 Strecker, W.: → Heek, W. van
 Suntjens, R.: → Lawant, P.
 Tavormina, G.: → Stephenson, R. (ed.)
 Tavormina, S.: → Tavormina, G.
 Taylor, N. P. (eds.): → Hunt, D. R.
 Terrazas, T.: → Arias, S.
 Till, H.: → Amerhauser, H.
 Turner, Q.: → Hargreaves, B. J.
 Vazquez-Garcia, A.: → Cházaro Basañez, M.
 Vorster, P.: → Craven, P.
 Vries, J. de: → Gertel, W.
 Waechter, J. L.: → Bauer, D.
 Walt, J. J. A. van der: → Albers, F.
 Weightman, B.: → Pilbeam, J.
 Weis, A. E.: → Ellis, A. G.
 Wilbur, R. L.: → Luteyn, J. L.
 Winthagen, D.: → Lawat, P.
 Wyk, A. E. van: → Jaarsveld, E. J. van
 Zavala-Hurtado, J. A.: → Valverde, P. L.
 Zerbe, S.: → Sabogal, A.