


ISSN 0486-4271



International Organisation
for Succulent Plant Study

Organización Internacional
para el Estudio de
Plantas Suculentas

Organisation Internationale
de Recherche sur les
Plantes Succulentes

Internationale Organisation
für Sukkulanten-Forschung

IOS

**Repertorium
Plantarum
Succulentarum
LVIII (2007)**

Repertorium Plantarum Succulentarum LVIII (2007)

*Index nominum novarum plantarum succulentarum anno MMVII
editorum nec non bibliographia taxonomica ab U. Eggli, D. C.
Zappi et R. Nyffeler compositus.*

International Organization for Succulent Plant Study
Internationale Organisation für Sukkulantenforschung

September 2008

ISSN 0486-4271

Conventions used in Repertorium Plantarum Succulentarum

- Repertorium Plantarum Succulentarum attempts to list, under separate headings, newly published names of succulent plants and relevant literature on the systematics of these plants, on an annual basis. New names noted after the issue for the relevant year has gone to press are included in later issues. Specialist periodical literature is scanned in full (as available at the libraries at ZSS and Z or received by the compilers). Also included is information supplied to the compilers direct. It is urgently requested that any reprints of papers not published in readily available botanical literature be sent to the compilers.
- Validly published names are given in **bold face** type, accompanied by an indication of the nomenclatural type (name or specimen dependent on rank), followed by the herbarium acronyms of the herbaria where the holotype and possible isotypes are said to be deposited (first acronym for holotype), according to Index Herbariorum, ed. 8 and supplements as published in Taxon. Invalid, illegitimate, or incorrect names are given in *italic* type face. In either case a full bibliographic reference is given. For new combinations, the basionym is also listed. For invalid, illegitimate or incorrect names, the articles of the ICBN which have been contravened are indicated in brackets (note that the numbering of some regularly cited articles has changed in the Tokyo (1994) edition of the ICBN).
- The compilers would like to point out that they do not accept any names that might be inadvertently validated in this volume of RPS.
- Bibliographic details of papers dealing only with the description of one or few new taxa are not repeated in the bibliographic section.
- Abbreviations for periodicals are those suggested in ‘Bibliography of Succulent Plant Periodicals’ (U. Eggli in Friciana 60: 1-139, 1998 (‘1995’)) for specialized periodicals, or those of Bibliographia Periodicorum Huntianum Ed. 2 (BPH2) for most other periodicals.

Konventionen im Zusammenhang mit dem Repertorium Plantarum Succulentarum

- Das Repertorium Plantarum Succulentarum ist eine jährlich herausgegebene Zusammenstellung neuer Namen für sukkulente Pflanzen und der relevanten systematischen Literatur. Neue Namen, die nach der Drucklegung der Ausgabe des betreffenden Jahres bekannt werden, erscheinen in der nächsten erreichbaren Ausgabe. Spezialisierte Zeitschriften werden umfassend durchgesehen, soweit sie in den Bibliotheken von Z und ZSS vorhanden sind oder den Herausgebern privat vorliegen. Die Herausgeber bitten alle Autoren dringend, Separata relevanter Publikationen zur Verfügung zu stellen, vor allem wenn es sich um Beiträge in schwer zugänglichen Serien handelt.
- Gültig veröffentlichte Namen werden in **Fettschrift** wiedergegeben unter Angabe des nomenklatortischen Typs (Name oder Belegexemplar je nach Rangstufe; gefolgt von den Herbarakürzungen [entsprechend Index Herbariorum, ed. 8, und in Taxon publizierten Supplementen] der publizierten Hinterlegungsorte für Holotyp [1. Abkürzung] und Isotypen). Für Umkombinationen wird das Basionym angegeben. Ungültige, illegitime oder falsch angewandte Namen erscheinen in *Kursivschrift* unter Angabe (in Klammer) derjenigen Artikel des ICBN, die verletzt worden sind. In allen Fällen folgen die kompletten bibliographischen Angaben. Im Weiteren ist zu beachten, dass die Nummerierung einiger häufig zitieter Artikel mit dem Erscheinen der Tokyo-Version (1994) des ICBN geändert hat.
- Die Herausgeber weisen mit aller Deutlichkeit darauf hin, dass sie keinen Namen anerkennen, der zufälligerweise in dieser Ausgabe des RPS validiert worden sein könnte.
- Beiträge, welche nur Beschreibungen eines oder weniger Taxa enthalten, werden in der bibliographischen Liste nicht separat aufgeführt.
- Die Abkürzungen für spezialisierte Sukkulanten-Zeitschriften richten sich nach ‘Bibliography of Succulent Plant Periodicals’ (U. Eggli in Friciana 60: 1-139, 1998 (‘1995’)), für allgemeine botanische Zeitschriften in der Regel nach Bibliographia Periodicorum Huntianum Ed. 2 (BPH2).

Compiled by / Zusammengestellt von:

U. Eggli, Sukkulanten-Sammlung Zürich, Mythenquai 88, CH-8002 Zürich, Switzerland.
D. C. Zappi, The Herbarium, Royal Botanic Gardens Kew, Richmond, Surrey TW9 3AE, U.K.
R. Nyffeler, Institut für Systematische Botanik der Universität Zürich, Zollikerstrasse 107, CH-8008 Zürich.

Available from (incl. back issues) / Erhältlich durch (inkl. bereits erschienene Hefte):

IOS, c/o Sukkulanten-Sammlung Zürich (address above / Adresse siehe oben).

© by IOS & Sukkulanten-Sammlung Zürich, Zürich (Switzerland) 2008. – ISSN 0486-4271.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying or otherwise, without the prior written permission of the copyright holder.

Compilers' Preface

The list of novelties published 2007, both taxonomic and bibliographic, make up another voluminous issue of RPS. Our sincere thanks go to the many colleagues that have supplied us with copies (paper or with increasing frequency, electronic) of their recent publications. Without this help, the compilation of RPS would have been much more tedious.

As for previous issues, Katherine Challis of the IPNI team at Kew, as well as Nigel Taylor, have provided assistance and nomenclatural advice, for which we are most grateful.

Vorwort der Herausgeber

Die Liste der 2007 veröffentlichten taxonomischen wie bibliographischen Neuheiten füllt ein weiteres, umfangreiches RPS-Heft. Unser Dank geht an die zahlreichen Kolleginnen und Kollegen, welche uns mit Kopien (in Papierform, oder immer häufiger in digitaler Form) ihrer neuen Arbeiten bedienen. Ohne diese Hilfe wäre das Zusammenstellen des RPS wesentlich aufwändiger gewesen.

Wie in früheren Jahren durften wir bei nomenklatorischen Fragen die Hilfe von Katherine Challis vom IPNI-Team in Kew, sowie von Nigel Taylor, in Anspruch nehmen, wofür wir herzlich dankbar sind.

Corrections to previous volumes

- The name *Aeonium ×banaresii* was incorrectly included as illegitimate in RPS 57. Though it is legitimate (because *Greenovia ×aureozoon* Bramwell & G. D. Rowley with the same parentage is invalid under Art. 37.1), the name is invalid for lack of a proper type citation (Art. 37.1).
- The names *Aeonium ×zoae* and *A. ×gordonii* were incorrectly included in RPS 57 as valid, but are invalid under Art. 32.1(d) for lack of a direct complete reference to a previously published description. The name *A. ×gordonii* was subsequently validated (see this issue).
- The names *Aeonium ×extinctum*, *A. ×laxiflorum* and *A. ×riosjordanii* were incorrectly included in RPS 57 as valid, but are invalid under Art. 33.4. *A. ×laxiflorum* was subsequently validated (see this issue).
- The name *Aeonium ×lambii* was incorrectly included as illegitimate in RPS 57, but the name was not only illegitimate, but also invalid under Art. 33.4. It was subsequently validated (see this issue).

Korrekturen zu früheren Bänden

- Der Name *Aeonium ×banaresii* wurde in RPS 57 fälschlicherweise als illegitim bezeichnet. Er ist zwar legitim (da *Greenovia ×aureozoon* Bramwell & G. D. Rowley mit den gleichen Elternarten unter Art. 37.1 ungültig ist), aber wegen des Fehlens einer korrekten Typangabe (Art. 37.1) dennoch ungültig.
- Die Namen *Aeonium ×zoae* und *A. ×gordonii* wurden in RPS 57 fälschlich als gültig bezeichnet, sind aber wegen des Fehlens eines direkten, vollständigen Zitates der bereits früher veröffentlichten Beschreibung unter Art. 32.1(d) ungültig. Der Name *A. ×gordonii* wurde später gültig veröffentlicht (siehe dieses Heft).
- Die Namen *Aeonium ×extinctum*, *A. ×laxiflorum* und *A. ×riosjordanii* wurden in RPS 57 fälschlicherweise als gültig bezeichnet, sinder aber unter Art. 33.4 ungültig. *A. ×laxiflorum* wurde später gültig veröffentlicht (siehe dieses Heft)
- Der Name *Aeonium ×lambii* wurde in RPS 57 fälschlicherweise als legitim bezeichnet, aber er war nicht nur illegitim, sondern auch unter Art. 33.4 ungültig. Er wurde später gültig veröffentlicht (siehe dieses Heft).

NOMINA NOVA

AGAVACEAE

- Agave albopilosa** I. Cabral & al., Acta Bot. Mex. 80: 52-55, illus., 2007. Typus: *Cabral* 1612 (MEXU, ANSM, CFNL, ENCB, UNL).
- Agave arcedianensis** Cházaro & al., in Vázquez-García & al. (eds.), Agaves Occid. Méx., 45-46, illus. (t. EE, pp. lxxiv-lxxv), 2007. Typus: *Vázquez-García & Cházaro Basáñez* s.n. (IBUG).
- Agave attenuata** ssp. **dentata** (Roezl) B. Ullrich, Haseltonia 12: 27, illus. (pp. 23-27), 2007. Basionym: *Ghiesbreghtia dentata*. [Dated 2006, publ. 2007.]
- Agave chazaroi** A. Vázquez & O. Valencia, in Vázquez-García & al. (eds.), Agaves Occid. Méx., 48-49, illus. (tt. CC-DD, pp. lxx-lxxii), 2007. Typus: *Cházaro Basáñez & al.* 8161 (IBUG).
- Agave microceps** (Kinnnach) A. Vázquez & Cházaro, in Vázquez-García & al. (eds.), Agaves Occid. Méx., 61, illus. (t. O, pp. xlii-xlii), 2007. Basionym: *Agave filifera* ssp. *microceps*.
- Agave montium-sancticaroli** García-Mendoza & al., J. Bot. Res. Inst. Texas 1(1): 79-81, illus., 2007. Typus: *García-Mendoza & al.* 7605 (MEXU, ENCB, TEX, UAT).
- Agave victoriae-reginae** fa. *ferdinandi-regis* (A. Berger) Alsemgeest & al., Succulenta 86(2): 64-67, illus., 2007. *Nom. inval.* (Art. 33.4), based on *Agave ferdinandi-regis*.
- Polianthes geminiflora** var. **pueblensis** E. Solano & García-Mendoza, Acta Bot. Mex. 78: 117-119, illus., 2007. Typus: *Solano & al.* 849 (MEXU, CHAPA, ENCB, FEZA, HUAP, HUMO, IEB, US).
- Polianthes oaxacana** García-Mendoza & E. Solano, Acta Bot. Mex. 78: 112-114, illus., 2007. Typus: *García-Mendoza & Solano* 6970 (MEXU).
- Polianthes venustuliflora** E. Solano & Castillejos, Biodivers. & Conservation 16: 1888, 2007. *Nom. inval.* (Art. 36.1, 37.1). [Mentioned several times in the paper, but without formal description.]
- Yucca jaegeriana** (McKelvey) L. W. Lenz, Aliso 24: 99, 2007. Basionym: *Yucca brevifolia* var. *jaegeriana*.

AIZOACEAE

- Drosanthemum** Subgen. **Lutea** H. E. K. Hartmann, Bradleya 25: 163, 2007. Typus: *Drosanthemum flavum* (Haworth) Schwantes.

- Drosanthemum** Subgen. **Necopina** H. E. K. Hartmann, Bradleya 25: 164, 2007. Typus: *Drosanthemum bicolor* L. Bolus.
- Drosanthemum** Subgen. **Ossicula** H. E. K. Hartmann, Bradleya 25: 167-168, 2007. Typus: *Drosanthemum striatum* (Haworth) Schwantes.
- Drosanthemum** Subgen. **Quastea** H. E. K. Hartmann, Bradleya 25: 169-170, 2007. Typus: *Drosanthemum calycinum* (Haworth) Schwantes.
- Drosanthemum** Subgen. **Speciosa** H. E. K. Hartmann, Bradleya 25: 171, 2007. Typus: *Drosanthemum micans* (Linné) Schwantes.
- Drosanthemum** Subgen. **Vespertina** H. E. K. Hartmann, Bradleya 25: 173-174, 2007. Typus: *Drosanthemum lique* (N. E. Brown) Schwantes.
- Drosanthemum** Subgen. **Xamera** H. E. K. Hartmann, Bradleya 25: 175, 2007. Typus: *Drosanthemum subcompressum* (Haworth) Schwantes.
- Gibbaeum haaglenii* var. *parviflorum* (L. Bolus) J. Du Toit, Mesemb Study Group Bull. 22(2): 30, 2007. *Nom. inval.* (Art. 43.1), based on *Gibbaeum haagei* var. *parviflorum*.
- Mesembryanthemum amabile** (Gerbault & Struck) Klak, Taxon 56(3): 751, 2007. Basionym: *Phyllobolus amabilis*.
- Mesembryanthemum archeri** (L. Bolus) Klak, Taxon 56(3): 752, 2007. Basionym: *Sceletium archeri*.
- Mesembryanthemum baylissii** (L. Bolus) Klak, Taxon 56(3): 751, 2007. Basionym: *Sphaeranthus baylissii*.
- Mesembryanthemum brevicarpum** (L. Bolus) Klak, Taxon 56(3): 750, 2007. Basionym: *Aridaria brevicarpa*.
- Mesembryanthemum caducum* Klak, Taxon 56(3): 751, 2007. Based on *Godman* s.n.. *Nom. illeg.* (Art. 53.1). [*Nom. nov. et illeg. pro Aridaria congesta* L. Bolus 1930 (*non Mesembryanthemum congestum* Salm-Dyck 1854). *Non Mesembryanthemum caducum* Aiton 1789.]
- Mesembryanthemum chrysophthalmum** (Gerbault & Struck) Klak, Taxon 56(3): 751, 2007. Basionym: *Phyllobolus chrysophthalmus*.
- Mesembryanthemum deciduum** (L. Bolus) Klak, Taxon 56(3): 751, 2007. Basionym: *Aridaria decidua*.
- Mesembryanthemum decurvatum** (L. Bolus) Klak, Taxon 56(3): 751, 2007. Basionym: *Aridaria decurvata*.
- Mesembryanthemum digitatum** ssp. **littlewoodii** (L. Bolus) Klak, Taxon 56(3): 752, 2007. Basionym: *Dactylopsis littlewoodii*.
- Mesembryanthemum exalatum** (Gerbault) Klak, Taxon 56(3): 752, 2007. Basionym: *Sceletium exalatum*.

- Mesembryanthemum gariepense** (Gerbaulet & Struck) Klak, Taxon 56(3): 751, 2007. Basionym: *Phyllobolus gariepensis*.
- Mesembryanthemum glareicola** (Klak) Klak, Taxon 56(3): 752, 2007. Basionym: *Brownanthus glareicola*.
- Mesembryanthemum holense** Klak, Taxon 56(3): 751, 2007. Typus: Hall 2497 (BOL). [*Nom. nov. pro Sphalmanthus humilis* L. Bolus (*non Mesembryanthemum humile* Haworth 1795).]
- Mesembryanthemum ladismithiense** Klak, Taxon 56(3): 752, 2007. Lectotypus: *Bolus* 145 (BOL [lecto]) [Lectotype designated by Gerbaulet, Bot. Jahrb. Syst. 118: 19, 1996 (sub *Sceletium strictum*)]. [*Nom. nov. pro Sceletium strictum* L. Bolus 1927 (*non Mesembryanthemum strictum* Haworth 1803).]
- Mesembryanthemum lancifolium** (L. Bolus) Klak, Taxon 56(3): 750, 2007. Basionym: *Aptenia lancifolia*.
- Mesembryanthemum latipetalum** (L. Bolus) Klak, Taxon 56(3): 751, 2007. Basionym: *Aridaria latipetala*.
- Mesembryanthemum lignescens** (L. Bolus) Klak, Taxon 56(3): 751, 2007. Basionym: *Sphalmanthus lignescens*.
- Mesembryanthemum ligneum** (L. Bolus) Klak, Taxon 56(3): 751, 2007. Basionym: *Aridaria lignea*.
- Mesembryanthemum liliputianum** Klak, Taxon 56(3): 751, 2007. Typus: Pillans 6213 (BOL). [*Nom. nov. pro Aridaria abbreviata* L. Bolus 1930 (*non Mesembryanthemum abbreviatum* Haworth 1826).]
- Mesembryanthemum napierense** Klak, Taxon 56(3): 752, 2007. Typus: Klak 171 (BOL, K). [*Nom. nov. pro Brownanthus fraternus* Klak 2000 (*non Mesembryanthemum fraternum* N. E. Brown 1913).]
- Mesembryanthemum neglectum** (Pierce & Gerbaulet) Klak, Taxon 56(3): 752, 2007. Basionym: *Brownanthus neglectus*.
- Mesembryanthemum neofoliosum** Klak, Taxon 56(3): 753, 2007. Typus: Pillans s.n. in BOL 17813 (BOL). [*Nom. nov. pro Psilocaulon foliosum* L. Bolus 1929 (*non Mesembryanthemum foliosum* Haworth 1803).]
- Mesembryanthemum noctiflorum** ssp. *defoliatum* (Haworth) Klak, Taxon 56(3): 750, 2007. Basionym: *Mesembryanthemum defoliatum*.
- Mesembryanthemum noctiflorum** ssp. *stramineum* (Haworth) Klak, Taxon 56(3): 750, 2007. Basionym: *Mesembryanthemum stramineum*.
- Mesembryanthemum nuciferum** (Ihlenfeldt & Bittrich) Klak, Taxon 56(3): 752-753, 2007. Basionym: *Pseudobrownanthus nucifer*. [*Sphalm. 'nucifer'*.]
- Mesembryanthemum occidentale** Klak, Taxon 56(3): 750, 2007. Typus: Pillans 5696 (BOL). [*Nom. nov. pro Aridaria vespertina* L. Bolus 1928 (*non M. vespertinum* A. Berger 1908).]
- Mesembryanthemum pallens** ssp. *lanceum* (Thunberg) Klak, Taxon 56(3): 752, 2007. Basionym: *Mesembryanthemum lanceum*.
- Mesembryanthemum pallens** ssp. *luteum* (L. Bolus) Klak, Taxon 56(3): 752, 2007. Basionym: *Prenia pallens* var. *lutea*.
- Mesembryanthemum pallens** ssp. *namaquense* (Gerbaulet) Klak, Taxon 56(3): 752, 2007. Basionym: *Prenia pallens* ssp. *namaquensis*.
- Mesembryanthemum prasinum** (L. Bolus) Klak, Taxon 56(3): 751, 2007. Basionym: *Aridaria prasina*.
- Mesembryanthemum pseudoschlichtianum** (Pierce & Gerbaulet) Klak, Taxon 56(3): 753, 2007. Basionym: *Brownanthus pseudoschlichtianus*.
- Mesembryanthemum pumilum** (L. Bolus) Klak, Taxon 56(3): 751, 2007. *Nom. illeg.* (Art. 53.1), based on *Aridaria pumila*. [*Non Mesembryanthemum pumilum* L. Bolus ex Fedde & Schuster 1918.]
- Mesembryanthemum quartziticola** Klak, Taxon 56(3): 751, 2007. Typus: Pillans 5034 (BOL). [*Nom. nov. pro Aridaria quartzitica* L. Bolus 1929 (*non Mesembryanthemum quartziticum* Dinter 1923).]
- Mesembryanthemum rabiei** (L. Bolus) Klak, Taxon 56(3): 751, 2007. Basionym: *Aridaria rabiei*.
- Mesembryanthemum radicans** (L. Bolus) Klak, Taxon 56(3): 752, 2007. Basionym: *Aridaria radicans*.
- Mesembryanthemum serotinum** (L. Bolus) Klak, Taxon 56(3): 751, 2007. Basionym: *Aridaria serotina*.
- Mesembryanthemum splendens** ssp. *pentagonum* (L. Bolus) Klak, Taxon 56(3): 752, 2007. Basionym: *Aridaria pentagona*.
- Mesembryanthemum springbokense** Klak, Taxon 56(3): 753, 2007. Typus: Klak 861 (BOL, K, MO). [*Nom. nov. pro Brownanthus lignescens* Klak 2003 (*non Mesembryanthemum lignescens* (L. Bolus) Klak 2007).]
- Mesembryanthemum suffruticosum** (L. Bolus) Klak, Taxon 56(3): 751, 2007. Basionym: *Cryophytum suffruticosum*.
- Mesembryanthemum tomentosum** Klak, Taxon 56(3): 753, 2007. Lectotypus: Drège 2937 (not located) [Lectotype designated by Bullock, Bull. Misc. Inf. [Kew] 1937: 495, 1937, sub *Trichocyclus*]. [*Nom. nov. pro Trichocyclus pubescens* N. E. Brown ex C. A. Maass 1928 (*non Mesembryanthemum pubescens* Haworth 1795).]
- Mesembryanthemum vanheerdei** (L. Bolus) Klak, Taxon 56(3): 751, 2007. Basionym: *Sphalmanthus vanheerdei*.
- Mesembryanthemum vanrensburgii** (L. Bolus) Klak, Taxon 56(3): 752, 2007. Basionym: *Prenia vanrensburgii*.

ALOACEAE

- Aloe** ‘Hardy’s Dream’ Mays & Trager, Alsterworthia Internat. 7(1): 10, ill., 2007. [Based on a specimen collected in Madagascar, formerly referred to as *Aloe deltoideoidea* ‘Variegata’.]
- Aloe acutissima** var. *fiherenensis* J.-B. Castillon, Succulentes 2007(4): 3, 6, ill., (pp. 6-7), 2007. Typus: *Castillon* 31 (HBG).
- Aloe acutissima** var. *isaloana* J.-B. Castillon, Succulentes 2007(4): 6-7, ill., (p. 5), 2007. Typus: *Castillon* 32 (HBG).
- Aloe ambrens** J.-B. Castillon, Cact. World 25(1): 12, ill., (pp. 12-14), 2007. Typus: *Castillon* 28 (HBG).
- Aloe archeri** ssp. *tugenensis* (L. E. Newton & Lavranos) Wabuyele, Stud. East. Afr. Aloes, [part III]: 18, 2006. Basionym: *Aloe tugenensis*.
- Aloe argyrostachys** Lavranos & al., Bradleya 25: 18-20, ill., 2007. Typus: *Pronk* 111 (Herb. Biol. Dept. Univ. Antananarivo).
- Aloe aufensis** T. A. McCoy, Excelsa 21: 2, ill., (pp. 3-4), 2007. Typus: *McCoy* 1119 (MO) [The protologue cites a different collection number for an ‘isotype’ at UPS, which therefore cannot be of isotype status].
- Aloe cataractarum** T. A. McCoy & Lavranos, Aloe 44(1): 53, ill., 2007. Typus: *McCoy* 1923 (FT).
- Aloe djiboutiensis** T. A. McCoy, Cact. Succ. J. (US) 79(6): 270, ill., (p. 269), 2007. Typus: *McCoy* 3019 (FT).
- Aloe doddsiorum** T. A. McCoy & Lavranos, Cact. World 25(4): 209-211, ill., 2007. Typus: *Dodds* 1 (EA, FT).
- Aloe downsiiana** T. A. McCoy & Lavranos, Cact. World 25(3): 139, ill., (pp. 137-139), 2007. Typus: *McCoy* 1146 (FT).
- Aloe ericahenriettae** T. A. McCoy, Cact. Succ. J. (US) 79(6): 271, ill., (p. 270-271), 2007. Typus: *McCoy* 3130 (FT).
- Aloe fianarantssoae** J.-B. Castillon, Kakt. and. Sukk. 58(3): 60-63, ill., 2007. Based on ?*Castillon* s.n.. *Nom. inval.* (Art. 37.2). [No collector / collector number given for the type collection.]
- Aloe haggeherensis** T. A. McCoy & Lavranos, Kakt. and. Sukk. 58(11): 297-298, ill., 2007. Typus: *Lavranos* s.n. (FT).
- Aloe jibisana** L. E. Newton, Haseltonia 12: 20, ill., (pp. 19-20), 2007. Typus: *Brown* s.n. in Newton 5573 (K, EA). [Dated 2006, publ. 2007.]
- Aloe kwasimbana** T. A. McCoy & Lavranos, Aloe 44(1): 50-51, ill., 2007. Typus: *McCoy* 1149 (FT).
- Aloe lanata** T. A. McCoy & Lavranos, Kakt. and. Sukk. 58(11): 296-297, ill., (pp. 295-297), 2007. Typus: *McCoy* 2010 (FT).
- Aloe latens** T. A. McCoy & Lavranos, Aloe 44(1): 52-53, ill., 2007. Typus: *McCoy* 1714 (FT).
- Aloe macrocarpa** ssp. *wollastonii* (Rendle) Wabuyele, Stud. East. Afr. Aloes, [part II]: 20, 2006. Basionym: *Aloe wollastonii*.
- Aloe mossurilensis** Ellert, Succulenta 86(3): 127-132, ill., 2007. *Nom. inval.* (Art. 34.1b, 36.1). [Published as provisional name.]
- Aloe neogaharensis** T. A. McCoy, Excelsa 21: 5, ill., (pp. 3-4), 2007. Typus: *McCoy* 2144 (MO) [The protologue cites a different collection number for an ‘isotype’ at UPS, which therefore cannot be of isotype status].
- Aloe neosteudneri** Lavranos & T. A. McCoy, Bradleya 25: 15, ill., (pp. 11, 14), 2007. Typus: *Penzig* 1424 (K).
- Aloe nordaliae** Wabuyele, Stud. East. Afr. Aloes, [part V]: 18, ill. (introduction: 36, fig. A), 2006. Typus: *Wabuyele* 42 (EA, O).
- Aloe omoana** T. A. McCoy & Lavranos, Cact. World 25(3): 139-140, ill., 2007. Typus: *McCoy* 1269 (FT).
- Aloe pachydaulos** T. A. McCoy & Lavranos, Cact. Succ. J. (US) 79(3): 129, ill., (pp. 129-130), 2007. Typus: *Razafindratsira* s.n. (TAN, FT).
- Aloe porphyrostachys** ssp. *koenennii* (Lavranos & K. Koch) Lodé, Cact.-Avent. Int. No. 73: 33, 35, ill., 2007. Basionym: *Aloe koenennii*.
- Aloe ruvuensis** T. A. McCoy & Lavranos, Aloe 44(1): 51, ill., 2007. Typus: *McCoy* 1162 (FT).
- Aloe saudiarbica** T. A. McCoy, Excelsa 21: 6, ill., (pp. 3-4), 2007. Typus: *McCoy* 2744 (MO) [The protologue cites a different collection number for an ‘isotype’ at UPS, which therefore cannot be of isotype status].
- Aloe secundiflora** var. *tweedieae* (Christian) Wabuyele, Stud. East. Afr. Aloes, [part V]: 19, 2006. Basionym: *Aloe tweedieae*.
- Aloe sobolifera** (S. Carter) Wabuyele, Stud. East. Afr. Aloes, [part V]: 19, 2006. Basionym: *Aloe secundiflora* var. *sobolifera*.
- Aloe tartarensis** T. A. McCoy & Lavranos, Cact. World 25(4): 212-213, ill., 2007. Typus: *McCoy* 2219 (EA).
- Aloe tulearensis** T. A. McCoy & Lavranos, Cact. Succ. J. (US) 79(3): 128, ill., (pp. 126-128), 2007. Typus: *McCoy* 2523 (TAN, FT).
- Aloe zakamisyi** T. A. McCoy & Lavranos, Kakt. and. Sukk. 58(10): 258-259, ill., 2007. Typus: *McCoy* 2832 (FT).
- Haworthia** ‘Sandra’ Grootschoten, Alsterworthia Internat. 7(1): 10, ill., 2007. [A selected clone from a second-generation complex hybrid.]
- Haworthia atrorividis** (Medikus) M. Hayashi, Haworthia Study No. 18: 14, 2007. Basionym: *Catevala atrorividis*.
- Haworthia fukuyae** M. Hayashi, Haworthia Study No. 17: 16, ill., 2007. Typus: *Hayashi* 06-256 (Res. Inst. Evol. Biol., Setagaya, Tokyo). [Sphalm. ‘fukuyai’].
- Haworthia giftbergensis** (G. G. Smith) M. Hayashi, Haworthia Study No. 17: 10, ill., 2007. Basionym: *Haworthia nortieri* var. *giftbergen-*

sis.

- Haworthia marxii** Gildenhuys, Aloe 44(1): 4-5, ill., 2007. Typus: *Marx* 605 (GRA).
- Haworthia mortonii** Breuer, Alsterwirthia Internat. 7(1): 22, ill., 2007. Typus: *Cumming* 10485 (GRA).
- Haworthia sapphaia** M. Hayashi, Haworthia Study No. 17: 16, ill., 2007. Typus: *Hayashi* 06-265 (Res. Inst. Evol. Biol., Setagaya, Tokyo). [Specific epithet probably derived from Gr. ‘sappheiros’ but treated as intentional spelling.]

APIACEAE

- Steganotaeniaeae** C. I. Calviño & S. R. Downie, Molec. Phylogen. Evol. 44: 187, 2007. Typus: *Steganotaenia* Hochstetter.

ASCLEPIADACEAE

- Angolluma cucullata** Plowes, Excelsa 21: 12-13, ill. (p. 9), 2007. Typus: *Lavrano & Newton* 13140 (SRGH, ZSS) [Ex cult. Mutare, Zimbabwe, sub Plowes 5059. The isotype at ZSS is not cited in the protologue].
- Angolluma fenestrata** Plowes, Excelsa 21: 13, ill. (p. 9), 2007. Typus: *Lavrano & Newton* s.n. (SRGH) [Ex cult. Mutare, Zimbabwe, sub Plowes 5010].
- Angolluma fenestrata** var. **flava** Plowes, Excelsa 21: 13-14, ill. (p. 10), 2007. Typus: *Lavrano & al.* 15757 (SRGH) [Ex cult. Mutare, Zimbabwe, sub Plowes 6135].
- Brachystelma arachnoideum** Masinde, Kew Bull. 62(1): 76-77, ill., 2007. Typus: *Bidgood & al.* 2474 (K, DSM, NHT).
- Brachystelma coddii** ssp. **kituloense** (Goyder) Masinde, Kew Bull. 62(1): 50, 2007. Basionym: *Brachystelma kituloense*.
- Brachystelma floribundum** var. **mlimakito** Masinde, Kew Bull. 62(1): 64-65, ill., 2007. Typus: *Richards* 10224 (K).
- Brachystelma nutans** Bruyns, Novon 16: 452-453, ill., 2006. Typus: *Bruyns* 9729 (BOL, MO).
- Caralluma darfurensis** Plowes, Excelsa 21: 7-8, ill. (p. 10), 2007. Typus: *Plowes* 7497 (SRGH) [Type ex cult. Khartoum, April 1988.].
- Echidnopsis planiflora** ssp. **chrysanthra** (Lavrano) Meve & Thiv, Pl. Syst. Evol. 265: 82, 2007. Basionym: *Echidnopsis chrysanthra*.
- Echidnopsis sharpei** ssp. **bavazzanoi** (Lavrano) Meve & Thiv, Pl. Syst. Evol. 265: 82, 2007. Basionym: *Echidnopsis bavazzanoi*. [Sphalm. ‘bavazzani’.]
- Hoya balaensis** Kidyoo & Thaitong, Blumea 52: 327-329, ill., 2007. Typus: *Kidyoo* 303 (BCU, L).

- Hoya meredithii** T. Green, Fraterna 20(3): 14, 2007. Typus: *Meredith* s.n. in *Green* 80-05 (BISH 511439, NY) [The isotype at NY is incorrectly shown as “lectotype”]. [First published invalidly (based on 2 syntypes) in Phytologia 64(4): 304-306, ill., 1988.]

- Huernia lopanthera** Bruyns, Bothalia 37(1): 23-24, ill., 2007. Typus: *Bruyns* 10410 (BOL, K).

- Raphionacme villicorona** Venter, South Afr. J. Bot. 73: 98-99, ill., 2007. Typus: *Winter* 5899 (PRE).

- Rhytidocaulon pseudosubscandens** T. A. McCoy, Asklepios No. 96: 9-11, ill., 2007. Typus: *Specks* 1860 in *McCoy* 2806 (MO, UPS). [Dated Nov. 2006, received at ZSS 8. 2. 2007.]

- Stenostelma umbelliferum** (Schlechter) Bester & Nicholas, Bothalia 37(1): 50, ill. (pp. 49-50), 2007. Basionym: *Schizoglossum umbelliferum*.

ASPHODELACEAE

- Bulbine capensis** Baijnath ex G. Williamson, Aloe 43(4): 91-92, ill., 2007. Typus: *Williamson* 5982 (NBG). [Dated Dec. 2006, received at ZSS May 2007.]

- Bulbine stolonifera** Baijnath ex G. Williamson, Aloe 43(4): 93-94, ill., 2007. Typus: *Williamson* 5967 (NBG). [Dated Dec. 2006, received at ZSS May 2007.]

- Trachyandra arenicola** J. C. Manning & Goldblatt, Bothalia 37(1): 27-28, ill. (p. 30), 2007. Typus: *Manning* 3026 (NBG, K, MO).

ASTERACEAE

- Kleinia caespitosa** Thulin, Nordic J. Bot. 24(4): 381-382, ill., 2007. Typus: *Thulin & al.* 9168 (UPS, K) [Ex cult.].

BALSAMINACEAE

- Impatiens barthlottii** Eb. Fischer & Rahelivololana, Adansonia, sér. 3, 29(2): 272-274, ill., 2007. Typus: *Bardot-Vaucuron & al.* 1397 (P, MO, TAN).

BURSERACEAE

- Commiphora kuneneana** Swanepoel, Bothalia 37(1): 42-43, ill. (pp. 41-44), 2007. Typus: *Swanepoel* 211 (WIND, PRE).

CACTACEAE

Airampoa hintonii Withers, Cact.-Avent. Int. No. 74: 12-13, illus., 2007. *Nom. inval.* (Art. 36.1, 37.1). [Used as provisional name.]

Arrojadoa albicoronata (van Heek & al.) P. J. Braun & Esteves, Cact. Succ. J. (US) 79(6): 262, ill. (p. 255), 2007. Basionym: *Arrojadoa eriocaulis* var. *albicoronata*.

Arrojadoa hofackeriana (P. J. Braun & Esteves) P. J. Braun & Esteves, Cact. Succ. J. (US) 79(6): 259, ill., 2007. Basionym: *Arrojadoa multiflora* ssp. *hofackeriana*.

Arrojadoa rosenbergeriana (van Heek & Strecker) P. J. Braun & al., Cact. Succ. J. (US) 79(6): 260, ill. (p. 263), 2007. Basionym: *Arrojadoa eriocaulis* var. *rosenbergeriana*.

Arrojadoopsis Guiggi, Cactology 1: 26, 2007. Typus: *Arrojadoa marylaniae* Soares Filho & M. Machado.

Arrojadoopsis marylaniae (Soares Filho & M. Machado) Guiggi, Cactology No. 1: 26, 2007. Basionym: *Arrojadoa marylaniae*.

Aylostera fiebrigii var. *azurduyensis* (de Vries) Mieczakowski, Kakt. Inne 4(1): 11, 2007. Basionym: *Aylostera azurduyensis*.

×Chamylgmaeocereus Mordhorst, Hybriden-J. 2007(3): 11, ill. (colour p. 4), 2007. [= *Chamaeocereus* x *Pygmaeocereus*.]

Cleistocactus acanthurus ssp. *caneensis* (Rauh & Backeberg) Ostolaza, Cact. World 25(4): 218, 2007. Basionym: *Loxanthocereus caneensis*.

Cleistocactus erigens (Rauh & Backeberg) Ostolaza, Cact. World 25(4): 219, ill. (p. 218), 2007. Basionym: *Loxanthocereus erigens*.

Coleocephalocereus uebelmanniorum (P. J. Braun & Esteves) P. J. Braun & al., Kakt. und. Sukk. 58(8): 213, ill. (pp. 211-212), 2007. Basionym: *Coleocephalocereus pluricostatus* ssp. *uebelmanniorum*.

Consolea macracantha ssp. *nashii* (Britton) Guiggi, Cactology No. 1: 23, 2007. Basionym: *Opuntia nashii*.

Consolea moniliformis ssp. *rubescens* (Salm-Dyck) Guiggi, Cactology No. 1: 23, 2007. Basionym: *Opuntia rubescens*.

Consolea spinosissima ssp. *millspaughii* (Britton) Guiggi, Cactology No. 1: 23, 2007. Basionym: *Opuntia millspaughii*.

Corynopuntia aggeria (Ralston & Hilsenbeck) M. P. Griffith, Haseltonia 9: 91, 2003. Basionym: *Opuntia aggeria*. [Dated 2002, publ. Nov. 2003. Erroneously omitted so far.]

Corynopuntia emoryi (Engelmann) M. P. Griffith, Haseltonia 9: 91, 2003. Basionym: *Opuntia emoryi*. [Dated 2002, publ. Nov. 2003. Erroneously omitted so far.]

Corynopuntia kunzei (Rose) M. P. Griffith, Haseltonia 9: 91, 2003. Basionym: *Opuntia kunzei*. [Dated 2002, publ. Nov. 2003. Erroneously omitted so far.]

Corynopuntia marenae (S. H. Parsons) M. P. Griffith, Haseltonia 9: 91, 2003. Basionym: *Opuntia marenae*. [Dated 2002, publ. Nov. 2003. Erroneously omitted so far.]

×Disophyllum splendens (G. D. Rowley) E. Meier, EPIG No. 57: 17, 2006. Basionym: *×Epixochia splendens*.

Echinocereus rischeri (Römer) Rischer, Echinocereenfreund 20(4): 118, 2007. Basionym: *Echinocereus scheeri* ssp. *rischeri*.

×Epicactus 'Dr. Gottfried Gutte' Paetzold, Berliner Kakt.-Blätt. No. 7: 48, ill., 2007. *Nom. inval.* (Art. 43.1). [Parentage not disclosed.]

Eriosyce napina var. *fankhauseri* (F. Ritter) Romulski, Kakt. Inne 4(3): 131, 2007. Basionym: *Theclocephala fankhauseri*.

Eriosyce napina var. *glabrescens* (F. Ritter) Romulski, Kakt. Inne 4(3): 131, 2007. Basionym: *Chileorebutia glabrescens*.

Eriosyce napina var. *riparia* (Mächler & H. E. Walter) Romulski, Kakt. Inne 4(3): 131, 2007. Basionym: *Eriosyce napina* ssp. *riparia*.

Eriosyce napina var. *tenebrica* (F. Ritter) Romulski, Kakt. Inne 4(3): 131, 2007. Basionym: *Theclocephala tenebrica*.

Escobaria hesteri ssp. *grata* (M. Kaplan & al.) J. Lüthy & Dicht, Cact. World 25(3): 175, 2007. Basionym: *Escobaria grata*.

Frailea buenekeri ssp. *centrispina* M. Machado, Cact. World 25(2): 66, ill., 2007. *Nom. inval.* (Art. 34.1b, 36.1). [Used as provisional name.]

Gymnocalycium ambatoense ssp. *plesnikii* Halda & Milt, Acta Mus. Richnov. Sect. Nat. 13(1): 19, ill. (front cover, pp. 14, 17), 2007. Typus: *Fechser/LTR* s.n. (Herb. Halda 061139) [Ex cult. Hort. Milt, 20. 5. 2006.]. [Dated 2006, received at ZSS in Feb. 2007.]

Gymnocalycium amerhauseri ssp. *altagraciense* H. Till & Amerhauser, Gymnocalycium 20(3): 735-736, ill., 2007. Typus: *Till* 3093 (CORD).

Gymnocalycium borthii ssp. *nogolense* Neuhuber, Gymnocalycium 20(1): 701-702, ill., 2007. Typus: *Neuhuber* 96-866 (BA, WU).

Gymnocalycium borthii var. *viridis* Neuhuber, Gymnocalycium 20(1): 705, ill., 2007. Typus: *Neuhuber* 89-85 (BA, WU).

Gymnocalycium dubniorum Halda & Milt, Acta Mus. Richnov. Sect. Nat. 13(1): 16, 18, ill. (pp. 6, 14), 2007. Typus: *Procházka* 68/154 (Herb. Halda 061138) [Ex cult. Hort. Milt, 20. 5. 2006.]. [Dated 2006, received at ZSS in Feb. 2007.]

Gymnocalycium frankianum Rausch ex H. Till & Amerhauser, Gymnocalycium 20(3): 730-731, ill., 2007. Typus: *Rausch* 722 (CORD, WU) [Isotype at WU cryptically indicated in the paragraph preceding the diagnosis.]. [Name first used informally by W. Rausch but never before validly published.]

Gymnocalycium gibbosum ssp. *radovani* Halda & Milt, Acta Mus. Richnov. Sect. Nat. 13(1): 5-7, ill. (p. 11), 2007. Typus: *Procházka*

- 71/158 (Herb. Halda 061134) [Ex cult. Hort. Milt. 20. 5. 2006.]. [Dated 2006, received at ZSS in Feb. 2007.]
- Gymnocalycium glaucum** ssp. **albertovojoitechii** Halda & Milt, Acta Mus. Richnov. Sect. Nat. 13(1): 20-22, illus. (p. 21, inside back cover), 2007. Typus: *STO* 60 (Herb. Halda 061140) [Ex cult. Hort. Milt. 20. 5. 2006.]. [Dated 2006, received at ZSS in Feb. 2007. Arguably illegitimate (Art. 52.1) versus *Gymnocalycium catamarcense* ssp. *schmidianum* Till & W. Till (1995), which is based on material from the same gathering (according to Anonymus, *Gymnocalycium* 21(1): 1, 2008), though the type number is given as Till 87-60/1598]
- Gymnocalycium lukasikii** ssp. **emilii** Halda & Milt, Acta Mus. Richnov. Sect. Nat. 13(1): 8-10, illus. (p. 12), 2007. Typus: *STO* 1596 (Herb. Halda 061136) [Ex cult. Hort. Milt. 20. 5. 2006.]. [Dated 2006, received at ZSS in Feb. 2007.]
- Gymnocalycium multiflorum** var. **ourselianum** J. F. Cels ex H. Till & W. Till, *Gymnocalycium* 20(2): 719, illus., 2007. Typus: *Rausch* s.n. in *Till* 3541 (BA).
- Gymnocalycium prochazkianum** ssp. **ivoi** Halda & Milt, Acta Mus. Richnov. Sect. Nat. 13(1): 10, 15-16, illus. (pp. 13, 15), 2007. Typus: *Procházka* s.n. (Herb. Halda 061137) [Ex cult. Hort. Milt. 20. 5. 2006.]. [Dated 2006, received at ZSS in Feb. 2007.]
- Gymnocalycium quehlianum** ssp. **leptanthum** (Spegazzini) H. Till & Amerhauser, *Gymnocalycium* 20(3): 728-729, 2007. Basionym: *Echinocactus platensis* var. *leptanthus*.
- Gymnocalycium quehlianum** var. **calochlorum** (Bödeker) H. Till & Amerhauser, *Gymnocalycium* 20(3): 729, 2007. Basionym: *Echinocactus calochlorus*.
- Gymnocalycium quehlianum** var. **terweemeanum** (Teucq ex Duursma) H. Till & Amerhauser, *Gymnocalycium* 20(3): 730, 2007. Basionym: *Echinocactus platensis* var. *terweemeanus*.
- Gymnocalycium raineri** H. Till, *Gymnocalycium* 20(2): 722-723, illus., 2007. Typus: *Amerhauser* 93-780 (BA, WU).
- Gymnocalycium reductum** var. **platense** (Spegazzini) R. Kiesling, *Darwiniana* 45(2): 237, 2007. Basionym: *Echinocactus platensis*.
- Gymnocalycium sibalii** Halda & Milt, Acta Mus. Richnov. Sect. Nat. 13(1): 7-8, illus. (pp. 9, 12), 2007. Typus: *Procházka* 77/173 (Herb. Halda 061135) [Ex cult. Hort. Milt. 20. 5. 2006.]. [Dated 2006, received at ZSS in Feb. 2007.]
- Gymnocalycium spegazzinii** ssp. **sarkae** Halda & Milt, Acta Mus. Richnov. Sect. Nat. 13(1): 22-24, illus. (p. 23, inside back cover), 2007. Typus: *Kupcák* 54 (Herb. Halda 061141) [Ex cult. Hort. Milt. 20. 5. 2006.]. [Dated 2006, received at ZSS in Feb. 2007.]
- Gymnocalycium tiningaense** ssp. **fuschilloi** Neuhuber, *Gymnocalycium* 20(1): 705-706, illus., 2007. Typus: *Neuhuber* 90-240 (BA, WU).
- Gymnocalycium tiningaense** var. **lukasikii** (Halda & Kupcák) Neuhuber, *Gymnocalycium* 20(1): 704, illus., 2007. Basionym: *Gymnocalycium lukasikii*.
- Haageocereus acranthus** ssp. **backebergii** N. Calderón, Bradleya 25: 64, illus. (p. 66), 2007. Typus: *Ritter* 145 loc. 4 (U 8476). [*Nom. nov. pro Haageocereus limensis* var. *andicola* F. Ritter 1981.]
- Haageocereus versicolor** ssp. **pseudoversicolor** (Rauh & Backeberg) N. Calderón, Bradleya 25: 106, 2007. Basionym: *Haageocereus pseudoversicolor*.
- ✗*Haagespostoa ritteri* Ostolaza, Quepo 21: 72, 2007. *Nom. inval.* (Art. 36.1, 37.1). [= *Haageocereus pseudomelanostele* ssp. *chryseus* × *Espositoa nana*, first mentioned by F. Ritter, Kakt. Südamer. 4: 1424, 1981.]
- Islaya caligophila** (R. Pinto) Faúndez & R. Kiesling, *Darwiniana* 45(2): 237, 2007. Basionym: *Eriosyce caligophila*.
- Islaya iquiquensis** (F. Ritter) Faúndez & R. Kiesling, *Darwiniana* 45(2): 237, 2007. Basionym: *Pyrrhocactus iquiquensis*.
- Islaya laui** (J. Lüthy) Ferryman ex Faúndez & R. Kiesling, *Darwiniana* 45(2): 237, 2007. Basionym: *Eriosyce laui*. [First published invalidly (Art. 33.4, cf. RPS 50) by Ferryman, Chileans 17(56): 95, 1999 ('1998').]
- Lepismium floribundum** Süpplie, Rhipsalis & Lepismium, 65-66, illus. (p. 81), 2007. Typus: *Creuz* 2001/18 (Herb. EPRIC Foundation 2006/067).
- Lepismium monacanthum** ssp. **espinosum** (Kinnach) Süpplie, Rhipsalis & Lepismium, 74, 2007. Basionym: *Rhipsalis monacantha* var. *espinosa*. [Sphalm. 'espinosa'.]
- Maihueniopsis boliviensis** ssp. **echinacea** (F. Ritter) Faúndez & R. Kiesling, *Darwiniana* 45(2): 237, 2007. Basionym: *Tephrocactus echinaceus*.
- Maihueniopsis boliviensis** ssp. **ignescens** (Vaupel) Faúndez & R. Kiesling, *Darwiniana* 45(2): 237, 2007. Basionym: *Opuntia ignescens*.
- Mammillaria crinita** fa. **tezontle** (W. A. & B. Fitz Maurice) W. A. & B. Fitz Maurice, *Cactus & Co.* 11(2): 114, illus., 2007. *Nom. inval.* (Art. 33.4), based on *Mammillaria tezontle*.
- Mammillaria lasiacantha** fa. **cuchillensis** Rogozinski & Plein, Mitteilungsbl. AfM 31(1): 31, 2007. Typus: *Lacoste* 546 (ZSS). [Name first used invalidly (Art. 36.1, 37.1) l.c. 30(4): 177, 2006.]
- Mammillaria lasiacantha** fa. **diablensis** Rogozinski & Plein, Mitteilungsbl. AfM 31(1): 30, 2007. Typus: *Rogozinski* 619 (ZSS) [Ex cult.]. [Name first used invalidly (Art. 36.1, 37.1) l.c. 30(4): 177, 2006.]

- Mammillaria lasiacantha** fa. *wohlschlägeri* (Reppenhagen) W. ten Hoeve, J. Mammillaria Soc. 47(3): 62, 2007. Basionym: *Mammillaria wohlschlägeri*.
- Mammillaria lasiacantha** var. *hamatispina* Rogozinski & Plein, Mitteilungsbl. AfM 31(1): 31-32, 2007. Typus: *Rogozinski* 88 (ZSS) [Ex cult.]. [Name first used invalidly (Art. 36.1, 37.1) by E. Kuhn ex Linzen, Inform.-brief. ZAG Mammillarien 7(2): 25, 1981, and again as combination for *Mammillaria magallanii* var. *hamatispina* Backeberg by Rogozinski & Plein, l.c. 30(4): 178, 2006.]
- Mammillaria lindsayi** fa. *marlinii* Rogozinski & Plein, Mitteilungsbl. AfM 31(4): 220-221, ill. (p. 214), 2007. Typus: *Rogozinski* 746 (UAT).
- Mammillaria sinforosensis** Linzen & R. Schumacher, Kakt. and. Sukk. 58(9): 233-234, ill. (pp. 231-232), 2008. Typus: *Schumacher* 909 (Herb. Univ. Auton. Chapingo, Durango 2668).
- Mammillaria sinforosensis** fa. *rubriflora* (Hils) Linzen & R. Schumacher, Kakt. and. Sukk. 58(9): 236, ill. (p. 235), 2007. Basionym: *Mammillaria lindsayi* var. *rubriflora*.
- Mammillaria sinforosensis** ssp. *cobreensis* (Hils) Linzen & R. Schumacher, Kakt. and. Sukk. 58(9): 236, ill. (p. 235), 2007. Basionym: *Mammillaria lindsayi* var. *cobreensis*.
- Mammillaria sinforosensis** ssp. *marionae* Linzen & R. Schumacher, Kakt. and. Sukk. 58(9): 234-235, ill. (p. 233), 2007. Typus: *Schumacher* 911 (Herb. Univ. Auton. Chapingo, Durango 2667).
- Micropuntia pulchella** (Engelmann) M. P. Griffith, Haseltonia 9: 91, 2003. Basionym: *Opuntia pulchella*. [Dated 2002, publ. Nov. 2003. Erroneously omitted so far. Name first used invalidly (Art. 33.3) by C. Holland, Brit. Cact. Succ. J. 17(4): 206, 1997 (RPS 48).]
- Notocactus tabularis** var. *setispinus* W. Prauser, Internoto 28(2): 31-32, ill., 2007. Typus: *Abraham* 12a (FRP). [See l.c. 28(4): 89, 2007, for an additional illustration.]
- Parodia horrida** fa. *lohaniana* (A. B. Lau & Weskamp) Kässinger, Mitteilungsbl. Inter-Parodia-Kette No. 24: 10, ill., 2007. Basionym: *Parodia lohaniana*.
- Parodia horrida** var. *cachiana* (Weskamp) Kässinger, Mitteilungsbl. Inter-Parodia-Kette No. 24: 6, ill., 2007. Basionym: *Parodia cachiana*.
- Parodia horrida** var. *dichroacantha* (F. H. Brandt & Weskamp) Kässinger, Mitteilungsbl. Inter-Parodia-Kette No. 24: 12, ill., 2007. Basionym: *Parodia dichroacantha*.
- Parodia tuberculata** var. *sotomayorense* (F. Ritter) Neut, Mitteilungsbl. Inter-Parodia-Kette No. 24: 19 [caption only], 2007. *Nom. inval.* (Art. 34.1a), based on *Parodia sotomayorense*.
- Pilosocereus hermii** P. J. Braun & al., Kakt. and. Sukk. 58(7): 184-186, ill. (pp. 183-188), 2007. Typus: *Esteves* 587 (UFG).
- Puna mandragora* (Backeberg) Odehnal, Kaktusy 43(1): 34, 2007. *Nom. inval.* (Art. 33.4), based on *Tephrocactus mandragora*.
- Pygmaeocereus biebliei** var. *kuehhasii* Diers, Kakt. and. Sukk. 58(3): 72-76, ill., 2007. Typus: *Kühhas* 81/26 (USM, WU).
- Pyrrhocactus philippianus** Faúndez, Darwiniana 45(2): 237, 2007. Typus: *Kattermann* 391 (DBG). [*Nom. nov. pro Eriocye occulta* Kattermann 1994 (*non Pyrrhocactus occultus* (K. Schumann) F. Ritter 1959).]
- Rhipsalis** 'Heidelberg' Süpplie, Rhipsalis & Lepismium, 121, ill., 2007. [= *Rhipsalis puniceodiscus* × *R. neves-armondii*.]
- Rhipsalis pilocarpa** fa. *minima* Süpplie, Rhipsalis & Lepismium, 119, ill., 2007. Typus: *Anonymus* s.n. in EPRIC 2001/18 (Herb. EPRIC Foundation 2007/01).
- Sclerocactus glaucus** ssp. *wetlandicus* (Hochstätter) J. Lüthy, Cact. Syst. Init. No. 22: 24, 2007. Basionym: *Sclerocactus wetlandicus*.
- Sclerocactus scheeri** ssp. *brevihamatus* (Engelmann) J. Lüthy, Cact. Syst. Init. No. 22: 23, 2007. Basionym: *Echinocactus brevihamatus*.
- Sclerocactus spinosior** ssp. *nyensis* (Hochstätter) J. Lüthy, Cact. Syst. Init. No. 22: 23, 2007. Basionym: *Sclerocactus nyensis*.
- Sclerocactus whipplei** ssp. *cloverae* (K. D. Heil & J. M. Porter) Hochstätter, Succulenta 86(2): 90, 2007. Basionym: *Sclerocactus cloverae*.
- Sulcorebutia frankiana** var. *gigantea* Slaba & Sorma, Kaktusy 43(2): 55, ill., 2007. *Nom. inval.* (Art. 34.1b). [Published as provisional name.]
- Sulcorebutia frankiana** var. *intermedia* Slaba & Sorma, Kaktusy 43(2): 59, ill. (p. 58-59), 2007. Typus: *Slaba* 41/02 (PR 11963). [Two collection numbers are given, but they are treated as referring to the same collection, and since a single herbarium sheet number is given, the taxon can be interpreted as being validly published.]
- Sulcorebutia frankiana** var. *lilacina* Slaba & Sorma, Kaktusy 43(2): 56, ill., 2007. *Nom. inval.* (Art. 34.1b). [Published as provisional name.]
- Sulcorebutia frankiana** var. *polymorpha* Slaba & Sorma, Kaktusy 43(2): 56, ill., 2007. *Nom. inval.* (Art. 34.1b). [Published as provisional name.]
- Sulcorebutia frankiana** var. *rectispina* Slaba & Sorma, Kaktusy 43(2): 58, ill. (p. 57), 2007. Typus: *Slaba* 43a/02 (PR 11962). [Two collection numbers are given, but they are treated as referring to the same collection, and since a single herbarium sheet number is given, the taxon can be interpreted as being validly published.]

- Sulcorebutia horacekii** Slaba, Kaktusy 43(4): 123, illus. (pp. 120-122), 2007. Typus: *Slaba* 37/04 (PR 11965).
- Sulcorebutia pulchra** var. **albiareolata** Slaba & Sorma, Kaktusy 43(1): 14, illus. (p. 14-15), 2007. Typus: *Slaba* 45/02 (PR 11961). [Two collection numbers are given, but they are treated as referring to the same collection, and since a single herbarium sheet number is given, the taxon can be interpreted as being validly published.]
- Sulcorebutia pulchra** var. **longispina** Slaba & Sorma, Kaktusy 43(1): 13, illus. (p. 12), 2007. Typus: *Slaba* 47/99 (PR 11960). [Two collection numbers are given, but they are treated as referring to the same collection, and since a single herbarium sheet number is given, the taxon can be interpreted as being validly published.]
- Sulcorebutia rebutoides** P. Lechner & Draxler, Kakt. and. Sukk. 58(5): 128-129, ill., 2007. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Sulcorebutia tarijensis** ssp. **carchimayuensis** K. Augustin, Gymnocalycium 20(4): 742, illus., 2007. Typus: *Augustin* 124 (LPB, WU).
- Sulcorebutia tarijensis** ssp. **samaensis** K. Augustin, Gymnocalycium 20(4): 743-745, illus., 2007. Typus: *Augustin* 306 (LPB, WU).
- Sulcorebutia tiraquensis** ssp. **krahni** (Rausch) Gertel & J. de Vries, Cactus & Co. 11(3): 158, 2007. Basionym: *Sulcorebutia krahni*.
- Sulcorebutia tiraquensis** ssp. **marianna** (Swoboda) Gertel & J. de Vries, Cactus & Co. 11(3): 158, 2007. Basionym: *Sulcorebutia marianna*.
- Sulcorebutia tiraquensis** ssp. **totorense** (Cárdenas) Gertel & J. de Vries, Cactus & Co. 11(3): 158, 2007. Basionym: *Rebutia totorense*.
- Sulcorebutia tiraquensis** var. **augustinii** (Hentzschel) Gertel & J. de Vries, Cactus & Co. 11(3): 158, 2007. Basionym: *Sulcorebutia augustini*.
- Sulcorebutia tiraquensis** var. **australis** (Rausch) Gertel & J. de Vries, Cactus & Co. 11(3): 158, 2007. Basionym: *Sulcorebutia steinbachii* var. *australis*.
- Sulcorebutia tiraquensis** var. **lau** (Brederoo & Donald) Gertel & J. de Vries, Cactus & Co. 11(3): 158, 2007. Basionym: *Sulcorebutia vizcarrae* var. *lau*.
- Sulcorebutia tiraquensis** var. **oenantha** (Rausch) Gertel & J. de Vries, Cactus & Co. 11(3): 158, 2007. Basionym: *Sulcorebutia oenantha*.
- Trichocereus chiloensis** ssp. **litoralis** (Johow) Faúndez, Darwiniana 45(2): 237, 2007. Basionym: *Cereus litoralis*.
- Tunilla picardoi** Marnier-Lapostolle ex Guiggi, Haseltonia 12: 13, illus. (p. 14), 2007. Typus: *Picardo* s.n. (NICE B-7289) [Ex cult. Hort. G. Delanoy]. [Dated 2006, publ. 2007. Based on *Opuntia picardoi* Marnier-Lapostolle 1960, *nom. inval.* (Art. 37.1). Name first published invalidly (Art. 37.4) by D. R. Hunt & Iliff (Cact. Syst. Init. No. 9: 11, 2000) and erroneously reported as valid in RPS 51.]
- Weingartia frey-juckeri** Diers & K. Augustin, Gymnocalycium 20(1): 711, ill., 2007. Typus: *Jucker* 441 (LPB, WU).
- Wigginsia calvescens** (N. Gerloff & A. D. Nilson) F. Font, Internoto 28(1): 14, ill., 2007. *Nom. inval.* (Art. 33.4 Note 1), based on *Notocactus calvescens*.
- Winterocereus colademononis** (Diers & Krahn) Metzing & R. Kiesling, Taxon 56(1): 227, 2007. Basionym: *Hildewintera colademononis*.

CRASSULACEAE

- Aeonium** nsect. **Aeonicanariensis** Bañares, Vieraea 35: 20, 2007. *Nom. illeg.* (Art. 52.1, H4). [= *Aeonium* Sect. *Aeonium* × *A. sect. Canariensis*. *Nom. illeg.* vs. *Aeonium* nsect. *Canareonium* P. V. Heath 1992.]
- Aeonium** nsect. **Aeonigreenovia** Bañares, Vieraea 35: 20, 2007. Typus: No type needed. = *Aeonium* Sect. *Aeonium* × *A. sect. Greenovia*.
- Aeonium** nsect. **Canarigoochiae** Bañares, Vieraea 35: 20, 2007. Typus: No type needed. = *Aeonium* Sect. *Canariensis* × *A. Sect. Goochiae*.
- Aeonium** nsect. **Chrysaeonium** Bañares, Vieraea 35: 20, 2007. Typus: No type needed. = *Aeonium* Sect. *Aeonium* × *A. Sect. Chrysocome*.
- Aeonium** nsect. **Chrysogreenovia** Bañares, Vieraea 35: 20, 2007. Typus: No type needed. = *Aeonium* Sect. *Chrysocome* × *A. Sect. Greenovia*.
- Aeonium** nsect. **Chrysoleuconium** Bañares, Vieraea 35: 20, 2007. Typus: No type needed. = *Aeonium* Sect. *Chrysocome* × *A. Sect. Leuconium*.
- Aeonium** nsect. **Leucogoochiae** Bañares, Vieraea 35: 20, 2007. Typus: No type needed. = *Aeonium* Sect. *Leuconium* × *A. Sect. Goochiae*.
- Aeonium** nsect. **Leucogreenovia** Bañares, Vieraea 35: 20, 2007. Typus: No type needed. = *Aeonium* Sect. *Leuconium* × *A. Sect. Greenovia*.
- Aeonium** nsect. **Leuconiaeonium** Bañares, Vieraea 35: 20, 2007. *Nom. illeg.* (Art. 52.1, H4). [No type needed. = *Aeonium* Sect. *Leuconium* × *A. Sect. Aeonium*. *Nom. illeg.* vs. *Aeonium* nsect. *Aeonileuconium* P. V. Heath 1992.]
- Aeonium** nsect. **Petrocanariense** Bañares, Vieraea 35: 20, 2007. Typus: No type needed. = *Aeonium* Sect. *Petrothamnium* × *A. Sect. Canariensis*.
- Aeonium** nsect. **Petrochrysocome** Bañares, Vieraea 35: 20, 2007. Typus: No type needed. = *Aeonium* Sect. *Petrothamnium* × *A. Sect. Chrysocome*.
- Aeonium** nsect. **Petrogoochiae** Bañares, Vieraea 35: 20, 2007. Typus: No type needed. = *Aeonium* Sect. *Petrothamnium* × *A. Sect. Goochiae*.

- Aeonium nsect. Petroleuconium** Bañares, Vieraea 35: 20, 2007. Typus: No type needed. [= *Aeonium* um Sect. *Petrothamnium* × *A. Sect. Leuconium*.]
- Aeonium ×bornmuelleri** Bañares, Vieraea 35: 10-11, figs. 1, 11, 2007. Typus: *Bañares* s.n. (TFC 43438). [= *Aeonium canariense* var. *canariense* × *A. urbicum* var. *urbicum*.]
- Aeonium ×cabreræ** A. Santos ex Bañares, Vieraea 35: 11, 2007. Typus: *Bañares* s.n. (TFC 37964). [= *Aeonium diplocyclum* × *A. spathulatum*. Name first used as combination for the invalid name ×*Greenonium cabreræ* A. Santos 1983 in l.c. 25: 184, 1996, and erroneously reported as valid in RPS 48.]
- Aeonium ×candelariense** Bañares, Vieraea 35: 11-12, 2007. Typus: [lecto – icono]: Praeger, l.c. t. 14: fig. 24 [Lectotype designated by Bañares, Vieraea 35: 12, 2007]. [*Nom. nov. pro Aeonium aizoon* [as *Greenovia aizoon*] × *A. aureum* [as *G. aurea*] Praeger, Proc. Roy. Irish Acad. 38B: 484, 1929.]
- Aeonium ×casanovense** Bañares, Vieraea 35: 12, fig. 2 (p. 22), 2007. Based on *Casanova* s.n.. *Nom. inval.* (Art. H4.1). [= *Aeonium sedifolium* × *A. spathulatum*. The name *A. ×loartei* G. Tavormina (Sept. 2007) has priority over this name (publ. Oct. 2007).]
- Aeonium ×davidii** Bañares, Vieraea 35: 12, 2007. Typus: [icono]: Proc. Roy. Irish Acad. 38B: t. 25: fig. 26, 1929. [*Nom. nov. pro ×Greenonium bramwellii* G. D. Rowley ex P. V. Heath 1992 (*non Aeonium bramwellii* (G. D. Rowley) P. V. Heath 1992).]
- Aeonium ×gordonii** G. Tavormina & S. Tavormina ex Bañares, Vieraea 35: 13, 2007. [*Nom. nov. pro ×Greenonium rowleyi* Bramwell ex P. V. Heath 1992 (*non Aeonium ×rowleyi* Bramwell ex P. V. Heath 1992), first used by G. Tavormina & S. Tavormina, Piante Grasse 26(2): 50, 2006, and incorrectly included as valid in RPS 57.]
- Aeonium ×hernandezii** Bañares, Vieraea 35: 13, fig. 3 (p. 23), 2007. Typus: *Bañares* & Hernández s.n. (TFC 43440).
- Aeonium ×lambii** Voggenreiter ex Bañares, Vieraea 35: 13, 2007. Typus: *Carqué* s.n. (TFC 37971). [= *Aeonium aureum* × *A. spathulatum*. *Non Aeonium ×lambii* Bramwell & G. D. Rowley 1973 [*nom. inval.*, Art. H10, 37.1].]
- Aeonium ×laxiflorum** (Macarrón & Bañares) Bañares, Vieraea 35: 14, 2007. Basionym: ×*Greenonium laxiflorum*. [Name first used invalidly (Art. 33.4) by G. Tavormina & S. Tavormina, Piante Grasse 26(2): 49, 2006, and incorrectly included as valid in RPS 57.]
- Aeonium ×loartei** G. Tavormina, Cactus & Co. 11(3: Collage): 4, ill. (pp. 3, 5), 2007. Typus: *Tavormina* s.n. (FT 418.1). [= *Aeonium sedifolium* × *A. spathulatum*.]
- Aeonium ×meridionale** Bañares ex Bañares, Vieraea 35: 14, 2007. Typus: *Bañares* s.n. (TFC 37975). [= *A. davidbramwellii* × *A. spathulatum*. Name first used invalidly (Art. 37.1) in l.c. 18: 68, 1990 (with the parentage given as *A. ciliatum* ssp. *praegeri* × *A. spathulatum* var. *cruentum*) and incorrectly included as valid in RPS 41.]
- Aeonium ×occidentale** Bañares, Vieraea 35: 14-15, 1990. Typus: *Bañares* & Nogales s.n. (TFC 19936). [= *A. goochiae* × *A. sedifolium*. Name first used invalidly (Art. 37.1) in l.c. 18: 68, 1990, and erroneously included as valid in RPS 41.]
- Aeonium ×proliferum** Bañares, Vieraea 35: 15, fig. 4 (p. 24), 2007. Typus: *Bañares* s.n. (TFC 43439). [= *Aeonium davidbramwellii* × *A. hierrense*.]
- Aeonium ×proliferum** var. **glabrifolium** Bañares, Vieraea 35: 15-16, fig. 5 (p. 25), 2007. Typus: *Bañares* s.n. (TFC 43441). [No parentage stated in conformity with Art. H12. Rank incorrectly given as "ivar." (cf. Art. H12).]
- Aeonium ×riosjordanae** (Bañares) Bañares, Vieraea 35: 16, 2007. Basionym: ×*Greenonium riosjordanae*. [Sphalm. 'rios-jordanae'.]
- Aeonium ×robustum** Bañares, Vieraea 35: 16, fig. 6 (p. 26), 2007. Typus: *Bañares* & Bermúdez s.n. (TFC 43436). [= *Aeonium davidbramwellii* × *A. nobile*.]
- Aeonium ×septentrionale** Bañares & C. Ríos, Vieraea 35: 17, fig. 7 (p. 27), 2007. Typus: Ríos s.n. (TFC 43444). [= *Aeonium aureum* × *A. undulatum*.]
- Aeonium ×tahodiense** Bañares, Vieraea 35: 17, 2007. *Nom. illeg.* (Art. 52.1). [*Nom. nov. illeg. pro Aeonium ×bramwellii* G. D. Rowley ex P. V. Heath 1992 (Art. 23A.3(h), cited by the author as reason for the new name, is not applicable since it is only a recommendation).]
- Aeonium ×tijaratense** A. Santos ex Bañares, Vieraea 35: 17-18, 2007. Typus: *Bañares* s.n. (TFC 37967). [= *Aeonium davidbramwellii* × *A. diplocyclum*. Name first used invalidly in l.c. 25: 190, 1996 (1997?) as combination for the invalid ×*Greenonium tijaratense* A. Santos 1983.]
- Aeonium ×timense** Bañares & Macarrón ex Bañares, Vieraea 35: 18, 2007. Typus: *Bañares* s.n. (TFC 43420). [= *A. nobile* × *A. palmense*. Name first used invalidly (Art. 37.1) in l.c. 18: 68, 1990 (sphalm. 'timensis').]
- Aichryson ×zazuajei** Bañares, Vieraea 35: 18, 2007. Typus: *Bañares* & Acevedo s.n. (TFC 43418). [= *Aichryson laxum* × *A. porphyrogennetos*.]
- Crassula ankaratrensis** Descoings, J. Bot. Soc. Bot. France 38: 11-13, ill., 2007. Typus: *Bosser* 8266 (P).
- Crassula bevilanensis** Descoings, J. Bot. Soc. Bot. France 38: 13-15, ill., 2007. Typus: *Humbert* & *Swingle* 5688 (P).
- Crassula micans** var. **vavarana** Descoings, J. Bot. Soc. Bot. France 38: 24, ill. (p. 23), 2007. Typus: *Humbert* 6576 (P).

- Dudleya abramsii** ssp. **costifolia** (Bartel & Shevock) Moran, J. Bot. Res. Inst. Texas 1(2): 1015, 2007. Basionym: *Dudleya cymosa* ssp. *costifolia*.
- Dudleya abramsii** ssp. **setchellii** (Jepson) Moran, J. Bot. Res. Inst. Texas 1(2): 1015, 2007. Basionym: *Cotyledon laxa* var. *setchellii*.
- Echeveria lyonsii** Kimmach, Cact. Succ. J. (US) 79(5): 218, illus. (pp. 215-217), 2007. Typus: *Kimmach & Lyons* 1445 (HNT, MEXU, US).
- Echeveria patriotica** I. García & Pérez-Calix, Acta Bot. Mex. 78: 126-128, illus., 2007. Typus: *García & Hernández* 4441 (IEB, CIMI, ENCB, MEXU, MICH).
- Jovibarba globifera** fa. **hillebrandtii** (Schott) Hadrava & Miklánek, Kaktusy 43(Special 1): 21-22, 2007. Basionym: *Sempervivum hillebrandtii*.
- Jovibarba globifera** fa. **neilreichii** (Schott & al.) Hadrava & Miklánek, Kaktusy 43(Special 1): 22, 2007. Basionym: *Sempervivum neilreichii*.
- Jovibarba globifera** var. **glabrescens** (Sabransky) Hadrava & Miklánek, Kaktusy 43(Special 1): 21, 25, 2007. Basionym: *Sempervivum hirtum* fa. *glabrescens*.
- Jovibarba globifera** var. **preissiana** (Domin) Hadrava & Miklánek, Kaktusy 43(Special 1): 22, 28, 2007. Basionym: *Sempervivum preissianum*.
- Jovibarba globifera** var. **pseudohirta** (Leute) Hadrava & Miklánek, Kaktusy 43(Special 1): 21, 2007. Basionym: *Diopogon arenarius* ssp. *pseudohirtus*.
- Monanthes ×filifolium** Bañares, Viera 35: 19, fig. 9 (p. 29), 2007. Typus: *Bañares & Bermúdez* s.n. (TFC 43435). [= *Monanthes anagenensis* × *M. brachycaulos*.]
- Monanthes ×subglabrata** Bañares, Viera 35: 19-20, fig. 10 (p. 30), 2007. Typus: *Bañares* s.n. (TFC 43442). [= *Monanthes brachycaulos* × *M. minima*.]
- Pachyphytum brachetii** Reyes & al., Cact. Suc. Mex. 52(2): 56-58, illus., 2007. Typus: *Reyes* 4350 (MEXU).
- Sedum carinatifolium** (R. T. Clausen) Pérez-Calix, Revista Mex. Biodivers. 78: 282, ill. (p. 284), 2007. Basionym: *Sedum reptans* ssp. *carinatifolium*.
- Sedum glassii** Pérez-Calix, Revista Mex. Biodivers. 78: 286, ill. (p. 288), 2007. Typus: *Pérez-Calix & Carranza* 3614 (IEB, ENCB, MEXU).
- Sedum incarnum** (Ball) Pino, Haseltonia 12: 60, figs. 12-19 (p. 59), 2007. Basionym: *Cotyledon incarnum*. [Dated 2006, publ. 2007.]
- Sedum jerzedowskii** Pérez-Calix, Revista Mex. Biodivers. 78: 285, ill. (p. 287), 2007. Typus: *Servín* 942 (IEB, ENCB, MEXU).
- Sedum lanceolatum** var. **subalpinum** (Fröderström) H. Ohba, J. Bot. Res. Inst. Texas 1(2): 890, 2007. Basionym: *Sedum stenopetalum* var. *subalpinum*. [Nom. illeg. vs. *Sedum lanceolatum* ssp. *subalpinum* (Blankinship) R. T. Clausen 1975 (Art. 53.4).]
- Sedum laxum** var. **eastwoodiae** (Britton) H. Ohba, J. Bot. Res. Inst. Texas 1(2): 889, 2007. Basionym: *Gormania eastwoodiae*.
- Sedum laxum** var. **flavidum** (Denton) H. Ohba, J. Bot. Res. Inst. Texas 1(2): 889, 2007. Basionym: *Sedum laxum* ssp. *flavidum*.
- Sedum laxum** var. **heckneri** (M. Peck) H. Ohba, J. Bot. Res. Inst. Texas 1(2): 889, 2007. Basionym: *Sedum heckneri*.
- Sedum laxum** var. **latifolium** (R. T. Clausen) H. Ohba, J. Bot. Res. Inst. Texas 1(2): 890, 2007. Basionym: *Sedum laxum* ssp. *latifolium*.
- Sedum obtusatum** var. **boreale** (R. T. Clausen) H. Ohba, J. Bot. Res. Inst. Texas 1(2): 889, 2007. Basionym: *Sedum obtusatum* ssp. *boreale*.
- Sedum obtusatum** var. **paradisum** (Denton) H. Ohba, J. Bot. Res. Inst. Texas 1(2): 889, 2007. Basionym: *Sedum obtusatum* ssp. *paradisum*.
- Sedum obtusatum** var. **retusum** (Rose) H. Ohba, J. Bot. Res. Inst. Texas 1(2): 889, 2007. Basionym: *Gormania retusa*.
- Sedum oreganum** var. **tenue** (R. T. Clausen) H. Ohba, J. Bot. Res. Inst. Texas 1(2): 890, 2007. Basionym: *Sedum oreganum* ssp. *tenue*.
- Sedum radiatum** var. **ciliosum** (Howell) H. Ohba, J. Bot. Res. Inst. Texas 1(2): 889, 2007. Basionym: *Sedum ciliosum*.
- Sedum radiatum** var. **depauperatum** (R. T. Clausen) H. Ohba, J. Bot. Res. Inst. Texas 1(2): 889, 2007. Basionym: *Sedum radiatum* ssp. *depauperatum*.
- Sedum renzopalmae** Pino, Haseltonia 12: 62-64, illus., 2007. Typus: *Pino* 1697 (USM). [Dated 2006, publ. 2007.]
- Sedum stenopetalum** var. **monanthum** (Suksdorf) H. Ohba, J. Bot. Res. Inst. Texas 1(2): 890, 2007. Basionym: *Sedum monanthum*.
- Sedum wrightii** var. **densiflorum** (R. T. Clausen) H. Ohba, J. Bot. Res. Inst. Texas 1(2): 889, 2007. Basionym: *Sedum wrightii* ssp. *densiflorum*.
- Sedum wrightii** var. **priscum** (R. T. Clausen) H. Ohba, J. Bot. Res. Inst. Texas 1(2): 889, 2007. Basionym: *Sedum wrightii* ssp. *priscum*.
- Sempervivum marmoreum** fa. **angustissimum** (Priszter) Hadrava & Miklánek, Kaktusy 43(Special 1): 17, 2007. Nom. inval. (Art. 34.1b), based on *Sempervivum marmoreum* var. *angustissimum*.
- Sempervivum marmoreum** ssp. **matricum** Hadrava & Miklánek, Kaktusy 43(Special 1): 14, 2007. Nom. inval. (Art. 34.1b, 36.1). [Published as provisional name.]
- Sempervivum matricum** Letz ex Hadrava & Miklánek, Kaktusy 43(Special 1): 14, 2007. Nom. inval. (Art. 34.1a, 36.1). [Referred to as unpublished name "to be published 2007", and first used in the unpublished thesis of Letz.]
- Sempervivum montanum** fa. **neopallidum** Hadrava & Miklánek, Kaktusy 43(Special 1): 11, 2007. Nom. illeg. (Art. 52.1). [Nom. nov. illeg. pro *Sempervivum montanum* fa. *pallidum* Domin

- 1933.]
Sempervivum montanum fa. *pallidum* (Wettstein ex Hegi & Schmid) Hadrava & Miklánek, Kak-tusy 43(Special 1): 11, 2007. *Nom. inval.* (Art. 53.1), based on *Sempervivum montanum* var. *pallidum*, *nom. illeg.* (Art. 53.4). [Non *Sempervivum montanum* fa. *pallidum* Domin 1933. Bracket author incorrectly given as "Wettstein ex Schinz & R. Keller".]
Sempervivum montanum ssp. ***carpathicum***
'Cmiral's Yellow' Hadrava & Miklánek, Kak-tusy 43(Special 1): 12, ill. (p. 9), 2007.
Thompsonella garciae-mendozae P. Carrillo & Pérez-Calix, Novon 16: 320-322, ill., 2006. Typus: Pérez-Calix & Steinmann 4312 (IEB, MEXU, MO). [Previously omitted.]

DRACAENACEAE

- Sansevieria*** 'Druid Hill' Jankalski, Sansevieria No. 15: 13, ills., 2007. [= *Sansevieria trifasciata* 'Manda's Dwarf' × *S. ballyi*. Dated Nov. 2006, received 6. 2. 2007 at ZSS.]
Sansevieria 'Ed Eby' Jankalski, Sansevieria No. 15: 9, 2007. [= *Sansevieria patens* hort. Dated Nov. 2006, received 6. 2. 2007 at ZSS.]
Sansevieria 'Ed Eby Striated' Jankalski, Sansevieria No. 15: 9, 2007. [= *Sansevieria patens* 'Striated' Chahinian 1995 (*nom. illeg.*, ICNCP 17.11). Dated Nov. 2006, received 6. 2. 2007 at ZSS.]
Sansevieria 'Leopard Bat' Jankalski, Sansevieria No. 17: 24, 2007. [= *Sansevieria fischeri* × *S. raffillii*.]
Sansevieria 'McLoughlin' Jankalski, Sansevieria No. 15: 22, 2007. [= *Sansevieria phillipsiae* hort. Dated Nov. 2006, received 6. 2. 2007 at ZSS.]
Sansevieria 'Salaf' Jankalski, Sansevieria No. 17: 21, 2007. [*Nom. nov. pro Sansevieria ehrenbergii* sensu K. Schumann in Hemprich & Ehrenberg, Symb. Phys., 27, t. 13: fig. 2, 1900.]
Sansevieria 'Shonee Knife' Jankalski, Sansevieria No. 17: 26, 2007. [= *Sansevieria splendens* hort. ex Eby, Cact. Succ. J. (US) 56(2): 67-68, fig. 8, 1984. Probably a garden hybrid *S. sspicata* × *S. trifasciata*.]
Sansevieria *forskaoliana* 'Burao' Jankalski, Sansevieria No. 17: 22, 2007. Based on *Lavrano*s 6795. [*Nom. nov. pro Sansevieria elliptica* sensu Chahinian, Splendid Sansevieria, 50-51, 1 t., 2005.]
Sansevieria *gracillima* Chahinian, Sansevieria No. 12: 3-4, ills., 2005. Typus: *Lavrano*s 27839 in Chahinian 336 (MO, NY). [Erroneously omitted so far.]
Sansevieria *roxburghiana* 'Roxette' Jankalski, Sansevieria No. 15: 25, 2007. [Dated Nov. 2006, received at ZSS 6. 2. 2007.]

EUPHORBIACEAE

- Euphorbia*** Sect. ***Cubanthus*** (Boissier) V. W. Steinmann & P. E. Berry, Anales Jard. Bot. Madrid 64(2): 132, 2007. Basionym: *Pedilanthus* Sect. *Cubanthus*.
Euphorbia collenetteae Al-Zahrani & El-Karemy, Edinburgh J. Bot. 64(2): 131-134, ill., 2007. Typus: *Al-Zahrani* 170 (M, BM, CAI, E, K, KAAU, KSU, M, RIY).
Euphorbia gammarranii G. Williamson, Euphorbia World 2(3): 9-10, ill., 2007. *Williamson & Gammarana* 6037 (BOL). [Dated Dec. 2006, received at ZSS 26. Jan. 2007.]
Euphorbia gilbertiana Bissneret & Specks, Haseltonia 12: 15, ill. (pp. 16-17), 2007. Typus: *Specks* 1947 (PR 11863). [Dated 2006, publ. 2007.]
Euphorbia letouzeyana (Malaisse) Bruyns, Euphorbia World 3(1): 5, 2007. Basionym: *Monadenium letouzeyanum*.
Euphorbia madinahensis Fayed & Al-Zahrani, Edinburgh J. Bot. 64(2): 117-120, ill., 2007. Typus: *Al-Zahrani* 185 (M, BM, CAI, E, K, KAAU, KSU).
Euphorbia major (Pax) Bruyns, Euphorbia World 3(1): 5, 2007. Basionym: *Lertia major*.
Euphorbia maromokotrensis Rebmann, Succulentes 2007(Spécial): 44, ill., 2007. *Nom. inval.* (Art. 36.1, 37.1).
Euphorbia marrupana Bruyns, Novon 16: 456, ill., 2006. Typus: *Bruyns* 9708 (BOL).
Euphorbia namuliensis Bruyns, Novon 16: 454-455, ill., 2006. Typus: *Bruyns* 9723 (BOL, K, MO).
Euphorbia neokaessneri Bruyns, Euphorbia World 3(1): 5, 2007. Typus: *Kässner* 2792 (BM). [*Nom. nov. pro Monadenium kaessneri* N. E. Brown 1911 ≡ *Euphorbia kaessneri* (N. E. Brown) Bruyns 2006 (*non Euphorbia kaessneri* Pax 1909).]
Euphorbia saudiarabica Fayed & Al-Zahrani, Edinburgh J. Bot. 64(2): 121-123, ill., 2007. Typus: *Al-Zahrani* 164 (M, BM, E, K, M).
Euphorbia spissa Thulin, Nordic J. Bot. 24(4): 377-378, ill., 2007. Typus: *Thulin* 10968 (UPS, FT, K). [Name first used invalidly (Art. 36.1) in Fl. Somalia 3: 570-572, ill., 2006.]
Euphorbia stenocaulis Bruyns, Novon 16: 457, ill. (p. 455), 2006. Typus: *Bruyns* 8534 (BOL, E, MO).
Euphorbia succulenta (Schweickerdt) Bruyns, Euphorbia World 3(1): 5, 2007. Basionym: *Monadenium succulentum*.
Euphorbia succulenta var. ***congesta*** (P. R. O. Bally) Bruyns, Euphorbia World 3(1): 5, 2007. Basionym: *Monadenium stapelioides* fa. *congestum*.
Euphorbia taifensis Fayed & Al-Zahrani, Edinburgh J. Bot. 64(2): 125-127, ill., 2007. Typus: *Al-Zahrani* 198 (M, BM, CAI, E, K, KAAU, KSU, RIY).

Euphorbia umbellata (Pax) Bruyns, Euphorbia World 3(1): 5, 2007. Basionym: *Synadenium umbellatum*.

GESNERIACEAE

Codonanthe gibbosa Rossini & Chautems, Caudolea 62(2): 216-217, ill., 2007. Typus: *Vervloet & al.* 1171 (MBML, G).

HYACINTHACEAE

Ledebouria crennophila S. Venter & van Jaarsveld, Aloe 43(4): 78-79, ill., 2007. Typus: *Venter* 13671 (PRE). [Dated Dec. 2006, received at ZSS May 2007.]

Ledebouria ovatifolia ssp. *scabrida* N. Crouch & T. J. Edwards, Flow. Pl. Afr. 60: 14, t. 2223, 2007. Typus: *Edwards & Crouch* 3260 (NU).

Ledebouria venteri van Jaarsveld & A. E. van Wyk, Aloe 43(4): 75-76, ill., 2007. Typus: *van Jaarsveld* 17633 (NBG). [Dated Dec. 2006, received at ZSS May 2007.]

LAMIACEAE

Aeollanthus haumanniorum van Jaarsveld, Aloe 43(4): 72-73, ill., 2007. Typus: *van Jaarsveld & Swanepoel* 19423 (WIND). [Sphalm. 'haumannii', but named for father and son Haumann according to the protologue. Dated Dec. 2006, received at ZSS May 2007.]

NOLANACEAE

Nolana sphaerophylla (Philippi) Mesa ex M. O. Dillon, Darwiniana 45(2): 239, 2007. Basionym: *Alona sphaerophylla*.

PASSIFLORACEAE

Adenia kigogoensis Hearn, Brittonia 59(4): 309-311, ill., 2007. Typus: *Hearn & Kayombo* 24-11-28 (ARIZ, NHT).

Adenia litoralis Hearn, Brittonia 59(4): 311-313, ill., 2007. Typus: *Hearn* MAD-31 (ARIZ, NY, TAN).

Adenia medadiana Hearn, Brittonia 59(4): 315-317, ill., 2007. Typus: *Hearn* MAD-29 (ARIZ, TAN).

Adenia metamorpha Hearn, Brittonia 59(4): 313-315, ill., 2007. Typus: *Hearn* MAD-25 (ARIZ, MO, TAN).

Adenia stylosa (H. Perrier) Hearn, Brittonia 59(4): 317, ill. (p. 318), 2007. Basionym: *Adenia epigea* var. *stylosa*.

PIPERACEAE

Peperomia cuchumatana Véliz, Cact.-Avent. Int. No. 73: 2-5, ill., 2007. Typus: *Véliz & Hernandez* 6071 (BIGU, AGUAT, EAP, F, K, MEXU, MO, NY, US).

Peperomia linaresii Véliz, Cact.-Avent. Int. No. 73: 10-12, ill., 2007. Typus: *Véliz & Linares* 15357 (BIGU, EAP, MEXU, MO, NY).

Peperomia moralesii Véliz, Cact.-Avent. Int. No. 73: 6-9, ill., 2007. Typus: *Véliz & Véliz* 4935 (BIGU, AGUAT, MEXU).

PORTULACACEAE

Ceraria kaokoensis Swanepoel, Bothalia 37(2): 202-203, ill., 2007. Typus: *Swanepoel* 224 (WIND, PRE).

Cistanthe cachinalensis (Philippi) Peralta & D. I. Ford, Darwiniana 45(2): 239-240, 2007. Basionym: *Calandrinia cachinalensis*.

Cistanthe chrysantha (I. M. Johnston) Peralta & D. I. Ford, Darwiniana 45(2): 240, 2007. Basionym: *Calandrinia chrysantha*.

Cistanthe lamprosperma (I. M. Johnston) Peralta & D. I. Ford, Darwiniana 45(2): 240, 2007. Basionym: *Calandrinia lamprosperma*.

Cistanthe laxiflora (Philippi) D. I. Ford ex Peralta & D. I. Ford, Darwiniana 45(2): 240, 2007. Basionym: *Calandrinia laxiflora*. [First published invalidly (Art. 33.4, cf. RPS 45) by D. I. Ford, Cact. Succ. J. (US) 64(2): 59, 1994.]

Cistanthe thyrsoides (Reiche) Peralta & D. I. Ford, Darwiniana 45(2): 240, 2007. Basionym: *Calandrinia thyrsoides*.

Montia angustifolia Heenan, New Zealand J. Bot. 45(2): 438, 2007. Typus: *Mitchell* s.n. in CHR 198855 (CHR). [*Nom. nov. pro Neopaxia linearifolia* Heenan 1999 (*non Montia linearifolia* d'Urville 1826).]

Montia campylostigma (Heenan) Heenan, New Zealand J. Bot. 45(2): 438, 2007. Basionym: *Neopaxia campylostigma*.

Montia drucei (Heenan) Heenan, New Zealand J. Bot. 45(2): 438, 2007. Basionym: *Neopaxia drucei*.

Montia erythrophylla (Heenan) Heenan, New Zealand J. Bot. 45(2): 438, 2007. Basionym: *Neopaxia erythrophylla*.

Portulaca africana (Danin & H. G. Baker) Danin, Lagascalia 26: 76, 2006. Basionym: *Portulaca oleracea* ssp. *africana*.

Portulaca canariensis Danin & Reyes-Betancort, Lagascalia 26: 77, ills., 2006. Typus: *Cruz Trujillo* 39.452 (TFC, HUJ).

Portulaca impolita (Danin & H. G. Baker) Danin, Lagascalia 26: 76, 2006. Basionym: *Portulaca oleracea* ssp. *impolita*.

Portulaca nicaraguensis (Danin & H. G. Baker) Danin, Lagascalia 26: 73, 2006. Basionym: *Portulaca oleracea* ssp. *nicaraguensis*.

Portulaca stellata (Danin & H. G. Baker) Ricceri & Arrigoni, Parlatorea 4: 93, 2000. Basionym: *Portulaca oleracea* ssp. *stellata*. [Erroneously repeated by Danin, Lagascalia 26: 76, 2006, and previously omitted.]

Portulaca tuberculata (Danin & H. G. Baker) Danin, Lagascalia 26: 76, 2006. *Nom. illeg.* (Art. 53.1), based on *Portulaca oleracea* ssp. *tuberculata*. [*Non Portulaca tuberculata* León 1950.]

VITACEAE

Cyphostemma ankaranense Descoings, J. Bot. Soc. Bot. France 39: 17-19, ills., 2007. Typus: *Malcomber* & al. 1863 (P, MO).

Cyphostemma caerulans Descoings, J. Bot. Soc. Bot. France 39: 19-21, ills., 2007. Typus: *Bar-dot-Vaucoulon* 398 (P).

BIBLIOGRAPHIA

- [1] Afferni, M. & Tavormina, G. (2007) Native *Crassula* in Italy. *Sedum Soc. Newslett.* No. 80: 46-54,ills. [Italian version in *Piante Grasse* 27(2): 46-52, ills., 2007 (with an additional comparative table).]
- [2] Ahiahou, P. W. K. & Goodenowe, D. B. (2007) Triterpenoids from leaves of *Elaeophorbia drupifera*. *Fitoterapia* 78: 337-341.
- [3] Akulova-Barlow, Z. (2007) Argentina's Paper Spine Cacti and notes on *Tephrocactus* cultivation. *Cact. Succ. J. (US)* 79(5): 228-233, ills. [Included for the illustrations.]
- [4] Albers, I. & Metzing, D. (2007) *Apteranthes burchardii* subsp. *burchardii* (*Apocynaceae*). *Kakt. and. Sukk.* 58(5): 123-126, ills.
- [5] Albesiano, S. & Fernández-A., J. L. (2006) Catálogo comentado de la flora vascular de la franja tropical (500 - 1200 m) del cañón del Río Chicamocha (Boyacá-Santander, Colombia). Primera parte. *Caldasia* 28: 23-44. [Includes *Cactaceae* (pp. 32-33), *Agavaceae* (p. 29), *Aloeaceae* (p. 29), *Crassulaceae* (p. 33), *Portulacaceae* (pp. 34-35).]
- [6] Alsemgeest, W. & al. (2007) *Agave victoriae-reginae*. *Succulenta* 86(2): 63-69, ills.
- [7] Alsemgeest, W. & al. (2007) *Agave xylonacantha* en *Agave heteracantha*. *Succulenta* 86(5): 225-235, ills. [On variability and the possible hybrid nature of *A. heteracantha*.]
- [8] Álvarez S., J. L. & al. (2007) Estudio genético (RPD's) de especies de *Agave* distribuidas en el Volcán de Tequila, Jalisco, México. In: Vázquez-García, J. A. & al. (eds.): *Agaves del occidente de México*; pp. 100-110. Guadalajara (MX): Universidad de Guadalajara. [Includes *Agave guadalajarana* and *A. inaequidens*.]
- [9] Anaya, A. (2007) *Echinocactus grusonii* in Zimapán. Il destino di una specie. The fate of a species. *Cactus & Co.* 11(4): 212-232, ills.
- [10] Anonymous (2007) Data sheets on quarantine pests. *Crassula helmsii*. *Bull. OEPP* 37: 225-229, ills.
- [11] Appel, R. (2007) Feldnummernliste. *Echinocereus triglochidiatus* ssp. *triglochidiatus*, *Echinocereus triglochidiatus* ssp. *mojavensis*, *Echinocereus triglochidiatus* ssp. *mojavensis* f. *inermis*. Frostharte Kakt. 4(1): 19-24. [Continued from l.c. 3(2), 2006.]
- [12] Arakaki, M. (2007) New chromosome counts and evidence of polyploidy in *Haageocereus* and related genera in tribe *Trichocereeae* and other tribes of *Cactaceae*. *Brittonia* 59(3): 290-297, ills.
- [13] Arenas Miranda, A. M. (2005) Caracterización molecular del "complejo *Copiapoa cinerea*" (*Cactaceae*) en Chile: Una aproximación a niveles macro y microevolutivos. Santiago (RC): Universidad de Santiago de Chile, Facultad de Química y Biología, unpublished M.Sc. thesis. 45 pp., ills. [Omitted so far.]
- [14] Arroyo-Cosultchi, G. & al. (2007) Seed morphology in *Neobuxbaumia* (*Cactaceae*). *Bol. Soc. Bot. México* 81: 17-25.
- [15] Attorre, F. & al. (2007) Will Dragonblood survive the next period of climate change? Current and future potential distribution of *Dracaena cinnabari* (Socotra, Yemen). *Biol. Conservation* 138: 430-439, ills., maps.
- [16] Bachthaler, E. (2007) Zur Sortenvielfalt bei *Rhipsalidopsis ×graeseri*. *Kakt. and. Sukk.* 58(4): 93-94, ills.
- [17] Balakrishnan, N. P. & Chakrabarty, T. (2007) The family *Euphorbiaceae* in India: A synopsis of its profile, taxonomy and bibliography. Dehra Dun (IN): Bishen Singh Mahendra Pal Singh. xx + 500 pp., ills.
- [18] Bañares Baudet, A. (2007) Híbridos de la familia *Crassulaceae* en las islas Canarias. IV. *Vieraea* 35: 9-32, ills., map.
- [19] Barmon, A. de (2007) Ist der rotblühende *Notocactus submammulosus* (Lemaire) A. Berger ex Backeberg & Knuth ein echtes Mitglied der Untergattung *Neonotocactus*? *Internoto* 28(2): 39-43, ills. [Speculations on a hybrid origin involving *Parodia* s.str.]
- [20] Bayer, M. B. (2007) *Haworthia* update. Essays on *Haworthia*. Volume 3, part 1/2. Preston (GB): Alsterworthia International / Harry Mays. iii + 167 pp., ills., maps.
- [21] Bayer, M. B. (2007) *Haworthia* Duval. A revised species list [for the Eastern Cape]. *Alsterworthia Internat.* 7(2): 20-22, (3): 10 [erratum].
- [22] Bayer, M. B. (2007) The brutality of reality of *Haworthia*. *Alsterworthia Internat.* 7(2): 6-9, ills. [On *Haworthia mirabilis* variability.]
- [23] Bayer, M. B. (2007) Comments on *Haworthia mortonii* I. Breuer. *Alsterworthia Internat.* 7 (3): 25-27, ills.
- [24] Bayer, M. B. (2007) The interaction of *Haworthia floribunda* and *H. maraisii*. *Haworthiad* 21(3): 67-69, ills., map.
- [25] Bayer, M. B. (2007) Cogmanskloof *Haworthia maraisii*. *Haworthiad* 21(3): 75-78, ills.
- [26] Bayer, M. B. (2007) *Haworthia maraisii* at Napky. *Haworthiad* 21(3): 83-85, ills., map.
- [27] Becker, M. & Albers, F. (2007) *Pelargonium dasycaulon* (*Geraniaceae*) – eine vergessene Art. *Kakt. and. Sukk.* 58(9): 239-241, ills.
- [28] Békéfi, J. & Rigerszki, Z. (2007) [Hungaria]

- rian]: Cactus hunting in Cuba. Part II: Rainy Matanzas. Kakt. Vilag 31(2): 78-87, ills. [On *Melocactus matanzanus*. Included for the illustrations.]
- [29] Békéfi, J. & Rigerszki, Z. (2007) [Hungarian]: Cactus hunting in Cuba. Part III: Needle in a haystack: *Melocactus actinacanthus*. Kakt. Vilag 31(3): 120-1131, ills. [Included for the illustrations.]
- [30] Bester, S. P. & Condy, G. (2007) *Orbea elegans*. Flow. Pl. Afr. 60: 104-110, ills., map, t. 2236.
- [31] Bester, S. P. & al. (2007) *Stenostelma umbelliferum*. Flow. Pl. Afr. 60: 96-103, ills, map, t. 2235.
- [32] Blum, W. & Felix, D. (2007) *Echinocereus berlandieri* (Engelmann) Hort. F. A. Haage ... ein Versuch zur Klärung. Echinocereenfreund 20(1): 3-24, ills.
- [33] Blum, W. & al. (2007) The New Cactus Lexicon. Eine kritische Betrachtung. Teil 1 / Teil 2. Echinocereenfreund 20(3): 76-91, (4): 104-118, ills.
- [34] Boeuf, T. (2007) *Yucca* & Co. Winterharte Wüstengärten in Mitteleuropa anlegen und pflegen. Berlin (D): Medemedia. 192 pp., ills., maps. [Included for the illustrations.]
- [35] Bogler, D. J. & al. (2006) Phylogeny of *Agavaceae* based on *ndhF*, *rbcL*, and its sequences: Implications of molecular data for classification. In: Columbus, J. T. & al. (eds.): Monocots. Comparative biology and evolution excluding Poales. Aliso 22: 313-328.
- [36] Bolus, C. & al. (2004) The distribution and population structure of *Aloe pillansii* in South Africa in relation to climate and elevation. Trans. Roy. Soc. South Afr. 59(2): 134-140, map. [Previously omitted.]
- [37] Booyens, J. (2007) Insect feast at Kirstenbosch. A *Euphorbia mauritanica* bush at Kirstenbosch is a popular restaurant and meeting place for a variety of insects. Veld. Fl. (1975+) 2007(June): 112-113, ills.
- [38] Brand, T. (2007) *Calibanus hookeri* in Blüte – leichter als gedacht? Kakt. and. Sukk. 58(10): 273-276, ills. [Included for the illustrations.]
- [39] Braun, G. (2007) *Echinocereus maritimus* (Jones) Schumann – Lau 009, eine interessante Form von der Isla Cedros. Echinocereenfreund 20 (4): 98-99, ills.
- [40] Braun, P. J. & Esteves P., E. (2007) Beautiful and bizarre *Arrojadoa*. The taxonomy of subgenus *Albertbuiningia*. Cact. Succ. J. (US) 79 (6): 254-263, ills.
- [41] Braun, P. J. & Esteves P., E. (2007) A giant in the genus: *Discocactus diersianus* from Goiás, Central Brazil. Cact. World 25(Suppl.): 11-14, ills.
- [42] Bregman, R. (2007) Twee mysterieuze Matucana's. Succulenta 86(5): 212-215, ills.
- [43] Bruyns, P. (2007) A visit to Senegal, West Africa. Cact. World 25(1): 43-47, ills.
- [44] Bruyns, P. V. (2007) A new subgeneric classification for *Euphorbia* (*Euphorbiaceae*) in southern Africa based on ITS and psbA-trnH sequence data – corrigenda. Euphorbia World 3(1): 5.
- [45] Burgoyne, P. M. (2007) Note on Plate 1970 in Flowering Plants of Africa 50 (1988). Flow. Pl. Afr. 60: 133.
- [46] Burgoyne, P. M. (2007) Mesemb mapping project: An overview of achievements to date. Mesemb Study Group Bull. 22(2): 42-44.
- [47] Burgoyne, P. M. & Condy, G. (2007) *Cephalophyllum spissum*. Flow. Pl. Afr. 60: 64-69, map, ill., t. 2230.
- [48] Burgoyne, P. M. & Condy, G. (2007) *Rabiea albipuncta*. Flow. Pl. Afr. 60: 70-77, map, ills., t. 2231.
- [49] Butterworth, C. A. (2007) Resolving "Nyffeler's puzzle" – the intriguing taxonomic position of *Blossfeldia*. Haseltonia 12: 3-10. [Dated 2006 on the cover, publ. 16. 1. 2007 according to the inside cover.]
- [50] Butterworth, C. A. & al. (2007) A localized loss of the chloroplast *rpl16* intron in *Mammillaria* series *Stylothelae* (*Cactaceae*) delineates members of the *M. crinita* group. Bradleya 25: 187-192, map.
- [51] Buys, M. H. & Tiedt, L. (2007) *Oscularia*: Taxonomic impressions after a season in the field. South Afr. J. Bot. 73(2): 282. [Abstract only.]
- [52] Cáceres H., F. & Mariño H., L. (2007) Cactáceas de Majes, Provincia de Cailloma, Arequipa, Perú. Quepo No. 21: 88-98, ills., map.
- [53] Calderón, N. & al. (2007) Taxonomy and conservation of *Huageocereus* Backeb. (*Cactaceae*) in Peru. Bradleya 25: 45-124, ills., keys, maps.
- [54] Calvente, A. & Potsch Andreata, R. H. (2007) The *Cactaceae* of the Natural Municipal Park of Prainha, Rio de Janeiro, Brazil: Taxonomy and conservation. J. Bot. Res. Inst. Texas 1(1): 529-548.
- [55] Calviño, C. I. & Downie, S. R. (2007) Circumscription and phylogeny of *Apiaceae* subfamily *Saniculoideae* based on chloroplast DNA sequences. Molec. Phylogen. Evol. 44: 175-191. [Includes data on *Steganotaenia*.]
- [56] Calviño, C. I. & al. (2006) A molecular phylogenetic study of southern African *Apiaceae*. Amer. J. Bot. 93: 1828-1847. [Includes data on *Steganotaenia*.]

- [57] Capela, P. & Rulkens, A. (2007) A new *Aloe* species in Manica province, Mozambique? *Alsterworthia Internat.* 7(1): 18-21, illus.
- [58] Carlquist, S. (2007) Successive cambia revisited: Ontogeny, histology, diversity and functional significance. *J. Torrey Bot. Soc.* 134(2): 301-332.
- [59] Carlquist, S. (2007) Successive cambia in *Aizoaceae*: Products and process. *Bot. J. Linn. Soc.* 153(2): 141-155, illus.
- [60] Carlquist, S. & Schneider, E. L. (2007) Origins and nature of vessels in monocotyledons. 9. *Sansevieria*. *South Afr. J. Bot.* 73(2): 196-203, illus.
- [61] Carrillo-Reyes, P. & Pérez-Calix, E. (2006) Una especie nueva de *Thompsonella* (*Crassulaceae*) del Estado de Michoacán, México. *Novon* 16: 320-323, illus., key. [Includes a key to the genus.]
- [62] Casas, A. & al. (2007) In situ management and domestication of plants in Mesoamerica. *Ann. Bot. (Oxford)*, n.s. 100: 1101-1115. [Includes species of *Escontria*, *Polaskia* and *Stenocereus*.]
- [63] Castillon, J.-B. (2007) A propos de l'*Aloe trachyticola* (H. Perrier) Reynolds de Madagascar. *Succulentos* 2007(2): 28-31, illus.
- [64] Castillon, J.-B. & Castillon, J.-P. (2007) The recent discovery of the first wild population of *Moringa hildebrandtii* (*Moringaceae*) in Madagascar. *Cact. World* 25(1): 37-41, illus.
- [65] Cattabriga, A. (2007) La coltivazione degli *Ariocarpus*. Cultivating *Ariocarpus*. *Cactus & Co.* 11(1): 47-63, illus. [Includes a table of successful and unsuccessful intrageneric hybridization experiments. The names provided for the hybrids are all invalid under Art. 36.1 and 37.1 and are not further listed in this index.]
- [66] Cerda L., M. E. de la (2007) El género *Agave* en el Estado de Aguascalientes, México. In: Vázquez-García, J. A. & al. (eds.): Agaves del occidente de México; pp. 83-91, key. Guadalajara (MX): Universidad de Guadalajara.
- [67] Cerqueira-Silva, C. B. M. & Leonardo dos Santos, D. (2007) Fenología reproductiva de uma população endêmica d' ‘cabeça de frade’ (*Melocactus conoideus*), na Serra do Periperi em Vitória da Conquista, Bahia, Brasil. *Bol. Soc. Latinoamer. Caribe Cact. otras Suc.* 4(3): 15-19, illus.
- [68] Chalet, J.-M. (2007) *Ariocarpus*. Una breve introduzione e un bilancio dello status in situ. A short introduction and a review of the status in situ. *Cactus & Co.* 11(1): 4-46, illus., (2): 68 [erratum].
- [69] Chalet, J.-M. (2007) *Ferocactus hamatacanthus* (Muehlenfordt) Britton & Rose. *Succulentos* 2007(2): 3-6, illus. [Included for the illustrations.]
- [70] Charles, G. (2007) Synopsis of a talk given by Graham Charles to the TSG meeting in Birmingham on 6th May 2007. *Maihueniopsis* Spegazzini. *Tephrocactus Study Group* 13(2): 18-25, illus.
- [71] Cházaro Basáñez, M. J. & al. (2007) Nuevas especies y nuevos registros de *Agave* en Jalisco, México. In: Vázquez-García, J. A. & al. (eds.): Agaves del occidente de México; pp. 13-18. Guadalajara (MX): Universidad de Guadalajara.
- [72] Cházaro Basáñez, M. J. & al. (2007) *Agave vazquezgarciae* (Agavaceae), another brand new species from Jalisco, Mexico. *Cact.-Avent. Int. No.* 74: 24-31, illus. [A similar paper in Spanish is published in *Bouteloua* 3: 23-28, illus., 2008.]
- [73] Cházaro Basáñez, M. J. & al. (2007) In situ: *Ferocactus repenhangenii* (Cactaceae). *Cact.-Avent. Int. No.* 73: 14-19, illus.
- [74] Colunga-García Marín, P. & Zizumbo-Villarreal, D. (2007) Tequila and other *Agave* spirits from west-central Mexico: Current germplasm diversity, conservation and origin. *Biodivers. & Conservation* 16: 1653-1667.
- [75] Cota-Sánchez, J. H. & Abreu, D. D. (2007) Vivipary and offspring survival in the epiphytic cactus *Epiphyllum phyllanthus* (Cactaceae). *J. Exp. Bot.* 58(14): 3865-3873.
- [76] Cota-Sánchez, J. H. & al. (2007) Vivipary in coastal cacti: A potential reproductive strategy in halophytic environments. *Amer. J. Bot.* 94(9): 1577-1581, illus.
- [77] Cota-Sánchez, J. H. (2007) Viviparidad en Cactáceas: Un extenso campo de investigación. *Bol. Soc. Latinoamer. Caribe Cact. otras Suc.* 4(1): 5-7, illus.
- [78] Craib, C. (2006) *Erythrina zeyheri* in the grasslands of the Eastern Highveld. *Veld. Fl.* (1975+) 2006(Dec.): 210-212, illus.
- [79] Craib, C. (2007) South African Grass *Aloe* species which frequent cliff faces and an evolution of the newly described *Aloe challisii*. *Alsterworthia Internat.* 7(3): 3-8, illus.
- [80] Craib, C. (2007) *Aloe verecunda*. Fiery flowers in the grasslands of South Africa. *Cact. Succ. J. (US)* 79(1): 30-31, illus.
- [81] Craib, C. (2007) *Pterodiscus ngamicus* in the Limpopo River Basin, Limpopo Province, South Africa. *Cact. Succ. J. (US)* 79(1): 36-39, illus.
- [82] Crouch, N. R. & Edwards, T. J. (2007) *Crassulaceae*. *Crassula streyi* recorded from the Eastern Cape, South Africa. *Bothalia* 37(2): 208-209, map.
- [83] Crouch, N. R. & Smith, G. F. (2007) *Crassulaceae*. *Bryophyllum proliferum* naturalized in KwaZulu-Natal, South Africa. *Bothalia* 37(2): 206-208, illus. map.
- [84] Cuevas Figueroa, X. M. & Flores Berrios,

- E. P. (2006) Distancias genéticas entre *Agave tequilana* Weber var. Azul y especies y variedades afines. *Scientia CUCBA* 8(2): 231-249, illus., map.
- [85] Cumming, D. M. (2007) *×Gasterhaworthia* Guillaumin. *Alsterworthia Internat.* 7(1): 15-17, (2): 10-16, illus. [Includes numerous new cultivars not separately listed here.]
- [86] Danin, A. & Reyes-Betancort, J. A. (2006) The status of *Portulaca oleracea* L. in Tenerife, the Canary Islands. *Lagascalia* 26: 71-81, map, SEM ill.
- [87] Davies, C. (2007) Habitat musings – *Coyphantha pallida* and its forms in Puebla. *J. Mammillaria Soc.* 47(1): 8-9, illus. (p. 11).
- [88] Davies, C. (2007) Unusual or uncommon *Mammillaria* names – part 1. *Mammillaria "auriareolis"*. Part 2. *Mammillaria francinii* DC445. *J. Mammillaria Soc.* 47(3): 74-75, 78, illus. (p. 69).
- [89] Davila, M. & Castillo, M. A. (2007) Potential value of tobacco microsatellite markers for identification of *Agave* species. *Bol. Centro Invest. Biol. Univ. Zulia* 41(2): 215-226.
- [90] Deng, K.-J. & al. (2007) Identification and phylogenetic application of unique nucleotide sequence of nad7 intron2 in *Rhodiola* (*Crassulaceae*) species. *Hereditas (Beijing)* 29(3): 371-375.
- [91] Descoings, B. (2007) Une nouvelle définition du genre *Kalanchoe* (*Crassulaceae*). *Succulentes* 2007(2): 7-16, illus.
- [92] Descoings, B. (2007) Le genre *Crassula* L. (*Crassulaceae*) à Madagascar. *J. Bot. Soc. Bot. France* 38: 11-29, illus, maps, key.
- [93] Devey, D. S. & al. (2006) Systematics of *Xanthorrhoeaceae* sensu lato, with an emphasis on *Bulbine*. In: Columbus, J. T. & al. (eds.): Monocots. Comparative biology and evolution excluding Poales. *Aliso* 22: 245-351.
- [94] Dicht, R. F. (2007) Auf den Spuren von Dr. John M. Bigelow in Nord-Coahuila. Kakt. and. Sukk. 58(11): 281-285, illus., maps.
- [95] Dicht, R. F. & Lüthy, A. D. (2007) Replik zum Artikel von Dr. Bernd Hofmann über die vermeintliche Wiederentdeckung von *Coryphantha pycnacantha* (Martius) Lemaire. *Mitteilungsbl. AfM* 31(3): 134-137, illus.
- [96] Diers, L. (2007) Briefe an die KuaS: Betrifft: Antwort auf den Leserbrief von Oskar Irnstorfer in KuaS 11/2006 zu *Parodia uhligiana* – eine Neubeschreibung, KuaS 9/2006. Kakt. and. Sukk. 58(3): 70, illus.
- [97] Dillon, M. O. & al. (2007) Phylogeny of *Nolana* (*Nolaneae*, *Solanoideae*, *Solanaceae*) as inferred from granule-bound starch synthase I (GBSSI) sequences. *Taxon* 56(4): 1000-1011, illus.
- [98] Donati, D. & Zanovello, C. (2007) Considerazioni sul metodo di studio delle piante succulente, alla luce di nuovi dati ecologici su *Echinomastus hispidus*. Considerations on the methodology of succulent plant study in the light of new ecological data on *Echinomastus hispidus*. *Piante Grasse* 27(1): 2-11, illus. [Simultaneously also published in a French and a German translation.]
- [99] Du Toit, J. J. (2007) *Gibbaeum haaglenii* var. *parviflorum* (L. Bolus) H. Hartmann. *Mesemb Study Group Bull.* 22(2): 30, figs. 22.21-22.22.
- [100] Du Toit, J. J. (2007) Observations in the field on *Deilanthe peersii* (L. Bolus) N. E. Br. *Mesemb Study Group Bull.* 22(4): 73-75, illus.
- [101] Du Toit, M. J. & al. (2007) Taxonomic study of *Nananthus vittatus* (N. E. Br.) Schwantes. *South Afr. J. Bot.* 73(2): 326. [Abstract only.]
- [102] Duarte, M. do R. & Ferreira Lopes, J. (2007) Stem and leaf anatomy of *Plectranthus neochilus* Schltr., *Lamiaceae*. *Revista Brasil. Farmacogn.* 17(4): 549-556, illus.
- [103] Duncan, J. & al. (2006) Long-term population changes in the giant Quiver Tree, *Aloe pillansii* in the Richtersveld, South Africa. *Pl. Ecol.* 185 (1): 73-84, map, illus.
- [104] Duvall, C. S. (2007) Human settlement and Baobab distribution in south-western Mali. *J. Biogeogr.* 34: 1947-1961, maps.
- [105] Eckert, K. (2007) Blütenbau und -funktion bei Asclepiadaceen (Apocynaceen). Kakt. and. Sukk. 58(8): 216-221, illus. [Included for the illustrations.]
- [106] Eggli, U. & Nyffeler, R. (2007) *Parodia allosiphon* (Marchesi) N. P. Taylor (Cactaceae – Cactoideae) – a cladistically ‘basal’ species with a restricted distribution range (Notes towards a checklist of *Cactaceae* of Uruguay, 2). *Bradleya* 25: 37-44, illus., map.
- [107] Eguiarte, L. E. & Souza, V. (2007) Historia natural del *Agave* y sus parientes: Evolución y ecología. In: Colunga-García Marín, P. & al. (eds.): En lo ancestral hay futuro: Del tequila, los mezcales y otros Agaves; pp. 3-21. Mérida (MX): Centro de Investigación Científica de Yucatán A.C.
- [108] Ehrig, C. (2007) *Trichocereus arboricola* – eine eigentlich mehr zufällige Begegnung / a more or less chance encounter. *Epi-Flora* (Nijmegen) No. 6: 10-15, illus.
- [109] Eichler, M. (2007) *Parodia horrida* Brandt. *Mitteilungsbl. Inter-Parodia-Kette* No. 24: 35, illus., map.
- [110] Ellis, A. G. & al. (2007) Spatial scale of local adaptation and population genetic structure in a miniature succulent, *Argyroderma pearsonii*. *New Phytol.* 174(4): 904-914, ill., map.
- [111] Emshwiller, E. (2002) Biogeography of the

- Oxalis* *tuberosa* alliance. Bot. Rev. (Lancaster) 68(1): 128-152, maps.
- [112] Endress, M. E. & al. (2007) Advances in Apocynaceae: The enlightenment, an introduction. Ann. Missouri Bot. Gard. 94(2): 259-267.
- [113] English, N. B. & al. (2007) Past climate changes and ecophysiological responses recorded in the isotope ratios of saguaro cactus spines. Oecologia 154: 247-258.
- [114] Essl, F. (2007) *Opuntia phaeacantha* Engelm. in Österreich. Florist. Rundbr. 40(1): 49-58, ills., maps.
- [115] Ettelt, J. (2007) *Hamatocactus bicolor*. In difesa di un nome. In defence of a name. Cactus & Co. 11(4): 186-196, ills.
- [116] Etter, J. & Kristen, M. (2007) Distribución y hábitat de *Agave nayaritensis* Gentry. In: Vázquez-García, J. A. & al. (eds.): Agaves del occidente de México; pp. 19-22. Guadalajara (MX): Universidad de Guadalajara.
- [117] Etter, J. & Kristen, M. (2007) Neugkeiten von den Fundorten. Avonia 25(2): 58-59, ills. [Included for the illustrations of *Agave rzedowskiana* and *Pachyphytum rzedowskii*.]
- [118] Ewest, W. (2007) *Aloe macra* Haworth. Avonia 25(2): 33-35, ills.
- [119] Ewest, W. (2007) Geophitic [sic] Euphorbias from Chile. Euphorbia World 3(2): 5-7, ills.
- [120] Fadaie, F. & al. (2006) A new record of Aizoaceae (*Sesuvium verrucosum* Raf.) for the flora of Iran. Iranian J. Bot. 12(1): 87-89.
- [121] Fayed, A. A. & Hassan, N. M. (2007) Systematic significance of the seed morphology and seed coat sculpture of the genus *Euphorbia* L. (Euphorbiaceae) in Egypt. Fl. Medit. 17: 47-64.
- [122] Fearn, B. (2007) Contributions to the flora of the Canary Islands – Part 1. Cact. World 25(1): 25-29, ills.
- [123] Felix, D. & Blum, W. (2007) An Standorten des *Echinocereus fitchii* ssp. *albertii* (L. Benson) Blum & Lange ... ein Traum wird wahr! Echinocereenfreund 20(1): 25-33, ills. [Included for the illustrations.]
- [124] Fischer, M. & al. (2007) Neophytische Opuntien im Sukkulantenbusch auf Teneriffa. Bauhinia 20: 35-44, ills.
- [125] Fitz Maurice, W. A. & B. (2007) *M.[amillaria] tezontle*. Ora e allora. Then and now. Cactus & Co. 11(2): 108-117, ills. [German translation and reprint of English text in Mitteilungsbl. AfM 31(4): 180-192, ills., 2007.]
- [126] Fitz Maurice, W. A. & B. (2007) *Echinocactus grusonii*. Una nuova località. A new location. Cactus & Co. 11(4): 233-239, ills.
- [127] Font, F. (2007) Notiz aus der Provinz Corrientes, Argentinien – Teil 1. Internoto 28(1): 10-15, ills. [On *Notocactus calvescens*.]
- [128] Forster, P. I. (2007) The early discovery of *Euphorbia sarcostemmoides* J. H. Willis (Euphorbiaceae), with notes on its conservation status and distribution. Euphorbia World 2(3): 26-30, ills., map. [Dated Dec. 2006, received 26. Jan. 2007 at ZSS.]
- [129] Forster, P. I. (2007) Seed dispersal in the Euphorbieae (Euphorbiaceae). Euphorbia World 3(2): 26-30, ills.
- [130] Frank, G. R. W. (2007) *Echinocereus bonatzii* und verwandte Arten. Kakt. and. Sukk. 58(9): 225-229, ills.
- [131] Gaffney, C. D. (2006) A study of Mesembryanthemaceae alkaloids. Johannesburg (RSA): unpublished M.Sc. thesis, Faculty of Science, University of Johannesburg.
- [132] Gapon, V. (2007) [Russian:] Big travels of a small *Turbinicarpus*. Kakt. Klub 2006(3): 28-32, ills. [On the systematics of *Turbinicarpus schwartzii* var. *rubriflorus*.]
- [133] Gapon, V. (2007) [Russian:] *Gymnocalycium vatteri* in habitat. Kakt. Klub 2006(4): 12-21, ills. [Dated 2006, publ. Nov. 2007.]
- [134] Garcès, H. M. P. & al. (2007) Evolution of asexual reproduction in leaves of the genus *Kalanchoe*. Proc. Nation. Acad. Sci. USA 104(39): 15578-15583.
- [135] García Morales, L. J. (2007) Distribution, ecology and conservation of the genus *Ariocarpus* (Cactaceae) in Tamaulipas State, México. Kakt. Inne 4(Special 1): 1-30, ills., map.
- [136] García, R. (2007) *Pereskia quisqueyana*, una especie en peligro crítico de extinción. Bol. Soc. Latinoamer. Caribe Cact. otras Suc. 4(2): 14-15, ills.
- [137] Garralla, S. & Cuadrado, G. A. (2007) Pollen morphology of *Austrocylindropuntia* Backeb., *Maihueniopsis* Speg., *Opuntia* Mill. and *Tephrocactus* Lem. (Cactaceae, Opuntioideae) of Argentina. Rev. Palaeobot. Palynol. 146: 1-17, ills.
- [138] Gerloff, N. (2007) *Notocactus allosiphon* Marchesi. Internoto 28(3): 51-63, ills., map.
- [139] Gerrath, J. M. & Poslusny, U. (2007) Shoot architecture in the Vitaceae. Canad. J. Bot. 85: 691-700, ills.
- [140] Gertel, W. (2007) Die Sulcorebutien neben der Strasse von Sucre nach Poroma. Echinopseen 4(1): 1-12, ills.
- [141] Gertel, W. (2007) Die Sulcorebutien von Zudañez. Echinopseen 4(2): 41-49, ills., map.
- [142] Gertel, W. & Riha, J. (2007) [Czech:] *Sulcorebutia dorana* Gertel – a new species from the northern-most part of Chuquisaca province, Bolivia.

- via. Kaktusy 43(3): 79-81, illus.
- [143] Gertel, W. & Vries, J. de (2007) *Sulcorebutia* [III]. Una revisione delle specie dell'area di distribuzione settentrionale. A revision of the species of the northern distribution area. The *Sulcorebutia tiraquensis* (Cárdenas) Ritter complex. *Cactus & Co.* 11(3): 133-159, illus.
- [144] Gil-Vega, K. & al. (2006) AFLP analysis of *Agave tequilana* varieties. *Pl. Sci. (Elsevier)* 170 (4): 904-909.
- [145] Gil-Vega, K. C. & al. (2007) Análisis AFLP del género *Agave* refleja la clasificación taxonómica basada en caracteres morfológicos y otros métodos moleculares. In: Colunga-García Marín, P. & al. (eds.): En lo ancestral hay futuro: Del tequila, los mezcales y otros Agaves; pp. 23-39. Mérida (MX): Centro de Investigación Científica de Yucatán A.C.
- [146] Gilliland, K. D. & al. (2006) Age and population structure of Joshua Trees (*Yucca brevifolia*) in the northwestern Mojave Desert. *West. North Amer. Naturalist* 66(2): 202-208.
- [147] Giovanetti, M. & al. (2007) Pollinators of an endemic and endangered species, *Mammillaria gaumeri* (Cactaceae), in its natural habitat (coastal dune) and in a botanical garden. *Madroño* 54(4): 286-292.
- [148] Givnish, T. J. & al. (2006) Phylogenetic relationships of Monocots based on the highly informative plastid gene *ndhF*: Evidence for widespread concerted convergence. In: Columbus, J. T. & al. (eds.): Monocots. Comparative biology and evolution excluding Poales. *Aldo* 22: 28-51.
- [149] Godínez-Alvarez, H. & Ortega-Baes, P. (2007) Mexican cactus diversity: Environmental correlates and conservation priorities. *Bol. Soc. Bot. México* 81: 81-87.
- [150] Görts-van Rijn, A. R. A. (2007) *Piperaceae*. In: Jansen-Jacobs, M. J. (ed.): Flora of the Guianas, Series A: Phanerogams; Fascicle 24; pp. 15-163, illus., keys. Richmond (GB): Royal Botanic Gardens, Kew. [Includes *Peperomia*.]
- [151] Golubov, J. & al. (2007) Inventarios y conservación de *Agavaceae* y *Nolinaceae*.. In: Colunga-García Marín, P. & al. (eds.): En lo ancestral hay futuro: Del tequila, los mezcales y otros Agaves; pp. 133-152, maps Mérida (MX): Centro de Investigación Científica de Yucatán A.C.
- [152] González-Torres, L. R. & al. (2007) Conservation of *Leptocereus scopulophilus* and *L. wrightii*, two endemic cacti from Cuba. *Cact. World* 25(Suppl.): 15-20, illus.
- [153] Goodfellow, L. (2007) Neue Weihnachtskakteen aus Kanada. New Christmas Cacti from Canada. *Epi-Flora (Nijmegen)* No. 4: 14, illus. [On 3 new *Schlumbergera* cultivars of hybrid origin (not indexed separately).]
- [154] Gorelick, R. (2007) Northernmost sightings of *Bursera microphylla*. *Cact. Succ. J. (US)* 79(3): 108, ill.
- [155] Gorelick, R. (2007) *Corynopuntia marnae*. *Cact. Succ. J. (US)* 79(3): 139, illus. [Included for the illustrations.]
- [156] Goyder, D. & al. (2007) Phylogenetic relationships in subtribe *Asclepiadinae* (Apocynaceae: Asclepiadoideae). *Ann. Missouri Bot. Gard.* 94: 423-434.
- [157] Graham, S. W. & al. (2006) Robust inference of Monocot deep phylogeny using an expanded multigene plastid data set. In: Columbus, J. T. & al. (eds.): Monocots. Comparative biology and evolution excluding Poales. *Aldo* 22: 3-21.
- [158] Green, K. (2007) *Lithops* scrapbook: Part 1. An annotated checklist of new *Lithops*. *Cact. World* 25(4): 185-197, illus.
- [159] Grob, V. & al. (2007) Sympodial construction of Fibonacci-type leaf rosettes in *Pinguicula moranensis* (Lentibulariaceae). *Ann. Bot. (Oxford)*, n.s. 100: 857-863, illus.
- [160] Grootschoten, C. & Mays, H. (2007) *Ha-worthia ×sampaiana* (Resend) Resend [sic!] (pro sp.). *Alsterworthia Internat.* 7(2): 18-19, illus.
- [161] Grubov, V. I. (ed.) (2007) Plants of Central Asia. Volume 11. Enfield (US: NH): Science Publishers. ix + 137 pp., illus., maps. [Includes *Aizooceae* and *Portulacaceae*.]
- [162] Guiggi, A. (2007) A new status for *Melocactus praeerupticola* Areces from the Dominican Republic (Cactoideae). *Cactology No. 1:* 17-22, illus.
- [163] Guiggi, A. (2007) Infraspecific taxonomy of *Melocactus conoideus* Buining & Brederoo (Cactoideae). *Cactology No. 1:* 4-8, illus. [Revised English version of a paper first published in 2004 in French.]
- [164] Guiggi, A. (2007) *Melocactus intortus* (Miller) Urban (Cactoideae) and its subspecies from the Caribbean. Taxonomy, distribution and iconography. *Cactology No. 1:* 9-16, illus., key.
- [165] Guiggi, A. (2007) Spontaneizzazione di *Lobivia silvestrii* (Speg.) G. D. Rowley (Cactaceae) nell'Italia settentrionale: Aspetti tassonomici, biologici e corologici. *Atti Soc. Ital. Sci. Nat. Mus. Civico Storia Nat. Milano* 148(2): 281-284.
- [166] Guiggi, A. (2007) *Opuntia chlorotica*. *Opuntia phaeacantha*. In: Selvaggi, A. & al. (eds.): Note floristiche piemontesi n. 48-91. *Rivista Piemont. Storia Nat.* 28: 456.
- [167] Guiggi, A. & al. (2007) *Opuntia engelmannii* Salm-Dyck ex Engelm. (Cactaceae). *Inform. Bot. Ital.* 39(1): 242. [Neophytic in Italy.]
- [168] Hadrava, J. & Miklánek, M. (2007)

- [Czech]: Czech and Slovakian Houseleeks. Kak-tusy 43(special 1): 36, pp., ills., maps. [Also published in a German translation.]
- [169] Halda, H. H. & Milt, I. (2007) Nové popisy v rodu *Gymnocalycium* Pfeiffer. New descriptions in the genus *Gymnocalycium* Pfeiffer. Acta Mus. Richnov. Sect. Nat. 13(1): 4-24, ills. (incl. front cover and inside back cover). [Dated 2006, received at ZSS postmarked 5. 2. 2007.]
- [170] Hanácek, P. & al. (2007) Sukulenty, pa-chykauly a jiné xerofyty ostrova Sokotra. Kaktusy 43(special 2): 36 pp., ills., map. [Also published in a German edition.]
- [171] Hansen, D. M. & al. (2007) Coloured nectar: Distribution, ecology, and evolution of an enigmatic floral trait. Biol. Rev. (Cambridge) 82 (1): 83-111.
- [172] Hargreaves, B. J. (2007) Aloes with short stems in Botswana. Alsterworthia Internat. 7(1): 6-7, ills.
- [173] Harpke, D. & Peterson, A. (2007) Quantitative PCR revealed a minority of its copies to be functional in *Mammillaria* (Cactaceae). Int. J. Pl. Sci. 168(8): 1167-1160.
- [174] Harpke, D. & al. (2006) Non-concerted ITS evolution in *Mammillaria* (Cactaceae). Molec. Phylogen. Evol. 41(3): 579-593.
- [175] Hart, G. (2007) Madagascan Aloes – succulent gems in a biodiversity hotspot. Cact. World 25(2): 109-115, ills.
- [176] Hartl, W. P. & al. (2007) Diversity of calcium oxalate crystals in Cactaceae. Canad. J. Bot. 85(5): 501-517, ills.
- [177] Hartmann, H. E. K. (2007) *Aizoaceae* in den Vereinigten Arabischen Emiraten. Avonia 25 (2): 36-42, ills., maps.
- [178] Hartmann, H. E. K. (2007) Neues von den *Aizoaceae* in den Vereinigten Arabischen Emiraten. Avonia 25(3): 86-95, ills.
- [179] Hartmann, H. E. K. (2007) Studies in *Aizoaceae*: Eight new subgenera in *Drosanthemum* Schwantes. Bradleya 25: 145-176, ills., key, maps.
- [180] Hassan, N. S. & al. (2005) Phylogenetic analysis of *Sesuvioidae* (*Aizoaceae*) inferred from nrDNA internal transcribed spacer (ITS) sequences and morphological data. Pl. Syst. Evol. 255: 121-143.
- [181] Have, J. ten (2007) *Leuchtenbergia principis*. Succulenta 86(3): 102-105, ills. [Illustrating flowering from the axils between the tubercles.]
- [182] Hayashi, M. (2007) Species standard for *Haworthia*. Alsterworthia Internat. 7(3): 11-13, 16-18. [Japanese abstract published in Haworthia Study No. 17: 12-14, 2007.]
- [183] Hayashi, M. (2007) Some old *Haworthia* names. Haworthia Study No. 18: 12-15, ills.
- [Partial Japanese summary of a forthcoming paper to be published in Alsterworthia International.]
- [184] Hayashi, M. (2007) [*Haworthia*] marumiana complex. Haworthia Study No. 18: 18-11, ills. [Includes numerous nude names of species and series not indexed separately.]
- [185] Hearn, D. J. (2007) Novelties in *Adenia* (Passifloraceae): Four new species, a new combination, a vegetative key, and diagnostic characters for known Madagascan species. Brittonia 59(4): 308-327, ills., key.
- [186] Hedberg, I. & al. (eds.) (2006) Flora of Ethiopia. Volume 5. *Gentianaceae* to *Cyclachaetaceae*. Addis Ababa (ETH): National Herbarium, Addis Ababa University / Uppsala (S): Swedish Science Press. liv + 690 pp., ills., keys. [Dated 2006 but seemingly only available in late 2007. This volume includes *Convolvulaceae*, *Pedaliaceae* and *Lamiaceae*.]
- [187] Heek, W. van (2007) Beobachtungen an *Coleocephalocereus goebelianus*. Kakt. and. Sukk. 58(11): 299-300, ills. [Included for the illustrations of growth rate.]
- [188] Heek, W. van & Strecker, W. (2007) Die Gattung *Arrojadoa*. Kakt. and. Sukk. 58(4): 85-92, ills.
- [189] Helsen, P. & al. (2007) Isolation and characterization of polymorphic microsatellite markers in Galapagos Prickly pear (*Opuntia*) cactus species. Molec. Ecol. Notes 7: 454-456.
- [190] Hernández-Vera, G. & al. (2007) Inventario, distribución y hábitat del género *Agave* en Jalisco. In: Vázquez-García, J. A. & al. (eds.): Agaves del occidente de México; pp. 6-12. Guadalajara (MX): Universidad de Guadalajara.
- [191] Hernández-Vera, G. & al. (2007) Inventory and distribution of *Agave* (Agavaceae) species in Jalisco, Mexico. J. Bot. Res. Inst. Texas 1(1): 499-509, maps, ills.
- [192] Hernández-Vera, G. & al. (2007) Los Agaves de Jalisco, México: Análisis de relaciones genéticas mediante marcadores AFLP. In: Vázquez-García, J. A. & al. (eds.): Agaves del occidente de México; pp. 92-99. Guadalajara (MX): Universidad de Guadalajara.
- [193] Hils, M. (2007) Notokakteen – darf es auch mal ein bisschen andersfarbig sein? Kakt. and. Sukk. 58(3): 57-59, ills.
- [194] Hinton, G. S. & Stephenson, R. (2007) *Sedum rhodocarpum* or *S. edwardsii*? Sedum Soc. Newslett. No. 81: 60-61, ills. [Included for the illustrations.]
- [195] Hoagland, B. W. & Buthod, A. K. (2006) Vascular flora of a site in the Slick Hills, Caddo County, Oklahoma. Proc. Oklahoma Acad. Sci. 86: 23-32. [Includes distribution data for *Echinocereus reichenbachii*.]

- [196] Hochstätter, F. (2007) The genera *Pediocactus*, *Navajoa*, *Toumeya* (Cactaceae), family Cactaceae, subfamily Cactoideae, tribe Cacteae. sine loco ("USA & Europe"): Published by the author. 383 pp., illus., maps.
- [197] Hochstätter, F. (2007) The genus / Die Gattung *Sclerocactus* Britton & Rose Cactaceae. Part VI. Cactaceae Rev. 10(1): 4-21, illus.; (2): 21 [erratum]. [Continued from l.c. 9(1), 2006.]
- [198] Hochstätter, F. (2007) *Sclerocactus polyancistrus* (Engelmann & Bigelow) Britton & Rose. Frostharte Kakt. 4(1): 3-14, illus.
- [199] Hochstätter, F. (2007) Die Gattung *Navajoa* (Cactaceae) Croizat. Kaktusbüte 2007: 47-50, illus.
- [200] Hochstätter, F. (2007) Het geslacht *Sclerocactus* Britton & Rose (2) / (3) / (4). Succulenta 86(1): 34-38, (2): 86-93, (4): 150-155, illus., key. [Continued from l.c. 85(2), 2006.]
- [201] Hodgson, W. C. (2007) Grand Canyon – A case study for the importance of plant studies and plant documentation. Sonoran Quart. 61(2): 4-8, illus. [Includes mention of *Yucca angustissima* × *Y. baccata* hybrid and *Cylindropuntia abyssi* distribution.]
- [202] Hoeve, W. ten (2007) *M.[ammillaria] lasiacantha* and related taxa: Field research and comments. Part 1. Part 2. J. Mammillaria Soc. 47 (3): 58-69, 71, (4): 87-95, illus., map. [Reprinted in expanded form together with a German translation in Mitteilungsbl. AfM 32(1): 26-45, (2): 70-83, illus., map, 2008.]
- [203] Hofacker, A. (2007) Die Gattung *Pilosocereus* Byles & Rowley in Brasilien. Kaktusbüte 2007: 23-30, illus.
- [204] Hofmann, B. (2007) Die Wiederentdeckung von / The rediscovery of *Coyphanta pycnacantha* (Martius) Lemaire. Mitteilungsbl. AfM 31(1): 45-49, illus. [See l.c. 31(3): 134-137, 2007, for a critical evaluation of the paper.]
- [205] Hoock, H. (2007) Emissione di fiori dai solchi intercostali di *Astrophytum* Lemaire. Blüten in den Rippfurchen bei *Astrophytum* Lemaire. Pianta Grasse 27(1): 22-25, illus.
- [206] Houston, D. M. & Stead, J. M. (2007) Camelhair confidential. Techniques for sexual propagation of *Operculicarya* species. Cact. Succ. J. (US) 79(3): 97-108, illus. [Included for the flower illustrations.]
- [207] Hübner, F. (2007) *Stathmostelma gigantiflorum* K. Schum. Caralluma No. 23: 29, ill. (cover page). [Included for the illustration.]
- [208] Hughes, R. (2006) Some species of *Austrocylindropuntia*. Tephrocactus Study Group 12(2): 25-28, 33-34, illus. (pp. 22-24, 49).
- [209] Hunt, D. R. (2007) Would the real Herr Biebl please stand up? Cact. Syst. Init. No. 22: 24-26, illus. (incl. back cover).
- [210] Hunt, D. R. (2007) Ritter's *Copiapoa* photographs. Cact. Syst. Init. No. 22: 27-29, illus.
- [211] Hunt, D. R. (2007) Glitches among the glochids. Cact. Syst. Init. No. 22: 7-8, illus. [Included for the illustrations of *Opuntia caracassana*.]
- [212] Hunt, D. R. (ed.) (2007) NCL addenda, corrigenda and miscellaneous comments. Cact. Syst. Init. No. 22: 11-18.
- [213] Infante, D. & al. (2003) Asexual genetic variability in *Agave fourcroydes*. Pl. Sci. (Elsevier) 164: 223-230. [Omitted previously.]
- [214] Ionta, G. M. & Judd, W. S. (2007) Phylogenetic relationships in *Periplocoideae* (Apocynaceae s.l.) and insights into the origin of pollinia. Ann. Missouri Bot. Gard. 94: 360-375, illus.
- [215] Jaarsveld, E. J. van & Swanepoel, W. (2007) The discovery of the Kaoko aloe, *Aloe kokoensis*. Veld. Fl. (1975+) 93(4): 200-203, illus., map.
- [216] Jaarsveld, E. J. van & al. (2007) *Ornithogalum cremnophilum*. Flow. Pl. Afr. 60: 8-13, map, t. 2222.
- [217] Jacobs, T. (2007) A key to the genus *Cognophytum* N.E.Br.. Bradleya 25: 21-32, key.
- [218] Jacques, F. M. B. & al. (2007) Resolving phylogenetic reconstruction in *Menispermaceae* (Ranunculales) using fossils and a novel statistical test. Taxon 56(2): 379-392, illus.
- [219] Janeba, Z. & Kalas, R. (2007) *Acharagma aguirreanum* in Sierra de la Paila. A rare find in a cactus paradise. Cact. Succ. J. (US) 79(5): 244-245, 273, illus.
- [220] Jankalski, S. (2007) Brown's *Sansevieria* monograph – an update. Sansevieria No. 15: 21-29. [Dated Nov. 2006, received at ZSS 6. 2. 2007.]
- [221] Jankalski, S. (2007) *Sansevieria patens*, or is it? Sansevieria No. 15: 8-9. [Dated Nov. 2006, received at ZSS 6. 2. 2007.]
- [222] Jankalski, S. (2007) *Sansevieria* species described since Brown's monograph. Sansevieria No. 17: 19-28.
- [223] Jankalski, S. (2007) Notes on the *Sansevieria suffruticosa* group. Sansevieria No. 17: 7-13, illus., key.
- [224] Jankalski, S. (2007) *Sedum sediforme* var. *dianum*. Sedum Soc. Newslett. No. 80: 43-44.
- [225] Janse van Rensburg, L.-L. & al. (2006) AFLP's and Aizoaceae systematics: *Delosperma* as a case study. South Afr. J. Bot. 72(2): 323. [Abstract only.]
- [226] Jarvis, C. (2007) Order out of chaos. Linnean plant names and their types. London (GB): The Linnean Society of London / Natural

History Museum, London. xii + 1016 pp., ills.

- [227] Jiménez-Sierra, C. & al. (2007) Are populations of the candy barrel cactus (*Echinocactus platyacanthus*) in the desert of Tehuacan, Mexico at risk? Population projection matrix and life table response analysis. *Biol. Conservation* 135: 278-292, map.
- [228] Jin, Y.-L. & al. (2007) A new steroidal saponin, yuccalan, from the leaves of *Yucca smalliana*. *Arch. Pharm. Res.* 30(5): 543-546.
- [229] Johnson, S. D. & al. (2006) Dark, bitter-tasting nectar functions as a filter of flower visitors in a bird-pollinated plant. *Ecology* 87(11): 2709-2716. [On the pollination biology of *Aloe vryheidensis*.]
- [230] Kapitany, A. (2007) Australian succulent plants. An introduction. Boronia (AUS): Published by the author. 240 pp., ills., maps.
- [231] Karahan, F. & al. (2007) Succulent plant diversity in Turkey. I. Stonecrops (*Crassulaceae*). *Haseltonia* 12: 41-54, ills., maps. [Dated 2006 on the cover, publ. 16. 1. 2007 according to the inside cover.]
- [232] Kiesling, R. (2007) Nomenclatura de *Digostigma caput-medusae* (*Cactaceae*). *Cact. Suc. Mex.* 52(1): 20-24, ills.
- [233] Kirkbride, J. H. jr. (2007) A 19th century Brazilian botanical dictionary. *Taxon* 56(3): 927-937. [Includes the overlooked name *Rhipsalis sarmientosa*.]
- [234] Klak, C. (2007) Lost and found again: *Circandra serrata*. *Mesemb Study Group Bull.* 22 (2): 27, figs. 22.19-22.20.
- [235] Klak, C. & Low, B. (2007) The re-discovery of a long lost Vygie, *Circandra serrata*. *Veld. Fl.* (1975+) 2007(June): 73, ills.
- [236] Klak, C. K. & al. (2007) A phylogeny and new classification for *Mesembryanthemoideae* (*Aizoaceae*). *Taxon* 56(3): 737-756.
- [237] Kleszewski, K.-P. & Hoock, H. (2007) Wuchsformen von *Astrophytum myriostigma* subsp. *tulense*. *Kakt. und. Sukk.* 58(10): 267-272, ills. [Included for the illustrations.]
- [238] Kleszewski, K.-P. & Hoock, H. (2007) Il genere / Die Gattung *Astrophytum* Lemaire. *Piante Grasse* 27(1: Suppl.): 1-98, ills., map.
- [239] Kloppenburg, D. & Wayman, A. (2007) The world of Hoyas. A book of pictures. Central Point (US: OR): Orca Publishing Company. Revised ed., 248 pp., ills. [Included for the illustrations. First published 1999, first revised ed. 2005.]
- [240] Kock, D. de (2007) Stapeliad checklist. A guide to alternative names used in recent Stapeliad classification (*Apocynaceae: Asclepiadoideae: Ceropegiaeae*). sine loco (GB): International Asclepi-
- ad Society. 127 pp., ills.
- [241] Korotkov, K. (2007) [Russian:] *Lithops steineckeana* – the father is unknown, but how about the mother? *Kakt. Klub* 2006(2): 5-9, ills. [Volume for 2006, published 2007.]
- [242] Korotkov, K. (2007) [Russian:] Again about the mystery of *Lithops eberlanzii*. *Kakt. Klub* 2006(3): 44-50, ills., map. [Volume for 2006, published 2007.]
- [243] Korotkov, K. (2007) [Russian:] Tannins and taxonomy. *Kakt. Klub* 2006(4): 43-50, ills. [Volume for 2006, published Nov. 2007. On *Lithops* systematics.]
- [244] Krajca, R. (2007) [Czech:] *Uebelmannia buiningii* – the most valued cactus from Brazil. Observations from the field. *Cactaceae etc.* 17(4): 143-147, ills.
- [245] Kulhánek, T. (2007) [Czech:] The green and blue Gymnocalyciums from the Province San Luis – *G. sanluisense* n.prov. *Gymnofil* 35(2): 13-18, map.
- [246] Laney, P. C. (2007) Neuzen in Argentinie (4). *Succulenta* 86(4): 160-165, ills. [Includes data on the chemistry of *Denmoza rhodacantha*.]
- [247] Langlotz, M. (2007) Aspekte der Reproduktionsbiologie chorikarper Blütenpflanzen. *Biblioth. Bot.* 158: 1-276. [Includes data on pollination, incompatibility, ecology, anatomy and flower morphology for *Crassulaceae*.]
- [248] Larrea-Alcázar, D. (2007) Biología de la polinización de dos cactus columnares que viven en la región biogeográfica de la Prepuña, Bolivia. *Bol. Soc. Latinoamer. Caribe Cact. otras Suc.* 4(3): 6-7, ills. [On *Oreocereus celsianus* and *Trichocereus tacaquirensis*.]
- [249] Lavranos, J. J. & McCoy, T. A. (2007) The identity of *Aloe steudneri* Schweinfurth and a new species, *Aloe neosteudneri*, from Mt. Saber, Eritrea. *Bradleya* 25: 9-16, ills.
- [250] Lawant, P. (2007) Molecular phylogenetic analysis of the tribe *Euphorbieae*: Part 2: Three important contributions. *Euphorbia World* 2(3): 20-31. [Dated Dec. 2006, received 26. Jan. 2007 at ZSS.]
- [251] Leal, F. C. & al. (2006) Polinização por beija-flores em uma área de caatinga no Município de Floresta, Pernambuco, Nordeste do Brasil. *Revista Brasil. Bot.* 29(3): 379-389.
- [252] Lee, Y. N. (2007) [Korean:] New flora of Korea. Seoul (KOR): Kyo-Hak Publishing. 2 vols., 975 + 885 pp. [Includes *Aizoaceae* (1: 288-289), *Portulacaceae* (1: 290), *Cactaceae* (1: 328), *Crassulaceae* (1: 482-498), *Agavaceae* (2: 464).]
- [253] Lenz, L. W. (2007) Reassessment of *Yucca brevifolia* and recognition of *Yucca jaegeriana* as a distinct species. *Aliso* 24: 97-104, ills., maps.

- [254] Lewu, F. B. & al. (2007) Morphological diversity among accessions of *Pelargonium sidoides* DC. in the Eastern Cape, South Africa. *Genetic Resources Crop Evol.* 54: 1-6.
- [255] Li, J.-M. & Wang, Y.-Z. (2007) Phylogenetic reconstruction among species of *Chiritonopsis* and *Chirita* Sect. *Gibbosaccus* (*Gesneriaceae*) based on nrDNA ITS and cpDNA trnL-F sequences. *Syst. Bot.* 32(4): 888-898, ill.
- [256] Li, Z.-Y. & Taylor, N. P. (2007) *Cactaceae*. In: Wu, Z. Y. & al. (eds.): *Flora of China*, vol. 13, *Clusiaceae through Araliaceae*; pp. 209-212. Beijing (CN): Science Press / St. Louis (US: MO): Missouri Botanical Garden Press.
- [257] Linzen, T. (2007) *M.[ammillaria] gasserianna*, *M. viescensis*, *M. stella-de-tacubaya*, ... Eine Erwiderung auf Teil 6 der diesbezüglichen Veröffentlichung von H. Rogozinski im Mtbl. des AfM 4/2006. *Mitteilungsbl. AfM* 31(2): 60-69, ill.
- [258] Linzen, T. (ed.) (2007) Die Mammillarien. Ergänzungslieferung 2006. Düsseldorf (D): Arbeitskreis für Mammillarienfreunde e.V. 47 loose sheets, ill.
- [259] Livshultz, T. & al. (2007) Phylogeny of *Apocynoideae* and the APSA clade (*Apocynaceae* s.l.). *Ann. Missouri Bot. Gard.* 94: 324-359.
- [260] Lodé, J. (2007) *Kunkelilla subsucculenta* Stearn. A rare and poorly known succulent. *Cact.-Avent. Int. No.* 74: 33-35, ill., map.
- [261] Lodé, J. (2007) About the presence of *Aeonium haworthii* in Gibraltar. *Cact.-Avent. Int. No.* 76: 33-36, ill.
- [262] Loewenstein, A. B. de & Garbari, F. (2004) Cytotaxonomic contribution to the Jordanian flora 3. The *Stapeliaeae* (*Asclepiadaceae*) in the Hisma Basin (Southern Jordan). *Caryologia* 57 (1): 73-77. [Omitted previously.]
- [263] Lowry, M. (2007) *Cumulopuntia boliviiana* & *chichensis*. *Tephrocactus Study Group* 13(1): 5-10, ill., map.
- [264] Lüthy, J. M. (2007) Comments on *Sclerocactus*. *Cact. Syst. Init. No.* 22: 19-24.
- [265] Lüthy, J. (2007) A new locality for *Mammillaria luethyi* G. S. Hinton. *Cact. World* 25 (Suppl.): 7-10, ill.
- [266] Lüthy, J. & Dicht, R. (2007) Das *Digostigma* – eine aussergewöhnliche Bischofsmütze im Habitat. *Kakt. und Sukk.* 58(6): 150-154, ill.
- [267] Lukhoba, C. W. & al. (2006) *Plectranthus*: A review of ethnobotanical uses. *J. Ethnopharmacol.* 103(1): 1-24.
- [268] Luna Vega, I. & al. (2006) Biogeography, current knowledge and conservation of threatened vascular plants characteristic of Mexican temperate forests. *Biodivers. & Conservation* 15(12): 3773-3799. [Includes data for *Aporocactus flagelliformis*.]
- [269] MacRoberts, B. R. & MacRoberts, M. H. (2006) *Carex stipata* (*Cyperaceae*), *Chamaesyce geyeri* (*Euphorbiaceae*), *Eurytaenia texana* (*Apiaceae*), *Pediomelum esculentum* (*Fabaceae*), and *Talinum calycinum* (*Portulacaceae*) deleted from the Louisiana flora. *Sida* 22(2): 1221-1223.
- [270] Machado, M. C. (2007) Morro do Chapéu: La ciudad con la mayor diversidad de plantas suculentas en Brasil. *Bol. Soc. Latinoamer. Caribe Cact. otras Suc.* 4(2): 11-13, ill.
- [271] Machado, M. C. (2007) Fascinating *Frailea*, Part 1: General impressions. *Cact. World* 25 (1): 5-11, ill.
- [272] Machado, M. C. (2007) Fascinating *Frailea*, Part 2: Review of the species from Rio Grande do Sul. *Cact. World* 25(2): 65-76, ill.
- [273] Magaña-González, K. C. & al. (2007) Visitantes florales de *Agave valenciana* (*Agavaceae*) en Mascota, Jalisco: Observaciones preliminares. In: Vázquez-García, J. A. & al. (eds.): Agaves del occidente de México; pp. 32-36, ill. (t. NN-OO). Guadalajara (MX): Universidad de Guadalajara.
- [274] Mandujano, M. C. & al. (2007) Population dynamics of *Ariocarpus scaphirostris* Bödeker (*Cactaceae*): Evaluating the status of a threatened species. *Int. J. Pl. Sci.* 168(7): 1035-1044.
- [275] Mandujano, M. C. & al. (2007) Effect of reproductive modes and environmental heterogeneity in the population dynamics of a geographically widespread clonal desert cactus. *Populat. Ecol.* 49: 141-153. [On *Opuntia macrocentra*.]
- [276] Manning, J. C. & al. (2007) A revision of *Ornithogalum* subgenus *Aspasia* section *Aspasia*, the Chincherinchees (*Hyacinthaceae*). *Bothalia* 37 (2): 133-164, ill., key, maps.
- [277] Marais, B. & Dold, T. (2006) *Pelargonium ochroleucum*. The bicoloured Geranium from the Eastern Cape. *Veld. Fl.* (1975+) 2006(Dec.): 209, ill.
- [278] Marom, D. N. & al. (2006) The ecology and population biology of several threatened *Delosperma* species in Gauteng Province, South Africa. *South Afr. J. Bot.* 72(2): 325. [Abstract only.]
- [279] Martínez-Ávalos, J. G. & al. (2007) Causes of individual mortality in the endangered Star Cactus *Astrophytum asterias* (*Cactaceae*): The effect of herbivores and disease in Mexican populations. *J. Arid Environm.* 71: 250-258, ill.
- [280] Martínez-Colín, M. A. & al. (2006) Contribución al conocimiento de *Peperomia* (*Piperaceae*): Fruto y semilla. *Bol. Soc. Bot. México* 78: 83-94. [Omitted previously.]
- [281] Martorell, C. (2007) Detecting and manag-

- ing an overgrazing-drought synergism in the threatened *Echeveria longissima* (Crassulaceae): The role of retrospective demographic analysis. *Populat. Ecol.* 49: 115-125.
- [282] Masinde, P. C. (2007) A revision of *Brychstelma* Sims (Apocynaceae – Asclepiadoideae – Ceropogiae) in East Africa. *Kew Bull.* 62(1): 37-84, maps, keys, illus.
- [283] Mathieu, G. (2007) Compendium of herbarium names in the genus *Peperomia* (Piperaceae). Zelzate (B): Nautilus Academic Books. [iv +] 616 pp.
- [284] Matulová, R. (2007) [Czech]: *Avonia* – a genus of succulent plants well suited for collectors with lack of space. *Cactaceae etc.* 17(1): 5-12, illus. [Included for the illustrations.]
- [285] Mauseth, J. D. (2007) Tiny but complex foliage leaves occur in many "leafless" cacti (Cactaceae). *Int. J. Pl. Sci.* 168(6): 845-853, illus.
- [286] Mayer, C. & Pufal, G. (2007) Investigation of the breeding systems of four *Aizoaceae* species in Namaqualand, South Africa. *South Afr. J. Bot.* 73: 657-660.
- [287] McCoy, T. (2007) *Aloe djiboutiensis* and *Aloe ericahenriettae*, two new species from Djibouti and the mystery of *Aloe eumassawana*'s natural habitat solved. *Cact. Succ. J. (US)* 79(6): 269-273, illus.
- [288] Medina Lemos, R. (2007) Flora del Valle de Tehuacán-Cuicatlán. Fascículo 46. *Aizoaceae*. México (MX): Universidad Nacional Autónoma de México, Instituto de Biología. 6 pp.
- [289] Meerow, A. W. & Snijman, D. A. (2006) The never-ending story: Multigene approaches to the phylogeny of *Amaryllidaceae*. In: Columbus, J. T. & al. (eds.): Monocots. Comparative biology and evolution excluding Poales. *Aliso* 22: 355-366.
- [290] Meerow, A. W. & al. (2007) (1793) Proposal to conserve the name *Amaryllidaceae* against *Alliaceae*, a "superconservation" proposal. *Taxon* 56(4): 1299-1300.
- [291] Meier, E. (2007) 'Gräser's Vermächtnis', eine Hybride von aussergewöhnlicher Abstammung. *EPIG No.* 59: 5-12, illus.
- [292] Melo-de-Pinna, G. & al. (2007) Fibras pericílicas o floemáticas en *Cactaceae* y *Portulacaceae*? *Bol. Soc. Latinoamer. Caribe Cact. otras Suc.* 4(2): 15-16, illus.
- [293] Méndez, E. (2007) Germination of *Denmoza rhodacantha* (Salm-Dyck) Britton & Rose (Cactaceae). *J. Arid Environm.* 68: 678-682.
- [294] Méndez, M. & al. (2006) Germinación y establecimiento de plantulas de *Pterocereus gaumeri*, una Cactácea columnar, México. *Bol. Soc. Bot. México* 79: 33-41.
- [295] Metcalfe, D. J. & al. (2007) Distribution and population structure of *Adansonia rubrostipa* in dry deciduous forest in western Madagascar. *Afr. J. Ecol.* 45: 464-468.
- [296] Metzing, D. & Kiesling, R. (2007) *Winterocereus* (Cactaceae) is the correct name for *Hildewintera*. *Taxon* 56(1): 226-228.
- [297] Meve, U. & Liede-Schumann, S. (2007) *Ceropegia* (Apocynaceae, Stapeliinae): Paraphyletic but still taxonomically sound. *Ann. Missouri Bot. Gard.* 94(2): 392-406, illus.
- [298] Middleditch, H. (ed.) (2007) *Trichocereus narvaecensis* M. Cárdenas. *Chileans* 20(65): 52-57, illus. [Dated 2006, received Feb. 2007.]
- [299] Middleditch, H. (ed.) (2007) Exploring around Chala. *Chileans* 20(65): 77-84, illus. [On *Islaya* distribution and variability.]
- [300] Mieczakowski, M. (2007) W Azurduyu kozy kuja. Funny how the new things are the old things. *Kakt. Inne* 4(1): 5-11, illus. [On *Sulcorebutia azurduyensis* and *Aylostera azurduyensis*.]
- [301] Miyajima, D. (2006) Seed producing system in *Portulaca oleracea* L. *Asian J. Pl. Sci.* 5 (2): 226-232.
- [302] Modrakowski, P. (2007) Paying a visit to Piotr Linczerski and his collection. An introduction of many *Cactaceae* cultivars. *Kakt. Inne* 4(1): 12-19, illus. [Illustrates numerous partly or completely chlorophyll-deficient mutants of cacti. Cultivars not indexed separately in this RPS.]
- [303] Momberger, P. (2007) *Astrophytum capricorne* var. *crassispinum* (Cactaceae) – Klärung und Typisierung eines umstrittenen Namens. *Kakt. and. Sukk.* 58(2): 43-47, illus. [Italian translation published in *Piante Grasse* 27(4): 151-154, illus., 2007.]
- [304] Montesinos T., D. B. (2007) Cactáceas de la Provincia General Sánchez Cerro, Moquegua, Perú. *Quepo No.* 21: 74-87, illus., map.
- [305] Moore, C. (2007) Is this the real *Cibirhiza albersiana*? *Asklepios No.* 97: 26-27, illus.
- [306] Moreno Salazar, S. & al. (2007) Tamaño del genoma y cariotipo en *Agave angustifolia* y *A. rhodacantha* de Sonora, México. *Revista Fitotec. Mex.* 30(1): 13-23.
- [307] Morree, J. J. de (2007) 'Dolichothele' *campotricha* en *Mammillaria decipiens*. *Succulenta* 86(4): 168-173, illus. [Illustrating variability.]
- [308] Mort, M. E & al. (2007) Inferring phylogeny at low taxonomic levels: Utility of rapidly evolving cpDNA and nuclear ITS loci. *Amer. J. Bot.* 94(2): 173-183. [Includes data on *Aichryson*, *Crassula* and *Sempervivum*.]
- [309] Mort, M. E. & al. (2007) Physiological evolution and association between physiology and growth form in *Aeonium* (Crassulaceae). *Taxon*

- 56(2): 453-464.
- [310] Mottram, R. (2007) The *Blossfeldia* story. Cact. World 25(3): 162, illus.
- [311] Mu, Y. & al. (2007) A preliminary study on floral syndrome and breeding systems of the rare plant *Rhodiola dumulosa*. Acta Phytotax. Sin. 31 (3): 528-535.
- [312] Mücksel, C. & Adolphi, K. (2006) Ein Vorkommen von *Opuntia humifusa* in Mittelhessen. Hess. Florist. Briefe 55: 21-52, illus.
- [313] Mühl, A. (2007) North Idaho Expedition 2007. *Pediocactus nigrispinus* (Hochstätter) Hochstätter at Snake River in North Idaho. Cactaceae Rev. 10(2): 4-17, illus.
- [314] Muhaidat, R. & al. (2007) Diversity of Kranz anatomy and biochemistry in C₄ eudicots. Amer. J. Bot. 94(3): 362-381, illus.
- [315] Nartowicz, I. (2007) *Ectotropis* revisited. Mesemb Study Group Bull. 22(2): 31, figs. 22.25-22.26. [Included for the photographs of *Ectotropis alpina*.]
- [316] Nassar, J. M. & al. (2007) Reproductive biology and mating system estimates of two Andean Melocacti, *Melocactus schatzlii* and *M. andinus* (Cactaceae). Ann. Bot. (Oxford), n.s. 99: 29-38, illus.
- [317] Neduchal, J. (2007) Das traurige Jubiläum. 20 Jahre *Notocactus* und/oder *Parodia*. Neu-Isenburg (D): Published by the author. 50 pp. [Electronically distributed in Jan. 2007 by Internoto.]
- [318] Negrón-Ortiz, V. (2007) Chromosome numbers, nuclear DNA content, and polyploidy in *Consolea* (Cactaceae), an endemic cactus of the Caribbean islands. Amer. J. Bot. 94(8): 1360-1370, illus.
- [319] Neuhuber, G. J. A. (2007) Zur geographischen Radiation des *Gymnocalycium borthii* und seiner Verwandten. Gymnocalycium 20(1): 697-708, illus., map.
- [320] Neumann, K. (2007) *Echinocereus primolanatus* in Blüte und andere Echinocereen in der Paila. Kaktusblüte 2007: 11-18, illus. [Included for the illustrations.]
- [321] Neut, P. (2007) *Parodia obtusa* Ritter. Tijdschr. Liefhebb. Cact. Vetpl. Kamerpl. 20(2): 24-26, illus. [Included for the illustrations.]
- [322] Newton, L. E. (2007) A large-flowered variant of *Orbea semota* in Kenya. Asklepios No. 99: 21-23, illus.
- [323] Newton, L. E. (2007) Goodbye to the type locality of *Aloe ballyi*. Cact. World 25(Suppl.): 45-46, illus.
- [324] Newton, L. E. (2007) The inflorescence in the genus *Sansevieria*. Sansevieria No. 15: 15-16, ill. [Dated Nov. 2006, received at ZSS 6. 2. 2007.]
- [325] Newton, L. E. (2007) What is the World's largest tuberous plant? Succ. News 15(2): 6-8, illus.
- [326] Newton, L. E. (2007) *Portulacaria afra* in East Africa. J. East Africa Nat. Hist. Soc. 96(1): 106-107.
- [327] Nicolson, G. (2007) Pollination of *Adromischus*. Veld. Fl. (1975+) 2007(June): 82-83, illus.
- [328] Niemeier, W. (2007) Ppropfversuche mit Crassulaceen. Kakt. and. Stukk. 58(11): 304-306, illus.
- [329] Niesler, I. M. & Hartmann, H. E. K. (2007) Nectaries in Aizoaceae: The case of *Glottiphyllum* N.E.Br. Bradleya 25: 177-186, illus.
- [330] Niet, T. van der & al. (2006) Macroevolutionary data suggest a role for reinforcement in pollination system shifts. Evolution 60(8): 1596-1601. [Includes data on *Pelargonium*.]
- [331] Nyananyo, B. L. & Mensah, S. I. (2004) Distribution and origins of members of the family Portulacaceae (*Centrospermae*). J. Appl. Sci. Environ. Managem. 8(2): 59-62. [Previously omitted.]
- [332] Nyhuus, T. (ed.) (2007) Artbeskrivningar. *Hoya retusa* Dalzell. *Hoya telosmoides* Omlor. *Hoya padangensis* Schlechter. *Hoya thailandica* Thaithong. Hoyatelegrafen 14(1): 4-17, illus.
- [333] Nyhuus, T. (ed.) (2007) Artbeskrivningar. *Hoya polyneura* J. D. Hooker. *Hoya kerrii* Craib. *Hoya lobbii* J. D. Hooker. *Hoya praetorii* Miquel. *Hoya lasiantha* Blume. Hoyatelegrafen 14(2): 4-21, illus.
- [334] Nyhuus, T. (ed.) (2007) Artbeskrivningar. *Hoya rhodostele* Ridley. *Hoya pimenteliana* Kloppenburg. *Hoya hellwigiana* Warburg. Hoyatelegrafen 14(3): 4-13, illus.
- [335] Ocaña-Naval, D. & al. (2007) Modelación supervisada de la distribución de magueyes mezcaleros en México y sus posibles aplicaciones. In: Colunga-García Marín, P. & al. (eds.): En lo ancestral hay futuro: Del tequila, los mezcales y otros Agaves; pp. 153-171, maps Mérida (MX): Centro de Investigación Científica de Yucatán A.C.
- [336] Odehnal, J. (2007) [Czech]: *Puna* – dwarfs from the high mountains in northwestern and western Argentina. Kaktusy 43(1): 32-34, illus.
- [337] Odehnal, J. (2007) *Lobivia lateritia* (Gürke) Br. et R. var. *kupperiana* (Backeb.) Rausch. Kaktusy 43(2): 68-70, illus. [On flower colour variations.]
- [338] Odehnal, J. (2007) *Gymnocalycium castellanosii* Backeb. Kaktusy 43(3): 102-105, illus., map.
- [339] Okazaki, S. & al. (2007) New triterpene saponins from *Stenocereus eruca* (Cactaceae). Natural Med. 61: 24-29.
- [340] Oliveira A., A. & Giulietti, A. M. (2006)

- Flora de Grão Mogol, Minas Gerais: *Portulacaceae*. Bol. Inst. Bot. (São Paulo) 24: 29-30.
- [341] Oliveira, A. A. & Giulietti, A. M. (2007) Flora da Serra do Cipó, Minas Gerais. *Portulacaceae*. Bol. Inst. Bot. (São Paulo) 25(2): 191-193.
- [342] Oliveira-Coelho, A. A. & Giulietti, A. M. (2006) Flora da Bahia. *Portulacaceae*. Sistemática, Sér. Ci. Biol. 6(3): 182-193.
- [343] Ollerton, J. & Raguso, R. A. (2006) The sweet stench of decay. New Phytol. 172: 382-385. [On pollination biology and the carrion flower syndrome.]
- [344] Olson, M. E. (2007) Wood ontogeny as a model for studying heterochrony, with an example of paedomorphosis in *Moringa* (*Moringaceae*). Syst. Biodivers. 5(2): 145-158, illus.
- [345] Orozco-Segovia, A. & al. (2007) Seed anatomy and water uptake in relation to seed dormancy in *Opuntia tomentosa* (*Cactaceae*, *Opuntioideae*). Ann. Bot. (Oxford), n.s. 99: 581-592, illus.
- [346] Osmond, C. B. (2007) Crassulacean Acid Metabolism: Now and then. Progr. Bot. 69: 3-32.
- [347] Ostolaza, C. (2007) *Euphorbia weberbaueri* Mansfeld, a little known Peruvian succulent plant. Cact.-Avent. Int. No. 74: 14-17, illus.
- [348] Ostolaza, C. (2007) Cactus del norte de Ancash, Perú. Quepo No. 21: 58-73, illus., map.
- [349] Ostolaza, C. & al. (2007) Cacti of the Cañete river basin, Lima, Peru: A research and conservation study. Cact. World 25(4): 215-226, illus., map.
- [350] Palomino, G. & al. (2007) Variación inter e intraespecífica en especies de *Agave* por citometría de flujo y análisis de sus cromosomas. In: Colunga-García Marín, P. & al. (eds.): En lo ancestral hay futuro: Del tequila, los mezcales y otros Agaves; pp. 41-65 Mérida (MX): Centro de Investigación Científica de Yucatán A.C.
- [351] Papsch, W. (2007) Gymnocalyciumok a dél-amerikai pampákon. A *Gymnocalycium reductum* taxonjai és a *Gymnocalycium reductum* ssp. *leeanum* (Hooker) Papsch részletek ismertetése. Debreceni Pozsgás-Tár 2007(2): 25-40, illus., map. [Hungarian adaptation of papers published in *Gymnocalycium* 13(3), 2000, and l.c. 14(1), 2001.]
- [352] Park, K.-R. & Jansen, R. K. (2007) A phylogeny of *Euphorbieae* subtribe *Euphorbiinae* (*Euphorbiaceae*) based on molecular data. J. Pl. Biol. 50(6): 644-649.
- [353] Parker, D. (2007) Mijn favoriete opuntia's (II). *Maihueniopsis clavarioides*. Cact. Vetpl. (Wijnegem) 20(11): 168-172, illus., map. [Included for the illustrations.]
- [354] Parker, D. (2007) *Austrocylindropuntia pachypus*. Kakt. Klub 2006(3): 5-7, illus., map.
- [355] Parker, K. C. & al. (2007) Genetic consequences of pre-columbian cultivation for *Agave murpheyi* and *A. delamateri* (*Agavaceae*). Amer. J. Bot. 94(9): 1479-1490, maps.
- [356] Parolin, P. (2006) Ombohydrochory: Rain-operated seed dispersal in plants – with special regard to jet-action dispersal in *Aizoaceae*. Flora (Jena) 201(7): 511-518, illus.
- [357] Parsons, R. F. (2006) Notes on the origins of Australian desert vines. Adansonia, sér. 3, 28 (2): 405-412, map.
- [358] Patrut, A. & al. (2007) Radiocarbon dating of a very large African Baobab. Tree Physiol. 27: 1569-1574, illus.
- [359] Pavelka, P. (2007) *Kalanchoe synsepala* Bak. Kaktusy 43(1): 16-17, illus. [Illustrating variability of the wide-spread taxon.]
- [360] Pellmyr, O. & al. (2007) The phylogeny of Yuccas. Molec. Phylogen. Evol. 43: 493-501, map.
- [361] Pelser, P. B. & al. (2007) An ITS phylogeny of tribe *Senecioneae* (*Asteraceae*) and a new delimitation of *Senecio* L. Taxon 56(4): 1077-1104.
- [362] Pérez-Calix, E. (2007) *Sedum reptans* (*Crassulaceae*) y tres taxones afines del centro de México. Revista Mex. Biodivers. 78: 281-289, illus., map.
- [363] Perret, M. & al. (2003) Systematics and evolution of tribe *Sinningiae* (*Gesneriaceae*): Evidence from phylogenetic analyses of six plastid DNA regions and nuclear NCP-GS. Amer. J. Bot. 90(3): 445-460, illus. [Omitted previously.]
- [364] Perret, M. & al. (2007) The geographical pattern of speciation and floral diversification in the Neotropics: The tribe *Sinningiae* (*Gesneriaceae*) as a case study. Evolution 61(7): 1641-1660, map.
- [365] Pin, A. B. & al. (2007) Cactáceas en las áreas silvestres protegidas del Paraguay. Bol. Soc. Latinoamer. Caribe Cact. otras Suc. 4(1): 7-10, illus., map.
- [366] Piña, H. H. & al. (2007) Fruit abortion in the Chihuahuan-Desert endemic cactus *Opuntia microdasys*. Pl. Ecol. 193: 305-313.
- [367] Piñal, A. (2007) *Wigginsia calvescens* (*Nicotriocactus calvescens*). Revista Circ. Colec. Cact. Crasas Rep. Argent. 6(4): 110, illus. (p. 113).
- [368] Pino, G. (2007) Little-known *Crassulaceae* of central Peru. Haseltonia 12: 55-66, illus. [Dated 2006 on the cover, publ. 16. 1. 2007 according to the inside cover.]
- [369] Pinto, R. (2007) Estado de conservación de *Eulychnia iquiquensis* (Schumann) Britton et Rose (*Cactaceae*) en el extremo norte de Chile. Gayana, Bot. 64(1): 97-108, ill., maps.

- [370] Pires, J. C. & al. (2006) Phylogeny, genome size, and chromosome evolution of *Asparagales*. In: Columbus, J. T. & al. (eds.): Monocots. Comparative biology and evolution excluding Poales. Aliso 22: 287-304.
- [371] Plein, W. (2007) Gedanken zur Entwicklung und Verwandtschaft von Mammillarien im nordwestlichen Mexiko, Teil 2. Thoughts on evolution and relationship of Mammillarias in northwestern Mexico, part 2. Mitteilungsbl. AfM 31(4): 172-179, ills., maps. [Continued from l.c. 30(3), 2006.]
- [372] Poluyanov, A. V. & al. (2006) New additions to the flora of Kursk province. Byull. Moskovsk. Obshch. Isp. Prir., Otd. Biol. 111(3): 63-64. [Includes *Sedum sexangulare*.]
- [373] Prantner, J. (2007) *Echinopsis obrepanda* aus Bolivien. Kakt. and. Sukk. 58(3): 80-82, ills.
- [374] Prenner, G. & Rudall, P. J. (2007) Comparative ontogeny of the cyathium in *Euphorbia (Euphorbiaceae)* and its allies: Exploring the organ-flower-inflorescence boundary. Amer. J. Bot. 94(10): 1612-1629, ills.
- [375] Pullen, T. (2007) *Gibbaeum heathii*. Succulenta 86(1): 21-24, ills. [Included for the illustrations.]
- [376] Qiu, Y. K. & al. (2007) Two new alpha-pyrone and other components from the cladodes of *Opuntia dillenii*. Arch. Pharm. Res. 30(6): 665-669.
- [377] Quail, D. (2007) Conservation by propagation: A case study – *Turbinicarpus alonsoi*. Cact. World 25(Suppl.): 29-33, ills.
- [378] Raju, V. S. & Samata, A. (2006) *Caralluma stalagmifera (Asclepiadaceae)*: A common but overlooked succulent from Andhra Pradesh. J. Econ. Taxon. Bot. 30(4): 751-753.
- [379] Ratz, L. (2007) *Cereus andalgalensis* – Chronik eines Irrtums. Echinopseen 4(1): 13-17, ills.
- [380] Rebman, N. (2007) Les Euphorbes de Madagascar. Succulentes 2007(special): 48 pp., ills., maps.
- [381] Reid, C. S. & al. (2007) *Talinum rugospermum (Portulacaceae)* new to Oklahoma. J. Bot. Res. Inst. Texas 1(1): 777-778.
- [382] Repka, R. (2007) [Czech:] Something about *Gymnocalycium weissianum* and the plants which I found under this name in nature. Gymnophil 35(2): 8-12, figs. 6-7 [unnumbered t.].
- [383] Retief, E. & al. (2007) *Pelargonium luridum. Pelargonium schlechteri*. Flow. Pl. Afr. 60: 78-88, map, tt. 2232-2233.
- [384] Reveal, J. L. & al. (2007) (1765) Proposal to conserve the name *Phyllanthaceae*. Taxon 56 (1): 266.
- [385] Richter, I. (2007) [Hungarian]: The succulent flora of Porto Santo. Kakt. Világ 31(2): 48-51, ills.
- [386] Richter, I. (2007) Endemiske sukkulenter på Lanzarote. Kakt. og and. Sukk. 42(1): 11-18, ills.
- [387] Richter, I. (2007) *Manfreda* Salisbury (Agavaceae). Il genere (o sottogenere) ed i suoi analoghi. Eine Gattung oder Untergattung und ihre Verwandte. / *Manfreda* Salisbury (Agavaceae). / Presentazione della specie e descrizione del suo habitat. III. / IV. Piante Grasse 27(1): 12-21, (3): 90-105, (4): 134-144, ills.
- [388] Rigerszki, Z. & al. (2007) Melocacti of Cuba. Tradate (I): Cactus & Co Libri. [6] + 174 pp., ills., maps, keys.
- [389] Ríha, J. (2007) *Cintia knizei*: A taxonomic review. Cact. World 25(3): 143-147, ills.
- [390] Ríha, J. (2007) [Czech]: *Turbinicarpus macrochele* ssp. *fraileensis* Lechner et Jantschgi – is it a distinct taxon? Kaktusy 43(3): 97-99, ills., map.
- [391] Ríha, J. & Quail, D. (2007) [Czech]: Flower colour deviation in *Astrophytum*. Kaktusy 43 (4): 132-133, ills. [On red-flowered mutants of *Astrophytum asterias* and *A. capricorne*.]
- [392] Rijo, P. & al. (2007) Further diterpenoids from *Plecranthus ornatus* and *P. grandidentatus*. Biochem. Syst. Ecol. 35: 215-221.
- [393] Ritz, C. M. & al. (2007) The molecular phylogeny of *Rebutia* (Cactaceae) and its allies demonstrates the influence of paleogeography on the evolution of South American mountain cacti. Amer. J. Bot. 94(8): 1321-1332, map.
- [394] Rocha, E. A. & al. (2007) Fenologia, biología da polinização e da reprodução de *Pilosocereus* Byles & G. D. Rowley (Cactaceae) no Nordeste do Brasil. Bol. Soc. Latinoamer. Caribe Cact. otras Suc. 4(2): 5-7, ills.
- [395] Rocha, E. A. & al. (2007) Floral biology of *Pilocereus tuberculatus* (Werderm.) Byles & Rowley: A bat pollinated cactus endemic from the "Caatinga" in northeastern Brazil. Bradleya 25: 129-144, ills.
- [396] Rocha, M. & al. (2006) Pollination biology and adaptive radiation of Agavaceae, with special emphasis on the genus *Agave*. In: Columbus, J. T. & al. (eds.): Monocots. Comparative biology and evolution excluding Poales. Aliso 22: 329-344, maps.
- [397] Rogozinski, H. & Plein, W. (2007) Anmerkungen zu *M.[ammillaria] bocensis* Craig, *M. tesopacensis* Craig und *M. sonorensis* Craig [Teil 1] / Teil 2 / Teil 3. Mitteilungsbl. AfM 31(1): 18-29, (2): 80-92, (3): 122-131, ills., maps.
- [398] Rojas, G. A. & al. (2007) Diversidad genética en poblaciones de Agaves Pulqueros (*Agave*

- spp.) del noroeste del Estado de México. Revista Fitotec. Mex. 30(1): 1-12.
- [399] Rojas-Sandoval, J. (2007) Biología reproductiva y dinámica poblacional de *Harrisia portoricensis* Britton. Bol. Soc. Latinoamer. Caribe Cact. otras Suc. 4(3): 4-5, illus.
- [400] Roth, R. B. (2007) Life in a quartz field – from a Shmoo-Plant's point of view. Cact. World 25(3): 151-155, illus. [Included for the habitat illustrations of *Muraria hortenseae*.]
- [401] Rowley, G. (2007) *Cotyledon orbiculata* and its cultivars. Cact. Succ. J. (US) 79(4): 148-151, 185, key, illus. [Cultivar names not indexed in RPS.]
- [402] Rowley, G. D. (2007) Name conservation – a case for cultivars. Cact. World 25(4): 227-232, illus.
- [403] Rowley, G. D. (2007) *Adromischus* e le sue cultivar / and its cultivars. Cactus & Co. 11(4): 252-268, illus. [Cultivar names not indexed in RPS.]
- [404] Rowley, G. D. (2007) *Opuntia* – fission or fusion? Part III. Checklist of names. Tephrocactus Study Group 13(3A): 47-72, illus. [Including many names newly treated as cultivars (not indexed in RPS).]
- [405] Rudzinski, H. (2007) Is Reppenagen right with *Mammillaria donatii*? J. Mammillaria Soc. 47(2): 37-38, 42-49, illus.
- [406] Rudzinski, H. (2007) Ergänzung zur Erstbeschreibung der *Mammillaria tezonite* W. A. & B. Fitz Maurice. Mitteilungsbl. AfM 31(4): 193, ill.
- [407] Ruinaard, H. (2007) Op zoek naar groeiplaatsen van *Echinocereus nicholii*. Succulenta 86 (1): 6-11, illus.
- [408] Salengue, E. & D. (2007) *Notocactus cinninus* var. *eremiticus* (F. Ritter) N. Gerloff wieder gefunden. Internoto 28(4): 75-78, illus.
- [409] Samain, M.-S. & al. (2007) Nomenclature and typification of subdivisional names in the genus *Peperomia* (Piperaceae). Taxon 56(1): 229-236.
- [410] Samata, A. & Raju, V. S. (2006) *Caralluma adscendens* (Roxb.) R. Br. var. *fimbriata* (Wall.) Grav. & Mayur. – Another overlooked succulent from Andhra Pradesh. J. Econ. Taxon. Bot. 30(1): 202-203.
- [411] Santos, G. M. M. & al. (2007) Utilização de frutos de cactos (Cactaceae) como recurso alimentar por vespas sociais (Hymenoptera, Vespidae, Polistinae) em uma área de caatinga (Ipirá, Bahia, Brasil). Revista Brasil. Zool. 24(4): 1052-1056.
- [412] Sanz, V. & Nassar, J. M. (2007) Ecología de la dispersión de semillas de *Melocactus curvifrons*. Bol. Soc. Latinoamer. Caribe Cact. otras Suc. 4(2): 7, illus.
- [413] Sato, K. & al. (2007) Chromosome number of *Portulaca oleracea* (Portulacaceae) in Japan. J. Jap. Bot. 82(6): 352-355.
- [414] Scheffknecht, S. & al. (2007) Mating systems of snowbed plant species of the northeastern calcareous Alps of Austria. Acta Oecol. 31: 203-209. [Includes data on *Sedum atratum*.]
- [415] Schelkunova, N. (2007) [Russian:] Chamaecerei. Kakt. Klub 2006(4): 8-11, illus. [Dated 2006, publ. Nov. 2007. Included because of the illustrations depicting hybrids involving *Echinopsis chamaecereus*.]
- [416] Scholz, E. (2007) Über *Lobivia leptacantha*. Echinopseen 4(2): 80-83, illus., map. [Illustrating flower colour variability.]
- [417] Schulz, R. (2007) *Aeonium* in habitat and cultivation. San Bruno (US: CA): Schulz Publishing. 216 pp., illus., maps.
- [418] Segura, S. & al. (2007) Genome sizes and ploidy levels in Mexican Cactus Pear species *Opuntia* (Tourn.) Mill. series *Streptacantheae* Britton et Rose, *Leucotrichae* DC., *Heliabravoanae* Scheinvar and *Robustae* Britton et Rose. Genetic Resources Crop Evol. 54: 1033-1041.
- [419] Silva, B. P. da & Parente, J. P. (2007) A new bioactive steroid saponin from *Agave brittoniana*. Z. Naturf., B 62: 1193-1198.
- [420] Simmons-Boyce, J. L. & Tinto, W. F. (2007) Steroidal saponins and sapogenins from the Agavaceae family. Nat. Prod. Commun. 2: 99-114. [Not available for evaluation.]
- [421] Simões, A. O. & al. (2007) Phylogeny and systematics of the *Rauvolfioideae* (Apocynaceae) based on molecular and morphological evidence. Ann. Missouri Bot. Gard. 94: 268-297.
- [422] Singh, M. (2007) Succulent Jatrophas in India. Euphorbia World 2(3): 12-15, illus. [Dated Dec. 2006, received at ZSS 26. Jan. 2007.]
- [423] Skhirtladze, A. & al. (2006) Furostanol saponins from *Yucca gloriosa* L. rhizomes. Biochem. Syst. Ecol. 34(11): 809-814.
- [424] Slaba, R. (2007) *Matucana pujupatii* (Donald et Lau) Bregman. Kaktusy 43(3): 94-96, illus. [Included for the illustrations depicting variability.]
- [425] Slaba, R. & Sorma, V. (2007) [Czech:] *Sulcorebutia pulchra* (Cárdenas) Donald and its new varieties. Kaktusy 43(1): 10-15, illus.
- [426] Slaba, R. & Sorma, V. (2007) [Czech:] *Sulcorebutia frankiana* Rausch and its new varieties. Kaktusy 43(2): 54-61, illus.
- [427] Smale, T. (2007) Daniel saved from the Lion's Den – the curious case of *Conophytum danielii* and *jarmilae*. Mesemb Study Group Bull.

- 22(1): 21-22, figs. 22.5-22.6.
- [428] Smith, G. F. & Klopper, R. R. (2007) Naturalised species of *Agave* L. (Agavaceae) in the Cape Floristic Region, South Africa. Bradleya 25: 193-195, ills., key.
- [429] Soejima, A. & Wen, J. (2006) Phylogenetic analysis of the Grape family (Vitaceae) based on three chloroplast markers. Amer. J. Bot. 93(2): 278-287.
- [430] Soffiatti, P. & Angyalossy, V. (2007) Anatomy of Brazilian Cereeae (subfamily Cactoideae, Cactaceae): *Arrojadoa* Britton & Rose, *Stephanocereus* A. Berger and *Brasilicereus* Backeberg. Acta Bot. Brasil. 21(4): 813-822, ills.
- [431] Solano, E. & Feria, T. P. (2007) Ecological niche modeling and geographic distribution of the genus *Polianthes* L. (Agavaceae) in Mexico: Using niche modeling to improve assessments of risk status. Biodivers. & Conservation 16: 1885-1900, maps.
- [432] Stanley, R. E. (2007) *Mammillaria magnimamma*. J. Mammillaria Soc. 47(1): 10, 12-17, ills.
- [433] Stanley, R. E. (2007) *M.[ammillaria] heyderi* and its close relatives. J. Mammillaria Soc. 47(2): 34-36, ills. (pp. 39-41).
- [434] Stanley, R. E. (2007) *Mammillaria carmenae*. J. Mammillaria Soc. 47(3): 72-73, ills. (p. 70).
- [435] Steinberg, E. (2007) *Rhipsalis burchellii* Britton & Rose. EPIG No. 58: 23-25, ills. [Included for the illustrations.]
- [436] Steinmann, V. W. & al. (2007) The systematic position of *Cubanthus* and other shrubby endemic species of *Euphorbia* (Euphorbiaceae) in Cuba. Anales Jard. Bot. Madrid 64(2): 123-133, ills.
- [437] Stephenson, R. (2007) Portuguese succulents. Cact. Succ. J. (US) 79(6): 265-268, ills. [Synopsis of Crassulaceae in Portugal.]
- [438] Stephenson, R. (2007) Two out of three is not good enough! Cact. World 25(Suppl.): 41-44, ills. [On conservation issues of *Sempervivum* spp. of Turkey.]
- [439] Stephenson, R. (2007) *Sedum creticum* Presl, an evolving species. Cact.-Avent. Int. No. 76: 24-27, ills., map.
- [440] Stephenson, R. (2007) Very wet Crete. Sedum Soc. Newslett. No. 81: 61-66, ills., map. [Includes information on *Sedum creticum* incl. distribution map.]
- [441] Stephenson, R. (2007) *Petrosedum pruinosum*. Sedum Soc. Newslett. No. 82: 92-95, ills.
- [442] Stephenson, R. (2007) *Villadia virgata*. Sedum Soc. Newslett. No. 83: 21-23, ills.
- [443] Stephenson, R. & Stephenson, J. (2007) Black Sea to White Sea in fourteen days – part 2. Sedum Soc. Newslett. No. 80: 28-31, ills. [Included for the information on *Sedum steudelii*. Continued from l.c. No. 79, 2006.]
- [444] Strong, A. W. & Williamson, P. S. (2007) Breeding system of *Astrophytum asterias*: An endangered cactus. Southw. Naturalist 52(3): 341-346.
- [445] Strydom, A. & al. (2007) Miscellaneous notes: Amaryllidaceae. Chromosome studies on African plants. 20. Karyotypes of some *Cyrtanthus* species. Bothalia 37(1): 103-108, ills.
- [446] Stuchlík, S. (2007) [Czech]: *Notocactus neohorstii* (Ritter) Theunissen – a jewel (not only) among *Notocactus*. Kaktusy 43(1): 4-8, ills.
- [447] Stuchlík, S. (2007) [Czech]: An inhabitant of steep rock walls – *Notocactus warasii* (Ritter) Hewitt et Donald. Kaktusy 43(2): 41-44, ills.
- [448] Stuchlík, S. (2007) *Notocactus muricatus* (Otto in Pfeiffer) Berger ex Backeberg & Knuth. Kaktusy 43(4): 111-114, ills.
- [449] Stuchlík, S. (2007) [Czech:] Bemerkungen zu einigen Funden von Ritter der Untergattung *Neonotocactus*. Minimus 38(3-4): 1-5, ills.
- [450] Styles, D. (2007) Searching for Stapeliads in southern KwaZulu-Natal and the Transkei. Asklepios No. 98: 17-26, ills.
- [451] Styles, D. & Wragg, P. D. (2007) Notes on *Brachystelma sandersonii* and *B. franksiae*. Asklepios No. 98: 9-15, ills., map.
- [452] Süpplie, F. (2007) *Rhipsalis* & *Lepismium*. Nijmegen (NL): EPRIC. 144 pp., ills. [Undated but 2007 mentioned in the introductory matter on p. 12.]
- [453] Süpplie, F. (2007) Neue *Epiphyllum*-Hybriden. New Epi hybrids. Epi-Flora (Nijmegen) No. 4: 15, ills. [On 2 new *Epiphyllum* (*xDisophyllum* ?) cultivars of hybrid origin (not indexed separately).]
- [454] Süpplie, F. (2007) Neue Hybriden epiphytischer Kakteen. New hybrids from epiphytic cacti. Epi-Flora (Nijmegen) No. 4: 8-9, ills. [On 8 new *Schlumbergera* cultivars of hybrid origin (not indexed separately).]
- [455] Süpplie, F. (2007) Neue Hybriden epiphytischer Kakteen. New hybrids epiphytic cacti. Epi-Flora (Nijmegen) No. 5: 14-18, ills. [On 17 new *xDisophyllum* and *Epiphyllum* hybrids (not indexed separately).]
- [456] Svensson, G. P. & al. (2006) Strong conservation of floral scent composition in two allopatric Yuccas. J. Chem. Ecol. 32(12): 2657-2665, map.
- [457] Swan, R. D. (2007) Native American *Hylotelephium* in habitat. Sedum Soc. Newslett. No.

- 80: 34-35, illus.
- [458] Swanepoel, W. (2007) *Didiereaceae / Portulacaceae*. *Ceraria kaokoensis*, a new species from Namibia, with notes on gynodioecy in the genus. *Bothalia* 37(2): 202-206, illus., key, map.
- [459] Taylor, N. P. (2007) The neotype illustration of *Echinocactus mammulosus* Lemaire. *Bradleya* 25: 125-128, illus.
- [460] Taylor, N. P. (2007) *Cactaceae* of Bolivia: Additional departmental records. *Cact. Syst. Init.* No. 22: 10-11.
- [461] Taylor, N. P. (2007) Some Cárdenas *Cactaceae* types at BOLV, Cochabamba. *Cact. Syst. Init.* No. 22: 9-10.
- [462] Taylor, N. P. (2007) Ex situ conservation of *Melocactus* at Kew. *Cact. World* 25(Suppl.): 21-28, illus.
- [463] Thackeray, R. (2007) Getting close to *Aeonium glandulosum* Cact. World 25(3): 148-150, illus. [Included for the spectacular photographs of the leaf indumentum.]
- [464] Thiede, J. & al. (2007) Phylogenetic implication of the chloroplast rpoC1 intron loss in the *Aizoaceae* (*Caryophyllales*). *Biochem. Syst. Ecol.* 35(6): 372-380.
- [465] Thiv, M. & Meve, U. (2007) A phylogenetic study of *Echidnopsis* Hook. f. (*Apocynaceae - Asclepiadoideae*) – taxonomic implications and the colonization of the Socotran archipelago. *Pl. Syst. Evol.* 265: 71-86, illus.
- [466] Thorwarth, H.-J. R. (2007) The succulent Asclepiads of the Tiras Mountains of southern Namibia, a preliminary compilation (part 1) / (part 2). *Asklepios* No. 97: 13-23, No. 98: 3-8, illus., map.
- [467] Tierney, G. (2007) A rare Hawaiian princess arrives downunder. *Cact. Succ. J. (Woollahra)* 25(8): 151-160, illus. [On *Bgrighamia insignis*, included for the fruit illustrations.]
- [468] Till, H. & Amerhauser, H. (2007) *Gymnocalycium leptanthum* (Speg.) Speg. und *Gymnocalycium frankianum* Rausch n.n. Zwei Taxa aus dem Quellianum Aggregat. *Gymnocalycium* 20(3): 725-732, illus.
- [469] Till, H. & Till, W. (2007) Ist *Echinocactus urselianus* Cels ex Salm-Dyck wirklich ein Synonym von *Gymnocalycium multiflorum* (Hook.) Britton & Rose? *Gymnocalycium* 20(2): 715-720, illus.
- [470] Till, H. & Till, W. (2007) Altes und Neues von *Gymnocalycium rauschii* Till & W. Till. *Gymnocalycium* 20(4): 737-740, illus.
- [471] Timmons, S. A. & al. (2007) Morphological and anatomical development in the *Vitaceae*. X. Comparative ontogeny and phylogenetic implications of *Cissus quadrangularis* L. *Canad. J. Bot.* 85(9): 860-872, illus.
- [472] Touloumenidou, T. & al. (2007) The phylogeny of *Monsonia* L. (*Geraniaceae*). *Pl. Syst. Evol.* 264: 1-14.
- [473] Trevisson, M. & Demaio, P. (2006) Cactus de Córdoba y del Centro de Argentina. Córdoba (ARG): L. O. L. A. - Ecosistemas Argentinos. 78 pp., illus.
- [474] Uhl, C. H. (2007) Chromosomes and hybrids of *Echeveria*. X. South American species of series *Nudae*. *Haseltonia* 12: 31-40, illus. [Dated 2006 on the cover, publ. 16. 1. 2007 according to the inside cover.]
- [475] Ullrich, B. (2007) *Agave attenuata* ssp. *densata* (Roezl) Ullrich. *Haseltonia* 12: 22-30, illus. [Dated 2006 on the cover, publ. 16. 1. 2007 according to the inside cover.]
- [476] Valiente-Banuet, A. & al. (2007) Pollination biology of the hemiepiphytic cactus *Hylocereus undatus* in the Tehuacan Valley, Mexico. *J. Arid Environm.* 68(1): 1-8.
- [477] Valverde, P. L. & al. (2007) Efecto de los patrones de distribución y la biología reproductiva en los niveles de variación genética y estructura de dos especies de cactus endémicos de la Reserva de la Biosfera Tehuacán-Cuicatlán. *Bol. Soc. Latinoamer. Caribe Cact. otras Suc.* 4(3): 5-6, illus. [On *Cephalocereus columnna-trajani* and *Mammillaria pectinifera*.]
- [478] Valverde, P. L. & al. (2007) Stem tilting, pseudocephalium orientation, and stem allometry in *Cephalocereus columnna-trajani* along a short latitudinal gradient. *Pl. Ecol.* 188(1): 17-27.
- [479] Vázquez-García, J. A. & al. (2007) Taxonomía del género *Agave* en el occidente de México: Un panorámica preliminar. In: Vázquez-García, J. A. & al. (eds.): *Agaves del occidente de México*; pp. 38-82, illus. (tt. A-MM). Guadalajara (MX): Universidad de Guadalajara.
- [480] Vázquez-García, J. A. & al. (2007) Agaves del occidente de México. Guadalajara (MX): Universidad de Guadalajara. [8] + cv + 222 pp., illus.
- [481] Vázquez-Sánchez, M. & al. (2007) Morphology and anatomy of the *Cephalocereus columnna-trajani* cephalium: Why tilting? *Pl. Syst. Evol.* 265: 87-99, illus.
- [482] Veldhuisen, R. van (2007) *Euphorbia* subgenus *Euphorbia* section *Triacanthium* Jacobsen (part 2). *Euphorbia World* 2(3): 18-24, illus. [Dated Dec. 2006, received at ZSS 26. Jan. 2007. Continued from l.c. 2(2), 2006.]
- [483] Veldhuisen, R. van (2007) *Euphorbia* subgenus *Euphorbia* section *Triacanthium* Jacobsen (part 3). *Euphorbia World* 3(1): 6-11, illus. [Concluded from l.c. 2(3), 2007 ('2006').]
- [484] Veldhuisen, R. van (2007) *Euphorbia horwoodii*. *Succulenta* 86(3): 114-120, illus.

- [485] Vélez Pérez, M. E. (2007) New species of *Peperomia* (Piperaceae) of Central America. Cact.-Avent. Int. No. 73: 2-13, ill., maps.
- [486] Venter, H. J. T. & al. (2007) *Raphionacme villicornis* (Apocynaceae: Periplocoideae), a new species from the Sekhukhuneland Centre of Plant Endemism, South Africa. South Afr. J. Bot. 73: 97-101, ill., map, key. [Includes a key to the *Raphionacme splendens* group.]
- [487] Veres, G. (2007) Rod *Pediocactus* Britton et Rose (pohl'adom pestovat' a). Kaktusy 43 (special 3): 36 pp., ill., maps. [Included for the illustrations and the distribution maps.]
- [488] Vries, J. de (2007) *Aylostera azurduyensis* de Vries. Eine neue Art aus dem Gebiet südlich von Azurduy, Prov. Chuquisaca, Bolivien. Echinopseen 4(1): 28-32, ill., map.
- [489] Wade, D. J. & al. (2006) Subtribal relationship in tribe *Tradescantieae* (Commelinaceae) based on molecular and morphological data. In: Columbus, J. T. & al. (eds.): Monocots. Comparative biology and evolution excluding Poales. Alico 22: 520-526.
- [490] Wagner, G. F. (2007) Einige Bemerkungen zur Familie *Mesembryanthemaceae* (4). *Oscularia cremnophila*, eine neue seltene Art aus dem Küstengebiet des westlichen Südafrika. Avonia 25 (2): 60-61, ill.
- [491] Wagner, G. F. (2007) Adolf Englers Neubeschreibungen von Pflanzen der Gattung *Mesembryanthemum* (*Mesembrianthemum*) L. (Aizoaceae). Avonia 25(3): 69-79, ill.
- [492] Wagstaff, S. J. & Hennion, F. (2007) Evolution and biogeography of *Lyallia* and *Hectorella* (Portulacaceae), geographically isolated sisters from the Southern Hemisphere. Antarct. Sci. 2007: 1-10.
- [493] Wahlström, C. (2007) Artbeskrivningar. *Hoya elliptica* J. D. Hooker. *Hoya globulifera* Blume. *Hoya limoniaca* S. Moore. *Hoya obtusifolia* Wight. Hoyatelegrafen 14(4): 4-19, ill.
- [494] Wanke, S. & al. (2007) From forgotten taxon to a missing link? The position of the genus *Verhuellia* (Piperaceae) revealed by molecules. Ann. Bot. (Oxford), n.s. 99: 1231-1238. [Includes data on the phylogeny of *Peperomia*.]
- [495] Wanntorp, L. (2007) Systematics of *Hoya*, challenges and rewards. Asklepios No. 99: 9-16, ill., map.
- [496] Wanntorp, L. & Forster, P. I. (2007) Phylogenetic relationships between *Hoya* and the monotypic genera *Madangia*, *Absolnsia*, *Micholitzia* (Marsdenieae, Apocynaceae): Insights from flower morphology. Ann. Missouri Bot. Gard. 94 (1): 36-55, ill.
- [497] Watson, R. (2007) The African Baobab. Cape Town (RSA): Struik. 200 pp., ill.
- [498] Weeks, A. & Simpson, B. B. (2007) Molecular phylogenetic analysis of *Commiphora* (Burseraceae) yields insight on the evolution and historical biogeography of an "impossible" genus. Molec. Phylogen. Evol. 42: 62-79.
- [499] Welman, W. G. & Condy, G. (2007) *Coccinia palmata*. Flow. Pl. Afr. 60: 118-122, map, t. 2238.
- [500] Wen, J. & al. (2007) Phylogeny of Vitaceae based on the nuclear GAI1 gene sequences. Canad. J. Bot. 85: 731-745.
- [501] Wet, L. R. de & al. (2006) Pollinator-mediated selection of *Pelargonium reniforme* as described by inter-simple sequence repeat markers. South Afr. J. Bot. 72(2): 319. [Abstract only.]
- [502] Williamson, G. (2007) Several interesting Zambian Euphorbias subg. *Euphorbia* sect. *Monadenium* (Euphorbiaceae) including a new species. Euphorbia World 2(3): 5-11, ill. [Dated Dec. 2006, received at ZSS 26. Jan. 2007.]
- [503] Williamson, G. (2007) Two remarkable, recently described *Bulbine* species from the Vanrhynsdorp and Grahamstown areas in South Africa. Excelsa 21: 63-65, ill. (incl. p. 57), maps.
- [504] Williamson, G. (2007) Bulbines, are they all the same? Haworthiad 21(1): 6-13, ill.
- [505] Wittau, H.-J. (2007) Ein Etikett mit einer Sammelnummer. Echinopseen 4(1): 34-37, ill. [Illustrating the variability of *Lobivia hertrichiana* var. *lauj.*]
- [506] Wittner, H. (2007) Erfahrungen mit *Cereus lamprospermus* subsp. *colosseus*. Kakt. and. Sukk. 58(12): 334-339, ill. [Included for the illustrations (incl. seed SEM).]
- [507] Wolf, F. & Wolf, R. (2007) Socotra. Succulentenparadies im Indischen Ozean. Paradise of succulents in the Indian Ocean. Sulz (A): published by the authors. xvi + 187 pp., ill.
- [508] Wurdack, K. J. & al. (2005) Molecular phylogenetic analysis of uniovulate Euphorbiaceae (Euphorbiaceae sensu stricto) using plastid rbcL and trnL-F DNA sequences. Amer. J. Bot. 92 (8): 1397-1420.
- [509] Wurzbacher, H. (2007) Ein interessanter *Disocactus* (Subgenus *Aporocactus*) aus Vera Cruz (Mexiko). EPIG No. 59: 16-18, ill. [Included for the photographs of flowers of *Disocactus mariannus* cf.]
- [510] Wybraniec, S. & Nowak-Wydra, B. (2007) Mammillarinin: A new malonylated betacyanin from fruits of *Mammillaria*. J. Agric. Food Chem. 55: 8138-8143.
- [511] Xia, T. & al. (2007) ISSR analysis of genetic diversity of the Qinghai-Tibet Plateau endemic *Rhodiola chrysanthemifolia* (Crassulaceae). Biochem. Syst. Ecol. 35(4): 209-214.

[512] Yamazaki, K. & al. (2007) External and internal flavonoids from Madagascan *Uncarina* species (*Pedaliaceae*). *Biochem. Syst. Ecol.* 35: 743-749.

[513] Yanbaev, Y. A. & al. (2007) Differentiation among populations of the *Rhodiola iremelica* Boriss. (*Crassulaceae*) in the southern Urals. *Russ. J. Genet.* 43(11): 1314-1318.

[514] Yetman, D. (2007) The great cacti. Ethnobotany and biogeography. Tucson (US: AZ): University of Arizona Press. x + 297 pp., ills., maps.

[515] Yokosuka, A. & Mimaki, Y. (2007) Steroidal glycosides from *Agave utahensis*. *Chem. Pharm. Bull.* 55(1): 145-149.

[516] Young, A. (2007) *Conophytum mirabile*. Mesemb Study Group Bull. 22(3): 61, ills. (p. 60). [Included for the illustrations.]

[517] Zamudio Ruiz, S. (2006) Flora del Valle de Tehuacán-Cuicatlán. Fasciculo 45. *Lentibulariaceae*. México (MX): Universidad Nacional Autónoma de México, Instituto de Biología. 13 pp.

[518] Zhao, Y.-Z. & Hao, L.-X. (2007) [Chinese:] On the identity of *Sedum almae*. *Acta Phytotax. Sin.* 45(3): 421-423.

[519] Zimer, E. (2007) [Polish / English] Succulents from Down Under. *Disphyma australe* and its natural hybrids. Part 1 / Part 2. *Kakt. Inne* 4(2): 69-71, (3): 114-121, ills.

[520] Zonneveld, B. J. M. (2007) Verklaring voor bladkleuren in *Agave americana*. *Succulenta* 86(1): 15-20, ills. [On variegation.]

BIBLIOGRAPHIA

Cross-References of Author Names

- Abreu, D. D.: → Cota-Sánchez, J. H.
 Adolphi, K.: → Müksel, C.
 Albers, F.: → Becker, M.
 Amerhauser, H.: → Till, H.
 Angyalossy, V.: → Soffiatti, P.
 Barthlott, W.: → Hartl, W. P.
 Blum, W.: → Felix, D.
 Buthod, A. K.: → Hoagland, B. W.
 Castillo, M. A.: → Davila, M.
 Castillon, J.-P.: → Castillon, J.-B.
 Chakrabarty, T.: → Balakrishnan, N. P.
 Cházaro Basáñez, M. del J.: → Álvarez S., J. L.
 Cházaro Basáñez, M. del J.: → Hernández-Vera, G.
 Condy, G.: → Bester, S. P.
 Condy, G.: → Burgoine, P. M.
 Condy, G.: → Welman, W. G.
 Cuadrado, G. A.: → Garralla, S.
 Demaio, P.: → Trevisson, M.
 Dicht, R.: → Lüthy, J.
 Dold, T.: → Marais, B.
 Downie, S. R.: → Calviño, C. I.
 Durán, R.: → Méndez, M.
 Edwards, T. J.: → Crouch, N. R.
 Esteves P., E.: → Braun, P. J.
 Esteves P., E.: → Braun, P. J.
 Felix, D.: → Blum, W.
 Feria, T. P.: → Solano, E.
 Fernández-A., J. L.: → Albesiano, S.
 Ferreira Lopes, J.: → Duarte, M. do R.
 Flores Berrios, E. P.: → Cuevas Figueroa, X. M.
 Flores-Berrios, E.: → Hernández-Vera, G.
 Flores-Berrios, E. P.: → Hernández-Vera, G.
 Forster, P. I.: → Wanntorp, L.
 Garbari, F.: → Loewenstein, A. B. de
 Ghahreman, A.: → Fadaie, F.
 Giulietti, A. M.: → Oliveira A., A.
 Giulietti, A. M.: → Oliveira, A. A.
 Giulietti, A. M.: → Oliveira-Coelho, A. A.
 Goodenowe, D. B.: → Ahiahonu, P. W. K.
 Hao, L.-X.: → Zhao, Y.-Z.
 Hartmann, H. E. K.: → Niesler, I. M.
 Hassan, N. M.: → Fayed, A. A.
 Hennion, F.: → Wagstaff, S. J.
 Hoock, H.: → Kleszewski, K.-P.
 Jansen, R. K.: → Park, K.-R.
 Judd, W. S.: → Ionta, G. M.
 Kalas, R.: → Janeba, Z.
 Kiesling, R.: → Metzing, D.
 Klopper, R. R.: → Smith, G. F.
 Koleff, P.: → Golubov, J.
 Kristen, M.: → Etter, J.
 Larson, J.: → Ocaña-Naval, D.
 Leonardo dos Santos, D.: → Cerqueira-Silva, C. B. M. Valencia P., Ó. M.: → Cházaro Basáñez, M. J.
 Liede-Schumann, S.: → Meve, U.
- Low, B.: → Klak, C.
 Lüthy, A. D.: → Dicht, R. F.
 MacRoberts, M. H.: → MacRoberts, B. R.
 Mariño H., L.: → Cáceres H., F.
 Mays, H.: → Grootscholten, C.
 McCoy, T. A.: → Lavranos, J. J.
 Mensah, S. I.: → Nyananyo, B. L.
 Metzing, D.: → Albers, I.
 Meve, U.: → Thiv, M.
 Miklánek, M.: → Hadrava, J.
 Milt, I.: → Halda, H. H.
 Mimaki, Y.: → Yokosuka, A.
 Méndez, I.: → Palomino, G.
 Nassar, J. M.: → Sanz, V.
 Nowak-Wydra, B.: → Wybraniec, S.
 Nyffeler, R.: → Eggli, U.
 Ortega-Baes, P.: → Godinez-Alvarez, H.
 Parente, J. P.: → Silva, B. P. da
 Peterson, A.: → Harpke, D.
 Pilar Zamora T., M. del: → Vázquez-García, J. A.
 Plein, W.: → Rogozinski, H.
 Posluszny, U.: → Gerrath, J. M.
 Potsch Andreatta, R. H.: → Calvente, A.
 Pufal, G.: → Mayer, C.
 Pérez-Calix, E.: → Carrillo-Reyes, P.
 Quail, D.: → Riha, J.
 Raguso, R. A.: → Ollerton, J.
 Raju, V. S.: → Samata, A.
 Reyes-Betancort, J. A.: → Danin, A.
 Reyna Bustos, Ó. F.: → Magaña-González, K. C.
 Rigerszki, Z.: → Békefi, J.
 Rudall, P. J.: → Prenner, G.
 Rulkens, A.: → Capela, P.
 Riha, J.: → Gertel, W.
 Samata, A.: → Raju, V. S.
 Schneider, E. L.: → Carlquist, S.
 Simpson, B. B.: → Weeks, A.
 Simpson, J.: → Gil-Vega, K. C.
 Smith, G. F.: → Crouch, N. R.
 Snijman, D. A.: → Meerow, A. W.
 Sorma, V.: → Slaba, R.
 Souza, V.: → Eguiarte, L. E.
 Stead, J. M.: → Houston, D. M.
 Stephenson, J.: → Stephenson, R.
 Stephenson, R.: → Hinton, G. S.
 Strecker, W.: → Heek, W. van
 Swanepoel, W.: → Jaarsveld, E. J. van
 Tavormina, G.: → Afferni, M.
 Taylor, N. P.: → Li, Z.-Y.
 Tiedt, L.: → Buys, M. H.
 Till, W.: → Till, H.
 Tinto, W. F.: → Simmons-Boyce, J. L.
 Leonardo dos Santos, D.: → Cerqueira-Silva, C. B. M. Valencia P., Ó. M.: → Cházaro Basáñez, M. J.
 Vargas-Rodríguez, Y. L. (eds.): → Vázquez-García, J. A.

- Vries, J. de: → Gertel, W.
Wang, Y.-Z.: → Li, J.-M.
Wayman, A.: → Kloppenburg, D.
Wen, J.: → Soejima, A.
Williamson, P. S.: → Strong, A. W.
Wolf, R.: → Wolf, F.
Wragg, P. D.: → Styles, D.
Zanovello, C.: → Donati, D.
Zizumbo-Villarreal, D.: → Colunga-García Marín, P.