

# Product Catalog

Datalogic Scanning Products  
& Accessories



June 2008

Copyright © Datalogic Scanning, Inc. 1984-2008. All rights reserved. • Protected to the fullest extent under U.S. and international laws. Copying, or altering of this document is prohibited without express written consent from Datalogic Scanning, Inc..



Datalogic Scanning, Inc. of Eugene, Oregon, USA is ISO registered by NQA. • The Datalogic logo, Falcon, Magellan, PowerScan, QuickScan, First Strike, IntelliCompass, and SurroundScan are registered trademarks of Datalogic Scanning, Inc. • Omega Tek, 3D Scanning, All-Weights®, Productivity Index Reporting (PIR), Configurator Express, Cashier Training and Produce Rail are trademarks of Datalogic Scanning, Inc. • All other brand and product names are trademarks of their respective owners.

Datalogic prices and product specifications are subject to change without prior notice. Please contact your Datalogic Representative. • Information on Datalogic products and services, and electronic, downloadable versions of this document are located on the Datalogic Scanning web site: [www.scanning.datalogic.com](http://www.scanning.datalogic.com).

Reasonable measures were taken to ensure that the information provided is complete and accurate at the time of publication. However, Datalogic Scanning, Inc. reserves the right to change any product specification at any time without prior notice. Datalogic is not responsible for errors of omission or inaccuracies, as material becomes dated shortly following publication. Please visit our website at: [www.scanning.datalogic.com](http://www.scanning.datalogic.com) for the most up-to-date version.



# Contents

## BI-OPTIC IN-COUNTER SCANNERS

Magellan® 8500 with OmegaTek™ Scanner and Scanner/Scale.....	2
US Service Options.....	2
Accessories / Documentation .....	3
Cables .....	3
Magellan® 8400 High Performance Retail POS Bi-Optic Scanner .....	4
US Service Options.....	4
Accessories / Documentation .....	5
Cables .....	5
Magellan® 8300 High Performance Retail POS Bi-Optic Scanner.....	6
US Service Options.....	6
Accessories / Documentation .....	7
Cables .....	7
Magellan® 8200 Slim-line Scanner and Scanner/Scale.....	8
US Service Options.....	8
Accessories / Documentation .....	9
Cables .....	9
Magellan® 8100 Scanner and Scanner/Scale .....	10
US Service Options.....	12
Accessories / Documentation .....	12
Cables .....	12

## SINGLE PLANE IN-COUNTER SCANNERS

Magellan® 2300HS Horizontal Scanner .....	13
US Service Options.....	14
Accessories / Documentation .....	14
Cables .....	14

## COUNTERTOP PRESENTATION SCANNERS

Magellan® 2200VS Vertical Scanner.....	15
US Service Options.....	15
Accessories / Documentation .....	16
Cables .....	16
Magellan® 1400i.....	17
US Service Options.....	17
Accessories / Documentation .....	17
Cables .....	18
Magellan® 1000i.....	19
US Service Options.....	20
Accessories / Documentation .....	20
Cables .....	20
Diamond™.....	21
Diamond™ Accessories .....	21
Diamond™ Maintenance Options.....	22

## GENERAL PURPOSE: CORDED SCANNERS

FireScan™.....	23
FireScan™ Accessories.....	23
FireScan™ Maintenance Options .....	24
Gryphon™ Desk.....	25
Gryphon™ Desk Accessories.....	25
Gryphon™ Desk Maintenance Options .....	26
Heron™.....	27
Heron™ Accessories.....	27
Heron™ G.....	29
Heron™ G Accessories .....	29
QuickScan® L Desk.....	31
US Service Options.....	31
QuickScan® L Desk Accessories .....	31
Cables .....	32
QuickScan® QS6000 Plus Handheld Laser Scanner .....	33
US Service Options.....	33
Accessories / Documentation .....	33
Cables .....	34
QuickScan® QS6500 Handheld Scanner.....	35
US Service Options.....	36
Accessories/Documentation .....	36
Cables .....	36

QuickScan® QS2500 Linear Imager Handheld Scanner.....	37
US Service Options.....	37
Accessories / Documentation .....	37
Cables .....	38
Touch™ 65/90 Light - Touch 65/90 Pro .....	39
Touch™ Accessories .....	39

## GENERAL PURPOSE: CORDLESS SCANNERS

Gryphon™ Mobile .....	41
Gryphon™ Mobile Accessories.....	41
US Service Options.....	42
Gryphon™ Bluetooth® .....	43
Gryphon™ Bluetooth® Accessories.....	43
US Service Options.....	44
QuickScan® Mobile.....	45
US Service Options.....	45
QuickScan® Mobile Accessories .....	45
Cables .....	46
QuickScan® QS6500BT Handheld Scanner.....	47
US Service Options.....	47
QuickScan® QS6500BT Accessories.....	48
Cables .....	48

## RUGGEDIZED: CORDED SCANNERS

PowerScan® 8300 Desk.....	49
US Service Options.....	49
PowerScan® 8300 Desk Accessories.....	49
Cables .....	50
PowerScan® 8500 Desk.....	51
US Service Options.....	51
PowerScan® 8500 Desk Accessories.....	51
Cables .....	52
Lynx™ Desk .....	53
Lynx™ Desk Accessories .....	53
US Service Options.....	54
PowerScan® 7000 Standard Range Linear Imaging Scanner .....	55
US Service Options.....	56
PowerScan® 7000 Accessories .....	56
Cables.....	56
PowerScan® 7000 2D Imager .....	57
US Service Options.....	57
PowerScan® 7000 2D Imager Accessories .....	57
Cables .....	57

## RUGGEDIZED: CORDLESS SCANNERS

PowerScan® 8300 Mobile .....	58
US Service Options.....	58
PowerScan® 8300 Mobile Accessories.....	58
Cables .....	59
Lynx™ BT .....	60
Lynx™ BT Accessories .....	60
US Service Options.....	61
PowerScan® 7000BT SR Linear Imaging Scanner with Bluetooth®.....	62
US Service Options.....	63
PowerScan® 7000BT SRI Accessories.....	63
Cables.....	63

## OTHER PRODUCTS

P51 Optic Pen.....	64
PowerWedge® Decoders .....	64
Accessories / Documentation .....	64
Keyboard Interface Cables .....	65
Serial and Eavesdrop Cables .....	65
Master B/BB .....	65

## MISCELLANEOUS

STAR-Modem™.....	66
Cable Guide for Supported Hosts and Terminals .....	67
Serial Cable Selection.....	71
US Warranty/Service/Support Information.....	75
Shipping and Refund Policy .....	80
Datalogic Acronyms .....	80

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

R40-0200 N 0608

## Magellan® 8500 with OmegaTek™ Productivity Technology Scanner and Scanner/Scale

Datalogic's Magellan 8500 utilizes OmegaTek™ Productivity Technology comprised of hardware and software innovations that significantly improve scanner performance by improving the first pass read rates on hard-to-read bar codes. The Magellan 8500 also utilizes SurroundScan® 3D Scanning™ technology and FirstStrike® decoding software and comes equipped with an enhanced All-Weighs® platter for reducing shrink. The Magellan 8500 is optionally equipped with Checkpoint® EAS. Standard factory warranty is one year.



\*\*RoHS compliant versions available.

Description	Part Number	RoHS ** Part Number
<b>Magellan 8500 Scanner/Scale, Long Platter - Model 8502</b>		
Mgl 8500 Multi-interface, DLC Glass, RSS and FirstStrike Software. No Display, Cable or Power Supply	MG852-111	MG852-111R
Mgl 8500 Multi-interface, Sapphire Glass, RSS and FirstStrike Software. No Display, Cable or Power Supply	MG852-121	MG852-121R
<b>Magellan 8500 Scanner Only, Long Platter - Model 8501</b>		
Mgl 8500 Multi-interface, DLC Glass, RSS and FirstStrike Software, No Cable or Power Supply	MG851-111	MG851-111R
Mgl 8500 Multi-interface, Sapphire Glass, RSS and FirstStrike Software, No Cable or Power Supply	MG851-121	MG851-121R
<b>Magellan 8500 Scanner Only, Short Platter - Model 8500</b>		
Mgl 8500 Multi-interface, DLC Glass, RSS and FirstStrike Software, No Cable or Power Supply	MG851-131	MG851-131R
Mgl 8500 Multi-interface, Sapphire Glass, RSS and FirstStrike Software, No Cable or Power Supply	MG851-141	MG851-141R
<b>Optional Software Features</b>		
Productivity Index Reporting Active - Add "B" At End of Model Number	xxxxx-xxxB (xxxxx-xxxx-xxxxxB)	Add an R
Productivity Index Reporting and Cashier Training Active - Add "D" At End of Model Number	xxxxx-xxxD (xxxxx-xxxx-xxxxxD)	Add an R

### US Service Options (International Customers please contact your local office)

Description (part number and price reflect a three year option from date of purchase)	Part Number
<b>With Scale</b>	
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-M8500W/S-3
Service plus 2-Day: Datalogic pays freight both ways, two business days	W-M8500W/S-3
Service plus 5-Day: Datalogic pays return freight, five business day service	E-M8500W/S-3
<b>Without Scale</b>	
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-M8500W/O-3
Service plus 2-Day: Datalogic pays freight both ways, two business days	W-M8500W/O-3
Service plus 5-Day: Datalogic pays return freight, five business day service	E-M8500W/O-3
Note: Contact your Datalogic Representative for custom programs.	
Note: See Service Section (p. 77) for additional pricing options.	

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

Datalogic Scanning U.S. Product Catalog

### Accessories / Documentation

Description	Part Number	RoHS ** Part Number
Checkstand Fill Kit: Model 8501 & 8502 from NCR 7870/7875	11-0038	11-0209
EAS Checkpoint Antenna Kit	10-3017	10-4448
EAS Interlock Cable, 6' (Requires EAS Antenna Kit)	8-0769-03	8-0769-03
Manual, QRG (printed)	R44-2383	R44-2383
Manual, PRG (printed)	R44-2384	R44-2384
CD, MGL Product Manual	8-0607-01	8-0607-01
Cashier Operating Tips (Laminated Card)	7-0744	7-0744
Video, Cashier Training (VHS-NTSC)	R55-0005	R55-0005
Remote Display Kit with 8" Post (Not Included with Scanner)	7-0695	11-0167
Replacement Glass, DLC	7-0691	N/A
Upgrade, RSS S/W	11-0024	11-0024
Upgrade, Productivity Index Reporting S/W	11-0025	11-0025
Upgrade, Cashier Training S/W	11-0026	11-0026
IntelliCompass® S/W, 1-100 Lanes	11-0061	11-0061
IntelliCompass S/W, 101-500 Lanes	11-0062	11-0062
IntelliCompass S/W, >500 Lanes	11-0063	11-0063
Description	Part Number	RoHS ** Part Number
<b>Power Supplies – Required For Operation</b>		
Power Supply Kit, US with Power Supply and STD Power Cord	7-0751	11-0171
Power Supply, Universal, No Power Cord	7-0685	11-0164
Power Cord, US, 110V, No Power Supply	10-0695	10-0695
Power Cord, Twist and Lock, US, 110V, No Power Supply	10-0694	10-0694

### Cables

Description	Part Number	RoHS ** Part Number
IBM Port 9b, 4 Pin, 15' (4.5m)	8-0731-02	8-0731-02
IBM Port 17, 16 Pin, 15' (4.5m)	8-0731-01	8-0731-01
RS-232, PC Dsub, 9 Pin, 15' (4.5m)	8-0730-04	8-0730-04
RS-232, PC Dsub, 25 Pin, 15' (4.5m)	8-0730-33	8-0730-33
RS-232, RJ Connector For SASI, 4 Pin, 15' (4.5m)	8-0227-05	8-0730-05
RS-232, PC Dsub, 9 Pin Scale Cable, 15' (4.5m)	8-0733-05	8-0733-05
RS-232, RJ Connector For SASI, 8 Pin Scale Cable, 15' (4.5m)	8-0229-04	8-0733-04
Aux Port Cable For PowerScan/QuickScan RS-232 Handhelds, POT, 12'	8-0577-11	8-0737-11
OEM USB, E/P, 15' (4.5m)	8-0732-01	8-0732-01
OEM USB Plus Power Kit (with Terminal Power Adapter and 15' I/F Cable)	7-0752	11-0172
For additional cables contact your Datalogic Representative or go to the Datalogic Cable Selector at <a href="http://www.scanning.datalogic.com">www.scanning.datalogic.com</a> .		

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

## Magellan® 8400 High Performance Retail POS Bi-Optic Scanner

Datalogic's Magellan 8400 is the highest performing 5-sided POS scanner available today, improving productivity by achieving outstanding first-pass-read rates. Representing the next step in high performance, renowned Magellan quality, and outstanding value from Datalogic Scanning. The Magellan 8400 scanner is available with Datalogic Scanning's exclusive, patented All-Weights® platter and optional integrated EAS (Checkpoint® or Sensormatic®) and is specifically designed for high volume supermarkets, hypermarkets, mass merchandisers, and wholesale clubs. A significant reduction in components improves reliability and servicing. The Magellan 8400 is available as either scanner/scale or as scanner only models. Standard factory warranty is one year.



\*\*All version are RoHS compliant.

Description	RoHS ** Part Number
<b>Magellan 8400 Scanner/Scale, Long Platter</b>	
Mgl 8400 Multi I/F; Sapphire Glass with Flip Up Rail, No Display, Cable or Power Supply	84212603-005
Mgl 8400 Multi I/F; DLC Glass with Flip Up Rail, No Display, Cable or Power Supply	84213603-005
<b>Magellan 8400 Scanner Only, Long Platter</b>	
Mgl 8400 Multi I/F; Sapphire Glass, No Display, Cable or Power Supply	84100603-001
Mgl 8400 Multi I/F; DLC Glass, No Display, Cable or Power Supply	84101603-001
<b>Magellan 8400 Scanner/Scale, Medium Platter</b>	
Mgl 8400 Multi I/F; Sapphire Glass with Flip Up Rail, No Display, Cable or Power Supply	84212402-001
Mgl 8400 Multi I/F; DLC Glass with Flip Up Rail, No Display, Cable or Power Supply	84213402-001
<b>Magellan 8400 Scanner Only, Medium Platter</b>	
Mgl 8400 Multi I/F; Sapphire Glass, No Display, Cable or Power Supply	84100402-001
Mgl 8400 Multi I/F; DLC Glass, No Display, Cable or Power Supply	84101402-001
<b>Magellan 8400 Scanner Only, Short Platter</b>	
Mgl 8400 Multi I/F; Sapphire Glass, No Display, Cable or Power Supply	84100201-001
Mgl 8400 Multi I/F; DLC Glass, No Display, Cable or Power Supply	84101201-001

### US Service Options (International Customers please contact your local office)

Description (part number and price reflect a three year option from date of purchase)	Part Number
<b>With Scale</b>	
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-M8400W/S-3
Service plus 2-Day: Datalogic pays freight both ways, two business days	W-M8400W/S-3
Service plus 5-Day: Datalogic pays return freight, five business day service	E-M8400W/S-3
<b>Without Scale</b>	
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-M8400W/O-3
Service plus 2-Day: Datalogic pays freight both ways, two business days	W-M8400W/O-3
Service plus 5-Day: Datalogic pays return freight, five business day service	E-M8400W/O-3
Note: Contact your Datalogic Representative for custom programs.	
Note: See Service Section (p. 77) for additional pricing options.	

## Accessories / Documentation

Description	RoHS** Part Number
Single Remote Scale Display with 8" (20cm) Post, US/Canada/Puerto Rico	11-0288
Single Remote Scale Display with 8" (20cm) Post, Australia/New Zealand/Europe	11-0271
Dual Remote Scale Display with 8" (20cm) Post, US/Canada/Puerto Rico	11-0270
Dual Remote Scale Display with 8" (20cm) Post, Australia/New Zealand/Europe	11-0272
EAS Antenna Cable	8-0769-02
EAS Interlock Cable - Checkpoint	8-0769-03
EAS Interconnect Cable - Sensormatic	8-0769-01
Quick Reference Guide	R44-2642
Product Reference Guide	R44-2643
<b>Power Supplies – Required For Operation</b>	
North American Power Supply Kit (Includes Power Supply and Power Cord)	11-0286
Power Supply, World Wide	8-0858
Power Cord, 110V, US Standard	6003-0922
Power Cord 100V, Japan	6003-0927
Power Cord 220V, Europe	6003-0921
Power Cord, 220V, Australia	6003-0925
Power Cord, 220V, Italy and Chile	6003-0924
Power Cord, 220V, United Kingdom	6003-0923

## Cables

Description	RoHS** Part Number
RS-232, PC Dsub, 25 Pin, 15' (4.5m)	8-0730-33
RS-232, Beetle, No Power, 15' (4.5m)	8-0730-39
RS-232, Waitrose, 15' (4.5m)	8-0730-13
RS-232 - RS-232, WN Beetle, Female, 15' (4.5m)	8-0733-05
KBW, 5/6, IBM, A/P, PCXT, E/P, 15' (4.5m)	8-0735-01
IBM Port 9b, 4 Pin, 15' (4.5m)	8-0731-02
Retail USB, E/P, Straight, 15' (4.5m)	8-0863-03
Retail USB, POT, Straight, 15' (4.5m)	8-0863-01
USB, Type A, E/P, 15' (4.5m)	8-0863-02
USB, Type A, TEC, 15' (4.5m)	8-0863-04

For additional cables contact your Datalogic Representative or go to the Datalogic Cable Selector at [www.scanning.datalogic.com](http://www.scanning.datalogic.com).

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

## Magellan® 8300 High Performance Retail POS Bi-Optic Scanner

The Magellan 8300 scanner is available with Datalogic Scanning's exclusive, patented All-Weights® platter and optional integrated EAS (Checkpoint® or Sensormatic®) and is specifically designed for high volume supermarkets, hypermarkets, mass merchandisers, and wholesale clubs. A significant reduction in components improves reliability and servicing. The Magellan 8300 is available as either scanner/scale or as scanner only models. Standard factory warranty is one year.



\*\*All version are RoHS compliant.

Description	RoHS ** Part Number
<b>Magellan 8300 Scanner/Scale, Long Platter</b>	
Mgl 8300 Multi I/F; Sapphire Glass, Flange Mount, No Display, Cable or Power Supply	83212603-005
Mgl 8300 Multi I/F; DLC Glass, Flange Mount, No Display, Cable or Power Supply	83213603-005
<b>Magellan 8300 Scanner Only, Long Platter</b>	
Mgl 8300 Multi I/F; Sapphire Glass, Flange Mount, No Display, Cable or Power Supply	83100603-001
Mgl 8300 Multi I/F; DLC Glass, Flange Mount, No Display, Cable or Power Supply	83101603-001
<b>Magellan 8300 Scanner/Scale, Medium Platter</b>	
Mgl 8300 Multi I/F; Sapphire Glass, Flange Mount, No Display, Cable or Power Supply	83212402-001
Mgl 8300 Multi I/F; DLC Glass, Flange Mount, No Display, Cable or Power Supply	83213402-001
<b>Magellan 8300 Scanner Only, Medium Platter</b>	
Mgl 8300 Multi I/F; Sapphire Glass, Flange Mount, No Display, Cable or Power Supply	83100402-001
Mgl 8300 Multi I/F; DLC Glass, Flange Mount, No Display, Cable or Power Supply	83101402-001
<b>Magellan 8300 Scanner Only, Short Platter</b>	
Mgl 8300 Multi I/F; Sapphire Glass, Shelf Mount, No Display, Cable or Power Supply	83100201-001
Mgl 8300 Multi I/F; DLC Glass, Shelf Mount, No Display, Cable or Power Supply	83101201-001

### US Service Options (International Customers please contact your local office)

Description (part number and price reflect a three year option from date of purchase)	Part Number
<b>With Scale</b>	
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-M8300W/S-3
Service plus 2-Day: Datalogic pays freight both ways, two business days	W-M8300W/S-3
Service plus 5-Day: Datalogic pays return freight, five business day service	E-M8300W/S-3
<b>Without Scale</b>	
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-M8300W/O-3
Service plus 2-Day: Datalogic pays freight both ways, two business days	W-M8300W/O-3
Service plus 5-Day: Datalogic pays return freight, five business day service	E-M8300W/O-3
Note: Contact your Datalogic Representative for custom programs.	
Note: See Service Section (p. 77) for additional pricing options.	



## Accessories / Documentation

Description	RoHS ** Part Number
Single Remote Scale Display with 8" (20cm) Post, US/Canada/Puerto Rico	11-0288
Single Remote Scale Display with 8" (20cm) Post, Australia/New Zealand/Europe	11-0271
Dual Remote Scale Display with 8" (20cm) Post, US/Canada/Puerto Rico	11-0270
Dual Remote Scale Display with 8" (20cm) Post, Australia/New Zealand/Europe	11-0272
EAS Antenna Cable	8-0769-02
EAS Interlock Cable - Checkpoint	8-0769-03
EAS Interconnect Cable - Sensormatic	8-0769-01
Quick Reference Guide	R44-2642
Product Reference Guide	R44-2643
<b>Power Supplies – Required For Operation</b>	
North American Power Supply Kit (Includes Power Supply and Power Cord)	11-0286
Power Supply, World Wide	8-0858
Power Cord, 110V, US Standard	6003-0922
Power Cord 100V, Japan	6003-0927
Power Cord 220V, Europe	6003-0921
Power Cord, 220V, Australia	6003-0925
Power Cord, 220V, Italy and Chile	6003-0924
Power Cord, 220V, United Kingdom	6003-0923

## Cables

Description	RoHS ** Part Number
RS-232, PC Dsub, 25 Pin, 15' (4.5m)	8-0730-33
RS-232, Beetle, No Power, 15' (4.5m)	8-0730-39
RS-232 - RS-232, WN Beetle, Female, 15' (4.5m)	8-0733-05
KBW, 5/6, IBM, A/P, PCXT, E/P, 15' (4.5m)	8-0735-01
IBM Port 9b, 4 Pin, 15' (4.5m)	8-0731-02
Retail USB, E/P, Straight, 15' (4.5m)	8-0863-03
Retail USB, POT, Straight, 15' (4.5m)	8-0863-01
USB, Type A, E/P, 15' (4.5m)	8-0863-02
USB, Type A, TEC, 15' (4.5m)	8-0863-04
For additional cables contact your Datalogic Representative or go to the Datalogic Cable Selector at <a href="http://www.scanning.datalogic.com">www.scanning.datalogic.com</a> .	

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

## Magellan® 8200 High Performance Slim-line Scanner and Scanner/Scale

Datalogic's Magellan 8200 uses OmegaTek™ Productivity Technology comprised of hardware and software innovations that significantly improve scanner performance by improving the first pass read rates on hard-to-read bar codes. The Magellan 8200 comes equipped with Datalogic's enhanced All-Weights® platter for reducing produce shrink and also features five-sided scanning using FirstStrike® decoding software. Available in three sizes to fit your checkstand requirements, the Magellan 8200 offers excellent value and performance at an attractive price. Standard factory warranty is one year.



\*\*RoHS compliant versions available.

Description	Part Number	RoHS ** Part Number
<b>Scanner/Scale, Long Platter – Model 8204</b>		
Mgl 8200 Multi I/F, Sapphire Glass, No Display, Cable or Power Supply	MG822-1011	MG822-1011R
Mgl 8200 Multi I/F, DLC Glass, No Display, Cable or Power Supply	MG822-1051	MG822-1051R
<b>Scanner Only, Long Platter – Model 8203</b>		
Mgl 8200 Multi I/F, Sapphire Glass, No Cable or Power Supply	MG821-1021	MG821-1021R
Mgl 8200 Multi I/F, DLC Glass, No Cable or Power Supply	MG821-1011	MG821-1011R
<b>Scanner/Scale, Medium Platter – Model 8202</b>		
Mgl 8200 Multi I/F, Sapphire Glass, No Display, Cable or Power Supply	MG822-1031	MG822-1031R
Mgl 8200 Multi I/F, DLC Glass, No Display, Cable or Power Supply	MG822-1071	MG822-1071R
<b>Scanner Only, Medium Platter – Model 8201</b>		
Mgl 8200 Multi I/F, Sapphire Glass, No Cable or Power Supply	MG821-1041	MG821-1041R
Mgl 8200 Multi I/F, DLC Glass, No Cable or Power Supply	MG821-1031	MG821-1031R
<b>Scanner Only, Short Platter – Model 8200</b>		
Mgl 8200 Multi I/F, Sapphire Glass, No Cable or Power Supply	MG821-1061	MG821-1061R
Mgl 8200 Multi I/F, DLC Glass, No Cable or Power Supply	MG821-1051	MG821-1051R
<b>Optional Software Features</b>		
Productivity Index Reporting Active - Add "B" At End of Model Number	xxxxx-xxxxB (xxxxx-xxxx-xxxxxB)	Add an R

### US Service Options (International Customers please contact your local office)

Description (part number and price reflect a three year option from date of purchase)	Part Number
<b>With Scale</b>	
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-M8200W/S-3
Service Plus 2-Day: Datalogic pays freight both ways, two business days	W-M8200W/S-3
Service Plus 5-Day: Datalogic pays return freight, five business day service	E-M8200W/S-3
<b>Without Scale</b>	
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-M8200W/O-3
Service Plus 2-Day: Datalogic pays freight both ways, two business days	W-M8200W/O-3
Service Plus 5-Day: Datalogic pays return freight, five business day service	E-M8200W/O-3
Note: Contact your Datalogic Representative for custom programs.	
Note: See Service Section (p. 77) for additional pricing options.	

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

## Accessories / Documentation

Description	Part Number	RoHS ** Part Number
Checkstand Fill Kit: Model 8203 & 8204 from SP760SLS	7-0116	N/A
Checkstand Fill Kit: Model 8203 & 8204 from NCR 7870/7875	7-0225	N/A
EAS Antenna Cable	8-0769-02	8-0769-02
EAS Interlock Cable, 6' (Requires EAS Antenna Kit)	8-0769-03	8-0769-03
Manual, QRG (printed)	R44-2720	R44-2720
Manual, PRG (printed)	R44-2721	R44-2721
CD, MGL Product Manual	8-0607-01	8-0607-01
Remote Scale Display Kit with 8" Post (Not Included with Scanner)	11-0167	11-0167
Replacement Glass, DLC	7-0735	7-0735
IntelliCompass® S/W, 1-100 Lanes	11-0061	11-0061
IntelliCompass S/W, 101-500 Lanes	11-0062	11-0062
IntelliCompass S/W, >500 Lanes	11-0063	11-0063
<b>Power Supplies – Required For Operation</b>		
Power Supply Kit, US with Power Supply and STD Power Cord	7-0751	11-0171
Power Supply, Universal, No Power Cord	7-0685	11-0164
Power Cord, US, 110V, No Power Supply	10-0695	10-0695
Power Cord, Twist and Lock, US, 110V, No Power Supply	10-0694	10-0694

## Cables

Description	Part Number	RoHS ** Part Number
IBM Port 9b, 4 Pin, 15' (4.5m)	8-0731-02	8-0731-02
IBM Port 17, 16 Pin, 15' (4.5m)	8-0731-01	8-0731-01
RS-232, PC Dsub, 9 Pin, 15' (4.5m)	8-0730-04	8-0730-04
RS-232, PC Dsub, 25 Pin, 15' (4.5m)	8-0730-33	8-0730-33
RS-232, RJ Connector For SASI, 4 Pin, 15' (4.5m)	8-0227-05	8-0730-05
RS-232, PC Dsub, 9 Pin Scale Cable, 15' (4.5m)	8-0733-05	8-0733-05
RS-232, RJ Connector For SASI, 8 Pin Scale Cable, 15' (4.5m)	8-0229-04	8-0733-04
Aux Port Cable For PowerScan/QuickScan RS-232 Handhelds, POT, 12'	8-0577-11	8-0737-11
OEM USB, E/P, 15' (4.5m)	8-0732-01	8-0732-01
OEM USB Plus Power Kit (with Terminal Power Adapter and 15' I/F Cable)	7-0752	11-0172

For additional cables contact your Datalogic Representative or go to the Datalogic Cable Selector at [www.scanning.datalogic.com](http://www.scanning.datalogic.com).

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

## Magellan® 8100 Scanner and Scanner/Scale

Datalogic's Magellan 8100 uses OmegaTek™ Productivity Technology comprised of hardware and software innovations that significantly improve scanner performance by improving the first pass read rates on hard-to-read bar codes. The Magellan 8100, capable of reading five sides of a scanned item, also features FirstStrike® decoding software and comes equipped with an enhanced All-Weights® platter for reducing produce shrink. Available in three sizes to fit your checkstand requirements, the Magellan 8100 offers excellent value and performance at an attractive price. Standard factory warranty is one year.



\*\*RoHS compliant versions available.

Description	Part Number	RoHS ** Part Number
<b>Standard RS-232</b>		
<b>Scanner Only, Long Platter – Model 8103</b>		
Mgl 8100 LLT Glass, RSS and FirstStrike Software, No Cable or Power Supply	MG811-1011	MG811-1011R
Mgl 8100 DLC Glass, RSS and FirstStrike Software, No Cable or Power Supply	MG811-1091	MG811-1091R
Mgl 8100 Tin Oxide Glass, RSS and FirstStrike Software, No Cable or Power Supply	MG811-1141	MG811-1141R
<b>Scanner Only, Medium Platter – Model 8101</b>		
Mgl 8100 LLT Glass, RSS and FirstStrike Software, No Cable or Power Supply	MG811-1041	MG811-1041R
Mgl 8100 DLC, No Cable or Power Supply	MG811-1111	MG811-1111R
Mgl 8100 Tin Oxide Glass, No Cable or Power Supply	MG811-1161	MG811-1161R
<b>Scanner Only, Short Platter – Model 8100</b>		
Mgl 8100 LLT Glass, RSS and FirstStrike Software, No Cable or Power Supply	MG811-1081	MG811-1081R
Mgl 8100DLC Glass, No Cable or Power Supply	MG811-1131	MG811-1131R
Mgl 8100 Tin Oxide Glass, No Cable or Power Supply	MG811-1181	MG811-1181R
<b>Scanner/Scale, Long Platter – Model 8104</b>		
Mgl 8100 LLT Glass, RSS and FirstStrike Software, No Display, Cable or Power Supply	MG812-1011	MG812-1011R
Mgl 8100 DLC Glass, No Display, Cable or Power Supply	MG812-1051	MG812-1051R
Mgl 8100 Tin Oxide Glass, No Display, Cable or Power Supply	MG812-1091	MG812-1091R
<b>Scanner/Scale, Medium Platter – Model 8102</b>		
Mgl 8100 LLT Glass, RSS and FirstStrike Software, No Display, Cable or Power Supply	MG812-1031	MG812-1031R
Mgl 8100 DLC Glass, No Display, Cable or Power Supply	MG812-1071	MG812-1071R
Mgl 8100 Tin Oxide Glass, No Display Cable or Power Supply	MG812-1111	MG812-1111R
<b>Single Cable RS-232</b>		
<b>Scanner/Scale, Long Platter – Model 8104</b>		
Mgl 8100 LLT Glass, RSS and FirstStrike Software, No Display, Cable or Power Supply	MG812-1013	MG812-1013R
Mgl 8100 DLC Glass, No Display, Cable or Power Supply	MG812-1053	MG812-1053R
Mgl 8100 Tin Oxide Glass, No Display, Cable or Power Supply	MG812-1093	MG812-1093R
<b>Scanner Only, Long Platter – Model 8103</b>		
Mgl 8100 DLC Glass, No Cable or Power Supply	MG811-1095	MG811-1095R
Mgl 8100 Tin Oxide Glass, No Cable or Power Supply	MG811-1145	MG811-1145R
<b>Scanner/Scale, Medium Platter – Model 8102</b>		
Mgl 8100 LLT Glass, RSS and FirstStrike Software, No Display, Cable or Power Supply	MG812-1033	MG812-1033R
Mgl 8100 DLC Glass, No Display, Cable or Power Supply	MG812-1073	MG812-1073R
Mgl 8100 Tin Oxide Glass, No Display, Cable or Power Supply	MG812-1113	MG812-1113R

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

Datalogic Scanning U.S. Product Catalog

Description	Part Number	RoHS ** Part Number
<b>Scanner Only, Medium Platter – Model 8101</b>		
Mgl 8100 DLC, No Cable or Power Supply	MG811-1115	MG811-1115R
Mgl 8100 Tin Oxide Glass, No Cable or Power Supply	MG811-1165	MG811-1165R
<b>Scanner Only, Short Platter – Model 8100</b>		
Mgl 8100 DLC Glass, No Cable or Power Supply	MG811-1135	MG811-1135R
Mgl 8100 Tin Oxide Glass, No Cable or Power Supply	MG811-1185	MG811-1185R
<b>IBM 46XX</b>		
<b>Scanner/Scale, Long Platter – Model 8104</b>		
Mgl 8100 LLT Glass, RSS and FirstStrike Software, No Display, Cable or Power Supply	MG812-1014	MG812-1014R
Mgl 8100 DLC Glass, No Display, Cable or Power Supply	MG812-1054	MG812-1054R
Mgl 8100 Tin Oxide Glass, No Display, Cable or Power Supply	MG812-1094	MG812-1094R
<b>Scanner Only, Long Platter – Model 8103</b>		
Mgl 8100 DLC Glass, No Cable or Power Supply	MG811-1093	MG811-1093R
Mgl 8100 Tin Oxide Glass, No Cable or Power Supply	MG811-1143	MG811-1143R
<b>Scanner/Scale, Medium Platter – Model 8102</b>		
Mgl 8100 LLT Glass, RSS and FirstStrike Software, No Display, Cable or Power Supply	MG812-1034	MG812-1034R
Mgl 8100 DLC Glass, No Display, Cable or Power Supply	MG812-1074	MG812-1074R
Mgl 8100 Tin Oxide Glass, No Display, Cable or Power Supply	MG812-1114	MG812-1114R
<b>Scanner Only, Medium Platter – Model 8101</b>		
Mgl 8100 DLC, No Cable or Power Supply	MG811-1113	MG811-1113R
Mgl 8100 Tin Oxide Glass, No Cable or Power Supply	MG811-1163	MG811-1163R
<b>Scanner Only, Short Platter – Model 8100</b>		
Mgl 8100 DLC Glass, No Cable or Power Supply	MG811-1133	MG811-1133R
Mgl 8100 Tin Oxide Glass, No Cable or Power Supply	MG811-1183	MG811-1183R
<b>IBM USB</b>		
<b>Scanner/Scale, Long Platter – Model 8104</b>		
Mgl 8100 LLT Glass, RSS and FirstStrike Software, No Display, Cable or Power Supply	MG812-1015	MG812-1015R
Mgl 8100 DLC Glass, No Display, Cable or Power Supply	MG812-1055	MG812-1055R
Mgl 8100 Tin Oxide Glass, No Display, Cable or Power Supply	MG812-1095	MG812-1095R
<b>Scanner Only, Long Platter – Model 8103</b>		
Mgl 8100 DLC Glass, No Cable or Power Supply	MG811-1094	MG811-1094R
Mgl 8100 Tin Oxide Glass, No Cable or Power Supply	MG811-1144	MG811-1144R
<b>Scanner/Scale, Medium Platter – Model 8102</b>		
Mgl 8100 LLT Glass, RSS and FirstStrike Software, No Display, Cable or Power Supply	MG812-1035	MG812-1035R
Mgl 8100 DLC Glass, No Display, Cable or Power Supply	MG812-1075	MG812-1075R
Mgl 8100 Tin Oxide Glass, No Display, Cable or Power Supply	MG812-1115	MG812-1115R
<b>Scanner Only, Medium Platter – Model 8101</b>		
Mgl 8100 DLC, No Cable or Power Supply	MG811-1114	MG811-1114R
Mgl 8100 Tin Oxide Glass, No Cable or Power Supply	MG811-1164	MG811-1164R
<b>Scanner Only, Short Platter – Model 8100</b>		
Mgl 8100 DLC Glass, No Cable or Power Supply	MG811-1134	MG811-1134R
Mgl 8100 Tin Oxide Glass, No Cable or Power Supply	MG811-1184	MG811-1184R

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

**US Service Options (International Customers please contact your local office)**

Description (part number and price reflect a three year option from date of purchase)	Part Number
<b>With Scale</b>	
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-M8100W/S-3
Service Plus 2-Day: Datalogic pays freight both ways, two business days	W-M8100W/S-3
Service Plus 5-Day: Datalogic pays return freight, five business day service	E-M8100W/S-3
<b>Without Scale</b>	
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-M8100W/O-3
Service Plus 2-Day: Datalogic pays freight both ways, two business days	W-M8100W/O-3
Service Plus 5-Day: Datalogic pays return freight, five business day service	E-M8100W/O-3
Note: Contact your Datalogic Representative for custom programs.	
Note: See Service Section (p. 77) for additional pricing options.	

**Accessories / Documentation**

Description	Part Number	RoHS ** Part Number
Remote Scale Display Kit with 8" Post (Not Included with Scanner)	11-0167	11-0167
Replacement Glass, TO	7-0757	7-0757
Replacement Glass, DLC	7-0735	7-0735
EAS Antenna Cable	8-0769-02	8-0769-02
EAS Interlock Cable, 6' (Requires EAS Antenna Kit)	8-0769-03	8-0769-03
Checkstand Fill Kit: from SP760SLS	7-0116	N/A
Checkstand Fill Kit: Magellan from NCR 7870/7875	7-0225	N/A
Manual, QRG (printed)	R44-2720	R44-2720
Manual, PRG (printed)	R44-2721	R44-2721
CD, MGL Product Manual	8-0607-01	8-0607-01
<b>Power Supplies –(Required For Operation)</b>		
Power Supply Kit, US with Power Supply and STD Power Cord	7-0751	11-0171
Power Supply, Universal, No Power Cord	7-0685	11-0164
Power Cord, US, 110V, No Power Supply	10-0695	10-0695
Power Cord, Twist and Lock, US, 110V, No Power Supply	10-0694	10-0694

**Cables**

Description	Part Number	RoHS ** Part Number
IBM Port 9b, 4 Pin, 15' (4.5m)	8-0731-02	8-0731-02
IBM Port 17, 16 Pin, 15' (4.5m)	8-0224-01	8-0731-01
RS-232, PC Dsub, 9 Pin, 15' (4.5m)	8-0730-04	8-0730-04
RS-232, PC Dsub, 25 Pin, 15' (4.5m)	8-0730-33	8-0730-33
RS-232, RJ Connector For SASI, 4 Pin, 15' (4.5m)	8-0227-05	8-0730-05
RS-232, PC Dsub, 9 Pin Scale Cable, 15' (4.5m)	8-0733-05	8-0733-05
RS-232, RJ Connector For SASI, 8 Pin Scale Cable, 15' (4.5m)	8-0229-04	8-0733-04
Aux Port Cable For PowerScan/QuickScan RS-232 Handhelds, POT, 12'	8-0577-11	8-0737-11
OEM USB, E/P; 15' (4.5m)	8-0732-01	8-0732-01
OEM USB Plus Power Kit (with Terminal Power Adapter and 15' I/F Cable)	7-0752	11-0172
For additional cables contact your Datalogic Representative or go to the Datalogic Cable Selector at <a href="http://www.scanning.datalogic.com">www.scanning.datalogic.com</a> .		

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

POS Products

## Magellan® 2300HS Horizontal Scanner

Datalogic's Magellan 2300HS features OmegaTek™ Productivity Technology comprised of hardware and software innovations that significantly improve scanner performance by improving the first pass read rates on hard-to-read bar codes. The Magellan 2300HS offers best-in-class horizontal scanning performance and software for improving POS productivity. With these and other great features, plus a very economical price-point, the Magellan 2300HS is the choice for horizontal single-plane POS scanning. Standard factory warranty is one year.



\*\*RoHS compliant versions available.

Description	Part Number	RoHS** Part Number
<b>STD Magellan 2300HS</b>		
Mgl 2300HS , Multi I/F, Tin Oxide Glass, STD Mount, No Cable or Power Supply	M23-031	M23-031R
Mgl 2300HS , Multi I/F, DLC Glass, STD Mount, No Cable or Power Supply	M23-021	M23-021R
Mgl 2300HS , Multi I/F, Sapphire Glass, STD Mount, No Cable or Power Supply	M23-011	M23-011R
Mgl 2300HS , Multi I/F, Tin Oxide Glass, STD Mount with HSI250 Fill Kit, No Cable or Power Supply	M23-032	M23-032R
Mgl 2300HS Multi I/F, DLC Glass, STD Mount with HSI250 Fill Kit, No Cable or Power Supply	M23-022	M23-022R
Mgl 2300HS , Multi I/F, Sapphire Glass, STD Mount with HSI250 Fill Kit, No Cable or Power Supply	M23-012	M23-012R
Mgl 2300HS , Multi I/F, Sapphire Glass, STD Mount, RS-232 PC DB9 4.5m (15') Cable with US Power Supply	M2301-00111-0104	M2301-00111-0104R
Mgl 2300HS , Multi I/F, Sapphire Glass, STD Mount, RS-232 PC DB9 4.5m (15') Cable with EUR Power Supply	M2301-00121-0104	M2301-00121-0104R
Mgl 2300HS , Multi I/F, Sapphire Glass, HSI250 Mount, RS-232 PC DB9 4.5m (15') Cable with US Power Supply	M2301-00112-0104	M2301-00112-0104R
Mgl 2300HS , Multi I/F, Sapphire Glass, HSI250 Mount, RS-232 PC DB9 4.5m (15') Cable with EUR Power Supply	M2301-00122-0104	M2301-00122-0104R
Mgl 2300HS , Multi I/F, Tin Oxide Glass, STD Mount, IBM Port 9B 4.5m (15') Cable with US Power Supply	M2303-00111-0302	M2303-00111-0302R
Mgl 2300HS , Multi I/F, Sapphire Glass, STD Mount, IBM Port 9B 4.5m (15') Cable with EUR Power Supply	M2301-00121-0302	M2301-00121-0302R
Mgl 2300HS , Multi I/F, Tin Oxide Glass, STD Mount, IBM USB 4.5m (15') Cable with US Power Supply	M2303-00111-0401	M2303-00111-0401R
Mgl 2300HS , Multi I/F, Sapphire Glass, STD Mount, IBM USB 4.5m (15') Cable with EUR Power Supply	M2301-00121-0401	M2301-00121-0401R
Mgl 2300HS , Multi I/F, Sapphire Glass, STD Mount, IBM Port 9B 4.5m (15') Cable, POT	M2301-00101-0308	M2301-00101-0308R
Mgl 2300HS , Multi I/F, Sapphire Glass, HSI250 Mount, IBM USB 4.5m (15') Cable, POT	M2301-00102-0403	M2301-00102-0403R
<b>Optional Features</b>		
Productivity Index Reporting active - Add "B" to the end of model number	xxxxx-xxxxx-xxxxB	Add an R
EAS CheckPoint Antenna - Contact Your Datalogic Representative		

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

## US Service Options (International Customers please contact your local office)

Description (part number and price reflect a three year option from date of purchase)	Part Number
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-MGL2300HS-3
Service Plus 2-Day: Datalogic pays freight both ways, two business days	W-MGL2300HS-3
Service Plus 5-Day: Datalogic pays return freight, five business day service	E-MGL2300HS-3
Note: Contact your Datalogic Representative for custom programs.	
Note: See Service Section (p.77) for additional pricing options.	

## Accessories / Documentation



Description	Part Number	RoHS ** Part Number
Counter Mount, STD	11-0027	11-0027
Counter Mount, HSI250	11-0178	11-0178
CD, MGL 2200VS/2300HS Product Manuals with QRG & PRG	8-0610-01	8-0610-01
Manual, QRG (printed)	R44-2753	R44-2753
Manual, PRG (printed)	R44-2715	R44-2715
IntelliCompass® S/W, 1-100 Lanes	11-0061	11-0061
IntelliCompass S/W, 101-500 Lanes	11-0062	11-0062
IntelliCompass S/W, >500 Lanes	11-0063	11-0063
<b>Power Supplies (Required For Operation)</b>		
Power Supply, STD US, 120V	4004-0794	4004-0794
Power Supply, US, 120V with Desk Top Plug	4004-0799	4004-0799
Power Supply, EUR, 230V	4004-0798	4004-0798
Power Supply, UK, 230V	4004-0795	4004-0795
Power Supply, Japan, 100V	4004-0797	4004-0797
Power Supply, Australia, 240V	4004-0796	4004-0796

## Cables

Description	Part Number	RoHS ** Part Number
RS-232, PC Dsub, 9 Pin, 15' (4.5m)	8-0730-04	8-0730-04
RS-232, PC Dsub, 25 Pin, 15' (4.5m)	8-0730-33	8-0730-33
RS-232, 9D for SNI Beetle, POT, 15' (4.5m)	8-0227-30	8-0730-30
IBM Port 17, 16 Pin, 15' (4.5m)	8-0731-01	8-0731-01
IBM Port 9B, 4 Pin, 15' (4.5m)	8-0731-02	8-0731-02
IBM Port 17, 16 Pin, POT, 15' (4.5m)	8-0224-09	8-0731-09
IBM Port 9B, 4 Pin, POT, 15' (4.5m)	8-0731-08	8-0731-08
OEM USB, E/P, 15' (4.5m)	8-0732-01	8-0732-01
OEM USB, POT, 15' (4.5m)	8-0525-03	8-0732-03
Aux Port Cable For PowerScan/QuickScan RS-232 Handhelds, 15' (4.5m)	8-0737-10	8-0737-10
Aux Port Cable For PowerScan/QuickScan RS-232 Handhelds with EAS Interlock, 15' (4.5m)	8-0577-17	8-0737-17
EAS Interlock Cable (Uses Aux Port)	8-0769-04	8-0769-04
USB, Type A, E/P, 15' (4.5m)	8-0732-04	8-0732-04
KBW, 5/6 DIN, IBM AT/PS2, PCXT, E/P, 15' (4.5m)	8-0735-01	8-0735-01
For additional cables contact your Datalogic Representative or go to the Datalogic Cable Selector at <a href="http://www.scanning.datalogic.com">www.scanning.datalogic.com</a> .		

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.



## Magellan® 2200VS Vertical Scanner

Datalogic's Magellan 2200VS features OmegaTek Productivity Technology comprised of hardware and software innovations that significantly improve scanner performance by improving the first pass read rates on hard-to-read bar codes. The Magellan 2200VS offers best-in-class vertical scanning performance and software for improving POS productivity. With these and other great features, plus a very economical price-point, the Magellan 2200VS is the choice for vertical single-plane POS scanning. Standard factory warranty is one year.



\*\*RoHS compliant versions available.

Description	Part Number	RoHS ** Part Number
<b>STD Magellan 2200VS</b>		
Mgl 2200VS , Multi I/F,STD Counter Mount, No Cable or Power Supply	M22-01	M22-01R
Mgl 2200VS , Multi I/F,Riser Mount, No Cable or Power Supply	M2200-00102-0000	M2200-00102-0000R
Mgl 2200VS , Multi I/F,STD Mount with IBM Port 9B 15' (4.5m) Cable and US Power Supply	M2200-00111-0302	M2200-00111-0302R
Mgl 2200VS , Multi I/F,STD Mount with IBM Port 9B 15' (4.5m) Cable and EUR Power Supply	M2200-00121-0302	M2200-00121-0302R
Mgl 2200VS , Multi I/F,STD Mount with IBM USB 15' (4.5m) Cable and US Power Supply	M2200-00111-0401	M2200-00111-0401R
Mgl 2200VS , Multi I/F,STD Mount with IBM USB 15' (4.5m) Cable and EUR Power Supply	M2200-00121-0401	M2200-00121-0401R
Mgl 2200VS , Multi I/F,STD Mount with IBM Port 9B 15' (4.5m) Cable, Power Off Terminal	M2200-00101-0308	M2200-00101-0308R
Mgl 2200VS , Multi I/F,STD Mount with IBM USB 15' (4.5m) Cable, Power Off Terminal	M2200-00101-0403	M2200-00101-0403R
<b>Optional Features</b>		
Productivity Index Reporting active - Add "B" to the end of scanner model number	xxxxx-xxxxx-xxxxB	Add an R
EAS CheckPoint Antenna - Contact Your Datalogic Representative		

### US Service Options (International Customers please contact your local office)

Description (part number and price reflect a three year option from date of purchase)	Part Number
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-MGL2200VS-3
Service Plus 2-Day: Datalogic pays freight both ways, two business days	W-MGL2200VS-3
Service Plus 5-Day: Datalogic pays return freight, five business day service	E-MGL2200VS-3
Note: Contact your Datalogic Representative for custom programs.	
Note: See Service Section (p. 77) for additional pricing options.	

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

## Accessories / Documentation



11-0022

Description	Part Number	RoHS** Part Number
Mounting Bracket, STD Counter (Included with Scanners)	11-0006	11-0006
Mount, Riser (Elevates Scanner Off of Counter Surface 5cm / 2")	11-0022	11-0174
CD, MGL 2200VS/2300HS Product Manuals with QRG & PRG	8-0610-01	8-0610-01
Manual, QRG (printed)	R44-2714	R44-2714
Manual, PRG (printed)	R44-2715	R44-2715
IntelliCompass® S/W, 1-100 Lanes	11-0061	11-0061
IntelliCompass S/W, 101-500 Lanes	11-0062	11-0062
IntelliCompass S/W, >500 Lanes	11-0063	11-0063
<b>Power Supplies – Required For Operation</b>		
Power Supply, STD US, 120V	4004-0794	4004-0794
Power Supply, US, 120V with Desk Top Plug	4004-0799	4004-0799
Power Supply, EUR, 230V	4004-0798	4004-0798
Power Supply, UK, 230V	4004-0795	4004-0795
Power Supply, Japan, 100V	4004-0797	4004-0797
Power Supply, Australia, 240V	4004-0796	4004-0796

## Cables

Description	Part Number	RoHS** Part Number
RS-232, PC Dsub, 9 Pin, 15' (4.5m)	8-0730-04	8-0730-04
RS-232, PC Dsub, 25 Pin, 15' (4.5m)	8-0730-33	8-0730-33
RS-232, DB9, POT, 24V, 4.5m (15 ft.)	8-0227-48	8-0730-48
RS-232, 9D for SNI Beetle, POT, 15' (4.5m)	8-0227-30	8-0730-30
IBM Port 17, 16 Pin, 15' (4.5m)	8-0731-01	8-0731-01
IBM Port 9b, 4 Pin, 15' (4.5m)	8-0731-02	8-0731-02
IBM Port 17, 16 Pin, POT, 15' (4.5m)	8-0224-09	8-0731-09
IBM Port 9B, 4 Pin, POT, 15' (4.5m)	8-0731-08	8-0731-08
OEM USB, E/P, 15' (4.5m)	8-0732-01	8-0732-01
OEM USB, POT, 15' (4.5m)	8-0525-03	8-0732-03
Aux Port Cable For PowerScan/QuickScan RS-232 Handhelds, 15' (4.5m)	8-0737-10	8-0737-10
Aux Port Cable For PowerScan/QuickScan RS-232 Handhelds with EAS Interlock, 15' (4.5m)	8-0577-17	8-0737-17
EAS Interlock Cable (Uses Aux Port)	8-0769-04	8-0769-04
USB, Type A, E/P, 15' (4.5m)	8-0732-04	8-0732-04
KBW, 5/6 DIN, IBM AT/PS2, PCXT, E/P, 15' (4.5m)	8-0735-01	8-0735-01
For additional cables contact your Datalogic Representative or go to the Datalogic Cable Selector at <a href="http://www.scanning.datalogic.com">www.scanning.datalogic.com</a> .		

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

Datalogic Scanning U.S. Product Catalog

## Magellan® 1400i

The Magellan® 1400i omni-directional imaging scanner represents the newest breakthrough in data capture technology from Datalogic. The world's first imaging-based presentation scanner with PDF decoding, the Magellan® 1400i omni-directional imaging scanner is designed for convenience stores, drug stores, specialty stores and other medium volume checkout environments. Its solid-state construction with no moving parts increases reliability, while the small footprint frees up valuable counter selling space. The Magellan® 1400i omni-directional imaging scanner has been optimized to scan both UPC/EAN labeled items and ID cards with PDF-417 bar codes for easy age or ID verification at the point-of-sale. The Magellan® 1400i omni-directional imaging scanner also has a targeted scanning mode for reading close-proximity bar codes.

Standard factory warranty is two years



**\*\*All versions RoHS compliant.**



Description	RoHS ** Part Number
<b>Magellan® 1400i EZ Stand Kits w/ Cable (Multi-Interface is set to match cable interface)</b>	
Grey 5V, RS-232, DB9 E/P 12' Cable, US P/S	MG141010-101-106R
Black 5V, RS-232, DB9 E/P 12' Cable, US P/S	MG140010-101-106R
Grey 5V, RS-232, DB9 E/P 12' Cable, EU P/S	MG141010-201-106R
Black 5V, RS-232, DB9 E/P 12' Cable, EU P/S	MG140010-201-106R
Grey 5V, KBW, 6MDIN, P&S, E/P-POT, Coil, 12', US P/S	MG141020-101-201R
Black 5V, KBW, 6MDIN, P&S, E/P-POT, Coil, 12', US P/S	MG140020-101-201R
Grey 5V, KBW, 6MDIN, P&S, E/P-POT, Coil, 12', EU P/S	MG141020-201-201R
Black 5V, KBW, 6MDIN, P&S, E/P-POT, Coil, 12', EU P/S	MG140020-201-201R
Grey 5V, USB HID, POT, 2M Cable	MG141041-001-412R
Black 5V, USB HID, POT, 2M Cable	MG140041-001-412R
Grey 8-14V, IBM 46xx, PT9B 12' Cable	MG143031-001-302R
Black 8-14V, IBM 46xx, PT9B 12' Cable	MG142031-000-302R
Grey 8-14V, OEM USB, 12' Power Plus POT Cable	MG143040-001-401R
Black 8-14V, OEM USB, 12' Power Plus POT Cable	MG142040-001-401R
<b>Magellan® 1400i Scanner Only (Multi-Interface is set to match cable interface)</b>	
Black 5V, RS-232, Scanner Only	MG140010-000R
Grey 5V, RS-232, Scanner Only	MG141010-000R
Black 8-14V, RS-232, Scanner Only	MG142010-000R
Grey 8-14V, RS-232, Scanner Only	MG143010-000R

### Accessories / Documentation

Description	RoHS ** Part Number
P/S, AC/DC, 120V, US (For 5V Models)	4004-0826
P/S, AC/DC, 230V, Europe (For 5V Models)	4004-0801
P/S, AC/DC, 230V, UK (For 5V Models)	4004-0818
P/S, AC/DC, 100V, Japan (For 8-14V Models)	4004-0797
P/S, AC/DC, 240V, Australia (For 8-14V Models)	4004-0796

### US Service Options (International Customers please contact your local office)

Description (part number and price reflect a three year option from date of purchase)	Part Number
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-1400i-3
Service Plus 2-Day: Datalogic pays freight both ways, two business days	W-10400i-3
Service Plus 5-Day: Datalogic pays return freight, five business day service	E-1400i-3
Note: Contact your Datalogic Representative for custom programs.	
Note: See Service Section (p. 77) for additional pricing options.	

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.  
R40-0200 N 0608

## Cables

Description	RoHS** Part Number
RS-232, E/P, 25DSUB, 8'	8-0736-01
RS-232, E/P, 25DSUB, 12'	8-0736-02
RS-232, DB9S, 8'	8-0736-03
RS-232, SNI, W/DTR, Blk, 12'	8-0736-04
RS-232, DB9S, 12', Straight	8-0751-02
RS-232, DB9S, 12', Coiled	8-0736-17
RS-232, 9D, S, E/P, 12', Straight	8-0751-03
RS-232, 9D, S, E/P, 12', Coiled	8-0736-80
RS-232, 10RJ, P, Mgl 22/23 Aux Port, POT, 12'	8-0737-10
RS-232, 10RJ, P, Mgl 82/85/95 Aux Port, POT, 12'	8-0737-11
RS-232, 8DIN, P, SATO, POT, 8'	8-0737-12
KBW, 6MDIN, P&S, E/P-POT, Straight, 12'	8-0752-01
KBW, 5DIN, P&S, E/P-POT, Coil, 12'	8-0741-03
KBW, 6MDIN, P&S, E/P-POT, Coil, 12'	8-0741-17
IBM 4683, Port 5B, 12', Coiled	8-0739-02
IBM 4683, Port 9B, 12', Coiled	8-0739-04
IBM 4683, Port 5B, 12', Straight	8-0753-02
IBM 4683, Port 9B, 12', Straight	8-0753-01
OEM USB POT, 12'	8-0734-12
OEM USB POT, 15'	8-0734-15
OEM USB POT w/ EAS, 12', Straight	8-0754-01
OEM USB, POT, 12', Straight	8-0754-02
USB, POT, 12' Coiled	8-0734-16
USB, Series A Cable, POT, 2M	8-0734-10
USB, Series A, POT, 12'	8-0734-08

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

Datalogic Scanning U.S. Product Catalog

## Magellan® 1000i

The Magellan 1000i represents the newest breakthrough in data capture technology from Datalogic. The world's first imaging based presentation scanner, the Magellan 1000i is designed for convenience stores, drug stores, specialty stores and other medium volume checkout environments. The Magellan 1000i's solid-state construction with no moving parts increases reliability while the ultra-small size frees up valuable counter selling space. The Magellan 1000i excels at capturing hard-to-read bar codes in an omni-direction orientation and supports both presentation and sweep scanning styles. The Magellan 1000i also offers an optional targeted scanning mode for scanning close proximity bar codes like those on a pick list. Standard factory warranty is two years.



Shown with optional stand



\*\*RoHS compliant versions available.

Description	Part Number	RoHS ** Part Number
<b>Magellan 1000i EZ Stand Kits w/ Cable and Stand (Multi-Interface is set to match cable interface)</b>		
Grey 5V No Button, RS-232, DB9S E/P 12' Cable, US P/S, Stand	MG10-1010-102-106	MG101010-102-106R
Black 5V No Button, RS-232, DB9S E/P 12' Cable, US P/S, Stand	MG10-0010-101-106	MG100010-101-106R
Grey 5V No Button, KBW, 6MDIN, P&S, E/P-POT, Coil, 12', US P/S, Stand	MG10-1020-102-201	MG101020-102-201R
Black 5V No Button, KBW, 6MDIN, P&S, E/P-POT, Coil, 12', US P/S, Stand	MG10-0020-101-201	MG100020-101-201R
Grey 5V No Button, USB, 12' POT Cable, Stand	MG10-1041-002-411	MG101041-002-411R
Black 5V No Button, USB, 12' POT Cable, Stand	MG10-0041-001-411	MG100041-001-411R
Grey 12V No Button, IBM 46xx, PT9B 12' Cable, Stand	MG10-5031-002-302	MG105031-002-302R
Black 12V No Button, IBM 46xx, PT9B 12' Cable, Stand	MG10-4031-001-302	MG104031-001-302R
Grey 12V No Button, OEM USB, 12' Power Plus POT Cable, Stand	MG10-5040-002-401	MG105040-002-401R
Black 12V No Button, OEM USB, 12' Power Plus POT Cable, Stand	MG10-4040-001-401	MG104040-001-401R
Black 5V w/Targeting Mode, RS-232, DB9S E/P 12' Cable, US P/S, Stand	MG10-2010-101-106	MG102010-101-106R
Grey 5V w/Targeting Mode, RS-232, DB9S E/P 12' Cable, EU P/S, Stand	MG10-3010-202-106	MG103010-202-106R
Grey 5V w/Targeting Mode, KBW, 6MDIN, P&S, E/P-POT, Coil, 12', P/S, Stand	MG10-3020-102-201	MG103020-102-201R
Black 5V w/Targeting Mode, KBW, 6MDIN, P&S, E/P-POT, Coil, 12', P/S, Stand	MG10-2020-101-201	MG102020-101-201R
Grey 5V w/Targeting Mode, USB, 12' POT Cable, Stand	MG10-3041-002-411	MG103041-002-411R
Black 5V w/Targeting Mode, USB, 12' POT Cable, Stand	MG10-2041-001-411	MG102041-001-411R
Grey 12V w/Targeting Mode, IBM 46xx, PT9B 12' Cable, Stand	MG10-7031-002-302	MG107031-002-302R
Black 12V w/Targeting Mode, IBM 46xx, PT9B 12' Cable, Stand	MG10-6031-001-302	MG106031-001-302R
Grey 12V w/Targeting Mode, OEM USB, 12' Power Plus POT Cable, Stand	MG10-7040-002-401	MG107040-002-401R
Black 12V w/Targeting Mode, OEM USB, 12' Power Plus POT Cable, Stand	MG10-6040-001-401	MG106040-001-401R
<b>Magellan 1000i EZ Kits w/ Cable (Multi-Interface is set to match cable interface)</b>		
Grey 5V No Button, RS-232, DB9S E/P 12' Cable, US P/S	MG10-1010-100-106	MG101010-100-106R
Black 5V No Button, RS-232, DB9S E/P 12' Cable, US P/S	MG10-0010-100-106	MG100010-100-106R
Grey 5V No Button, KBW, 6MDIN, P&S, E/P-POT, Coil, 12', P/S	MG10-1020-100-201	MG101020-100-201R
Black 5V No Button, KBW, 6MDIN, P&S, E/P-POT, Coil, 12', P/S	MG10-0020-100-201	MG100020-100-201R
Grey 5V No Button, USB, 12' POT Cable	MG10-1041-000-411	MG101041-000-411R
Black 5V No Button, USB, 12' POT Cable	MG10-0041-000-411	MG100041-000-411R
Grey 12V No Button, IBM 46xx, PT9B 12' Cable	MG10-5031-000-302	MG105031-000-302R
Black 12V No Button, IBM 46xx, PT9B 12' Cable	MG10-4031-000-302	MG104031-000-302R
Grey 12V No Button, OEM USB, 12' Power Plus POT Cable	MG10-5040-000-401	MG105040-000-401R
Black 12V No Button, OEM USB, 12' Power Plus POT Cable	MG10-4040-000-401	MG104040-000-401R
Grey 5V w/Targeting Mode, RS-232, DB9S E/P 12' Cable, US P/S	MG10-3010-100-106	MG103010-100-106R
Black 5V w/Targeting Mode, RS-232, DB9S E/P 12' Cable, US P/S	MG10-2010-100-106	MG102010-100-106R
Grey 5V w/Targeting Mode, KBW, 6MDIN, P&S, E/P-POT, Coil, 12', P/S	MG10-3020-100-201	MG103020-100-201R

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

R40-0200 N 0608

Description	Part Number	RoHS ** Part Number
<b>Magellan 1000i EZ Stand Kits w/ Cable and Stand (Multi-Interface is set to match cable interface)</b>		
Black 5V w/Targeting Mode, KBW, 6MDIN, P&S, E/P-POT, Coil, 12', P/S	MG10-2020-100-201	MG102020-100-201R
Grey 5V w/Targeting Mode, USB, 12' POT Cable	MG10-3041-000-411	MG103041-000-411R
Black 5V w/Targeting Mode, USB, 12' POT Cable	MG10-2041-000-411	MG102041-000-411R
Grey 12V w/Targeting Mode, IBM 46xx, PT9B 12' Cable	MG10-7031-000-302	MG107031-000-302R
Black 12V w/Targeting Mode, IBM 46xx, PT9B 12' Cable	MG10-6031-000-302	MG106031-000-302R
Grey 12V w/Targeting Mode, OEM USB, 12' Power Plus POT Cable	MG10-7040-000-401	MG107040-000-401R
Black 12V w/Targeting Mode, OEM USB, 12' Power Plus POT Cable	MG10-6040-000-401	MG106040-000-401R
<b>Magellan 1000i Scanner Only</b>		
Magellan 1000i Black 5V No Button, RS-232, Scanner Only	MG10-0010-000	MG100010-000R
Magellan 1000i Grey 5V No Button, RS-232, Scanner Only	MG10-1010-000	MG101010-000R
Magellan 1000i Black 5V w/Targeting Mode, RS-232, Scanner Only	MG10-2010-000	MG102010-000R
Magellan 1000i Grey 5V w/Targeting Mode, RS-232, Scanner Only	MG10-3010-002	MG103010-002R

**Accessories / Documentation**



Black Riser Stand

Description	Part Number	RoHS ** Part Number
P/S, AC/DC, 120V, US	4004-0826	4004-0826
Black 3" Riser Stand w/ Tilt Adjustment and Fixed Mounting Holes	11-0114	11-0114
Grey 3" Riser Stand w/ Tilt Adjustment and Fixed Mounting Holes	11-0115	11-0115
Black Fixed Mounting Plate	11-0116	11-0116
Grey Fixed Mounting Plate	11-0117	11-0117
Black 9 in. Flexible Gooseneck Stand	11-0143	11-0143
Grey 9 in. Flexible Gooseneck Stand	11-0160	11-0160

**US Service Options (International Customers please contact your local office)**

Description (part number and price reflect a three year option from date of purchase)	Part Number
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-1000i-3
Service Plus 2-Day: Datalogic pays freight both ways, two business days	W-1000i-3
Service Plus 5-Day: Datalogic pays return freight, five business day service	E-1000i-3
Note: Contact your Datalogic Representative for custom programs.	
Note: See Service Section (p. 77) for additional pricing options.	

**Cables**

Description	Part Number	RoHS ** Part Number
RS-232, E/P, 25DSUB, 8'	8-0736-01	8-0736-01
RS-232, E/P, 25DSUB, 12'	8-0736-02	8-0736-02
RS-232, DB9S, 8'	8-0423-03	8-0736-03
RS-232, DB9S, 12', Straight	8-0751-02	8-0751-02
RS-232, DB9S, 12', Coiled	8-0736-17	8-0736-17
RS-232, 9D, S, E/P, 12', Straight	8-0751-03	8-0751-03
RS-232, 9D, S, E/P, 12', Coiled	8-0736-80	8-0736-80
RS-232, 8DIN, P, SATO, POT, 8'	8-0577-12	8-0737-12
KBW, 6MDIN, P&S, E/P-POT, Straight, 12'	8-0752-01	8-0752-01
KBW, 5DIN, P&S, E/P-POT, Coil, 12'	8-0741-03	8-0741-03
IBM 4683, Port 5B, 12', Coiled	8-0429-02	8-0739-02
IBM 4683, Port 9B, 12', Coiled	8-0429-04	8-0739-04
IBM 4683, Port 5B, 12', Straight	8-0753-02	8-0753-02
IBM 4683, Port 9B, 12', Straight	8-0753-01	8-0753-01
OEM USB POT, 12'	8-0481-12	8-0734-12
OEM USB POT w/ EAS, 12', Straight	8-0754-01	8-0754-01
OEM USB, POT, 12', Straight	8-0754-02	8-0754-02
USB, POT, 12' Coiled	8-0481-16	8-0734-16

For additional cables contact your Datalogic Representative or go to the Datalogic Cable Selector at [www.scanning.datalogic.com](http://www.scanning.datalogic.com).

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

Datalogic Scanning U.S. Product Catalog

## Diamond™

The Diamond presentation scanner is an excellent value for those seeking good performance in an economical, yet ergonomic design. It offers solid presentation scanning performance and is a great solution for space conscience retail applications like convenience stores, specialty stores, gas stations, and news stands. The Diamond's small, ergonomic housing features a soft rubber overmolded grip which makes the scanner very comfortable to pick up for large or awkward items and also aids in protecting the scanner in harsher retail environments. Every Diamond also features a triggered single-line targeted scanning mode for situations where multiple bar codes are in the field-of-view. Standard factory warranty is two years.



\*\*All versions RoHS compliant.

Description	RoHS ** Part Number
<b>Diamond™</b>	
Diamond D531 RS-232, USB & Wedge	902301149

### Diamond™ Accessories



Desk Holder



Wall Holder

Description	RoHS ** Part Number
CAB-378 RS-232 Pwr Str 9P Male DLL2020	90A051520
CAB-379 KBW Direct Str for DLL2020	90A051530
CAB-418 RS-232 Pwr Str 9P Fem DLL2020	90A051917
CAB-420 USB Direct Str for Diamond	90A051929
CAB-376 Univ. Adapter DLL2020	90A051500
CAB-350 RS-232 Pwr Str. 9-Pin Fem (Requires 90A051500 Sold Separately)	90A051230
CAB-362 RS-232 Coiled 9-Pin Fem (Requires 90A051500 Sold Separately)	90A051330
CAB-363 RS-232 Coiled 25-Pin Fem DCE (Requires 90A051500 Sold Separately)	90A051340
CAB-364 RS-232 Coiled 25-Pin Male DTE (Requires 90A051500 Sold Separately)	90A051350
CAB-365 IBM PS/2 Coiled Mini DIN Wedge (Requires 90A051500 Sold Separately)	90A051360
CAB-373 Wyse VDT Str. 4P Phone Conn (Requires 90A051500 Sold Separately)	90A051470
CAB-375 DEC VDT Straight 4P Phone Conn (Requires 90A051500 Sold Separately)	90A051490
CAB-388 RS-232/Beetle 9P M-Conn Coil (Requires 90A051500 Sold Separately)	90A051700
CAB-389 RS-232/Beetle 9P M-Conn Str (Requires 90A051500 Sold Separately)	90A051710
CAB-408 RS-232 Pwr Coil 9-Pin Fem (Requires 90A051500 Sold Separately)	90A051891
CAB-409 RS-232 to C-Box Adapter, Coiled (Requires 90A051500 Sold Separately)	90A051895
CAB-412 USB Type A, Opt-Pwr, Straight (Requires 90A051500 Sold Separately)	90A051902
CAB-413 Powered USB, Straight (Requires 90A051500 Sold Separately)	90A051903
CAB-320 RS-232 Straight 25-Pin DTE (Requires 90A051500 Sold Separately)	90G001000
CAB-321 IBM PS/2 Str. Mini DIN Wedge (Requires 90A051500 Sold Separately)	90G001010
CAB-322 IBM AT/XT Str. DIN Wedge (Requires 90A051500 Sold Separately)	90G001020
CAB-325 IBM VDT3151,34XX Straight (Requires 90A051500 Sold Separately)	90G001050
CAB-327 RS-232 Straight 9-Pin Fem (Requires 90A051500 Sold Separately)	90G001070
CAB-328 RS-232 Straight 25-Pin Fem. DCE (Requires 90A051500 Sold Separately)	90G001080

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

<b>Description</b>	<b>RoHS** Part Number</b>
PG5-05P55 AC/DC Power Supply (w/o Cord)	90ACCI882
Power Cord AUS 2-Pin	90ACCI884
Power Cord EU 2-Pin	90ACCI885
Power Cord US 2-Pin	90ACCI886
Power Cord UK 2-Pin	90ACCI887
Kit PG5-05P55 AC/DC Power Supply EU	90ACCI891
Kit PG5-05P55 AC/DC Power Supply UK	90ACCI892
Kit PG5-05P55 AC/DC Power Supply US	90ACCI893
STD-1040 Desktop Stand for Diamond	90ACCI904
STD-1050 Wall Stand for Diamond	90ACCI905

**Diamond™ Maintenance Options (International Customers please contact your local office)**

<b>Description (part number and price reflect a one year option from date of purchase)</b>	<b>Part Number</b>
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	ZSMIDIAM2
Service Plus 2-Day: Datalogic pays freight both ways, two business days	ZSMIDIAM4
Service Plus 5-Day: Datalogic pays return freight, five business day service	ZSMIDIAM5
Note: Contact your Datalogic Representative for custom programs.	



## FireScan™

The FireScan™ handheld laser scanner is lightweight, ergonomic and features an enhanced multi-standard architecture. Several models to combine sets of interfaces: USB, RS-232, Wedge, Wand, IBM and TTL. Linear and GS1 DataBar™ (formerly RSS) bar code decoding. Standard factory warranty is two years.



\*\*All versions RoHS compliant.

Description	RoHS** Part Number
<b>FireScan™</b>	
FireScan D131 RS-232, USB, Wedge and Wand	902351122
FireScan D111 RS-232 and IBM 46XX	902351123
FireScan D141 Undecoded	902351124

## FireScan™ Accessories



Desk/Wall Holder



Hands-free Stand

Description	RoHS** Part Number
CAB-348 Wand Emul. Coil 9-Pin Male	90A051210
CAB-350 RS-232 Pwr Str. 9-Pin Fem.	90A051230
CAB-362 RS-232 Coiled 9-Pin Fem.	90A051330
CAB-363 RS-232 Coiled 25-Pin Fem. DCE	90A051340
CAB-364 RS-232 Coiled 25-Pin Male DTE	90A051350
CAB-365 IBM PS/2 Coiled Mini DIN Wedge	90A051360
CAB-370 RS485 IBM46XX Str. Port 9B	90A051420
CAB-373 Wyse VDT Str. 4P Phone Conn.	90A051470
CAB-375 DEC VDT Straight 4P Phone Conn.	90A051490
CAB-388 RS-232/Beetle 9P M-Conn Coil	90A051700
CAB-389 RS-232/Beetle 9P M-Conn Str	90A051710
CAB-397 TTL/Laser Coiled 9P Male	90A051820
CAB-408 RS-232 Pwr Coil 9-Pin Fem	90A051891
CAB-409 RS-232 to C-Box Adapter, Coiled	90A051895
CAB-412 USB Type A, Opt-Pwr, Straight	90A051902
CAB-413 Powered USB, Straight	90A051903
CAB-320 RS-232 Straight 25-Pin DTE	90G001000
CAB-321 IBM PS/2 Str. Mini DIN Wedge	90G001010
CAB-322 IBM AT/XT Str. DIN Wedge	90G001020
CAB-323 Wand Emul. Str. 9-Pin Male	90G001030
CAB-325 IBM VDT3151,34XX Straight	90G001050
CAB-327 RS-232 Straight 9-Pin Fem.	90G001070
CAB-328 RS-232 Straight 25-Pin Fem. DCE	90G001080

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

Description	RoHS** Part Number
SPC-Dragon Desk/Wall Hld, Black	90ACCI790
STD-1010 Handsfree Stand	90ACCI873
HHD II Software Configuration Manual	90ACCI877
DLDI000 Univ. Mini Decoder	907301000
Metal Plate for STD-XXXX	90ACCI876
PG5-05P55 AC/DC Power Supply (w/o Cord)	90ACCI882
Power Cord AUS 2-Pin	90ACCI884
Power Cord EU 2-Pin	90ACCI885
Power Cord US 2-Pin	90ACCI886
Power Cord UK 2-Pin	90ACCI887
Kit PG5-05P55 AC/DC Power Supply EU	90ACCI891
Kit PG5-05P55 AC/DC Power Supply UK	90ACCI892
Kit PG5-05P55 AC/DC Power Supply US	90ACCI893

**FireScan™ Maintenance Options (International Customers please contact your local office)**

Description (part number and price reflect a one year option from date of purchase)	Part Number
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	ZSMIFIRE2
Service Plus 2-Day: Datalogic pays freight both ways, two business days	ZSMIFIRE4
Service Plus 5-Day: Datalogic pays return freight, five business day service	ZSMIFIRE5

Note: Contact your Datalogic Representative for custom programs.

Hand Held Scanners

## Gryphon™ Desk

The Gryphon Desk handheld scanner family of products builds on linear and full imaging technologies. There are models for reading 1D bar codes, 1D and PDF417 / GSI DataBar (formerly RSS), all 1D, PDF417 / GSI DataBar (formerly RSS) and 2D bar codes. Additionally, an ESD version is designed to meet the need for clean room/light industrial environments. The Gryphon Desk is plug and play with enhanced multi-standard architecture and is ergonomic and user-friendly for intuitive operation. Its modular design is open to upgrades. Standard factory warranty is five years.



\*\*All versions RoHS compliant.

Description	RoHS ** Part Number
<b>Gryphon™ Desk</b>	
Gryphon D110 RS-232 & IBM46XX Interface	901651001
Gryphon D130 - LR Grey RS-232, USB, Wedge and Wand	901651092
Gryphon D130 - Std Grey RS-232, USB, Wedge and Wand	901651094
Gryphon D130 - LR White RS-232, USB, Wedge and Wand	901651098
Gryphon D130 - Std White RS-232, USB, Wedge and Wand	901651099
Gryphon D130 - Std Black RS-232, USB, Wedge and Wand	901651100
Gryphon D200 ESD	901661075
Gryphon D230 - Std Grey RS-232, USB, Wedge and Wand	901661087
Gryphon D230 - Std White RS-232, USB, Wedge and Wand	901661091
Gryphon D432	901711000
Gryphon D432 IBM	901711006
Gryphon D432 E	901711001

### Gryphon™ Desk Accessories



Gryphon Stands

Belt Holster

Soft Case

Desk/Wall Holder

Description	RoHS ** Part Number
CAB-348 Wand Emul. Coil 9-Pin Male	90A051210
CAB-350 RS-232 Pwr Str. 9-Pin Fem.	90A051230
CAB-362 RS-232 Coiled 9-Pin Fem.	90A051330
CAB-363 RS-232 Coiled 25-Pin Fem. DCE	90A051340
CAB-364 RS-232 Coiled 25-Pin Male DTE	90A051350
CAB-365 IBM PS/2 Coiled Mini DIN Wedge	90A051360
CAB-370 RS-485 IBM46XX Str. Port 9B	90A051420
CAB-373 Wyse VDT Str. 4P Phone Conn.	90A051470
CAB-375 DEC VDT Straight 4P Phone Conn.	90A051490
CAB-388 RS-232/Beetle 9P M-Conn Coil	90A051700
CAB-389 RS-232/Beetle 9P M-Conn Str	90A051710
CAB-408 RS-232 Pwr Coil 9-Pin Fem	90A051891
CAB-409 RS-232 to C-Box Adapter, Coiled	90A051895
CAB-411 RS-232 Cable, 9-Pin Fem, M-ESD	90A051901
CAB-412 USB Type A, Opt-Pwr, Straight	90A051902
CAB-412 USB Type A, Opt-Pwr, Coiled	90A051922

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

Description	RoHS** Part Number
CAB-413 Powered USB, Straight	90A051903
CAB-415 IBM PS/2 Mini DIN Str. M-ESD	90A051905
CAB-320 RS-232 Straight 25-Pin DTE	90G001000
CAB-321 IBM PS/2 Str. Mini DIN Wedge	90G001010
CAB-322 IBM AT/XT Str. DIN Wedge	90G001020
CAB-323 Wand Emul. Str. 9-Pin Male	90G001030
CAB-325 IBM VDT3151,34XX Straight	90G001050
CAB-327 RS-232 Straight 9-Pin Fem.	90G001070
CAB-328 RS-232 Straight 25-Pin Fem. DCE	90G001080
Prot. Case-Belt Coupler for Gryphon	90ACCI857
SPC-Gryphon Desk/Wall Holder, White	90ACCI770
SPC-Dragon Desk/Wall Holder, Black	90ACCI790
Gryphon Reference Manual	90ACCI780
Metal Plate for STD-XXXX	90ACCI876
ADP-203 Wedge to USB Adapter	90ACCI903
PG5-05P55 AC/DC Power Supply (w/o Cord)	90ACCI882
Power Cord AUS 2-Pin	90ACCI884
Power Cord EU 2-Pin	90ACCI885
Power Cord US 2-Pin	90ACCI886
Power Cord UK 2-Pin	90ACCI887
Kit PG5-05P55 AC/DC Power Supply EU	90ACCI891
Kit PG5-05P55 AC/DC Power Supply UK	90ACCI892
Kit PG5-05P55 AC/DC Power Supply US	90ACCI893
STD-Gryphon Retail Stand, Flex Neck, White	90ACCI760
STD-1010 Handsfree Stand, Rigid Neck, Black	90ACCI873

**Gryphon™ Desk Maintenance Options (International Customers please contact your local office)**

Description (part number and price reflect a one year option from date of purchase)	Part Number
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	ZSMIGRD42
Service Plus 2-Day: Datalogic pays freight both ways, two business days	ZSMIGRD44
Service Plus 5-Day: Datalogic pays return freight, five business day service	ZSMIGRD45
Note: Contact your Datalogic Representative for custom programs.	

## Heron™

The Heron is a handheld scanner, lightweight and ergonomic, featuring the Datalogic "Green-Spot". Several models provide different sets of interfaces: USB, RS-232, Wedge, Wand, IBM and TTL. The Heron can provide linear and GSI DataBar™ (formerly RSS) bar code decoding. Stand for hands-free operation included. Standard factory warranty is five years.



\*\*All versions RoHS compliant.



Description	RoHS ** Part Number
<b>Heron™</b>	
Heron DI30 RS-232, USB, Wedge and Wand	901801000
Heron DI10 RS-232 and IBM 46XX	901801001
Heron DI40 LASEROUT	901801002
Heron DI50-EAS	901801004
Heron DI30 Black	901801009
Heron Kit DI30 USB Black	901801013
Heron Kit DI30 Wedge Black	901801014

## Heron™ Accessories



Heron Stand

Description	RoHS ** Part Number
CAB-348 Wand Emul. Coil 9-Pin Male	90A051210
CAB-350 RS-232 Pwr Str. 9-Pin Fem.	90A051230
CAB-362 RS-232 Coiled 9-Pin Fem.	90A051330
CAB-363 RS-232 Coiled 25-Pin Fem. DCE	90A051340
CAB-364 RS-232 Coiled 25-Pin Male DTE	90A051350
CAB-365 IBM PS/2 Coiled Mini DIN Wedge	90A051360
CAB-370 RS485 IBM46XX Str. Port 9B	90A051420
CAB-373 Wyse VDT Str. 4P Phone Conn.	90A051470
CAB-375 DEC VDT Straight 4P Phone Conn.	90A051490
CAB-388 RS-232/Beetle 9P M-Conn Coil	90A051700
CAB-389 RS-232/Beetle 9P M-Conn Str	90A051710
CAB-392 RS-232 & EAS Coiled 25-Pin Male	90A051750
CAB-397 TTL/Laser Coiled 9P Male	90A051820
CAB-408 RS-232 Pwr Coil 9-Pin Fem	90A051891
CAB-409 RS-232 to C-Box Adapter, Coiled	90A051895
CAB-412 USB Type A, Opt-Pwr, Straight	90A051902
CAB-412 USB Type A, Opt-Pwr, Coiled	90A051922
CAB-413 Powered USB, Straight	90A051903
CAB-320 RS-232 Straight 25-Pin DTE	90G001000
CAB-321 IBM PS/2 Str. Mini DIN Wedge	90G001010

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

Description	RoHS** Part Number
CAB-322 IBM AT/XT Str. DIN Wedge	90G001020
CAB-323 Wand Emul. Str. 9-Pin Male	90G001030
CAB-325 IBM VDT3151,34XX Straight	90G001050
CAB-327 RS-232 Straight 9-Pin Fem.	90G001070
CAB-328 RS-232 Straight 25-Pin Fem. DCE	90G001080
HHD II Software Configuration Manual	90ACCI877
DLDI000 Univ. Mini Decoder	907301000
Metal Plate for Std-Heron	90ACCI875
PG5-05P55 AC/DC Power Supply (w/o Cord)	90ACCI882
Power Cord AUS 2-Pin	90ACCI884
Power Cord EU 2-Pin	90ACCI885
Power Cord US 2-Pin	90ACCI886
Power Cord UK 2-Pin	90ACCI887
Kit PG5-05P55 AC/DC Power Supply EU	90ACCI891
Kit PG5-05P55 AC/DC Power Supply UK	90ACCI892
Kit PG5-05P55 AC/DC Power Supply US	90ACCI893
Std-Heron Hands Free Stand, Black	90ACCI874

Hand Held Scanners

Note: Please check with your local office for all pricing.  
 \*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.  
 Datalogic Scanning U.S. Product Catalog

## Heron™ G

Developed to provide high performance with an appealing design, the result is compact, robust, easy to handle and lightweight. Its simplicity of use and ergonomics make it suitable for retail, commercial and office applications. Standard factory warranty is five years.



\*\*All versions RoHS compliant.



Description	RoHS ** Part Number
<b>Heron™ G</b>	
Heron-G DI30 RS-232, USB, Wedge and Wand	902401000
Heron-G DI30 Black	902401001
Heron-G Kit DI30 USB Black	902401005
Heron-G Kit DI30 Wedge Black	902401006

## Heron™ G Accessories



Heron G Stands

Description	RoHS ** Part Number
CAB-348 Wand Emul. Coil 9-Pin Male	90A051210
CAB-350 RS-232 Pwr Str. 9-Pin Fem.	90A051230
CAB-362 RS-232 Coiled 9-Pin Fem.	90A051330
CAB-363 RS-232 Coiled 25-Pin Fem. DCE	90A051340
CAB-364 RS-232 Coiled 25-Pin Male DTE	90A051350
CAB-365 IBM PS/2 Coiled Mini DIN Wedge	90A051360
CAB-373 Wyse VDT Str. 4P Phone Conn.	90A051470
CAB-375 DEC VDT Straight 4P Phone Conn.	90A051490
CAB-388 RS-232/Beetle 9P M-Conn Coil	90A051700
CAB-389 RS-232/Beetle 9P M-Conn Str	90A051710
CAB-408 RS-232 Pwr Coil 9-Pin Fem	90A051891
CAB-409 RS-232 to C-Box Adapter, Coiled	90A051895
CAB-412 USB Type A, Opt-Pwr, Straight	90A051902
CAB-412 USB Type A, Opt-Pwr, Coiled	90A051922
CAB-413 Powered USB, Straight	90A051903
CAB-320 RS-232 Straight 25-Pin DTE	90G001000
CAB-321 IBM PS/2 Str. Mini DIN Wedge	90G001010
CAB-322 IBM AT/XT Str. DIN Wedge	90G001020
CAB-323 Wand Emul. Str. 9-Pin Male	90G001030
CAB-325 IBM VDT3151, 34XX Straight	90G001050
CAB-327 RS-232 Straight 9-Pin Fem.	90G001070
CAB-328 RS-232 Straight 25-Pin Fem. DCE	90G001080
SPC - Heron-G Desk/Wall Hld	90ACCI888
STD - Heron-G Stand, Black	90ACCI889

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

R40-0200 N 0608

Description	<b>RoHS** Part Number</b>
HHD II Software Configuration Manual	90ACCI877
Metal Plate for STD-XXXX	90ACCI876
PG5-05P55 AC/DC Power Supply (w/o Cord)	90ACCI882
Power Cord AUS 2-Pin	90ACCI884
Power Cord EU 2-Pin	90ACCI885
Power Cord US 2-Pin	90ACCI886
Power Cord UK 2-Pin	90ACCI887
Kit PG5-05P55 AC/DC Power Supply EU	90ACCI891
Kit PG5-05P55 AC/DC Power Supply UK	90ACCI892
Kit PG5-05P55 AC/DC Power Supply US	90ACCI893



## QuickScan® L Desk

Designed for durability and reliability, the QuickScan® L scanner is the affordable solution for users who need a laser scanner for retail and general office applications. With a lightweight, gun-shaped ergonomic form-factor and user-replaceable window kit, customers will find this scanner saves downtime and reduces the total cost of ownership.



\*\*All versions RoHS compliant.



Description	RoHS ** Part Number
QuickScan D2330 Black	QD2330-BK
QuickScan D2330 White	QD2330-WH
<b>QuickScan L USB Kits (includes scanner and cable)</b>	
QuickScan D2330 Black USB Kit with cable 90A051945	QD2330-BKK1
QuickScan D2330 White USB Kit with cable 90A051945	QD2330-WHK1
QuickScan D2330 Black KBW Kit with cable 90G001010	QD2330-BKK3
QuickScan D2330 White KBW Kit with cable 90G001010	QD2330-WHK3
<b>QuickScan L USB Kits (includes scanner, stand and cable)</b>	
QuickScan D2330 Black USB Stand Kit with cable 90A051945 and stand STD-QD20-BK	QD2330-BKKIS
QuickScan D2330 White USB Stand Kit with cable 90A051945 and stand STD-QD20-WH	QD2330-WHKIS
QuickScan D2330 Black KBW Stand Kit with cable 90G001010 and stand STD-QD20-BK	QD2330-BKK3S
QuickScan D2330 White KBW Stand Kit with cable 90G001010 and stand STD-QD20-WH	QD2330-WHK3S

## US Service Options (International Customers please contact your local office)

Description (part number and price reflect a five year option from date of purchase)	Part Number
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-QSL-5
Service Plus 2-Day: Datalogic pays freight both ways, two business days	W-QSL-5
Note: Contact your Datalogic Representative for custom programs.	
Note: See Service Section (p. 78) for additional pricing options.	

## QuickScan® L Desk Accessories



Replaceable Window Pack (5)



Gooseneck Stand (Black)

Description	RoHS ** Part Number
Gooseneck Stand Black	STD-QD20-BK
Gooseneck Stand White	STD-QD20-WH
Replaceable Window Pack of 5	11-0318
Power Supply, AC/DC, 100-240V, Wall Mount, US	4004-0837
Power Supply, AC/DC, 230V Wall Mount Europe	4004-0801
Power Supply, AC/DC, 230V Wall Mount UK	4004-0818
Power Supply, AC/DC, 110V Wall Mount Japan	4004-0829
Power Supply, AC/DC, 100-240V Wall Mount Argentina	4004-0843
Power Supply, AC/DC, 100-240V Wall Mount Australia	4004-0844
Power Supply, AC/DC, 100-240V Wall Mount China	4004-0845
Power Supply, AC/DC, 100-240V Wall Mount Korea	4004-0846

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

R40-0200 N 0608

## Cables

Description	RoHS ** Part Number
CAB-364 RS-232 Coiled 25-Pin Male DTE	90A051350
CAB-365 IBM PS/2 Coiled Mini DIN Wedge	90A051360
CAB-388 RS-232/Beetle 9P M-Conn Coil	90A051700
CAB-389 RS-232/Beetle 9P M-Conn Str	90A051710
CAB-408 RS-232 Pwr Coil 9-Pin Fem	90A051891
CAB-409 RS-232 to C-Box Adapter, Coiled	90A051895
CAB-412 USB Type A, Opt-Pwr, Straight	90A051902
CAB-413 Powered USB, Straight	90A051903
CAB-426 USB Type A, Straight	90A051945
CAB-431 Wedge Power Supply Adapter	90A051959
CAB-320 RS-232 Straight 25-Pin DTE	90G001000
CAB-321 IBM PS/2 Str. Mini DIN Wedge	90G001010
CAB-322 IBM AT/XT Str. DIN Wedge	90G001020
CAB-327 RS-232 Straight 9-Pin Fem.	90G001070
CAB-328 RS-232 Straight 25-Pin Fem. DCE	90G001080

Hand Held Scanners

## QuickScan® QS6000 Plus Handheld Laser Scanner

The Datalogic QuickScan QS6000 Plus is the premium performance member of the QuickScan family of bar code scanners designed for retail and non-industrial applications. With the LM500 Plus™ scan engine, the QS6000 Plus has a superior depth of field 37.5" / 95.3 cm on 55 mil labels and 13.0" / 33.0 cm on 100% UPC codes! With dual interfaces and AutoSelect™ cables, switching interfaces is as easy as changing cables. Datalogic's highest performance handheld scanner. Standard factory warranty is five years.



Now available in Black. Note: GR = Gray, BK = Black.

Description	Part Number/Long PN	RoHS** Part Number
RS-232/KBW, GR, No Cable or Power Supply	QS6-2200	N/A
RS-232/KBW, BK, No Cable or Power Supply	QS6-2210	N/A
UKBW, GR, No Cable or Power Supply	QS6-8200	N/A
4683/RS-232, GR, Port 9B, No Cable or Power Supply	QS6-5200	N/A
Universal Wedge USB, POT, GR, No Cable or Power Supply	QS6-A200	N/A
Universal Wedge USB, POT, BK, No Cable or Power Supply	QS6-A210	N/A
<b>QS6000 EZ Kits</b>		
KBW, GR, 5/6DIN, P&S, E/P-POT, Coil, 12' and stand	QS6-2200-01	N/A
RS-232, GR, 12' DB9pin E/P Cable, Power Supply, CD, AutoSense Stand	QS6-2200-02	N/A
USB KB, GR, 12' Cable, POT, CD, AutoSense Stand	QS6-A200-01	N/A
KBW, BK, 5/6DIN, P&S, E/P-POT, Coil, 12' and stand	QS6-2210-01	N/A
RS-232, BK, 12' DB9pin E/P Cable, Power Supply, CD, AutoSense Stand	QS6-2210-02	N/A
USB KB, BK, 12' Cable, POT, CD, AutoSense Stand	QS6-A210-01	N/A

### US Service Options (International Customers please contact your local office)

Description (part number and price reflect a five year option from date of purchase)	Part Number
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-QS6000-5
Service Plus 2-Day: Datalogic pays freight both ways, two business days	W-QS6000-5
Note: Contact your Datalogic Representative for custom programs.	
Note: See Service Section (p. 78) for additional pricing options.	

### Accessories / Documentation



Description	Part Number	RoHS** Part Number
Stand, AutoSense®, GR	7-0204	N/A
Stand, AutoSense, BK	7-0828	N/A
Stand, Tabletop/Wall Mountable Holder, GR	7-0393	N/A
Holster, Universal, BK	5-0788	N/A
Power Supply, Wall Mount, AC/DC, 110/120V	4004-0794	4004-0794
EAS Option (Contact Your Datalogic Representative)	Various	N/A
Instruction Sheet, Scanning	R44-2046	N/A
Manual, User's Guide (Included with each scanner)	R44-2671	R44-2671
Manual, Programming Guide (printed)	R44-2673	N/A
Manual, UKBW	R44-2805	N/A

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

## Cables

Description	Part Number	RoHS ** Part Number
RS-232, E/P, JK25DB, Coil, 8'	8-0736-01	8-0736-01
RS-232, E/P, JKDB25, Coil, 12'	8-0736-02	8-0736-02
RS-232, DB9S, BK, Coil, 8'	8-0423-03	8-0736-03
RS-232, DB9S, POT, 12'	8-0736-17	8-0736-17
RS-232, 8RJ, Plug, POT, 7' 6"	8-0423-79	N/A
RS-232, 9D, Socket, E/P, 12'	8-0736-80	8-0736-80
RS-232, 9D-S 9D-P, RS "Y", POT, 8'	8-0577-07	N/A
RS-232, Aux Port on MGL 2X00	8-0737-10	8-0737-10
RS-232, Aux Port on MGL 8X00	8-0577-11	8-0737-11
WE, 9 Dsub, Cable Select, 8'	8-0422-02	8-0740-02
WE, RJ6 Connector, Coil, 8'	8-0422-03	8-0740-03
KBW, 5DIN, P&S, E/P-POT, Coil, 12'	8-0738-03	8-0738-03
KBW, 6MDIN, Laptop, Coil, 12'	8-0738-06	8-0738-06
UKBW, 25D Socket, E/P, 12' (QS6000 Plus Only)	8-0424-15	N/A
KBW, 6MDIN, Plug, POT, 11'	8-0738-17	8-0738-17
IBM 4683, POS, PT, Port 9B, Coil, BK, 8' (QS6000 Plus Only)	8-0464-01	N/A
IBM 4683, POS, PT 5B, BK, 12' (QS6000 Plus Only)	8-0464-02	N/A
IBM 4683, POS, Port 5B, Coil, BK, 8' (QS6000 Plus Only)	8-0464-03	N/A
IBM 4683, PT 9B, Coil, BK, 12' (QS6000 Plus Only)	8-0464-04	N/A
Undecoded, 9 Pin Dsub, Coil, 8'	8-0419-01	8-0742-01
Undecoded, 8 Pin Mod Jack, BK, 12'	8-0742-06	8-0742-06
Undecoded, 9 pin D sub, Coil, 10'	8-0742-13	8-0742-13
USB, Series A, POT, 12'	8-0734-08	8-0734-08
For additional cables contact your Datalogic Representative or go to the Datalogic Cable Selector at <a href="http://www.scanning.datalogic.com">www.scanning.datalogic.com</a> .		

Hand Held Scanners

## QuickScan® QS6500 Handheld Scanner

The QuickScan® QS6500 handheld linear imaging scanner offers a high performance scanner for retail and general purpose applications. The QS6500 linear imaging scanner has the ability to read most 1D bar codes while also offering the ability to read stacked 2D codes like PDF417, Micro PDF and EAN 128 stacked composite codes. The QS6500 features a durable and reliable solid-state design, eliminating the moving parts associated with lasers, and comes with a standard five year warranty.



\*\*RoHS compliant versions available.



Description	Part Number	RoHS** Part Number
<b>QS6500 EZ Stand Kits w/ Cable and Stand (Multi-Interface is set to match cable interface)</b>		
Gray ID, RS-232, DB9 12' Cable, P/S, Stand, CD	QS65-1010132-105	QS65-1010132-105R
Black ID, RS-232, DB9 12' Cable, P/S, Stand, CD	QS65-3010142-105	QS65-3010142-105R
Gray ID, WE, DB9 8' Cable, Stand, CD	QS65-1070032-701	QS65-1070032-701R
Black ID, WE, DB9 8' Cable, Stand, CD	QS65-3070042-701	QS65-3070042-701R
Gray ID, KBW, 6MDIN, P&S, E/P-POT, 12', Stand, CD	QS65-1030032-301	QS65-1030032-301R
Gray PDF, KBW, 6MDIN, P&S, E/P-POT, 12', Stand, CD	QS65-2030032-301	QS65-2030032-301R
Black ID, KBW, 6MDIN, P&S, E/P-POT, 12', Stand, CD	QS65-3030042-301	QS65-3030042-301R
Black PDF, KBW, 6MDIN, P&S, E/P-POT, 12', Stand, CD	QS65-4030042-301	QS65-4030042-301R
Gray ID, USB, 12' POT Cable, Stand, CD	QS65-1040032-401	QS65-1040032-401R
Gray PDF, USB, 12' POT Cable, Stand, CD	QS65-2040032-401	QS65-2040032-401R
Black ID, USB, 12' POT Cable, Stand, CD	QS65-3040042-401	QS65-3040042-401R
Black PDF, USB, 12' POT Cable, Stand, CD	QS65-4040042-401	QS65-4040042-401R
Gray ID, IBM 46xx, PT9B 12' Cable, Stand, CD	QS65-1050032-502	QS65-1050032-502R
Black ID, IBM 46xx, PT9B 12' Cable, Stand, CD	QS65-3050042-502	QS65-3050042-502R
Gray ID, OEM USB, 12' Power Plus POT Cable, Stand, CD	QS65-1060032-601	QS65-1060032-601R
Gray PDF, OEM USB, 12' Power Plus POT Cable, Stand, CD	QS65-2060032-601	QS65-2060032-601R
Black ID, OEM USB, 12' Power Plus POT Cable, Stand, CD	QS65-3060042-601	QS65-3060042-601R
Black PDF, OEM USB, 12' Power Plus POT Cable, Stand, CD	QS65-4060042-601	QS65-4060042-601R
<b>QS6500 EZ Basic Kits w/ Cable (Multi-Interface is set to match cable interface)</b>		
Gray ID, RS-232, DB9 12' cable, power supply, CD	QS65-1010101-105	QS65-1010101-105R
Black ID, RS-232, DB9 12' cable, power supply, CD	QS65-3010101-105	QS65-3010101-105R
Gray ID, WE, DB9 8' Cable, CD	QS65-1070001-701	QS65-1070001-701R
Black ID, WE, DB9 8' Cable, CD	QS65-3070001-701	QS65-3070001-701R
Gray ID, KBW, 6MDIN, P&S, E/P-POT, 12', CD	QS65-1030001-301	QS65-1030001-301R
Gray PDF, KBW, 6MDIN, P&S, E/P-POT, 12', CD	QS65-2030001-301	QS65-2030001-301R
Black ID, KBW, 6MDIN, P&S, E/P-POT, 12', CD	QS65-3030001-301	QS65-3030001-301R
Black PDF, KBW, 6MDIN, P&S, E/P-POT, 12', CD	QS65-4030001-301	QS65-4030001-301R
Gray ID, USB (HID KB) Series A 12' POT cable, CD	QS65-1040001-401	QS65-1040001-401R
Gray PDF, USB (HID KB) Series A 12' POT cable, CD	QS65-2040001-401	QS65-2040001-401R
Black ID, USB (HID KB) Series A 12' POT cable, CD	QS65-3040001-401	QS65-3040001-401R
Black PDF, USB (HID KB) Series A 12' POT cable, CD	QS65-4040001-401	QS65-4040001-401R
Gray ID, IBM 46xx, PT9B 12' cable, CD	QS65-1050001-502	QS65-1050001-502R
Black ID, OEM USB, 12' Power Plus POT Cable, CD	QS65-3060001-601	QS65-3060001-601R
Black PDF, OEM USB, 12' Power Plus POT Cable, CD	QS65-4060001-601	QS65-4060001-601R
<b>QS6500 Scanner Only Multi-Interface - KBW Default (no Cable, Stand, or CD Included)</b>		
ID only Decoding with Multi-Interface, Gray (Default I/F is KBW)	QS65-1030000	QS65-1030000R
ID plus PDF, Micro-PDF Decoding with Multi-Interface, Gray (Default I/F is KBW)	QS65-2030000	QS65-2030000R
ID only Decoding with Multi-Interface, Black (Default I/F is KBW)	QS65-3030000	QS65-3030000R
ID plus PDF, Micro-PDF Decoding with Multi-Interface, Black (Default I/F is KBW)	QS65-4030000	QS65-4030000R
Add cable and power supply as separate line items, or order bundled product.		

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

## US Service Options (International Customers please contact your local office)

Description (part number and price reflect a five year option from date of purchase)	Part Number
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-QS65-5
Service Plus 2-Day: Datalogic pays freight both ways, two business days	W-QS65-5
Note: Contact your Datalogic Representative for custom programs.	
Note: See Service Section (p. 78) for pricing options.	

## Accessories/Documentation

Description	Part Number	RoHS ** Part Number
AC/DC Power Supply, 120 volt, US	4004-0794	4004-0794
AC/DC Power Supply, 120 volt, US, Desk Top	4004-0839	4004-0839
AC/DC Power Supply, 230 volt, Europe	4004-0798	4004-0798
AC/DC Power Supply, 230 volt, UK	4004-0795	4004-0795
AC/DC Power Supply, Japan	4004-0676	N/A
AC/DC Power Supply, Australia	4004-0796	4004-0796
Hands Free Stand, Gray	8-0681-01	8-0681-01
Hands Free Stand, Black	8-0681-02	8-0681-02
Holder, Gray	7-0393	7-0393
Holder, Black	7-0840	7-0840
Product Manuals CD (contains PDF files of all available manuals), included with scanner	8-0682-01	8-0682-01
Manuals, PRG (printed, not included with product)	R44-2467	R44-2467
Manuals, QRG (included with all shipments)	R44-2815	R44-2815

## Cables

Description	Part Number	RoHS ** Part Number
RS-232, E/P, 25DSUB, 8'	8-0736-01	8-0736-01
RS-232, E/P, 25DSUB, 12'	8-0423-02	8-0736-02
RS-232, DB9S, 8'	8-0423-03	8-0736-03
RS-232, DB9S, 12'	8-0736-17	8-0736-17
RS-232, 9D, S, E/P, 12'	8-0736-80	8-0736-80
RS-232, 10RJ, P, Mgl 22/23 Aux Port, POT, 12'	8-0737-10	8-0737-10
RS-232, 10RJ, P, Mgl 82/85/95 Aux Port, POT, 12'	8-0577-11	8-0737-11
RS-232, 8DIN, P, SATO, POT, 8'	8-0577-12	8-0737-12
KBW, 5DIN, P&S, E/P-POT, Coil, 12'	8-0741-03	8-0741-03
KBW, 6MDIN, P&S, POT/E/P, 12'	8-0741-17	8-0741-17
KBW Base Cable, 25D, S, E/P, Coil, 12'	8-0671-03	8-0741-16
KBW Extension Cable for Wyse Terminals (Requires Base Cable)	CWWY162-R	CWWY162-R
KBW Extension Cable for IBM 347X Terminals (Requires Base Cable)	CWI3476	CWI3476-R
IBM 4683, Port 5B, 12'	8-0429-02	8-0739-02
IBM 4683, Port 9B, 12'	8-0429-04	8-0739-04
OEM USB (Power Plus) POT, Coil, 12'	8-0481-12	8-0734-12
OEM USB (Power Plus) POT, 15'	8-0734-15	8-0734-15
USB, Series A, High Speed, POT, 12'	8-0481-16	8-0734-16
WE, 9 Dsub, Cable Select, 8'	8-0422-02	8-0740-02
WE, RJ6 Connector, Coil, 8'	8-0422-03	8-0740-03

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

Datalogic Scanning U.S. Product Catalog

## QuickScan® QS2500 Linear Imager Handheld Scanner

The QS2500 handheld linear imager is capable of reading a wide range of bar code symbologies, including GSI DataBar™ (formerly RSS) and PDF417. The QS2500 provides snappy reading performance, a mid-range depth-of-field, high durability and reliability and comes with a standard five year warranty.



**\*\*RoHS compliant versions available**



Now available in Black.

Note: GR = Gray, BK = Black.

Description	Part Number	RoHS ** Part Number
RS-232, GR, No Cable or Power Supply (For E/P and 5V POT Use)	QS25-1100	QS25-1200R
KBW/WE, GR, No Cable or Power Supply	QS25-2100	QS25-2100R
USB (Series A), GR, No Cable or Power Supply	QS25-3100	QS25-3100R
IBM 46XX POS, GR, No Cable or Power Supply	QS25-4100	QS25-4100R
OEM USB (Power Plus), GR, No Cable or Power Supply	QS25-5100	QS25-5100R
Note: Add Stand, Cable and Power Supply as Separate Line Items or Order Bundled		
<b>QS2500 EZ Kits</b>		
KBW, GR, 5/6DIN, P&S, E/P - POT, Coil, 12', CD, Hands-free Stand	QS25-2105-01	QS25-2105-01R
RS-232, GR, 12' DB9pin E/P Cable, Power Supply, CD, Hands-free Stand	QS25-1106-05	QS25-1206-05R
USB KB, GR, 12' Cable, POT, CD, Hands-free Stand	QS25-3105-01	QS25-3105-01R
KBW/WE, BLK, 5/6DIN, P&S, E/P-POT, Coil, 12', CD, hands-free Stand	QS25-2309-01	QS25-2309-01R
RS-232, BK, 12' DB9pin E/P Cable, Power Supply, CD, Hands-free Stand	QS25-130A-05	QS25-130A-05R
USB KB, BK, 12' Cable, POT, CD, Hands-free Stand	QS25-3209-01	QS25-3209-01R

## US Service Options (International Customers please contact your local office)

Description (part number and price reflect a five year option from date of purchase)	Part Number
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-QS2500-5
Service Plus 2-Day: Datalogic pays freight both ways, two business days	W-QS2500-5
Note: Contact your Datalogic Representative for custom programs.	
Note: See Service Section (p. 80) for additional pricing options.	

## Accessories / Documentation

Description	Part Number	RoHS ** Part Number
Power Supply, US, AC/DC, 120V	4004-0826	4004-0826
Stand, Gooseneck Tabletop, GR	11-0179	11-0179
Stand, Gooseneck Tabletop, BK	11-0190	11-0190
Stand, Tabletop/Wall Mountable Holder, GR	7-0393	7-0393
Manual, PRG (printed)	R44-2807	R44-2807
Manual, QRG (printed)	R44-2399	R44-2399
Power Supply, EUR, AC/DC, 230V	4004-0801	4004-0801
Power Supply, UK, AC/DC, 230V	4004-0818	4004-0818

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

## Cables

<b>Description</b>	<b>Part Number</b>	<b>RoHS ** Part Number</b>
RS-232, E/P,JK25DB, Coil, 8'	8-0736-01	8-0736-01
RS-232, E/P,JKDB25, Coil, 12'	8-0423-02	8-0736-02
RS-232, DB9S, BK, Coil, 8'	8-0423-03	8-0736-03
RS-232, DB9S, POT, 12'	8-0736-17	8-0736-17
RS-232, 9D, Socket, E/P, 12'	8-0736-80	8-0736-80
RS-232, Aux Port on MGL 8X00	8-0577-11	8-0737-11
RS-232, Aux Port on MGL 2X00	8-0737-10	8-0737-10
KBW, 5DIN, P&S, E/P-POT, Coil, 12'	8-0738-03	8-0738-03
KBW, 6MDIN, Laptop, Coil, 12'	8-0738-06	8-0738-06
KBW, 6MDIN, Plug, POT, 11'	8-0738-17	8-0738-17
USB, Series A, POT, 12'	8-0734-08	8-0734-08
USB, POT, High Speed, 6ft	8-0734-10	8-0734-10
IBM 46XX, POT, Port 5B, Coil, 12'	8-0429-02	8-0739-02
IBM 46XX, POT, Port 9B, Coil, 12'	8-0429-04	8-0739-04
OEM USB (Power Plus) POT, Coil, 12'	8-0481-12	8-0734-12
OEM USB (Power Plus) POT, 15 feet	8-0734-15	8-0734-15
WE, 9 Dsub, Cable Select, 8'	8-0422-02	8-0740-02
WE, RJ6 Connector, Coil, 8'	8-0422-03	8-0740-03



## Touch™ 65/90 Light - Touch 65/90 Pro

The Touch series CCD contact readers represent the ideal product whenever a cost-effective solution is required, without compromising reading performance and product quality. Linear and GSI DataBar™ (formerly RSS) bar code decoding, USB RS-232, Wedge and Wand emulation on a single model. Standard factory warranty is five years.



\*\*All versions RoHS compliant.



Description	RoHS** Part Number
<b>Touch65/90™ – Models</b>	
Touch 65 Light - USB	901151421
Touch 65 Light - RS-232 and Wedge	901151422
Touch 90 Light - USB	901201241
Touch 90 Light - RS-232 and Wedge	901201242

Description	RoHS** Part Number
<b>Touch65/90™-Pro – Models</b>	
Touch 90 - Pro 65 mm CCD Reader – Enhanced Multi-standard with Trigger	901401063
Touch 90-Pro 90 mm CCD Reader – Enhanced Multi-standard with Trigger	901451013

## Touch™ Accessories



Desk Holder

Description	RoHS** Part Number
SPC-Touch 65-90 Desk Holder, Black	90ACCI879
HHD II Software Configuration Manual	90ACCI877
PG5-05P55 AC/DC Power Supply (w/o Cord)	90ACCI882
Power Cord AUS 2-Pin	90ACCI884
Power Cord EU 2-Pin	90ACCI885
Power Cord US 2-Pin	90ACCI886
Power Cord UK 2-Pin	90ACCI887
Kit PG5-05P55 AC/DC Power Supply EU	90ACCI891
Kit PG5-05P55 AC/DC Power Supply UK	90ACCI892
Kit PG5-05P55 AC/DC Power Supply US	90ACCI893

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

## Cables

Description	RoHS ** Part Number
CAB-348 Wand Emul. Coil 9-Pin Male	90A051210
CAB-350 RS-232 Pwr Str 9-Pin Fem.	90A051230
CAB-362 RS-232 Coiled 9-Pin Fem.	90A051330
CAB-363 RS-232 Coiled 25-Pin Fem. DCE	90A051340
CAB-364 RS-232 Coiled 25-Pin Male DTE	90A051350
CAB-365 IBM PS/2 Coiled Mini DIN Wedge	90A051360
CAB-373 Wyse VDT Str. 4P Phone Conn.	90A051470
CAB-375 DEC VDT Straight 4P Phone Conn.	90A051490
CAB-388 RS-232/Beetle 9P M-Conn Coil	90A051700
CAB-389 RS-232/Beetle 9P M-Conn Str	90A051710
CAB-408 RS-232 Pwr Coil 9-Pin Fem	90A051891
CAB-409 RS-232 to C-Box Adapter, Coiled	90A051895
CAB-412 USB Type A, Opt-Pwr, Straight	90A051902
CAB-412 USB Type A, Opt-Pwr, Coiled	90A051922
CAB-413 Powered USB, Straight	90A051903
CAB-320 RS-232 Straight 25-Pin DTE	90G001000
CAB-321 IBM PS/2 Str. Mini DIN Wedge	90G001010
CAB-322 IBM AT/XT Str. DIN Wedge	90G001020
CAB-323 Wand Emul. Str. 9-Pin Male	90G001030
CAB-325 IBM VDT3151,34XX Straight	90G001050
CAB-327 RS-232 Straight 9-Pin Fem.	90G001070
CAB-328 RS-232 Straight 25-Pin Fem. DCE	90G001080

## Gryphon™ Mobile

The versatile and high performance Gryphon family of products added mobility operation through the STAR™ Narrow Band wireless network. Same as the corded Gryphon products, it has Linear, PDF417 and GSI DataBar™ (formerly RSS) bar code decoding capabilities, plug and play with enhanced multi-standard architecture, ergonomic and user-friendly for intuitive operation. Its modular design is open to upgrades. Standard factory warranty is two years.



\*\*All versions RoHS compliant.



Description	RoHS ** Part Number
<b>Gryphon™ Mobile 910 Mhz</b>	
Gryphon M100, 910 MHz USA	901671010
OM-Gryphon B/C Multi-Interface/USB 910 MHz	90A351010
OM-Gryphon B/C Multi-Interface/IBM 910 MHz	90A351030

## US Service Options (International Customers please contact your local office)

Description (part number and price reflect a one year option from date of purchase)	Part Number
Gryphon M: Quick Replacement: Datalogic owned spares (not loaners), same day shipping	ZSMIGRYM2
Gryphon M: Service Plus 2-Day: Datalogic pays freight both ways, two business days	ZSMIGRYM4
Gryphon M: Service Plus 5-Day: Datalogic pays return freight, five business day service	ZSMIGRYM5
OM/C Gryphon M: Quick Replacement: Datalogic owned spares (not loaners), same day shipping	ZSMIOMCG2
OM/C Gryphon M: Service Plus 2-Day: Datalogic pays freight both ways, two business days	ZSMIOMCG4
OM/C Gryphon M: Service Plus 5-Day: Datalogic pays return freight, five business day service	ZSMIOMCG5

Note: Contact your Datalogic Representative for custom programs.

## Gryphon™ Mobile Accessories



Desk/Wall Holder

Belt Holster

Soft Case & Holster

Base Unit

Gryphon Stands

Description	RoHS ** Part Number
B6010-NM NI-ME-HY Batt. 3480 MWH	90ACCI530
Kit PG12-10P55 AC/DC Power Supply AU	90ACCI898
Kit PG12-10P55 AC/DC Power Supply EU	90ACCI895
Kit PG12-10P55 AC/DC Power Supply UK	90ACCI896
Kit PG12-10P55 AC/DC Power Supply US	90ACCI897
Metal Plate for STD-XXXX	90ACCI876
PG12-10P55 AC/DC Power Supply (w/o Cord)	90ACCI883
Power Cord AUS 2-Pin	90ACCI884
Power Cord EU 2-Pin	90ACCI885
Power Cord UK 2-Pin	90ACCI887
Power Cord US 2-Pin	90ACCI886
Protective Case-Belt Coupler for Gryphon	90ACCI857
SPC-Gryphon Desk/Wall Holder, Black	90ACCI770
STD - Gryphon Retail Stand	90ACCI760
C-Gryphon Battery Charger	90A351020
Gryphon Reference Manual	90ACCI780
ADP-203 Wedge to USB Adapter	90ACCI903

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

R40-0200 N 0608

## Cables

Description	RoHS** Part Number
CAB-320 RS-232 Straight 25-Pin DTE	90G001000
CAB-321 IBM PS/2 Str. Mini DIN Wedge	90G001010
CAB-322 IBM AT/XT Str. DIN Wedge	90G001020
CAB-323 Wand Emul. Str. 9-Pin Male	90G001030
CAB-325 IBM VDT3151,34XX Straight	90G001050
CAB-327 RS-232 Straight 9-Pin Fem.	90G001070
CAB-328 RS-232 Straight 25-Pin Fem. DCE	90G001080
CAB-348 Wand Emul. Coil 9-Pin Male	90A051210
CAB-350 RS-232 Pwr Str. 9-Pin Fem.	90A051230
CAB-362 RS-232 Coiled 9-Pin Fem.	90A051330
CAB-363 RS-232 Coiled 25-Pin Fem. DCE	90A051340
CAB-364 RS-232 Coiled 25-Pin Male DTE	90A051350
CAB-365 IBM PS/2 Coiled Mini DIN Wedge	90A051360
CAB-370 RS485 IBM46XX Str. Port 9B	90A051420
CAB-373 Wyse VDT Str. 4P Phone Conn.	90A051470
CAB-375 DEC VDT Straight 4P Phone Conn.	90A051490
CAB-388 RS-232/Beetle 9P M-Conn Coil	90A051700
CAB-389 RS-232/Beetle 9P M-Conn Str	90A051710
CAB-408 RS-232 Pwr Coil 9-Pin Fem	90A051891
CAB-409 RS-232 to C-Box Adapter, Coiled	90A051895
CAB-412 USB Type A, Opt-Pwr, Straight	90A051902
CAB-412 USB Type A, Opt-Pwr, Coiled	90A051922
CAB-413 Powered USB, Straight	90A051903

## Gryphon™ Bluetooth®

The versatile and high performance Gryphon family of products added mobility operation through the Industry Class I Bluetooth® 1.1 standard wireless technology. It can be connected to any PC, laptop, printer, PDA, or mobile phone, based on the same standard. Linear, PDF417 and GSI DataBar™ (formerly RSS) bar code decoding. C-Gryphon Battery Charger included in the package. Standard factory warranty is two years.



\*\*All versions RoHS compliant.



The Bluetooth® word mark and logos are owned by Bluetooth SIG, Inc. and any use of such marks by Datalogic Scanning Inc. is under license.

Description	RoHS ** Part Number
<b>Gryphon™ Bluetooth®</b>	
Gryphon BT100-CS Bluetooth Cordless System	901691000
Gryphon BT100-CSR Cordless Sys. w/ Receiv	901691004
Gryphon BT200-CS Bluetooth Cordless System	901701000

## US Service Options (International Customers please contact your local office)

Description (part number and price reflect a one year option from date of purchase)	RoHS ** Part Number
Gryphon M-BT: Quick Replacement: Datalogic owned spares (not loaners), same day shipping	ZSMIGRYM2
Gryphon M-BT: Service Plus 2-Day: Datalogic pays freight both ways, two business days	ZSMIGRYM4
Gryphon M-BT: Service Plus 5-Day: Datalogic pays return freight, five business day service	ZSMIGRYM5
OM/C Gryphon M-BT: Quick Replacement: Datalogic owned spares (not loaners), same day shipping	ZSMIOMCG2
OM/C Gryphon M-BT: Service Plus 2-Day: Datalogic pays freight both ways, two business days	ZSMIOMCG4
OM/C Gryphon M-BT: Service Plus 5-Day: Datalogic pays return freight, five business day service	ZSMIOMCG5

Note: Contact your Datalogic Representative for custom programs.

## Gryphon™ Bluetooth® Accessories



Desk/Wall Holder

Belt Holster

Soft Case & Holster

Base Unit

Gryphon Stands

Description	RoHS ** Part Number
Protective Case-Belt Coupler for Gryphon	90ACCI857
SPC-Dragon Desk/Wall Hld	90ACCI790
B6010-NM NI-ME-HY Batt. 3480 MWH	90ACCI530
PGI2-10P55 AC/DC Power Supply (w/o Cord)	90ACCI883
Power Cord AUS 2-Pin	90ACCI884
Power Cord EU 2-Pin	90ACCI885
Power Cord US 2-Pin	90ACCI886
Power Cord UK 2-Pin	90ACCI887
Kit PGI2-10P55 AC/DC Power Supply EU	90ACCI895
Kit PGI2-10P55 AC/DC Power Supply UK	90ACCI896
Kit PGI2-10P55 AC/DC Power Supply US	90ACCI897
Kit PGI2-10P55 AC/DC Power Supply AU	90ACCI898
STD-1010 Handsfree Stand	90ACCI873

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

R40-0200 N 0608

## Cables

Description	RoHS ** Part Number
CAB-348 Wand Emul. Coil 9-Pin Male	90A051210
CAB-350 RS-232 Pwr Str. 9-Pin Fem.	90A051230
CAB-362 RS-232 Coiled 9-Pin Fem.	90A051330
CAB-363 RS-232 Coiled 25-Pin Fem. DCE	90A051340
CAB-364 RS-232 Coiled 25-Pin Male DTE	90A051350
CAB-365 IBM PS/2 Coiled Mini DIN Wedge	90A051360
CAB-373 Wyse VDT Str. 4P Phone Conn.	90A051470
CAB-375 DEC VDT Straight 4P Phone Conn.	90A051490
CAB-388 RS-232/Beetle 9P M-Conn Coil	90A051700
CAB-389 RS-232/Beetle 9P M-Conn Str	90A051710
CAB-408 RS-232 Pwr Coil 9-Pin Fem	90A051891
CAB-409 RS-232 to C-Box Adapter, Coiled	90A051895
CAB-412 USB Type A, Opt-Pwr, Straight	90A051902
CAB-413 Powered USB, Straight	90A051903
CAB-320 RS-232 Straight 25-Pin DTE	90G001000
CAB-321 IBM PS/2 Str. Mini DIN Wedge	90G001010
CAB-322 IBM AT/XT Str. DIN Wedge	90G001020
CAB-323 Wand Emul. Str. 9-Pin Male	90G001030
CAB-325 IBM VDT3151,34XX Straight	90G001050
CAB-327 RS-232 Straight 9-Pin Fem.	90G001070
CAB-328 RS-232 Straight 25-Pin Fem. DCE	90G001080

## QuickScan® Mobile

The QuickScan Mobile handheld reader is the ideal solution for customers seeking mobility at an affordable price. This multi-purpose product is perfect at the point-of-sale and can also be used for inventory, price checking and shelf replenishment activities.

Standard factory warranty is three years.



\*\*All versions RoHS compliant.



Description	RoHS ** Part Number
<b>QuickScan Mobile 910MHz</b> <b>(Kits include Scanner and Base. Power Supply must be ordered separately. Order Cables separately, except where noted.)</b>	
QuickScan M2130 Kit 910 MHz Black	QM2130-BK-910
QuickScan M2130 Kit 910 MHz White	QM2130-WH-910
QuickScan M2130, USB Kit, 910 MHz, Black, with USB cable 90A051945	QM2130-BK-910K1
QuickScan M2130, USB Kit, 910 MHz, White, with USB cable 90A051945	QM2130-WH-910K1
QuickScan M2130, Low Power Kit, 910 MHz, White, with cable 90G001092 (use with Mag. 8xxx only)	QM2130-WH-910LPK2
Base station QS Mobile 910 MHz Black	90A401007
Base station QS Mobile 910 MHz White	90A401006
Note: Cables and power supply must be ordered separately, except where noted.	

## US Service Options (International Customers please contact your local office)

Description (part number and price reflect a five year option from date of purchase)	Part Number
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-QM-5
Service Plus 2-Day: Datalogic pays freight both ways, two business days	W-QM-5
Service Plus 5-Day: Datalogic pays return freight, five business day service	E-QM-5
Note: Contact your Datalogic Representative for custom programs.	
Note: See Service Section (p.78) for additional pricing options.	

## QuickScan® Mobile Accessories



Base Station - Black

Description	RoHS ** Part Number
QuickScan Mobile Battery Pack	90ACCI945
HHI II Software Configuration Manual	90ACCI877
PG5-05P55 AC/DC Power Supply (w/o Cord)	90ACCI882
Power Supply for 4-slot Battery Charger, FPS18 (w/o Cord)	94ACC4595
Power Cord AUS 2-Pin	90ACCI884
Power Cord EU 2-Pin	90ACCI885
Power Cord US 2-Pin	90ACCI886
Power Cord UK 2-Pin	90ACCI887
Kit PG5-05P55 AC/DC Power Supply EU	90ACCI891
Kit PG5-05P55 AC/DC Power Supply UK	90ACCI892
Kit PG5-05P55 AC/DC Power Supply US	90ACCI893

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

## Cables

Description	RoHS ** Part Number
CAB-348 Wand Emul. Coil 9-Pin Male	90A051210
CAB-350 RS-232 Pwr Str. 9-Pin Fem.	90A051230
CAB-362 RS-232 Coiled 9-Pin Fem.	90A051330
CAB-362 SH3924 RS-232 Magellan 8XXX/9XXX AUX Port	90G001092
CAB-363 RS-232 Coiled 25-Pin Fem. DCE	90A051340
CAB-364 RS-232 Coiled 25-Pin Male DTE	90A051350
CAB-365 IBM PS/2 Coiled Mini DIN Wedge	90A051360
CAB-373 Wyse VDT Str. 4P Phone Conn.	90A051470
CAB-375 DEC VDT Straight 4P Phone Conn.	90A051490
CAB-388 RS-232/Beetle 9P M-Conn Coil	90A051700
CAB-389 RS-232/Beetle 9P M-Conn Str	90A051710
CAB-408 RS-232 Pwr Coil 9-Pin Fem	90A051891
CAB-409 RS-232 to C-Box Adapter, Coiled	90A051895
CAB-412 USB Type A, Opt-Pwr, Straight	90A051902
CAB-412 USB Type A, Opt-Pwr, Coiled	90A051922
CAB-462 USB Type A, Straight	90A051945
CAB-413 Powered USB, Straight	90A051903
CAB-431 Wedge Power Supply Adapter	90A 051959
CAB-391 Coiled PS/2 Wedge Cable with ext. Power Input	90A051740
CAB-320 RS-232 Straight 25-Pin DTE	90G001000
CAB-321 IBM PS/2 Str. Mini DIN Wedge	90G001010
CAB-322 IBM AT/XT Str. DIN Wedge	90G001020
CAB-323 Wand Emul. Str. 9-Pin Male	90G001030
CAB-325 IBM VDT3151,34XX Straight	90G001050
CAB-327 RS-232 Straight 9-Pin Fem.	90G001070
CAB-328 RS-232 Straight 25-Pin Fem. DCE	90G001080

Hand Held Scanners



## QuickScan® QS6500BT Handheld Scanner

The QuickScan® QS6500BT handheld linear imaging scanner is a high performance member of the QuickScan® family designed for retail and general purpose applications. The QS6500BT adds Bluetooth® wireless technology to the high speed QS6500. The QS6500BT, like the QS6500, has the ability to read most 1D bar codes while also offering the ability to read several 2D codes like PDF417, Micro PDF and EAN 128 stacked composite codes. The QuickScan QS6500BT also features an excellent depth-of-field, multi-interface capability, and the outstanding durability associated with no moving parts and solid-state construction, all backed by a Datalogic three year warranty.



 \*\*RoHS compliant versions available.

The Bluetooth® word mark and logos are owned by Bluetooth SIG, Inc. and any use of such marks by Datalogic Scanning Inc. is under license.

Description	Part Number	RoHS** Part Number
<b>QS6500BT EZ Kits w/ Base Station &amp; Cable (Multi-Interface is set to match cable interface)</b>		
1D plus PDF, Micro-PDF Decoding, RS-232 with Multi-Interface Base Station, Gray, P/S, 9D, E/P 12'	QS65B-1010100-105	QS65B-1010100-105R
1D plus PDF, Micro-PDF Decoding, RS-232 with Multi-Interface Base Station, Black, P/S, 9D, E/P 12'	QS65B-3010100-105	QS65B-3010100-105R
1D plus PDF, Micro-PDF Decoding, KBW with Multi-Interface Base Station, Gray, P/S, KBW, 6MDIN, P&S, E/P-POT, 12'	QS65B-1030100-301	QS65B-1030100-301R
1D plus PDF, Micro-PDF Decoding, KBW with Multi-Interface Base Station, Black, P/S, KBW, 6MDIN, P&S, E/P-POT, 12'	QS65B-3030100-301	QS65B-3030100-301R
1D plus PDF, Micro-PDF Decoding, USB with Multi-Interface Base Station, Gray, P/S, Series A Cable, 12'	QS65B-1040100-401	QS65B-1040100-401R
1D plus PDF, Micro-PDF Decoding, USB with Multi-Interface Base Station, Black, P/S, Series A Cable, 12'	QS65B-3040100-401	QS65B-3040100-401R
1D plus PDF, Micro-PDF Decoding, IBM 46XX with Multi-Interface Base Station, Gray, Port 9B, Coiled, 12'	QS65B-1050000-502	QS65B-1050000-502R
1D plus PDF, Micro-PDF Decoding, IBM 46XX with Multi-Interface Base Station, Black, Port 9B, Coiled, 12'	QS65B-3050000-502	QS65B-3050000-502R
†1D plus PDF, Micro-PDF Decoding, OEM USB with Multi-Interface Base Station, Gray, Port 9B, POT, Coiled, 12'	QS65B-1060000-601	QS65B-1060000-601R
†1D plus PDF, Micro-PDF Decoding, OEM USB with Multi-Interface Base Station, Black, Port 9B, POT, Coiled, 12'	QS65B-3060000-601	QS65B-3060000-601R
†For Power Off Terminal applications it is recommended that you use OEM USB interface cables.		
<b>QS6500BT EZ Kits w/ Base Station (Multi-Interface is set to RS-232)</b>		
1D plus PDF, Micro-PDF Decoding with Multi-Interface Base Station, Gray (Default I/F is RS-232)	QS65B-1010000	QS65B-1010000R
1D plus PDF, Micro-PDF Decoding with Multi-Interface Base Station, Black (Default I/F is RS-232)	QS65B-3010000	QS65B-3010000R

### US Service Options (International Customers please contact your local office)

Description (part number and price reflect a three year option)	Part Number
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-QS65BT-3
Service Plus 2-Day: Datalogic pays freight both ways, two business days	W-QS65BT-3
Service Plus 5-Day: Datalogic pays return freight, five business day service	E-QS65BT-3
Note: Contact your Datalogic Representative for custom programs.	
Note: See Service Section (p. 78) for additional pricing options.	

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

## QuickScan® QS6500BT Accessories

Description	Part Number	RoHS ** Part Number
AC/DC Power Supply, 120 volt, US	4004-0705	4004-0794
AC/DC Power Supply, 120 volt, US, Desk Top	4004-0677	4004-0839
AC/DC Power Supply, 230 volt, Europe	4004-0798	4004-0798
AC/DC Power Supply, 230 volt, UK	4004-0795	4004-0795
AC/DC Power Supply, Japan	4004-0676	N/A
AC/DC Power Supply, Australia	4004-0796	4004-0796
Product Manuals CD (contains PDF files of all available manuals), included with scanner	8-0750-01	8-0750-01
Manual, PRG (printed, not included with product)	R44-2467	R44-2467
Manual, QRG (included with all shipments)	R44-2819	R44-2819

## Cables

Description	Part Number	RoHS ** Part Number
RS-232, E/P, 25DSUB, 8 feet	8-0736-01	8-0736-01
RS-232, E/P, 25DSUB, 12 feet	8-0423-02	8-0736-02
RS-232, DB9S, 8 feet	8-0423-03	8-0736-03
RS-232, SNI, W/DTR, Blk, 12 feet	8-0423-04	8-0736-04
RS-232, DB9S, 12 feet	8-0736-17	8-0736-17
RS-232, 9D, S, E/P, 12 Feet	8-0736-80	8-0736-80
RS-232, 10RJ, P, Mgl 22/23 Aux Port, 12 feet	8-0737-10	8-0737-10
RS-232, 10RJ, P, Mgl 82/85/95 Aux Port, 12 feet	8-0577-11	8-0737-11
RS-232, ADP, IBM, ENTRY 01 TURK, RJ8	8-0103-16	8-0770-16
RS-232, 8DIN, P, SATO, 8 feet	8-0577-12	8-0737-12
KBW, 5DIN, P&S, E/P-POT, Coil, 12'	8-0741-03	8-0741-03
KBW, 6MDIN, P&S, E/P - POT, 12 feet	8-0741-17	8-0741-17
KBW, 25D, S, E/P, Coil, 12'	8-0671-03	8-0741-16
IBM 4683, Port 5B, 12 feet	8-0429-02	8-0739-02
IBM 4683, Port 9B, 12 feet	8-0429-04	8-0739-04
OEM USB POT, 12 feet	8-0481-12	8-0734-12
OEM USB POT, 15 feet	8-0734-15	8-0734-15
USB, 12 feet coiled	8-0481-16	8-0734-16
WE, 9D SUB, Cbl SEL, 8 feet	8-0422-02	8-0740-02
WE, RJ6, Coil, 8 feet	8-0422-03	8-0740-03
For Power Off Terminal applications it is recommended that you use IBM USB interface cables.		
For additional cables contact your Datalogic Representative or go to the Datalogic Cable Selector at <a href="http://www.scanning.datalogic.com">www.scanning.datalogic.com</a> .		

Hand Held Scanners

## PowerScan® 8300 Desk

The PowerScan D8300 family offers outstanding characteristics in terms of ruggedness, durability and the ability to withstand extreme environmental conditions. Standard Range and Auto Range optics make it suitable for all industrial applications based on ID bar codes.

The multi-interface on board (USB, RS-232, Keyboard Wedge and Wand Emulation) allow easy and fast connection to all hosts. Undecoded "laser out" model available. Standard factory warranty is 3 years.



\*\*All versions RoHS compliant.



Description	Part Number
PowerScan D8330 Standard Range, USB, Wedge, RS-232, Wand Emulation	PD8330
PowerScan D8330 Auto Range, USB, Wedge, RS-232, Wand Emulation	PD8330-AR
PowerScan D8340 Auto Range, Undecoded	PD8340-AR

### US Service Options (International Customers please contact your local office)

Description (part number and price reflect a three year option)	RoHS** Part Number
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-PD83-3
Service Plus 2-Day: Datalogic pays freight both ways, two business days	W-PD83-3
Service Plus 5-Day: Datalogic pays return freight, five business day service	E-PD83-3
Contact your Datalogic Representative for custom programs.	
Note: See Service Section (p. 78) for Auto Range Service Pricing and additional pricing options.	

### PowerScan® 8300 Desk Accessories



Universal Holster



Belt Holster



Desk Holder



Heated Holder



Take Up Reel



Stand

Description	RoHS** Part Number
Desk/Wall Holder	HLD-P080
Hands Free Stand	STD-P080
Universal Holster	HLS-P080
Protective Case/Belt Holster	PC-P080
Industrial Take Up Reel	7-0404
Heated Holder 24V	11-0139
Heated Holder 36V	11-0138
Heated Holder 48V	11-0140
PG5-05P55 AC/DC Power Supply (w/o Cord)	90ACCI882
PG12-10P55 AC/DC Power Supply (w/o Cord)	90ACCI883
Power Cord AUS 2-Pin	90ACCI884
Power Cord EU 2-Pin	90ACCI885
Power Cord US 2-Pin	90ACCI886
Power Cord UK 2-Pin	90ACCI887
Kit PG5-05P55 AC/DC Power Supply EU	90ACCI891
Kit PG5-05P55 AC/DC Power Supply U	90ACCI892
Kit PG5-05P55 AC/DC Power Supply US	90ACCI893
Kit PG12-10P55 AC/DC Power Supply EU	90ACCI895
Kit PG12-10P55 AC/DC Power Supply UK	90ACCI896
Kit PG12-10P55 AC/DC Power Supply US	90ACCI897
Kit PG12-10P55 AC/DC Power Supply AU	90ACCI898

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

R40-0200 N 0608

## Cables

Description	RoHS** Part Number
CAB-433 RS-232 PWR 9P Female Straight	CAB-433
CAB-448 RS232 9P Female Straight	CAB-448
CAB-450 RS232 Motorola VRC 69xx	CAB-450
CAB-501 RS232 PWR 9P Female Straight 3.2m	CAB-501
CAB-449 RS232 9P Female Coiled	CAB-449
CAB-434 RS232 PWR 9P Female Coiled	CAB-434
CAB-471 RS232 25P Female Coiled	CAB-471
CAB-451 RS232 Motorola VRS 79/89XX	CAB-451
CAB-472 RS232 25P Male Coiled	CAB-472
CAB-453 RS232 PWR 25P Female Coiled 2.4m	CAB-453
CAB-454 RS232 PWR 25P Female Coiled 3.6m	CAB-454
CAB-455 RS232 9P Female Coiled 2.4m	CAB-455
CAB-456 RS232 9P Male Coiled 3.6m	CAB-456
CAB-474 RS232 PWR 25P Female Coiled 3.6m	CAB-474
CAB-475 RS232 Sureone Coiled 3.6m	CAB-475
CAB-457 RS232 9P Female Coiled 3.6m	CAB-457
CAB-476 RS232 Sharp ER A610 Coiled 3.6m	CAB-476
CAB-477 RS232 PWR 25P Female Coiled 7.6m	CAB-477
CAB-458 RS232 PWR 9P Female Coiled 7.6m	CAB-458
CAB-478 RS232 9P Male Coiled 4.6m	CAB-478
CAB-459 RS232 PWR 9P Female Coiled 3.6m	CAB-459
CAB-479 RS232 9P Female Coiled 7.6m	CAB-479
CAB-461 RS232 RJ10 Magellan Bi-Optic AUX port Coiled 3.6m	CAB-461
CAB-480 RS232 9P Male Eltron Coiled 4.6m	CAB-480
CAB-436 KBW PS/2 Straight	CAB-436
CAB-442 KBW PWR PS/2 Straight	CAB-442
CAB-437 KBW PS/2 Coiled	CAB-437
CAB-443 KBW PWR PS/2 Coiled	CAB-443
CAB-462 KBW PWR PS/2 Coiled 3.6m	CAB-462
CAB-482 KBW PWR 25P Female Coiled 3.6m	CAB-482
CAB-463 KBW PS/2 Laptop Coiled 3.6m	CAB-463
CAB-483 KBW PWR Din Coiled 3.6m	CAB-483
CAB-484 KBW PS/2 Laptop Coiled 2.4m	CAB-484
CAB-485 KBW 3151, 347X, 378X Coiled	CAB-485
CAB-438 USB Type A Straight	CAB-438
CAB-440 USB PWR Type A Straight	CAB-440
CAB-465 USB Type A Straight 3.6m	CAB-465
CAB-439 USB Type A Coiled	CAB-439
CAB-441 USB PWR Type A Coiled	CAB-441
CAB-467 USB Type A Coiled Full SP 3.6m	CAB-467
CAB-470 WE 9P Male Straight	CAB-470
CAB-473 WE 9P Male Coiled	CAB-473
CAB-487 WE RJ6 Male Coiled 2.4m	CAB-487
CAB-488 WE RJ6 Decathlon Coiled 6.1m	CAB-488
CAB-489 WE Lemo LXE Terminal Coiled 2.4m	CAB-489
CAB-490 WE 9P Female Coiled 4.6m	CAB-490
CAB-491 WE RJ10 Intermec 2010 2.4m	CAB-491
CAB-468 Undecoded 9P Male Coiled	CAB-468
CAB-505 Undecoded DB9, Coiled, 12'	CAB-505

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

Datalogic Scanning U.S. Product Catalog

## PowerScan® 8500 Desk

The PowerScan D8500 family offers outstanding characteristics in terms of ruggedness, durability and the ability to withstand extreme environmental conditions. It is based on a Mega-pixel 2-dimensional sensor and offered in three models with different optical characteristics: Standard, Wide Angle and High Density to fulfil the requirement of all "2D codes based" vertical applications.

The multi-interface on board (USB, RS-232 and Keyboard Wedge) allows easy and fast connection to all hosts. Standard factory warranty is 3 years.



\*\*All versions RoHS compliant.

Description	Part Number
PowerScan D8530	PD8530
PowerScan D8530 High Density	PD8530-HD
PowerScan D8530 Wide Angle	PD8530-WA

### US Service Options (International Customers please contact your local office)

Description (part number and price reflect a three year option)	RoHS ** Part Number
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-PD85-3
Service Plus 2-Day: Datalogic pays freight both ways, two business days	W-PD85-3
Service Plus 5-Day: Datalogic pays return freight, five business day service	E-PD85-3
Note: Contact your Datalogic Representative for custom programs.	
Note: See Service Section (p.78) for additional pricing options.	

### PowerScan® 8500 Desk Accessories



Universal Holster



Belt Holster



Desk Holder



Heated Holder



Take Up Reel



Stand

Description	RoHS ** Part Number
Desk/Wall Holder	HLD-P080
Hands Free Stand	STD-P080
Universal Holster	HLS-P080
Protective Case/Belt Holster	PC-P080
Industrial Take Up Reel	7-0404
Heated Holder 24V	11-0139
Heated Holder 36V	11-0138
Heated Holder 48V	11-0140
PG5-05P55 AC/DC Power Supply (w/o Cord)	90ACCI882
PGI2-10P55 AC/DC Power Supply (w/o Cord)	90ACCI883
Power Cord AUS 2-Pin	90ACCI884
Power Cord EU 2-Pin	90ACCI885
Power Cord US 2-Pin	90ACCI886
Power Cord UK 2-Pin	90ACCI887
Kit PG5-05P55 AC/DC Power Supply EU	90ACCI891
Kit PG5-05P55 AC/DC Power Supply U	90ACCI892
Kit PG5-05P55 AC/DC Power Supply US	90ACCI893
Kit PGI2-10P55 AC/DC Power Supply EU	90ACCI895
Kit PGI2-10P55 AC/DC Power Supply UK	90ACCI896
Kit PGI2-10P55 AC/DC Power Supply US	90ACCI897
Kit PGI2-10P55 AC/DC Power Supply AU	90ACCI898

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

R40-0200 N 0608

## Cables

Description	RoHS** Part Number
CAB-433 RS-232 PWR 9P Female Straight	CAB-433
CAB-434 RS-232 PWR 9P Female Coiled	CAB-434
CAB-471 RS-232 PWR 25P Female Coiled	CAB-471
CAB-472 RS-232 PWR 25P Male Coiled	CAB-472
CAB-442 Wedge PS/2 PWR Straight	CAB-442
CAB-443 Wedge PS/2 PWR Coiled	CAB-443
CAB-440 USB Type A PWR Straight	CAB-440
CAB-441 USB Type A PWR Coiled	CAB-441

## Lynx™ Desk

The Lynx area imaging scanners feature omni-directional scanning support for most popular 1D, 2D, stacked and postal codes. This auto-discrimination of a wide array of linear and 2D codes along with image capture and intuitive aiming make the Lynx hard to beat. The ease of use is further enhanced by the scanner's multi-standard interface.

Standard factory warranty is two years.



\*\*All versions RoHS compliant.



Description	RoHS ** Part Number
<b>Lynx™ Desk</b>	
Lynx D432	901601040
Lynx D432 E	901601041
Lynx D432 SB3513 Bus Powered	901601047
Lynx D432 E SB3513 Bus Powered	901601052

## US Service Options (International Customers please contact your local office)

Description (part number and price reflect a one year option)	RoHS ** Part Number
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	ZSMILYNX2
Service Plus 2-Day: Datalogic pays freight both ways, two business days	ZSMILYNX4
Service Plus 5-Day: Datalogic pays return freight, five business day service	ZSMILYNX5

Note: Contact your Datalogic Representative for custom programs.

## Lynx™ Desk Accessories



Lynx Protective Case

Lynx Desk Holder

Lynx Belt Holster

Lynx Stand

Description	RoHS ** Part Number
Kit PG12-10P55 AC/DC Power Supply EU	90ACCI895
Kit PG12-10P55 AC/DC Power Supply UK	90ACCI896
Kit PG12-10P55 AC/DC Power Supply US	90ACCI897
Kit PG12-10P55 AC/DC Power Supply AU	90ACCI898
STD-1000 Handsfree Stand for Dragon & Lynx	90ACCI863
Prot. Case-Belt Coupler for Dragon	90ACCI860
HLS-1000 Univ. Holster for Dragon & Lynx	90ACCI864
SPC-Dragon Desk/Wall Hld	90ACCI790
Metal Plate for STD-XXXX	90ACCI876
PG5-05P55 AC/DC Power Supply (w/o Cord)	90ACCI882
PG12-10P55 AC/DC Power Supply (w/o Cord)	90ACCI883
Power Cord AUS 2-Pin	90ACCI884
Power Cord EU 2-Pin	90ACCI885
Power Cord US 2-Pin	90ACCI886
Power Cord UK 2-Pin	90ACCI887
Kit PG5-05P55 AC/DC Power Supply EU	90ACCI891
Kit PG5-05P55 AC/DC Power Supply UK	90ACCI892
Kit PG5-05P55 AC/DC Power Supply US	90ACCI893

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

## Cables

Description	RoHS** Part Number
CAB-350 RS-232 Pwr Str. 9-Pin Fem.	90A051230
CAB-362 RS-232 Coiled 9-Pin Fem.	90A051330
CAB-363 RS-232 Coiled 25-Pin Fem. DCE	90A051340
CAB-364 RS-232 Coiled 25-Pin Male DTE	90A051350
CAB-365 IBM PS/2 Coiled Mini DIN Wedge	90A051360
CAB-390 USB Type A Str. Ext. Power	90A051730
CAB-391 IBM/PS2 Coiled Mini DIN Ext. Pwr	90A051740
CAB-408 RS-232 Pwr Coil 9-Pin Fem	90A051891
CAB-409 RS-232 to C-Box Adapter, Coiled	90A051895
CAB-412 USB Type A, Opt-Pwr, Straight	90A051902
CAB-320 RS-232 Straight 25-Pin DTE	90G001000
CAB-321 IBM PS/2 Str. Mini DIN Wedge	90G001010
CAB-327 RS-232 Straight 9-Pin Fem.	90G001070
CAB-328 RS-232 Straight 25-Pin Fem. DCE	90G001080

Hand Held Scanners



## PowerScan® 7000 Standard Range Linear Imaging Scanner

The PowerScan 7000 Standard Range Linear Imaging Scanner is the most durable and reliable on the market. With an industry leading 500 scans per second read rate and a depth of field to rival the best laser scanners, the value priced PowerScan 7000 delivers top performance for demanding industrial applications at a very competitive price.

Standard factory warranty is four years.



\*\*RoHS compliant versions available



Description	Part Number	RoHS** Part Number
<b>PowerScan® 7000 Convenience Kits with Scanner and Cable, w/o Pointer</b>		
PowerScan 7000 RS-232, Ylw/Blk, SR, No Pointer, US P/S, DB25, E/P, Coiled, 8'	PS70-1010100-100	PS70-1010100-100R
PowerScan 7000 RS-232, Ylw/Blk, SR, No Pointer, EU P/S, DB25, E/P, Coiled, 8'	PS70-1010300-100	PS70-1010300-100R
PowerScan 7000 RS-232, Ylw/Blk, SR, No Pointer, DB25, POT, Coiled, 8'	PS70-1010000-102	PS70-1010000-102R
PowerScan 7000 RS-232, Ylw/Blk, SR, No Pointer, US P/S, 9D, S, E/P, 12'	PS70-1010100-146	PS70-1010100-146R
PowerScan 7000 RS-232, Ylw/Blk, SR, No Pointer, EU P/S, 9D, S, E/P, 12'	PS70-1010300-146	PS70-1010300-146R
PowerScan 7000 KBW, Ylw/Blk, SR, No Pointer, 6MDIN, P&S, E/P-POT, 12'	PS70-1020000-200	PS70-1020000-200R
PowerScan 7000 USB HID KB, Ylw/Blk, SR, No Pointer, Series A, POT, 12'	PS70-1030000-300	PS70-1030000-300R
PowerScan 7000 USB HID KB, Ylw/Blk, SR, No Pointer, Series A, POT, 6.5' (2M)	PS70-1030000-301	PS70-1030000-301R
PowerScan 7000 Wand Emulation, Ylw/Blk, SR, No Pointer, 9DSUB, CBL SEL, 8'	PS70-1060000-701	N/A
<b>PowerScan® 7000 Convenience Kits with Scanner and Cable, with Pointer</b>		
PowerScan 7000 RS-232, Ylw/Blk, SR w/ Pointer, US P/S, DB25, E/P, Coiled, 8'	PS70-1110101-100	PS70-1110101-100R
PowerScan 7000 RS-232, Ylw/Blk, SR w/ Pointer, EU P/S, DB25, E/P, Coiled, 8'	PS70-1110301-100	PS70-1110301-100R
PowerScan 7000 RS-232, Ylw/Blk, SR w/ Pointer, DB25, POT, Coiled, 8'	PS70-1110001-102	PS70-1110001-102R
PowerScan 7000 RS-232, Ylw/Blk, SR w/ Pointer, US P/S, 9D, S, E/P, 12'	PS70-1110101-146	PS70-1110101-146R
PowerScan 7000 RS-232, Ylw/Blk, SR w/ Pointer, EU P/S, 9D, S, E/P, 12'	PS70-1110301-146	PS70-1110301-146R
PowerScan 7000 KBW, Ylw/Blk, SR w/ Pointer, 6MDIN, P&S, E/P-POT, 12'	PS70-1120001-200	PS70-1120001-200R
PowerScan 7000 USB HID KB, Ylw/Blk, SR w/ Pointer, Series A, POT, 12'	PS70-1130001-300	PS70-1130001-300R
PowerScan 7000 USB HID KB, Ylw/Blk, SR w/ Pointer, Series A, POT, 6.5' (2M)	PS70-1130001-301	PS70-1130001-301R
PowerScan 7000 Wand Emulation, Ylw/Blk, SR w/ Pointer, 9DSUB, CBL SEL, 8'	PS70-1160001-701	N/A
<b>PowerScan® 7000 Scanner w/o Pointer</b>		
PowerScan 7000 RS-232, Ylw/Blk, SR, No Pointer	PS70-1010000	PS70-1010000R
PowerScan 7000 KBW, Ylw/Blk, SR, No Pointer	PS70-1020000	PS70-1020000R
PowerScan 7000 USB HID KB, Ylw/Blk, SR, No Pointer	PS70-1030000	PS70-1030000R
PowerScan 7000 Wand Emulation, Ylw/Blk, SR, No Pointer	PS70-1060000	PS70-1060000R
<b>PowerScan® 7000 Scanner with Pointer</b>		
PowerScan 7000 RS-232, Ylw/Blk, SR w/ Pointer	PS70-1110001	PS70-1110001R
PowerScan 7000 KBW, Ylw/Blk, SR w/ Pointer	PS70-1120001	PS70-1120001R
PowerScan 7000 USB HID KB, Ylw/Blk, SR w/ Pointer	PS70-1130001	PS70-1130001R
PowerScan 7000 Wand Emulation, Ylw/Blk, SR w/ Pointer	PS70-1160001	PS70-1160001R

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.  
R40-0200 N 0608

**US Service Options (International Customers please contact your local office)**

Description (part number and price reflect a four year option)	Part Number
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-PS7K SRI-4
Service Plus 2-Day: Datalogic pays freight both ways, two business days	W-PS7K SRI-4
Service Plus 5-Day: Datalogic pays return freight, five business day service	E-PS7K SRI-4
Note: Contact your Datalogic Representative for custom programs.	
Note: See Service Section (p. 79) for additional pricing options.	

**PowerScan® 7000 Accessories**

Description	Part Number	RoHS** Part Number
Power Supply, STD US, 120V	4004-0705	4004-0794
Power Supply, US, 120V with Desk Top Plug	4004-0799	4004-0799
PowerHood Padded Cover	11-0109	11-0109
Hands-free Stand	11-0110	11-0110
Universal Mounting Kit for PowerScan	11-0111	11-0111
Industrial Take-up Reel	7-0404	7-0404
Heated Holder, 24V	11-0139	11-0139
Heated Holder, 36V	7-0659	11-0138
Heated Holder, 48V	11-0140	11-0140
Manual, PRG (printed)	R44-2706	R44-2706

**Cables**

Description	Part Number	RoHS** Part Number
RS-232 Cable, Ext. Pwr., 25 Dsub, Coil, 8'	8-0736-01	8-0736-01
RS-232 Cable, Ext. Pwr., 25 Dsub, 12'	8-0423-02	8-0736-02
RS-232 Cable, DB9S, Coil, 8'	8-0423-03	8-0736-03
RS-232 Cable, DB9S, Ext. Pwr., 12'	8-0736-80	8-0736-80
KBW, 5DIN, P&S, E/P-POT, Coil, 12'	8-0741-03	8-0741-03
KBW, 25D, S, E/P, 12'	8-0741-16	8-0741-16
USB Series A Cable, POT, 12'	8-0734-08	8-0734-08
USB Series A Cable, POT, High Speed, 2M	8-0734-10	8-0734-10

Hand Held Scanners

## PowerScan® 7000 2D Imager

The PowerScan 7000 2D Imager offers best-in-class performance, features and durability. There is not a more rugged 2D scanner on the market, and the PowerScan 7000 2D even reads OCR fonts in addition to all of the other 1D and 2D labels. Standard factory warranty is five years.



\*\*All versions RoHS compliant.



Description	RoHS ** Part Number
<b>PowerScan 7000 2D Imager Convenience Kits with Scanner and Cable</b>	
PowerScan 7000 2D RS-232, Ylw/Blk, SR, P/S, 9D, S, E/P, 12'	PS72-1000-1100-106
PowerScan 7000 2D RS-232, Ylw/Blk, HD, P/S, 9D, S, E/P, 12'	PS72-1100-1100-106
PowerScan 7000 2D USB, Ylw/Blk, SR, Series A, POT, 12'	PS72-2000-0200-201
PowerScan 7000 2D USB, Ylw/Blk, HD, Series A, POT, 12'	PS72-2100-0200-201
PowerScan 7000 2D KBW, Ylw/Blk, SR, 25D, S, E/P, Coil, 12' (requires adaptor cable, see Universal Connectivity Guide)	PS72-3000-0300-302
PowerScan 7000 2D KBW, Ylw/Blk, HD, 25D, S, E/P, Coil, 12' (requires adaptor cable, see Universal Connectivity Guide)	PS72-3100-0300-302
<b>PowerScan 7000 2D Imager Scanner Only</b>	
PowerScan 7000 2D RS-232, Ylw/Blk, SR	PS72-1000-0100
PowerScan 7000 2D RS-232, Ylw/Blk, HD	PS72-1100-0100
PowerScan 7000 2D USB, Ylw/Blk, SR	PS72-2000-0200
PowerScan 7000 2D USB, Ylw/Blk, HD	PS72-2100-0200
PowerScan 7000 2D KBW, Ylw/Blk, SR	PS72-3000-0300
PowerScan 7000 2D KBW, Ylw/Blk, HD	PS72-3100-0300

### US Service Options (International Customers please contact your local office)

Description (part number and price reflect a five year option)	Part Number
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-PS7K 2D-5
Service Plus 2-Day: Datalogic pays freight both ways, two business days	W-PS7K 2D-5
Service Plus 5-Day: Datalogic pays return freight, five business day service	E-PS7K 2D-5
Note: Contact your Datalogic Representative for custom programs.	
Note: See Service Section (p.79) for additional pricing options.	

### PowerScan® 7000 2D Imager Accessories

Description	RoHS ** Part Number
P/S AC/DC, US, 110/120V, Wall Mount	4004-0794
P/S, US, 120V, Desk Top	4004-0799
PowerHood Padded Cover	11-0109
Hands-free Stand	11-0115
Universal Mounting Kit	11-0111
Industrial Take-up Reel	7-0404
Heated Holder, 24V	11-0139
Heated Holder, 36V	11-0138
Heated Holder, 48V	11-0140

### Cables

Description	RoHS ** Part Number
RS-232 Cable, Ext. Pwr., 25 Dsub, Coil, 8'	8-0736-01
RS-232 Cable, Ext. Pwr., 25 Dsub, 12'	8-0736-02
RS-232 Cable, DB9S, Coil, 8'	8-0736-03
RS-232 Cable, DB9S, Ext. Pwr, 12'	8-0736-80
KBW, 5DIN, P&S, E/P-POT, Coil, 12'	8-0741-03
KBW, 6MDIN, P&S, POT - E/P, 12'	8-0741-17
KBW, 25D, E/P, 12' (requires adaptor cable, see Universal Connectivity Guide)	8-0741-16
USB Series A Cable, POT, 12'	8-0734-08
USB Series A Cable, POT, High Speed, 2M	8-0734-10

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

R40-0200 N 0608

## PowerScan® 8300 Mobile

The PowerScan M8300 family offers outstanding characteristics in terms of ruggedness, durability and the ability to withstand extreme environmental conditions. Standard Range and Auto Range optics make it suitable for all industrial applications based on 1D bar codes. The operator's mobility, essential to increased efficiency and to improve safety is guaranteed by the narrow band STAR Datalogic Cordless System. Standard factory warranty is 3 years.



\*\*All versions RoHS compliant.



Description	RoHS ** Part Number
PowerScan M8300 910 MHz	PM8300-910
PowerScan M8300 Auto Range 910 MHz	PM8300-AR910
PowerScan M8300 Display 910 MHz	PM8300-D910
PowerScan M8300 Display Auto Range 910 MHz	PM8300-DAR910
PowerScan M8300 910 MHz Removable Battery	PM8300-910RB
PowerScan M8300 Auto Range 910 MHz Removable Battery	PM8300-AR910RB
PowerScan M8300 Display 910 MHz Removable Battery	PM8300-D910RB
PowerScan M8300 Display Auto Range 910 MHz Removable Battery	PM8300-DAR910RB
BC-8030 Base/Charger Multi-Interface 910 MHz	BC8030-910
BC-8060 Base/Charger Multi-Interface/RS485 910 MHz	BC8060-910
C-8000 Charging Only Base	CHR-PM80

### US Service Options (International Customers please contact your local office)

Description (part number and price reflect a three year option)	Part Number
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-PM83-3
Service Plus 2-Day: Datalogic pays freight both ways, two business days	W-PM83-3
Service Plus 5-Day: Datalogic pays return freight, five business day service	E-PM83-3
Contact your Datalogic Representative for custom programs.	
Note: See Service Section (p. 79) for Auto Range/PowerScan Base Service Pricing and additional pricing options.	

### PowerScan® 8300 Mobile Accessories



Description	RoHS ** Part Number
Multi-Charger 4 Slot	MC-P080
Spare Battery Slot	SBS-PM80
Removable Battery Pack	RBP-PM80
Fixed Battery Pack	FBP-PM80
Vehicle Mount Kit	VMK-8000
Desk/Wall Holder	HLD-P080
Hands-Free Stand	STD-P080
Universal Holster	HLS-P080
Protective Case/Belt Holster	PC-P080
Protective Case/Belt Holster With Display	PCD-P080
Software Reference Manual	SRM-P080
PGI2-10P55 AC/DC Power Supply w/o Cord	90ACCI883
KIT PGI2-10P55 AC/DC Power Supply EU	90ACCI895
KIT PGI2-10P55 AC/DC Power Supply US	90ACCI897
KIT PGI2-10P55 AC/DC Power Supply UK	90ACCI896

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

Datalogic Scanning U.S. Product Catalog

## Cables

Description	RoHS** Part Number
CAB-433 RS-232 PWR 9P Female Straight	CAB-433
CAB-448 RS232 9P Female Straight	CAB-448
CAB-450 RS232 Motorola VRC 69xx	CAB-450
CAB-501 RS232 PWR 9P Female Straight 3.2m	CAB-501
CAB-449 RS232 9P Female Coiled	CAB-449
CAB-434 RS232 PWR 9P Female Coiled	CAB-434
CAB-471 RS232 25P Female Coiled	CAB-471
CAB-451 RS232 Motorola VRS 79/89XX	CAB-451
CAB-472 RS232 25P Male Coiled	CAB-472
CAB-453 RS232 PWR 25P Female Coiled 2.4m	CAB-453
CAB-454 RS232 PWR 25P Female Coiled 3.6m	CAB-454
CAB-455 RS232 9P Female Coiled 2.4m	CAB-455
CAB-456 RS232 9P Male Coiled 3.6m	CAB-456
CAB-474 RS232 PWR 25P Female Coiled 3.6m	CAB-474
CAB-475 RS232 Sureone Coiled 3.6m	CAB-475
CAB-457 RS232 9P Female Coiled 3.6m	CAB-457
CAB-476 RS232 Sharp ER A610 Coiled 3.6m	CAB-476
CAB-477 RS232 PWR 25P Female Coiled 7.6m	CAB-477
CAB-458 RS232 PWR 9P Female Coiled 7.6m	CAB-458
CAB-478 RS232 9P Male Coiled 4.6m	CAB-478
CAB-459 RS232 PWR 9P Female Coiled 3.6m	CAB-459
CAB-479 RS232 9P Female Coiled 7.6m	CAB-479
CAB-461 RS232 RJ10 Magellan Bi-Optic AUX port Coiled 3.6m	CAB-461
CAB-480 RS232 9P Male Eltron Coiled 4.6m	CAB-480
CAB-436 KBW PS/2 Straight	CAB-436
CAB-442 KBW PWR PS/2 Straight	CAB-442
CAB-437 KBW PS/2 Coiled	CAB-437
CAB-443 KBW PWR PS/2 Coiled	CAB-443
CAB-462 KBW PWR PS/2 Coiled 3.6m	CAB-462
CAB-482 KBW PWR 25P Female Coiled 3.6m	CAB-482
CAB-463 KBW PS/2 Laptop Coiled 3.6m	CAB-463
CAB-483 KBW PWR Din Coiled 3.6m	CAB-483
CAB-484 KBW PS/2 Laptop Coiled 2.4m	CAB-484
CAB-485 KBW 3151, 347X, 378X Coiled	CAB-485
CAB-438 USB Type A Straight	CAB-438
CAB-440 USB PWR Type A Straight	CAB-440
CAB-465 USB Type A Straight 3.6m	CAB-465
CAB-439 USB Type A Coiled	CAB-439
CAB-441 USB PWR Type A Coiled	CAB-441
CAB-467 USB Type A Coiled Full SP 3.6m	CAB-467
CAB-470 WE 9P Male Straight	CAB-470
CAB-473 WE 9P Male Coiled	CAB-473
CAB-487 WE RJ6 Male Coiled 2.4m	CAB-487
CAB-488 WE RJ6 Decathlon Coiled 6.1m	CAB-488
CAB-489 WE Lemo LXE Terminal Coiled 2.4m	CAB-489
CAB-490 WE 9P Female Coiled 4.6m	CAB-490
CAB-491 WE RJ10 Intermec 2010 2.4m	CAB-491
CAB-468 Undecoded 9P Male Coiled	CAB-468
CAB-505 Undecoded DB9, Coiled, 12'	CAB-505

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

R40-0200 N 0608

## Lynx™ BT

The Lynx™ BT432 is the natural evolution of the consolidated Datalogic experience in 2D-CMOS readers. It frees the operator from cable entanglement thanks to Bluetooth® Radio communication. In fact, in most shop floor, warehouse management and parcel sorting applications, as well as in postal environments, the operator needs to move freely around the work place without having to worry about a twisted and/or entangled cable.

Standard factory warranty is two years.



\*\*All versions RoHS compliant



Description	RoHS** Part Number
<b>Lynx™ BT</b>	
Lynx BT432	901601039
Lynx BT432 Cordless System	901601042
Lynx BT432-E	901601048
Lynx BT432-E Cordless System	901601049
OM-1000 BT Base & Charger	90A401000

## US Service Options (International Customers please contact your local office)

Description (part number and price reflect a one year option)	Part Number
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	ZSMILNXB2
Service Plus 2-Day: Datalogic pays freight both ways, two business days	ZSMILNXB4
Service Plus 5-Day: Datalogic pays return freight, five business day service	ZSMILNXB5

Note: Contact your Datalogic Representative for custom programs.

## Lynx™ BT Accessories



Lynx Protective Case



Lynx Stand



Lynx Base

Description	Part Number
Power Cord US 2-Pin	90ACCI886
Power Cord UK 2-Pin	90ACCI887
Kit PGI2-10P55 AC/DC Power Supply EU	90ACCI895
Kit PGI2-10P55 AC/DC Power Supply UK	90ACCI896
Kit PGI2-10P55 AC/DC Power Supply US	90ACCI897
Kit PGI2-10P55 AC/DC Power Supply AU	90ACCI898
STD-1000 Handsfree Stand for Dragon & Lynx	90ACCI863
C-1000 Li-Ion Battery Charger	90ACCI901
Prot. Case-Belt Coupler for Dragon	90ACCI860
HLS-1000 Univ. Holster for Dragon & Lynx	90ACCI864
SPC-Dragon Desk/Wall Hld	90ACCI790
Metal Plate for STD-XXXX	90ACCI876
PGI2-10P55 AC/DC Power Supply (w/o Cord)	90ACCI883
Power Cord AUS 2-Pin	90ACCI884
Power Cord EU 2-Pin	90ACCI885

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

Datalogic Scanning U.S. Product Catalog

## Cables

Description	RoHS** Part Number
CAB-350 RS-232 Pwr Str. 9-Pin Fem.	90A051230
CAB-362 RS-232 Coiled 9-Pin Fem.	90A051330
CAB-363 RS-232 Coiled 25-Pin Fem. DCE	90A051340
CAB-364 RS-232 Coiled 25-Pin Male DTE	90A051350
CAB-365 IBM PS/2 Coiled Mini DIN Wedge	90A051360
CAB-388 RS-232/Beetle 9P M-Conn Coil	90A051700
CAB-389 RS-232/Beetle 9P M-Conn Str	90A051710
CAB-390 USB Type A Str. Ext. Power	90A051730
CAB-391 IBM/PS2 Coiled Mini DIN Ext. Pwr	90A051740
CAB-408 RS-232 Pwr Coil 9-Pin Fem	90A051891
CAB-409 RS-232 to C-Box Adapter, Coiled	90A051895
CAB-412 USB Type A, Opt-Pwr, Straight	90A051902
CAB-413 Powered USB, Straight	90A051903
CAB-320 RS-232 Straight 25-Pin DTE	90G001000
CAB-321 IBM PS/2 Str. Mini DIN Wedge	90G001010
CAB-327 RS-232 Straight 9-Pin Fem.	90G001070
CAB-328 RS-232 Straight 25-Pin Fem. DCE	90G001080

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

## PowerScan® 7000BT Standard Range Linear Imaging Scanner with Bluetooth® Wireless Technology

The PowerScan 7000BT SRI scanner is the markets' most durable and reliable cordless bar code reader. With an industry leading 500 scans per second read rate and great depth of field, the PowerScan 7000BT SRI delivers top scanning performance and 100 meter, Class 1 Bluetooth® Wireless Technology. This value priced cordless scanner can work through its own base station or in a system where it is directly linked to other Bluetooth enabled devices. Standard factory warranty is three years.



\*\*All versions RoHS compliant

Description	RoHS** Part Number
<b>PowerScan® 7000BT SRI Convenience Kits with Scanner, Base Station and Cable, No Pointer</b>	
PowerScan 7000BT RS-232, Ylw/Blk, Base Station, No Pointer, US P/S, DB25, E/P, Coiled, 8'	PS71-1011012-100
PowerScan 7000BT RS-232, Ylw/Blk, Base Station, No Pointer, EU P/S, DB25, E/P, Coiled, 8'	PS71-1011032-100
PowerScan 7000BT RS-232, Ylw/Blk, Base Station, No Pointer, US P/S, 9D, S, E/P, 12'	PS71-1011012-146
PowerScan 7000BT RS-232, Ylw/Blk, Base Station, No Pointer, EU P/S, 9D, S, E/P, 12'	PS71-1011032-146
PowerScan 7000BT KBW, Ylw/Blk, Base Station, No Pointer, US P/S, 6MDIN, P&S, E/P-POT, 12'	PS71-1012012-201
PowerScan 7000BT KBW, Ylw/Blk, Base Station, No Pointer, EU P/S, 6MDIN, P&S, E/P-POT, 12'	PS71-1012032-201
PowerScan 7000BT USB HID KB, Ylw/Blk, Base Station, No Pointer, US P/S, Series A, POT, 12'	PS71-1013012-300
PowerScan 7000BT USB HID KB, Ylw/Blk, Base Station, No Pointer, EU P/S, Series A, POT, 12'	PS71-1013032-300
PowerScan 7000BT USB HID KB, Ylw/Blk, Base Station, No Pointer, US P/S, Series A, POT, 6.5' (2M)	PS71-1013012-301
PowerScan 7000BT USB HID KB, Ylw/Blk, Base Station, No Pointer, EU P/S, Series A, POT, 6.5' (2M)	PS71-1013032-301
PowerScan 7000BT Wand Emulation, Ylw/Blk, Base Station, No Pointer, US P/S, 9D SQZ, S, POT, 12'	PS71-1016012-704
PowerScan 7000BT Wand Emulation, Ylw/Blk, Base Station, No Pointer, EU P/S, 9D SQZ, S, POT, 12'	PS71-1016032-704
<b>PowerScan® 7000BT SRI Convenience Kits with Scanner, Base Station, Cable and Pointer</b>	
PowerScan 7000BT RS-232, Ylw/Blk, Base Station, w/ Pointer, US P/S, DB25, E/P, Coiled, 8'	PS71-1111012-100
PowerScan 7000BT RS-232, Ylw/Blk, Base Station, w/ Pointer, EU P/S, DB25, E/P, Coiled, 8'	PS71-1111032-100
PowerScan 7000BT RS-232, Ylw/Blk, Base Station, w/ Pointer, US P/S, 9D, S, E/P, 12'	PS71-1111012-146
PowerScan 7000BT RS-232, Ylw/Blk, Base Station, w/ Pointer, EU P/S, 9D, S, E/P, 12'	PS71-1111032-146
PowerScan 7000BT KBW, Ylw/Blk, Base Station, w/ Pointer, US P/S, 6MDIN, P&S, E/P-POT, 12'	PS71-1112012-201
PowerScan 7000BT KBW, Ylw/Blk, Base Station, w/ Pointer, EU P/S, 6MDIN, P&S, E/P-POT, 12'	PS71-1112032-201
PowerScan 7000BT USB HID KB, Ylw/Blk, Base Station, w/ Pointer, US P/S, Series A, POT, 12'	PS71-1113012-300
PowerScan 7000BT USB HID KB, Ylw/Blk, Base Station, w/ Pointer, EU P/S, Series A, POT, 12'	PS71-1113032-300
PowerScan 7000BT USB HID KB, Ylw/Blk, Base Station, w/ Pointer, US P/S, Series A, POT, 6.5' (2M)	PS71-1113012-301
PowerScan 7000BT USB HID KB, Ylw/Blk, Base Station, w/ Pointer, EU P/S, Series A, POT, 6.5' (2M)	PS71-1113032-301
PowerScan 7000BT Wand Emulation, Ylw/Blk, Base Station, w/ Pointer, US P/S, 9D SQZ, S, POT, 12'	PS71-1116012-704
PowerScan 7000BT Wand Emulation, Ylw/Blk, Base Station, w/ Pointer, EU P/S, 9D SQZ, S, POT, 12'	PS71-1116032-704
<b>PowerScan® 7000BT SRI Scanner Only, No Pointer</b>	
PowerScan 7000BT RS-232, Ylw/Blk, No Pointer	PS71-1001000
PowerScan 7000BT KBW, Ylw/Blk, No Pointer	PS71-1002000
PowerScan 7000BT USB HID KB, Ylw/Blk, No Pointer	PS71-1003000
PowerScan 7000BT Wand Emulation, Ylw/Blk, No Pointer	PS71-1006000
<b>PowerScan® 7000BT SRI Scanner Only, Pointer</b>	
PowerScan 7000BT RS-232, Ylw/Blk w/ Pointer	PS71-1101000
PowerScan 7000BT KBW, Ylw/Blk w/ Pointer	PS71-1102000
PowerScan 7000BT USB HID KB, Ylw/Blk w/ Pointer	PS71-1103000
PowerScan 7000BT Wand Emulation, Ylw/Blk w/ Pointer	PS71-1106000
<b>PowerScan® 7000BT SRI Base Station Only</b>	
Base Station Only, RS-232, No P/S	PS71-0011001
Base Station Only, KBW, No P/S	PS71-0012001
Base Station Only, USB HID KB, No P/S	PS71-0013001
Base Station Only, Wand Emulation, No P/S	PS71-0016001

Hand Held Scanners

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

Datalogic Scanning U.S. Product Catalog



## US Service Options (International Customers please contact your local office)

Description (part number and price reflect a four year option)	Part Number
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	Q-PS7K SRI BT-3
Service Plus 2-Day: Datalogic pays freight both ways, two business days	W-PS7K SRI BT-3
Service Plus 5-Day: Datalogic pays return freight, five business day service	E-PS7K SRI BT-3
Note: Contact your Datalogic Representative for custom programs.	
Note: Four year option shown, see Service Section (p.79) for additional pricing options.	

## PowerScan® 7000BT SRI Accessories

Description	RoHS ** Part Number
Power Supply, STD US, 120V	4004-0794
Power Supply, US, 120V with Desk Top Plug	4004-0799
PowerHood Padded Cover for PowerScan 7000	11-0109
Battery Pack	11-0218
Four Station Battery Charger, US T&L	11-0202
Four Station Battery Charger, US Std	11-0203
Four Station Battery Charger, Euro	11-0204
Four Station Battery Charger, UK	11-0205
Hands-free Stand	11-0110
Universal Mounting Kit for PowerScan 7000	11-0111
Industrial Take-up Reel	7-0404
Heated Holder, 24V	11-0139
Heated Holder, 36V	11-0138
Heated Holder, 48V	11-0140
Manual, PRG	R44-2587

## Cables

Description	RoHS ** Part Number
RS-232 Cable, Ext. Pwr, 25 Dsub, Coil, 8'	8-0736-01
RS-232 Cable, Ext. Pwr, 25 Dsub, 12'	8-0736-02
RS-232 Cable, DB9S, Coil, 8'	8-0736-03
RS-232 Cable, DB9S, Ext. Pwr, 12'	8-0736-80
KBW, 5DIN, P&S, E/P, Coil, 12'	8-0741-03
KBW, 25D, E/P, 12'	8-0741-16
KBW, 6MDIN, P&S, POT - E/P, 12'	8-0741-17
USB Series A Cable, POT, 12'	8-0734-08
USB Series A Cable, POT, High Speed, 2M	8-0734-10

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

## P51 Optic Pen

Standard factory warranty is one year.



Description	RoHS ** Part Number
P51R-12 6 MILS	J9703901
P51R-22 15 MILS	J9703904
P51R-32 10 MILS	J9703907


## P51 Accessories

Description	RoHS ** Part Number
SPCI Plastic Pen-Holder	B8204185
DLDI000 Univ/Mini Decoder	907301000

## PowerWedge® Decoders

For fast and accurate performance, choose a PowerWedge decoder from Datalogic Inc.

Notes for PowerWedge models: All decoders require an input device, which must be ordered separately. Keyboards or serial interface cables and power supplies must be ordered separately. Refer to the Cable Selection For Supported Hosts and Terminals for interface cables for the PowerWedge decoder family.



Description	Part Number	RoHS ** Part Number
<b>Mini PowerWedge</b>		
Mini PowerWedge Decoder	FD-000-01	N/A
<b>PowerWedge 10</b>		
PowerWedge 10, KBW Model	FD-000-11	N/A
PowerWedge 10, Serial Model	FD-000-10	N/A
<b>PowerWedge 20</b>		
PowerWedge 20 Universal Decoder, Serial & Keyboard I/F	FD-000-20	N/A
PowerWedge 20 Dual Decoder, Serial & Keyboard I/F	FD-000-22	N/A

## Accessories / Documentation

Description	Part Number	RoHS ** Part Number
PowerWedge 10/PowerWedge 20/Mini PowerWedge, Cloning Cable (Copies Configuration Settings from "Master" to "Slave" Unit)	00-874-25	N/A
Power Supply, 110V for PowerWedge 10/PowerWedge 20 (Required for Serial I/F Only)	00-892-10	N/A
Manual, PowerWedge 10, User's Guide (printed, not included)	R44-2317	Same
Manual, PowerWedge 20, User's Guide (printed, not included)	R44-2318	Same
Manual, Mini PowerWedge, User's Guide (printed, not included)	R44-2315	Same
Programming Reference, Mini PowerWedge Fixed Station	R44-2316	Same

Note: Please check with your local office for all pricing.  
 \*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.  
 Datalogic Scanning U.S. Product Catalog

## Keyboard Interface Cables

For a complete list refer to the Cable Guide for Supported Hosts and Terminals.

Description	Part Number	RoHS ** Part Number
Data General D213, D413, D463	00-114-00	N/A
Decision Data 3496, 3781	00-113-00	N/A
IBM PC/XT/AT and compatibles	00-001-00	N/A
IBM PS/2, all models and compatibles	00-061-00	N/A
IBM 3151, 347x, and compatibles	0006500-PF	N/A
IBM 3178	00-121-00	N/A
IBM 3179, 3180/91/92/97	00-111-00	N/A
Memorex/Telex 1472 and 180-1 terminals	00-112-00	N/A

## Serial and Eavesdrop Cables

For a complete list refer to the Cable Guide for Supported Hosts and Terminals.

Description	Part Number	RoHS ** Part Number
Auxiliary serial device cable (Series 20 only)	00-874-20	N/A
Stand-alone: 25-pin PC-type installation (PowerWedge® 10 only)*	00-874-XX	N/A
Stand-alone with an auxiliary serial input connector	01-874-01	N/A
Eavesdrop: 25-pin and 25-pin male to 25-pin (specify M or F & pin-out)*	00-876-XX	N/A
Eavesdrop: 9-pin and 25-pin male (PowerWedge® 10 only)*	00-876-XX	N/A

\*\*XX\* in part numbers indicate that information about specific installation is needed to determine the exact cable part number. Refer to the Serial Cable Selection Guide.

## Master B/BB

Description	Part Number	RoHS ** Part Number
Master B+ standard (multi-ports)	9100000-R	9100000-R
Master BB+ standard (mono port, version miniature)	9000000-R	9000000-R



## Master B/BB Accessories

Description	Part Number	RoHS ** Part Number
Power Supply, 5V 500mA 220V, Master B+	AH50BST-PF	N/A
Power Supply, 5V 500mA 220V, Master BB+	AH5BBST	AH5BBST-R
Power Supply 5V 1A, 110V UL BB+	AD5BBUL	N/A
Power Supply, 5V 1A, 220V GS B+	AD50BGS-PF	AD50BGS-PF-R
Power Supply, 5V 1A, 220V GS BB+	AD5BBGS	AD5BBGS-R
Display (2 lines x 16 characters)	FSDIS21-PF	FSDIS21-PF-R
Programming Guide, Master B/BB, French	HNMANFR	HNMANFR-R
Programming Guide, Master B/BB, English	HNMANUK	HNMANUK-R

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

## STAR-Modem™

STAR-Modem™, the new Industrial Narrow Band Radio Modem, makes it possible for any wired RS-232 device to become wireless. Its small sized, IP64 sealed, industrial case is tested for fork truck applications. This versatile device allows networked automatic roaming throughout large facilities. Standard factory warranty is two years.



\*\*All versions RoHS compliant



Description	RoHS** Part Number
<b>STAR-Modem™ 910 MHz</b>	
STAR-Modem RF TX/RX 433 MHz 5VDC	90ACCI861
STAR-Modem RF TX/RX 910 MHz	90ACCI868
<b>STAR-Modem™ 433 MHz</b>	
STAR-Modem RF TX/RX 910 MHz 5VDC	90ACCI869
STAR-Modem RF TX/RX 433 MHz	90ACCI856

## US Service Options (International Customers please contact your local office)

Description (part number and price reflect a one year option)	Part Number
Quick Replacement: Datalogic owned spares (not loaners), same day shipping	ZSMISTMD2
Service Plus 2-Day: Datalogic pays freight both ways, two business days	ZSMISTMD4
Service Plus 5-Day: Datalogic pays return freight, five business day service	ZSMISTMD5

Note: Contact your Datalogic Representative for custom programs.

## STAR-Modem™ Accessories

Description	RoHS** Part Number
PGI2-10P55 AC/DC Power Supply (w/o Cord)	90ACCI883
Power Cord AUS 2-Pin	90ACCI884
Power Cord EU 2-Pin	90ACCI885
Power Cord UK 2-Pin	90ACCI887
Kit PG5-05P55 AC/DC Power Supply EU	90ACCI891
Kit PG5-05P55 AC/DC Power Supply UK	90ACCI892
Power Cord US 2-Pin	90ACCI886
Kit PGI2-10P55 AC/DC Power Supply US	90ACCI897
Kit PG5-05P55 AC/DC Power Supply US	90ACCI893
Kit PGI2-10P55 AC/DC Power Supply EU	90ACCI895
Kit PGI2-10P55 AC/DC Power Supply UK	90ACCI896
Kit PGI2-10P55 AC/DC Power Supply AU	90ACCI898

## Cables

Description	RoHS** Part Number
CAB-348 Wand Emul. Coil 9-Pin Male	90A051210
CAB-365 IBM PS/2 Coiled Mini DIN Wedge	90A051360
CAB-373 Wyse VDT Str. 4P Phone Conn.	90A051470
CAB-375 DEC VDT Straight 4P Phone Conn.	90A051490
CAB-321 IBM PS/2 Str. Mini DIN Wedge	90G001010
CAB-322 IBM AT/XT Str. DIN Wedge	90G001020
CAB-323 Wand Emul. Str. 9-Pin Male	90G001030
CAB-325 IBM VDT3151, 34XX Straight	90G001050

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

Datalogic Scanning U.S. Product Catalog

## Cable Guide for Supported Hosts and Terminals

Computer / Terminal Model	Mini PowerWedge® FD-000-01 Keyboard Model	PowerWedge® 10 FD-000-11 Keyboard Model	PowerWedge® 10 FD-000-10 Serial Model	PowerWedge® 20 FD-000-20/-22 Keyboard Model	PowerWedge® 20 FD-000-20/-22 Serial Model
ACER PC, XT, 710	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
ACER 321 (Series 10: EPC keyboard, extra delay, no emul., compatible with Wyse 60)	N/A	N/A	00-876-02	22-050-00*	00-876-02
ACER 915	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
ACER 1030 (must push decoder pigtail plugcover back)	00-061-00	00-061-00	See Pages 71-73	00-061-00	See Pages 71-73
ACER 1100SX (if 061 interface, PowerWedge® 10 host select = 11)	00-061-00	00-061-00	See Pages 71-73	00-061-00	See Pages 71-73
ADDS 4000 (ASCII), 4200 (color ANSI), 4320 (ANSI) terminals	00-005-00	00-005-00	See Pages 71-73	00-005-00	See Pages 71-73
Advanced Logic Research 386-220	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Alpha Micro AM 150, AM 506	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
ALR 386-220	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Altos 4 terminal (program PowerWedge as WY85)	N/A	N/A	See Pages 71-73	22-050-00*	See Pages 71-73
Amdek 286 PC, 386 PC	N/A	N/A	See Pages 71-73	22-050-00*	See Pages 71-73
American XT	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
Amstrad PC 2086	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
Arch 386	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
AST 286	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
AT&T 386 SX	00-061-00	00-061-00	See Pages 71-73	00-061-00	See Pages 71-73
AT&T 6300, 6300 PLUS, 6312, 6386	N/A	N/A	00-874-04	N/A	00-874-04
AT&T 63xx WGS	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
AT&T 6386/SX/25/WGS	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
AT&T SXEL	00-061-00	00-061-00	See Pages 71-73	00-061-00	See Pages 71-73
Avftec PC, XL, DL	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Blazer XT, AT	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
CANON Athena PC	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Columbia Data Products (MPC 4220, VP?)	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Commodore PC 40	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Compaq DeskPro 1-5, Plus	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Compaq DeskPro 386 Model 20 (requires PS/2 adaptors)	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Compaq DeskPro 386-S	00-061-00	00-061-00	See Pages 71-73	00-061-00	See Pages 71-73
Compaq 286i	00-001-00	00-001-00	00-874-04 (25P) 00-874-05 (9P)	00-001-00	00-874-04
Compaq Portable	N/A	N/A	00-874-04/05	00-061-00	00-874-04
Compaq Pro Linea	00-061-00	00-061-00	See Pages 71-73	00-061-00	See Pages 71-73
CompuAdd 216	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
CompuAdd 316S	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
Cordata AT	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Cordata Portable, PC, CS40	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Data General, AV210, AV 410	N/A	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Data General D217, D413, D463	N/A	00-114-00	See Pages 71-73	00-114-00	See Pages 71-73
Dawning Technologies	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
DEC VT220, VT240 series, VT320, VT330, VT340, VT420DECmate 2&3, (PC 100), PRO 350, PRO 360, VAXstation 3100, X Windows terminal (VT1000)	N/A	N/A	00-876-02	N/A	00-876-02
DEC DecStation 210, 316, 320	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

R40-0200 N 0608

## Cable Guide for Supported Hosts and Terminals

Computer / Terminal Model	Mini PowerWedge® FD-000-01 Keyboard Model	PowerWedge® 10 FD-000-11 Keyboard Model	PowerWedge® 10 FD-000-10 Serial Model	PowerWedge® 20 FD-000-20/-22 Keyboard Model	PowerWedge® 20 FD-000-20/-22 Serial Model
DEC 325C	00-061-00	00-061-00	See Pages 71-73	00-061-00	See Pages 71-73
DEC VT 100	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
DEC PC Venturis 851, 854	00-061-00	00-061-00	See Pages 71-73	00-061-00	See Pages 71-73
DEC VT 510, VT 520	00-061-00	00-061-00	See Pages 71-73	00-061-00	See Pages 71-73
Decision Data 3496, 3781	00-113-00	00-113-00	See Pages 71-73	00-113-00	See Pages 71-73
Decision Data 382 Workstation	N/A	N/A	See Pages 71-73	00-112-00	See Pages 71-73
Dell 220	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Dell 210 (PowerWedge® 10 B0=13)	00-061-00	00-061-00	See Pages 71-73	00-061-00	See Pages 71-73
Eagle PC	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Epson Equity I Plus	00-001-00	00-001-00	00-874-04	00-001-00	00-874-04
Epson Equity I, IE, II, III (not +)	N/A	N/A	00-874-05	N/A	00-874-05
Equity II+, III+	00-001-00	00-001-00	00-874-05	00-001-00	00-874-05
Everex 1600	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Everex AGI (PowerWedge® 10 Host Select = 13)	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Everex 1800, Step, 286	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Falco F560, 560VF, F5600 terminal w/ ASCII/ANSI keyboards(102-key keyboards)	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Faraday motherboard	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Graphon Model 14 & 21 terminals (PS/2 Model 50 setting)	00-061-00	00-061-00	See Pages 71-73	00-061-00	See Pages 71-73
Harris 471 with 122 keyboard	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
HDS all terminals	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
Hewlett-Packard 2392A, 700/92, 700/41, 700/71	N/A	N/A	00-876-02	N/A	00-876-02
Hewlett-Packard Vectra CS	N/A	N/A	See Pages 71-73	00-001-00	See Pages 71-73
Hewlett-Packard Vectra w/alpha designs (OS 16S, QA 16)	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Hewlett-Packard Vectra w/numeric designs (286 12, 386 25)	00-061-00	00-061-00	See Pages 71-73	00-061-00	See Pages 71-73
Hewlett-Packard Vectra LS/12 (laptop)	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
Hexace Technologies System 2	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Honeywell	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
Honeywell AT	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Hyundai Super 16T	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
IBS Corp.	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
IBM PC, XT	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
IBM AT	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
IBM 3151, 3471, 3472, 3476, 3477, 3482, 3486, 3487, 3488 and Infowindow	0006500-PF	0006500-PF	See Pages 71-73	0006500-PF	See Pages 71-73
IBM 3153	N/A	N/A	See Pages 71-73	00-005-00	See Pages 71-73
IBM 3178	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
IBM 3164, 3179, 3180-2, 3191, 3192, 3196, 3197	00-111-00	00-111-00	See Pages 71-73	00-111-00	See Pages 71-73
IBM 3683	N/A	N/A	See Pages 71-73	Call	See Pages 71-73
IBM 4684, 4694 POS Register	00-061-00	00-061-00	See Pages 71-73	00-061-00	See Pages 71-73
IBM RT (keyboard is hardwired so serial & BARCOM)	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
IBM PS 1 (Host Select II)	N/A	N/A	See Pages 71-73	00-061-00	See Pages 71-73
IBM PS/2 Model 25, 30	00-061-00	00-061-00	See Pages 71-73	00-061-00	See Pages 71-73
IBM PS/2 Model 25-286, 30-286, 50, 50Z, 55, 60, 80, 90, 95	00-061-00	00-061-00	See Pages 71-73	00-061-00	See Pages 71-73
IBM PS/2 Model 70 may require Model 25/30 setting	00-061-00	00-061-00	See Pages 71-73	00-061-00	See Pages 71-73

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

Datalogic Scanning U.S. Product Catalog

## Cable Guide for Supported Hosts and Terminals

Computer / Terminal Model	Mini PowerWedge® FD-000-01 Keyboard Model	PowerWedge® 10 FD-000-11 Keyboard Model	PowerWedge® 10 FD-000-10 Serial Model	PowerWedge® 20 FD-000-20/-22 Keyboard Model	PowerWedge® 20 FD-000-20/-22 Serial Model
Idea 276, 277, 486, 487	N/A	N/A	See Pages 71-73	00-080-00	See Pages 71-73
Intech AT	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
I/O Corp 2476 Terminal	N/A	N/A	See Pages 71-73	00-001-00	See Pages 71-73
Isotropic B/T	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
ITT XTRA	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Kaypro 16, Desktop PC	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Kaypro 286i AT	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
Kimtron KT-7/PC, KT-70/PC with 4x6 RJ12 connector	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
Kimtron (terminal)	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
KT-70/PC w/101-key keyboard (the only one w/ 5-pin DIN connector)					
Leading Edge Model D	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Link PCTerm, MCI, MC3 w/AT keyboard	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
Link MC70 (Set to Wyse 85)	N/A	N/A	00-876-02	22-050-00*	00-876-02
Link MC5 w/EPC keybd set decoder to EPC w/ANSI keybd set decoder to Wyse 85 w/ASCII keybd set decoder to ASCII/ANSI	N/A	N/A	00-876-02	22-050-00*	00-876-02
Link MC2 - EPC keybd only; set PowerWedge 10 and Series 20 Wyse decoder to EPC	N/A	N/A	00-876-02	22-050-00*	00-876-02
Link MCI0	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Memorex 1196, 1471, 1472, 1476, 1477, 1482 and 180-1 terminals	00-112-00	00-112-00	See Pages 71-73	00-112-00	See Pages 71-73
Memorex/Telex 1191/1192 (host select 15)	N/A	N/A	See Pages 71-73	00-001-00	See Pages 71-73
Memorex 1489	N/A	N/A	See Pages 71-73	00-080-00	See Pages 71-73
Mitsubishi 286	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Modgraph GX2000	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
NCD16, NCD19, NCD C17	00-061-00	00-061-00	See Pages 71-73	00-061-00	See Pages 71-73
NCR PC4, PC6	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
NCR PC8	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
NCR 2900 Series	N/A	N/A	See Pages 71-73	00-005-00	See Pages 71-73
NEC Powermate 286	N/A	N/A	See Pages 71-73	00-003-00	See Pages 71-73
NEC 386	00-001-00	00-001-00	00-001-00	00-001-00	See Pages 71-73
NEC 386 SX	00-061-00	00-061-00	See Pages 71-73	00-061-00	See Pages 71-73
NorthStar Dimension (requires adapter board from Fischer Computer Systems, 707-965-2414, & keyboard with IBM connector instead of RJ11 type)	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Olivetti PC	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
Packard Bell P88	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
Packard Bell VX88	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Premier 1400 (need PS/2 connector w/ AT ROM)	00-061-00	00-061-00	See Pages 71-73	00-061-00	See Pages 71-73
PCPI	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Qume	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Samsung 286	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Samsung 386 Model S800	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
Santa Clara Systems PC terminal	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Sanyo MBC 775 PC	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Sanyo MBC-17 plus	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Sperry IT (AT compat kybd only; no HT or professional.)	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

R40-0200 N 0608

## Cable Guide for Supported Hosts and Terminals

Computer / Terminal Model	Mini PowerWedge® FD-000-01 Keyboard Model	PowerWedge® 10 FD-000-11 Keyboard Model	PowerWedge® 10 FD-000-10 Serial Model	PowerWedge® 20 FD-000-20/22 Keyboard Model	PowerWedge® 20 FD-000-20/22 Serial Model
Tandon PC A30, PGA	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Tandy 100, 200, 1000, 1000SX, 1000TX, DT 110 terminal	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
Tandy 1000TL, 1200	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Tandy 1000RL, 1000RLX, 1000RLHD, 1000TL3	00-061-00	00-061-00	See Pages 71-73	00-061-00	See Pages 71-73
Tandy 1530 Grid	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Tandy 2500XL, 2500 XL2	00-061-00	00-061-00	See Pages 71-73	00-061-00	See Pages 71-73
Tandy 300 HL, 3000, 3000 HD, 4000	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Tandy 5000	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Tatung TC S-6000	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Televideo 935, 9065	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
TeleVideo 905, 910, 910+, 912, 914, 920, 921, 922, 924, 925E, 950, 955, 970, 9220, 9550	N/A	N/A	00-876-02	N/A	00-876-02
TeleVideo PC, PC+	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
TeleVideo TeleCat, 386	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Toshiba Portable	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
Tulip XT	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Tulip AT	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
UNISYS 300 terminal	N/A	N/A	See Pages 71-73	00-001-00	See Pages 71-73
UNISYS SVT 1120 terminal - keyboard styles "B" & "E"	N/A	N/A	See Pages 71-73	Call	See Pages 71-73
UNISYS UTS 20/30/40 terminals - keyboard styles "B" & "E"	N/A	N/A	See Pages 71-73	Call	See Pages 71-73
UNISYS 4000 terminals	N/A	N/A	See Pages 71-73	Call	See Pages 71-73
UNISYS/Sperry PC, PCHT	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
UNISYS/Sperry PW2, PW825	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Unitron 386 SX	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Vindex Headstart 3	00-061-00	00-061-00	See Pages 71-73	00-061-00	See Pages 71-73
Wells American A Star AT	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Western Computer 1000	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Wyse 150 ES or 150 Plus	N/A	N/A	See Pages 71-73	22-050-00	See Pages 71-73
Wyse 370 terminal	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
Wyse 99GT (PowerWedge 10 tested w/EPC & ASCII keyboards: worked fine. VT220 keyboard style comp. unknown.)	N/A	N/A	00-876-02	22-050-00*	00-876-02
Wyse 30, 60, 85, 150, 1400 PC, 21xx PC, 22xx PC, pc 286, pc 386, 286 Model 2116 (same as 2108), 386 Model, 3255 series (same as 2108), 3116 SX, 2116I	N/A	N/A	00-876-02	22-050-00*	00-876-02
Wyse 50 terminal	N/A	N/A	00-876-02	N/A	00-876-02
Wyse 160 terminal	N/A	N/A	00-876-02	22-050-00*	See Pages 71-73
Wyse 2012I, 3016SX (may take PC or AT setting)	00-001-00	00-001-00	00-876-02	00-001-00	See Pages 71-73
Wyse Decision 386SX	00-001-00	00-001-00	00-876-02	00-001-00	See Pages 71-73
Wyse 185 terminal (PowerWedge 10 set Host Select=05)	N/A	N/A	00-876-02	22-050-00*	See Pages 71-73
Wyse 2008 (needs 220V Power Supply)	N/A	N/A	00-876-02	22-050-00*	See Pages 71-73
Wyse 3216, Decision 486 Model 25	N/A	N/A	00-876-02	00-001-00	See Pages 71-73
Xerox 6064, 6065	N/A	N/A	See Pages 71-73	N/A	See Pages 71-73
Zenith Z-138, 148, 150, 159, 160, 171, 181, 182, 183	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73
Zenith Z-240 to 248 (AT type)	00-001-00	00-001-00	See Pages 71-73	00-001-00	See Pages 71-73

\*Decoder with a dedicated cable. Cable is hardwired to the decoder.

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

Datalogic Scanning U.S. Product Catalog



## Serial Cable Selection

### Serial Cables

Stand-alone and eavesdrop are the two standard types of serial configurations. Stand-alone denotes a decoder connected to a computer's serial port. An eavesdrop installation places the decoder between a terminal and a host computer in a multi-use system.

#### Stand-Alone

A stand-alone configuration connects a decoder directly to a computer's serial port. It requires a single length of cable with a connector on each end. Datalogic cable part numbers can be determined for each installation by answering the following questions:

1. What gender connector is on the computer (serial port)?
2. Which pin has data coming out of the computer (serial port)?
3. Is the computer's serial port an IBM AT 9-pin inte face?

M (Male)	F (Female)

Locate the appropriate serial cable by matching your answers to these questions, to this chart below.

### Serial Input Software

For a stand-alone serial configuration, the host computer must be programmed to receive serial data input. Many applications have this option built in. Datalogic offers Barcom for MS-DOS computers, which is a 2K Novell-compatible memory-resistant (TSR) program that makes serial input appear as if typed on the computer's keyboard. It does not require other software changes.

	1.F	1.M	1.F	1.M	1.M
	2.3	2.3	2.2	2.2	2.3
	3.N	3.N	3.N	3.N	3.Y
PowerWedge® 10 /Series 10 Plus	00-874-02*	00-874-02	00-874-03	00-874-04	00-874-05
PowerWedge® 20 /Series 20 Plus	00-874-02*	00-874-02	00-874-03	00-874-04	00-874-05
PowerWedge® 20 /Series 20 Plus with Auxilliary Serial Input (25-pin connector)	00-874-02* with 00-874-20	00-874-02 with 00-874-20	00-874-03 with 00-874-20	00-874-04 with 00-874-20	00-874-05 with 00-874-20

\*Cable 00-874-02 will also require a gender changer (female to male, 25pin DSub) on the host connection.

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

## Serial Cable Selection

### Barcom

A memory-resident (TSR) serial port to keyboard input converter for serial input decoders that are connected to MS-DOS based computers. Includes both 3.5 "and 5.25 " diskettes. Also, see Serial Input Software .

### Eavesdrop

Eavesdrop configuration requires a data cable with three connectors: one each for the existing data cable, the terminal's serial port, and the decoder. Determine the cable you need from answers to the following questions.

1. What gender connector is on the computer (serial port)?
2. What gender connector is on the terminal (serial port)?
3. Which pin has data coming out of the computer?
4. Which pin has data coming out of the terminal?

<b>M (Male)</b>	<b>F (Female)</b>
<b>M (Male)</b>	<b>F (Female)</b>

Locate the appropriate serial cable by matching your answers, to this chart below.

	<b>1.F</b>	<b>1.M</b>	<b>1.F</b>	<b>1.M</b>
	<b>2.F</b>	<b>2.F</b>	<b>2.F</b>	<b>2.F</b>
	<b>3.3</b>	<b>3.3</b>	<b>3.2</b>	<b>3.2</b>
	<b>4.2</b>	<b>4.2</b>	<b>4.2</b>	<b>4.2</b>
PowerWedge® 10 /Series 10 Plus	00-876-01	00-876-02	00-876-03	00-876-04
PowerWedge® 20 /Series 20 Plus	00-876-01	00-876-02	00-876-03	00-876-04
PowerWedge® 20 /Series 20 Plus	01-876-01 or 00-876-01	00-876-02	00-876-03	01-876-04 or 00-876-04
With Auxilliary Serial Input (25-pin connector)	with 00-874-20	with 00-874-20	with 00-874-20	with 00-874-20

Other Products

## Serial Cable Selection

### Cable Examples

Note – Cable requirements may vary based on PC ports and cards.

Computer / Terminal	Cable:	
	PowerWedge® 10	
Computer / Terminal	PowerWedge® 20	Comments
AT&T 6300*	00-874-04	25-pin
Compaq 286*	00-874-05	9-pin serial port
DEC VT220	00-876-02	
Epson Equity I, II*	00-874-04	
Epson Equity III, III+*	00-874-05	9-pin serial port
HP2392	00-876-04	
HP 2392-A	00-876-02	
HP 2621P	00-876-02	
IBM AT/XT*	00-874-05	9-pin serial port, requires BARCOM
IBM AT/XT*	00-874-04	25-pin serial port, requires BARCOM
IBM PS/2*	00-874-04	
Kaypro 10	00-874-03	
Kimtron KT-7	00-876-02	Not the KT-7 PC
NCR 4940	00-876-02	Same as Wyse 50 terminal
NEC Multispeed*	00-876-04	
Northstar	00-876-02	Same as Wyse 50 terminal
Televideo 950	00-876-02	
Wyse 30	00-876-02	Same as Wyse 50 terminal
Wyse 50	00-876-02	
Wyse 60	00-876-02	Not in PC mode
Wyse 75	00-876-02	Same as Wyse 50 terminal
Wyse 85	00-876-04	
Wyse 99	00-876-02	Same as Wyse 50 terminal
Wyse PC (25-pin)	00-876-04	

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

## **US Warranty/Service/Support Information** **(International Customers please contact your local office)**

### ***Datalogic Limited Warranty***

Datalogic® products are warranted against defects in material and workmanship under normal use and service. The liability of Datalogic Inc. (Datalogic) under this warranty is limited to furnishing labor and parts necessary to remedy the defect covered by this warranty and restore the product to normal operating condition. This Warranty does not extend to any product which, in the sole judgment of Datalogic, has been subject to accidental damage, misuse, neglect, unauthorized modification, or improper installation. Products are sold on the basis of specifications applicable at the time of manufacture, and Datalogic has no obligation to modify or update products once sold. A minimum repair fee may be charged if there is "No Problem Found" with the unit returned for warranty repair.

The warranty shall extend from the time of shipment for the duration published by Datalogic for the product at the time of purchase "Warranty Period." In order to obtain service under Factory Warranty, Customer must notify Datalogic of the claimed defect before the expiration of the applicable Warranty Period and obtain a Return Authorization Number (RMA) from the Datalogic RMA department before the product may be returned. The product must be returned to the applicable Datalogic Repair center, shipping prepaid by Customer, with the RMA Number marked on the top of the box. Failure to obtain an RMA number may result in a processing fee. If Datalogic determines the product failed due to defects in material or workmanship, Datalogic will repair or replace the product (at Datalogic's option) without additional charge for parts and labor. Datalogic shall pay for the return of the product (via ground freight) to Customer if the shipment is to a location within the country in which the Datalogic service center is located. Customer shall be responsible for paying all shipping charges, duties, taxes, and any other charges for products returned to any other locations. Turn-around times for all products under Factory Warranty is typically 10 Datalogic business days from date of receipt (excluding transit time).

DATALOGICS LIMITED WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, ORAL OR WRITTEN, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NONINFRINGEMENT. Datalogic SHALL NOT BE LAIBLE FOR ANY DAMAGES SUSTAINED BY CUSTOMER ARISING FROM DELAY IN THE REPLACEMENT OR REPAIR OF PRODUCTS UNDER THE ABOVE WARRANTY.

### ***Returning Products for Warranty Service***

To make a claim under this limited warranty, obtain a Return Authorization number (RMA) from the Datalogic RMA department and return the product, shipping prepaid, with the Return Authorization number marked on the top of the box to the applicable Datalogic Repair center. Failure to obtain a RMA number may result in a processing fee. Datalogic will repair or replace the product and return it via ground freight prepaid within the United States. Shipping upgrades are to be paid by customer.

### ***Quick-Replacement***

Datalogic offers a Quick-Replacement (QRP) program for products listed in the Warranty and Service Options table. Products covered by Datalogic's QRP program will receive a new or refurbished replacement unit before the defective equipment is returned to Datalogic. Replacement equipment is sent from Datalogic within one business day of notification by customer. Datalogic pays for overnight shipping for next business day delivery. Datalogic must be notified by 12:00 Noon (PST Monday-Friday on Datalogic standard business days) to ensure overnight delivery. QRP outside the United States is available through a custom quote. Please call Datalogic for information.

### ***Service Plus 2-Day***

Datalogic will repair or replace the defective unit within 2 business days of its arrival (excluding transit time). Datalogic pays shipping both ways via air freight prepaid service within the US. Shipping upgrades are to be paid by customer.

### ***Service Plus 5-Day***

Datalogic will repair or replace the defective unit within five business days of its arrival (excluding transit time). Customer pays for shipping to Datalogic. Return shipping is paid by Datalogic via ground freight-prepaid service within the United States. Shipping upgrades are to be paid by customer.

### ***Renewal or Out-Of-Warranty Coverage***

Service Plus 2-Day, Service Plus 5-Day and Quick Replacement warranty are renewable for successive periods of twelve (12) months, thirty (30) days prior to expiration of warranty period. After expiration of warranty period or coverage, SP2, SP5 and the Quick Replacement warranty is available only with payment of a one-time sign on fee prorated for the period out-of- warranty or upon factory inspection of the unit to be placed on contract. An inspection fee may be charged.

### ***Purchasing a Warranty***

Additional years of warranty beyond the factory warranty period may be purchased within eight (8) weeks of a new product purchase. Warranty Programs purchased thereafter will be considered a renewal, with pricing based on the renewal column in the warranty schedule.

### ***Purchasing a Warranty for an Out-of-Warranty Product (Renewal)***

To purchase a warranty for an out-of-warranty product, the unit must be returned to Datalogic for an inspection; an inspection fee will be charged. If the unit is in need of repair, customer will be contacted and quoted the repair fee. The inspection fee will be applied towards this repair. Once the unit is certified, the Customer has 30 days to place it under warranty. Pricing is available in the renewal column in the warranty schedule.

### ***Out-of-Warranty Repairs***

Please contact our RMA department for current repair rates. Repair rates will vary depending upon the type of product to be repaired. To receive a copy of Datalogic's Warranty, Terms and Conditions (R44-9262), email: [RMA@Datalogic.com](mailto:RMA@Datalogic.com).

## **US Warranty/Service/Support Information (International Customers please contact your local office)**

### ***To receive an RMA***

RMAs can be received with any of the following methods:

E-mail: [RMA@Datalogic.com](mailto:RMA@Datalogic.com) (Provide the same information that is on the Return Material Authorization Request page in this price book).

Fax the Return Authorization Request form to: 541-687-7998.

Web: [www.scanning.datalogic.com](http://www.scanning.datalogic.com)

Telephone: 541-683-5700

### ***Service Rates***

Eligible Datalogic products that are out of warranty and returned for repair will be charged the product-specific flat rate repair or time and materials fees in effect at that time. At Datalogic's discretion, units deemed no problem found, requiring only minor cosmetic repairs, or are found to be abused and not repairable, may be billed at a reduced minimum repair charge. Qualifying units charged the minimum repair fee that are returned within 90 days, should be returned with all system related components (including but not limited to cables, batteries, docks, chargers, displays, etc.). If Datalogic then determines a repair is required the minimum repair fee will be applied towards the cost of repair. Units lacking a serial number may be charged a reserialization fee.

Please note that cables, decoders and input devices, such as wands and handheld scanners, may carry different warranty periods, hence, repair charges, if any, will be applied to the particular product based on applicable warranty coverage. Units sent in for repair may be reset to factory defaults. After a repair has taken place, you may need to restore your configuration and applications.

## DATALOGIC SCANNING, INC. RETURN MATERIAL AUTHORIZATION REQUEST

<b>Billing Customer Number (if known):</b>	<b>Shipping Customer Number (if different):</b>
COMPANY NAME / ADDRESS (Requesting / Billing Party)	COMPANY NAME / ADDRESS (Ship To Party)
Requestor's name:	Requestor's name:
Requestor's email address:	Telephone:
Additional email notification:	Additional information:
Telephone: Fax Number: Other:	Check Contract Type: <input type="checkbox"/> <b>Quick Replacement (QRP)</b> <input type="checkbox"/> <b>Extended WTY</b> <input type="checkbox"/> <b>Factory WTY</b> <input type="checkbox"/> <b>Non-WTY</b> <input type="checkbox"/> <b>Demo Return</b>
Contract Number:	No Service Contract Currently Exists: <input type="checkbox"/> Please Contact Requestor With Contract Options <input type="checkbox"/> Please Do Not Contact Requestor At This Time
Payment Method: (check one) <input type="checkbox"/> Cash In Advance <input type="checkbox"/> Credit Card <input type="checkbox"/> PO # (terms established) <input type="checkbox"/> COD	Check return freight method for Non-warranty repairs: <input type="checkbox"/> UPS <input type="checkbox"/> Ground <input type="checkbox"/> 2- DAY <input type="checkbox"/> FEDEX <input type="checkbox"/> 3-DAY <input type="checkbox"/> OVERNIGHT

### REQUIRED SCANNER INFORMATION

	Model# or Part #	Serial#	MFG Date	Reason for return
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				

<b>Shipping Instructions:</b>
1) Please return equipment in original boxes if possible. 2) Attach a copy of this form as the packing slip. 3) Ship to: <b>Attn: RMA#</b> <b>DATALOGIC SCANNING, INC.</b> <b>959 Terry Street</b> <b>Eugene, OR 97402-9150</b>  <b>Phone:            800-695-5702 x 8283</b>  <b>Fax:                541-687-7998</b>
3/19/2007 C

<b>Check items being sent in:</b>		
	Item	Quantity
	<b>Scanner</b>	
	<b>Cable(s)</b>	
	<b>Battery(s)</b>	
	<b>Base Station(s)</b>	
	<b>Other (describe)</b>	

Note: Please check with your local office for all pricing.  
 \*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.  
 Datalogic Scanning U.S. Product Catalog

Service/Warranty

## US Warranty and Service Options (International Customers please contact your local office)

Warranties and Service are available in the following contract options:

1 year, 2 year, 3 year or on a year-to-year basis (renewal). Please substitute 1, 2, 3 or R (for renewal) in place of the "X" in the following part numbers, depending on the desired option. Call Datalogic for 4 and 5 year pricing on select products.

Product Family	Standard Warranty	Part Number	Description	1st Yr	Yrs 1-2	Yrs 1-3	Re-nenual
		(X = 1, 2, 3, or R)	SP-5 = Service Plus 5-Day	(-1)	(-2)	(-3)	(-R)
			SP-2 = Service Plus 2-Day				
			QR = Quick Replacement				
<b>High-Performance Retail POS Scanners</b>							
Magellan® 8500, with scale	12 months	E-M8500W/S-X	Magellan® 8500, w/scale, SP-5	\$25	\$40	\$105	\$166
		W-M8500W/S-X	Magellan® 8500, w/scale, SP-2	\$40	\$75	\$160	\$195
		Q-M8500W/S-X	Magellan® 8500, w/scale, QR	\$95	\$165	\$290	\$325
Magellan® 8500, no scale	12 months	E-M8500W/O-X	Magellan® 8500, no scale, SP-5	\$20	\$30	\$90	\$140
		W-M8500W/O-X	Magellan® 8500, no scale, SP-2	\$30	\$40	\$130	\$170
		Q-M8500W/O-X	Magellan® 8500, no scale, QR	\$75	\$115	\$260	\$290
Magellan® 8400, with scale	12 months	E-M8400W/S-X	Magellan® 8400, w/scale, SP-5	\$44	\$73	\$157	\$157
		W-M8400W/S-X	Magellan® 8400, w/scale, SP-2	\$64	\$118	\$231	\$211
		Q-M8400W/S-X	Magellan® 8400, w/scale, QR	\$108	\$201	\$334	\$285
Magellan® 8400, no scale	12 months	E-M8400W/O-X	Magellan® 8400, no scale, SP-5	\$24	\$34	\$94	\$108
		W-M8400W/O-X	Magellan® 8400, no scale, SP-2	\$34	\$59	\$162	\$162
		Q-M8400W/O-X	Magellan® 8400, no scale, QR	\$74	\$118	\$265	\$245
Magellan® 8300, with scale	12 months	E-M8300W/S-X	Magellan® 8300, w/scale, SP-5	\$44	\$73	\$157	\$157
		W-M8300W/S-X	Magellan® 8300, w/scale, SP-2	\$64	\$118	\$231	\$211
		Q-M8300W/S-X	Magellan® 8300, w/scale, QR	\$108	\$201	\$334	\$285
Magellan® 8300, no scale	12 months	E-M8300W/O-X	Magellan® 8300, no scale, SP-5	\$24	\$34	\$94	\$108
		W-M8300W/O-X	Magellan® 8300, no scale, SP-2	\$34	\$59	\$162	\$162
		Q-M8300W/O-X	Magellan® 8300, no scale, QR	\$74	\$118	\$265	\$245
Magellan® 8200, with scale	12 months	E-M8200W/S-X	Magellan® 8200, w/scale, SP-5	\$45	\$75	\$160	\$160
		W-M8200W/S-X	Magellan® 8200, w/scale, SP-2	\$65	\$120	\$235	\$215
		Q-M8200W/S-X	Magellan® 8200, w/scale, QR	\$110	\$205	\$340	\$290
Magellan® 8200, no scale	12 months	E-M8200W/O-X	Magellan® 8200, no scale, SP-5	\$25	\$35	\$95	\$110
		W-M8200W/O-X	Magellan® 8200, no scale, SP-2	\$35	\$60	\$165	\$165
		Q-M8200W/O-X	Magellan® 8200, no scale, QR	\$75	\$120	\$270	\$250
Magellan® 8100, with scale	12 months	E-M8100W/S-X	Magellan® 8100 w/scale, SP-5	\$45	\$75	\$160	\$160
		W-M8100W/S-X	Magellan® 8100 w/scale, SP-2	\$65	\$120	\$235	\$215
		Q-M8100W/S-X	Magellan® 8100, w/scale, QR	\$110	\$205	\$340	\$290
Magellan® 8100, no scale	12 months	E-M8100W/O-X	Magellan® 8100, no scale, SP-5	\$25	\$35	\$95	\$110
		W-M8100W/O-X	Magellan® 8100, no scale, SP-2	\$35	\$60	\$165	\$165
		Q-M8100W/O-X	Magellan® 8100, no scale, QR	\$75	\$120	\$270	\$250
Magellan® 2300HS	12 months	E-MGL2300HS-X	Magellan® 2300HS, SP-5	\$15	\$20	\$40	\$60
		W-MGL2300HS-X	Magellan® 2300HS, SP-2	\$20	\$25	\$50	\$90
		Q-MGL2300HS-X	Magellan® 2300HS, QR	\$35	\$55	\$120	\$130
Magellan® 2200VS	12 months	E-MGL2200VS-X	Magellan® 2300HS, SP-5	\$15	\$20	\$40	\$60
		W-MGL2200VS-X	Magellan® 2300HS, SP-2	\$20	\$25	\$50	\$90
		Q-MGL2200VS-X	Magellan® 2300HS, QR	\$35	\$55	\$120	\$130
Magellan® 1400i	24 months	E-1400i-X	Magellan® 1400i, SP-5	\$15	\$20	\$40	\$75
		W-1400i-X	Magellan® 1400i, SP-2	\$20	\$30	\$55	\$90
		Q-1400i-X	Magellan® 1400i, QR	\$35	\$60	\$105	\$135
Magellan® 1000i	24 months	E-1000i-X	Magellan® 1000i, SP-5	\$10	\$15	\$35	\$65
		W-1000i-X	Magellan® 1000i, SP-2	\$15	\$25	\$50	\$80
		Q-1000i-X	Magellan® 1000i, QR	\$30	\$50	\$90	\$120

<b>Quick Replacement: Datalogic owned spares (not loaners), same day shipping</b>
<b>Service Plus 2-Day: Datalogic pays freight both ways, two business day turn around time, excluding transit</b>
<b>Service Plus 5-Day: Datalogic pays return freight, five business day turn around time, excluding transit</b>

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

R40-0200 N 0608

Product Family	Standard Warranty	Part Number	Description	1st Yr	Yrs 1-2	Yrs 1-3	Re-nwal
		(X = 1, 2, 3, or R)	SP-5 = Service Plus 5-Day	(-1)	(-2)	(-3)	(-R)
			SP-2 = Service Plus 2-Day				
			QR = Quick Replacement				
<b>High-Performance Retail POS Scanners (continued)</b>							
Diamond™	24 months	ZSMIDIAM5	Diamond Maintenance Contract, SP-5	\$42			
		ZSMIDIAM4	Diamond Maintenance Contract, SP-2	\$66			
		ZSMIDIAM2	Diamond Maintenance Contract, QR	\$72			
<b>Handheld Scanners: General Purpose</b>							
FireScan™	24 months	ZSMIFIRE5	FireScan Maintenance Contract, SP-5	\$31			
		ZSMIFIRE4	FireScan Maintenance Contract, SP-2	\$47			
		ZSMIFIRE2	FireScan Maintenance Contract, QR	\$53			
Gryphon™ Desk	60 months	ZSMIGRD45	Gryphon Desk Maintenance Contract, SP-5	\$54			
		ZSMIGRD44	Gryphon Desk Maintenance Contract, SP-2	\$72			
		ZSMIGRD42	Gryphon Desk Maintenance Contract, QR	\$82			
QuickScan® L Desk	36 months	E-QSL-X	QuickScan® L Desk SP-5	\$6	\$15	\$28	\$61
		W-QSL-X	QuickScan® L Desk SP-2	\$10	\$16	\$40	\$65
		Q-QSL-X	QuickScan® L Desk SP-QR	\$13	\$28	\$53	\$73
QuickScan® QS6000 Plus	60 months	W-QS6000-5	QuickScan® QS6000, SP-2	5 year contract only: \$145			
		Q-QS6000-5	QuickScan® QS6000, QR	5 year contract only: \$205			
QuickScan® QS6500	60 months	W-QS65-5	QuickScan® QS6500, SP-2	5 year contract only: \$80			
		Q-QS65-5	QuickScan® QS6500, QR	5 year contract only: \$120			
QuickScan® QS2500	60 months	W-QS2500-5	QuickScan® QS2500, SP-2	5 year contract only: \$95			
		Q-QS2500-5	QuickScan® QS2500, QR	5 year contract only: \$155			
Gryphon™ Mobile	24 months	ZSMIGRYM5	Gryphon M-BT Maintenance Contract, SP-5	\$55			
		ZSMIGRYM4	Gryphon M-BT Maintenance Contract, SP-2	\$74			
		ZSMIGRYM2	Gryphon M-BT Maintenance Contract, QR	\$83			
Gryphon™ Mobile Base Charger	24 months	ZSMIOMCG5	Gryphon M-BT Base Maint. Contract, SP-5	\$29			
		ZSMIOMCG4	Gryphon M-BT Base Maint. Contract, SP-2	\$38			
		ZSMIOMCG2	Gryphon M-BT Base Maint. Contract, QR	\$46			
Gryphon™ Bluetooth	24 months	ZSMIGRYM5	Gryphon M-BT Maintenance Contract, SP-5	\$55			
		ZSMIGRYM4	Gryphon M-BT Maintenance Contract, SP-2	\$74			
		ZSMIGRYM2	Gryphon M-BT Maintenance Contract, QR	\$83			
Gryphon™ Bluetooth Base Charger	24 months	ZSMIOMCG5	Gryphon M-BT Base Maint. Contract, SP-5	\$29			
		ZSMIOMCG4	Gryphon M-BT Base Maint. Contract, SP-2	\$38			
		ZSMIOMCG2	Gryphon M-BT Base Maint. Contract, QR	\$46			
QuickScan® Mobile	36 months	E-QM-X	QuickScan® Mobile SP-5	\$14	\$29	\$43	\$46
		W-QM-X	QuickScan® Mobile SP-2	\$21	\$42	\$62	\$72
		Q-QM-X	QuickScan® Mobile QR	\$23	\$47	\$70	\$78
QuickScan® QS6500BT	36 months	E-QS65BT-X	QuickScan® QS6500BT SP-5	\$12	\$18	\$25	N/A
		W-QS65BT-X	QuickScan® QS6500BT SP-2	\$16	\$28	\$45	N/A
		Q-QS65BT-X	QuickScan® QS6500BT QR	\$35	\$50	\$65	N/A
<b>Handheld Scanners: Ruggedized</b>							
PowerScan® 8300 Desk	36 months	E-PD83-X	PowerScan® Desk 8300 SP-5	\$27	\$54	\$82	\$106
		W-PD83-X	PowerScan® Desk 8300 SP-2	\$39	\$79	\$118	\$133
		Q-PD83-X	PowerScan® Desk 8300 QR	\$44	\$87	\$131	\$147
PowerScan® 8300 Desk AR	36 months	E-PD85A-X	PowerScan® Desk 8300-AR SP-5	\$24	\$48	\$73	\$94
		W-PD85A-X	PowerScan® Desk 8300-AR SP-2	\$35	\$70	\$105	\$118
		Q-PD85A-X	PowerScan® Desk 8300-AR QR	\$39	\$77	\$116	\$131
PowerScan® 8500 Desk	36 months	E-PD85-X	PowerScan® Desk 8500 SP-5	\$27	\$54	\$82	\$106
		W-PD85-X	PowerScan® Desk 8500 SP-2	\$39	\$79	\$118	\$133
		Q-PD85-X	PowerScan® Desk 8500 QR	\$44	\$87	\$131	\$147
Quick Replacement: Datalogic owned spares (not loaners), same day shipping							
Service Plus 2-Day: Datalogic pays freight both ways, two business day turn around time, excluding transit							
Service Plus 5-Day: Datalogic pays return freight, five business day turn around time, excluding transit							

Service/Warranty



Product Family	Standard Warranty	Part Number	Description	1st Yr	Yrs 1-2	Yrs 1-3	Re-newal
		(X = 1, 2, 3, or R)	SP-5 = Service Plus 5-Day	(-1)	(-2)	(-3)	(-R)
			SP-2 = Service Plus 2-Day				
			QR = Quick Replacement				
Lynx™ Desk	24 months	ZSMILYNX5	Lynx™ Desk Maintenance Contract, SP-5	\$85			
		ZSMILYNX4	Lynx™ Desk Maintenance Contract, SP-2	\$106			
		ZSMILYNX2	Lynx™ Desk Maintenance Contract, QR	\$118			
PowerScan® 7000 SRI	48 months	E-PS7K SRI-X	PowerScan® 7000 SRI SP-5	\$10	\$20	\$30	\$115
		W-PS7K SRI-X	PowerScan® 7000 SRI SP-2	\$15	\$30	\$50	\$160
		Q-PS7K SRI-X	PowerScan® 7000 SRI QR	\$35	\$50	\$80	\$190
PowerScan® 7000 2D	60 months	E-PS7K 2D-X	PowerScan® 7000 2D SP-5	\$10	\$20	\$30	\$115
		W-PS7K 2D-X	PowerScan® 7000 2D SP-2	\$15	\$30	\$50	\$160
		Q-PS7K 2D-X	PowerScan® 7000 2D QR	\$35	\$50	\$80	\$190
PowerScan® 8300 Mobile	36 months	E-PM83-X	PowerScan® Mobile 8300 SP-5	\$44	\$87	\$131	\$171
		W-PM83-X	PowerScan® Mobile 8300 SP-2	\$61	\$122	\$184	\$204
		Q-PM83-X	PowerScan® Mobile 8300 QR	\$67	\$133	\$200	\$223
PowerScan® 8300 Mobile AR	36 months	E-PM83A-X	PowerScan® Mobile-AR 8300 SP-5	\$39	\$77	\$116	\$152
		W-PM83A-X	PowerScan® Mobile-AR 8300 SP-2	\$54	\$109	\$163	\$181
		Q-PM83A-X	PowerScan® Mobile-AR 8300 QR	\$59	\$118	\$178	\$198
PowerScan® Mobile 83XX Base		E-BC8-X	PowerScan® Mobile Base 83XX SP-5	\$10	\$19	\$28	\$38
		W-BC8-X	PowerScan® Mobile Base 83XX SP-2	\$16	\$32	\$48	\$53
		Q-BC8-X	PowerScan® Mobile Base 83XX QR	\$18	\$36	\$53	\$59
Lynx™ Bluetooth	24 months	ZSMILNXB5	Lynx™ BT Maintenance Contract, SP-5	\$144			
		ZSMILNXB4	Lynx™ BT Maintenance Contract, SP-2	\$168			
		ZSMILNXB2	Lynx™ BT Maintenance Contract, QR	\$180			
PowerScan® 7000BT SRI	36 months	E-PS7K SRI BT-X	PowerScan® 7000BT SRI, SP-5	\$10	\$20	\$30	\$115
		W-PS7K SRI BT-X	PowerScan® 7000BT SRI, SP2	\$15	\$30	\$50	\$160
		Q-PS7K SRI BT-X	PowerScan® 7000BT SRI, QR	\$35	\$50	\$80	\$190
<b>Other Products</b>							
STAR-Modem™	24 months	ZSMISTMD5	STAR-Modem™ Maint. Contract, SP-5	\$43			
		ZSMISTMD4	STAR-Modem™ Maint. Contract, SP-2	\$61			
		ZSMISTMD2	STAR-Modem™ Maint. Contract, QR	\$67			
<b>Quick Replacement: Datalogic owned spares (not loaners), same day shipping</b>							
<b>Service Plus 2-Day: Datalogic pays freight both ways, two business day turn around time, excluding transit</b>							
<b>Service Plus 5-Day: Datalogic pays return freight, five business day turn around time, excluding transit</b>							

**NOTE:**

Pricing for -1, -2 and -3 warranties starts from date of product shipment.  
 Prices are subject to change without prior notification.  
 Quick Replacement and Service Plus 2-Day Programs are not available in all regions for all products.  
 Datalogic Scanning, Inc. - Portable/Handheld/Hands-Free Product Warranty Plans

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

## Shipping and Refund Policy

### Refunds, Restocking Fees and Other Charges

#### Refunds

The following timelines, based on the number of days from the original date of shipment from Datalogic, govern Datalogic's refund and restocking policies.

#### 1-30 days

- 1) Customer is charged 20 percent of the purchase price of the product to cover restocking and handling costs.
- 2) Shipping and refurbishing costs are deducted from the refund.
- 3) The refund is credited to the customer's account. If paid by a credit card, the refund amount is applied back to the credit card. Otherwise, please contact credit and collections department for other refund details.

#### Over 30 days

- 1) No refund is available.
- 2) Customer is billed for return shipping costs.

#### Software and Customized Products

Software and customized products such as cables, decoders with cable modifications, or special-order input devices, are not returnable.

## Datalogic Acronyms

The following acronyms may be used within this book. We hope this short guide will assist you when reading our product descriptions or product notes.

<b>Interface References</b>	
46XX = IBM Interface	USB = Universal Serial Bus
KBW = Keyboard Wedge (for IBM PC, XT, AT, PS2)	I/F = Interface
UKBW = Universal Keyboard Wedge	WE = Wand Emulation
<b>Product References</b>	
DLC = Diamond Like Carbon	PRG = Product Reference Guide
EAS = Electronic Article Surveillance	QRG = Quick Reference Guide
E/P = External Power	RF = Radio Frequency (Wireless)
HD = High Density	RSS = Reduced Space Symbology
LLT = Long Life Top	SR = Standard Range
LR = Long Range	STD = Standard
POT = Power Off Terminal	VAF = Value Added Feature
S/W = Software	XLR = Extra Long Range
<b>Miscellaneous</b>	
BK = Black	MSR = Magnetic Stripe Reader
GR = Gray	EUR = European
BG = Beige	IBM - International Business Machines
DG = Dark Gray	V = Volt
LG = Light Gray	AC = Alternating Current
P/N = Part Number	DC = Direct Current
US = United States	ALR = Advanced Long Range
VAR = Value Added Reseller	Mb = Megabit
POS = Point of Sale	MB = Megabyte
MGL = Magellan	

Note: Please check with your local office for all pricing.

\*\*RoHS (Restriction of Hazardous Substances) Part numbers are compliant for shipment to European Union (EU) countries.

Datalogic Scanning U.S. Product Catalog





Datalogic Scanning, Inc.  
959 Terry St.  
Eugene, OR 97402-9150 USA  
Tel: 1 800 695 5700 or 1 541 683 5700  
Fax: 1 541 345 7140

[www.scanning.datalogic.com](http://www.scanning.datalogic.com)  
[scanning@datalogic.com](mailto:scanning@datalogic.com)

#### *Datalogic Scanning Worldwide Sales and Service Locations*

##### **DATALOGIC CORPORATE HEADQUARTERS (USA):**

1 800 695 5700, 1 541 683 5700  
[scanning@datalogic.com](mailto:scanning@datalogic.com)  
North American Sales  
1 800 929 3221 (option 3)  
[scanning@datalogic.com](mailto:scanning@datalogic.com)

##### **ASIA PACIFIC:**

**Australia:** 61 2 9870 3200  
[australia.scanning@datalogic.com](mailto:australia.scanning@datalogic.com)  
**China - Beijing:** 86-10-6211 1803  
**China - Shanghai:** 86-21-6207 6670  
[china.scanning@datalogic.com](mailto:china.scanning@datalogic.com)  
**Hong Kong:** 852 2367 6337  
[hongkong.scanning@datalogic.com](mailto:hongkong.scanning@datalogic.com)  
**India:** 91 22 6450 4739  
[india.scanning@datalogic.com](mailto:india.scanning@datalogic.com)  
**Japan:** 81 3 3491 6761  
[japan.scanning@datalogic.com](mailto:japan.scanning@datalogic.com)  
**Singapore:** 65 6435 1311  
[singapore.scanning@datalogic.com](mailto:singapore.scanning@datalogic.com)

##### **EMEA:**

**France:** 33 01 6486 7100  
[france.scanning@datalogic.com](mailto:france.scanning@datalogic.com)  
**Germany:** +49 (0)61 51 / 93 58 0  
[germany.scanning@datalogic.com](mailto:germany.scanning@datalogic.com)  
**Italy:** 39 039 629031  
[italy.scanning@datalogic.com](mailto:italy.scanning@datalogic.com)  
**Russia:** 007 495 78 79 937  
[russia.scanning@datalogic.com](mailto:russia.scanning@datalogic.com)  
**Spain:** 34 91 746 28 60  
[spain.scanning@datalogic.com](mailto:spain.scanning@datalogic.com)  
**Sweden:** 46 40 38 50 42  
[sweden.scanning@datalogic.com](mailto:sweden.scanning@datalogic.com)  
**United Kingdom:** 44 0 1923 809500  
[uk.scanning@datalogic.com](mailto:uk.scanning@datalogic.com)

##### **LATIN AMERICA:**

**Latin American Sales**  
1 305 591 3222  
[latinamerica.scanning@datalogic.com](mailto:latinamerica.scanning@datalogic.com)  
**Brazil:** 55 11 5507 7721  
[brazil.scanning@datalogic.com](mailto:brazil.scanning@datalogic.com)  
**Mexico:** (52) 55 5663 3962  
[mexico.scanning@datalogic.com](mailto:mexico.scanning@datalogic.com)