

# REFERENCES FOR THE FLORA DATABASE OF HIGHER NAMIBIAN PLANTS

Patricia Craven and Herta Kolberg

Updated 15 May 2020

References are indicated by numbers in [ ] in the database and arranged numerically here to find them easier. The list is not yet complete and errors in citation need to be corrected.

**Please note** that only publications of taxonomic nature have been included here.

## Local publications:

Prodromus einer Flora von Südwestafrika was the starting point for a checklist of Namibian plants that has been expanded and updated by Craven and Kolberg since the 1980s and continued in our BRAHMS database

Merxmüller, H. (ed.). 1966–1972. Prodromus einer Flora von Südwestafrika. Cramer Verlag, Lehre

Craven, P. (ed). 1999. A checklist of Namibian plant species. Southern African Botanical Diversity Network Report No. 7: 1–204. SABONET, Pretoria.

## Regional Floras and publications

FSA Flora of southern Africa (various editorial teams) 1963–ongoing. National Botanical Institute, Pretoria.

FTEA Flora of Tropical East Africa (various editorial teams) 1951–ongoing. The Royal Botanic Gardens, Kew.

FZ Flora Zambesiaca. (various editorial teams) 1960–ongoing. Crown Agents for Overseas Development, London.

Also on-line at <http://apps.kew.org/efloras/advsearch.do>

CFA Conspectus Florae Angolense (various editorial teams). 1937–1970. Centro de Botânica, Instituto de Investigação Científica Tropical, Lisboa.

## References:

- 7 Adamson, RS 1937. Notes on *Juncus*. *J. S. African Bot.* 3 :165- 169.
- 20 Van Jaarsveld, EJ 1994. A synopsis of *Stoeberia*. *Aloe* 31 :68- 76.
- 21 Friedrich, H-Chr 1960. Mesembryanthemen-studien 1. Beitrag zur Kenntnis der Gattungen *Stoeberia* Dtr. & Schw. und *Ruschianthemum* Friedr. gen nov *Mitt. Bot. Staatssamml. Muenchen* 3 :554- 567.
- 25 Alexander, E 1960. *Kleinia radicans*. *Adansonia* 24 :774- 0.
- 31 Alston, AHG 1930. *Marsilea ephippiocarpa* Alston sp.nov. *J. Bot.* 68 :118- 119.
- 35 Anderberg, A 1985. A new species of *Pegolettia* (Compositae - Inulae) from Namibia. *Nord. J. Bot.* 5 :57- 59.
- 36 Anderberg, A 1986. The genus *Pegolettia* (Compositae - Inuleae) *Cladistics* 2 :158- 186.

- 37 Anderberg, A 1995. Doellia, an overlooked genus in the Asteraceae-Plucheeae. *Willdenowia* 25 :0- 0.
- 38 Anderson, DMW 1974. Taxonomy of the genus Chloris. *Brigham Young Univ. Sci. Bull., Biol. Ser.* 0 :0- 0.
- 43 Anderson, JG 1966. Typhaceae. *Fl. Pl. South Africa* 1 :53- 56.
- 45 Anon 1899. Pelargonium crithmifolium. *Gard. Chron.* 3, 25 : 9- 0.
- 56 Anon 1974. Pterodiscus aurantiacus. *Ashingtonia* 1 :87- 0.
- 57 Anon 1974. Lithops bella var. bella. *Ashingtonia* 1 :60- 0.
- 58 Anon 1974. Lapicaria margaretea. *Ashingtonia* 1 :72- 0.
- 69 Anton, AM 1981. The genus Tragus (Gramineae). *Kew Bull.* 36, 1 : 55- 61.
- 72 Archer, RH 1998. Euphorbia leistneri (Euphorbiaceae), a new species from the Kaokoveld (Namibia). *S.African J. Bot.* 64, 4 : 258- 260.
- 81 Archer, CA; Craven, P 2004. Cyperaceae in Namibia. *SABONET News* 9 :18- 28.
- 82 Ascherson, P 1878. Tragus koelerioides n. sp. *Verh. Bot. Vereins Prov. Brandenburg* 20 :30- 32.
- 83 Ashby, M 1935. The genus Hemizygia Briq. *J. Bot.* 73 :312- 318.
- 84 Ashby, M 1936. The genus Endostemon N.E.Br. *J. Bot.* 74 :121- 132.
- 109 Baker, EG 1914. The African species of Crotolaria. *Bot. J. Linn. Soc.* 42 :241- 24.
- 110 Baker, EG 1919. The African species of Allophylus. *J. Bot.* 57 :0- 0.
- 111 Baker, EG 1923. Revision of the South African species of Rhynchosia. *Bothalia* 1 :113- 138.
- 113 Baker, JG 1874. On the genus Androcymbium. *J. Bot.* 12 :243- 246.
- 116 Balkwill, K 1996. A synopsis of Peristrophe (Acanthaceae) in southern Africa. *Bothalia* 26, 2 : 83- 93.
- 117 Balkwill, K; Getliffe Norris, FM 1988. Classification of the Acanthaceae: A Southern African Perspective. *Monogr. Syst. Bot. Missouri Bot. Gard* 25 :503- 516.
- 118 Retief, E; Reyneke, WF 1984. The genus Thunbergia in southern Africa. *Bothalia* 15 :107- 116.
- 123 Adamson, RS 1951. A revision of the genus Prismaetocarpus and Roella. *J. S. African Bot.* 17 :93- 166.
- 124 Adamson, RS 1955. The South African species of Lightfootia. *J. S. African Bot.* 21 :155- 216.
- 125 Adamson, RS 1955. The South African species of Aizoaceae: I. Adenogramma and Polpoda. *J. S. African Bot.* 21 :83- 95.
- 126 Adamson, RS 1955. The South African species of Aizoaceae: II. Tetragonia. *J. S. African Bot.* 21 :109- 153.
- 127 Adamson, RS 1956. The South African species of Aizoaceae: III. Galenia. *J. S. African Bot.* 22 :87- 127.
- 128 Adamson, RS 1958. The South African species of Aizoaceae: IV. Mollugo, Pharnaceum, Coelanthum and Hypertelis. *J. S. African Bot.* 24 :11- 65.
- 129 Adamson, RS 1958. The South African species of Aizoaceae: V. Corbichonia. *J. S. African Bot.* 24 :67- 69.
- 131 Archer, CA; Archer, RH 1999. A new species of Ornithogalum subgenus Urophyllon (Hyacinthaceae) from central South Africa *S.African J. Bot.* 65, 5 and 6 : 431- 433.

- 132 Hepper, FN 1986. Proposal to conserve 7148 *Chascanum* E.Mey. 1838 against *Plexipus* Rafin (1937) Verbenaceae. *Taxon* 35 :391- 392.
- 133 Mueller-Doblies, U 1986. De Lillifloris notulae 3. Enumeratio specierum generum Gethyllis et Apodolirion (Amaryllidaceae). *Willdenowia* 15 :465- 471.
- 134 Kaellersjo, M 1988. A generic re-classification of *Pentzia* Thunb. (Compositae - Anthemideae) from southern Africa *Bot. J. Linn. Soc.* 96 :299- 322.
- 135 Klak, C; Linder, HP 1998. Systematics of *Psilocaulon* N.E.Br. and *Caulipsolon* Klak gen.nov. (Mesembryanthemoideae, Aizoaceae). *Bot. Jahrb. Syst.* 120, 3 : 301- 375.
- 137 Brummitt, RK 2000. Inclusion of *Clematopsis* (Hutch.) in *Clematis* L. (Ranunculaceae). *Kew Bull.* 55 :97- 108.
- 138 Herman, PPJ 2002. Revision of the *Tarchonanthus camphoratus* complex (Asteraceae - Tarchonantheae) in southern Africa. *Bothalia* 32, 1 : 21- 28.
- 143 Bruyns, PV 1999. The relationship of *Huerniopsis* and *Piaranthus* (Apocynaceae-Asclepiadoideae). *Syst. Bot.* 24 :379- 397.
- 146 Cavaco, AJL 1954. *Grewia* *Bol. Soc. Brot.* 2 :28- 0.
- 151 Pope, GV 1975. Compositae of the Flora Zambesiaca area 6 Helenieae. *Kirkia* 10, 1 : 101- 122.
- 158 Raynal, J 1976. Notes Cyperologiques: 25. Le genre *Schoenoplectus*. I. Sur quelques especes Sudafricaines. *Adansonia* 2, 15 : 537- 542.
- 162 Adamson, RS 1960. The South African species of Aizoaceae: VII. Aizoon. *J. S. African Bot.* 25 :29- 68.
- 163 Adamson, RS 1961. The South African species of Aizoaceae: X. Gisekia. *J. S. African Bot.* 27 :131- 137.
- 164 Adamson, RS 1961. The South African species of Aizoaceae: XI. Plinthus. *J. S. African Bot.* 27 :147- 151.
- 165 Adamson, RS 1961. The South African species of Aizoaceae: IX. Glinus. *J. S. African Bot.* 27 :125- 130.
- 166 Adamson, RS 1962. The South African species of Aizoaceae: XII. Sesuvium, Trianthema and Zaleyia. *J. S. African Bot.* 28 :243- 253.
- 168 Aellen, P 1928. Die *Chenopodium*-Arten des s<sup>3</sup>dlichen und mittleren Afrikas. *Feddes Repert.* 24 :337- 347.
- 169 Aellen, P 1939. *Exomis* und *Macrochlamys* in S<sup>3</sup>dafrika. *Bot. Jahrb. Syst.* 70 :373- 381.
- 170 Aellen, P 1940. *Atriplex* und *Blackiella* in South Africa. *Bot. Jahrb. Syst.* 70 :383- 401.
- 171 Aellen, P 1961. Neue *Chenopodiaceen* aus Suedwestafrika. *Mitt. Bot. Staatssamml. Muenchen* 4 :21- 31.
- 172 Aellen, P 1961. Eine neue *Salsola* aus Suedwestafrika. *Mitt. Bot. Staatssamml. Muenchen* 4 :127- 128.
- 173 Aellen, P 1963. Ergaenzung zu den *Salsola* aus Suedwestafrika. *Mitt. Bot. Staatssamml. Muenchen* 5 :117- 119.
- 181 Liede, S; Meve, U 2001. New combinations and new names in Malagasy Asclepiadoideae (Apocynaceae). *Adansonia* 3, 23 : 347- 351.
- 182 Baden, C 1981. The genus *Anisotes* (Acanthaceae), a taxonomic revision. *Nord. J. Bot.* 1, 5 : 623- 664.
- 183 Manktelow, M 1996. *Phaulopsis* (Acanthaceae) ù a monograph. *Symb. Bot. Upsal.* 31, 2 : 1- 184.
- 188 Anderson, JG 1967. *Trachypogon spicatus* (L.f.) O. Kuntze. *Fl. Pl. South Africa* 1512 :0- 0.
- 192 Aellen, P 1967. *Chenopodiaceae. Prodromus einer Flora von Sudwestafrika* 0 :0- 0.

- 204 Abels, J 1973. Untersuchungen zur Morphologie, geographischen Verbreitung und taxonomischen Gliederung der Gattung *Dicerocaryum* und *Ceratotheca*. *Unpublished thesis* 0 :0- 193.
- 205 Abels, J 1975. Die Gattung *Ceratotheca* Endl. und *Dicerocaryum* Boj. monographien der Afrikanischen Pedaliaceae III & IV. *Mem. Soc. Brot.* 25 :1- 358.
- 217 Balkwill, K; Balkwill, M-J 1988. Taxonomic studies on the Acanthaceae: A new species of *Dicliptera*. *S.African J. Bot.* 54, 1 : 55- 59.
- 219 Balkwill, K; Getliffe Norris, FM 1985. Taxonomic studies on the Acanthaceae: the genus *Hypoestes* in southern Africa. *S.African J. Bot.* 51, 2 : 133- 144.
- 222 Balkwill, K; Getliffe Norris, FM; Balkwill, M-J 1988. Taxonomic studies in the Acanthaceae: The *Peristrophe grandibracteata* complex. *S.African J. Bot.* 54, 1 : 47- 54.
- 224 Liebenberg, LCC 1969. Lorantheaceae. *Prodromus einer Flora von Sudwestafrika* 0 :0- 0.
- 232 Barker, WF 1930. *Cotyledon schaeferana*. *Fl. Pl. South Africa* 0 :0- 0.
- 233 Barker, WF 1969. A new combination in *Lachenalia* with notes on the species. *J. S. African Bot.* 35, 5 : 321- 322.
- 234 Barker, WF 1970. *Lachenalia*. *Prodromus einer Flora von Sudwestafrika* 0 :0- 0.
- 235 Barker, WF 1983. Six more new species of *Lachenalia* (Liliaceae). *J. S. African Bot.* 49 :423- 444.
- 237 Barlow, BA 1964. Classification of the Lorantheaceae and Viscaceae. *Proc. Linn. Soc. New South Wales* 89 :268- 272.
- 259 Baum, BR 1966. Monographic revision of the genus *Tamarix*.
- 264 Bayer, E 1981. Revision der Gattung *Chrysocoma* L. (Asteraceae - Astereae). *Mitt. Bot. Staatssamml. Muenchen* 17 :259- 392.
- 266 Bayer, MB 1976. The genus *Piранthus* (Asclepiadaceae). *Bull. African Succ. Pl. Soc.* 11 :38- 41.
- 269 Bayer, MB 1979. *Gasteria* (Ref. *Gasteria disticha* (L.) Haw. (S.W.A.). *Excelsa* 9 :29- 33.
- 288 Hutchinson, PC 1952. Studies in Crassulaceae 1. *Crassula ausensis* P.C.Hutch. sp. nov. *Cactus & Succulent Journal (U.S.)* 24 :106- 108.
- 290 Bent, P 1967. The genus *Trichocaulon*. *Bull. African Succ. Pl. Soc.* 2 :33- 36.
- 291 Bentham, G 1873. *Denekia capensis* Thunb. *Hooker's Icon. Pl.* 1138 :0- 0.
- 292 Bentham, G 1880. *Oxygonym alatum* Burch. *Hooker's Icon. Pl.* 1321 :0- 0.
- 293 Bentham, G 1881. *Fingerhuthia africana* Lehm. *Hooker's Icon. Pl.* 1373 :0- 0.
- 297 Berger, A 1907. Sukkulente Euphorbien. *Not given* 0 :0- 135.
- 299 Berger, A 1909. *Aloe rubrolutea*. *Bot. Mag.* 8263 :0- 0.
- 302 Berger, A; Harms, H 1930. Crassulaceae. *Pflanzenfam. Nachtr. Mschr. Kakteenk.* 487. 2, 18a : 352- 483.
- 315 Beukes, GJ; Verhoeven, RL 1986. A new locality of *Portulacaria armiana* (Portulacaceae) in southern SWA/Namibia. *S.African J. Bot.* 52 :266- 267.
- 328 Bittrich, V 1990. A new species of *Trianthema* and note on *T. triquetra*. *Nuytsia* 7, 2 : 117- 122.
- 331 Bjo/rnstad, IN 1973. A revision of the genus *Pancratium* L. (Amaryllidaceae) in Africa south of the Sahara. *Norweg. J. Bot.* 20 :281- 291.

- 333 Bjoernstad, IN; Friis, I 1974. Studies on the genus *Haemanthus* L. (Amaryllidaceae) III. A revision of the sections *Byaxis* and *Nerissa* *Norweg. J. Bot.* 21 :243- 275.
- 364 Bolus, HML 1958. *Nananthus*. *Notes Mesembryanthemum* 3 :382- 385.
- 366 Bolus, HML 1915. Notes on *Lessertia*, with Key. *Ann. Bolus Herb.* 1 :87- 96.
- 368 Bolus, HML 1927. *Psammophora pillansii* et *P. modesta*. *Fl. Pl. South Africa* 280 :0- 0.
- 369 Bolus, HML 1927. *Juttadinteria proxima* *Fl. Pl. South Africa* 273 :0- 0.
- 370 Bolus, HML 1927. *Delosperma pergamentaceum*. *Fl. Pl. South Africa* 261 :0- 0.
- 372 Bolus, HML 1928. Notes on *Mesembryanthemum* and some allied genera. Part I: 1-156; 1928-1935. Part II: 1-520; 1935-1958. Part III: 1-417. *J. S. African Bot.* 0 :0- 0.
- 373 Bolus, HML 1948. *Nananthus aloides*. *Fl. Pl. South Africa* 1037 :0- 0.
- 374 Bolus, HML 1957. *Juttadinteria simpsonii* (Dinter) Schwantes. *Fl. Pl. South Africa* 1273 :0- 0.
- 375 Bolus, HML 1960. *Lampranthus borealis*. L.Bol. *J. S. African Bot.* 26 :160- 0.
- 377 Bolus, HML 1961. Notes on *Mesembranthemum* and allied genera. *J. S. African Bot.* 27 :47- 63.
- 378 Bolus, HML 1963. *Brownanthus marlothii*. *Fl. Pl. South Africa* 1418 :0- 0.
- 379 Bolus, HML 1964. Notes on *Mesembranthemum* and allied genera. *J. S. African Bot.* 30 :33- 44.
- 421 Botha, DJ 1980. The identity of *Antizoma harveyana* Miers ex Harv. and *A. capensis* (L.f.) Diels. *J. S. African Bot.* 46 :1- 5.
- 430 Botschantzev, VP 1972. Species subsectionis *Tetragonae* (Ulbrich) Botsch. Sectionis *Caroxylon* (Thunb.) Fenzl, Generis *Salsola* L *Novitates Systematicae Plantarum Vascularum* 9 :140- 154.
- 431 Botschantzev, VP 1973. Species of the subtribe *Kochieae* Moq. (Fam. *Chenopodiaceae*) from South and South West Africa. *Novitates Systematicae Plantarum Vascularum* 58, 10 : 1462- 1463.
- 432 Botschantzev, VP 1973. New species of the genus *Salsola* L. from South and South West Africa. *Bot. Zhurn. S.S.S.R.* 58, 6 : 815- 833.
- 433 Botschantzev, VP 1974. A synopsis of *Salsola* (*Chenopodiaceae*) from South and South West Africa. *Kew Bull.* 29 :597- 614.
- 434 Botschantzev, VP 1974. New species of the genus *Salsola* L. from South and South West Africa 3. *Bot. Zhurn. S.S.S.R.* 59, 4 :536- 537.
- 435 Botschantzev, VP 1974. New species of the genus *Salsola* L. from South and South West Africa II *Bot. Zhurn. S.S.S.R.* 59, 1 : 38- 42.
- 436 Botschantzev, VP 1976. *Chenoloides* (Ulbr.) Botsch., *C. dinteri* (Botsch.) Botsch. (= *Chenolea dinteri* Botsch.) *Bot. J. USSR* 61 :1408- 0.
- 437 Botschantzev, VP 1978. New species of the genus *Salsola* L. from South and South West Africa 4. *Bot. Zhurn. S.S.S.R.* 63, 6 : 832- 836.
- 438 Botschantzev, VP 1981. New species of the genus *Salsola* L. (*Chenopodiaceae*) from South and South West Africa 5. *Bot. Zhurn. S.S.S.R.* 66 :36- 1040.
- 440 Bourreil, P 1971. Parallele taxonomique des *Stipagrostis pungens* et *Stipagrostis sabulicola*, Graminees Africaines. *Mitt. Bot. Staatssamml. Muenchen* 10 :458- 469.
- 452 Bredell, HC 1937. *Pseudocassine*: A new genus of the *Celastraceae* in South Africa *S.African J. Sci.* 33 :330- 334.

- 453 Bredell, HC 1939. A revision of the South African species of *Hypericum*. *Bothalia* 3 :571- 582.
- 454 Bredenkamp, CL; Botha, DJ 1993. A synopsis of the genus *Vitex* L. (Verbenaceae) in southern Africa. *S.African J. Bot.* 59, 6 : 611- 622.
- 456 Bremekamp, CEB 1929. A revision of the South Africa species of *Pavetta*. *Ann. Transvaal Mus.* 13 :182- 213.
- 457 Bremekamp, CEB 1934. A monograph of the genus *Pavetta* L. *Feddes Repert.* 37 :1- 208.
- 460 Bremekamp, CEB 1952. The African species of *Oldenlandia* L. sensu Hiern et K. Schumann. *Verh. Kon. Ned. Akad. Wetensch., Afd. Natuurk., Tweede Sect.* 48, 2 : 56- 125.
- 462 Bremer, K 1976. Taxonomy of *Relhania* and *Rosenia* (Compositae). *Unpublished thesis* 0 :0- 0.
- 464 Bremer, K 1976. The genus *Rosenia* (Compositae). *Bot. Not.* 129 :97- 111.
- 465 Bremer, K 1978. The genus *Leyssera* (Compositae). *Bot. Not.* 131 :369- 383.
- 466 Bremer, K 1983. Taxonomy of *Asaemia* with notes on *Stilpnophyton* (Compositae - Anthemideae). *Nord. J. Bot.* 3 :193- 195.
- 472 Brenan, JPM 1967. Notes on African Commelinaceae: VI. A new species of *Commelina* from Southern Tropical Africa. *Mitt. Bot. Staatssamml. Muenchen* 6 :253- 255.
- 473 Brenan, JPM 1981. The genus *Amaranthus* in Southern Africa. *J. S. African Bot.* 47 :451- 492.
- 486 Bridson, DM 1996. *Tapiphyllum*. *Kew Bull.* 51 :349- 0.
- 487 Bridson, DM 1974. A revision of the family *Vahliaceae*. *Kew Bull.* 30 :163- 182.
- 491 Brink, DP 1982. *Fenestraria aurantiaca*. *Aloe* 19, 1 : 29- 0.
- 492 Brink, DP 1984. *Lapidaria margaretae*. *Aloe* 20, 2 : 39- 0.
- 497 Broogh, H 1979. *Anacampteros alstonii* Schoenll. *Kakteen Sukk.* 30 :224- 225.
- 507 Brown, JR 1947. *Aloe claviflora* Cact. Succ. J. (Los Angeles) 19 :159- 0.
- 508 Brown, JR 1964. *Adromischus schaeferianus*. *Cactus & Succulent Journal (U.S.)* 36 :136- 0.
- 511 Brown, NE 1876. *Duvalia polita*. *Bot. Mag.* 6245 :0- 0.
- 512 Brown, NE 1889. *Mesembryanthemum barklye*. N.E.Br. *Hooker's Icon. Pl.* 1820 :0- 0.
- 513 Brown, NE 1909. *Caralluma nebrownii*. *Bot. Mag.* 8267 :0- 0.
- 514 Brown, NE 1911. *Cucumis metuliferus*. *Bot. Mag.* 8385 :0- 0.
- 515 Brown, NE 1913. *Sansevieria aethiopica*. *Bot. Mag.* 8487 :0- 0.
- 516 Brown, NE 1915. *Antherothamnus pearsonii* N.E.Br. *Hooker's Icon. Pl.* 3007 :0- 0.
- 517 Brown, NE 1915. *Sansevieria*. A Monograph of all the known species. *Kew Bull.* 1915 :185- 261.
- 519 Brown, NE 1921. *Mesembryanthemum* and some new genera separated from it. *Gard. Chron.* 0 :70- 91.
- 520 Brown, NE 1921. *Sarcocaulon rigidum*. *Fl. Pl. South Africa* 40 :0- 0.
- 522 Brown, NE 1928. *Mesembryanthemum* and allied genera. *J. Bot.* 66 :13- 145.
- 526 Brown, NE; Tischer, A; Carsten, MC 1931. *Mesembryanthema*. *Not given* 0 :0- 323.

- 527 Brown, NE; Tischer, A; Carsten, MC 1933. *Conophytum namibense* N.E.Br. *Cact. J. (Croydon)* 2, 39 : 0- 0.
- 534 Browning, J 1994. Studies in Cyperaceae in southern Africa. 14: A reappraisal of *Scirpus nodosus* and *Scirpus dioecus*. *S.African J. Bot.* 60, 6 : 315- 320.
- 536 Browning, J; Gordon-Gray, KD 1992. Studies in Cyperaceae in southern Africa. 19: The genus *Bolboschoenus*. *S.African J. Bot.* 58, 5 : 380- 385.
- 538 Bruce, EA 1953. Notes on African Pedaliaceae: *Sesamothamnus*, *Pterodiscus*, *Decerocaryum*, *Josphina*, *Sasumum*. *Kew Bull.* 8 :417- 0.
- 542 Brummitt, RK 1965. Nomina conservanda proposita V. Proposals in Spermatophytes. *Ptychobium biflorum* ssp. *angolense* (Baker) Brummitt *Regnum Veg.* 40 :24- 0.
- 543 Brummitt, RK 1982. A revision of *Trichodesma* sect. *Friedrichsthalia* (Fenzl) A.DC. non Brand (Boragniaceae). *Kew Bull.* 37 :429- 450.
- 545 Brummitt, RK; Ross, JH 1974. Proposal to conserve the generic name *Hoffmanseggia* over *Larrea*. *Taxon* 23 :433- 435.
- 546 Brummitt, RK; Ross, JH 1976. The relationship of *Bauhinia petersiana* and *B. macrantha* (Leguminosae - Caesalpinioideae). *Kew Bull.* 30 :593- 595.
- 547 Brummitt, RK; Ross, JH 1976. A reconsideration of the genus *Adenolobus* (Leguminosae - Caesalpinioideae). *Kew Bull.* 31 :399- 0.
- 548 Brummitt, RK; Ross, JH 1976. A note on a *Tylosema*. *Kew Bull.* 31 :219- 220.
- 549 Brummitt, RK; Ross, JH 1982. *Bauhinia petersiana* Bolle subsp. *macrantha* (Oliv.) Brummitt and Ross. *Kew Bull.* 37 :236- 0.
- 555 Brusse, FA 1986. Two new species of *Parmelia* (Lichenes) from Southern Africa. (*Parmelia usitata* Brusse). *S.African J. Bot.* 52 :105- 108.
- 556 Brusse, FA 1986. A new species of *Pertusaria* (*P. salax* Brusse). *Bothalia* 16 :57- 58.
- 569 Bruyns, PV 1981. A review of *Pectinaria* Haw., *Stapeliopsis* Pillans and a new Genus, *Ophionella* (Asclepiadaceae). *Cact. Succ. J. Gr. Brit.* 43 :31- 83.
- 571 Bruyns, PV 1982. Notes on two little-known *Stapeliads* from Southern Africa. *Excelsa* 10 :103- 111.
- 574 Bruyns, PV 1983. Resurrection of *Quaqua* N.E.Brown (Asclepiadaceae - Stapelieae). *Bradleya* 1 :33- 78.
- 579 Bruyns, PV 1993. A revision of *Hoodia* and *Lavrana* (Asclepiadaceae - Stapelieae). *Bot. Jahrb. Syst.* 115, 2 : 145- 270.
- 580 Bruyns, PV 1995. A re-assessment of the genera *Tridentea* Haw. and *Tromotriche* Haw. *S.African J. Bot.* 61 :180- 208.
- 581 Leach, LC 1985. A revision of *Stapelia* L. (Asclepiadaceae). *Excelsa Taxon. Ser.* 3 :1- 157.
- 582 Bruyns, PV 1995. New records and new species of Asclepiadaceae from Namibia. *Bothalia* 25, 2 : 155- 172.
- 583 Bruyns, PV 1999. The systematic position of *Quaqua* (Apocynaceae - Asclepiadoideae) with a critical revision of the species *Bot. Jahrb. Syst.* 121, 3 : 311- 402.
- 584 Bruyns, PV 2000. *Baynesia*, a new genus of *Stapeliad* from the northwestern-most corner of Namibia (Apocynaceae). *Novon* 10 :354- 358.
- 587 Bruyns, PV 2002. A monograph of *Orbea* and *Ballyanthus* (Apocynaceae û Asclepiadoideae û Ceropegieae). *Syst. Bot. Monogr.* 63 :1- 190.

- 596 Bullock, AA 1937. The genus *Brownanthus* Schwantes. *Kew Bull.* 1937 :492- 497.
- 600 Bullock, AA 1957. Notes on African Asclepiadaceae: VIII. *Kew Bull.* 1956 :503- 522.
- 601 Bullock, AA 1963. Asclepiadaceae. *Fl. W. Trop. Afr.* 0 :0- 0.
- 602 Bullock, AA 1966. *Vellozia viscosa*. *Bot. Mag.* 176 :493- 0.
- 604 Bullock, AA; Schweickerdt, HGWJ 1937. A new synonym (*Cotyledon buchholzianum* in error placed under *Cararia namaquensis*.) *Cact. J. (Croydon)* 6, 31 : 0- 0.
- 605 Merxmüller, H; Roessler, H 1973. Einer Bisher Verkannte Liliaceae der Gattung *Massonia* in Suedwestafrika. *Mitt. Bot. Staatssamml. Muenchen* 11 :83- 85.
- 606 Burbidge, RB 1978. A revision of the genus *Tulbaghia* (Liliaceae). *Notes Roy. Bot. Gard. Edinburgh* 36 :77- 102.
- 624 Burret, M 1911. Die afrikanischen Arten der Gattung *Grewia* L. *Bot. Jahrb. Syst.* 45 :156- 203.
- 626 Burt-Davy, J 1922. A revision of the South Africa species of *Dianthus*. *Kew Bull.* 1922 :209- 223.
- 633 Leach, LC 1980. A taxonomic review of *Euphorbia gariepina* Boiss., its distribution, variability and synonymy. *Excelsa Taxon. Ser. 2* :74- 81.
- 656 Cannon, JFM; Theobald, WL 1967. *Phlyctidocarpa* - a new monotypic genus of the Umbelliferae from South West Africa. *Mitt. Bot. Staatssamml. Muenchen* 6 :479- 482.
- 674 Carter, S 1962. Revision of *Walleria* and *Cynastrum* (Tecophilaeaceae). *Kew Bull.* 16 :185- 195.
- 686 Chippendall, LKA 1943. *Rhynchelytrum repens*. *Fl. Pl. South Africa* 914 :0- 0.
- 700 Claassen, C 1968. *Othonna opima* Merxm. *Fl. Pl. South Africa* 1538 :0- 0.
- 701 Claassen, C 1970. *Vernonia oligocephala* (DC.) Sch.Bip. ex Walp. *Fl. Pl. South Africa* 1592 :0- 0.
- 704 Clausen, RT 1938. A monograph of the Ophioglossaceae *Bull. Torrey Bot. Club* 19 :1- 177.
- 706 Clayton, WD 1966. Studies in Gramineae: VIII Diheteropogon. *Kew Bull.* 20 :75- 0.
- 707 Clayton, WD 1966. The genus *Elymandra*. *Kew Bull.* 20 :287- 295.
- 709 Clayton, WD 1969. A revision of the genus *Hyparrhenia*. *Kew Bull.* 0 :196- 0.
- 710 Clayton, WD 1970. Gramineae Part 1 *Gramineae* 1 :1- 176.
- 711 Clayton, WD 1974. Notes on the genus *Digitaria* Haller. Studies in the Gramineae: 36. *Kew Bull.* 29, 3 : 517- 525.
- 713 Clayton, WD 1978. Some new African grasses (*Rhynchelytrum kalimorphon* W.D. Clayton) *Kew Bull.* 33 :21- 24.
- 714 Toelken, HR 1978. New taxa and combinations in *Cotyledon* and allied genera. *Bothalia* 12, 3 : 377- 393.
- 715 Clayton, WD; Harlan, JR 1970. The genus *Cynodon* L.C.Rich. in tropical Africa. *Kew Bull.* 24, 1 : 185- 0.
- 716 Clayton, WD; Renvoize, SA 1982. Gramineae Part 3. *Gramineae* 3 :1- 898.
- 717 Phillips, EP; Hofmeyer, JM 1927. The genus *Melianthus*. *Bothalia* 2 :351- 355.
- 724 Codd, LEW 1955. *Securidaca longepedunculata* Fresen. *Fl. Pl. South Africa* 0 :0- 0.
- 725 Codd, LEW 1956. *Combretum zeyheri* Sonder. *Fl. Pl. South Africa* 1230 :0- 0.

- 726 Codd, LEW 1956. The Schotia species of Southern Africa. *Bothalia* 6 :515- 533.
- 727 Codd, LEW 1958. The Albizia species of South Africa. *Bothalia* 7 :67- 82.
- 728 Codd, LEW 1961. South African Labiatae: The Coleus caninum complex. *Bothalia* 7 :429- 434.
- 729 Codd, LEW 1963. Apocynaceae. *Fl. Pl. South Africa* 26 :244- 246.
- 730 Codd, LEW 1963. Coleus mirabilis Briq. *Fl. Pl. South Africa* 1417 :0- 0.
- 733 Codd, LEW 1966. Notes on Boerhavia in Southern Africa. *Bothalia* 9 :113- 121.
- 734 Codd, LEW 1966. The Cassine complex. *Bothalia* 9 :123- 124.
- 736 Codd, LEW 1973. Schotia afra (L.) Thunb. var. angustifolia (E.Mey.) Harv. *Fl. Pl. South Africa* 1665 :0- 0.
- 738 Codd, LEW 1975. Plectranthus (Labiatae) and allied genera in Southern Africa. *Bothalia* 11 :371-442.
- 739 Codd, LEW 1976. Loasaceae. *Fl. Pl. South Africa* 22 :0- 134.
- 740 Codd, LEW 1976. The South African species of Hemizygia (Lamiaceae). *Bothalia* 12 :1- 20.
- 742 Codd, LEW 1980. Tinnea rhodesiana S. Moore. *Fl. Pl. South Africa* 1814 :0- 0.
- 743 Codd, LEW 1983. The genus Tetradenia Benth. (Lamiaceae). I. African species. *Bothalia* 14 :177- 183.
- 744 Codd, LEW 1983. Notes on African plants: Tiliaceae, a new species of Corchorus, with key to the Southern African species of Corchorus *Bothalia* 14 :221- 222.
- 745 Codd, LEW 1983. Southern African species of Mentha L. (Lamiaceae). *Bothalia* 14 :169- 175.
- 746 Codd, LEW 1985. Lamiaceae. *Fl. Pl. South Africa* 28, 4 : 1- 247.
- 747 Codd, LEW; Kers, LE 1970. Capparaceae: Cleome. *Fl. Pl. South Africa* 13 :119- 140.
- 749 Codd, LEW; De Winter, B; Leistner, OA 1963. Flora of southern Africa. *Fl. S. Africa* 0 :0- 0.
- 771 Coetzer, LA; Ross, JH 1977. Tylosema. *Fl. S. Africa* 16, 2 : 61- 64.
- 791 Cole, DT 1981. Vorläufige \_berlegungen zu einigen Trichocaulon N.E.Br. 2. *Kakteen Sukk.* 32 :206- 210.
- 820 Cope, TA 1988. A synopsis of Sporobolus R.Br. (Poaceae) in the Flora Zambesiaca area *Kew Bull.* 53, 1 : 165- 172.
- 822 Cope, TA 1999. Gramineae XIX. *Gramineae* 19 :0- 0.
- 823 Cope, TA 1983. Centropodia: an earlier name for Asthenatherum (Gramineae). *Kew Bull.* 27 :657- 659.
- 833 Brummitt, RK; Ross, JH 1974. The African species of Hoffmannseggia *Kew Bull.* 29 :415- 424.
- 902 Leach, LC 1983. A new Euphorbia from South-West Africa. *J. S. African Bot.* 49, 3 : 189- 192.
- 915 Czech, G 1954. Die Cyperaceae und Lentibulariaceae S<sup>3</sup>dwest-Afrikas. *Unpublished thesis* 0 :0- 0.
- 961 Hartmann, HEK 1998. New combinations in Ruschioideae, based on studies in Ruschia (Aizoaceae). *Bradleya* 16 :44- 91.
- 962 Pilbeam, J 1998. Adromischus. 0 :0- 0.
- 963 De Wilde, WJJO 1976. Passifloraceae. *Fl. S. Africa* 22 :104- 128.
- 967 Leach, LC 1968. Euphorbiae succulentae Angolensis I *Bol. Soc. Brot.* 2, 42 : 161- 179.

- 969 De Winter, B 1972. A new species of *Eragrostis* from South West Africa. *Bothalia* 10, 1 : 72- 0.
- 972 Salter, TM 1944. The genus *Oxalis* in South Africa. *J. S. African Bot. Suppl.* 1 :1- 355.
- 976 De Winter, B; Vorster, PJ 1974. Comments on the treatment of the Poaceae in the Prodrum einer Flora von Suedwestafrika (1970). *Bothalia* 11, 3 : 296- 0.
- 987 Dinter, MK 1909. Deutsch-Südwest-Afrika. Flora, Forst- und Landwirtschaftliche Fragmente. *Not given* 0 :0- 191.
- 989 Dinter, MK 1920. Plantae novae Schaeferianae LIV. *Feddes Repert.* 16 :335- 344.
- 997 Dressler, S 1996. *Bridelia* - proposal to conserve the name. *Taxon* 45 :337- 338.
- 1020 Dyer, RA 0. *Brachystema*. *J. S. African Bot.* 43, 1 : 9- 20.
- 1021 Dyer, RA 1940. *Pachypodium namaquanum*. *Fl. Pl. South Africa* 771 :0- 0.
- 1026 Dyer, RA 1984. *Ceraria namaquensis* (Sonder) Pearson and Stephens. *Fl. Pl. South Africa* 1892 :0- 0.
- 1034 Jochen, M; Sonder, OW; Thiselton-Dyer, WT; Hille, AW 1859. Flora Capensis. Being a systematic description of the plants of the Cape Colony, Caffraria and Natal *Fl. Cap.* 0 :0- 0.
- 1058 Engler, HGA 1912. Die Verbreitung afrikanischen Burseraceae im Verhaeltnis zu ihrer systematischen Gliederung und die Eingelung der Gattung *Commiphora*. *Bot. Jahrb. Syst.* 48 :443- 490.
- 1060 Erbar 1995. *Sphenoclea*. *Bot. Jahrb. Syst.* 117 :469- 483.
- 1079 Dinter, MK 1926. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten XXI. *Feddes Repert.* 23 :227- 236.
- 1081 Fernandes, RB 1990. Notes sur les Verbenaceae 8 - Remarques sur quelques especes Africaines du genre *Premna* L. *Bol. Soc. Brot.* 2, 63 : 295- 309.
- 1101 Friedrich, H-Chr 1957. *Plumbago wissii* n. sp. (Dicot., Plumbaginaceae) ein charakteristischer Strauch der hoechsten Gipfel des Brandberges in Südwestafrik *Senckenberg. Biol.* 38, 5/6 : 417- 419.
- 1102 Friedrich, M 1961. Eine neue *Hermannia* aus den Brandbergen. *Mitt. Bot. Staatssamml. Muenchen* 4 :167- 169.
- 1105 Leach, LC 1982. A new species of *Euphorbia* from the Namib, South West Africa. *Dinteria* 16 :27- 31.
- 1123 Gerbault, M 1992. Die Gattung *Anacampseros* L. (Portulacaceae). 1. Untersuchungen zur Systematik. *Bot. Jahrb. Syst.* 113, 4 : 477- 564.
- 1124 Gerbault, M; Struck, M 1995. *Anacampseros* and allied genera - a reply. *Bot. Jahrb. Syst.* 117 :359- 363.
- 1129 Getliffe Norris, FM; Balkwill, K; Manning, JC 1985. New combinations and synonyms in southern African Acanthaceae. *S.African J. Bot.* 51, 6 : 489- 0.
- 1141 Radcliffe-Smith, A 1991. Notes on African Euphorbiaceae. 25. *Jatropha*. *Kew Bull.* 46 :141- 157.
- 1142 Hammer, SA 1993. The genus *Conophytum*: a conograph. 0 :0- 283.
- 1160 Duncan, GD 1998. Five new species of *Lachenalia* (Hyacinthaceae) from arid areas of Namibia and South Africa *Bothalia* 28, 2 : 131- 139.
- 1163 Giess, JWH 1970. Eine neue *Aloe* aus der Namib. *Mitt. Bot. Staatssamml. Muenchen* 8 :123- 126.
- 1164 Beier, B-A; Nylander, JAA; Chase, MW; Thulin, MP 2004. Phylogenetic relationships and biogeography of the desert plant genus *Fagonia* (Zygophyllaceae), inferred by parsimony and Bayesian model averaging. *Molec. Phylogenet. Evol.* 33 :91- 108.
- 1169 Giess, JWH 1973. A new species of *Aloe* from South West Africa. *Bothalia* 11 :120- 122.

- 1170 Henderson, MD 1953. *Cotyledon paniculata*. *Fl. Pl. South Africa* 1142 :0- 0.
- 1171 Giess, JWH 1974. *Ximenia caffra* Sonder var. *natalensis* Sonder (Olacaceae) aus Owambo. *Neu fur SWA. Dinteria* 10 :35- 44.
- 1189 Gilbert, MG 1990. A review of *Caralluma* R. Br. and its segregates. *Bradleya* 8 :1- 32.
- 1195 Glen, HF 1985. *Aristridia citrina*. *Fl. Pl. South Africa* 1917 :0- 0.
- 1205 Goldblatt, P 1986. The *Moraeas* of Southern Africa. *Annals of Kirstenbosch Gardens* 14. 14 :0- 0.
- 1206 Goldblatt, P 1989. The genus *Watsonia*. *Ann. Kirstenbosch Bot. Gard.* 19 :0- 0.
- 1211 Goldblatt, P 1998. Reduction of *Barnardiella*, *Galaxia*, *Gynandriris*, *Hexaglottis*, *Homeria* and *Roggeveldia* in *Moraea* (Iridaceae: Irideae) *Novon* 8 :371- 377.
- 1213 Goldblatt, P; Manning, JC 1998. *Gladiolus* in southern Africa. Fernwood Press 0 :0- 0.
- 1214 Goldblatt, P; Manning, JC 1992. Systematics of the southern African *Lapeirousia corymbosa* (Iridaceae - Ixioidae) complex (sect. *Fastigiata*) and a new species of sect. *Paniculata*. *S.African J. Bot.* 58 :326- 336.
- 1226 Goyder, DJ; Nicholas, A 2001. A revision of *Gomphocarpus* R.Br. (Apocynaceae: Aselepiadeae). *Kew Bull.* 56 :769- 836.
- 1229 Graham, RA 1957. A revision of *Oxygonum* (Polygonaceae - Polygoneae). *Kew Bull.* 1 :145- 172.
- 1285 Hara, H 1969. The correct author's name of *Citrulus lanatus*. *Taxon* 18 :346- 347.
- 1288 Hardy, DS 1970. *Aloe pearsonii* Schonl. *Fl. Pl. South Africa* 1594 :0- 0.
- 1289 Hardy, DS 1971. Liliaceae, a new *Aloe* from South West Africa. *Bothalia* 10 :366- 368.
- 1290 Hardy, DS 1971. Notes on a new species of *Aloe* from South West Africa. *Cactus & Succulent Journal (U.S.)* 3 :218- 0.
- 1291 Hardy, DS 1984. *Aloe erinacea*. *Fl. Pl. South Africa* 1885 :0- 0.
- 1302 Hartmann, HEK; Niesler, I 1991. On the identity of *Trichodiadema schimperi* (Engl.) Herre (Mesembryanthema) *Cactus & Succulent Journal (U.S.)* 63 :147- 149.
- 1303 Hartmann, HEK 1978. Zur Kenntnis der gattung *Cephalophyllum* N.E.Br. *Bot. Jahrb. Syst.* 99, 2/3 : 264- 302.
- 1304 Hartmann, HEK 1982. Monographien der subtribus *Leipoldtiinae*. III. Monographie der Gattung *Fenestraria* (Mesembryanthemaceae) *Bot. Jahrb. Syst.* 103 :145- 183.
- 1305 Hartmann, HEK 1984. Monographien der subtribus *Leipoldtiinae*. IV. Monographie der Gattung *Jordaaniella* (Mesembryanthemaceae) *Bot. Jahrb. Syst.* 104 :321- 360.
- 1308 Hartmann, HEK 1989. Monographien der subtribus *Leipoldtiinae*. VIII. Monographie der Gattung *Cephalophyllum* (Mesembryanthemaceae) *Mitt. Inst. Allg. Bot. Hamburg* 22, 93 : 187- 0.
- 1311 Hartmann, HEK 1996. Miscellaneous taxonomic notes on Aizoaceae. *Bradleya* 14 :29- 56.
- 1312 Hartmann, HEK 2001. Notes on *Lampranthus otzenianus* and *L. uniflorus* (Mesembryanthema, Aizoaceae) *Bradleya* 19 :83- 90.
- 1314 Hartmann, HEK; Dehn, M 1987. Monographie der subtribus *Leipoldtiinae*. VII. Monographie der Gattung *Cheiodopsis* (Mesembryanthemaceae) *Bot. Jahrb. Syst.* 108 :567- 663.
- 1315 Hartmann, HEK 1993. *Mesembryanthema* *Contr. Bolus Herb.* 13 :1- 107.

- 1325 Heine, H 1956. *Commiphora kraeuseliana*, eine bemerkenswerte neue Burseraceae aus SWA. *Senckenberg. Biol.* 37 :394- 496.
- 1337 Herman, PPJ 1990. *Nicotiana africana* *Fl. Pl. Africa* 51 :2020- 0.
- 1339 Herre, AGJ 1971. The Genera of the Mesembryanthemaceae. Tafelberg, Cape Town. 0 :0- 0.
- 1350 Hilliard, OM 1983. Asteraceae, Inuleae: Gnaphaliinae. *Fl. S. Africa* 33, 7,2 : 1- 325.
- 1351 Hilliard, OM 1994. The Manuleae. A tribe of Scrophulariaceae. Edinburgh University Press, Edinburgh. 0 :0- 0.
- 1352 Hilliard, OM 1999. The tribe Selaginaceae. Royal Botanic Garden, Edinburgh. 0 :0- 0.
- 1366 Schinz, H 1898. Beitrage zur kenntnis der Afrikanische Flora VIII. *Bull. Herb. Boissier* 6, 9 : 736- 751.
- 1371 Hiremath; Saliniath 1994. Eleusine. *Phytologia* 76 :411- 0.
- 1393 Hosni, HA; El-Karemi, ZAR 1993. Systematic revision of Leguminosae in Egypt - 1. *Tephrosia Pers. Sendtnera* 1 :245- 267.
- 1398 Venter, AM 2000. Taxonomy of the genus *Lycium* L. (Solanaceae) in Africa. PhD thesis, University of the Orange Free State, Bloemfontein. *Unpublished thesis* 0 :0- 0.
- 1407 Ihlenfeldt, H-D; Hartmann, HEK 1970. Die Gattung *Harpagophytum* (Burch.) DC. ex Meissn. (Monographie der afrikanischen Pedaliaceae II). *Mitt. Inst. Allg. Bot. Hamburg* 13, 15 : 69- 0.
- 1411 Ihlenfeldt, H-D; Bittrich, V 1985. Morphologie, Gliederung und Abgrenzung der Gattung *Psilocaulon* N.E.Br. s.l. (Mesembryanthemaceae). *Bot. Jahrb. Syst.* 25, 3 : 289- 322.
- 1412 Ihlenfeldt, H-D 1994. Diversification in an arid world: The Mesembryanthemaceae. *Ann. Rev. Ecol. Syst.* 25 :521- 546.
- 1415 Immelman, KL 1987. Synopsis of the genus *Salix* (Salicaceae) in southern Africa. *Bothalia* 17, 2 : 171- 177.
- 1462 Jankowitz, WJ 1973. A first record for *Aloe buettneri* in Southern Africa *Madoqua* 1, 7 : 51- 52.
- 1489 Jordaan, M 1995. A taxonomic revision of the spiny members of subfamily Celastroideae (Celastraceae) in Southern Africa *Unpublished thesis* 0 :0- 0.
- 1535 Kers, LE 1969. On *Sphaeranthus similis* Kers. sp. nov. etc Compositae. *Dinteria* 2 :0- 0.
- 1536 Kers, LE 1971. *Stipagrostis giessii* a new species from the Namib Desert. *Svensk Bot. Tidskr.* 65 :199- 207.
- 1541 Merxmueller, H; Schreiber, AL; Giess, JWH 1974. Zwei ungewöhnliche neue Zygophyllen aus Suedwestafrika. *Mitt. Bot. Staatssamml. Muenchen* 11 :445- 456.
- 1562 Kleiner, E 1980. *Bowiea volubilis* Harv. and Hook. f. *Kakteen Sukk.* 31 :240- 241.
- 1575 Schrire, BD 1992. New combinations and resurrected names in *Microcharis* and *Indigastrum* (Fabaceae - Papilionoideae). *Bothalia* 22 :167- 169.
- 1588 Koutnik, DL 1984. *Chamaesyce* (Euphorbiaceae) - a newly recognized genus in southern Africa. *S.African J. Bot.* 3, 4 : 262- 264.
- 1596 Hartmann, HEK; Dehn, M 1989. A re-examination of the genus *Amphibolia* (Mesembryanthemaceae). *Bothalia* 19 :179- 182.
- 1600 Kuntze, OEO; Meve, U; Liede, S 1994. *Cibirhiza albersiana*, a new species of Asclepiadaceae and the establishment of the tribe Fockeeae. *Taxon* 43 :367- 376.
- 1621 Overkott, O 1954. Neue Arten aus Sudwest-Afrika. Amaryllidaceae. *Mitt. Bot. Staatssamml. Muenchen* 9 :444- 445.

- 1623 Verdcourt, B 1985. A synopsis of the Moringaceae. *Kew Bull.* 40 :1- 23.
- 1641 Leach, LC 1975. Euphorbia gummifera, E. gregaria and a new species from Damaraland. *Bothalia* 11 :495- 503.
- 1642 Leach, LC 1971. Two new species of Aloe (Liliaceae) from South Tropical Africa. - (Aloe esculenta Leach). *J. S. African Bot.* 37 :249- 266.
- 1644 Leach, LC 1976. Euphorbia (Tetracanthae) in Angola and northern Kaokoland. *Dinteria* 12 :1- 35.
- 1645 Leach, LC 1978. A contribution towards a new classification of Stapelieae (Asclepiadaceae) with a preliminary review *Excelsa Taxon. Ser.* 1 :69- 71.
- 1646 Leach, LC 1983. Tridentea pachyrrhiza (Dinter) Leach. *Excelsa Taxon. Ser.* 215 :2714- 0.
- 1649 Lebrun, J-P 1971. Quelques PhanÚrogames Africaines a aire disjointe. *Mitt. Bot. Staatssamml. Muenchen* 10 :438- 448.
- 1671 Leistner, OA 2000. Seed plants of southern Africa: families and genera. *Strelitzia* 10 :0- 775.
- 1687 Liebenberg, LCC 1939. A revision of the South African species of Adenia. *Bothalia* 3 :513- 570.
- 1688 Liede, S 1996. Rhodostegiella - Vincet oxicum - Tylophora : new combinations on an old problem. *Taxon* 45 :193- 211.
- 1689 Liede, S; Meve, U 1993. Towards an understanding of the Sarcostemma viminale (Asclepiadaceae) complex. *Bot. J. Linn. Soc.* 112 :1- 15.
- 1690 Liede, S; Albers, F 1994. Tribal disposition of Asclepiadaceae genera. *Taxon* 43 :201- 231.
- 1698 Linder, HP; Kurzweil, H 1999. Orchids of southern Africa. A.A.Balkema, Rotterdam. 0 :0- 0.
- 1703 Hammer, SA 1988. A new Anacampseros species from the Richtersveld. *Cactus & Succulent Journal (U.S.)* 60 :215- 216.
- 1794 Manning, JC; Getliffe Norris, FM 1985. Taxonomic studies in the Acanthaceae: a reappraisal of the genus Duvernoia and Adhatoda in southern Africa *S.African J. Bot.* 51, 6 : 475- 484.
- 1795 Marais, EM 1995. Four species of Pelargonium, section Hoarea (Geraniaceae) and their possible relationships. *S.African J. Bot.* 61, 2 : 90- 100.
- 1843 Meeuse, ADJ 1962. The Cucurbitaceae of Southern Africa. *Bothalia* 8, 1 : 111- 0.
- 1844 Meikle, RD 1978. A key to Commicarpus *Notes Roy. Bot. Gard. Edinburgh* 36 :235- 249.
- 1851 Merxmueller, H 1966. Die Sukkulente Senecionen Suedwestafrikas. *Bot. Not.* 119, 2 : 0- 0.
- 1853 Merxmueller, H 1966. Prodromus einer Flora von Suedwestafrika. *Prodromus einer Flora von Sudwestafrika* 0 :0-442.
- 1855 Merxmueller, H; Giess, JWH 1974. Aloe pachygaster Dinter und damit verwechselte neue Art. *Mitt. Bot. Staatssamml. Muenchen* 11 :437- 444.
- 1856 Merxmueller, H; Podlech, D 1961. Portulacaceae - Ceraria longipedunculata Merxm. and Podlech spec. nov. *Mitt. Bot. Staatssamml. Muenchen* 4 :73- 74.
- 1862 Meve, U; Albers, F 1990. Duvalia 6883. *Mitt. Inst. Allg. Bot. Hamburg* 23, 595 : 604- 0.
- 1864 Meyer, PG 1956. Acanthaceae [in Merxmuller, H. et al., Taxa africana û ] *Mitt. Bot. Staatssamml. Muenchen* 2 :1- 170.
- 1866 Meyer, PG 1957. Beitrage zur Kenntnis der Acanthaceen SWA. [in Merxmuller, H. et al., Taxa africana û ] *Mitt. Bot. Staatssamml. Muenchen* 2 :304- 0.

- 1867 Meyer, PG 1958. Beitrage zur Kenntnis der Acanthaceen SWA. 0 :0- 0.
- 1868 Meyer, PG 1960. Weitere Beitrage zur Sudwestafrikanisc ? *Mitt. Bot. Staatssamml. Muenchen* 3 :602- 622.
- 1869 Schinz, H 1898. Beitrage zur kenntnis der Afrikanische Flora VII. *Bull. Herb. Boissier* 6, 9 : 730- 751.
- 1870 Meyer, PG 1961. Beitrage zur Kenntnis der Acanthaceen und Euphorbiaceen SWA. 4 :145- 248.
- 1873 Meyer, PG 1968. Acanthaceae. *Unpublished thesis* 130 :1- 65.
- 1874 Meyer, PG 1973. Neue und wenig bekannte Acanthaceen aus dem Kaokoveld (SWA). *Mitt. Bot. Staatssamml. Muenchen* 11 :101- 113.
- 1888 Moffett, RO 1978. A monographic study of Sarcocaulon (Gerniaceae). M.Sc. thesis, University of Stellenbosch. Unpublished. *Unpublished thesis* 0 :0- 0.
- 1890 Mohamed, KI; Musselman, LJ; Riches, CR 2001. The genus *Striga* (Scrophulariaceae) in Africa. *Ann. Missouri Bot. Gard.* 88 :60- 103.
- 1903 Moore, S 1899. Alabastra Diversa Part 5. *J. Bot.* 37 :400- 402.
- 1920 Mueller-Doblies, U 1985. De Lillifloris notulae 2. De taxonomia subtribus Strumariinae (Amaryllidaceae). *Bot. Jahrb. Syst.* 107, 14 : 17- 47.
- 1922 Mueller-Doblies, U; Mueller-Doblies, D 1997. A partial revision of the tribe Massonieae (Hyacinthaceae). *Feddes Repert.* 108, 1/2 : 49- 96.
- 1924 Mueller-Doblies, U; Tang, J; Mueller-Doblies, D 2001. A revision of the genus *Fusifilum* Raf. 1837 (Hyacinthaceae of Southern Africa). *Feddes Repert.* 112, 7/8 : 473- 497.
- 1927 Munday, J 1984. A new species of *Monechma* Hochst. (Acanthaceae) from South Africa. *S.African J. Bot.* 3, 6 : 363- 367.
- 1937 NBI 1986. New taxa, new records and name changes for southern African plants *Bothalia* 17, 1 : 110- 0.
- 1960 Nordenstam, RB 1966. Euryops in South West Africa. *Bot. Not.* 119, 4 : 475- 485.
- 1964 Nordenstam, RB 1980. A new species of *Senecio* from Namibia. *Mitt. Bot. Staatssamml. Muenchen* 16 :29- 33.
- 1965 Nordenstam, RB 1967. New species of *Felicia* and *Pentzia* (Compositae) from the Brandberg, South West Africa. *Bot. Not.* 120 :196- 201.
- 1967 Nordenstam, RB 1982. A monograph of the genus *Ornithoglossum* (Liliaceae) *Opera Bot.* 64 :1- 51.
- 1968 Norlindh, T 1946. Studies in the Calenduleae. II. Phytogeography and Interrelation. *Bot. Not.* 4 :0- 0.
- 1980 O'Callaghan, MG 1992. The ecology and identification of the southern African *Salicornieae* (Chenopodiaceae). *S.African J. Bot.* 58, 6 : 430- 439.
- 1983 Obermeyer, AA 1933. A revision of the South African species of *Barleria*. *Ann. Transvaal Mus.* 15 :123- 180.
- 1984 Obermeyer, AA 1937. The South African species of *Blepharis*. *Ann. Transvaal Mus.* 19 :105- 139.
- 1985 Obermeyer, AA; Nicholas, A 1984. *Drosera bureana* Planch. *Fl. Pl. South Africa* 188 :0- 0.
- 2003 Onderstall, J 1985. *Vernonia poskeana* var. *poskeana* *African Wildlife* 39, 1 : 10- 0.
- 2004 Ortiz, S 2001. Reinstatement of the genus *Macledium* Cass. (Asteraceae, Mutisieae): morphological and phylogenetic arguments *Taxon* 50 :733- 744.
- 2006 Ostroumova, TA; Pimenov, MG 1997. Carpological diversity of African *Peucedanum* 1. The species of southern Africa. *Feddes Repert.* 108, 5/6 : 299- 318.

- 2033 Pasquet, RS 2001. Notes on the genus *Vigna* (Leguminosae-Papilionideae). *Kew Bull.* 56 :223- 227.
- 2054 Phillips, EP 1923. *Adenium oleifolium* Fl. Pl. *South Africa* 105 :0- 0.
- 2055 Phillips, EP 1923. *Aloe variegata*. Fl. Pl. *South Africa* 86 :0- 0.
- 2056 Phillips, EP 1928. *Aloe hereroensis* var. *orpeniae*. Fl. Pl. *South Africa* 281 :0- 0.
- 2057 Phillips, EP 1931. *Aloe melanacantha*. Fl. Pl. *South Africa* 433 :0- 0.
- 2059 Phillips, EP 1938. *Aloe karasbergensis*. Fl. Pl. *South Africa* 720 :0- 0.
- 2060 Phillips, EP 1938. *Adenium boehmainum*. Fl. Pl. *South Africa* 701 :0- 0.
- 2061 Phillips, EP 1938. *Aloe dichotoma* Fl. Pl. *South Africa* 709 :0- 0.
- 2063 Phillips, SM; Hutchinson, JA 1921. A revision of the African species of *Sesbania*. *Bothalia* 1 :40-56.
- 2064 Friedrich, H-Chr 1956. Beitrage zur Kenntnis der Molluginaceen. Revision der Gattung *Limeum*. *Mitt. Bot. Staatssamml. Muenchen* 14 :133- 166.
- 2066 Pienaar, BJ; Van Wyk, AE 1992. The *Vigna unguiculata* complex (Fabaceae) in southern Africa. *S.African J. Bot.* 58, 6 : 414- 429.
- 2073 Pillans, NS 1938. *Plantae Novae Africanae - Aloe ramosissima* Pill. *J. S. African Bot.* 5 :66- 67.
- 2074 Meyer, E 1953. *Regnum Vegetabile Regnum Veg.* 0 :0- 0.
- 2075 Plaizier, AC 1980. A revision of *Adenium* Roem. and Schult. and of *Diplorhynchus* Wels. ex Fic. and Hiern (Apocynaceae). *Meded. Landbouwhoogeschool Wageningen* 80, 12 : 1- 40.
- 2079 Plowes, DCH 1993. The taxonomy of *QuaQua* N.E.Brown. *Excelsa* 16 :83- 102.
- 2080 Plowes, DCH 1988. *Huernia* *Excelsa* 4 :1- 197.
- 2081 Polhill, RM; Wiens, D 1998. *Mistletoes of Africa*. Royal Botanic Garden & European Union, Belgium. 0 :0- 370.
- 2082 Polhill, RM 1982. Polhill, R.M. 1982. *Crotalaria* in Africa and Madagascar. A.A.Balkema, Rotterdam. 0 :0- 389.
- 2087 De Melo, NF; Guerra, M; Benko-Iseppon, AM; Menezes, NL 1997. Cytogenetics and cytotaxonomy of *Velloziaceae*. *Pl. Syst. Evol.* 204 :257- 273.
- 2088 Pope, GV 2002. *Flora Zambesiaca* 10,4 Fl. *Zambes.* 10, 4 : 0- 0.
- 2089 Mackinder, B; Pasquet, RS; Polhill, RM; Verdcourt, B 2001. *Flora Zambesiaca* 3,5 Fl. *Zambes.* 3, 5 : 0- 0.
- 2090 Carter, S; Leach, LC 2001. *Flora Zambesiaca* 9,5 Fl. *Zambes.* 9, 5 : 0- 0.
- 2091 Kativu, S 1996. *Asphodeaceae* of the *Flora Zambesiaca* area *Kirkia* 16, 1 : 27- 53.
- 2124 Rawe, R 1980. New taxa of *Conophytum* *Cactus & Succulent Journal (U.S.)* 52 :230- 231.
- 2125 Rawe, R 1981. *Conophytum* Section: *Saxetana* (Incl. new descr. of *Conophytum klinghardtense* Rawe, key to the section) *Cactus & Succulent Journal (U.S.)* 3 :183- 186.
- 2126 Raynal, J 1976. Notes Cyperologiques: 26. Le genre *Schoenoplectus*. L'Amphicarpie et la Sect. *Supini*. *Adansonia* 2, 16 : 119- 155.
- 2141 Retief, E; Van Wyk, AE 2001. The genus *Ehretia* (Boraginaceae: Ehretioideae) in southern Africa. *Bothalia* 31, 1 : 9- 23.

- 2142 Retief, E; Van Wyk, AE 2002. The genus *Trichodesma* (Boraginaceae: Boraginoideae) in southern Africa. *Bothalia* 32, 2 : 151- 166.
- 2144 Reynolds, GW 1936. *Aloe dinteri* Fl. Pl. South Africa 637 :0- 0.
- 2145 Reynolds, GW 1937. A new *Aloe* from South West Africa, together with new varieties from the Transvaal and Orange Free State *J. S. African Bot.* 3 :143- 150.
- 2146 Reynolds, GW 1938. A new *Aloe* from S.W.A. *J. S. African Bot.* 4 :105- 107.
- 2149 Reynolds, GW 1952. *Aloe sladeniana* Pole Evans. *Fl. Pl. South Africa* 1122 :0- 0.
- 2175 Roessler, H; Merxmüller, H 1979. Neue Pteridophyten und Lilienfloren aus Suedwestafrika. *Mitt. Bot. Staatssamml. Muenchen* 15 :381- 396.
- 2176 Roessler, H; Merxmüller, H 1982. Weitere Neufunde aus Suedwestafrika. *Mitt. Bot. Staatssamml. Muenchen* 18 :187- 200.
- 2177 Bester, SP 2006. Notes on African Plants. Apocynaceae. New records of *Adenium boehmianum* in the FSA region. *Bothalia* 36, 1 : 63- 89.
- 2183 Forster, PI 1989. Notes on Asclepiadaceae, I. *Austrobaileya* 3 :109- 133.
- 2224 Ryding, O 1986. The genus *Aeollanthus* s. lat. (Labiatae) *Symb. Bot. Upsal.* 26 :1- 152.
- 2226 Ryding, O 1995. Penicorp st. and phytoeny of the Lamiaceae-Verbenaceae complex. *Pl. Syst. Evol.* 198 :101- 141.
- 2255 Scheltema, AG; Van der Walt, JJA 1990. Taxonomic revision of *Pelargonium* section *Jenkinsonia* (Geraniaceae) in southern Africa. *S.African J. Bot.* 56, 3 : 285- 302.
- 2261 Schinz, H 1891. Deutsch-S<sup>3</sup>dwest-Afrika. Forschungsreisen durch die deutschen Schutzgebiete Gross Nama und Hereroland, nach dem Kunene, dem Ngami-S
- 2282 Schreiber, AL 1963. Die Gattung *Zygophyllum* L. in Suedwestafrika. *Mitt. Bot. Staatssamml. Muenchen* 5 :49- 114.
- 2284 Schrire, BD 1984. A taxonomic revision of the tribe Desmodieae (Leguniosae - Papiloinoidae). MSc University of Natal Durban Westville. Unpublished *Unpublished thesis* 0 :0- 0.
- 2296 Schweickerdt, HGWJ 1937. An account of the South African Species of *Tribulus* Tourn. ex Linn. *Bothalia* 1, 2 : 159- 178.
- 2297 Schweickerdt, HGWJ 1937. A note on the South African species of *Ximenia* L., and their possible economic uses. *Bothalia* 3, 2 : 179- 182.
- 2300 Scott, G 1991. A revision of *Cyanella* (Tecophilaeaceae) excluding *C. amboensis*. *S.African J. Bot.* 57, 1 : 34- 54.
- 2369 Radcliffe-Smith, A 1996. Notes on African Euphorbiaceae. 30. *Jatropha*. *Kew Bull.* 52 :301- 332.
- 2370 Snijman, DA 1994. Systematics of *Hessea*, *Strumaria* and *Carpolyza* (Amaryllideae: Amaryllidaceae). *Contr. Bolus Herb.* 16 :1- 162.
- 2371 Snijman, DA 1984. A Revision of the genus *Haemanthus* *J. S. African Bot.* 12 :1- 139.
- 2372 Snow, N 1998. Nomenclatural changes in *Leptochloa* P.Beauvois sensu lato (Poaceae, Chloridoideae). *Novon* 8 :77- 80.
- 2380 Stedje, B 1984. Taxonomy and cytology of the genus *Ornithogalum* (L) in Eastern Africa. *Nord. J. Bot.* 4 :749- 759.

- 2381 Stedje, B 1987. A revision of the genus *Drimia* (Hyacinthaceae) in Eastern Africa. *Nord. J. Bot.* 7 :655- 666.
- 2382 Stedje, B 1994. A revision of the genus *Drimiopsis* (Hyacinthaceae) in Eastern Africa. *Nord. J. Bot.* 14 :45- 50.
- 2400 Story, RG 1961. Turneraceae. *Bothalia* 7 :493- 496.
- 2456 Thulin, MP; Johansson, ANB 1996. Taxonomy and biogeography of the anomalous genus *Wellstedtia*. In Van der Maesen, L.J.G., van den Burgt, X.M. & van Medebach de Rooy, J.M. eds. 0 :73- 86.
- 2465 Toelken, HR 1985. Crassulaceae. *Fl. S. Africa* 14 :1- 244.
- 2474 Leach, LC 1969. Euphorbiae succulentae Angolensis II *Bol. Soc. Brot.* 2, 43 : 163- 182.
- 2489 Van der Merwe, FZ 1941. *Aloe rubrolutea*. *Fl. Pl. South Africa* 802 :0- 0.
- 2491 Van der Walt, JJA 1971. Two new species of *Commiphora* Jacq. *J. S. African Bot.* 37, 3 : 189- 198.
- 2492 Van der Walt, JJA 1971. 'n Taksonomies-morfologiese studie van die genus *Commiphora* Jacq. in South Africa. PhD tesis, University Pretoria. Unpublished *Unpublished thesis* 0 :0- 0.
- 2494 Van der Walt, JJA 1973. The South African species of *Commiphora*. *Bothalia* 11, 1&2 : 53- 102.
- 2495 Van der Walt, JJA 1973. A new species of *Commiphora* from the Kaokoveld (South West Africa). *Dinteria* 9 :23- 28.
- 2497 Van der Walt, JJA 1975. South West African species of *Commiphora*. *Mitt. Bot. Staatssamml. Muenchen* 12 :195- 266.
- 2503 Van der Walt, JJA; Albers, F; Gibby, M; Marschewski, DE; Price, RA 1995. A biosystematic study of *Pelargonium* section *Ligularia*: 1. A new section *Subsucculentia* *S.African J. Bot.* 61, 6 : 331- 338.
- 2506 Van der Zon 1992. *Loudetiopsis*. *Gramin Cameroun* 2 :253- 382.
- 2508 Van Greuning, JV 1990. A synopsis of the genus *Ficus* (Moraceae) in southern Africa. *S.African J. Bot.* 56, 6 : 599- 630.
- 2512 Van Jaarsveld, EJ 1981. *Aloe meyeri*: a new *Aloe* from the Richtersveld. *Natl. Cact. Succ. J.* 36 :106- 107.
- 2513 Van Jaarsveld, EJ 1981. *Aloe meyeri*: 'n nuwe Aalwyn van die Richtersveld (N.W.Kaap). *Veld Fl.* 0, 1981 : 72- 73.
- 2514 Van Jaarsveld, EJ 1981. *Aloe meyeri*: a new *aloe* from the North West Cape (R.S.A.). *J. S. African Bot.* 47 :567- 571.
- 2515 Van Jaarsveld, EJ 1982. *Aloe meyeri*: 'n nuwe Aalwyn van die Richtersveld (N.W.Kaap). *Aloe* 19 :25- 27.
- 2516 Van Jaarsveld, EJ 1983. *Bowiea gariensis*: a new *Bowiea* species (Liliaceae) from the North Western Cape. *J. S. African Bot.* 49 :343- 346.
- 2518 Van Jaarsveld, EJ 1985. *Aloes*. *S.African J. Bot.* 51, 4 : 0- 0.
- 2520 Van Jaarsveld, EJ 1994. *Gasterias* of South Africa. Fernwood Press 0 :0- 0.
- 2536 Van Wyk, B-E 1991. A synopsis of the genus *Lotononis* (Fabaceae: Crotalariaeae). *Contr. Bolus Herb.* 14 :1- 292.
- 2545 Leach, LC 1975. Notes on *Euphorbia mauritanica*, *E. gossypina* and some related species with an amplified description of *E. berotica* *Bothalia* 11 :505- 510.
- 2549 Van Zyl, L 2000. A systematic revision of *Zygophyllum* (Zygophyllaceae) in the southern African region. PhD thesis. University of Stellenbosch, Stellenbosch. Unpublished. *Unpublished thesis* 0 :0- 0.
- 2553 Leach, LC 1981. A new *Euphorbia* from South-West Africa. *J. S. African Bot.* 47, 4 : 807- 811.

- 2554 various editorial teams 1960. Flora Zambesiaca. *Fl. Zambes.* 0 :0- 0.
- 2555 various editorial teams 1951. Flora of Tropical East Africa. *Fl. Trop. E. Africa* 0 :0- 0.
- 2556 various editorial teams 1963. Flora of southern Africa. *Fl. S. Africa* 0 :0- 0.
- 2568 Wild, H 1975. The Compositae of the Flora Zambesiaca area 4 Astereae *Kirkia* 10, 1 : 1- 72.
- 2569 Venter, HJT 1979. A monograph of *Monsonia* L. (Geraniaceae) *Meded. Landbouwhoogeschool Wageningen* 79, 9 : 1- 128.
- 2571 Venter, HJT; Beukes, GJ 1981. A new species of *Aloe* (Liliaceae) From South Africa *Kew Bull.* 36 :675- 678.
- 2572 Venter, HJT; Verhoeven, RL 1986. A new species of *Raphionacme* (Periplocaceae) from South West Africa/Namibia. *S.African J. Bot.* 52, 4 : 332- 334.
- 2573 Venter, HJT; Verhoeven, RL 1990. The genus *Erodium* in southern Africa. *S.African J. Bot.* 56, 1 : 79- 92.
- 2574 Venter, HJT; Verhoeven, RL; Kotze, JDS 1990. A monograph of *Tacazzea* (Periplocaceae) *S.African J. Bot.* 56, 1 : 93- 112.
- 2575 Venter, HJT; Kotze, JDS; Verhoeven, RL 1990. A taxonomic revision of *Ectadium* (Periplocaceae). *S.African J. Bot.* 56, 1 : 113- 124.
- 2576 Allison, I; Van Wyk, B-E 1997. A revision of the genus *Anginon* (Apiaceae). *Nord. J. Bot.* 17, 6 : 561- 577.
- 2577 Verdcourt, B 1962. *Macrotyloma*. *Hooker's Icon. Pl.* 38, 4 : 1- 138.
- 2580 Verdoorn, IC 1973. *Aloe gariensis* Pillans. *Fl. Pl. South Africa* 1654 :0- 0.
- 2581 Verdoorn, IC 1977. *Aloe asperifolia* Berger. *Fl. Pl. South Africa* 1753 :0- 0.
- 2582 Verdoorn, IC 1977. *Aloe dewinteri* Fl. *Pl. South Africa* 1752 :0- 0.
- 2583 Verdoorn, IC 1977. *Aloe namibensis* Giess. *Fl. Pl. South Africa* 1730 :0- 0.
- 2584 Verdoorn, IC; Hardy, DS 1970. *Aloe viridiflora* Reynolds. *Fl. Pl. South Africa* 1598 :0- 0.
- 2626 Vollesen, KB 2000. *Blepharis* (Acanthaceae) a taxonomic revision. Royal Botanic Garden, Kew. 0 :0- 330.
- 2627 Vollesen, KB 1975. *Tinnea*. *Bot. Tidsskr.* 70 :1- 63.
- 2646 Von Teichman, I; Van Wyk, AE 1991. Taxonomic position of *Rhus problematodes* (Anacardiaceae): Evidence from fruit and seed structure. *S.African J. Bot.* 57, 1 : 29- 33.
- 2647 Von Teichman, I; Small, JGC; Robbertse, PJ 1985. A preliminary study on the germination of *Sclerocarya birrea* subsp. *caffra*. *S.African J. Bot.* 52 :145- 148.
- 2651 Vorster, PJ 1974. The genus *Aloe* since Reynold's Monographs. *Aloe* 12, 3 : 85- 88.
- 2652 Vorster, PJ 1983. *Aloe meyeri* Van Jaarsveld, and *A. richtersveldensis* Venter and Beukes. *J. S. African Bot.* 49 :175- 0.
- 2653 Vorster, PJ 1984. *Pelargonium fulgidum* (L.) L'Herit. *Veld Fl.* 70, 2 : 65- 0.
- 2654 Vorster, PJ 1987. The identities of *Pelargonium ramosissimum* and *Pelargonium tragacanthoides* (Geraniaceae). *S.African J. Bot.* 53, 1 : 0- 0.
- 2655 Vorster, PJ 1987. Name change: *Pelargonium minimum* (Geraniaceae), the correct name for *Pelargonium fumarioides*. *S.African J. Bot.* 3, 2 : 0- 0.

- 2656 Vorster, PJ 1996. *Pelargonium redactum* (Geraniaceae): a new species from the Northern Cape Province and Namibia. *S.African J. Bot.* 62, 1 : 54- 56.
- 2657 Vorster, PJ; Vorster, E 1973. The South Africa species of *Pachypodium*. *Aloe* 11, 3 : 5- 30.
- 2659 Vosa, CG 1975. The cytotaxonomy of the genus *Tulbaghia*. *Annali de Botanica* 34 :47- 121.
- 2660 Vosa, CG 2000. A revised cytotaxonomy of the genus *Tulbaghia*. *Caryologia* 53, 2 : 83- 112.
- 2677 Wanntorp, H-E 1988. The genus *Microlooma* (Asclepiadaceae). *Opera Bot.* 98 :1- 69.
- 2684 Waterkeyn, L; Bienfait, A 1970. *Ipomoea purpurea*. *Grana* 10 :13- 20.
- 2691 Seyani, JH 1991. The genus *Dombeya* in Continental Africa. *Opera Bot. Belg.* 2 :1- 186.
- 2692 Webster, RD 1995. Nomenclature of *Setaria* (Poaceae: Paniceae). *Sida* 16, 3 : 439- 446.
- 2748 Whittaker, RH 1972. Evolution and Measurement of species diversity. *Taxon* 21, 2-3 : 213- 251.
- 2759 Wild, H 1959. A revised classification of the genus *Commiphora* Jacq. *Bol. Soc. Brot.* 2, 33 : 69- 95.
- 2762 Wild, H 1971. The taxonomy, ecology and possible method of evolution of a new metalliferous species of *Dicoma* Cass (Compositae) *Mitt. Bot. Staatssamml. Muenchen* 10 :266- 274.
- 2769 Williamson, G 1983. *Hexacyrtis dickiana* Dinter - a new record from the Richtersveld. *Veld Fl.* 69, 1 : 17- 19.
- 2770 Williamson, G 1992. A new *Crassula* from Southern Namibia. *Cactus & Succulent Journal (U.S.)* 64 :288- 289.
- 2771 Williamson, G 1992. A new species of *Tylecodon* (Crassulaceae) from Namibia and a new variety from the Richtersveld in South Africa *Aloe* 29, 3/4 : 60- 62.
- 2777 Williamson, G 1995. Two new *Tylecodon* species (Crassulaceae) from the southern Namib Desert (Namibia) and the Richtersveld (Cape Province, Republic of South Africa) *Cactus & Succulent Journal (U.S.)* 67 :114- 118.
- 2780 Williamson, G; Baijnath, H 1995. Three new species of *Bulbine* Wolf (Asphodelaceae) from Richtersveld and the southern Namib Desert. *S.African J. Bot.* 61, 6 : 312- 318.
- 2807 Wunderlin 1992. *Nemesia*. *Diss. Bot.* 188 :290- 313.
- 2815 Dinter, MK 1927. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten XXIII. *Feddes Repert.* 24 :13-18.
- 2817 Codd, LEW 1973. *Schotia afra* var. *angutifolia* *Fl. Pl. Africa* 42 :1665- 0.
- 2818 Dyer, RA 1940. *Pterocarpus rotundifolius* *Fl. Pl. South Africa* 16 :662- 0.
- 2819 Forbes, HML 1948. A revision of the South African species of the genus *Tephrosia* Pers. *Bothalia* 4 :953- 1001.
- 2823 Kirkbride, JH; Wiersema, JH; Abreu, JG 1997. *Bobgunnia*, a new African genus of tribe Swartzieae (Fabaceae, Faboideae). *Brittonia* 49, 1 : 1- 23.
- 2824 Pienaar, BJ 1993. *Vigna kokii*, a new species from S.Africa *Bothalia* 23 :68- 70.
- 2825 Ross, JH 1972. *Acacia ataxacantha* *Fl. Pl. Africa* 42 :1652- 0.
- 2827 Herman, PPJ 2003. A new species of *Philyrophyllum* (Gnaphalieae) from Namibia (Asteraceae). *Bothalia* 33 :118- 120.
- 2828 Graham, VAW 1988. Delimitation and infra-generic classification of *Justicia* (Acanthaceae) *Kew Bull.* 43, 4 : 551- 589.
- 2829 Lindau, G 1895. Acanthaceae.

- 2830 Membrives, N; Martin, J; Caujape-Castelis, J; Redrola-Monfort, J 2002. Pollen morphology and biometry of the genus *Androcymbium* (Colchicaceae) in southern Africa: taxonomic and biogeographic considerations *Bothalia* 32, 1 : 91- 96.
- 2835 Dinter, MK 1918. Botanische reisen in Deutsche S<sup>3</sup>dwest-Afrika. *Repert. Spec. Nov. Regni Veg.* 3 :1- 169.
- 2837 Dinter, MK 1914. Neue und wenig bekannte pflanzen Deutsche-S<sup>3</sup>dwest-Afrikas. *Okahandja.* 0 :0- 62.
- 2838 Dinter, MK 1928. Succulentenforschung in Suedwestafrika 1: Erlebnisse und Ergebnisse meiner Reise im Jahre 1922. *Feddes Repert.* 53 :1- 80.
- 2839 Dinter, MK 1938. Succulentenforschung in Suedwestafrika 2: Erlebnisse und Ergebnisse meiner Reise im den Jahre 1923 bis 1925 *Not given* 0 :0- 145.
- 2840 Schreiber, AL 1973. Nachtrag 1 zu den Familien 58-60 (Leguminosae) in Prodrum einer Flora von Suedwestafrika. *Mitt. Bot. Staatssamml. Muenchen* 11 :115- 152.
- 2842 Schreiber, AL 1974. Die gattung *Fagonia* (Zygophyllaceae) in Suedwestafrika. *Mitt. Bot. Staatssamml. Muenchen* 11 :571- 578.
- 2857 Roivainen, H 1974. Contribution to the flora of South West Africa. *Ann. Bot. Fenn.* 11 :231- 249.
- 2899 Goldblatt, P 1987. Systematics of the southern African genus *Hexaglottis* (Iridaceae - Iridoideae). *Ann. Missouri Bot. Gard.* 74 :542- 569.
- 2924 Irish, J 1988. Revision of *Stylifera* Stach (Thsanura: Lepismatidae), and its bearing on African South West Arid biogeography *Annales de la Société entomologique de France (N.S.)* 24 :59- 67.
- 2946 Wild, H 1980. Compositae of the Flora Zambesiaca area 12 - Inuleae (continued). *Kirkia* 12 :23- 113.
- 2949 Thulin, MP 1975. The genus *Wahlenbergia* s.l. (Campanulaceae) in tropical Africa and Madagascar. *Symb. Bot. Upsal.* 21 :1- 223.
- 2952 Diniz, MA 1993. Bignoniaceae. *Conspectus Florae Angolensis* 122, 122 : 0- 31.
- 2953 Merxmüller, H 1954. Compositen - Studien V: Revision der Gattung *Nicolasia* S.Moore. *Mitt. Bot. Staatssamml. Muenchen* 2 :1- 10.
- 2955 Van Jaarsveld, EJ 2003. *Tetradenia kaokoensis* a new species from Kaokoland, Namibia. *Bothalia* 33, 1 : 107- 108.
- 2961 Welwitsch, F 1869. *Sertum Angolense, sive Stirpium quarundam novarum vel minus cognitarum in intere per Angolam et Benguellam* *Trans. Linn. Soc. London* 27 :0- 0.
- 2966 Thulin, MP 1974. *Guillaea* and *Namacodon*. Two new genera of Campanulaceae in Africa. *Bot. Not.* 127 :165- 182.
- 2967 Burrows, JE; Burrows, S 2003. *Figs of southern and south-central Africa.* Umdaus Press, Pretoria 0 :0- 0.
- 2996 Beier, B-A; Chase, MW; Thulin, MP 2003. Phylogeny and taxonomy of subfamily Zygophylloideae (Zygophyllaceae) based on molecular and morphological data. *Pl. Syst. Evol.* 240 :11- 40.
- 2999 Leach, LC 1974. Stapeliaceae (Asclepiadeae) from South Tropical Africa: 8 *J. S. African Bot.* 40, 1 : 15- 25.
- 3000 Leach, LC 1971. *Euphorbia virosa* Willd. with a new synonym and two new taxa from Angola. *Bol. Soc. Brot.* 2, 45 : 349- 362.
- 3006 Townsend, CC 1982. Notes on Amaranthaceae: XIV. A new species of African *Celosia* and a new conspectus of *Hermbstaedia*. *Kew Bull.* 37, 1 : 81- 90.
- 3009 Leach, LC 1970. *Euphorbiae Succulentae Angolenses III* *Bol. Soc. Brot.* 2, 44 : 185- 206.

- 3010 Ryding, O 1982. The *Aeollanthus abyssinicus* group (Labiatae). *Nord. J. Bot.* 2, 3 : 219- 229.
- 3013 Torre, AR 1960. Taxa angolensia nova vel minus cognita 1 *Mem. Junta Invest. Ultramar, Ser. Bot.* 21, 19 : 23-66.
- 3014 Leach, LC 1975. Euphorbiae Succulentae Angolenses V *Garcia de Orta, Ser. Bot.* 2, 2 : 111- 116.
- 3015 Hiepko, P 1982. A revision of Opiliaceae II. *Opilia* Roxb. *Willdenowia* 12 :161- 182.
- 3017 Venter, AM; Venter, HJT 2003. *Lycium gariense* (Solanaceae), a new species from South Africa and Namibia. *S.African J. Bot.* 69, 2 : 161- 164.
- 3018 Hartmann, HEK 2001. Illustrated Handbook of Succulent Plants: Aizoaceae F-Z. Springer, Berlin. 0 :0- 0.
- 3019 Leach, LC 1974. Euphorbiae Succulentae Angolenses IV *Garcia de Orta, Ser. Bot.* 2, 1 : 31- 54.
- 3021 Leach, LC 1977. Euphorbiae Succulentae Angolenses VI *Garcia de Orta, Ser. Bot.* 3, 2 : 99-102.
- 3022 Dinter, MK 1927. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten XXII. *Feddes Repert.* 23 :363- 371.
- 3023 Hughes, DK 1923. *Steptolophus*, a new genus of Gramineae. *Kew Bull.* 5 :177- 180.
- 3024 Egli, U 2003. Illustrated Handbook of Succulent Plants: Crassulaceae. Springer, Berlin. 0 :0- 458.
- 3025 Egli, U 2002. Illustrated Handbook of Succulent Plants: Dicotyledons. Springer, Berlin. 0 :0- 0.
- 3026 Egli, U 2001. Illustrated Handbook of Succulent Plants: Monocotyledons. Springer, Berlin. 0 :0- 0.
- 3027 Chesselet, P; Van Wyk, AE; Smith, GF 2004. Mesembryanthemaceae. A new tribe and adjustments to infrafamilial classification. *Bothalia* 34, 1 : 47- 51.
- 3028 Albers, F; Meve, U 2002. Illustrated Handbook of Succulent Plants: Asclepiadaceae. Springer, Berlin. 0 :0- 0.
- 3030 Benoist, R 1949. Quelques Acanthacees des colonies Portugaises Africaines. *Not given* 0 :5- 39.
- 3031 Leach, LC 1966. Euphorbia species from the Flora Zambesiaca area, VI. *Kirkia* 6 :133- 147.
- 3063 Robson, NKB 1960. Flora Zambesiaca 1 Annonaceae *Fl. Zambes.* 1, 1 : 0- 581.
- 3064 Fernandes, R; Fernandes, A 1966. Flora Zambesiaca 2 Aquifoliaceae *Fl. Zambes.* 2, 2 : 0- 653.
- 3068 Bridson, DM 1989. Flora Zambesiaca 5 *Fl. Zambes.* 5, 2 : 0- 210.
- 3069 Thulin, MP 1983. Flora Zambesiaca 7,1 *Fl. Zambes.* 7, 1 : 0- 394.
- 3070 Leeuwenberg, AJM 1985. Flora Zambesiaca 7,2 *Fl. Zambes.* 7, 2 : 0- 503.
- 3071 Goncalves, AE 1996. *Solanum tettense* Klotzsch s.l. (Solanaceae) in the Flora Zambesiaca Area *Kirkia* 16, 1 : 85-94.
- 3072 Diniz, MA 1988. Flora Zambesiaca 8,3 *Fl. Zambes.* 8, 3 : 0- 118.
- 3073 Townsend, CC 1988. Flora Zambesiaca 9,1 *Fl. Zambes.* 9, 1 : 0- 179.
- 3074 Martens, ES 1990. Flora Zambesiaca 7,4 *Fl. Zambes.* 7, 4 : 0- 114.
- 3075 Philcox, D 1990. Flora Zambesiaca 8,2 *Fl. Zambes.* 8, 2 : 0- 179.
- 3076 Berg, CC 1991. Flora Zambesiaca 9,6 *Fl. Zambes.* 9, 6 : 0- 135.
- 3077 Clayton, WD 1989. Flora Zambesiaca 10,3 *Fl. Zambes.* 10, 3 : 0- 231.

- 3081 Pope, GV 1992. Flora Zambesiaca 6,1 *Fl. Zambes.* 6, 1 : 0- 264.
- 3082 Musselman, LJ 1997. Flora Zambesiaca 9,2 *Fl. Zambes.* 9, 2 : 0- 64.
- 3083 Radcliffe-Smith, A 1996. Flora Zambesiaca 9,4 *Fl. Zambes.* 9, 4 : 0- 337.
- 3084 La Croix, I; Cribb, PJ 1995. Flora Zambesiaca 11,1 *Fl. Zambes.* 11, 1 : 0- 320.
- 3085 Goldblatt, P 1993. Flora Zambesiaca 12,4 *Fl. Zambes.* 12, 4 : 0- 106.
- 3101 Exell, AW; Mendonça, FA 1938. Novas especies da flora de Angola. Contribuicoes para o conhecimento da Flora de Africa 1. *Bol. Soc. Brot.* 2 :307- 321.
- 3104 Crouch, NR; Smith, GF; Condry, G 2003. *Siphonochilus aethiopicus*. *Fl. Pl. South Africa* 58 :56- 68.
- 3108 Gossweiler, J 1938. Elementos para a historia da exploracao botanica de Angola. *Bol. Soc. Brot.* 13, 2 : 285- 305.
- 3109 Friis, I; Nordal, I 1976. Studies on the genus *Haemanthus* (Amaryllidaceae) IV. Division of the genus into *Haemanthus* s.str. and *Scadoxus* with notes on *Haemanthus* s. str. *Norweg. J. Bot.* 23 :63- 77.
- 3111 Figueira, JM 1970. Alargamento da area de distribuicao de *Dalbergia teixeirae* P.Sousa. *Bol. Soc. Brot.* 2, 44 : 249- 0.
- 3114 Manning, JC; Goldblatt, P; Fay, MF 2004. A revised generic synopsis of Hyacinthaceae in Sub-Saharan Africa, based on molecular evidence, including new combinations and the new tribe Pseudoprosperae *Edinburgh J. Bot.* 60, 3 : 533- 568.
- 3117 Leuenberger, BE 2001. *Welwitschia mirabilis* (Welwitschiaceae), male cone characters and a new subspecies. *Willdenowia* 31 :357- 381.
- 3120 Nyamhanga, E; Glen, HF; Condry, G 2003. *Stripanthus kombe*. *Fl. Pl. South Africa* 0 :0- 0.
- 3125 Welman, WG; Condry, G 2003. *Solanum delagoense*. *Fl. Pl. South Africa* 58 :104- 110.
- 3131 Plowes, DCH 1992. A preliminary reassessment of the genera *Hoodia* and *Trichocaulon* (Stapeliaceae: Asclepiadeae). *Asklepios* : 5- 15.
- 3132 Liden 1986. Synopsis of Fumarioideae (Papaveraceae) with a monograph of the tribe Fumarieae. *Opera Bot.* 88 :1- 133.
- 3133 Wild, H 1969. The genus *Nidorella* Cass. *Bol. Soc. Brot.* 43 :209- 233.
- 3137 Editor 1925. *Aloe chabaudii* *Fl. Pl. South Africa* 164 :0- 0.
- 3138 Jordaan, M 2005. FSA contributions 18: Salicaceae s. str. *Bothalia* 35, 1 : 7- 20.
- 3139 Snijman, DA 2005. Three new species and a new synonym in *Strumaria* (Amaryllidaceae: Amaryllideae) from southern Africa *Bothalia* 35, 1 : 21- 28.
- 3141 Goldblatt, P; Manning, JC; Snijman, DA 2005. Cape plants: corrections and additions to the flora. *Bothalia* 35, 1 : 35- 46.
- 3142 Swanepoel, W 2005. *Commiphora kaokoensis* (Bursaceae), a new species from Namibia, with notes on *C. dinteri* and *C. namaensis* *Bothalia* 35, 1 : 47- 54.
- 3143 Herman, PPJ 2005. Notes on African plants: Rubiaceae. Intraspecific taxa in a southern African *Pavetta* species. *Bothalia* 35, 1 : 84- 87.
- 3144 Archer, RH; Jordaan, M 2005. Notes on African plants: *Salix*, the correct application of the name *Salix mucronata*, and a new combination *Bothalia* 35, 1 : 92- 0.

- 3145 Simpson, BB; Lewis, GP 2003. New combinations in Pomaria (Caesalpinioideae: Leguminosae). *Kew Bull.* 58 :175- 184.
- 3149 Kok, PDF 1984. Studies on Digitaria (Poaceae) 1. Enumeration of Species and synonyms. *S.African J. Bot.* 3 :185- 187.
- 3151 Paiva, JAR 1998. Polygala *Fontqueria* 50 :1- 346.
- 3152 Speta, F 1998. Schizocarphus *Phyton* 38 :1- 224.
- 3153 Grau, J 1973. Revision der Gattung Felicia (Asteraceae). *Mitt. Bot. Staatssamml. Muenchen* 9 :195- 705.
- 3160 Nordenstam, RB; Pelser, PB 2005. Dauresia and Mesogramma: one new and one resurrected genus of the Asteraceae-Senecioneae from Southern Africa *Compositae Newslitt.* 42 :74- 87.
- 3163 Merxmüller, H; Roessler, H 1979. Compositen - Studien IX. Neue Sippen und Namen in der Compositenflora Suedwestafrikas. *Mitt. Bot. Staatssamml. Muenchen* 15 :0- 375.
- 3164 Anderson, JG 1966. The genus Andropogon in southern Africa. *Bothalia* 9, 1 : 5- 30.
- 3166 Engler, HGA 1913. Tetragonia rangenana *Bot. Jahrb. Syst.* 48 :504- 0.
- 3167 Dehn, M 1988. Untersuchungen zum Merkmals-bestand und zur Stellung der Gattung Antimima N.E.Br. emend. Dehn (Mesembryanthemaceae Frenzl) *Mitt. Inst. Allg. Bot. Hamburg* 22, 189 : 215- 0.
- 3169 Clayton, WD 1967. Studies in the Gramineae: XV Arundinelleae. *Kew Bull.* 21 :123- 0.
- 3171 Clayton, WD 1970. Gramineae Part 1. *Gramineae* 1 :1- 176.
- 3173 Clayton, WD 1974. A discrimination function for Digitaria diagonalis. *Studies in Gramineae: 35 Kew Bull.* 29, 3 : 527- 533.
- 3174 Clayton, WD 1975. The Paspalum scrobiculatum complex in tropical Africa. *Studies in the Gramineae: 38. Kew Bull.* 30, 1 : 101- 105.
- 3175 Clayton, WD 1975. New species of Eriochloa from Africa. *Studies in Gramineae: 39. Kew Bull.* 30, 1 : 107- 109.
- 3176 Clayton, WD 1977. New grasses from eastern Africa. *Studies in the Gramineae XLII. Kew Bull.* 32, 1 : 1- 0.
- 3177 Clayton, WD 1982. Notes on subfamily Chloridoideae (Gramineae). *Kew Bull.* 37, 3 : 417- 420.
- 3178 Clayton, WD 1987. Miscellaneous notes on Panicoid grasses. *Kew Bull.* 42, 2 : 401- 403.
- 3179 Clayton, WD 1989. Gramineae. *Gramineae* 0 :0- 0.
- 3181 Clayton, WD; Phillips, SM; Renvoize, SA 1974. Gramineae Part 2. *Gramineae* 2 :1- 449.
- 3182 Clayton, WD; Renvoize, SA 1982. Gramineae Part 3. *Gramineae* 3 :1- 898.
- 3185 Cope, TA 1995. Two new species of Perotis Aiton (Gramineae) from tropical Africa. *Kew Bull.* 50, 3 : 611- 614.
- 3186 Cope, TA 1972. A synopsis of Eragrostis Wolf (Poaceae) in the Flora Zambesiaca area. *Kew Bull.* 53, 1 : 129- 164.
- 3188 De Wet, MJM 1978. Systematics and Evolution of Sorghum section Sorghum (Gramineae). *Am. Jl. Bot.* 65, 4 : 477- 484.
- 3189 De Wet, MJM; Prasad Rao, KE; Brink, DE; Mengesha, MH 1984. Systematics and evolution of Eleusine coracana (Gramineae). *Am. Jl. Bot.* 71, 4 : 550- 0.
- 3190 De Winter, B 1960. A new genus of Gramineae. *Bothalia* 7 :387- 390.

- 3191 De Winter, B 1961. Notes and new records of African plants: Gramineae. *Bothalia* 7 :467- 480.
- 3192 De Winter, B 1964. Notes and new records of African plants: Gramineae. New combinations and new species in the Aristideae *Bothalia* 8 :173- 0.
- 3193 De Winter, B 1965. The South African Stipae and Aristidae (An anatomical, cytological and taxonomic study). *Bothalia* 8, 3 : 201- 404.
- 3194 Robyns, W 1928. Monographiae Vangueriae. *Bull. Jard. Bot. Etat* 11 :117- 131.
- 3195 De Winter, B 1990. Two new species of Stipagrostis (Aristidae) from the Dune Namib Desert, Namibia. *Bothalia* 20, 1 : 82- 87.
- 3196 Friedrich, H-Chr 1955. Molluginaceae. *Mitt. Bot. Staatssamml. Muenchen* 2 :60- 65.
- 3197 Gibbs Russell, GE 1987. Taxonomy of the genus Ehrharta (Poaceae) in southern Africa: the Villosa group. *Bothalia* 17 :191- 0.
- 3199 Jeffrey, C 1986. The Senecioneae in East Tropical Africa. *Kew Bull.* 41, 4 : 904- 936.
- 3200 Giess, JWH 1970. A new species of Aristida from South West Africa. *Bothalia* 10, 2 : 365- 366.
- 3201 Giess, JWH 1974. Zur Verbreitung von Eragrostis sabinae Launert. *Dinteria* 10 :42- 0.
- 3202 Hilu, KW 1994. Validation of the combination Eleusine coracana L. subsp. africana (Kennedy-O'Byrne) Hilu & De Wet. *Phytologia* 76, 5 : 410- 411.
- 3203 Dinter, MK 1928. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten XXVII. *Feddes Rept.* 25 :209- 210.
- 3206 Kok, PDF 1981. Notes on Digitaria in South Africa. *Bothalia* 13 :457- 0.
- 3208 Kok, PDF; Robbertse, PJ; Van Wyk, AE 1989. Systematic study on Digitaria section Digitaria (Poaceae) in southern Africa. *S.African J. Bot.* 55, 2 : 141- 153.
- 3209 Launert, E 1970. Miscellaneous taxa of Gramineae from South West Africa and adjacent areas. *Mitt. Bot. Staatssamml. Muenchen* 8 :147- 163.
- 3210 Launert, E 1970. Gramineae. *Gramineae* 0 :1- 229.
- 3211 Launert, E 1971. Gramineae. *Gramineae* 0 :0- 0.
- 3212 Linder, HP; Ellis, RP 1990. A revision of Pentaschistis (Arundineae: Poaceae). *Contr. Bolus Herb.* 12 :1- 109.
- 3213 Loxton, AE 1977. Paspalum vaginatum subsp. nanum: A new status. *J. S. African Bot.* 43, 1 : 93- 95.
- 3214 Bridson, DM 1992. The genus Canthium (Rubiaceae - Vangueriae) in tropical Africa. *Kew Bull.* 47 :353- 401.
- 3217 Renvoize, SA 1978. Studies in Elionurus (Gramineae). *Kew Bull.* 32, 3 : 665- 672.
- 3219 Roivainen, H 1974. Taxonomic studies on Diplachne and Megaloprotachne (Gramineae) in South-West and South Africa. *Ann. Bot. Fenn.* 11 :34- 40.
- 3220 Simon, BK 1972. A revision of the genus Sacciolepis (Gramineae) in the Flora Zambesiaca area. *Kew Bull.* 27, 3 : 387- 406.
- 3221 Smook, L; Ellis, RP 1993. Panicum simulans (Paniceae, Poaceae), a new species from southern Africa and its leaf anatomy. *Bothalia* 23, 1 : 59- 64.
- 3222 Roessler, H 1975. Compositae of the Flora Zambesiaca area 5 Subtribe Gorteriinae *Kirkia* 10, 1 : 73- 100.

- 3223 Veldkamp, JF 1994. Miscellaneous notes on south-east Asian Gramineae 9 Setaria & Paspalidium. *Blumea* 39 :373- 384.
- 3226 Zizka, G 1988. Revision der Meliniseae Hitchcock (Poaceae, Panicoideae). *Biblioth. Bot.* 138 :1- 149.
- 3227 Verboom, GA; Linder, HP 1998. A re-evaluation of species limits in *Chaetobromus* (Danthonieae: Poaceae). *Nord. J. Bot.* 18, 1 : 57- 77.
- 3235 Hausdorf, B; Hennig, C 2003. Biotic element analysis in biogeography. *Syst. Biol.* 52, 2 : 271- 280.
- 3239 De Wilde, WJJO 1971. A monograph of the genus *Adenia* Forsk. (Passifloraceae) *Meded. Landbouwhoogeschool Wageningen* 71 :71- 81.
- 3240 Beentje, HJ 1982. A monograph on *Strophanthus* DC. (Apocynaceae). *Meded. Landbouwhoogeschool Wageningen* 82, 4 : 1- 191.
- 3250 Van Jaarsveld, EJ 1984. *Portulacaria armania*: a new *Portulacaria* (Portulacaceae) from southern Namibia. *J. S. African Bot.* 50, 3 : 393- 399.
- 3253 Ortiz, S; Netnou, NC 2005. A new species of *Dicoma* (Asteraceae, Mutisieae) from South Africa. *Bot. J. Linn. Soc.* 147 :509- 513.
- 3254 Ortiz, S; Pulgar, I 2002. A new species of *Dicoma* Cass. (Asteraceae: Mutisieae) from Namibia. *Bot. J. Linn. Soc.* 139 :317- 322.
- 3257 Van Zyl, L; Marais, EM 1999. Three new species of *Zygophyllum* (Zygophyllaceae) from Namibia and Northern Cape, South Africa. *Bothalia* 29 :231- 237.
- 3259 Gerbault, M 1996. Revision of the genus *Aridaria* N.E.Br. (Aizoaceae). *Bot. Jahrb. Syst.* 118, 1 : 41- 58.
- 3262 Wilkin, P 2001. Dioscoreae of South-Central Africa. *Kew Bull.* 56 :361- 404.
- 3264 Herman, PPJ 1999. Compo *Bothalia* 29, 1 : 107- 0.
- 3265 Bruyns, PV; Linder, HP 1991. A revision of *Microloma* R.Br. (Asclepiadaceae - Asclepiadeae). *Bot. Jahrb. Syst.* 112, 4 : 453- 527.
- 3267 Schrire, BD 2000. A synopsis of the genus *Philoptera* (Leguminosae - Millettieae) from Africa and Madagascar. *Kew Bull.* 55 :81- 94.
- 3268 Simon, BK 1982. Proposal to conserve or reject *Rottboellia exaltata*. *Taxon* 31 :564- 0.
- 3269 Stedje, B 1996. *Get1 Fl. Trop. E. Africa* 0 :0- 0.
- 3270 Van Jaarsveld, EJ 2006. *The South African Plectranthus*. Fernwood Press 0 :0- 0.
- 3273 Liede, S; Nicholas, A 1992. A revision of the genus *Pentarrhinum* E.Meyer (Asclepiadaceae). *Kew Bull.* 47, 3 : 475- 490.
- 3275 Verdoorn, IC 1973. The genus *Crinum* in southern Africa. *Bothalia* 11 :27- 52.
- 3277 Leach, LC 1965. *Caralluma* *J. S. African Bot.* 31 :245- 0.
- 3278 Van Jaarsveld, EJ 1994. *The Sansevieria species of SA & N*
- 3279 Dyer, RA 1967. *Caralluma rangeana* *Fl. Pl. South Africa* 1484 :0- 0.
- 3280 Poellnitz, K von 1938. Due erste *Garteria*-Art aus Sudwestafrika. *Gasteria ernesti-ruschii* Dinter et von Poellnitz spec.nov. *Kakteen Sukk.* 0 :35- 0.
- 3283 Philcox, D 1970. A taxonomic revision of the genus *Limnophila* R.Br. (Scropulariaceae). *Kew Bull.* 24 :101- 170.

- 3285 Bruyns, PV 2001. New combinations in the genus *Orbea*. *Aloe* 37, 4 : 72- 76.
- 3290 Van der Walt, JJA 0. *Pelargonium* J. S. *African Bot.* 45 :378- 379.
- 3291 Hennessy, EF 1991. Erythrineae (Fabaceae) in southern Africa. *Bothalia* 21, 1 : 1- 17.
- 3292 Strey, RG 1973. Notes on the genus *Cussonia* in South Africa. *Bothalia* 11 :191- 201.
- 3293 Burt, BL 1989. A new shrubby genus of African Umbelliferae. *Notes Roy. Bot. Gard. Edinburgh* 45 :493- 501.
- 3294 Winter, PJD; Van Wyk, B-E 1996. A revision of the genus *Heteromorpha* (Apiaceae). *Kew Bull.* 51, 2 : 225- 265.
- 3295 Vollesen, KB 1989. A revision of *Megalochlamys* and *Ecbolium* (Acanthaceae: Justiceae). *Kew Bull.* 44, 4 : 601- 680.
- 3296 Balkwill, K; Getliffe Norris, FM; Balkwill, M-J 199. Systematic studies in the Acanthaceae: *Dicliptera* in southern Africa. *Kew Bull.* 51, 1 : 1- 61.
- 3297 Pfisterer, R; Podlech, D 1986. Revision der Gattung *Deverra* DC. (Umbelliferae), *Mitt. Bot. Staatssamml. Muenchen* 22 :571- 0.
- 3298 Obermeyer, AA 1936. The South African species of *Petalidium*. *Ann. Transvaal Mus.* 18 :151- 162.
- 3299 Vollesen, KB 1994. Taxonomy, ecology and distribution of *Nelsonia* (Acanthaceae) in Africa. In Seyani, J.H. & Chikuni, A.C., Proc. XIII Plenary Meeting AETFAT 0 :315- 325.
- 3301 Goldblatt, P; Manning, JC 1995. Phylogeny of the African genera *Anomatheca* and *Freesia* (Iridaceae: Ixioideae), and a new genus *Xenocarpa* *Syst. Bot.* 20, 2 : 161- 178.
- 3302 Friis, I; Wilmot-Dear, CM 1988. A revision of the tribe *Forsskaoleae* (Urticaceae). *Nord. J. Bot.* 8, 1 : 34- 48.
- 3303 Lock, JM 1999. A synopsis of *Xyris* (Xyridaceae) in south-central Africa. *Kew Bull.* 54 :301- 326.
- 3304 Mackinder, B 1998. *Macrostyloma* (Leguminosae - Palilionoideae) in the Flora Zambesiaca Area. *Kirkia* 17, 2 : 69- 84.
- 3306 Heine, H 1971. Notes sur les Acanthaceae africaines. *Adansonia* 2, 11 : 652- 659.
- 3307 Townsend, CC 1977. Notes on Amaranthaceae 3. *Publ. Cairo Univ. Herb.* 7 :63- 79.
- 3308 Friedrich, H-Chr 1957. *Aizoanthemum* Dinter ex Fried. Eine wenig beachtete Gattung der Ficoideae aus Suedwestafrika. *Mitt. Bot. Staatssamml. Muenchen* 2 :339- 349.
- 3309 Van Wyk, AE 1994. *Friesodielsia obovata*. *Fl. Pl. South Africa* 53 :42- 47.
- 3310 Townsend, CC 1975. The genus *Celosia* (subgenus *Celosia*) in tropical Africa. *Hooker's Icon. Pl.* 38, 38 : 1- 123.
- 3311 Friedrich, H-Chr 1960. Ficoideae. etc *Mitt. Bot. Staatssamml. Muenchen* 3 :602- 622.
- 3312 Verdoorn, IC 1941. The genus *Plinthus*. *Bothalia* 4 :177- 179.
- 3313 Townsend, CC 1974. Notes on Amaranthaceae II. *Kew Bull.* 29 :461- 475.
- 3314 Von Teichman, I; Van Wyk, AE 1994. The generic position of *Protorhus namaquensis* Sprague (Anacardiaceae): evidence from fruit structure *Annals of Bot.* 73 :175- 184.
- 3315 Meeuse, ADJ 1961. Notes on the genera *Celosia* and *Hermestaedia* Reichb. (Amaranthaceae) occurring in southern Africa. *Kirkia* 2 :144- 171.
- 3316 Dyer, RA 1983. *Ceropegia*, *Brachystelma* & *Riocreuxia* in Southern Africa. A.A.Balkema, Rotterdam 0 :0- 0.

- 3317 Liede, S 1993. A taxonomic revision of the genus *Cynanchum* L. (Asclepiadaceae) in southern Africa. *Bot. Jahrb. Syst.* 114, 4 : 503- 550.
- 3318 White, AC; Sloane, B 1937. The Stapelieae. Abbey San Encino Press, Pasedena, California 0 :0- 0.
- 3319 Meve, U 1994. The genus *Piранthus* R.Br. (Asclepiadaceae). *Bradleya* 12 :57- 102.
- 3321 Goyder, DJ 1992. Secamone (Asclepiadaceae subfam. Secamonoideae) in Africa.) *Kew Bull.* 47 :437- 474.
- 3322 Leach, LC 1974. Stapelieae from South Tropical Africa: 9. *Kirkia* 9 :349- 57.
- 3323 Bullock, AA 1952. Notes on African Asclepiadaceae: I. *Kew Bull.* 8 :405- 413.
- 3324 Leach, LC 1988. A revision of *Huernia* R.Br. (Asclepiadaceae). *Excelsa Taxon. Ser.* 4 :1- 197.
- 3325 Rommel, A 1977. Die Gattung *Amellus* L. (Asteraceae - Asterae). Sytematischer Teil. *Mitt. Bot. Staatssamml. Muenchen* 13 :579- 0.
- 3326 Lewin, K 1922. Sytematische Gliederung und geographische Verbreitung der Arctotideae - Arctotidinae. *Feddes Repert.* 11 :54- 75.
- 3327 Wild, H 1965. The African species of the genus *Aspilia* Thouars. *Kirkia* 5 :197- 0.
- 3329 Norlindh, T 1943. Studies in the Calenduleae. 1 monograph. C.W.K Gleerup, Lund 0 :98- 403.
- 3330 Hutchinson, J 1916. Notes on African Compositae: 3. *Kew Bull.* 1916 :241- 0.
- 3331 Hutchinson, J 1917. A revision of the genus *Pteronia* (Compositae). *Ann. S. African Mus.* 9 :277- 329.
- 3332 Prassler, M 1967. Revision der Gattung *Ursinia*. *Mitt. Bot. Staatssamml. Muenchen* 6 :363- 478.
- 3334 Lammers, TG 1995. Transfer of the southern African species of *Lightfootia* nom.illeg., to *Wahlenbergia* (Campanulaceae, Campanuloideae) *Taxon* 44 :333- 339.
- 3335 Scott, AJ 1977. Reinstatement and revision of Salicorniaceae J.Agardh (Caryophyllales). *Bot. J. Linn. Soc.* 75 :357- 374.
- 3339 Ross-Craig, S 1954. A revision of the genus *Sphaeranthus*. *Hooker's Icon. Pl.* 5, 6 : 1- 0.
- 3341 Ronquist, F 1997. Dispersal-vicariance analysis: a new approach to the quantification of historical biogeography. *Syst. Biol.* 46 :195- 203.
- 3345 Meeuse, ADJ 1957. The South African Convolvulaceae. *Bothalia* 6 :709- 711.
- 3346 Meeuse, ADJ; Welman, WG 1996. New records, name changes and a combination in the Convolvulaceae of southern Africa. *Bothalia* 26 :46- 50.
- 3347 Verdoorn, IC 1980. Revision of the *Hermannia* subgenus *Hermannia* in southern Africa. *Bothalia* 13, 1-2 : 1- 63.
- 3348 Verdoorn, IC; Herman, PPJ 1986. Revision of *Dombeya* (Sterculiaceae) in southern Africa. *Bothalia* 16 :1- 9.
- 3349 Weber, E 1907. Mitteilungen aus dem botanischen Museum der Universitaet Z<sup>3</sup>rich. 27. Die Gattung *Aptosimum* Burch.. *Beih. Bot. Centralbl.* 21, 2 : 1- 101.
- 3350 Melchior, H 1941. Die gattung *Alectra* Thunb. *Notizbl. Bot. Gart. Berlin-Dahlem* 0 :458- 0.
- 3351 Moldenke, HN 1938. A monograph of the genus *Chascanum* L. *Feddes Repert.* 45 :114- 156.
- 3353 Paiva, JAR 1994. El genero *Polygala* (sensu lato) en Africa y Madagascar. Esta Tesis Doctoral, Universidad de Vigo. Unpublished. *Unpublished thesis* 0 :0- 0.

- 3355 Ihlenfeldt, H-D 2000. Fruits in Pterodiscus Hook. and a key to the species *Mitt. Inst. Allg. Bot. Hamburg* 28 :5-21.
- 3356 Merxmüller, H; Roessler, H 1980. Merkmals-introgressionen bei Forsskaolea (Urticaceae). *Meded. Landbouwhoogeschool Wageningen* 19 :263- 280.
- 3358 Moldenke, HN 1936. A monograph of the genus *Priva Feddes Repert.* 41 :1- 76.
- 3359 Friis, I 1983. A synopsis of *Obetia* (Urticaceae). *Kew Bull.* 38 :221- 228.
- 3360 White, AC; Dyer, RA; Sloane, B 1941. The succulent Euphorbiaceae (Southern Africa) vols 1 & 2. *Not given* 0 :
- 3361 Bridson, DM 1979. A synopsis of *Feretia* (Rubiaceae subfam. Cinechonoideae). *Kew Bull.* 34 :365- 370.
- 3362 Verdcourt, B 1962. A new species of *Erythrophysa* E.Mey. ex Arn. (Sapindaceae) from Ethiopia. *J. Linn. Soc. Bot.* 58 :201- 205.
- 3363 Hilliard, OM 1990. A brief survey of Scrophulariaceae - Selaginiae *Edinburgh J. Bot.* 47, 3 : 315- 337.
- 3365 Milne-Redhead, E; Schweickerdt, HGWJ 1939. A new conception of the genus *Ammocharis* Herb. *Bot. J. Linn. Soc.* 52 :159- 197.
- 3366 Kirkbride, JH 1994. Revision of *Cucumella* (Cucurbitaceae, Cucurbitoideae, Melothrieae, Cucumerinae). *Brittonia* 46, 3 : 161- 186.
- 3367 Jeffrey, C 1975. Further notes on Cucurbitaceae: III. *Kew Bull.* 30, 3 : 485- 491.
- 3368 Jessop, JP 1976. Studies in the bulbous Liliaceae in South Africa: 6. The taxonomy of *Massonia* and allied genera. *J. S. African Bot.* 42 :401- 437.
- 3369 Obermeyer, AA 1962. A revision of the South African species of *Anthericum*, *Chlorophytum* and *Trachyandra*. *Bothalia* 7 :690- 711.
- 3370 Van Bruggen, HWE 1973. Revision of the genus *Aponogeton* (Aponogetonaceae) 6 - The species of Africa.
- 3371 Reid, C; Dyer, RA 1984. A review of the southern African species of *Cyrtanthus*. *Newslett. Amer. Pl. Life Soc.* 0,
- 3372 Snijman, DA; Williamson, G 1994. A taxonomic re-assessment of *Ammocharis herrei* and *Cybistetes longifolia* (Amaryllidaceae: Amaryllidaceae) *Bothalia* 24 :127- 132.
- 3374 Merxmüller, H; Czech, G 1953. Eine neue Gattung der Cyperaceae. *Mitt. Bot. Staatssamml. Muenchen* 1 :318-323.
- 3375 Perry, PL 1994. A revision of the genus *Eriospermum* (Eriospermaceae). *Contr. Bolus Herb.* 17 :1- 320.
- 3376 Baijnath, H 1977. Taxonomic studies in the genus *Bulbine* Wolf, s.l. Unpublished PhD (Botany) dissertation, University of Reading. Unpublished *Unpublished thesis* 0 :0- 0.
- 3377 Mueller-Doblies, U; Mueller-Doblies, D 1994. De Liliiflores notulae 5 *Feddes Repert.* 105 :331- 349.
- 3378 Reid, C; Mueller-Doblies, D; Mueller-Doblies, U 0. *Bowiea gariensis*. *Fl. Pl. South Africa* 51 :0- 0.
- 3379 Jessop, JP 1977. Studies in the bulbous Liliaceae in South Africa: 7. The taxonomy of *Drimia* and certain allied genera *J. S. African Bot.* 43, 4 : 265- 319.
- 3380 Lewis, GJ 1952. *Plantae novae Africanae. Ann. S. African Mus.* 40 :6- 9.
- 3381 Obermeyer, AA 1978. *Ornithogalum*: a revision of the southern African species. *Bothalia* 12 :323- 376.
- 3382 Nordenstam, RB 1970. Studies in South African Liliaceae 3: The genus *Rhadamanthus*. *Bot. Not.* 123 :155- 182.
- 3383 Garside, S 1936. The South African species of *Spiloxene* Salisb. *J. Bot.* 74 :267- 269.

- 3384 Krause, K 1921. Revision der Gattung *Androcymbium* Willd. *Notizbl. Bot. Gart. Berlin-Dahlem* 7 :526- 526.
- 3385 Lewis, GJ 1959. The genus *Babiana*. *J. S. African Bot. Suppl.* 3 :1- 149.
- 3386 De Vos, MP 1979. The African genus *Ferraria*. *J. S. African Bot.* 45 :295- 375.
- 3387 Markgraf, F 1952. Die Campanulaceen von Suedwestafrika. *Bot. Jahrb. Syst.* 75 :206- 209.
- 3389 Conert, HJ; Tuerpe, AM 1969. Karroochloa, eine neue Gattung der Gramineen (Poaceae, Arundinoideae, Danthoniaeae). *Senckenberg. Biol.* 50 :289- 318.
- 3394 Snijman, DA 2004. Family: Amaryllidaceae.
- 3396 Van Jaarsveld, EJ; Koutnik, DL 2004. *Cotyledon* and *Tylecodon*. Umdaus Press, Pretoria 0 :0- 0.
- 3397 Van Jaarsveld, EJ; Nordenstam, RB; Van Wyk, AE 2004. *Adromischus schultianus* subsp. *brandbergensis*, a new subspecies and a checklist of the succulent flora. *Bothalia* 34 :35- 0.
- 3398 Van Jaarsveld, EJ; Van Wyk, AE 2004. *Aloe omavandae* (Asphodelaceae), a new species from the Kaokoveld, northwestern Namibia. *Haseltonia* 10 :41- 43.
- 3400 Paiva, JAR 1966. Revisao das Annonaceae de Angola. *Mem. Soc. Brot.* 19 :5- 128.
- 3402 Kers, LE 1970. Studies in Cleome. 4. *Cleome elegantissima*, *C. kermesina*. *Svensk Bot. Tidskr.* 64 :263- 408.
- 3403 Wickens, GE 1982. Miscellaneous notes on *Crassula*, *Bryophyllum* and *Kalanchoe*. Studies in the Crassulaceae for the FTEA *Kew Bull.* 36 :665- 674.
- 3405 Mendes, EJ 1970. *Hybanthus* *Bol. Soc. Brot.* 2, 44 : 0- 0.
- 3406 Fernandes, RB 1980. Notes sur quelques especes du genre *Kalanchoe* Adans. *Bol. Soc. Brot.* 2, 53 : 325- 442.
- 3407 Bester, SP; Retief, E 2005. *Ehretia namibensis* subsp. *namibensis*: a new distribution record in the Flora of Southern Africa (FSA) region. *Bothalia* 35, 2 : 163- 0.
- 3408 Van Jaarsveld, EJ; Van Wyk, AE 2005. *Aeollanthus rydingianus*, a new species from northern Namibia and southern Angola. *Bothalia* 35, 2 : 157- 173.
- 3409 Ryding, O 1981. The *Aeollanthus buchnerianus* group (Labiatae). *Nord. J. Bot.* 1 :154- 164.
- 3410 Snijman, DA 2005. A new species of *Namaquanula* (Amaryllidaceae: Amaryllideae) From Namibia with notes on the genus. *Bothalia* 35, 2 : 153- 156.
- 3411 Manning, JC; Forest, F; Mannheimer, CA 2005. *Eremiolirion*, a new genus of southern African Tecophilaeaceae, and taxonomic notes on *Cyanella alba*. *Bothalia* 35, 2 : 115- 120.
- 3412 Fernandes, RR; Fernandes, A 1965. *Melastomataceae africanae novae vel minus cognitae* 1 (*Dissotis*). *Bol. Soc. Brot.* 38 :181- 202.
- 3415 Ortiz, S 2004. An outline of the genus *Geigeria* (Asteraceae, Inuleae). *Nord. J. Bot.* 23, 3 : 315- 332.
- 3416 Friedrich, H-Chr 1960. Beitrage zur Kenntnis der Crassulaceae in Sudwestafrika. *Mitt. Bot. Staatssamml. Muenchen* 3 :585- 596.
- 3417 Toelken, HR 1975. New taxa and combinations in *Crassula*. *J. S. African Bot.* 41, 2 : 93- 124.
- 3418 Pavelka, P 1999. *Crassula ausensis* subsp. *titanopsis* Pavelka, a new discovery from Southern Namibia. *Cactus & Succulent Journal (U.S.)* 71, 2 : 78- 80.
- 3419 Pavelka, P 1999. *Crassula ausensis* P.C.Hutch. subsp. *titanopsis* Pavelka (Crassulaceae) Section: *Argyrophylla* (Schonl.) Toelken *Avonia* 17, 1 : 6- 9.

- 3420 Dyer, RA 1979. [s remota] *Bothalia* 12, 4 : 0- 63.
- 3422 Venter, HJT; Verhoeven, RL 1996. Raphionacme haeneliae (Periplocaceae), a new species from the Namib Desert, Namibia. *S.African J. Bot.* 62, 6 : 316- 320.
- 3423 Venter, HJT 2003. Raphionacme (Apocynaceae: Periplocoideae): nomenclatural notes for southern African species. *S.African J. Bot.* 69, 2 : 212- 213.
- 3424 Leach, LC; Williamson, G 1990. The identities of two confused species of Euphorbia (Euphorbiaceae) with descriptions of two closely related new species from Namaqualand. *S.African J. Bot.* 56, 1 : 71- 78.
- 3425 Dyer, RA 1942. Cotyledon racemosa *Fl. Pl. South Africa* 848 :0- 0.
- 3426 Meve, U; Liede, S 2001. Reconsideration of the status of Lavrania, Larryleachia and Notechidnopsis (Asclepiadoideae - Ceropegieae) *S.African J. Bot.* 67 :161- 168.
- 3427 Bruyns, PV 1993. New combinations in Hoodia and Lavrania (Asclepiadaceae -- Stapelieae). *S.African J. Bot.* 59 :342- 0.
- 3428 Bruyns, PV 1999. The status of Larryleachia Plowes and additional synonymy for Lavrania Plowes. *S.African J. Bot.* 65, 4 : 302- 305.
- 3429 Ross, JH 1973. Notes on Entada in South Africa. *Bothalia* 11, 1 : 125- 126.
- 3430 Schreiber, AL 1979. Die gattung Heliophila L. (Brassicaceae) in Suedwestafrika. *Mitt. Bot. Staatssamml. Muenchen* 15 :331- 361.
- 3431 Plowes, DCH 1996. Larryleachia and Hoodia (Stapelieae: Asclepiadaceae): Some new nomenclatural proposals. *Excelsa* 17 :3- 28.
- 3432 Marais, W 1966. Notes on South African Cruciferae. *Bothalia* 9, 1 : 97- 112.
- 3434 Toelken, HR 1977. Crassulaceae. *Contr. Bolus Herb.* 8, 1&2 : 0- 0.
- 3436 Verdoorn, IC 0. Aloe corallina *Fl. Pl. South Africa* 1788 :0- 0.
- 3437 Unknown 1920. Novitates Africanae *Ann. Bolus Herb.* 3 :6- 0.
- 3438 Lehmilller, DJ 1992. Transfer of Crinum nerinoides to Ammocharis (Amaryllidaceae). *Novon* 2 :33- 35.
- 3439 Killick, DJB; Condy, G 1994. Ammocharis nerinoides. *Fl. Pl. South Africa* 53 :60- 63.
- 3440 Dyer, RA 1956. Androcymbium roseum. *Fl. Pl. South Africa* 31 :0- 0.
- 3441 Ross, JH 1974. The genus Elephantorrhiza. *Bothalia* 11, 3 : 247- 257.
- 3442 Schreiber, AL 1980. Die Gattung Caesalpina L. in Sudwestafrika. *Mitt. Bot. Staatssamml. Muenchen* 16 :51- 71.
- 3443 Brenan, JPM 1963. C. rubra *Kew Bull.* 17 :202- 0.
- 3444 Koekemoer, M 1999. The genus Amphiglossa (Gnaphalieae, Relhaniinae, Asteraceae) in southern Africa. *Bothalia* 29, 1 : 65- 75.
- 3445 Immelman, KL 1991. Nesaea *Bothalia* 21, 2 : 35- 49.
- 3446 Van Wyk, B-E 1990. Studies in the genus Lotononis (Crotalarieae). II. A New species of the section Leobordea from North .... *Bothalia* 20, 1 : 70- 80.
- 3447 Retief, E 1987. Zygophyllaceae. A new species of Zygophyllum from Southern Africa. *Bothalia* 17, 2 : 189- 190.
- 3449 Immelman, KL 1986. Acanthaceae. Notes on Southern African species of Justicia L. *Bothalia* 16, 1 : 39- 41.

- 3450 Tansley, SA 1984. Melianthaceae: Two new combinations in *Melianthus*. *Bothalia* 15 :143- 145.
- 3452 Obermeyer, AA 1981. Notes on African Plants. Amaryllidaceae. A new species of *Strumaria*. *Bothalia* 13, 3&4 : 435- 461.
- 3453 Williamson, G 2006. A new *Anacampseros* L. and two new *Avonia* (Mey. ex Frenzl) G.D.Rowley species (Portulacaceae) from North ..... *Aloe* 43, 1 : 12- 17.
- 3454 Roessler, H 1985. Ein neuer *Hibiscus* aus Namibia. *Bot. Jahrb. Syst.* 107, 2 : 11- 15.
- 3455 Van Jaarsveld, EJ 2006. Notes on *Stoeberia arborea* and its allies. *Aloe* 43, 1 : 18- 22.
- 3456 Bruyns, PV; Mapaya, RJ; Hedderson, TAJ 2006. A new subgeneric classification for *Euphorbia* (Euphorbiaceae) in southern Africa based on ITS and psbA-trnH sequence data. *Taxon* 55, 2 : 397- 420.
- 3458 Dyer, RA 1969. *Ceropegia filiformis*. *Fl. Pl. South Africa* 1580 :0- 0.
- 3459 Duncan, GD 2005. *Nerine pusilla* (Amaryllidaceae). *Curtis's Bot. Mag.* 23 :169- 175.
- 3461 Fernandes, RR; Fernandes, A 1965. Anacardiaceae africanae novae vel cognitae 2. *Bol. Soc. Brot.* 2, 39 : 223- 0.
- 3462 Dinter, MK 1924. *Mesem Repert. Spec. Nov. Regni Veg.* 19 :0- 0.
- 3464 Leach, LC 1984. *Stapeliaceae J. S. African Bot.* 50, 4 : 549- 562.
- 3465 Leach, LC 1980. *Tromotriche Excelsa Taxon. Ser.* 2 :56- 0.
- 3466 Dyer, RA 1976. *Tromotriche Fl. Pl. South Africa* 1713 :0-0.
- 3467 Friedrich, H-Chr 1961. Mesembryanthemenstudien 2. Die gattung *Ruschia* Schw. in Sudwestafrika. *Mitt. Bot. Staatssamml. Muenchen* 4 :129- 143.
- 3468 Goldblatt, P 1986. Convergent evolution of the 'Homeria' flower type in six new species of *Moraea* (Iridaceae-Irideae) in southern Africa *Ann. Missouri Bot. Gard.* 73 :102- 116.
- 3469 Liede, S 1996. A revision of *Cynanchum* (Asclepiadaceae) on Africa. *Ann. Missouri Bot. Gard.* 83 :283- 345.
- 3473 Dehn, M 1993. Untersuchungen zum Verwandtschaftskreis der *Ruschiinae* (Mesembryanthemaceae Frenzl). *Mitt. Inst. Allg. Bot. Hamburg* 24, 91 : 198- 0.
- 3474 Bruyns, PV 1994. A note on *Raphionacme namibiana* (Asclepiadaceae - Periploceae). *Aloe* 31, 3/4 : 63- 67.
- 3475 Williamson, G 1995. New Bulbine species (Asphodelaceae) from the southern Namib Desert and north-west Namaqualand. *Aloe* 32, 3&4 : 80- 82.
- 3477 Hilliard, OM 1998. New names & combinations in *Selago* 4?????. *Edinburgh J. Bot.* 55 :222- 0.
- 3478 Van Jaarsveld, EJ 1992. *Gasteria Aloe* 29, 1 : 17- 0.
- 3479 Jordaan, M 2005. A new species of *Gymnosporia* (Celastraceae) from Southern Africa. *Novon* 15 :301- 304.
- 3481 Hilliard, OM 1997. New names & combinations in *Selago* 3. *Edinburgh J. Bot.* 54 :106- 108.
- 3483 Dinter, MK 1923. *Drosanthemum* see 3795 *Feddes Repert.* 0 :180- 0.
- 3484 Goldblatt, P; Manning, JC 2004. Taxonomic notes and new species of the southern African genus *Babiana* (Iridaceae: Crocoideae). *Bothalia* 34, 2 : 87- 96.
- 3485 Dummer, RA 1913. A synopsis of the species of *Lotononis* Eckl. & Zeyh. and *Pleiospora* Harv. *Trans. Roy. Soc. South Africa* 3 :300- 320.
- 3486 Leach, LC 1969. *Huernia urceolata*. *Fl. Pl. South Africa* 39 :0- 0.

- 3487 Roessler, H 1973. Uber Trachyandra (Liliaceae) in Sudwestafrika. *Mitt. Bot. Staatssamml. Muenchen* 11 :87- 90.
- 3488 Glen, HF; Hardy, DS 0. Aloe meyeri *Fl. Pl. South Africa* 2065 :0- 0.
- 3489 Dyer, RA 1970. Cotyledon singularis. *Fl. Pl. South Africa* 41 :0- 0.
- 3492 Hilliard, OM 1992. New names and combinations in Jamesbrittenia (Scrophulariaceae - Manuleae). *Edinburgh J. Bot.* 49, 2 : 225- 233.
- 3495 Cole, DT 2000. Lithops hermetica Cole. A new species from Namibia. *Cactus & Co* 4, 2 : 158- 161.
- 3496 Schinz, H 1926. Beitrage zur kenntnis der Afrikanische Flora XXXIII. *Vierteljahrsschrift des Naturforschenden Gesellschaft in Zurich* 71 :136- 158.
- 3497 Schinz, H 1911. Beitrage zur kenntnis der Afrikanische Flora XXIV. *Vierteljahrsschrift des Naturforschenden Gesellschaft in Zurich* 56 :229- 268.
- 3500 Taxon Editor 1983. Proposal 528. Rejection of Paspalum districhium L. (Gramineae). *Taxon* 32 :281- 0.
- 3502 Mueller-Doblies, U; Mueller-Doblies, D 1996. Revisionula incompleta Ornithogalorum Austro-Africanorum (Hyacinthaceae). *Feddes Repert.* 107, 5/6 : 361- 548.
- 3503 Munday, J 1987. A new species of Monechma (Acanthaceae) from South West Africa/Namibia. *S.African J. Bot.* 53, 2 : 140- 142.
- 3505 Nordenstam, RB 1968. The genus Euryops Part 1. Taxonomy. *Opera Bot.* 20 :1- 409.
- 3510 Merxmueller, H; Schreiber, AL 1966. Neuw sippen und kombinationen *Mitt. Bot. Staatssamml. Muenchen* 6 :249- 251.
- 3511 Meyer, PG 1967. Beitrage zur Kenntnis der Acanthaceen Sudwestafrikas. *Mitt. Bot. Staatssamml. Muenchen* 6 :505- 515.
- 3512 Merxmueller, H 1967. Compositen - studien 8 *Mitt. Bot. Staatssamml. Muenchen* 6 :483- 492.
- 3515 Keeley, ScC; Turner, BL 1990. A preliminary cladistic analysis of the genus Vernonia (V: As...) *Pl. Syst. Evol., Suppl.* 4 :45- 66.
- 3516 Grau, J 1974. Die Gattung Felicia in Sudwestafrika. *Mitt. Bot. Staatssamml. Muenchen* 11 :353- 364.
- 3517 Merxmueller, H; Roessler, H 1973. Eine aussergewohnliche neue Anacardiacee aus Sudwestafrika. *Mitt. Bot. Staatssamml. Muenchen* 11 :65- 82.
- 3518 Roessler, H 1974. Die gattung Androcymbium Willd. (Liliaceae) in Suedwestafrika. *Mitt. Bot. Staatssamml. Muenchen* 11 :545- 566.
- 3520 Merxmueller, H 1951. Cyperaceae .... *Mitt. Bot. Staatssamml. Muenchen* 1 :84- 0.
- 3522 Wild, H 1972. The Compositae of the Flora Zambesiaca area 3 - Mutisieae. *Kirkia* 8, 2 : 173- 207.
- 3523 Wild, H 1967. The Compositae of the Flora Zambesiaca area. *Kirkia* 6 :1- 62.
- 3524 Wild, H 1966. The African species of the genus Melanthera Rohr. *Kirkia* 5 :1- 18.
- 3525 Wild, H 1964. A revision of the genus Anisopappus Hook. & Arn. *Kirkia* 4 :45- 73.
- 3526 Van Bruggen, HWE 1985. Aponogeton (Aponogetonaceae) *Biblioth. Bot.* 137 :1- 65.
- 3527 Cole, DT 1990. Lithops optica. *Fl. Pl. South Africa* 2005 :0- 0.
- 3530 Ortiz, S; Paiva, JAR; Rodriguez-Oubiña, J 1996. An outline of the genus Anisopappus Hook. & Arn. (Compositae). *Nord. J. Bot.* 54 :378- 391.

- 3531 Ortiz, S; Paiva, JAR 1995. Notes on African species of the genus *Anisopappus* Hook. & Arn. (Asteraceae). *Bot. J. Linn. Soc.* 117 :39- 46.
- 3532 Van Bruggen, HWE 1975. A new species of *Aponogeton* from Ovamboland. *Mitt. Bot. Staatssamml. Muenchen* 12 :105- 110.
- 3533 De Winter-Henderson, M 1961. A new *Pegolettia* of South West Africa. *Mitt. Bot. Staatssamml. Muenchen* 4 :1-2.
- 3534 Merxmueller, H 1954. *Pterothrix* *Mitt. Bot. Staatssamml. Muenchen* 2 :36- 0.
- 3537 Anderson, JG; Adis, J 1961. New and interesting taxa from southern Africa. Gramineae. *Tricholaena monachne*. *Kirkia* 1 :103- 104.
- 3541 Killick, DJB 1993. *Strumaria hardyana*. *Fl. Pl. South Africa* 2067 :0- 0.
- 3542 Schreiber, AL 1976. Nachtrag zur gattung *Monsonia* L. in Suedwestafrika. *Mitt. Bot. Staatssamml. Muenchen* 12 :337- 390.
- 3543 Herman, PPJ 1999. Synopsis of the genus *Rennera* Merm. (Asteraceae, anthemideae) with the description of a new species from South Africa *Bot. J. Linn. Soc.* 129 :267- 377.
- 3544 Immelman, KL 1996. FSA contributions 6: Orchidaceae: *Holothrix Bothalia* 26, 2 : 125- 140.
- 3545 Trankle, U; Hubner, F 2006. *Hoodia triebneri* (Nel) Bruyns *Kakteen Sukk.* 57, 1 : 1- 2.
- 3546 Engler, HGA 1894. *Plantae Guericchianae*. *Bot. Jahrb. Syst.* 19 :141- 0.
- 3547 Joubert, AM; Venter, HJT 1989. A new species of *Lycium* (Solanaceae) from Namibia. *S.African J. Bot.* 55, 5 : 516- 519.
- 3548 Bruyns, PV 2005. *Stapeliads of Southern Africa and Madagascar 1 & II*. Umdaus Press, Hatfield. 0 :0- 0.
- 3549 Plowes, DCH 1995. A reclassification of *Caralluma* R.Br. (Stapeliaceae: Asclepiadaceae). *Haseltonia* 3 :49- 70.
- 3551 Bruyns, PV 1982. *Huernia Natl. Cact. Succ. J.* 44 :86- 0.
- 3552 Goldblatt, P 1990. Systematics of *Lapeirousia* (Iridaceae - Ixioidee) in tropical Africa *Ann. Missouri Bot. Gard.* 77 :430- 484.
- 3553 Schreiber, AL 1970. Einige neue Fabaceen aus Sudwestafrika. *Mitt. Bot. Staatssamml. Muenchen* 8 :137- 145.
- 3555 Reid, C 1994. *Cyrtanthus herrei* (Amaryllidaceae) Bentham-Moxon Trust, Oxford. 9û13. 0 :9- 13.
- 3556 Nordal, I; Zimudzi, C 2001. Hypoxidaceae. *Fl. Zambes.* 12, 3 : 0- 0.
- 3557 Steiner, KE 2006. Two new species of *Nemesia* (Scrophulariaceae) from southern Africa. *Bothalia* 36, 1 : 39- 44.
- 3558 Fish, L 2006. Concept of *Stipagrostis uniplumis* var. *uniplumis* redefined to include specimens with hairy glumes. *Bothalia* 36, 1 : 69- 70.
- 3559 Singh, Y 2006. Hypoxis (Hypoxidaceae) in Africa: list of species and infraspecific names. *Bothalia* 36, 1 : 13- 23.
- 3560 Schulze, GM 1941. Neue Amaryllidaceen aus Deutsch-Sudwest-Afrika. *Bot. Jahrb. Syst.* 71 :520- 525.
- 3561 Van Jaarsveld, EJ; Swanepoel, W; Van Wyk, AE 2006. *Aloe kaokoensis*, a new species from the Kaokoveld, Northwestern Namibia. *Bothalia* 36, 1 : 75- 77.
- 3562 Van Jaarsveld, EJ; Van Wyk, AE; Condy, G 2005. *Aloe omavandae* (Asphodelaceae). *Fl. Pl. Africa* 59, 2-6 : 2201- 0.

- 3563 Swanepoel, W 2006. Capparaceae, *Maerua kaokoensis*, a new species from Namibia *Bothalia* 36, 1 : 81- 85.
- 3565 Swanepoel, W 2006. Two new species of *Commiphora* (Burseraceae) from southern Africa. *Bothalia* 36, 1 : 45-56.
- 3566 Gordon-Gray, KD; Ward, CJ; Edwards, TJ 2006. Studies in Cyperaceae in southern Africa 39: *Cyperus articulatus* L. and *Cyperus corymbosus* Rottb. *S.African J. Bot.* 72 :174- 149.
- 3568 Iwarsson, M; Harvey, Y 2003. Monograph of the genus *Leonotis* (Pers.) R.Br. (Lamiaceae). *Kew Bull.* 58 :597-645.
- 3570 De-Zhi, F; Yong, Y; Guang-Hua, Z 2004. A new scheme of classification of living Gymnosperms at family level. *Kew Bull.* 59 :111- 116.
- 3571 Goyder, DJ 2004. Key to the species of *Gomphocarpus* (Apocynaceae: Asclepiadeae) -- a correction. *Kew Bull.* 59, 2 : 304- 0.
- 3572 Moteete, A; Van Wyk, B-E 2006. A revision of the genus *Melolobium* (Genisteae, Fabaceae). *S.African J. Bot.* 72 :51- 98.
- 3574 Mueller-Doblies, U 1995. Enumeratio Albacarum (Hyacinthaceae) Austro-Africanum adhuc cognitarum 1. Subgenus *Falconera* *Feddes Repert.* 106 :353- 370.
- 3575 Barker, WF 1963. *Brunsvigia* *J. S. African Bot.* 29 :165- 162.
- 3576 Knuth, RGP 1924. Dioscoreae *Nat. Pflanzenfam.* 0 :178- 0.
- 3577 Milne-Redhead, E 1972. Dioscoreae *hirtiflora*, but not mentioned 4 Nam *Kew Bull.* 0 :0- 0.
- 3578 Hartmann, HEK 1998. New combinations in *Antimima* (Ruschioideae, Aizoaceae) from southern Africa *Bothalia* 70 :0- 0.
- 3579 Tischer, A 1954. *Conophytum Kakteen Sukk.* 5 :67- 0.
- 3581 Nel, GC 1935. *Stapelia marientalensis* Nel spec. nov. *Kakteen Sukk.* 36 :3- 4.
- 3582 Venter, HJT; Verhoeven, RL 1997. A tribal classification of the Periplocoideae (Apocynaceae). *Taxon* 46 :705-720.
- 3583 Williamson, G 2004. *Euphorbia einensis* sp.nov. (Euphorbiaceae) from the lower Orange River valley in the NW Richtersveld *Haseltonia* 10 :57- 66.
- 3584 Dinter, MK 1917. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten. *Feddes Repert.* 15 :77- 92.
- 3585 Moffett, RO 0. *Sarcocaulon peniculinum* *Fl. Pl. Africa* 0 :2016- 0.
- 3589 Norlindh, T 1967. A new species of *Arctotis* sect. *Argenteae* from South West Africa. *Svensk Bot. Tidskr.* 61 :24-28.
- 3591 Schinz, H 1904. Beitrage zur kenntnis der Afrikanische Flora. *Bull. Herb. Boissier* 2 :1020- 1025.
- 3592 Hilliard, OM 1988. New genera, species and combinations in Scrophulariaceae-Manuleae. *Notes Roy. Bot. Gard. Edinburgh* 45, 3 : 481- 491.
- 3593 Hilliard, OM 1990. More new names and combinations in Scrophulariaceae-Manuleae. *Notes Roy. Bot. Gard. Edinburgh* 46, 3 : 337- 342.
- 3594 Dinter, MK 1922. *Lightfootia* see 3795 *Repert. Spec. Nov. Regni Veg.* 5, 18 : 0- 0.
- 3596 Zimmermann, NFA 1996. *Schwantesia constanceae* N.Zimmermann spec. nov. - eine neue Art aus dem suedlichen Namibia. *Kakteen Sukk.* 47, 4 : 81- 86.

- 3598 Descoings 1967. *Cyphostemma Naturalia Monspel., Sér. Bot.* 18 :229- 0.
- 3599 Sonder, OW 1850. [*Clutia thunbergia*] *Linnaea* 23 :130- 0.
- 3600 Moore, S 1907. *Alabastra diversa* 15: new or rare Acanthaceae from German South-West Africa. *J. Bot.* 45 :226- 0.
- 3603 Schinz, H 1890. Beitrage zur Kenntnis der Flora von Deutsch-Sudwest-Afrika. *Verh. Bot. Vereins Prov. Brandenburg* 31, 2 : 180- 230.
- 3604 Schinz, H 1888. Beitrage zur Kenntnis der Flora von Deutsch-Sudwest-Afrika II & III. *Verh. Bot. Vereins Prov. Brandenburg* 30, 2 : 138- 186.
- 3607 Schinz, H 1893. Beitrage zur Kenntnis der Afrikanische Flora I. *Bull. Herb. Boissier* 1 :73- 89.
- 3608 Schinz, H 1895. Beitrage zur Kenntnis der Afrikanische Flora III. *Bull. Herb. Boissier* 3, 8 : 374- 441.
- 3609 Schinz, H 1894. Beitrage zur Kenntnis der Afrikanische Flora II. *Bull. Herb. Boissier* 2, 3 : 180- 228.
- 3610 Schinz, H 1901. Beitrage zur Kenntnis der Afrikanische Flora XIII. *Bull. Herb. Boissier* 2, 8 : 738- 1012.
- 3611 Schinz, H 1900. Beitrage zur Kenntnis der Afrikanischen Flora XII. *Mem. Herb. Boissier* 20, 1 : 104- 131.
- 3612 Schinz, H 1898. Beitrage zur Kenntnis der Afrikanische Flora VII. *Bull. Herb. Boissier* 6, 7 : 522- 563.
- 3613 Dinter, MK 1932. Diagnosen neuer sudwestafrikanischer Pflanzen 39. *Feddes Repert.* 30 :80- 96.
- 3614 Dinter, MK 1923. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten XV. *Feddes Repert.* 19 :235- 240.
- 3615 Mattfeld, J 1921. *Nolletia* *Feddes Repert.* 17 :394- 0.
- 3616 Dinter, MK 1921. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten VIII. *Feddes Repert.* 0 :258- 265.
- 3617 Clarke, CB 1906. Cyperaceae africanæ *Bot. Jahrb. Syst.* 38 :135- 0.
- 3618 Dinter, MK 1922. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten XII. *Feddes Repert.* 18 :423- 444.
- 3622 Engler, HGA 1888. In *Plantae Marlothianae. Bot. Jahrb. Syst.* 10, 9/10 : 246- 271.
- 3623 Kents 1909. Contributions to the African Flora. *Trans. Roy. Soc. South Africa* 1 :163- 0.
- 3624 Moore, S 1880. Enumerato Acanthacearum Herbarii Welwitschiani Angolensis *J. Bot.* 18 :193- 199.
- 3627 Moore, S 1902. Compositae Flora of Africa. *J. Linn. Soc. Bot.* 35 :325- 326.
- 3628 Moore, S 1900. *Alabastra Diversa* *J. Bot.* 38 :459- 0.
- 3629 Moore, S 1902. *Alabastra Diversa* *J. Bot.* 40 :307- 0.
- 3634 Hoffmann, O 1892. *Geigeria spinosa* *Bol. Soc. Brot.* 10 :175- 176.
- 3637 Hill, AW 1910. *Thesium* *Kew Bull.* 1910 :341- 2.
- 3638 Brown, NE 1901. *Hyobanche* *Kew Bull.* 1901 :129- 0.
- 3640 Mildbraed, GWJ 1930. Acanthaceae novae VI. *Notizbl. Bot. Gart. Berlin-Dahlem* 11 :62- 63.
- 3641 Soelch, A 1960. Beitrage zu einer Flora Suedwestafrikas. *Unpublished* 0 :1- 151.

- 3642 Hammer, SA 2002. Dumpling & His Wife: New Views of Gen. *Conophytum*. 0 :0- 0.
- 3644 Krause, K; Dinter, MK 1910. Liliaceae africanae II. *Bot. Jahrb. Syst.* 45 :123- 145.
- 3646 Poellnitz, K von 1938. Zur Kenntnis der Gattung *Gasteria* Duval. *Feddes Repert.* 43 :233- 250.
- 3649 Schinz, H 1910. Beiträge zur Kenntnis der Afrikanische Flora XXIII. *Vierteljahrsschrift des Naturforschenden Gesellschaft in Zurich* 55 :234- 247.
- 3658 Schinz, H 1916. Beiträge zur Kenntnis der Afrikanische Flora XXVII. *Vierteljahrsschrift des Naturforschenden Gesellschaft in Zurich* 61 :431- 461.
- 3664 Botschantzev, VP 1983. New species of the genus *Salsola* (Chenopodiaceae) from South and South West Africa 6. *Bot. Zhurn. S.S.S.R.* 68, 9 : 1247- 1249.
- 3666 Botschantzev, VP 1974. Species subsectionis *Caroxylon*. Sectionis *Caroxylon* (Thunb.) Fenzl, Generis *Salsola* L. *Novitates Systematicae Plantarum Vascularum* 58, 11 : 110- 172.
- 3667 Verdoorn, IC 1951. *Salsola Bothalia* 6 :218- 0.
- 3669 Schinz, H 1896. Beiträge zur Kenntnis der Afrikanische Flora V. *Bull. Herb. Boissier* 4, 12 : 810- 846.
- 3670 Friedrich, H-Chr 1967. *Crassula Mitt. Bot. Staatssamml. Muenchen* 6 :638- 0.
- 3672 Goetghebeur, P; Simpson, DA 1991. Critical notes on *Actinoscripus*, *Bolboschoenus*, *Isolepis*, *Phylloscripus* and *Amphiscrispus* (Cyperaceae) *Kew Bull.* 46, 1 : 169- 173.
- 3673 Kunth, PEOW 1843. Enumeratio Plantarum Omnium Hucusque Cognitarum, Secundum Familias Naturales Disposita, adjectis cha ..... *Enum. Pl. (Vahl)* 4 :605- 0.
- 3675 Poellnitz, K von 1944. *Eriospermum* Jacq. in Deutsch-Sudwest-Afrika. *Feddes Repert.* 53 :178- 187.
- 3679 Jessop, JP 1973. Studies in the bulbous Liliaceae in South Africa: 4. A new species of *Ledebouria* from South West Africa *J. S. African Bot.* 39, 1 : 45- 48.
- 3683 Obermeyer, AA 1980. A new subgenus *Rhadamanthopsis* and two new species of *Rhadamanthus*. *Bothalia* 13, 1- 2 : 137- 138.
- 3690 Schinz, H 1899. Beiträge zur Kenntnis der Afrikanische Flora X. *Bull. Herb. Boissier* 7, 1 : 35- 0.
- 3692 Schinz, H 1887. Beiträge zur Kenntnis der Flora von Deutsch-Sudwest-Afrika und der angrenzenden Gebiete. *Verh. Bot. Vereins Prov. Brandenburg* 29 :44- 64.
- 3693 Kuntze, OEO 1886. *Plantae Pechuelianae Hereroenses* VI. *Jahrb. Bot. Gart. Berlin* 4 :261- 275.
- 3694 Harms, H 1920. Fünf neue Leguminosen aus Deutsch-Südwestafrika. *Feddes Repert.* 16 :358- 360.
- 3695 Mueller-Doblies, U 2006. Enumeratio *Albacarum* (Hyacinthaceae) Austro-Africanum adhuc cognitarum 3. Additions and notes to *Albuca* subgenus. *Falconera* and *A.* subgenus *Albuca* *Feddes Repert.* 117, 1/2 : 96- 138.
- 3697 Wilmot-Dear, CM; Friis, I 2006. The Old World species of *Pouzolzia* (Urticaceae, tribus *Boehmerieae*). A taxonomic revision. *Nord. J. Bot.* 24, 1 : 5- 115.
- 3699 Beier, B-A 2005. A revision of the desert shrub *Fagonia* (Zygophyllaceae). *Systematics and Biodiversity* 3, 3 : 221- 263.
- 3700 Schinz, H 1915. Beiträge zur Kenntnis der Afrikanische Flora XXVI. *Vierteljahrsschrift des Naturforschenden Gesellschaft in Zurich* 60 :389- 422.
- 3701 Schinz, H 1923. Beiträge zur Kenntnis der Afrikanische Flora XXXI *Vierteljahrsschrift des Naturforschenden Gesellschaft in Zurich* 68 :420- 456.

- 3702 Gerbaulet, M 1997. Revision of the genus *Phyllobolus* N.E.Br. (Aizoaceae) *Bot. Jahrb. Syst.* 119, 2 : 181- 0.
- 3703 Schinz, H 1912. Beitrage zur kenntnis der Afrikanische Flora XXV. *Vierteljahrsschrift des Naturforschenden Gesellschaft in Zurich* 57 :531- 0.
- 3704 Van Jaarsveld, EJ; Van Wyk, AE 2006. *Pelargonium vanderwaltii*, a new cliff-dwelling species from the Otjhipa Mountains, Northern Namibia *Aloe* 43, 2&3 : 32- 34.
- 3707 Schinz, H 1931. Beitrage zur kenntnis der Afrikanische Flora XXXVI. *Vierteljahrsschrift des Naturforschenden Gesellschaft in Zurich* 76 :133- 146.
- 3708 Schinz, H 1928. Beitrage zur kenntnis der Afrikanische Flora XXXIV. *Vierteljahrsschrift des Naturforschenden Gesellschaft in Zurich* 74 :99- 130.
- 3710 Dinter, MK 1921. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten VII. *Feddes Repert.* 17 :185- 192.
- 3711 Dinter, MK 1920. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten VI. *Feddes Repert.* 16 :361- 368.
- 3712 Dinter, MK 1919. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten V. *Feddes Repert.* 16 :239- 244.
- 3713 Dinter, MK 1919. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten IV. *Feddes Repert.* 16 :167- 174.
- 3714 Dinter, MK 1919. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten III. *Feddes Repert.* 15 :426- 433.
- 3715 Dinter, MK 1918. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten II. *Feddes Repert.* 15 :340- 355.
- 3716 Dinter, MK 1924. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten XVI. *Feddes Repert.* 19 :315- 320.
- 3717 Dinter, MK 1922. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten XI. *Feddes Repert.* 18 :248- 256.
- 3718 Dinter, MK 1923. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten XIII. *Feddes Repert.* 19 :93- 96.
- 3719 Dinter, MK 1923. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten XIV. *Feddes Repert.* 19 :187- 192.
- 3720 Dinter, MK 1926. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten XX. *Feddes Repert.* 23 :130- 137.
- 3721 Dinter, MK 1928. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten XXVI. *Feddes Repert.* 25 :49- 51.
- 3722 Dinter, MK 1924. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten XVII. *Feddes Repert.* 20 :314- 316.
- 3723 Dinter, MK 1922. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten X. *Feddes Repert.* 18 :13- 16.
- 3724 Dinter, MK 1925. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten XVIII. *Feddes Repert.* 22 :108- 112.
- 3725 Dinter, MK 1926. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten XIX. *Feddes Repert.* 22 :375- 383.

- 3726 Dinter, MK 1927. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten XXV. *Feddes Repert.* 24 :366- 368.
- 3727 Dinter, MK 1928. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten XXIV. *Feddes Repert.* 24 :302- 304.
- 3728 Dinter, MK 1921. Index der aus Deutsch-Sudwestafrika bis zum Jahre 1917 bekannt gewordenen Pflanzenarten IX. *Feddes Repert.* 0 :303- 311.
- 3729 Dinter, MK 1919. Regni vegetabilis conspectus Euphorbiaceae- Acalypheae. *Pflanzenr. (Engler)* 0 :0- 0.
- 3730 Schinz, H 1902. Beitrage zur kenntnis der Afrikanische Flora XIV. *Bull. Herb. Boissier* 0 :0- 0.
- 3731 Wimmer, FE 1953. Campanulaceae - Lobelioideae. *Pflanzenr. (Engler)* 0 :0- 0.
- 3732 Bolus, F; Bolus, HML; Glover, R 1915. Flowering plants and ferns collected on the Great Karasberg by the Percy Sladen Memorial Expedition 1912-1913 *Ann. Bolus Herb.* 0 :0- 0.
- 3733 Schinz, H 1908. Beitrage zur kenntnis der Afrikanische Flora XXI. *Bull. Herb. Boissier* 0 :0- 0.
- 3736 Schinz, H 1896. Beitrage zur kenntnis der Afrikanische Flora IV. *Bull. Herb. Boissier App.* 0 :0- 0.
- 3738 Schinz, H 1903. Beitrage zur kenntnis der Afrikanische Flora XV. *Bull. Herb. Boissier* 0 :0- 0.
- 3739 Schinz, H 1897. Beitrage zur kenntnis der Afrikanische Flora VI. *Bull. Herb. Boissier* 0 :0- 0.
- 3741 Kwembeya, EG; Stedje, B 2006. The genus *Crinum* (Amaryllidaceae) - its taxonomy, distribution and conservation status in Namibia. 0 :1- 30.
- 3742 Soelch, A 1969. Amaryllidaceae. 150 :4- 8.
- 3745 Lehmilller, DJ 1997. Synopsis of the genus *Crinum* (Amaryllidaceae) in Namibia. *Herbertia* 52 :44- 65.
- 3750 Archer, RH; Archer, CA 1996. Notes of African plants. Amaryllidaceae. should *Crinum forbesii* (Lindl.) Schult. & Schult.f. be reinstated? *Bothalia* 26, 2 :153- 0.
- 3751 Archer, RH 1997. *Crinum acaule*, *C. minimum* and *C. parvibulbosum* in Southern Africa. *Herbertia* 52 :90- 94.
- 3752 Archer, RH; Condy, G 1999. *Crinum macowanii* *Fl. Pl. Africa* 56 :30- 35.
- 3753 Archer, RH; Condy, G 1999. *Crinum acaule* *Fl. Pl. Africa* 56 :36- 40.
- 3755 Meeuse, ADJ 1960. Various *Bothalia* 7 :409- 0.
- 3756 Martinez-Azorin, M; Pinter, M; Wetschnig, W 2015. *Desertia*, a new genus in Massonieae (Asparagaceae, Scilloideae), including the description of *Desertia luteovirens* and the taxonomic revisions of *Whiteheadia* and *Namophila* *Phytologia* 221, 3 : 201- 225.
- 3757 Immelman, KL 1990. Studies in the southern African species of *Justicia* and *Siphonoglossa* (Acanthaceae): indumentum. *Bothalia* 20, 1 : 61- 66.
- 3758 Immelman, KL 1990. Studies in the southern African species of *Justicia* and *Siphonoglossa* (Acanthaceae): seeds. *Bothalia* 20, 1 : 49- 59.
- 3759 Immelman, KL 0. *Justicia betonica* *Fl. Pl. South Africa* 1969 :0- 0.
- 3760 Van Jaarsveld, EJ; Van Wyk, AE 2006. *Aeollanthus haumannii* (Lamiaceae), a new species from the Kaokoveld, Namibia. *Aloe* 43, 4 : 72- 75.
- 3761 Barker, WF 1987. Five more new species of *Lachenalia* (Liliaceae - Hyacinthaceae) four from the Cape Province and one from southern South West Africa/Namibia *S.African J. Bot.* 53, 2 : 166- 172.

- 3762 Obermeyer, AA 1965. *Whiteheadia bifolia* *Fl. Pl. Africa* 0, 1450 : 0- 0.
- 3763 Mueller-Doblies, U; Mueller-Doblies, D 1997. Massonieae: 7,3 Namophila. *Feddes Repert.* 108, 1-2 : 0- 0.
- 3764 Liede, S 1989. *Sarcostemma pearsonii* N.E.Br.: a neglected species from Southern Africa. *Bradleya* 7 :69- 72.
- 3765 Engler, HGA 1913. Beitrage zur Flora von Afrika 42 *Bot. Jahrb. Syst.* 51 :51- 0.
- 3766 Nees O. *Acanthaceae Prodr. (DC.)* 0, 2 : 231- 277.
- 3767 Adamson, RS 1959. The South African species of Aizoaceae: VI *J. S. African Bot.* 25 :0- 0.
- 3769 De Candolle, AP 1836. Dicotyl. seu Exogenae, Compositae - Asteroideae: *Amellus Prodr. (DC.)* 5 :214- 323.
- 3770 Burgoyne, PM; Condy, G 1999. *Anacampseros baeseckeii* *Fl. Pl. Africa* 56 :54- 57.
- 3772 Gerbault, M 1992. Die Gattung *Anacampseros* L. (Portulacaceae). 3. Untersuchungen zur Standort-Ökologie der afrikanisch Arten *Bot. Jahrb. Syst.* 114 :1- 28.
- 3773 Merxmüller, H 1954. Systematische Untersuchungen 8. Die Gattung *Pentatricha* *Mitt. Bot. Staatssamml. München* 9 :432- 0.
- 3774 Pilger, R 1910. Beitrage zur Flora von Afrika 37 *Bot. Jahrb. Syst.* 45 :222- 0.
- 3775 Burgoyne, PM; Condy, G 1999. *Avonia quinaria* subsp *alstonii* *Fl. Pl. Africa* 56 :58- 60.
- 3776 Meyer, PG 1961. Beitrage zur Kenntnis der Acanthaceen Südwestafrikas 3 *Mitt. Bot. Staatssamml. München* 4 :59- 72.
- 3777 Suessenguth, K; Merxmüller, H 1954. Taxa praecipue Africana *Mitt. Bot. Staatssamml. München* 2 :67- 83.
- 3778 Lindau, G 1909. *Acanthaceae africanae* *Bot. Jahrb. Syst.* 43 :354- 0.
- 3779 Brummitt, RK; Wood, IRI 1983. *Acanthaceae* types in Forsskal Herbarium *Kew Bull.* 38, 3 : 436- 443.
- 3780 De Candolle, AP 1837. Dicotyl. seu Exogenae, Compositae - Cynareae *Prodr. (DC.)* 6 :0- 0.
- 3781 Corbishley, AJ 1920. LIII Diagnoses Africanae: LXXIV *Kew Bull.* 1920 :329- 0.
- 3782 Pierce, SM; Gerbault, M 1997. *Brownanthus Schwantes* (Mesembryanthemoideae, Aizoaceae): two new species and a new combination from ... *Aloe* 34, 1&2 : 42- 44.
- 3783 Brown, NE O. 85. *Asclepiadeae. Fl. Trop. Afr.* 0 :0- 0.
- 3784 Barker, WF 1962. Two new species of *Amaryllidaceae* *J. S. African Bot.* 28 :163- 166.
- 3785 Unknown 1976. 150. *Amaryllidaceae: Brunsvigia* *Mitt. Bot. Staatssamml. München* 12 :371- 0.
- 3786 Schinz, H 1902. Beitrage zur Kenntnis der Afrikanischen Flora *Bull. Herb. Boissier* 2, 2 : 937- 943.
- 3787 Baijnath, H O. *Bulbine* 0 :0- 0.
- 3788 Schumann, K O. *Asclepiadaceae africanae. Bot. Jahrb. Syst.* 17 :145- 146.
- 3789 Dyer, RA 1980. *Asclepiadaceae. A new species from Owambo* *Bothalia* 13, 1-2 : 136- 0.
- 3790 Obermeyer, AA 1980. A new combination in *Gethyllis*. *Bothalia* 13, 1-2 : 136- 0.
- 3791 Obermeyer, AA 1967. *Lindernia intrepidus* *Fl. Pl. Africa* 1503 :0- 0.
- 3793 Engler, HGA 1894. Beitrage zur Flora von Afrika 8 *Bot. Jahrb. Syst.* 19 :156- 0.

- 3794 Radcliffe-Smith, A 1997. New names and combinations in the Euphorbiaceae, Acalyphoideae *Kew Bull.* 52, 2 : 478- 0.
- 3795 Prain, D O. The south African species of *Cluytia*. *Bull. Misc. Inform. Kew* 10 :373- 426.
- 3796 Tischer, A 1958. *Conophytum ricardianum* Loesch et Tisch. subsp. *rubriflorum* Tisch. subsp. nov. *Kakteen Sukk.* 9, 6 : 85- 86.
- 3797 Roessler, H 1965. Zwei neue Scrophulariaceen aus Sudwestafrika. *Mitt. Bot. Staatssamml. Muenchen* 5 :689- 691.
- 3798 Cannon, JFM 1970. Araliaceae *Conspectus Florae Angolensis* 4 :362- 363.
- 3799 Gilg, E; Brandt, M O. Beitrage zur Flora von Afrika 39: Vitaceae africanae. *Bot. Jahrb. Syst.* 0 :512- 0.
- 3800 Harms, H 1913. Leguminosae africanae 6. *Bot. Jahrb. Syst.* 49 :0- 0.
- 3801 Engler, HGA 1912. Beitrage zur Flora von Afrika 40. *Bot. Jahrb. Syst.* 40 :436- 0.
- 3802 Hoffmann, O 1893. Compositae africanae *Bot. Jahrb. Syst.* 15 :545- 0.
- 3804 Merxmueller, H 1965. Compositen-Studien 7. *Othonna* in Sudwestafrika. *Mitt. Bot. Staatssamml. Muenchen* 5 :627- 643.
- 3805 Engler, HGA 1894. Beitrage zur Flora von Afrika 9. O Warburg, Moraceae africanae II *Ficus*. *Bot. Jahrb. Syst.* 20 :166- 167.
- 3807 Muschler, RC 1911. Beitrage zur Flora von Afrika 38. *Bot. Jahrb. Syst.* 46 :114- 0.
- 3808 Jordaan, M; Van Wyk, AE O. Three new taxa of Gymnosporia (Celastraceae) from the Karoo Biome of southern Africa. *S.African J. Bot.* 0 :0- 0.
- 3810 Merxmueller, H; Roessler, H 1984. Compositen - Studien X *Mitt. Bot. Staatssamml. Muenchen* 20 :1- 9.
- 3811 Burkill, IH 1899. XCVIII Acanthaceae *Fl. Trop. Afr.* 5 :30- 0.
- 3813 Engler, HGA 1909. Beitrage zur Flora von Afrika 34. *Bot. Jahrb. Syst.* 43 :82- 0.
- 3814 Compton, RH 1948. *Plantae Novae Africanae J. S. African Bot.* 1415 :105- 0.
- 3815 Wolff, H 1912. Umbelliferae africanae *Bot. Jahrb. Syst.* 48 :263- 264.
- 3816 Lindau, G 1899. *Megalochlamys* nov. gen. Acanthacearum. *Bot. Jahrb. Syst.* 26 :345- 0.
- 3817 Nordenstam, RB 2006. Generic revisions in the tribe Calenduleae (Compositae). *Compositae Newslett.* 44 :38- 49.
- 3818 Knuth, RGP 1915. Neue afrik. Arten der Gatt. *Pelargonium*, *Oxalis* u. *Ardisiandra*. *Bot. Jahrb. Syst.* 53 :315- 0.
- 3819 Bolus, F 1918. Novitates Africanae *Ann. Bolus Herb.* 2 :23- 24.
- 3820 Germishuizen, G 1988. Polygonaceae. Reinstatement of *Oxygonum acetosella* Welw. *Bothalia* 18, 2 : 187- 188.
- 3821 Engler, HGA 1917. Beitrage zur Flora von Afrika 46. *Bot. Jahrb. Syst.* 54 :326- 0.
- 3822 Goldblatt, P 1972. A revision of the genera *Lapeirousia* Pourret and *Anomatheca* Ker in the winter rainfall region of South Africa *Contr. Bolus Herb.* 4 :61- 62.
- 3823 Engler, HGA 1912. Beitrage zur Flora von Afrika 40. *Bot. Jahrb. Syst.* 48 :492- 0.
- 3824 Dyer, RA 1961. *Limonium Bothalia* 7 :490- 0.

- 3826 Merxmüller, H 1960. Weitere Beiträge zur Südwestafrikan Flora *Mitt. Bot. Staatssamml. München* 3 :602-622.
- 3827 Launert, E 1957. *Stachys* *Mitt. Bot. Staatssamml. München* 2 :313- 314.
- 3828 Williamson, G 1998. A new *Tylecodon* species (Crassulaceae). *Cactus & Succulent Journal (U.S.)* 70, 3 : 127-128.
- 3830 Holzhammer, M 1953. Neue Sterculiaceen aus Südwest-Afrika. *Mitt. Bot. Staatssamml. München* 1 :345- 0.
- 3831 Pilger, R 1912. Die gattung *Wellstedtia* in Südwestafrika. *Bot. Jahrb. Syst.* 46 :558- 561.
- 3834 Pillans, NS 1928. *Novitates Africanae J. Bot.* 0 :195- 196.
- 3836 Zimmermann, NFA 1996. The genus *Schwantesea* Dinter. *Cactus & Succulent Journal (U.S.)* 68 :0- 0.
- 3837 Bruyns, PV 2007. Apocynaceae. A new species of *Huernia* (Asclepiadoideae - Ceropegieae) from Southern Angola. *Bothalia* 37, 1 : 23- 56.
- 3840 Mannheimer, CA 2006. A taxonomic revision of the genera of the subtribe *Dracophilinae* (Aizoaceae: Rushioideae). *Unpublished thesis* 0 :0- 0.
- 3842 Anderberg, A 1991. Taxonomy and phylogeny of the tribe *Gnaphaliese* (Asteraceae). *Opera Bot.* 104 :0- 0.
- 3846 Pimenov, MG; Leonov, MV 1993. The genera of the Umbelliferae. Royal Botanic Gardens Kew, UK. 0 :0- 0.
- 3848 Singh, Y 2007. *Hypoxis* (Hypoxidaceae) in southern Africa: Taxonomic notes. *S.African J. Bot.* 73 :360- 365.
- 3849 Swanepoel, W 2007. *Commiphora kuneneana*, a new species from the Kaokoveld, Namibia. *Bothalia* 37, 1 : 40-48.
- 3851 Van Jaarsveld, EJ; Van Wyk, AE 2007. *Dewinteria*, a new semisucculent, cliff dwelling genus endemic to the Kaokoveld, Namibia. *Bothalia* 37, 2 : 198- 201.
- 3852 Barkley, FA 1943. *Searsia* Barkley. 3 :104-105.
- 3853 Moffett, RO 2007. Name changes in the Old World *Rhus* and recognition of *Searsia* (Anacardiaceae). *Bothalia* 37, 2 : 165- 175.
- 3855 Manning, JC; Goldblatt, P 2007. New species of *Drimia* (Hyacinthaceae: Urgineoideae) allied to *Drimia marginata* from Western and Northern Cape, South Africa *Bothalia* 37, 2 : 183- 187.
- 3857 Manning, JC; Martinez-Azorin, M; Crespo, MB 2007. A revision of *Ornithogalum* subgenus *Aspasia* section *Aspasia*, the chinchinchees (Hyacinthaceae). *Bothalia* 37, 2 : 133- 164.
- 3858 Swanepoel, W 2007. *Didiereaceae/Portulacaceae Ceraria kaokoensis*, a new species from Namibia, with notes on gynodioecy in the genus. *Bothalia* 37, 2 : 202- 206.
- 3861 Suessenguth, K 1953. Neue Taxa, Kombinationen und Vorkommen in Südafrika. *Mitt. Bot. Staatssamml. München* 1, 8 : 343- 0.
- 3863 Darbyshire, I; Vollesen, KB 2007. The transfer of the genus *Peristrophe* to *Dicliptera* (Acanthaceae), with a new species described from eastern Africa *Kew Bull.* 62, 1 : 119- 128.
- 3866 Lewis, GP; Schrire, BD; Mackinder, B; Lock, JM 2005. Legumes of the World. 0 :0- 0.
- 3868 Goldblatt, P 2011. Systematics and biology of the African genus *Ferraria* (Iridaceae: Irideae) *Bothalia* 41, 1 : 1-40.
- 3869 Paton, AJ; Harley, MM; Harley, RM; Weeks, S 1994. A revision of *Endostemon* (Labiatae). *Kew Bull.* 49, 4 : 673- 716.

- 3870 Sebald, O 1980. Die Gattung *Leucas* R.Brown (Labiatae) in Africa und auf der Arabischen Halbinsel. *Stuttgarter Beitr. Naturk.* 341, 200 : 0- 0.
- 3872 Welman, WG; Craib, C; Condy, G 1999. *Ipomoea adenoides* var. *adenoides*. Convolvulaceae. *Fl. Pl. Africa* 56 :100- 104.
- 3873 Van Jaarsveld, EJ; Nagel, R 1999. *Tavaresia thompsonii* Van Jaarsveld & Nagel, a new species from Angola. *Asklepios* 76 :9- 10.
- 3874 Bellstedt, DU; Van Zyl, L; Marais, EM; Bytebier, B; De Villiers, CA; Makwarela, 2008. Phylogenetic relationships, character evolution and biogeography of southern African members of *Zygophyllum* (Zygophyllaceae) based on three plastid regions *Molec. Phylogenet. Evol.* 0 :0- 0.
- 3875 Bruyns, PV; Klak, C 2006. A systematic study of the Old World genus *Fockea* (Apocynaceae - Asclepiadoideae). *Ann. Missouri Bot. Gard.* 93 :535- 564.
- 3878 Le Roux, MM; Van Wyk, B-E 2007. A revision of *Lebeckia* sect. *Lebeckia*: The *L. sepiaria* group. *S.African J. Bot.* 73 :118- 130.
- 3879 Lui, M; Van Wyk, B-E; Tilney, PM 2007. A revision of the genus *Marlothiella* (Apiaceae). *S.African J. Bot.* 73 :208- 213.
- 3880 Meve, U; Liede, S 2002. A molecular phylogeny and generic rearrangement of the stapelioid *Ceropegieae* (Apocynaceae-Asclepiad ..... *Pl. Syst. Evol.* 234 :171- 209.
- 3881 Otieno, DF; Balkwill, K; Paton, AJ 2006. A multivariate analysis of morphological variation in the *Hemizygia bracteosa* complex (Lamiaceae, Ocimeae) *Pl. Syst. Evol.* 261 :19- 38.
- 3883 Swanepoel, W 2008. *Ceraria kuneneana* (Didiereaceae/Portulacaceae), a new species *S.African J. Bot.* 74 :71- 75.
- 3885 Ponsie, ME; Edwards, TJ; Johnson, SD 2007. A taxonomic revision of *Bonatea* Willd. (Orchidaceae: Orchidoideae: Habenariinae). *S.African J. Bot.* 73 :1- 21.
- 3886 Van Wyk, B-E; Kolberg, H 2008. A new species of *Lotononis* section *Oxydium* (Fabaceae, Crotalarieae). *S.African J. Bot.* 74 :750- 7520.
- 3887 Swanepoel, W 2008. *Commiphora otjhipana* (Burseraceae), a new species from the Kaokoveld, Namibia. *S.African J. Bot.* 74 :623- 6280.
- 3889 Clarke, CB 1899. Flora of Tropical Africa *Fl. Trop. Afr.* 5, 1 : 88- 92.
- 3959 Le Roux, JP 2009. Synopsis of the Lycopodiophyta and Pteridophyta of Africa, Madagascar and neighbouring islands *Strelitzia* 23 :0- 0.
- 3960 Faden O. *Commelina Brittonia* 48 :548- 574.
- 3967 Robyns, W O. *Acrocephalus* ... Haun *Bot. Not.* 119 :185- 195.
- 3970 Venter, HJT 2008. Taxonomy of *Chlorocyathus* (Apocynaceae: Periplocoideae) *S.African J. Bot.* 74 :288- 294.
- 3971 Funk, VA; Robinson, HE 2009. A new tribe *Platycarpeae* and a new genus *Platycarpella* in the Cichorioideae (Compositae or Asteraceae *Compositae Newslett.* 47 :24- 27.
- 3972 Oliver, D 1877. *Chlorocyathus monteiroae* *Fl. Trop. Afr.* 3 :430- 0.
- 3974 Brown, NE 1907. *Raphionacme monteiroae* *Fl. Cap.* 4 :533- 534.
- 3979 Swanepoel, W 2009. *Euphorbia ohiva* (Euphorbiaceae), a new species from Namibia and Angola *S.African J. Bot.* 0 :0- 0.
- 3981 Venter, HJT; Verhoeven, RL; Bruyns, PV 2009. Morphology and taxonomy of *Mondia* (Apocynaceae: Periplocoideae) *S.African J. Bot.* 75 :456- 465.

- 3982 Stangberg, F 2009. Diaspore capitula in *Hirpicium* supports close evolutionary relationship to *Oreocarya*. *S. African J. Bot.* 75 :0- 0.
- 3983 Swanepoel, W 2009. *Euphorbia otjingandu* (Euphorbiaceae), a new species. *S. African J. Bot.* 75 :0- 0.
- 3984 Venter, HJT 2009. A taxonomic revision of *Raphionacme* (Apocynaceae: Periplocoideae). *S. African J. Bot.* 75 :292- 350.
- 3989 Scotland, RW; Vollesen, KB 2000. Classification of Acanthaceae. *Kew Bull.* 55, 3 : 513- 589.
- 3998 Boatwright, JS; Manning, JC 2010. Notes on the genus *Trachyandra* (Asphodelaceae: Asphodeloideae) 1: A review of the *T. thyrsoidea* group. *S. African J. Bot.* 76 :499- 510.
- 4003 Balkwill, M-J; Balkwill, K 1997. Delimitation and Infra-Generic Classification of *Barleria* (Acanthaceae). *Kew Bull.* 52, 3 : 535- 573.
- 4004 Bruyns, PV 2009. The Old World genus *Fockea* (Apocynaceae ù Asclepiadoideae). *Aloe* 46, 1 : 10- 19.
- 4005 Bruyns, PV; Klak, C 2009. The rediscovery of *Schizostephanus gossweileri* and its phylogenetic position. *S. African J. Bot.* 75 :532- 536.
- 4006 Castro, S; Silveira, P; Figueiredo, E 2005. Systematic studies in *Tylosema* (Leguminosae). *Bot. J. Linn. Soc.* 147 :99- 115.
- 4009 Goyder, DJ 2006. A revision of the genus *Pergularia* L. (Apocynaceae: Asclepiadoideae). *Kew Bull.* 61 :245- 256.
- 4010 Goyder, DJ 2008. Nomenclatural changes resulting from the transfer of tropical African *Sarcostemma* to *Cynanchum* (Apocynaceae: Asclepiadoideae). *Kew Bull.* 63 :471- 472.
- 4011 Goyder, DJ 2009. A synopsis of *Asclepias* (Apocynaceae: Asclepiadoideae) in tropical Africa. *Kew Bull.* 64 :369- 399.
- 4012 Hilger, HH; Diane, N 2003. A systematic analysis of *Heliotropiaceae* (Boraginales) based on trnL and ITS1 sequence data. *Bot. Jahrb. Syst.* 125 :19- 51.
- 4013 Howis, S; Barker, NP; Mucina, L 2009. Globally grown, but poorly known: species limits and biogeography of *Gazania* Gaertn. (Asteraceae) in *Taxon* 58, 3 : 871- 882.
- 4014 Kadereit, G; Ball, P; Beer, S; Mucina, L; Sokoloff, D; Teege, P; Yaprak, AE; Fre 2007. A taxonomic nightmare comes true: phylogeny and biogeography of glassworts (*Salicornia* L., *Chenopodiaceae*). *Taxon* 56, 4 : 1143- 1170.
- 4016 Klak, C; Nowell, TL; Hedderson, TAJ 2006. Phylogeny and revision of *Brownanthus* and its close allies *Aspazoma* and *Dactylopsis* (Aizoaceae) base. *Kew Bull.* 61 :353- 400.
- 4017 Klopper, RR; Du Preez, PJ; Smith, GF 2008. Asphodelaceae: Alooideae. New evidence in support of a disjunct distribution. *Bothalia* 38, 1 : 65- 88.
- 4018 Klopper, RR; Klopper, AW; Baijnath, H; Smith, GF 2007. Asphodelaceae: Alooideae. *Bulbine triebneri*, an earlier name for *Bulbine alba*, as well as additional and new localities in eastern and northern Cape, South Africa. *Bothalia* 38, 1 : 65- 88.
- 4020 Knapp, S; Chase, MW; Clarkson, JJ 2004. Nomenclatural changes and a new sectional classification in *Nicotiana* (Solanaceae). *Taxon* 53, 1 : 73- 82.
- 4021 Liede, S; Taeuber, A 2002. Circumscription of the Genus *Cynanchum* (Apocynaceae-Asclepiadoideae). *Syst. Bot.* 27, 4 : 789- 800.
- 4022 Liede, S; Taeuber, A 2000. *Sarcostemma* R.Br. (Apocynaceae - Asclepiadoideae) - a controversial generic circumscription reconsidered: evidence from trnL-F spacers. *Pl. Syst. Evol.* 225 :133- 140.
- 4023 Linder, HP; Dlamini, TS; Henning, J; Verboom, GA 2006. The evolutionary history of *Melianthus* (Melianthaceae). *Am. Jl. Bot.* 93, 7 : 1052- 1064.

- 4024 Manning, JC; Forest, F; Vinnersten, A 2007. The genus *Colchicum* L. redefined to include *Androcymbium* Willd. based on molecular evidence *Taxon* 56, 3 : 872- 882.
- 4025 Manning, JC; Forest, F; Devey, DS; Fay, MF; Goldblatt, P 2009. A molecular phylogeny and a revised classification of Ornithogaloideae (Hyacinthaceae) based on an analysis of four plastid DNA regions *Taxon* 58, 1 : 77- 107.
- 4026 Mildbraed, GWJ 1941. Beitrage zur Flora von Deutsch-Suedwestafrika. *Notizbl. Bot. Gart. Berlin-Dahlem* 15, 3 : 448- 471.
- 4027 Moffett, RO 1978. *Sarcocaulon herrei* *Aloe* 16, 1 : 7- 8.
- 4028 Otieno, DF; Balkwill, K; Paton, AJ; Savolainen, V 2006. A reassessment of *Hemizygia* and *Syncolostemon* (Ocimeae\Lamiaceae) *Taxon* 55, 4 : 941- 958.
- 4029 Pelsler, PB; Nordenstam, RB; Kadereit, JW; Watson, LE 2007. An ITS phylogeny of tribe Senecioneae (Asteraceae) and a new delimitation of *Senecio* L. *Taxon* 56, 4 : 1077- 1104.
- 4032 Van Wyk, B-E; Venter, M; Boatwright, JS 2010. A revision of the genus *Bolusia* (Fabaceae, Crotalarieae) *S.African J. Bot.* 76 :86- 94.
- 4033 Van Wyk, B-E; Burke, A; Mannheimer, CA; Magee, AR; Tilney, PM; Rossouw, AS 2010. A new species of *Polemanniopsis* (Apiaceae) from Namibia. *S.African J. Bot.* 76 :153- 157.
- 4034 Verhoeven, RL; Venter, HJT 1988. Pollen morphology of *Raphionacme* (Periplocaceae). *S.African J. Bot.* 54, 2 : 123- 132.
- 4035 Venter, S 2008. Synopsis of the genus *Ledebouria* Roth (Hyacinthaceae) in South Africa. *Herbertia* 62 :0- 0.
- 4036 Winter, PJD; Magee, AR; Phephu, N; Tilney, PM; Downie, SR; Van Wyk, B-E 2008. A new generic classification for African peucedanoid species (Apiaceae) *Taxon* 57, 2 : 347- 364.
- 4037 Wood, IRI 2009. New names, combinations and synonyms in *Justicia* and *Stenostephanus* (Acanthaceae) *Kew Bull.* 64 :49- 55.
- 4040 Muschler, RC 1911. *Compositae africanae novae* I. *Bot. Jahrb. Syst.* 46 :95- 0.
- 4051 Less. 1832. Synopsis generum *Compositarum* 0 :0- 0.
- 4071 Snijman, DA; Kolberg, H 2011. *Ammocharis deserticola* (amaryllideae), a new species from Namibia and a key to species of the genus *Bothalia* 41, 2 : 0- 0.
- 4073 Bolin, JF; Maass, E; Musselman, LJ 2011. A new species of *Hydnora* (Hydnoraceae) from Southern Africa *Syst. Bot.* 36, 2 : 0- 0.
- 4074 Botermans, M; Sosef, MSM; Chatrou, LW; Couvreur, TLP 2011. Revision of the African Genus *Hexalobus* (Annonaceae) *Syst. Bot.* 36, 1 : 0- 0.
- 4076 Duncan, GD 2010. *Amaryllidaceae. Strumaria barbarae* *Curtis's Bot. Mag.* 27, 2 : 109- 116.
- 4078 Morawetz, JJ; Wolfe, AD 2011. Taxonomic Revision of the *Alectra sessiliflora* Complex (Orobanchaceae) *Syst. Bot.* 36, 1 : 0- 0.
- 4079 Robbertse, PJ; Du Toit, ES; Cloete, MO 2011. Gender expression and inflorescence structure of *Pappea capensis* Eckl. and Zeyh. (Sapindaceae) *S.African J. Bot.* 77 :425- 429.
- 4080 Swanepoel, W; Kolberg, H 2011. *Abrus kaokoensis* (Leguminosae-Papilionoideae-Abreae), a new species from Namibia *S.African J. Bot.* 77 :613- 617.
- 4082 Swanepoel, W 2011. *Commiphora buruxa* (Burseraceae), a new species from southern Namibia *S.African J. Bot.* 77 :608- 612.

- 4084 Boatwright, JS; Wink, M; Van Wyk, B-E 2011. The generic concept of *Lotononis* (Crotalariaeae, Fabaceae): Reinstatement of the genera *Euchlora*, *Leobordea* and *Listia* and the new genus *Ezoloba* *Taxon* 60, 1 : 161- 171.
- 4085 Schmidt, EJD 2012. A new species of *Bauhinia* from Southern Mozambique and the reinstatement of *Bauhinia macrantha* *Bothalia* 42, 1 : 44- 0.
- 4086 Manning, JC; Goldblatt, P 2012. A revision of *Tecophilaeaceae* subfam. *Tecophilaeoideae* in Africa *Bothalia* 42, 1 : 210- 410.
- 4087 Boatwright, JS; Manning, JC 2010. Inclusion of the genus *Jodrellia* in *Bulbine* (Asphodeloideae) *Bothalia* 400, 1 : 590- 0.
- 4088 Magee, AR; Tilney, PM 2011. A taxonomic revision of *Pentzia* (Asteraceae, Anthemideae) I: the *P. incana* group in southern Africa, including the description of the new species *P. oppositifolia* *J. S. African Bot.* 0 :0-0.
- 4089 Mueller-Doblies, U; Ackermann, M; Weigend, M; Mueller-Doblies, D 2011. De Liliifloris Notulae 9. the only hitherto known *Spiloxene* species (Hypoxidaceae) from Namibia is a new species. *Spiloxene etesionamibensis*, and a new *Spiloxene* species from Namaqualand (Northern Cape), *S. namaquana* *Feddes Repert.* 122, 3-4 : 319-334.
- 4091 Nordenstam, RB 2013. Contributions to the taxonomy of the genus *Anticharis* (Scrophulariaceae) especially in Namibia and Angola *Rostaniha* 14, 1 : 0- 0.
- 4092 Retief, E; Crouch, NR 2010. The status of *Cyphostemma unguiformifolium* in Southern Africa *Bothalia* 40, 2 : 167- 204.
- 4095 Van Jaarsveld, EJ; Swanepoel, W 2012. *Aloe huntleyana*, a new species from the Baynes Mountains, Namibia *Bradleya* 30 :3- 8.
- 4097 Nordenstam, RB 2012. *Crassothonna* B.Nord., a new African genus of succulent *Compositae-Senecioneae* *Compositae Newslett.* 50 :70- 77.
- 4099 Bentham, G; Hooker, JD 0. *Acanthaceae Gen. Pl. (Bentham & Hooker f.)* 2 :1081- 0.
- 4100 Hiern, WP 1900. Catalogue of the African Plants collected by Dr Friedrich Welwitsch in 1853-61 0, 4 : 0- 0.
- 4101 Le Roux, MM; Van Wyk, B-E 2013. A taxonomic revision of *Amphitrichae*, a new section of *Crotalaria* (Fabaceae) *Syst. Bot.* 38, 3 : 638- 652.
- 4102 Hartmann, HEK; Meve, U; Liede-Schumann, S 2013. *Trianthema* subg. *Papularia* (Aizoaceae) in Africa *Scripta Bot. Belg.* 50 :209- 221.
- 4103 Thulin, MP; Thiede, J; Liede-Schumann, S 2012. Phylogeny and taxonomy of *Tribulocarpus* (Aizoaceae): a paraphyletic species and an adaptive shift from zoochorous trample burrs to anemochorous nuts *Taxon* 61, 1 : 55-66.
- 4104 Baum, BR 1978. The genus *Tamarix* 0 :0- 0.
- 4108 Hartmann, HEK; Meve, U; Liede-Schumann, S 2011. Towards a revision of *Trianthema*, the Cinderella of Aizoaceae *Pl. Syst. Evol.* 144, 2 : 177- 213.
- 4128 Forest, F; Manning, JC 2013. New taxa of *Hesperantha*(Iridaceae: Crocoideae) from the southern African winter rainfall region and a review of the *H. pilosa* complex *Bothalia* 43, 2 : 145- 151.
- 4129 Swelankomo, N 2013. FSA Contribution 22: Asteraceae: Calenduleae: *Garuleum* *Bothalia* 43, 2 : 167- 178.
- 4130 Goldblatt, P; Manning, JC 2013. *Hyacinthaceae*. Five new combinations in *Ornithogaloideae* in Southern Africa and a recommendation for optional combinations in the subfamily *Bothalia* 43, 2 : 229- 230.
- 4131 Figueiredo, E; Paiva, JAR; Smith, GF 2013. *Polygalaceae*. The reinstatement of *Polygala affinis* and the identity of *Polygala scabra* *Bothalia* 43, 2 : 216- 218.

- 4132 Forest, F; Manning, JC 2013. The minor genera *Kunkeliella* and *Thesidium* included in *Thesium Bothalia* 43, 2 : 214- 216.
- 4133 Bruyns, PV 2012. Nomenclature and typification of southern African species of *Euphorbia Bothalia* 42, 2 : 217-245.
- 4134 Thiede, J; Opel, MR; Hammer, SA 2011. Flower Pigment Patterns and Systematics of *Conophytum* N. E. Br. (*Aizoaceae*) *Haseltonia* 16 :9- 15.
- 4135 Thiede, J; Hargreaves, BJ; Mwanyambo, ML; Oldeland, J 2011. Filling the Gap: *Fockea multiflora* K. Schum. (*Apocynaceae*) in Malawi *Haseltonia* 16 :79- 82.
- 4136 Williamson, G 2011. A new *Drimia* sp. from the Namib Desert in Namibia *Cactus & Succulent Journal (U.S.)* 83, 6 : 286- 289.
- 4138 Goldblatt, P; Manning, JC 2000. Cape Plants. A conspectus of the Cape flora of South Africa *Strelitzia* 9 :0- 0.
- 4139 Williamson, G 2012. The remarkable *Boophone disticha* (L.f.) Herb. (*Amaryllidaceae*); survivor from the northern tropical savanna woodlands to the South African semi-arid Karoo *Cactus & Succulent Journal (U.S.)* 84, 2 : 88- 91.
- 4141 Herman, PPJ 2013. Cypselas morphology in the genus *Nolletia* (*Asteraceae, Astereae*) and a revision of the genus *Phytotaxa* 122, 1 : 1- 44.
- 4144 Bauters, K; Larridon, I; Reynders, M; Asselman, P; Vrijdaghs, A; Muasya, AM; Sim 2014. A new classification for *Lipocarpha* and *Volkiella* as infrageneric taxa of *Cyperus* s.l. (*Cypereae, Cyperoideae, Cyperaceae*): insights from species tree reconstruction supplemented with morphological and floral developmental data *Phytotaxa* 166, 1 : 1- 32.
- 4145 Bauters, K; Larridon, I; Reynders, M; Huygh, W; Asselman, P; Vrijdaghs, A; Muasy 2014. Infrageneric classification of *Lipocarpha* (*Cypereae, Cyperoideae, Cyperaceae*): based on morphological, developmental and molecular evidence. *Phytotaxa* : 0- 0.
- 4146 Bauters, K 2011. Molecular Phylogeny and Systematics of *Ascolepis, Lipocarpha* and *Volkiella* (*Cyperaceae*). MSc thesis, Ghent University, Belgium. *Not given* : 0- 0.
- 4147 Graham, SA; Gandhi, K 2013. Graham, SA; Gandhi, K. 2013. Nomenclatural Changes Resulting from the Transfer of *Nesaea* and *Hionanthera* to *Ammannia* (*Lythraceae*). *Harvard Papers in Botany* 18,1 :71-90 *Harvard Papers in Botany* 18, 1 : 71-90.
- 4148 McKenzie, RJ; Muller, EM; Skinner, AKW; Karis, PO; Barker, NP 2006. Phylogenetic relationships and generic delimitation in subtribe *Arctotidinae* (*Asteraceae: Arctotideae*) inferred by DNA sequence data from ITS and five chloroplast regions *Am. Jl. Bot.* 93, 8 : 1222- 1235.
- 4149 McKenzie, RJ; Herman, PPJ; Korniyenko, O; Barker, NP 2011. Revision of *Arctotis* sect. *Anomalae* (*Asteraceae: Arctotideae*), including the description of a new species from Northern Cape Province, South Africa *S.African J. Bot.* 77, 1 : 45- 54.
- 4150 McKenzie, RJ; Barker, NP 2008. Radiation of southern African daisies: Biogeographic inferences for subtribe *Arctotidinae* (*Asteraceae, Arctotideae*) *Molec. Phylogenet. Evol.* 49, 1 : 1- 16.
- 4151 Almborn, O 1989. Revision of the Lichen Genus *Teloschistes* in Central and Southern Africa *Nord. J. Bot.* 8, 5 : 521- 538.
- 4152 Browning, J; Gordon-Gray, KD; Galen Smith, S; Van Staden, J 1998. *Bolboschoenus Glaucus* (*Cyperaceae*), with Emphasis upon Africa *Nord. J. Bot.* 18, 4 : 475- 482.
- 4154 Esslinger, TL 1986. Further Reports on the Brown *Parmeliaceae* of Southern Africa. *Nord. J. Bot.* 6, 1 : 87- 91.
- 4155 Wilmot-Dear, CM 1997. FSA contributions 8: *Ceratophyllaceae Bothalia* 27, 2 : 125- 128.

- 4157 Hedren, M 1990. The *Justicia Striata* Complex in Tropical Africa (*Justicia* Sect. *Harnieria*, Acanthaceae) *Nord. J. Bot.* 10, 4 : 357- 398.
- 4158 Ortiz, S 1998. A taxonomic revision of *Dicoma* (Asteraceae: Cichorioideae: Mutisieae) for the Horn of Africa *Ann. Missouri Bot. Gard.* 85 :440- 459.
- 4159 Stedje, B; Nordal, I 1987. Cytogeographical Studies of Hyacinthaceae in Africa South of the Sahara *Nord. J. Bot.* 7, 1 : 53- 65.
- 4161 Thulin, MP; Guinet, P; Hunde, A 1981. *Calliandra* (Leguminosae) in continental Africa *Nord. J. Bot.* 1, 1 : 27- 34.
- 4162 Verboom, GA; Linder, HP 1998. A Re-Evaluation of Species Limits in *Chaetobromus* (Danthonieae: Poaceae). *Nord. J. Bot.* 18, 1 : 57- 77.
- 4163 Verdcourt, B 1970. A reappraisal of the species of the genus *Abrus* Adans *Kew Bull.* 24 :235- 253.
- 4164 Amoo, SO; Finnie, JF; Van Staden, J 2009. In vitro pharmacological evaluation of three *Barleria* species *Journal of Ethnopharmacology* 121, 2 : 274- 277.
- 4165 Tripp, EA; Manos, PS 0. Is floral specialization an evolutionary dead-end? Pollination system transitions in *Ruellia* (Acanthaceae) *Evolution* 62, 7 : 1712-
- 4166 McDade, L; Kiel, C; Daniel, TF; Tripp, EA 2008. Biogeography of the Acanthaceae. *S.African J. Bot.* 74, 2 : 358- 3580.
- 4167 Makholela, TM; Balkwill, K; Manning, JC 2008. Clarification of generic delimitation in *Justicia* and *Siphonoglossa* (Acanthaceae) *S.African J. Bot.* 74, 2 : 371- 372.
- 4168 Morrison, SM; Scott, JK 1996. Variation in Populations of *Tribulus terrestris* (Zygophyllaceae) .3. Isozyme Analysis *Australian Journal of Botany* 44, 2 : 201- 212.
- 4169 Magee, AR 2011. The identity of the type of *Tanacetum burchellii* DC. (Asteraceae, Anthemideae), and the correct author citation for *Pentzia punctata* Harv. ex Hutch. *S.African J. Bot.* 77 :251- 251.
- 4170 Walgate 0. A revision of *Juttadinteria* Schwant., *Dracophilus* Dont. et Schwant., and *Namibia* Dint. et Schwant. *Notes Mesembryanthemum* : 0- 0.
- 4210 Smith, GF 1990. Lilliaceae/Asphodelaceae: The type of *Chortolirion bergerianum* (Alooideae) *Bothalia* 20, 2 : 213- 0.
- 4211 Uiras, MM 2001. A taxonomic study of the genus *Ximenia* in Namibia *Agricola* : 111- 115.
- 4212 Zimmermann, NFA 1995. Journey to the Skunbergsquelle in Namibia - type locality of *Schwantesia succumbens* (Dtr.) Dtr. *Cactus & Succulent Journal (U.S.)* 67, 1 : 23- 25.
- 4213 Zimudzi, C 0. A synopsis of the Hypoxidaceae in the Flora Zambesiaca area *Kirkia* : 0- 0.
- 4214 Zonneveld, BJM 2002. Genomes size analysis of selected species of *Aloe* (Aloaceae) reveals the most primitive species and results in some new combinations *Bradleya* 20 :5- 12.
- 4215 Welman, WG 2008. The genus *Solanum* (Solanaceae) in southern Africa: subgenus *Leptostemonum*, section *Giganteiformia* *Bothalia* 38, 1 : 39- 47.
- 4216 Wild, H 1960. *Chorchorus merxmulleri* *Bothalia* 7 :423- 0.
- 4217 Wild, H 1965. *Melanthera* *Kirkia* 5, 1 : 7- 12.
- 4218 Williamson, G 1999. The rediscovery of *Cheiridopsis schinziana* Dinter *Aloe* 36, 2&3 : 31- 33.
- 4220 Walther, K 1967. Zur Typisierung von *Chamaegigas intrepidus* Dtr. *Mitt. Inst. Allg. Bot. Hamburg* 12 :187- 190.

- 4221 Pienaar, JG; Kellerman, TS; Basson, PA; Jenkins, WL; Vahrmeijer, J 1976. Maldronksiekte in cattle: a neuronopathy caused by *Solanum kwebense* N.E.Br. *Onderstepoort Journal of veterinary research* 32, 2 : 67- 74.
- 4222 Welman, WG 2000. FSA contributions 16: Sphenocleaceae *Bothalia* 30, 1 : 31- 33.
- 4223 Welman, WG; Meeuse, ADJ 1998. Revised key to *Ipomoea* (Convolvulaceae) in southern Africa *Bothalia* 28, 1 : 19- 24.
- 4224 Wilson, KL 1990. Some widespread species of *Persicaria* (Polygonaceae) and their allies *Kew Bull.* 45, 5 : 621- 635.
- 4225 Van der Walt, JJA; Vorster, PJ 1983. Phytogeography of *Pelargonium* *Bothalia* 13, 3&4 : 517- 523.
- 4226 Van der Walt, JJA; Albers, F; Gibby, M; Marschewski, DE; Hellbrugge, D; Price, R 1997. A biosystematic study of *Pelargonium* section *Ligularia*: 3. Reappraisal of section *Jenkinsonia* *S.African J. Bot.* 63, 1 : 3-4.
- 4227 Van der Walt, JJA 1974. A preliminary report on the genus *Commiphora* in South West Africa 1, 8 : 50- 23.
- 4228 De Winter, B 1961. New and interesting taxa from southern Africa: *Rogeria petrophila* *Kirkia* 1 :106- 108.
- 4229 Van Rensburg, H; Robbertse, PJ; Small, JGC 1985. Morphology of the anther, microsporogenesis and pollen structure of *Momordica balsamina* *S.African J. Bot.* 51, 2 : 125- 132.
- 4231 Van Wyk, B-E 1989. Studies in the genus *Lotononis* (Crotalariae) VII. New taxa and new combinations in the section *Oxydium* *S.African J. Bot.* 55, 6 : 652- 661.
- 4232 Venter, HJT; Verhoeven, RL 2001. Diversity and relationships within the *Periplocoideae* (Apocynaceae) *Ann. Missouri Bot. Gard.* 88 :550- 568.
- 4233 Verdcourt, B 1957. *Ficoidaceae*. the genus *Tribulocarpus* in East Africa *Kew Bull.* : 348- 0.
- 4234 Verdoorn, IC 1966. *Sterculiaceae*. A new species of *Dombeya* and a new variety of *Dombeya rotundifolia* *Bothalia* 9 :143- 145.
- 4235 Verdoorn, IC 1981. The genus *Waltheria* in southern Africa *Bothalia* 13, 3&4 : 275- 276.
- 4236 Verdcourt, B 1989. Two synonymies in *Boraginaceae* *Kew Bull.* 44 :166- 0.
- 4237 Verdoorn, IC 1981. The genus *Melhania* in southern Africa *Bothalia* 13, 3&4 : 263- 273.
- 4238 Vorster, PJ 1986. *Pelargonium desertorum* (Geraniaceae): a new species from the north-western Cape Province *S.African J. Bot.* 52 :184- 186.
- 4239 Vollesen, KB 0. The native species of *Gossypium* (Malvaceae) in Africa, Arabia and Pakistan *Kew Bull.* 42 :0-
- 4240 Poellnitz, K von 1933. *Anacampseros* L. Versuch einer Monographie *Bot. Jahrb. Syst.* : 382- 445.
- 4241 Vorster, PJ 1981. Notes on African Plants *Bothalia* 13, 3&4 : 435- 461.
- 4242 Toelken, HR 1969. *Talinum* *Bothalia* 10, 1 : 21- 28.
- 4243 Thulin, MP 1998. *Gaillonia* (Rubiaceae-Paederieae) in Africa and Arabia *Nord. J. Bot.* 18 :31- 38.
- 4244 Townsend, CC 1984. Some notes on species of *Heteromorpha* (Umbelliferae) *Kew Bull.* 40, 4 : 843- 850.
- 4245 Tischer, A 1927. *Buitenlandsche Bijdragen*. *Titanopsis luederitzii* Tisch. nov. spec. *Succulenta* 11 :156- 158.
- 4246 Thulin, MP 1999. *Thamnosma* (Rutaceae) in Africa *Nord. J. Bot.* 19 :5- 11.
- 4247 Sands, MJS 2001. The desert date and its relatives: a revision of the genus *Balanites* *Kew Bull.* 56, 1 : 1- 128.
- 4248 Sales, F 2001. A synopsis of *Vitex* L. in the Flora Zambesiaca area *Kew Bull.* 56 :189- 207.

- 4249 Sauer, N 1975. *Dinteranthus Aloe* 13, 1 : 9- 24.
- 4250 Fischer, E 1992. Systematik der afrikanischen Lindernieae (Schrophulariaceae). *Tropische und subtropische Pflanzenwelt* 81. Fritz Steiner, Stuttgart. : 1- 335.
- 4251 Schreiber, AL; Merxmüller, H 1976. Über *Sarcocaulon mossamedense* und *S. marlothii* *Mitt. Bot. Staatssamml. München* 12 :391- 398.
- 4252 Schreiber, AL 1974. Über die Identität von *Lebeckia elongata* Hutch. (Papilionaceae - Genisteae) *Mitt. Bot. Staatssamml. München* 11 :579- 584.
- 4253 Schreiber, AL 1967. Die Gattung *Oxalis* L. in Suedwestafrika *Bot. Jahrb. Syst.* 86, 1-4 : 293- 308.
- 4254 Schrire, BD 1992. Cucurbitaceae. Orthographic ambiguity clarified. *Bothalia* 22 :167- 169.
- 4255 Scott, AJ 1978. A revision of the Camphorosmoideae (Chenopodiaceae) *Feddes Repert.* 89, 2-3 : 101- 109.
- 4256 Stirton, CH 1981. Studies in Leguminosae - Papilionoideae of southern Africa *Bothalia* 13, 3&4 : 317- 325.
- 4257 Speta, F 1985. Nomenklatorische, morphologische und karyologische Bemerkungen ueber *Lindneria clavata* (Masters) Speta (Hyacinthaceae) *Bot. Jahrb. Syst.* 106, 1 : 123- 134.
- 4258 Soelch, A 1960. Beiträge zu einer Flora Suedwestafrikas. PhD Dissertation, Hohen Naturwissenschaftlichen Fakultät der Ludwig-maximilians-Universität München. : 0- 0.
- 4259 Snijman, DA 1999. A new species, notes on subgeneric taxa, and new synonyms in *Hessea* (Amaryllidaceae: Amaryllideae) from South Africa *Novon* 9 :107- 110.
- 4260 Smith, GF 1995. FSA contributions 2: Asphodelaceae/Aloaceae, 1029010 *Chortolirion* *Bothalia* 25, 1 : 31- 33.
- 4268 Klopper, RR; Smith, GF; Figueiro, E; Grace, OM; Van Wyk, AE 2013. The correct names for species of *Aloe* sect. *Chortolirion* (Asphodelaceae: Aloaceae) *Taxon* : 0-0.
- 4269 Rowley, GD 1994. *Anacampseros* and allied genera - a reassessment. *Bradleya* 12 :105- 112.
- 4270 Roessler, H 1974. Übersicht über die heute aus Suedwestafrika bekannten *Crinum*-Arten *Mitt. Bot. Staatssamml. München* 11 :523- 544.
- 4271 Roessler, H 1959. Weitere Beiträge zur Suedwestafrika Flora. *Mitt. Bot. Staatssamml. München* 3 :306- 622.
- 4272 Roessler, H 1980. Zwei neue Zwergstrauchige Schrophulariaceen aus Suedwestafrika *Mitt. Bot. Staatssamml. München* 16 :41- 46.
- 4273 Roessler, H 1959. Revision der Arctotideae - Gorteriinae (Compositae). *Mitt. Bot. Staatssamml. München* 3 :304- 418.
- 4274 Roessler, H 1984. *Trichodesma ambacense* subsp. *hockii* neu fuer Suedwestafrika *Mitt. Bot. Staatssamml. München* 20 :39- 40.
- 4275 Robinson, EA 1966. *Scleria* in the Flora Zambesiaca area *Kew Bull.* 18 :0- 0.
- 4276 Retief, E; Van Wyk, AE 2008. The genus *Wellstedia* (Boraginaceae: Wellstedioideae) in southern Africa. *Bothalia* 38, 1 : 57- 63.
- 4277 Radcliffe-Smith, A 1989. African Euphorbiaceae XX: *Acalypha* etc. *Kew Bull.* 44, 3 : 0- 0.
- 4278 Radcliffe-Smith, A 1966. African Euphorbiaceae XXX *Kew Bull.* 51, 2 : 0- 0.
- 4279 Raynal, AM 1971. Repartition géographique des *Nymphoides* (Menyanthaceae) Africains et Malgaches *Mitt. Bot. Staatssamml. München* 10 :122- 134.

- 4283 Castell-Rudeshausen, H Graf zu 1966. Jagdmethoden und Gebraeuche der Bergdamara und Buschmaenner Suedwestafrikas. *Journal of the SWA Scientific Society* 0 :0- 0.
- 4294 Gersdorff, E 1908. Suedwestafrikanische "Feldkost" von Leutnant v. Gersdorff. Berlin. *Deutsches Kolonialblatt* 19 :949- 952.
- 4300 Guerich, GJE 1891. Deutsch S<sup>3</sup>dwest-Afrika: Reisebilder und Skizzen aus den Jahren 1888 und 1889 mit einer Original Routenkarte. *Mitt. Geogr. Ges. Hamburg* 1, 1 : 0- 216.
- 4341 Paton, AJ; Harley, MM; Harley, RM 1999. Ocimum - an overview of relationships and classification. In: Holm, Y. & Hiltunen, R. eds. *Ocimum. Medicinal and aromatic plants - industrial profiles*. Series Ed. Hardman, Harwood Academic, Amsterdam : 1- 38.
- 4342 Paton, AJ 1997. A revision of *Haumaniastrum* (Labiatae) *Kew Bull.* 52, 2 : 293- 334.
- 4343 Plowes, DCH 1986. *Lavrania*. A new stapeliad genus from South West Africa *Cactus & Succulent Journal (U.S.)* 58 :119- 123.
- 4344 Plowes, DCH 1982. The Stapeliads of South West Africa/Namibia *Excelsa* 10 :5- 26.
- 4345 Polhill, RM 1961. Miscellaneous notes on African species of *Crotalaria* L. II *Kew Bull.* 22, 2 : 169- 290.
- 4346 Pope, GV 0. Notes on *Dicoma* Cass. (Compositae) *Kew Bull.* 46, 4 : 699- 709.
- 4347 Puff 1978. The genus *Galium* L. (Rubiaceae) in Southern Africa *S.African J. Bot.* 44 :263- 267.
- 4348 Ortiz, S; Paiva, JAR; Pulgar, I 2001. A new species of *Anisopappus* (Asteraceae, Inuleae) and its phylogenetic relationships within the genus *Nord. J. Bot.* 21 :55- 62.
- 4349 Ortiz, S 2000. A phylogenetic analysis of *Dicoma* Cass. and related genera (Asteraceae: Cichorioideae: Mutisieae) based on morphological and anatomic characters *Ann. Missouri Bot. Gard.* 87 :459- 481.
- 4350 Ortiz, S 1997. Asteraceae. New combination in *Dicoma* *Bothalia* 27, 1 : 48- 49.
- 4351 Ortiz, S 1997. A new taxonomic interpretation of the *Dicoma anomala* complex (Mutisieae, Asteraceae) *Nord. J. Bot.* 16 :583- 584.
- 4352 O'Callaghan, MG 1992. Transfer of *Arthrocnemum* varieties to *Sarcocornia* (Chenopodiaceae) *S.African J. Bot.* 58, 6 : 540- 0.
- 4353 Obermeyer, AA 1984. Revision of the genus *Myrsiphyllum* Willd. *Bothalia* 15, 1&2 : 77- 88.
- 4362 Otte, V; Fleischer, B; Stoll, A; Braeutigam 2011. Type material of names based on plants from Namibia collected by F. Schaefer and kept at the Senckenberg Museum of Natural History, G-rnitz (GLM) *Willdenowia* 41, 2 : 251- 260.
- 4363 Obermeyer, AA 1983. *Protasparagus* Oberm., nom. nov.: new combinations *S.African J. Bot.* 2, 3 : 243- 244.
- 4364 Obermeyer, AA 1974. Notes on African plants: *Turnera* *Bothalia* 11, 3 : 243- 245.
- 4365 Obermeyer, AA 1961. *Iphigenia* and *Camptorrhiza* in southern Africa *Kirkia* 1 :84- 87.
- 4366 Obermeyer, AA 1964. The South African species of *Lagarosiphon* *Bothalia* 8 :139- 146.
- 4367 Obermeyer, AA 1981. Liliaceae: Some name changes in the *Urgineae* complex *S.African J. Bot.* 47, 3 : 577- 0.
- 4368 Obermeyer, AA 1971. Two new *Ornithogalum* species from South West Africa *Bothalia* 10, 2 : 355- 356.
- 4369 Obermeyer, AA 1964. The South African species of *Dipcadi* *Bothalia* 8, 2 : 117- 0.
- 4371 Boss, G 1937. Die Pflanzenwelt der Namib bei L<sup>3</sup>deritzbucht : 0- 0.

- 4372 Meyer, PG 1969. Einführung in die Pflanzenwelt Suedwestafrikas. S.W.A. Wissenschaftliche Gesellschaft, Windhoek : 0- 0.
- 4374 Wiss, H-J 1973. Botanische Mitteilungen. S.W.A. Wissenschaftliche Gesellschaft, Windhoek. 1973 - 1982 : 0- 0.
- 4375 Volk, OH 1973. Botanische Beobachtungen. Sonderbeilage zu den Botanischen Mitteilungen. S.W.A. Wissenschaftliche Gesellschaft, Windhoek. 1973 to 1982 : 0- 0.
- 4393 Napper, DM 1970. Notes on Acanthaceae: 1. Some tropical African Acanthoideae and Nelsonioideae *Kew Bull.* 24 :323- 0.
- 4394 Netnou, NC; Van Wyk, B-E 2007. Asteraceae. A key to Dicoma taxa (Dicomeae) in southern Africa *Bothalia* 37, 1 : 55- 56.
- 4395 Nordal, I; Eriksen, TE; Fosby, M 1990. Studies on the generic delimitation of Anthericaceae *Mitt. Inst. Allg. Bot. Hamburg* 23, b : 535- 559.
- 4396 Nordal, I; Thulin, MP 1993. Synopsis of Anthericum and Chlorophytum (Anthericaceae) in the Horn of Africa, including the description of nine new species *Nord. J. Bot.* 13, 3 : 269- 0.
- 4397 Nordal, I; Bingham, MG 1998. Description of a new species, *Gloriosa sessiliflora* (Colchicaceae), with notes on the relationship between *Gloriosa* and *Littonia* *Kew Bull.* 53, 2 : 479- 482.
- 4398 Nordenstam, RB 1969. Phytogeography of the genus *Euryops* (Compositae). A contribution to the phytogeography of Southern Africa *Opera Bot.* 23 :10- 77.
- 4399 Nordenstam, RB 1970. Notes on the flora and vegetation of Etosha Pan, South West Africa *Dinteria* 5 :3- 18.
- 4400 Nordenstam, RB 1994. New combinations in the Calenduleae *Compositae Newslett.* 25 :46- 49.
- 4401 Nordenstam, RB 1966. *Othonna brandbergensis* *Bot. Not.* 119 :3650- 0.
- 4403 Musselman, LJ 1991. The genus *Hydnora* (Hydnoraceae). Fifthe International Symposium on Parasitic weeds. Nairobi. : 247- 250.
- 4404 Maass, E 2001. Plant Portraits. Parasitic plants pummel pavement - *Hydnora abyssinica* (Hydnoraceae) *Economic Botany* 55, 1 : 7- 8.
- 4405 Musselman, LJ; Visser, JH 1989. Taxonomy and natural history of *Hydnora* (Hydnoraceae) *Aliso* 12, 2 : 317- 326.
- 4406 Mueller-Doblies, U 1994. Enumeratio Albacarum (Hyacinthaceae) Austro-Africanum adhuc cognitarum 1. Subgenus *Albuca* *Feddes Repert.* 105, 5 and 6 : 365- 368.
- 4407 Moteeteete, A; Van Wyk, B-E; Tilney, PM 2002. The taxonomic significance of trichome type and distribution in *Melolobium* (Fabaceae) *Bothalia* 32, 1 : 85- 89.
- 4408 Fernandes, RB 1988. Notes sur les Verbenaceae VII *Bol. Soc. Brot.* 2, 61 : 137- 138.
- 4409 Mohlenbrock, RH 1957. Revision of *Stylosanthes* *Ann. Missouri Bot. Gard.* 44 :299- 355.
- 4410 Moffett, RO 1994. Name changes of the southern African species of *Rhus* (Anacardiaceae) and their etymology *Bothalia* 24, 1 : 67- 76.
- 4411 Moffett, RO 1997. The taxonomic status of *Sarcocaulon* *S.African J. Bot.* 63, 4 : 239- 240.
- 4412 Mithen, R; Kibblewhite, H 1993. Taxonomy and ecology of *Vigna unguiculata* (Leguminosae-Papilionoideae) in South Central Africa *Kirkia* 14, 1 : 100- 113.
- 4413 Meve, U; Liede, S 1996. A new species from Ethiopia and an interesting disjunction in *Tylophora* (Asclepiadaceae) *Edinburgh J. Bot.* 53, 3 : 323- 329.

- 4414 Meve, U; Liede, S 2001. Inclusion of *Tenaris* and *Macropetalum* in *Brachystelma* (Apocynaceae-Asclepiadoideae-Ceropegieae) inferred from non-coding nuclear and chloroplast DNA sequences *Pl. Syst. Evol.* 228 :89- 105.
- 4415 Merxmüller, H; Buttler, KP 1976. *Nicotiana* in der Afrikanischen Namib - ein pflanzengeographisches Rätsel. *Mitt. Bot. Staatssamml. München* 12 :91- 104.
- 4416 Merxmüller, H 1976. Was ist *Rumex garipensis* Meisner *Mitt. Bot. Staatssamml. München* 12 :351- 356.
- 4417 Merxmüller, H; Roessler, H 1984. Compositen - Studien XI. Neue Übersicht der Compositen Suedwestafrikas *Mitt. Bot. Staatssamml. München* 20 :61- 96.
- 4418 Merxmüller, H; Heine, H 0. A revision of *Kirkia* (Simaroubaceae) *Kirkia* 35, 4 : 830- 838.
- 4419 Lester, RN 1997. Typification of nineteen names of African *Solanum* species described by A. Richard and others, including *S. campylacanthum* and *S. panduriforme* *Bot. J. Linn. Soc.* 125 :273- 293.
- 4420 Liede, S 1997. Phylogenetic study of the African members of the *Cynanchium* (Apocynaceae - Asclepiadoideae) *Syst. Bot.* 22, 2 : 347- 372.
- 4421 Lehmilller, DJ 1992. Restoration of *Crinum forbesii* (Lind.) Schultz emend. Herbert *Herbertia* 48, 1 and 2 : 86- 89.
- 4422 Lehmilller, DJ 1992. Additional notes on Namibian (South west African) *Crinum* *Herbertia* 48, 1 and 2 : 750- 85.
- 4423 Lehmilller, DJ 1992. Indigenous *Crinum* of Namibia (South West Africa) *Herbertia* 48, 1 and 2 : 320- 37.
- 4424 Leonard, J 1987. Rehabilitation d'*Antidesma rufescens* Tul. (Euphorbiaceae africaine) *Bull. Jard. Bot. Etat* 57 :453- 460.
- 4426 Liede, S 1997. Subtribes and genera of the tribe Asclepiadeae (Apocynaceae, Asclepiadoideae) - a synopsis *Taxon* 46 :233- 247.
- 4427 Lock, JM 1999. A change in status for a southern African *Pterocarpus* (Leguminosae: Papilionoideae) *Kew Bull.* 54, 1 : 208- 317.
- 4428 Lye, KA 2003. *Schoenoplectiella* Lye, gen.nov. (Cyperaceae) *Lidia* 6, 1 : 200- 29.
- 4430 Jankowitz, WJ 1977. The distribution of the genus *Aloe* in the districts of Bethanien, Luederitz and Warmbad, South West Africa *Madoqua* 10, 1 : 33- 35.
- 4431 Jeffrey, C 1966. Notes on Compositae: 1 The Cichorieae in East Tropical Africa *Kew Bull.* 18, 3 : 427- 482.
- 4432 Jessop, JP 1966. The genus *Asparagus* in Southern Africa *Bothalia* 9, 1 : 31- 96.
- 4433 Jessop, JP 1970. Studies in the bulbous Liliaceae: 1. *Scilla*, *Schizocarphus* and *Ledebouria* *J. S. African Bot.* 36, 4 : 233- 266.
- 4434 Johnson, CT 1987. Taxonomy of the African species of *Securidaca* (Polygalaceae) *S.African J. Bot.* 53, 1 : 5- 11.
- 4436 Kaellersjo, M 1991. The genus *Athanasia* (Compositae-Anthemideae) *Opera Bot.* 106 :1- 75.
- 4437 Kativu, S; Nordal, I 1993. New combinations of African species in the genus *Chlorophytum* (Anthericaceae) 13 :59- 65.
- 4438 Kativu, S 1994. Synopsis of *Chlorophytum* (Anthericaceae) in the Flora Zambesiaca area *Kirkia* 15, 1 : 43- 111.
- 4439 Kers, LE 1966. Studies in *Cleome* from Southern Africa I *Svensk Bot. Tidskr.* 60 :225- 254.
- 4440 Kers, LE 1969. Studies in *Cleome* from Southern Africa II *Svensk Bot. Tidskr.* 63 :1- 47.
- 4441 Kers, LE 1969. Studies in *Cleome* from Southern Africa III *Bot. Not.* 122 :499- 587.

- 4442 Kers, LE 1970. Studies in Cleome from Southern Africa V *Svensk Bot. Tidskr.* 64 :397- 407.
- 4443 Kleinjan, CA; Edwards, PB 1999. A reappraisal of the identification and distribution of *Asparagus asparagoides* in southern Africa *S.African J. Bot.* 65, 1 : 23- 31.
- 4444 Klopper, AW; Du Preez, PJ; Smith, GF 2008. New evidence in support of a disjunct distribution of *Aloe karasbergensis* *Bothalia* 38, 1 : 82- 83.
- 4445 Leach, LC 1973. Stapelieae (Asclepiadeae) from South Tropical Africa VII *Bothalia* 11, 1 and 2 : 133- 137.
- 4446 Swanepoel, W; Le Roux, MM; Wojciechowski, MF; Van Wyk, AE 2015. Swanepoel, W; Le Roux, MM; Wojciechowski, MF; Van Wyk, AE 2015. *Oberholzeria* (Fabaceae subfam. Faboideae), a New Monotypic Legume Genus from Namibia. *Plos One* 10,3: *Plos One* 10, 3 : 0- 0.
- 4447 Heil, HA 1924. *Chamaegigas intrepidus* Dtr., eine neue Auferstehungspflanze *Beih. Bot. Centralbl.* 41, 1 : 41- 49.
- 4448 Hartmann, HEK 1996. *Antimima aurasensis* H.E.K. Hartmann (Aizoaceae), eine neue Art aus Namibia *Kakteen Sukk.* 47, 11 : 229- 234.
- 4449 Swanepoel, W 2013. *Zanha africana*, a new distribution record for Namibia *Bothalia* 43, 1 : 89- 90.
- 4450 Hartmann, HEK 1999. An annotated list of the species placed in *Ruschia* (Aizoaceae) *Bradleya* 17 :38- 74.
- 4451 Goldblatt, P 1976. The genus *Moraea* in the winter rainfall region of Southern Africa *Ann. Missouri Bot. Gard.* 63 :657- 786.
- 4452 Meve, U; Liede, S 2012. Taxonomic dissolution of *Sarcostemma* (Apocynaceae: Asclepiadoideae) *Kew Bull.* 67 :751- 758.
- 4453 Graessner, R. Suedwestafrikanische Lithopsarten. Sonderangebot in Samen und Pflanzen von Mesembrianthemem 1928. 2 S. : 0- 0.
- 4454 Hilliard, OM 1981. A revision of *Ifloga* in southern Africa, with comments on the northern hemisphere species *Bot. J. Linn. Soc.* 82, 3 : 293- 304.
- 4457 Hammer, SA 1995. *Hartmanthus*, a new genus in Aizoaceae *Haseltonia* 3 :77- 82.
- 4458 Hooper, SS 1985. *Volkiella* (Cyperaceae), a specialised cyperoid genus re-examined *Kew Bull.* 41, 4 : 945- 848.
- 4459 Herre, AGJ 1951. *Jensenobotrya lossowiana* Herre gen. et spec. nov. *Succulenta* 4 :79- 81.
- 4460 Herman, PPJ; Retief, E 2002. New combinations in the genus *Rothea* in Southern Africa *Bothalia* 32, 1 : 81- 0.
- 4461 Herman, PPJ 1999. A note on the genus *Philyrophyllum* *Bothalia* 29, 1 : 0- 0.
- 4462 Nickrent, DL; Garcia, MA 0. *Lacomucinaea*, a new monotypic genus in Thesiaceae (Santalales) : 0- 0.
- 4463 Hansen, OJ 0. The genus *Rhamphicarpa* Benth. emend. Engl. (Scrophulariaceae). A taxonomic revision *Bot.Tidsskr.* 70, 2/3 : 103- 125.
- 4464 Hartmann, HEK; Bruckmann, C 2000. The capsules of *Drosanthemum Schwantes* (Ruschioideae, Aizoaceae) *Bradleya* 18 :75- 112.
- 4465 Hartmann, HEK 1984. Monographien der subtribus *Leipoldtiinae*. VI. Monographie der Gattung *Jordaaniella* (Mesembryanthemaceae) *Bot. Jahrb. Syst.* 104, 3 : 321- 360.
- 4466 Hansen, OJ 1978. The genus *Cycnium* Benth. emend. Engl. (Scrophulariaceae). A taxonomic revision 33, 3 : 1- 31.
- 4467 Goldblatt, P 1973. Contributions to the knowledge of *Moraea* (Iridaceae) in the summer rainfall region of South Africa *Ann. Missouri Bot. Gard.* 60 :204- 259.

- 4468 Goyder, DJ 0. A revision of *Pachycarpus* E.Mey. (Asclepiadaceae: Asclepiadeae) in tropical Africa with notes on the genus in southern Africa *Kew Bull.* 53, 2 : 335- 355.
- 4469 Manning, JC 2009. *Drimia oliverorum* (Urgineoideae), a new species from southern Africa *Bothalia* 39, 2 : 225-227.
- 4470 Glen, HF 1986. Numerical taxonomic studies in the subtribe Ruschiinae (Mesembryanthemaceae) - Astridia, Acrodon and Ebracteola *Bothalia* 16, 2 : 203- 226.
- 4471 Glen, HF 1987. Nomenclatural notes on three southern African representatives of the genus *Aloe* *S.African J. Bot.* 53, 6 : 489- 492.
- 4472 Glen, HF 1998. FSA contributions 12: Plantaginaceae *Bothalia* 28, 2 : 151- 157.
- 4473 Gilbert, MG; Phillips, SM 2000. A review of the opposite-leaved species of *Portulaca* in Africa and Arabia *Kew Bull.* 55 :769- 802.
- 4474 Fellingham, AC; Meyer, NL 1995. New combinations and a complete list of *Asparagus* species in southern Africa (Asparagaceae) *Bothalia* 25, 2 : 205- 209.
- 4475 Giess, JWH 1974. Eine neue Stapelie aus Suedwestafrika 11 :349- 352.
- 4476 Germishuizen, G 1987. Polygonaceae. A new variety of *Oxygonum alatum* *Bothalia* 17, 2 : 185- 187.
- 4477 Foerther, H 1998. Die infragenerische Gliederung der gattung *Heliotropium* L. Und ihre Stellung innerhalb der subfam. Heliotropioideae (Schrab.) Arn. (Boraginaceae) *Sendtnera* 5 :35- 241.
- 4478 DeFilipps, R 1969. *Ximenia americana* (Olacaceae) in Angola and South West Africa *Bol. Soc. Brot.* XLIII, 2 : 193- 200.
- 4479 Dandy, JE 0. XXIII Notes on *Kissenia* and the geographical distribution of the Loasaceae : 174- 180.
- 4480 Forbes, PL 1997. Studies in Cyperaceae in southern Africa 34: *Fuirena coerulescens*, a polymorphic species *S.African J. Bot.* 63, 6 : 514- 520.
- 4481 Friedrich, H-Chr 1960. Eine neue Cotyledon - Art aus der suedlichen Namib *Mitt. Bot. Staatssamml. Muenchen* 3 :597- 599.
- 4482 Archer, RH; Condy, G 1997. *Melanthus pectinatus* subsp. *gariepinus* *Fl. Pl. Africa* 55 :82- 85.
- 4483 De Winter, B 1990. Cucurbitaceae. A new species of *Citrullus* (Benincaseae) from the Namib Desert, Namibia *Bothalia* 20, 2 : 209- 211.
- 4484 DeFilipps, R 1970. A taxonomic study of *Ximenia caffra* Sonder (Olacaceae) *Bol. Soc. Brot.* XLIV, 2 : 67- 0.
- 4485 Herman, PPJ; Condy, G 1997. *Olea europaea* subsp. *africana* *Fl. Pl. Africa* 55 :92- 95.
- 4486 Archer, RH; Van Wyk, AE; Condy, G 1997. *Mystroxydon aethiopicum* subsp. *schlechteri* *Fl. Pl. Africa* 55 :76- 80.
- 4487 Retief, E; Condy, G 1997. *Croton gratissimus* var. *gratissimus* *Fl. Pl. Africa* 55 :64- 68.
- 4488 Visser, JH 0. *Hydnora triceps* *Fl. Pl. South Africa* 1992 :0- 0.
- 4489 Editor 0. *Dinteranthus wilmotianus* *Fl. Pl. South Africa* 1780B :0- 0.
- 4490 Smith, GF; Steyn, EMA; Crouch, NR; Condy, G 2001. *Kleinia longoflora* *Fl. Pl. Africa* 57 :96- 102.
- 4491 Manning, JC; Goldblatt, P; Batten, A 2001. *Walleria gracilis* *Fl. Pl. Africa* 57 :44- 47.
- 4492 De Winter, B; Condy, G 1999. *Entandrophragma caudatum* *Fl. Pl. Africa* 56 :74- 80.

- 4493 Glen, HF; Sherwin, H; Condy, G 1999. *Myrothamnus flabellifolia* Fl. Pl. Africa 56 :62- 68.
- 4495 Editor O. *Aloe schlechteri* Fl. Pl. South Africa 151 :0- 0.
- 4496 De Winter, B 1974. Notes on African Plants. Anacardiaceae. A new combination in *Ozoroa Bothalia* 11, 3 : 277-0.
- 4497 Nel, GC 1946. *Lithops*, Apud Universitatem Stellenbossiensem. 178 pp. : 0- 0.
- 4498 Cole, DT 1973. *Lithops*: a checklist and index *Excelsa* 3 :37- 71.
- 4499 Cole, DT; Cole, NA 1988. *Lithops*, Flowering Stones, Acorn Books, 254 pp. : 0- 0.
- 4500 Cole, DT 1973. *Lithops dinteri* Schwantes: A review, and a new variety *Madoqua* 1, 7 : 33- 38.
- 4502 Cole, DT 1987. *Lithops* of SWA/Namibia. *Madoqua* 1 :1- 36.
- 4503 Burt-Davy, J 1932. Flora of the Transvaal. Meliaceae (Sneezeewood family) *Man. Pl. Transvaal* 2, 21 : 485- 0.
- 4505 Bruyns, PV 1988. A note on *Aloe* in the Brandberg, Namibia and an unusual hybrid *Aloe* 25, 2 : 24- 26.
- 4506 Bruyns, PV 1990. New plant records from the Brandberg *Cimbebasia* 12 :161- 166.
- 4507 Bruyns, PV 1992. Notes on *Euphorbia monteiroi*. *Aloe* 29 :36- 38.
- 4508 Bruyns, PV 2000. Phylogeny and biogeography of the Stapeliads 2. Biogeography. *Pl. Syst. Evol.* 221 :199- 226.
- 4510 Brummitt, RK 1965. New and little known species from the Flora Zambesiaca area 18, Baphia *Bol. Soc. Brot.* 39 :157- 180.
- 4511 Browning, J 1991. Studies in Cyperaceae in southern Africa 17: an examination of *Schoenoplectus muricinux* (C.B.Cl.) J.Raynal sensu lato *S.African J. Bot.* 57, 5 : 249- 259.
- 4512 Browning, J 1991. Studies in Cyperaceae in southern Africa 18: A reappraisal of *Schoenoplectus corymbosis* *S.African J. Bot.* 57, 6 : 335- 343.
- 4513 Browning, J 0. Studies in Cyperaceae in southern Africa 21: the taxonomic significance of the achene and its embryo in *Bolboschoenus* *S.African J. Bot.* 59, 3311 : 318- 1993.
- 4514 Browning, J 1994. Studies in Cyperaceae in southern Africa 23: a reassessment of *Schoenoplectus litoralis*, Sch. subulatus and *Scirpus pterolepis* *S.African J. Bot.* 60, 3 : 169- 174.
- 4515 Browning, J 1995. Studies in Cyperaceae in southern Africa 25: *Schoenoplectus tabernaemontani* *S.African J. Bot.* 61, 1 : 39- 42.
- 4516 Browning, J 1997. Studies in Cyperaceae in southern Africa 32: *Eleocharis* subgenus *Limnochloa* section *Limnochloa* *S.African J. Bot.* 63, 4 : 172- 184.
- 4517 Browning, J 1999. Studies in Cyperaceae in southern Africa 36: *Cyperus marginatus*, a complex of three entities *S.African J. Bot.* 65, 5/6 : 374- 381.
- 4518 Browning, J 1994. Studies in Cyperaceae in southern Africa 24: three species of *Scirpoides* *S.African J. Bot.* 60, 6 : 315- 320.
- 4519 Beyer, JBP 2002. Notes on Africa plants. Asteraceae Anthemideae. Reduction of *Foveolina albida* to *Foveolina dichotoma* *Bothalia* 32, 2 : 185- 199.
- 4520 Becker, M; Albers, F 2008. Revision of the *P. crithmifolium* group of *Pelargonium* section *Otidia* (Geranaceae) including the description of the new species *P. anauris* *Schumannia* 5 :175- 180.
- 4521 Austin, DF; Staples, GW 1980. *Xenostegia*. a new genus of *Convolvulaceae* *Brittonia* 32, 4 : 533- 536.

- 4522 Archer, RH; Van Wyk, AE 1998. A taxonomic revision of *Elaeodendron* Jacq. (Cassinoideae: Celastraceae) in Africa *S.African J. Bot.* 64, 2 : 93- 109.
- 4523 Clarke, NV; Mannheimer, CA 1999. Cyperaceae of Namibia: an illustrated key. NBRI Occasional Contributions 1 : 0- 0.
- 4524 Martinez-Azorin, M; Crespo, MB 2014. Nomenclatural novelties and taxonomic notes in *Battandiera* Maire (Ornithogaloideae, Hyacinthaceae) *Plant Biosystems* 148, 2 : 213- 216.
- 4525 Bytebier, B 2013. *Habenaria amoena* newly recorded for Namibia *Bothalia* 43, 1 : 90- 91.
- 4526 Rowley, GD 2013. Generic concepts in Alooideae û Part 3 Amended: The phylogenetic story. *Alsterworthia International Special Issue* 10 :3- 6.
- 4530 Kolberg, H; Van Slageren, M 2016. A synopsis of *Aptosimum* and *Peliostomum* (Scrophulariaceae) in Namibia, including the description of a new species, *Aptosimum radiatum*, and keys to all accepted species *Kew Bull.* 71, 2 : 0- 0.
- 4531 Fisher, AE; McDade, LA; Kiel, CA; Khoshravesh, R; Johnson, MA; Stata, M; Sage, T 2015. Evolutionary History of *Blepharis* (Acanthaceae) and the Origin of C4 Photosynthesis in Section *Acanthodium* *International Journal of Plant Sciences* 176, 8 : 770- 790.
- 4532 Robinson, H; Skvarla, JJ; Funk, VA 2016. Vernonieae (Asteraceae) of southern Africa: A generic disposition of the species and a study of their pollen *PhytoKeys* 60 :49- 126.
- 4533 Hassan, NS; Thiede, J; Liede-Schumann, S 2016. Phylogenetic analysis of Sesuvioideae (Aizoaceae) inferred from nrDNA internal transcribed spacer (ITS) sequences and morphological data *Pl. Syst. Evol.* 255 :121- 143.
- 4535 Huntley, B; Collingham, YC; Singarayer, JS; Valdes, PJ; Barnard, P; Midgley, GF; 2016. Explaining patterns of avian diversity and endemism: climate and biomes of southern Africa over the last 140,000 years *Journal of Biogeography* : 0- 0.
- 4537 Manning, JC; Goldblatt, P 2009. *Albuca crispera* and *A. grandis* (Hyacinthaceae: Ornithogaloideae), two new species of subgenus *Albuca*, the rediscovery of *A. albucoides* (subgenus *Osmyne*), and the identity of *A. reflexa* *Bothalia* 39, 2 : 153- 163.
- 4538 Manning, JC; Goldblatt, P 2009. Three new species of *Gladiolus* (Iridaceae) from South Africa, a major range extension for *G. rubellus* and taxonomic notes for the genus in southern and tropical Africa *Bothalia* 39, 1 : 37- 45.
- 4539 Marlin, D; Nicolson, SW; Sampson, JDS; Krueger, K 2016. Insights into the pollination requirements of the only African wild tobacco, *Nicotiana africana* (Solanaceae) from the Namib Desert *Journal of Arid Environments* 125 :64- 67.
- 4540 Nylinder, S; Razafimandimbison, SG; Anderberg, AA 2016. From the Namib around the world: biogeography of the Inuleae-Plucheinae (Asteraceae) *Journal of Biogeography* : 1- 12.
- 4541 Polevova, S; Tekleva, M; Neumann, FH; Scott, L; Stager, JC 2010. Pollen morphology, ultrastructure and taphonomy of the Neuradaceae with special reference to *Neurada procumbens* L. and *Grielum humifusum* E.Mey. ex Harv. et Sond. *Review of Palaeobotany and Palynology* 160 :163- 171.
- 4542 Steyn, HM; Van Wyk, AE 2015. Taxonomic notes on the *Acanthopsis disperma-hoffmannseggiana* complex (Acanthaceae, tribe Acantheae), with an interim key to members of the genus *Phytotaxa* 219, 1 : 1- 26.
- 4543 Sukhorukov, AP; Kushunina, M 2015. Taxonomy and chorology of *Corbichonia* (Lophiocarpaceae s.l.) with further description of a new species from Southern Africa *Phytotaxa* 218, 3 : 227- 240.
- 4545 Swanepoel, W 2014. *Commiphora namibensis* (Bursaceae), a new species from Angola *Bothalia* 178, 3 : 211- 216.
- 4546 Swanepoel, W 2015. *Maerua sebrabergensis* (Capparaceae), a new species from Namibia *Phytotaxa* 207, 1 : 123- 128.

- 4547 Swanepoel, W; Van Jaarsveld, EJ 2015. *Ficus sur* (Moraceae) and *Gymnanthemum coloratum* (Asteraceae: Vernoniaceae) - first distribution records for Namibia *Bothalia* 45, 1 : 1- 5.
- 4549 Thiede, J 2011. Die Sukkulente flora des zentralen Kaokoveldes (Namibia) - vom Namibrand bis zur Savannenregion: *Euphorbia eduardoi*, *Pachypodium lealii* & Co. *Avonia* 29, 1 : 3- 24.
- 4550 Thiede, J 2012. The genus *Striga* (Orobanchaceae) as root parasite on succulent euphorbias *Euphorbia World* 8, 2 : 18- 23.
- 4551 Thiede, J 2010. *Euphorbia ohiva* Swanepoel: a novelty from the Kaokoveld Centre of Endemism (Namibia & Angola). *Euphorbia World* 6, 1 : 5- 7.
- 4552 Zimudzi, C.; Archer, RH; Kwembeta, EG; Nordal, I 2006. Synopsis of Amaryllidaceae from the Flora Zambesiaca area *Kirkia* 18, 2 : 151- 168.
- 4553 Kolberg, H; Van Slageren, M 2014. A synopsis of the genus *Pteronia* (Compositae: Astereae) in Namibia including the resurrection of *Pteronia quadrifaria* *Kew Bull.* 69, 9488 : 1- 440.
- 4554 Steffen, S; Mucina, L; Kadereit, G 2010. Steffen, S; Mucina, L; Kadereit, G 2010. Revision of *Sarcocornia* (Chenopodiaceae) in South Africa, Namibia and Mozambique. *Syst. Bot.* 35: 390-408 *Syst. Bot.* 35 :390- 408.
- 4556 Clarkson, JJ; Knapp, S; Garcia, VF; Olmstead, RG; Leitch, AR; Chase, MW 2004. Phylogenetic relationships in *Nicotiana* (Solanaceae) inferred from multiple plastid DNA regions *Molec. Phylogenet. Evol.* 33 :75- 90.
- 4557 Giess, JWH 1982. Zur verbreitung des Tabaks in Suedwestafrika *Nicotiana africana* Merxm. *Dinteria* 16 :11- 20.
- 4559 Goldenhuys, SD; Klopper, RR 2016. A synotic review and new infrageneric classification for the genus *Haworthiopsis* (Xanthorrhoeaceae: Asphodeloideae) *Phytotaxa* 265, 1 : 1- 26.
- 4560 Angiosperm Phylogeny Group 2009. An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG III *Bot. J. Linn. Soc.* 161 :105- 121.
- 4561 Angiosperm Phylogeny Group 2016. An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG IV. *Bot. J. Linn. Soc.* 181 :1- 20.
- 4562 Bruyns, PV 2014. The Apocynaceae of Namibia *Strelitzia* 34 :1- 151.
- 4563 Bruyns, PV 1984. *Ceropegia*, *Brachystelma* and *Tenaris* in South West Africa *Dinteria* 17 :3- 80.
- 4564 Thulin, MP; Moore, AJ; El-Seedi, H; Larsson, A; Christin, PA; Edwards, EJ 2016. Phylogeny and generic delimitation in Molluginaceae, new pigment data in Caryophyllales, and the new family Corbichoniaceae *Taxon* 65, 4 : 775- 793.
- 4566 Goldblatt, P; Manning, JC 2007. A revision of the southern African genus *Babiana*, Iridaceae: Crocoideae *Strelitzia* 18 :1- 98.
- 4567 Goldblatt, P; Manning, JC 2015. Systematics and biology of *Lapeirousia*, *Codonorhiza*, *Psilosiphon* and *Schizorhiza* in southern Africa *Strelitzia* 35 :1- 146.
- 4568 Fish, L; Mashau, AC; Moeaha, MJ; Nembudani, MT 2015. Identification guide to southern African grasses. An identification manual with keys, descriptions and distributions *Strelitzia* 36 :1- 798.
- 4572 Plowes, DCH 2014. Some new species and name combinations in the Stapeliads Part 2 *Asklepios* 118 :0- 0.
- 4597 Vorontsova, MS; Knapp, S 2016. A revision of the spiny solanums, *Solanum* subgenus *Leptostemonum* (Solanaceae), in Africa and Madagascar *Syst. Bot. Monogr.* 99 :1- 432.
- 4598 Paton, AJ; et al. 2019. Paton AJ, Mwanyambo M, Govaerts RHA, Smitha K, Suddee S, Phillipson PB, Wilson TC, Forster PI, Culham A (2019) Nomenclatural changes in *Coleus* and *Plectranthus* (Lamiaceae): a tale of more than two genera. *PhytoKeys* 129 :1- 158.

- 4600 Steyn, HM; et al. 2019. Steyn, HM, et al. 2019. Notes on the phylogeography and conservation status of the genus *Acanthopsis* (Acantheae, Acanthaceae). *Phytotaxa* 415, 4 : 157- 178.
- 4601 Tibini, S; et al. 2019. Tibini, S, Manyelo, T.S. & Moteetee, A., 2019, æTaxonomic notes on the genus *Neorautanenia* (FabaceaeüPhaseoleae)Æ, *Bothalia* 49, 1 : 2405- 0.
- 4602 Kolokoto, R; et al. 2019. Kolokoto, R., Boatwright, J.S., Manning, J.C., Von Staden, L. & Magee, A.R., 2019, The correct identity of *Lasiosiphon microphyllus* (Meisn.) Meisn. (Thymelaeaceae) and the new combination *Lasiosiphon kuntzei* (Gilg.) R.Kolokoto & Magee. *Bothalia* 49, 1 : 2383- 0.
- 4603 Bruyns, PV; Klak, C; Hanacek, P 2017. Bruyns, PV, Klak, C. Hanacek, P. 2017. A revised, phylogenetically-based concept of *Ceropegia* (Apocynaceae). *S.African J. Bot.* 112 :399- 436.
- 4604 Bruyns, PV; Klak, C; Hanacek, P 2018. Bruyns, PV, Klak, C. Hanacek, P. 2018. Corrigendum to "A revised, phylogenetically-based concept of *Ceropegia* (Apocynaceae)". *S.African J. Bot.* 116 :140- 141.
- 4605 Darbyshire, I; Tripp, EA; Chase, FM 2019. Darbyshire, I, Tripp, EA, & Francis Chase. 2019. A taxonomic revision of Acanthaceae tribe Barleria in Angola and Namibia, Part 1. *Kew Bull.* 74, 5 : 1- 85.
- 4606 Darbyshire, I; Tripp, EA; Dexter, KG 2012. Darbyshire, I, Tripp, EA & Kyle G Dexter. 2012. A new species and a revised record in Namibian Barleria (Acanthaceae). *Kew Bull.* 67 :759- 766.
- 4607 Darbyshire, I; Tripp, EA; Dexter, KG 2013. Darbyshire, I, Tripp, EA & Kyle G Dexter. 2013. Erratum to: A new species and a revised record in Namibian Barleria (Acanthaceae). *Kew Bull.* 68 :189- 0.
- 4608 Martinez-Azorin, M; et al. 2018. MartÝnez-AzorÝn, M., Crespo, MB, Alonso-Vardas, MA, Dold, AP, Pinter, M & Wetschnig, W. 2018. Austronea (Asparagaceae, Scilloideae), a new genus from southern Africa, including the description of seven new species. *Phytotaxa* 365, 2 : 101- 129.
- 4609 Aldasoro, JJ 2001. Aldasoro, JJ et.al. 2001. Anatomy, Morphology, and Cladistic Analysis of *Monsonia* (Geraniaceae) *Anales Jard. Bot. Madrid* 59, 1 : 75- 100.
- 4610 Al-Shehbaz, IA 2016. Al-Shehbaz, IA. 2016. *Lepidium seydelii* (Brassicaceae), a new species from Namibia. *Harvard Papers in Botany* 21, 2 : 133- 135.
- 4611 Bester, SP; Nicholas, A; Ramdhani, S 2017. Bester, SP; Nicholas, A; Ramdhani, S . 2017. An amplified description for the elusive *Cordylogyne argillicola* (ApocynaceaeüAsclepiadoideae) from Namibia. *Phytotaxa* 321, 1 : 114- 124.
- 4613 Magee, AR; Tilney, PM 2012. Magee, AR; Tilney, PM. 2012. A taxonomic revision of *Pentzia* (Asteraceae, Anthemideae) I: the *P. incana* group in southern Africa, including the description of the new species *P. oppositifolia* Magee. *S.African J. Bot.* 79 :148- 158.
- 4614 Martinez-Azorin, M; et al. 2018. Martinez-Azorin, M; et al. 2018. *Iosanthus* (Hyacinthaceae subfam. Urgineoideae), a new genus *Plant Biosystems* : 1- 9.
- 4615 Martinez-Azorin, M; et al. 2019. Martinez-Azorin, M; et al 2019. New combinations in the tribe Urgineeae (Asparagaceae subfam. Scilloideae) with comments on contrasting taxonomic treatments *Phytotaxa* 397, 4 : 291- 299.
- 4616 Mashau, AC 2017. Mashau, AC. 2017. A new variety of *Enneapogon* (Poaceae: Chloridoideae: Eragrostideae) from Southern Africa. *Kew Bull.* 72 :39- 0.
- 4617 Martinez-Azorin, M; et al. 2011. Martinez-Azorin, M; et al. 2011. Molecular phylogenetics of subfamily Ornithogaloideae (Hyacinthaceae) based on nuclear and plastid DNA regions, including a new taxonomic arrangement. *Ann Bot (Oxford)* 107 :1- 37.
- 4618 Martinez-Azorin, M; Crespo, MB 2014. Martinez-Azorin, M; Crespo, M.B. 2014. Validation of several species names in Hyacinthaceae. *Taxon* 63, 6 : 1327- 1334.
- 4619 Pinter, M; et al. 2019. Pinter, M., et al. 2019. *Striatula* (Hyacinthaceae, Urgineoideae) a new genus from South Africa and southern Namibia. *Phyton* 59, 1-2 : 91- 0.

- 4620 Martinez-Azorin, M; et al. 2015. Martinez-Azorin, M; et al. 2015. Clarification of *Massonia echinata* and some other frequently misunderstood *Massonia* species (Asparagaceae, Scilloideae), with the description of *M. pseudoechinata* and *M. rogeveldensis*. *Phytotaxa* 239, 2 : 101- 129.
- 4622 Bruyns, PV 2018. Bruyns, PV. 2018. New taxa in Euphorbia (Euphorbiaceae) in southern Africa. *Haseltonia* 25 :30- 56.
- 4624 Cardiel, JM; Munoz, IM 2017. Cardiel, JM & Munoz, IM. 2017. Synopsis of *Acalypha* (Euphorbiaceae) of West Tropical Africa, including Cameroon, Chad, Equatorial Guinea, Gabon, and SÔo TomÚ and PrÝncipe. *Pl. Syst. Evol.* : 0- 0.
- 4625 Christenhusz, MJM; Brockington, SF; Christin, PA; Saga, RF 2014. Christenhusz, MJM, Brockington SF, Christin, P-A & Sage, RF. 2014 On the disintegration of Molluginaceae: a new genus and family (Kewaceae) segregated from *Hypertelis*, and placement of *Macarthuria* in Macarthuraceae. *Phytotaxa* 181 :238-242.
- 4626 Chuba, D; Goyder, DJ; Chase, MW; Fishbein, M 2017. Chuba, D, Goyder, D, Chase, MW & Fishbein, M. 2017. Phylogenetics of the African *Asclepias* Complex (Apocynaceae) based on Three Plastid DNA Regions. *Systematic Botany* 42, 1 : 148- 159.
- 4627 Cicuzza, D; et al. 2017. Cicuzza, D, et al. 2017. Morphology and anatomy support a reclassification of the African succulent taxa of *Senecio* s.l. (Asteraceae: Senecioneae). *Haseltonia* 23 :11- 26.
- 4629 Cron, GV; Balkwill, K; Knox, EB 2006. Cron, GV., Balkwill, K. & Knox EB. 2006. A Revision of the Genus *Cineraria* (Asteraceae, Senecioneae). *Kew Bull.* 4 :449- 535.
- 4630 Cron, GV; Balkwill, K; Knox, EB 2009. Cron, GV., Balkwill, K. & Knox EB. 2009. Biogeography, rarity and endemism in *Cineraria* (AsteraceaeŕSenecioneae). *Bot. J. Linn. Soc.* 160 :130- 148.
- 4632 Darbyshire, I; Harris, T 2006. Darbyshire, I. & Harris, T. 2006. Notes on the Genus *Rhinacanthus* (Acanthaceae) in Africa with a Synopsis of the *R. nasutus*-*R. gracilis* Complex and a Key to the African Members of the Genus. *Kew Bull.* 61, 3 : 401- 418.
- 4633 Darbyshire, I; Nanyeni, L; Chase, FM; Gonçaves, MFP 2018. Darbyshire, I., Nanyeni, L., Chase, FM & Gonçaves, MFP. 2018. A synopsis of *Rhinacanthus* (Acanthaceae) in Angola and Namibia. *Kew Bull.* 73 :0- 21.
- 4634 Daru, BH; et al. 2013. Daru, BH. et al. 2013. Molecular and morphological analysis of subfamily Alooideae (Asphodelaceae) and the inclusion of *Chortolirion* in *Aloe*. *Taxon* 62, 1 : 62- 76.
- 4636 De Sausa, F; Figueiredo, E; Smith, GF 2011. De Sausa, F., Figueiredo, E. & Smith, GF, 2011. The genus *Cyphostemma* (Planch.) Alston (Vitaceae) in Angola. *Bradleya* 29 :79- 92.
- 4637 De Sausa, F; Figueiredo, E; Smith, GF 2011. De Sausa, F., Figueiredo, E. & Smith, GF, 2011. Vitaceae. A new and an overlooked record of *Cyphostemma* in Angola. *Bothalia* 41, 2 : 294- 295.
- 4638 De Wet, H; Struwig, M; Van Wyk, B-E 2015. De Wet, H., Struwig, M. & Van Wyk, B-E. 2015. Taxonomic notes on the genus *Cocculus* (Menispermaceae) in southern Africa. *S.African J. Bot.* 96 :99- 104.
- 4639 De Wet, H; Struwig, M; Van Wyk, B-E 2015. De Wet, H., Struwig, M. & Van Wyk, B-E. 2015. Taxonomic notes on the genera *Tiliacora* and *Tinospora* (Menispermaceae) in southern Africa. *S.African J. Bot.* : 0- 0.
- 4640 De Winter, B 1990. De Winter, B. 1990. Cucurbitaceae. A new species of *Citrullus* (Benincaseae) from the Namib desert. Namibia. *Bothalia* 20, 2 : 209- 211.
- 4641 De Winter, B 1990. De Winter, B. 1990. Poaceae. Two new species of *Stipagrostis* (Aristideae) from the Dune-Namib Desert, Namibia. *Bothalia* 20, 1 : 82- 87.
- 4642 Dreyer, LL; Oberlander, KC; Klopper, RR 2018. Dreyer, L.C., Oberlander, K.C. & Klopper, R.R., 2018, Nomenclatural notes on southern African *Oxalis* species. *Bothalia* 48, 1 : 1- 4.
- 4643 Duncan, GD 2010. Duncan, G. 2010. 666. *Cryptostephanus densiflorus*. Amaryllidaceae. *Curtis's Bot. Mag.* 27, 1 : 10- 22.

- 4644 Duncan, GD 2010. Duncan, G. 2010. 671. *Strumaria barbarae*. Amaryllidaceae. *Curtis's Bot. Mag.* 27, 2 : 109- 16.
- 4645 Fernandes, RR; Fernandes, A 1965. Fernandes, RR & Fernandes, A.1965. Anacardiaceae africanae novae vel minus cognitae û 1. *Bol. Soc. Brot.* 2, 38 : 178- 0.
- 4646 Fernandes, RR; Fernandes, A 1975. Fernandes, RR & Fernandes, A.1975. Lythraceae africanae novae vel minus cognitae û 1 africanae novae vel minus cognitae û 1 Nesaea. *Bol. Soc. Brot.* 2, 48 : 0- 117.
- 4647 Ferrer-Gallego, PP 2018. Ferrer-Gallego, PP. 2018. Nomenclatural types of the Linnaean names in *Zygophyllum* (Zygophyllaceae). *Taxon* 67, 5 : 1005- 1013.
- 4648 Fischer, E; Schaeferhoff, B; Mueller, K 2013. Fischer, E., Schaeferhoff, B & Mueller, K. 2013. The phylogeny of Linderniaceae û The new genus *Linderniella*, and new combinations within *Bonnaya*, *Craterostigma*, *Lindernia*, *Micranthemum*, *Torenia* and *Vandellia*. *Willdenowia* 43 :209- 238.
- 4649 Flicker, BJ; Ballard, HE 2015. Flicker, BJ. & Ballard, HE. 2015. *Afrohybanthus* (Violaceae), a new genus for a distinctive and widely distributed Old World hybanthoid lineage. *Phytotaxa* 230, 1 : 39- 53.
- 4650 Funk, VA; Koekemoer, M 2011. Funk, VA & Koekemoer. M. 2011. A Monograph of the Small Tribe *Platycarpeae* (Compositae: Cichorioideae).(Report). *Syst. Bot.* 36, 1 : 191- 0.
- 4651 Gagnon, E; et al. 2016. Gagnon, E., et al. 2016. A new generic system for the pantropical *Caesalpinia* group (Leguminosae). *PhytoKeys* 71 :1- 160.
- 4652 Garcia-Aloy, S; et al. 2017. Garcia-Aloy, S. 2017. et al. Opposite trends in the genus *Monsonia* (Geraniaceae): specialization in the African deserts and range expansions throughout eastern Africa. *Scientific reports* 7 :0- 9872.
- 4653 Pokorny, L; et al. 2015. Pokorny, L. et al. 2015. Living on the edge: timing of Rand Flora disjunctions congruent with ongoing aridification in Africa. *Frontiers in Genetics* 6 :1- 15.
- 4654 Hoetzel, S; Dupont, L M; Wefer, G 2015. Hoetzel, S., Dupont, L. M. & Wefer, G. 2015. MioceneûPliocene vegetation change in south-western Africa (ODP Site 1081, offshore Namibia). *Palaeogeography, Palaeoclimatology, Palaeoecology.* 423 :102- 108.
- 4655 Bellstedt, DU; Galley, C; Pirie, MD; Linder, HP 2012. Bellstedt, D. U., Galley, C., Pirie, M. D. & Linder, H. P. The migration of the palaeotropical arid flora: *Zygophylloideae* as an example. *Systematic Botany* 37 :951- 959.
- 4656 Venter, HJT 1979. Venter, H. J. T. 1979. A monograph of *Monsonia* L.(Geraniaceae). *Meded. Landbouwhoogeschool Wageningen* 79 :1- 128.
- 4657 Moffett, RO 1979. Moffett, R. O. 1979. The genus *Sarcocaulon*. *Bothalia* 12 :581- 813.
- 4658 Moffett, RO 1981. Moffett, R. O. 1981. The Genus *Sarcocaulon* of Southern Africa. *Natl. Cact. Succ. J.* 36 :65- 69.
- 4659 Winterbottom, JM 1967. Winterbottom, J. M. 1967. Climatological implications of avifaunal resemblances between South Western Africa and Somaliland. *Palaeoecology of Africa* 2 :77- 79.
- 4661 Young, AJ; Desmet, PG 2016. Young, A. J. & Desmet, P. G. 2016. The distribution of the dwarf succulent genus *Coprophytum* NE Br. (Aizoaceae) in southern Africa. *Bothalia* 46 :1- 13.
- 4662 Bruyns, PV; Oliveira-Neto, N; Melo-de-Pinna, GFA; Klak, C 2014. Bruyns, P. V., Oliveira-Neto, M., Melo-de-Pinna, G. F. & Klak, C. (2014). Phylogenetic relationships in the *Didiereaceae* with special reference to subfamily *Portulacarioideae*. *Taxon* 63, 5 : 1053- 1064.
- 4663 Gerbault, M 2012. Gerbault, M. 2012. One or many genera in *Mesembryanthemoideae* (Aizoaceae)? Discussion of a conflict in genus perception. *Bradleya* 30 :187- 198.
- 4665 Archer, CA; Goetghebeur, P 2011. Archer, C. & Goetghebeur, P. 2011. *Cyperaceae*. New names and new combinations in *Cyperus* for Southern Africa. *Bothalia* 41, 2 : 300- 301.

- 4666 Goldblatt, P; Manning, JC 2007. Goldblatt, P. & Manning, JC. 2007. New species and notes on *Hesperantha* (Iridaceae) in southern Africa. *Bothalia* 37, 2 : 177- 182.
- 4667 Goldblatt, P; Manning, JC 2009. Goldblatt, P. & Manning, JC. 2009. New species of *Moraea* (Iridaceae: Iridoideae), with range extensions and miscellaneous notes for southern African species. *Bothalia* 39, 1 : 1- 10.
- 4668 Goldblatt, P; Manning, JC 2011. Goldblatt, P. & Manning, JC. 2011. Systematics and biology of the African genus *Ferraria* (Iridaceae: Iridae). *Bothalia* 41, 1 : 1- 40.
- 4669 Goldblatt, P; Manning, JC 2012. Goldblatt, P. & Manning, JC. 2012. New species and subspecies of *Babiana*, *Hesperantha*, and *Ixia* (Iridaceae: Crocoideae) from southern Africa; range extensions and morphological and nomenclatural notes on *Babiana* and *Geissorhiza*. *Bothalia* 42, 2 : 137- 145.
- 4671 Goldblatt, P; Manning, JC 2014. Goldblatt, P. & Manning, JC. 2014. Nomenclatural adjustments in African plants 1, *Bothalia* 44, 1 : 1- 9.
- 4672 Goldblatt, P; Manning, JC 2013. Goldblatt, P. & Manning, JC. 2013. Eight new species of *Moraea* (Iridaceae) from southern Africa with range extensions and morphological notes in the genus. *Bothalia* 43, 2 : 153- 165.
- 4673 Goldblatt, P; Manning, JC; Schnitzler, J 2013. Goldblatt, P., Manning, JC. & Schnitzler, J. 2013. A revised infrageneric classification and synopsis of the Afro-Eurasian genus *Moraea* (Iridaceae: Iridae). *Bothalia* 43, 1 : 29- 41.
- 4674 Goldblatt, P; Manning, JC 2016. Goldblatt, P. & Manning, J., 2016, Nomenclatural adjustments in African plants 2. *Bothalia* 46, 1 : 1- 5.
- 4677 Grace, OM; et al. 2013. Grace, OM., et al. 2013. A revised generic classification for *Aloe* (Xanthorrhoeaceae subfam. Asphodeloideae). *Phytotaxa* 76, 1 : 7- 14.
- 4678 Graham, SA; et al. 2011. Graham, SA., et al. 2011. Relationships among the confounding genera *Ammannia*, *Hionanthera*, *Nesaea* and *Rotala* (Lythraceae). *Bot. J. Linn. Soc.* 166 :1- 19.
- 4679 Green, PS 2002. Green, PS., 2002. A revision of *Olea* L. (Oleaceae). *Kew Bull.* 57, 1 : 91- 140.
- 4680 Grobler, A; Van Wyk, AE 2010. Grobler, A. & Van Wyk, AE. 2010. Taxonomic status of *Elephantorrhiza rangei* (Mimosoidea). *Bothalia* 40, 2 : 183- 184.
- 4681 Groeninckx, I; et al. 2010. Groeninckx, I., et al. 2010. Molecular phylogenetic and morphological study of *Kohautia* (Spermacoceae, Rubiaceae), with the recognition of the new genus *Cordylostigma*. *Taxon* 59, 5 : 1457- 1471.
- 4682 Guillo, A; et al. 2011. Guillo, A., et al. 2011. Nomenclatural notes on *Sarcocornia perennis* (Mill.) A. J. Scott (Amaranthaceae). *Candollea* 66 :331- 335.
- 4683 Jongkind, CCH 2014. Jongkind, CC. 2014. Notes of African *Combretum* Loeft. Species (Combretaceae). *Adansonia, ser 3* 36, 2 : 315- 327.
- 4684 Kativu, S; Bjora, CS 2016. Kativu, S & Bjora, CS. 2016. A new species of *Chlorophytum* (Asparagaceae) from the succulent Karoo biome, Namibia with an updated key for *Chlorophytum* of Namibia. *Plant Ecology and Evolution* 149, 3 : 229- 346.
- 4685 Kilian, N 1997. Kilian, N. 1997. Revision of *Launaea* Cass. (Compositae, Lactuceae, Sonchinea). *Englera* 17 :3- 478.
- 4686 King-Jones, S 2001. King-Jones, S. 2001. Revision of *Pluchea* Cass. (Compositae, Plucheeae) in the Old World. *Englera* 23 :1- 136.
- 4687 Klaassen, ES; Kwembeya, EG; Maass, E 2009. Klaassen, ES., Kwembeya, EG. & Maass, E. 2009. A taxonomic revision of the genus *Pentatrichia* (Asteraceae). *S.African J. Bot.* 75 :153- 164.
- 4688 Klak, C; Bruyns, PV; Hedderson, TAJ 2007. Klak, C., Bruyns, PV & Hedderson, TAJ. 2007. A phylogeny and new classification for *Mesembryanthemoideae* (Aizoaceae). *Taxon* 56, 3 : 737- 756.

- 4689 Klak, C; Hanacek, P; Bruyns, PV 2017. Klak, C., Hanacek, P. & Bruyns, PV. 2017. Disentangling the Aizoioideae: New generic concepts and a new subfamily in Aizoaceae. *Taxon* 66, 5 : 1147- 1170.
- 4690 Klak, C; Bruyns, PV 2018. Klak, C. & Bruyns, PV. 2018. Nomenclatural corrections in Aizoon subg. Namibiana (Aizoioideae: Aizoaceae). *Phytotaxa* 364, 3 : 299- 300.
- 4691 Kleynhans, R O. Kleynhans, R. n.d. Lachenalia. Agricultural Research Council-Roodeplaat Vegetable and Ornamental Plant Institute. Pretoria. *Agricultural Research Council-Roodeplaat Vegetable and Ornamental Plant Institute* : 0- 0.
- 4692 Klopper, RR; et al. 2008. Klopper, RR., et al. 2008. Asphodelaceae: alooideae. Bulbine triebneri, an earlier name for Bulbine alba, as well as additional and new localities in Eastern and Northern Cape, South Africa. *Bothalia* 38, 1 : 67- 69.
- 4693 Knapp, S; Vorontsova, MS; Prohens, J 2013. Knapp S, Vorontsova MS, & Prohens J. 2013. Wild Relatives of the Eggplant (Solanum melongena L.: Solanaceae): New Understanding of Species Names in a Complex Group. *Plos One* 8, 2 : 0- 0.
- 4694 Kyalangalilwa, B; et al. 2013. Kyalangalilwa, B., et al. 2013. Phylogenetic position and revised classification of Acacia s.l. (Fabaceae: Mimosoideae) in Africa, including new combinations in Vachellia and Senegalia. *Bot. J. Linn. Soc.* 172 :500- 523.
- 4695 Larridon, I; et al. 2014. Larridon, I., et al. 2014. Taxonomic changes in C4 Cyperus (Cypereae, Cyperoideae, Cyperaceae): combining the sedge genera Ascolepis, Kyllinga and Pycurus into Cyperus s.l. *Phytotaxa* 166, 1 : 33- 48.
- 4696 Larridon, I; et al. 2018. Larridon, I., et al. 2018. Revised delimitation of the genus Tetraria, nom. cons. prop. (Cyperaceae, tribe Schoeneae, Tricostularia clade). *S.African J. Bot.* 118 :18- 22.
- 4698 Levin, RA; et al. 2007. Levin, RA., et al. 2007. Evolutionary Relationships in Tribe Lycieae (Solanaceae). VI th International Solanaceae Conference *VI th International Solanaceae Conference*
- 4701 Liede-Schumann, S; Meve, U 2018. Liede-Schumann & Meve, U. 2018. Vincetoxicum (Apocynaceae:Asclepiadoideae) expanded to include Tylophora and allies. *Phytotaxa* 369, 3 : 129- 184.
- 4702 Lindner, K; Hu, Y; Pandey, AK; Schaefer, HW 2017. Lindner, K., Hu, Y., Pandey, AK., & Schaefer, H. 2017. The Namib-Thar Desert Disjunction in Dactyliandra (Cucurbitaceae) is the Result of a Recent Introduction to India. *Systematic Botany* 42, 1 : 63- 72.
- 4703 Liu, M; et al. 2007. Liu, M., et al. 2007. A revision of the genus Marlothiella (Apiaceae). *S.African J. Bot.* 73 :208- 213.
- 4704 Liu, M; et al. 2012. Liu, M., et al. 2012. Unusual carpological characters in Marlothiella gummifera (Apiaceae). *S.African J. Bot.* 83 :19- 22.
- 4705 Lo Medico, JM; et al. 2017. Medico, JML., et al., 2017. Phylogeny of Digitaria Sections Trichachne and Trichophorae (Poaceae, Panicoideae, Paniceae): A Morphological and Molecular Analysis. New Circumscription and Synopsis. *Systematic Botany* 42, 1 : 37- 53.
- 4706 Mayori, A 2013. Mayori, A. 2013. Notes on African plants. Colchicaceae. First record of Gloriosa sessiliflora in Angola. *Bothalia* 43, 1 : 67- 96.
- 4707 Mueller-Doblies, U; Mueller-Doblies, D 1984. Mueller-Doblies, U & Mueller-Doblies, D. 1984. Zur Kenntnis der Gattung Androcymbium (Colchicaceae) im suedlichen Afrika: Zwei Synonyma und funf neue Arten. *Willdenowia* 14 :179- 197.
- 4708 Mueller-Doblies, U; Mueller-Doblies, D 1990. Mueller-Doblies, U & Mueller-Doblies, D. 1990. Zur Kenntnis der Gattung Androcymbium (Colchicaceae) im suedlichen Afrika: 2. Androcymbium exiguum hat doch Artwert. *Willdenowia* 19 :453- 470.
- 4709 Meve, U; Liede-Schumann, S 2013. Meve, U. & Liede-Schumann, S. 2013. Erratum to: Taxonomic dissolution of Sarcostemma (Apocynaceae: Asclepiadoideae). *Kew Bull.* 68 :187- 188.

- 4711 Moteetee, A; Le Roux, MM 2016. Moteetee, A.N. & Le Roux, M.M., 2016, The *Rhynchosia totta* complex (Phaseoleae, Fabaceae) in Southern Africa, including the description of a new variety and new species, *Bothalia* 46, 1 : 0- 2041.
- 4712 Mucina, L 2017. Mucina, L. 2017. Caroxylon (Chenopodiaceae s.str.) in continental southern Africa and Madagascar: a preliminary nomenclatural synopsis and biogeographical considerations. *Phytotaxa* 312, 2 : 151-178.
- 4713 Nanyeni, L; Nzuma, TM 2018. Nanyeni, L. & Nzuma, T.M., 2018, New record of *Monsonia herrei* for Namibia, *Bothalia* 48, 1 : 0- 2342.
- 4714 Peterson, PM; et al. 2011. Peterson, PM. Et al. 2011. Centropodieae and *Ellisochloa*, a new tribe and genus in Chloridoideae (Poaceae). *Taxon* 60, 4 : 1113- 1122.
- 4715 Powell, RF; Boatwright, JS; Magee, AR 2014. Powell, RF, Boatwright, JS & Magee, AR. 2014. A taxonomic revision of the *Cotula coronopifolia* group (Asteraceae) and implications for the conservation statuses of the species. *S.African J. Bot.* 93 :105- 117.
- 4716 Renner, SS; et al. 2017. Renner, SS. Et al. 2017. Chromosome numbers, Sudanese wild forms, and classification of the watermelon genus *Citrullus*, with 50 names allocated to seven biological species. *Taxon* : 1- 13.
- 4718 Samuels, J 2012. Samuels, J. 2012. *Solanum incanum* s.l. (Solanaceae): taxonomic relationships between *S. incanum*, *S. campylacanthum*, *S. Panduriforme* and *S. lichtensteinii*. *Kew Bull.* 67:401- 411.
- 4719 Schaefer, HW 2007. Schaefer, H. 2007. *Cucumis* (Cucurbitaceae) must include *Cucumella*, *Dicoelospermum*, *Mukia*, *Myrmecosicyos*, and *Oreosyce*: A recircumscription based on nuclear and plastid DNA data. *Blumea* 52 :165- 177.
- 4720 Schmidt, EJD 2012. Schmidt, EJD. 2012. Fabaceae. A new species of *Bauhinia* from southern Mozambique and the reinstatement of *Bauhinia macrantha*. *Bothalia* 42, 1 : 44- 47.
- 4721 Simoes, AR; Staples, GW 2017. Simoes, AR. & Staples, G. 2017. Dissolution of Convolvulaceae tribe *Merremieae* and a new classification of the constituent genera. *Bot. J. Linn. Soc.* 183 :561- 586.
- 4722 Demissew, S; Mill, RR 2009. Demissew, S & Mill. RR. 2009. Revision of the genus *Seddera* (Convolvulaceae). *Kew Bull.* 64 :197- 233.
- 4723 Snow, N; et al. 2018. Snow, N. et al. 2018. Monograph of *Diplachne* (Poaceae, Chloridoideae, Cynodonteae). *PhytoKeys* 93 :1- 102.
- 4724 Steffen, S; Mucina, L; Kadereit, G 2009. Steffen, S., Mucina, L. & Kadereit. G. 2009. Monograph of *Diplachne* (Poaceae, Chloridoideae, Cynodonteae). *Kew Bull.* 64 :447- 233.
- 4726 Struwig, M; Siebert, SJ; Klaassen, ES 2011. Struwig, M., Siebert, SJ & Klaassen, ES. 2011. Nyctaginaceae. Notes on *Commicarpus* in Southern Africa, including a new record for Namibia. *Bothalia* 41, 2 : 289- 326.
- 4727 Struwig, M; Siebert, SJ 2012. Struwig, M. & Siebert, SJ. 2012. Nyctaginaceae. Taxonomic status of *Commicarpus fruticosus*. *Bothalia* 42, 2 : 201- 202.
- 4728 Struwig, M; Siebert, SJ 2013. Struwig, M. & Siebert, SJ. 2013. A taxonomic revision of *Boerhavia* (Nyctaginaceae) in southern Africa. *S.African J. Bot.* 86 :116- 134.
- 4729 Struwig, M; Klaassen, ES; Kwembeya, EG 2015. Struwig, M., Klaassen, ES. & Kwembeya, EG. 2015. Nyctaginaceae: A taxonomic treatment for the Flora of Namibia. *Phytotaxa* 238, 2 : 101- 135.
- 4730 Sukhorukov, AP; Kushunina, M 2017. Sukhorukov, AP. & Kushunina, M. 2017. Taxonomic significance of seed morphology in the genus *Mollugo* s.l. (Molluginaceae), *Israel Journal of Plant Sciences* : 31- 47.
- 4731 Sukhorukov, AP; et al. 2017. Sukhorukov, AP., et al. 2017. Chorological and taxonomic notes on African plants, 2. *Botany Letters.* : 1- 19.

- 4732 Sukhorukov, AP; Kushunina, M 2016. Sukhorukov, AP. & Kushunina, M. 2016. Taxonomic revision and distribution of herbaceous Paramollugo (Molluginaceae) in the Eastern Hemisphere. *PhytoKeys* 73 :93- 116.
- 4733 Sukhorukov, AP; et al. 2018. Sukhorukov, AP., et al. 2018. Seed characters in Molluginaceae (Caryophyllales): implications for taxonomy and evolution. *Bot. J. Linn. Soc.* 187 :167- 208.
- 4734 Sukhorukov, AP; et al. 2018. Sukhorukov, AP., et al. 2018. Diagnostics, taxonomy, nomenclature and distribution of perennial Sesuvium (Aizoaceae) in Africa. *PhytoKeys* 92 :45- 88.
- 4736 Swelankomo, N; Manning, JC 2014. Swelankomo, N. & Manning, JC. 2014. The genus Distephanus (Asteraceae: Vernonieae) in southern Africa. *S.African J. Bot.* 94 :238- 248.
- 4737 Swelankomo, N; Manning, JC; Magee, AR 2016. Swelankomo, N., Manning, JC. & Magee, AR. 2016. The genus Hilliardiella (Asteraceae: Vernonieae) in southern Africa. *S.African J. Bot.* 106 :41- 59.
- 4738 Swelankomo, N; et al. 2018. Swelankomo, N., et al., 2018. The genus Polydora Fenzl (Asteraceae: Vernonieae) in southern Africa. *S.African J. Bot.* 119 :335- 339.
- 4739 Thiede, J O. Thiede, J. nd. Tribulocarpus Sesuvioideae. MS
- 4741 Thulin, MP; et al. 2018. Thulin, M., et al. 2018. Phylogeny and Systematics of Kewa (Kewaceae). *Systematic Botany* 43, 3 : 689- 700.
- 4742 Schinz, H 1910. Schinz, H., 1910. Raphionacme dinteri Schlechter ined., R. pachyodon K. Schum. ined. *Vierteljahrsschrift des Naturforschenden Gesellschaft in Zurich* 55 :245- 246.
- 4743 Venter, HJT; Verhoeven, RL 1988. Venter, H.J.T., Verhoeven, R.L., 1988d. Phytogeography of Raphionacme (Harv. (Periplocaceae)). *Monogr. Syst. Bot. Missouri Bot. Gard* : 0-0.
- 4744 Magoswana, SL; et al. 2019. Magoswana, SL; et al. 2019. A taxonomic revision of the Othonna bulbosa group (Asteraceae: Senecioneae: Othonninae) *Ann. Missouri Bot. Gard.* 104, 4 : 515- 562.
- 4745 Swanepoel, W; Becker, RW; Moeller, A; De Cauwer, V 2019. Swanepoel, W; Becker, RW; Moeller, A; De Cauwer, V 2019. Euphorbia rimireptans (Euphorbiaceae, Articulofruticosae), a new species from the Skeleton Coast, Namibia. *Phytotaxa* 414, 4 : 165- 173.
- 4746 Tripp, EA; Darbyshire, I 2017. Tripp, E. & Darbyshire, I. 2017. Phylogenetic Relationships among Old World Ruellia L.: A New Classification and Reinstatement of the Genus Dinteracanthus Schinz. *Systematic Botany* 42, 3 : 470- 483.
- 4747 Tippery, NP; Sokolik, JT 2020. Tippery, NP; Sokolik, JT. 2020. Phylogenetics and seed morphology of African Nymphoides (Menyanthaceae). *Nord. J. Bot.* 38 :1- 10.
- 4750 García-Madrid, AS; et al. 2015. García-Madrid, AS, et al. 2015. Towards resolving phylogenetic relationships in the Ficinia clade and description of the new genus Afroscirpoides (Cyperaceae: Cyperae). *Taxon* 64, 4 : 668- 702.
- 4751 Chemisquy, MA; et al. 2010. Chemisquy, MA, et al. 2010. Phylogenetic studies favour the unification of Pennisetum, Cenchrus and Odontelytrum (Poaceae): a combined nuclear, plastid and morphological analysis, and nomenclatural combinations in Cenchrus. *Annals of Bot.* 106 :107- 130.
- 4752 Lian, L; et al. 2019. Lian, L., et al. 2019. Re-delimitation of Tinospora (Menispermaceae): Implications for character evolution and historical biogeography *Taxon* 68, 5 : 905- 917.
- 4753 Pastore, JFB; et al. 2019. Pastore, JFB., et al. 2019. Phylogeny and biogeography of Polygala (Polygalaceae) :10-19 *Taxon* : 10- 19.
- 4754 Snijman, DA; et al. 2013. Snijman, DA., et al. 2013. The genus Pauridia (Hypoxidaceae) amplified to include Hypoxis sect. Ianthe, Saniella and Spiloxene, with revised nomenclature and typification *Phytotaxa* 116, 1 : 190- 330.

- 4756 Widjaja, EA; et al. 2004. Widjaja, EA., et al. 2004. Miscellaneous Notes on mainly Southeast Asian Gramineae . *Reinwardtia* 12, 2 : 129- 2014.
- 4757 Bengtson, A; et al. 2017. Bengtson, A., et al. 2017. Phylogeny of the Athroismeae (Asteraceae), with a new circumscription of the tribe. *Taxon* 66, 2 : 408- 420.
- 4759 De Candolle, A.P. 1837. *Helichrysum* . :171 *Prodr. (DC.)* : 171- 0.
- 4760 Heads, M 2019. Heads, M. 2019. Biogeography and ecology in a pantropical family, the Meliaceae. *Gardens' Bulletin Singapore* 2019 :335- 461.
- 4761 Bruyns, PV; Klak, C; Hanacek, P 2020. Bruyns, P.V.; Klak, C.; Hanacek, P. 2020. A review of the *Euphorbia schinzii*-complex (Euphorbiaceae) in southern Africa . *Phytotaxa* 436, 3 : 201- 221.
- 4762 Behnke, H-D.; et al. 2013. Behnke, H-D, et al. 2013. A revision of African Velloziaceae based on leaf anatomy characters and rbcL nucleotide sequences. *Bot. J. Linn. Soc.* 172 :22- 94.
- 4763 Guo, X; et al. 2017. Guo, X., et al. 2017. Cutting up the climbers: Evidence for extensive polyphyly in *Friesodielsia* (Annonaceae) necessitates generic realignment across the tribe Uvarieae. *Taxon* 66, 1 : 3- 19.
- 4764 Khanum, R 0. Khanum, R. 2016. *Cynanchum* (Apocynaceae: Asclepiadoideae): A pantropical Asclepiadoid genus revisited. *Taxon* 65, 3 : 467- 486.
- 4766 Manns, U; Anderberg, AA 0. Manns, U.; Anderberg, A.A. 2009. New combinations and names in *Lysimachia* (Myrsinaceae) for species of *Anagallis*, *Pelletiera* and *Trientalis*. *Willdenowia* 39 :49- 54.
- 4767 Meerts, P; Bjora, CS 0. Meerts, P.; Bjora, C.S. 2012, Synopsis of the genus *Chlorophytum* (Asparagaceae) in Central Africa (Democratic Republic of the Congo, Rwanda, Burundi). *Plant Ecology and Evolution* 145, 3 : 373- 409.
- 4768 Peterson, PM; et al. 2012. Peterson, PM., et al. 2012. A molecular phylogeny and classification of *Leptochloa* (Poaceae: Chloridoideae: Chlorideae) sensu lato and related genera. *Annals of Bot.* 109 :1317- 1329.
- 4769 Yuan, Y-W; et al. 0. Yuan, Y-W., et al. 2010, Further disintegration and redefinition of *Clerodendrum* (Lamiaceae): Implications for the understanding of the evolution of an intriguing breeding strategy. *Taxon* 59, 1 : 125- 133.
- 4770 Larridon, I; et al. 2011. Larridon, I., et al. 2011. Taxonomic changes in *Cyperus* (Cyperaceae) supported by molecular data, morphology, embryography, ontogeny and anatomy. *Plant Ecology and Evolution* 144, 3 : 327- 356.
- 4771 Stangberg, F; Anderberg, AA 2014. Stangberg, F; Anderberg, A.A. 2014. Morphology and taxonomic reclassification of *Gorteria* (Asteraceae). *Willdenowia* 44 :97- 120.
- 4772 Swanepoel, W 2012. Swanepoel, W. 2012. *Euphorbia melanohydrata* subsp. *conica* (Euphorbiaceae), a new subspecies from Namibia, with notes on the identification of similar medusoid euphorbias. *Phytotaxa* 62 :33- 38.
- 4773 Swanepoel, W 2013. Swanepoel, W. 2013. *Euphorbia otjipembana* subsp. *okakoraensis* (Euphorbiaceae), a new subspecies from the Kaokoveld, Namibia, with an amplified description of *Euphorbia otjipembana*. *Phytotaxa* 117, 2 : 51- 57.
- 4774 Swanepoel, W 2019. Swanepoel, W 2019. *Euphorbia otavimontana* (Euphorbiaceae), a new species from Namibia. *Namibian Journal of Environment* 3, A : 11- 16.
- 4775 Swanepoel, W 2019. Swanepoel, W 2019. *Erythrococca kaokoensis* (Euphorbiaceae), a new species from Namibia and Angola. *Phytotaxa* 392, 1 : 54- 60.
- 4776 Kissling, J 2012. Kissling, J. 2012. Taxonomy of *Exochaenium* and *Lagenias*: Two Resurrected Genera of Tribe Exaceae (Gentianaceae). *Syst. Bot.* 37, 1 : 238- 253.
- 4777 Klak, C; Hanacek, P; Bruyns, PV 2017. Klak, C; Hanacek, P; Bruyns, P. 2017, Out of southern Africa: Origin, biogeography and age of the Aizooidae (Aizoaceae). *Molec. Phylogenet. Evol.* 109 :203- 216.

- 4778 Swelankomo, N; Manning, JC; Magee, AR 0. Swelankomo, N., Manning, J.C., Magee, A., 2016. The genus *Gymnanthemum* (Asteraceae: Vernonieae) in southern Africa. *S.African J. Bot.* 102 :81- 101.
- 4779 Piirainen, M; et al. 2017. Piirainen, M; et al. 2017. Phylogeny, biogeography, systematics and taxonomy of Salicornioideae (Amaranthaceae/Chenopodiaceae) û A cosmopolitan, highly specialized hygrohalophyte lineage dating back to the Oligocene. *Taxon* 66, 1 : 109- 132.
- 4780 Sukhorukov, AP; et al. 2019. Sukhorukov, AP; et al. 2019. Chorological and Taxonomic notes on African plants, 4 *Botany Letters.* : 1- 16.
- 4781 Sukhorukov, AP; et al. 2018. Sukhorukov, AP; et al. 2018. Chorological and Taxonomic notes on African plants, 3. *Botany Letters.* 165, 2 : 228- 240.
- 4782 Fuentes-Bazan, S; Uotila, P; Borsch, T 2012. Fuentes-Bazan, S.; Uotila, P.; Borsch, T 2012. A novel phylogeny-based generic classification for *Chenopodium sensu lato*, and a tribal rearrangement of Chenopodioideae (Chenopodiaceae) . *Willdenowia* 42 :0- 0.
- 4783 Swanepoel, D; Chase, MW; Christenhusz, MJM; Maurin, O; Forest, F; Van Wyk, AE 2020. Swanepoel, D.; Chase, M.W.; Christenhusz, M.J.M.; Maurin, O.; Forest, F.; Van Wyk, A.E. 2020. *Phytotaxa* 439, 3 : 171- 185.
- 4784 van Tiel, J; Lavranos, JJ 2011. van Tiel, J.; Lavranos, J.J. 2011. *Avonia harveyi*, a new species from central Namibia. *Cactus World* 29, 4 : 223- 225.