

Φωτογραφία	Περιγραφή	Τιμή Λιανική	Τιμή Internet
Quantum DSP-Serie / 4, 6 και 8 καναλιών ψηφιακοί ενισχυτές με 8 κανάλια HighEnd DSP			
<p>545854000356. 2500</p>  <p>QE80.4DSP</p>	<p>ESX QUANTUM 4-KANAL AMP 4 x 80 / 125 Watt RMS an 4 / 2 Ohm (CLASS D) 2 x 250 Watt RMS @ 4 Ohm bridged 6 x RCA Inputs, 4 xRCA Outputs (DSP configueable) Auto Turn On • separate High Level Inputs • WiFi-Input 3,5 mm AUX In • Optical Outputs (HD-Audio) 8-Channell DSP with full Features (like X-DSP) 32 bit / 192 kHz • 79% Efficiency DSP Software X-CONTROL with graphical Interface incl. LED DSP-Controller (max. 10 Settings) Διαστάσεις : 165x46x255 mm</p>	<p>EX 591,00 €</p>	<p>503,00 €</p>
<p>545854000427. 8900</p>  <p>QE80.6DSP</p>	<p>ESX QUANTUM 6-KANAL AMP 6 x 80 / 125 Watts RMS @ 4 / 2 Ohms (CLASS D) 3 x 250 Watts RMS @ 4 Ohms bridged 6 x RCA Inputs, 2 x RCAOutputs (DSP configurable) Auto Turn On • separate High Level Inputs • WiFi-Input 3,5 mm AUXIn • Optical In (HD-Audio) 8-Channell DSP with full Features (like X-DSP) 32 bit / 192 kHz • 79% Efficiency DSP Software X-CONTROL with graphical Interface incl. LED DSP-Controller (max. 10 Settings) Διαστάσεις:165x46x285 mm</p>	<p>EX 710,00 €</p>	<p>604,00 €</p>
<p>545854000495. 5600</p>  <p>QE80.8DSP</p>	<p>ESX QUANTUM 8-KANAL AMP 8 x 80 / 125 Watts RMS @ 4 / 2 Ohms (CLASS D) 4 x 250 Watts RMS @ 4 Ohms bridged 8 x Cinch Eingänge (DSP configurable) Auto Turn On • separate High Level Inputs • WiFi-Input 3,5 mm AUXIn • Optical In (HD-Audio) 8-Channell DSP with full Features (like X-DSP) 32 bit / 192 kHz • 78% Efficiency DSP Software X-CONTROL with graphical Interface incl. LED DSP-Controller (max. 10 Settings) Διαστάσεις : 165x46x285 mm</p>	<p>EX 823,00 €</p>	<p>699,00 €</p>
<p>545854000248. 7800</p>  <p>X-DSP</p>	<p>ESX Xenium Digital Sound Prozessor 8-Channel DSP Processor, 32 bit / 192 kHz, Auto-Turn-On, Highlevel Inputs, 6 RCA Inputs, 8 RCA Outputs, Optical Input, AUX Input 3,5 mm jack, USB port for programming, DSP Software M-CONTROL, 10 Settings storable on the device, Gain -40~+12dB, 31-Band EQ 20~20.000 Hz, 6~48 db/Oct. Crossovers HP/BP/LP, Time Delay 0~15 ms/0~510 cm, Phase Shift 0°/180°, Remote Controller with LED-Display Διαστάσεις : 120x40x216 mm</p>	<p>EX 413,00 €</p>	<p>351,00 €</p>
Quantum QM Mini Serie			
<p>54585400129. 0000</p>  <p>QM TWO</p>	<p>2-Channel Class D Mini Digital Amplifier 480 Watts Max. Output Power□ 2 x 80/120 Watts RMS @ 4/2 Ohms 1 x 240 Watts RMS @ 4 Ohm bridged HPF/LPF 50-250 Hz RCA Inputs, High Level Inputs Auto Turn-On Function Dimensions: 75 x 33 x 120 mm</p>	<p>EX 210,00 €</p>	<p>190,00 €</p>

Φωτογραφία	Περιγραφή	Τιμή Λιανική	Τιμή Internet
Xenium XE-Serie / Plug & Play Amplifiers 4 / 6 Channel up to 440 Watts RMS with 8 CH High End DSP			
<p>545854000260. 0000</p> <p>XE4240-DSP</p>	<p>ESX XENIUM 4-CH AMP 4 x 40 / 60 Watts RMS into 4 / 2 Ohms (CLASS D) ISO Plug and Play via vehicle specific adaptor cables 4 x Cinch Outputs (DSP configurable) 2 x Cinch AUX Input • Optical Input (HD-Audio) High-Level Inputs • Auto Turn On • WiFi-Input Remote IN/OUT 8CH DSP, full Features like X-DSP 32 bit / 192 kHz , DSP Software X-CONTROL with graphical User Interface incl. LED DSP-Controller (max. 10 Settings) 74% efficiency Διαστάσεις : 120x40x216 mm</p>	<p>EX 480,00 €</p>	<p>410,00 €</p>
<p>545854000325. 0000</p> <p>XE6440-DSP</p>	<p>ESX XENIUM 5/6-CH AMP 4x40/60 + 2x70/100 Watt RMS an 4 / 2 Ohm (CLASS D) 4x40/60 @ 4/2 Ohms+1x200Watts RMS @ 4 Ohms bridged ISO Plug and Play via vehicle specific adaptor cables 4 x Cinch Outputs (DSP configurable) 2 x Cinch AUX Input • Optical Input (HD-Audio) High-Level Inputs,Auto Turn On,WiFi-Input,Remote IN/OUT 8CH DSP, full Features like X-DSP • 32 bit / 192 kHz DSP Software X-CONTROL with graphical User Interface incl. LED DSP-Controller (max.10 Settings),74% efficiency Διαστάσεις : 120x40x216 mm</p>	<p>EX 500,00 €</p>	<p>425,00 €</p>
Remote Controller for DSP-Units			
<p>545854000040. 0000</p> <p>RC-QX</p>	<p>ESX LED Controller for DSP-Units variable Master- or Basslevel Gain 10 selectable DSP Settings Source Switch LCD Display</p>	<p>EX 79,00 €</p>	<p>69,00 €</p>
Installation / High To Low Level Converter			
<p>ISC4</p>	<p>ESX High-To-Low Level Converter 4-Channel (front & rear), plug & play installation, turn-on-signal (remote), level controllers with clipping LED, protection circuit , very low idle current, 5 Hz - 60 KHz (+/- 1 dB), 10-16V, Signal to Noise Ratio > 95dB, slew rate 9V/μS, channel sep. 80dB RCA outputs (unbalanced) 2,36Vrms, incl. velvet bag Διαστάσεις : 62x70x21mm</p>	<p>68,00 €</p>	<p>58,00 €</p>
<p>SUB D 300</p>	<p>Class D Amplifier Module for Enclosures 1 x 200 Watts RMS / 1 x 400 Watts MAX @ 4 Ohms 1 x 300 Watts RMS / 1 x 600 Watts MAX @ 2 Ohms LP 50-150 Hz @ 12/18dB Bass Boost 0-12dB @ 45 Hz Subsonicfilter 15 Hz fixed Phase Switch 0/180° Auto Turn-On via High Level Inputs Low Level Inputs Bass-Remote included Dimensions: 194 x 53 x 145 mm</p>	<p>New 150,00 €</p>	<p>128,00 €</p>

Φωτογραφία	Περιγραφή	Τιμή Λιανική	Τιμή Internet
SIGNUM SXE AMPLIFIERS			
 <p style="text-align: center; background-color: red; color: white; padding: 2px;">SXE 100.4</p>	4-Channel Class A/B Analog Amplifier 800 Watts Max. Output Power□ 4 x 130/200 Watts max. @ 4/2 Ohms 2 x 400 Watts max. bridged @ 4 Ohms 4 x 65/100 Watts RMS @ 4/2 Ohms 2 x 200 Watts RMS bridged @ 4 Ohms 2 x HPF 10-250 Hz, LPF 50-250 Hz,Bass-Boost 0-12 dB Bandpass Mode,High Level Inputs, Auto Turn-On Διαστάσεις: 220 x 53 x 328 mm	 179,00 €	152,00 €
 <p style="text-align: center; background-color: red; color: white; padding: 2px;">SXE 110.2</p>	2-Channel Class A/B Analog Amplifier 440 Watts Max. Output Power 2 x 140/220 Watts max. @ 4/2 Ohms 1 x 440 Watts max. bridged @ 4 Ohms 2 x 70/110 Watts RMS @ 4/2 Ohms 1 x 220 Watts RMS bridged @ 4 Ohms HPF 10-250 Hz, LPF 50-250 Hz,Bass-Boost 0-12 dB Bandpass Mode,High Level Inputs, Auto Turn-On Διαστάσεις: 220 x 53 x 248 mm	 144,00 €	122,00 €
Horizon-Serie / The New Value Priced Standard			
 <p style="text-align: center; background-color: red; color: white; padding: 2px;">HXE110.2</p>	2-Channel Class A/B Analog Amplifier 440 Watts Max. Output Power□ 2 x 140/220 Watts max. @ 4/2 Ohms 1 x 440 Watts max. bridged @ 4 Ohms 2 x 70/110 Watts RMS @ 4/2 Ohms 1 x 220 Watts RMS bridged @ 4 Ohms HPF 10-250 Hz, LPF 50-250 Hz,Bass-Boost 0-12 dB Bandpass Mode,RCA Inputs, RCA Outputs Διαστάσεις : 220 x 51 x 262 mm	125,00 €	106,00 €
 <p style="text-align: center; background-color: red; color: white; padding: 2px;">HXE100.4</p>	4-Channel Class A/B Analog Amplifier 800 Watts Max. Output Power□ 4 x 120/200 Watts max. @ 4/2 Ohms 2 x 400 Watts max. bridged @ 4 Ohms 4 x 60/100 Watts RMS @ 4/2 Ohms 2 x 200 Watts RMS bridged @ 4 Ohms 2 x HPF 10-250 Hz, LPF 50-250 Hz Bass-Boost 0-12 dB, Bandpass Mode,RCA Inputs Διαστάσεις : 220 x 51 x 342 mm	160,00 €	136,00 €
 <p style="text-align: center; background-color: red; color: white; padding: 2px;">HXE1200.1D</p>	Mono Class D Digital Amplifier 1200 Watts Max. OutputPower 1 x 600/900/1200 Watts max. @ 4/2/1 Ohms 1 x 300/450/600 Watts RMS @ 4/2/1 Ohms LPF 40-150 Hz, Subsonic 15-35 Hz Bass Boost 0-12 dB, Phase Shift 0-180° RCA Inputs, RCA Outputs, Bass Remote Controller Dimensions: 220 x 51 x 342 mm	242,00 €	206,00 €
 <p style="text-align: center; background-color: red; color: white; padding: 2px;">HXE2000.1D</p>	Mono Class D Digital Amplifier 2000 Watts Max. Output Power 1 x 800/1300/2000 Watts max. @ 4/2/1 Ohms 1 x 400/650/1000 Watts RMS @ 4/2/1 Ohms LPF 40-150 Hz, Subsonic 15-35 Hz Bass Boost 0-12 dB, Phase Shift 0-180° RCA Inputs, RCA Outputs, Bass Remote Controller Dimensions: 220 x 51 x 362 mm	320,00 €	272,00 €









Φωτογραφία	Περιγραφή	Τιμή Λιανική	Τιμή Internet
Quantum-Serie / Premium Ultra Compact Class D Amplifiers			
 <p>Q-TWO</p>	ESX QUANTUM 2-CHANNEL AMP Microamp with Fullrange Class D Technology 2 x 100 / 180 Watts RMS into 4 / 2 Ohms 2 x 200 / 360 Watts max. into 4 / 2 Ohms Lowpass 50-250 Hz, Highpass 50-250 Hz Auto-Turn-On Function, Highlevel Inputs Bass-Boost 0-12 d Διαστάσεις : 150 x 50 x 220 mm	250,00 €	212,00 €
 <p>Q-FOUR</p>	ESX QUANTUM 4-CHANNEL AMP Microamp with Fullrange Class D Technology 2 x 60 / 100 Watts RMS into 4 / 2 Ohms 2 x 120 / 200 Watts max. into 4 / 2 Ohms Auto-Turn-On Function, Highlevel Inputs Highpass 50-250 Hz, Lowpass 50-250 Hz Bass-Boost 0-12 dB Διαστάσεις: 150 x 50 x 220 mm	293,00 €	249,00 €
Xenium-Serie / Compact Amplifiers up to 750 Watts RMS			
 <p>X-FOUR</p>	Class A/B Analog Amplifier 4 x 75 W RMS @ 4 Ohm , 4 x 125 W RMS @ 2 Ohm 2 x HP 10-150 Hz , 2 x LP 30-150 Hz 2 x Bass-Boost 0-12 dB Διαστάσεις:200 x 51 x 260 mm	315,00 €	260,00 €
Signum-Serie / Top Class Amplifiers up to 800 Watts RMS			
 <p>SE 4120</p>	4 channel Class A/B Analog Amplifier 4 x 120/200 Watts RMS @ 4/2 Ohms 2 x Highpass Filter 10 Hz - 1.2 kHz , 2 x Lowpass Filter 30 Hz -150 Hz 2 x Bass-Boost 0 - 12 dB, Twin Sub Function Bandpass Mode, Bass-Remote Controller Διαστάσεις : 257 x 60 x 400/450 mm	367,00 €	310,00 €
 <p>SE 1600</p>	Class A/B Analog Bass Amplifier 1x300 Watts RMS @ 4 Ohms, 1 x 550 Watts RMS@2 Ohms 1 x 800 Watts RMS @ 1 Ohms Lowpass Filter 35 Hz -250 Hz Subsonic Filter 15 Hz - 55 Hz,Phase Shift 0 - 180° Extended Bass Control: Frequency Range Controller 20 - 80 Hz Q-Control Wide - Narrow , Sub Boost 0 - 18 Db Full Range Mode , Master/Slave Link-Mode , Bass-Remote Controller Διαστάσεις:257 x 60 x 380/430 mm	300,00 €	250,00 €
Signum-Serie / Top Class Amplifiers up to 800 Watts RMS			
545854000228 8700  <p>SE-2000D</p>	ESX SIGNUM DIGITAL MONOBLOCK 1 x 500 / 750 / 1000 Watts RMS into 4 / 2 / 1 Ohms Subsonic 15-55 Hz, Lowpass 35-250 Hz, Extended Bass Control, Master/Slave Mode, Phase-Shift 0-180°, Bass-Remote, Balanced Inputs	EX 380,00 €	323,00 €

Φωτογραφία	Περιγραφή	Τιμή Λιανική	Τιμή Internet
Signum-Serie / Top Class Amplifiers up to 800 Watts RMS			
545854000278. 6300  SE-3500D	ESX SIGNUM DIGITAL MONOBLOCK 1 x 600 / 1000 / 1750 Watts RMS into 4 / 2 / 1 Ohm(s) Subsonic 15-55 Hz, Lowpass 35-250 Hz, Extended Bass Control, Master/Slave Mode, Phase-Shift 0-180°, Balanced Inputs, incl. Bass-Remote Διαστάσεις : 257x60x380/430 mm	EX 463,00 €	393,00 €
545854000571. 1900  SE-7000D	ESX SIGNUM DIGITAL MONOBLOCK 1 x 1250 / 2200 / 3500 Watts RMS into 4 / 2 / 1 Ohm(s) Subsonic 15-55 Hz, Lowpass 35-250 Hz Extended Bass Control, Master/Slave Mode Phase-Shift 0-180°, Balanced Inputs, incl. Bass-Remote Διαστάσεις : 257x60x550/600 mm	EX 948,00 €	806,00 €
Quantum-Serie / Active Subwoofer with integrated amplifier			
 Q-202A	ESX Active-Subwoofer 8" (20 cm) Active-Powered Subbox 100/200 Watts Lowpass 50-150 Hz, Subsonic 20 Hz Phase-Switch 0°/180°, Bass-Boost 0-18db @ 45 Hz RCA Inputs, Auto Turn-On via High Level Inputs including illuminated LED Bass Remot Διαστάσεις : 245x75x345 mm	297,00 €	252,00 €
 Q-300A	ESX Active Subwoofer System Power Handling 150 Watts RMS, 300 Watts MAX 15x23 cm Subwoofer in 16 L Spare Wheel Enclosure Lowpass 50-150 Hz, Subsonicfilter @ 25 Hz fix, Phase Shift 0/180°, Cinch and High Level Inputs, Auto-Turn-On Function, incl. Bass Remote Ø 50 cm x Höhe 15 cm	320,00 €	272,00 €
 V 800.A	20 cm (8") Active Subwoofer with opposite passive 20 cm (8") Subwoofer Integrated Class D Amplifier 1 x 200/400 Watts RMS/max. LP 50-150 Hz @ 12/18 Db, Bass Boost 0-12dB @ 45 Hz Subsonicfilter 15 Hz fixed, Phase Switch 0/180° Auto Turn-On via High Level Inputs High or Low Level Inputs, Bass-Remote included Διαστάσεις: 235 x 275 x 350/240 mm	 299,00 €	255,00 €
 Q 201 A	20 cm (8") Active Subwoofer System Integrated Class A/B amplifier 1 x 100 Watts RMS, 1 x 200 Watts MAX LP Crossover 50-150 Hz Bass Boost 0-12dB @ 45 Hz Subsonicfilter 20 Hz fixed Phase Switch 0/180°, RCA Inputs Auto Turn-On, High Level Inputs Bass Remote Controller Dimensions: 210 x 73 x 290 mm	 230,00 €	195,00 €








Φωτογραφία	Περιγραφή	Τιμή Λιανική	Τιμή Internet
Vision-Serie / Car Fit Speaker Systems for BMW Vehicles			
54585400089. 5600  <p style="text-align: center;">VS-100X BMW</p>	10 cm (4") 2-Way Coaxial Speakers (Pair) Power Rating 60/120 Watts RMS/max. Frequency Range 75 - 22000 Hz 2 x 102 mm Polypropylene Cone Speaker (4 Ohm) with 20 mm Silk Dome Neodymium Tweeter Installation Depth: 41 mm, Installation Opening: 92 mm Fits into: 1er (E81/82/87/88, F20/21), 2er (F22), 3er (E90/91/92/93, F30/31/34/35) 4er (F32/33), 5er (E60/61, F10/11), 6er (F06/12/13) 7er (F01/02/03/04) Z4er (E89), X1er (E84), X3er (E83, F25), X5er (E70), X6er (E71)	EX 149,00 €	126,00 €
54585400117. 4200  <p style="text-align: center;">VS-100C BMW</p>	10 cm (4") 2-Way Component System Power Handling 2x 60/120 Watts, Impedance 4 Ohms 10 cm 2-Way System, consisting of: 25 mm Silk Neodymium-Tweeter, 102 mm Polycone Midrange, 2-Way Crossover incl. Cables Mids: Mounting Depth 41 mm, Mounting Diameter 92 mm Fits into: 1er (E81/82/87/88, F20/21), 2er (F22) 3er (E90/91/92/93, F30/31/34/35) 4er (F32/33), 5er (E60/61, F10/11) 6er (F06/12/13), 7er (F01/02/03/04) Z4er (E89), X1er (E84), X3er (E83, F25), X5er (E70), X6er (E71)	EX 195,00 €	166,00 €
54585400047. 7600  <p style="text-align: center;">VS-165W BMW</p>	ESX VISION Woofer 16,5 cm Power Handling 80/160 Watts, Impedance 4 Ohms, 160 mm Polycone Bass Mounting Depth 58 mm, Mounting Diameter 140 mm Fits into: 3er E46 (except Compact, restrictions with Cabrio)	EX 79,00 €	67,00 €
54585400083. 5900  <p style="text-align: center;">VS 165 C</p>	16,5 cm (6.5") 2-Way Component System Power Handling 90/140 Watts, Impedance 4 Ohms 16,5 cm 2-Way System consisting of: 25 mm Silk Neodymium-Tweeter, 160 mm Polycone Bass, 12 dB Crossover incl. Cables Mounting Depth 58 mm, Mounting Diameter 140 mm Fits into: 3er E46 (except Compact, restrictions on Cabrio)	EX 139,00 €	118,00 €
54585400149. 2700  <p style="text-align: center;">VS-200W BMW</p>	20 cm (8") Bass Speakers (Pair) Power Handling 100/200 Watts, Impedance 3 Ohm 217 mm Polycone Bass with Neodymium Magnet Mounting Depth 44 mm, Mounting Diameter 204 mm Fits into: 1er (E81/82/87/88, F20/21), 2er (F22) 3er (E90/91/92/93, F30/31/34/35) 4er (F32/33), 5er (E60/61, F10/11) 6er (F06/12/13), 7er (F01/02/03/04) Z4er (E89), X1er (E84), X3er (E83, F25), X5er (E70), X6er (E71)	EX 248,00 €	211,00 €

Φωτογραφία	Περιγραφή	Τιμή Λιανική	Τιμή Internet
Vision-Serie / Car Fit Speaker Systems for BMW Vehicles			
54585400196. 0000  <div style="background-color: red; color: white; padding: 2px; text-align: center; font-weight: bold; margin-top: 10px;">VS 200 WX</div>	20 cm (8") Bass Speakers (Pair) Power Rating 180/300 Watts RMS/max. Frequency Range 30 - 300 Hz 2 x 217 mm Fiber Glass Cone Woofer (2 Ohm), Neodymium Driver 50 mm (2") Voice Coils, Nomex Spider and Car-specific Terminals Installation Depth: 31 mm, Installation Opening: 192 mm Fits into: 1er (E81/82/87/88, F20/21), 2er (F22) 3er (E90/91/92/93, F30/31/34/35) 4er (F32/33), 5er (E60/61, F10/11) 6er (F06/12/13), 7er (F01/02/03/04) Z4er (E89), X1er (E84), X3er (E83, F25), X5er (E70), X6er (E71)	EX 310,00 €	265,00 €
545854000248. 7800  <div style="background-color: red; color: white; padding: 2px; text-align: center; font-weight: bold; margin-top: 10px;">VS-200C BMW</div>	Semi-active 3-Way Component System Power Rating 60/120 Watts RMS/max. + 100/200 Watts RMS/max. Frequency Range 30 - 22000 Hz 2 x 217 mm Polypropylene Cone Woofer (3 Ohms) 2 x 102 mm Polypropylene Cone Speakers(4 Ohms) 2 x 25 mm Silk Dome Neodymium Tweeter (4 Ohm) 2 x Crossover with 3-fold Tweeter Level Adjustment <b style="color: red;">Additionally required: <b style="color: red;">1 x 4-Channel-Amplifier or 2 x 2-Channel-Amplifier Fits into: 1er (E81/82/87/88, F20/21), 2er (F22) 3er (E90/91/92/93, F30/31/34/35) 4er (F32/33), 5er (E60/61, F10/11) 6er (F06/12/13), 7er (F01/02/03/04) Z4er (E89), X1er (E84), X3er (E83, F25), X5er (E70), X6er (E71)	EX 413,00 €	351,00 €
54585400100. 6500  <div style="background-color: red; color: white; padding: 2px; text-align: center; font-weight: bold; margin-top: 10px;">DCS 165</div>	16,5 cm (6.5") 2-Way Component System 90 Watt/RMS, 180 Watt/MAX, Impedance 3 Ohm Frequency Range 56 - 22000 Hz 166 mm Polypropylene Cone Bass Speakers 25 mm Silk Dome Tweeters 12dB In-Line Crossovers Compatibility: Fiat Ducato III (Type 250, since 2006), Ducato IV (Type 290, since 2015) Citroën Jumper II (Type 250, since 2006), Jumper III (Type 290, since 2015) Peugeot Boxer II (Type 250, since 2006), Boxer III (Type 290, since 2015)	EX 165,00 €	140,00 €

Φωτογραφία	Περιγραφή	Τιμή Λιανική	Τιμή Internet
HORIZON HZ LOUDSPEAKERS			
 <p>HZ 32</p>	8,7 cm (3.5") 2-Way Coaxial Speakers (Pair) Power Rating 45/90 Watts RMS/max. Impedance 3 Ohm Frequency Range 90 - 22000 Hz Polypropylene Cones , 20 mm Silk Dome Tweeters Installation Depth 42 mm Installation Opening 80 mm	39,00 €	33,00 €
 <p>HZ 42</p>	10 cm (4") 2-Way Coaxial Speakers (Pair) Power Rating 50/100 Watts RMS/max. 4 Ohm Polypropylene Cones , 20 mm Silk Dome Tweeters Installation Depth 51 mm , Installation Opening 95 mm	69,00 €	59,00 €
 <p>HZ 52</p>	13 cm (5.25") 2-Way Coaxial Speakers (Pair) Power Rating 75/150 Watts RMS/max. 4 Ohm Polypropylene Cones , 20 mm Silk Dome Tweeters Installation Depth 55 mm , Installation Opening 115 mm	79,00 €	68,00 €
 <p>HZ 62</p>	16,5 cm (6.5") 2-Way Coaxial Speakers (Pair) Power Rating 90/180 Watts RMS/max. 3 Ohm Polypropylene Cones ,20 mm Silk Dome Tweeters Installation Depth 61 mm, Installation Opening 142 mm	89,00 €	76,00 €
 <p>HZ 462</p>	10 x 15 cm (4 x 6") 2-Way Coaxial Speakers (Pair) Power Rating 70/140 Watts RMS/max. Impedance 3 Ohm Frequency Range 67 - 22000 Hz Polypropylene Cones,20 mm Silk Dome Tweeters Installation Depth 49 mm Installation Opening 89 x 144 mm	59,00 €	51,00 €
 <p>HZ 572</p>	13 x 18 cm (5 x 7") 2-Way Coaxial Speakers (Pair) Power Rating 90/180 Watts RMS/max. Impedance 3 Ohm Frequency Range 58 - 22000 Hz Polypropylene Cones,20 mm Silk Dome Tweeters Installation Depth 60 mm Installation Opening 129 x 182 mm	69,00 €	59,00 €
 <p>HZ 693</p>	16 x 23 cm (6x9er) 3-Way Triaxial Speakers (Pair) Power Rating 125/250 Watts RMS/max. Impedance 3 Ohm Frequency Range 46 - 22000 Hz Polypropylene Cones 25 mm Silk Dome Mid Tweeters, 20 mm Silk Dome Tweeters	110,00 €	94,00 €

Φωτογραφία	Περιγραφή	Τιμή Λιανική	Τιμή Internet
 <p>HZ 5.2C</p>	13 cm (5.25") 2-Way Component System Power Rating 80/160 Watts RMS/max., Impedance 3 Ohm Frequency Range 62 - 22000 Hz Polypropylene Cones , 20 mm Silk Dome Tweeters 12 dB In-Line Crossovers with Tweeter Protection/Level Adjustment Installation Depth 58 mm Installation Opening 115 mm	105,00 €	89,00 €
 <p>HZ 6.2C</p>	ESX HORIZON 16,5 cm (6.5") 2-Way Component System Power Rating 100/200 Watts RMS/max. Impedance 3 Ohm Frequency Range 55 - 22000 Hz Polypropylene Cones , 20 mm Silk Dome Tweeters 12 dB In-Line Crossovers with Tweeter Protection/Level Adjustment 20 mm Silk Dome Tweeters , Protection Grilles Installation Depth 61 mm , Installation Opening 142 mm	110,00 €	94,00 €
 <p>HZ 6.2W</p>	16,5 cm (6.5") Kickbass Speakers (Pair) Power Rating 100/200 Watts RMS/max. Impedance 3 Ohm , Frequency Range 55 - 3000 Hz Polypropylene Cones Installation Depth 61 mm Installation Opening 142 mm	90,00 €	77,00 €
Signum-Serie / Slim-Line Component Systems - Shallow Mount			
 <p>SL-42</p>	ESX SIGNUM COAX 10 cm Power Handling 60/120 Watts, Impedance 4 Ohm ultra-slim due to inward Magnets 13 mm Mylar Neodymium-Tweeter-Dome mounting Depth 36 mm, mounting Diameter 96 mm	66,00 €	56,00 €
 <p>SL-52</p>	ESX SIGNUM COAX 13 cm Power Handling 80/160 Watts, Impedance 4 Ohm ultra-slim due to inward Magnets 13 mm Mylar Neodymium-Tweeter-Dome mounting Depth 43 mm, mounting Diameter 118 mm	78,00 €	66,00 €
 <p>SL-62</p>	ESX SIGNUM COAX 16,5 cm Power Handling 90/180 Watts, Impedance 4 Ohm ultra-slim due to inward Magnets 13 mm Mylar Neodymium-Tweeter-Dome mounting Depth 45 mm, mounting Diameter 144 mm	90,00 €	76,00 €
 <p>SL-5.2C</p>	ESX SIGNUM 2-Way System Power Handling 90/180 Watts, Impedance 4 Ohm ultra-slim due to inward Magnets 25 mm Silk Dome Neodymium-Tweeter-Dome mounting Depth 43 mm, mounting Diameter 118 mm	156,00 €	133,00 €
 <p>SL-6.2C</p>	ESX SIGNUM 2-Way System Power Handling 100/200 Watts, Impedance 4 Ohm ultra-slim due to inward Magnets 25 mm Silk Dome Neodymium-Tweeter-Dome mounting Depth 45 mm, mounting Diameter 144 mm	164,00 €	139,00 €

Φωτογραφία	Περιγραφή	Τιμή Λιανική	Τιμή Internet
Quantum-Serie / Coaxial und Triaxial Speakers			
 QE-32	ESX QUANTUM SERIES COAX 8,7 cm Power Handling 50/100 Watts, Impedance 4 Ohm 13 mm Mylar Neodymium-Tweeter chrome-plated T-Yokes, PP-Cone Alu-Look mounting Depth 41mm, mounting Diameter 80 mm	53,00 €	45,00 €
 QE-42	ESX QUANTUM SERIES COAX 10 cm Power Handling 60/120 Watts, Impedance 4 Ohm 20 mm Silk-Dome-Neodymium-Tweeter chrome-plated T-Yokes, Quantum Grille Set mounting Depth 53 mm, mounting Diameter 95 mm	82,00 €	70,00 €
 QE-52	ESX QUANTUM SERIES COAX 13 cm Power Handling 80/160 Watts, Impedance 4 Ohm 25 mm Silk-Dome-Neodymium-Tweeter chrome-plated T-Yokes, Quantum Grille Set mounting Depth 63 mm, mounting Diameter 118 mm	105,00 €	90,00 €
 QE-62	ESX QUANTUM SERIES COAX 16,5 cm Power Handling 100/200 Watts, Impedance 4 Ohm 25 mm Silk-Dome-Neodymium-Tweeter chrome-plated T-Yokes, Quantum Grille Set mounting Depth 63 mm, mounting Diameter 144 mm	117,00 €	100,00 €
 QE-120	ESX QUANTUM SERIES COAX 12 cm Power Handling 80/160 Watts, Impedance 4 Ohm 13 mm Mylar Neodymium-Tweeter chrome-plated T-Yokes, PP-Cone in Alu-Look mounting Depth 48 mm, mounting Diameter 110 mm	63,00 €	54,00 €
 QE-462	ESX QUANTUM SERIES COAX 4x6" Power Handling 70/140 Watts, Impedance 4 Ohm 13 mm Mylar Neodymium-Tweeter chrome-plated T-Yokes, PP-Cone Alu-Look mounting Depth 52 mm, mounting Diameter 89x144 mm	63,00 €	54,00 €
 QE-682	ESX QUANTUM SERIES COAX 6x8" Power Handling 90/180 Watts, Impedance 4 Ohm 13 mm Mylar Neodymium-Tweeter chrome-plated T-Yokes, PP-Cone in Alu-Look mounting Depth 58 mm, mounting Diameter 130x189 mm	75,00 €	64,00 €

Φωτογραφία	Περιγραφή	Τιμή Λιανική	Τιμή Internet
Quantum-Serie / Topclass Compo-Systems with PP-Cone			
 QE-5.2C	ESX QUANTUM 2-Way System Power Handling 100/200 Watts, Impedance 4 Ohm 25 mm Silk-Neodymium-Tweeter-Dome chrome-plated T-Yokes, Quantum Grille Set mounting Depth 59 mm, mounting Diameter 118 mm	199,00 €	169,00 €
 QE-6.2C	ESX QUANTUM 2-Way System Power Handling 125/250 Watts, Impedance 4 Ohm 25 mm Silk-Neodymium-Tweeter-Dome chrome-plated T-Yokes, Quantum Grille Set mounting Depth 61 mm, mounting Diameter 144 mm	215,00 €	182,00 €
 QE-6.2W	ESX QUANTUM WOOFER 16,5 cm Power Handling 125/250 Watts, Impedance 4 Ohm chrome-plated T-Yokes, Quantum Grille Set mounting Depth 61 mm, mounting Diameter 144 mm	94,00 €	80,00 €
Quantum-Serie / Top Class Tweeter Kits with Inline-Crossovers			
 QE-6.2T	ESX QUANTUM 25 mm Tweeter Power Handling 125/250 Watts via X-Over, 25 mm Silk Dome-Tweeter in Alu-Enclosure, Impedance 4 Ohm, incl. 12 dB Inline X-Over	101,00 €	86,00 €
 SQ-6.2T	ESX SIGNUM 25 mm Tweeter Power Handling 125/250 Watts via X-Over, 25 mm Silk Dome-Neodymium-Tweeter, Impedance 4 Ohm, incl. different housings and 12 dB Inline X-Over	59,00 €	50,00 €
 QX-6.2BT	ESX QUANTUM 25 mm Tweeter Power Handling 125/250 Watts via X-Over, 25 mm Silk Dome-Tweeter with Aluminium-Housing, Impedance 4 Ohm, incl. 12 dB Inline X-Over	117,00 €	100,00 €
 QX-6.2AT	ESX QUANTUM 25 mm Tweeter Power Handling 125/250 Watts via X-Over, 25 mm Silk Dome-Tweeter with Aluminium-Housing , Impedance 4 Ohm, incl. 12 dB Inline X-Over	117,00 €	100,00 €

Φωτογραφία	Περιγραφή	Τιμή Λιανική	Τιμή Internet
QUANTUM QXE COAXIAL SPEAKERS			
 <p>QXE 42</p>	10 cm (4") 2-Way Coaxial Speakers (Pair) Power Rating 60/120 Watts RMS/max. Impedance 4 Ohm, Frequency Range 73 - 22000 Hz 25 mm Voice Coils, 7,7 oz. (0,21 kg) Magnet Drivers 13 mm Neodymium-Tweeters Protection Grilles Installation Depth 49 mm Installation Opening: 94 mm	 78,00 €	67,00 €
 <p>QXE 52</p>	13 cm (5.25") 2-Way Coaxial Speakers (Pair) Power Rating 80/160 Watts RMS/max. Impedance 4 Ohm, Frequency Range 62 - 22000 Hz 25 mm Voice Coils, 12,96 oz. (0,36 kg) Magnet Drivers 20 mm Silk-Dome-Tweeters Protection Grilles Installation Depth: 54 mm, Installation Opening: 115 mm	 99,00 €	85,00 €
 <p>QXE 62</p>	16,5 cm (6.5") 2-Way Coaxial Speakers (Pair) Power Rating 100/200 Watt RMS/max. Impedance 4 Ohms, Frequency Range 55 - 22000 Hz 30 mm Voice Coils, 16,6 oz. (0,47 kg) Magnet Drivers 20 mm Silk-Dome-Tweeters Protection Grilles Installation Depth: 63 mm , Installation Opening: 144 mm	 115,00 €	98,00 €
QUANTUM QXE COMPONENT SYSTEMS			
 <p>QXE 5.2C</p>	13 cm (5.25") 2-Way Component System Power Rating 90/180 Watt RMS/max. Impedance 4 Ohms, Frequency Range 62 - 22000 Hz 25 mm Voice Coils, 12,9 oz. (0,36 kg) Magnet Drivers 25 mm Silk-Dome-Tweeters Separate Crossovers for Tweeter and Bass incl. -6/-3db attenuation for treble, Protection Grilles Installation Depth: 54 mm, Installation Opening: 115 mm	 189,00 €	161,00 €
 <p>QXE 6.2C</p>	16,5 cm (6.5") 2-Way Component System Power Rating 125/250 Watts RMS/max., Impedance 4 Ohms Frequency Range 55 - 22000 Hz, 30 mm Voice Coils 16,6 oz. (0,47 kg) Magnet Drivers, 25 mm Silk-Dome-Tweeters Separate Crossovers for Tweeter and Bass incl. -6/-3db attenuation for treble, Protection Grilles Installation Depth: 63 mm, Installation Opening: 144 mm	 205,00 €	175,00 €
 <p>QXE 6.2W</p>	16,5 cm (6.5") Kickbass Speakers (Pair) Power Rating 125/250 Watt RMS/max., Impedance 4 Ohms Frequency Range 55 - 5000 Hz, 30 mm Voice Coils 16,6 oz. (0,47 kg) Magnet Drivers, Protection Grilles Installation Depth: 63 mm, Installation Opening: 144 mm	 99,00 €	84,00 €

Φωτογραφία	Περιγραφή	Τιμή Λιανική	Τιμή Internet
VISION VE COAXIAL SPEAKERS			
 <p style="text-align: center;">VE-42</p>	ESX QUANTUM SERIES COAX 16,5 cm Power Handling 100/200 Watts, Impedance 4 Ohm 25 mm Silk-Dome-Neodymium-Tweeter mounting Depth 64 mm, mounting Diameter 143 mm	98,00 €	83,00 €
 <p style="text-align: center;">VE-52</p>	ESX QUANTUM SERIES COAX 13 cm Power Handling 80/160 Watts, Impedance 4 Ohm 25 mm Silk-Dome-Neodymium-Tweeter mounting Depth 60 mm, mounting Diameter 117 mm	121,00 €	103,00 €
 <p style="text-align: center;">VE-62</p>	16,5 cm (6.5") 2-Way Coaxial Speakers (Pair) Power Rating 100/200 Watts RMS/max. Impedance 4 Ohm, Frequency Range 53 - 24000 Hz Warp-resistant Kevlar Cones Swiveling 25 mm Silk Dome Tweeters, Protection Grilles Installation Depth 64 mm, Installation Opening: 143 mm	144,00 €	123,00 €
 <p style="text-align: center;">VE-5.2C</p>	ESX VISION 2-Way System Power Handling 100/200 Watts, Impedance 4 Ohm Kevlar-Cone, 25 mm Silk Dome-Tweeter with connected housing mounting Diameter 117 mm, mounting Depth 62 mm	367,00 €	312,00 €
 <p style="text-align: center;">VE-6.2C MKII</p>	ESX VISION 2-Way System Power Handling 100/200 Watts, Impedance 4 Ohm Kevlar-Cone, 25 mm Silk Dome-Tweeter with connected housing mounting Diameter 117 mm, mounting Depth 62 mm	386,00 €	328,00 €
 <p style="text-align: center;">VE-6.2W MKII</p>	ESX VISION 2-Way System Power Handling 125/250 Watts, Impedance 4 Ohm Steel basket with solid Kevlar-Cone mounting Diameter 143 mm, mounting Depth 66 mm	156,00 €	133,00 €
 <p style="text-align: center;">VE-6.2T MKII</p>	ESX VISION Tweeter Set Power Handling 125/250 Watts via X-Over, 25 mm Silk Dome-Tweeter in Alu-Enclosure with connected Volume, Impedance 4 Ohm mounting Diameter 46 mm, mounting Depth 24 mm	137,00 €	116,00 €








Φωτογραφία	Περιγραφή	Τιμή Λιανική	Τιμή Internet
SIGNUM SX SUBWOOFERS			
 SX-840	ESX SIGNUM WOOFER Power Handling 300/600 Watts, Impedance 4 Ohm 50 mm / 2" Voice Coil, Alu-Diecast Basket fs 35 Hz, Qts 0,38, VAS 25 L, 87 dB mounting Depth 114 mm, mounting Diameter 189 mm	105,00 €	90,00 €
 SX-1040	ESX SIGNUM WOOFER Power Handling 400/800 Watts, Impedance 4 Ohm 50 mm / 2" Voice Coil, Alu-Diecast Basket fs 29 Hz, Qts 0,32, VAS 47 L, 87 dB mounting Depth 127 mm, mounting Diameter 236 mm	140,00 €	119,00 €
 SX-1240	ESX SIGNUM WOOFER Power Handling 500/1000 Watts, Impedance 4 Ohm 50 mm / 2" Voice Coil, Alu-Diecast Basket fs 28 Hz, Qts 0,35, VAS 81 L, 89 dB mounting Depth 140 mm, mounting Diameter 282 mm	160,00 €	136,00 €
Quantum QE -Serie /Compact subwoofers			
 QE 622	ESX QUANTUM 6,5" 16,5cm SUBWOOFER Power Rating 250/500 Watts RMS/max. Impedance 2 + 2 Ohms 50 mm Dual Voice Coil 80 oz (2,25 kg) Dual Magnet Driver Installation Depth 117 mm Installation Opening: 150 mm	130,00 €	110,00 €
 QE 822	ESX QUANTUM 8" 20cm SUBWOOFER Power Rating 400/800 Watts RMS/max. Impedance 2 + 2 Ohms 64 mm Dual Voice Coil 126 oz (3,6 kg) Dual Magnet Driver Installation Depth 138 mm Installation Opening: 163 mm	170,00 €	145,00 €
 QE 1022	25 cm (10") Compact Subwoofer Power Rating 600/1200 Watts RMS/max. Impedance 2 + 2 Ohms 64 mm Dual Voice Coil 126 oz (3,6 kg) Dual Magnet Driver Installation Depth 155 mm Installation Opening: 234 mm	220,00 €	187,00 €

Φωτογραφία	Περιγραφή	Τιμή Λιανική	Τιμή Internet
QUANTUM QE SUBWOOFERS			
 QE-1222	545854000143. ESX QUANTUM WOOFER 2900 Power Handling 800/1600 Watts, Impedance 2+2 Ohm 76 mm / 3" Voice Coil, Alu Diecast-Basket Nonpressed Paper-Cone, Doublemagnet 140 oz. fs 33 Hz, Qts 0,38, VAS 59 L, 89 dB mounting Depth 160 mm, mounting Diameter 288 mm	EX 238,00 €	202,00 €
 QE-1224	545854000143. ESX QUANTUM WOOFER 2900 Power Handling 800/1600 Watts, Impedance 4+4 Ohm 76 mm / 3" Voice Coil, Alu Diecast-Basket Nonpressed Paper-Cone, Doublemagnet 140 oz. fs 37 Hz, Qts 0,44, VAS 54 L, 89 dB mounting Depth 160 mm, mounting Diameter 288 mm	EX 238,00 €	202,00 €
 QE-1522	5854000169.1 ESX QUANTUM WOOFER 0 Power Handling 1000/2000 Watts, Impedance 2+2 Ohm 76 mm / 3" Voice Coil, Alu Diecast-Basket Nonpressed Paper-Cone, Doublemagnet 140 oz. fs 33 Hz, Qts 0,44, VAS 109 L, 91 dB mounting Depth 182 mm, mounting Diameter 354 mm	EX 281,00 €	239,00 €
 QE-1524	545854000169.1 ESX QUANTUM WOOFER 700 Power Handling 1000/2000 Watts, Impedance 4+4 Ohm 76 mm / 3" Voice Coil, Alu Diecast-Basket Nonpressed Paper-Cone, Doublemagnet 140 oz. fs 36 Hz, Qts 0,0,49, VAS 101 L, 91 dB mounting Depth 182 mm, mounting Diameter 354 mm	EX 281,00 €	239,00 €
VISION VE SPL SUBWOOFERS			
 VE-1222	545854000278. ESX VISION WOOFER 6300 Power 3000/6000 Watts, Impedance 2+2 Ohms 76 mm / 3,0" Voice Coil, Diecast-Basket Nonpressed Paper-Cone, Tripel-Magnet 300 oz. Fs 36 Hz, Qts 0,32, VAS 29 L, 88 dB Mount. Depth 224 mm, Mount. Diameter 284 mm	EX 463,00 €	393,00 €
 VE-1522	545854000322. ESX VISION WOOFER 4100 Power 4.000/8.000 Watts, Impedance 2+2 Ohms 76 mm / 3,0" Voice Coil, Diecast-Basket Nonpressed Paper-Cone, Tripel-Magnet 300 oz. Fs 35 Hz, Qts 0,40, VAS 64 L, 90 dB Mount. Depth 260 mm, Mount. Diameter 358 mm	EX 535,00 €	455,00 €








Φωτογραφία	Περιγραφή	Τιμή Λιανική	Τιμή Internet
VISION VE BASSREFLEX SYSTEMS			
 VE-200	545854000135.3300 ESX Vented-Enclosure-Sub Power Handling 300/600 Watts, Impedance 4 Ohm Single Vented Box with logo embroidery Bass Reflex Port monred sideways Acrylic frontpanel with white illumination 8" aluminum basket subwoofer with 50 mm vc 35x29x30/23 cm	EX 225,00 €	191,00 €
 VE-250	545854000179.1200 ESX Vented-Enclosure-Sub Power Handling 400/800 Watts, Impedance 4 Ohm Single Vented Box with logo embroidery Bass Reflex Port monred sideways Acrylic frontpanel with white illumination 10" aluminum basket subwoofer with 50 mm vc 44x35x36/29 cm	EX 297,00 €	253,00 €
 VE-300	545854000216.9300 ESX Vented-Enclosure-Sub Power Handling 500/1000 Watts, Impedance 4 Ohm Single Vented Box with logo embroidery Bass Reflex Port monred sideways Acrylic frontpanel with white illumination 12" aluminum basket subwoofer with 50 mm vc 49x39x37/29 cm	EX 360,00 €	306,00 €
QUANTUM QSB BASSREFLEX SYSTEMS			
 QSB 6	16,5 cm (6.5") Bassreflex System Power Rating 250/500 Watts RMS/max. Impedance 2 + 2 Ohm 50 mm Dual Voice Coil Compact Enclosure with Logo Embroidery With Protection Grille and optional Standing Feet Dimensions: 38 x 28 x 16 cm	 210,00 €	179,00 €
 QSB 8	20 cm (8") Bassreflex System Power Rating 400/800 Watts RMS/max. Impedance 2 + 2 Ohms 64 mm Dual Voice Coil Compact Enclosure with Logo Embroidery With Protection Grille and optional Standing Feet Dimensions: 46 x 33 x 18 cm	 259,00 €	220,00 €
 QSB 10	25 cm (10") Bassreflex System Power Rating 600/1200 Watts RMS/max. Impedance 2 + 2 Ohm 64 mm Dual Voice Coil Compact Enclosure with Logo Embroidery With Protection Grille Dimensions: 50 x 34 x 33/25 cm	 299,00 €	254,00 €

Φωτογραφία	Περιγραφή	Τιμή Λιανική	Τιμή Internet
AMPLIFIER INSTALLATION SETS			
 SX10WK	1 x 10 mm ² Power Cable (red), 5 m 1 x 10 mm ² Ground Cable (gray), 1 m 1 x RCA Twisted Stereo Audio Cable (gray), double shielded 1 x 0,5 mm ² Remote Cable, 5 m 1 x Mini-ANL Fuse Holder with 60 A Mini-ANL Fuse	34,00 €	29,00 €
 SX25WK	25 mm ² Amplifier Installation Set 1 x 25 mm ² Power Cable (red), 5 m 1 x 25 mm ² Ground Cable (gray), 1 m 1 x RCA Twisted Stereo Audio Cable (gray), double shielded 1 x 0,5 mm ² Remote Cable, 5 m 1 x Mini-ANL Fuse Holder with 100 A Mini-ANL Fuse	55,00 €	46,00 €
 SX35WK	35 mm ² Amplifier Installation Set 1 x 35 mm ² Power Cable (red), 5 m 1 x 35 mm ² Ground Cable (gray), 1 m 1 x RCA Twisted Stereo Audio Cable (gray), double shielded 1 x 0,5 mm ² Remote Cable, 5 m 1 x ANL Fuse Holder with 150 A ANL Fuse	70,00 €	60,00 €
 HZ 10 WK	10 mm ² Amplifier Installation Set 1 x 10 mm ² Power Cable (red), 5 m 1 x 10 mm ² Ground Cable (silvery), 0,8 m 1 x RCA Twisted Stereo Audio Cable (black), double shielded 1 x 0,5 mm ² Remote Cable, 5 m 1 x Mini-ANL/AFS Fuse Holder with 40 A Mini-ANL/AFS Fuse	 25,00 €	21,00 €
 HZ 20 WK	10 mm ² Amplifier Installation Set 1 x 10 mm ² Power Cable (red), 5 m 1 x 10 mm ² Ground Cable (silvery), 0,8 m 1 x RCA Twisted Stereo Audio Cable (black), double shielded 1 x 0,5 mm ² Remote Cable, 5 m 1 x Mini-ANL/AFS Fuse Holder with 40 A Mini-ANL/AFS Fuse	 35,00 €	30,00 €
 XE1200C	1.2 Farad Power Capacitor Operating Voltage 11 - 16 V DC Operating Temperature -40 ~ 80° C Digital Voltmeter Display with 3 digits, Remote-Turn-On Terminal Sturdy Acrylic Mounting Holders, Reverse Polarity Protection Dimensions: Ø 76 mm x 280 mm	90,00 €	76,00 €
 XE2000C	2.0 Farad Power Capacitor Betriebsspannung 11 - 16 V DC Operating Temperature -40 ~ 80° C Digital Voltmeter Display with 3 digits Remote-Turn-On Terminal Sturdy Acrylic Mounting Holders Reverse Polarity Protection Dimensions: Ø 76 mm x 325 mm	133,00 €	113,00 €










Φωτογραφία	Περιγραφή	Τιμή Λιανική	Τιμή Internet
plug & play / Vehicle-specific adaptors for XE 6440 and XE 4240 Amplifiers			
 <p>PPK 1</p> <p>545854000015. 0000</p>	<p>ESX plug&play Connector Cable</p> <p>For Audi, Seat, Skoda and VW Models, e.g.:</p> <p>Audi • A3 (08-12) • A4 (04-08) • A6 (03-05) • TT (06-14)</p> <p>Seat • Leon (05-12) • Alhambra (05-16)</p> <p>Skoda • Oktavia (04-13) • Suberb (08-13)</p> <p>• Volkswagen:</p> <p>• Golf 5 • Golf 6 • Passat (03-14) • Polo (05-14) • Tiguan (07-14)</p> <p>• Touran (03-14) • Touareg (02-14) • Caddy (03-14) • T5 (03-14)</p>	25,00 €	
 <p>PPK 2</p> <p>545854000035. 0000</p>	<p>ESX plug&play Connector Cable</p> <p>For later Audi, Seat, Skoda and VW Models, e.g.:</p> <p>Audi: • A4 (2012 and up)</p> <p>Seat: • (2012 and up)</p> <p>Skoda: • Oktavia (2013 and up)</p> <p>Volkswagen: • Golf 7 (2012 and up)</p>	45,00 €	
 <p>PPK 3</p> <p>545854000015. 0000</p>	<p>ESX plug&play Connector Cable</p> <p>For BMW, Mini and Land Rover Models, e.g.:</p> <p>• BMW:</p> <p>• 1er (05 and up) • 3er (01 and up) • 5er (00 and up)</p> <p>• X3 (01and up) • X5 (01 and up)</p> <p>• Mini:(03 and up)</p> <p>• Land Rover:Defender2 (01 and up) •Range Rover (02-06)</p>	25,00 €	
 <p>PPK 3.1</p> <p>545854000015. 0000</p>	<p>ESX plug&play Connector Cable</p>	25,00 €	
 <p>PPK 4</p> <p>545854000030. 0000</p>	<p>ESX plug&play Connector Cable</p> <p>For Opel Models, e.g.:</p> <p>• Astra (09 and up) • Insignia (09 and up)</p> <p>• Zafira (11 and up)</p> <p>• Mokka (12 and up) • Adam (12 and up)</p> <p>• Meriva (10 and up)</p>	40,00 €	
 <p>PPK 5</p> <p>545854000015. 0000</p>	<p>ESX plug&play Connector Cable</p> <p>For Audi, Seat, Skoda and VW Models, e.g.:</p> <p>• Audi:A1 (12 and up) • A3 (13 and up) • A4 (12 and up)</p> <p>• Seat:Leon (12 and up)</p> <p>• Skoda:Oktavia (13 and up)</p> <p>• Volkswagen:Golf 7 (12 and up)</p>	25,00 €	
 <p>PPK 6</p> <p>545854000022. 0000</p>	<p>ESX plug&play Connector Cable</p> <p>For Ford or Land Rover Models, e.g.:</p> <p>• Ford:• Focus (11 and up) • Fiesta (10 and up)</p> <p>• B-Max (12 and up) •C-Max (10 and up)</p> <p>• Land Rover:• Discovery4 (11 and up)</p> <p>• Evoque (11 and up) • Freelander (13and up)</p>	32,00 €	



Φωτογραφία	Περιγραφή	Τιμή Λιανική	Τιμή Internet
plug & play / Vehicle-specific adaptors for XE 6440 and XE 4240 Amplifiers			
 <p>PPK 7</p> <p>545854000015. 0000</p>	<p>ESX plug&play Connector Cable For Citroen, Peugeot or Fiat, e.g.:</p> <ul style="list-style-type: none"> • Citroen: • C1 (14 and up) • C2 (06 and up) • C3/ Picasso (09 and up) • DS3 (10 and up) • Peugeot: • 108 (14 and up) • 207 (06 and up) • 307 (05 and up) • 308(07-09) • Partner (08 and up) • Fiat:• Scudo 229 (07 and up) • Ulysse 2 (05 and up) 	25,00 €	
 <p>PPK 8</p> <p>545854000030. 0000</p>	<p>ESX plug&play Connector Cable PPK 8 For Hyundai and Kia, e.g.:</p> <ul style="list-style-type: none"> • Hyundai:• IX35 (10 and up) • I40 (11 and up) • Sonata (04-10) • Tucson(05-10) • Kia:• Rio (05-11) • Sorento (07-09) • Sportage (04-10) • Carnival(03-11) 	40,00 €	
 <p>PPK 9</p> <p>545854000015. 0000</p>	<p>ESX plug&play Connector Cable For Mercedes, e.g.:</p> <ul style="list-style-type: none"> • A-Klasse (05 and up) • B-Klasse (05 and up) • C-Klasse (05) • CLK (05) • Viano (05) • Sprinter (06) 	25,00 €	
 <p>PPK 10</p> <p>545854000015. 0000</p>	<p>ESX plug&play Connector Cable For Toyota, Peugeot and Citroen, e.g.:</p> <ul style="list-style-type: none"> • Toyota:• Auris (07 and up) • Avensis (98 and up) • Corolla Verso (04 and up) • RAV4 (94) • Peugeot:• 107 (05-14) • 108 (14 and up) • Citroen:• C1 (14 and up) 	25,00 €	
 <p>PPK 11</p> <p>545854000015. 0000</p>	<p>ESX plug&play Connector Cable For Nissan, Opel und Renault, e.g.:</p> <ul style="list-style-type: none"> • Nissan:• Leaf (10 and up) • Micra (10 and up) • Qashqai (07 and up) • X-Trail (07-10) • Opel:• Movano (14 and up) • Vivaro (14 and up) • Renault:• Master (15 and up) • Traffic III (14 and up) 	25,00 €	
 <p>PPK 12</p> <p>545854000025. 0000</p>	<p>ESX plug&play Connector Cable For Opel, Renault und Dacia, e.g.:</p> <ul style="list-style-type: none"> • Opel:• Movano (10-14) • Vivaro (11 and up) • Renault:• Kangoo (12 and up) • Master (13-14) • Megane (12 and up) • Scenic (12 and up) 	35,00 €	
 <p>PPK 13</p> <p>545854000015. 0000</p>	<p>ESX plug&play Connector Cable For Opel, e.g.:</p> <ul style="list-style-type: none"> • Agila A (05-07) • Astra H (04-10) • Corsa D (06-14) • Meriva(05-10) • Signum (05-08) • Vectra (04-08) • Vivaro (06-10) • Zafira (05-14) 	25,00 €	



Φωτογραφία	Περιγραφή	Τιμή Λιανική	Τιμή Internet
plug & play / Vehicle-specific adaptors for XE 6440 and XE 4240 Amplifiers			
 <p>PPK 14</p> <p>545854000015. 0000</p>	<p>ESX plug&play Connector Cable For Hyundai and Kia, e.g.:</p> <ul style="list-style-type: none"> • Hyundai: <ul style="list-style-type: none"> • Santa Fe (05 and up) • Tucson (05 and up) • Kia: <ul style="list-style-type: none"> • Sportage (04 and up) • Rio (05 and up) 	25,00 €	
 <p>PPK 15</p> <p>545854000045. 0000</p>	<p>ESX plug&play Connector Cable</p> <p>For Opel, e.g.:</p> <ul style="list-style-type: none"> • Insignia (14 and up) 	55,00 €	
 <p>PPK 16</p> <p>545854000025. 0000</p>	<p>ESX plug&play Connector Cable</p> <p>For Ford, BMW e.g.:</p> <ul style="list-style-type: none"> • C-Max (03-10) • Focus (04-10) • Mondeo (03-14) • Galaxy (06 and up) • Kuga (08-12 and up) • S-Max (06 and up) • Transit (06-13) 	35,00 €	
 <p>PPK 17</p> <p>545854000015. 0000</p>	<p>ESX plug&play Connector Cable</p> <p>For Mazda, e.g.:</p> <ul style="list-style-type: none"> • 3 (03 and up) • 6 (02-13) • CX3 (15 and up) • CX5 (12 and up) • CX7 (07-13) • MX5 (01-14) 	25,00 €	
 <p>PPK 18</p> <p>545854000015. 0000</p>	<p>ESX plug&play Connector Cable For BMW, Mini and Land Rover, e.g.:</p> <ul style="list-style-type: none"> • BMW:• 3er (87-05) • 5er (95-00) • X5 (99-01) • Z3 (95-02) • Mini:• Mini (00-02) • Land Rover:• Defender (01 and up) • Discovery2 (01-04) • Freelander (01-03) 	25,00 €	
 <p>PPK 19</p> <p>545854000015. 0000</p>	<p>ESX plug&play Connector Cable For Honda, Suzuki and Opel, e.g.:</p> <ul style="list-style-type: none"> • Honda:• Civic (99-05) • FR-V (99 and up) • Jazz (01 and up) • Prelude(99 and up) • Suzuki:• Alto (09 and up) • Grand Vitara (03 and up) • Jimny (02 and up)• Vitara • Opel:• Agila B (08 and up) 	25,00 €	
 <p>PPK 20</p> <p>545854000022. 0000</p>	<p>ESX plug&play Connector Cable</p> <p>For Renault, e.g.:</p> <ul style="list-style-type: none"> • all Models 09 and up 	32,00 €	

