



SOUTHEAST GAP ANALYSIS PROJECT



Species Modeling Report

Gulf Coast Waterdog

Necturus beyeri complex


Taxa: Amphibian
Order: Caudata
Family: Proteidae

SE-GAP Spp Code: **aGCWA**


ITIS Species Code: 173629

NatureServe Element Code: AAAAAE01020

KNOWN RANGE:



PREDICTED HABITAT:



Range Map Link: http://www.basic.ncsu.edu/segap/datazip/maps/SE_Range_aGCWA.pdf

Predicted Habitat Map Link: http://www.basic.ncsu.edu/segap/datazip/maps/SE_Dist_aGCWA.pdf

GAP Online Tool Link: <http://www.gapservice.ncsu.edu/segap/segap/index2.php?species=aGCWA>

Data Download: http://www.basic.ncsu.edu/segap/datazip/region/vert/aGCWA_se00.zip

PROTECTION STATUS:

Reported on March 14, 2011

Federal Status: ---

State Status: MS (Non-game species in need of management)

NS Global Rank: G4

NS State Rank: AL (SU), FL (SNR), GA (S3), LA (S4), MS (S4), TX (S3)

SUMMARY OF PREDICTED HABITAT BY MANAGMENT AND GAP PROTECTION STATUS:

	US FWS		US Forest Service		Tenn. Valley Author.		US DOD/ACOE	
	ha	%	ha	%	ha	%	ha	%
Status 1	366.8	< 1	22.1	< 1	0.0	0	0.0	0
Status 2	3,034.8	< 1	760.8	< 1	0.0	0	0.0	0
Status 3	0.0	0	12,222.8	2	0.0	0	3,658.2	< 1
Status 4	0.0	0	0.0	0	0.0	0	0.0	0
Total	3,401.6	< 1	13,005.6	2	0.0	0	3,658.2	< 1
	US Dept. of Energy		US Nat. Park Service		NOAA		Other Federal Lands	
	ha	%	ha	%	ha	%	ha	%
Status 1	0.0	0	0.0	0	0.0	0	0.0	0
Status 2	0.0	0	0.0	0	0.0	0	0.0	0
Status 3	0.0	0	432.2	< 1	0.0	0	93.6	< 1
Status 4	0.0	0	0.0	0	0.0	0	0.0	0
Total	0.0	0	432.2	< 1	0.0	0	93.6	< 1
	Native Am. Reserv.		State Park/Hist. Park		State WMA/Gameland		State Forest	
	ha	%	ha	%	ha	%	ha	%
Status 1	0.0	0	40.1	< 1	0.0	0	0.0	0
Status 2	0.0	0	47.9	< 1	6,994.0	1	0.0	0
Status 3	474.8	< 1	5,572.9	< 1	4,781.6	< 1	278.6	< 1
Status 4	0.0	0	0.0	0	528.3	< 1	0.0	0
Total	474.8	< 1	5,660.8	< 1	12,303.9	2	278.6	< 1
	State Coastal Reserve		ST Nat.Area/Preserve		Other State Lands		Private Cons. Easemt.	
	ha	%	ha	%	ha	%	ha	%
Status 1	0.0	0	247.9	< 1	0.0	0	0.0	0
Status 2	76.7	< 1	304.1	< 1	0.0	0	9.7	< 1
Status 3	0.0	0	228.1	< 1	27.0	< 1	657.4	< 1
Status 4	0.0	0	0.0	0	0.0	0	0.0	0
Total	76.7	< 1	780.0	< 1	27.0	< 1	667.1	< 1
	Private Land - No Res.		Water		Overall Total			
	ha	%	ha	%	ha	%		
Status 1	0.0	0	0.0	0	676.8	< 1		
Status 2	0.0	0	0.0	0	11,228.0	2		
Status 3	0.0	0	0.0	0	28,427.0	6		
Status 4	612,309.0	91	4,280.5	< 1	617,646.1	92		
Total	612,309.0	91	4,280.5	< 1	657,977.9	100		

GAP Status 1: An area having permanent protection from conversion of natural land cover and a mandated management plan in operation to maintain a natural state within which disturbance events (of natural type, frequency, and intensity) are allowed to proceed without interference or are mimicked through management.

GAP Status 2: An area having permanent protection from conversion of natural land cover and a mandated management plan in operation to maintain a primarily natural state, but which may receive use or management practices that degrade the quality of existing natural communities.

GAP Status 3: An area having permanent protection from conversion of natural land cover for the majority of the area, but subject to extractive uses of either a broad, low-intensity type or localized intense type. It also confers protection to federally listed endangered and threatened species throughout the area.

GAP Status 4: Lack of irrevocable easement or mandate to prevent conversion of natural habitat types to anthropogenic habitat types. Allows for intensive use throughout the tract. Also includes those tracts for which the existence of such restrictions or sufficient information to establish a higher status is unknown.

PREDICTED HABITAT MODEL(S):

Year-round Model:

Habitat Description: Found in unpolluted, sandy bottom spring-fed streams (Conant and Collins 1998). They are most common in medium to large streams. Logjams and leaf beds are important habitats for adults (Petranka). S. Smith 18Feb05

Hydrography Mask:

Freshwater Only

Slow Current Only

Utilizes flowing water features with buffers of 30m from and unlimited into selected water features.

Selected Map Units:

Functional Group	Map Unit Name
Water	Open Water (Fresh)
Wetlands	East Gulf Coastal Plain Large River Floodplain Forest - Forest Modifier
Wetlands	East Gulf Coastal Plain Large River Floodplain Forest - Herbaceous Modifier
Wetlands	East Gulf Coastal Plain Small Stream and River Floodplain Forest
Wetlands	Lower Mississippi River Bottomland and Floodplain Forest
Wetlands	Lower Mississippi River Bottomland Depressions - Forest Modifier
Wetlands	Lower Mississippi River Bottomland Depressions - Herbaceous Modifier
Wetlands	Mississippi River Low Floodplain (Bottomland) Forest
Wetlands	Mississippi River Riparian Forest
Wetlands	South-Central Interior Large Floodplain - Forest Modifier
Wetlands	South-Central Interior Large Floodplain - Herbaceous Modifier
Wetlands	South-Central Interior Small Stream and Riparian
Wetlands	Southern Piedmont Large Floodplain Forest - Forest Modifier
Wetlands	Southern Piedmont Large Floodplain Forest - Herbaceous Modifier
Wetlands	Southern Piedmont Small Floodplain and Riparian Forest

CITATIONS: Conant, R. and J.T. Collins. 1998. A field guide to the reptiles and amphibians: eastern and central North America. Houghton Mifflin, Boston. 616 p.

Petranka, J. W. 1998. Salamanders of the United States and Canada. Washington DC: Smithsonian Inst. Press.

For more information:: SE-GAP Analysis Project / BaSIC
127 David Clark Labs
Dept. of Biology, NCSU
Raleigh, NC 27695-7617
(919) 513-2853
www.basic.ncsu.edu/segap

Compiled: 15 September 2011

This data was compiled and/or developed by the Southeast GAP Analysis Project at The Biodiversity and Spatial Information Center, North Carolina State University.