

# Faster from start to perfect finish.

**The abrasives range.**

**NEW!** The complete range for innovative abrasives:  
Years of experience combined with the latest technologies.



**BOSCH**  
Invented for life

# The abrasives range.

## Summary of contents



Plant in Frauenfeld: Development, manufacturing, conversion and sales of coated abrasives.



### **BOSCH SERVICE CENTRES:**

#### **Johannesburg**

35 Roper Street  
New Centre

Tel: (011) 493 9375  
Fax: (011) 493 0126

#### **Durban**


Unit E, Almar Centre  
143 Crompton Street  
Pinetown

Tel: (031) 701 2120  
Fax: (031) 701 2493

#### **Cape Town**

Democracy Way  
Prosperity Park  
Milnerton

Tel: (021) 551 2577  
Fax: (021) 551 3223



<b>Abrasives range</b>	
Overview	4
<b>Bulk pack abrasives</b>	
Random orbit sanders	32
Wall and ceiling sanders	40
Disc sanders	42
Delta sanders	43
Orbital sanders	46
Belt sanders	51
Edge belt sanding machines	54
Long belt sanding machines	56
Wide belt sanding machines	58
Compact belt sanders	62
Electric files	63
Pipe belt sanders	66
Burnishers	68
Contact belt sanding machines	70
Hand sanding	79
Angle grinders and drills	86
<b>Small pack abrasives</b>	
Random orbit sanders	90
Delta sanders	104
Multi-sanders	111
Orbital sanders	114
Belt sanders	128
Compact belt sanders	133
Hand sanding	135
Angle grinders	143
Polishers	159
Drills	163
Straight grinders	166



<b>General information</b>	
Pictograms	168

# The new abrasives range from Bosch: **Evolution instead of revolution**

Bosch utilises over 130 years of experience when developing innovative abrasives. In close cooperation with international partners, such as paint and varnish manufacturers, Bosch first researches different customer needs. The results of these surveys are used by research and development as the basis for innovative abrasives.

From grit coating through to the final product, each subprocess has been developed using the highest technological standards and the interaction between them has been perfected. This results in innovations and process optimisations that help the user to master his daily challenges with ease.

The decades of experience and enhancement lead to ideal sanding results in every application. Our production sites in England and Switzerland contribute to the highest levels of quality. This ensures that the required sanding results are achieved, even on demanding surfaces and valuable materials.

Bosch has turned its passion for abrasives into a science, combining the latest technologies with years of experience.





# The right formula **for perfect surfaces**





The quality and precision of abrasives are enormously important for the demanding treatment of valuable surfaces. Each element, from the backing through to the grit distribution, is an important part of the perfect abrasive. The right formula, resulting from the interaction between each element, is crucial to achieving the optimal sanding result. The right formula consists of four elements:

**1. High-quality backing material**

Coordinated backing material for improved adhesion, stretch, tear resistance, flexibility and stability (for example: backing materials containing latex for extremely stable and simultaneously flexible hand sanding paper).

**2. Constant distribution of bonding agent**

Even, constant distribution of base coat and top size coat thanks to unique measurement and control technology. Softer, more elastic, harder or tougher bonding agents are used depending on the sanding application.


**3. The right abrasive grit and constant grit distribution**

Constant size, hardness, toughness and shape of grit, optimised for each sanding application. And a controlled scatter process for optimum, consistent grit spacing.

**4. Additional coating**

Easier extraction of sanding dust from the abrasive.

# The first element for perfect surfaces: Backing material




The backing material gives the abrasive a specific property that you require for desired applications.

Paper, cloth, plastic films, vulcanised fibre, foam and combinations of these are used as the backing for the abrasive.


Backing material

### Flexibility of the backing material



Paper (Code)	g/m <sup>2</sup>	Application
A	< 85	Hand sanding, fine sanding
B	86-110	Hand sanding, fine sanding
C	111-135	Hand sanding, portable machine sanding
D	136-220	Portable machine sanding, machine sanding
E	221-270	Machine sanding (light wide belt)

### Tear resistance of the backing material



Cloth (Code)	Properties	Application
H	Extremely flexible	Fine sanding, profile sanding
JJ	Highly flexible	Contour sanding, fine sanding, profile sanding
J	Flexible	Contour sanding
X	Rigid/Heavy	High-performance belt sanding
Y	Rigid/Extra-heavy	High-performance belt sanding

Fibre	Application
Fibre	0.65/0.80/0.85 Rotary sanding in metal, stone




# The second element for perfect surfaces:

## Bonding agent

Getting the right balance between grit fixing and flexibility is the greatest challenge when it comes to the bonding agent. Each product uses a specifically developed binder formula, which has been perfected by our chemists over the course of years. Using this special bonding agent formula enables us to produce very hard and therefore aggressive abrasives as well as extremely flexible products. Bosch only uses solvent-free bonding agent systems.


### Base coat



■ Base coat

The base coat is used to prefix the abrasive grains in the required position and distribution on the backing material. Synthetic resins are mainly used as the bonding agent.

### Top size coat and active abrasive substances



■ Top size coat    ■ Active abrasive substances


The top size coat permanently bonds the abrasive grains to each other and to the backing material. Softer, more elastic or harder, tougher bonding agents, but especially synthetic resins, are used depending on the application of the abrasive. The hardness of the bonding agent affects the aggressiveness and the lifetime of the abrasive.

# The third element for perfect surfaces: Abrasive grit and grit distribution

The hardness and toughness of the abrasive grains depend on the raw material used and determine the characteristics and application. The abrasive minerals most commonly used are aluminium oxide and silicon carbide in a wide variety of forms. Newer minerals such as zirconia alumina, ceramic aluminium oxide and diamond are also gaining in popularity, while the use of natural minerals like garnet and emery is on a sharp decline. Bosch only uses high-grade abrasive grit to produce its sanding products and follows the FEPA standard as a member of the FEPA organisation.


An innovative process is used to ensure optimal bonding of the carefully selected abrasive grit to the backing material:

## Electrostatic coating




- ▶ Electrostatic coating ensures that every single grain is evenly distributed in an upright position on the backing material, so that their longitudinal axis is vertical when they meet the coated backing. Electrostatically coated abrasives are aggressive and achieve greater sanding performance than mechanically coated abrasives.

## Closed and open coating




- ▶ Closed coating – the abrasive grains are distributed densely on the backing material and cover the entire surface. Closed-coat abrasives apply more grain tips at once, their material removal rate is higher and their roughness is lower.



- ▶ Open coating – the abrasive grains are distributed with a defined space between them and cover approx. 50-70% of the surface. Open-coat abrasives are less susceptible to clogging and are used for aluminium, soft woods, paints and varnishes.

## Laser process



- ▶ An innovative laser process enables controlled application of the top size coat, which ensures a consistent surface structure and a perfect sanding pattern.


■ Backing material ■ Base coat

■ Top size coat

■ Laser

# The fourth element for perfect surfaces:

## Additional coating



Coating with stearate has proven to be effective, particularly when sanding paint, varnish and roughcast. The stearate is distributed evenly over the top size coat due to the unique coating method. This results in the stearate merging the very light varnish dust into lumps which are then, in turn, easier to extract. Stearate also has a cooling effect on varnishes when sanding varnish.

### Advantages of stearate coating

- ▶ Prevents clogging
- ▶ Better material removal rate
- ▶ Up to four times longer lifetime than abrasives without special coating

### Exceptionally cool cut due to highly active additive coating

The special coating with highly active additives is especially used in the treatment of stainless steel. It reduces temperature development and prevents oxidation on the workpiece surface. The highly active additives on the Bosch Best for Inox abrasives facilitate chip formation and reduce frictional heat, therefore protecting the abrasive grit against wear.

- ▶ Cool cut
- ▶ Virtually no discolouration of workpieces
- ▶ Severe reduction in flying sparks

best  **Inox**



# The optimum production for perfect surfaces

## High-quality belt joints for an immaculate sanding pattern

The unique and trademarked joining technology guarantees sanding belts in consistently high quality for brilliant surfaces. The belt conversion and belt joint are extremely important components of the structure of a sanding belt: cut to the required width and length, key both ends for gluing, apply glue to the adhesion points, join together in the exact position and accurately press together with high pressure. They must be coordinated and defined in relation to the application and the respective sanding product. Each belt joint drastically affects the surface quality of all workpieces because the slightest inaccuracies are visible on the workpiece.



Bosch belt joint

### Joining technology

- ▶ No chatter marks, no impact marks
- ▶ Extremely precise, clean belt run without glue residues
- ▶ Specific application-oriented belt joints
- ▶ High stability and tear resistance for long lifetime



Standard belt joint

### Small damages, grit breakages, irregularities or imprecise belt joints lead to

- ▶ Chatter marks if the belt joint is excessively thick
- ▶ Losses of quality in the sanding pattern
- ▶ Quicker tearing of the sanding belt
- ▶ Reduction in sanding belt lifetime

**Flawless surfaces due to unique die punching process**

State-of-the-art production technology ensures cleanly cut edges and precisely punched holes in constantly high quality.



**Advantages of Bosch precision punching**


- ▶ No losses of quality
- ▶ Clean and virtually burr-free holes
- ▶ No grit breakout

**Severe disadvantages of uncleanly punched standard holes**

- ▶ Uncleanly cut edges often cause sanding flaws
- ▶ Grit breakout can lead to unwanted scratches on the surface
- ▶ Poorly punched holes can reduce the extraction performance

**Perfect surface structure thanks to special flexing**

The abrasives are treated in a linear online multiflex process to prevent random grit breakout during sanding caused by the constantly changing compression and bending stresses. This makes the abrasives very flexible. This is a product characteristic particularly indispensable in hand sanding sheets and rolls.



**Advantages of a flexed abrasive are considerable**

- ▶ Flexible and handy
- ▶ Easy to tear, cut or fold to the required size
- ▶ No grit and coating breakout

**Considerable disadvantages of abrasives without flexing**

- ▶ Flaws, scratches and surface damage in the surface structure
- ▶ Non-elastic
- ▶ The abrasive breaks

# D480 Speed Series:

## faster from start to perfect finish

The abrasives in the D480 Speed Series from Bosch have been specially developed for sanding wood, coatings and composites, covering the entire application range from removing paint and varnish, to intermediate and fine sanding, through to high-gloss finish. The D480 Speed Series abrasive system includes grits from 40 to 1,500. For a perfect result, each grit is designed to work in combination with all remainder grit sizes from the same series.

The specially developed abrasive grain mixture with self-sharpening ceramic grit ensures a high material removal rate when coarse sanding, whereas the abrasives for intermediate and fine sanding have a remarkably even grit distribution. This

gives the surface an exceptionally homogeneous sanding pattern, which eliminates the need for time-consuming re-work.

A special stearate coating ensures a long lifetime of the abrasives. It prevents the sanding paper from becoming quickly clogged with the removed material. The D480 Speed Series is available in the standard sizes for random orbit and orbital sanders.



# Which machine needs which sanding sheet?

## Random orbit sanders

Model	Diameter mm	Number of holes	Model	Diameter mm	Number of holes	Model	Diameter mm	Number of holes
<b>Bosch</b>			<b>Felisatti</b>			<b>Makita</b>		
GEX 125A/AC	125	8	TP 521/(E)AS	150	6	BO 6040	150	8
GEX 125/150 AVE	125/150	8	TP 522/AS/CE	150	6	BO 5041K	125	8
GEX 150AC/ACE	150	6	RGF 150/600E	150	6	<b>Metabo</b>		
GEX 150 Turbo	150	6	<b>Festo/Festool</b>			SXE 125	125	8
PEX 11A/AE	115	8	ES 125/E	125	8	SXE 425	125	8
PEX 12A/AE	125	8	ETS 125 EQ-Plus	125	17/9	SXE 425XL	150	6
PEX 15AE	150	6	ETS 125 EQ	125	17/9	SXE 450 DUO	150	6
PEX 115	115	8	ETS 125 Q-Plus	125	17/9	FSX 200 Intec	125	8
PEX 125A	125	8	ETS 125 Q	125	17/9	SXE 325 Intec	125	8
PEX 125AE	125	8	ES 150/3 EQ/-C	150	17/9	<b>Milwaukee</b>		
PEX 220A	125	8	ES 150/5 EQ/-C	150	17/9	PRS 125E	125	8
PEX 270A/AE	125	8	ET 2E	150	17/9	ROS 150E	150	6
PEX 300A/E	125	8	ETS 150/3 EQ	150	17/9	<b>Peugeot</b>		
PEX 400AE	125	8	RO 150 FEQ-Plus	150	17/9	PAE 115	115	8
PEX 420AE	150	6	RO 150 FEQ	150	17/9	PRX 150E	150	6
<b>AEG</b>			ETS 150/3 EQ-C	150	17/9	<b>Protool</b>		
EX 400	125	8	ETS 150/3 EQ-Plus	150	17/9	ESP 150E	15	9
EX 450	125	8	ETS 150/5 EQ	150	17/9	<b>Ryobi</b>		
EX 450 (150)	150	16	ETS 150/5 EQ-C	150	17/9	ERO 2412VN	125	8
EXE 400	125	8	ETS 150/5 EQ-Plus	150	17/9	P410	125	8
EXE 450	150	8	RO 150E	150	17/9	RS 290	125	8
EXE 460 (125)	125	8	RO 150 E(-Plus)	150	17/9	<b>Skil</b>		
EXE 460	125/150	8	WTS 150/7E (-Plus)	150	17/9	7400	125	8
EXE 460 (150)	150	16	ET 2E/E-Plus	150	17/9	7402	125	8
ROS 150E	150	6	ES 125 (Plus)	125	8	7415	115	8
EX 150 E	150	6	<b>Flex</b>			7425	125	8
EX 125 ES	125	8	XS 712A	125	8	7430	125	8
<b>Atlas Copco</b>			X/XS 1107VE	150	6	7435	125	8
TEX 150	125	8	ORE-125-2	125	8	7405	125	8
TXE 150	150	16	<b>Hilti</b>			7440	125	8
<b>Black &amp; Decker</b>			WFE 380	150	6	7450	125	8
BD 190/S/D	125	8	WFE 450-E	150	6	7460	125	8
BD 190/S/E	125	8	<b>Hitachi</b>			<b>Stayer</b>		
KA 190/S/E	125	8	SAY 150A	150	6	LRT 115	115	8
KA 198GT	125	8	SV 13YA	125	8	LRT 150	150	6
XTA 90EK	125	8	SV 13YB	125	8	RO 150	110	6
KA 191EK	125	8	TSV 13Y	125	8	<b>Wegoma</b>		
<b>Casals</b>			<b>Holz-Her</b>			LRE 84H	125	8
VEX 150E	150	8	2445	150	16	RT 118N	150	6
<b>DeWalt</b>			TSV 13Y	125	8	RTE (1)46L	150	6
D 26410	150	6	<b>Kress</b>			RX 91C	150	6
D 26453	125	8	900 MPS	125	8	RT 188N	150	6
DW 423	125	8	900 HEX	150	6	RTE 84H	125	8
DW 443	150	6	CPS 6115-1/E	115	8			
D 26410	150	6	CPS 6125-1/E	125	8			
<b>Einhell</b>			CPS 6125E Set	125	8			
BES 125	125	8	HEX 1385E	125	8			
EX 115	115	8	HEX 6385E	125	8			
<b>Elu</b>			300 EXE	125	8			
ES 55E	125	8	<b>Makita</b>					
ES 56E/EK	150	6	BO 5000	125	8			
<b>Fein</b>			BO 5010	125	8			
MSF 636-1	150	8	BO 5021 (K)	125	8			
MSF 649-2A/2B	150	8	BO 6030	150	8			
	150	16						

## Delta sanders

Model	Diameter mm	Number of holes	Model	Diameter mm	Number of holes	Model	Diameter mm	Number of holes
<b>Bosch</b>			<b>DeWalt</b>			<b>Makita</b>		
GDA 280E	93	6	D 26430	93	6	BO 4561	93	6
PDA 100	93	6	<b>Einhell</b>			<b>Metabo</b>		
PDA 120E	93	6	BDS 180	93	6	DSE 130	93	6
PDA 180/E	93	6	<b>Fein</b>			DSE 170	93	6
PDA 240E	93	6	MOX 6-24/-25	82	0	DSE 180	93	6
<b>Black &amp; Decker</b>			MSX 315	82	0	DSE 280	93	6
KA 511 EKA	93	6	MSX 636-1/-2	82	0	DSE 300/Intec	93	6
VP 510	82	0	MSXE 636-2	82	0	<b>Skil</b>		
KA 510	82	0	<b>Festo/Festool</b>			7110	93	6
<b>AEG</b>			DS 400/E/EQ	100 x 150	7	7115	93	6
DSE 220	105	6	DX 93E/Plus	95	6			
DSE 260	105	6	<b>Kress</b>					
<b>Casals</b>			CDS 6425	105	6			
BLD 180	93	6	CDS 642EXL	120	6			
VLD 230	93	6	CDS 280DSXL	120	6			

## Multi-sanders

Model	Diameter mm	Number of holes
<b>Bosch</b>		
PSM 80	102 x 62/93	11
PSM 160A	102 x 62/93	11
PSM 1400 Ventaro	102 x 62/93	11
Prio	102 x 62/93	11
<b>Black &amp; Decker</b>		
KA 150K	95 x 135	4
KA 200FK	95 x 135	4
KA 220 Multi	100 x 170	8
KA 220E Multi	100 x 170	8
KA 250K Multi	100 x 170	8
KA 260GT	100 x 170	8
KA 260GTK	100 x 170	8
<b>Skil</b>		
7208 (Octo)	102 x 62/93	11
	87 x 32	0
7210 (Fox)	87 x 32	0
7240 Fox	87 x 32	0
7370 Fox	87 x 32	0



## Orbital sanders

Model	Sheet dimensions in mm	Number of holes	Specification
<b>Bosch</b>			
GSS 16A	80 x 133	8	Velcro
	80 x 166	8	clamped
GSS 23/AE	93 x 230	8	clamped
GSS 23AE	93 x 185	8	Velcro
	93 x 280	8	Velcro, ext. SP
GSS 140A	115 x 107	6	Velcro
	115 x 140	6	clamped
GSS 230A/AE	93 x 185	8	Velcro
	93 x 280	8	Velcro, ext. SP
GSS 230AE	93 x 230	8	clamped
GSS 280A/AE	115 x 230	14	Velcro
GSS 280AE	115 x 280	14	clamped
PSS 23	93 x 185	8	Velcro
PSS 23/A	93 x 230	8	clamped
PSS 23A/AE	93 x 185	8	Velcro
PSS 23AE	93 x 230	8	clamped
PSS 28AE	115 x 230	14	Velcro
	115 x 280	14	clamped
	115 x 340	0	Velcro, ext.
PSS 180A	93 x 185	8	Velcro
PSS 200A	93 x 185	8	Velcro
PSS 220AC	93 x 230	8	clamped
PSS 230	93 x 230	8	clamped
PSS 240A/AE	93 x 185	8	Velcro
	93 x 230	8	clamped
PSS 250AE	93 x 185	8	Velcro
	93 x 230	8	clamped
PSS 280AE	115 x 230	14	Velcro
	115 x 280	14	clamped
PSS 300AE	115 x 230	14	Velcro
	115 x 280	14	clamped
<b>AEG</b>			
FS 2	80 x 133	8	Velcro
VS 230/E	93 x 230	8	clamped
VS/E 230	93 x 185	8	Velcro
VS/E 260	93 x 185	8	Velcro
VSS/E 260	93 x 230	8	clamped
<b>Atlas Copco</b>			
VS 11	80 x 133	8	Velcro
	80 x 166	8	clamped
VSE 230	115 x 230	14	Velcro
	115 x 280	14	clamped
VSE/VSS 22	93 x 185	8	Velcro
VSSE 288	115 x 280	14	clamped
VSS/VSSE 20	115 x 230	14	Velcro
	115 x 280	14	clamped
VS/VSE 280	115 x 280	14	clamped
<b>Black &amp; Decker</b>			
BD 175	93 x 230	8	clamped
BD 273	115 x 280	14	clamped
BD/DN 180E	93 x 230	8	clamped
CD 400	93 x 230	8	clamped
DN 41AE	93 x 230	8	clamped
DN 180E	115 x 280	14	clamped
KA 175	93 x 185	8	Velcro
KA 180E	115 x 280	14	clamped
KA 185/E	93 x 230	8	clamped
KA 186/E	93 x 185	8	Velcro
KA 196	93 x 230	8	clamped
KA 197E	93 x 185		Velcro
	93 x 230		clamped

Model	Sheet dimensions in mm	Number of holes	Specification
<b>Black &amp; Decker</b>			
KA 197EKA	93 x 185		Velcro
	93 x 230		clamped
KA 197KA	93 x 185		Velcro
	93 x 230		clamped
KA 273	115 x 230	14	Velcro
	115 x 280	14	clamped
KA 274EKA	93 x 280	14	clamped
KC 185E	93 x 230	0	clamped
KC 962	93 x 230	0	clamped
	115 x 280	14	clamped
P 63-01	80 x 133	8	Velcro
	80 x 166	8	clamped
P 63-03/04/05	115 x 280	14	clamped
SR 410E	115 x 280	14	clamped
VB 135A	93 x 230	0	clamped
	115 x 280	14	clamped
<b>Casals</b>			
BLR 170	93 x 230	0	clamped
BLR 250	115 x 230	14	Velcro
	115 x 280	14	clamped
KLR 210	93 x 185	8	Velcro
LN 216	115 x 280	14	clamped
LR 228	115 x 280	14	clamped
VLR 210	93 x 230	0	clamped
VLR 300	115 x 230	14	Velcro
<b>DeWalt</b>			
D 26423	93 x 185		Velcro
D 26422	93 x 230		clamped
DW 411	115 x 140	8	clamped
D 26411	115 x 140	0	clamped
<b>Einhell</b>			
BSS 150	93 x 230		clamped
EST 170	93 x 185	8	Velcro
	93 x 230	8	clamped
ERU 270	115 x 230	14	Velcro
ESU 270	115 x 280	0	clamped
RT-OS30	115 x 230	14	Velcro
	115 x 280	0	clamped
BT-OS 150	93 x 230		clamped
<b>Elu</b>			
VS 41/71	115 x 230	14	Velcro
	115 x 280	14	clamped
VS 280	115 x 280	14	clamped
VSE/VSSE 280	115 x 280	14	clamped
<b>Fein</b>			
MSS 641A/B	115 x 230	14	Velcro
<b>Felisatti</b>			
TP 31	80 x 133	8	Velcro
TP 31E	80 x 133	8	Velcro
TPF 115/300E	115 x 230	14	Velcro
<b>Festo/Festool</b>			
LRS 93G/M	93 x 185	8	Velcro
RS 1STF	115 x 230	14	Velcro
RS 2/E/STF	115 x 230	14	Velcro
RS 3/E	93 x 185	8	Velcro
	93 x 230	8	clamped
	115 x 280	14	clamped
RS 4E	80 x 133	8	Velcro
	80 x 166	8	clamped
RS 4/E	115 x 280	0	clamped
RS 4 STF/ESTF	80 x 133	8	Velcro

Model	Sheet dimensions in mm	Number of holes	Specification
<b>Festo/Festool</b>	93 x 185	8	Velcro
	93 x 178	8	Velcro
RS 400	80 x 133	8	Velcro
RS 400-Plus	80 x 133	8	Velcro
<b>Hitachi</b>			
FS 10SB	93 x 185	8	Velcro
SV 12SD/V	115 x 230	14	Velcro
	115 x 280	14	clamped
SV 12SF	115 x 115	8	Velcro
SV 8SA	80 x 133	8	Velcro
	80 x 166	8	clamped
<b>Holz-Her</b>			
2241	115 x 230	14	Velcro
<b>Kress</b>			
CRS 6165A	115 x 280	14	clamped
CRS 6175A/EA	115 x 230	14	Velcro
CRS 6175ES	115 x 280	14	clamped
300 RSE	115 x 228	14	Velcro
	115 x 280	14	clamped
<b>Makita</b>			
990	93 x 230	0	clamped
4554	115 x 115	8	Velcro
9036	93 x 185	8	Velcro
	93 x 230	8	clamped
BO 4901	115 x 280	0	clamped
9045B/N	115 x 230	14	Velcro
9046	115 x 230	14	Velcro
	115 x 280	14	clamped
9047	115 x 280	0	clamped
BO 3700	93 x 230	8	clamped
BO 4553/4554	115 x 140	8	clamped
BO 4556	115 x 140	8	clamped
BO 4900V	115 x 280	14	clamped
<b>Metabo</b>			
SF 226	93 x 230	0	clamped
SFE 227	93 x 230	0	clamped
SR 10-23	93 x 230	8	clamped
SR 10-23 Intec	93 x 230	8	clamped
SR 20-23	93 x 230	8	clamped
SR 216	115 x 115	8	Velcro
SR 221	93 x 230	0	clamped
SR 226	93 x 230	8	clamped
SR 328	115 x 280	14	clamped
SR 356	93 x 185	8	Velcro
	93 x 230	8	clamped
SR 357	93 x 185	8	Velcro
SR 358	115 x 230	14	Velcro
	115 x 280	8	clamped
SR 4320	93 x 230	0	clamped
SR 4321	115 x 280	14	clamped
SR 4350	93 x 185	8	Velcro
	93 x 230	8	clamped
SR 4351	115 x 230	14	Velcro
SRA 60	115 x 115	8	Velcro
SRE 217	115 x 115	8	Velcro
SRE 227	93 x 230	8	clamped
SRE 329	115 x 280	14	clamped
SRE 357	93 x 230	8	clamped
SRE 359	115 x 230	14	Velcro
	115 x 280	14	clamped
SR 180 Intec	93 x 230	8	clamped
<b>Milwaukee</b>			
POS 13	80 x 133	8	Velcro






Model	Sheet dimensions in mm	Number of holes	Specification
<b>Peugeot</b>			
PV 240A	93 x 185	8	Velcro
	93 x 230	8	clamped
PV 290/A	115 x 280	0	clamped
TV 4102	93 x 185	8	Velcro
	93 x 230	8	clamped
<b>Ryobi</b>			
NS 40/401	93 x 230	8	clamped
NS 801	93 x 230	8	clamped
NS 6200	115 x 230	14	Velcro
NS 6300A	115 x 230	14	Velcro
S 33K	93 x 185	8	Velcro
S 35	93 x 230	8	clamped
S 605D	115 x 140	8	clamped
<b>Skil</b>			
666	115 x 230	14	Velcro
	115 x 280	8	clamped
	115 x 280	14	clamped
7270	93 x 185		Velcro
7300	93 x 185	8	Velcro
	93 x 230	8	clamped
	115 x 280	14	clamped
7310	93 x 230	8	clamped
7315	93 x 230	8	clamped
7320	93 x 185	8	Velcro
	93 x 230	8	clamped
7330	93 x 185	8	Velcro
	93 x 230	8	clamped
7330S	93 x 230	8	clamped
7340	93 x 185	8	Velcro
	93 x 230	8	clamped
7350	93 x 230	8	clamped
7360	93 x 185	8	Velcro
	93 x 230	8	clamped
7365	93 x 185	8	Velcro
	93 x 230	8	clamped
7380	115 x 280	14	clamped
7385	93 x 230	8	clamped
7390	93 x 185	8	Velcro
	93 x 230	8	clamped
7395	93 x 185	8	Velcro
	93 x 230	8	clamped
7560	110 x 140	8	clamped
7576	115 x 140	8	clamped
7576U	115 x 140	8	clamped
7003	93 x 185	8	Velcro
	93 x 230	8	clamped
7335	93 x 185	8	Velcro
	93 x 230	8	clamped
7346	93 x 185	8	Velcro
	93 x 230	8	clamped
7351	93 x 185	8	Velcro
	93 x 230	8	clamped
7361	93 x 185	8	Velcro
	93 x 230	8	clamped
7366	93 x 185	8	Velcro
	93 x 230	8	clamped
	93 x 230	8	clamped
<b>Wegoma</b>			
LR 184H	93 x 185		Velcro
LRE 84H	80 x 166	8	clamped

## Belt sanders



Model	Sheet dimensions in mm	Model	Sheet dimensions in mm	Model	Sheet dimensions in mm
<b>Bosch</b>		<b>Felisatti</b>		<b>Metabo</b>	
GBS 75A/AE	75 x 533	TP 411	75 x 533	RBE 12-180 Set	40 x 760
GBS 100AE	100 x 610	BSF 100/1200E	100 x 610	RB 18 LTX 60 Set	30 x 533
GBS 100A/AE	100 x 620	<b>Festo/Festool</b>		BF 18 LTX 90	6-19 x 457
GVS 350AE	40 x 305	BS 75	75 x 533	BFE 9-90	6-19 x 457
PBS 7	75 x 457	BS 75E	75 x 533	<b>Peugeot</b>	
PBS 7AE	75 x 457	BS 75 E-Plus	75 x 533	PAB 75	75 x 533
PBS 60/E	60 x 400	BS 75 E-Set	75 x 533	PB 75	75 x 457
PBS 75A/AE	75 x 533	BS 105	105 x 620	PB 600/H	75 x 457
PVS 300AE	40 x 305	BS 105E	105 x 620	RP 102	100 x 552
<b>AEG</b>		BS 105 E-Set	105 x 620	TPB 7500	75 x 457
BBS 1100	100 x 560	BU 25	100 x 560	<b>Pferd</b>	
BBSE 1100	100 x 560	<b>Flex</b>		UBS 5/70 Si-R	30 x 533
HBS/HBSE 65	65 x 410	LBR 1506 VRA 230	40 x 618	UBS 11/90 Si-R	30 x 533
HBS/HBSE 100	100 x 560	LRP 1503 VRA	20 x 760	230V	
	100 x 620		40 x 760	<b>Ryobi</b>	
HBSE 600	75 x 533	LBS 1105 VE	4-9 x 533	B 422	100 x 560
RBSE 75AE	75 x 533	<b>Hitachi</b>		B 7075	75 x 533
HBS 1000 E	75 x 533	9924 DB	75 x 610	B 7076	75 x 533
<b>Atlas Copco</b>		SB 10T/V	100 x 610	B 7100	75 x 610
BBS 100	100 x 560	SB 75	75 x 533	B 7200A	100 x 610
	100 x 620	SB 110	105 x 620	B 850F/FK5	75 x 533
BBSE 100	100 x 560		110 x 620	BE 321SF	75 x 533
	100 x 620	<b>Holz-Her</b>		BE 422K5	100 x 560
HBSE 75	75 x 533	2405	65 x 410	BE 424	100 x 610
MBSE 705	75 x 533	2406	65 x 410	HB 422	100 x 560
<b>Black &amp; Decker</b>		2410	75 x 533	HBE 422	100 x 560
BD 83/E	65 x 410	2411	75 x 533	EBS 1310VF	100 x 610
BD 85	75 x 508	2420	75 x 533	EBS 9576V	75 x 533
BS 650	65 x 410	2422	100 x 620	EBS 8021V	75 x 533
DN 83/E	65 x 410		105 x 620	<b>Skil</b>	
DN 85/E	75 x 508	2423	100 x 620	593U	63 x 406
KA 75/E	75 x 533	2424	100 x 620	594U	75 x 533
KA 83	75 x 508		105 x 620	1100	75 x 457
KA 83E	65 x 410	<b>Kress</b>		1200	75 x 457
KA 85/86	75 x 457	CBS 6800/E	65 x 410	1200H	75 x 457
KA 88	75 x 533	<b>Makita</b>		1205	75 x 457
KA 290	13 x 455	9402	100 x 610	1205H	75 x 457
KA 292E	13 x 455		100 x 620	1400	100 x 552
KA 293E	13 x 455	9403	100 x 610	1400H	100 x 552
SR 500E	75 x 508	9404	100 x 610	1405H	100 x 552
XT 80EK	75 x 533	9901	75 x 533	5903	63 x 406
KA 900E	13 x 451	9902	75 x 533	7600	75 x 457
KA 900E-QS	13 x 451	9903	75 x 533	7600A	75 x 457
<b>Casals</b>		9910	75 x 457	7610	75 x 457
LC 75	75 x 533	9911	75 x 457	7620	75 x 457
LC 110	110 x 620	9920	75 x 610	7630	75 x 457
<b>DeWalt</b>		9924	75 x 610	7640	75 x 533
DW 430	75 x 533	9900B	75 x 533	7650	75 x 533
DW 431	75 x 533	9924DB	100 x 610	7675	75 x 457
DW 432	75 x 533		100 x 620	7675S	75 x 457
DW 433	75 x 533	9031	30 x 533	1210	75 x 457
DW 650	100 x 560	9032	9 x 533	1215	75 x 457
DW 650E	100 x 560	<b>Metabo</b>		<b>Suhner</b>	
<b>Einhell</b>		BA 0665	65 x 410	UTC 7-R	30 x 533
BBS 720	75 x 457	BA 0666	65 x 410	UTG 9-R	30 x 610
<b>Elu</b>		BA 0775	75 x 533	UBC 10-R	3-19 x 520
MHB 90/E	100 x 560	BA 6100	100 x 620	<b>Stayer</b>	
MHB 157E	75 x 480	BA 6101	105 x 620	LEN75	75 x 533
MHB 158/E	75 x 480	BAE 0876	75 x 533	<b>Virutex</b>	
<b>Fein</b>		BAE 1075	75 x 533	L 75	100 x 690
RS 12-70 E	40 x 820	BAE 75	75 x 533	M75	100 x 690
RS 10-70 E	30 x 533	RBE 12-180	40 x 760	<b>Wegoma</b>	
				LB 31EA	100 x 610

# Which abrasive fits which machine?








## Sanding sheets for random orbit sanders

Diameter mm/holes	Brand	Model	Diameter mm/holes	Brand	Model										
<b>115 mm, 8 holes</b> 	Bosch	PEX 11A/AE PEX 115	<b>125 mm, 8 holes</b> 	Skil	7400 7402 7425 7430 7435										
	Einhell	EX 115			Wegoma	LRE 84H ETS 125 Q									
	Kress	CPS 6115-1/E													
	Peugeot	PAE 115													
	Skil	7415													
	Stayer	LRT 115													
	<b>125 mm, 8 holes</b>	Bosch			GEX 125A/AC GEX 125/150 AVE PEX 12A/AE PEX 125A-1 PEX 125AE PEX 220A PEX 270A/AE PEX 300A/E PEX 400AE	<b>125 mm, 9 holes</b> 	Festo/Festool	RO 125 FEQ-Plus ETS 125 EQ-Plus ETS 125 EQ ETS 125 Q-Plus ETS 125 Q							
AEG					EX 125 ES EX 400 EX 450 EXE 400 EXE 450 EXE 460 (125)			<b>150 mm, 6 holes</b> 	Bosch	GEX 150AC/ACE GEX 150 Turbo PEX 15AE PEX 420AE					
					Atlas Copco					TXE 150	AEG	EXE 460 (150) EX 150 E ROS 150E			
										Black & Decker		BD 190/S/E BD 190S/D KA 190/S/E KA 191 EK KA 198GT XTA 90EK	DeWalt	DW 443 D 26410	
				DeWalt								DW 423 D 265453		Elu	ES 56E/EK
												Elu			ES 55E
				Fein	MSF 636-1	Flex	X/XS 1170VE								
		Festo/Festool			ES 125/E ES 125 (Plus)		Hilti				WFE 380 WFE 450E				
Hitachi			TSV 13Y SV 13YA/YB	Hitachi	SAY 150A										
		Kress	300 EXE 900 MPS CPS 6125-1/E CPS 6125 Set HEX 1385E HEX 6385E		Kress	900HEX									
Makita			BO 5000 BO 5010 BO5041K BO 5021 (K)	Metabo		SXE 425XL 450 DUO SXE 425XL SXE 450 DUO									
			Metabo		SXE 125 SXE 425 SXE 325 Intec FSX 200 Intec ERO 2412V P410 RS 290	Milwaukee	ROS 150E								
<b>150 mm, 8 holes</b> 				Bosch	GEX 125/150 AVE EXE 450		Peugeot	PRX 150E							
					AEG			EXE 450	Pro Tool	ESP 150E					
Casals	VEX 150E	Stayer		LRT 150 RO 150											
	Fein			MSF 636-1 MSF 649-2A/-2B	Wegoma		RX 91C RT 188N RTE (1) 46L								
Makita		BO 6030 BO 6040													




## Sanding sheets for random orbit sanders

Diameter mm/holes	Brand	Model	Diameter mm/holes	Brand	Model
150 mm, 17 holes 	Festo/Festool	ET 2E	150 mm, 16 holes 	AEG	EX 450
		RO 150E			EXE 450
		RO 150 FEQ-Plus			EXE 460 (150)
		RO 150 FEQ		Atlas Copco	TXE 150
		ETS 150/3 EQ-Plus			Fein
		ETS 150/3 EQ-C		Holz-Her	2445
		ETS 150/3 EQ			
		ETS 150/5 EQ-Plus			
		ETS 150/5 EQ-C			
		ETS 150/5 EQ			
		WTS 150/7 E-Plus			
		WTS 150/7 E			
		ES 150/3 EQ/EQ-C			
		ES 150/5 EQ/EQ-C			
		ET 2E/E-Plus			
		ES 150/3EQ/C			
		ES 150/5EQ/C			
Protool	ESP 150E				









## Sanding sheets for delta sanders







Diameter mm/holes	Brand	Model	Diameter mm/holes	Brand	Model	
93 mm, 6 holes 	Bosch	GDA 280E	105 mm, 6 holes 	AEG	DSE 220	
		PDA 100			DSE 260	
		PDA 120E		Kress	CDS 6425	
		PDA 180/E				
		PDA 240E				
		PSM 160A				
		Black & Decker	KA 511 EKA	120 mm, 6 holes 	Kress	CDS 280DSXL
		Casals	BLD 180			CDS 6425EXL
			VLD 230			
		Makita	BO 4561			
	Metabo	DSE 130	32 mm, unpunched 	Bosch	GDA 280E	
		DSE 170			PDA 180E	
		DSE 300/Intec			PDA 240E	
	Skil	7110	82 mm, unpunched 	Fein	MOX 6-24/-25	
7115		MSX 315				
		MSX 636-1/-2				
		MSXE 636-2				
95 mm, 6 holes 	Festo/Festool	DX 93E/E Plus				
100 x 150 mm, 7 holes 	Festo/Festool	DS 400/E/EQ				

## Sanding sheets for multi-sanders

Brand		Model		
<b>Bosch Multi, Skil</b>				
	Bosch	PSM 160A		
		PSM 80		
		PSM 1400		
		Prio		
		Ventaro		
	Skil	7208 (Octo)		
		7210 (Fox)		
		7240 Fox		
		7290 (Fox)		
		7370 (Fox)		
		7375 (Fox)		
	<b>B &amp; D Mouse</b>			
		Black & Decker	KA 150K	
		ICC 200FK		
<b>B &amp; D Multi</b>				
	Black & Decker	KA 150K		
		KA 200FK		
		KA 220 Multi		
		KA 220E Multi		
		KA 225		
		KA 250K Multi		
		KA 260		
		KA 280		

# Sanding sheets for orbital sanders











mm/holes	Brand	Model	mm/holes	Brand	Model
<b>80 x 133mm, 8 holes, Velcro</b> 	Bosch	GSS 16A	<b>93 x 230mm, 8 holes, clamped</b> 	Bosch	GSS 23/AE
	AEG	FS 2		GSS 230A/AE	
	Atlas Copco	VS 11		PSS 23/A/AE	
	Black & Decker	P 63-01		PSS 220AC	
	Felisatti	TP 31E		PSS 230	
	Festo/Festool	RS 4/E/STF		PSS 240A/AE	
		RS/E 4		PSS 250AE	
		RS 400			
		RS 400 Plus			
	Hitachi	SV 8SA			
	Milwaukee	POS 13			
	<b>80 x 166mm, 8 holes, clamped</b> 	Bosch		GSS 16A	<b>93 x 230mm, 8 holes, clamped</b> 
Atlas Copco		VS 11	VSE 230		
Black & Decker		P 63-01	VSS 260		
Hitachi		SV 8SA	VSSE 260		
Wegoma		LRE 84H			
<b>93 x 180mm, 8 holes, Velcro</b> 	Festo/Festool	LRS 93G	Black & Decker	BD 175	
		LRS 93M	CD 400		
		RS 3/E	DN 41AE		
		RS 4/E/STF	DN 180E		
<b>93 x 186mm, 8 holes, Velcro</b> 	Bosch	GSS 23AE	Black & Decker	KA 196	
		GSS 230A/AE	KA 196		
		PSS 22			
		PSS 23/A/AE			
		PSS 180A			
		PSS 200A			
		PSS 240A/AE			
		PSS 250AE			
	AEG	VS/E 230	DeWalt	D26422	
		VSS/E 260	Einhell	EST 170	
	Atlas Copco	VS 230/E	Festo	RS 3SFE	
		VSS 22/E		RS 3E SFE	
	VSS 260/E	Makita	9036		
Black & Decker	KA 175		3700		
	KA 186/E	Metabo	SR 10-23		
Casals	KLR 210		SR 10-23 Intec		
Einhell	EST 170		SR 20-23		
Festo/Festool	LRS 93G/M		SR 226		
	RS 3SFE/E		SR 356		
Hitachi	FS 10SB		SR 4350		
Makita	9036		SRE 227		
Metabo	SR 356		SRE 357		
	SR 357	Peugeot	PV 240A		
	SR 4350		TV 4102		
Peugeot	PV 240A	Ryobi	NS 401		
	TV 4102		NS 801		
Skil	7330		S 35		
	7340	Skil	7300		
	7360		7310		
	7365		7315		
	7300/S		7320		
	7390		7330		
	7395		7330S		
			7335		
			7340		
			7346		
			7350		
			7360		
			7361		
			7365		
			7366		
			7385		
			7390		
			7395		
<b>93 x 230mm, 8 holes, clamped</b> 	AEG	VS 230	<b>93 x 280mm, 8 holes, Velcro for ext. sanding plate</b> 	Bosch	GSS 23AE
		VSS/E 260			GSS 230A/AE
	Black & Decker	KA 185			
	KA 185E				

mm/holes	Brand	Model
<b>115 x 107 mm, 6 holes, Velcro</b>		
	Bosch	GSS 140A
<b>115 x 140 mm, 6 holes, clamped</b>		
	Bosch	GSS 140A
<b>115 x 140 mm, unpunched, clamped</b>		
	Bosch	GSS 140A
	Black & Decker	SR 400
	DeWalt	DW 411 D 26411
	Makita	BO 4553/4554 BO 4556
	Ryobi	S 605D
	Skil	7576U
<b>115 x 230 mm, 14 holes, Velcro</b>		
	Bosch	GSS 28/A/AE GSS 280A/AE PSS 28AE PSS 280AE PSS 300AE
	Atlas Copco	VS 280/E/SE VSE 230 VSS 20/E
	Black & Decker	KA 273
	Casals	BLR 250 VLR 300
	Einhell	ERU 270
	Elu	VS 41 VS 71
	Fein	MSS 641A/B
	Festo	RS 1STF RS 2STF/E
	Hitachi	SV 12SD/V
	Holz-Her	2241
	Kress	CRS 6165A CRS 6175EA
	Makita	9045B/N 9046
	Metabo	SR 358 SR 4351 SRE 359
	Peugeot	TV 4003 TV 4103
	Ryobi	NS 6200 NS 6300A
	Skil	666
<b>115 x 280 mm, 14 holes, clamped</b>		
	Bosch	GSS 28A/AE GSS 280A/AE PSS 28AE PSS 280AE PSS 300AE
	AEG	VSS/E 20 VS/E 280 VSSE 280
	Atlas Copco	VS 280/E/SE VSE 230 VSS 20/E
	Black & Decker	BD 175 BD 180 BD 273 DN 41AE DN 180E KA 185E KA 273 KC 962 P 63-03/-04/-05 SR 410E VB 135A
	Casals	BLR 250 LN 216 LR 228
	Elu	VS 41/71 VSE/VSSE 280
	Festo/Festool	RS 1/STF RS 2/STF RS 3/E RS S/STF
	Hitachi	SV 12SD/V
	Kress	CRS 6165A CRS 6175ES
	Makita	BO 4900V 9046
	Metabo	SR 328 SR 358 SR 4321 SRE 329 SRE 359
	Skil	666 7380
<b>115 x 340 mm, unpunched, Velcro for ext. sanding plate</b>		
	Bosch	PSS 28AE



# Sanding belts for belt sanders

mm	Brand	Model	mm	Brand	Model
<b>3-19 x 520 mm</b>	Suhner	UBC 10-R	<b>40 x 815 mm</b>	Fein	RS 12-70 E
<b>6/13 x 451 mm</b>	Black & Decker	KA 290 KA 292E	<b>60 x 400 mm</b>	Bosch	PBS 60 PBS 60E
<b>6/13 x 455 mm</b>	Black & Decker	Powerfile KA 290 Powerfile KA 292E	<b>63 x 406 mm</b>	Skil	593 5934 5903
<b>6-19 x 457 mm</b>	Metabo	BF18 LTX 90 BFE 9-90	<b>65 x 410 mm</b>	AEG	HBS 65 HBSE 65
<b>9 x 533 mm</b>	Flex Makita	LBS 1105 VE 9032		Black & Decker	BD 83/E BS 650 DN 83/E KA 83/E
<b>13 x 451 mm</b>	Black & Decker	KA900E-QS		Holz-Her	2405 2406
<b>20 x 760 mm</b>	Flex	LRP 1503 VRA		Kress	CBS 6800/E
<b>30 x 533 mm</b>	Fein Makita Metabo Pferd Suhner	RS 10-70 E 9031 RB 18 LTX 60 Set UBS 5 / 70 Si-R UTC 7-R	<b>75 x 457 mm</b>	Metabo	BA 0665 BAE 0666
<b>30 x 610 mm</b>	Suhner	UTG 9-R		Bosch	PBS 7A/AE
<b>40 x 303 mm</b>	Bosch	GVS 350AE PVS 300AE		Einhell	BBS 720
<b>40 x 305 mm</b>	Bosch	GVS 350AE PVS 300AE		Makita	9910 9911
<b>40 x 618 mm</b>	Flex	LBR 1506 VRA 230/CEE		Peugeot	PB 75 PB 600
<b>40 x 760 mm</b>	Flex Metabo	LRP 1503 VRA RBE 12-180		Skil	TPB 7500 1100 1200 1205 1210 1215 7600 7610 7620 7630 7640 7675
			<b>75 x 480 mm</b>	Stayer	2 N75
				Elu	MHB 157/E MHB 158/E
			<b>75 x 508 mm</b>	Black & Decker	BD 85 DN 85/E KA 83 SR 500E

mm	Brand	Model	mm	Brand	Model
<b>75 x 533 mm</b>			<b>100 x 560 mm</b>		
	Bosch	GBS 75A/AE PBS 75A/AE		AEG	BBS 1100 BBSE 1100 HBS 100/E
	AEG	HBSE 600 RBSE 75AE HBS 1000 E		Atlas Copco	BBS 100/E
	Atlas Copco	HBSE 75		DeWalt	DW 650 DW 650E
	Black & Decker	KA 75/E K 88 XT 80 EK		Elu	MHB 90/E/K
	Casals	LC 75		Festo/Festool	BU 25
	DeWalt	DW 430 DW 431 DW 432 DW 433		Ryobi	B 422 BE 422K5 HB 422/E
	Felisatti	TP 411 BAE 75	<b>100 x 610 mm</b>		
	Festo	BS 75 BS 75E BS 75 E-Set		Bosch	GBS 100A/AE
	Hitachi	SB 75		Felisatti	BSF 100/1200E
	Holz-Her	2410 2411 2420		Hitachi	SB 10T/V
	Makita	9900B 9901 9902 9903		Holz-Her	2422 2423 2424
	Metabo	BAE 0775 BAE 0876 BAE 1075 BAE 75		Makita	9402 9403 9404 9924DB
	Peugeot	PAB 75		Ryobi	B 7200A BE 424
	Ryobi	B 850F/K7 B 7075 B 7076 EBS 9576V		Wegoma	LB 31EA
	Skil	7640 7650	<b>100 x 620 mm</b>		
	Stayer	LEN 75		Bosch	GBS 100A/AE
<b>75 x 610 mm</b>				AEG	HBS 100/E
	Hitachi	9924DB		Atlas Copco	BBS 100/E
	Makita	9920, 9924		Hitachi	SB 110
	Ryobi	B 7100		Makita	9402 9924DB
<b>100 x 533 mm</b>				Metabo	BA 6100
	Makita	M 99	<b>100 x 690 mm</b>		
<b>100 x 552 mm</b>				Virutex	L-75 M-75
	Peugeot	RP 102	<b>105 x 620 mm</b>		
	Skil	1400 1405		Festo/Festool	BS 105 BS 105E BS 105 E-Set
				Hitachi	SB 110
				Holz-Her	2422 2423 2424
				Metabo	BA 6100
			<b>110 x 620 mm</b>		
				Casals	LC 110
				Hitachi	SB 110







# Sanding sheets

## for random orbit sanders



- ▶ Robust sanding sheets in D480 Speed Series, C470, F355 versions
- ▶ For working on paint, varnish, wood, hard materials such as glass, stone and car paint, and metals
- ▶ With Velcro-type fastening system for fast sheet changes and extraction holes for internal dust extraction
- ▶ Sanding sheets for machines of all conventional brands and diameters

The optimum sanding sheet for every material

### D480 Speed Series sanding sheets for random orbit sanders, 150 mm diameter, 15 holes



- ▶ **Suitable for** sanding wood, paint, varnish, roughcast, filler
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ **Appropriate for** random orbit sanders from Bosch, Festool, AEG, DeWalt, Flex

Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...
Product properties		Ordering information				
Pack of 50						
150	40	2 608 608 G45	C0a	50	50	682831
150	60	2 608 608 G46	C0a	50	50	682848
150	80	2 608 608 G47	C0a	50	50	682855
150	100	2 608 608 G48	C0a	50	50	682862
150	120	2 608 608 G49	C0a	50	50	682879
150	150	2 608 608 G50	C0a	50	50	682886
150	180	2 608 608 G51	C0a	50	50	682893
150	220	2 608 608 G52	C0a	50	50	682909
150	240	2 608 608 G53	C0a	50	50	682916
150	280	2 608 608 G54	C0a	50	50	682923
150	320	2 608 608 G55	C0a	50	50	682930
150	400	2 608 608 G56	C0a	50	50	682947
150	500	2 608 608 G57	C0a	50	50	682954
150	600	2 608 608 G58	C0a	50	50	682961
150	800	2 608 608 G59	C0a	50	50	682978
150	1000	2 608 608 G60	C0a	50	50	682985
150	1200	2 608 608 G61	C0a	50	50	682992
150	1500	2 608 608 G62	C0a	50	50	683005



Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### D480 Speed Series sanding sheets for random orbit sanders, 150 mm diameter, 17 holes




- ▶ **Suitable for** sanding wood, paint, varnish, roughcast, filler
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ **Appropriate for** Festool Multi-Jetstream random orbit sanders

Product properties	Ordering information						
Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...	

Pack of 50

150	40	<b>2 608 608 G63</b>	C0a	50	50	683012	
150	60	<b>2 608 608 G64</b>	C0a	50	50	683029	
150	80	<b>2 608 608 G65</b>	C0a	50	50	683036	
150	100	<b>2 608 608 G66</b>	C0a	50	50	683043	
150	120	<b>2 608 608 G67</b>	C0a	50	50	683050	
150	150	<b>2 608 608 G68</b>	C0a	50	50	683067	
150	180	<b>2 608 608 G69</b>	C0a	50	50	683074	
150	220	<b>2 608 608 G70</b>	C0a	50	50	683081	
150	240	<b>2 608 608 G71</b>	C0a	50	50	683098	
150	280	<b>2 608 608 G72</b>	C0a	50	50	683104	
150	320	<b>2 608 608 G73</b>	C0a	50	50	683111	
150	400	<b>2 608 608 G74</b>	C0a	50	50	683128	
150	500	<b>2 608 608 G75</b>	C0a	50	50	683135	
150	600	<b>2 608 608 G76</b>	C0a	50	50	683142	
150	800	<b>2 608 608 G77</b>	C0a	50	50	683159	
150	1000	<b>2 608 608 G78</b>	C0a	50	50	683166	
150	1200	<b>2 608 608 G79</b>	C0a	50	50	683173	
150	1500	<b>2 608 608 G80</b>	C0a	50	50	683180	



### D480 Speed Series sanding sheets for random orbit sanders, 150 mm diameter, multi-hole



- ▶ **Suitable for** sanding wood, paint, varnish, roughcast, filler
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ **Appropriate for** most conventional backing pads; pneumatic random orbit sanders from Bosch / not for electric random orbit sanders from Bosch

Pack of 50

150	40	<b>2 608 608 B54</b>	C0a	50	50	677875	
150	60	<b>2 608 608 B55</b>	C0a	50	50	677882	
150	80	<b>2 608 608 B56</b>	C0a	50	50	677899	
150	100	<b>2 608 608 B57</b>	C0a	50	50	677905	
150	120	<b>2 608 608 B58</b>	C0a	50	50	677912	
150	150	<b>2 608 608 B59</b>	C0a	50	50	677929	
150	180	<b>2 608 608 B60</b>	C0a	50	50	677936	
150	220	<b>2 608 608 B61</b>	C0a	50	50	677943	
150	240	<b>2 608 608 B62</b>	C0a	50	50	677950	
150	280	<b>2 608 608 B63</b>	C0a	50	50	677967	
150	320	<b>2 608 608 B64</b>	C0a	50	50	677974	
150	400	<b>2 608 608 B65</b>	C0a	50	50	677981	
150	500	<b>2 608 608 B66</b>	C0a	50	50	677998	
150	600	<b>2 608 608 B67</b>	C0a	50	50	678001	
150	800	<b>2 608 608 B68</b>	C0a	50	50	678018	
150	1000	<b>2 608 608 B69</b>	C0a	50	50	678025	
150	1200	<b>2 608 608 B70</b>	C0a	50	50	678032	
150	1500	<b>2 608 608 B71</b>	C0a	50	50	678049	



Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### C470 sanding sheets for random orbit sanders, 125 mm diameter, 8 holes




- ▶ **Suitable for** sanding wood, paint, varnish, roughcast
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ **Appropriate for** random orbit sanders from Bosch, DeWalt, Festool, Metabo, Makita

Product properties	Ordering information						
Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...	

Pack of 50

125	40	2 608 608 415	C0a	50	50	670487	
125	60	2 608 608 416	C0a	50	50	670494	
125	80	2 608 608 417	C0a	50	50	670500	
125	100	2 608 608 418	C0a	50	50	670517	
125	120	2 608 608 419	C0a	50	50	670524	
125	150	2 608 608 420	C0a	50	50	670531	
125	180	2 608 608 421	C0a	50	50	670548	
125	220	2 608 608 422	C0a	50	50	670555	
125	240	2 608 608 423	C0a	50	50	670562	
125	320	2 608 608 424	C0a	50	50	670579	
125	400	2 608 608 425	C0a	50	50	670586	




### C470 sanding sheets for random orbit sanders, 125 mm diameter, 9 holes



- ▶ **Suitable for** sanding wood, paint, varnish, roughcast
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ **Appropriate for** random orbit sanders from Festool, Protool

Pack of 50

125	40	2 608 608 448	C0a	50	50	670814	
125	60	2 608 608 449	C0a	50	50	670821	
125	80	2 608 608 450	C0a	50	50	670838	
125	100	2 608 608 451	C0a	50	50	670845	
125	120	2 608 608 452	C0a	50	50	670852	
125	150	2 608 608 453	C0a	50	50	670869	
125	180	2 608 608 454	C0a	50	50	670876	
125	220	2 608 608 455	C0a	50	50	670883	
125	240	2 608 608 456	C0a	50	50	670890	
125	320	2 608 608 457	C0a	50	50	670906	
125	400	2 608 608 458	C0a	50	50	670913	





### C470 sanding sheets for random orbit sanders, 125 mm diameter, multi-hole




- ▶ **Suitable for** sanding wood, paint, varnish, roughcast
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ **Appropriate for** most conventional backing pads; pneumatic random orbit sanders from Bosch / not for electric random orbit sanders from Bosch

Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties		Ordering information				

Pack of 50

125	40	2 608 608 492	C0a	50	50	671255
125	60	2 608 608 493	C0a	50	50	671262
125	80	2 608 608 494	C0a	50	50	671279
125	100	2 608 608 495	C0a	50	50	671286
125	120	2 608 608 496	C0a	50	50	671293
125	150	2 608 608 497	C0a	50	50	671309
125	180	2 608 608 498	C0a	50	50	671316
125	220	2 608 608 499	C0a	50	50	671323
125	240	2 608 608 500	C0a	50	50	671330
125	320	2 608 608 501	C0a	50	50	671347
125	400	2 608 608 502	C0a	50	50	671354



### C470 sanding sheets for random orbit sanders, 150 mm diameter, 6 holes



- ▶ **Suitable for** sanding wood, paint, varnish, roughcast
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ **Appropriate for** random orbit sanders from Bosch, Metabo, Milwaukee, DeWalt, AEG

Pack of 50

150	40	2 608 608 437	C0a	50	50	670708
150	60	2 608 608 438	C0a	50	50	670715
150	80	2 608 608 439	C0a	50	50	670722
150	100	2 608 608 440	C0a	50	50	670739
150	120	2 608 608 441	C0a	50	50	670746
150	150	2 608 608 442	C0a	50	50	670753
150	180	2 608 608 443	C0a	50	50	670760
150	220	2 608 608 444	C0a	50	50	670777
150	240	2 608 608 445	C0a	50	50	670784
150	320	2 608 608 446	C0a	50	50	670791
150	400	2 608 608 447	C0a	50	50	670807



Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### C470 sanding sheets for random orbit sanders, 150 mm diameter, 8 holes




- ▶ **Suitable for** sanding wood, paint, varnish, roughcast
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ **Appropriate for** random orbit sanders from AEG, Casals, Fein, Makita


Product properties	Ordering information					
Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...

Pack of 50

150	40	<b>2 608 608 426</b>	C0a	50	50	670593
150	60	<b>2 608 608 427</b>	C0a	50	50	670609
150	80	<b>2 608 608 428</b>	C0a	50	50	670616
150	100	<b>2 608 608 429</b>	C0a	50	50	670623
150	120	<b>2 608 608 430</b>	C0a	50	50	670630
150	150	<b>2 608 608 431</b>	C0a	50	50	670647
150	180	<b>2 608 608 432</b>	C0a	50	50	670654
150	220	<b>2 608 608 433</b>	C0a	50	50	670661
150	240	<b>2 608 608 434</b>	C0a	50	50	670678
150	320	<b>2 608 608 435</b>	C0a	50	50	670685
150	400	<b>2 608 608 436</b>	C0a	50	50	670692



### C470 sanding sheets for random orbit sanders, 150 mm diameter, 15 holes



- ▶ **Suitable for** sanding wood, paint, varnish, roughcast
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ **Appropriate for** random orbit sanders from Bosch, Festool, AEG, DeWalt, Flex

Pack of 50

150	40	<b>2 608 608 470</b>	C0a	50	50	671033
150	60	<b>2 608 608 471</b>	C0a	50	50	671040
150	80	<b>2 608 608 472</b>	C0a	50	50	671057
150	100	<b>2 608 608 473</b>	C0a	50	50	671064
150	120	<b>2 608 608 474</b>	C0a	50	50	671071
150	150	<b>2 608 608 475</b>	C0a	50	50	671088
150	180	<b>2 608 608 476</b>	C0a	50	50	671095
150	220	<b>2 608 608 477</b>	C0a	50	50	671101
150	240	<b>2 608 608 478</b>	C0a	50	50	671118
150	320	<b>2 608 608 479</b>	C0a	50	50	671125
150	400	<b>2 608 608 480</b>	C0a	50	50	671132



**C470 sanding sheets for random orbit sanders, 150 mm diameter, 17 holes**



- ▶ **Suitable for** sanding wood, paint, varnish, roughcast
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ **Appropriate for** Festool Multi-Jetstream random orbit sanders

Product properties	Ordering information						
Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...	

Pack of 50

150	40	<b>2 608 608 459</b>	C0a	50	50	670920	
150	60	<b>2 608 608 460</b>	C0a	50	50	670937	
150	80	<b>2 608 608 461</b>	C0a	50	50	670944	
150	100	<b>2 608 608 462</b>	C0a	50	50	670951	
150	120	<b>2 608 608 463</b>	C0a	50	50	670968	
150	150	<b>2 608 608 464</b>	C0a	50	50	670975	
150	180	<b>2 608 608 465</b>	C0a	50	50	670982	
150	220	<b>2 608 608 466</b>	C0a	50	50	670999	
150	240	<b>2 608 608 467</b>	C0a	50	50	671002	
150	320	<b>2 608 608 468</b>	C0a	50	50	671019	
150	400	<b>2 608 608 469</b>	C0a	50	50	671026	



**C470 sanding sheets for random orbit sanders, 150 mm diameter, multi-hole**



- ▶ **Suitable for** sanding wood, paint, varnish, roughcast
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ **Appropriate for** most conventional backing pads; pneumatic random orbit sanders from Bosch / not for electric random orbit sanders from Bosch

Pack of 50

150	40	<b>2 608 608 503</b>	C0a	50	50	671361	
150	60	<b>2 608 608 504</b>	C0a	50	50	671378	
150	80	<b>2 608 608 505</b>	C0a	50	50	671385	
150	100	<b>2 608 608 506</b>	C0a	50	50	671392	
150	120	<b>2 608 608 507</b>	C0a	50	50	671408	
150	150	<b>2 608 608 508</b>	C0a	50	50	671415	
150	180	<b>2 608 608 509</b>	C0a	50	50	671422	
150	220	<b>2 608 608 510</b>	C0a	50	50	671439	
150	240	<b>2 608 608 511</b>	C0a	50	50	671446	
150	320	<b>2 608 608 512</b>	C0a	50	50	671453	
150	400	<b>2 608 608 513</b>	C0a	50	50	671460	



Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### F355 sanding sheets for random orbit sanders, 125 mm diameter, 8 holes



- **Suitable for** sanding hard materials, varnish and plastic
- **Appropriate for** random orbit sanders from Bosch, DeWalt, Festool, Metabo, Makita

Product properties	Ordering information						
Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...	

Pack of 50

125	80	<b>2 608 608 G99</b>	C0a	50	50	683371
125	100	<b>2 608 608 H08</b>	C0a	50	50	684873
125	120	<b>2 608 608 H09</b>	C0a	50	50	684880
125	180	<b>2 608 608 H10</b>	C0a	50	50	684897
125	240	<b>2 608 608 H11</b>	C0a	50	50	684903
125	320	<b>2 608 608 H12</b>	C0a	50	50	684910
125	400	<b>2 608 608 H13</b>	C0a	50	50	684927
125	600	<b>2 608 608 H14</b>	C0a	50	50	684934
125	1200	<b>2 608 608 H15</b>	C0a	50	50	684941



### F355 sanding sheets for random orbit sanders, 125 mm diameter, 9 holes



- **Suitable for** sanding hard materials, varnish and plastic
- **Appropriate for** random orbit sanders from Festool, Protocol

Pack of 50

125	80	<b>2 608 608 H16</b>	C0a	50	50	684958
125	100	<b>2 608 608 H17</b>	C0a	50	50	684965
125	120	<b>2 608 608 H18</b>	C0a	50	50	684972
125	180	<b>2 608 608 H19</b>	C0a	50	50	684989
125	240	<b>2 608 608 H20</b>	C0a	50	50	684996
125	320	<b>2 608 608 H21</b>	C0a	50	50	685009
125	400	<b>2 608 608 H22</b>	C0a	50	50	685016
125	600	<b>2 608 608 H23</b>	C0a	50	50	685023
125	1200	<b>2 608 608 H24</b>	C0a	50	50	685030



### F355 sanding sheets for random orbit sanders, 150 mm diameter, 6 holes



- **Suitable for** sanding hard materials, varnish and plastic
- **Appropriate for** random orbit sanders from Bosch, Metabo, Milwaukee, DeWalt, AEG

Pack of 50

150	80	<b>2 608 608 H25</b>	C0a	50	50	685047
150	100	<b>2 608 608 H26</b>	C0a	50	50	685054
150	120	<b>2 608 608 H27</b>	C0a	50	50	685061
150	180	<b>2 608 608 H28</b>	C0a	50	50	685078
150	240	<b>2 608 608 H29</b>	C0a	50	50	685085
150	320	<b>2 608 608 H30</b>	C0a	50	50	685092
150	400	<b>2 608 608 H31</b>	C0a	50	50	685108
150	600	<b>2 608 608 H32</b>	C0a	50	50	685115
150	1200	<b>2 608 608 H33</b>	C0a	50	50	685122



⊞ Pack quantity (Pieces per pack)

⊞⊞⊞⊞

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### F355 sanding sheets for random orbit sanders, 150 mm diameter, 17 holes




- ▶ **Suitable for** sanding hard materials, varnish and plastic
- ▶ **Appropriate for** Festool Multi-Jetstream random orbit sanders

Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties		Ordering information				

Pack of 50

150	80	<b>2 608 608 H43</b>	C0a	50	50	685221
150	100	<b>2 608 608 H44</b>	C0a	50	50	685238
150	120	<b>2 608 608 H45</b>	C0a	50	50	685245
150	180	<b>2 608 608 H46</b>	C0a	50	50	685252
150	240	<b>2 608 608 H47</b>	C0a	50	50	685269
150	320	<b>2 608 608 H48</b>	C0a	50	50	685276
150	400	<b>2 608 608 H49</b>	C0a	50	50	685283
150	600	<b>2 608 608 H50</b>	C0a	50	50	685290
150	1200	<b>2 608 608 H51</b>	C0a	50	50	685306



Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

# Sanding sheets

## for wall and ceiling sanders



- ▶ Robust sanding sheets in C470 version
- ▶ For working on paint, roughcast, plaster and wood
- ▶ With Velcro-type fastening system for fast sheet changes and extraction holes for internal dust extraction
- ▶ Sanding sheets for machines of all conventional brands

### C470 sanding sheets for wall and ceiling sanders, 225 mm diameter



- ▶ **Suitable for** sanding paint, roughcast, plaster
- ▶ **Appropriate for** all conventional wall and ceiling sanders

Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...
<b>Product properties</b>		<b>Ordering information</b>				
Pack of 25						
225	40	<b>2 608 608 514</b>	C0a	25	25	671477
225	60	<b>2 608 608 515</b>	C0a	25	25	671484
225	80	<b>2 608 608 516</b>	C0a	25	25	671491
225	100	<b>2 608 608 517</b>	C0a	25	25	671507
225	120	<b>2 608 608 518</b>	C0a	25	25	671514
225	150	<b>2 608 608 519</b>	C0a	25	25	671521
225	180	<b>2 608 608 520</b>	C0a	25	25	671538
225	220	<b>2 608 608 521</b>	C0a	25	25	671545



● Pack quantity  
(Pieces per pack)

■ Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### C470 sanding sheets for wall and ceiling sanders, 225 mm diameter, 19 holes




- ▶ **Suitable for** sanding paint, roughcast, plaster
- ▶ **Appropriate for** Flex Giraffe, Festool Planex wall and ceiling sanders

Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
---------------------	------	-------------	----------------	---------------	-------------------------------------	--------------------

Pack of 25

Product properties		Ordering information				
225	40	<b>2 608 608 522</b>	C0a	25	25	671552
225	60	<b>2 608 608 523</b>	C0a	25	25	671569
225	80	<b>2 608 608 524</b>	C0a	25	25	671576
225	100	<b>2 608 608 525</b>	C0a	25	25	671583
225	120	<b>2 608 608 526</b>	C0a	25	25	671590
225	150	<b>2 608 608 527</b>	C0a	25	25	671606
225	180	<b>2 608 608 528</b>	C0a	25	25	671613
225	220	<b>2 608 608 529</b>	C0a	25	25	671620



Pack quantity (Pieces per pack)


<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

# Sanding sheets for disc sanders



- ▶ Robust sanding sheets in C470 version
- ▶ For working on paint and wood
- ▶ With Velcro-type fastening system for fast sheet changes
- ▶ Sanding sheets for conventional brands of machines

## C470 sanding sheets for disc sanders, 300 mm diameter



- ▶ **Suitable for** sanding wood, paint
- ▶ **Appropriate for** disc sanders from Hegner, Promac, JET



Product properties		Ordering information					
Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode	3163140...
Pack of 25							
300	60	<b>2 608 608 538</b>	C0a	25	25	671712	
300	80	<b>2 608 608 539</b>	C0a	25	25	671729	
300	100	<b>2 608 608 540</b>	C0a	25	25	671736	
300	120	<b>2 608 608 541</b>	C0a	25	25	671743	

Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.




# Sanding sheets for delta sanders



- ▶ Powerful sanding sheets in C470, F355 versions
- ▶ For sanding paint, varnish, wood, stone and car paint in corners and surfaces
- ▶ With Velcro-type fastening system for fast sheet changes and extraction holes for internal dust extraction
- ▶ Sanding sheets for machines of all conventional brands and diameters

The optimum sanding sheet for every material

## C470 sanding sheets for delta sanders, 93 mm, 6 holes



- ▶ **Suitable for** sanding wood, paint, varnish, roughcast
- ▶ **Appropriate for** delta sanders from Bosch, Casals, Makita, Metabo, Skil

Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...
Product properties		Ordering information				

Pack of 50


93	40	2 608 608 542	C0a	50	50	671750
93	60	2 608 608 543	C0a	50	50	671767
93	80	2 608 608 544	C0a	50	50	671774
93	100	2 608 608 545	C0a	50	50	671781
93	120	2 608 608 546	C0a	50	50	671798
93	150	2 608 608 547	C0a	50	50	671804
93	180	2 608 608 548	C0a	50	50	671811
93	220	2 608 608 549	C0a	50	50	671828
93	240	2 608 608 550	C0a	50	50	671835
93	320	2 608 608 551	C0a	50	50	671842
93	400	2 608 608 552	C0a	50	50	671859



Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### C470 sanding sheets for delta sanders, 95 mm, 6 holes



- ▶ Suitable for sanding wood, paint, varnish, roughcast
- ▶ Appropriate for delta sanders from Festool


Product properties	Ordering information						
Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...	

Pack of 50

95	40	2 608 608 553	C0a	50	50	671866	
95	60	2 608 608 554	C0a	50	50	671873	
95	80	2 608 608 555	C0a	50	50	671880	
95	100	2 608 608 556	C0a	50	50	671897	
95	120	2 608 608 557	C0a	50	50	671903	
95	150	2 608 608 558	C0a	50	50	671910	
95	180	2 608 608 559	C0a	50	50	671927	
95	220	2 608 608 560	C0a	50	50	671934	
95	240	2 608 608 561	C0a	50	50	671941	
95	320	2 608 608 562	C0a	50	50	671958	
95	400	2 608 608 563	C0a	50	50	671965	



### C470 sanding sheets for delta sanders, 100 mm, 7 holes



- ▶ Suitable for sanding wood, paint, varnish, roughcast
- ▶ Appropriate for delta sanders from Festool

Pack of 50

100x150	40	2 608 608 564	C0a	50	50	671972	
100x150	60	2 608 608 565	C0a	50	50	671989	
100x150	80	2 608 608 566	C0a	50	50	671996	
100x150	100	2 608 608 567	C0a	50	50	672009	
100x150	120	2 608 608 568	C0a	50	50	672016	
100x150	150	2 608 608 569	C0a	50	50	672023	
100x150	180	2 608 608 570	C0a	50	50	672030	
100x150	220	2 608 608 571	C0a	50	50	672047	
100x150	240	2 608 608 572	C0a	50	50	672054	
100x150	320	2 608 608 573	C0a	50	50	672061	
100x150	400	2 608 608 574	C0a	50	50	672078	



● Pack quantity  
(Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### F355 sanding sheets for delta sanders, 93 mm, 6 holes



- ▶ **Suitable for** sanding hard materials, varnish and plastic
- ▶ **Appropriate for** delta sanders from Bosch, Casals, Makita, Metabo, Skil

Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
---------------------	------	-------------	----------------	---------------	-------------------------------------	--------------------

**Product properties** | **Ordering information**

Pack of 50

93	80	<b>2 608 608 H52</b>	C0a	50	50	685313
93	100	<b>2 608 608 H53</b>	C0a	50	50	685320
93	120	<b>2 608 608 H54</b>	C0a	50	50	685337
93	180	<b>2 608 608 H55</b>	C0a	50	50	685344
93	240	<b>2 608 608 H56</b>	C0a	50	50	685351
93	320	<b>2 608 608 H57</b>	C0a	50	50	685368
93	400	<b>2 608 608 H58</b>	C0a	50	50	685375
93	600	<b>2 608 608 H59</b>	C0a	50	50	685382
93	1200	<b>2 608 608 H60</b>	C0a	50	50	685399



Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

# Sanding sheets for orbital sanders



- ▶ Powerful, ready-cut sanding sheets in D480 Speed Series, C470 versions
- ▶ For working on paint, varnish and roughcast, wooden materials, hardwood, chipboard, construction boards and metal
- ▶ With Velcro-type fastening system for fast sheet changes and without Velcro-type fastening system for clamp fastening
- ▶ Without holes or with extraction holes for internal dust extraction
- ▶ Sanding sheets for machines of all conventional brands and diameters

The optimum sanding sheet for every material

## D480 Speed Series sanding sheets for orbital sanders, 115 x 230 mm, 14 holes



- ▶ Suitable for sanding wood, paint, varnish, roughcast
- ▶ Appropriate for orbital sanders from Bosch, Festool, Holz-Her, Makita, Metabo

Product properties	Ordering information						
Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...	
Pack of 50							
115x230	40	2 608 608 G81	C0a	50	50	683197	
115x230	60	2 608 608 G82	C0a	50	50	683203	
115x230	80	2 608 608 G83	C0a	50	50	683210	
115x230	100	2 608 608 G84	C0a	50	50	683227	
115x230	120	2 608 608 G85	C0a	50	50	683234	
115x230	150	2 608 608 G86	C0a	50	50	683241	
115x230	180	2 608 608 G87	C0a	50	50	683258	
115x230	220	2 608 608 G88	C0a	50	50	683265	
115x230	240	2 608 608 G89	C0a	50	50	683272	
115x230	280	2 608 608 G90	C0a	50	50	683289	
115x230	320	2 608 608 G91	C0a	50	50	683296	
115x230	400	2 608 608 G92	C0a	50	50	683302	
115x230	500	2 608 608 G93	C0a	50	50	683319	
115x230	600	2 608 608 G94	C0a	50	50	683326	
115x230	800	2 608 608 G95	C0a	50	50	683333	
115x230	1000	2 608 608 G96	C0a	50	50	683340	
115x230	1200	2 608 608 G97	C0a	50	50	683357	
115x230	1500	2 608 608 G98	C0a	50	50	683364	



Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### C470 sanding sheets for orbital sanders, 80 x 133 mm, 8 holes



- ▶ **Suitable for** sanding wood, paint, varnish, roughcast
- ▶ **Appropriate for** orbital sanders from Bosch, AEG, Festool, Hitachi, Milwaukee

Product properties	Ordering information						
Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...	

Pack of 50

80x133	40	2 608 608 588	C0a	50	50	672214
80x133	60	2 608 608 589	C0a	50	50	672221
80x133	80	2 608 608 590	C0a	50	50	672238
80x133	100	2 608 608 591	C0a	50	50	672245
80x133	120	2 608 608 592	C0a	50	50	672252
80x133	150	2 608 608 593	C0a	50	50	672269
80x133	180	2 608 608 594	C0a	50	50	672276
80x133	220	2 608 608 595	C0a	50	50	672283
80x133	240	2 608 608 596	C0a	50	50	672290
80x133	320	2 608 608 597	C0a	50	50	672306
80x133	400	2 608 608 598	C0a	50	50	672313



### C470 sanding sheets for orbital sanders, 93 x 180 mm, 8 holes



- ▶ **Suitable for** sanding wood, paint, varnish, roughcast
- ▶ **Appropriate for** orbital sanders from Festool

Pack of 50


93x180	40	2 608 608 599	C0a	50	50	672320
93x180	60	2 608 608 600	C0a	50	50	672337
93x180	80	2 608 608 601	C0a	50	50	672344
93x180	100	2 608 608 602	C0a	50	50	672351
93x180	120	2 608 608 603	C0a	50	50	672368
93x180	150	2 608 608 604	C0a	50	50	672375
93x180	180	2 608 608 605	C0a	50	50	672382
93x180	220	2 608 608 606	C0a	50	50	672399
93x180	240	2 608 608 607	C0a	50	50	672405
93x180	320	2 608 608 608	C0a	50	50	672412
93x180	400	2 608 608 609	C0a	50	50	672429



Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### C470 sanding sheets for orbital sanders, 93 x 186 mm, 8 holes



- ▶ **Suitable for** sanding wood, paint, varnish, roughcast
- ▶ **Appropriate for** orbital sanders from Bosch, AEG, Festool, Hitachi, Milwaukee


Product properties	Ordering information						
Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...	

Pack of 50

93x186	40	2 608 608 610	C0a	50	50	672436	
93x186	60	2 608 608 611	C0a	50	50	672443	
93x186	80	2 608 608 612	C0a	50	50	672450	
93x186	100	2 608 608 613	C0a	50	50	672467	
93x186	120	2 608 608 614	C0a	50	50	672474	
93x186	150	2 608 608 615	C0a	50	50	672481	
93x186	180	2 608 608 616	C0a	50	50	672498	
93x186	220	2 608 608 617	C0a	50	50	672504	
93x186	240	2 608 608 618	C0a	50	50	672511	
93x186	320	2 608 608 619	C0a	50	50	672528	
93x186	400	2 608 608 620	C0a	50	50	672535	



### C470 sanding sheets for orbital sanders, 93 x 230 mm, 8 holes



- ▶ **Suitable for** sanding wood, paint, varnish, roughcast
- ▶ **Appropriate for** orbital sanders from Bosch, Festool, Makita, Metabo, Skil

Pack of 50

93x230	40	2 608 608 621	C0a	50	50	672542	
93x230	60	2 608 608 622	C0a	50	50	672559	
93x230	80	2 608 608 623	C0a	50	50	672566	
93x230	100	2 608 608 624	C0a	50	50	672573	
93x230	120	2 608 608 625	C0a	50	50	672580	
93x230	150	2 608 608 626	C0a	50	50	672597	
93x230	180	2 608 608 627	C0a	50	50	672603	
93x230	220	2 608 608 628	C0a	50	50	672610	
93x230	240	2 608 608 629	C0a	50	50	672627	
93x230	320	2 608 608 630	C0a	50	50	672634	
93x230	400	2 608 608 631	C0a	50	50	672641	



Clamped, 8 holes

Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### C470 sanding sheets for orbital sanders, 93 x 230 mm



- ▶ **Suitable for** sanding wood, paint, varnish, roughcast
- ▶ **Appropriate for** all conventional orbital sanders

Product properties		Ordering information					
Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode	3165140...


Pack of 50

93x230	40	2 608 608 632	C0a	50	50	672658	
93x230	60	2 608 608 633	C0a	50	50	672665	
93x230	80	2 608 608 634	C0a	50	50	672672	
93x230	100	2 608 608 635	C0a	50	50	672689	
93x230	120	2 608 608 636	C0a	50	50	672696	
93x230	150	2 608 608 637	C0a	50	50	672702	
93x230	180	2 608 608 638	C0a	50	50	672719	
93x230	220	2 608 608 639	C0a	50	50	672726	
93x230	240	2 608 608 640	C0a	50	50	672733	
93x230	320	2 608 608 641	C0a	50	50	672740	
93x230	400	2 608 608 642	C0a	50	50	672757	



Clamped, unpunched

### C470 sanding sheets for orbital sanders, 115 x 230 mm, 14 holes




- ▶ **Suitable for** sanding wood, paint, varnish, roughcast
- ▶ **Appropriate for** orbital sanders from Bosch, Festool, Holz-Her, Makita, Metabo

Pack of 50

115x230	40	2 608 608 654	C0a	50	50	672870	
115x230	60	2 608 608 655	C0a	50	50	672887	
115x230	80	2 608 608 656	C0a	50	50	672894	
115x230	100	2 608 608 657	C0a	50	50	672900	
115x230	120	2 608 608 658	C0a	50	50	672917	
115x230	150	2 608 608 659	C0a	50	50	672924	
115x230	180	2 608 608 660	C0a	50	50	672931	
115x230	220	2 608 608 661	C0a	50	50	672948	
115x230	240	2 608 608 662	C0a	50	50	672955	
115x230	320	2 608 608 663	C0a	50	50	672962	
115x230	400	2 608 608 664	C0a	50	50	672979	



 Pack quantity  
(Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### C470 sanding sheets for orbital sanders, 115 x 230 mm



- ▶ Suitable for sanding wood, paint, varnish, roughcast
- ▶ Appropriate for all conventional orbital sanders


Product properties	Ordering information						
Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...	

Pack of 50

115x230	40	2 608 608 676	C0a	50	50	673099
115x230	60	2 608 608 677	C0a	50	50	673105
115x230	80	2 608 608 678	C0a	50	50	673112
115x230	100	2 608 608 679	C0a	50	50	673129
115x230	120	2 608 608 680	C0a	50	50	673136
115x230	150	2 608 608 681	C0a	50	50	673143
115x230	180	2 608 608 682	C0a	50	50	673150
115x230	220	2 608 608 683	C0a	50	50	673167
115x230	240	2 608 608 684	C0a	50	50	673174
115x230	320	2 608 608 685	C0a	50	50	673181
115x230	400	2 608 608 686	C0a	50	50	673198



### C470 sanding sheets for orbital sanders, 115 x 280 mm



- ▶ Suitable for sanding wood, paint, varnish, roughcast
- ▶ Appropriate for all conventional orbital sanders

Pack of 50

115x280	40	2 608 608 665	C0a	50	50	672986
115x280	60	2 608 608 666	C0a	50	50	672993
115x280	80	2 608 608 667	C0a	50	50	673006
115x280	100	2 608 608 668	C0a	50	50	673013
115x280	120	2 608 608 669	C0a	50	50	673020
115x280	150	2 608 608 670	C0a	50	50	673037
115x280	180	2 608 608 671	C0a	50	50	673044
115x280	220	2 608 608 672	C0a	50	50	673051
115x280	240	2 608 608 673	C0a	50	50	673068
115x280	320	2 608 608 674	C0a	50	50	673075
115x280	400	2 608 608 675	C0a	50	50	673082

Clamped, unpunched



● Pack quantity  
(Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.



# Sanding belts for belt sanders



- ▶ Very sturdy and durable sanding belts in X440, X570 versions
- ▶ Specific application-oriented belt joints in consistently high quality for perfect surfaces
- ▶ Dust-free sanding belts, workpieces and power tools thanks to antistatic structure
- ▶ High material removal rate and fine surfaces
- ▶ Sanding belts with highly precise, clean belt run without glue residues for best surface quality
- ▶ Sanding belts for belt sanders of all conventional brands and dimensions

High-performance abrasives for large areas and high material removal rate on wooden materials

## X440 sanding belts for belt sanders



▶ **Suitable for** sanding all types of wood, hardwood, chipboard and construction boards

Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
<b>Product properties</b>			<b>Ordering information</b>				

**Appropriate for** belt sanders from AEG, Black & Decker, Holz-Her, Kress, Metabo

65	410	40	<b>2 608 608 802</b>	P0n	5	10	674355
65	410	60	<b>2 608 608 803</b>	P0n	10	10	674362
65	410	80	<b>2 608 608 804</b>	P0n	10	10	674379
65	410	100	<b>2 608 608 805</b>	P0n	10	10	674386
65	410	120	<b>2 608 608 806</b>	P0n	10	10	674393
65	410	150	<b>2 608 608 807</b>	P0n	10	10	674409

**Appropriate for** MHB 157, MHB 158 belt sanders from Elu

75	480	40	<b>2 608 608 808</b>	P0n	5	10	674416
75	480	60	<b>2 608 608 809</b>	P0n	10	10	674423
75	480	80	<b>2 608 608 810</b>	P0n	10	10	674430
75	480	100	<b>2 608 608 811</b>	P0n	10	10	674447
75	480	120	<b>2 608 608 812</b>	P0n	10	10	674454
75	480	150	<b>2 608 608 813</b>	P0n	10	10	674461

• Pack quantity  
(Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

## X440 sanding belts for belt sanders

Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties			Ordering information				

Appropriate for belt sanders from Bosch, AEG, DeWalt, Festool, Holz-Her, Makita, etc.



75	533	40	<b>2 608 608 814</b>	P0n	5	10	674478
75	533	60	<b>2 608 608 815</b>	P0n	10	10	674485
75	533	80	<b>2 608 608 816</b>	P0n	10	10	674492
75	533	100	<b>2 608 608 817</b>	P0n	10	10	674508
75	533	120	<b>2 608 608 818</b>	P0n	10	10	674515
75	533	150	<b>2 608 608 819</b>	P0n	10	10	674522
75	533	180	<b>2 608 608 820</b>	P0n	10	10	674539
75	533	220	<b>2 608 608 821</b>	P0n	10	10	674546

Appropriate for belt sanders from Peugeot, Skil

100	552	40	<b>2 608 608 824</b>	P0n	5	10	674577
100	552	60	<b>2 608 608 825</b>	P0n	10	10	674584
100	552	80	<b>2 608 608 826</b>	P0n	10	10	674591
100	552	100	<b>2 608 608 827</b>	P0n	10	10	674607
100	552	120	<b>2 608 608 828</b>	P0n	10	10	674614
100	552	150	<b>2 608 608 829</b>	P0n	10	10	674621

Appropriate for belt sanders from AEG, Atlas Copco, DeWalt, Elu, Festool, Ryobi

100	560	40	<b>2 608 608 830</b>	P0n	5	10	674638
100	560	60	<b>2 608 608 831</b>	P0n	10	10	674645
100	560	80	<b>2 608 608 832</b>	P0n	10	10	674652
100	560	100	<b>2 608 608 833</b>	P0n	10	10	674669
100	560	120	<b>2 608 608 834</b>	P0n	10	10	674676
100	560	150	<b>2 608 608 835</b>	P0n	10	10	674683
100	560	180	<b>2 608 608 836</b>	P0n	10	10	674690
100	560	220	<b>2 608 608 837</b>	P0n	10	10	674706

Appropriate for belt sanders from Bosch, Hitachi, Holz-Her, Makita, Wegoma, Ryobi

100	610	40	<b>2 608 608 838</b>	P0n	5	10	674713
100	610	60	<b>2 608 608 839</b>	P0n	10	10	674720
100	610	80	<b>2 608 608 840</b>	P0n	10	10	674737
100	610	100	<b>2 608 608 841</b>	P0n	10	10	674744
100	610	120	<b>2 608 608 842</b>	P0n	10	10	674751
100	610	150	<b>2 608 608 843</b>	P0n	10	10	674768

Appropriate for belt sanders from Bosch, AEG, Atlas Copco, Makita, Metabo

100	620	40	<b>2 608 608 844</b>	P0n	5	10	674775
100	620	60	<b>2 608 608 845</b>	P0n	10	10	674782
100	620	80	<b>2 608 608 846</b>	P0n	10	10	674799
100	620	100	<b>2 608 608 847</b>	P0n	10	10	674805
100	620	120	<b>2 608 608 848</b>	P0n	10	10	674812
100	620	150	<b>2 608 608 849</b>	P0n	10	10	674829
100	620	180	<b>2 608 608 850</b>	P0n	10	10	674836
100	620	220	<b>2 608 608 851</b>	P0n	10	10	674843

### X440 sanding belts for belt sanders

Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties			Ordering information				

Appropriate for belt sanders from Festool, Hitachi, Holz-Her, Metabo

105	620	40	<b>2 608 608 854</b>	P0n	5	10	674874
105	620	60	<b>2 608 608 855</b>	P0n	10	10	674881
105	620	80	<b>2 608 608 856</b>	P0n	10	10	674898
105	620	100	<b>2 608 608 857</b>	P0n	10	10	674904
105	620	120	<b>2 608 608 858</b>	P0n	10	10	674911
105	620	150	<b>2 608 608 859</b>	P0n	10	10	674928

Appropriate for belt sanders from Casals, Hitachi

110	620	40	<b>2 608 608 860</b>	P0n	5	10	674935
110	620	60	<b>2 608 608 861</b>	P0n	10	10	674942
110	620	80	<b>2 608 608 862</b>	P0n	10	10	674959
110	620	100	<b>2 608 608 863</b>	P0n	10	10	674966
110	620	120	<b>2 608 608 864</b>	P0n	10	10	674973
100	860	40	<b>2 608 608 865</b>	P0n	5	10	674980
100	860	60	<b>2 608 608 866</b>	P0n	10	10	674997
100	860	80	<b>2 608 608 867</b>	P0n	10	10	675000
100	860	100	<b>2 608 608 868</b>	P0n	10	10	675017
100	860	120	<b>2 608 608 869</b>	P0n	10	10	675024
100	860	150	<b>2 608 608 870</b>	P0n	10	10	675031
100	900	40	<b>2 608 608 871</b>	P0n	5	10	675048
100	900	60	<b>2 608 608 872</b>	P0n	10	10	675055
100	900	80	<b>2 608 608 873</b>	P0n	10	10	675062
100	900	100	<b>2 608 608 874</b>	P0n	10	10	675079
100	900	120	<b>2 608 608 875</b>	P0n	10	10	675086
100	900	150	<b>2 608 608 876</b>	P0n	10	10	675093

### X570 sanding belts for belt sanders



- Suitable for sanding steel, aluminium, non-ferrous metals
- With zirconia – for high material removal rate

Appropriate for belt sanders from Bosch, AEG, Atlas Copco, Black & Decker, Casals, DeWalt, Felisatti, Festo/Festool, Hitachi, Holz-Her, Makita, Metabo, Peugeot, Ryobi, Skil, Stayer



75	533	40	<b>2 608 608 D04</b>	C0a	5	10	679374
75	533	60	<b>2 608 608 D05</b>	C0a	10	10	679381

# Sanding belts


## for edge belt sanding machines



- ▶ Very sturdy and durable sanding belts in F460 versions
- ▶ Specific application-oriented belt joint in consistently high quality for perfect surfaces
- ▶ Dust-free sanding belts, workpieces and machines thanks to antistatic structure
- ▶ High material removal rate and fine surfaces
- ▶ Sanding belts with highly precise, clean belt run without glue residues for best surface quality
- ▶ Sanding belts for all conventional brands and dimensions

High-performance abrasives for large areas and high material removal rate on wooden materials

### F460 sanding belts for edge belt sanding machines



- ▶ **Suitable for** sanding wood, paint, varnish
- ▶ Products on request

Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
<b>Product properties</b>			<b>Ordering information</b>				
150	2000	80	<b>2 608 608 877</b>	C0a	10	10	675109
150	2000	100	<b>2 608 608 878</b>	C0a	10	10	675116
150	2000	120	<b>2 608 608 879</b>	C0a	10	10	675123
150	2000	150	<b>2 608 608 880</b>	C0a	10	10	675130
150	2170	80	<b>2 608 608 881</b>	C0a	10	10	675147
150	2170	100	<b>2 608 608 882</b>	C0a	10	10	675154
150	2170	120	<b>2 608 608 883</b>	C0a	10	10	675161
150	2170	150	<b>2 608 608 884</b>	C0a	10	10	675178
150	2250	60	<b>2 608 608 885</b>	C0a	10	10	675185
150	2250	80	<b>2 608 608 886</b>	C0a	10	10	675192
150	2250	100	<b>2 608 608 887</b>	C0a	10	10	675208
150	2250	120	<b>2 608 608 888</b>	C0a	10	10	675215
150	2250	150	<b>2 608 608 889</b>	C0a	10	10	675222
150	2250	180	<b>2 608 608 890</b>	C0a	10	10	675239
150	2250	220	<b>2 608 608 891</b>	C0a	10	10	675246
150	2280	60	<b>2 608 608 892</b>	C0a	10	10	675253
150	2280	80	<b>2 608 608 893</b>	C0a	10	10	675260
150	2280	100	<b>2 608 608 894</b>	C0a	10	10	675277
150	2280	120	<b>2 608 608 895</b>	C0a	10	10	675284
150	2280	150	<b>2 608 608 896</b>	C0a	10	10	675291



● Pack quantity  
(Pieces per pack)





<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### F460 sanding belts for edge belt sanding machines

Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties			Ordering information				
150	2600	60	2 608 608 897	C0a	10	10	675307
150	2600	80	2 608 608 898	C0a	10	10	675314
150	2600	100	2 608 608 899	C0a	10	10	675321
150	2600	120	2 608 608 900	C0a	10	10	675338
150	2600	150	2 608 608 901	C0a	10	10	675345
150	2600	180	2 608 608 902	C0a	10	10	675352
150	2600	220	2 608 608 903	C0a	10	10	675369
150	3000	80	2 608 608 904	C0a	10	10	675376
150	3000	100	2 608 608 905	C0a	10	10	675383
150	3000	120	2 608 608 906	C0a	10	10	675390
150	3000	150	2 608 608 907	C0a	10	10	675406
200	2000	60	2 608 608 908	C0a	10	10	675413
200	2000	80	2 608 608 909	C0a	10	10	675420
200	2000	100	2 608 608 910	C0a	10	10	675437
200	2000	120	2 608 608 911	C0a	10	10	675444
200	2000	150	2 608 608 912	C0a	10	10	675451
200	2000	180	2 608 608 913	C0a	10	10	675468
200	2000	220	2 608 608 914	C0a	10	10	675475
200	3000	60	2 608 608 915	C0a	10	10	675482
200	3000	80	2 608 608 916	C0a	10	10	675499
200	3000	100	2 608 608 917	C0a	10	10	675505
200	3000	120	2 608 608 918	C0a	10	10	675512
200	3000	150	2 608 608 919	C0a	10	10	675529
200	3000	180	2 608 608 920	C0a	10	10	675536
200	3000	220	2 608 608 921	C0a	10	10	675543
200	3200	60	2 608 608 922	C0a	10	10	675550
200	3200	80	2 608 608 923	C0a	10	10	675567
200	3200	100	2 608 608 924	C0a	10	10	675574
200	3200	120	2 608 608 925	C0a	10	10	675581
200	3200	150	2 608 608 926	C0a	10	10	675598
200	3200	180	2 608 608 927	C0a	10	10	675604
200	3200	220	2 608 608 928	C0a	10	10	675611
300	1900	60	2 608 608 929	C0a	10	10	675628
300	1900	80	2 608 608 930	C0a	10	10	675635
300	1900	100	2 608 608 931	C0a	10	10	675642
300	1900	120	2 608 608 932	C0a	10	10	675659
300	1900	150	2 608 608 933	C0a	10	10	675666
300	1900	180	2 608 608 934	C0a	10	10	675673
300	1900	220	2 608 608 935	C0a	10	10	675680



 Pack quantity  
(Pieces per pack)

 <sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

# Sanding belts


## for long belt sanding machines



- ▶ Very sturdy and durable sanding belts in F460 versions
- ▶ Specific application-oriented belt joint in consistently high quality for perfect surfaces
- ▶ Dust-free sanding belts, workpieces and machines thanks to antistatic structure
- ▶ High material removal rate and fine surfaces
- ▶ Sanding belts with highly precise, clean belt run without glue residues for best surface quality
- ▶ Sanding belts for all conventional brands and dimensions

High-performance abrasives for large areas and high material removal rate on wooden materials

### F460 sanding belts for long belt sanding machines



- ▶ **Suitable for** sanding wood, paint, varnish
- ▶ Products on request

Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
<b>Product properties</b>			<b>Ordering information</b>				
120	7000	60	<b>2 608 608 A77</b>	C0a	5	10	677103
120	7000	80	<b>2 608 608 A78</b>	C0a	5	10	677110
120	7000	100	<b>2 608 608 A79</b>	C0a	5	10	677127
120	7000	120	<b>2 608 608 A80</b>	C0a	5	10	677134
120	7000	150	<b>2 608 608 A81</b>	C0a	5	10	677141
120	7000	180	<b>2 608 608 A82</b>	C0a	5	10	677158
120	7000	220	<b>2 608 608 A83</b>	C0a	5	10	677165
120	7200	60	<b>2 608 608 A84</b>	C0a	5	10	677172
120	7200	80	<b>2 608 608 A85</b>	C0a	5	10	677189
120	7200	100	<b>2 608 608 A86</b>	C0a	5	10	677196
120	7200	120	<b>2 608 608 A87</b>	C0a	5	10	677202
120	7200	150	<b>2 608 608 A88</b>	C0a	5	10	677219
120	7200	180	<b>2 608 608 A89</b>	C0a	5	10	677226
120	7200	220	<b>2 608 608 A90</b>	C0a	5	10	677233
120	8000	60	<b>2 608 608 A91</b>	C0a	5	10	677240
120	8000	80	<b>2 608 608 A92</b>	C0a	5	10	677257
120	8000	100	<b>2 608 608 A93</b>	C0a	5	10	677264
120	8000	120	<b>2 608 608 A94</b>	C0a	5	10	677271
120	8000	150	<b>2 608 608 A95</b>	C0a	5	10	677288
120	8000	180	<b>2 608 608 A96</b>	C0a	5	10	677295
120	8000	220	<b>2 608 608 A97</b>	C0a	5	10	677301



● Pack quantity  
(Pieces per pack)





<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### F460 sanding belts for long belt sanding machines

Belt dimensions, width mm		Belt dimensions, length mm		Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties				Ordering information					
150	6700	60		2 608 608 A98	C0a	5	10	677318	
150	6700	80		2 608 608 A99	C0a	5	10	677325	
150	6700	100		2 608 608 B00	C0a	5	10	677332	
150	6700	120		2 608 608 B01	C0a	5	10	677349	
150	6700	150		2 608 608 B02	C0a	5	10	677356	
150	6700	180		2 608 608 B03	C0a	5	10	677363	
150	6700	220		2 608 608 B04	C0a	5	10	677370	
150	6800	60		2 608 608 B05	C0a	5	10	677387	
150	6800	80		2 608 608 B06	C0a	5	10	677394	
150	6800	100		2 608 608 B07	C0a	5	10	677400	
150	6800	120		2 608 608 B08	C0a	5	10	677417	
150	6800	150		2 608 608 B09	C0a	5	10	677424	
150	6800	180		2 608 608 B10	C0a	5	10	677431	
150	6800	220		2 608 608 B11	C0a	5	10	677448	
150	6880	60		2 608 608 B12	C0a	5	10	677455	
150	6880	80		2 608 608 B13	C0a	5	10	677462	
150	6880	100		2 608 608 B14	C0a	5	10	677479	
150	6880	120		2 608 608 B15	C0a	5	10	677486	
150	6880	150		2 608 608 B16	C0a	5	10	677493	
150	6880	180		2 608 608 B17	C0a	5	10	677509	
150	6880	220		2 608 608 B18	C0a	5	10	677516	
150	7100	60		2 608 608 B19	C0a	5	10	677523	
150	7100	80		2 608 608 B20	C0a	5	10	677530	
150	7100	100		2 608 608 B21	C0a	5	10	677547	
150	7100	120		2 608 608 B22	C0a	5	10	677554	
150	7100	150		2 608 608 B23	C0a	5	10	677561	
150	7100	180		2 608 608 B24	C0a	5	10	677578	
150	7100	220		2 608 608 B25	C0a	5	10	677585	
150	7200	60		2 608 608 B26	C0a	5	10	677592	
150	7200	80		2 608 608 B27	C0a	5	10	677608	
150	7200	100		2 608 608 B28	C0a	5	10	677615	
150	7200	120		2 608 608 B29	C0a	5	10	677622	
150	7200	150		2 608 608 B30	C0a	5	10	677639	
150	7200	180		2 608 608 B31	C0a	5	10	677646	
150	7200	220		2 608 608 B32	C0a	5	10	677653	
150	7500	60		2 608 608 B33	C0a	5	10	677660	
150	7500	80		2 608 608 B34	C0a	5	10	677677	
150	7500	100		2 608 608 B35	C0a	5	10	677684	
150	7500	120		2 608 608 B36	C0a	5	10	677691	
150	7500	150		2 608 608 B37	C0a	5	10	677707	
150	7500	180		2 608 608 B38	C0a	5	10	677714	
150	7500	220		2 608 608 B39	C0a	5	10	677721	
150	7800	60		2 608 608 B40	C0a	5	10	677738	
150	7800	80		2 608 608 B41	C0a	5	10	677745	
150	7800	100		2 608 608 B42	C0a	5	10	677752	
150	7800	120		2 608 608 B43	C0a	5	10	677769	
150	7800	150		2 608 608 B44	C0a	5	10	677776	
150	7800	180		2 608 608 B45	C0a	5	10	677783	
150	7800	220		2 608 608 B46	C0a	5	10	677790	
150	8500	60		2 608 608 B47	C0a	5	10	677806	
150	8500	80		2 608 608 B48	C0a	5	10	677813	
150	8500	100		2 608 608 B49	C0a	5	10	677820	
150	8500	120		2 608 608 B50	C0a	5	10	677837	
150	8500	150		2 608 608 B51	C0a	5	10	677844	
150	8500	180		2 608 608 B52	C0a	5	10	677851	
150	8500	220		2 608 608 B53	C0a	5	10	677868	



 Pack quantity  
(Pieces per pack)

 <sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

# Sanding belts


## for wide belt sanding machines



- ▶ Very sturdy and durable sanding belts in F460 versions
- ▶ Specific application-oriented belt joint in consistently high quality for perfect surfaces
- ▶ Dust-free sanding belts, workpieces and machines thanks to antistatic structure
- ▶ High material removal rate and fine surfaces
- ▶ Sanding belts with highly precise, clean belt run without glue residues for best surface quality
- ▶ Sanding belts for all conventional brands and dimensions

High-performance abrasives for large areas and high material removal rate on wooden materials


### F460 sanding belts for wide belt sanding machines



- ▶ **Suitable for** sanding wood, paint, varnish
- ▶ Products on request

Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties			Ordering information				
650	1900	60	<b>2 608 608 936</b>	C0a	5	10	675697
650	1900	80	<b>2 608 608 937</b>	C0a	10	10	675703
650	1900	100	<b>2 608 608 938</b>	C0a	10	10	675710
650	1900	120	<b>2 608 608 939</b>	C0a	10	10	675727
650	1900	150	<b>2 608 608 940</b>	C0a	10	10	675734
650	1900	180	<b>2 608 608 941</b>	C0a	10	10	675741
650	1900	220	<b>2 608 608 942</b>	C0a	10	10	675758
910	1900	60	<b>2 608 608 943</b>	C0a	5	10	675765
910	1900	80	<b>2 608 608 944</b>	C0a	10	10	675772
910	1900	100	<b>2 608 608 945</b>	C0a	10	10	675789
910	1900	120	<b>2 608 608 946</b>	C0a	10	10	675796
910	1900	150	<b>2 608 608 947</b>	C0a	10	10	675802
910	1900	180	<b>2 608 608 948</b>	C0a	10	10	675819
910	1900	220	<b>2 608 608 949</b>	C0a	10	10	675826
930	1525	60	<b>2 608 608 950</b>	C0a	5	10	675833
930	1525	80	<b>2 608 608 951</b>	C0a	10	10	675840
930	1525	100	<b>2 608 608 952</b>	C0a	10	10	675857
930	1525	120	<b>2 608 608 953</b>	C0a	10	10	675864
930	1525	150	<b>2 608 608 954</b>	C0a	10	10	675871
930	1525	180	<b>2 608 608 955</b>	C0a	10	10	675888
930	1525	220	<b>2 608 608 956</b>	C0a	10	10	675895



 Pack quantity  
(Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.



### F460 sanding belts for wide belt sanding machines

Belt dimensions, width mm		Belt dimensions, length mm		Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties				Ordering information					
930	1900	60	2 608 608 957	C0a	5	10	675901		
930	1900	80	2 608 608 958	C0a	10	10	675918		
930	1900	100	2 608 608 959	C0a	10	10	675925		
930	1900	120	2 608 608 960	C0a	10	10	675932		
930	1900	150	2 608 608 961	C0a	10	10	675949		
930	1900	180	2 608 608 962	C0a	10	10	675956		
930	1900	220	2 608 608 963	C0a	10	10	675963		
970	1900	60	2 608 608 964	C0a	5	10	675970		
970	1900	80	2 608 608 965	C0a	10	10	675987		
970	1900	100	2 608 608 966	C0a	10	10	675994		
970	1900	120	2 608 608 967	C0a	10	10	676007		
970	1900	150	2 608 608 968	C0a	10	10	676014		
970	1900	180	2 608 608 969	C0a	10	10	676021		
970	1900	220	2 608 608 970	C0a	10	10	676038		
1060	1900	60	2 608 608 971	C0a	5	10	676045		
1060	1900	80	2 608 608 972	C0a	10	10	676052		
1060	1900	100	2 608 608 973	C0a	10	10	676069		
1060	1900	120	2 608 608 974	C0a	10	10	676076		
1060	1900	150	2 608 608 975	C0a	10	10	676083		
1060	1900	180	2 608 608 976	C0a	10	10	676090		
1060	1900	220	2 608 608 977	C0a	10	10	676106		
1100	1900	60	2 608 608 978	C0a	5	10	676113		
1100	1900	80	2 608 608 979	C0a	10	10	676120		
1100	1900	100	2 608 608 980	C0a	10	10	676137		
1100	1900	120	2 608 608 981	C0a	10	10	676144		
1100	1900	150	2 608 608 982	C0a	10	10	676151		
1100	1900	180	2 608 608 983	C0a	10	10	676168		
1100	1900	220	2 608 608 984	C0a	10	10	676175		
1110	1900	60	2 608 608 985	C0a	5	10	676182		
1110	1900	80	2 608 608 986	C0a	10	10	676199		
1110	1900	100	2 608 608 987	C0a	10	10	676205		
1110	1900	120	2 608 608 988	C0a	10	10	676212		
1110	1900	150	2 608 608 989	C0a	10	10	676229		
1110	1900	180	2 608 608 990	C0a	10	10	676236		
1110	1900	220	2 608 608 991	C0a	10	10	676243		
1120	1900	60	2 608 608 992	C0a	5	10	676250		
1120	1900	80	2 608 608 993	C0a	10	10	676267		
1120	1900	100	2 608 608 994	C0a	10	10	676274		
1120	1900	120	2 608 608 995	C0a	10	10	676281		
1120	1900	150	2 608 608 996	C0a	10	10	676298		
1120	1900	180	2 608 608 997	C0a	10	10	676304		
1120	1900	220	2 608 608 998	C0a	10	10	676311		
1120	2000	60	2 608 608 999	C0a	5	10	676328		
1120	2000	80	2 608 608 A00	C0a	10	10	676335		
1120	2000	100	2 608 608 A01	C0a	10	10	676342		
1120	2000	120	2 608 608 A02	C0a	10	10	676359		
1120	2000	150	2 608 608 A03	C0a	10	10	676366		
1120	2000	180	2 608 608 A04	C0a	10	10	676373		
1120	2000	220	2 608 608 A05	C0a	10	10	676380		
1120	2150	60	2 608 608 A06	C0a	5	10	676397		
1120	2150	80	2 608 608 A07	C0a	10	10	676403		
1120	2150	100	2 608 608 A08	C0a	10	10	676410		
1120	2150	120	2 608 608 A09	C0a	10	10	676427		
1120	2150	150	2 608 608 A10	C0a	10	10	676434		



● Pack quantity  
(Pieces per pack)

■ Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### F460 sanding belts for wide belt sanding machines

Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties			Ordering information				
1120	2150	180	2 608 608 A11	C0a	10	10	676441
1120	2150	220	2 608 608 A12	C0a	10	10	676458
1120	2620	60	2 608 608 A13	C0a	5	10	676465
1120	2620	80	2 608 608 A14	C0a	10	10	676472
1120	2620	100	2 608 608 A15	C0a	10	10	676489
1120	2620	120	2 608 608 A16	C0a	10	10	676496
1120	2620	150	2 608 608 A17	C0a	10	10	676502
1120	2620	180	2 608 608 A18	C0a	10	10	676519
1120	2620	220	2 608 608 A19	C0a	10	10	676526
1130	2200	60	2 608 608 A20	C0a	5	10	676533
1130	2200	80	2 608 608 A21	C0a	10	10	676540
1130	2200	100	2 608 608 A22	C0a	10	10	676557
1130	2200	120	2 608 608 A23	C0a	10	10	676564
1130	2200	150	2 608 608 A24	C0a	10	10	676571
1130	2200	180	2 608 608 A25	C0a	10	10	676588
1130	2200	220	2 608 608 A26	C0a	10	10	676595
1310	1900	60	2 608 608 A27	C0a	5	10	676601
1310	1900	80	2 608 608 A28	C0a	10	10	676618
1310	1900	100	2 608 608 A29	C0a	10	10	676625
1310	1900	120	2 608 608 A30	C0a	10	10	676632
1310	1900	150	2 608 608 A31	C0a	10	10	676649
1310	1900	180	2 608 608 A32	C0a	10	10	676656
1310	1900	220	2 608 608 A33	C0a	10	10	676663
1310	2620	60	2 608 608 A34	C0a	5	10	676670
1310	2620	80	2 608 608 A35	C0a	10	10	676687
1310	2620	100	2 608 608 A36	C0a	10	10	676694
1310	2620	120	2 608 608 A37	C0a	10	10	676700
1310	2620	150	2 608 608 A38	C0a	10	10	676717
1310	2620	180	2 608 608 A39	C0a	10	10	676724
1310	2620	220	2 608 608 A40	C0a	10	10	676731
1350	2620	60	2 608 608 A41	C0a	5	10	676748
1350	2620	80	2 608 608 A42	C0a	10	10	676755
1350	2620	100	2 608 608 A43	C0a	10	10	676762
1350	2620	120	2 608 608 A44	C0a	10	10	676779
1350	2620	150	2 608 608 A45	C0a	10	10	676786
1350	2620	180	2 608 608 A46	C0a	10	10	676793
1350	2620	220	2 608 608 A47	C0a	10	10	676809
1350	2620	240	2 608 608 A48	C0a	10	10	676816
1350	2620	280	2 608 608 A49	C0a	10	10	676823
1350	2620	320	2 608 608 A50	C0a	10	10	676830
1350	2620	400	2 608 608 A51	C0a	10	10	676847
1350	3250	60	2 608 608 A52	C0a	5	10	676854
1350	3250	80	2 608 608 A53	C0a	10	10	676861
1350	3250	100	2 608 608 A54	C0a	10	10	676878
1350	3250	120	2 608 608 A55	C0a	10	10	676885
1350	3250	150	2 608 608 A56	C0a	10	10	676892
1350	3250	180	2 608 608 A57	C0a	10	10	676908
1350	3250	220	2 608 608 A58	C0a	10	10	676915
1350	3250	320	2 608 608 A59	C0a	10	10	676922
1350	3250	400	2 608 608 A60	C0a	10	10	676939
1360	1900	60	2 608 608 A61	C0a	5	10	676946
1360	1900	80	2 608 608 A62	C0a	10	10	676953
1360	1900	100	2 608 608 A63	C0a	10	10	676960
1360	1900	120	2 608 608 A64	C0a	10	10	676977




Pack quantity (Pieces per pack)


<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### F460 sanding belts for wide belt sanding machines



Product properties			Ordering information					
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...	
1360	1900	150	<b>2 608 608 A65</b>	C0a	10	10	676984	
1360	1900	180	<b>2 608 608 A66</b>	C0a	10	10	676991	
1360	1900	220	<b>2 608 608 A67</b>	C0a	10	10	677004	
1380	2150	60	<b>2 608 608 A68</b>	C0a	5	10	677011	
1380	2150	80	<b>2 608 608 A69</b>	C0a	10	10	677028	
1380	2150	100	<b>2 608 608 A70</b>	C0a	10	10	677035	
1380	2150	120	<b>2 608 608 A71</b>	C0a	10	10	677042	
1380	2150	150	<b>2 608 608 A72</b>	C0a	10	10	677059	
1380	2150	180	<b>2 608 608 A73</b>	C0a	10	10	677066	
1380	2150	240	<b>2 608 608 A74</b>	C0a	5	10	677073	
1380	2150	320	<b>2 608 608 A75</b>	C0a	10	10	677080	
1380	2150	400	<b>2 608 608 A76</b>	C0a	10	10	677097	

 Pack quantity  
(Pieces per pack)

 <sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

# Sanding belts

## for Bosch compact belt sanders



- ▶ In X440, X450 versions
- ▶ Extremely tear-resistant with long life due to special film joint
- ▶ For fast, efficient sanding in hard-to-reach areas
- ▶ Simply turn round sanding belts that are worn down on one side – this doubles the lifetime

X450 sanding belts are ideal for working in metal

### X440 sanding belts for compact belt sanders



- ▶ Suitable for sanding wood, paint
- ▶ Appropriate for GVS 350 AE Professional, PVS 300 AE compact belt sanders from Bosch

Product properties			Ordering information				
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...

#### Appropriate for compact belt sanders

40	305	40	<b>2 608 608 481</b>	P0n	5	10	671149
40	305	60	<b>2 608 608 482</b>	P0n	10	10	671156
40	305	80	<b>2 608 608 483</b>	P0n	10	10	671163
40	305	120	<b>2 608 608 484</b>	P0n	10	10	671170
40	305	180	<b>2 608 608 485</b>	P0n	10	10	671187



### X450 sanding belts for compact belt sanders



- ▶ Suitable for sanding all metals
- ▶ Appropriate for GVS 350 AE Professional, PVS 300 AE compact belt sanders from Bosch

#### Appropriate for compact belt sanders

40	305	60	<b>2 608 608 486</b>	P0n	10	10	671194
40	305	80	<b>2 608 608 487</b>	P0n	10	10	671200
40	305	120	<b>2 608 608 488</b>	P0n	10	10	671217
40	305	180	<b>2 608 608 489</b>	P0n	10	10	671224



• Pack quantity  
(Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.


# Sanding belts for electric files



- ▶ Very sturdy, flexible and durable sanding belts in Y580, J455 and N480 versions
- ▶ Specific application-oriented belt joint in consistently high quality for perfect surfaces
- ▶ High material removal rate and fine surfaces
- ▶ Sanding belts with highly precise, clean belt run without glue residues for best surface quality
- ▶ Sanding belts for all conventional brands and dimensions

High-performance abrasives for sanding, removing material and satin finishing on stainless steel in hard-to-reach areas

## Y580 sanding belts for electric files



- ▶ **Suitable** for sanding stainless steel (inox)
- ▶ Hardly any discolouration thanks to cooling additives
- ▶ With zirconia – for high material removal rate
- ▶ **Appropriate** for all conventional electric files

Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...
<b>Product properties</b>			<b>Ordering information</b>				
6	457	40	<b>2 608 608 H93</b>	P0b	10	10	685726
6	457	60	<b>2 608 608 H94</b>	P0b	10	10	685733
6	457	80	<b>2 608 608 H95</b>	P0b	10	10	685740
6	457	120	<b>2 608 608 H96</b>	P0b	10	10	685757
6	520	40	<b>2 608 608 H97</b>	P0b	10	10	685764
6	520	60	<b>2 608 608 H98</b>	P0b	10	10	685771
6	520	80	<b>2 608 608 H99</b>	P0b	10	10	685788
6	520	120	<b>2 608 608 J00</b>	P0b	10	10	685795
6	610	40	<b>2 608 608 J01</b>	P0b	10	10	685801
6	610	60	<b>2 608 608 J02</b>	P0b	10	10	685818
6	610	80	<b>2 608 608 J03</b>	P0b	10	10	685825
6	610	120	<b>2 608 608 J04</b>	P0b	10	10	685832
10	330	40	<b>2 608 608 J05</b>	P0b	10	10	685849
10	330	60	<b>2 608 608 J06</b>	P0b	10	10	685856
10	330	80	<b>2 608 608 J07</b>	P0b	10	10	685863
10	330	120	<b>2 608 608 J08</b>	P0b	10	10	685870



● Pack quantity  
(Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### Y580 sanding belts for electric files

Belt dimensions, width mm		Belt dimensions, length mm		Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties				Ordering information					
13	457	40	2 608 608 J09	P0b	10	10	685887		
13	457	60	2 608 608 J10	P0b	10	10	685894		
13	457	80	2 608 608 J11	P0b	10	10	685900		
13	457	120	2 608 608 J12	P0b	10	10	685917		
13	520	40	2 608 608 J13	P0b	10	10	685924		
13	520	60	2 608 608 J14	P0b	10	10	685931		
13	520	80	2 608 608 J15	P0b	10	10	685948		
13	520	120	2 608 608 J16	P0b	10	10	685955		
13	610	40	2 608 608 J17	P0b	10	10	685962		
13	610	60	2 608 608 J18	P0b	10	10	685979		
13	610	80	2 608 608 J19	P0b	10	10	685986		
13	610	120	2 608 608 J20	P0b	10	10	685993		
13	610	180	2 608 608 J21	P0b	10	10	686006		
20	457	40	2 608 608 J22	P0b	10	10	686082		
20	457	60	2 608 608 J23	P0b	10	10	686099		
20	457	80	2 608 608 J24	P0b	10	10	686105		
20	457	120	2 608 608 J25	P0b	10	10	686112		
20	457	180	2 608 608 J26	P0b	10	10	686129		
20	520	40	2 608 608 J27	P0b	10	10	686136		
20	520	60	2 608 608 J28	P0b	10	10	686143		
20	520	80	2 608 608 J29	P0b	10	10	686150		
20	520	120	2 608 608 J30	P0b	10	10	686167		

### J455 sanding belts for electric files



- ▶ Suitable for sanding stainless steel (inox)
- ▶ Hardly any discolouration thanks to cooling additives
- ▶ Appropriate for all conventional electric files
- ▶ The sanding belt is especially suitable for contour sanding due to its flexible backing

6	457	80	2 608 608 J31	P0b	10	10	686174
6	457	120	2 608 608 J32	P0b	10	10	686181
6	457	180	2 608 608 J33	P0b	10	10	686198
6	457	240	2 608 608 J34	P0b	10	10	686204
6	520	80	2 608 608 J35	P0b	10	10	686211
6	520	120	2 608 608 J36	P0b	10	10	686228
6	520	180	2 608 608 J37	P0b	10	10	686235
6	520	240	2 608 608 J38	P0b	10	10	686242
6	610	80	2 608 608 J39	P0b	10	10	686259
6	610	120	2 608 608 J40	P0b	10	10	686266
6	610	180	2 608 608 J41	P0b	10	10	686273
6	610	240	2 608 608 J42	P0b	10	10	686280
10	330	80	2 608 608 J43	P0b	10	10	686297
10	330	120	2 608 608 J44	P0b	10	10	686303
10	330	180	2 608 608 J45	P0b	10	10	686310
10	330	240	2 608 608 J46	P0b	10	10	686327
13	457	80	2 608 608 J47	P0b	10	10	686334
13	457	120	2 608 608 J48	P0b	10	10	686341
13	457	180	2 608 608 J49	P0b	10	10	686358
13	457	240	2 608 608 J50	P0b	10	10	686365


● Pack quantity  
(Pieces per pack)

■ Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### J455 sanding belts for electric files

Belt dimensions, width mm		Belt dimensions, length mm		Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties				Ordering information					
13	520	80	2 608 608 J51	P0b	10	10	686372		
13	520	120	2 608 608 J52	P0b	10	10	686389		
13	520	180	2 608 608 J53	P0b	10	10	686396		
13	520	240	2 608 608 J54	P0b	10	10	686402		
13	610	80	2 608 608 J55	P0b	10	10	686419		
13	610	120	2 608 608 J56	P0b	10	10	686426		
13	610	180	2 608 608 J57	P0b	10	10	686433		
13	610	240	2 608 608 J58	P0b	10	10	686440		
19	457	80	2 608 608 J59	P0b	10	10	686457		
19	457	120	2 608 608 J60	P0b	10	10	686464		
19	457	180	2 608 608 J61	P0b	10	10	686471		
19	457	240	2 608 608 J62	P0b	10	10	686488		
20	520	80	2 608 608 J63	P0b	10	10	686495		
20	520	120	2 608 608 J64	P0b	10	10	686501		
20	520	180	2 608 608 J65	P0b	10	10	686518		
20	520	240	2 608 608 J66	P0b	10	10	686525		

### N480 SCM sanding belts for electric files



- Suitable for sanding all metals
- Appropriate for all conventional electric files

6	457	Coarse	2 608 608 J67	P0f	10	10	686532
6	457	Medium	2 608 608 J68	P0f	10	10	686549
6	457	Fine	2 608 608 J69	P0f	10	10	686556
6	520	Coarse	2 608 608 J70	P0f	10	10	686563
6	520	Medium	2 608 608 J71	P0f	10	10	686570
6	520	Fine	2 608 608 J72	P0f	10	10	686587
6	610	Coarse	2 608 608 J73	P0f	10	10	686594
6	610	Medium	2 608 608 J74	P0f	10	10	686600
6	610	Fine	2 608 608 J75	P0f	10	10	686617
10	330	Coarse	2 608 608 J76	P0f	10	10	686624
10	330	Medium	2 608 608 J77	P0f	10	10	686631
10	330	Fine	2 608 608 J78	P0f	10	10	686648
13	457	Coarse	2 608 608 J79	P0f	10	10	686655
13	457	Medium	2 608 608 J80	P0f	10	10	686662
13	457	Fine	2 608 608 J81	P0f	10	10	686679
13	520	Coarse	2 608 608 J82	P0f	10	10	686686
13	520	Medium	2 608 608 J83	P0f	10	10	686693
13	520	Fine	2 608 608 J84	P0f	10	10	686709
13	610	Coarse	2 608 608 J85	P0f	10	10	686716
13	610	Medium	2 608 608 J86	P0f	10	10	686723
13	610	Fine	2 608 608 J87	P0f	10	10	686730
19	457	Coarse	2 608 608 J88	P0f	10	10	686747
19	457	Medium	2 608 608 J89	P0f	10	10	686754
19	457	Fine	2 608 608 J90	P0f	10	10	686761
20	520	Coarse	2 608 608 J91	P0f	10	10	686778
20	520	Medium	2 608 608 J92	P0f	10	10	686785
20	520	Fine	2 608 608 J93	P0f	10	10	686792



● Pack quantity  
(Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.


# Sanding belts for pipe belt sanders



- ▶ Very sturdy, flexible and durable sanding belts in Y580, J455 and N470 versions
- ▶ Specific application-oriented belt joint in consistently high quality for perfect surfaces
- ▶ High material removal rate and fine surfaces
- ▶ Sanding belts with highly precise, clean belt run without glue residues for best surface quality
- ▶ Sanding belts for all conventional brands and dimensions

High-performance abrasives for sanding, removing material and satin finishing on stainless steel in hard-to-reach areas

## Y580 sanding belts for pipe belt sanders



- ▶ **Suitable for** sanding stainless steel (inox)
- ▶ Hardly any discolouration thanks to cooling additives
- ▶ With zirconia – for high material removal rate
- ▶ **Appropriate for** all conventional pipe belt sanders

Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
<b>Product properties</b>			<b>Ordering information</b>				
30	533	40	<b>2 608 608 J94</b>	C0a	5	10	686808
30	533	60	<b>2 608 608 J95</b>	C0a	10	10	686815
30	533	80	<b>2 608 608 J96</b>	C0a	10	10	686822
30	533	120	<b>2 608 608 J97</b>	C0a	10	10	686839
30	533	180	<b>2 608 608 J98</b>	C0a	10	10	686846
30	610	40	<b>2 608 608 J99</b>	C0a	5	10	686853
30	610	60	<b>2 608 608 K00</b>	C0a	10	10	686860
30	610	80	<b>2 608 608 K01</b>	C0a	10	10	686877
30	610	120	<b>2 608 608 K02</b>	C0a	10	10	686884
30	610	180	<b>2 608 608 K03</b>	C0a	10	10	686891
40	760	40	<b>2 608 608 K04</b>	C0a	5	10	686907
40	760	60	<b>2 608 608 K05</b>	C0a	10	10	686914
40	760	80	<b>2 608 608 K06</b>	C0a	10	10	686921
40	760	120	<b>2 608 608 K07</b>	C0a	10	10	686938
40	760	180	<b>2 608 608 K08</b>	C0a	10	10	686945
40	820	40	<b>2 608 608 K09</b>	C0a	5	10	686952
40	820	60	<b>2 608 608 K10</b>	C0a	10	10	686969
40	820	80	<b>2 608 608 K11</b>	C0a	10	10	686976
40	820	120	<b>2 608 608 K12</b>	C0a	10	10	686983
40	820	180	<b>2 608 608 K13</b>	C0a	10	10	686990


● Pack quantity  
(Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.



### J455 sanding belts for pipe belt sanders



- ▶ **Suitable for** sanding stainless steel (inox)
- ▶ Hardly any discolouration thanks to cooling additives
- ▶ **Appropriate for** all conventional pipe belt sanders
- ▶ The sanding belt is especially suitable for contour sanding due to its flexible backing

Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...
<b>Product properties</b>			<b>Ordering information</b>				
30	533	80	<b>2 608 608 K14</b>	C0a	10	10	687003
30	533	120	<b>2 608 608 K15</b>	C0a	10	10	687010
30	533	180	<b>2 608 608 K16</b>	C0a	10	10	687027
30	533	240	<b>2 608 608 K17</b>	C0a	10	10	687034
30	610	80	<b>2 608 608 K18</b>	C0a	10	10	687041
30	610	120	<b>2 608 608 K19</b>	C0a	10	10	687058
30	610	180	<b>2 608 608 K20</b>	C0a	10	10	687065
30	610	240	<b>2 608 608 K21</b>	C0a	10	10	687072
40	760	80	<b>2 608 608 K22</b>	C0a	10	10	687089
40	760	120	<b>2 608 608 K23</b>	C0a	10	10	687096
40	760	180	<b>2 608 608 K24</b>	C0a	10	10	687102
40	760	240	<b>2 608 608 K25</b>	C0a	10	10	687119
40	820	80	<b>2 608 608 K26</b>	C0a	10	10	687126
40	820	120	<b>2 608 608 K27</b>	C0a	10	10	687133
40	820	180	<b>2 608 608 K28</b>	C0a	10	10	687140
40	820	240	<b>2 608 608 K29</b>	C0a	10	10	687157

### N470 SCM sanding belts for pipe belt sanders



- ▶ **Suitable for** sanding all metals
- ▶ **Appropriate for** all conventional pipe belt sanders

30	533	Coarse	<b>2 608 608 K30</b>	P0f	10	10	687164
30	533	Medium	<b>2 608 608 K31</b>	P0f	10	10	687171
30	533	Fine	<b>2 608 608 K32</b>	P0f	10	10	687188
30	610	Coarse	<b>2 608 608 K33</b>	P0f	10	10	687195
30	610	Medium	<b>2 608 608 K34</b>	P0f	10	10	687201
30	610	Fine	<b>2 608 608 K35</b>	P0f	10	10	687218
40	760	Coarse	<b>2 608 608 K36</b>	P0f	10	10	687225
40	760	Medium	<b>2 608 608 K37</b>	P0f	10	10	687232
40	760	Fine	<b>2 608 608 K38</b>	P0f	10	10	687249
40	820	Coarse	<b>2 608 608 K39</b>	P0f	10	10	687256
40	820	Medium	<b>2 608 608 K40</b>	P0f	10	10	687263
40	820	Fine	<b>2 608 608 K41</b>	P0f	10	10	687270

● Pack quantity  
(Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.


# Sanding belts for burnishers



- ▶ Very sturdy, flexible and durable sanding belts in Y580, X570 and N470 versions
- ▶ Specific application-oriented belt joint in consistently high quality for perfect surfaces
- ▶ High material removal rate and fine surfaces
- ▶ Sanding belts with highly precise, clean belt run without glue residues for best surface quality
- ▶ Sanding belts for all conventional brands

High-performance abrasives for sanding, removing material and satin finishing on stainless steel in hard-to-reach areas

## Y580 sanding belts for burnishers



- ▶ **Suitable for** sanding stainless steel (inox)
- ▶ Hardly any discolouration thanks to cooling additives
- ▶ With zirconia – for high material removal rate
- ▶ **Appropriate for** expansion rollers



Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
<b>Product properties</b>			<b>Ordering information</b>				
100	282	40	<b>2 608 608 K42</b>	C0a	10	10	687287
100	282	60	<b>2 608 608 K43</b>	C0a	10	10	687294
100	282	80	<b>2 608 608 K44</b>	C0a	10	10	687300
100	282	120	<b>2 608 608 K45</b>	C0a	10	10	687317

Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### X570 sanding belts for burnishers



- ▶ **Suitable for** sanding all metals
- ▶ With zirconia – for high material removal rate
- ▶ **Appropriate for** expansion rollers



Product properties			Ordering information				
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
100	282	180	<b>2 608 608 K46</b>	C0a	10	10	687324
100	282	240	<b>2 608 608 K47</b>	C0a	10	10	687331
100	282	320	<b>2 608 608 K48</b>	C0a	10	10	687348

### N470 sanding belts for burnishers



- ▶ **Suitable for** sanding all metals
- ▶ **Appropriate for** expansion rollers



100	290	Coarse	<b>2 608 608 K49</b>	C0a	10	10	687355
-----	-----	--------	----------------------	-----	----	----	--------



100	290	Medium	<b>2 608 608 K50</b>	C0a	10	10	687362
-----	-----	--------	----------------------	-----	----	----	--------



100	290	Fine	<b>2 608 608 K51</b>	C0a	10	10	687379
-----	-----	------	----------------------	-----	----	----	--------

● Pack quantity  
(Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

# Sanding belts


## for contact belt sanding machines



- ▶ Very sturdy, flexible and durable sanding belts in X570, X450, J445, Y580, and J455 versions
- ▶ Specific application-oriented belt joint in consistently high quality for perfect surfaces
- ▶ High material removal rate and fine surfaces
- ▶ Sanding belts with highly precise, clean belt run without glue residues for best surface quality
- ▶ Sanding belts for all conventional brands and dimensions

High-performance abrasives for sanding, removing material and fine sanding on metals

### X570 sanding belts for contact belt sanding machines



- ▶ **Suitable for** sanding all metals
- ▶ **Appropriate for** all conventional contact belt sanding machines
- ▶ With zirconia – for high material removal rate
- ▶ Products on request

Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...
<b>Product properties</b>			<b>Ordering information</b>				
50	1000	36	<b>2 608 608 C77</b>	C0a	5	10	679107
50	1000	40	<b>2 608 608 C78</b>	C0a	5	10	679114
50	1000	60	<b>2 608 608 C79</b>	C0a	10	10	679121
50	1000	80	<b>2 608 608 C80</b>	C0a	10	10	679138
50	1000	100	<b>2 608 608 C81</b>	C0a	10	10	679145
50	1000	120	<b>2 608 608 C82</b>	C0a	10	10	679152
50	1000	150	<b>2 608 608 C83</b>	C0a	10	10	679169
50	1000	180	<b>2 608 608 C84</b>	C0a	10	10	679176
50	1000	240	<b>2 608 608 C85</b>	C0a	10	10	679183
50	2000	36	<b>2 608 608 C86</b>	C0a	5	10	679190
50	2000	40	<b>2 608 608 C87</b>	C0a	5	10	679206
50	2000	60	<b>2 608 608 C88</b>	C0a	10	10	679213
50	2000	80	<b>2 608 608 C89</b>	C0a	10	10	679220
50	2000	100	<b>2 608 608 C90</b>	C0a	10	10	679237
50	2000	120	<b>2 608 608 C91</b>	C0a	10	10	679244
50	2000	150	<b>2 608 608 C92</b>	C0a	10	10	679251
50	2000	180	<b>2 608 608 C93</b>	C0a	10	10	679268
50	2000	240	<b>2 608 608 C94</b>	C0a	10	10	679275
50	3500	36	<b>2 608 608 C95</b>	C0a	5	10	679282
50	3500	40	<b>2 608 608 C96</b>	C0a	5	10	679299
50	3500	60	<b>2 608 608 C97</b>	C0a	10	10	679305
50	3500	80	<b>2 608 608 C98</b>	C0a	10	10	679312





● Pack quantity  
(Pieces per pack)

●●●●●<sup>1</sup> Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### X570 sanding belts for contact belt sanding machines

Belt dimensions, width mm		Belt dimensions, length mm		Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties				Ordering information					
50	3500	100	2 608 608 C99	C0a	10	10	679329		
50	3500	120	2 608 608 D00	C0a	10	10	679336		
50	3500	150	2 608 608 D01	C0a	10	10	679343		
50	3500	180	2 608 608 D02	C0a	10	10	679350		
50	3500	240	2 608 608 D03	C0a	10	10	679367		
75	2000	36	2 608 608 D06	C0a	5	10	679398		
75	2000	40	2 608 608 D07	C0a	5	10	679404		
75	2000	60	2 608 608 D08	C0a	10	10	679411		
75	2000	80	2 608 608 D09	C0a	10	10	679428		
75	2000	100	2 608 608 D10	C0a	10	10	679435		
75	2000	120	2 608 608 D11	C0a	10	10	679442		
75	2000	150	2 608 608 D12	C0a	10	10	679459		
75	2000	180	2 608 608 D13	C0a	10	10	679466		
75	2000	220	2 608 608 D14	C0a	10	10	679473		
75	2000	240	2 608 608 D15	C0a	10	10	679480		
75	3500	36	2 608 608 D16	C0a	5	10	679497		
75	3500	40	2 608 608 D17	C0a	5	10	679503		
75	3500	60	2 608 608 D18	C0a	10	10	679510		
75	3500	80	2 608 608 D19	C0a	10	10	679527		
75	3500	100	2 608 608 D20	C0a	10	10	679534		
75	3500	120	2 608 608 D21	C0a	10	10	679541		
75	3500	150	2 608 608 D22	C0a	10	10	679558		
75	3500	180	2 608 608 D23	C0a	10	10	679565		
75	3500	220	2 608 608 D24	C0a	10	10	679572		
75	3500	240	2 608 608 D25	C0a	10	10	679589		
100	915	36	2 608 608 D26	C0a	5	10	679596		
100	915	40	2 608 608 D27	C0a	5	10	679602		
100	915	60	2 608 608 D28	C0a	10	10	679619		
100	915	80	2 608 608 D29	C0a	10	10	679626		
100	915	100	2 608 608 D30	C0a	10	10	679633		
100	915	120	2 608 608 D31	C0a	10	10	679640		
100	915	150	2 608 608 D32	C0a	10	10	679657		
100	915	180	2 608 608 D33	C0a	10	10	679664		
100	915	220	2 608 608 D34	C0a	10	10	679671		
100	915	240	2 608 608 D35	C0a	10	10	679688		
100	1000	36	2 608 608 D36	C0a	5	10	679695		
100	1000	40	2 608 608 D37	C0a	5	10	679701		
100	1000	60	2 608 608 D38	C0a	10	10	679718		
100	1000	80	2 608 608 D39	C0a	10	10	679725		
100	1000	100	2 608 608 D40	C0a	10	10	679732		
100	1000	120	2 608 608 D41	C0a	10	10	679749		
100	1000	150	2 608 608 D42	C0a	10	10	679756		
100	1000	180	2 608 608 D43	C0a	10	10	679763		
100	1000	220	2 608 608 D44	C0a	10	10	679770		
100	1000	240	2 608 608 D45	C0a	10	10	679787		
100	1000	320	2 608 608 D46	C0a	10	10	679794		
100	1100	36	2 608 608 D47	C0a	5	10	679800		
100	1100	40	2 608 608 D48	C0a	5	10	679817		
100	1100	60	2 608 608 D49	C0a	10	10	679824		
100	1100	80	2 608 608 D50	C0a	10	10	679831		
100	1100	100	2 608 608 D51	C0a	10	10	679848		
100	1100	120	2 608 608 D52	C0a	10	10	679855		
100	1100	150	2 608 608 D53	C0a	10	10	679862		
100	1100	180	2 608 608 D54	C0a	10	10	679879		


 Pack quantity  
(Pieces per pack)

 <sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### X570 sanding belts for contact belt sanding machines

Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties			Ordering information				
100	1100	220	2 608 608 D55	C0a	10	10	679886
100	1100	240	2 608 608 D56	C0a	10	10	679893
100	3500	40	2 608 608 D57	C0a	5	10	679909
100	3500	60	2 608 608 D58	C0a	10	10	679916
100	3500	80	2 608 608 D59	C0a	10	10	679923
100	3500	120	2 608 608 D60	C0a	10	10	679930
100	3500	180	2 608 608 D61	C0a	10	10	679947
100	3500	240	2 608 608 D62	C0a	10	10	679954
100	3500	320	2 608 608 D63	C0a	10	10	679961
100	3500	400	2 608 608 D64	C0a	10	10	679978
150	2000	36	2 608 608 D65	C0a	5	10	679985
150	2000	40	2 608 608 D66	C0a	5	10	679992
150	2000	60	2 608 608 D67	C0a	10	10	680004
150	2000	80	2 608 608 D68	C0a	10	10	680011
150	2000	100	2 608 608 D69	C0a	10	10	680028
150	2000	120	2 608 608 D70	C0a	10	10	680035
150	2000	180	2 608 608 D71	C0a	10	10	680042
150	2000	220	2 608 608 D72	C0a	10	10	680059
150	2000	240	2 608 608 D73	C0a	10	10	680066
150	2000	320	2 608 608 D74	C0a	10	10	680073
150	2000	400	2 608 608 D75	C0a	10	10	680080

### X450 sanding belts for contact belt sanding machines



- ▶ Suitable for sanding all metals
- ▶ Appropriate for all conventional contact belt sanding machines
- ▶ Products on request

50	1000	36	2 608 608 E01	C0a	5	10	680349
50	1000	40	2 608 608 E02	C0a	5	10	680356
50	1000	60	2 608 608 E03	C0a	10	10	680363
50	1000	80	2 608 608 E04	C0a	10	10	680370
50	1000	100	2 608 608 E05	C0a	10	10	680387
50	1000	120	2 608 608 E06	C0a	10	10	680394
50	1000	150	2 608 608 E07	C0a	10	10	680400
50	1000	180	2 608 608 E08	C0a	10	10	680417
50	1000	240	2 608 608 E09	C0a	10	10	680424
50	2000	36	2 608 608 E10	C0a	5	10	680431
50	2000	40	2 608 608 E11	C0a	5	10	680448
50	2000	60	2 608 608 E12	C0a	10	10	680455
50	2000	80	2 608 608 E13	C0a	10	10	680462
50	2000	100	2 608 608 E14	C0a	10	10	680479
50	2000	120	2 608 608 E15	C0a	10	10	680486
50	2000	150	2 608 608 E16	C0a	10	10	680493
50	2000	180	2 608 608 E17	C0a	10	10	680509
50	2000	240	2 608 608 E18	C0a	10	10	680516
50	2000	280	2 608 608 E19	C0a	10	10	680523
50	3500	36	2 608 608 E20	C0a	5	10	680530
50	3500	40	2 608 608 E21	C0a	5	10	680547
50	3500	60	2 608 608 E22	C0a	10	10	680554
50	3500	80	2 608 608 E23	C0a	10	10	680561
50	3500	100	2 608 608 E24	C0a	10	10	680578




● Pack quantity  
(Pieces per pack)




<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### X450 sanding belts for contact belt sanding machines

Belt dimensions, width mm		Belt dimensions, length mm		Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties				Ordering information					
50	3500	120	2 608 608 E25	C0a	10	10	680585		
50	3500	150	2 608 608 E26	C0a	10	10	680592		
50	3500	180	2 608 608 E27	C0a	10	10	680608		
50	3500	240	2 608 608 E28	C0a	10	10	680615		
75	2000	36	2 608 608 E29	C0a	5	10	680622		
75	2000	40	2 608 608 E30	C0a	5	10	680639		
75	2000	60	2 608 608 E31	C0a	10	10	680646		
75	2000	80	2 608 608 E32	C0a	10	10	680653		
75	2000	100	2 608 608 E33	C0a	10	10	680660		
75	2000	120	2 608 608 E34	C0a	10	10	680677		
75	2000	150	2 608 608 E35	C0a	10	10	680684		
75	2000	180	2 608 608 E36	C0a	10	10	680691		
75	2000	220	2 608 608 E37	C0a	10	10	680707		
75	2000	240	2 608 608 E38	C0a	10	10	680714		
75	3500	36	2 608 608 E39	C0a	5	10	680721		
75	3500	40	2 608 608 E40	C0a	5	10	680738		
75	3500	60	2 608 608 E41	C0a	10	10	680745		
75	3500	80	2 608 608 E42	C0a	10	10	680752		
75	3500	100	2 608 608 E43	C0a	10	10	680769		
75	3500	120	2 608 608 E44	C0a	10	10	680776		
75	3500	150	2 608 608 E45	C0a	10	10	680783		
75	3500	180	2 608 608 E46	C0a	10	10	680790		
75	3500	220	2 608 608 E47	C0a	10	10	680806		
75	3500	240	2 608 608 E48	C0a	10	10	680813		
100	915	36	2 608 608 E49	C0a	5	10	680820		
100	915	40	2 608 608 E50	C0a	5	10	680837		
100	915	60	2 608 608 E51	C0a	10	10	680844		
100	915	80	2 608 608 E52	C0a	10	10	680851		
100	915	100	2 608 608 E53	C0a	10	10	680868		
100	915	120	2 608 608 E54	C0a	10	10	680875		
100	915	150	2 608 608 E55	C0a	10	10	680882		
100	915	180	2 608 608 E56	C0a	10	10	680899		
100	915	220	2 608 608 E57	C0a	10	10	680905		
100	915	240	2 608 608 E58	C0a	10	10	680912		
100	1000	36	2 608 608 E59	C0a	5	10	680929		
100	1000	40	2 608 608 E60	C0a	5	10	680936		
100	1000	60	2 608 608 E61	C0a	10	10	680943		
100	1000	80	2 608 608 E62	C0a	10	10	680950		
100	1000	100	2 608 608 E63	C0a	10	10	680967		
100	1000	120	2 608 608 E64	C0a	10	10	680974		
100	1000	150	2 608 608 E65	C0a	10	10	680981		
100	1000	180	2 608 608 E66	C0a	10	10	680998		
100	1000	220	2 608 608 E67	C0a	10	10	681001		
100	1000	240	2 608 608 E68	C0a	10	10	681018		
100	1000	320	2 608 608 E69	C0a	10	10	681025		
100	1100	36	2 608 608 E70	C0a	5	10	681032		
100	1100	40	2 608 608 E71	C0a	5	10	681049		
100	1100	60	2 608 608 E72	C0a	10	10	681056		
100	1100	80	2 608 608 E73	C0a	10	10	681063		
100	1100	100	2 608 608 E74	C0a	10	10	681070		
100	1100	120	2 608 608 E75	C0a	10	10	681087		
100	1100	150	2 608 608 E76	C0a	10	10	681094		
100	1100	180	2 608 608 E77	C0a	10	10	681100		
100	1100	220	2 608 608 E78	C0a	10	10	681117		

 Pack quantity  
(Pieces per pack)


 <sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### X450 sanding belts for contact belt sanding machines



Belt dimensions, width mm		Belt dimensions, length mm		Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties				Ordering information					
100	1100	240		<b>2 608 608 E79</b>	C0a	10	10	681124	
100	3500	40		<b>2 608 608 E80</b>	C0a	5	10	681131	
100	3500	60		<b>2 608 608 E81</b>	C0a	10	10	681148	
100	3500	80		<b>2 608 608 E82</b>	C0a	10	10	681155	
100	3500	120		<b>2 608 608 E83</b>	C0a	10	10	681162	
100	3500	180		<b>2 608 608 E84</b>	C0a	10	10	681179	
100	3500	240		<b>2 608 608 E85</b>	C0a	10	10	681186	
100	3500	320		<b>2 608 608 E86</b>	C0a	10	10	681193	
100	3500	400		<b>2 608 608 E87</b>	C0a	10	10	681209	
150	2000	36		<b>2 608 608 E88</b>	C0a	5	10	681216	
150	2000	40		<b>2 608 608 E89</b>	C0a	5	10	681223	
150	2000	60		<b>2 608 608 E90</b>	C0a	10	10	681230	
150	2000	80		<b>2 608 608 E91</b>	C0a	10	10	681247	
150	2000	100		<b>2 608 608 E92</b>	C0a	10	10	681254	
150	2000	120		<b>2 608 608 E93</b>	C0a	10	10	681261	
150	2000	180		<b>2 608 608 E94</b>	C0a	10	10	681278	
150	2000	220		<b>2 608 608 E95</b>	C0a	10	10	681285	
150	2000	240		<b>2 608 608 E96</b>	C0a	10	10	681292	
150	2000	320		<b>2 608 608 E97</b>	C0a	10	10	681308	
150	2000	400		<b>2 608 608 E98</b>	C0a	10	10	681315	


### J445 sanding belts for contact belt sanding machines



- ▶ Suitable for sanding all metals
- ▶ Appropriate for all conventional contact belt sanding machines
- ▶ Products on request

Flexible backing is suitable for contour sanding

50	1000	60		<b>2 608 608 F66</b>	C0a	10	10	682046	
50	1000	80		<b>2 608 608 F67</b>	C0a	10	10	682053	
50	1000	100		<b>2 608 608 F68</b>	C0a	10	10	682060	
50	1000	120		<b>2 608 608 F69</b>	C0a	10	10	682077	
50	2000	80		<b>2 608 608 F78</b>	C0a	10	10	682169	
50	2000	100		<b>2 608 608 F79</b>	C0a	10	10	682176	
50	2000	120		<b>2 608 608 F80</b>	C0a	10	10	682183	
50	3500	80		<b>2 608 608 F87</b>	C0a	10	10	682251	
50	3500	100		<b>2 608 608 F88</b>	C0a	10	10	682268	
50	3500	120		<b>2 608 608 F89</b>	C0a	10	10	682275	
75	2000	80		<b>2 608 608 F96</b>	C0a	10	10	682343	
75	2000	100		<b>2 608 608 F97</b>	C0a	10	10	682350	
75	2000	120		<b>2 608 608 F98</b>	C0a	10	10	682367	
100	1000	80		<b>2 608 608 G05</b>	C0a	10	10	682435	
100	1000	100		<b>2 608 608 G06</b>	C0a	10	10	682442	
100	1000	120		<b>2 608 608 G07</b>	C0a	10	10	682459	
100	2500	100		<b>2 608 608 G15</b>	C0a	10	10	682534	
100	2500	80		<b>2 608 608 G14</b>	C0a	10	10	682527	
100	2500	120		<b>2 608 608 G16</b>	C0a	10	10	682541	
150	2500	80		<b>2 608 608 G27</b>	C0a	10	10	682657	
150	2500	100		<b>2 608 608 G28</b>	C0a	10	10	682664	
150	2500	120		<b>2 608 608 G29</b>	C0a	10	10	682671	



● Pack quantity (Pieces per pack)


<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.




## J445 sanding belts for contact belt sanding machines

Belt dimensions, width mm		Belt dimensions, length mm		Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties				Ordering information					
300	3500	80		<b>2 608 608 G36</b>	C0a	10	10	682749	
300	3500	100		<b>2 608 608 G37</b>	C0a	10	10	682756	
300	3500	120		<b>2 608 608 G38</b>	C0a	10	10	682763	

### Very flexible backing for contour sanding



50	1000	150		<b>2 608 608 F70</b>	C0a	10	10	682084
50	1000	180		<b>2 608 608 F71</b>	C0a	10	10	682091
50	1000	220		<b>2 608 608 F72</b>	C0a	10	10	682107
50	1000	240		<b>2 608 608 F73</b>	C0a	10	10	682114
50	1000	280		<b>2 608 608 F74</b>	C0a	10	10	682121
50	1000	320		<b>2 608 608 F75</b>	C0a	10	10	682138
50	1000	400		<b>2 608 608 F76</b>	C0a	10	10	682145
50	1000	600		<b>2 608 608 F77</b>	C0a	10	10	682152
50	2000	180		<b>2 608 608 F81</b>	C0a	10	10	682190
50	2000	240		<b>2 608 608 F82</b>	C0a	10	10	682206
50	2000	280		<b>2 608 608 F83</b>	C0a	10	10	682213
50	2000	320		<b>2 608 608 F84</b>	C0a	10	10	682220
50	2000	400		<b>2 608 608 F85</b>	C0a	10	10	682237
50	2000	600		<b>2 608 608 F86</b>	C0a	10	10	682244
50	3500	180		<b>2 608 608 F90</b>	C0a	10	10	682282
50	3500	240		<b>2 608 608 F91</b>	C0a	10	10	682299
50	3500	280		<b>2 608 608 F92</b>	C0a	10	10	682305
50	3500	320		<b>2 608 608 F93</b>	C0a	10	10	682312
50	3500	400		<b>2 608 608 F94</b>	C0a	10	10	682329
50	3500	600		<b>2 608 608 F95</b>	C0a	10	10	682336
75	2000	180		<b>2 608 608 F99</b>	C0a	10	10	682374
75	2000	240		<b>2 608 608 G00</b>	C0a	10	10	682381
75	2000	280		<b>2 608 608 G01</b>	C0a	10	10	682398
75	2000	320		<b>2 608 608 G02</b>	C0a	10	10	682404
75	2000	400		<b>2 608 608 G03</b>	C0a	10	10	682411
75	2000	600		<b>2 608 608 G04</b>	C0a	10	10	682428
100	1000	180		<b>2 608 608 G08</b>	C0a	10	10	682466
100	1000	240		<b>2 608 608 G09</b>	C0a	10	10	682473
100	1000	280		<b>2 608 608 G10</b>	C0a	10	10	682480
100	1000	320		<b>2 608 608 G11</b>	C0a	10	10	682497
100	1000	400		<b>2 608 608 G12</b>	C0a	10	10	682503
100	1000	600		<b>2 608 608 G13</b>	C0a	10	10	682510
100	2500	180		<b>2 608 608 G17</b>	C0a	10	10	682558
100	2500	240		<b>2 608 608 G18</b>	C0a	10	10	682565
100	2500	280		<b>2 608 608 G19</b>	C0a	10	10	682572
100	2500	320		<b>2 608 608 G20</b>	C0a	10	10	682589
100	2500	400		<b>2 608 608 G21</b>	C0a	10	10	682596
100	2500	600		<b>2 608 608 G22</b>	C0a	10	10	682602
120	3500	240		<b>2 608 608 G23</b>	C0a	10	10	682619
120	3500	280		<b>2 608 608 G24</b>	C0a	10	10	682626
120	3500	320		<b>2 608 608 G25</b>	C0a	10	10	682633
120	3500	400		<b>2 608 608 G26</b>	C0a	10	10	682640
150	2500	180		<b>2 608 608 G30</b>	C0a	10	10	682688
150	2500	240		<b>2 608 608 G31</b>	C0a	10	10	682695
150	2500	280		<b>2 608 608 G32</b>	C0a	10	10	682701
150	2500	320		<b>2 608 608 G33</b>	C0a	10	10	682718
150	2500	400		<b>2 608 608 G34</b>	C0a	10	10	682725



● Pack quantity  
(Pieces per pack)




<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### J445 sanding belts for contact belt sanding machines

Product properties			Ordering information				
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
150	2500	600	2 608 608 G35	C0a	10	10	682732
300	3500	180	2 608 608 G39	C0a	10	10	682770
300	3500	240	2 608 608 G40	C0a	10	10	682787
300	3500	280	2 608 608 G41	C0a	10	10	682794
300	3500	320	2 608 608 G42	C0a	10	10	682800
300	3500	400	2 608 608 G43	C0a	10	10	682817
300	3500	600	2 608 608 G44	C0a	10	10	682824

### Y580 sanding belts for contact belt sanding machines



- ▶ **Suitable** for sanding stainless steel (inox)
- ▶ Hardly any discolouration thanks to cooling additives
- ▶ With zirconia – for high material removal rate
- ▶ **Appropriate** for all conventional contact belt sanding machines
- ▶ Products on request

50	2000	40	2 608 608 D76	C0a	5	10	680097
50	2000	60	2 608 608 D77	C0a	10	10	680103
50	2000	80	2 608 608 D78	C0a	10	10	680110
50	2000	100	2 608 608 D79	C0a	10	10	680127
50	2000	120	2 608 608 D80	C0a	10	10	680134
50	2000	150	2 608 608 D81	C0a	10	10	680141
50	2000	180	2 608 608 D82	C0a	10	10	680158
75	2000	36	2 608 608 D83	C0a	5	10	680165
75	2000	40	2 608 608 D84	C0a	5	10	680172
75	2000	60	2 608 608 D85	C0a	10	10	680189
75	2000	80	2 608 608 D86	C0a	10	10	680196
75	2000	100	2 608 608 D87	C0a	10	10	680202
75	2000	120	2 608 608 D88	C0a	10	10	680219
75	2000	150	2 608 608 D89	C0a	10	10	680226
75	2000	180	2 608 608 D90	C0a	10	10	680233
100	1000	40	2 608 608 D91	C0a	5	10	680240
100	1000	60	2 608 608 D92	C0a	10	10	680257
100	1000	80	2 608 608 D93	C0a	10	10	680264
100	1000	100	2 608 608 D94	C0a	10	10	680271
100	1000	120	2 608 608 D95	C0a	10	10	680288
150	2000	40	2 608 608 D96	C0a	5	10	680295
150	2000	60	2 608 608 D97	C0a	10	10	680301
150	2000	80	2 608 608 D98	C0a	10	10	680318
150	2000	100	2 608 608 D99	C0a	10	10	680325
150	2000	120	2 608 608 E00	C0a	10	10	680332




● Pack quantity  
(Pieces per pack)

■ ■ ■ ■ ■  
Minimum order quantity.

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### J455 sanding belts for contact belt sanding machines



- ▶ **Suitable for** sanding stainless steel (inox)
- ▶ Hardly any discolouration thanks to cooling additives
- ▶ **Appropriate for** all conventional contact belt sanding machines
- ▶ The sanding belt is especially suitable for contour sanding due to its flexible backing
- ▶ Products on request

Belt dimensions, width mm		Belt dimensions, length mm		Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...
Product properties				Ordering information					
50	2000	80	2000	80	<b>2 608 608 E99</b>	C0a	10	10	681322
50	2000	100	2000	100	<b>2 608 608 F00</b>	C0a	10	10	681384
50	2000	120	2000	120	<b>2 608 608 F01</b>	C0a	10	10	681391
50	2000	180	2000	180	<b>2 608 608 F02</b>	C0a	10	10	681407
50	2000	240	2000	240	<b>2 608 608 F03</b>	C0a	10	10	681414
50	2000	280	2000	280	<b>2 608 608 F04</b>	C0a	10	10	681421
50	2000	320	2000	320	<b>2 608 608 F05</b>	C0a	10	10	681438
50	2000	400	2000	400	<b>2 608 608 F06</b>	C0a	10	10	681445
50	2000	600	2000	600	<b>2 608 608 F07</b>	C0a	10	10	681452
50	3500	80	3500	80	<b>2 608 608 F08</b>	C0a	10	10	681469
50	3500	100	3500	100	<b>2 608 608 F09</b>	C0a	10	10	681476
50	3500	120	3500	120	<b>2 608 608 F10</b>	C0a	10	10	681483
50	3500	180	3500	180	<b>2 608 608 F11</b>	C0a	10	10	681490
50	3500	240	3500	240	<b>2 608 608 F12</b>	C0a	10	10	681506
50	3500	280	3500	280	<b>2 608 608 F13</b>	C0a	10	10	681513
50	3500	320	3500	320	<b>2 608 608 F14</b>	C0a	10	10	681520
50	3500	400	3500	400	<b>2 608 608 F15</b>	C0a	10	10	681537
50	3500	600	3500	600	<b>2 608 608 F16</b>	C0a	10	10	681544
75	2000	80	2000	80	<b>2 608 608 F17</b>	C0a	10	10	681551
75	2000	100	2000	100	<b>2 608 608 F18</b>	C0a	10	10	681568
75	2000	120	2000	120	<b>2 608 608 F19</b>	C0a	10	10	681575
75	2000	180	2000	180	<b>2 608 608 F20</b>	C0a	10	10	681582
75	2000	240	2000	240	<b>2 608 608 F21</b>	C0a	10	10	681599
75	2000	280	2000	280	<b>2 608 608 F22</b>	C0a	10	10	681605
75	2000	320	2000	320	<b>2 608 608 F23</b>	C0a	10	10	681612
75	2000	400	2000	400	<b>2 608 608 F24</b>	C0a	10	10	681629
75	2000	600	2000	600	<b>2 608 608 F25</b>	C0a	10	10	681636
100	1000	80	1000	80	<b>2 608 608 F26</b>	C0a	10	10	681643
100	1000	100	1000	100	<b>2 608 608 F27</b>	C0a	10	10	681650
100	1000	120	1000	120	<b>2 608 608 F28</b>	C0a	10	10	681667
100	1000	180	1000	180	<b>2 608 608 F29</b>	C0a	10	10	681674
100	1000	240	1000	240	<b>2 608 608 F30</b>	C0a	10	10	681681
100	1000	280	1000	280	<b>2 608 608 F31</b>	C0a	10	10	681698
100	1000	320	1000	320	<b>2 608 608 F32</b>	C0a	10	10	681704
100	1000	400	1000	400	<b>2 608 608 F33</b>	C0a	10	10	681711
100	1000	600	1000	600	<b>2 608 608 F34</b>	C0a	10	10	681728
100	2500	80	2500	80	<b>2 608 608 F35</b>	C0a	10	10	681735
100	2500	100	2500	100	<b>2 608 608 F36</b>	C0a	10	10	681742
100	2500	120	2500	120	<b>2 608 608 F37</b>	C0a	10	10	681759
100	2500	180	2500	180	<b>2 608 608 F38</b>	C0a	10	10	681766
100	2500	240	2500	240	<b>2 608 608 F39</b>	C0a	10	10	681773
100	2500	280	2500	280	<b>2 608 608 F40</b>	C0a	10	10	681780
100	2500	320	2500	320	<b>2 608 608 F41</b>	C0a	10	10	681797
100	2500	400	2500	400	<b>2 608 608 F42</b>	C0a	10	10	681803
100	2500	600	2500	600	<b>2 608 608 F43</b>	C0a	10	10	681810



● Pack quantity  
(Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

## J455 sanding belts for contact belt sanding machines

Belt dimensions, width mm		Belt dimensions, length mm		Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties				Ordering information					
120	3500	240		<b>2 608 608 F44</b>	C0a	10	10	681827	
120	3500	280		<b>2 608 608 F45</b>	C0a	10	10	681834	
120	3500	320		<b>2 608 608 F46</b>	C0a	10	10	681841	
120	3500	400		<b>2 608 608 F47</b>	C0a	10	10	681858	
150	2500	80		<b>2 608 608 F48</b>	C0a	10	10	681865	
150	2500	100		<b>2 608 608 F49</b>	C0a	10	10	681872	
150	2500	120		<b>2 608 608 F50</b>	C0a	10	10	681889	
150	2500	180		<b>2 608 608 F51</b>	C0a	10	10	681896	
150	2500	240		<b>2 608 608 F52</b>	C0a	10	10	681902	
150	2500	280		<b>2 608 608 F53</b>	C0a	10	10	681919	
150	2500	320		<b>2 608 608 F54</b>	C0a	10	10	681926	
150	2500	400		<b>2 608 608 F55</b>	C0a	10	10	681933	
150	2500	600		<b>2 608 608 F56</b>	C0a	10	10	681940	
300	3500	80		<b>2 608 608 F57</b>	C0a	10	10	681957	
300	3500	100		<b>2 608 608 F58</b>	C0a	10	10	681964	
300	3500	120		<b>2 608 608 F59</b>	C0a	10	10	681971	
300	3500	180		<b>2 608 608 F60</b>	C0a	10	10	681988	
300	3500	240		<b>2 608 608 F61</b>	C0a	10	10	681995	
300	3500	280		<b>2 608 608 F62</b>	C0a	10	10	682008	
300	3500	320		<b>2 608 608 F63</b>	C0a	10	10	682015	
300	3500	400		<b>2 608 608 F64</b>	C0a	10	10	682022	
300	3500	600		<b>2 608 608 F65</b>	C0a	10	10	682039	

# Sanding sheets

## for hand sanding and for orbital sanders



- ▶ In C470, C410, C355, J410, J475 versions
- ▶ Especially flexible and handy sanding sheets for universal and wide range of applications
- ▶ Developed for hand sanding: flexed abrasives without grit breakout and coating breakout for perfect surface structure
- ▶ Can be folded, torn and cut to any required dimension
- ▶ **Suitable for dry and wet sanding** (without power tool)

Easily folded, torn and cut to any required dimension

### C470 sanding sheets for hand sanding blocks, 70 x 125 mm



- ▶ **Suitable for** sanding wood, paint
- ▶ **Appropriate for** hand sanding blocks with Velcro-type fastening system

Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties		Ordering information				

Pack of 50

70x125	40	2 608 608 575	Pof	50	50	672085
70x125	60	2 608 608 576	Pof	50	50	672092
70x125	80	2 608 608 577	Pof	50	50	672108
70x125	100	2 608 608 578	Pof	50	50	672115
70x125	120	2 608 608 579	Pof	50	50	672122
70x125	150	2 608 608 580	Pof	50	50	672139
70x125	180	2 608 608 581	Pof	50	50	672146
70x125	220	2 608 608 582	Pof	50	50	672153
70x125	240	2 608 608 583	Pof	50	50	672160
70x125	320	2 608 608 584	Pof	50	50	672177
70x125	400	2 608 608 585	Pof	50	50	672184



● Pack quantity (Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### C410 sanding sheets for hand sanding and for orbital sanders, 230 x 280 mm



- ▶ Suitable for sanding softwood
- ▶ Appropriate for hand sanding blocks, orbital sanders

Product properties		Ordering information					
Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...	
Pack of 1							
230x280	40	2 608 605 396	U0	1	50	162166	
230x280	60	2 608 605 397	U0	1	50	162173	
230x280	80	2 608 605 398	U0	1	50	162180	
230x280	100	2 608 605 399	U0	1	50	162197	
230x280	120	2 608 605 400	U0	1	50	162203	
230x280	180	2 608 605 401	U0	1	50	162210	
230x280	240	2 608 605 402	U0	1	50	162227	



### J410 sanding sheets for hand sanding and for orbital sanders, 230 x 280 mm




- ▶ Suitable for sanding metal, cast iron

Pack of 1							
230x280	40	2 608 605 411	U0	1	50	162319	
230x280	60	2 608 605 412	U0	1	50	162326	
230x280	80	2 608 605 413	U0	1	50	162333	
230x280	100	2 608 605 414	U0	1	50	162340	
230x280	120	2 608 605 415	U0	1	50	162357	
230x280	180	2 608 605 416	U0	1	50	162364	
230x280	240	2 608 605 417	U0	1	50	162371	
230x280	320	2 608 605 556	U0	1	50	170406	



### C470 paper sanding sheets, 230 x 280 mm




- ▶ Suitable for sanding wood, paint
- ▶ Appropriate for hand sanding blocks, orbital sanders



Pack of 1							
230x280	40	2 608 608 687	P0f	1	25	673204	
230x280	60	2 608 608 688	P0f	1	50	673211	
230x280	80	2 608 608 689	P0f	1	50	673228	
230x280	100	2 608 608 690	P0f	1	50	673235	
230x280	120	2 608 608 691	P0f	1	50	673242	
230x280	150	2 608 608 692	P0f	1	50	673259	
230x280	180	2 608 608 693	P0f	1	50	673266	
230x280	220	2 608 608 694	P0f	1	50	673273	
230x280	240	2 608 608 695	P0f	1	50	673280	
230x280	320	2 608 608 696	P0f	1	50	673297	
230x280	400	2 608 608 697	P0f	1	50	673303	



### J475 paper sanding sheets, 230 x 280 mm



- ▶ Suitable for sanding all metals
- ▶ Appropriate for hand sanding blocks, orbital sanders


Product properties	Ordering information					
Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...

Pack of 1

230x280	40	2 608 608 C05	Pof	1	25	678384
230x280	60	2 608 608 C06	Pof	1	50	678391
230x280	80	2 608 608 C07	Pof	1	50	678407
230x280	100	2 608 608 C08	Pof	1	50	678414
230x280	120	2 608 608 C09	Pof	1	50	678421
230x280	150	2 608 608 C10	Pof	1	50	678438
230x280	180	2 608 608 C11	Pof	1	50	678445
230x280	220	2 608 608 C12	Pof	1	50	678452
230x280	240	2 608 608 C13	Pof	1	50	678469
230x280	280	2 608 608 C14	Pof	1	50	678476
230x280	320	2 608 608 C15	Pof	1	50	678483
230x280	400	2 608 608 C16	Pof	1	50	678490



### C355 paper sanding sheets, 230 x 280 mm



- ▶ Suitable for sanding hard minerals, varnish, plastic
- ▶ Appropriate for hand sanding blocks

Pack of 1

230x280	80	2 608 608 H61	Pof	1	50	685405
230x280	100	2 608 608 H62	Pof	1	50	685412
230x280	120	2 608 608 H63	Pof	1	50	685429
230x280	180	2 608 608 H64	Pof	1	50	685436
230x280	240	2 608 608 H65	Pof	1	50	685443
230x280	320	2 608 608 H66	Pof	1	50	685450
230x280	400	2 608 608 H67	Pof	1	50	685467
230x280	600	2 608 608 H68	Pof	1	50	685474
230x280	1200	2 608 608 H69	Pof	1	50	685481



# Sanding rolls

## for hand sanding and for orbital sanders




- ▶ In the C470, S440, J470, J475, C355 versions
- ▶ Easily cut to required length
- ▶ **Appropriate for** all conventional orbital sanders because they are pre-cut in width

Bosch sanding rolls for sanding a wide variety of materials with orbital sanders or by hand



Caution: Do not use a power tool for wet sanding!

### C470 paper sanding rolls



- ▶ **Suitable for** sanding wood and paint
- ▶ **Appropriate for** hand sanding blocks, orbital sanders



Roll width mm	Roll length m	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...
<b>Product properties</b>			<b>Ordering information</b>				
93	50	40	<b>2 608 608 709</b>	Pof	1	1	673426
93	50	60	<b>2 608 608 710</b>	Pof	1	1	673433
93	50	80	<b>2 608 608 711</b>	Pof	1	1	673440
93	50	100	<b>2 608 608 712</b>	Pof	1	1	673457
93	50	120	<b>2 608 608 713</b>	Pof	1	1	673464
93	50	150	<b>2 608 608 714</b>	Pof	1	1	673471
93	50	180	<b>2 608 608 715</b>	Pof	1	1	673488
93	50	220	<b>2 608 608 716</b>	Pof	1	1	673495
93	50	240	<b>2 608 608 717</b>	Pof	1	1	673501
93	50	320	<b>2 608 608 718</b>	Pof	1	1	673518
93	50	400	<b>2 608 608 719</b>	Pof	1	1	673525
115	50	40	<b>2 608 608 731</b>	Pof	1	1	673648
115	50	60	<b>2 608 608 732</b>	Pof	1	1	673655
115	50	80	<b>2 608 608 733</b>	Pof	1	1	673662
115	50	100	<b>2 608 608 734</b>	Pof	1	1	673679
115	50	120	<b>2 608 608 735</b>	Pof	1	1	673686



• Pack quantity (Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.



### C470 paper sanding rolls

Roll width mm	Roll length m	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
<b>Product properties</b>			<b>Ordering information</b>				
115	50	150	<b>2 608 608 736</b>	POf	1	1	673693
115	50	180	<b>2 608 608 737</b>	POf	1	1	673709
115	50	220	<b>2 608 608 738</b>	POf	1	1	673716
115	50	240	<b>2 608 608 739</b>	POf	1	1	673723
115	50	320	<b>2 608 608 740</b>	POf	1	1	673730
115	50	400	<b>2 608 608 741</b>	POf	1	1	673747

### S440 paper sanding rolls with foam backing




- ▶ Suitable for sanding varnish, paint, roughcast
- ▶ Perforated to length



115	25	150	<b>2 608 608 775</b>	C0a	1	1	674089
115	25	180	<b>2 608 608 776</b>	C0a	1	1	674096
115	25	220	<b>2 608 608 777</b>	C0a	1	1	674102
115	25	240	<b>2 608 608 778</b>	C0a	1	1	674119
115	25	280	<b>2 608 608 779</b>	C0a	1	1	674126
115	25	320	<b>2 608 608 780</b>	C0a	1	1	674133
115	25	400	<b>2 608 608 781</b>	C0a	1	1	674140
115	25	500	<b>2 608 608 782</b>	C0a	1	1	674157
115	25	600	<b>2 608 608 783</b>	C0a	1	1	674164



### J470 cloth sanding rolls



- ▶ Suitable for sanding wood and paint
- ▶ Appropriate for hand sanding blocks, orbital sanders



100	50	60	<b>2 608 608 784</b>	POf	1	1	674171
100	50	80	<b>2 608 608 785</b>	POf	1	1	674188
100	50	100	<b>2 608 608 786</b>	POf	1	1	674195
100	50	120	<b>2 608 608 787</b>	POf	1	1	674201
100	50	150	<b>2 608 608 788</b>	POf	1	1	674218
100	50	180	<b>2 608 608 789</b>	POf	1	1	674225
100	50	220	<b>2 608 608 790</b>	POf	1	1	674232
100	50	240	<b>2 608 608 791</b>	POf	1	1	674249
100	50	320	<b>2 608 608 792</b>	POf	1	1	674256
115	50	60	<b>2 608 608 793</b>	POf	1	1	674263
115	50	80	<b>2 608 608 794</b>	POf	1	1	674270
115	50	100	<b>2 608 608 795</b>	POf	1	1	674287
115	50	120	<b>2 608 608 796</b>	POf	1	1	674294
115	50	150	<b>2 608 608 797</b>	POf	1	1	674300
115	50	180	<b>2 608 608 798</b>	POf	1	1	674317
115	50	220	<b>2 608 608 799</b>	POf	1	1	674324
115	50	240	<b>2 608 608 800</b>	POf	1	1	674331
115	50	320	<b>2 608 608 801</b>	POf	1	1	674348




● Pack quantity  
(Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### J475 economy rolls



► Suitable for sanding all metals



Roll width mm	Roll length m	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties			Ordering information				
25	50	40	2 608 608 C17	Pof	1	1	678506
25	50	60	2 608 608 C18	Pof	1	1	678513
25	50	80	2 608 608 C19	Pof	1	1	678520
25	50	100	2 608 608 C20	Pof	1	1	678537
25	50	120	2 608 608 C21	Pof	1	1	678544
25	50	150	2 608 608 C22	Pof	1	1	678551
25	50	180	2 608 608 C23	Pof	1	1	678568
25	50	220	2 608 608 C24	Pof	1	1	678575
25	50	240	2 608 608 C25	Pof	1	1	678582
25	50	280	2 608 608 C26	Pof	1	1	678599
25	50	320	2 608 608 C27	Pof	1	1	678605
25	50	400	2 608 608 C28	Pof	1	1	678612
38	25	40	2 608 608 C29	Pof	1	1	678629
38	25	60	2 608 608 C30	Pof	1	1	678636
38	25	80	2 608 608 C31	Pof	1	1	678643
38	25	100	2 608 608 C32	Pof	1	1	678650
38	25	120	2 608 608 C33	Pof	1	1	678667
38	25	150	2 608 608 C34	Pof	1	1	678674
38	25	180	2 608 608 C35	Pof	1	1	678681
38	25	220	2 608 608 C36	Pof	1	1	678698
38	25	240	2 608 608 C37	Pof	1	1	678704
38	25	280	2 608 608 C38	Pof	1	1	678711
38	25	320	2 608 608 C39	Pof	1	1	678728
38	25	400	2 608 608 C40	Pof	1	1	678735
38	50	40	2 608 608 C41	Pof	1	1	678742
38	50	60	2 608 608 C42	Pof	1	1	678759
38	50	80	2 608 608 C43	Pof	1	1	678766
38	50	100	2 608 608 C44	Pof	1	1	678773
38	50	120	2 608 608 C45	Pof	1	1	678780
38	50	150	2 608 608 C46	Pof	1	1	678797
38	50	180	2 608 608 C47	Pof	1	1	678803
38	50	220	2 608 608 C48	Pof	1	1	678810
38	50	240	2 608 608 C49	Pof	1	1	678827
38	50	280	2 608 608 C50	Pof	1	1	678834
38	50	320	2 608 608 C51	Pof	1	1	678841
38	50	400	2 608 608 C52	Pof	1	1	678858
50	25	40	2 608 608 C53	Pof	1	1	678865
50	25	60	2 608 608 C54	Pof	1	1	678872
50	25	80	2 608 608 C55	Pof	1	1	678889
50	25	100	2 608 608 C56	Pof	1	1	678896
50	25	120	2 608 608 C57	Pof	1	1	678902
50	25	150	2 608 608 C58	Pof	1	1	678919
50	25	180	2 608 608 C59	Pof	1	1	678926
50	25	220	2 608 608 C60	Pof	1	1	678933
50	25	240	2 608 608 C61	Pof	1	1	678940
50	25	280	2 608 608 C62	Pof	1	1	678957
50	25	320	2 608 608 C63	Pof	1	1	678964
50	25	400	2 608 608 C64	Pof	1	1	678971
50	50	40	2 608 608 C65	Pof	1	1	678988
50	50	60	2 608 608 C66	Pof	1	1	678995
50	50	80	2 608 608 C67	Pof	1	1	679008
50	50	100	2 608 608 C68	Pof	1	1	679015

● Pack quantity (Pieces per pack)




<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### J475 economy rolls

Roll width mm	Roll length m	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties			Ordering information				
50	50	120	<b>2 608 608 C69</b>	POf	1	1	679022
50	50	150	<b>2 608 608 C70</b>	POf	1	1	679039
50	50	180	<b>2 608 608 C71</b>	POf	1	1	679046
50	50	220	<b>2 608 608 C72</b>	POf	1	1	679053
50	50	240	<b>2 608 608 C73</b>	POf	1	1	679060
50	50	280	<b>2 608 608 C74</b>	POf	1	1	679077
50	50	320	<b>2 608 608 C75</b>	POf	1	1	679084
50	50	400	<b>2 608 608 C76</b>	POf	1	1	679091

### C355 paper sanding rolls – waterproof



- ▶ Suitable for sanding varnish, plastic, hard materials
- ▶ Appropriate for hand sanding blocks

93	50	80	<b>2 608 608 H70</b>	POf	1	1	685498
93	50	100	<b>2 608 608 H71</b>	POf	1	1	685504
93	50	120	<b>2 608 608 H72</b>	POf	1	1	685511
93	50	180	<b>2 608 608 H73</b>	POf	1	1	685528
93	50	240	<b>2 608 608 H74</b>	POf	1	1	685535
93	50	320	<b>2 608 608 H75</b>	POf	1	1	685542
93	50	400	<b>2 608 608 H76</b>	POf	1	1	685559
93	50	600	<b>2 608 608 H77</b>	POf	1	1	685566
93	50	1200	<b>2 608 608 H78</b>	POf	1	1	685573
115	50	80	<b>2 608 608 H79</b>	POf	1	1	685580
115	50	100	<b>2 608 608 H80</b>	POf	1	1	685597
115	50	120	<b>2 608 608 H81</b>	POf	1	1	685603
115	50	180	<b>2 608 608 H82</b>	POf	1	1	685610
115	50	240	<b>2 608 608 H83</b>	POf	1	1	685627
115	50	320	<b>2 608 608 H84</b>	POf	1	1	685634
115	50	400	<b>2 608 608 H85</b>	POf	1	1	685641
115	50	600	<b>2 608 608 H86</b>	POf	1	1	685658
115	50	1200	<b>2 608 608 H87</b>	POf	1	1	685665



● Pack quantity  
(Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

# Sanding sheets

## for angle grinders and drills



- ▶ Robust sanding sheets in C470, F355 and F550 version
- ▶ For working on paint, varnish, wood and hard materials such as glass, stone and car paint, and metals
- ▶ With Velcro-type fastening system for fast sheet changes
- ▶ Sanding sheets for machines of all conventional brands and diameters

The optimum sanding sheet for every material

### F550 paper sanding sheets for angle grinders and drills



- ▶ Suitable for sanding all metals
- ▶ Appropriate for Bosch backing pads 2 608 601 076, 2 608 601 077, 1 609 200 154

Product properties	Ordering information					
Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...
Pack of 50						
115	24	2 608 608 B78	C0a	50	50	678117
115	36	2 608 608 B79	C0a	50	50	678124
115	40	2 608 608 B80	C0a	50	50	678131
115	50	2 608 608 B81	C0a	50	50	678148
115	60	2 608 608 B82	C0a	50	50	678155
115	80	2 608 608 B83	C0a	50	50	678162
115	100	2 608 608 B84	C0a	50	50	678179
115	120	2 608 608 B85	C0a	50	50	678186
115	150	2 608 608 B86	C0a	50	50	678193
125	24	2 608 608 B87	C0a	50	50	678209
125	36	2 608 608 B88	C0a	50	50	678216
125	40	2 608 608 B89	C0a	50	50	678223
125	50	2 608 608 B90	C0a	50	50	678230
125	60	2 608 608 B91	C0a	50	50	678247
125	80	2 608 608 B92	C0a	50	50	678254
125	100	2 608 608 B93	C0a	50	50	678261
125	120	2 608 608 B94	C0a	50	50	678278
125	150	2 608 608 B95	C0a	50	50	678285
150	24	2 608 608 B96	C0a	50	50	678292
150	36	2 608 608 B97	C0a	50	50	678308
150	40	2 608 608 B98	C0a	50	50	678315
150	50	2 608 608 B99	C0a	50	50	678322
150	60	2 608 608 C00	C0a	50	50	678339
150	80	2 608 608 C01	C0a	50	50	678346
150	100	2 608 608 C02	C0a	50	50	678353
150	120	2 608 608 C03	C0a	50	50	678360
150	150	2 608 608 C04	C0a	50	50	678377



● Pack quantity (Pieces per pack)

■ Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

### C470 paper sanding sheets for angle grinders and drills



- ▶ **Suitable for** sanding wood, paint
- ▶ **Appropriate for** Bosch backing pads 2 608 601 076, 2 608 601 077, 1 609 200 154


Product properties	Ordering information						
	Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...

Pack of 50

115	40	<b>2 608 608 742</b>	C0a	50	50	673754
115	60	<b>2 608 608 743</b>	C0a	50	50	673761
115	80	<b>2 608 608 744</b>	C0a	50	50	673778
115	100	<b>2 608 608 745</b>	C0a	50	50	673785
115	120	<b>2 608 608 746</b>	C0a	50	50	673792
115	150	<b>2 608 608 747</b>	C0a	50	50	673808
115	180	<b>2 608 608 748</b>	C0a	50	50	673815
115	220	<b>2 608 608 749</b>	C0a	50	50	673822
115	240	<b>2 608 608 750</b>	C0a	50	50	673839
115	320	<b>2 608 608 751</b>	C0a	50	50	673846
115	400	<b>2 608 608 752</b>	C0a	50	50	673853
125	40	<b>2 608 608 753</b>	C0a	50	50	673860
125	60	<b>2 608 608 754</b>	C0a	50	50	673877
125	80	<b>2 608 608 755</b>	C0a	50	50	673884
125	100	<b>2 608 608 756</b>	C0a	50	50	673891
125	120	<b>2 608 608 757</b>	C0a	50	50	673907
125	150	<b>2 608 608 758</b>	C0a	50	50	673914
125	180	<b>2 608 608 759</b>	C0a	50	50	673921
125	220	<b>2 608 608 760</b>	C0a	50	50	673938
125	240	<b>2 608 608 761</b>	C0a	50	50	673945
125	320	<b>2 608 608 762</b>	C0a	50	50	673952
125	400	<b>2 608 608 763</b>	C0a	50	50	673969
150	40	<b>2 608 608 764</b>	C0a	50	50	673976
150	60	<b>2 608 608 765</b>	C0a	50	50	673983
150	80	<b>2 608 608 766</b>	C0a	50	50	673990
150	100	<b>2 608 608 767</b>	C0a	50	50	674003
150	120	<b>2 608 608 768</b>	C0a	50	50	674010
150	150	<b>2 608 608 769</b>	C0a	50	50	674027
150	180	<b>2 608 608 770</b>	C0a	50	50	674034
150	220	<b>2 608 608 771</b>	C0a	50	50	674041
150	240	<b>2 608 608 772</b>	C0a	50	50	674058
150	320	<b>2 608 608 773</b>	C0a	50	50	674065
150	400	<b>2 608 608 774</b>	C0a	50	50	674072



### F355 paper sanding sheets for angle grinders



- ▶ **Suitable for** sanding hard materials, varnish and plastic
- ▶ **Appropriate for** Bosch backing pads 2 608 601 076, 2 608 601 077, 1 609 200 154

Pack of 50

115	80	<b>2 608 608 H88</b>	C0a	50	50	685672
115	120	<b>2 608 608 H89</b>	C0a	50	50	685689
115	320	<b>2 608 608 H90</b>	C0a	50	50	685696
125	80	<b>2 608 608 H91</b>	C0a	50	50	685702
125	120	<b>2 608 608 H92</b>	C0a	50	50	685719






● Pack quantity  
(Pieces per pack)











<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of pieces. Orders are carried out only in multiples of the minimum order quantity.

# The optimum sanding sheet in a small pack

Product	best  Paint		best  Wood			best  Metal	
	Grit	Grit type	Backing material	Coating	Special features/Bonding	Suitable for	
<b>Grit</b>	40-400	40-320	40-400	40-400	40-320	40-120	24-120
<b>Grit type</b>	Semi-friable aluminium oxide	Semi-friable aluminium oxide	Semi-friable aluminium oxide	Semi-friable aluminium oxide	Semi-friable aluminium oxide	Zirconia alumina / Semi-friable aluminium oxide	Zirconia alumina / Semi-friable aluminium oxide
<b>Backing material</b>	B-, C-paper *	B-, C-paper *	B-, C-paper *	B-, C-paper *	J-, JJ-cloth*	X-cloth	Vulcanised fibre *
<b>Coating</b>	Electrostatic open/closed	Electrostatic open/closed	Electrostatic open	Electrostatic open/closed	Electrostatic open	Electrostatic closed	Electrostatic closed
<b>Special features/Bonding</b>	KH, dust-repellent	KH, dust-repellent	KH	KH	KH	VKH, DB	VKH, DB
<b>Suitable for</b>	Clogging materials	Clogging materials	Homogeneous surface	Homogeneous surface	Long-time use	High removal rate	High removal rate

### Categorisation

Discs		Page 90 f.		Page 92 f., 156, 163 f.			
Delta/Polygon		Page 104, 111 f.		Page 105			
Strips		Page 114 ff.		Page 118 ff.			
Belts						Page 128 ff., 133	
Rolls			Page 135		Page 136		
Fibre sanding discs							Page 144
Flap discs						Page 148 f.	
Sanding sleeves							

### Wood/Wooden materials

Softwood	●	●	●	●	●		
Hardwood	○	○	●	●	●	○	
Resinous wood	●	●	●	●	●		
Plywood	○	○	●	●	●		
Chipboard/MDF			●	○	●		
Construction boards			●	●	●	○	

### Coatings

Paint	●	●	○	○			
Varnish	●	●	○	○			
Filler	●	●	○	○			
Roughcast	●	●	○	○			
Primer	●	●					

### Synthetics

Mineral materials/Polymers (Corian, Varicor)	○	○	●	●	○		
Glass fibre reinforced plastics (GRP)			○	○	○	○	
Perspex							

### Metals

Stainless steel (INOX)						●	●
Steel (mild steel/carbon steel)			○	○	○	●	●
Cast iron						●	●
Sheet steel			○	○		●	●
Titanium							
Non-ferrous metals						○	○
Aluminium			○	○	○	○	○

### Natural minerals

Stone							
Marble							
Granite							
Glass							

VKH = Fully synthetic resin KH = Synthetic resin DB = Top size coat DB2 = Second top size coat with cooling additives  
 ● Main application ○ Minor application \* depending on grit size

best <b>Metal</b>			expert <b>Metal</b>		best <b>Stone</b>		best <b>Inox</b>	
40-180	40-320	36-120	40-240	24-120	80-1200	80-1200	40-120	36-120
Semi-friable aluminium oxide	Semi-friable aluminium oxide	Zirconia alumina	Zirconia alumina/ Semi-friable aluminium oxide	Semi-friable aluminium oxide	Silicon carbide	Silicon carbide	Zirconia alumina	Zirconia alumina/ Semi-friable aluminium oxide
X-cloth	J-cloth	YX-cloth	X-cloth	Vulcanised fibre *	C-, F-paper*	C-paper, waterproof	X-cloth	Vulcanised fibre *
Electrostatic closed	Electrostatic closed	Electrostatic closed	Electrostatic closed	Electrostatic closed	Electrostatic closed	Electrostatic closed	Electrostatic closed	Electrostatic closed
VKH, DB	VKH	VKH	VKH, DB	VKH, DB	VKH	VKH	VKH, DB2	VKH, DB2
Long-time use	Very adaptable	High removal rate	Metal	Metal	Hard materials	Wet and dry application	High removal rate	High removal rate

					Page 95 f., 156, 164			
					Page 107			
Page 132, 134								
	Page 136					Page 137		
				Page 145				Page 143 f.
			Page 150 f.				Page 146 ff.	
		Page 166						

○	○	○	○	○				
					●			
		○	○					

					○	○		
					●	●		
		○						
		●						


○	○		○	○				
					●	●		

●	●	●	○				●	●
●	●	●	●	●			○	○
●	●	●	●	●				
●	●	●	●	●			○	○
●	●		○	○			○	○
○	●	○	○	○				

					●	●		
					●	●		
					●	●		
					●	●		

# Sanding sheets

## for random orbit sanders



- ▶ Robust sanding sheets in Best for Paint, Best for Wood, Best for Stone, Expert for Wood versions
- ▶ For working on paint, varnish, wood and non-metallic materials such as glass, stone and car paint
- ▶ With Velcro-type fastening system for fast sheet changes and extraction holes for internal dust extraction
- ▶ Sanding sheets for machines of all conventional brands and diameters

The optimum sanding sheet for every material

### Sanding sheets for random orbit sanders, Best for Paint, 115 mm diameter, 8 holes

best **for Paint**

- ▶ **Suitable for** sanding varnish, paint, roughcast
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ **Appropriate for** random orbit sanders from Bosch, Einhell, Kress, Peugeot, Skil, Stayer



Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...
<b>Product properties</b>		<b>Ordering information</b>				

Pack of 5

115	40	2 608 605 015	C1a	5	5	158329
115	60	2 608 605 016	C1a	5	5	158343
115	80	2 608 605 017	C1a	5	5	158350
115	120	2 608 605 018	C1a	5	5	158367
115	180	2 608 605 019	C1a	5	5	158374
115	240	2 608 605 020	C1a	5	5	158336
115	320	2 608 606 690	C1a	5	5	179553

Pack of 6

115	60 120 240	2 608 605 021	C1a	6	5	158381
-----	------------------	---------------	-----	---	---	--------



Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.



### Sanding sheets for random orbit sanders, Best for Paint, 125 mm diameter, 8 holes

best  **Paint**

- ▶ **Suitable for** sanding varnish, paint, roughcast
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ **Appropriate for** random orbit sanders from Bosch, AEG, Atlas Copco, Black & Decker, DeWalt, Elu, Festo/Festool, Fein, Hitachi, Kress, Makita, Metabo, Skil, Wegoma



Product properties		Ordering information					
Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...	

Pack of 5

125	40	2 608 605 000	C1a	5	5	158176
125	60	2 608 605 001	C1a	5	5	158183
125	80	2 608 605 002	C1a	5	5	158190
125	100	2 608 605 003	C1a	5	5	158206
125	120	2 608 605 004	C1a	5	5	158213
125	180	2 608 605 005	C1a	5	5	158220
125	240	2 608 605 006	C1a	5	5	158237
125	320	2 608 606 691	C1a	5	5	179560
125	400	2 608 607 238	C1a	5	5	247757



Pack of 6

125	60 120 240	2 608 605 007	C1a	6	5	158244
-----	------------------	---------------	-----	---	---	--------

### Sanding sheets for random orbit sanders, Best for Paint, 150 mm diameter, 6 holes

best  **Paint**

- ▶ **Suitable for** sanding varnish, paint, roughcast
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ **Appropriate for** random orbit sanders from Bosch, AEG, DeWalt, Elu, Felisatti, Flex, Hilti, Hitachi, Kress, Metabo, Milwaukee, Peugeot, Protool, Stayer, Wegoma




Pack of 5


150	40	2 608 605 022	C1a	5	5	158398
150	60	2 608 605 023	C1a	5	5	158404
150	80	2 608 605 024	C1a	5	5	158411
150	100	2 608 605 025	C1a	5	5	158428
150	120	2 608 605 026	C1a	5	5	158435
150	180	2 608 605 027	C1a	5	5	158442
150	240	2 608 605 028	C1a	5	5	158459
150	320	2 608 605 636	C1a	5	5	171205
150	400	2 608 607 240	C1a	5	5	247771



Pack of 6

150	60 120 240	2 608 605 029	C1a	6	5	158466
-----	------------------	---------------	-----	---	---	--------

 Pack quantity (Pieces per pack)


 <sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Sanding sheets for random orbit sanders, Best for Wood, 115 mm diameter, 8 holes

best  **Wood**

► **Suitable for** sanding all types of wood, hardwood, chipboard and construction boards, and metal

► **Appropriate for** random orbit sanders from Bosch, Einhell, Kress, Peugeot, Skil, Stayer



Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
---------------------	------	-------------	----------------	---------------	-------------------------------------	--------------------

Pack of 5

Product properties		Ordering information				
115	40	2 608 605 058	C1a	5	5	158756
115	60	2 608 605 059	C1a	5	5	158763
115	80	2 608 605 060	C1a	5	5	158770
115	120	2 608 605 061	C1a	5	5	158787
115	180	2 608 605 062	C1a	5	5	158794
115	240	2 608 605 063	C1a	5	5	158800
115	320	2 608 605 064	C1a	5	5	158817
115	400	2 608 605 065	C1a	5	5	158824



Pack of 6


115	60 120 240	2 608 605 066	C1a	6	5	158831
-----	------------------	---------------	-----	---	---	--------

### Sanding sheets for random orbit sanders, Best for Wood, 125 mm diameter, 8 holes

best  **Wood**

► **Suitable for** sanding all types of wood, hardwood, chipboard and construction boards, and metal

► **Appropriate for** random orbit sanders from Bosch, AEG, Atlas Copco, Black & Decker, DeWalt, Elu, Festo/Festool, Fein, Hitachi, Kress, Makita, Metabo, Skil, Wegoma




Pack of 5

125	40	2 608 605 067	C1a	5	5	158848
125	60	2 608 605 068	C1a	5	5	158855
125	80	2 608 605 069	C1a	5	5	158862
125	100	2 608 605 070	C1a	5	5	158879
125	120	2 608 605 071	C1a	5	5	158886
125	180	2 608 605 072	C1a	5	5	158893
125	240	2 608 605 073	C1a	5	5	158909
125	320	2 608 605 074	C1a	5	5	158916
125	400	2 608 605 075	C1a	5	5	158923



Pack of 6

125	60 120 240	2 608 605 084	C1a	6	5	159012
-----	------------------	---------------	-----	---	---	--------

 Pack quantity (Pieces per pack)




<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Sanding sheets for random orbit sanders, **Best for Wood**, 150 mm diameter, 6 holes

best  **Wood**

- **Suitable for** sanding all types of wood, hardwood, chipboard and construction boards, and metal
- **Appropriate for** random orbit sanders from Bosch, AEG, DeWalt, Elu, Felisatti, Flex, Hilti, Hitachi, Kress, Metabo, Milwaukee, Peugeot, Protool, Stayer, Wegoma



Product properties	Ordering information
Sheet dimensions mm	Grit
	Part number
	Packaging type
	Pack quantity
	Minimum order quantity <sup>1</sup>
	Barcode 3165140...



Pack of 5

150	40	<b>2 608 605 085</b>	C1a	5	5	159029
150	60	<b>2 608 605 086</b>	C1a	5	5	159036
150	80	<b>2 608 605 087</b>	C1a	5	5	159043
150	100	<b>2 608 605 088</b>	C1a	5	5	159050
150	120	<b>2 608 605 089</b>	C1a	5	5	159067
150	180	<b>2 608 605 090</b>	C1a	5	5	159074
150	240	<b>2 608 605 091</b>	C1a	5	5	159081
150	320	<b>2 608 605 092</b>	C1a	5	5	159098
150	400	<b>2 608 605 093</b>	C1a	5	5	159104

Pack of 6

150	60 120 240	<b>2 608 605 102</b>	C1a	6	5	159203
-----	------------------	----------------------	-----	---	---	--------

### Sanding sheets for random orbit sanders, **Expert for Wood**, 115 mm diameter, 8 holes

expert  **Wood**

- **Suitable for** sanding all types of wood
- **Appropriate for** random orbit sanders from Bosch, Einhell, Kress, Peugeot, Skil, Stayer




Pack of 5

115	40	<b>2 608 605 103</b>	C1a	5	5	159210
115	60	<b>2 608 605 104</b>	C1a	5	5	159227
115	80	<b>2 608 605 105</b>	C1a	5	5	159234
115	120	<b>2 608 605 106</b>	C1a	5	5	159241
115	180	<b>2 608 607 246</b>	C1a	5	5	247832
115	240	<b>2 608 605 657</b>	C1a	5	5	171410

Pack of 6

115	60 120 240	<b>2 608 605 107</b>	C1a	6	5	159258
-----	------------------	----------------------	-----	---	---	--------

 Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Sanding sheets for random orbit sanders, Expert for Wood, 125 mm diameter, 8 holes

expert **for Wood**

- **Suitable for** sanding all types of wood
- **Appropriate for** random orbit sanders from Bosch, AEG, Atlas Copco, Black & Decker, DeWalt, Elu, Festo/Festool, Fein, Hitachi, Kress, Makita, Metabo, Skil, Wegoma



Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
---------------------	------	-------------	----------------	---------------	-------------------------------------	--------------------

Product properties	Ordering information
--------------------	----------------------



Pack of 5

125	40	2 608 605 640	C1a	5	5	171243
125	60	2 608 605 641	C1a	5	5	171250
125	80	2 608 605 642	C1a	5	5	171267
125	120	2 608 605 643	C1a	5	5	171274
125	180	2 608 605 644	C1a	5	5	171281
125	240	2 608 605 645	C1a	5	5	171298

Pack of 6

125	60 120 240	2 608 605 112	C1a	6	5	159302
-----	------------------	---------------	-----	---	---	--------

### Sanding sheets for random orbit sanders, Expert for Wood, 150 mm diameter, 6 holes

expert **for Wood**

- **Suitable for** sanding all types of wood
- **Appropriate for** random orbit sanders from Bosch, AEG, DeWalt, Elu, Felisatti, Flex, Hilti, Hitachi, Kress, Metabo, Milwaukee, Peugeot, Stayer, Wegoma



Pack of 5

150	40	2 608 605 716	C1a	5	5	172004
150	60	2 608 605 717	C1a	5	5	172011
150	80	2 608 605 718	C1a	5	5	172028
150	120	2 608 605 720	C1a	5	5	172042
150	180	2 608 605 721	C1a	5	5	172059
150	240	2 608 605 722	C1a	5	5	172066



Pack of 6

150	60 120 240	2 608 607 247	C1a	6	5	247849
-----	------------------	---------------	-----	---	---	--------

Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Sanding sheets for random orbit sanders, Expert for Wood, 150 mm diameter, 16 holes

expert **for Wood**

- ▶ **Suitable for** sanding all types of wood
- ▶ **Appropriate for** random orbit sanders from AEG, Atlas Copco, Fein, Holz-Her



Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
---------------------	------	-------------	----------------	---------------	-------------------------------------	--------------------



Product properties		Ordering information				
Pack of 5						
150	40	2 608 605 537	C1a	5	5	170215
150	60	2 608 605 538	C1a	5	5	170222
150	80	2 608 605 539	C1a	5	5	170239
150	120	2 608 605 540	C1a	5	5	170246
150	240	2 608 605 541	C1a	5	5	170253

Pack of 6						
150	60 120 240	2 608 605 459	C1a	6	5	162791

### Sanding sheets for random orbit sanders, Best for Stone, 115 mm diameter, 8 holes

best **for Stone**

- ▶ **Suitable for** sanding extremely hard materials such as stone, glass, perspex, car paint or stove enamel
- ▶ **Appropriate for** random orbit sanders from Bosch, Einhell, Kress, Peugeot, Skil, Stayer



Pack of 5						
115	80	2 608 605 558	C1a	5	5	170420
115	120	2 608 605 559	C1a	5	5	170437
115	180	2 608 605 560	C1a	5	5	170444
115	240	2 608 605 561	C1a	5	5	170451
115	400	2 608 605 562	C1a	5	5	170468
115	600	2 608 605 113	C1a	5	5	159319
115	1200	2 608 605 114	C1a	5	5	159326

Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Sanding sheets for random orbit sanders, Best for Stone, 125 mm diameter, 8 holes

best **of Stone**

► **Suitable for** sanding extremely hard materials such as stone, glass, perspex, car paint or stove enamel

► **Appropriate for** random orbit sanders from Bosch, AEG, Atlas Copco, Black & Decker, DeWalt, Elu, Festo/Festool, Fein, Hitachi, Kress, Makita, Metabo, Skil, Wegoma



Product properties	Ordering information					
Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...

Pack of 5

125	80	2 608 605 115	C1a	5	5	159333
125	100	2 608 605 116	C1a	5	5	159340
125	120	2 608 605 117	C1a	5	5	159357
125	180	2 608 605 118	C1a	5	5	159364
125	240	2 608 605 119	C1a	5	5	159371
125	320	2 608 605 120	C1a	5	5	159388
125	400	2 608 605 121	C1a	5	5	159395
125	600	2 608 605 122	C1a	5	5	159401
125	1200	2 608 605 123	C1a	5	5	159418



### Sanding sheets for random orbit sanders, Best for Stone, 150 mm diameter, 6 holes

best **of Stone**

► **Suitable for** sanding extremely hard materials such as stone, glass, perspex, car paint or stove enamel

► **Appropriate for** random orbit sanders from Bosch, AEG, DeWalt, Elu, Felisatti, Flex, Hilti, Hitachi, Kress, Metabo, Milwaukee, Peugeot, Stayer, Wegoma



Pack of 5

150	80	2 608 605 124	C1a	5	5	159425
150	100	2 608 605 125	C1a	5	5	159432
150	120	2 608 605 126	C1a	5	5	159449
150	180	2 608 605 127	C1a	5	5	159456
150	240	2 608 605 128	C1a	5	5	159463
150	320	2 608 605 129	C1a	5	5	159470
150	400	2 608 605 130	C1a	5	5	159487
150	600	2 608 605 131	C1a	5	5	159494
150	1200	2 608 605 132	C1a	5	5	159500



# Polishing accessories

## for random orbit sanders



- ▶ Accessories for polishing, cleaning or texturing surfaces
- ▶ All parts with Velcro-type fastening system

### Polishing felts for random orbit sanders



- ▶ **Suitable for** pre-polishing very dirty or scratched surfaces
- ▶ For use with polish or grinding paste on even surfaces
- ▶ **Appropriate for** all conventional brands of machines



Product properties	Working diameter mm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Soft	128	2 608 613 009	C1d	1	1	032780
Soft	128	2 608 612 006	C1d	5	1	077101
Hard	128	2 608 612 005	C1d	5	1	077088
Soft	160	3 608 604 001	C1d	2	1	018784
Hard	160	3 608 604 000	C1d	2	1	018777

### Polishing sponges for random orbit sanders



- ▶ **Suitable for** polishing slightly dirty, scratched or pre-polished surfaces
- ▶ For use with polish or for working in surface sealing agents on curved and even surfaces
- ▶ **Appropriate for** all conventional brands of machines



Product properties	Working diameter mm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
	130	2 608 613 005	C1d	1	1	014854
	160	3 608 613 000	C1d	1	1	018753

Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Lambswool bonnets for random orbit sanders



- ▶ **Suitable for** surface finishing after polishing and for removing dried-on polish residues
- ▶ For dry application on curved and even surfaces
- ▶ Creates the desired high-gloss finish
- ▶ **Appropriate for** all conventional brands of machines



Product properties	Ordering information					
	Working diameter mm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...
Lambswool bonnet						
	130	2 608 610 001	C1a	1	1	014786
	160	3 608 610 000	C1a	2	1	018746



Lambswool bonnet and adapter						
	200	2 607 001 125	P1d	2	1	039093



### Adapters for random orbit sanders



- ▶ **Suitable as** further cushioning layer for especially soft work
- ▶ Ideal for sanding or polishing contours and curved surfaces



Adapter, unpunched						
	115	2 608 601 008	C1c	1	1	032735

Adapter, punched						
	125	2 608 601 126	C1c	1	1	220712
	150	2 608 601 127	C1d	1	1	220729

Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.



## Polishing fleece for random orbit sanders



- **Suitable for** bringing out the grain in wood (rustic look), de-rusting of metal and matt sanding of varnishes

Sheet dimensions mm	Grit	Hardness rating	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties			Ordering information				



Sanding fleece  
Coarse hardness rating, aluminium oxide

<b>128</b>	100	Coarse	<b>2 608 604 055</b>	C1d	1	1	032759
<b>128</b>	100	Coarse	<b>2 608 604 522</b>	P0f	5	1	077125
<b>150</b>	100	Coarse	<b>2 608 604 452</b>	C1d	1	1	064453
<b>150</b>	100	Coarse	<b>3 608 604 023</b>	P0f	5	1	018678

Sanding fleece  
Medium hardness rating, aluminium oxide

<b>128</b>	280	Medium	<b>2 608 604 056</b>	C1d	1	1	032766
<b>128</b>	280	Medium	<b>2 608 604 523</b>	P0f	5	1	077132
<b>150</b>	280	Medium	<b>2 608 604 453</b>	C1d	1	1	064460
<b>150</b>	280	Medium	<b>3 608 604 024</b>	P0f	5	1	018685

Sanding fleece  
Fine hardness rating, silicon carbide (SiC), without velour, self-adhesive

<b>128</b>	800	Fine	<b>2 608 604 057</b>	C1d	1	1	032773
<b>128</b>	800	Fine	<b>2 608 604 524</b>	P0f	5	1	077149
<b>150</b>	800	Fine	<b>2 608 604 454</b>	C1d	1	1	064477
<b>150</b>	800	Fine	<b>3 608 604 025</b>	P0f	5	1	018692

# Accessories for Bosch random orbit sanders

- ▶ Sanding pads as extension or as replacement pad for random orbit sanders
- ▶ Pagoda-shaped pad edge geometry leads to lower rigidity in the edge zones and improved sanding properties for curves and edges
- ▶ Improved polished finish on surfaces due to more adaptable foam quality

## Sanding pads for Bosch random orbit sanders



- ▶ **Hard sanding pads** (blue) for rough sanding with high material removal rate and lower surface quality
- ▶ For sanding paint, filler, plaster and untreated natural woods on even surfaces
- ▶ High edge firmness – ideal for narrow edges
- ▶ **Medium-hard sanding pads** (black) for standard to rough sanding
- ▶ **Soft sanding pads** (grey) for standard sanding tasks
- ▶ Good material removal and good surface quality – universal applications
- ▶ **Extra-soft sanding pads** (grey) for fine sanding tasks and sanding on radii and shaped parts
- ▶ Highest surface quality with low material removal. For intermediate and final polishing at carpentry, paint, fitted kitchen, Corian workshops



grey – soft/extra-soft



black – medium-hard



blue – hard

Version	Diameter mm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3168140...
<b>Product properties</b>		<b>Ordering information</b>				

Sanding pad

**Appropriate for** Bosch GEX 12 A; GEX 12 AE; GEX 125 A; GEX 125 AC Professional

<b>Extra-soft</b>	125	<b>2 608 601 117</b>	C1c	1	1	219488
<b>Soft</b>	125	<b>2 608 601 118</b>	C1c	1	1	219495
<b>Hard</b>	125	<b>2 608 601 119</b>	C1c	1	1	219501

Sanding pad

**Appropriate for** Bosch GEX 150 AC; GEX 150 Turbo Professional


<b>Extra-soft</b>	150	<b>2 608 601 114</b>	C1c	1	1	219457
<b>Soft</b>	150	<b>2 608 601 115</b>	C1c	1	1	219464
<b>Hard</b>	150	<b>2 608 601 116</b>	C1c	1	1	219471

Pack quantity (Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

## Sanding pads for Bosch random orbit sanders



Sanding pad  
**Appropriate for** Bosch GEX 150 Turbo Professional

Product properties	Ordering information					
<b>Soft</b>	150	<b>2 608 601 185</b>	C1c	1	1	375214



Sanding pad  
**Appropriate for** Bosch GEX 125-1 AE; GEX 125-150 AVE Professional

<b>Medium-hard</b>	125	<b>2 608 601 607</b>	C1c	1	1	623476
--------------------	-----	----------------------	-----	---	---	--------



grey – soft/extra-soft

Sanding pad  
**Appropriate for** Bosch PEX 12; PEX 12 A; PEX 125; PEX 400 A; PEX 400 AE

<b>Soft</b>	125	<b>2 608 601 063</b>	C1c	1	1	077460
<b>Medium-hard</b>	125	<b>2 608 601 062</b>	C1c	1	1	077453
<b>Hard</b>	125	<b>2 608 601 061</b>	C1c	1	1	077446



black – medium-hard

Sanding pad  
**Appropriate for** Bosch GEX 150 AC Professional; PEX 15 AE

<b>Soft</b>	150	<b>2 608 601 051</b>	C1c	1	1	063074
<b>Medium-hard</b>	150	<b>2 608 601 052</b>	C1c	1	1	063081
<b>Hard</b>	150	<b>2 608 601 053</b>	C1c	1	1	063098



blue – hard

Sanding pad  
**Appropriate for** GEX 125-1 AE Professional

<b>Extra-soft</b>	125	<b>2 608 000 351</b>	C1c	1	1	465489
<b>Medium-hard</b>	125	<b>2 608 000 349</b>	C1c	1	1	454957
<b>Hard</b>	125	<b>2 608 000 352</b>	C1c	1	1	465496

Pack quantity  
 (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs.  
 Orders are carried out only in multiples of the minimum order quantity.

### Sanding pads for Bosch random orbit sanders

Version	Diameter mm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
---------	-------------	-------------	----------------	---------------	-------------------------------------	--------------------

Product properties	Ordering information
--------------------	----------------------



Sanding pad  
**Appropriate for** Bosch GEX 150 ACE Professional

Medium-hard	150	<b>3 608 601 006</b>	C1c	1	1	018616
-------------	-----	----------------------	-----	---	---	--------




Drive plate  
**Appropriate for** Bosch GEX 150 ACE Professional

-	150	<b>3 607 031 211</b>	C1c	1	1	019125
---	-----	----------------------	-----	---	---	--------



Sanding pad  
**Appropriate for** Bosch GEX 270 A; GEX 270 AE Professional

Medium-hard	125	<b>2 608 601 173</b>	C1c	1	1	294751
-------------	-----	----------------------	-----	---	---	--------



Sanding pad  
**Appropriate for** Bosch PEX 115

Soft	115	<b>2 608 601 066</b>	C1c	1	1	079174
Medium-hard	115	<b>2 608 601 065</b>	C1c	1	1	079181
Hard	115	<b>2 608 601 064</b>	C1c	1	1	079198



Sanding pad  
**Appropriate for** Bosch PEX 220 A

Medium-hard	125	<b>2 608 601 175</b>	C1c	1	1	329217
-------------	-----	----------------------	-----	---	---	--------

Sanding pad with screws and hexagon socket wrench  
**Appropriate for** Bosch PEX 270 A; PEX 270 AE

Medium-hard	125	<b>2 608 601 169</b>	C1c	1	1	260459
-------------	-----	----------------------	-----	---	---	--------

Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Sanding pads for Bosch random orbit sanders



<i>Version</i>	<i>Diameter mm</i>	<i>Part number</i>	<i>Packaging type</i>	<i>Pack quantity</i>	<i>Minimum order quantity<sup>1</sup></i>	<i>Barcode 3165140...</i>
Product properties		Ordering information				

Sanding pad  
**Appropriate for** Bosch PEX 15; PEX 420 AE

Medium-hard	150	2 608 601 179	C1c	1	1	331944
-------------	-----	---------------	-----	---	---	--------

### Auxiliary handle for random orbit sanders



<i>Part number</i>	<i>Packaging type</i>	<i>Pack quantity</i>	<i>Minimum order quantity<sup>1</sup></i>	<i>Barcode 3165140...</i>	
Product properties		Ordering information			

Auxiliary handle  
**Appropriate for** GEX 125-150 AVE Professional

		2 602 026 177	P0b	1	1	624138
--	--	---------------	-----	---	---	--------



Auxiliary handle  
**Appropriate for** GEX 125; GEX 150 AC; GSS 230 A; GSS 230 AE; GSS 280 A; GSS 280 AE Professional; PEX 11

		2 602 026 070	P0b	1	1	113816
--	--	---------------	-----	---	---	--------

Auxiliary handle  
**Appropriate for** Bosch PEX 115

		2 602 026 046	P0b	1	1	014847
--	--	---------------	-----	---	---	--------

Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

# Sanding sheets for delta sanders




- ▶ Powerful sanding sheets in Best for Paint, Best for Wood, Best for Stone, Expert for Wood versions
- ▶ For sanding paint, varnish, wood, stone and car paint in corners and surfaces
- ▶ With Velcro-type fastening system for fast sheet changes and extraction holes for internal dust extraction
- ▶ Sanding sheets for machines of all conventional brands and diameters


## Sanding sheets for delta sanders, Best for Paint, 93 mm, 6 holes

best **for Paint**

- ▶ **Suitable for** sanding paint, varnish or roughcast
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ **Appropriate for** delta sanders from Bosch, Casals, Makita, Metabo, Skil



Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...
<b>Product properties</b>		<b>Ordering information</b>				
Pack of 5						
93	40	2 608 605 133	C1a	5	5	159517
93	60	2 608 605 134	C1a	5	5	159524
93	80	2 608 605 135	C1a	5	5	159531
93	100	2 608 605 136	C1a	5	5	159548
93	120	2 608 605 137	C1a	5	5	159555
93	180	2 608 605 138	C1a	5	5	159562
93	240	2 608 605 139	C1a	5	5	159579
93	320	2 608 606 693	C1a	5	5	179584
Pack of 6						
93	60 120 240	2 608 605 147	C1a	6	5	159654




Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Sanding sheets for delta sanders, Best for Wood, 93 mm, 6 holes

best  **Wood**

- Suitable for sanding all types of wood, hardwood, chipboard and construction boards, and metal
- Appropriate for delta sanders from Bosch, Casals, Makita, Metabo, Skil



Product properties	Ordering information						
Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...	

Pack of 5

93	40	2 608 605 148	C1a	5	5	159661	
93	60	2 608 605 149	C1a	5	5	159678	
93	80	2 608 605 150	C1a	5	5	159685	
93	100	2 608 605 151	C1a	5	5	159692	
93	120	2 608 605 152	C1a	5	5	159708	
93	180	2 608 605 153	C1a	5	5	159715	
93	240	2 608 605 154	C1a	5	5	159722	
93	320	2 608 605 155	C1a	5	5	159739	
93	400	2 608 605 156	C1a	5	5	159746	



Pack of 6

93	60 120 240	2 608 605 165	C1a	6	5	159838	
----	------------------	---------------	-----	---	---	--------	--

### Sanding sheets for delta sanders, Expert for Wood, 93 mm, 6 holes

expert  **Wood**

- Suitable for sanding all types of wood and wooden materials
- Appropriate for delta sanders from Bosch, Casals, Makita, Metabo, Skil




Pack of 5

93	40	2 608 605 599	C1a	5	5	170833	
93	60	2 608 605 600	C1a	5	5	170840	
93	80	2 608 605 601	C1a	5	5	170857	
93	120	2 608 605 602	C1a	5	5	170864	
93	180	2 608 605 603	C1a	5	5	170871	
93	240	2 608 605 604	C1a	5	5	170888	



Pack of 6


93	60 120 240	2 608 605 191	C1a	6	5	160094	
----	------------------	---------------	-----	---	---	--------	--

 Pack quantity (Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Sanding sheets for delta sanders, Expert for Wood, 82 mm

- expert  **Wood** ▶ **Suitable for** sanding all types of wood and wooden materials  
 ▶ **Appropriate for** delta sanders from Fein



Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
---------------------	------	-------------	----------------	---------------	-------------------------------------	--------------------

Product properties	Ordering information
--------------------	----------------------


Pack of 5

82	40	<b>2 608 605 172</b>	C1a	5	5	159906
82	60	<b>2 608 605 173</b>	C1a	5	5	159913
82	80	<b>2 608 605 174</b>	C1a	5	5	159920
82	120	<b>2 608 605 175</b>	C1a	5	5	159937
82	180	<b>2 608 605 573</b>	C1a	5	5	170574
82	240	<b>2 608 605 574</b>	C1a	5	5	170581

Pack of 6

82	60 120 240	<b>2 608 605 176</b>	C1a	6	5	159944
----	------------------	----------------------	-----	---	---	--------

### Sanding sheets for delta sanders, Expert for Wood, 105 mm, 6 holes

- expert  **Wood** ▶ **Suitable for** sanding all types of wood and wooden materials  
 ▶ **Appropriate for** delta sanders from AEG, Kress




Pack of 5

105	40	<b>2 608 605 177</b>	C1a	5	5	159951
105	60	<b>2 608 605 178</b>	C1a	5	5	159968
105	80	<b>2 608 605 179</b>	C1a	5	5	159975
105	120	<b>2 608 605 180</b>	C1a	5	5	159982
105	180	<b>2 608 605 575</b>	C1a	5	5	170598
105	240	<b>2 608 605 576</b>	C1a	5	5	170604

Pack of 6

105	60 120 240	<b>2 608 605 181</b>	C1a	6	5	159999
-----	------------------	----------------------	-----	---	---	--------

 Pack quantity  
(Pieces per pack)


  

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.



### Sanding sheets for delta sanders, Expert for Wood, 32 mm

- expert **for Wood**
- **Suitable for** sanding all types of wood and wooden materials
  - **Appropriate for** delta sanders from Bosch, Skil



Product properties	Ordering information
--------------------	----------------------

Pack of 5

Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
32	40	<b>2 608 605 166</b>	C1a	5	5	159845
32	60	<b>2 608 605 167</b>	C1a	5	5	159852
32	80	<b>2 608 605 168</b>	C1a	5	5	159869
32	120	<b>2 608 605 169</b>	C1a	5	5	159876
32	240	<b>2 608 605 170</b>	C1a	5	5	159883



Pack of 6

32	60 120 240	<b>2 608 605 171</b>	C1a	6	5	159890
----	------------------	----------------------	-----	---	---	--------

### Sanding sheets for delta sanders, Best for Stone, 93 mm, 6 holes

- best **for Stone**
- **Suitable for** coarse to gloss sanding of extremely hard materials such as stone, glass, perspex, car paint or stove enamel
  - **Appropriate for** delta sanders from Bosch, Casals, Makita, Metabo



Pack of 5

Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
93	80	<b>2 608 605 192</b>	C1a	5	5	160100
93	100	<b>2 608 605 193</b>	C1a	5	5	160117
93	120	<b>2 608 605 194</b>	C1a	5	5	160124
93	180	<b>2 608 605 195</b>	C1a	5	5	160131
93	240	<b>2 608 605 196</b>	C1a	5	5	160148
93	320	<b>2 608 605 197</b>	C1a	5	5	160155
93	400	<b>2 608 605 198</b>	C1a	5	5	160162
93	600	<b>2 608 605 199</b>	C1a	5	5	160179
93	1200	<b>2 608 605 200</b>	C1a	5	5	159180



Pack quantity (Pieces per pack)

Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

# Polishing accessories for delta sanders

## Fleeces for delta sanders



- ▶ **Suitable for** bringing out the grain in wood (rustic look), de-rusting of metal and matt sanding of varnishes
- ▶ Cleaning fleece **suitable for** removing dirt and deposits without altering the workpiece surface. Works without coated abrasive – can leave behind slight scratches in soft material
- ▶ **Appropriate for** delta sanders from Bosch, Casals, Makita, Metabo, Skil



Product properties			Ordering information				
Sheet dimensions mm	Grit	Hardness rating	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...

### Fleece

93	280	Coarse	2 608 604 495	C1d	1	5	070812
93	100	Medium	2 608 604 494	C1d	1	5	070805




### Cleaning fleece without coated abrasive

Suitable for removing dirt and deposits without altering the workpiece surface. Works without coated abrasive – can leave behind slight scratches in soft material

93	Without grit	–	2 608 604 496	C1d	1	5	070829
----	--------------	---	---------------	-----	---	---	--------

## Polishing felt for delta sanders



- ▶ **Suitable for** pre-polishing very dirty or scratched surfaces – using polish or grinding paste on even surfaces
- ▶ **Appropriate for** delta sanders from Bosch, Casals, Makita, Metabo



Product properties			Ordering information				
Sheet dimensions mm	Hardness rating	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...	

### Polishing felt

Suitable for pre-polishing very dirty or scratched surfaces – using polish or grinding paste on even surfaces

93	Hard	2 608 613 016	C1d	1	5	070843
----	------	---------------	-----	---	---	--------

Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

# Accessories for Bosch delta sanders

## Sanding plate for Bosch delta sanders



**Product properties**

Sanding plate  
**Appropriate for** GDA 280 E Professional; PDA 180; PDA 180 E; PDA 240 E

<b>2 608 000 211</b>	C1d	1	1	109505
----------------------	-----	---	---	--------



Sanding plate  
**Appropriate for** PDA 100; PDA 120 E

<b>2 608 000 149</b>	C1d	1	1	076401
----------------------	-----	---	---	--------

Sanding plate  
**Appropriate for** PSM 160 A; PSM 160 AE; PSM Ventaro 1400

<b>2 608 601 181</b>	C1c	1	1	332293
----------------------	-----	---	---	--------

<b>Part number</b>	<b>Packaging type</b>	<b>Pack quantity</b>	<b>Minimum order quantity<sup>1</sup></b>	<b>Barcode 3163140...</b>
--------------------	-----------------------	----------------------	---	---------------------------

## Louvre sanding attachment for Bosch delta sanders



► **Suitable for** sanding louvre doors and shutters



Louvre sanding attachment  
**Appropriate for** GDA 280 E Professional; PDA 180; PDA 180 E; PDA 240 E; PSM 160 A; PSM Ventaro 1400

<b>2 608 000 200</b>	C1d	1	1	109499
----------------------	-----	---	---	--------



Louvre sanding attachment  
**Appropriate for** PDA 100; PDA 120 E

<b>2 608 000 145</b>	C1d	1	1	073127
----------------------	-----	---	---	--------

Velcro-type fastening replacement material for louvre sanding attachment  
**Appropriate for** GDA 280 E Professional; PDA 180; PDA 180 E; PDA 240 E; PSM 160 A; PSM Ventaro 140

<b>2 601 099 044</b>	C1d	2	1	076395
----------------------	-----	---	---	--------

Pack quantity  
(Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Sanding fingers for Bosch delta sanders



- **Suitable for** sanding in tight gaps
- **Appropriate for** GDA 280 E Professional; PDA 180; PDA 180 E; PDA 240 E; PSM 160 A; PSM Ventaro 1400

Product properties	Ordering information					
	Sheet dimensions mm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...



Velcro-type fastening replacement material for sanding finger

-	<b>2 601 099 074</b>	C1c	2	1	110907
---	----------------------	-----	---	---	--------



Sanding finger, flat

-	<b>2 608 000 199</b>	C1d	1	1	109482
---	----------------------	-----	---	---	--------



Sanding finger, oval

-	<b>2 608 000 198</b>	C1d	1	1	109475
---	----------------------	-----	---	---	--------

### Adapters for Bosch delta sanders



- **Suitable for** especially soft work, ideal for sanding contours or curved surfaces
- **Appropriate for** GDA 280 E Professional; PDA 100; PDA 120 E; PDA 180; PDA 180 E; PDA 240 E; PSM 80; PSM 160 A; PSM Ventaro 1400; Bosch-PRIO delta sanders



Adapter

<b>93</b>	<b>2 608 601 137</b>	C1c	1	1	223782
-----------	----------------------	-----	---	---	--------

# Sanding sheets for multi-sanders




- ▶ Powerful sanding sheets in Best for Paint, Expert for Wood versions
- ▶ For sanding paint, varnish and wood in corners and surfaces
- ▶ With Velcro-type fastening system for fast sheet changes and extraction holes for internal dust extraction

## Sanding sheets for multi-sanders, Best for Paint, 102 x 62, 93 mm, 11 holes

best **for Paint**

- ▶ Suitable for sanding varnish, paint, roughcast
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ Appropriate for multi-sanders from Bosch, Skil



Sheet dimension(s) mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
<b>Product properties</b>		<b>Ordering information</b>				
102x62, 93	40	2 608 607 402	C1a	10	1	323239
102x62, 93	80	2 608 607 403	C1a	10	1	323246
102x62, 93	120	2 608 607 404	C1a	10	1	323253
102x62, 93	180	2 608 607 405	C1a	10	1	323260

## Sanding sheets for multi-sanders, Expert for Wood, 102 x 62, 93 mm, 11 holes

expert **for Wood**

- ▶ Suitable for sanding all types of wood and wooden materials
- ▶ Appropriate for multi-sanders from Bosch, Skil





102x62, 93	40	2 608 607 407	C1a	10	1	323284
102x62, 93	80	2 608 607 408	C1a	10	1	323291
102x62, 93	120	2 608 607 409	C1a	10	1	323307
102x62, 93	180	2 608 607 410	C1a	10	1	323314


● Pack quantity (Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.


### Sanding sheets for multi-sanders, Expert for Wood, Best for Paint, 102 x 62, 93 mm, 11 holes


- expert  **Wood** ▶ Expert for Wood **suitable for** sanding all types of wood and wooden materials (3 x K40, 6 x K80, 3 x K120, 3 x K180)
- best  **Paint** ▶ Best for Paint **suitable for** sanding paint, varnish, roughcast (2 x K40, 2 x K80, 4 x K120, 2 x K180)
- ▶ **Appropriate for** multi-sanders from Bosch, Skil




Sheet dimension(s) mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...
<b>Product properties</b>		<b>Ordering information</b>				
102x62, 93	3x40	2 608 607 417	C1c	25	1	327695
	6x80					
	3x120					
	3x180					
	2x40					
	2x80					
	4x120					
	2x180					


### Sanding sheets for multi-sanders, Expert for Wood, 100 x 170 mm

- expert  **Wood** ▶ **Suitable for** sanding all types of wood and wooden materials
- ▶ **Appropriate for** multi-sanders from Black & Decker





Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...
<b>Product properties</b>		<b>Ordering information</b>				
Pack of 5						
100x170	40	2 608 605 182	C1a	5	5	160001
100x170	60	2 608 605 183	C1a	5	5	160018
100x170	80	2 608 605 184	C1a	5	5	160025
100x170	120	2 608 605 185	C1a	5	5	160032
100x170	180	2 608 605 577	C1a	5	5	170611
100x170	240	2 608 605 578	C1a	5	5	170628
Pack of 6						
100x170	60 120 240	2 608 605 186	C1a	6	5	160049

 Pack quantity (Pieces per pack)

 <sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Sanding sheets for multi-sanders, Expert for Wood, 4 holes

- expert  **Wood** ▶ Suitable for sanding all types of wood and wooden materials  
 ▶ Appropriate for multi-sanders from Black & Decker



Product properties	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
--------------------	------	-------------	----------------	---------------	-------------------------------------	--------------------



Pack of 5

40	2 608 607 428	C1a	5	5	337076
80	2 608 607 429	C1a	5	10	337083
120	2 608 607 430	C1a	5	10	337090
180	2 608 607 431	C1a	5	10	337106

Pack of 6

2x80 2x120 2x180	2 608 607 432	C1a	6	10	337113
------------------------	---------------	-----	---	----	--------

### Cleaning fleece for multi-sanders, 102 x 62, 93 mm




- ▶ Appropriate for multi-sanders from Bosch, Skil  
 ▶ Medium to fine quality




Product properties	Sheet dimension(s) mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
--------------------	-----------------------	------	-------------	----------------	---------------	-------------------------------------	--------------------

2-piece cleaning fleece set

102x62, 93	Medium Fine	2 608 607 419	C1c	2	1	327718
------------	----------------	---------------	-----	---	---	--------

 Pack quantity  
(Pieces per pack)

 <sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

# Sanding sheets for orbital sanders



- ▶ Powerful, ready-cut sanding sheets in Best for Paint, Best for Wood, Expert for Wood versions
- ▶ For working on paint, varnish and roughcast, wooden materials, hardwood, chipboard, construction boards and metal
- ▶ With Velcro-type fastening system for fast sheet changes and without Velcro-type fastening system for clamp fastening
- ▶ Without holes or with extraction holes for internal dust extraction
- ▶ Sanding sheets for machines of all conventional brands and diameters

The optimum sanding sheet for every material

## Sanding sheets for orbital sanders, Best for Paint, 80 x 133 mm, 8 holes

best **for Paint**

- ▶ **Suitable** for sanding varnish, paint, roughcast
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ **Appropriate** for orbital sanders from Bosch, AEG, Atlas Copco, Black & Decker, Felisatti, Festo/Festool, Hitachi, Milwaukee



Product properties	Ordering information					
Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3168140...
Pack of 10						
80x133	40	2 608 607 220	C1a	10	5	247566
80x133	60	2 608 607 221	C1a	10	5	247580
80x133	80	2 608 607 222	C1a	10	5	247597
80x133	100	2 608 607 223	C1a	10	5	247603
80x133	120	2 608 607 224	C1a	10	5	247610
80x133	180	2 608 607 225	C1a	10	5	247627
80x133	240	2 608 607 226	C1a	10	5	247634
80x133	320	2 608 607 227	C1a	10	5	247641



Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.



### Sanding sheets for orbital sanders, Best for Paint, 93 x 186 mm, 8 holes



- ▶ **Suitable for** sanding varnish, paint, roughcast
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ **Appropriate for** orbital sanders from Bosch, AEG, Atlas Copco, Casals, Einhell, Festo/Festool, Hitachi, Makita, Metabo, Peugeot, Skil



Product properties	Ordering information
Sheet dimensions mm	Grit
	Part number
	Packaging type
	Pack quantity
	Minimum order quantity <sup>1</sup>
	Barcode 3165140...

Pack of 10

93x186	40	2 608 605 201	C1a	10	5	160186
93x186	60	2 608 605 202	C1a	10	5	160193
93x186	80	2 608 605 203	C1a	10	5	160209
93x186	100	2 608 606 695	C1a	10	5	179607
93x186	120	2 608 605 204	C1a	10	5	160216
93x186	180	2 608 605 205	C1a	10	5	160223
93x186	240	2 608 605 206	C1a	10	5	160230
93x186	320	2 608 605 671	C1a	10	5	171557



### Sanding sheets for orbital sanders, Best for Paint, 93 x 230 mm, 8 holes



- ▶ **Suitable for** sanding varnish, paint, roughcast
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ **Appropriate for** orbital sanders from Bosch, Atlas Copco, Black & Decker, Einhell, Festo/Festool, Makita, Metabo, Peugeot, Ryobi, Skil



Pack of 10

93x230	40	2 608 605 207	C1a	10	5	160247
93x230	60	2 608 605 208	C1a	10	5	160254
93x230	80	2 608 605 209	C1a	10	5	160261
93x230	100	2 608 606 703	C1a	10	1	179683
93x230	120	2 608 605 210	C1a	10	5	160278
93x230	180	2 608 605 211	C1a	10	5	160285
93x230	240	2 608 605 212	C1a	10	5	160292
93x230	320	2 608 605 673	C1a	10	5	171571



Clamped, 8 holes

Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

**Sanding sheets for orbital sanders, Best for Paint, 93 x 230 mm**

best  **Paint**

- ▶ **Suitable for** sanding varnish, paint, roughcast
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ **Appropriate for** conventional orbital sanders



Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
<b>Product properties</b>		<b>Ordering information</b>				

Pack of 10

93x230	40	2 608 605 681	C1a	10	5	171656
93x230	60	2 608 605 682	C1a	10	5	171663
93x230	80	2 608 605 683	C1a	10	5	171670
93x230	100	2 608 606 704	C1a	10	5	179690
93x230	120	2 608 605 684	C1a	10	5	171687
93x230	180	2 608 605 685	C1a	10	5	171694
93x230	240	2 608 605 686	C1a	10	5	171700
93x230	320	2 608 605 687	C1a	10	5	171717



Clamped, unpunched

**Sanding sheets for orbital sanders, Best for Paint, 115 x 107 mm, 6 holes**

best  **Paint**

- ▶ **Suitable for** sanding varnish, paint, roughcast
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ **Appropriate for** Bosch GSS 140 A Professional orbital sander



Pack of 10

115x107	40	2 608 607 443	C1a	10	5	343732
115x107	60	2 608 607 444	C1a	10	5	343749
115x107	80	2 608 607 445	C1a	10	5	343756
115x107	120	2 608 607 446	C1a	10	5	343763
115x107	180	2 608 607 447	C1a	10	5	343770
115x107	240	2 608 607 448	C1a	10	5	343787



**Sanding sheets for orbital sanders, Best for Paint, 115 x 140 mm, 6 holes**

best  **Paint**

- ▶ **Suitable for** sanding varnish, paint, roughcast
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ **Appropriate for** Bosch GSS 140 A Professional orbital sander




Pack of 10

115x140	40	2 608 607 449	C1a	10	5	343794
115x140	60	2 608 607 450	C1a	10	5	343800
115x140	80	2 608 607 451	C1a	10	5	343817
115x140	120	2 608 607 452	C1a	10	5	343824
115x140	180	2 608 607 453	C1a	10	5	343831
115x140	240	2 608 607 454	C1a	10	5	343848



Clamped, 6 holes

 Pack quantity (Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

**Sanding sheets for orbital sanders, Best for Paint, 115 x 230 mm, 14 holes**

best  **Paint**

- ▶ **Suitable for** sanding varnish, paint, roughcast
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ **Appropriate for** orbital sanders from Bosch, Atlas Copco, Black & Decker, Casals, Einhell, Elu, Fein, Festo/Festool, Hitachi, Holz-Her, Kress, Makita, Metabo, Peugeot, Ryobi, Skil



Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
<b>Product properties</b>		<b>Ordering information</b>				

Pack of 10

<b>115x230</b>	40	<b>2 608 605 213</b>	C1a	10	5	160308
<b>115x230</b>	60	<b>2 608 605 214</b>	C1a	10	5	160315
<b>115x230</b>	80	<b>2 608 605 215</b>	C1a	10	5	160322
<b>115x230</b>	100	<b>2 608 606 705</b>	C1a	10	5	179706
<b>115x230</b>	120	<b>2 608 605 216</b>	C1a	10	5	160339
<b>115x230</b>	180	<b>2 608 605 217</b>	C1a	10	5	160346
<b>115x230</b>	240	<b>2 608 605 218</b>	C1a	10	5	160353
<b>115x230</b>	320	<b>2 608 605 674</b>	C1a	10	5	171588



**Sanding sheets for orbital sanders, Best for Paint, 115 x 280 mm, 14 holes**

best  **Paint**

- ▶ **Suitable for** sanding varnish, paint, roughcast
- ▶ With calcium stearate coating that reduces premature clogging
- ▶ **Appropriate for** orbital sanders from Bosch, AEG, Atlas Copco, Black & Decker, Casals, Elu, Festo/Festool, Hitachi, Kress, Makita, Metabo, Skil




Pack of 10

<b>115x280</b>	40	<b>2 608 605 840</b>	C1a	10	5	173247
<b>115x280</b>	60	<b>2 608 605 841</b>	C1a	10	5	173254
<b>115x280</b>	80	<b>2 608 605 842</b>	C1a	10	5	173261
<b>115x280</b>	100	<b>2 608 605 843</b>	C1a	10	5	173278
<b>115x280</b>	120	<b>2 608 605 844</b>	C1a	10	5	173285
<b>115x280</b>	180	<b>2 608 605 845</b>	C1a	10	5	173292
<b>115x280</b>	240	<b>2 608 605 846</b>	C1a	10	5	173308
<b>115x280</b>	320	<b>2 608 605 847</b>	C1a	10	5	173315



Clamped, 14 holes

 Pack quantity  
(Pieces per pack)




<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

**Sanding sheets for orbital sanders, Best for Wood, 80 x 133 mm, 8 holes**

best  **Wood**

- **Suitable for** sanding all types of wood, hardwood, chipboard and construction boards, and metal
- **Appropriate for** orbital sanders from Bosch, AEG, Atlas Copco, Black & Decker, Felisatti, Festo/Festool, Hitachi, Milwaukee



Product properties		Ordering information					
Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...	

Pack of 10


80x133	40	2 608 607 228	C1a	10	5	247658
80x133	60	2 608 607 229	C1a	10	5	247665
80x133	80	2 608 607 230	C1a	10	5	247672
80x133	100	2 608 607 231	C1a	10	5	247689
80x133	120	2 608 607 232	C1a	10	5	247696
80x133	180	2 608 607 233	C1a	10	5	247702
80x133	240	2 608 607 234	C1a	10	5	247719
80x133	320	2 608 607 235	C1a	10	5	247726
80x133	400	2 608 607 236	C1a	10	5	247733



**Sanding sheets for orbital sanders, Best for Wood, 93 x 186 mm, 8 holes**

best  **Wood**


- **Suitable for** sanding all types of wood, hardwood, chipboard and construction boards, and metal
- **Appropriate for** orbital sanders from Bosch, AEG, Atlas Copco, Casals, Einhell, Festo/Festool, Hitachi, Makita, Metabo, Peugeot, Skil



Pack of 10

93x186	40	2 608 605 253	C1a	10	5	160704
93x186	60	2 608 605 254	C1a	10	5	160711
93x186	80	2 608 605 255	C1a	10	5	160728
93x186	100	2 608 606 706	C1a	10	5	179713
93x186	120	2 608 605 256	C1a	10	5	160735
93x186	180	2 608 605 257	C1a	10	5	160742
93x186	240	2 608 605 258	C1a	10	5	160759
93x186	320	2 608 605 899	C1a	10	5	173834
93x186	400	2 608 605 259	C1a	10	5	160766



 Pack quantity (Pieces per pack)




<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Sanding sheets for orbital sanders, Best for Wood, 93 x 230 mm, 8 holes

best  **Wood**

- **Suitable for** sanding all types of wood, hardwood, chipboard and construction boards, and metal
- **Appropriate for** orbital sanders from Bosch, Atlas Copco, Black & Decker, Einhell, Festo/Festool, Makita, Metabo, Peugeot, Ryobi, Skil



Product properties	Ordering information
Sheet dimensions mm	Grit
	Part number
	Packaging type
	Pack quantity
	Minimum order quantity <sup>1</sup>
	Barcode 3165140...

Pack of 10

93x230	40	2 608 605 225	C1a	10	5	160421
93x230	60	2 608 605 226	C1a	10	5	160438
93x230	80	2 608 605 227	C1a	10	5	160445
93x230	100	2 608 605 909	C1a	10	5	173933
93x230	120	2 608 605 228	C1a	10	5	160452
93x230	180	2 608 605 229	C1a	10	5	160469
93x230	240	2 608 605 230	C1a	10	5	160476
93x230	320	2 608 605 910	C1a	10	5	173940
93x230	400	2 608 605 231	C1a	10	5	160483




Clamped, 8 holes

### Sanding sheets for orbital sanders, Best for Wood, 93 x 230 mm

best  **Wood**

- **Suitable for** sanding all types of wood, hardwood, chipboard and construction boards, and metal
- **Appropriate for** conventional orbital sanders




Pack of 10

93x230	40	2 608 605 232	C1a	10	5	160490
93x230	60	2 608 605 233	C1a	10	5	160506
93x230	80	2 608 605 234	C1a	10	5	160513
93x230	100	2 608 605 920	C1a	10	5	174046
93x230	120	2 608 605 235	C1a	10	5	160520
93x230	180	2 608 605 236	C1a	10	5	160537
93x230	240	2 608 605 237	C1a	10	5	160544



Clamped, unpunched

 Pack quantity (Pieces per pack)


 

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

**Sanding sheets for orbital sanders, Best for Wood, 93 x 280 mm, 8 holes**

best **10<sup>+</sup>Wood**

- ▶ **Suitable for** sanding all types of wood, hardwood, chipboard and construction boards, and metal
- ▶ **Appropriate for** Bosch GSS 23 AE; GSS 230 A; GSS 230 AE Professional orbital sanders



Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties		Ordering information				

Pack of 10



93x280	60	2 608 605 272	C1a	10	5	160896
93x280	80	2 608 605 273	C1a	10	5	160902
93x280	120	2 608 605 274	C1a	10	5	160919

**Sanding sheets for orbital sanders, Best for Wood, 115 x 107 mm, 6 holes**

best **10<sup>+</sup>Wood**

- ▶ **Suitable for** sanding all types of wood, hardwood, chipboard and construction boards, and metal
- ▶ **Appropriate for** Bosch GSS 140 A Professional orbital sander



Pack of 10



115x107	40	2 608 607 455	C1a	10	5	343855
115x107	60	2 608 607 456	C1a	10	5	343862
115x107	80	2 608 607 457	C1a	10	5	343879
115x107	120	2 608 607 458	C1a	10	5	343886
115x107	180	2 608 607 459	C1a	10	5	343893
115x107	240	2 608 607 460	C1a	10	5	343909

**Sanding sheets for orbital sanders, Best for Wood, 115 x 140 mm, 6 holes**

best **10<sup>+</sup>Wood**

- ▶ **Suitable for** sanding all types of wood, hardwood, chipboard and construction boards, and metal
- ▶ **Appropriate for** Bosch GSS 140 A Professional orbital sander



Pack of 10



Clamped, 6 holes

115x140	40	2 608 607 461	C1a	10	5	343916
115x140	60	2 608 607 462	C1a	10	5	343923
115x140	80	2 608 607 463	C1a	10	5	343930
115x140	120	2 608 607 464	C1a	10	5	343947
115x140	180	2 608 607 465	C1a	10	5	343954
115x140	240	2 608 607 466	C1a	10	5	343961

Pack quantity (Pieces per pack)


Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Sanding sheets for orbital sanders, Best for Wood, 115 x 230 mm, 14 holes

best  **Wood**

- **Suitable for** sanding all types of wood, hardwood, chipboard and construction boards, and metal
- **Appropriate for** orbital sanders from Bosch, Atlas Copco, Black & Decker, Casals, Einhell, Elu, Fein, Festo/Festool, Hitachi, Holz-Her, Kress, Makita, Metabo, Peugeot, Ryobi, Skil



Product properties	Ordering information
Sheet dimensions mm	Grit
	Part number
	Packaging type
	Pack quantity
	Minimum order quantity <sup>1</sup>
	Barcode 3165140...

Pack of 10


115x230	40	2 608 605 265	C1a	10	5	160827
115x230	60	2 608 605 266	C1a	10	5	160834
115x230	80	2 608 605 267	C1a	10	5	160841
115x230	100	2 608 606 709	C1a	10	5	179744
115x230	120	2 608 605 268	C1a	10	5	160858
115x230	180	2 608 605 269	C1a	10	5	160865
115x230	240	2 608 605 270	C1a	10	5	160872
115x230	320	2 608 605 759	C1a	10	5	172431
115x230	400	2 608 605 271	C1a	10	5	160889



### Sanding sheets for orbital sanders, Best for Wood, 115 x 280 mm, 14 holes

best  **Wood**

- **Suitable for** sanding all types of wood, hardwood, chipboard and construction boards, and metal
- **Appropriate for** orbital sanders from Bosch, AEG, Atlas Copco, Black & Decker, Casals, Elu, Festo/Festool, Hitachi, Kress, Makita, Metabo, Skil



Pack of 10

115x280	40	2 608 605 239	C1a	10	5	160568
115x280	60	2 608 605 240	C1a	10	5	160575
115x280	80	2 608 605 241	C1a	10	5	160582
115x280	100	2 608 606 710	C1a	10	5	179751
115x280	120	2 608 605 242	C1a	10	5	160599
115x280	180	2 608 605 243	C1a	10	5	160605
115x280	240	2 608 605 244	C1a	10	5	160612
115x280	400	2 608 605 245	C1a	10	5	160629




Clamped, 14 holes

### Sanding sheets for orbital sanders, **Best for Wood**, 115 x 280 mm

best  **Wood**

- ▶ **Suitable for** sanding all types of wood, hardwood, chipboard and construction boards, and metal
- ▶ **Appropriate for** conventional orbital sanders



Product properties	Ordering information						
Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...	

Pack of 10

115x280	40	2 608 605 246	C1a	10	5	160636	
115x280	60	2 608 605 247	C1a	10	5	160643	
115x280	80	2 608 605 248	C1a	10	5	160650	
115x280	100	2 608 605 968	C1a	10	5	174527	
115x280	120	2 608 605 249	C1a	10	5	160667	
115x280	180	2 608 605 250	C1a	10	5	160674	
115x280	240	2 608 605 251	C1a	10	5	160681	
115x280	320	2 608 606 711	C1a	10	5	179768	




Clamped, unpunched

### Sanding sheets for orbital sanders, **Best for Wood**, 115 x 340 mm

best  **Wood**

- ▶ **Suitable for** sanding all types of wood, hardwood, chipboard and construction boards, and metal
- ▶ **Appropriate for** Bosch PSS 28 AE orbital sander



Pack of 10

115x340	60	2 608 605 275	C1a	10	5	160926	
115x340	120	2 608 605 276	C1a	10	5	160933	
115x340	180	2 608 605 277	C1a	10	5	160940	
115x340	240	2 608 605 278	C1a	10	5	160957	



### Sanding sheets for orbital sanders, **Expert for Wood**, 80 x 133 mm, 8 holes

expert  **Wood**


- ▶ **Suitable for** sanding all types of wood and wooden materials
- ▶ **Appropriate for** orbital sanders from Bosch, AEG, Atlas Copco, Black & Decker, Felisatti, Festo/Festool, Hitachi, Milwaukee



Pack of 10

80x133	60	2 608 605 279	C1a	10	5	160964	
80x133	80	2 608 605 280	C1a	10	5	160971	
80x133	100	2 608 605 979	C1a	10	5	174633	
80x133	120	2 608 605 281	C1a	10	5	160988	
80x133	180	2 608 605 282	C1a	10	5	160995	
80x133	240	2 608 605 283	C1a	10	5	161008	
80x133	4x60 4x120 2x180	2 608 605 285	C1a	10	5	161022	




 Pack quantity (Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.



### Sanding sheets for orbital sanders, Expert for Wood, 80 x 166 mm, 8 holes

- expert  **Wood** ▶ **Suitable for** sanding all types of wood and wooden materials  
 ▶ **Appropriate for** orbital sanders from Bosch, Atlas Copco, Black & Decker, Hitachi, Wegoma



Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties		Ordering information				


Pack of 10

80x166	40	2 608 605 286	C1a	10	5	161039
80x166	60	2 608 605 287	C1a	10	5	161046
80x166	80	2 608 605 288	C1a	10	5	161053
80x166	100	2 608 605 289	C1a	10	5	161060
80x166	120	2 608 605 290	C1a	10	5	161077
80x166	180	2 608 605 292	C1a	10	5	161091
80x166	240	2 608 605 293	C1a	10	5	161107



Clamped, 8 holes

### Sanding sheets for orbital sanders, Expert for Wood, 93 x 186 mm, 8 holes

- expert  **Wood** ▶ **Suitable for** sanding all types of wood and wooden materials  
 ▶ **Appropriate for** orbital sanders from Bosch, AEG, Atlas Copco, Casals, Einhell, Festo/Festool, Hitachi, Makita, Metabo, Peugeot, Skil




Pack of 10

93x186	40	2 608 605 302	C1a	10	5	161190
93x186	60	2 608 605 303	C1a	10	5	161206
93x186	80	2 608 605 304	C1a	10	5	161213
93x186	100	2 608 605 305	C1a	10	5	161220
93x186	120	2 608 605 306	C1a	10	5	161237
93x186	180	2 608 605 308	C1a	10	5	161251
93x186	240	2 608 605 309	C1a	10	5	161268
93x186	4x60 4x120 2x180	2 608 605 310	C1a	10	5	161275



### Sanding sheets for orbital sanders, Expert for Wood, 93 x 186 mm, 8 holes


- expert  **Wood** ▶ **Suitable for** sanding all types of wood and wooden materials  
 ▶ **Appropriate for** KA 175, KA 186/E orbital sanders from Black & Decker




Pack of 10

93x186	40	2 608 605 658	C1a	10	5	171427
93x186	60	2 608 605 659	C1a	10	5	171434
93x186	80	2 608 605 660	C1a	10	5	171441
93x186	100	2 608 605 661	C1a	10	5	171458
93x186	120	2 608 605 662	C1a	10	5	171465
93x186	180	2 608 605 663	C1a	10	5	171472
93x186	240	2 608 605 664	C1a	10	5	171489



 Pack quantity (Pieces per pack)

 <sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Sanding sheets for orbital sanders, Expert for Wood, 93 x 230 mm, 8 holes

expert  **Wood**

- ▶ **Suitable for** sanding all types of wood and wooden materials
- ▶ **Appropriate for** orbital sanders from Bosch, Atlas Copco, Black & Decker, Einhell, Festo/Festool, Makita, Metabo, Peugeot, Ryobi, Skil



Product properties	Ordering information						
Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...	

Pack of 10

93x230	40	2 608 605 294	C1a	10	5	161114	
93x230	60	2 608 605 295	C1a	10	5	161121	
93x230	80	2 608 605 296	C1a	10	5	161138	
93x230	100	2 608 605 297	C1a	10	5	161145	
93x230	120	2 608 605 298	C1a	10	5	161152	
93x230	180	2 608 605 300	C1a	10	5	161176	
93x230	240	2 608 605 301	C1a	10	5	161183	



Clamped, 8 holes

### Sanding sheets for orbital sanders, Expert for Wood, 93 x 230 mm, 8 holes

expert  **Wood**

- ▶ **Suitable for** sanding all types of wood and wooden materials
- ▶ **Appropriate for** orbital sanders from AEG, Black & Decker



Pack of 10

93x230	40	2 608 606 508	C1a	10	5	177740	
93x230	60	2 608 606 509	C1a	10	5	177757	
93x230	80	2 608 606 510	C1a	10	5	177764	
93x230	100	2 608 606 511	C1a	10	5	177771	
93x230	120	2 608 606 512	C1a	10	5	177788	
93x230	180	2 608 606 513	C1a	10	5	177795	
93x230	240	2 608 606 514	C1a	10	5	177801	



Clamped, 8 holes

### Sanding sheets for orbital sanders, Expert for Wood, 93 x 230 mm

expert  **Wood**

- ▶ **Suitable for** sanding all types of wood and wooden materials
- ▶ **Appropriate for** conventional orbital sanders



Pack of 10

93x230	40	2 608 605 583	C1a	10	5	170673	
93x230	60	2 608 605 311	C1a	10	5	161282	
93x230	80	2 608 605 312	C1a	10	5	161299	
93x230	100	2 608 606 515	C1a	10	5	177818	
93x230	120	2 608 605 313	C1a	10	5	161305	
93x230	180	2 608 605 314	C1a	10	5	161312	
93x230	240	2 608 605 315	C1a	10	5	161329	




Clamped, unpunched

### Sanding sheets for orbital sanders, Expert for Wood, 115 x 230 mm, 14 holes

expert  **Wood**

- ▶ **Suitable for** sanding all types of wood and wooden materials
- ▶ **Appropriate for** orbital sanders from Bosch, Atlas Copco, Black & Decker, Casals, Einhell, Elu, Fein, Festo/Festool, Hitachi, Holz-Her, Kress, Makita, Metabo, Peugeot, Ryobi, Skil



Product properties	Ordering information						
	Sheet dimensions mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...

Pack of 10

115x230	40	<b>2 608 605 584</b>	C1a	10	5	170680
115x230	60	<b>2 608 605 316</b>	C1a	10	5	161336
115x230	80	<b>2 608 605 317</b>	C1a	10	5	161343
115x230	100	<b>2 608 606 531</b>	C1a	10	5	177979
115x230	120	<b>2 608 605 318</b>	C1a	10	5	161350
115x230	180	<b>2 608 605 319</b>	C1a	10	5	161367
115x230	240	<b>2 608 605 320</b>	C1a	10	5	161374
115x230	4x60 4x120 2x180	<b>2 608 605 322</b>	C1a	10	5	161398



### Sanding sheets for orbital sanders, Expert for Wood, 115 x 280 mm, 14 holes

expert  **Wood**

- ▶ **Suitable for** sanding all types of wood and wooden materials
- ▶ **Appropriate for** orbital sanders from Bosch, Atlas Copco, Black & Decker, Casals, Elu, Festo/Festool, Hitachi, Kress, Makita, Metabo, Skil



Pack of 10

115x280	40	<b>2 608 605 341</b>	C1a	10	5	161589
115x280	60	<b>2 608 605 342</b>	C1a	10	5	161596
115x280	80	<b>2 608 605 343</b>	C1a	10	5	161602
115x280	100	<b>2 608 605 344</b>	C1a	10	5	161619
115x280	120	<b>2 608 605 345</b>	C1a	10	5	161626
115x280	180	<b>2 608 605 347</b>	C1a	10	5	161640
115x280	240	<b>2 608 605 348</b>	C1a	10	5	161657



Clamped, 14 holes

### Sanding sheets for orbital sanders, Expert for Wood, 115 x 280 mm

expert  **Wood**

- ▶ **Suitable for** sanding all types of wood and wooden materials
- ▶ **Appropriate for** conventional orbital sanders




Pack of 10

115x280	40	<b>2 608 605 585</b>	C1a	10	5	170697
115x280	60	<b>2 608 605 323</b>	C1a	10	5	161404
115x280	80	<b>2 608 605 324</b>	C1a	10	5	161411
115x280	100	<b>2 608 606 546</b>	C1a	10	5	178129
115x280	120	<b>2 608 605 325</b>	C1a	10	5	161428
115x280	180	<b>2 608 605 326</b>	C1a	10	5	161435
115x280	240	<b>2 608 605 327</b>	C1a	10	5	161442



Clamped, unpunched

 Pack quantity (Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

# Accessories for **Bosch orbital sanders**

## Sanding plates for orbital sanders

<i>Width, sheet mm</i>	<i>Length, sheet mm</i>
<i>Part number</i>	<i>Packaging type</i>
<i>Pack quantity</i>	<i>Minimum order quantity<sup>1</sup></i>
<i>Barcode 3163140...</i>	
<b>Product properties</b>	<b>Ordering information</b>

**Sanding plate extended**  
Triangular shape for narrow angled surfaces, can be used on both sides, with Velcro-type fastening. Dimensions are the same as for Bosch delta sander and sanding sheet 93 x 185 mm  
**Appropriate for** GSS 230 A; GSS 230 AE Professional




93	185	2 608 000 189	P0b	1	1	105767
----	-----	---------------	-----	---	---	--------

**Sanding plate extended**  
Thin version for louvres and other hard-to-reach areas, with Velcro-type fastening. Suitable sanding sheets (93 x 280 mm)  
**Appropriate for** GSS 230 A; GSS 230 AE; GSS 280 A; GSS 280 AE Professional



93	185	2 608 000 190	P0b	1	1	105774
----	-----	---------------	-----	---	---	--------

**Sanding plate with Velcro-type fastening, normal use**  
**Appropriate for** GSS 230 A; GSS 230 AE Professional



93	185	2 608 000 202	P0b	1	1	111898
----	-----	---------------	-----	---	---	--------

**Sanding plate without Velcro-type fastening, for finishing**  
**Appropriate for** GSS 230 A; GSS 230 AE Professional

93	185	2 608 000 213	P0b	1	1	127271
----	-----	---------------	-----	---	---	--------

**Sanding plate with Velcro-type fastening, normal use**  
**Appropriate for** GSS 280 A; GSS 280 AE Professional



115	230	2 608 000 204	P0b	1	1	111904
-----	-----	---------------	-----	---	---	--------

**Sanding plate without Velcro-type fastening, for finishing**  
**Appropriate for** GSS 280 A; GSS 280 AE Professional

115	230	2 608 000 215	P0b	1	1	127288
-----	-----	---------------	-----	---	---	--------

**Sanding plate with Velcro-type fastening**  
**Appropriate for** GSS 16 A Professional



80	130	2 608 000 071	PC1c	1	1	018302
----	-----	---------------	------	---	---	--------

Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Sanding plates for orbital sanders

Width, sheet mm	Length, sheet mm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties			Ordering information			



Sanding plate  
**Appropriate for** GSS 23 AE Professional

93	185	<b>2 608 000 326</b>	P0b	1	1	402163
----	-----	----------------------	-----	---	---	--------




Sanding plate without Velcro-type fastening  
**Appropriate for** GSS 16 A Professional

83	131	<b>2 608 000 128</b>	PC1c	1	1	045827
----	-----	----------------------	------	---	---	--------

### Adapters for orbital sanders



- ▶ Used as further cushioning layer for especially soft work
- ▶ Ideal for sanding contours and curved surfaces



Adapter, 8 holes

80	133	<b>2 608 601 128</b>	C1a	1	1	220736
93	185	<b>2 608 601 129</b>	C1a	1	1	220743

Adapter, 14 holes

115	230	<b>2 608 601 130</b>	C1a	1	1	220750
-----	-----	----------------------	-----	---	---	--------

Pack quantity  
(Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

# Sanding belts for belt sanders




- ▶ Very sturdy and durable sanding belts in Best for Wood and Best for Metal versions
- ▶ Specific application-oriented belt joints in consistently high quality for perfect surfaces
- ▶ Dust-free sanding belts, workpieces and power tools thanks to antistatic structure
- ▶ High material removal rate and fine surfaces
- ▶ Sanding belts with highly precise, clean belt run without glue residues for best surface quality
- ▶ Sanding belts for belt sanders of all conventional brands and dimensions

High-performance abrasives for large areas and high material removal rate on wooden materials

## Sanding belts for belt sanders, Best for Wood

best **Wood** ▶ Suitable for sanding all types of wood, hardwood, chipboard and construction boards, metal



Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
------------------------------	-------------------------------	------	-------------	----------------	---------------	-------------------------------------	-----------------------

**Product properties** | **Ordering information**

Appropriate for Bosch PBS 60; PBS 60E belt sanders

60	400	40	<b>2 608 606 000</b>	C1e	3	4	163361
60	400	60	<b>2 608 606 001</b>	C1e	3	4	163378
60	400	80	<b>2 608 606 002</b>	C1e	3	4	163385
60	400	100	<b>2 608 606 003</b>	C1e	3	4	163392
60	400	150	<b>2 608 606 004</b>	C1e	3	4	163408
60	400	220	<b>2 608 606 005</b>	C1e	3	4	163415
60	400	280	<b>2 608 606 006</b>	C1e	3	4	163422
60	400	60 80 100	<b>2 608 606 007</b>	C1e	3	4	163439



Appropriate for Skil belt sanders

63	406	40	<b>2 608 606 008</b>	C1e	3	4	163446
63	406	60	<b>2 608 606 009</b>	C1e	3	4	163453
63	406	80	<b>2 608 606 010</b>	C1e	3	4	163460
63	406	100	<b>2 608 606 011</b>	C1e	3	4	163477
63	406	150	<b>2 608 606 012</b>	C1e	3	4	163484
63	406	220	<b>2 608 606 013</b>	C1e	3	4	163491

Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

## Sanding belts for belt sanders, Best for Wood

Product properties			Ordering information				
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
63	406	60 80 100	<b>2 608 606 014</b>	C1e	3	4	163507

### Appropriate for belt sanders from AEG, Black & Decker, Holz-Her, Kress, Metabo

65	410	40	<b>2 608 606 015</b>	C1e	3	4	163514
65	410	60	<b>2 608 606 016</b>	C1e	3	4	163521
65	410	80	<b>2 608 606 017</b>	C1e	3	4	163538
65	410	100	<b>2 608 606 018</b>	C1e	3	4	163545
65	410	120	<b>2 608 606 019</b>	C1e	3	4	163552
65	410	150	<b>2 608 606 020</b>	C1e	3	4	163569
65	410	180	<b>2 608 606 021</b>	C1e	3	4	163576
65	410	220	<b>2 608 606 022</b>	C1e	3	4	163583
65	410	60 80 100	<b>2 608 606 023</b>	C1e	3	4	163590

### Appropriate for belt sanders from Bosch, Makita, Peugeot, Skil, Stayer


75	457	40	<b>2 608 606 032</b>	C1e	3	4	163682
75	457	60	<b>2 608 606 033</b>	C1e	3	4	163699
75	457	80	<b>2 608 606 034</b>	C1e	3	4	163705
75	457	100	<b>2 608 606 035</b>	C1e	3	4	163712
75	457	120	<b>2 608 606 036</b>	C1e	3	4	163729
75	457	150	<b>2 608 606 037</b>	C1e	3	4	163736
75	457	180	<b>2 608 606 038</b>	C1e	3	4	163743
75	457	220	<b>2 608 606 039</b>	C1e	3	4	163750
75	457	60 80 100	<b>2 608 606 040</b>	C1e	3	4	163767

### Appropriate for MHB 157; MHB 157 E; MHB 158; MHB 158 E belt sanders from Elu

75	480	40	<b>2 608 606 042</b>	C1e	3	4	163781
75	480	60	<b>2 608 606 043</b>	C1e	3	4	163798
75	480	80	<b>2 608 606 044</b>	C1e	3	4	163804
75	480	100	<b>2 608 606 045</b>	C1e	3	4	163811
75	480	120	<b>2 608 606 046</b>	C1e	3	4	163828
75	480	150	<b>2 608 606 047</b>	C1e	3	4	163835
75	480	180	<b>2 608 606 048</b>	C1e	3	4	163842
75	480	220	<b>2 608 606 049</b>	C1e	3	4	163859
75	480	60 80 100	<b>2 608 606 059</b>	C1e	3	4	163958

### Appropriate for belt sanders from Black & Decker

75	508	40	<b>2 608 606 060</b>	C1e	3	4	163965
75	508	60	<b>2 608 606 061</b>	C1e	3	4	163972
75	508	80	<b>2 608 606 062</b>	C1e	3	4	163989

 Pack quantity  
(Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

## Sanding belts for belt sanders, Best for Wood

Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties			Ordering information				
75	508	100	<b>2 608 606 063</b>	C1e	3	4	163996
75	508	120	<b>2 608 606 064</b>	C1e	3	4	164009
75	508	150	<b>2 608 606 065</b>	C1e	3	4	164016
75	508	180	<b>2 608 606 066</b>	C1e	3	4	164023
75	508	220	<b>2 608 606 067</b>	C1e	3	4	164030
75	508	60 80 100	<b>2 608 606 068</b>	C1e	3	4	164047

**Appropriate for** belt sanders from Bosch, AEG, Atlas Copco, Black & Decker, Casals, DeWalt, Felisatti, Festo/Festool, Hitachi, Holz-Her, Makita, Metabo, Peugeot, Ryobi, Skil, Stayer

75	533	40	<b>2 608 606 069</b>	C1e	3	4	164054
75	533	60	<b>2 608 606 070</b>	C1e	3	4	164061
75	533	80	<b>2 608 606 071</b>	C1e	3	4	164078
75	533	100	<b>2 608 606 072</b>	C1e	3	4	164085
75	533	120	<b>2 608 607 258</b>	C1e	3	4	247955
75	533	150	<b>2 608 606 073</b>	C1e	3	4	164092
75	533	180	<b>2 608 607 260</b>	C1e	3	4	247979
75	533	220	<b>2 608 606 074</b>	C1e	3	4	164108
75	533	280	<b>2 608 606 075</b>	C1e	3	4	164115
75	533	320	<b>2 608 606 076</b>	C1e	3	4	164122
75	533	60 80 100	<b>2 608 606 078</b>	C1e	3	4	164146

**Appropriate for** belt sanders from Hitachi, Makita, Ryobi

75	610	40	<b>2 608 606 089</b>	C1e	3	4	164252
75	610	60	<b>2 608 606 090</b>	C1e	3	4	164269
75	610	80	<b>2 608 606 091</b>	C1e	3	4	164276
75	610	100	<b>2 608 606 092</b>	C1e	3	4	164283
75	610	120	<b>2 608 606 093</b>	C1e	3	4	164290
75	610	150	<b>2 608 606 094</b>	C1e	3	4	164306
75	610	60 80 100	<b>2 608 606 095</b>	C1e	3	4	164313

**Appropriate for** M 99 belt sander from Makita

100	533	40	<b>2 608 606 102</b>	C1e	3	4	164382
100	533	60	<b>2 608 606 103</b>	C1e	3	4	164399
100	533	80	<b>2 608 606 104</b>	C1e	3	4	164405
100	533	100	<b>2 608 606 105</b>	C1e	3	4	164412
100	533	150	<b>2 608 606 106</b>	C1e	3	4	164429
100	533	60 80 100	<b>2 608 606 112</b>	C1e	3	4	164481



## Sanding belts for belt sanders, Best for Wood

Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties			Ordering information				

## Appropriate for belt sanders from Peugeot, Skil

100	552	40	<b>2 608 606 161</b>	C1e	3	4	164979
100	552	60	<b>2 608 606 162</b>	C1e	3	4	164986
100	552	80	<b>2 608 606 163</b>	C1e	3	4	164993
100	552	100	<b>2 608 606 164</b>	C1e	3	4	165006
100	552	120	<b>2 608 606 165</b>	C1e	3	4	165013
100	552	150	<b>2 608 606 166</b>	C1e	3	4	165020
100	552	60 80 100	<b>2 608 606 173</b>	C1e	3	4	165099

## Appropriate for belt sanders from AEG, Atlas Copco, DeWalt, Elu, Festo/Festool, Ryobi

100	560	40	<b>2 608 606 113</b>	C1e	3	4	164498
100	560	60	<b>2 608 606 114</b>	C1e	3	4	164504
100	560	80	<b>2 608 606 115</b>	C1e	3	4	164511
100	560	100	<b>2 608 606 116</b>	C1e	3	4	164528
100	560	120	<b>2 608 606 117</b>	C1e	3	4	164535
100	560	150	<b>2 608 606 118</b>	C1e	3	4	164542
100	560	60 80 100	<b>2 608 606 128</b>	C1e	3	4	164634

## Appropriate for belt sanders from Bosch, Hitachi, Holz-Her, Makita, Ryobi, Wegoma

100	610	40	<b>2 608 606 129</b>	C1e	3	4	164658
100	610	60	<b>2 608 606 130</b>	C1e	3	4	164665
100	610	80	<b>2 608 606 131</b>	C1e	3	4	164672
100	610	100	<b>2 608 606 132</b>	C1e	3	4	164689
100	610	120	<b>2 608 607 262</b>	C1e	3	4	247993
100	610	150	<b>2 608 606 133</b>	C1e	3	4	164696
100	610	60 80 100	<b>2 608 606 139</b>	C1e	3	4	164757

## Appropriate for belt sanders from Bosch, AEG, Atlas Copco, Hitachi, Makita, Metabo

100	620	40	<b>2 608 606 141</b>	C1e	3	4	164771
100	620	60	<b>2 608 606 142</b>	C1e	3	4	164788
100	620	80	<b>2 608 606 143</b>	C1e	3	4	164795
100	620	100	<b>2 608 606 144</b>	C1e	3	4	164801
100	620	150	<b>2 608 606 145</b>	C1e	3	4	164818
100	620	220	<b>2 608 606 146</b>	C1e	3	4	164825
100	620	280	<b>2 608 606 147</b>	C1e	3	4	164832
100	620	320	<b>2 608 606 148</b>	C1e	3	4	164849

## Appropriate for belt sanders from Festo/Festool, Hitachi, Holz-Her, Metabo


105	620	40	<b>2 608 606 174</b>	C1e	3	4	165105
105	620	60	<b>2 608 606 175</b>	C1e	3	4	165112

### Sanding belts for belt sanders, Best for Wood

Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
<b>Product properties</b>			<b>Ordering information</b>				
105	620	80	<b>2 608 606 176</b>	C1e	3	4	165129
105	620	100	<b>2 608 606 177</b>	C1e	3	4	165136
105	620	120	<b>2 608 606 178</b>	C1e	3	4	165143
105	620	150	<b>2 608 606 179</b>	C1e	3	4	165150


### Sanding belts for Black & Decker Powerfile

best **10<sup>+</sup> Wood** ▶ Suitable for sanding all types of wood, hardwood, chipboard and construction boards, metal



6	455	40	<b>2 608 606 200</b>	C1k	3	4	165365
6	455	60	<b>2 608 606 201</b>	C1k	3	4	165372
6	455	120	<b>2 608 606 202</b>	C1k	3	4	165389
13	455	40	<b>2 608 606 203</b>	C1k	3	4	165396
13	455	60	<b>2 608 606 204</b>	C1k	3	4	165402
13	455	120	<b>2 608 606 205</b>	C1k	3	4	165419

best **10<sup>+</sup> Metal**



13	455	40	<b>2 608 606 217</b>	C1k	3	4	174848
13	455	60	<b>2 608 606 218</b>	C1k	3	4	174855
13	455	120	<b>2 608 606 219</b>	C1k	3	4	174862

# Sanding belts

## for Bosch compact belt sanders



- ▶ In Best for Wood, Best for Metal versions
- ▶ Extremely tear-resistant with long life due to special film joint
- ▶ For fast, efficient sanding in hard-to-reach areas
- ▶ Simply turn round sanding belts that are worn down on one side – this doubles the lifetime

Best for Metal sanding belts are ideal for working in metal

### Sanding belts for compact belt sanders, Best for Wood, 40 x 305 mm



▶ **Suitable for** sanding all types of wood, chipboard and construction boards, and for sanding off paint



▶ **Appropriate for** Bosch GVS 350 AE Professional; PVS 300 AE compact belt sanders

Belt dimensions, width mm		Belt dimensions, length mm		Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties				Ordering information					
40	305	40	2 608 606 929	C1e	3	4	188562		
40	305	60	2 608 606 206	C1e	3	4	165426		
40	305	80	2 608 606 207	C1e	3	4	165433		
40	305	120	2 608 606 208	C1e	3	4	165440		
40	305	180	2 608 606 209	C1e	3	4	165457		
40	305	60 80 120	2 608 606 211	C1e	3	4	165471		



● Pack quantity  
(Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

**Sanding belts for compact belt sanders, Best for Metal, 40 x 305 mm**

- best **for Metal** ▶ **Suitable for** sanding stainless steel, steel, cast iron, sheet steel  
 ▶ **Appropriate for** Bosch GVS 350 AE Professional; PVS 300 AE compact belt sanders



Product properties		Ordering information					
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
40	305	60	<b>2 608 606 220</b>	C1e	3	4	174879
40	305	80	<b>2 608 606 221</b>	C1e	3	4	174886
40	305	120	<b>2 608 606 222</b>	C1e	3	4	174893
40	305	180	<b>2 608 606 223</b>	C1e	3	4	174909
40	305	60 80 120	<b>2 608 606 225</b>	C1e	3	4	174923



Pack quantity  
(Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs.  
Orders are carried out only in multiples of the minimum order quantity.

# Sanding rolls

## for hand sanding and for orbital sanders



- ▶ In Best for Paint, Best for Wood, Best for Metal and Best for Stone-waterproof versions
- ▶ In Standard for Wood and Standard for Metal versions
- ▶ Especially flexible and handy sanding sheets for universal and wide range of applications
- ▶ Can be folded, torn and cut to any required dimension
- ▶ Suitable for dry and wet sanding (without power tool)

Bosch sanding rolls for sanding a wide variety of materials with orbital sanders (no wet sanding paper) or by hand



Caution: Do not use a power tool for wet sanding!


### Paper sanding rolls, Best for Paint


- best **for Paint**
- ▶ Suitable for sanding paint, varnish, roughcast
  - ▶ With calcium stearate coating that reduces premature clogging




Product properties			Ordering information				
Roll width mm	Roll length m	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...
93	5	40	<b>2 608 607 720</b>	P1f	1	1	549318
93	5	60	<b>2 608 607 721</b>	P1f	1	1	549325
93	5	80	<b>2 608 607 722</b>	P1f	1	1	549332
93	5	120	<b>2 608 607 723</b>	P1f	1	1	549349
93	5	180	<b>2 608 607 724</b>	P1f	1	1	549356
93	5	240	<b>2 608 607 725</b>	P1f	1	1	549363
115	5	40	<b>2 608 607 734</b>	P1f	1	1	549455
115	5	60	<b>2 608 607 735</b>	P1f	1	1	549462
115	5	80	<b>2 608 607 736</b>	P1f	1	1	549479
115	5	120	<b>2 608 607 737</b>	P1f	1	1	549486
115	5	180	<b>2 608 607 738</b>	P1f	1	1	549493
115	5	240	<b>2 608 607 739</b>	P1f	1	1	549509



 Pack quantity (Pieces per pack)

 <sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Paper sanding rolls, Best for Wood


best  **Wood** ▶ Suitable for sanding all types of wood, chipboard and construction boards, and metal



Roll width mm	Roll length m	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
<b>Product properties</b>			<b>Ordering information</b>				
93	5	40	<b>2 608 607 706</b>	P1f	1	1	549172
93	5	60	<b>2 608 607 707</b>	P1f	1	1	549189
93	5	80	<b>2 608 607 708</b>	P1f	1	1	549196
93	5	120	<b>2 608 607 709</b>	P1f	1	1	549202
93	5	180	<b>2 608 607 710</b>	P1f	1	1	549219
93	5	240	<b>2 608 607 711</b>	P1f	1	1	549226
115	5	40	<b>2 608 607 700</b>	P1f	1	1	549110
115	5	60	<b>2 608 607 701</b>	P1f	1	1	549127
115	5	80	<b>2 608 607 702</b>	P1f	1	1	549134
115	5	120	<b>2 608 607 703</b>	P1f	1	1	549141
115	5	180	<b>2 608 607 704</b>	P1f	1	1	549158
115	5	240	<b>2 608 607 705</b>	P1f	1	1	549165



### Sanding rolls, Standard for Wood


standard  **Wood** ▶ Suitable for sanding all types of wood and wooden materials



93	5	40	<b>2 608 606 802</b>	P1f	1	1	180672
93	5	60	<b>2 608 606 803</b>	P1f	1	1	180689
93	5	80	<b>2 608 606 804</b>	P1f	1	1	180696
93	5	120	<b>2 608 606 805</b>	P1f	1	1	180702
93	5	180	<b>2 608 606 806</b>	P1f	1	1	180719
93	5	240	<b>2 608 606 807</b>	P1f	1	1	180726
115	5	40	<b>2 608 606 817</b>	P1f	1	1	180825
115	5	60	<b>2 608 606 818</b>	P1f	1	1	180832
115	5	80	<b>2 608 606 819</b>	P1f	1	1	180849
115	5	120	<b>2 608 606 820</b>	P1f	1	1	180856
115	5	180	<b>2 608 606 821</b>	P1f	1	1	180863
115	5	240	<b>2 608 606 822</b>	P1f	1	1	180870




### Cloth sanding rolls, Best for Metal


best  **Metal** ▶ Suitable for sanding metal, aluminium, steel, cast iron, sheet steel



50	5	40	<b>2 608 607 748</b>	P1f	1	1	549592
50	5	60	<b>2 608 607 749</b>	P1f	1	1	549608
50	5	80	<b>2 608 607 750</b>	P1f	1	1	549615
50	5	120	<b>2 608 607 751</b>	P1f	1	1	549622
50	5	180	<b>2 608 607 752</b>	P1f	1	1	549639
50	5	240	<b>2 608 607 753</b>	P1f	1	1	549646
50	5	320	<b>2 608 607 754</b>	P1f	1	1	549653



 Pack quantity  
(Pieces per pack)

 <sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.


### Sanding rolls, Standard for Metal

standard  **Metal** ▶ Suitable for sanding metal, cast iron



Roll width mm	Roll length m	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
<b>Product properties</b>			<b>Ordering information</b>				
50	5	40	<b>2 608 606 832</b>	P1f	1	1	180979
50	5	60	<b>2 608 606 833</b>	P1f	1	1	180986
50	5	80	<b>2 608 606 834</b>	P1f	1	1	180993
50	5	120	<b>2 608 606 835</b>	P1f	1	1	181006
50	5	180	<b>2 608 606 836</b>	P1f	1	1	181013
50	5	240	<b>2 608 606 837</b>	P1f	1	1	181020

### Paper sanding rolls – waterproof, Best for Stone

best  **Stone** ▶ Suitable for sanding extremely hard materials such as stone, glass, perspex, marble, car paint or stove enamel


▶ Also suitable for wet sanding (without power tool!)




Caution: Do not use power tools for wet sanding.



<b>93</b>	5	120	<b>2 608 607 772</b>	P1f	1	1	549837
<b>93</b>	5	180	<b>2 608 607 773</b>	P1f	1	1	549844
<b>93</b>	5	240	<b>2 608 607 774</b>	P1f	1	1	549851
<b>93</b>	5	320	<b>2 608 607 775</b>	P1f	1	1	549868
<b>93</b>	5	400	<b>2 608 607 776</b>	P1f	1	1	549875
<b>115</b>	5	120	<b>2 608 607 786</b>	P1f	1	1	549974
<b>115</b>	5	180	<b>2 608 607 787</b>	P1f	1	1	549981
<b>115</b>	5	240	<b>2 608 607 788</b>	P1f	1	1	549998
<b>115</b>	5	400	<b>2 608 607 789</b>	P1f	1	1	550000

 Pack quantity (Pieces per pack)

 <sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

# Accessories for orbital sanders or for hand sanding

## Hole punches for unpunched sanding sheets

Width, sheet mm	Length, sheet mm	Holes	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...
Product properties			Ordering information				



Hole punch made of plastic

<b>93</b>	230	8	<b>2 608 190 016</b>	P0f	1	1	018593
<b>115</b>	280	14	<b>2 608 190 017</b>	P0f	1	1	018135

## Hand sanding blocks



Hand sanding block made of tungsten carbide

**Suitable for** sanding paint, soft or hard wood, glass fibre plastics and smudging materials such as filler or roughcast

Two grit grades, "medium" and "fine", on the hand sanding block

Tungsten carbide sanding sheet permanently bonded to the hand sanding block – guarantees robustness and long life

<b>60</b>	100	-	<b>2 608 604 670</b>	C1d	1	5	182928
-----------	-----	---	----------------------	-----	---	---	--------



Hand sanding block made of cork, small

<b>100</b>	60	-	<b>2 607 000 636</b>	C1d	1	5	106573
<b>120</b>	80	-	<b>2 607 000 637</b>	C1d	1	5	106580



Hand sanding block made of rubber, with nail clamp

<b>70</b>	130	-	<b>2 607 000 635</b>	C1d	1	1	106566
-----------	-----	---	----------------------	-----	---	---	--------





# Fleece and foam abrasives

## for hand sanding and for orbital sanders



### Fleece abrasives

- ▶ In Best for Finish Coarse, Best for Finish Bright, Best for Finish Matt, Expert for Finish versions
- ▶ **Suitable for** metal, plastic, coatings and composites
- ▶ Especially flexible and adaptable to contours
- ▶ No clogging thanks to open structure

### Foam abrasives

- ▶ In Best for Profile, Best for Flat and Edge, Best for Contour versions
- ▶ **Suitable for** wood sanding, paint, filler, old varnish, metal and plastic
- ▶ Ideal for hard-to-reach areas or profiled workpieces

## Fleece pad, Best for Finish Coarse

best  **Finish** coarse




Dimensions mm	Grade	Product colour	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode
152x229	Coarse A	Brown	2 608 608 211	Pof	1	10	583848


## Fleece pad, Best for Finish Bright

best  **Finish** bright



152x229	Medium S	Black	2 608 608 212	Pof	1	10	583855
---------	----------	-------	---------------	-----	---	----	--------

 Pack quantity (Pieces per pack)

 <sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Fleece pad, Best for Finish Matt

best  Finish matt



Product properties				Ordering information					
Dimensions mm	Grade	Product colour	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode	3165140...	
152x229	Very fine A	Red	2 608 608 213	POf	1	10	583862		

### Fleece pad, Expert for Finish

expert  Finish




152x229	Very fine GP	Green	2 608 608 214	POf	1	10	583879
---------	--------------	-------	---------------	-----	---	----	--------

### Fleece roll, Best for Finish Coarse

best  Finish coarse



Product properties				Ordering information					
Roll width mm	Roll length m	Grade	Product colour	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode	3165140...
100	10	Coarse A	Brown	2 608 608 215	POf	1	1	583886	
115	10	Coarse A	Brown	2 608 608 219	POf	1	1	583923	

 Pack quantity  
(Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Fleece roll, Best for Finish Bright

best  **Finish** bright



Roll width mm		Roll length m		Grade	Product colour	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties					Ordering information					
100	10	Medium S	Black	<b>2 608 608 216</b>	Pof	1	1	583893		
115	10	Medium S	Black	<b>2 608 608 220</b>	Pof	1	1	583930		

### Fleece roll, Best for Finish Matt

best  **Finish** matt




100	10	Very fine A	Red	<b>2 608 608 217</b>	Pof	1	1	583909		
115	10	Very fine A	Red	<b>2 608 608 221</b>	Pof	1	1	583947		


### Fleece roll, Expert for Finish

expert  **Finish**




100	10	Very fine GP	Green	<b>2 608 608 218</b>	Pof	1	1	583916		
115	10	Very fine GP	Green	<b>2 608 608 222</b>	Pof	1	1	583954		

 Pack quantity (Pieces per pack)

 <sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Combi abrasive sponge, Best for Profile


best  Profile



Dimensions mm	Grade	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
<b>Product properties</b>		<b>Ordering information</b>				
69x97x26	Fine	2 608 608 224	C1d	1	10	583978
69x97x26	Fine	2 608 608 223	C0a	1	50	583961

### Abrasive sponge, Best for Flat and Edge

best  Flat+Edge



69x97x26	Fine	2 608 608 227	C1d	1	10	584005
69x97x26	Medium	2 608 608 225	C0a	1	50	583985
69x97x26	Fine	2 608 608 226	C0a	1	50	583992
69x97x26	Super fine	2 608 608 228	C0a	1	50	584012

### Contour sanding pad, Best for Contour

best  Contour



98x120x13	Super fine	2 608 608 198	C1d	2	10	583718
98x120x13	Medium	2 608 608 229	C0a	1	50	584029
98x120x13	Fine	2 608 608 230	C0a	1	50	584036
98x120x13	Super fine	2 608 608 231	C0a	1	50	584043

# Fibre sanding discs

## for angle grinders



### The new Best for Inox fibre sanding discs

**Exceptionally cool cut due to special coating:**

- ▶ Up to 4 times higher material removal than conventional aluminium oxide fibre discs
- ▶ Very long lifetime
- ▶ Best price/performance ratio
- ▶ Hardly any discolourations on the surface
- ▶ Severe reduction in flying sparks

**The optimum addition to the high-quality metal range – the new Best for Inox fibre disc:**

- ▶ Highly active additive coating in the 2nd top size coat
- ▶ High-performance zirconia alumina
- ▶ Special bonding agent

### Fibre sanding discs, Best for Inox – EN 13743

best **101** **Inox**

- ▶ Especially suitable for working on stainless steel (inox)
- ▶ Grinding off welded seams, grinding surfaces, deburring and edge chamfering, general dressing work
- ▶ Fibre sanding disc with zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, 0.65 or 0.80 mm vulcanised fibre and highly active additive coating
- ▶ Very high material removal rate and very long lifetime
- ▶ Cool cut with hardly any discolourations on the workpieces, and severe reduction in flying sparks
- ▶ Sanding discs for clamping on a rubber backing pad



Disc diameter mm	Bore diameter mm	Grit	Max. speed rpm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode
115	22.23	36	13,300	<b>2 608 608 296</b>	U0	1	50	591171

Product properties | Ordering information

optimum speed 5,000-7,500 rpm

• Pack quantity (Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Fibre sanding discs, Best for Inox – EN 13743



	Disc diameter mm	Bore diameter mm	Grit	Max. speed rpm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
<b>Product properties</b>				<b>Ordering information</b>					
115	22.23	60	13,300	<b>2 608 608 297</b>	U0	1	50	591188	
115	22.23	80	13,300	<b>2 608 608 298</b>	U0	1	50	591195	
115	22.23	120	13,300	<b>2 608 608 299</b>	U0	1	50	591201	
125	22.23	36	12,250	<b>2 608 608 300</b>	U0	1	50	591218	
125	22.23	60	12,250	<b>2 608 608 312</b>	U0	1	50	607025	
125	22.23	80	12,250	<b>2 608 608 313</b>	U0	1	50	607032	
125	22.23	120	12,250	<b>2 608 608 314</b>	U0	1	50	607049	
180	22.23	36	8,500	<b>2 608 608 301</b>	U0	1	50	591225	
180	22.23	60	8,500	<b>2 608 608 302</b>	U0	1	50	591232	
180	22.23	80	8,500	<b>2 608 608 303</b>	U0	1	50	591249	
180	22.23	120	8,500	<b>2 608 608 304</b>	U0	1	50	591256	

### Fibre sanding discs, Best for Metal – EN 13743

best for **Metal**

- Suitable for fine and coarse sanding, material removal, deburring and de-rusting on stainless steel, steel, cast iron and sheet steel
- Especially suitable for use in the automotive industry
- Fibre sanding disc with zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, 0.80 or 0.84 mm vulcanised fibre
- Highest material removal rate and longest lifetime
- Sanding discs for clamping on a rubber backing pad



115	22.23	24	13,300	<b>2 608 606 725</b>	U0	1	50	179904
115	22.23	36	13,300	<b>2 608 607 254</b>	U0	1	50	247917
115	22.23	60	13,300	<b>2 608 606 727</b>	U0	1	50	179928
115	22.23	80	13,300	<b>2 608 606 728</b>	U0	1	50	179935
115	22.23	100	13,300	<b>2 608 606 729</b>	U0	1	50	179942
115	22.23	120	13,300	<b>2 608 606 730</b>	U0	1	50	179959
125	22.23	24	12,250	<b>2 608 606 731</b>	U0	1	50	179966
125	22.23	36	12,250	<b>2 608 607 255</b>	U0	1	50	247924
125	22.23	60	12,250	<b>2 608 606 733</b>	U0	1	50	179980
125	22.23	80	12,250	<b>2 608 606 734</b>	U0	1	50	179997
125	22.23	100	12,250	<b>2 608 606 735</b>	U0	1	50	180009
125	22.23	120	12,250	<b>2 608 606 736</b>	U0	1	50	180016
180	22.23	24	8,500	<b>2 608 606 740</b>	U0	1	50	180054
180	22.23	36	8,500	<b>2 608 607 256</b>	U0	1	50	247931
180	22.23	60	8,500	<b>2 608 606 742</b>	U0	1	50	180078
180	22.23	80	8,500	<b>2 608 606 743</b>	U0	1	50	180085
180	22.23	100	8,500	<b>2 608 606 744</b>	U0	1	50	180092
180	22.23	120	8,500	<b>2 608 606 745</b>	U0	1	50	180108
230	22.23	24	6,550	<b>2 608 606 746</b>	U0	1	50	180115
230	22.23	36	6,550	<b>2 608 607 257</b>	U0	1	50	247948
230	22.23	60	6,550	<b>2 608 606 748</b>	U0	1	50	180139
230	22.23	80	6,550	<b>2 608 606 749</b>	U0	1	50	180146
230	22.23	100	6,550	<b>2 608 606 750</b>	U0	1	50	180153
230	22.23	120	6,550	<b>2 608 606 751</b>	U0	1	50	180160




• Pack quantity (Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.


**Fibre sanding discs, Expert for Metal – EN 13743**


- expert  **Metal** ▶ **Suitable for** fine and coarse sanding, material removal, deburring and de-rusting, for different materials such as wood, varnish, metal, stone
- ▶ Fibre sanding disc with semi-friable aluminium oxide, fully synthetic resin bonded, 0.65 or 0.80 mm vulcanised fibre
  - ▶ Sanding discs for clamping on a rubber backing pad



Product properties				Ordering information					
Disc diameter mm	Bore diameter mm	Grit	Max. speed rpm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...	
100	16	24	15,300	<b>2 608 606 916</b>	U0	1	50	185158	
100	16	36	15,300	<b>2 608 607 248</b>	U0	1	50	247856	
100	16	60	15,300	<b>2 608 606 918</b>	U0	1	50	185172	
100	16	80	15,300	<b>2 608 606 919</b>	U0	1	50	185189	
100	16	100	15,300	<b>2 608 606 920</b>	U0	1	50	185196	
100	16	120	15,300	<b>2 608 606 921</b>	U0	1	50	185202	
125	22.23	24	12,250	<b>2 608 605 474</b>	U0	1	50	162944	
125	22.23	36	12,250	<b>2 608 607 250</b>	U0	1	50	247870	
125	22.23	60	12,250	<b>2 608 605 476</b>	U0	1	50	162968	
125	22.23	80	12,250	<b>2 608 605 477</b>	U0	1	50	162975	
125	22.23	100	12,250	<b>2 608 605 478</b>	U0	1	50	162982	
125	22.23	120	12,250	<b>2 608 605 479</b>	U0	1	50	162999	
180	22.23	24	8,500	<b>2 608 605 484</b>	U0	1	50	163040	
180	22.23	36	8,500	<b>2 608 607 251</b>	U0	1	50	247887	
180	22.23	60	8,500	<b>2 608 605 486</b>	U0	1	50	163064	
180	22.23	80	8,500	<b>2 608 605 487</b>	U0	1	50	163071	
180	22.23	100	8,500	<b>2 608 605 488</b>	U0	1	50	163088	
180	22.23	120	8,500	<b>2 608 605 489</b>	U0	1	50	163095	
230	22.23	24	6,650	<b>2 608 605 490</b>	U0	1	50	163101	
230	22.23	36	6,650	<b>2 608 607 252</b>	U0	1	50	247894	
230	22.23	60	6,650	<b>2 608 605 492</b>	U0	1	50	163125	
230	22.23	80	6,650	<b>2 608 605 493</b>	U0	1	50	163132	
230	22.23	100	6,650	<b>2 608 605 494</b>	U0	1	50	163149	
230	22.23	120	6,650	<b>2 608 605 495</b>	U0	1	50	163156	



 Pack quantity (Pieces per pack)

 <sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

# Flap discs

## for angle grinders



### The new Best for Inox flap discs

Exceptionally cool cut due to special coating.


**The advantages of the Best for Inox flap disc:**

- ▶ Extremely high material removal rate
- ▶ Very long lifetime
- ▶ Hardly any discolouration on the surface
- ▶ Severe reduction in flying sparks

**The new Best for Inox flap disc – outstanding quality thanks to:**

- ▶ Highly active additive coating in the 2nd top size coat
- ▶ High-performance zirconia alumina
- ▶ Special bonding agent


Performance of flap discs



### Best for Inox flap discs, angled version – EN 13743

best **Inox**

- ▶ Especially suitable for working on stainless steel (inox)
- ▶ Powerful thanks to high-performance zirconia alumina. Fully synthetic resin bonded, sturdy X-cloth and highly active additive coating
- ▶ Very high material removal rate and very long lifetime
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Angled version – for surface sanding and working on welded seams at a work angle of 5-15°



Product properties		Ordering information						
Disc diameter mm	Bore diameter mm	Grit	Max. speed rpm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...

optimum speed 5,500-8,500 rpm

115	22.23	40	13,300	<b>2 608 608 263</b>	U0	1	10	590846
115	22.23	60	13,300	<b>2 608 608 264</b>	U0	1	10	590853
115	22.23	80	13,300	<b>2 608 608 265</b>	U0	1	10	590860
115	22.23	120	13,300	<b>2 608 608 266</b>	U0	1	10	590877

• Pack quantity (Pieces per pack)




<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.



### Best for Inox flap discs, angled version – EN 13743

Disc diameter mm	Bore diameter mm	Grit	Max. speed rpm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
------------------	------------------	------	----------------	-------------	----------------	---------------	-------------------------------------	--------------------



Product properties				Ordering information				
optimum speed 5,000-7,500 rpm								
125	22.23	40	12,250	<b>2 608 607 638</b>	U0	1	10	528788
125	22.23	60	12,250	<b>2 608 607 639</b>	U0	1	10	528795
125	22.23	80	12,250	<b>2 608 607 640</b>	U0	1	10	528801
125	22.23	120	12,250	<b>2 608 608 275</b>	U0	1	10	590969

optimum speed 3,500-5,500 rpm								
180	22.23	40	8,500	<b>2 608 608 284</b>	U0	1	10	591058
180	22.23	60	8,500	<b>2 608 608 285</b>	U0	1	10	591065
180	22.23	80	8,500	<b>2 608 608 286</b>	U0	1	10	591072
180	22.23	120	8,500	<b>2 608 608 287</b>	U0	1	10	591089

### Best for Inox flap discs, straight version – EN 13743


best **for** **Inox**

- ▶ Especially suitable for working on stainless steel (inox)
- ▶ Powerful thanks to high-performance zirconia alumina. Fully synthetic resin bonded, sturdy X-cloth and highly active additive coating
- ▶ Very high material removal rate and very long lifetime
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Straight version – for surface sanding and working on welded seams at a work angle of 5-15°



optimum speed 5,500-8,500 rpm								
115	22.23	40	13,300	<b>2 608 608 267</b>	U0	1	10	590884
115	22.23	60	13,300	<b>2 608 608 268</b>	U0	1	10	590891
115	22.23	80	13,300	<b>2 608 608 269</b>	U0	1	10	590907
115	22.23	120	13,300	<b>2 608 608 270</b>	U0	1	10	590914

optimum speed 5,000-7,500 rpm								
125	22.23	40	12,250	<b>2 608 608 276</b>	U0	1	10	590976
125	22.23	60	12,250	<b>2 608 608 277</b>	U0	1	10	590983
125	22.23	80	12,250	<b>2 608 608 278</b>	U0	1	10	590990
125	22.23	120	12,250	<b>2 608 608 279</b>	U0	1	10	591003



optimum speed 3,500-5,500 rpm								
180	22.23	40	8,500	<b>2 608 608 288</b>	U0	1	10	591096
180	22.23	60	8,500	<b>2 608 608 289</b>	U0	1	10	591102
180	22.23	80	8,500	<b>2 608 608 290</b>	U0	1	10	591119
180	22.23	120	8,500	<b>2 608 608 291</b>	U0	1	10	591126

• Pack quantity (Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

**Best for Inox flap discs, straight version – EN 13743**

best **to** **Inox**

- ▶ Especially suitable for working on stainless steel (inox)
- ▶ Powerful thanks to high-performance zirconia alumina. Fully synthetic resin bonded, sturdy X-cloth and highly active additive coating
- ▶ Very high material removal rate and very long lifetime
- ▶ Flap disc on carrier plate made of plastic
- ▶ Straight version – for surface sanding and working on welded seams at a work angle of 5-15°



Disc diameter mm	Bore diameter mm	Grit	Max. speed rpm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...
<b>Product properties</b>				<b>Ordering information</b>				

optimum speed 5,500-8,500 rpm


115	22.23	40	13,300	<b>2 608 608 271</b>	U0	1	10	590921
115	22.23	60	13,300	<b>2 608 608 272</b>	U0	1	10	590938
115	22.23	80	13,300	<b>2 608 608 273</b>	U0	1	10	590945
115	22.23	120	13,300	<b>2 608 608 274</b>	U0	1	10	590952

optimum speed 5,000-7,500 rpm

125	22.23	40	12,250	<b>2 608 608 280</b>	U0	1	10	591010
125	22.23	60	12,250	<b>2 608 608 281</b>	U0	1	10	591027
125	22.23	80	12,250	<b>2 608 608 282</b>	U0	1	10	591034
125	22.23	120	12,250	<b>2 608 608 283</b>	U0	1	10	591041

optimum speed 3,500-5,500 rpm

180	22.23	40	8,500	<b>2 608 608 292</b>	U0	1	10	591133
180	22.23	60	8,500	<b>2 608 608 293</b>	U0	1	10	591140
180	22.23	80	8,500	<b>2 608 608 294</b>	U0	1	10	591157
180	22.23	120	8,500	<b>2 608 608 295</b>	U0	1	10	591164




**Best for Metal flap discs, straight version – EN 13743**

best **to** **Metal**

- ▶ Especially suitable for working on stainless steel, steel, cast iron and sheet steel
- ▶ Powerful thanks to zirconia alumina. Fully synthetic resin bonded, sturdy X-cloth
- ▶ Consistently high material removal rate and long lifetime
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Straight version – for surface sanding and working on welded seams at a work angle of 5-15°



115	22.23	40	13,300	<b>2 608 607 322</b>	U0	1	10	270236
115	22.23	60	13,300	<b>2 608 607 323</b>	U0	1	10	270243
115	22.23	80	13,300	<b>2 608 607 324</b>	U0	1	10	270250
115	22.23	120	13,300	<b>2 608 607 325</b>	U0	1	10	270267
125	22.23	40	12,250	<b>2 608 607 326</b>	U0	1	10	270274
125	22.23	60	12,250	<b>2 608 607 327</b>	U0	1	10	270281
125	22.23	80	12,250	<b>2 608 607 328</b>	U0	1	10	270670
125	22.23	120	12,250	<b>2 608 607 329</b>	U0	1	10	270687
180	22.23	40	8,500	<b>2 608 607 330</b>	U0	1	10	270694
180	22.23	60	8,500	<b>2 608 607 331</b>	U0	1	10	270700
180	22.23	80	8,500	<b>2 608 607 332</b>	U0	1	10	270717
180	22.23	120	8,500	<b>2 608 607 333</b>	U0	1	10	270724



⊞ Pack quantity (Pieces per pack)

⊞<sup>1</sup> Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Best for Metal flap discs, angled version – EN 13743

best **to** Metal

- ▶ Especially suitable for working on stainless steel, steel, cast iron and sheet steel
- ▶ Powerful thanks to zirconia/semi-friable aluminium oxide. Fully synthetic resin bonded, sturdy X-cloth
- ▶ Consistently high material removal rate and long lifetime
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Angled version – for working on edges/welded seams and surface sanding at a work angle of 15-25°



Product properties				Ordering information				
Disc diameter mm	Bore diameter mm	Grit	Max. speed rpm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...
100	16	40	15,300	<b>2 608 606 713</b>	U0	1	10	179782
100	16	60	15,300	<b>2 608 606 714</b>	U0	1	10	179799
100	16	80	15,300	<b>2 608 606 715</b>	U0	1	10	179805
115	22.23	40	13,300	<b>2 608 605 450</b>	U0	1	10	162708
115	22.23	60	13,300	<b>2 608 605 451</b>	U0	1	10	162715
115	22.23	80	13,300	<b>2 608 605 452</b>	U0	1	10	162722
115	22.23	120	13,300	<b>2 608 607 319</b>	U0	1	10	270205
125	22.23	40	12,250	<b>2 608 606 922</b>	U0	1	10	185219
125	22.23	60	12,250	<b>2 608 606 923</b>	U0	1	10	185226
125	22.23	80	12,250	<b>2 608 606 924</b>	U0	1	10	185233
125	22.23	120	12,250	<b>2 608 607 320</b>	U0	1	10	270212
180	22.23	40	8,500	<b>2 608 606 737</b>	U0	1	10	180023
180	22.23	60	8,500	<b>2 608 606 738</b>	U0	1	10	180030
180	22.23	80	8,500	<b>2 608 606 739</b>	U0	1	10	180047
180	22.23	120	8,500	<b>2 608 607 321</b>	U0	1	10	270229




### Best for Metal flap discs, straight version – EN 13743

best **to** Metal

- ▶ Especially suitable for working on stainless steel, steel, cast iron and sheet steel
- ▶ Powerful thanks to zirconia/semi-friable aluminium oxide. Fully synthetic resin bonded, sturdy X-cloth and highly active additive
- ▶ Consistently high material removal rate and long lifetime
- ▶ Flap disc on carrier plate made of plastic
- ▶ Straight version – for surface sanding and working on welded seams at a work angle of 5-15°



115	22.23	40	13,300	<b>2 608 607 334</b>	U0	1	10	270731
115	22.23	60	13,300	<b>2 608 607 335</b>	U0	1	10	270748
115	22.23	80	13,300	<b>2 608 607 336</b>	U0	1	10	270755
115	22.23	120	13,300	<b>2 608 607 337</b>	U0	1	10	270991
125	22.23	40	12,250	<b>2 608 607 338</b>	U0	1	10	270762
125	22.23	60	12,250	<b>2 608 607 339</b>	U0	1	10	270779
125	22.23	80	12,250	<b>2 608 607 340</b>	U0	1	10	270786
125	22.23	120	12,250	<b>2 608 607 341</b>	U0	1	10	270793
180	22.23	40	8,500	<b>2 608 607 342</b>	U0	1	10	270809
180	22.23	60	8,500	<b>2 608 607 343</b>	U0	1	10	270816
180	22.23	80	8,500	<b>2 608 607 344</b>	U0	1	10	270823
180	22.23	120	8,500	<b>2 608 607 345</b>	U0	1	10	270830




• Pack quantity (Pieces per pack)

• Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Expert for Metal flap discs, straight version – EN 13743

expert  **Metal**

- ▶ Especially suitable for metalworking
- ▶ Powerful thanks to zirconia/semi-friable aluminium oxide. Fully synthetic resin bonded, sturdy X-cloth
- ▶ The low-cost alternative as an ideal solution
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Straight version – for surface sanding and working on welded seams at a work angle of 5-15°



Product properties				Ordering information				
Disc diameter mm	Bore diameter mm	Grit	Max. speed rpm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...
115	22.23	40	13,300	<b>2 608 607 349</b>	U0	1	10	270878
115	22.23	60	13,300	<b>2 608 607 350</b>	U0	1	10	270885
115	22.23	80	13,300	<b>2 608 607 351</b>	U0	1	10	270892
115	22.23	120	13,300	<b>2 608 607 352</b>	U0	1	10	270908
125	22.23	40	12,250	<b>2 608 607 353</b>	U0	1	10	270915
125	22.23	60	12,250	<b>2 608 607 354</b>	U0	1	10	270922
125	22.23	80	12,250	<b>2 608 607 355</b>	U0	1	10	270939
125	22.23	120	12,250	<b>2 608 607 356</b>	U0	1	10	270953


### Expert for Metal flap discs, angled version – EN 13743

expert  **Metal**

- ▶ Especially suitable for metalworking
- ▶ Powerful thanks to zirconia/semi-friable aluminium oxide. Fully synthetic resin bonded, sturdy X-cloth
- ▶ The low-cost alternative as an ideal solution
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Angled version – for working on edges/welded seams and surface sanding at a work angle of 15-25°



115	22.23	40	13,300	<b>2 608 606 752</b>	U0	1	10	180177
115	22.23	60	13,300	<b>2 608 606 753</b>	U0	1	10	180184
115	22.23	80	13,300	<b>2 608 606 754</b>	U0	1	10	180191
115	22.23	120	13,300	<b>2 608 607 346</b>	U0	1	10	270847
125	22.23	40	12,250	<b>2 608 606 716</b>	U0	1	10	179812
125	22.23	60	12,250	<b>2 608 606 717</b>	U0	1	10	179829
125	22.23	80	12,250	<b>2 608 606 718</b>	U0	1	10	179836
125	22.23	120	12,250	<b>2 608 607 347</b>	U0	1	10	270854
180	22.23	40	8,500	<b>2 608 606 936</b>	U0	1	10	196154
180	22.23	60	8,500	<b>2 608 606 937</b>	U0	1	10	196161
180	22.23	80	8,500	<b>2 608 606 938</b>	U0	1	10	196178
180	22.23	120	8,500	<b>2 608 607 348</b>	U0	1	10	270861

 Pack quantity (Pieces per pack)




<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Expert for Metal flap discs, straight version – EN 13743

expert **for Metal**

- ▶ Especially suitable for metalworking
- ▶ Powerful thanks to zirconia/semi-friable aluminium oxide. Fully synthetic resin bonded, sturdy X-cloth
- ▶ The low-cost alternative as an ideal solution
- ▶ Flap disc on carrier plate made of plastic
- ▶ Straight version – for surface sanding and working on welded seams at a work angle of 5-15°



Product properties				Ordering information				
Disc diameter mm	Bore diameter mm	Grit	Max. speed rpm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...
115	22.23	40	13,300	<b>2 608 607 361</b>	U0	1	10	271011
115	22.23	60	13,300	<b>2 608 607 362</b>	U0	1	10	271028
115	22.23	80	13,300	<b>2 608 607 363</b>	U0	1	10	271035
115	22.23	120	13,300	<b>2 608 607 364</b>	U0	1	10	270663
125	22.23	40	12,250	<b>2 608 607 365</b>	U0	1	10	271042
125	22.23	60	12,250	<b>2 608 607 366</b>	U0	1	10	271059
125	22.23	80	12,250	<b>2 608 607 367</b>	U0	1	10	271066
125	22.23	120	12,250	<b>2 608 607 368</b>	U0	1	10	271073
180	22.23	40	8,500	<b>2 608 607 369</b>	U0	1	10	271080
180	22.23	60	8,500	<b>2 608 607 370</b>	U0	1	10	271097
180	22.23	80	8,500	<b>2 608 607 371</b>	U0	1	10	271103
180	22.23	120	8,500	<b>2 608 607 372</b>	U0	1	10	271110

Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

# Fleece discs for angle grinders



## The new Best for Inox cleaning discs

No clogging thanks to open structure.

### The advantages of the Best for Inox coarse cleaning disc:

- ▶ Removing blue discoloured welded points on stainless steel (inox)
- ▶ Long lifetime
- ▶ No smearing
- ▶ Cost saving in comparison to conventional acid paste methods


No clogging thanks to open structure  
Adaptable to contours

## Cleaning disc, Best for Inox, 50 m/s

best **Inox**


- ▶ **Suitable for** cleaning stainless steel (inox), steel, non-ferrous metals
- ▶ Removing blue discolourations on welded seams, cleaning stainless steel
- ▶ Low clogging thanks to open structure of the fleece. Coating made of aluminium oxide
- ▶ Cleaning disc on carrier plate made of glass fibre
- ▶ **Appropriate for** controllable angle grinders, particularly Bosch GWS 14-125 Inox angle grinder




 Caution:  
Permitted for  
50 m/s



Disc diameter mm	Bore diameter mm	Version	Max. speed rpm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Product properties			Ordering information					
optimum speed 5,000 rpm								
125	22.23	Red	7,650	<b>2 608 607 634</b>	U0	1	5	528740

 Pack quantity  
(Pieces per pack)


 <sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Cleaning disc, Best for Metal, 50 m/s

best  **Metal**


- ▶ **Suitable for** working on metal, non-ferrous metals
- ▶ Ideal for removing rust, paint, oxide layers, lime deposits, moss and graffiti on stone, marble and concrete, seal residues
- ▶ Low clogging thanks to open structure of the fleece. Coating made of silicon carbide
- ▶ Cleaning disc on carrier plate made of glass fibre
- ▶ **Appropriate for** controllable angle grinders, particularly Bosch GWS 14-125 Inox angle grinder




 Caution:  
Permitted for  
50 m/s



Product properties		Ordering information							
Disc diameter mm	Bore diameter mm	Version	Max. speed rpm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3168140...	
optimum speed 5,500 rpm									
115	22.23	Black	8,350	<b>2 608 607 632</b>	U0	1	5	528726	
optimum speed 5,000 rpm									
125	22.23	Black	7,650	<b>2 608 607 633</b>	U0	1	5	528733	

 Pack quantity  
(Pieces per pack)

 <sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.



### The new Best for Inox SCM fleece discs

No clogging thanks to open structure.

The advantages of the Best for Inox SCM fleece disc\*:

- ▶ Unique combination of aggressiveness, finish and long life
- ▶ Consistent, perfect finish
- ▶ No smearing

\*SCM = Surface Conditioning Material  
(retains the surface structure)

No clogging thanks to open structure  
Adaptable to contours

### SCM fleece disc, Best for Inox, 50 m/s

best **for Inox**

- ▶ Surface Conditioning Material (SCM) for the finish
- ▶ **Suitable for** working on stainless steel (inox), steel, non-ferrous metals
- ▶ Ideal for deburring, working on welded points, refining grind lines, preparing for surface finishing
- ▶ Fleece discs on cloth backing for clamping on rubber backing pads; coating made of aluminium oxide
- ▶ Extra coarse – brown, coarse – light brown, medium – red
- ▶ **Appropriate for** controllable angle grinders, particularly Bosch GWS 14-125 Inox angle grinder



Caution:  
Permitted for  
50 m/s



Product properties			Ordering information					
Disc diameter mm	Bore diameter mm	Version	Max. speed rpm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
optimum speed 4,500-6,500 rpm								
125	22.23	Extra coarse	7,650	<b>2 608 607 635</b>	P1d	2	5	528757
125	22.23	Coarse	7,650	<b>2 608 607 636</b>	P1d	2	5	528764
125	22.23	Medium	7,650	<b>2 608 607 637</b>	P1d	2	5	528771

Pack quantity  
(Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.



# Sanding sheets for angle grinders

## Sanding sheets for GWS 14,4 V Professional, Blue Metal-top



- ▶ **Ideally suited to** sanding steel
- ▶ **Suitable for** sanding other metal materials, including inox, for removing light rust (rust film), smoothing welded seams, and chamfering steel



Product properties			Ordering information				
Disc diameter mm	Bore diameter mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...
100	47	60	2 608 607 394	C1c	5	5	295420
100	47	80	2 608 607 395	C1c	5	5	295437
100	47	120	2 608 607 396	C1c	5	5	295444

## Sanding sheets for GWS 14,4 V Professional, White Paint



- ▶ **Ideally suited to** removing paint, varnish on metal
- ▶ **Suitable for** removing paint, varnish and roughcast on wood




100	47	60	2 608 607 397	C1c	5	5	295451
100	47	100	2 608 607 398	C1c	5	5	295468
100	47	180	2 608 607 399	C1c	5	5	295475

Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Paper sanding sheets for angle grinders, Best for Wood

best **For Wood** ▶ Suitable for sanding hardwood, chipboard, construction boards and metal



Product properties		Ordering information					
Disc diameter mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode	3165140...
115	40	2 608 605 426	C1a	10	5	162463	
115	60	2 608 605 427	C1a	10	5	162470	
115	80	2 608 605 428	C1a	10	5	162487	
115	120	2 608 605 429	C1a	10	5	162494	
115	180	2 608 605 430	C1a	10	5	162500	
115	240	2 608 605 431	C1a	10	5	162517	
125	40	2 608 605 438	C1a	10	5	162586	
125	60	2 608 605 439	C1a	10	5	162593	
125	80	2 608 605 440	C1a	10	5	162609	
125	120	2 608 605 441	C1a	10	5	162616	
125	180	2 608 605 442	C1a	10	5	162623	
125	240	2 608 605 443	C1a	10	5	162630	

### Paper sanding sheets for angle grinders, Best for Stone

best **For Stone** ▶ Suitable for sanding hard materials such as stone, glass, perspex, marble, car paint or stove enamel



115	60	2 608 605 496	C1a	10	5	163163	
115	80	2 608 605 497	C1a	10	5	163170	
115	120	2 608 605 498	C1a	10	5	163187	
115	240	2 608 605 499	C1a	10	5	163194	
115	320	2 608 605 500	C1a	10	5	163200	
125	60	2 608 606 755	C1a	10	5	180207	
125	80	2 608 606 756	C1a	10	5	180214	
125	120	2 608 606 757	C1a	10	5	180221	
125	240	2 608 606 758	C1a	10	5	180238	
125	320	2 608 606 759	C1a	10	5	180245	

● Pack quantity  
(Pieces per pack)




<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

# Accessories for **angle grinders**

## Backing pads for fibre sanding discs including nut

- ▶ High temperature resistance, low-vibration running, break-resistant



Product properties		Ordering information				
Backing pad M10 flange thread, max. speed 15,300 rpm						
100	2 608 601 046	C1a	1	1	047265	

Backing pad M14 flange thread, max. speed 13,300 rpm						
115	2 608 601 005	C1a	1	1	031202	

Backing pad M14 flange thread, max. speed 12,500 rpm						
125	1 608 601 033	C1a	1	1	016551	

Backing pad M14 flange thread, max. speed 8,500 rpm						
180	1 608 601 006	C1a	1	1	026444	
180	2 608 601 209	C1a	1	1	653206	

Backing pad M14 flange thread, max. speed 6,650 rpm						
230	1 608 601 007	C1a	1	1	026451	
230	2 608 601 210	C1a	1	1	653213	



Round nut with M10 flange thread						
100	2 603 345 018	P0b	1	1	109253	

Round nut with M14 flange thread						
115	2 603 345 002	P0b	1	1	029711	
125						
180	1 603 345 004	P0b	1	1	024266	
230						

Pack quantity  
(Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

## Velcro-type fastening plate for paper sanding sheets



Product properties		Ordering information				
Diameter mm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode	3165140...

Velcro-type fastening plate  
M14 flange thread, max. speed 13,300 rpm

115	2 608 601 076	C1d	1	1	086585	
-----	---------------	-----	---	---	--------	--

Velcro-type fastening plate  
M14 flange thread, max. speed 12,500 rpm

125	2 608 601 077	C1d	1	1	086592	
-----	---------------	-----	---	---	--------	--



Velcro-type fastening plate  
max. speed 15,300 rpm

**Appropriate for** GWS 14,4 V Professional and paper sanding sheets with Velcro-type fastening system

100	2 608 601 170	C1c	1	1	262866	
-----	---------------	-----	---	---	--------	--

Pack quantity  
(Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

# Polishing accessories

## for polishers



### Polishing accessories for GPO 14 CE Professional



Product properties		Ordering information				
Diameter mm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode	3163140...



Foam disc  
Polishing orange peel effect, paint runs and dust inclusions  
**Appropriate for GPO 14 CE**

170	2 608 612 023	P1d	1	1	632393
-----	---------------	-----	---	---	--------



Foam disc  
Removing spray vapour/overspray and small scratches  
Finishing of bright colours after using lambskin  
**Appropriate for GPO 14 CE**

170	2 608 612 024	P1d	1	1	632409
-----	---------------	-----	---	---	--------



Foam disc  
Removing holograms  
Finishing of dark and sensitive colours  
**Appropriate for GPO 14 CE**

170	2 608 612 025	P1d	1	1	632416
-----	---------------	-----	---	---	--------



Lambskin disc  
Buffing up old paint  
after surface finish  
**Appropriate for GPO 14 CE**

170	2 608 612 026	P1d	1	1	632423
-----	---------------	-----	---	---	--------

Pack quantity  
(Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs.  
Orders are carried out only in multiples of the minimum order quantity.

## Polishing accessories for GPO 14 CE Professional

Product properties		Ordering information				
Diameter mm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...	



Backing pad  
for foam disc and lambskin disc  
with Velcro-type fastening system  
**Appropriate for GPO 14 CE**

150	2 608 612 027	P1d	1	1	632430
-----	---------------	-----	---	---	--------



Hand sanding block  
Velcro-type fastening system for use with daisy discs

30	2 608 612 028	P1d	1	1	632447
----	---------------	-----	---	---	--------



Daisy discs with Velcro-type fastening system  
Sanding out dust inclusions  
Wet sanding

37	2 608 612 029	P1d	50	5	632454
----	---------------	-----	----	---	--------



Microfibre cloth  
for cleaning

380	2 608 612 030	P1d	2	1	632461
-----	---------------	-----	---	---	--------



Coarse polish  
Extra-strong high-gloss polish for scratch-resistant surface  
for lacquer, hard lacquer, Corian, Avonite and perspex  
1 litre bottle

-	2 608 612 031	M0b	1	1	632478
---	---------------	-----	---	---	--------



Fine polish  
Polishing and sealing, high-gloss  
Hologram-free  
1 litre bottle

-	2 608 612 032	M0b	1	1	632485
---	---------------	-----	---	---	--------

Pack quantity  
(Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Polishing sponge for polishers

- ▶ **Suitable for** rubbing in wax and polishing weather-worn paints, stone, plastics and non-ferrous metal, and for polishing slightly dirty, scratched or pre-polished surfaces
- ▶ For use with polish or for working in surface sealing agents on even or curved surfaces



Product properties		Ordering information				
Working diameter mm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode	3163140...
Polishing sponge with M14 thread <b>Appropriate for</b> GPO 12; GPO 12 E Professional polishers						
160	1 608 613 013	P0b	1	1	026550	

### Felt polishing disc for polishers

- ▶ **Suitable for** polishing stone, plastics and non-ferrous metal, and for pre-polishing very dirty or scratched, even surfaces
- ▶ For use with polish or grinding paste on even surfaces



Felt polishing disc with M14 thread <b>Appropriate for</b> GPO 12; GPO 12 E Professional polishers						
180	1 608 612 002	P0b	1	1	026543	

### Buffing discs for polishers

- ▶ **Suitable for** polishing plastics or non-ferrous metal, and for polishing slightly dirty, scratched or pre-polished surfaces
- ▶ For use with polish on smaller even or curved surfaces
- ▶ Ideal for tight spaces or objects with protruding parts



Buffing disc 20 mm thick, flannel (smooth material surface) <b>Appropriate for</b> GPO 12; GPO 12 E Professional polishers						
250	1 608 611 002	P0b	1	1	026529	


Buffing disc 20 mm thick, grey cotton cloth (roughened material surface) for soft application, finishing						
250	1 608 611 003	P0f	1	1	026536	

Flange for buffing disc (please order separately) <b>Appropriate for</b> GPO 12; GPO 12 E Professional polishers						
-	1 605 703 028	P0b	1	1	056281	

Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Buffing discs for polishers



Round nut for buffing disc for clamping sanding discs with 115-150 mm diameter manufactured before 08/90

**Appropriate for** GPO 12; GPO 12 E Professional polishers

	<b>1 603 340 015</b>	PC1c	1	1	016384
--	----------------------	------	---	---	--------

### Buffing discs for polishers



Arbours for attaching the buffing disc (please order separately)

**Appropriate for** GPO 12; GPO 12 E Professional polishers

-	<b>1 603 521 013</b>	P0b	1	1	024280
---	----------------------	-----	---	---	--------

### Lambswool bonnet for polishers

- ▶ **Suitable for** surface finishing after polishing and for removing dried-on polish residues
- ▶ For dry application on even or curved surfaces
- ▶ For polishing and cleaning plastics, and for polishing stone and non-ferrous metal
- ▶ **Note:** For use with polishing sponge (1 608 613 013) or felt polishing disc (1 608 612 002) or backing pad (2 608 601 209)



Lambswool bonnet

**Appropriate for** GPO 12; GPO 12 E Professional polishers

<b>180</b>	<b>1 608 610 000</b>	P0f	1	1	026499
------------	----------------------	-----	---	---	--------

### Buffing pad for polishers

- ▶ **Suitable for** polishing stone, plastics or non-ferrous metal, and for polishing slightly dirty, scratched or pre-polished surfaces
- ▶ For use with polish or for working in surface sealing agents on even or slightly curved surfaces
- ▶ Ideal for working on large surfaces



Buffing pad with M14 thread soft felt

**Appropriate for** GPO 12; GPO 12 E Professional polishers

<b>125</b>	<b>1 608 611 001</b>	P0b	1	1	026512
<b>175</b>	<b>1 608 611 000</b>	P0b	1	1	026505


Pack quantity (Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.



# Sanding sheets for drills

## Paper sanding sheets for drills, Best for Wood


- best  **Wood**
- ▶ **Appropriate for** Bosch backing pad 1 609 200 240
  - ▶ **Suitable for** sanding all types of wood, chipboard and construction boards, also for metal
  - ▶ Outstanding lifetime and best price/performance ratio



Clamped


Product properties		Ordering information					
Disc diameter mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3163140...	
125	40	1 609 200 160	C1c	5	5	004039	
125	60	1 609 200 161	C1c	5	5	004046	
125	80	1 609 200 162	C1c	5	5	004053	
125	120	1 609 200 163	C1c	5	5	004060	
125	180	1 609 200 164	C1c	5	5	004077	
125	40	1 609 200 165	C1c	10	5	004084	
	60						
	80						
	120						
	180						


## Paper sanding sheets for drills, Best for Wood

- best  **Wood**
- ▶ **Appropriate for** Bosch backing pad 1 609 200 154
  - ▶ **Suitable for** sanding all types of wood, chipboard and construction boards, also for metal
  - ▶ Outstanding lifetime and best price/performance ratio



125	40	1 609 200 155	C1c	5	5	003988
125	60	1 609 200 156	C1c	5	5	003995
125	120	1 609 200 157	C1c	5	5	004008
125	2x40 4x80 4x120	1 609 200 158	C1c	10	5	004015


 Pack quantity  
(Pieces per pack)

 <sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Paper sanding sheets for drills, Best for Wood

best **for Wood**

- ▶ **Appropriate for** Bosch backing pad 1 609 200 154
- ▶ **Suitable for** sanding all types of wood, chipboard and construction boards, also for metal
- ▶ Outstanding lifetime and best price/performance ratio



Product properties		Ordering information					
Disc diameter mm	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...	
125	40	2 608 605 438	C1a	10	5	162586	
125	60	2 608 605 439	C1a	10	5	162593	
125	80	2 608 605 440	C1a	10	5	162609	
125	120	2 608 605 441	C1a	10	5	162616	
125	180	2 608 605 442	C1a	10	5	162623	
125	240	2 608 605 443	C1a	10	5	162630	

### Paper sanding sheets for drills, Best for Stone

best **for Stone**

- ▶ **Appropriate for** Bosch backing pad 1 609 200 154
- ▶ **Suitable for** sanding hard materials such as stone, glass, perspex, marble, car paint or stove enamel



Product properties	Ordering information					
Diameter mm	Shank diameter mm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
125	60	2 608 606 755	C1a	10	5	180207
125	80	2 608 606 756	C1a	10	5	180214
125	120	2 608 606 757	C1a	10	5	180221
125	240	2 608 606 758	C1a	10	5	180238
125	320	2 608 606 759	C1a	10	5	180245

### Rubber backing pad with shank for drills



Product properties		Ordering information					
Diameter mm	Shank diameter mm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...	
Backing pad for 125 mm abrasive diameter for clamping with screw/disc							
125	8	1 609 200 240	C1c	1	1	004435	
Velcro-type fastening plate for 125 mm abrasive diameter with Velcro-type fastening system							
125	8	1 609 200 154	C1c	1	1	003971	



● Pack quantity (Pieces per pack)



<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Polishing accessories for drills




Product properties		Ordering information					
		Working diameter mm	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 3165140...
Polishing sponge Foam with rubber backing pad		125	1 609 200 250	C1d	1	5	004480




Lambswool bonnet Use with polishing sponge and rubber backing pad		125	1 609 200 245	C1c	1	5	004466
--	--	-----	---------------	-----	---	---	--------



8-piece polishing set S 24 Backing pad, polishing sponge, lambswool bonnet, sanding paper (aluminium oxide/paper)		-	0 603 004 101	C1a	8	1	000185
--	--	---	---------------	-----	---	---	--------

 Pack quantity  
(Pieces per pack)

 <sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

# Sanding sleeves for straight grinders



- ▶ Versatile sanding sleeves are ideal for accurate sanding work
- ▶ Quality: Best for Metal, highly tear-resistant with excellent material removal rate
- ▶ Available in all standard sizes

Sanding sleeves also produce excellent results when deburring

## Sanding sleeves for straight grinders, Best for Metal

- best **for Metal**
- ▶ Suitable for sanding stainless steel, steel, cast iron, sheet steel
  - ▶ High-tech zirconia alumina abrasive for heavy-duty use
  - ▶ Cotton cloth (type XY) with fully synthetic resin bond



Product properties	Dimensions mm (diameter Ø x width B)	Grit	Part number	Packaging type	Pack quantity	Minimum order quantity <sup>1</sup>	Barcode 31 65140...
Ø15 x B30		36	<b>2 608 606 863</b>	C0a	50	1	181280
Ø15 x B30		60	<b>2 608 606 864</b>	C0a	50	1	181297
Ø15 x B30		80	<b>2 608 606 865</b>	C0a	50	1	181303
Ø15 x B30		120	<b>2 608 606 866</b>	C0a	50	1	181310
Ø30 x B20		36	<b>2 608 606 867</b>	C0a	50	1	181327
Ø30 x B20		60	<b>2 608 606 868</b>	C0a	50	1	181334
Ø30 x B20		80	<b>2 608 606 869</b>	C0a	50	1	181341
Ø30 x B20		120	<b>2 608 606 870</b>	C0a	50	1	181358
Ø30 x B30		36	<b>2 608 606 871</b>	C0a	50	1	181365
Ø30 x B30		60	<b>2 608 606 872</b>	C0a	50	1	181372
Ø30 x B30		80	<b>2 608 606 873</b>	C0a	50	1	181389
Ø30 x B30		120	<b>2 608 606 874</b>	C0a	50	1	181396
Ø45 x B30		36	<b>2 608 606 875</b>	C0a	50	1	181402
Ø45 x B30		60	<b>2 608 606 876</b>	C0a	50	1	181419
Ø45 x B30		80	<b>2 608 606 877</b>	C0a	50	1	181426
Ø45 x B30		120	<b>2 608 606 878</b>	C0a	50	1	181433
Ø60 x B30		36	<b>2 608 606 879</b>	C0a	30	1	181440
Ø60 x B30		60	<b>2 608 606 880</b>	C0a	30	1	181457
Ø60 x B30		80	<b>2 608 606 881</b>	C0a	30	1	181464
Ø60 x B30		120	<b>2 608 606 882</b>	C0a	30	1	181471



Pack quantity  
(Pieces per pack)

<sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

### Shank for sanding sleeves




Diameter, fitting mm		Width mm		Shank diameter mm		Max. speed rpm		Part number		Packaging type		Pack quantity		Minimum order quantity <sup>1</sup>		Barcode 3165140...	
Product properties				Ordering information													
15	30	6	36,000	<b>2 608 620 034</b>		P1c	1	1	192781								
30	20	6	19,100	<b>2 608 620 035</b>		P1c	1	1	192798								
30	30	6	19,100	<b>2 608 620 036</b>		P1c	1	1	192804								
45	30	6	12,700	<b>2 608 620 037</b>		P1c	1	1	192811								
60	30	6	9,500	<b>2 608 620 038</b>		P1c	1	1	192828								


### Flap wheels – Aluminium oxide

- ▶ **Suitable** for universal application in wood, metal, paint, plastic
- ▶ **Appropriate** for drills and all straight grinders with collets
- ▶ For surface treatment, edge chamfering, deburring and texturing
- ▶ Shape: cylindrical



Straight shank mm		Grit		Diameter mm		Length mm		Part number		Packaging type		Pack quantity		Minimum order quantity <sup>1</sup>		Barcode 3165140...	
Product properties				Ordering information													
6	60	50	20	<b>1 609 200 287</b>		C1d	1	1	004572								
6	120	50	20	<b>1 609 200 288</b>		C1d	1	1	004589								
6	60	60	40	<b>2 609 200 183</b>		C1d	1	1	076791								
6	120	60	40	<b>2 609 200 185</b>		C1d	1	1	076807								

 Pack quantity (Pieces per pack)



 <sup>1</sup>Minimum order quantity. The minimum order quantity is a fixed quantity of packs. Orders are carried out only in multiples of the minimum order quantity.

# Packaging information system






## Technical information/applications

---








### Wood




### Paint/Coating



### Metal



### Stone



**Other materials**



Stairs



Perspex



Glass



Plastic



Sanding plastic

**Properties/Advantages**



Velcro-type fastening system



Flexible backing



Very flexible backing



Long life (bi-metal/tungsten carbide)



Fast work progress



Very fast work progress



Very good surface quality



Cooling



Waterproof



Extra strong




Vibration damping



SDS-pro



Waterproof Stone, do not use with a machine



1619A00VX0

**Robert Bosch (Pty) Ltd**

15th Road, Randjespark

Private Bag X118

Midrand, 1685

Phone: (011) 651 9600

Fax: (011) 651 9881 (Sales)

(011) 651 9880 (Marketing)

[www.bosch.co.za](http://www.bosch.co.za)



**BOSCH**

Invented for life