



The Sea & Freshwater Fishes of Australia & New Guinea

Part One

South-East , South , South-West Australia &
Tasmania (in part)

The 1997/8 Classified Taxonomic Checklist

A Classified Taxonomic Checklist of all verified &
validated species recorded on the
Calypso Ichthyological Database of Marine and
Freshwater Fishes from Southern Australia and
Tasmania (in part)

Calypso Database Areas 08- & 98-.

Also Available in the Calypso Taxonomic Series :-

The Sea & Freshwater Fishes of Australia & New
Guinea.

Part Two

Australia .North-West /North /North East & New Guinea

ISBN :0906301 60 2



Gerald Jennings

A Word from Calypso...

The taxonomic information on the enclosed disk has been extracted from the Calypso Ichthyological Database of the World's Fishes . An introductory booklet to this system is also published as a separate document (ISBN 0906301 47 5)

Information on the main database is necessarily stored on several different smaller databases and some of the material on these databases has not yet been uniformly organised. Although this fact in no way affects the validity of the information provided here, an explanation of these minor anomalies was felt necessary.

Database Identification Numbers invariably consist of six numerals in a three + three format, and each number is unique to a particular Species - even if the species name is changed at a later date the number remains valid. The species numbers can convey additional limited information in themselves and a sheet giving a breakdown of this information is also enclosed. Later disks may include this information under 'help'. Some numbers in some contexts are suffixed by a letter but this letter will probably only be of use in the context of written publications.

Species Names are those most frequently employed in modern usage

The Reference Authority given for the species name is as accurate as current information allows. We have had to override some conventions, however, in the presentation of this particular information.

The *Sunbird* search engine originally used for the Calypso Ichthyological Database information allowed us to increase indexing power by removing some text features in certain areas - thus comma's are absent in the reference authorities

Due to the previously mentioned amalgamation of source information, some authorities whose names were not originally anglicised may have their names spelt in several different forms .The commonest variation is that many well-recognised ichthyologists have had their names abbreviated - a not uncommon convention , which has been the case since Linnaeus became Linn. then L.

In some cases the name will appear with a variation in the spelling This is often because we have been true to source material in this respect, and have not Anglicised names where this has not been done previously. In some material, for example, Forskael may appear thus, or as Forskal, or be abbreviated to Forsk.

The Family shown is again, the most commonly encountered, and generally there is a great deal of consensus in this category. However, there are exceptions, and when several family names are in general usage throughout

the range of the given species, then all commonly used names are listed.

For example :- *Maenidae /Centracanthidae / Emmelichthyidae*

As database compilers it is not within our remit to favour one above others, and we are always pleased to hear from ichthyologists working in this area with a view to continuously reviewing the information contained on the database.

English Name(s) are, where applicable those in general usage. It must be remembered that many names vary according to location, and we have not included, for example, American or Australian names in this section. Many Indian species have, however, been allocated English names within the sub-continent, and we have used these for species where no currently used 'western' English name is available. We are indebted to T. Venkateswarlu of the Zoological Survey of India, Madras, for his contribution to this section.

American and Australian names are used in the databases for their respective areas, in addition to any currently used English names

Scientific Synonyms or other 'Also Known As' (A.KA's) if still used in parts of the species' range or recent text; or by authorities who are seeking an alteration in the current nomenclature in the light of recent scientific advances, are also given. We have limited the listed synonyms to a maximum of five per species, although the full database may contain many more on any given species.

Frequency information (where given) is to be interpreted as the most up-to-date frequency for that Species IN THE GIVEN AREA - Thus the frequency figure for *Lobotes surinamensis* in the Mediterranean database will probably vary for the frequency figure given for the same species in the Indo-Pacific.

Range information (if any is given) is repeated from our source material. In political terms. many areas have changed names since records began. We have not attempted to modernise the terminology used, thus Sri Lanka still appears as Ceylon in some entries, and many of the newer states are listed under their former names.

Sizes given are averages of the maximum recorded sizes compiled from as many sources as possible. All have been converted to metric units, & where very pronounced differences are sexually dimorphically based this is also noted.

In addition to the above, brief notes on particular points may be shown, as may an indication of the species' presence in databases for other areas (see also the database number for information on this last point). Where a very wide-ranging species is encountered space dictates that the entry may only read "Occurs in five or more other database areas."

Full Databases are completed for Mediterranean Fishes , European Sea Fishes, European Freshwater Fishes, Asian Freshwater Fishes , Arabian Sea & Freshwater Fishes , Indian Ocean Fishes , The Sea & Freshwater Fishes of Australia & New Guinea [the latter as as two units), Caribbean & Western Central Atlantic, and the Eastern Central Atlantic & West African Coast.

Database Area Codings

Databases carry codings relating to area distributions as follows:-

Please note: Area Distribution data is not complete for many species as the master database is not yet completed worldwide. Area codings can only therefore be used as an approximate indicator.

A = Asian Freshwater Fishes Database (940 000 - 949 000)

B

C = North-Eastern Atlantic (**Gibraltar to Norway**) Marine Database (020-029)

D = South-Eastern Atlantic / West African Coast Marine Database (**Morocco to Angola**) (050-059)

E = South American / S.W.Atlantic Marine Database (070-079)**F** = European Freshwater Database (920-929)

G = New Guinea Freshwater & Marine Database (080-089) plus (980-989)

H

I = Arabian Sea Database (040-049)

J = Southern Africa / Southern Ocean

K

L

M = Mediterranean Marine Database (010-019)

N = Northern Australia Freshwater & Marine Database (080-089) plus (980-989)

O = Unused

P = Indian Ocean / Pacific (General) (090-099)

Q = North - Western Australia and Queensland Freshwater & Marine Database (080-089) plus (980-989)

R

S = Southern Australia Freshwater & Marine Database (080-089) plus (980-989) The Tasmanian species are listed under S or V or both

T = Western Central Atlantic & Caribbean Database (060-069)

U = North-Western Atlantic Marine & North American Freshwater Databases (030-039) plus (930-939)

V = South - Eastern Australia Freshwater & Marine Database (080-089) plus (980-989) The Tasmanian species are listed under S or V or both

W = Western Australia Freshwater & Marine Database (080-089) plus (980-989)

X = South -Western Australia Freshwater & Marine Database (080-089) plus (980-989)

Y

Z = Five or more (Worldwide) Databases

THE CALYPSO DATABASE **NUMBERING SYSTEM**

Although the numbering system in itself, is not primarily designed to carry retrievable information some useful points can be gleaned from it if certain concepts of the system are known to the reader. It must clearly be emphasised however that the material extracted in this way is not to be construed as totally accurate and is only intended as a rough guide. (The full database should always be checked in addition to the information extracted in this fashion).

The Ichthyological Database Code is divisible into two sets of three numbers and information may be extracted by examining the first set of three numbers which , for a validated species , will always commence with the numbers 0 or 9.

***Numbers commencing with 0 represent primarily marine species.
Numbers commencing with 9 represent primarily freshwater species.
Numbers commencing with any other number are temporary allocations (see below)***

The second of the three numbers will indicate the approximate geographic area from which the species was recorded onto the database. These numbers will give differing information depending on whether the first number was 0 or 9. If a 0 then this will denote a sea area whereas if a 9 this will denote a continental area.

For Example;

Prefixes 090 to 099 denote Indo-Pacific marine species, whereas Prefixes 990 to 998 denote an Asian freshwater species. (This does not preclude either, or both , species occurring in any - or all - other areas , although they will only ever carry one species number.)

For the first two numbers , areas are designated as follows:

- 01- , Primarily Mediterranean / Black Sea**
- 91- , Southern Europe**
- 02- , Primarily European North Atlantic**
- 92- , Europe**
- 03- , Primarily North American / Canadian / Arctic**
- 93- , North America**
- 04- , Primarily East African / Red Sea / Persian Gulf**
- 94- , Africa**

05- , Primarily West African / Central Atlantic

95- , Middle-East **

06- , Primarily Caribbean / S.E. U.S.A.

96- , Caribbean / S.E. U.S.A.

07- , Primarily South American / S.W. Atlantic

97- , South America

08- , Primarily Australian / Southern Ocean

98- , Australasia

09- , Primarily Pacific / Indian Ocean

99- , Asia

** Area 95- , Includes: Turkey, Central Asia, Iran, Iraq, Afghanistan, The Gulf States, Lebanon and Israel

The third number of either of the above two series is a check digit to ensure that where the succeeding group of three numbers have been issued more than once - but in different areas, that they cannot be confused when both species carrying the succeeding three numbers are also present in the same area or publications covering that area.

We have sufficient free space in the database species numbering system to uniquely number all recorded species to date.

The full freshwater database numbers can sometimes be useful in enabling the reader to identify and differentiate between introduced and native species. - This can be done by checking the second digit of the six digit number.

TEMPORARY DATABASE NUMBERS

Where a species name is available but the validity of that particular species or sub species is open to doubt or may shortly be altered we issue temporary database numbers. The temporary numbers have been allocated unique prefixes to differentiate between them and the permanently allocated database number. These three digit prefixes will all be within the following group:-

222, 333, 444, 555, 666, 777 , 888 or 999

No significance can be attached to these number groups..

Calypso Fam. No. 1 Family Name (Eng.) :-Lancelets **Branchiostomidae**

080 001

Epigonichthys australis (Rafinesque)

Deepwater Lancelet

Synonyms and A.K.A.'s :- *Assymetron australis*

Average Maximum Recorded Size (metric) :- To 2.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 1 Family Name (Eng.) :-Lancelets **Branchiostomidae**

080 002

Epigonichthys bassanum (Gunther)

Southern Lancelet

Synonyms and A.K.A.'s :- *Branchiostoma bassanum* / *Bathyamphioxus bassanus*

Average Maximum Recorded Size (metric) :- To 4.3cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 2 Family Name (Eng.) :-Lampreys **Petromyzonidae**

080 003

Geotria australis Gray 1851

Pouched Lamprey

Synonyms and A.K.A.'s :- *Yarra singularis*

Average Maximum Recorded Size (metric) :- To 40cm.Sometimes more FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 2 Family Name (Eng.) :-Lampreys **Petromyzonidae/Mordaciidae**

080 004

Mordacia mordax (Richardson 1846)

Blunt-snouted Lamprey / Shortheaded Lamprey

Synonyms and A.K.A.'s :- *Petromyzon mordax*

Average Maximum Recorded Size (metric) :- To 55cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 2 Family Name (Eng.) :-Lampreys ***Petromyzonidae/Mordaciidae***
980 004

Mordacia praecox Potter 1968
Nonparasitic Lamprey

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 17cm. FAO Code where known :-

Range :- Frequency where known:- Very difficult to analyse

Additional Notes :

Calypso Fam. No. 3 Family Name (Eng.) :-Hagfishes ***Myxinidae***
081 002

Epatretus longipinnis Strahan 1975
Longfinned Hagfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 40cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 4 Family Name (Eng.) :-Six & Seven Gilled Sharks ***Hexanchidae***
010 006

Heptranchias perlo (Bonnaterre 1788)
Seven-gilled Shark

Synonyms and A.K.A.'s :- *Heptranchias dakini* / *Heptranchias cinereus*

Average Maximum Recorded Size (metric) :- To 2.1m FAO Code where known :-HEX Hep 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 4 Family Name (Eng.) :-Six & Seven Gilled Sharks ***Hexanchidae***
010 005

Hexanchus griseus (Bonnaterre 1780)
Six-gilled Shark

Synonyms and A.K.A.'s :- *Squalus griseus* / *Notidianus griseus* /

Average Maximum Recorded Size (metric) :- To 5m. FAO Code where known :-HEX Hex 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 4 Family Name (Eng.) :-Six & Seven Gilled Sharks **Hexanchidae**

080 007

Notorynchus cepedianus (Peron 1807)

Broadnosed Sevengilled Shark

Synonyms and A.K.A.'s :- *Squalus cepedianus* / *Notorhynchus maculatus* / *Notorhynchus pectorosus*

Average Maximum Recorded Size (metric) :- To 3m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 5 Family Name (Eng.) :-Port Jackson Sharks **Heterodontidae**

080 008

Heterodontus portjacksonii (Meyer 1793)

Port Jackson Shark

Synonyms and A.K.A.'s :- *Squalus portusjacksoni* / *Heterodontus phillipi*

Average Maximum Recorded Size (metric) :- To 1.4m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 6 Family Name (Eng.) :-Dogfishes/Dogfish Sharks **Squalidae**

080 026

Centrophorus moluccensis Bleeker 1860

Moluccan Dogfish / Endeavour Dogfish

Synonyms and A.K.A.'s :- *Centrophorus scalpratus*

Average Maximum Recorded Size (metric) :- To 1m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 6 Family Name (Eng.) :-Dogfishes/Dogfish Sharks **Squalidae**

010 398

Centrophorus ujato (Rafinesque 1810)

Southern Dogfish / Mediterranean Granular Shark

Synonyms and A.K.A.'s :- *Squalus ujato* / *Squalus uyato*

Average Maximum Recorded Size (metric) :- To 90cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 6 Family Name (Eng.) :-Dogfishes/Dogfish Sharks **Squalidae**

010 025

Centroscymnus coelolepis Bocage & Capello 1864

Portuguese Shark / Portuguese Dogfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 1.2m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 6 Family Name (Eng.) :-Dogfishes/Dogfish Sharks **Squalidae**

080 027

Centroscymnus crepidater (Bocage & Capello 1864)

Deepwater Dogfish / Golden Dogfish

Synonyms and A.K.A.'s :- *Centrophorus crepidater*

Average Maximum Recorded Size (metric) :- To 80cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 6 Family Name (Eng.) :-Dogfishes/Dogfish Sharks **Squalidae**

080 028

Centroscymnus owstoni Garman 1906

Roughskinned Dogfish / Owston's Dogfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 1.2m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 6 Family Name (Eng.) :-Dogfishes/Dogfish Sharks **Squalidae**

080 029

Centroscymnus plunketi (Waite 1910)

Lord Plunket's Shark / Plunket's Shark

Synonyms and A.K.A.'s :- *Centrophorus plunketi*

Average Maximum Recorded Size (metric) :- To 1.7m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **6** Family Name (Eng.) :-Dogfishes/Dogfish Sharks **Squalidae**
010 032

Dalatias lichia (Bonn.1788)

Seal Shark / Black Shark / Dark Charlie

Synonyms and A.K.A.'s :- *Squalus lichia* / *Scymnorhinus lichia* / *Dalatias phillippsi*

Average Maximum Recorded Size (metric) :- To 1.8m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **6** Family Name (Eng.) :-Dogfishes/Dogfish Sharks **Squalidae**
020 529

Deania calceus (Lowe 1839)

Shovel-nosed Shark / Briar Shark

Synonyms and A.K.A.'s :- *Acanthidium calceum*

Average Maximum Recorded Size (metric) :- To 1.1m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **6** Family Name (Eng.) :-Dogfishes/Dogfish Sharks **Squalidae**
040 032

Deania quadrispinosa (McCulloch 1915)

Long-snouted Dogfish

Synonyms and A.K.A.'s :- *Acanthidium quadrispinosum*

Average Maximum Recorded Size (metric) :- To 1.2m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **6** Family Name (Eng.) :-Dogfishes/Dogfish Sharks **Squalidae**
080 033

Etmopterus baxteri Garrick 1957

Velvet Shark / Stout Deepsea Shark

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 75cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 6 Family Name (Eng.) :-Dogfishes/Dogfish Sharks **Squalidae**

080 025

Etmopterus lucifer Jordan & Snyder 1902

Moller's Deepsea Shark / Lucifer Shark / Lantern Shark

Synonyms and A.K.A.'s :- *Acanthidium molleri* / *Etmopterus abernathyi*

Average Maximum Recorded Size (metric) :- To 40cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 6 Family Name (Eng.) :-Dogfishes/Dogfish Sharks **Squalidae**

090 025

Isistius brasiliensis (Quoy & Gaimard 1824)

Cigar Shark / Pelagic Shark / Cookiecutter Shark

Synonyms and A.K.A.'s :- *Scymnus brasiliensis* / *Leius ferox*

Average Maximum Recorded Size (metric) :- To 50cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 6 Family Name (Eng.) :-Dogfishes/Dogfish Sharks **Squalidae**

010 030

Squalus acanthias Linnaeus 1758

Common Dogfish / Whitespotted Dogfish / Spur Dog

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 1.2m. FAO Code where known :-SQUAL Squal 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 6 Family Name (Eng.) :-Dogfishes/Dogfish Sharks **Squalidae**

081 025

Squalus megalops (Macleay 1882)

Piked Dogfish

Synonyms and A.K.A.'s :- *Acanthias megalops*

Average Maximum Recorded Size (metric) :- To 70cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **6** Family Name (Eng.) :-Dogfishes/Dogfish Sharks **Squalidae**
080 031

Squalus mitsukurii Jordan & Snyder 1903
Greeneyed Dogfish / Northern Dogfish / Blainville's Dogfish?

Synonyms and A.K.A.'s :- *Squalus blainvillei*(Risso 1826)?

Average Maximum Recorded Size (metric) :- To 95cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **7** Family Name (Eng.) :-Bramble Sharks **Echinorhinidae**
010 026

Echinorhinus brucus (Bonn.1788)
Bramble Shark / Spiny Shark

Synonyms and A.K.A.'s :- *Squalus brucus* / *Echinorhinus spinosus*

Average Maximum Recorded Size (metric) :- To 2.6m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **7** Family Name (Eng.) :-Bramble Sharks **Echinorhinidae**
081 026

Echinorhinus cookei Pietschmann 1928
Prickly Shark

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 4m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **8** Family Name (Eng.) :-Rough Sharks **Oxynotidae**
081 029

Oxynotus bruniensis (Ogilby 1893)
Prickly Dogfish / Humantin

Synonyms and A.K.A.'s :- *Centrina bruniensis*

Average Maximum Recorded Size (metric) :- To 70cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 9 Family Name (Eng.) :-Collared Catsharks **Parascyllidae**

081 033

Parascyllium ferrugineum McCulloch 1911

Rusty Catshark / Spotted Catshark

Synonyms and A.K.A.'s :- *Parascyllium multimaculatum*

Average Maximum Recorded Size (metric) :- To 80cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 9 Family Name (Eng.) :-Collared Catsharks **Parascyllidae**

081 034

Parascyllium variolatum Dumeril 1853

Variegated Catshark / Southern Catshark

Synonyms and A.K.A.'s :- *Hemiscyllium variolatum*

Average Maximum Recorded Size (metric) :- To 90cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 10 Family Name (Eng.) :-Catsharks/Carpets sharks/Wobbegongs **Orectolobidae**

080 009

Orectolobus maculatus (Bonn.1788)

Wobbegong

Synonyms and A.K.A.'s :- *Squalus maculatus*

Average Maximum Recorded Size (metric) :- To 3m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 10 Family Name (Eng.) :-Catsharks/Carpets sharks/Wobbegongs **Orectolobidae**

081 010

Orectolobus ornatus (De Vis 1883)

Banded Wobbegong / Carpet shark

Synonyms and A.K.A.'s :- *Crossorhinus ornatus*

Average Maximum Recorded Size (metric) :- To 3m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 10 Family Name (Eng.) :-Catsharks/Carpetsharks/Wobbegongs **Orectolobidae**
081 009

Sutorectus tentaculatus (Peters 1864)
Cobbler Carpetshark

Synonyms and A.K.A.'s :- *Crossorhinus tentaculatus*

Average Maximum Recorded Size (metric) :- To 1m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 11 Family Name (Eng.) :-Whale Sharks **Rhincodontidae**
040 011

Rhincodon typus Smith 1828
Whale Shark

Synonyms and A.K.A.'s :- *Rhiniodon typus*

Average Maximum Recorded Size (metric) :- To 12m. FAO Code where known :-RHIN Rhin 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 12 Family Name (Eng.) :-Typical Sharks **Carcharhinidae**
080 013

Carcharhinus brachyurus Gunther 1870
Bronze Whaler

Synonyms and A.K.A.'s :- *Carcharias brachyurus*

Average Maximum Recorded Size (metric) :- To 3m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 12 Family Name (Eng.) :-Typical Sharks **Carcharhinidae**
080 010

Carcharhinus longimanus (Poey 1861)
Oceanic Whitetipped Shark

Synonyms and A.K.A.'s :- *Squalus longimanus*

Average Maximum Recorded Size (metric) :- To 3m. FAO Code where known :-CARCH Carch 8

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 12 Family Name (Eng.) :-Typical Sharks **Carcharhinidae**
080 011

Carcharhinus obscurus (LeSuer 1818)
Black Whaler

Synonyms and A.K.A.'s :- *Squalus obscurus*

Average Maximum Recorded Size (metric) :- To 3.5m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 12 Family Name (Eng.) :-Typical Sharks **Carcharhinidae**
080 012

Galeocerdo cuvieri (LeSuer 1822)
Tiger Shark

Synonyms and A.K.A.'s :- *Squalus cuvieri* / *Galeocerdo arcticus* / *Galeocerdo tigrinus*

Average Maximum Recorded Size (metric) :- To 5.5m. FAO Code where known :-CARCH Gal 1

Range :- Frequency where known:-

Additional Notes :


Calypso Fam. No. 12 Family Name (Eng.) :-Typical Sharks **Carcharhinidae**
010 022

Prionace glauca (Linnaeus 1758)
Blue Shark

Synonyms and A.K.A.'s :- *Squalus glaucus* / *Carcharhinus glaucus*

Average Maximum Recorded Size (metric) :- To 3.8m. FAO Code where known :-

Range :- Frequency where known:-



Calypso Fam. No. 13 Family Name (Eng.) :-Smooth Dogfishes/Sharks **Triakidae**
080 014

Furgaleus macki Whitley 1943
Whiskered Shark

Synonyms and A.K.A.'s :- *Furgaleus ventralis*

Average Maximum Recorded Size (metric) :- To 1.4m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 13 Family Name (Eng.) :-Smooth Dogfishes/Sharks **Triakidae(Carcharhinidae)**
010 021

Galeorhinus galeus Linnaeus 1758
Tope / School Shark

Synonyms and A.K.A.'s :- *Galeorhinus australis* / *Eugaleus galeus*
Average Maximum Recorded Size (metric) :- To 1.8m. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. 13 Family Name (Eng.) :-Smooth Dogfishes/Sharks **Triakidae**
080 015

Mustelus antarcticus Gunther 1870
Gummy Shark

Synonyms and A.K.A.'s :- *Mustelus ganearum*
Average Maximum Recorded Size (metric) :- To 1.8m. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. 14 Family Name (Eng.) :-Hounds **Scyliorhinidae**
888 016

Apristurus sp.
Spadenosed Catshark

Synonyms and A.K.A.'s :-
Average Maximum Recorded Size (metric) :- To 60cm. FAO Code where known :-
Range :- Frequency where known:- Rare
Additional Notes :

Calypso Fam. No. 14 Family Name (Eng.) :-Hounds **Scyliorhinidae**
888 017

Asymbolus sp.
Saddled Catshark

Synonyms and A.K.A.'s :-
Average Maximum Recorded Size (metric) :- FAO Code where known :-
Range :- Frequency where known:- Rare
Additional Notes :

Calypso Fam. No. 14 Family Name (Eng.) :-Hounds **Scyliorhinidae**

888 018

Asymbolus sp.
Rustyspotted Catshark

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- FAO Code where known :-

Range :- Frequency where known:- Rare

Additional Notes :

Calypso Fam. No. 14 Family Name (Eng.) :-Hounds **Scyliorhinidae**

080 019

Asymbolus analis (Ogilby 1885)
Darkspotted Catshark

Synonyms and A.K.A.'s :- *Scyllium anale*

Average Maximum Recorded Size (metric) :- To 40cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 14 Family Name (Eng.) :-Hounds **Scyliorhinidae**

080 020

Asymbolus vincenti (Zietz 1908)
Gulf Catshark

Synonyms and A.K.A.'s :- *Juncrus vincenti*

Average Maximum Recorded Size (metric) :- To 60cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 14 Family Name (Eng.) :-Hounds **Scyliorhinidae**

080 021

Cephaloscyllium laticeps (Dumeril 1853)
Spotted Swellshark

Synonyms and A.K.A.'s :- *Scyllium laticeps* / *Cephaloscyllium isabella?*

Average Maximum Recorded Size (metric) :- To 1m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 14 Family Name (Eng.) :-Hounds **Scyliorhinidae**

080 023

Cephaloscyllium nascione Whitley 1932

Draughtboard Shark / Floppyguts

Synonyms and A.K.A.'s :- *Cephaloscyllium isabella*

Average Maximum Recorded Size (metric) :- To 1m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 14 Family Name (Eng.) :-Hounds **Scyliorhinidae**

081 016

Galeus bordmani (Whitley 1928)

Sawtail Shark

Synonyms and A.K.A.'s :- *Pristiurus(Figaro) boardmani*

Average Maximum Recorded Size (metric) :- To 60cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 17 Family Name (Eng.) :-Hammerhead Sharks **Sphyrnidae**

080 022

Sphyrna lewini (C.+ G. & S. 1834)

Scalloped Hammerhead Shark

Synonyms and A.K.A.'s :- *Sphyrna diplana*

Average Maximum Recorded Size (metric) :- To 4m.Rarely more FAO Code where known :-SPHYRN Sphyrn 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 17 Family Name (Eng.) :-Hammerhead Sharks **Sphyrnidae**

010 024

Sphyrna zygaena(oceanica) Linnaeus 1758

Common Hammerhead / Smooth Hammerhead

Synonyms and A.K.A.'s :- *Zygaena malleus*

Average Maximum Recorded Size (metric) :- To 4m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :


Calypso Fam. No. **18** Family Name (Eng.) :-Porbeagles/Mackerel Sharks **Lamnidae/Isuridae**
010 011

Carcharodon carcharias (Linnaeus 1758)
Great White Shark / White Pointer

Synonyms and A.K.A.'s :- *Squalus carcharias*

Average Maximum Recorded Size (metric) :- To 6m. FAO Code where known :-

Range :- Frequency where known:-



Calypso Fam. No. **18** Family Name (Eng.) :-Porbeagles/Mackerel Sharks **Lamnidae/Isuridae**
010 010

Isurus oxyrinchus Rafinesque 1810
Mako / Blue Pointer / Mackerel Shark

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 3.8m. FAO Code where known :-LAMN Isur 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **19** Family Name (Eng.) :-Basking Shark **Cetorhinidae**
010 013

Cetorhinus maximus (Gunn.1765)
Basking Shark

Synonyms and A.K.A.'s :- *Squalus maximus* / *Halsydrus maximus*

Average Maximum Recorded Size (metric) :- To 12m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **20** Family Name (Eng.) :-Thresher Sharks **Alopiidae**
010 014

Alopias vulpinus (Bonn.1788)
Thresher Shark

Synonyms and A.K.A.'s :- *Squalus vulpinus*

Average Maximum Recorded Size (metric) :- To 5m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 21 Family Name (Eng.) :-Goblin Shark **Mitsukurinidae**

090 040

Mitsukurina owstoni Jordan 1898

Goblin Shark

Synonyms and A.K.A.'s :- *Scapanorhynchus owstoni*

Average Maximum Recorded Size (metric) :- To 3.8m. FAO Code where known :-

Range :- Frequency where known:- Rare

Additional Notes :

Calypso Fam. No. 22 Family Name (Eng.) :-Nurse Sharks **Odontaspidae**

010 008

Odontaspis(Eugomphodus) taurus (Rafinesque 1810)

Grey Nurse Shark / Sand Tigershark / Sand Shark

Synonyms and A.K.A.'s :- *Carcharias taurus* / *Eugomphodes tricuspidatus* /

Average Maximum Recorded Size (metric) :- To 3m. FAO Code where known :-ODONT Eug 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 23 Family Name (Eng.) :-Saw-Sharks **Pristiophoridae**

080 537

Pristiophorus nudipinnis Gunther 1870

Common Sawshark

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 1.3m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 23 Family Name (Eng.) :-Saw-Sharks **Pristiophoridae**

080 538

Pristiophorus cirratus (Latham 1794)

Southern Sawshark

Synonyms and A.K.A.'s :- *Pristis cirratus*

Average Maximum Recorded Size (metric) :- To 1.2m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **24** Family Name (Eng.) :-Monkfish ***Squatina***
080 034
Squatina australis Regan 1906
Angel-shark

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 1.5m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **24** Family Name (Eng.) :-Monkfish ***Squatina***
080 035
Squatina tergocellata McCulloch 1914
Ornate Angel-shark

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 50cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **25** Family Name (Eng.) :-Electric Rays/Numb-Fishes ***Torpedinidae***
080 061
Hypnos monoptyergium (Shaw & Nodder 1795
Australian Numbfish

Synonyms and A.K.A.'s :- *Lophius monoptyergius* / *Hypnos subnigrum*

Average Maximum Recorded Size (metric) :- To 60cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **25** Family Name (Eng.) :-Electric Rays/Numb-Fishes ***Torpedinidae***
080 062
Narcine tasmaniensis Richardson 1840
Tasmanian Numbfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 47cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **25** Family Name (Eng.) :-Electric Rays/Numb-Fishes **Torpedinidae**
080 063

Torpedo macneilli (Whitley 1932)
Torpedo Ray

Synonyms and A.K.A.'s :- *Notastrape macneilli* / *Torpedo fairchildi*?
Average Maximum Recorded Size (metric) :- To 1m. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. **27** Family Name (Eng.) :-Rays **Raiidae**
080 046

Irolita waitii (McCulloch 1911)
Round Skate

Synonyms and A.K.A.'s :- *Psammobatis waitii*
Average Maximum Recorded Size (metric) :- To 50cm. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. **27** Family Name (Eng.) :-Rays **Raiidae**
888 040

Pavoraja sp.
Blue Skate

Synonyms and A.K.A.'s :-
Average Maximum Recorded Size (metric) :- To 62cm. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. **27** Family Name (Eng.) :-Rays **Raiidae**
080 041

Pavoraja nitida (Gunther 1880)
Peacock Skate

Synonyms and A.K.A.'s :- *Raja nitida*
Average Maximum Recorded Size (metric) :- To 40cm. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. 27 Family Name (Eng.) :-Rays **Raiidae**

081 042

Raja cerva Whitley 1939
Whitespotted Skate

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 60cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 27 Family Name (Eng.) :-Rays **Raiidae**

080 043

Raja gudgeri (Whitley 1940)
Bight Skate

Synonyms and A.K.A.'s :- **Zearaja gudgeri**

Average Maximum Recorded Size (metric) :- To 1.4m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 27 Family Name (Eng.) :-Rays **Raiidae**

080 044

Raja lemprieri Richardson 1845
Thornback Skate

Synonyms and A.K.A.'s :- **Raja dentata**

Average Maximum Recorded Size (metric) :- To 50cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 27 Family Name (Eng.) :-Rays **Raiidae**

080 045

Raja whitleyi Iredale 1938
Melbourne Skate

Synonyms and A.K.A.'s :- **Raja rostrata / Raja scabra / Raja ogilbyi / Raja oxyrinchus**

Average Maximum Recorded Size (metric) :- To 1.7m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **28** Family Name (Eng.) :-Guitar-Fish/Shark-Rays ***Rhinobatidae***
080 037

Aptychotrema vincentiana (Haake 1885)
Southern Shovel nosed Ray

Synonyms and A.K.A.'s :- *Rhinobatus vincentianus*

Average Maximum Recorded Size (metric) :- To 1.2m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : *Aptychotrema rostrata* M.& H.1841 may be a related subspecies

Calypso Fam. No. **28** Family Name (Eng.) :-Guitar-Fish/Shark-Rays ***Rhinobatidae***
081 038

Trygonorrhina guaneri Whitley 1932
Southern Fiddler Ray / Banjo Shark

Synonyms and A.K.A.'s :- *Trygonorrhina fasciata guaneri*

Average Maximum Recorded Size (metric) :- To 1.2m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **28** Family Name (Eng.) :-Guitar-Fish/Shark-Rays ***Rhinobatidae***
082 038

Trygonorrhina fasciata M.& H.1841
Eastern Fiddler Ray

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 1m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **28** Family Name (Eng.) :-Guitar-Fish/Shark-Rays ***Rhinobatidae***
080 039

Trygonorrhina melaleuca Scott 1954
Magpie Fiddler Ray

Synonyms and A.K.A.'s :- *Trygonorrhina guaneri*

Average Maximum Recorded Size (metric) :- To 90cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **29** Family Name (Eng.) :-Eagle-Rays/Bull-Rays ***Myliobatidae***

081 058

Myliobatis australis Macleay 1881

Southern Eagle-ray / Bull Ray / Whiptail Ray

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 2m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **30** Family Name (Eng.) :-Eagle-Rays/Bull-Rays ***Urolophidae***

081 554

Trygonoptera mucosa (Whitley 1939)

Western Stingaree

Synonyms and A.K.A.'s :- *Urolophus mucosus*

Average Maximum Recorded Size (metric) :- To 45cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **30** Family Name (Eng.) :-Stingarees/Short-tailed Stingrays ***Urolophidae***

081 555

Trygonoptera ovalis Last & Gomon 1987

Bight Stingaree

Synonyms and A.K.A.'s :- *Urolophus cruciatus*

Average Maximum Recorded Size (metric) :- To 60cm. FAO Code where known :-

Range :- Frequency where known:- Fairly Common

Additional Notes :

Calypso Fam. No. **30** Family Name (Eng.) :-Stingarees/Short-tailed Stingrays ***Urolophidae***

081 556

Urolophus bucculentus Macleay 1884

Sandybacked Stingaree

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 80cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **30** Family Name (Eng.) :-Stingarees/Short-tailed Stingrays ***Urolophidae***
081 557

Urolophus cruciatus (Lacepede 1804)
Banded Stingaree

Synonyms and A.K.A.'s :- *Urolophus ehippiatus*

Average Maximum Recorded Size (metric) :- To 50cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **30** Family Name (Eng.) :-Stingarees/Short-tailed Stingrays ***Urolophidae***
081 558

Urolophus expansus McCulloch 1916
Wide Stingaree

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 45cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **30** Family Name (Eng.) :-Stingarees/Short-tailed Stingrays ***Urolophidae***
081 559

Urolophus gigas Scott 1954
Spotted Stingaree

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 70cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **30** Family Name (Eng.) :-Stingarees/Short-tailed Stingrays ***Urolophidae***
081 560

Urolophus orarius Last & Gomon 1987
Coastal Stingaree

Synonyms and A.K.A.'s :- *Urolophus cruciatus*(Lacepede)

Average Maximum Recorded Size (metric) :- To 35cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **30** Family Name (Eng.) :-Stingarees/Short-tailed Stingrays ***Urolophidae***
081 561

Urolophus paucimaculatus Dixon 1969
Dixon's Stingaree

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 38cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **30** Family Name (Eng.) :-Stingarees/Short-tailed Stingrays ***Urolophidae***
081 562

Urolophus viridis Mcculloch 1916
Greenback Stingaree

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 42cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **31** Family Name (Eng.) :-Stingrays ***Dasyatidae***
080 054

Dasyatis brevicaudata (Hutton 1875)
Smooth Stingray

Synonyms and A.K.A.'s :- *Trygon brevicaudata* / *Dasyatis schreineri*

Average Maximum Recorded Size (metric) :- To 4.3m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **31** Family Name (Eng.) :-Stingrays ***Dasyatidae***
080 055

Dasyatis guileri Last 1979
Guiler's Stingray

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 1.5m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 31 Family Name (Eng.) :-Stingrays **Dasyatidae**

080 056

Dasyatis thetidis Waite 1899

Black Stingray

Synonyms and A.K.A.'s :- *Dasyatis agulhensis* / *Dasyatis lubricus*

Average Maximum Recorded Size (metric) :- To 3.35m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 35 Family Name (Eng.) :-Chimaeras/Rabbit Fishes **Chimaeridae**

080 057

Chimaera jordani Tanaka 1905

Ghost Shark / Rabbit-Fish / Spookfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 95cm. FAO Code where known :-

Range :- Frequency where known:- Very Rare

Additional Notes :

Calypso Fam. No. 35 Family Name (Eng.) :-Chimaeras/Rabbit Fishes **Chimaeridae**

080 059

Hydrolagus lemures (Whitley 1939)

Bight Ghostshark / Ratfish / Spookfish

Synonyms and A.K.A.'s :- *Phasmichthys lemures*

Average Maximum Recorded Size (metric) :- To 50cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 35 Family Name (Eng.) :-Chimaeras/Rabbit Fishes **Chimaeridae**

081 063

Hydrolagus ogilbyi (Waite 1898)

Ogilby's Spookfish / Ratfish

Synonyms and A.K.A.'s :- *Hydrolagus waitei* / *Chimaera ogilbyi*

Average Maximum Recorded Size (metric) :- To 1m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : This species may be synonymous with *Hydrolagus waitei* (Fowler 1908)

Calypso Fam. No. **36** Family Name (Eng.) :-Elephant Fishes ***Callorhynchidae***
081 064

Callorhynchus milii B.de St.Vincent 1823
Elephantfish / Elephant Shark / Plownosed Chimaera

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 1.5m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **37** Family Name (Eng.) :-Rat Fish/Elephant Fish ***Harriotidae/Rhinochimaeridae***
080 065

Harriota raleighana Goode & Bean 1894
Longnosed Chimaera

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 1.2m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **37** Family Name (Eng.) :-Rat Fish/Elephant Fish ***Harriotidae/Rhinochimaeridae***
090 064

Rhinochimaera pacifica Goode & Bean 1894
Pinnocchiofish / Pacific Longnosed Chimaera

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 1.2m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **38** Family Name (Eng.) :-Tarpons ***Megalopidae***
990 472

Megalops cyprinoides (Broussonet 1782)
Tarpon

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 1.5m. FAO Code where known :-MEGAL Megal 1

Range :- Frequency where known:-



Calypso Fam. No. **40** Family Name (Eng.) :-Ox-eye Herrings/Ten-pounders ***Elopidae***
092 063

Elops hawaiiensis Regan
Giant Herring

Synonyms and A.K.A.'s :- *Elops australis*

Average Maximum Recorded Size (metric) :- To 75cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **41** Family Name (Eng.) :-Cut-throat Eels ***Synaphobranchidae***
080 079

Diastobranchus capensis Barnard 1923
Basketwork Eel

Synonyms and A.K.A.'s :- *Diastobranchus danae*

Average Maximum Recorded Size (metric) :- To 1.8m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **41** Family Name (Eng.) :-Cut-throat Eels ***Synaphobranchidae***
080 080

Synaphobranchus affinis Gunther 1877
Grey Cut-throat Eel

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 50cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **41** Family Name (Eng.) :-Cut-throat Eels ***Synaphobranchidae***
080 081

Histiobranchus bathybius (Gunther 1877)
Black Cut-throat eel

Synonyms and A.K.A.'s :- *Synathobranchus bathybius*

Average Maximum Recorded Size (metric) :- To 90cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **42** Family Name (Eng.) :-Witch Eels **Nettastomidae**

080 082

Nettastoma parviceps Gunther 1877

Duckbilled Eel

Synonyms and A.K.A.'s :- *Metopomycter denticulatus*

Average Maximum Recorded Size (metric) :- To 82cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **43** Family Name (Eng.) :-Snake-Eels/Worm-Eels **Ophichthyidae**

080 083

Muraenichthys australis Macleay 1881

Shortfinned Worm Eel

Synonyms and A.K.A.'s :- *Muraenichthys tasmaniensis* / *Scolecenchelys australis* / *Muraenichthys lingowenah*

Average Maximum Recorded Size (metric) :- To 40cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **43** Family Name (Eng.) :-Snake-Eels/Worm-Eels **Ophichthyidae**

080 084

Muraenichthys breviceps Gunther 1876

Longfinned Worm Eel

Synonyms and A.K.A.'s :- *Muraenichthys devisi* / *Muraenichthys ogilbyi* / *Aotea acus*

Average Maximum Recorded Size (metric) :- To 60cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **43** Family Name (Eng.) :-Snake-Eels/Worm-Eels **Ophichthyidae**

080 085

Muraenichthys lengomenah Scott 1980

Scott's Worm E

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 25cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **43** Family Name (Eng.) :-Snake-Eels/Worm-Eels **Ophichthyidae**
010 083

Ophisurus serpens (Linnaeus)
Giant Snake Eel

Synonyms and A.K.A.'s :- *Muraena serpens* / *Leptognathus serpens*
Average Maximum Recorded Size (metric) :- To 2.5m. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. **44** Family Name (Eng.) :-Eels **Anguillidae**
980 077

Anguilla australis Richardson 1841
Shortfinned Eel

Synonyms and A.K.A.'s :-
Average Maximum Recorded Size (metric) :- To 1.1m. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. **44** Family Name (Eng.) :-Eels **Anguillidae**
980 078

Anguilla reinhardtii Steindachner 1867
Longfinned Eel

Synonyms and A.K.A.'s :-
Average Maximum Recorded Size (metric) :- To 1.6m. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. **45** Family Name (Eng.) :-Sawtooth Eels **Serrivomeridae**
888 579

Serrivomer sp.
Sawtooth Eel

Synonyms and A.K.A.'s :-
Average Maximum Recorded Size (metric) :- To 60cm. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. **46** Family Name (Eng.) :-Moray-Eels ***Muraenidae***

080 580

Gymnothorax obesus (Whitley 1932)

Speckled Moray

Synonyms and A.K.A.'s :- *Gymnothorax griffini* / *Lycodontis obesus* / *Lycodontis griffini* / *Uropterygius obesus*

Average Maximum Recorded Size (metric) :- To 1.8m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **46** Family Name (Eng.) :-Moray-Eels ***Muraenidae***

080 581

Gymnothorax prasinus (Richardson 1848)

Green Moray

Synonyms and A.K.A.'s :- *Muraena prasina* / *Verdithorax prasinus* / *Gymnothorax leecote*

Average Maximum Recorded Size (metric) :- To 1.5m. FAO Code where known :-

Range :- Frequency where known:- Common

Additional Notes :

Calypso Fam. No. **47** Family Name (Eng.) :-Snipe Eels ***Nemichthyidae***

080 582

Avocettina paucipora Nielson & Smith 1978

Southern Snipe Eel

Synonyms and A.K.A.'s :- *Borodinula infans*

Average Maximum Recorded Size (metric) :- To 55cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **49** Family Name (Eng.) :-Conger-Eels ***Congridae***

080 583

Bassanago bulbiceps (Whitley 1948)

Largehead Conger / Swollenhead Conger

Synonyms and A.K.A.'s :- *Pseudoxenomystax bulbiceps*

Average Maximum Recorded Size (metric) :- To 50cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **49** Family Name (Eng.) :-Conger-Eels **Congridae**
080 584

Bassanago hirsutus (Castle 1960)
Deepsea Conger

Synonyms and A.K.A.'s :- *Pseudoxenomystax hirsutus*

Average Maximum Recorded Size (metric) :- To 1.5m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **49** Family Name (Eng.) :-Conger-Eels **Congridae**
081 579

Conger verreauxi Kaup 1856
Southern Conger

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 2m. FAO Code where known :-

Range :- Frequency where known:-



Calypso Fam. No. **49** Family Name (Eng.) :-Conger-Eels **Congridae**
082 579

Conger wilsoni B.& S. 1801)
Antipodean Conger

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 2.1m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **49** Family Name (Eng.) :-Conger-Eels **Congridae**
081 580

Gnathophis habenatus (Richardson 1848)
Silver Conger

Synonyms and A.K.A.'s :- *Congrus habenatus* / *Congermuraena habenata* / *Poutawa habenata*

Average Maximum Recorded Size (metric) :- To 43cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **49** Family Name (Eng.) :-Conger-Eels **Congridae**

081 581

Gnathophis umbrellabia (Whitley 1946)

Umbrella Conger

Synonyms and A.K.A.'s :- *Fimbriceps umbrellabia* / *Gnathophis incognetus*

Average Maximum Recorded Size (metric) :- To 45cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **49** Family Name (Eng.) :-Conger-Eels **Congridae**

081 582

Scalanago lateralis Whitley 1935

Ladder Eel

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- To 35cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **62** Family Name (Eng.) :-Argentines **Argentinidae**

080 071

Argentina australiae (Cohen 1958)

Silverside / Argentine / Deepsea Smelt

Synonyms and A.K.A.'s :- *Argentina elongata*

Average Maximum Recorded Size (metric) :- 19cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **63** Family Name (Eng.) :-Deep-sea Smelts **Bathylagidae**

080 072

Bathylagus antarcticus Gunther 1878

Antarctic big-eyed Smelt / Antarctic Deepsea Smelt

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 20cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **64** Family Name (Eng.) :-Barreleyes ***Opisthoproctidae***

081 073

Opisthoproctus grimaldi Zugmayer 1911
Flatiron Fish / Grimaldi's Barreleye

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 6cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **65** Family Name (Eng.) :-Black-heads/Smoothheads/Slickheads ***Alepocephalidae***

080 562

Alepocephalus australis Barnard 1923
Southern Slickhead

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 70cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **65** Family Name (Eng.) :-Black-heads/Smoothheads/Slickheads ***Alepocephalidae***

080 560

Rouleina squamilatera (Alcock 1898)
Sparkling Slickhead

Synonyms and A.K.A.'s :- *Xenodermichthys squamilaterus* / *Rouleina eucla*

Average Maximum Recorded Size (metric) :- 35cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **65** Family Name (Eng.) :-Black-heads/Smoothheads/Slickheads ***Alepocephalidae***

888 561

Talismaania filamentosa? Okamura & Kawanishi 1984
Longfinned Slickhead

Synonyms and A.K.A.'s :- *Nemabathyroctes filamentosa?*

Average Maximum Recorded Size (metric) :- 40cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **67** Family Name (Eng.) :-Tubeshoulders ***Platytroctidae***

081 103

Persparsia kopua (Phillips 1942)

Spangled Tubeshoulder

Synonyms and A.K.A.'s :- ***Bathytroctes copua / Persparia taningi***

Average Maximum Recorded Size (metric) :- **14cm.** FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **68** Family Name (Eng.) :-Pearlsides ***Gonostomiatidae(Gonostomidae)***

082 104

Cyclothone alba Brauer 1906

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **68** Family Name (Eng.) :-Pearlsides ***Gonostomiatidae(Gonostomidae)***

010 104

Cyclothone braueri Jespersen et al.

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **68** Family Name (Eng.) :-Pearlsides ***Gonostomiatidae(Gonostomidae)***

082 105

Cyclothone microdon Gunther 1878

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **68** Family Name (Eng.) :-Pearlsides **Gonostomiidae(Gonostomidae)**
082 106

Cyclothone pseudopallida Mukhacheva 1973

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **68** Family Name (Eng.) :-Pearlsides **Gonostomiidae(Gonostomidae)**
081 104

Gonostoma bathyphilum (Vaillant 1888)

Deepsea Lightfish

Synonyms and A.K.A.'s :- *Neostoma bathyphilum* / *Cyclothone grandis* / *Gonostoma brevidens*

Average Maximum Recorded Size (metric) :- 17cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **69** Family Name (Eng.) :-Lighthouse Fishes **Photichthyidae**
085 105

Photichthys argenteus Hutton 1872

Silver Lighthouse Fish / Lighthouse Fish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **70** Family Name (Eng.) :-Maurolicids **Maurolicidae**
010 400

Maurolicus muelleri (Gmelin 1788)

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **71** Family Name (Eng.) :-Hatchet-Fishes ***Sternoptychidae***
080 103

Argyripnus iridescens McCulloch 1926
Pearlsided Lightfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **14cm.** FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **71** Family Name (Eng.) :-Hatchet-Fishes ***Sternoptychidae***
082 676

Argyropelecus gigas Norman 1930

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **9cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **71** Family Name (Eng.) :-Hatchet-Fishes ***Sternoptychidae***
010 103

Argyropelecus hemigymnus Cocco 1829

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **9cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **71** Family Name (Eng.) :-Hatchet-Fishes ***Sternoptychidae***
080 104

Polyipnus tridentifer McCulloch 1914
Threespined Hatchetfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **9cm.** FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **71** Family Name (Eng.) :-Hatchet-Fishes ***Sternoptychidae***
083 676

Sternoptyx pseudodiaphana Borodulina 1973

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 9cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **72** Family Name (Eng.) :-Scaly Dragonfishes ***Stomiidae/Stomiidae***
010 105

Stomias boa Risso 1810
Scaly Dragonfish

Synonyms and A.K.A.'s :- *Esox boa*

Average Maximum Recorded Size (metric) :- 35cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **73** Family Name (Eng.) :-Viper-Fishes ***Chauliodontidae***
091 107

Chauliodus sloani B.& S.1801
Viper Fish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 35cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes : Also recorded under database number 080 106

Calypso Fam. No. **74** Family Name (Eng.) :-Bigheaded Dragonfish ***Astronesthidae***
085 108

Astronesthes boulengeri Gilchrist 1902
Boulenger's Snaggletooth

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 21cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **74** Family Name (Eng.) :-**Bigheaded Dragonfish** ***Astronesthidae***
080 109

Borostomias antarcticus (Lonnberg 1905)
Antarctic Snaggletooth

Synonyms and A.K.A.'s :- *Astronesthes antarcticus*

Average Maximum Recorded Size (metric) :- 32cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **75** Family Name (Eng.) :-**Smooth Dragonfishes** ***Melanostomiidae***
080 110

Bathophilus ater (Brauer 1902)
Winged Dragonfish

Synonyms and A.K.A.'s :- *Dactylostomias ater*

Average Maximum Recorded Size (metric) :- 15cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **75** Family Name (Eng.) :-**Smooth Dragonfishes** ***Melanostomiidae***
081 105

Echiostoma barbatum Lowe 1843
Threadfin Dragonfish

Synonyms and A.K.A.'s :- *Echiostoma ctenobarba* / *Echiostoma tanneri*

Average Maximum Recorded Size (metric) :- 35cm FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **75** Family Name (Eng.) :-**Smooth Dragonfishes** ***Melanostomiidae***
080 561

Eustomias trewavasae Norman 1930
Deepsea Dragonfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 20cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **75** Family Name (Eng.) :-Smooth Dragonfishes ***Melanostomiidae***
080 107

Melanostomias niger Gilchrist & Von Bonde 1924
Fangtooth Dragonfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 22cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **75** Family Name (Eng.) :-Smooth Dragonfishes ***Melanostomiidae***
080 108

Opostomias micripnus Gunther 1878
Obese Dragonfish

Synonyms and A.K.A.'s :- *Echiostoma micripnus*

Average Maximum Recorded Size (metric) :- 55cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **76** Family Name (Eng.) :-Loosejaws ***Malacosteidae***
888 106

Malacosteus sp.
Loosejaw

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 25cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **77** Family Name (Eng.) :-Black dragonfishes ***Idiacanthidae***
081 107

Idiacanthus atlanticus Brauer 1906
Black Dragonfish / Atlantic Dragonfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 40cm.Males minute FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **78** Family Name (Eng.) :-Threadsails ***Aulopodidae/Aulopidae***

081 108

Aulopus purpurissatus Richardson 1843
Sergeant Baker

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **70cm.** FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **79** Family Name (Eng.) :-Paperbones/Wearyfishes ***Notosudidae***

080 601

Scoperlosaurus meadi Bertelsen+Kreft & Marshall 1976
Meads Wearyfish / Meads Lizardfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **35cm.** FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **80** Family Name (Eng.) :-Hammerjaws ***Osmosudidae***

091 109

Osmosudis lowei Gunther 1887
Hammerjaw

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **26cm.** FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **81** Family Name (Eng.) :-Green-Eyes ***Chlorophthalmidae***

080 379

Chlorophthalmus nigripinnis Gunther 1878
Greeneye / Cucumber Fish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **27cm.** FAO Code where known :-**CHLORO Chloro 3?**

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **82** Family Name (Eng.) :-Deepsea Lizardfish **Bathysauridae**

080 602

Bathysaurus ferox Gunther 1878

Deepsea Lizardfish

Synonyms and A.K.A.'s :- *Bathysaurus agassizi*

Average Maximum Recorded Size (metric) :- 70cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **83** Family Name (Eng.) :-Bombay Ducks/Lizard Fishes **Harpadontidae/Synodidae**

010 397

Saurida undosquamis Richardson 1844

Grinner / Saury / Largescale Saury / Brushtooth Lizard-Fish

Synonyms and A.K.A.'s :- *Saurida grandisquamis*

Average Maximum Recorded Size (metric) :- 70cm. FAO Code where known :-SYNOD Sauri 1

Range :- . Frequency where known:-



Calypso Fam. No. **84** Family Name (Eng.) :-Barracudinas **Suidae/Paralepidae**

080 603

Lestidiops pacifica (Parr 1931)

Pacific Barracudina

Synonyms and A.K.A.'s :- *Paralepis pacificus* / *Lestidiops jayakari* / *Sudis jayakari*

Average Maximum Recorded Size (metric) :- 60cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **84** Family Name (Eng.) :-Barracudinas **Suidae/Paralepidae**

080 604

Macroparalepis macrogeneion Post 1973

Longchinned Barracudina

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 40cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **85** Family Name (Eng.) :-Lancet Fish ***Alepisauridae***

080 605

Alepisaurus brevirostris Gibbs 1960

Shortnosed Lancetfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **1m.** FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **85** Family Name (Eng.) :-Lancet Fish ***Alepisauridae***

090 378

Alepisaurus ferox Lowe 1833

Longnosed Lancetfish / Lancetfish

Synonyms and A.K.A.'s :- ***Alepidosaurus borealis* / *Caulopus ferox* / *Plagyodus ferox***

Average Maximum Recorded Size (metric) :- **2m.** FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **86** Family Name (Eng.) :-New Lanternfish ***Neoscopelidae***

080 608

Neoscopelus macrolepidotus Johnson 1863

Large-scaled Lanternfish

Synonyms and A.K.A.'s :- ***Neoscopelus bruuni***

Average Maximum Recorded Size (metric) :- **25cm.** FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **87** Family Name (Eng.) :-Lantern-Fishes ***Myctophidae***

081 074

Diaphus watasei Jordan & Starks 1904

Watase's Lanternfish

Synonyms and A.K.A.'s :- ***Diaphus coeruleus?***

Average Maximum Recorded Size (metric) :- **17cm.** FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes : Previously confused with *D.coeruleus*(Klunzinger 1871)

Calypso Fam. No. **87** Family Name (Eng.) :-Lantern-Fishes **Myctophidae**
080 074

Symbolophorus barnardi (Taning 1932)
Barnard's Lanternfish

Synonyms and A.K.A.'s :- *Myctophum humboldti barnardi*

Average Maximum Recorded Size (metric) :- 12cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **88** Family Name (Eng.) :-Deepsea Frogfish **Batrachiodae**
080 373

Batrachomoeus rubricephalus Hutchins 1976
Pinkheaded Frogfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 32cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **89** Family Name (Eng.) :-Monkfish/Angler-Fish **Lophiidae**
080 374

Lophiodes naresi (Gunther 1880)
Goosefish / Fishing-Frog

Synonyms and A.K.A.'s :- *Chirolophius moseleyi* / *Chirolophius murrayo*

Average Maximum Recorded Size (metric) :- 25cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **90** Family Name (Eng.) :-Handfishes **Brachionichthyidae**
081 373

Brachionichthys hirsutus (Lacepede 1804)
Spotted Handfish / Common Handfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 8cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **90** Family Name (Eng.) :-Handfishes ***Brachionichthyidae***
888 373

Brachionichthys spp.
Common Handfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **9cm.** FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes : Awaiting further information

Calypso Fam. No. **90** Family Name (Eng.) :-Handfishes ***Brachionichthyidae***
081 374

Brachionichthys verrucosus (McCulloch & Waite 1918)
Warty Handfish

Synonyms and A.K.A.'s :- *Sympterichthys verrucosus*

Average Maximum Recorded Size (metric) :- **9cm.** FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **91** Family Name (Eng.) :-Coffinfishes ***Chaunacidae***
084 374

Chaunax endeavouri Whitley 1929
Coffinfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **25cm.** FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **92** Family Name (Eng.) :-Fishing Frogfishes ***Antenariidae***
082 373

Allenichthys glauerti (Whitley 1944)
Glauerts Anglerfish / Glauerts Frogfish

Synonyms and A.K.A.'s :- *Echinophryne glauerti*

Average Maximum Recorded Size (metric) :- **19cm.** FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **92** Family Name (Eng.) :-Fishing Frogfishes ***Antenariidae***
082 374

Echinophryne crassipina McCulloch & Waite 1918
Prickly Anglerfish / Prickly Frogfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 7cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **92** Family Name (Eng.) :-Fishing Frogfishes ***Antenariidae***
081 974

Echinophryne mitchelli (Morton 1897)
Mitchell's Anglerfish / Spinycoated Anglerfish

Synonyms and A.K.A.'s :- *Antennarius mitchelli* / *Trichophryne mitchelli*

Average Maximum Recorded Size (metric) :- 15cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **92** Family Name (Eng.) :-Fishing Frogfishes ***Antenariidae***
081 975

Echinophryne reynoldsi Pietsch & Kuitert 1984
Sponge Anglerfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 8cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **92** Family Name (Eng.) :-Fishing Frogfishes ***Antenariidae***
081 973

Histiophryne bougainvilli (VaLinnaeus 1837)
Bougainville's Frogfish / Bougainville's Frogfish

Synonyms and A.K.A.'s :- *Chironectes bougainvilli*

Average Maximum Recorded Size (metric) :- 9cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **92** Family Name (Eng.) :-Fishing Frogfishes **Antenariidae**
080 973

Histiophryne cryptacantha (Weber 1913)
Rodless Anglerfish

Synonyms and A.K.A.'s :- *Antennarius cryptacanthus* / *Golem cryptacanthus*

Average Maximum Recorded Size (metric) :- 9cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **92** Family Name (Eng.) :-Fishing Frogfishes **Antenariidae**
083 373

Kuiterichthys furcipilis (C.1817)
Rough Anglerfish / Rough Frogfish

Synonyms and A.K.A.'s :- *Chironectes furcipilis* / *Trichophryne furcipilis*

Average Maximum Recorded Size (metric) :- 15cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **92** Family Name (Eng.) :-Fishing Frogfishes **Antenariidae**
083 374

Phyllophryne scortea (McCulloch & Waite 1918)
Smooth Anglerfish / Smooth Frogfish

Synonyms and A.K.A.'s :- *Histiophryne scortea*

Average Maximum Recorded Size (metric) :- 10cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **92** Family Name (Eng.) :-Fishing Frogfishes **Antenariidae**
082 973

Rhycherus filamentosus (Castlenau 1872)
Tasselled Anglerfish / Tasselled Frogfish

Synonyms and A.K.A.'s :- *Chironectes bifurcatus* / *Rhycherus wildii* / *Chironectes filamentosus*

Average Maximum Recorded Size (metric) :- 23cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **92** Family Name (Eng.) :-Fishing Frogfishes **Antenariidae**

082 974

Rhycherus gloveri Pietsch 1984

Glover's Anglerfish / Glover's Frogfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 16cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **93** Family Name (Eng.) :-Football Fishes **Himantolophidae**

080 975

Himantolophus appellii (Clarke 1878)

Prickly Deepsea Angler / Football Fish

Synonyms and A.K.A.'s :- *Aegoenichthys appellii*

Average Maximum Recorded Size (metric) :- 40cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **94** Family Name (Eng.) :-Dreamers **Oneirodidae**

084 373

Oneirodes kreffi Pietsch 1974

Kreffts Anglerfish / Kreffts Dreamer

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- F.6cm.M.2cm. FAO Code where known :-

Range :- . Frequency where known:-



Calypso Fam. No. **95** Family Name (Eng.) :-Ceratid Anglerfishes **Ceratiidae**

080 974

Ceratias tentaculatus (Norman 1930)

Southern Seadevil

Synonyms and A.K.A.'s :- *Mancalias tentaculatus* / *Mancalias bifilis*

Average Maximum Recorded Size (metric) :- 50cm. FAO Code where known :-

Range :- . Frequency where known:-

Additional Notes :

Calypso Fam. No. **96** Family Name (Eng.) :-Suckers/Clingfishes **Gobiesocidae**

080 367

Alabes dorsalis (Richardson 1845)

Common Shore Eel

Synonyms and A.K.A.'s :- *Cheilobranchus dorsalis* / *Alabes rufus*

Average Maximum Recorded Size (metric) :- **12cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **96** Family Name (Eng.) :-Suckers/Clingfishes **Gobiesocidae**

080 368

Alabes hoesei Springer & Fraser 1976

Dwarf Shore Eel

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **4.5cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **96** Family Name (Eng.) :-Suckers/Clingfishes **Gobiesocidae**

080 369

Alabes parvulus (McCulloch 1909)

Pygmy Shore Eel

Synonyms and A.K.A.'s :- *Cheilobranchus parvulus*

Average Maximum Recorded Size (metric) :- **4.75cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **96** Family Name (Eng.) :-Suckers/Clingfishes **Gobiesocidae**

080 370

Aspasmogaster liorhyncha Briggs 1955

Smoothsnout Clingfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **4.6cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **96** Family Name (Eng.) :-Suckers/Clingfishes **Gobiesocidae**

080 371

Aspasmogaster occidentalis Hutchins 1984

Western Clingfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **11cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **96** Family Name (Eng.) :-Suckers/Clingfishes **Gobiesocidae**

080 372

Aspasmogaster tasmaniensis (Gunther 1861)

Tasmanian Clingfish

Synonyms and A.K.A.'s :- *Crepidogaster tasmaniensis*

Average Maximum Recorded Size (metric) :- **8cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **96** Family Name (Eng.) :-Suckers/Clingfishes **Gobiesocidae**

081 367

Cochleoceph bassensis (Hutchins 1983?)

Broadheaded Clingfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **7cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **96** Family Name (Eng.) :-Suckers/Clingfishes **Gobiesocidae**

081 368

Cochleoceph bicolor Hutchins 1991

Western Cleaner Clingfish / Bicolour Clingfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **4cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **96** Family Name (Eng.) :-Suckers/Clingfishes **Gobiesocidae**
081 369

Cochleoiceps spatula (Gunther 1861)
Spadenosed Clingfish

Synonyms and A.K.A.'s :- *Crepidogaster spatula*

Average Maximum Recorded Size (metric) :- 7cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **96** Family Name (Eng.) :-Suckers/Clingfishes **Gobiesocidae**
081 370

Cochleoiceps viridis Hutchins 1991
Green Clingfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **96** Family Name (Eng.) :-Suckers/Clingfishes **Gobiesocidae**
081 372

Creocele cardinalis (Ramsay 1882)
Broad Clingfish / Cardinal Clingfish

Synonyms and A.K.A.'s :- *Gobiesox cardinalis*

Average Maximum Recorded Size (metric) :- 7.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **96** Family Name (Eng.) :-Suckers/Clingfishes **Gobiesocidae**
081 371

Parvicrepis parvipinnis (Waite 1906)
Smallfinned Clingfish

Synonyms and A.K.A.'s :- *Diplocrepis parvipinnis*

Average Maximum Recorded Size (metric) :- 3cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **96** Family Name (Eng.) :-Suckers/Clingfishes **Gobiesocidae**
888 367

Parvicrepis sp.
Obscure Clingfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 3cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **96** Family Name (Eng.) :-Suckers/Clingfishes **Gobiesocidae**
888 368

Parvicrepis sp.
Longsnouted Clingfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **97** Family Name (Eng.) :-Cods **Moridae**

030 110

Antimora rostrata (Gunther 1878)
Violet Cod

Synonyms and A.K.A.'s :- *Antimora viola* / *Antimora australis* / *Haloporphyrus viola*

Average Maximum Recorded Size (metric) :- 60cm. FAO Code where known :-MOR Ant 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **97** Family Name (Eng.) :-Cods **Moridae**

084 107

Austrophycis marginata (Gunther 1878)
Dwarf Codling

Synonyms and A.K.A.'s :- *Lotella marginata* / *Austrophycis megalops*

Average Maximum Recorded Size (metric) :- 24cm. FAO Code where known :-MOR Aust 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **97** Family Name (Eng.) :-Cods **Moridae**

087 908

Eeyorius hutchinsi Paulin 1986

Finetoothed Beardie / Tasmanian Codling

Synonyms and A.K.A.'s :- *Lotella callarias*

Average Maximum Recorded Size (metric) :- 20cm. FAO Code where known :-MOR Eey 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **97** Family Name (Eng.) :-Cods **Moridae**

021 109

Halargyreus johnsonii Gunther 1862

Johnsons Deepsea Cod / Slender Cod

Synonyms and A.K.A.'s :- *Halargyreus breviceps* / *Halargyreus affinis*

Average Maximum Recorded Size (metric) :- 60cm. FAO Code where known :-MOR Hal 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **97** Family Name (Eng.) :-Cods **Moridae**

084 109

Laemonema globiceps Gilchrist 1906

Fathead Cod

Synonyms and A.K.A.'s :- *Laemonema multiradiatum*

Average Maximum Recorded Size (metric) :- 17cm. FAO Code where known :-MOR Laem

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **97** Family Name (Eng.) :-Cods **Moridae**

082 110

Lepidion microcephalus Cowper 1956

Small-headed Codling

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 40cm. FAO Code where known :-MOR Lep

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **97** Family Name (Eng.) :-Cods **Moridae**

080 111

Lotella rhacinus (B.& S.1801)

Large-toothed Beardie / Rock Cod

Synonyms and A.K.A.'s :- **Lotella callarias**

Average Maximum Recorded Size (metric) :- **66cm.** FAO Code where known :-MOR Lot

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **97** Family Name (Eng.) :-Cods **Moridae**

080 112

Lotella phycis (Temminck & Schlegel 1846)

Large-scaled Rock Cod / Beardie

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **25cm.** FAO Code where known :-MOR Lot

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **97** Family Name (Eng.) :-Cods **Moridae**

021 111

Mora moro (Risso 1810)

Ribaldo / Deepsea Cod / Common Mora

Synonyms and A.K.A.'s :- **Gadus moro / Mora dannevigii / Mora pacifica / Mora mediterranea**

Average Maximum Recorded Size (metric) :- **75cm.** FAO Code where known :-MOR Mor 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **97** Family Name (Eng.) :-Cods **Moridae**

080 113

Physiculus luminosa Paulin 1983

Luminous Cod

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **30cm.** FAO Code where known :-MOR Phys

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 97 Family Name (Eng.) :-Cods **Moridae**

080 114

Pseudophycis bachus (Bloch & Schneider 1801)

Cod / Red Cod / Red Codling

Synonyms and A.K.A.'s :- *Physiculus bacchus* / *Enchelyopus bachus*

Average Maximum Recorded Size (metric) :- 80cm. FAO Code where known :-MOR Pseud 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 97 Family Name (Eng.) :-Cods **Moridae**

080 115

Pseudophycis barbata Gunther 1863

Bearded Rock Cod / Rock Cod / Bearded

Synonyms and A.K.A.'s :- *Physiculus barbatus* / *Lotella grandis*

Average Maximum Recorded Size (metric) :- 64cm. FAO Code where known :-MOR Pseud 2

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 97 Family Name (Eng.) :-Cods **Moridae**

080 116

Pseudophycis breviuscula (Richardson 1846)

Bastard Red Cod / Northern Bastard Codling

Synonyms and A.K.A.'s :- *Lota breviuscula*

Average Maximum Recorded Size (metric) :- 22cm. FAO Code where known :-MOR Pseud 3

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 97 Family Name (Eng.) :-Cods **Moridae**

080 117

Tripterophycis gilchristi (Whitley 1848)

Grenadier Cod

Synonyms and A.K.A.'s :- *Tripterophycis intermedius*

Average Maximum Recorded Size (metric) :- 20cm. FAO Code where known :-MOR Tript 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **98** Family Name (Eng.) :-Melanonid Cods ***Melanonidae***
080 118

Melanonus gracilis Gunther 1878
Pelagic Cod / Black Cod

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **16cm.** FAO Code where known :-

Range :- Circumantarctic Frequency where known:-

Additional Notes :

Calypso Fam. No. **98** Family Name (Eng.) :-Melanonid Cods ***Melanonidae***
080 119

Melanonus zugmayeri Norman 1930
Zugmayers Black Cod

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **17cm.** FAO Code where known :-

Range :- Circumglobal Frequency where known:-

Additional Notes :

Calypso Fam. No. **99** Family Name (Eng.) :-Eucla Cods ***Euclichthyidae***
080 611

Euclichthys polynemus McCulloch 1926
Bearded Cod / Eucla Cod

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **26cm.** FAO Code where known :-EUCL Eucl 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **100** Family Name (Eng.) :-Macrourids ***Macrouridae***
080 612

Bathygadus cottoides Gunther 1878
Codheaded Whiptail

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **24cm.** FAO Code where known :-MACROUR Bath

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 100 Family Name (Eng.) :-Macrourids **Macrouridae**

888 613

Cetonurus globiceps Vaillant 1884
Roundhead Whiptail / Bert Newton Fish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 35cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : *Laemonema globiceps*. Gilchrist 1906 is also recorded from the area?

Calypso Fam. No. 100 Family Name (Eng.) :-Macrourids **Macrouridae**

080 614

Coelorinchus acanthiger Barnard 1925
Spottyfaced Whiptail / Surgeon Grenadier

Synonyms and A.K.A.'s :- *Coelorinchus pseudoparallelus*

Average Maximum Recorded Size (metric) :- 50cm. FAO Code where known :-MACROUR Coel 4

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 100 Family Name (Eng.) :-Macrourids **Macrouridae**

080 616

Coelorinchus australis (Richardson 1839)
Southern Whiptail / Javelin

Synonyms and A.K.A.'s :- *Coelorinchus mortoni* / *Lepidoleprus australis* / *Macrurus australis*

Average Maximum Recorded Size (metric) :- 55cm. FAO Code where known :-MACROUR Coel 10

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 100 Family Name (Eng.) :-Macrourids **Macrouridae**

070 613

Coelorinchus fasciatus (Gunther 1878)
Banded Whiptail

Synonyms and A.K.A.'s :- *Macrurus fasciatus* / *Coelorhynchus patagoniae*

Average Maximum Recorded Size (metric) :- 45cm. FAO Code where known :-MACROUR Coel 2

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 100 Family Name (Eng.) :-Macrourids **Macrouridae**

080 617

Coelorinchus innotabilis McCulloch 1907

Notable Whiptail / Longnose Rattail

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-MACROUR Coel 19

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 100 Family Name (Eng.) :-Macrourids **Macrouridae**

080 618

Coelorinchus kaiyomaru Arai & Iwamoto 1979

Kaiyomaru Whiptail / Campbell Whiptail

Synonyms and A.K.A.'s :- *Coelorinchus innotabilis?*

Average Maximum Recorded Size (metric) :- 43cm. FAO Code where known :-MACROUR Coel 21

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 100 Family Name (Eng.) :-Macrourids **Macrouridae**

080 619

Coelorinchus mirus McCulloch 1926

Gargoyle Fish

Synonyms and A.K.A.'s :- *Coelorhynchus(Paramacrurus) mirus*

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-MACROUR Coel

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 100 Family Name (Eng.) :-Macrourids **Macrouridae**

084 614

Coelorinchus matamua (McCann & McKnight 1980)

Mahia Whiptail

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 50cm. FAO Code where known :-MACROUR Coel

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 100 Family Name (Eng.) :-Macrourids **Macrouridae**

888 615

Coelorinchus sp.

Little Whiptail

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-MACROUR Coel

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 100 Family Name (Eng.) :-Macrourids **Macrouridae**

080 607

Coryphaenoides serrulatus Gunther 1878

Serrulate Whiptail / Serrulate Rattail

Synonyms and A.K.A.'s :- *Macrurus serrulatus*

Average Maximum Recorded Size (metric) :- 45cm. FAO Code where known :-MACROUR Cory 5

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 100 Family Name (Eng.) :-Macrourids **Macrouridae**

080 615

Coryphaenoides subserrulatus Makushok 1976

Longrayed Whiptail

Synonyms and A.K.A.'s :- *Coryphaenoides quadripennatus*

Average Maximum Recorded Size (metric) :- 37cm. FAO Code where known :-MACROUR Cory 16

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 100 Family Name (Eng.) :-Macrourids **Macrouridae**

888 607

Gadomus sp.

Hairfinned Whiptail

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 40cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Possibly *Gadomus multifilis*

Calypso Fam. No. 100 Family Name (Eng.) :-Macrourids **Macrouridae**

082 608

Hymenocephalus longibarbis Gunther 1887

Twinlight Whiptail

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 12cm. FAO Code where known :-MACROUR Hym

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 100 Family Name (Eng.) :-Macrourids **Macrouridae**

080 609

Lepidorhynchus denticulatus (Richardson 1846)

Toothy Whiptail / Javelin Fish / Thorntooth Grenadier

Synonyms and A.K.A.'s :- *Macrourus denticulatus*

Average Maximum Recorded Size (metric) :- 54cm. FAO Code where known :-MACROUR Lep 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 100 Family Name (Eng.) :-Macrourids **Macrouridae**

020 606

Malacocephalus laevis (Lowe 1843)

Smooth Whiptail / Softhead Grenadier

Synonyms and A.K.A.'s :- *Macrourus laevis*

Average Maximum Recorded Size (metric) :- 50cm. FAO Code where known :-MACROUR Mal 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 100 Family Name (Eng.) :-Macrourids **Macrouridae**

888 107

Mesobius antipodum Hubbs & Iwamoto 1977

Black Javelinfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 66cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 100 Family Name (Eng.) :-Macrourids **Macrouridae**

084 108

Nezumia loricata (Garman 1899)

Darknosed Whiptail / Parrot Grenadier

Synonyms and A.K.A.'s :- *Macrurus loricatus* / *Lionurus loricatus*

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-MACROUR Nez 10

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 100 Family Name (Eng.) :-Macrourids **Macrouridae**

084 109

Trachyrinchus longirostris Gunther 1878

White Whiptail / Unicorn Rattail

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 60cm. FAO Code where known :-MACROUR Trac

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 100 Family Name (Eng.) :-Macrourids **Macrouridae**

081 110

Ventrifossa nigromaculata (McCulloch 1907)

Blackspotted Whiptail / Blackspotted Grenadier

Synonyms and A.K.A.'s :- *Macrurus nigromaculatus* / *Lionurus nigromaculatus*

Average Maximum Recorded Size (metric) :- 34cm. FAO Code where known :-MACROUR Vent 11

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 101 Family Name (Eng.) :-Hake **Merlucciidae**

081 111

Macruronus novaezelandiae (Hector 1871)

Blue Hake / Blue Grenadier / New Zealand Whiptail

Synonyms and A.K.A.'s :- *Coryphaenoides novae-zelandiae*

Average Maximum Recorded Size (metric) :- 1.1m. FAO Code where known :-MERLU Macru 3

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 102 Family Name (Eng.) :-Cusk-Eels **Ophidiidae**

082 610

Brotulotaenia crassa Parr 1934

Violet Cuskeel

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 85cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 102 Family Name (Eng.) :-Cusk-Eels **Ophidiidae**

082 611

Dannevigia tusca Whitley 1941

Australian Tusk-Eel / Tuskfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 56cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 102 Family Name (Eng.) :-Cusk-Eels **Ophidiidae**

082 612

Genypterus blacodes (B.& S.1801)

Pink Ling

Synonyms and A.K.A.'s :- *Genypterus microstomus* / *Ophidium blacodes*

Average Maximum Recorded Size (metric) :- 2m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 102 Family Name (Eng.) :-Cusk-Eels **Ophidiidae**

082 613

Genypterus tigrinus Klunzinger 1872

Rock Ling

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 1.25m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 103 Family Name (Eng.) :-Live-bearing Brotulas **Bythitidae**
082 614

Cataetyx sp.
Flathead Blindfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 12cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 103 Family Name (Eng.) :-Live-bearing Brotulas **Bythitidae**
082 615

Dermatopsis multiradiatus McCulloch & Waite 1918
Slender Blindfish / Yellow Eelpout

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 11.5cm FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 103 Family Name (Eng.) :-Live-bearing Brotulas **Bythitidae**
888 616

Diplacanthopoma sp.
Rhinoceros Blindfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 7cm. FAO Code where known :-

Range :- Frequency where known:- Very rare

Additional Notes :

Calypso Fam. No. 103 Family Name (Eng.) :-Live-bearing Brotulas **Bythitidae**
888 617

Ogilbia sp.
Southern Pygmy Blindfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 6cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 103 Family Name (Eng.) :-Live-bearing Brotulas **Bythitidae**

082 618

Monothrix polylepis Ogilby 1897

Pygmy Blindfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 7cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 104 Family Name (Eng.) :-Pearlfishes **Carapidae**

082 619

Echiodon rendahli (Whitley 1941)

Messmate Fish / Pearlfish / Rendahl's Messmatefish

Synonyms and A.K.A.'s :- *Carapus rendahli*

Average Maximum Recorded Size (metric) :- 12cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 105 Family Name (Eng.) :-Sand Smelts/Rainbow Fish/Hardyheads/Silversides **Atherinidae**

080 137

Atherinason hepsettoides (Richardson 1843)

Vera's Hardyhead / Richardsons Hardyhead / Dannevig's Hardyhead

Synonyms and A.K.A.'s :- *Atherina hepsetoides* / *Atherina dannevigi* / *Atherinason dannevigi*

Average Maximum Recorded Size (metric) :- 9cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 105 Family Name (Eng.) :-Sand Smelts/Rainbow Fish/Hardyheads/Silversides **Atherinidae**

080 138

Atherinosoma elongata (Klunzinger 1879)

Elongated Hardyhead / Swan River Hardyhead

Synonyms and A.K.A.'s :- *Atherina elongata* / *Atherinosoma edelensis* / *Atherinosoma rockinghamensis*

Average Maximum Recorded Size (metric) :- 9.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 105 Family Name (Eng.) :-Sand Smelts/Rainbow Fish/Hardyheads/Silversides **Atherinidae**
080 139

Atherinostoma microstoma (Gunther 1861)
Smallmouthed Hardyhead

Synonyms and A.K.A.'s :- *Atherina microstoma* / *Taeniomembras microstomus*

Average Maximum Recorded Size (metric) :- 10cm. FAO Code where known :-

Range :- Frequency where known:- Common

Additional Notes : Very tolerant of water salinity changes

Calypso Fam. No. 105 Family Name (Eng.) :-Sand Smelts/Rainbow Fish/Hardyheads/Silversides **Atherinidae**
980 137

Craterocephalus amniculus Crowley & Ivantsoff
Darling River Hardyhead

Synonyms and A.K.A.'s :- *Craterocephalus eyresii*?

Average Maximum Recorded Size (metric) :- 5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Very localised distribution

Calypso Fam. No. 105 Family Name (Eng.) :-Sand Smelts/Rainbow Fish/Hardyheads/Silversides **Atherinidae**
980 138

Craterocephalus dalhousiensis Ivantsoff
Dalhousie Springs Hardyhead / Mary River Hardyhead

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 8cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Very localised distribution

Calypso Fam. No. 105 Family Name (Eng.) :-Sand Smelts/Rainbow Fish/Hardyheads/Silversides **Atherinidae**
980 139

Craterocephalus eyresii (Steindachner)
Lake Eyre Hardyhead

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 9.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Very localised distribution

Calypso Fam. No. 105 Family Name (Eng.) :-Sand Smelts/Rainbow Fish/Hardyheads/Silversides **Atherinidae**
980 140

Craterocephalus fluviatilis McCulloch
Murray Hardyhead

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 7.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Very localised distribution

Calypso Fam. No. 105 Family Name (Eng.) :-Sand Smelts/Rainbow Fish/Hardyheads/Silversides **Atherinidae**
981 137

Craterocephalus gloveri Crowley & Ivantsoff
Glover's Hardyhead

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Very localised distribution

Calypso Fam. No. 105 Family Name (Eng.) :-Sand Smelts/Rainbow Fish/Hardyheads/Silversides **Atherinidae**
981 138

Craterocephalus marjoriae Whitley
Marjorie's Hardyhead

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 10cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Very localised distribution

Calypso Fam. No. 105 Family Name (Eng.) :-Sand Smelts/Rainbow Fish/Hardyheads/Silversides **Atherinidae**
980 376

Craterocephalus stercusmuscarum fulvus Ivantsoff(Crowley & Allen)
Flyspecked Hardyhead

Synonyms and A.K.A.'s :- *Craterocephalus stercusmuscarum*

Average Maximum Recorded Size (metric) :- 8cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : A subspecies also exists in the north

Calypso Fam. No. 105 Family Name (Eng.) :-Sand Smelts/Rainbow Fish/Hardyheads/Silversides **Atherinidae**
080 140

Kestratherina brevirostris Pavlov 1988
Shortsnout Hardyhead / Short-headed Hardyhead

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 10cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 105 Family Name (Eng.) :-Sand Smelts/Rainbow Fish/Hardyheads/Silversides **Atherinidae**
080 376

Kestratherina esox (Klunzinger 1872
Pike- headed Hardyhead

Synonyms and A.K.A.'s :- *Atherinichthys esox* / *Atherinason esox* / *Atherinosoma esox*

Average Maximum Recorded Size (metric) :- 15cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 105 Family Name (Eng.) :-Sand Smelts/Rainbow Fish/Hardyheads/Silversides **Atherinidae**
081 137

Leptatherina presbyteroides (Richardson 1843)
Silver Fish / Elongate Hardyhead / Prettyfish

Synonyms and A.K.A.'s :- *Atherinosoma presbyteroides* / *Taeniomembras edulensis*

Average Maximum Recorded Size (metric) :- 11cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 105A Family Name (Eng.) :-Rainbowfishes **Melanotaenidae/Melanotaeniidae**
981 139

Melanotaenia duboulayi (Castlenau)
Duboulay's Rainbowfish

Synonyms and A.K.A.'s :- *Melanotaenia splendida*

Average Maximum Recorded Size (metric) :- F.8cm. M.13cm. FAO Code where known :-

Range :- Frequency where known:-



Calypso Fam. No. **105A** Family Name (Eng.) :-Rainbowfishes ***Melanotaenidae/Melanotaeniidae***
981 140

Melanotaenia fluviatilis (Castlenau)
Crimson-spotted Rainbowfish

Synonyms and A.K.A.'s :- *Melanotaenia splendida*

Average Maximum Recorded Size (metric) :- 9cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **105A** Family Name (Eng.) :-Rainbowfishes ***Melanotaenidae/Melanotaeniidae***
982 137

Rhadinocentrus ornatus Regan
Softspined Rainbowfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 8cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **105B** Family Name (Eng.) :-Blue-Eyes ***Pseudomugilidae***
982 139

Pseudomugil mellis Allen & Ivantsoff
Honey Blue-Eye

Synonyms and A.K.A.'s :- *Pseudomugil signatus*

Average Maximum Recorded Size (metric) :- 4cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **105B** Family Name (Eng.) :-Blue-Eyes ***Pseudomugilidae***
982 140

Pseudomugil signifer Kner
Southern Blue-Eye

Synonyms and A.K.A.'s :- *Pseudomugil signatus*

Average Maximum Recorded Size (metric) :- F.6cm. M.8cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **106** Family Name (Eng.) :-Surf Sardines/Wave Flowers **Isonidae**

081 138

Iso rhotophilus (Ogilby 1895)

Surf sardine / Surf-Fish / Flower-of-the-waves

Synonyms and A.K.A.'s :- *Tropidostethus rhotophilus*

Average Maximum Recorded Size (metric) :- 7.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **108** Family Name (Eng.) :-Grey/Sea Mullet **Mugilidae**

081 128

Aldrichetta forsteri (VaLinnaeus 1836)

Yelloweye / Coorong / Yelloweye Mullet

Synonyms and A.K.A.'s :- *Mugil forsteri* / *Agonostomus forsteri*

Average Maximum Recorded Size (metric) :- 44cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **108** Family Name (Eng.) :-Grey/Sea Mullet **Mugilidae**

081 129

Liza argentea (Q.& G.)1825

Flattailed Mullet / Tiger Mullet

Synonyms and A.K.A.'s :- *Mugil argenteus*

Average Maximum Recorded Size (metric) :- 45cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **108** Family Name (Eng.) :-Grey/Sea Mullet **Mugilidae**

010 130


Mugil cephalus Linnaeus

Sea Mullet / Grey Mullet / Bully Mullet

Synonyms and A.K.A.'s :- *Mugil our* / *Mugil japonicus*

Average Maximum Recorded Size (metric) :- 80cm. FAO Code where known :-MUGIL Mugil 1

Range :- Frequency where known:-



Calypso Fam. No. **108** Family Name (Eng.) :-Grey/Sea Mullet ***Mugilidae***

081 130

Myxus elongatus Gunther 1861

Sand Mullet

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **40cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **108** Family Name (Eng.) :-Grey/Sea Mullet ***Mugilidae***

981 128

Myxus petardi (Castlenau)

Freshwater Mullet

Synonyms and A.K.A.'s :- *Trachystoma petardi*

Average Maximum Recorded Size (metric) :- **80cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **108** Family Name (Eng.) :-Grey/Sea Mullet ***Mugilidae***

981 129

Valamugil georgii (Ogilby)

Fantail Mullet

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **26cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **109** Family Name (Eng.) :-Barracudas ***Sphyraenidae***

090 128

Sphyraena flavicauda Ruppel 1838

Yellowfinned Baracuda

Synonyms and A.K.A.'s :- *Sphyraenella flavicauda*

Average Maximum Recorded Size (metric) :- **40cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **109** Family Name (Eng.) :-Barracudas **Sphyraenidae**

085 128

Sphyraena forsteri Cuvier 1829

Blackspot Barracuda

Synonyms and A.K.A.'s :- ***Sphyraena toxeuina***

Average Maximum Recorded Size (metric) :- **70cm.** FAO Code where known :-SPHY Sphy 2

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **109** Family Name (Eng.) :-Barracudas **Sphyraenidae**

086 129

Sphyraena novaehollandiae Gunther 1860

Shortfin Barracuda / Shortfin Sea-Pike

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **1.1m.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **109** Family Name (Eng.) :-Barracudas **Sphyraenidae**

010 128

Sphyraena obtusata C.& V.

Bluntjaw Barracuda

Synonyms and A.K.A.'s :- ***Sphyraena chrysotaenia***

Average Maximum Recorded Size (metric) :- **1m.** FAO Code where known :-SPHY Sphy 4

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **109** Family Name (Eng.) :-Barracudas **Sphyraenidae**

083 130

Sphyraena waitii

Wait's Barracuda

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **75cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 110 Family Name (Eng.) :-Half-beaks/Garfish **Hemirhamphidae**

080 076

Hemirhamphus robustus Gunther 1866

Robust Halfbeak

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 40cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 110 Family Name (Eng.) :-Half-beaks/Garfish **Hemirhamphidae**

081 086

Hyporhamphus melanochir (VaLinnaeus 1846)

Southern Garfish

Synonyms and A.K.A.'s :- *Hemiramphus melanochir*

Average Maximum Recorded Size (metric) :- 52cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 110 Family Name (Eng.) :-Half-beaks/Garfish **Hemirhamphidae**

081 087

Hyporhamphus regularis (Gunther 1866)

River Garfish

Synonyms and A.K.A.'s :- *Hemirhamphus regularis* / *Hemirhamphus ardelio*

Average Maximum Recorded Size (metric) :- 38cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Two sub-species (eastern & western) have been proposed

Calypso Fam. No. 111 Family Name (Eng.) :-Flying Fish **Exocoetidae**

010 091

Cheilopogon heterurus (Rafinesque -Schmaltz)

Flying-Fish

Synonyms and A.K.A.'s :- *Cypselurus heterurus*

Average Maximum Recorded Size (metric) :- 25cm. FAO Code where known :-

Range :- Frequency where known:-

010 091



Calypso Fam. No. 111 Family Name (Eng.) :-Flying Fish **Exocoetidae**

010 090

Cheilopogon(Cypsilurus) lineatus(pinnibarbatus) (Bennet 1831)

Larger Flying-Fish

Synonyms and A.K.A.'s :- *Cypsilurus melanocercus* / *Exocoetus pinnibarbatus*

Average Maximum Recorded Size (metric) :- 20cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 111 Family Name (Eng.) :-Flying Fish **Exocoetidae**

010 088

Exocoetus volitans Linnaeus

Common Flying-Fish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 25cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 111 Family Name (Eng.) :-Flying Fish **Exocoetidae**

010 089

Hirundichthys(Danichthys) rondeletii (VaLinnaeus 1847)

Blackwinged Flying-Fish

Synonyms and A.K.A.'s :- *Exocoetus rondeletti*

Average Maximum Recorded Size (metric) :- 25cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 113 Family Name (Eng.) :-Sauries/Skippers **Scomberesocidae**

010 086

Scomberesox saurus (Walbaum 1792)

Saury Pike / Skipper

Synonyms and A.K.A.'s :- *Scomberesox forsteri* / *Esox saurus*

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-SCOMBS Scombs 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 114 Family Name (Eng.) :-Alfonsinos/Beryx/Red Snappers **Berycidae**
010 121

Beryx decadactylus C.1829
Beryx / Alfonsine / Imperador

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 60cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 114 Family Name (Eng.) :-Alfonsinos/Beryx/Red Snappers **Berycidae**
020 622

Beryx splendens Lowe 1983
Lowe's Beryx / Alfonsine

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 60cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 114 Family Name (Eng.) :-Alfonsinos/Beryx/Red Snappers **Berycidae**
080 121

Centroberyx affinis (Gunther 1859)
Nannygai

Synonyms and A.K.A.'s :- *Beryx affinis*

Average Maximum Recorded Size (metric) :- 40cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 114 Family Name (Eng.) :-Alfonsinos/Beryx/Red Snappers **Berycidae**
081 121

Centroberyx australis Schimizu & Hutchins 1987
Yellow-eyed Nannegai / Yellow-eyed Red Snapper

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 51cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **114** Family Name (Eng.) :-**Alfonsinos/Beryx/Red Snappers** **Berycidae**
080 621

Centroberyx gerrardi (Gunther 1887)
Red Snapper / Golden Snapper

Synonyms and A.K.A.'s :- *Trachichthodes gerrardi*

Average Maximum Recorded Size (metric) :- **46cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **114** Family Name (Eng.) :-**Alfonsinos/Beryx/Red Snappers** **Berycidae**
080 622

Centroberyx lineatus (C.1829)
Swallowtail / Kingfish

Synonyms and A.K.A.'s :- *Trachichthodes lineatus* / *Beryx lineatus*

Average Maximum Recorded Size (metric) :- **43cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **115** Family Name (Eng.) :-**Soldier-Fish** **Melamphaedae**
888 620

Melamphaes sp.
Crusthead Fish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **6cm.** FAO Code where known :-

Range :- Frequency where known:- Very rare

Additional Notes : Possibly *Melamphaes lugubris*(Glibert 1890)

Calypso Fam. No. **116** Family Name (Eng.) :-**Diretmids** **Diretmidae**
080 623

Diretmoides parini Post & Quero 1981
Black Spinyfin

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **32cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **116** Family Name (Eng.) :-Diretmids ***Diretmidae***

040 623

Diretmus argenteus Johnson 1863

Little Dory / Discfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **13cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **119** Family Name (Eng.) :-Soldier-Fishes ***Trachiichthyidae***

080 620

Aulotrachichthys pulsator Gomon & Kuitert 1987

Golden Roughy

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **8cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **119** Family Name (Eng.) :-Soldier-Fishes ***Trachiichthyidae***

081 620

Gephyroberyx darwini (Johnson 1866)

Darwin's Roughy / Finescaled Roughy

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **30cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **119** Family Name (Eng.) :-Soldier-Fishes ***Trachiichthyidae***

020 620

Hoplostethus atlanticus C.& V.1829

Rough Fish / Orange Rough Fish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **50cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 119 Family Name (Eng.) :-Soldier-Fishes **Trachiichthyidae**
081 120

Hoplostethus gigas (McCulloch 1914)
Giant Sawbelly

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 52cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 119 Family Name (Eng.) :-Soldier-Fishes **Trachiichthyidae**
081 122

Hoplostethus intermedius Hector 1875
Blacktipped Sawbelly / Sawbelly

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 18cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 119 Family Name (Eng.) :-Soldier-Fishes **Trachiichthyidae**
081 621

Hoplostethus latus (McCulloch 1914)
Palefinned Sawbelly

Synonyms and A.K.A.'s :- *Hoplostethus mediterraneus latus*

Average Maximum Recorded Size (metric) :- 13cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 119 Family Name (Eng.) :-Soldier-Fishes **Trachiichthyidae**
888 622

Optivus sp.
Violet Roughy / Long Roughy / Slender Roughy

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 12cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 119 Family Name (Eng.) :-Soldier-Fishes ***Trachiichthyidae***
888 621

Optivus sp.
Western Roughy

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 12cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 119 Family Name (Eng.) :-Soldier-Fishes ***Trachiichthyidae***
888 623

Paratrachichthys sp.
Sandpaper Fish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 25cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 119 Family Name (Eng.) :-Soldier-Fishes ***Trachiichthyidae***
081 622

Sorosichthys ananassa Whitley 1945
Little Pineapplefish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 8cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 119 Family Name (Eng.) :-Soldier-Fishes ***Trachiichthyidae***
082 121

Trachichthys australis Shaw & Nodder 1799
Roughy

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 18cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 120 Family Name (Eng.) :-Pineapple Fishes/Pinecone Fishes **Monocentridae**
080 590

Cleidopus gloriamaris De Vis 1882
Pineapplefish / Pinecone Fish / Port & Starboard Lightfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 28cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 121 Family Name (Eng.) :-John Dories **Zeidae**
080 125

Cyttus australis (Richardson 1843)
Silver Dory / Red Dory / Sun Dory

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 55cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 121 Family Name (Eng.) :-John Dories **Zeidae**
080 126

Cyttus novaezealandiae (Arthur 1885)
New Zealand Dory

Synonyms and A.K.A.'s :- *Zeus novaezealandiae*

Average Maximum Recorded Size (metric) :- 35cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 121 Family Name (Eng.) :-John Dories **Zeidae**
080 127

Cyttus traversi Hutton 1872
King Dory

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 65cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 121 Family Name (Eng.) :-John Dories **Zeidae**

082 125

Zenopsis nebulosus (Temminck & Schlegel 1845)

Mirror Dory

Synonyms and A.K.A.'s :- *Zeus nebulosus*

Average Maximum Recorded Size (metric) :- 70cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 121 Family Name (Eng.) :-John Dories **Zeidae**

010 125

Zeus faber (Linnaeus)

John Dory / St.Peter's Fish

Synonyms and A.K.A.'s :- *Zeus japonicus* / *Zeus pungio*

Average Maximum Recorded Size (metric) :- 65cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 122 Family Name (Eng.) :-Oreo Dory's **Oreosomatidae**

080 625

Allocyttus verrucosus (Gilchrist 1906)

Warty Oreo / Warty Dory

Synonyms and A.K.A.'s :- *Cyttosoma verrucosum*

Average Maximum Recorded Size (metric) :- 43cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 122 Family Name (Eng.) :-Oreo Dory's **Oreosomatidae**

080 627

Neocyttus rhomboidalis Gilchrist 1906

Spiked Oreo / Spiky Dory

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 35cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 122 Family Name (Eng.) :-Oreo Dory's **Oreosomatidae**

082 626

Oreosoma atlanticum C.1829

Oxeyed Oreo / Ox-eye Dory

Synonyms and A.K.A.'s :- *Cyttosoma boops*

Average Maximum Recorded Size (metric) :- 23cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 122 Family Name (Eng.) :-Oreo Dory's **Oreosomatidae**

081 125

Pseudocyttus maculatus Gilchrist 1906

Smooth Oreo / Smooth Dory

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 55cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 123 Family Name (Eng.) :-Opah **Lampridae**

020 626

Lampris guttatus (Brunnich)

Opah / Moonfish / Kingfish / Spotted Moonfish

Synonyms and A.K.A.'s :- *Lampris regius* / *Lampris luna*

Average Maximum Recorded Size (metric) :- 2m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 123 Family Name (Eng.) :-Opah **Lampridae**

080 626

Lampris immaculatus Gilchrist 1904

Southern Moonfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 1.5m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 124 Family Name (Eng.) :-Veilfins **Veliferidae**

081 627

Metavelifer multiradiatus (Regan 1907)

Veilfin

Synonyms and A.K.A.'s :- *Metavelifer multispinosus* / *Velifer multiradiatus*

Average Maximum Recorded Size (metric) :- 48cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 125 Family Name (Eng.) :-Crestfishes **Lophotidae**

081 626

Lophotus lacepedei (Giorna 1809)

Crested Bandfish / Unicorn Fish

Synonyms and A.K.A.'s :- *Lophotus guntheri* / *Lophotus cristatus*

Average Maximum Recorded Size (metric) :- 2m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 126 Family Name (Eng.) :-Ribbon-Fishes/ Deal-Fishes **Trachipteridae**

081 625

Trachipterus arawatei Clarke 1881

Deal Fish / Ribbon-Fish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 2m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : This species and *Trachipterus trachipterus*(Gmelin 1789)-No.010 124- may be synonymous

Calypso Fam. No. 127 Family Name (Eng.) :-Oarfishes **Regalecidae**

010 123

Regalecus glesne Ascanius 1772

Oar-Fish

Synonyms and A.K.A.'s :- *Regalecus banksii* / *Regalecus caudatus* / *Regalecus pacificus*

Average Maximum Recorded Size (metric) :- 7m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 129 Family Name (Eng.) :-Cornetfishes **Fistularidae**

041 092

Fistularia petimba Lacepede 1803

Flutemouth

Synonyms and A.K.A.'s :- *Fistularia serrata* / *Fistularia villosa*

Average Maximum Recorded Size (metric) :- 1.6m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : See also *Fistularia villosa* -No. 091 092(Arabia)

Calypso Fam. No. 130 Family Name (Eng.) :-Snipefishes **Macrorhamphosidae**

080 092

Centriscope humerosus (Richardson 1846)

Banded Bellowsfish

Synonyms and A.K.A.'s :- *Centriscus humerosus* / *Centriscope obliquus*

Average Maximum Recorded Size (metric) :- 28cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 130 Family Name (Eng.) :-Snipefishes **Macrorhamphosidae**

010 092

Macrorhamphosus scolopax (Linnaeus)

Trumpet-Fish / Snipefish / Bellowsfish

Synonyms and A.K.A.'s :- *Macrorhamphosus elevatus* / *Macrorhamphosus gallinago-lancifer-robustus*

Average Maximum Recorded Size (metric) :- 15cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 130 Family Name (Eng.) :-Snipefishes **Macrorhamphosidae**

081 092

Notopogon lilliei Regan 1914

Crested Bellowsfish / Bugler

Synonyms and A.K.A.'s :- *Notopogon endeavouri* / *Notopogon macrosolen*

Average Maximum Recorded Size (metric) :- 27cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
080 093

Acentronura(Idiotropiscis) australe Waite & Hale 1921
Little Pipehorse

Synonyms and A.K.A.'s :- *Idiotropiscis australe*

Average Maximum Recorded Size (metric) :- 5.5cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
080 094

Campichthys galei (Duncker 1909)
Gales Pipefish

Synonyms and A.K.A.'s :- *Ichthyocampus galei*

Average Maximum Recorded Size (metric) :- 6cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
080 095

Campichthys tryoni (Ogilby 1890)
Tryon's Pipefish

Synonyms and A.K.A.'s :- *Ichthyocampus tryoni*

Average Maximum Recorded Size (metric) :- 7.5cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
084 091

Choerichthys latispinosus Dawson 1978

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 2.75cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:- Very rare

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
084 092

Choerichthys suillus Whitley 1951
Pig-snouted Pipefish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 7.5cm FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
084 093

Cosmocampus howensis (Whitley 1948)

Synonyms and A.K.A.'s :- *Parasyngnathus howensis* / *Syngnathus caldwelli*

Average Maximum Recorded Size (metric) :- 7.8cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
043 092

Doryrhamphus dactyliophorus (Bleeker 1853)
Striped Pipefish / Yemeni Pipefish

Synonyms and A.K.A.'s :- *Dunckerocampus dactyliophorus* / *Syngnathus dactyliophorus* / *Acanthognathus caulleryi*

Average Maximum Recorded Size (metric) :- 17.5cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
084 094

Doryrhamphus janssi (Herald & Randall 1972)

Synonyms and A.K.A.'s :- *Dentirostrum janssi*

Average Maximum Recorded Size (metric) :- 12.5cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
084 095

Festucalex cinctus (Ramsay 1882)
Girdled Pipefish

Synonyms and A.K.A.'s :- *Syngnathus cinctus*

Average Maximum Recorded Size (metric) :- 16cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
084 096

Festucalex scalaris (Gunther 1870)
Ladder Pipefish

Synonyms and A.K.A.'s :- *Ichthyocampus scalaris*

Average Maximum Recorded Size (metric) :- 18cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
080 096

Filicampus tigris (Castelnau 1879)
Tiger Pipefish

Synonyms and A.K.A.'s :- *Syngnathus superciliaris* / *Yozia tigris*

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
084 097

Halicampus brocki (Herald 1953)

Synonyms and A.K.A.'s :- *Micrognathus brocki*

Average Maximum Recorded Size (metric) :- 11cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
084 098

Haliichthys taeniophorus Gray 1859)
Ribboned Pipefish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
080 097

Heraldia nocturna Paxton 1975
Upside-down Pipefish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 10cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
080 098

Hippocampus abdominalis Lesson 1827
Big-bellied Seahorse

Synonyms and A.K.A.'s :- *Hippocampus agnesae-bleekeri* / *Hippocampus graciliformis*

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
080 099

Hippocampus breviceps Peters 1870
Short-snouted Seahorse

Synonyms and A.K.A.'s :- *Hippocampus tuberculatus*

Average Maximum Recorded Size (metric) :- 8cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :


Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
080 100

Hippocampus whitei Bleeker 1855
White's Seahorse

Synonyms and A.K.A.'s :- *Hippocampus novaehollandiae*

Average Maximum Recorded Size (metric) :- 15cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-



Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
080 101

Histiogamphelus briggsii McCulloch 1914
Brigg's Crested Pipefish

Synonyms and A.K.A.'s :- *Histiogamphelus maculatus* / *Histiogamphelus maculatus robensis*

Average Maximum Recorded Size (metric) :- 23cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
080 102

Histiogamphelus cristatus Macleay 1882
Macleay's Crested Pipefish / Coxcomb / Aldinga Pipe

Synonyms and A.K.A.'s :- *Leptoichthys cristatus* / *Histiogamphelus gallinaceus* / *Histiogamphelus maculatus*

Average Maximum Recorded Size (metric) :- 28cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
080 599

Hypselognathus horridus Dawson & Glover 1982
Shaggy Pipefish / Prickly Pipefish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 28cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
080 600

Hypselognathus rostratus (Waite & Hale 1921)
Knifesnouted Pipefish

Synonyms and A.K.A.'s :- *Histiogamphelus rostratus*

Average Maximum Recorded Size (metric) :- 32cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
081 093

Kaupus costatus (Waite & Hale 1921)
Deep-bodied Pipefish

Synonyms and A.K.A.'s :- *Leptonotus costatus*

Average Maximum Recorded Size (metric) :- 14cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
081 094

Kimblaesus bassensis Dawson 1980
Bass Straits Pipefish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 17cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes : Very localised distribution

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
081 095

Leptoichthys fistularius Kaup 1853
Brushtailed Pipefish

Synonyms and A.K.A.'s :- *Leptoichthys castelnaui*

Average Maximum Recorded Size (metric) :- 65cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
081 096

Lissocampus caudalis Waite & Hale 1921
Smooth Pipefish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 11cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
084 099

Lissocampus fatiloquus (Whitley 1943)
Prophet's Pipefish

Synonyms and A.K.A.'s :- *Campanichthys fatiloquus*

Average Maximum Recorded Size (metric) :- 11cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
081 097

Lissocampus runa (Whitley 1931)
Javelin Pipefish / Western Smooth Pipefish

Synonyms and A.K.A.'s :- *Festucalix(Campichthys) runa* / *Lissocampus affinis*

Average Maximum Recorded Size (metric) :- 11cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
084 100

Maroubra perserrata Whitley 1948
Sawtooth Pipefish / Serrated Pipefish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 8cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
084 101

Mitotichthys meraculus (Whitley 1948)
Western Crested Pipefish

Synonyms and A.K.A.'s :- *Histiogamphelus meraculus*

Average Maximum Recorded Size (metric) :- 22cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
081 099

Mitotichthys mollisoni (Scott 1955)
Mollison's Pipefish

Synonyms and A.K.A.'s :- *Syngnathus mollisoni*

Average Maximum Recorded Size (metric) :- 22cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
081 100

Mitotichthys semistriatus (Kaup 1856)
Halfbanded Pipefish

Synonyms and A.K.A.'s :- *Leptonotus semistriatus* / *Leptonotus tristriatus* / *Syngnathus verreauxianus*

Average Maximum Recorded Size (metric) :- 28cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
083 095

Mitotichthys tuckeri (Scott 1942)
Tucker's Pipefish

Synonyms and A.K.A.'s :- *Syngnathus tuckeri*

Average Maximum Recorded Size (metric) :- 8cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**

083 096

Nannocampus subosseus Gunther 1870

Bony-headed Pipefish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 9cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**

081 101

Notiocampus ruber (Ramsay & Ogilby 1886)

Red Pipefish

Synonyms and A.K.A.'s :- *Nannocampus ruber*

Average Maximum Recorded Size (metric) :- 16cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**

081 102

Phycodurus eques (Gunther 1865)

Leafy Sea-dragon / Glauert's Sea-dragon

Synonyms and A.K.A.'s :- *Phyllopteryx eques* / *Phycodurus glauerti*

Average Maximum Recorded Size (metric) :- 32cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**

081 599

Phyllopteryx taeniolatus (Lacepede 1804)

Common Sea-dragon

Synonyms and A.K.A.'s :- *Syngnatus(sic) taeniolatus* / *Phyllopteryx elongatus* / *Syngnathus foliatus*

Average Maximum Recorded Size (metric) :- 46cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**

081 600

Pugnaso curtirostris Whitley 1948

Pugnosed Pipefish / Shortsnouted Pipefish

Synonyms and A.K.A.'s :- *Syngnathus curtirostris* / *Syngnatus caretta*

Average Maximum Recorded Size (metric) :- 19cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**

083 097

Solegnathus hardwickii (Gray 1830)

Hardwick's Pipefish

Synonyms and A.K.A.'s :- *Solegnathus polyprion* / *Solenognathus asperrimus*

Average Maximum Recorded Size (metric) :- 50cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**

083 098

Solegnathus lettiensis Bleeker 1860

Gunther's Pipe-horse

Synonyms and A.K.A.'s :- *Solenognathus guentheri* / *Solenognathus lettiensis*

Average Maximum Recorded Size (metric) :- 52cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**

082 093

Solegnathus robustus McCulloch 1911

Robust Pipehorse

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 36cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**

082 094

Solegnathus spinosissimus Gunther 1870

Spiny Pipehorse

Synonyms and A.K.A.'s :- *Solegnathus robustus(naso)* / *Solegnathus fasciatus*

Average Maximum Recorded Size (metric) :- 50cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**

095 096

Stigmatopora argus (Richardson 1840)

Peacock Pipefish / Spotted Pipefish

Synonyms and A.K.A.'s :- *Syngnathus argus* / *Stigmatopora argus* / *Stigmatopora gracilis*

Average Maximum Recorded Size (metric) :- 25cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**

082 096

Stigmatopora nigra Kaup 1856

Widebodied Pipefish

Synonyms and A.K.A.'s :- *Stigmatopora boops* / *Stigmatopora nigra*

Average Maximum Recorded Size (metric) :- 16cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**

082 097

Stipecampus cristatus (McCulloch & Waite 1918)

Ringbacked Pipefish

Synonyms and A.K.A.'s :- *Ichthyocampus cristatus*

Average Maximum Recorded Size (metric) :- 24cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**

041 094

Syngnathoides biaculeatus (Bloch 1785)

Alligator Pipefish

Synonyms and A.K.A.'s :- *Syngnathus tetragonus* / *Syngnathus blochi* / *Stigmatophora unicolor*

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**

043 094

Trachyrhamphus bicoarctatus (Bleeker 1857)

Double-ended Pipefish

Synonyms and A.K.A.'s :- *Yozia compitalis* / *Ichthyocampus maculatus* / *Ichthyocampus annulatus*

Average Maximum Recorded Size (metric) :- 40cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**

082 098

Urocampus carinirostris Castlenau 1872

Hairy Pipefish

Synonyms and A.K.A.'s :- *Urocampus coelorhynchus* / *Urocampus guntheri*

Average Maximum Recorded Size (metric) :- 10cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**

082 099

Vanacampus margaritifer (Peters 1869)

Mother-of-Pearl Pipefish

Synonyms and A.K.A.'s :- *Syngnathus margaritifer*

Average Maximum Recorded Size (metric) :- 16cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
082 100

Vanacampus phillipi (Lucas 1891)
Port Philip Pipefish

Synonyms and A.K.A.'s :- *Syngnathus phillipi*

Average Maximum Recorded Size (metric) :- 20cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
082 101

Vanacampus poecilolaemus (Peters 1869)
Sauvage's Pipefish / Longsnout Pipefish

Synonyms and A.K.A.'s :- *Syngnathus poecilolaemus*

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 131 Family Name (Eng.) :-Pipefishes/Seahorses **Syngnathidae**
082 102

Vanacampus vercoi (Waite & Hale 1921)
Verco's Pipefish

Synonyms and A.K.A.'s :- *Syngnatus vercoi* / *Coryoichthys flindersi*

Average Maximum Recorded Size (metric) :- 11cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 132 Family Name (Eng.) :-Sea Moths **Pegasidae**
080 324

Pegasus lancifer (Kaup 1861)
Dragonfish / Sea Moth / Sculptured Sea Moth

Synonyms and A.K.A.'s :- *Acanthopegasus lancifer*

Average Maximum Recorded Size (metric) :- 10.5cm. FAO Code where known :-

Range :- See Area Description below Frequency where known:-

Additional Notes :

Calypso Fam. No. 133 Family Name (Eng.) :-Flatheads ***Platycephalidae***

080 824

Leviprora inops (Jenyns 1840)

Longhead Flathead

Synonyms and A.K.A.'s :- *Platycephalus inops* / *Platycephalus haackei*

Average Maximum Recorded Size (metric) :- 62cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 133 Family Name (Eng.) :-Flatheads ***Platycephalidae***

080 826

Neoplatycephalus aurimaculatus (Knapp 1987)

Toothy Flathead

Synonyms and A.K.A.'s :- *Platycephalus*(*Neoplatycephalus*) *aurimaculatus* / *Platycephalus speculator*

Average Maximum Recorded Size (metric) :- 55cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 133 Family Name (Eng.) :-Flatheads ***Platycephalidae***

080 825

Neoplatycephalus conatus (Waite & McCulloch 1915)

Deepwater Flathead / Flathead

Synonyms and A.K.A.'s :- *Platycephalus*(*Neoplatycephalus*) *conatus*

Average Maximum Recorded Size (metric) :- 70cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 133 Family Name (Eng.) :-Flatheads ***Platycephalidae***

080 827

Neoplatycephalus richardsoni (Castlenau 1872)

Tiger Flathead / King Flathead

Synonyms and A.K.A.'s :- *Platycephalus richardsoni* / *Neoplatycephalus grandis* / *Platycephalus mortoni*

Average Maximum Recorded Size (metric) :- 65cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 133 Family Name (Eng.) :-Flatheads ***Platycephalidae***

080 828

Platycephalus bassensis C.1829

Sand Flathead

Synonyms and A.K.A.'s :- *Platycephalus tasmanius*

Average Maximum Recorded Size (metric) :- 47.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 133 Family Name (Eng.) :-Flatheads ***Platycephalidae***

081 825

Platycephalus caeruleopunctatus (McCulloch 1922)

Blue-spot Flathead

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 60cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 133 Family Name (Eng.) :-Flatheads ***Platycephalidae***

081 824

Platycephalus fuscus C.1829

Dusky Flathead

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 55cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 133 Family Name (Eng.) :-Flatheads ***Platycephalidae***

080 829

Platycephalus laevigatus C.1829

Grassy Flathead / Rock Flathead

Synonyms and A.K.A.'s :- *Platycephalus proximus*

Average Maximum Recorded Size (metric) :- 50cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 133 Family Name (Eng.) :-Flatheads **Platycephalidae**

080 830

Platycephalus specularis Klunzinger 1872

Blue-spot Flathead / Castlenau's Flathead / Yank Flathead / Longnose Flathead

Synonyms and A.K.A.'s :- *Platycephalus castlenau*

Average Maximum Recorded Size (metric) :- 90cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 133 Family Name (Eng.) :-Flatheads **Platycephalidae**

080 831

Thysanophrys cirronasus (Richardson 1848)

Rock Flathead / Tassel-snouted Flathead

Synonyms and A.K.A.'s :- *Platycephalus cirronasus*

Average Maximum Recorded Size (metric) :- 38cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 134 Family Name (Eng.) :-Deepsea Flatheads **Hoplichthyidae**

081 327

Hoplichthys haswelli (McCulloch 1907)

Deepsea Flathead / Armoured Flathead / Spiny Flathead

Synonyms and A.K.A.'s :- *Rhinhoplichthys haswelli*

Average Maximum Recorded Size (metric) :- FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 135 Family Name (Eng.) :-Gurnards **Triglidae**

080 327

Chelidonichthys kumu (Lesson & Garnot 1826)

Flying Gurnard / Red Gurnard / Kumu

Synonyms and A.K.A.'s :- *Curripiscis volucer* / *Trigla kumu*

Average Maximum Recorded Size (metric) :- 50cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 135 Family Name (Eng.) :-Gurnards **Triglidae**

084 328

Lepidotrigla modesta (Waite 1899)

Minor Gurnard / Cocky Gurnard

Synonyms and A.K.A.'s :- *Paratrigla modesta*

Average Maximum Recorded Size (metric) :- 22cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 135 Family Name (Eng.) :-Gurnards **Triglidae**

080 329

Lepidotrigla mulhalli McCleay 1884

Round-snouted Gurnard / Deepwater Gurnard

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 23cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 135 Family Name (Eng.) :-Gurnards **Triglidae**

080 330

Lepidotrigla papilio (C.1829)

Butterfly Gurnard / Spiny Gurnard

Synonyms and A.K.A.'s :- *Trigla papilio* / *Lepidotrigla phalaena* / *Lepidotrigla sphinx*

Average Maximum Recorded Size (metric) :- 20cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 135 Family Name (Eng.) :-Gurnards **Triglidae**

080 325

Lepidotrigla spinosa Gomon 1987

Butterfly Gurnard / Southern shortfin Gurnard

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 12cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 135 Family Name (Eng.) :-Gurnards **Triglidae**

080 326

Lepidotrigla vanessa (Richardson 1839)

Butterfly Gurnard

Synonyms and A.K.A.'s :- *Trigla vanessa*

Average Maximum Recorded Size (metric) :- 28cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 135 Family Name (Eng.) :-Gurnards **Triglidae**

080 331

Pterygotrigla picta (Gunther 1880)

Painted Latchet

Synonyms and A.K.A.'s :- *Pteryotrigla andertoni*

Average Maximum Recorded Size (metric) :- 50cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 135 Family Name (Eng.) :-Gurnards **Triglidae**

080 332

Pterygotrigla polyommata (Richardson 1839)

Latchet / Sharp-beaked Gurnard

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 58cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 135 Family Name (Eng.) :-Gurnards **Triglidae**

080 385

Satyrichthys lingi (Whitley 1933)

Crocodile-Fish / Armoured Gurnard / Sea Robin

Synonyms and A.K.A.'s :- *Peristedion(Panichthys) picturatum / Panichthys lingi*

Average Maximum Recorded Size (metric) :- 55cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 136 Family Name (Eng.) :-Velvetfishes ***Aploactinidae/Aploactidae***
080 328

Aploactisoma milesii Richardson 1850
Velvetfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 20cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 136 Family Name (Eng.) :-Velvetfishes ***Aploactinidae/Aploactidae***
081 329

Kanekonia queenslandica Whitley 1952
Deep Velvetfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 6.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 136 Family Name (Eng.) :-Velvetfishes ***Aploactinidae/Aploactidae***
081 330

Neoaploactis tridorsalis Eschmeyer & Allen 1978
Threefin Velvetfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 4.25cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : A very rare species

Calypso Fam. No. 137 Family Name (Eng.) :-Prowfishes ***Pataecidae***
081 331

Aetapcus maculatus (Gunther 1861)
Warty Prowfish / Smooth Prowfish / Tasmanian Prowfish

Synonyms and A.K.A.'s :- *Aetapcus armatus* / *Aetapcus vincenti* / *Pataecus maculatus*

Average Maximum Recorded Size (metric) :- 22cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 137 Family Name (Eng.) :-Prowfishes ***Pataecidae***

082 330

Gnathanacanthus goetzeei Bleeker 1855

Red Velvetfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Placed in the family Gnathanacanthidae by some authorities

Calypso Fam. No. 137 Family Name (Eng.) :-Prowfishes ***Pataecidae***

082 328

Neopataecus waterhousii (Castlenau 1872)

Whiskered Prowfish

Synonyms and A.K.A.'s :- *Pataecus waterhousii*

Average Maximum Recorded Size (metric) :- 19cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 137 Family Name (Eng.) :-Prowfishes ***Pataecidae***

082 329

Pataecus fronto Richardson 1844

Red Indianfish

Synonyms and A.K.A.'s :- *Pataecus subocellatus*

Average Maximum Recorded Size (metric) :- 35cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 138 Family Name (Eng.) :-Pigfishes ***Congiopodidae***

082 331

Perryena leucometopon (Waite 1922)

Whitenosed Pigfish

Synonyms and A.K.A.'s :- *Congiopus leucometapon*

Average Maximum Recorded Size (metric) :- 16cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 139 Family Name (Eng.) :-Blobfishes/Toadfishes **Psychrolutidae**
088 331

Psychrolutes marcidus (McCulloch 1926)
Australian Sculpin / Blobfish / Toadfish

Synonyms and A.K.A.'s :- *Neophrynichthys marcidus*

Average Maximum Recorded Size (metric) :- 38cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 141 Family Name (Eng.) :-Waspfish/Roguefish **Tetrarogidae**
080 388

Gymnapistes marmoratus (C.1829)
Soldierfish / Cobbler / Devilfish / Stingfish

Synonyms and A.K.A.'s :- *Apistes marmoratus*

Average Maximum Recorded Size (metric) :- 18cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Placed in Scorpaenidae by some authorities

Calypso Fam. No. 142 Family Name (Eng.) :-Scorpionfishes **Scorpaenidae**
083 386

Centropogon australis (White 1970)
Fortesque

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 12.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 142 Family Name (Eng.) :-Scorpionfishes **Scorpaenidae**
080 386

Centropogon latifrons Mees 1962
Western Fortesque

Synonyms and A.K.A.'s :- *Centropogon australis*

Average Maximum Recorded Size (metric) :- 12.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 142 Family Name (Eng.) :-Scorpionfishes **Scorpaenidae**
080 387

Glyptauchen panduratus (Richardson 1850)
Goblinfish

Synonyms and A.K.A.'s :- *Apistes panduratus* / / *Glyptauchen insidiator*

Average Maximum Recorded Size (metric) :- 19cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 142 Family Name (Eng.) :-Scorpionfishes **Scorpaenidae**
080 333

Helicolenus percoides (Richardson 1842)
Coral Cod / Coral Perch / Ocean Perch

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 48cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 142 Family Name (Eng.) :-Scorpionfishes **Scorpaenidae**
080 334

Maxillicosta scabriceps (Whitley 1935)
Little Scorpionfish

Synonyms and A.K.A.'s :- *Neosebastes scabriceps*

Average Maximum Recorded Size (metric) :- 12cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 142 Family Name (Eng.) :-Scorpionfishes **Scorpaenidae**
080 335

Maxillicosta whitleyi Eschmeyer & Poss 1976
Whitley's Scorpionfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 9cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 142 Family Name (Eng.) :-Scorpionfishes **Scorpaenidae**
080 336
Neosebastes bougainvillii (C.1829)
Gulf Gurnard Perch

Synonyms and A.K.A.'s :- *Sebastes bougainvillei* / *Neosebastes pantica*
Average Maximum Recorded Size (metric) :- 40cm. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. 142 Family Name (Eng.) :-Scorpionfishes **Scorpaenidae**
080 833
Neosebastes nigropunctatus McCulloch 1915
Black-spotted Gurnard Perch

Synonyms and A.K.A.'s :-
Average Maximum Recorded Size (metric) :- 36cm. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. 142 Family Name (Eng.) :-Scorpionfishes **Scorpaenidae**
080 834
Neosebastes pandus (Richardson 1842)
Gurnard Perch

Synonyms and A.K.A.'s :-
Average Maximum Recorded Size (metric) :- 40cm. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. 142 Family Name (Eng.) :-Scorpionfishes **Scorpaenidae**
080 835
Neosebastes scorpaenoides Guichenot 1868
Ruddy Gurnard Perch / Gurnard Perch / Cobbler Perch

Synonyms and A.K.A.'s :-
Average Maximum Recorded Size (metric) :- 40cm. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. 142 Family Name (Eng.) :-Scorpionfishes **Scorpaenidae**
080 836

Neosebastes thetidis (Waite 1899)
Rough Gurnard Perch / Thetis Fish

Synonyms and A.K.A.'s :- ***Sebastes thetidis***

Average Maximum Recorded Size (metric) :- 35cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 142 Family Name (Eng.) :-Scorpionfishes **Scorpaenidae**
980 333

Notesthes robusta (Gunther)
Bullrout / Kroki

Synonyms and A.K.A.'s :- ***Centropogon robustus***

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 142 Family Name (Eng.) :-Scorpionfishes **Scorpaenidae**
081 333

Scorpaena papillosa (B.& S.1801)
Red Rock Cod

Synonyms and A.K.A.'s :- ***Synanceja papillosus* / *Ruboralga ergastulorum***

Average Maximum Recorded Size (metric) :- 38cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 142 Family Name (Eng.) :-Scorpionfishes **Scorpaenidae**
081 334

Scorpaena sumptuosa Castlenau 1875
Western Red Scorpion Cod / Western Scorpionfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 40cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 142 Family Name (Eng.) :-Scorpionfishes **Scorpaenidae**
081 335

Trachyscorpia capensis (Gilchrist & von Bonde 1924)
Deepsea Perch

Synonyms and A.K.A.'s :- *Scorpaena capensis*

Average Maximum Recorded Size (metric) :- 45cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 144 Family Name (Eng.) :-Groupers/Rock Cod **Serranidae**
080 183

Acanthistius ocellatus (Gunther 1859)
Eastern Wirrah / Peppermint Cod / Old Boot

Synonyms and A.K.A.'s :- *Plectropoma ocellatum*

Average Maximum Recorded Size (metric) :- 45cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 144 Family Name (Eng.) :-Groupers/Rock Cod **Serranidae**
080 184

Acanthistius serratus (C.1828)
Western Wirrah

Synonyms and A.K.A.'s :- *Plectropoma serratum*

Average Maximum Recorded Size (metric) :- 50cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 144 Family Name (Eng.) :-Groupers/Rock Cod **Serranidae**
080 185

Caesioperca lepidoptera (B.& S.)1801
Butterfly Perch

Synonyms and A.K.A.'s :- *Epinephalus lepidopterus*

Average Maximum Recorded Size (metric) :- 48cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **144** Family Name (Eng.) :-Groupers/Rock Cod **Serranidae**

080 186

Caesioperca rasor (Richardson 1839)

Barber Perch

Synonyms and A.K.A.'s :- ***Serranus rasor***

Average Maximum Recorded Size (metric) :- **25cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **144** Family Name (Eng.) :-Groupers/Rock Cod **Serranidae**

080 187

Epinephalides armatus (Castlenau 1875)

Breaksea Cod

Synonyms and A.K.A.'s :- ***Serranus armatus***

Average Maximum Recorded Size (metric) :- **55cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **144** Family Name (Eng.) :-Groupers/Rock Cod **Serranidae**

090 188

Epinephalus lanceolatus (Bloch 1790)

Queensland Groper / Giant Jewfish / Brindled Harbour Grouper

Synonyms and A.K.A.'s :- ***Promicrops lanceolatus* / *Holocentrus lanceolatus***

Average Maximum Recorded Size (metric) :- **3m.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **144** Family Name (Eng.) :-Groupers/Rock Cod **Serranidae**

888 188

Epinephalus sp.

Southern Rock Cod

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **50cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Possibly identifiable as *Epinephalus daemeli*

Calypso Fam. No. 144 Family Name (Eng.) :-Groupers/Rock Cod **Serranidae**

080 190

Hypoplectrodes annulatus (Gunther 1859)

Black-banded Sea Perch

Synonyms and A.K.A.'s :- *Plectropoma annulatum* / *Ellerkeldia annulata* / *Gilbertia annulata*

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 144 Family Name (Eng.) :-Groupers/Rock Cod **Serranidae**

080 191

Hypoplectrodes cardinalis Allen & Randall 1990

Red Sea Perch

Synonyms and A.K.A.'s :- *Ellerkeldia rubra*

Average Maximum Recorded Size (metric) :- 10cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 144 Family Name (Eng.) :-Groupers/Rock Cod **Serranidae**

080 192

Hypoplectrodes maccullochi (Whitley 1929)

Half-banded Sea Perch

Synonyms and A.K.A.'s :- *Ellerkeldia mccullochi*

Average Maximum Recorded Size (metric) :- 45cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 144 Family Name (Eng.) :-Groupers/Rock Cod **Serranidae**

081 183

Hypoplectrodes nigroruber (C.1828)

Banded Sea Perch

Synonyms and A.K.A.'s :- *Plectropoma nigrorubrum*

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 144 Family Name (Eng.) :-Groupers/Rock Cod **Serranidae**

081 184

Hypoplectrodes wilsoni (Allen & Moyer 1980)
Spotty Sea Perch

Synonyms and A.K.A.'s :- *Ellerkeldia wilsoni*

Average Maximum Recorded Size (metric) :- 20cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 144 Family Name (Eng.) :-Groupers/Rock Cod **Serranidae**

081 185

Lepidoperca filamenta Roberts 1987
Western Orange Perch

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 18cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 144 Family Name (Eng.) :-Groupers/Rock Cod **Serranidae**

081 186

Lepidoperca occidentalis Whitley 1951
Slender Orange Perch

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 22cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 144 Family Name (Eng.) :-Groupers/Rock Cod **Serranidae**

081 187

Lepidoperca pulchella (Waite 1899)
Eastern Orange Perch

Synonyms and A.K.A.'s :- *Anthias pulchellus* / *Lepidoperca inornata*

Average Maximum Recorded Size (metric) :- 28cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **144** Family Name (Eng.) :-Groupers/Rock Cod **Serranidae**

081 188

Othos dentex (C.1828)

Harlequin Fish

Synonyms and A.K.A.'s :- ***Plectropoma dentex***

Average Maximum Recorded Size (metric) :- **75cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **145** Family Name (Eng.) :-Anthid Groupers **Callanthiidae**

082 192

Callanthias allporti Gunther 1876

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **Not recorded** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **145** Family Name (Eng.) :-Anthid Groupers **Callanthiidae**

081 192

Callanthias australis (Ogilby 1899)

Splendid Perch / Anthias / Allport's Perch

Synonyms and A.K.A.'s :- ***Callanthias platei***

Average Maximum Recorded Size (metric) :- **48cm.?** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **148** Family Name (Eng.) :-Sea Bass/Bass **Percichthyidae**

080 180

Apogonops anomalus Ogilby 1896

Threespine Cardinalfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **15cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **148** Family Name (Eng.) :-Sea Bass/Bass ***Percichthyidae***
080 181

Howella brodiei Ogilby 1899
Southern Pelagic Cardinalfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **10cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **148** Family Name (Eng.) :-Sea Bass/Bass ***Percichthyidae***
980 188

Maccullochella ikei Rowland
Eastern Cod

Synonyms and A.K.A.'s :- ***Maccullochella peelii***

Average Maximum Recorded Size (metric) :- **60cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **148** Family Name (Eng.) :-Sea Bass/Bass ***Percichthyidae***
980 189

Maccullochella macquariensis (C.)
Trout Cod / Bluenosed Cod

Synonyms and A.K.A.'s :- ***Maccullochella mitchelli***

Average Maximum Recorded Size (metric) :- **85cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **148** Family Name (Eng.) :-Sea Bass/Bass ***Percichthyidae***
980 187

Maccullochella peelii mariensis Rowland
Mary River Cod

Synonyms and A.K.A.'s :- ***Maccullochella peelii***

Average Maximum Recorded Size (metric) :- **70cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 148 Family Name (Eng.) :-Sea Bass/Bass **Percichthyidae**
980 186

Maccullochella peelii peelii (Mitchell)
Murray Cod

Synonyms and A.K.A.'s :- *Maccullochella peelii*

Average Maximum Recorded Size (metric) :- 1.8m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 148 Family Name (Eng.) :-Sea Bass/Bass **Percichthyidae**
980 183

Macquaria ambigua (Richardson)
Golden Perch / White Perch / Murray Perch

Synonyms and A.K.A.'s :- *Plectroplites ambiguus*

Average Maximum Recorded Size (metric) :- 75cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 148 Family Name (Eng.) :-Sea Bass/Bass **Percichthyidae**
980 184

Macquaria australasica C.
Macquarie Perch / Mountain Perch

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 45cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Endangered Species

Calypso Fam. No. 148 Family Name (Eng.) :-Sea Bass/Bass **Percichthyidae**
980 182

Macquaria colonorum (Gunther 1863)
Estuary Perch

Synonyms and A.K.A.'s :- *Lates colonorum* / *Percolates colonorum*

Average Maximum Recorded Size (metric) :- 60cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **148** Family Name (Eng.) :-Sea Bass/Bass ***Percichthyidae***
980 185

Macquaria novemaculata (Steindachner)
Australian Bass

Synonyms and A.K.A.'s :- *Percalates novemaculata*

Average Maximum Recorded Size (metric) :- 60cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **148** Family Name (Eng.) :-Sea Bass/Bass ***Percichthyidae***
081 182

Polyprion oxygeneios (B.& S.)1801
Hapuku / New Zealand Grouper

Synonyms and A.K.A.'s :- *Epinephalus oxygeneios*

Average Maximum Recorded Size (metric) :- 1.5m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **148A** Family Name (Eng.) :-Glassfishes/Chandid Perches ***Chandidae/Ambassidae***
981 180

Ambassis agassizi
Olive Perchlet

Synonyms and A.K.A.'s :- *Ambassis nigripinnis* / *Pseudambassis pallidus* / *Priops olivaceous*

Average Maximum Recorded Size (metric) :- 8cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **148A** Family Name (Eng.) :-Glassfishes/Chandid Perches ***Chandidae/Ambassidae***
981 182

Ambassis marianus Gunther
Estuary Perchlet

Synonyms and A.K.A.'s :- *Pseudambassis ramsayi* / *Pseudambassis convexus*

Average Maximum Recorded Size (metric) :- 9cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 150 Family Name (Eng.) :-Roundheads/Longfins ***Plesiopidae***
081 189

Paraplesiops alisonae Hoese & Kuitert 1984
Alison's Bluedevil

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 15cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 150 Family Name (Eng.) :-Roundheads/Longfins ***Plesiopidae***
081 190

Paraplesiops meleagris (Peters 1870)
Bluedevil

Synonyms and A.K.A.'s :- *Plesiops meleagris*

Average Maximum Recorded Size (metric) :- 33cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 150 Family Name (Eng.) :-Roundheads/Longfins ***Plesiopidae***
081 191

Paraplesiops sinclairi Hutchins 1987
Western Bluedevil

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 22cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 150 Family Name (Eng.) :-Roundheads/Longfins ***Plesiopidae***
081 689

Trachinops brauni Allen 1977
Braun's Hulafish

Synonyms and A.K.A.'s :- *Paratrachinops brauni*

Average Maximum Recorded Size (metric) :- 8cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 150 Family Name (Eng.) :-Roundheads/Longfins ***Plesiopidae***

081 690

Trachinops caudimaculatus McCoy 1890
Southern Hulafish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 15cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 150 Family Name (Eng.) :-Roundheads/Longfins ***Plesiopidae***

081 691

Trachinops noarlungae Glover 1974
Noarlunga Hulafish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 15cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 151 Family Name (Eng.) :-Longfins ***Acanthoclinidae***

084 707

Beliops xanthokrossos Hardy 1984
Southern Longfin

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 2.6cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Closely related to *Acanthoplesiops*

Calypso Fam. No. 152 Family Name (Eng.) :-Target Perch/Grunters ***Theraponidae/Terapontidae***

980 708

Bidyanus bidyanus (Mitchell)
Silver Perch / Bidyan

Synonyms and A.K.A.'s :- *Terapon bidyanus*

Average Maximum Recorded Size (metric) :- 50cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 152 Family Name (Eng.) :-Target Perch/Grunters ***Theraponidae/Terapontidae***
980 709

Leiopotherapon unicolor (Gunther)

Spangled Perch / Spangled Grunter / Jewel Perch

Synonyms and A.K.A.'s :- *Madigania unicolor*

Average Maximum Recorded Size (metric) :- 25cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 152 Family Name (Eng.) :-Target Perch/Grunters ***Theraponidae/Terapontidae***
080 708

Pelates octolineatus (Jenyns 1842)

Striped Perch

Synonyms and A.K.A.'s :- *Helotes octolineatus*

Average Maximum Recorded Size (metric) :- 28cm. FAO Code where known :-TER Pela

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 152 Family Name (Eng.) :-Target Perch/Grunters ***Theraponidae/Terapontidae***
080 709

Pelsartia humeralis (Ogilby 1899)

Sea Trumpeter

Synonyms and A.K.A.'s :- *Therapon humeralis*

Average Maximum Recorded Size (metric) :- 38cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 153 Family Name (Eng.) :-Cardinal Fishes ***Apogonidae***
010 177

Epigonus denticulatus Diuzeide 1950

White Cardinalfish / Bulls-Eye

Synonyms and A.K.A.'s :- *Epigonus telescopus*

Average Maximum Recorded Size (metric) :- 22.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Further clarification between *Epigonus 'denticulatus'* and *Epigonus 'telescopus'* is required due to previous confusion

Calypso Fam. No. 153 Family Name (Eng.) :-Cardinal Fishes **Apogonidae**
080 178

Epigonus lenimen (Whitley 1935)
Big-Eye / Bigeyed Cardinalfish

Synonyms and A.K.A.'s :- *Scepterias lenimen*

Average Maximum Recorded Size (metric) :- 20cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 153 Family Name (Eng.) :-Cardinal Fishes **Apogonidae**
080 179

Epigonus robustus (Barnard)1927
Robust Cardinalfish

Synonyms and A.K.A.'s :- *Epigonus macrops* / *Parahynnoides robustus*

Average Maximum Recorded Size (metric) :- 25cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 153 Family Name (Eng.) :-Cardinal Fishes **Apogonidae**
980 177

Glossamia aprion (Richardson)
Mouth Almighty

Synonyms and A.K.A.'s :- *Apogon aprion* / *Glossamia gillii*

Average Maximum Recorded Size (metric) :- 18cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 153 Family Name (Eng.) :-Cardinal Fishes **Apogonidae**
080 697

Siphaemia cephalotes (Castlenau 1875)
Woods Siphon Fish

Synonyms and A.K.A.'s :- *Scopelus cephalotes* / *Neoscopelus cephalotes*

Average Maximum Recorded Size (metric) :- 5.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 153 Family Name (Eng.) :-Cardinal Fishes **Apogonidae**
081 697

Siphaemia roseigaster (Ogilby 1886)
Eastern Siphon Fish

Synonyms and A.K.A.'s :- *Adenapogon woodi*

Average Maximum Recorded Size (metric) :- 6cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 153 Family Name (Eng.) :-Cardinal Fishes **Apogonidae**
080 698

Vincentia badia Allen 1987
Scarlet Cardinalfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 10cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 153 Family Name (Eng.) :-Cardinal Fishes **Apogonidae**
080 699

Vincentia conspersa (Klunzinger 1872)
Southern Cardinalfish

Synonyms and A.K.A.'s :- *Apogon conspersus* / *Apogonichthys ramsayi* / *Vincentiana novaehollandiae* /
Vincentia guntheri

Average Maximum Recorded Size (metric) :- 14cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 153 Family Name (Eng.) :-Cardinal Fishes **Apogonidae**
080 700

Vincentia macrocauda Allen 1987
Smooth Cardinalfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 10cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 153 Family Name (Eng.) :-Cardinal Fishes **Apogonidae**
080 701

Vincentia punctata (Klunzinger 1872)
Orange Cardinalfish

Synonyms and A.K.A.'s :- **Apogon punctata**

Average Maximum Recorded Size (metric) :- 15cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Frequently confused with *Vincentia conspersa*

Calypso Fam. No. 154 Family Name (Eng.) :-Pygmy Perches **Nannopercidae**
980 710

Nannoperca australis Gunther
Southern Pygmy Perch

Synonyms and A.K.A.'s :- **Paradules leetus / Nannoperca riverinae / Microperca tasmaniae**

Average Maximum Recorded Size (metric) :- 8cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 154 Family Name (Eng.) :-Pygmy Perches **Nannopercidae**
980 711

Nannoperca obscura Klunzinger
Yarra Pygmy Perch

Synonyms and A.K.A.'s :- **Edelia obscura / Paradules obscurus / Microperca yarrae**

Average Maximum Recorded Size (metric) :- 7.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 154 Family Name (Eng.) :-Pygmy Perches **Nannopercidae**
980 712

Nannoperca oxleyana Whitley
Oxleyan Pygmy Perch

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 7cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **154** Family Name (Eng.) :-Pygmy Perches ***Nannopercidae***
980 713

Nannoperca variegata Kuitert & Allen
Ewen Pygmy Perch

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 6cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **156** Family Name (Eng.) :-Longfin Pike ***Dinolestidae***
080 710

Dinolestes lewini (Griffith 1834)
Longfin Pike

Synonyms and A.K.A.'s :- *Esox lewini*

Average Maximum Recorded Size (metric) :- 90cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **157** Family Name (Eng.) :-Sillagos/Whiting ***Sillaginidae***
080 702

Sillaginoides punctata (C.)1829
King George Whiting / Australian Whiting / Black Whiting

Synonyms and A.K.A.'s :- *Sillago punctata* / *Isosillago maculata*

Average Maximum Recorded Size (metric) :- 72cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **157** Family Name (Eng.) :-Sillagos/Whiting ***Sillaginidae***
080 703

Sillago bassensis Cuvier 1829
Silver Whiting / Redspot Whiting / Sand Whiting

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 32cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 157 Family Name (Eng.) :-Sillagos/Whiting **Sillaginidae**

084 228

Sillago ciliata Cuvier 1829
Yellowfinned Silver Whiting

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 32cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 157 Family Name (Eng.) :-Sillagos/Whiting **Sillaginidae**

080 704

Sillago flindersi (McKay 1985)
School Whiting

Synonyms and A.K.A.'s :- *Sillago bassensis* / *Parasillago bassensis*

Average Maximum Recorded Size (metric) :- 33cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 157 Family Name (Eng.) :-Sillagos/Whiting **Sillaginidae**

080 705

Sillago schomburgkii Peters 1865
Yellowfin Whiting

Synonyms and A.K.A.'s :- *Sillago bostockii* / *Sillago frazeri*

Average Maximum Recorded Size (metric) :- 41cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 158 Family Name (Eng.) :-Blue Fish **Pomatomidae**

010 220

Pomatomus saltator (Linnaeus)
Blue Fish / Tailor

Synonyms and A.K.A.'s :- *Pomatomus saltatrix* / *Temnodon saltator*

Average Maximum Recorded Size (metric) :- 1.3m. FAO Code where known :-POMAT POMAT 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **161** Family Name (Eng.) :-Remoras **Echeneidae**

010 360


Echeneis naucrates Linnaeus 1758

Slender Suckerfish / Remora

Synonyms and A.K.A.'s :- *Remora brachyptera*

Average Maximum Recorded Size (metric) :- 1m. FAO Code where known :-

Range :- Frequency where known:-



Calypso Fam. No. **161** Family Name (Eng.) :-Remoras **Echeneidae**

080 360

Remora australis (Bennett 1840)

Whalesucker / Indian Suckerfish

Synonyms and A.K.A.'s :- *Echeneis scutata* / *Echeneis australis*

Average Maximum Recorded Size (metric) :- 52cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **161** Family Name (Eng.) :-Remoras **Echeneidae**

010 359

Remora remora (Linnaeus 1758)

Common Remora / Short Suckerfish

Synonyms and A.K.A.'s :- *Echeneis remora*

Average Maximum Recorded Size (metric) :- 80cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **162** Family Name (Eng.) :-Trevally/Scads/Jacks **Carangidae**

010 167

Naucrates ductor (Linnaeus 1758)

Pilot-Fish

Synonyms and A.K.A.'s :- *Gasterosteus ductor*

Average Maximum Recorded Size (metric) :- 70cm. FAO Code where known :-CARAN Nauc 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 162 Family Name (Eng.) :-Trevally/Scads/Jacks **Carangidae**
010 170

Pseudocaranx dentex (B.& S.)1801
White Trevally / Skipjack Trevally /

Synonyms and A.K.A.'s :- *Caranx dentex* / *Usacaranx georgianus* / *Usacaranx nobilis*

Average Maximum Recorded Size (metric) :- 95cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 162 Family Name (Eng.) :-Trevally/Scads/Jacks **Carangidae**
080 171

Pseudocaranx wrighti (Whitley 1931)
Skipjack Trevally

Synonyms and A.K.A.'s :- *Usacaranx georgianus wrighti*

Average Maximum Recorded Size (metric) :- 35cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 162 Family Name (Eng.) :-Trevally/Scads/Jacks **Carangidae**
010 173

Seriola hippos (Gunther)
Samson Trevally / Samson Fish / Kingfish

Synonyms and A.K.A.'s :- *Caranx hippos* / *Naucratopsis hippos*

Average Maximum Recorded Size (metric) :- 1.7m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 162 Family Name (Eng.) :-Trevally/Scads/Jacks **Carangidae**
080 170

Seriola lalandi V.1833
Yellowtail Kingfish / Albacore? / King Amberjack

Synonyms and A.K.A.'s :- *Seriola grandis*

Average Maximum Recorded Size (metric) :- 2.5m FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **162** Family Name (Eng.) :-Trevally/Scads/Jacks **Carangidae**

080 172

Trachurus declivis (Jenyns 1841)
Cowanyoung / Scad / Horse Mackerel

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 65cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **162** Family Name (Eng.) :-Trevally/Scads/Jacks **Carangidae**

080 173

Trachurus novaezelandiae Richardson 1843
Yellowtail Horse Mackerel

Synonyms and A.K.A.'s :- *Trachurus mccullochi*

Average Maximum Recorded Size (metric) :- 55cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **163** Family Name (Eng.) :-Dolphin-Fishes **Coryphaenidae**

020 163

Coryphaena equiselis Linnaeus
Pompano Dolphin Fish / Lesser Dolphin Fish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 75cm. FAO Code where known :-CORY Cory 2

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **163** Family Name (Eng.) :-Dolphin-Fishes **Coryphaenidae**

010 163

Coryphaena hippurus Linnaeus
Dolphin Fish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 2m. FAO Code where known :-CORY Cory 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **164** Family Name (Eng.) :-Bream **Bramidae**

010 164

Brama brama (Bonnaterre)1791

Ray's Bream / Pomfret

Synonyms and A.K.A.'s :- *Brama rayii* / *Sparus brama*

Average Maximum Recorded Size (metric) :- 60cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **165** Family Name (Eng.) :-Tommy Roughs/Australian Salmon **Arripidae**

080 715

Arripis georgiana (V.)1831

Tommy Rough / Australian Herring

Synonyms and A.K.A.'s :- *Centropristis georgianus*

Average Maximum Recorded Size (metric) :- 41cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **165** Family Name (Eng.) :-Tommy Roughs/Australian Salmon **Arripidae**

082 716

Arripis trutta (B. & S.)1801

Eastern Australian Salmon / Bay Trout / Australian Salmon / Salmon

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 55cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **165** Family Name (Eng.) :-Tommy Roughs/Australian Salmon **Arripidae**

080 716

Arripis truttacea (C.1829)

Western Australian Salmon / Bay Trout / Australian Salmon / Salmon

Synonyms and A.K.A.'s :- *Sciaena truttaceus* / *Arripis trutta esper*

Average Maximum Recorded Size (metric) :- 95cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **166** Family Name (Eng.) :-Bonnetmouths/Picarels ***Emmelichthyidae/Maenidae/Centracanthidae***
080 222

Emmelichthys nitidus Richardson 1845
Redbait / Pearlfish / Redbait-Fish

Synonyms and A.K.A.'s :- *Erythrichthys nitidus*

Average Maximum Recorded Size (metric) :- 37cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **166** Family Name (Eng.) :-Bonnetmouths/Picarels ***Emmelichthyidae/Maenidae/Centracanthidae***
080 221

Plagiogenion macrolepis McCulloch 1914
Rubyfish / Cosmopoliotan Rubyfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 32cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **169** Family Name (Eng.) :-Silver-Biddies ***Gerreidae***
080 706

Parequula melbournensis (Castlenau 1872)
Silverbelly / Silver-biddy

Synonyms and A.K.A.'s :- *Gerres melbournensis* / *Parequula bicornis*

Average Maximum Recorded Size (metric) :- 21cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **177** Family Name (Eng.) :-Sea Bream ***Sparidae***
080 206

Acanthopagrus australis (Guenther 1859)
Yellowfin or Common Bream

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 177 Family Name (Eng.) :-Sea Bream **Sparidae**

080 206

Acanthopagrus butcheri Munro 1959
Black Bream / Bream / Blue-nosed Bream

Synonyms and A.K.A.'s :- *Mylio butcheri*

Average Maximum Recorded Size (metric) :- 55cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 177 Family Name (Eng.) :-Sea Bream **Sparidae**

010 206

Chrysophrys auratus (B. & S.)1801
Snapper / Gilthead / Golden Bream / Cockney

Synonyms and A.K.A.'s :- *Sparus auratus* / *Chrysophrys major* / *Chrysophrys unicolor*

Average Maximum Recorded Size (metric) :- 1.3m. FAO Code where known :-SPARID Spar 1?

Range :- Frequency where known:-



Calypso Fam. No. 178 Family Name (Eng.) :-Drums/Grunts/Croakers **Sciaenidae**

040 225

Argyrosomus hololepidotus (Lacepede 1802)
Mulloway / Southern Meagre / Corb / Jewfish / Kingfish

Synonyms and A.K.A.'s :- *Johnius hololepidotus* / *Sciaena antarctica* / *Sciaena neglecta* / *Sciaena margaritifer*

Average Maximum Recorded Size (metric) :- 2m. FAO Code where known :-SCIAEN Argyr

Range :- Frequency where known:-



Calypso Fam. No. 179 Family Name (Eng.) :-Red Mullet **Mullidae**

083 217

Upeneichthys lineatus (Bloch & Schneider 1801)

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 179 Family Name (Eng.) :-Red Mullet **Mullidae**

083 218

Upeneichthys porosus (Cuvier 1829)

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 179 Family Name (Eng.) :-Red Mullet **Mullidae**

080 217

Upeneichthys vlamingii (C.1829)

Red Mullet / Blue-striped Red Mullet / Goatfish

Synonyms and A.K.A.'s :- *Upeneus vlamingi*

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 180 Family Name (Eng.) :-Monos/Silver Batfish **Monodactylidae**

080 707

Schuettea scalaripinnis Steindachner 1866

Angel-finned Pomfret / Pomfret

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 25cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 180 Family Name (Eng.) :-Monos/Silver Batfish **Monodactylidae**

084 708

Schuettea woodwardi (Waite 1905)

Woodward's Pomfret / Pomfret

Synonyms and A.K.A.'s :- *Bramichthys woodwardi*

Average Maximum Recorded Size (metric) :- 22cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 181 Family Name (Eng.) :-Sweepers ***Pempherididae***
084 709

Parapriacanthus elongatus (McCulloch)1911
Slender Sweeper / Slender Bulls-eye

Synonyms and A.K.A.'s :- *Pempheris elongata*

Average Maximum Recorded Size (metric) :- 13cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 181 Family Name (Eng.) :-Sweepers ***Pempherididae***
084 710

Pempheris klunzingeri McCulloch 1911
Rough Bulls-Eye

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 20cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 181 Family Name (Eng.) :-Sweepers ***Pempherididae***
083 711

Pempheris multiradiata Klunzinger 1879
Common Bulls-Eye

Synonyms and A.K.A.'s :- *Liopempheris multiradiatus*

Average Maximum Recorded Size (metric) :- 20cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 181 Family Name (Eng.) :-Sweepers ***Pempherididae***
888 712

Pempheris sp.
Orangelined Bulls-Eye

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 6.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 183 Family Name (Eng.) :-Drummers/Zebrafish **Girellidae**

080 711

Girella elevata McCleay 1881

Black Drummer / Blackfish / Black Rockfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 76cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 183 Family Name (Eng.) :-Drummers/Zebrafish **Girellidae**

080 712

Girella tephraeops (Richardson 1846)

Rock Blackfish / Chad

Synonyms and A.K.A.'s :- *Tephraeops tephraeops* / *Crinidens tephraeops*

Average Maximum Recorded Size (metric) :- 60cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 183 Family Name (Eng.) :-Drummers/Zebrafish **Girellidae**

080 713

Girella tricuspidata (Q.& G.)1824

Luderick / Black Bream / Mangrove fish / Nigger

Synonyms and A.K.A.'s :- *Boops tricuspidata*

Average Maximum Recorded Size (metric) :- 62cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 183 Family Name (Eng.) :-Drummers/Zebrafish **Girellidae**

080 714

Girella zebra (Richardson 1846)

Zebrafish / Stripey / Stripey Bream

Synonyms and A.K.A.'s :- *Melambaphes zebra* / *Crenidens zebra*

Average Maximum Recorded Size (metric) :- 50cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **184** Family Name (Eng.) :-Rudderfish/Drummers ***Kyphosidae***

080 768

Kyphosus sydneyanus (Gunther 1886)

Silver Rudder-Fish / Silver Drummer / Buffalo Bream

Synonyms and A.K.A.'s :- *Pimelepterus sydneyanus*

Average Maximum Recorded Size (metric) :- **80cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **185** Family Name (Eng.) :-Sweeps ***Scorpididae***

080 769

Atipichthys strigatus (Gunther 1886)

Mado / Sweep

Synonyms and A.K.A.'s :- *Atypus strigatus* / *Atypichthys mado*

Average Maximum Recorded Size (metric) :- **25cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Some authorities place this species in Kyphosidae

Calypso Fam. No. **185** Family Name (Eng.) :-Sweeps ***Scorpididae***

080 770

Neatupus obliquus Waite 1905

Football Sweep / Western Footballer

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **24cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Some authorities place this species in Kyphosidae

Calypso Fam. No. **185** Family Name (Eng.) :-Sweeps ***Scorpididae***

080 771

Scorpis aequipinnis Richardson 1848

Sea Sweep / Maomao / Snapjack

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **56cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Some authorities place this species in Kyphosidae

Calypso Fam. No. **185** Family Name (Eng.) :-Sweeps **Scorpididae**

080 772

Scorpis georgiana V.1832
Deepsea Sweep / Banded Sweep

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **45cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Some authorities place this species in Kyphosidae

Calypso Fam. No. **185** Family Name (Eng.) :-Sweeps **Scorpididae**

080 773

Scorpis lineolata Kner 1865
Silver Sweep / Sweep / Widarwindarwi

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **36cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Some authorities place this species in Kyphosidae

Calypso Fam. No. **185** Family Name (Eng.) :-Sweeps **Scorpididae**

080 774

Tilodon sexfasciatum (Richardson 1842)
Moonlighter / Six-banded Butterflyfish / Butterflyfish

Synonyms and A.K.A.'s :- *Chaetodon sexfasciatus*

Average Maximum Recorded Size (metric) :- **36cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Some authorities place this species in Kyphosidae

Calypso Fam. No. **190** Family Name (Eng.) :-Butterfly-Fish **Chaetodontidae**

080 904

Chaetodon assarius Waite 1905
Western Butterflyfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **13cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **190** Family Name (Eng.) :-**Butterfly-Fish** ***Chaetodontidae***
080 905

Chelmonops curiosus Kuitert 1986
Squarebacked Butterflyfish / Coralfish

Synonyms and A.K.A.'s :- *Chelmonops truncatus*

Average Maximum Recorded Size (metric) :- 20cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **190** Family Name (Eng.) :-**Butterfly-Fish** ***Chaetodontidae***
080 906

Chelmonops truncatus (Kner 1859)
Eastern Squareback / Coralfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 18cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **191** Family Name (Eng.) :-**Old Wife** ***Enoplosidae***
080 739

Enoplosus armatus (White 1790)
Old Wife / Angelfish / Zebrafish / John Dory

Synonyms and A.K.A.'s :- *Chaetodon armatus*

Average Maximum Recorded Size (metric) :- 25cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **192** Family Name (Eng.) :-**Boarfish/Armourheads** ***Pentacerotidae***
080 738

Parazanclistius hutchinsi Hardy 1983
Short Boarfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 34cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 192 Family Name (Eng.) :-Boarfish/Armourheads ***Pentacerotidae***
084 737

Paristiopterus gallipavo Whitley 1944
Yellowspotted Boarfish / Boarfish / Penfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 60cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 192 Family Name (Eng.) :-Boarfish/Armourheads ***Pentacerotidae***
084 736

Paristiopterus labiosus (Gunther 1871)
Giant Boarfish / Duckfish / Giant Penfish / Longsnout Boarfish

Synonyms and A.K.A.'s :- *Histiopterus labiosus* / *Richardsonia insignis* / *Histiopterus farnelli*

Average Maximum Recorded Size (metric) :- 90cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 192 Family Name (Eng.) :-Boarfish/Armourheads ***Pentacerotidae***
080 717

Pentaceropsis recurvirostris (Richardson 1845)
Longsnout Boarfish / Boarfish / Duckfish / Penfish

Synonyms and A.K.A.'s :- *Histiopterus recurvirostris*

Average Maximum Recorded Size (metric) :- 55cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 192 Family Name (Eng.) :-Boarfish/Armourheads ***Pentacerotidae***
080 718

Pentaceros decacanthus Gunther 1859
Bigspined Boarfish / Yellow Boarfish

Synonyms and A.K.A.'s :- *Quinquarius hendecacanthus* / *Undecimus hendecacanthus*

Average Maximum Recorded Size (metric) :- 28cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 192 Family Name (Eng.) :-Boarfish/Armourheads ***Pentacerotidae***
080 719

Pseudopentaceros richardsoni (Smith 1844)

Richardson's Boarfish / Nelson's Boarfish / Armourhead

Synonyms and A.K.A.'s :- *Pentaceros richardsoni* / *Pentaceros knerii* / *Griffinetta nelsonensis*

Average Maximum Recorded Size (metric) :- 55cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 192 Family Name (Eng.) :-Boarfish/Armourheads ***Pentacerotidae***
080 720

Zanclistius elevatus (Ramsay & Ogilby 1889)

Longfin Boarfish / Black-spotted Boarfish / Short Boarfish

Synonyms and A.K.A.'s :- *Histiopertus elevatus*

Average Maximum Recorded Size (metric) :- 42cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 193 Family Name (Eng.) :-Knifefjaws ***Oplegnathidae***
080 721

Oplegnathus woodwardi (Waite 1900)

Knifefjaw / Hoofjaw / Parrot-Fish

Synonyms and A.K.A.'s :- *Ostorhinchus conwail* / *Hoplegnatus woodwardi*

Average Maximum Recorded Size (metric) :- 48cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 194 Family Name (Eng.) :-Kelpfishes ***Chironemidae***
080 722

Chironemus georgianus C.1829

Tasseled Kelpfish / Kelpfish

Synonyms and A.K.A.'s :- *Threpterus chalceus*

Average Maximum Recorded Size (metric) :- 20cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **194** Family Name (Eng.) :-Kelpfishes ***Chironemidae***

080 723

Chironemus marmoratus Gunther 1860

Large Kelpfish / Kelpfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **40cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **194** Family Name (Eng.) :-Kelpfishes ***Chironemidae***

080 724

Threpterus maculosus Richardson 1850

Silver Spot

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **34cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **195** Family Name (Eng.) :-Sea Carps ***Aplodactylidae***

080 725

Aplodactylus arctidens Richardson 1850

Southern Sea Carp / Sea Carp / Marbled Kelpfish

Synonyms and A.K.A.'s :- ***Aplodactylus meandrus* / *Dactylosargus arctidens***

Average Maximum Recorded Size (metric) :- **60cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **195** Family Name (Eng.) :-Sea Carps ***Aplodactylidae***

080 726

Aplodactylus westralis Russell 1987

Western Australian Sea Carp / Cockatoo Morwong

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **45cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **196** Family Name (Eng.) :-Morwongs ***Cheilodactylidae***

080 727

Cheilodactylus fuscus Castlenau 1879

Red Morwong

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **65cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **196** Family Name (Eng.) :-Morwongs ***Cheilodactylidae***

080 728

Cheilodactylus gibbosus Richardson 1841

Crested Morwong / Magpie Morwong

Synonyms and A.K.A.'s :- ***Goniistius gibbosus***

Average Maximum Recorded Size (metric) :- **30cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **196** Family Name (Eng.) :-Morwongs ***Cheilodactylidae***

080 729

Cheilodactylus nigriceps Richardson 1850

Magpie Perch / Black-striped Morwong / Magpie Morwong

Synonyms and A.K.A.'s :- ***Goniistius vizonarius***

Average Maximum Recorded Size (metric) :- **40cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **196** Family Name (Eng.) :-Morwongs ***Cheilodactylidae***

080 730

Cheilodactylus rubrolabiatus Allen & Heemstra 1976

Redlipped Morwong

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **60cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 196 Family Name (Eng.) :-Morwongs **Cheilodactylidae**

080 731

Cheilodactylus spectabilis Hutton 1872

Banded Morwong / Brown-banded Morwong / Red Moki

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 1m. FAO Code where known :-

Range :- Frequency where known:-



Calypso Fam. No. 196 Family Name (Eng.) :-Morwongs **Cheilodactylidae**

080 732

Dactylophora nigricans (Richardson 1850)

Dusky Morwong / Butterfish / Nunda / Shitfish

Synonyms and A.K.A.'s :- *Psilocranium nigricans*

Average Maximum Recorded Size (metric) :- 1.2m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 196 Family Name (Eng.) :-Morwongs **Cheilodactylidae**

080 733

Nemadactylus douglasii (Hector 1875)

Douglas Morwong / Blue Morwong / Rubber-lip / Great Perch

Synonyms and A.K.A.'s :- *Chilodactylus douglasii* / *Dactylopagrus morwong* /

Average Maximum Recorded Size (metric) :- 80cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 196 Family Name (Eng.) :-Morwongs **Cheilodactylidae**

080 734

Nemadactylus macropterus (B. & S.) 1801

Jackass Fish / Jackass Morwong / Morwong / Silver Perch

Synonyms and A.K.A.'s :- *Cichla macroptera* / *Cheilodactylus macropterus* / *Dactylopagrus macropterus*

Average Maximum Recorded Size (metric) :- 70cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **196** Family Name (Eng.) :-Morwongs ***Cheilodactylidae***

080 735

Nemadactylus valenciennesi (Whitley 1937)

Queen Snapper / Blue Morwong / Queen Morwong

Synonyms and A.K.A.'s :- *Sciaenoides valenciennesi*

Average Maximum Recorded Size (metric) :- 1m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **197** Family Name (Eng.) :-Trumpeters ***Latrididae***

080 736

Latridopsis forsteri (Castlenau 1872)

Bastard Trumpeter / Copper Moki / Paperfish(Juvenile)

Synonyms and A.K.A.'s :- *Latris forsteri* / *Latridopsis ciliaris* / *Latridopsis ramsayi*

Average Maximum Recorded Size (metric) :- 65cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **197** Family Name (Eng.) :-Trumpeters ***Latrididae***

080 737

Latris lineata (B.& S.)1801

Southern Trumpeter / Tasmanian Trumpeter / Common Trumpeter / Stripey

Synonyms and A.K.A.'s :- *Latris mortoni*

Average Maximum Recorded Size (metric) :- 1.2m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **197** Family Name (Eng.) :-Trumpeters ***Latrididae***

083 737

Mendosoma allporti Johnston 1881

Tasmanian Trumpeter / Trumpeter

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 50cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Tasmanian distribution only is recorded

Calypso Fam. No. **198** Family Name (Eng.) :-Bandfish **Cepolidae**

080 228

Cepola australis Ogilby 1899
Bandfish / Red Band Fish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 38cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **199** Family Name (Eng.) :-Freshwater or European Perches **Percidae**

920 860

Perca fluviatilis Linnaeus
Perch / Redfinned Perch

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 45cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : An introduced species

Calypso Fam. No. **200** Family Name (Eng.) :-Tilapias **Cichlidae**

974 663

Cichlasoma nigrofasciatum (Gunther)
Convict Cichlid / Zebra Cichlid

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 15cm. FAO Code where known :-

Range :- Frequency where known:-

974 663



Additional Notes : An introduced species

Calypso Fam. No. **200** Family Name (Eng.) :-Tilapias **Cichlidae**

940 882

Oreochromis mossambicus (Peters)
Tilapia / Nile Tilapia / Mozambique Mouthbrooder

Synonyms and A.K.A.'s :- *Oreochromis niloticus* / *Sarotherodon nilotica* / *Tilapia natalensis*

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : An introduced species. Also recorded under database number 940 881.

940 881



Calypso Fam. No. **200** Family Name (Eng.) :-Tilapias **Cichlidae**

941 883

Tilapia mariae Boulenger
Niger Cichlid / Black Mangrove Cichlid

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **30cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : An introduced species

Calypso Fam. No. **201** Family Name (Eng.) :-Freshwater Blackfishes **Gadopsidae**

980 359

Gadopsis bispinosus Sanger
Twospined Blackfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **32cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **201** Family Name (Eng.) :-Freshwater Blackfishes **Gadopsidae**

980 360

Gadopsis marmoratus (Richardson)
River Blackfish / Freshwater Blackfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **60cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **202** Family Name (Eng.) :-Damsel/sergeant-majors **Pomacentridae**

080 940

Chromis hypsilepis (Gunther 1876)
Onespot Puller / Brown Puller

Synonyms and A.K.A.'s :- *Heliastes hypsilepis*

Average Maximum Recorded Size (metric) :- **25cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 202 Family Name (Eng.) :-Damselfish/Sergeant-majors **Pomacentridae**
080 941

Chromis klunzingeri Whitley 1929
Blackhead Puller

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 11cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 202 Family Name (Eng.) :-Damselfish/Sergeant-majors **Pomacentridae**
080 942

Parma bicolor Allen & Larson 1979
Golden Scalyfin / Golden Parma

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 17cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 202 Family Name (Eng.) :-Damselfish/Sergeant-majors **Pomacentridae**
080 943

Parma mccullochi Whitley 1929
McCullochs Scalyfin / Common Scalyfin / McCulloch's Parma

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 28cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 202 Family Name (Eng.) :-Damselfish/Sergeant-majors **Pomacentridae**
080 944

Parma microlepis Gunther 1863
White Ear / White-eared Parma / Scalyfin

Synonyms and A.K.A.'s :- *Glyphidodon australis* / *Parma australis* / *Parma squamipinnis*

Average Maximum Recorded Size (metric) :- 19cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 202 Family Name (Eng.) :-Damsel fish/Sergeant-majors **Pomacentridae**
080 945

Parma victoriae (Gunther 1863)
Scalyfin / Victorian Rock-perch

Synonyms and A.K.A.'s :- *Heliastes lividus* / *Parma viola*?

Average Maximum Recorded Size (metric) :- 25cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 203 Family Name (Eng.) :-Wrasses **Labridae**
080 230

Achoerodus gouldii (Richardson 1843)
Western Blue Groper / Gould's Wrasse

Synonyms and A.K.A.'s :- *Labrus gouldii*

Average Maximum Recorded Size (metric) :- 1.75m FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Spearfishing threatens this species

Calypso Fam. No. 203 Family Name (Eng.) :-Wrasses **Labridae**
080 231

Achoerodus viridis (Steindachner 1866)
Eastern Blue Groper

Synonyms and A.K.A.'s :- *Heterochoerops viridis*

Average Maximum Recorded Size (metric) :- 1m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 203 Family Name (Eng.) :-Wrasses **Labridae**
080 232

Austrolabrus maculatus (McCleay 1881)
Blackspotted Wrasse / Blackspotted Parrotfish

Synonyms and A.K.A.'s :- *Labrichthys maculata*

Average Maximum Recorded Size (metric) :- 17cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 203 Family Name (Eng.) :-Wrasses **Labridae**

080 234

Bodianus frenchii (Klunzinger 1880)

Foxfish / Pigfish

Synonyms and A.K.A.'s :- *Cossyphus frenchii*

Average Maximum Recorded Size (metric) :- 48cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 203 Family Name (Eng.) :-Wrasses **Labridae**

080 235

Bodianus unimaculatus (Gunther 1862)

Eastern Blackspot Pigfish / Pigfish / Blackspot Pigfish

Synonyms and A.K.A.'s :- *Cossyphus unimaculatus* /

Average Maximum Recorded Size (metric) :- 50cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 203 Family Name (Eng.) :-Wrasses **Labridae**

080 236

Bodianus vulpinus (Richardson 1850)

Western Blackspot Pigfish / Foxfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 44cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 203 Family Name (Eng.) :-Wrasses **Labridae**

080 237

Coris auricularis (V.1838)

Blushing Wrasse / Western King Wrasse

Synonyms and A.K.A.'s :- *Julis auricularis*

Average Maximum Recorded Size (metric) :- 32cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 203 Family Name (Eng.) :-Wrasses **Labridae**

080 238

Dotalabrus alleni Russell 1988

Little Rainbow Wrasse / Allen's Wrasse

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 8.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 203 Family Name (Eng.) :-Wrasses **Labridae**

080 239

Dotalabrus aurantiacus (Castlenau 1872)

Pretty Polly / Castlenau's Wrasse

Synonyms and A.K.A.'s :- *Cheilinus aurantiacus* / *Pseudolabrus aurantiacus*

Average Maximum Recorded Size (metric) :- 11cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 203 Family Name (Eng.) :-Wrasses **Labridae**

080 233

Eupetrichthys angustipes Ramsay & Ogilby 1888

Snakeskin Wrasse / Slender Wrasse

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 12.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 203 Family Name (Eng.) :-Wrasses **Labridae**

080 240

Halichoeres brownfieldi (Whitley 1945)

Brownfield's Wrasse

Synonyms and A.K.A.'s :- *Choerojulius brownfieldi*

Average Maximum Recorded Size (metric) :- 15cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 203 Family Name (Eng.) :-Wrasses **Labridae**

080 241

Notolabrus fucicola (Richardson 1840)

Saddled Wrasse / Blue Wrasse / Purple Wrasse / Yellow-saddled Wrasse

Synonyms and A.K.A.'s :- *Labrus fucicola* / *Pseudolabrus pittensis*

Average Maximum Recorded Size (metric) :- 38cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 203 Family Name (Eng.) :-Wrasses **Labridae**

080 242

Notolabrus parilus (Richardson 1850)

Orangespotted Wrasse / Brownspeckled Wrasse

Synonyms and A.K.A.'s :- *Pseudolabrus punctulatus*

Average Maximum Recorded Size (metric) :- 32cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 203 Family Name (Eng.) :-Wrasses **Labridae**

080 243

Notolabrus tetricus (Richardson 1850)

Bluethroated Wrasse / Bluehead / Bluenose / Rock cod

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 43cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 203 Family Name (Eng.) :-Wrasses **Labridae**

080 244

Ophthalmolepis lineolata (V.)1838

Maori Wrasse / Butchers Prick

Synonyms and A.K.A.'s :- *Julis lineolatus* / *Ophthalmolepis cyanogramma*

Average Maximum Recorded Size (metric) :- 40cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 203 Family Name (Eng.) :-Wrasses **Labridae**

080 245

Pictilabrus laticlavius (Richardson 1839)

Senator Wrasse / Purplebanded Wrasse

Synonyms and A.K.A.'s :- *Labrus laticlavius* / *Eupetrichthys gloveri*

Average Maximum Recorded Size (metric) :- 25cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 203 Family Name (Eng.) :-Wrasses **Labridae**

080 246

Pictilabrus viridis Russell 1988

False Senator Wrasse

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 15cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 203 Family Name (Eng.) :-Wrasses **Labridae**

080 247

Pseudolabrus biserialis (Klunzinger 1879)

Redband Wrasse

Synonyms and A.K.A.'s :- *Labrichthys biserialis*

Average Maximum Recorded Size (metric) :- 20cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 203 Family Name (Eng.) :-Wrasses **Labridae**

080 248

Pseudolabrus psittaculus (Richardson 1840)

Rosy Wrasse / Rosy Parrot-Fish

Synonyms and A.K.A.'s :- *Labrus psittacula*

Average Maximum Recorded Size (metric) :- 45cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 203 Family Name (Eng.) :-Wrasses **Labridae**

080 249

Suezichthys aylingi Russell 1985

Crimson Cleaner Wrasse / Butcher's Dick / Maori Wrasse

Synonyms and A.K.A.'s :- *Pseudolabrus albolineatus?*

Average Maximum Recorded Size (metric) :- 12cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 203 Family Name (Eng.) :-Wrasses **Labridae**

080 250

Suezichthys bifurcatus Russell 1986

Striped Trawl Wrasse

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 9cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 204 Family Name (Eng.) :-Herring-Cale/Tubemouths **Odacidae**

080 946

Haletta semifasciata (V.)1840

Blue Rock Whiting / Stranger / Grass Whiting / Weed Whiting

Synonyms and A.K.A.'s :- *Odax semifasciatus* / *Neoodax semifasciatus*

Average Maximum Recorded Size (metric) :- 40cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 204 Family Name (Eng.) :-Herring-Cale/Tubemouths **Odacidae**

080 947

Neoodax balteatus (V.)1840

Little Rock Whiting / Ground Mullet

Synonyms and A.K.A.'s :- *Neoodax algensis* / *Neoodax brunneus* / *Neoodax obscurus* / *Neoodax waterhousii*

Average Maximum Recorded Size (metric) :- 16cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **204** Family Name (Eng.) :-Herring-Cale/Tubemouths **Odacidae**
080 948

Odax acroptilus (Richardson 1846)

Marine Rainbowfish / Rainbow Cale / Rainbowfish

Synonyms and A.K.A.'s :- *Scarus acroptilus* / *Heteroscarus acroptilus* / *Heteroscarus filamentosus*

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **204** Family Name (Eng.) :-Herring-Cale/Tubemouths **Odacidae**
080 949

Odax cyanomelas (Richardson 1850)

Herring Cale

Synonyms and A.K.A.'s :- *Olisthops cyanomelas* / *Olistherops brunnensis*

Average Maximum Recorded Size (metric) :- 40cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **204** Family Name (Eng.) :-Herring-Cale/Tubemouths **Odacidae**
080 950

Siphonognathus argyrophanes Richardson 1858

Tubemouth

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 52cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **204** Family Name (Eng.) :-Herring-Cale/Tubemouths **Odacidae**
080 951

Siphonognathus attenuatus (Ogilby 1897)

Slender Weed Whiting / Short-snouted Pencil Whiting

Synonyms and A.K.A.'s :- *Odax attenuatus* / *Neoodax attenuatus*

Average Maximum Recorded Size (metric) :- 14cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **204** Family Name (Eng.) :-Herring-Cale/Tubemouths **Odacidae**
080 952

Siphonognathus beddomei (Johnston 1885)
Pencil Weed Whiting / Pygmy Rock Whiting

Synonyms and A.K.A.'s :- *Odax beddomei* / *Neoodax beddomei*

Average Maximum Recorded Size (metric) :- 14cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **204** Family Name (Eng.) :-Herring-Cale/Tubemouths **Odacidae**
080 953

Siphonognathus caninus (Scott 1976)
Sharpnosed Weed Whiting

Synonyms and A.K.A.'s :- *Parodax caninus*

Average Maximum Recorded Size (metric) :- 12cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **204** Family Name (Eng.) :-Herring-Cale/Tubemouths **Odacidae**
080 954

Siphonognathus radiatus (Quoy & Gaimard 1834)
Longrayed Rock Whiting / Bridled Rock Whiting

Synonyms and A.K.A.'s :- *Malacanthus radiatus*

Average Maximum Recorded Size (metric) :- 25cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **204** Family Name (Eng.) :-Herring-Cale/Tubemouths **Odacidae**
080 955

Siphonognathus tanyourus Gomon & Paxton 1986
Longtailed Weed Whiting

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 13cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 207 Family Name (Eng.) :-Grubfish ***Pinguipedidae/Parapercidae***
080 956

Parapercis allporti (Gunther 1876)
Barred Grubfish

Synonyms and A.K.A.'s :- *Percis allporti*

Average Maximum Recorded Size (metric) :- 32cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 207 Family Name (Eng.) :-Grubfish ***Pinguipedidae/Parapercidae***
080 957

Parapercis haackei (Steindachner 1884)
Wavy Grubfish

Synonyms and A.K.A.'s :- *Percis haackei*

Average Maximum Recorded Size (metric) :- 13cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 207 Family Name (Eng.) :-Grubfish ***Pinguipedidae/Parapercidae***
080 958

Parapercis ramsayi Steindachner 1884
Spotted Grubfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 20cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 208 Family Name (Eng.) :-Sanddivers ***Creediidae***
080 959

Creedia haswelli (Ramsay 1881)
Slender Sand-Diver / Slender Sandfish

Synonyms and A.K.A.'s :- *Hemerocoetes haswelli*

Average Maximum Recorded Size (metric) :- 7.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **208** Family Name (Eng.) :-Sanddivers **Creediidae**

080 960

Limnichthys fasciatus Waite 1904

Tommyfish / Sand-Diver

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 6cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **208A** Family Name (Eng.) :-Sandfish **Percophidae**

080 961

Enigmapercis reducta Whitley 1936

Broad Sandfish / Grubfish / Sand-Diver

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 9cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **209** Family Name (Eng.) :-Sandfishes **Leptoscopidae**

080 962

Crapatulus munroi Last & Edgar 1987

Pink Sandfish / Stargazer

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 12cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **209** Family Name (Eng.) :-Sandfishes **Leptoscopidae**

080 963

Lesuerina platycephala Fowler 1907

Flathead Sandfish / Common Sandfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 11cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 210 Family Name (Eng.) :-Bovichtids ***Bovichtidae/Bovichthyidae***
080 964

Bovichtus angustifrons Regan 1913
Dragonet / Marblefish / Thornfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 28cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 210 Family Name (Eng.) :-Bovichtids ***Bovichtidae/Bovichthyidae***
980 964

Pseudaphritis urvillii (V.)1831
Congoli

Synonyms and A.K.A.'s :- *Aphritis urvillii* / *Pseudaphrites bursinus*

Average Maximum Recorded Size (metric) :- 36cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 210 Family Name (Eng.) :-Bovichtids ***Bovichtidae/Bovichthyidae***
080 965

Pseudaphritis sp.
Flatheaded Congoli

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 18+cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 211 Family Name (Eng.) :-Stargazers ***Uranoscopidae***
080 256

Gnathagnus innotabilis Waite 1904
Bulldog Stargazer / Brown Stargazer / Stargazer

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 40cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 211 Family Name (Eng.) :-Stargazers ***Uranoscopidae***

080 253

Ichthyoscopus barbatus Mees 1960

Fringed Stargazer

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 45cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 211 Family Name (Eng.) :-Stargazers ***Uranoscopidae***

080 254

Kathetostoma canaster Gomon & Last 1987

Speckled Stargazer

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 65cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 211 Family Name (Eng.) :-Stargazers ***Uranoscopidae***

080 255

Kathetostoma laeve (B.& S.)1801

Common Stargazer / Barred Stargazer / Stonelifter / Catfish

Synonyms and A.K.A.'s :- *Uranoscopus laevis*

Average Maximum Recorded Size (metric) :- 75cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 211 Family Name (Eng.) :-Stargazers ***Uranoscopidae***

080 456

Kathetostoma nigrofasciatum Waite & McCulloch 1915

Deepwater Stargazer / Blackbanded Stargazer

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 211 Family Name (Eng.) :-Stargazers **Uranoscopidae**

080 457

Pleuroscopus pseudodorsalis Barnard 1927

Purple Stargazer

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 70cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 212 Family Name (Eng.) :-Blennies **Blennidae**

080 259

Omobranchus anolius (V.)1836

Oyster Blenny

Synonyms and A.K.A.'s :- *Blennechis anolius* / *Cyneichthys anolius* / *Petroscirtes anolius*

Average Maximum Recorded Size (metric) :- 9cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 212 Family Name (Eng.) :-Blennies **Blennidae**

080 260

Parablennius tasmanianus (Richardson 1849)

Tasmanian Blenny

Synonyms and A.K.A.'s :- *Blennius tasmanianus*

Average Maximum Recorded Size (metric) :- 13cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish **Clinidae**

080 261

Cristiceps argyropleura Kner 1865

Silverside Weedfish / Crested Weedfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 15cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish **Clinidae**

080 262

Cristiceps australis V.1836

Southern Crested Weedfish

Synonyms and A.K.A.'s :- *Cristiceps axillaris* / *Cristiceps macleayi* / *Cristiceps splendens* / *Cristiceps pallidus*

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish **Clinidae**

080 264

Heteroclinus adelaide Castlenau 1873

Adelaide Weedfish

Synonyms and A.K.A.'s :- *Petraites phillipi*

Average Maximum Recorded Size (metric) :- 9cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish **Clinidae**

080 265

Heteroclinus eckloniae (McKay 1970)

Kelp Weedfish

Synonyms and A.K.A.'s :- *Clinus eckloniae*

Average Maximum Recorded Size (metric) :- 11cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish **Clinidae**

080 266

Heteroclinus heptaeolus (Ogilby 1885)

Sevenbarred Weedfish

Synonyms and A.K.A.'s :- *Petraites heptaeolus*

Average Maximum Recorded Size (metric) :- 12cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Records of this species may include material on other very closely related species.

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish ***Clinidae***

080 267

Heteroclinus johnstoni (Saville-Kent 1886)

Johnston's Weedfish

Synonyms and A.K.A.'s :- *Clinus johnstoni* / *Petraites johnstoni*

Average Maximum Recorded Size (metric) :- 40cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish ***Clinidae***

080 268

Heteroclinus macrophthalmus Hoese 1976

Large-eyed Weedfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 10cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish ***Clinidae***

080 269

Heteroclinus marmoratus (Klunzinger 1872)

Short-tasselled Weedfish

Synonyms and A.K.A.'s :- *Clinus marmoratus*

Average Maximum Recorded Size (metric) :- 14cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish ***Clinidae***

080 270

Heteroclinus nasutus (Gunther 1861)

Large-nosed Weedfish

Synonyms and A.K.A.'s :- *Cristiceps nasutus* / *Petraites nasutus*

Average Maximum Recorded Size (metric) :- 9cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish ***Clinidae***

080 271

Heteroclinus perspicillatus (V.)1836

Common Weedfish / Shoulderspot Weedfish

Synonyms and A.K.A.'s :- *Clinus perspicillatus* / *Neoblennius fasciatus* / *Cristiceps robustus*

Average Maximum Recorded Size (metric) :- 20cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish ***Clinidae***

080 272

Heteroclinus puellarum (Scott 1955)

Little Weedfish / Pretty Weedfish

Synonyms and A.K.A.'s :- *Clinus puellarum*

Average Maximum Recorded Size (metric) :- 10cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish ***Clinidae***

080 273

Heteroclinus roseus (Gunther 1861)

Rosy Weedfish

Synonyms and A.K.A.'s :- *Cristiceps roseus* / *Petraites roseus*

Average Maximum Recorded Size (metric) :- 14cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish ***Clinidae***

888 263

Heteroclinus sp.1

Kuiter's Weedfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 7cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish ***Clinidae***

888 264

Heteroclinus sp.2

Whitley's Weedfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 9cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish ***Clinidae***

888 265

Heteroclinus sp.3

Longtail Weedfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 14cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish ***Clinidae***

888 266

Heteroclinus sp.4

Coleman's Weedfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 10cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish ***Clinidae***

888 267

Heteroclinus sp.5

Fewray Weedfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 6cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish ***Clinidae***

888 268

Heteroclinus sp.6

Milward's Weedfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 10cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish ***Clinidae***

888 269

Heteroclinus sp.7

Scott's Weedfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 11cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish ***Clinidae***

888 270

Heteroclinus sp.8

Hutchins Weedfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish ***Clinidae***

888 271

Heteroclinus sp.9

Recherche Weedfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 5.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish ***Clinidae***

080 274

Heteroclinus tristis (Klunzinger 1872)
Longnosed Weedfish / Forster's Weedfish

Synonyms and A.K.A.'s :- *Cristiceps tristis* / *Cristiceps forsteri* / *Petraites incertus* / *Cristiceps multifenestratus*

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish ***Clinidae***

080 275

Heteroclinus wilsoni (Lucas 1891)
Wilson's Weedfish

Synonyms and A.K.A.'s :- *Cristiceps wilsoni*

Average Maximum Recorded Size (metric) :- 14cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish ***Clinidae***

080 276

Ophiclinops hutchinsi George & Springer 1980
Earspot Snake-blenny

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 9.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish ***Clinidae***

080 277

Ophiclinops pardalis McCulloch & Waite 1918
Spotted Snake-blenny

Synonyms and A.K.A.'s :- *Ophiclinus pardalis*

Average Maximum Recorded Size (metric) :- 7cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish **Clinidae**

080 278

Ophiclinops varius McCulloch & Waite 1918

Variegated Snake-blenny

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish **Clinidae**

080 279

Ophiclinus antarcticus Castlenau 1872

Adelaide Snake-blenny / Dusky Snake-blenny

Synonyms and A.K.A.'s :- *Neogunellus sulcatus* / *Ophiclinus aethiops* / *Neogunellus homacanthus*

Average Maximum Recorded Size (metric) :- 14cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish **Clinidae**

080 280

Ophiclinus brevipinnis George & Springer 1980

Shortfin Snake-blenny

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 7cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish **Clinidae**

081 259

Ophiclinus gabrieli Waite 1906

Frosted Snake-blenny / Gabriel's Snake-blenny

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 17.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish **Clinidae**

081 260

Ophiclinus gracilis Waite 1906

Blackbacked Snake-blenny

Synonyms and A.K.A.'s :- *Ophiclinus greeni*

Average Maximum Recorded Size (metric) :- 11cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish **Clinidae**

081 261

Ophiclinus ningulus George & Springer 1980

Variable Snake-blenny / Plain Snake-blenny

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 6.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish **Clinidae**

081 262

Ophiclinus pectoralis George & Springer 1980

White-blotched Snake-blenny

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 6cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish **Clinidae**

081 263

Peronedys anguillaris Steindachner 1884

Eel Blenny

Synonyms and A.K.A.'s :- *Eucentronotus zietzi* / *Ophiclinus devisi* / *Neogunellus microchirus*

Average Maximum Recorded Size (metric) :- 13cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish ***Clinidae***

081 264

Sticharium clarkae George & Springer 1980

Dusky Crawler

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 8cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 213 Family Name (Eng.) :-Weedfish/Clipfish ***Clinidae***

081 265

Sticharium dorsale Gunther 1867

Sand Crawler / Slender Snake-blenny

Synonyms and A.K.A.'s :- *Breona greeni*

Average Maximum Recorded Size (metric) :- 9.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 214 Family Name (Eng.) :-Three-Fin Blennies ***Tripterygiidae***

081 266

Apopterygion alta Kuitert 1986

Tasselled Threefin

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 6.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 214 Family Name (Eng.) :-Three-Fin Blennies ***Tripterygiidae***

081 267

Brachynectes fasciatus (Scott 1957)

Weedy Threefin

Synonyms and A.K.A.'s :- *Verconectes fasciatus*

Average Maximum Recorded Size (metric) :- 4.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 214 Family Name (Eng.) :-Three-Fin Blennies ***Tripterygidae***
081 268

Helcogramma decurrens McCulloch & Waite 1918
Yellowback Threefin

Synonyms and A.K.A.'s :- *Vauclusella calva*

Average Maximum Recorded Size (metric) :- 6.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 214 Family Name (Eng.) :-Three-Fin Blennies ***Tripterygidae***
081 269

Lepidoblennius haplodactylus Steindachner 1867
Jumping Joey / Jumping Blenny

Synonyms and A.K.A.'s :- *Lepidoblennius geminatus*

Average Maximum Recorded Size (metric) :- 10cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 214 Family Name (Eng.) :-Three-Fin Blennies ***Tripterygidae***
081 270

Lepidoblennius marmoratus (Macleay 1878)
Jumping Blenny

Synonyms and A.K.A.'s :- *Tripterygium marmoratum*

Average Maximum Recorded Size (metric) :- 11cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 214 Family Name (Eng.) :-Three-Fin Blennies ***Tripterygidae***
081 271

Norfolkia clarkei (Morton 1888)
Common Threefin / Macleay's Threefin

Synonyms and A.K.A.'s :- *Tripterygium clarkei* / *Tripterygium macleayanum* / *Tripterygion whitleyi*

Average Maximum Recorded Size (metric) :- 8cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **214** Family Name (Eng.) :-Three-Fin Blennies ***Tripterygidae***

081 272

Norfolkia cristata Kuitert 1986

Crested Threefin

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 7.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **214** Family Name (Eng.) :-Three-Fin Blennies ***Tripterygidae***

081 273

Norfolkia incisa Kuitert 1986

Notched Threefin

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 3cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **214** Family Name (Eng.) :-Three-Fin Blennies ***Tripterygidae***

081 274

Trianectes bucephalus McCulloch & Waite 1918

Bighead Threefin

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 6cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **215** Family Name (Eng.) :-Dragonets/Stinkfishes ***Callionymidae***

080 283

Eocallionymus papilio (Gunther 1864)

Painted Stinkfish / Painted Dragonet

Synonyms and A.K.A.'s :- ***Callionymus papillio***

Average Maximum Recorded Size (metric) :- 13cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 215 Family Name (Eng.) :-Dragonets/Stinkfishes **Callionymidae**
080 284

Foetorepus calauropomus (Richardson 1844)
Common Stinkfish / Dragonet

Synonyms and A.K.A.'s :- *Callionymus calauropomus*

Average Maximum Recorded Size (metric) :- 35cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 215 Family Name (Eng.) :-Dragonets/Stinkfishes **Callionymidae**
080 285

Foetorepus phasis (Gunther 1880)
Bight Stinkfish / Dragonet / Long-rayed Stinkfish

Synonyms and A.K.A.'s :- *Callionymus phasis* / *Callionymus apricus*

Average Maximum Recorded Size (metric) :- 13cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 215 Family Name (Eng.) :-Dragonets/Stinkfishes **Callionymidae**
080 286

Pseudocalliurichthys goodladi (Whitley 1944)
Longspine Stinkfish / Goodlad's Stinkfish

Synonyms and A.K.A.'s :- *Callionymus goodladi*

Average Maximum Recorded Size (metric) :- 22cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 215 Family Name (Eng.) :-Dragonets/Stinkfishes **Callionymidae**
080 287

Repomucenus calcaratus (Macleay 1881)
Spotted Stinkfish

Synonyms and A.K.A.'s :- *Callionymus calcaratus*

Average Maximum Recorded Size (metric) :- 28cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 220 Family Name (Eng.) :-Gobies **Gobiidae**

080 289

Acanthogobius flavimanus (Temminck & Schlegel 1845)
Yellowfin Goby / Japanese Goby

Synonyms and A.K.A.'s :- *Gobius flavimanus*

Average Maximum Recorded Size (metric) :- 25cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : An introduced species spreading rapidly

Calypso Fam. No. 220 Family Name (Eng.) :-Gobies **Gobiidae**

080 291

Arenigobius frenatus (Gunther 1861)
Halfbridled Goby

Synonyms and A.K.A.'s :- *Gobius frenatus* / *Gobius semifrenatus*

Average Maximum Recorded Size (metric) :- 11cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 220 Family Name (Eng.) :-Gobies **Gobiidae**

080 290

Arenigobius(Amoya) bifrenatus (Kner 1865)
Bridled Goby

Synonyms and A.K.A.'s :- *Amoya bifrenatus* / *Gobius bassensis* / *Gobius filamentosus* / *Gobius caudatus*

Average Maximum Recorded Size (metric) :- 15cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 220 Family Name (Eng.) :-Gobies **Gobiidae**

080 292

Bathygobius kreffti (Steindachner 1866)
Kreffft's Goby / Frayed-fin Goby

Synonyms and A.K.A.'s :- *Gobius kreffti*

Average Maximum Recorded Size (metric) :- 7cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 220 Family Name (Eng.) :-Gobies **Gobiidae**

080 293

Callogobius depressus (Ramsay & Ogilby 1886)

Flathead Goby

Synonyms and A.K.A.'s :- *Gobius depressus* / *Gunnamatta insolita*

Average Maximum Recorded Size (metric) :- 14cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 220 Family Name (Eng.) :-Gobies **Gobiidae**

080 294

Callogobius mucosus (Gunther 1861)

Sculptured Goby

Synonyms and A.K.A.'s :- *Mucogobius gobiosoma* / *Gobius mucosus*

Average Maximum Recorded Size (metric) :- 11cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 220 Family Name (Eng.) :-Gobies **Gobiidae**

080 295

Eviota bimaculata Lachner & Karnella 1980

Twospot Fringed Goby / Twospot Goby

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 2.4cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 220 Family Name (Eng.) :-Gobies **Gobiidae**

080 296

Favonigobius lateralis (Macleay 1881)

Longfin Goby

Synonyms and A.K.A.'s :- *Gobius lateralis* / *Favonigobius obliquus*

Average Maximum Recorded Size (metric) :- 7.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 220 Family Name (Eng.) :-Gobies **Gobiidae**

082 296

Favonigobius suppositus (Sauvage 1880)
River Goby

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 12cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 220 Family Name (Eng.) :-Gobies **Gobiidae**

888 297

Favonigobius tamarensis (Johnston 1883)
Tamar River Goby / Tamar Goby

Synonyms and A.K.A.'s :- *Afurcagobius tamarensis* / *Gobius tasmanicus* / *Arenigobius tamarensis*

Average Maximum Recorded Size (metric) :- 11cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 220 Family Name (Eng.) :-Gobies **Gobiidae**

080 298

Gobiopterus semivestitus (Munro 1949)
Glass Goby

Synonyms and A.K.A.'s :- *Paraphya semivestita* / *Munrogobius semivestitus*

Average Maximum Recorded Size (metric) :- 3.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 220 Family Name (Eng.) :-Gobies **Gobiidae**

080 299

Mugilogobius paludis (Whitley 1930)
Pale Mangrove Goby

Synonyms and A.K.A.'s :- *Waiteopsis paludis* / *Ellogobius abscanthus*

Average Maximum Recorded Size (metric) :- 6cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 220 Family Name (Eng.) :-Gobies **Gobiidae**

080 301

Nesogobius hinsbyi (McCulloch & Ogilby 1919)

Orange-spotted Goby / Girdled Goby

Synonyms and A.K.A.'s :- *Gobius pictus*

Average Maximum Recorded Size (metric) :- 7.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 220 Family Name (Eng.) :-Gobies **Gobiidae**

080 302

Nesogobius pulchellus (Castlenau 1872)

Sailfin Goby / Castlenau's Goby

Synonyms and A.K.A.'s :- *Gobius pulchellus*

Average Maximum Recorded Size (metric) :- 6cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 220 Family Name (Eng.) :-Gobies **Gobiidae**

888 301

Nesogobius sp.1

Girdled Goby

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 9cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 220 Family Name (Eng.) :-Gobies **Gobiidae**

888 302

Nesogobius sp.2

Threadfin Sand Goby

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 6cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **220** Family Name (Eng.) :-**Gobies** **Gobiidae**

888 303

Nesogobius sp.3

Twinbar Goby

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 4.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **220** Family Name (Eng.) :-**Gobies** **Gobiidae**

888 304

Nesogobius sp.4

Cheeklined Goby

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **220** Family Name (Eng.) :-**Gobies** **Gobiidae**

888 305

Nesogobius sp.5

Sicklefin Sand Goby

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 4cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **220** Family Name (Eng.) :-**Gobies** **Gobiidae**

888 306

Nesogobius sp.6

Opalescent Goby / Pearl Goby

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 4cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 220 Family Name (Eng.) :-Gobies **Gobiidae**

888 307

Nesogobius sp.7

Speckled Sand Goby / Opalescent Sand Goby

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 220 Family Name (Eng.) :-Gobies **Gobiidae**

080 303

Pseudogobius olorum (Sauvage 1880)

Bluespot Goby / Galway's Goby / Swan River Goby

Synonyms and A.K.A.'s :- *Gobius olorum* / *Ellogobius olorum* / *Lizagobius galwayi*

Average Maximum Recorded Size (metric) :- 6cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 220 Family Name (Eng.) :-Gobies **Gobiidae**

080 304

Redigobius macrostoma (Gunther 1861)

Largemouth Goby / Small-eyed Goby

Synonyms and A.K.A.'s :- *Gobius macrostoma* / *Gobius macrophthalmus* / *Gobius australia*

Average Maximum Recorded Size (metric) :- 5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 220 Family Name (Eng.) :-Gobies **Gobiidae**

080 305

Tasmanogobius gloveri Hoese 1991

Marine Goby

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 5.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **220** Family Name (Eng.) :-Gobies **Gobiidae**
080 306
Tasmanogobius lasti Hoese 1991
Lagoon Goby

Synonyms and A.K.A.'s :-
Average Maximum Recorded Size (metric) :- 5.5cm. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. **220** Family Name (Eng.) :-Gobies **Gobiidae**
981 289
Tasmanogobius lordi Scott
Tasmanian Goby

Synonyms and A.K.A.'s :-
Average Maximum Recorded Size (metric) :- 3.5cm. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes : Tasmanian distribution only

Calypso Fam. No. **220** Family Name (Eng.) :-Gobies **Gobiidae**
080 307
Tridentiger trigonocephalus (Gill 1858)
Trident Goby / Japanese Goby / Striped Tripletooth Goby

Synonyms and A.K.A.'s :- *Triaenophorus trigonocephalus*
Average Maximum Recorded Size (metric) :- 12cm. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes : An introduced species spreading rapidly

Calypso Fam. No. **221** Family Name (Eng.) :-Sleeper Gobies/Gudgeons **Eleotridae**
980 301
Butis butis (Buchanan)
Crimson-tipped Gudgeon / Nosy Parker / Flathead

Synonyms and A.K.A.'s :-
Average Maximum Recorded Size (metric) :- 14cm. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. 221 Family Name (Eng.) :- Sleeper Gobies/Gudgeons **Eleotridae**
980 303

Gobiomorphus australis (Krefft)
Striped Gudgeon

Synonyms and A.K.A.'s :- *Mogurnda australis*

Average Maximum Recorded Size (metric) :- 17cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 221 Family Name (Eng.) :- Sleeper Gobies/Gudgeons **Eleotridae**
980 302

Gobiomorphus coxii (Krefft)
Cox's Gudgeon / Mulgoa Gudgeon

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 19cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 221 Family Name (Eng.) :- Sleeper Gobies/Gudgeons **Eleotridae**
980 306

Hypseleotris compressa (Krefft)
Empirefish / Carp Gudgeon

Synonyms and A.K.A.'s :- *Carassiops compressus*

Average Maximum Recorded Size (metric) :- 10cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 221 Family Name (Eng.) :- Sleeper Gobies/Gudgeons **Eleotridae**
980 308

Hypseleotris galii (Ogilby)
Firetailed Gudgeon / Gales Gudgeon

Synonyms and A.K.A.'s :- *Carassiops galii*

Average Maximum Recorded Size (metric) :- F.4cm. M.5.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 221 Family Name (Eng.) :- Sleeper Gobies/Gudgeons **Eleotridae**
980 307

Hypseleotris klunzingeri (Ogilby)
Western Carp Gudgeon

Synonyms and A.K.A.'s :- *Carassiops klunzingeri*

Average Maximum Recorded Size (metric) :- 4.5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 221 Family Name (Eng.) :- Sleeper Gobies/Gudgeons **Eleotridae**
888 401

Hypseleotris sp.1
Midgely's Carp Gudgeon

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 6cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 221 Family Name (Eng.) :- Sleeper Gobies/Gudgeons **Eleotridae**
888 402

Hypseleotris sp.2
Lake's Carp Gudgeon

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 4cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 221 Family Name (Eng.) :- Sleeper Gobies/Gudgeons **Eleotridae**
980 304

Mogurnda adpersa (Castlenau)
Southern Purple-spotted Gudgeon

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 12cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 221 Family Name (Eng.) :- Sleeper Gobies/Gudgeons **Eleotridae**
980 305

Mogurnda mogurnda (Richardson)
Northern Trout Gudgeon / Chequered Gudgeon

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 18cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 221 Family Name (Eng.) :- Sleeper Gobies/Gudgeons **Eleotridae**
980 401

Philypnodon grandiceps (Kreff 1864)
Flathead Gudgeon / Bullhead / Big-headed Gudgeon / Yarra Gudgeon

Synonyms and A.K.A.'s :- *Eleotris grandiceps* / *Ophiorrhinus angustifrons* / *Philypnodon nudiceps* / *Eleotris gymnocephalus*

Average Maximum Recorded Size (metric) :- 11cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 221 Family Name (Eng.) :- Sleeper Gobies/Gudgeons **Eleotridae**
988 289

Philypnodon sp.
Dwarf Flathead Gudgeon

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 5cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 221 Family Name (Eng.) :- Sleeper Gobies/Gudgeons **Eleotridae**
080 308

Thalasseleotris adela Hoese & Larson 1987
Dusky Marine Gudgeon

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 4cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 222 Family Name (Eng.) :-Snake-mackerels **Gempylidae**

090 153

Nealotus tripes Johnson 1865

Black Snake-Mackerel

Synonyms and A.K.A.'s :- *Machaerope latispinus*

Average Maximum Recorded Size (metric) :- 25cm. FAO Code where known :-GEMP Neal 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 222 Family Name (Eng.) :-Snake-mackerels **Gempylidae**

080 153

Rexea antefurcata Parin 1989

Long-finned Escolar

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 72.5cm. FAO Code where known :-GEMP Rexea 2

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 222 Family Name (Eng.) :-Snake-mackerels **Gempylidae**

040 153

Rexea prometheoides (Bleeker 1856)

Royal Escolar / Prometheus Gemfish

Synonyms and A.K.A.'s :- *Thrysites prometheoides* / *Jordanidia raptoria*

Average Maximum Recorded Size (metric) :- 40cm. FAO Code where known :-GEMP Rexea 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 222 Family Name (Eng.) :-Snake-mackerels **Gempylidae**

080 154

Rexea solandri (Cuvier 1832)

Gemfish / Deepsea Kingfish / Kingfish / Silver Gemfish

Synonyms and A.K.A.'s :- *Gempylus solandri* / *Thrysites micropus* / *Rexea furcifera*

Average Maximum Recorded Size (metric) :- 1.1m. FAO Code where known :-GEMP Rexea 6

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 222 Family Name (Eng.) :-Snake-mackerels **Gempylidae**

080 155

Rexichthys johnpaxtoni Parin & Astakhov 1987
Paxton's Escolar

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 22cm. FAO Code where known :-GEMP Rexi 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 222 Family Name (Eng.) :-Snake-mackerels **Gempylidae**

010 153

Ruvettus pretiosus Cocco 1829
Oilfish / Escolar

Synonyms and A.K.A.'s :- *Ruvettus tydemani* / *Ruvettus pacificus* / *Ruvettus whakari*

Average Maximum Recorded Size (metric) :- 3m. FAO Code where known :-GEMP Ruv 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 222 Family Name (Eng.) :-Snake-mackerels **Gempylidae**

080 653

Thyrsites atun (Euphrasen 1791)
Barracouta / Snoek

Synonyms and A.K.A.'s :- *Leionura atun* / *Scomber atun* / *Scomber dentatus*

Average Maximum Recorded Size (metric) :- 1.5m. FAO Code where known :-GEMP Thyrs 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 222 Family Name (Eng.) :-Snake-mackerels **Gempylidae**

040 653

Thyrsitoides marleyi Fowler 1929
Black Snoek

Synonyms and A.K.A.'s :- *Mimasea taeniosoma*

Average Maximum Recorded Size (metric) :- 1.5m. FAO Code where known :-GEMP Thyrsd 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 222 Family Name (Eng.) :-Snake-mackerels **Trichiuridae**

080 654

Assurger anzac (Alexander 1916)

Razorback Scabbardfish

Synonyms and A.K.A.'s :- *Assurger alexanderi* / *Evoxymetapon anzac*

Average Maximum Recorded Size (metric) :- 2.25m. FAO Code where known :-TRICH Assur 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 223 Family Name (Eng.) :-Hairtails **Trichiuridae**

080 655

Benthodesmus elongatus (Clarke 1879)

Slender Frostfish / Elongate Frostfish

Synonyms and A.K.A.'s :- *Lepidopus elongatus*

Average Maximum Recorded Size (metric) :- 92cm. FAO Code where known :-TRICH Benth 2

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 223 Family Name (Eng.) :-Hairtails **Trichiuridae**

040 155

Benthodesmus tuckeri Parin & Becker 1970

Tucker's Frostfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 77cm. FAO Code where known :-TRICH Benth 10

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 223 Family Name (Eng.) :-Hairtails **Trichiuridae**

010 155

Lepidopus caudatus (Euphrasen 1788)

Scabbardfish / Frostfish / Southern Frostfish

Synonyms and A.K.A.'s :- *Trichiurus caudatus* / *Lepidopus lex* / *Lepidopus argenteus*

Average Maximum Recorded Size (metric) :- 2m FAO Code where known :-TRICH Lepid 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 223 Family Name (Eng.) :-Hairtails **Trichiuridae**

090 155

Tentoriceps cristatus (Klunzinger 1884)

Crested Hairtail

Synonyms and A.K.A.'s :- *Trichiurus cristatus* / *Pseudoxymetopon sinensis*

Average Maximum Recorded Size (metric) :- 90cm. FAO Code where known :-TRICH Tent 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 223 Family Name (Eng.) :-Hairtails **Trichiuridae**

010 154

Trichiurus lepturus Linnaeus 1758

Largeheaded Hairtail

Synonyms and A.K.A.'s :- *Trichiurus haumela* / *Trichiurus japonicus* / *Clupea haumela*

Average Maximum Recorded Size (metric) :- 1.2m. FAO Code where known :-TRICH Trich 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 224 Family Name (Eng.) :-Mackerels/Bonitos etc. **Scombridae**

010 148

Auxis thazard (Lacepede)1801

Frigate Mackerel

Synonyms and A.K.A.'s :- *Auxis rochei* / *Auxis tapeinosoma* / *Auxis hira* / *Scomber thazard*

Average Maximum Recorded Size (metric) :- 50cm. FAO Code where known :-SCOMBR Aux 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 224 Family Name (Eng.) :-Mackerels/Bonitos etc. **Scombridae**

080 142

Gasterochisma melampus Richardson 1845

Butterfly Mackerel

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 1.65m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 224 Family Name (Eng.) :-Mackerels/Bonitos etc. **Scombridae**

080 143

Sarda australis (Macleay 1881)

Australian Bonito

Synonyms and A.K.A.'s :- *Pelamys australis* / *Sarda chiliensis australis*

Average Maximum Recorded Size (metric) :- 90cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 224 Family Name (Eng.) :-Mackerels/Bonitos etc. **Scombridae**

080 148

Scomber australasicus C.1831

Blue Mackerel / English Mackerel / Pacific Mackerel

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 40cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 224 Family Name (Eng.) :-Mackerels/Bonitos etc. **Scombridae**

080 141

Scomberomorus commersoni (Lacepede 1800)

Narrow-barred Spanish Mackerel

Synonyms and A.K.A.'s :- *Cybium commersoni*

Average Maximum Recorded Size (metric) :- 2.2m. FAO Code where known :-SCOMBR Scombm 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 225 Family Name (Eng.) :-Tunas/Tunnies **Thunnidae**

010 145

Thunnus alalunga (Bonn.1788)

Albacore

Synonyms and A.K.A.'s :- *Thunnus germo* / *Scomber alalunga*

Average Maximum Recorded Size (metric) :- 1.35m. FAO Code where known :-SCOMBR Thun 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 225 Family Name (Eng.) :-Tunas/Tunnies **Thunnidae**
060 645

Thunnus albacares (Bonn.1788)
Yellowfin Tuna

Synonyms and A.K.A.'s :- *Neothunnus macropterus* / *Thunnus argentivittatus* / *Neothynnus albacora*
Average Maximum Recorded Size (metric) :- 2m. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. 225 Family Name (Eng.) :-Tunas/Tunnies **Thunnidae**
080 145

Thunnus maccoyii (Castlenau 1872)
Bluefin Tuna / Southern Bluefin Tuna

Synonyms and A.K.A.'s :- *Tunnus thynnus maccoyi*
Average Maximum Recorded Size (metric) :- 1.9m. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. 226 Family Name (Eng.) :-Skipjack Tunas **Katsuwonidae**
010 146

Katsuwonus(Euthynus) pelamis (Linnaeus)1758
Skipjack Tuna

Synonyms and A.K.A.'s :- *Euthynus pelamis* / *Scomber pelamis*
Average Maximum Recorded Size (metric) :- 1m. FAO Code where known :-SCOMBR Kats 1
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. 227 Family Name (Eng.) :-Sailfish/Marlins **Istiophoridae**
080 146

Makaira indica (C.)1832
Black Marlin

Synonyms and A.K.A.'s :- *Tetrapterus indicus* / *Istiopomax indicus* / *Makaira marlina*
Average Maximum Recorded Size (metric) :- 4.5m. FAO Code where known :-Istio Mak 2
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. 227 Family Name (Eng.) :-Sailfish/Marlins **Istiophoridae**
080 147

Tetrapterus angustirostris Tanaka 1915
Shortbill Spearfish

Synonyms and A.K.A.'s :- *Tetrapterus illingworthi* / *Pseudohistiophorus angustirostris*

Average Maximum Recorded Size (metric) :- 2.5m. FAO Code where known :-Istio Tetra 3

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 227 Family Name (Eng.) :-Sailfish/Marlins **Istiophoridae**
040 150

Tetrapterus audax (Philippi 1887)
Striped Marlin

Synonyms and A.K.A.'s :- *Istiophorus audax* / *Tetrapterus mitsukurii* / *Makaira grammatica*

Average Maximum Recorded Size (metric) :- 3.5m. FAO Code where known :-ISTIO Tetra 5

Range :- Frequency where known:- Uncommon

Additional Notes :

Calypso Fam. No. 228 Family Name (Eng.) :-Swordfish **Xiphidae**
010 152

Xiphias gladius Linnaeus 1758
Swordfish

Synonyms and A.K.A.'s :- *Xiphias estara*

Average Maximum Recorded Size (metric) :- 5m. FAO Code where known :-XIPH Xiph 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 229 Family Name (Eng.) :-Blackfish **Centrolophidae**
010 157

Centrolophus niger (Gmelin 1789)
Blackfish / Rudder Fish

Synonyms and A.K.A.'s :- *Centrolophus maoricus* / *Perca nigra*

Average Maximum Recorded Size (metric) :- 1.2m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 229 Family Name (Eng.) :-Blackfish **Centrolophidae**

080 157

Hyperoglyphe antarctica (Carmichael 1818)

Deepsea Trevalla

Synonyms and A.K.A.'s :- *Hyperoglyphe porosa* / *Seriolella amplus*

Average Maximum Recorded Size (metric) :- 1.4m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 229 Family Name (Eng.) :-Blackfish **Centrolophidae**

080 158

Schedophilus huttoni (Waite 1910)

New Zealand Ruffe

Synonyms and A.K.A.'s :- *Centrolophus huttoni* / *Coroplopos dicoglossus*

Average Maximum Recorded Size (metric) :- 80cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 229 Family Name (Eng.) :-Blackfish **Centrolophidae**

080 159

Seriolella brama (Gunther 1860)

Warehou / Sea Bream / Snotgall Trevalla

Synonyms and A.K.A.'s :- *Neptomenus brama*

Average Maximum Recorded Size (metric) :- 90cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 229 Family Name (Eng.) :-Blackfish **Centrolophidae**

081 157

Seriolella punctata (Forster 1801)

Spotted Trevalla / Blue Bass

Synonyms and A.K.A.'s :- *Seriolella bilineata* / *Scomber punctatus*

Average Maximum Recorded Size (metric) :- 66cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **229** Family Name (Eng.) :-**Blackfish *Centrolophidae***

081 158

Tubbia tasmanica Whitley 1943

Tasmanian Rudderfish / Ruffe

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **45cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **231** Family Name (Eng.) :-**Driftfishes/Cigar Fishes *Nomeidae***

080 160

Cubiceps caeruleus Regan 1914

Blue Cubehead

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **20cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **231** Family Name (Eng.) :-**Driftfishes/Cigar Fishes *Nomeidae***

090 160

Psenes(Cubiceps) squamiceps (Lloyd 1909)

Indian Driftfish / Coastal Cubehead

Synonyms and A.K.A.'s :- ***Mulichthys squamiceps* / *Cubiceps squamiceps***

Average Maximum Recorded Size (metric) :- **15cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **231** Family Name (Eng.) :-**Driftfishes/Cigar Fishes *Nomeidae***

040 159

Nomeus gronovii (Gmelin 1789)

Portuguese Man-of-War Fish / Bluebottle Fish

Synonyms and A.K.A.'s :- ***Nomeus albula* / *Gobius gronovii***

Average Maximum Recorded Size (metric) :- **26cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 231 Family Name (Eng.) :-Driftfishes/Cigar Fishes **Nomeidae**

080 161

Psenes pellucidus Lutken 1880

Scissortail

Synonyms and A.K.A.'s :- *Caristiodes amplipinnis*

Average Maximum Recorded Size (metric) :- 80cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 233 Family Name (Eng.) :-Ravenfish/Pomfrets **Tetragonuridae**

010 162

Tetragonurus cuvieri Risso 1810

Squaretail / Smalleyed Squaretail

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 70cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 235 Family Name (Eng.) :-Left-sided Flatfish **Bothidae**

080 337

Arnoglossus bassensis Norman 1926

Bass Strait Flounder

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 25cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 235 Family Name (Eng.) :-Left-sided Flatfish **Bothidae**

080 338

Arnoglossus muelleri (Klunzinger 1872)

Mueller's Flounder

Synonyms and A.K.A.'s :- *Pseudorhombus muelleri* / *Arnoglossus armstrongi*

Average Maximum Recorded Size (metric) :- 21cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 235 Family Name (Eng.) :-Left-sided Flatfish **Bothidae**

080 339

Lophonectes gallus Gunther 1880
Crested Flounder

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 20cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 235 Family Name (Eng.) :-Left-sided Flatfish **Bothidae**

090 337

Pseudorhombus arsius H.-B. 1822
Largetoothed Flounder

Synonyms and A.K.A.'s :- *Pleuronectes arsius* / *Pseudorhombus lentiginosus* / *Tetrarhombus excisiceps*

Average Maximum Recorded Size (metric) :- 40cm. FAO Code where known :-BOTH Pseud 1

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 235 Family Name (Eng.) :-Left-sided Flatfish **Bothidae**

080 340

Pseudorhombus jenynsii (Bleeker 1855)
Smalltooth Flounder

Synonyms and A.K.A.'s :- *Platessa jenynsii* / *Pseudorhombus multimaculatus*

Average Maximum Recorded Size (metric) :- 35cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 236 Family Name (Eng.) :-Flounders **Pleuronectidae**

080 347

Ammotretis brevipinnis Norman 1926
Shortfin Flounder

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 38cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 236 Family Name (Eng.) :-Flounders ***Pleuronectidae***

080 346

Ammotretis elongatus McCulloch 1914

Elongate Flounder

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 21cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 236 Family Name (Eng.) :-Flounders ***Pleuronectidae***

080 341

Ammotretis lituratus (Richardson 1849)

Spotted Flounder / Dotted Sole / Sole

Synonyms and A.K.A.'s :- *Solea liturata* / *Ammotretis tudori*

Average Maximum Recorded Size (metric) :- 23cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 236 Family Name (Eng.) :-Flounders ***Pleuronectidae***

080 342

Ammotretis macrolepis McCulloch 1914

Largescale Flounder / Sole

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 10cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 236 Family Name (Eng.) :-Flounders ***Pleuronectidae***

080 343

Ammotretis rostratus Gunther 1862

Longsnout Flounder / Bay Flounder / Longnosed Flounder

Synonyms and A.K.A.'s :- *Peltorhamphus bassensis*

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 236 Family Name (Eng.) :-Flounders ***Pleuronectidae***

080 344

Azygopus pinnifasciatus Norman 1926
Banded-fin Flounder

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 20cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 236 Family Name (Eng.) :-Flounders ***Pleuronectidae***

080 345

Rhombosolea tapirina Gunther 1862
Greenback Flounder / Melbourne Flounder / Flounder

Synonyms and A.K.A.'s :- *Rhombosolea monopus* / *Rhombosolea victoriae*

Average Maximum Recorded Size (metric) :- 45cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 236 Family Name (Eng.) :-Flounders ***Pleuronectidae***

081 346

Taratretis derwentensis Last 1978
Derwent Flounder

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 9cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 237 Family Name (Eng.) :-Soles ***Soleidae***

080 348

Aseraggodes haackeanus (Steindachner 1883)
Southern Sole

Synonyms and A.K.A.'s :- *Solea haackeana* / *Achirus haackeana*

Average Maximum Recorded Size (metric) :- 14cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 237 Family Name (Eng.) :-Soles **Soleidae**

080 349

Synaptura nigra Macleay 1880
Black Sole

Synonyms and A.K.A.'s :- *Achlyopa nigra*

Average Maximum Recorded Size (metric) :- 35cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 237 Family Name (Eng.) :-Soles **Soleidae**

080 350

Zebrias cancellatus (McCulloch 1914)
Harrowed Sole

Synonyms and A.K.A.'s :- *Synaptura cancellata*

Average Maximum Recorded Size (metric) :- 24cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 237 Family Name (Eng.) :-Soles **Soleidae**

080 351

Zebrius penescalaris Gomon 1987
Duskybanded Sole

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 15cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 237 Family Name (Eng.) :-Soles **Soleidae**

080 352

Zebrias scalaris Gomon 1987
Manybanded Sole / Multibanded Sole

Synonyms and A.K.A.'s :- *Synaptura fasciata* / *Brachirus fasciatus*

Average Maximum Recorded Size (metric) :- 20cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 238 Family Name (Eng.) :-Tongue Soles **Cynoglossidae**
080 357

Cynoglossus broadhursti Waite 1905
Southern Tongue Sole / Broadhurst's Sole

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 27cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 238 Family Name (Eng.) :-Tongue Soles **Cynoglossidae**
082 357

Paraplagiusa unicolor (Macleay 1881)
Lemon Tongue Sole

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 25cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 239 Family Name (Eng.) :-Filefish/Leatherjackets **Aluteridae(Monacanthidae)**
080 850

Acanthaluteres brownii (Richardson 1846)
Spinytailed Leatherjacket

Synonyms and A.K.A.'s :- *Bigener brownii*

Average Maximum Recorded Size (metric) :- 46cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 239 Family Name (Eng.) :-Filefish/Leatherjackets **Aluteridae(Monacanthidae)**
080 851

Acanthaluteres spilomelanurus (Q.& G.)1824
Bridled Leatherjacket / Golden-eyed Leatherjacket

Synonyms and A.K.A.'s :- *Balistes spilomelanurus*

Average Maximum Recorded Size (metric) :- 14cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 239 Family Name (Eng.) :-Filefish/Leatherjackets ***Aluteridae(Monacanthidae)***
080 852

Acanthaluteres vittiger (Castlenau 1873)
Toothbrush Leatherjacket

Synonyms and A.K.A.'s :- *Monacanthus vittiger* / *Pencipelta vittiger*
Average Maximum Recorded Size (metric) :- 32cm. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. 239 Family Name (Eng.) :-Filefish/Leatherjackets ***Aluteridae(Monacanthidae)***
080 853

Brachaluteres jacksonianus (Q. & G.)1824
Southern Pygmy Leatherjacket

Synonyms and A.K.A.'s :- *Balistes jacksonianus* / *Brachaluteres trossulus* / *Brachaluteres wolfei*
Average Maximum Recorded Size (metric) :- 9cm. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. 239 Family Name (Eng.) :-Filefish/Leatherjackets ***Aluteridae(Monacanthidae)***
080 854

Canthescenia longipinnis (Fraser-Brunner 1941)
Smoothspined Leatherjacket

Synonyms and A.K.A.'s :- *Amanses longipinnis* / *Cantherhines longipinnis*
Average Maximum Recorded Size (metric) :- 23cm. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. 239 Family Name (Eng.) :-Filefish/Leatherjackets ***Aluteridae(Monacanthidae)***
080 855

Eubalichthys bucephalus (Whitley 1931)
Black Reef Leatherjacket

Synonyms and A.K.A.'s :- *Blandowskius bucephalus*
Average Maximum Recorded Size (metric) :- 40cm. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. 239 Family Name (Eng.) :-Filefish/Leatherjackets ***Aluteridae(Monacanthidae)***
080 856

Eubalichthys cyanoura Hutchins 1987
Bluetail Leatherjacket

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 42cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 239 Family Name (Eng.) :-Filefish/Leatherjackets ***Aluteridae(Monacanthidae)***
080 857

Eubalichthys gunnii (Gunther 1870)
Gunn's Leatherjacket / Black Leatherjacket

Synonyms and A.K.A.'s :- *Monacanthus gunnii*

Average Maximum Recorded Size (metric) :- 40cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 239 Family Name (Eng.) :-Filefish/Leatherjackets ***Aluteridae(Monacanthidae)***
080 858

Eubalichthys mosaicus (Ramsay & Ogilby 1886)
Mosaic Leatherjacket / Dinnerplate

Synonyms and A.K.A.'s :- *Monacanthus mosaicus* / *Weerutta ovalis*

Average Maximum Recorded Size (metric) :- 60cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 239 Family Name (Eng.) :-Filefish/Leatherjackets ***Aluteridae(Monacanthidae)***
080 859

Eubalichthys quadrispinis Hutchins 1977
Fourspine Leatherjacket / Longtail

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 40cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 239 Family Name (Eng.) :-Filefish/Leatherjackets ***Aluteridae(Monacanthidae)***
080 860

Meuschenia australis (Donovan 1824)
Brownstriped Leatherjacket / Donovan's Leatherjacket

Synonyms and A.K.A.'s :- *Balistes australis*

Average Maximum Recorded Size (metric) :- 32cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 239 Family Name (Eng.) :-Filefish/Leatherjackets ***Aluteridae(Monacanthidae)***
080 861

Meuschenia flavolineata Hutchins 1977
Yellowstriped Leatherjacket / Orangetailed Leatherjacket

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 239 Family Name (Eng.) :-Filefish/Leatherjackets ***Aluteridae(Monacanthidae)***
080 862

Meuschenia freycineti (Q.& G.) 1824
Sixspine Leatherjacket

Synonyms and A.K.A.'s :- *Balistes freycineti* / *Meuschenia skottowei* / *Navodon multiradiatus*

Average Maximum Recorded Size (metric) :- 55cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 239 Family Name (Eng.) :-Filefish/Leatherjackets ***Aluteridae(Monacanthidae)***
080 863

Meuschenia galii (Waite 1905)
Bluelined Leatherjacket

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 35cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 239 Family Name (Eng.) :-Filefish/Leatherjackets ***Aluteridae(Monacanthidae)***
080 864

Meuschenia hippocrepis (Q.& G.) 1824
Horseshoe Leatherjacket / Horseshoe

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 60cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 239 Family Name (Eng.) :-Filefish/Leatherjackets ***Aluteridae(Monacanthidae)***
080 865

Meuschenia scaber (Forster 1801)
Velvet Leatherjacket / Cream Triggerfish

Synonyms and A.K.A.'s :- *Balistes scaber* / *Parika scaber*

Average Maximum Recorded Size (metric) :- 31cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 239 Family Name (Eng.) :-Filefish/Leatherjackets ***Aluteridae(Monacanthidae)***
080 866

Meuschenia venusta Hutchins 1977
Stars-and-Stripes Leatherjacket

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 21cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 239 Family Name (Eng.) :-Filefish/Leatherjackets ***Aluteridae(Monacanthidae)***
090 851

Monocanthus chinensis (Osbeck 1765)
Fan-bellied Leatherjacket / Fantail / Chinese Leatherjacket

Synonyms and A.K.A.'s :- *Balistes chinensis*

Average Maximum Recorded Size (metric) :- 38cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 239 Family Name (Eng.) :-Filefish/Leatherjackets ***Aluteridae(Monacanthidae)***
081 854

Nelusetta ayraudi (Quoy & Gaimard) 1824
Chinaman Leatherjacket

Synonyms and A.K.A.'s :- *Balistes ayraudi*

Average Maximum Recorded Size (metric) :- 70cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 239 Family Name (Eng.) :-Filefish/Leatherjackets ***Aluteridae(Monacanthidae)***
091 867

Scobinichthys granulatus (Shaw 1790)
Rough Leatherjacket

Synonyms and A.K.A.'s :- *Balistes granulata*

Average Maximum Recorded Size (metric) :- 29cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 239 Family Name (Eng.) :-Filefish/Leatherjackets ***Aluteridae(Monacanthidae)***
080 868

Thamnaconus degenei (Regan 1903)
Degen's Leatherjacket / Bluefinned Leatherjacket

Synonyms and A.K.A.'s :- *Pseudomonacanthus degeni*

Average Maximum Recorded Size (metric) :- 29cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 242 Family Name (Eng.) :-Boxfishes ***Aracanidae***
080 871

Anoplocapros amygdaloides Fraser-Brunner 1941
Western Smooth Boxfish / Blue Boxfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 30cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 242 Family Name (Eng.) :-Boxfishes **Aracnidae**

080 872

Anoplocapros inermis (Fraser-Brunner 1935)

Eastern Smooth Boxfish

Synonyms and A.K.A.'s :- *Strophurichthys inermis* / *Strophurichthys robustus*

Average Maximum Recorded Size (metric) :- 35cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Some confusion applies to non-Australian records for this species

Calypso Fam. No. 242 Family Name (Eng.) :-Boxfishes **Aracnidae**

080 873

Anoplocapros lenticularis (Richardson 1841)

Humpback Boxfish

Synonyms and A.K.A.'s :- *Ostracion lenticularis* / *Anoplocapros gibbosus* / *Anoplocapros grayi*

Average Maximum Recorded Size (metric) :- 20cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 242 Family Name (Eng.) :-Boxfishes **Aracnidae**

080 874

Aracana aurita (Shaw 1798)

Shaw's Cowfish / Striped Cowfish / Boxfish

Synonyms and A.K.A.'s :- *Ostracion auritus* / *Aracana spilogaster*

Average Maximum Recorded Size (metric) :- 20cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 242 Family Name (Eng.) :-Boxfishes **Aracnidae**

080 875

Aracana ornata (Gray 1838)

Ornate Cowfish / Cowfish

Synonyms and A.K.A.'s :- *Ostracion ornata* / *Aracana flavigaster*

Average Maximum Recorded Size (metric) :- 15cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 242 Family Name (Eng.) :-Boxfishes **Aracanidae**

080 876

Caprichthys gymnura McCulloch & Waite 1915
Rigid Boxfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 12cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 242 Family Name (Eng.) :-Boxfishes **Aracanidae**

080 877

Capropygia unistriata (Kaup 1855)
Spiny Boxfish

Synonyms and A.K.A.'s :- *Aracana unistriata*

Average Maximum Recorded Size (metric) :- 10cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 244 Family Name (Eng.) :-Puffers/Toadfish **Tetraodontidae**

080 364

Arothron firmamentum (Temminck & Schlegel 1850)
Starry Toadfish / Starry Toado

Synonyms and A.K.A.'s :- *Tetraodon firmamentum* / *Tetraodon gilbanksii*

Average Maximum Recorded Size (metric) :- 43cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. 244 Family Name (Eng.) :-Puffers/Toadfish **Tetraodontidae**

080 879

Contusus brevicaudus Hardy 1981
Prickly Toadfish / Hardy's Toadfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- 25cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **244** Family Name (Eng.) :-Puffers/Toadfish ***Tetraodontidae***

080 880

Contusus richei (Freminville 1813)

Prickly Toadfish / Barred Toadfish

Synonyms and A.K.A.'s :- ***Tetrodon richei***

Average Maximum Recorded Size (metric) :- **22cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **244** Family Name (Eng.) :-Puffers/Toadfish ***Tetraodontidae***

080 881

Omegophora armilla (Waite & McCulloch 1915)

Ringed Toadfish / Ringed Puffer

Synonyms and A.K.A.'s :- ***Tetraodon armilla***

Average Maximum Recorded Size (metric) :- **25cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **244** Family Name (Eng.) :-Puffers/Toadfish ***Tetraodontidae***

080 973

Omegophora cyanopunctata Hardy & Hutchins 1981

Bluespotted Pufferfish

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- **18cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **244** Family Name (Eng.) :-Puffers/Toadfish ***Tetraodontidae***

081 364

Polyspina piosae (Whitley 1955)

Orangebarred Pufferfish

Synonyms and A.K.A.'s :- ***Torquigener piosae***

Average Maximum Recorded Size (metric) :- **8.5cm.** FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **244** Family Name (Eng.) :-Puffers/Toadfish ***Tetraodontidae***
081 879

Tetractenos glaber (Fremerville 1813)
Smooth Toadfish

Synonyms and A.K.A.'s :- *Tetrodon glaber* / *Spheroides liosomus*
Average Maximum Recorded Size (metric) :- 15cm. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. **244** Family Name (Eng.) :-Puffers/Toadfish ***Tetraodontidae***
081 880

Tetractenos hamiltoni (Grey & Richardson 1843)
Smooth Toadfish

Synonyms and A.K.A.'s :-
Average Maximum Recorded Size (metric) :- 12cm. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. **244** Family Name (Eng.) :-Puffers/Toadfish ***Tetraodontidae***
081 973

Torquigener pleurogramma (Regan 1903)
Weeping Toado

Synonyms and A.K.A.'s :- *Tetrodon pleurogramma* / *Spheroides lacrimosus*
Average Maximum Recorded Size (metric) :- 20cm. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. **245** Family Name (Eng.) :-Porcupine-Fish ***Diodontidae***
080 362

Allomycterus pilatus Whitley 1931
Australian Burrfish / Porcupine-Fish

Synonyms and A.K.A.'s :-
Average Maximum Recorded Size (metric) :- 48cm. FAO Code where known :-
Range :- Frequency where known:-
Additional Notes :

Calypso Fam. No. **245** Family Name (Eng.) :-Porcupine-Fish ***Diodontidae***
081 362

Diodon nicthemurus C.1818
Globefish / Blow-up Fish / Porcupine Fish

Synonyms and A.K.A.'s :- *Atopomycterus nicthemurus*

Average Maximum Recorded Size (metric) :- 28cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **246** Family Name (Eng.) :-Toados/Puffers/Tobies ***Lagocephalidae***
010 363

Lagocephalus lagocephalus Linnaeus
Oceanic Pufferfish / Pelagic Puffer

Synonyms and A.K.A.'s :- *Lagocephalus oceanicus*

Average Maximum Recorded Size (metric) :- 60cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **246** Family Name (Eng.) :-Toados/Puffers/Tobies ***Lagocephalidae***
080 363

Lagocephalus scleratus (Gmelin 1788)
Giant Toado / Silver Toadfish / Blowfish

Synonyms and A.K.A.'s :- *Tetraodon bicolor* / *Tetrodon scleratus*

Average Maximum Recorded Size (metric) :- 95cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : Authority also ceditd as: Forster 1778

Calypso Fam. No. **247** Family Name (Eng.) :-Ocean Sunfishes ***Molidae***
020 966

Masturus lanceolatus (Lienard 1840/1?)
Sharptail Sunfish / Sunfish / Point-tailed Sunfish

Synonyms and A.K.A.'s :- *Orthogoriscus lanceolatus*

Average Maximum Recorded Size (metric) :- 3m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **247** Family Name (Eng.) :-Ocean Sunfishes **Molidae**

010 365

Mola mola (Linnaeus)

Mola / Ocean Sunfish / Sunfish

Synonyms and A.K.A.'s :- *Tetraodon mola* / *Orthroriscus mola*

Average Maximum Recorded Size (metric) :- 3.5m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes : A large range of synonyms exist for this species - see Fraser-Brunner's 1951 paper for a comprehensive



list.

Calypso Fam. No. **247** Family Name (Eng.) :-Ocean Sunfishes **Molidae**

080 365

Mola ramsayi (Giglioli 1883)

Southern Ocean Sunfish / Ramsay's Sunfish

Synonyms and A.K.A.'s :- *Orthroriscus ramsayi*

Average Maximum Recorded Size (metric) :- 3.3m. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. **247** Family Name (Eng.) :-Ocean Sunfishes **Molidae**

010 366

Ranzania laevis (Pennant 1776)

Slender Sunfish / Truncated Sunfish

Synonyms and A.K.A.'s :- *Ostracion laevis* / *Orthroriscus oblongus* / *Tetrodon truncatus*

Average Maximum Recorded Size (metric) :- 90cm. FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

Calypso Fam. No. Family Name (Eng.) :-

Synonyms and A.K.A.'s :-

Average Maximum Recorded Size (metric) :- FAO Code where known :-

Range :- Frequency where known:-

Additional Notes :

NEW ADDITION

089 009

***Aulohalaelurus labiosus* (Waite 1905)**

Blackspotted Catshark

AKA's and Synonyms *Catulus labiosus* / *Orectolobus maculatus*

Av.Max. Size: 67 FAO Code:-SCYL Aul 1

089 009

SPELLING CORRECTION

081 016

Galeus boardmani

AKA's and Synonyms *Galeus bordmani*

Av.Max. Size: FAO Code:-SCYL Gal 3

081 016

FAO CODE ADDITION

010 021

Galeorhinus galeus

AKA's and Synonyms

Av.Max. Size: FAO Code:-TRIAK Galeo 1

010 021

NEW ADDITION

040 042

***Hemipristis elongatus* (Klunzinger 1871)**

Snaggletooth Shark

AKA's and Synonyms *Dirrhizodon elongatus* / *Carcharias ellioti* / *Paragaleus acventralis*

Av.Max. Size: 240 FAO Code:-HEMIG Hemip 1

040 042

NEW ADDITION

040 014

***Carcharhinus amboinensis* (Muller & Henle 1839)**

Pigeyed Shark

AKA's and Synonyms Prionodon henlei / Prionodon amboinensis

Av.Max. Size: 280 FAO Code:-CARCH Carch 14

040 014

NEW ADDITION

040 051

***Carcharhinus brevipinna* (Muller & Henle 1839)**

Spinner Shark

AKA's and Synonyms Carcharhinus maculipinnis / Carcharhinus johnsoni

Av.Max. Size: 280 FAO Code:-CARCH Carch 3

040 051

NEW ADDITION

040 052

***Eusphyrna blochi* (Cuvier 1817)**

Narrow Hammerhead Shark

AKA's and Synonyms NOT Eusphyrna blochi

Av.Max. Size: FAO Code:-SPHYRN Eusp 1

040 052

FAO CODE ADDITION

010 024

***Sphyrna zygaena* (Linnaeus 1758)**

Smooth Hammerhead

AKA's and Synonyms Zygaena vulgaris / Zygaena oceanica / Zygaena malleus

Av.Max. Size: 400 FAO Code:-SPHYRN Sphyrn 4

010 024

Family Number	INFORMATION TYPE	Database No.	Latin Name	Authority	Family	English Name/Names
157	NEW ADDITION	084 228	<i>Sillago ciliata</i>	C.1829	<i>Sillaginidae</i>	Yellowfinned Silver Whiting
177	NEW ADDITION	080 206	<i>Acanthopagrus australis</i>	(Gunther 1859)	<i>Sparidae</i>	Yellowfin or Common Bream
179	NEW ADDITION	083 217	<i>Upeneichthys lineatus</i>	(B. & S. 1801)	<i>Mullidae</i>	Striped Mullet
179	NEW ADDITION	083 218	<i>Upeneichthys porosus</i>	(C.1829)	<i>Mullidae</i>	
180	CORRECTION	080 707	<i>Schuettea not Schuetta</i>		<i>Monodactylidae</i>	
180	CORRECTION	080 708	<i>Schuettea not Schuetta</i>		<i>Monodactylidae</i>	
192	CORRECTION	080 737	<i>Paristeopterus gallipavo</i>		<i>Pentacerotidae</i>	
192	CORRECTION	080 718	<i>Pentaceros decacanthus not deacanthus</i>		<i>Pentacerotidae</i>	
196	NEW ADDITION	085 728	<i>Cheilodactylus vestitus</i>	(Castlenau 1879)	<i>Cheilodactylidae</i>	Eastern Crested Morwong
	NEW ADDITION	082 104	<i>Cyclothone alba</i>	Brauer 1906	<i>Gonostomidae/Gonostomiatidae</i>	
	NEW ADDITION	010 104	<i>Cyclothone braueri</i>	Jespersen & Taning 1926	<i>Gonostomidae/Gonostomiatidae</i>	
	NEW ADDITION	082 105	<i>Cyclothone microdon</i>	Gunther 1878	<i>Gonostomidae/Gonostomiatidae</i>	
	NEW ADDITION	082 106	<i>Cyclothone pseudopallida</i>	Mukhacheva 1964	<i>Gonostomidae/Gonostomiatidae</i>	
	NEW ADDITION	082 676	<i>Argyropelecus gigas</i>	Norman 1930	<i>Sternoptychidae</i>	
	NEW ADDITION	010 103	<i>Argyropelecus hemigymnus</i>	Cocco 1829	<i>Sternoptychidae</i>	
	NEW ADDITION	083 676	<i>Sternoptyx pseudodiapahana</i>	Borodulina 1977	<i>Sternoptychidae</i>	
	NEW ADDITION	010 400	<i>Maurollicus muelleri</i>	(Gmelin 1788)	<i>Maurolocidae</i>	