

AMPLIFIERS ★ SUBWOOFERS ★ SPEAKERS

# CRUNCH<sup>®</sup>


C A R A U D I O

## FEEL THE POWER

  
POWERED BY  
MAXXSONICS

  
CRUNCH  
2007 PRODUCT LINE





### Ground Pounder Amplifiers

The GP Series is aggressive and designed for high performance and reliability. The line features a true competition D-Class amplifier.

Model	Description
<b>Two-Channel</b>	
GP2150	2 x 150 @ 4-Ohms, 2 x 300 @ 2-Ohms, 1 x 600 @ 4-Ohms
GP2250	2 x 250 @ 4-Ohms, 2 x 500 @ 2-Ohms, 1 x 1000 @ 4-Ohms
GP2350	2 x 350 @ 4-Ohms, 2 x 700 @ 2-Ohms, 1 x 1400 @ 4-Ohms
<b>Four-Channel</b>	
GP4100	4 x 100 @ 4-Ohms, 4 x 200 @ 2-Ohms, 1 x 400 @ 4-Ohms
GP4150	4 x 150 @ 4-Ohms, 4 x 300 @ 2-Ohms, 1 x 600 @ 4-Ohms
<b>Mono-Block</b>	
GP1500D	1 x 375 @ 4-Ohms, 1 x 750 @ 2-Ohms, 1 x 1500 Maxx
GP2500D	1 x 625 @ 4-Ohms, 1 x 1250 @ 2-Ohms, 1 x 2500 Maxx
GP3000D-PRO	1 x 750 @ 4-Ohms, 1 x 1500 @ 2-Ohms, 1 x 3000 RMS



**POWERZONE Amplifiers**

The PZi series features a sonically accurate front end design, heat sink and a illuminated Crunch logo. A five channel amplifier and four mono blocks round out the line.

Model	Description
<b>Two-Channel</b>	
PZi100.2	2 x 100 @ 4-Ohms, 2 x 200 @ 2-Ohms, 1 x 400 Maximum
PZi250.2	2 x 250 @ 4-Ohms, 2 x 500 @ 2-Ohms, 1 x 1000 Maximum
PZi325.2	2 x 300 @ 4-Ohms, 2 x 600 @ 2-Ohms, 1 x 1200 Maximum
<b>Four-Channel</b>	
PZi100.4	4 x 100 @ 4-Ohms, 4 x 150 @ 2-Ohms, 2 x 300 Maximum
PZi125.4	4 x 125 @ 4-Ohms, 4 x 200 @ 2-Ohms, 2 x 400 Maximum
PZi175.4	4 x 175 @ 4-Ohms, 4 x 250 @ 2-Ohms, 2 x 500 Maximum
<b>Five-Channel</b>	
PZi550.5	4 x 60 + 1 x 200 watts @ 4-Ohms
<b>Mono-Block</b>	
PZi1000.1	1 x 250 @ 4-Ohms, 1 x 500 @ 2-Ohms, 1 x 1000 Maximum
PZi1500.1	1 x 375 @ 4-Ohms, 1 x 750 @ 2-Ohms, 1 x 1500 Maximum
PZi2000.1D	1 x 500 @ 4-Ohms, 1 x 1000 @ 2-Ohms, 1 x 2000 Maximum
PZi3000.1D	1 x 750 @ 4-Ohms, 1 x 1500 @ 2-Ohms, 1 x 3000 Maximum

### GROUND POUNDER Subwoofers

GRP subwoofers offer a single four-Ohm 12" and DVC configurations. All models feature a treated paper cone and excellent Crunch performance.



### GROUND POUNDER Series Speakers

Ground Pounder speakers provide all of the power and performance you expect from Crunch.



Model	Description
GRP12D2	12" dual 4-Ohm subwoofer 500 watts Maximum - 250 RMS
GRP12S4	12" single 4-Ohm subwoofer 500 watts Maximum - 250 RMS

Model	Description
GRP52CX	5.25" coaxial 250 watts Maximum - 50 continual
GRP62CX	6.5" coaxial 300 watts Maximum - 60 continual
GRP693	6 x 9" 3-way 400 watts Maximum - 80 continual
GRP5.2C	5.25" component set 250 watts Maximum - 50 continual
GRP6.5C	6.5" component set 300 watts Maximum - 60 continual



### Ground Pounder Subwoofers

Ground Pounder subwoofers feature illuminated dust caps, big power handling and dual voice coils. They are available in dual four and dual two-Ohm configurations.



### GTR Series Speakers

GTR speakers provide superior performance, illumination and higher power handling as the top of the line Crunch speaker series.



Model	Description
GP10D2	10" dual 2-Ohm subwoofer 1000 watts Maximum - 500 continual
GP10D4	10" dual 4-Ohm subwoofer 1000 watts Maximum - 500 continual
GP12D2	12" dual 2-Ohm subwoofer 1200 watts Maximum - 600 continual
GP12D4	12" dual 4-Ohm subwoofer 1200 watts Maximum - 600 continual
GP15D2	15" dual 2-Ohm subwoofer 1400 watts Maximum - 700 continual

Model	Description
GTR52CXi	5.25" coaxial 300 watts Maximum - 60 continual
GTR62CXi	6.5" coaxial 350 watts Maximum - 70 continual
GTR693i	6 x 9" 3-way 500 watts Maximum - 100 continual
GTR5.2Ci	5.25" component set 350 watts Maximum - 70 continual
GTR6.5Ci	6.5" component set 400 watts Maximum - 80 continual

# mm-1



MM-1 Car Audio  
iPod®/MP3 Interface

- Compatible With All iPODS, Satellite Radios, and MP3 Sources
- Noise Canceling Differential Input Design
- Illuminated Analog-Style Master Volume Control
- Installable Indash, Underdash or Inside a Glove-box
- Accepts a 3.5mm Headphone Jack or 4-Ch RCA Inputs
- Uncompromising Wide-Frequency Response, 10Hz to 37kHz
- Variable Input Sensitivity Accepts Wide Range of Sound Sources
- Low Distortion, Low Noise Design; THD & Noise < 0.03%, S/N > 98dB

The two-piece MM-1 is the music enthusiast's "Direct to Amp" solution that creates an uncompromising, hi-fidelity MP3 device input in any amplified car audio system. Our MM-1 eliminates sonic degradation common other MP3 player Bluetooth™ interfaces and FM modulators. This hi-fidelity 4-channel interface module allows any iPod, MP3 player, satellite radio, or other sound source device that has a headphone jack to be played directly through the car stereo system. Nothing is attached or backpacked onto the MP3 player itself and the MM-1 provides automatic audio switching when MP3 device is turned-on.

# MAXX-LINK



MXL-100 Universal Link & Sync™  
Amplifier Bridging & Synchronization Module

Features:

- Universal Amplifier Bridging Interface
- Permits Interconnecting / Linking Mobile Amplifiers into a Master and Slave Configuration
- Link up to Ten (10) Amplifiers
- Remote Level Control w LED Clipping Indicator
- Master / Slave Control Switch
- 24dB Adjustable Low-Pass (35Hz to 250Hz)
- Built-in Set-Up Test Tone
- 24dB Adjustable Subsonic Filter (15Hz to 35Hz)
- 10dB Adjustable Parametric Bass EQ
- Variable Wide / Narrow Bandwidth Control
- 0 to 180° Adjustable Phase Control
- 2-Ch RCA Audio Pass-Thru

## Maxxsonics Limited Warranty

As the manufacturer of Maxxsonics, Autotek, Crunch, MB Quart and Hifonics car audio products, Maxxsonics USA Inc. Warrants to the original consumer purchaser the amplifier to be free from defects in material and workmanship for one (1) Year from the date of purchase.

All other parts and accessories of the system are warranted to be free from defects in material and workmanship for one (1) year from date of purchase. Maxxsonics will repair or replace at its option and free of charge during the warranty period, any system component that proves defective in materials and workmanship under normal installation, use and service provided that the product is returned to the authorized Maxxsonics dealer from where it was purchased. A photo copy of the original receipt must accompany the product being returned.

Valid purchase receipts will contain the name and address of the authorized reseller.

Any damage to the product as a result of misuse, abuse, accident, incorrect wiring, improper installation, alteration of date code or bar code labels, revolution, natural disaster, or any sneaky stuff because someone messed up, repair or alteration outside of our factory or authorized service centers and anything else you have done that you should not have done is not covered.

This warranty is limited to defective parts and specifically excludes any incidental or consequential damages connected therewith. This warranty is not to be construed as an insurance policy.

Warranty on installation labor, removal, re-installation and freight charges are not the responsibility of Maxxsonics USA Inc.

Warranty products damaged as a result of insufficient or improper packing materials are not covered by this limited warranty and such damaged product will be returned "as is" at the expense of the owner.

The information contained herein may not be reproduced in whole or in part without the express written permission of Maxxsonics,® Inc.

2006-2007 Maxxsonics, Inc. Hifonics, MB Quart, Autotek, and Crunch USA are registered trademarks of Maxxsonics, Inc.

All rights reserved. All other trademarks are the property of their respective owners.

iPod® is the registered trademark of Apple® Computer, Inc, which is not affiliated with this product. Maxxsonics is not an agent or affiliated in any way with Apple Computer, Inc.

Maxxsonics® USA, Inc.  
1290 Ensell Road Lake Zurich Illinois 60047  
USA  
Phone: 847-540-7700  
FAXX: 847-540-9776

www.maxxsonics.com  
MB Quart,® Autotek,® Hifonics®  
and Crunch® USA  
are divisions of Maxxsonics® USA Inc.



# CRUNCH C A R T A U D I O FEEL THE POWER

