

Updated 21.11.2014

**A check list of the longicorn beetles (Cerambycidae) of Russia
M.L. Danilevsky, 2008**

Regions (see the corresponding map):

R - Russia:

NT - North of European Russia: Komi, Vologda and S.-Petersburg regions.
CT - Centre of European Russia (eastwards to Urals and Ural River) including Kaliningrad, Samara and Ulianovsk regions).
ST - South of European Russia (including European part of Orenburg Region - south-eastwards to Ural river, Kalmykia, Rostov and Astrakhan regions.
CA - Russian Caucasus and Ciscaucasia including Dagestan, Stavropol and Krasnodar regions.
WS - West Siberia: Asian part of Orenburg region, Ekaterinburg, Cheliabinsk, Tiumen, Omsk, Novosibirsk, Tomsk, Kemerovo regions, as well as Khanty-Mansi and Jamalo-Nenetz regions.
AT - Altaj: Altaj Region and Altaj republic.
ES - East Siberia (from Tuva, Khakassia and Krasnoyarsk to Chukotka, Kamchatka and north Kuril Islands (but without Sakhalin and south Kuril Islands)
SE - South-East Siberia: Amur and Khabarovsk regions.
FE - Far East Siberia: Primorie region.
SI - Sakhalin Island.
KU - South Kuril Islands: mostly Kunashir.

E - Europe without Russia:

AL - Albania	FRC - Corsica	LV - Latvia
AT - Austria	GB - Great Britain	MN - Montenegro
BE - Belgium	GR - Greece (without	MT - Malta
BG - Bulgaria	Crete)	MD - Moldova
BH - Bosnia & Herzegovina	GRC - Crete	NL - Netherlands
BY - Belorussiya	HU - Hungary	NO - Norway
CE - Czechia	IE - Ireland	PL - Poland
CH - Switzerland	IT-Italy (without	PT - Portugal
CR - Croatia	Sardinia & Sicilia)	RO - Romania
DE - Germany	ITA - Sardinia	SV - Sweden
DK - Denmark	ITI - Sicilia	SS - Serbia
EO - Estonia	KD - Macedonia	SK - Slovakia
ES - Spain	KZ - European Kazakhstan	TR - European Turkey
FI - Finland	LJ - Slovenia	UK- Ukraine (without
FR - France (without	LT - Lithuania	Crimea)
Corsica)	LU-Luxembourg	UKC - Crimea

A - Asia without Russia

AB - Azerbaidjan (including Nakhichevan and Karabakh)	JO - Jordan
AF - Afghanistan	KI - Kyrgyzstan
AR - Armenia	KO - Korea
CH - China	KZ - Kazakhstan (without European part of NW Kazakhstan)
GG - Georgia (including Abkhazia and Adzharia)	LE - Lebanon
ID - India	MG - Mongolia
IN - Iran	SY - Syria
IQ - Iraq	TD - Tadzhikistan
IS - Israel	TM - Turkmenia
JA - Japan	TR - Turkey
	UZ - Uzbekistan

N - North Africa

Familia: DISTENIIDAE Thomson, 1861

= Cometites Blanchard, 1845

Tribus: DISTENIINI

Genus: Distenia Lepeletier & Audinet-Serville, 1828

= Apeles Blessig, 1872

Subgenus: Distenia Lepeletier & Audinet-Serville, 1828

gracilis (Blessig, 1872) **R:** SE FE SI **A:** CH KO

japonica Bates, 1873 **R:** KU **A:** JP

ssp. japonica Bates, 1873 **R:** KU **A:** JP

Familia: CERAMBYCIDAE Latreille, 1802

Subfamilia: PRIONINAE Latreille, 1802

Tribus: CALLIPOGONINI

Genus: Callipogon Audinet-Serville, 1832

Subgenus: Eoxenus Semenov, 1899

relictus Semenov, 1898 **R:** SE FE **A:** CH KO

Tribus: ERGATINI

Genus: Ergates Audinet-Serville, 1832

Subgenus: Ergates Audinet-Serville, 1832

faber (Linnaeus, 1760)

ssp. faber (Linnaeus, 1760) **R:** ?CT ST CA **E:** PT ES FR FRC IT

ITI AL LJ CR BH SS MN GR BG ?TR HU AT CH NL DE CE SK PL SV LV LT BY UK UKC **A:**
GG AR ?AB **N**

Tribus: REMPHANINI

Genus: Rhaesus Motschulsky, 1875

= Rhesus Thomson, 1860 (nec Rhesus Lesson, 1840)

serricollis (Motschulsky, 1838) **R:** CA **E:** AL MN KD GR BG TR **A:** GG

AR AB TR SY LE IS IN **N**

Tribus: AEGOSOMATINI

Genus: Aegosoma Audinet-Serville, 1832

Subgenus: Aegosoma Audinet-Serville, 1832

sinicum White, 1853

ssp. sinicum White, 1853 **R:** FE SI **A:** KO CN JP

ivanovi Danilevsky, 2011 **R:** FE

scabricorne (Scopoli, 1763) **R:** ST CA **E:** ES FR FRC IT ITA ITI LJ

CR BH SS MN KD AL GR BG TR RO HU AT CH BE DE CE SK BY UK UKC ?MD **A:** GG AR AB
TR SY ?LE IN

Tribus: MEROSCELISINI

Genus: Tragosoma Audinet-Serville, 1832

depsarium (Linnaeus, 1767) **R:** NT CT ST (Orenburg) WS AT ES SE ?FE

E: ES FR CH DE IT LJ CR BH SS MN AL GR BG AT CE SK PL SV NO FI EO LT LV BY UK

Tribus: PRIONINI

Genus: Dorysthenes Vigors, 1826

Subgenus: Cyrtognathus Dejean, 1835

paradoxus (Faldermann, 1833) **R:** ES SE **A:** ?MG ?KO CH

Genus: Prionus Geoffroy, 1762

insularis Motschulsky, 1858

ssp. insularis Motschulsky, 1858 **R:** AT ES SE FE SI KU **A:** KO CN

JP

coriarius (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT ITI

AL LJ CR BH SS MN GR BG TR RO HU AT CH BE NL DK DE LU GB CE SK NO PL SV FI EO
LV LT BY UK UKC MD KZ **A:** ?KZ GG AR AB IN TR **N**

Genus: Mesoprionus Jakovlev, 1887

asiaticus (Faldermann, 1837) **R:** ST CA **E:** KZ **A:** GG AR AB KZ TR IN

Genus: Psilotarsus Motschulsky, 1860

= Psilopus Gebler, 1860

= Otiartes Thomson, 1866

= Brachyprionus Jakovlev, 1887

= Prionoxys Semenov, 1899

brachypterus (Gebler, 1830)

ssp. brachypterus (Gebler, 1830) **R:** ?WS **A:** KZ CH

= latidens Motschulsky, 1860

ssp. hemipterus (Motschulsky, 1845) **R:** ?ST(Orenburg) **WS** **E:** KZ

A: KZ UZ

Subfamilia: LEPTURINAE Latreille, 1802

Tribus: XYLOSTEINI

Genus: Xylosteus I. Frivaldsky, 1837
caucasicola Plavilstshikov, 1936 **R:** CA **A:** GG TR

Genus: Leptorhabdium Kraatz, 1879
= Psilorhabdium Kraatz, 1879
caucasicum (Kraatz, 1879) **R:** CA **A:** GG AR AB IN TR

Tribus: ENCYCLOPINI

Genus: Encyclops Newman, 1838
= Microrhabdium Kraatz, 1879
macilentus (Kraatz, 1879) **R:** SE FE **A:** CN
= parallelus Pic, 1914
= ussuricus Tsherepanov, 1975
olivaceus Bates, 1884 **R:** KU **A:** JP

Tribus: OXYMIRINI Danilevsky, 1997 in Althoff, Danilevsky, 1997

Genus: Neoxymirus Miroshnikov, 2013
mirabilis (Motschulsky, 1838) **R:** CA **A:** GG AR AB IN TR

Genus: Oxymirus Mulsant, 1862
cursor (Linnaeus, 1758) **R:** NT CT ST WS AT **E:** FR IT LJ CR BH SS KD
AL BG RO HU AT CH CE SK DE LU BE NL DK PL SV NO FI EO LT LV BY UK MD

Tribus: ENOPLODERINI Danilevsky, 1997 in Althoff, Danilevsky, 1997

Genus: Enoploderes Faldermann, 1837
Subgenus: Enoploderes Faldermann, 1837
sanguineus Faldermann, 1837 **R:** ST CA **E:** AL UKC **A:** GG AR AB TR IN

Tribus: RHAMNUSIINI Danilevsky, 1997 in Althoff, Danilevsky, 1997

Genus: Rhamnusium Latreille, 1829
bicolor (Schrank, 1781)
= gracilicorne Théry, 1894
ssp. constans Danilevsky, 2012 **R:** NT CT ST WS(Orenburg) **E:** FI
EO LV LT BY UK ?UKC MD KZ **A:** KZ
testaceipenne Pic, 1897 **R:** CA **E:** UKC **A:** GG AR TR

Tribus: RHAGIINI

Genus: Rhagium Fabricius, 1775
Subgenus: Hagrium Villiers, 1978
bifasciatum Fabricius, 1775 **R:** ?CT ST CA **E:** PT ES FR IT ITI AL LJ
CR BH SS MN KD GR BG TR RO HU AT CH BE NL DK DE LU GB IE CE SK NO PL EO ?LV
LT UK ?UKC MD **A:** GG AR AB TR **N**

Subgenus: Megarhagium Reitter, 1913
fasciculatum Faldermann, 1837 **R:** CA **A:** GG AR AB TR IN
mordax (DeGeer, 1775) **R:** NT CT ST WS AT ES **E:** ES FR IT AL LJ CR
BH SS ME KD BG ?TR RO HU AT CH BE NL DK DE LU GB IE CE SK NO PL EO LV LT BY
UK ?UKC MD **A:** KZ
caucasicum Reitter, 1889
ssp. caucasicum Reitter, 1889 **?R:** ?CA **A:** GG AR AB TR
sycophanta (Schrank, 1781) **R:** CT ST WS AT **E:** FR IT ?ITI AL LJ CR
BH SS BG TR RO HU AT CH BE NL DK DE LU CE SK PL SV FI LV LT BY UK ?UKC MD

Subgenus: Rhagium Fabricius, 1775
inquisitor (Linnaeus, 1758)
ssp. inquisitor (Linnaeus, 1758) **R:** NT CT ST CA WS ES MG **E:** PT
ES FR IT ITI AL LJ CR BH SS GR BG TR RO HU AT CH BE NL DK DE LU GB ?IR CE SK
NO PL SV FI EO LV LT BY UK UKC MD KZ **A:** KZ MG
ssp. rugipenne Reitter, 1898 **R:** ES SE FE SI **A:** MG CH KO
ssp. schtschukini Semenov, 1898 **R:** CA **A:** GG AR AB IN TR
= minimum Podaný, 1964
japonicum Bates, 1884 **R:** SI KU
heyrovskyi Podaný, 1964 **R:** SI

Genus: Akimerus Audinet-Serville, 1835
schaefferi (Laicharting, 1784) **R:** CT ST **E:** PT ES FR ?CR BH GR BG
HU AT CH DE CE SK PL UK MD
ssp. schaefferi (Laicharting, 1784) **R:** CT ST **E:** PT ES FR BH GR
BG HU AT CH DE CE SK PL UK MD

Genus: Japanocorus Danilevsky, 2012

caeruleipennis (Bates, 1873) **R:** SI KU **A:** JP
 Genus: Stenocorus Geoffroy, 1762
 = Toxotus Dejean 1821
 Subgenus: Anisorus Mulsant, 1862
 quercus (Götz, 1783)
 ssp. quercus (Götz, 1783) **R:** CT ST CA ?WS ?AT ES **E:** ES FR IT
 CR BH SS GR BG ?TR RO HU AT CH BE NL DE LU CE SK PL BY UK MD
 Subgenus: Stenocorus Geoffroy, 1762
 amurensis (Kraatz, 1879) **R:** SE FE SI **A:** CH KO
 = sachalinensis Matsumura, 1911
 meridianus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES **E:** ES FR IT
 AL LJ CR BH SS GR BG ?TR RO HU AT CH BE NL DK DE LU GB CE SK NO PL SV FI EO
 LV LT BY UK MD **A:** KZ
 insitivus (Germar, 1824)
 ssp. insitivus (Germar, 1824) **R:** CA **A:** GG AR AB TR SY
 lepturoides (Reitter, 1914) **R:** SE **A:** CH
 minutus (Gebler, 1841) **R:** ?AT **A:** KZ ?MG CH
 = tataricus Gebler, 1841
 Genus: Pachyta Dejean, 1821
 lamed (Linnaeus, 1758)
 ssp. lamed (Linnaeus, 1758) **R:** NT CT WS AT ES SE FE SI **A:** MG
 CH KO JP **E:** FR IT LJ BG RO HU AT CH DE CE SK PL DK NO SV FI EO LV LT BY UK MD
 bicuneata Motschulsky, 1860 **R:** WS SE FE SI **A:** CH KO
 quadrimaculata (Linnaeus, 1758) **R:** NT CT ST WS AT ES **E:** ES FR IT
 LJ CR BH SS MN KD BG RO HU AT CH DE CE SK PL DK FI EO LV LT BY UK MD **A:** KZ MG
 CH
 Genus: Evodinellus Plavilstshikov, 1915
 Subgenus: Evodinellus Plavilstshikov, 1915
 borealis (Gyllenhal, 1827) **R:** NT CT WS AT ES SE FE SI **E:** SK PL NO
 SV FI EO LV LT BY UK **A:** MG CH KO JP
 = grisescens Pic, 1889
 Genus: Brachyta Fairmaire, 1865
 bifasciata (Olivier, 1795)
 ssp. bifasciata (Olivier, 1795) **R:** ES SE FE SI **A:** MG KO CH
 ssp. japonica (Matsushita, 1933) **R:** SI **A:** JP
 caucasica (Rost, 1892)
 ssp. caucasica (Rost, 1892) **R:** CA **A:** GG
 = conjuncta Rost, 1893
 ssp. kubanica Miroshnikov, 1990 **R:** CA **A:** GG
 rosti Pic, 1900 **R:** CA **A:** ?GG
 ssp. rosti Pic, 1900 **R:** CA **A:** ?GG
 = caucasicola Plavilstshikov, 1936
 ssp. baksaniense Lazarev, 2010b **R:** CA
 ssp. alexeevi Lazarev, 2010b **R:** CA
 breiti (Tippmann, 1946) **R:** ES **A:** MG
 striolata (Gebler, 1817) **R:** AT ES **A:** MG
 = mutabilis Motschulsky, 1859
 = striatiformis Plavilstshikov, 1936
 = eurinensis Tsherepanov, 1978
 variabilis (Gebler, 1817)
 ssp. variabilis (Gebler, 1817) **R:** NT CT WS ES **A:** KZ MG
 ssp. scapularis (Mannerheim, 1849) **R:** ES SE FE SI **A:** MG CH KO
 = solskyi Kraatz, 1879
 = ?comosus Solsky, 1871
 = ?constrictus Germar, 1824
 ssp. testaceimembris Pic, 1916 **R:** FE
 = rufimembris Pic, 1926
 ssp. aberrans (Villiers, 1960) **R:** FE **A:** CH KO
 interrogationis (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI
E: FR IT CH AT DE CE SK PL NO SV FI EO LV LT BY UK **A:** GG KZ MG CH KO
 = duodecimmaculata Fabricius, 1781
 = ?marginalis Motschulsky, 1875
 = ?obsidiana Motschulsky, 1875
 = cruciatus Kraatz, 1879

= kraatzi Ganglbauer, 1889
 = ?altajensis Pic, 1900
 ssp. interrogationis (Linnaeus, 1758) **R:** NT CT ST WS AT ES SE
 FE SI **E:** FR IT CH AT DE CE SK PL NO SV FI EO LV LT BY UK **A:** KZ MG CH KO
 punctata (Faldermann, 1833) **R:** ES **A:** MG CH KO
 = reductemaculata Pic, 1915
 = sajanensis Pic, 1916
 = subunicolor Pic, 1916
 = quadrinotatus Pic, 1916
 = turanensis Pic, 1927
 = sochondensis Tshernyshev et Dubatolov, 2005
 danilevskyi Tshernyshev, Dubatolov, 2005 **R:** SI KU **A:** JP
 amurensis (Kraatz, 1879) **R:** SE FE **A:** CH KO
 = bisbioculata Pic, 1910
 = inapicalis Pic, 1910
 = korbi Pic, 1910
 = semilunata Pic, 1910
 sachalinensis Matsumura, 1911 **R:** SE FE SI **A:** CH KO JP
 Genus: Gaurotina Ganglbauer, 1889
 sichotensis Danilevsky, 1988 **R:** FE
 Genus: Pseudogaurotina Plavilstshikov, 1958
 splendens (Jakovlev, 1893) **R:** ES **A:** ?MG
 magnifica Plavilstshikov, 1958 **R:** FE
 Genus: Carilia Mulsant, 1863
 virginea (Linnaeus, 1758)
 ssp. virginea (Linnaeus, 1758) **R:** NT CT ST WS **E:** IT AL LJ CR
 BH SS ME KD GR BG RO HU AT CH BE DE CE SK NO PL SV EO LV LT BY UK ?UKC MD
 ssp. aemula (Mannerheim, 1852) **R:** ?CT ?ST WS AT ES SE FE SI **A:**
 KZ MG CH
 ssp. kozhevnikovi (Plavilstshikov, 1915) **R:** FE **A:** CH
 = sibirica Podany, 1962
 Genus: Paragaurotetes Plavilstshikov, 1921
 ussuriensis (Blessig, 1873) **R:** SE FE **A:** KO CH
 doris (Bates, 1884)
 ssp. suvorovi (Semenov, 1914) **R:** SI KU **A:** JP
 Genus: Lemula Bates, 1884
 decipiens Bates, 1884 **R:** ?FE **A:** JP
 Genus: Acmaeops LeConte, 1850
 marginatus (Fabricius, 1781) **R:** NT CT ST WS AT ES SE FE SI **E:** ES
 FR IT LJ CR MN AT CH CE GR SK BE NL DE PL NO SV FI EO LV LT BY UK **A:** TR KZ MG
 CH ?KO
 septentrionis (Thomson, 1866) **R:** NT CT ST WS AT ES SE FE SI KU **E:**
 FR IT ?LJ CH AT DE BG RO CE SK PL NO SV FI EO LV LT BY UK **A:** KZ MG CH KO JP
 smaragdulus (Fabricius, 1793) [NP] **R:** NT CT WS AT ES SE FE SI **E:**
 FR ?IT CH NO SV FI LT BY **A:** KZ MG CH KO
 = smaragdinus Naezen, 1792 [NO]
 angusticollis (Gebler, 1833) **R:** NT CT WS AT ES SE FE SI **E:** PL BY
A: MG CH KO JP
 = viridula Matsumura, 1911
 = sachalinensis Tsherepanov, 1978
 Genus: Gnathacmaeops Linsley et Chemsak, 1972
 pratensis (Laicharting, 1784) **R:** NT CT ST CA WS AT ES SE FE SI **E:**
 ES FR IT LJ BH SS KD AL BG RO HU AT CH DE CE SK PL NO SV FI EO LV LT BY UK
 ?UKC MD KZ **A:** GG AR AB KZ UZ KI MG CH KO
 Genus: Pseudodinoptera Pic, 1900
 daghestanica (Pic, 1897) **R:** CA
 Genus: Dinoptera Mulsant, 1863
 minuta (Gebler, 1832) **R:** ES FE SE SI **A:** MG CH KO JP
 ssp. minuta (Gebler, 1832) **R:** ES FE SE SI **A:** MG CH KO
 anthracina (Mannerheim, 1849) **R:** ES SE FE **A:** MG CH KO
 collaris (Linnaeus, 1758) **R:** NT CT ST CA WS AT **E:** PT ES FR IT
 ?ITI AL LJ CR BH SS MN KD GR BG TR RO HU AT CH BE NL DK DE LU GB ?IE CE SK NO
 PL SV EO LV LT BY UK UKC MD KZ **A:** GG AR AB IN TR SY KZ CH
 Genus: Cortodera Mulsant, 1863

humeralis (Schaller, 1783) **R:** ST **E:** SP FR IT CR BH SB GR BU ?TR
 RO HU AU SZ CZ SK GE BE PL BY UK MD
 femorata (Fabricius, 1787) **R:** NT CT ST ?CA WS **E:** FR IT LJ CR BH
 GR BG RO HU AT CH CE SK DE PL NO SV FI EO LV LT BY UK
 pumila Ganglbauer, 1882 **R:** ST CA **A:** GG AR AB TR IN
 ssp. pumila Ganglbauer, 1882 **R:** ST CA **A:** GG AB
 ussuriensis Tsherepanov, 1978 **R:** FE
 villosa Heyden, 1876
 ssp. magdeevi Danilevsky, 2011 **R:** CT
 ssp. major Miroshnikov, 2007 **R:** CT ?ST
 ssp. kuvandykensis Danilevsky, 2012 **R:** ST
 ssp. mikhailovi Danilevsky, 2001 **R:** ST WS
 ssp. krasnobaevi Danilevsky, 2010 **R:** ?ST **E:** UK
 ssp. mariae Danilevsky, 2010 **R:** CA
 ssp. circassica Reitter, 1890 **R:** CA
 ssp. zhuravlevi Miroshnikov, 2007 **R:** ST **A:** KZ
 ssp. chuvilini Danilevsky, 2012 **R:** ST
 holosericea (Fabricius, 1801)
 ssp. holosericea (Fabricius, 1801) **R:** ST CA **E:** IT LJ CR BH SS
 ?GR RO HU AT CE SK UK
 colchica Reitter, 1890
 ssp. colchica Reitter, 1890 **R:** CA **A:** GG AR AB TR IN
 = deyrollei Pic, 1894
 kiesenwetteri Pic, 1898
 ssp. kiesenwetteri Pic, 1898 **R:** ST
 ssp. subtruncata Pic, 1934 **R:** CT
 ciliata Danilevsky, 2001
 ssp. sakmarensis Danilevsky, 2006 **R:** ST
 ssp. milaenderi Danilevsky, 2001 **R:** CT
 reitteri Pic, 1891
 ssp. reitteri Pic, 1891 **R:** CT ST **E:** UK
 = alexandri Danilevsky, 1996
 nalis (Gebler, 1830) **R:** AT **A:** KZ
 = haemorhoidalis Pic, 1898
 = ruficornis Pic, 1926
 sibirica (Plavilstshikov, 1915)
 = semenovi Plavilstshikov, 1936
 ssp. sibirica (Plavilstshikov, 1915) **R:** AT WS
 ssp. shavrovi Danilevsky, 2001 **R:** ES
 tibialis Marseul, 1876
 ssp. tibialis Marseul, 1876 **R:** ST
 = pallidipes Pic, 1898
 ssp. ruthena Plavilstshikov, 1936 **R:** ST WS (Orenburg) **E:** KZ **A:**
 KZ
 ssp. rossica Danilevsky, 2001 **R:** CT (Ulyanovsk) ST **E:** UK
 khatchikovi Danilevsky, 2001 **R:** ST
 alpina (Ménétriés, 1832)
 ssp. rosti Pic, 1892 **R:** CA **A:** GR AB
 ssp. alpina (Ménétriés, 1832) **R:** CA **A:** AB GG
 ssp. starki Reitter, 1888 **R:** CA **A:** GG
 ssp. fischensis Stark, 1894 **R:** CA
 Genus: Fallacia Mulsant et Rey, 1863
 elegans (Faldermann, 1837) **R:** CA **E:** TR **A:** GG AR AB TR IN
 Genus: Sivana Strand, 1942
 = Sieversia Ganglbauer, 1886
 bicolor (Ganglbauer, 1886) **R:** FE **A:** CH KO
 = coreana Okamoto, 1927
 Genus: Pseudosieversia Pic 1902
 = Macrorhabdium Plavilstshikov, 1915
 rufa (Kraatz, 1879) **R:** SE FE **A:** CH KO
 = ruficollis Plavilstshikov, 1915
 Genus: Pidonia Mulsant, 1863
 Subgenus: Pseudopidonia Pic, 1900
 similis (Kraatz, 1879) **R:** FE **A:** KO CH

semiobscura Pic, 1901 **R:** SI
 alticollis (Kraatz, 1879) **R:** FE **A:** KO CH
 = tristicula Kraatz, 1879
 = rubricollis Pic, 1931
 amurensis (Pic, 1900) **R:** SE FE **A:** KO CH
 = quelpartensis Hayashi 1983
 malthinoides (Kraatz, 1879) **R:** FE
 = quercus Tsherepanov, 1975
 gibbicollis (Blessig, 1873) **R:** SE FE **A:** KO CH JP
 suvorovi Baeckmann, 1903 **R:** FE **A:** KO CH
 Subgenus: Mumon Hayashi, 1968
 debilis (Kraatz, 1879) **R:** SE FE SI **A:** CH KO JP
 Subgenus: Cryptopidonia Kuboki, 1981
 amentata (Bates, 1884)
 ssp. kurosawai (Ohbayashi et Hayashi, 1960) **R:** KU **A:** JP
 Subgenus: Omphalodera Solsky, 1873
 puziloi (Solsky, 1873) **R:** SE FE SI **A:**?MG CH KO JP
 Tribus: SACHALINOBIINI
 Genus: Sachalinobia Jacobs. 1899
 koltzei (Heyden, 1887) **R:** ES FE SI KU **A:** CH KO JP
 Tribus: LEPTURINI
 Genus: Grammoptera Dejean, 1835
 Subgenus: Neoencyclops Matsushita et Tamanuki, 1940
 cyanea Tamanuki, 1933 **R:** SE FE SI **A:** CH KO
 = plavilstshikovi Heyrovsky, 1965
 Subgenus: Grammoptera Dejean, 1835
 abdominalis (Stephens, 1831) **R:** CT[Kalinigrad] ST **E:** PT ES FR IT
 LJ CR BH KD GR BG RO HU AT CH BE NL DK DE LU GB IE CE SK PL ?LV BY UK **A:** GG
 AR AB TR IR
 = variegata Germar, 1824
 ruficornis (Fabricius, 1781)
 ssp. ruficornis (Fabricius, 1781) **R:** CT[Kalinigrad] ST **E:** PT
 ES FR IT ITI AL LJ CR BH SS GR BG RO HU AT CH BE NL DK DE LU GB IE CE SK NO
 PL SV EO LT LV BY UK ?UKC MD ?N
 ustulata (Schaller, 1783) **R:** ?ST ?CT **E:** PT ES FR IT ITI AL LJ CR
 BH SS GR GRC BG RO HU AT CH BE NL DK DE LU GB CE SK NO PL SV LA ?LV ?BY UK
 ?UKC MD **A:** AR AB IN TR
 ssp. ustulata (Schaller, 1783) **R:** ?ST ?CT **E:** PT ES FR IT ITI
 AL LJ CR BH SS GR GRC BG RO HU AT CH BE NL DK DE LU GB CE SK NO PL SV LA ?LV
 BY UK ?UKC MD **A:** TR
 gracilis Brancsik, 1914 **R:** SE FE SI **A:** CH KO
 coerulea Jurecek, 1933 **R:** SE FE
 Genus: Cornumutila Letzn. 1844
 quadrivittata (Gebler, 1830) **R:** ?CT WS AT ES SE ?FE **A:** KO
 = semenovi Plavilstshikov, 1936
 lineata (Letzner, 1844) **R:** NT WS ES **E:** FR CH IT AT RO CE SK PL UK
 Genus: Nivellia Mulsant, 1863
 sanguinosa (Gyllenhal, 1827) **R:** NT CT WS AT ES SE FE SI ?KU **E:** SS
 AT DE RO SK PL NO SV FI EO BY UK **A:** ?KZ MG CH KO JP
 = rubripennis Matsumura, 1911
 extensa (Gebler, 1833)
 ssp. extensa (Gebler, 1833) **R:** NT WS ES AT SE FE **E:** FI **A:** MG
 CH KO
 ssp. umbratilis Shimomura & Toyoshima, 1988 **R:** SI **A:** JP
 Genus: Strangalomorpha Solsky, 1873
 tenuis Solsky, 1873
 ssp. tenuis Solsky, 1873 **R:** SE FE SI **A:** CH KO JP
 Genus: Alosterna Mulsant, 1863
 tabacicolor (DeGeer, 1775)
 ssp. tabacicolor (DeGeer, 1775) **R:** NT CT ST CA WS **E:** ES FR IT
 ITI AL LJ CR BH SS KD GR BG TR RO HU AT CH BE NL DK DE LU GB IE CE SK PL NO
 SV FI EO LT LV BY UK ?UKC MD TR KZ **A:** KZ
 = chrysomeloides Schrank, 1781
 ssp. subvittata Reitter, 1885 **R:** CA **A:** GG AR AB IN TR

= caucasica Plavilstshikov, 1936
 ssp. erythropus (Gebler, 1841) **R:** WS AT ES SE FE SI KU **A:** KZ
 MG CH KO JP

= bivittis Motschulsky, 1860
 = plavilstshikovi Podany, 1963
 ssp. tenebris Danilevsky, 2012 **R:** FE **A:** CH KO
 ssp. sachalinensis Danilevsky, 2012 **R:** SI
 ingrlica (Baeckmann, 1902) **R:** NT CT ST WS **E:** SK PL EO LT LV BY UK
 diversipes Pic, 1929 **R:** FE SI **A:** CH KO
 = perpera Danilevsky, 1988
 chalybeella (Bates, 1884) **R:** SI KU **A:** JP
 = japonica Pic, 1935
 Genus: Vadonia Mulsant, 1863
 unipunctata (Fabricius, 1787)
 ssp. unipunctata (Fabricius, 1787) **R:** CT ST CA WS **E:** IT LJ CR
 BH SS GR BG TR RO HU AT CE SK PL ?LV MD UK UKC **A:** KZ GG AR AB TR IN
 bipunctata (Fabricius, 1781)
 ssp. bipunctata (Fabricius, 1781) **R:** CT ST CA WS **A:** KZ
 ssp. sareptana Pic, 1941 **R:** ST WS **A:** KZ
 = beckeri Pic, 1941 [HN]
 ssp. globicollis (Desbrochers des Loges, 1870) **R:** CT ST CA **E:**

MD UK RO

= mulsantiana (Plavilstshikov, 1936)
 ssp. steveni (Sperk, 1835) **R:** ST CA **E:** HU MD SK SL UK
 Genus: Pseudalosterna Plavilstshikov, 1934
 elegantula (Kraatz, 1879) **R:** SE FE ?SI **A:** CH ?KO
 = orientalis Plavilstshikov, 1934
 Genus: Pseudovadonia Lobanov, Danilevsky et Murzin, 1981
 livida (Fabricius, 1777)
 ssp. bicarinata (Arnold, 1869) **R:** NT CT ST CA WS AT ES **E:** PL BY LA LT
 UK UKC KZ **A:** AR GG AB IN TR KZ KI
 Genus: Konoa Matsushita, 1933
 granulata (Bates, 1884) **R:** SI **A:** JP
 Genus: Anoplodera Mulsant, 1839
 Subgenus: Anoplodera Mulsant, 1839
 rufipes (Schaller, 1783)
 ssp. rufipes (Schaller, 1783) **R:** ?NT **E:** ES FR IT LJ CR BH SS
 GR BG RO HU AT CH DE CE SK PL ?EO LT LV BY UK MD
 ssp. ventralis Heyden, 1886 **R:** CT ST CA WS ?AT ES **E:** BY UK KZ
A: GG AR AB KZ
 sexguttata (Fabricius, 1775) **R:** NT CT ST CA WS **E:** ES FR IT LJ CR
 BH SS KD GR BG RO HU AT CH DE LU BE GB IR NL DK CE SK PL NO SV FI EO LT LV BY
 UK MD **A:** GG **N**
 rufihumeralis (Tamanuki 1938) **R:** FE **A:** KO
 Subgenus: Anoploderomorpha Pic, 1901
 cyanea (Gebler, 1832) **R:** ES SE FE SI KU **A:** MG CH KO JP
 Genus: Xestoleptura Casey, 1913
 rufiventris (Gebler, 1830) **R:** WS AT ES ?SE SI **A:** ?KZ MG
 baeckmanni (Plavilstshikov, 1936) **R:** FE
 Genus: Stictoleptura Casey, 1924
 = Brachyleptura auct. (not Casey, 1913)
 Subgenus: Aredolpona Nakane et K. Ohbayashi, 1957
 = Corymbia Des Gozis, 1886
 rubra (Linnaeus, 1758)
 ssp. rubra (Linnaeus, 1758) **R:** NT CT ST WS AT ES **E:** PT ES FR
 FRC IT LJ CR BH SS MN AL GR BG RO HU AT CH DE LU BE GB NL DK CE SK PL NO SV
 FI EO LT LV BY UK MD KZ **A:** KZ **N**
 dichroa (Blanchard, 1871) **R:** ES SE FE SI KU **A:** CH KO JP
 = succedanea Lewis, 1879
 Subgenus: Stictoleptura Casey, 1924
 = Paracorymbia Miroshnikov, 1998
 = Batesiata Miroshnikov, 1998
 = Melanoleptura Miroshnikov, 1998
 cordigera Fuesslin, 1775

ssp. *cordigera* Fuesslin, 1775 **R:** CA (Derbent) **E:** BE BU DE FR
 GE GR IT NL RO SP SZ RO UK **N:** LB **A:** AB AR CY GG IN IQ IS LE SY TR
erythroptera (Hagenbach, 1822) **R:** CA **E:** ES FR CR BH SS GR BG RO
 HU AT CH DE CE SK UK **A:** AR GG AB TR IN
rufa (Brullé, 1832)
 ssp. *realis* Danilevsky, 2012 **R:** CA **A:** GG AR AB TR
variicornis (Dalman, 1817) **R:** NT CT WS AT ES SE FE SI KU **E:** PL EO
 LT LV BY UK **A:** KZ MG CH KO JP
scutellata (Fabricius, 1781)
 ssp. *scutellata* (Fabricius, 1781) **R:** ?CT ST CA **E:** PT ES FR FRC
 IT ITI ITA LJ CR BH SS MN KD AL GR BG RO HU AT CH DE LU BE GB IR DK CE SK PL
 SV LV BY UK UKC MD **A:** GG AR AB TR IN
maculicornis (DeGeer, 1775) **R:** NT CT ST ?CA WS **E:** ES FR IT LJ CR
 BH SS MN AL GR BG RO HU AT CH DE BE LU CE SK PL NO SV FI EO LT LV BY UK MD **A:**
 ?GG
 ssp. *maculicornis* (DeGeer, 1775) **R:** NT CT ST ?CA WS **E:** ES FR
 IT LJ CR BH SS MN AL GR BG RO HU AT CH DE BE LU CE SK PL NO SV FI EO LT LV BY
 UK MD **A:** ?GG
tesserula (Charpentier, 1825) **R:** CA **E:** SS AL GR BG RO HU ?DE SK
 PL UK **A:** GG AR AB TR IN
fulva (DeGeer, 1775) **R:** ST **E:** PT ES FR FRC IT ITI LJ CR BH SS MN
 KD AL GR BG TR RO HU AT CH DE LU BE GB IR NL CE SK ?BY UK
 = *apicalis* Motschulsky, 1875
tonsa (J.Daniel et K.Daniel, 1891) **R:** CA **A:** UKC GG AR AB TR IN
 = *ustulata* Ménétériés, 1832 [HN]
pallidipennis (Tournier, 1872) **R:** CA **A:** GG ?AB
nadezhdae (Plavilstshikov, 1932) **R:** CA
 Genus: *Anastrangalia* Casey 1924
scotodes (Bates, 1873)
 ssp. *scotodes* (Bates, 1873) **R:** SI KU **A:** JP
 ssp. *continentalis* (Plavilstshikov, 1936) **R:** SE FE **A:** CH KO
sanguinolenta (Linnaeus, 1760) **R:** NT CT ST CA **E:** ES FR IT LJ CR
 BH SS KD AL GR BG RO HU AT CH DE NL GB CE SK PL NO SV FI EO LT LV BY UK ?MD
A: GG AR AB KZ WS ?AT ?ES
dubia (Scopoli, 1763)
 ssp. *melanota* (Faldermann, 1837) **R:** CA **A:** GG AR ?AB TR
 = *distincta* (Tournier, 1872)
reyi (Heyden, 1885) **R:** NT CT ST WS **E:** LJ AT RO CH DE CE SK PL NO
 SV FI EO LT LV BY UK **A:** KZ
 = *inexpectata* Jansson & Sjöberg, 1928
sequensi (Reitter, 1898) **R:** WS AT ES SE FE SI **A:** KZ MG CH KO JP
renardi (Gebler, 1848) **R:** NT WS AT ES SE FE SI ?KU **A:** KZ MG CH KO
 Genus: *Lepturobosca* Reitter, 1913
virens (Linnaeus, 1758) **R:** NT CT ST WS AT ES SE FE SI **E:** ES FR IT
 LJ CR BH SS BG RO HU AT CH DE ?GB CE SK PL NO SV FI EO LT LV BY UK **A:** KZ MG
 CH
 Genus: *Eustrangalis* Bates, 1884
distenioides Bates, 1884 **R:** KU **A:** JP
 Genus: *Pedostrangalia* Sokol. 1897
 Subgenus: *Neosphenalia* Löble, 2010
 = *Sphenalia* Daniel 1904 (not *Sphenalia* Wood, 1874, in
 Mollusca)
femoralis (Motschulsky, 1860) **R:** SE FE SI KU **A:** CH KO JP
 = *xanthoma* Bates, 1873
 Genus: *Etorofus* Matsushita 1933
 Subgenus: *Etorofus* Matsushita 1933
nemurensis Matsushita, 1933 **R:** SI KU **A:** JP
 = *variicornis* Matsushita, 1933 [HN]
 = *niger* Matsushita, 1933
 = *circaocularis* (Pic, 1934)
pubescens (Fabricius, 1787) **R:** NT CT ST CA WS **E:** ES FR IT LJ CR
 BH SS MN AL GR BG RO AT CH DE CE SK PL NO SV FI EO LT LV BY UK **A:** KZ ?GG
 Subgenus: *Nakanea* Ohb. 1963
vicaria (Bates, 1884)

ssp. vicaria (Bates, 1884) **R:** SI KU **A:** JP
 Genus: Judolidia Plavilstshikov, 1936
 znojkoii Plavilstshikov, 1936: **R:** SE FE **A:** CN KO
 Genus: Judolia Mulsant, 1863
 sexmaculata (Linnaeus, 1758) **R:** NT CT ST **E:** ?ES FR IT CH AT HU RO
 DE CE SK GB PL NO SV FI EO LT LV BY UK **A:**KZ
 dentatofasciata Mannerheim, 1852 **R:** NT WS AT ES SE FE SI KU **A:** MG
 CH KO JP
 = parallelopipeda Motschulsky, 1860
 = abbreviata Motschulsky, 1875
 = shirarakensis Matsumura, 1911
 = rufimembris Pic, 1917
 Genus: Pachytodes Pic, 1891
 erraticus (Dalman, 1817) **R:** CT ST CA WS AT ES **E:** ES FR IT LJ CR
 BH SS MN KD AL GR BG TR RO HU AT CH DE CE SK PL BY MD UK KZ **A:** GG AR AB KZ MN
 ?CH TR IN SY
 cerambyciformis (Schrank, 1781) **R:** ?NT CT ST **E:** PT ES FR IT LJ CR
 BH SS KD AL BG RO HU AT CH DE LU BE DK NL GB CE SK PL ?EO LT LV BY UK MD **A:**
 ?TR
 bottcheri (Pic, 1911) **R:** WS AT ES **A:** MG
 = orthotrichus (Plavilstshikov, 1936)
 longipes (Gebler, 1832) **R:** ES SE FE SI **A:** MG CH KO
 cometes (Bates, 1884) **R:** SI KU **A:** JP
 = connecta Nishio 1950
 Genus: Oedecnema Thomson, 1857
 gebleri Ganglbauer, 1889 **R:** NT CT ST (Orenburg) WS AT ES SE FE SI
 KU **E:** UK **A:** KZ MG CH KO JP
 = dubia Fabricius, 1781
 = decemmaculata Matsumura, 1911
 Genus: Leptura Linnaeus, 1758
 Subgenus: Noona Sama, 2007
 = Nona Sama, 2002
 regalis (Bates, 1884) **R:** SI KU **A:** JP
 Subgenus: Macroleptura Nakane et Ohb. 1957
 thoracica Creutzer, 1799 **R:** NT CT ST CA WS AT ES SE FE SI KU **E:**
 SL CR BH SS RO SK PL FI EO LT LV BY UK **A:** KZ MG CH KO JP
 Subgenus: Leptura Linnaeus, 1758
 ochraceofasciata (Motschulsky, 1862)
 ssp. ochraceofasciata (Motschulsky, 1862) **R:** SI KU **A:** JP KO CH
 latipennis (Matsushita, 1933) **R:** SI KU **A:** JP
 aurulenta Fabricius, 1793 **R:** ST CT **E:** PT ES FR FRC IT LJ CR BH SS
 MN AL GR BG TU RO HU AT CH DE LU GB IR CE SK PL MD UK **A:** TR **N**
 quadrifasciata Linnaeus, 1758
 ssp. quadrifasciata Linnaeus, 1758 **R:** NT CT ST CA WS AT ES SE
 FE SI KU **E:** ES FR IT LJ CR BH SS KD AL BG TR RO HU AT CH DE LU BE DK NL GB IR
 CE SK PL NO SV FI EO LT LV BY UK UKC MD KZ **A:** KZ MG KO CH JP
 ssp. lederi Ganglbauer, 1882 **R:** CA **A:** GG AR AB TR IN
 = caucasica Plavilstshikov, 1924
 annularis Fabricius, 1801
 = arcuata Panzer, 1793
 ssp. annularis Fabricius, 1801 **R:** NT CT ST KZ WS AT ES FE SI
E: SP FR ?IT CR BH RO HU AT CH DE CE SK PL EO LT LV ?MD BY UK **A:** KZ MG CH KO
 ssp. mimica Bates, 1884 **R:** SI KU **A:** JP
 duodecimguttata Fabricius, 1801 **R:** KZ WS AT ES SE FE SI **A:** MG
 CH KO JP
 aethiops Poda 1761 **R:** NT CT ST CA WS AT ES SE FE ST SI KU **E:** ES
 FR IT LJ CR BH SS AL GR RO HU AT CH DE LU BE DK NL CE SK PL EO LT LV BY UK
 ?UKC MD **A:** ?GG ?AR ?AB KZ MG CH KO JP
 = aterrma Motschulsky, 1860
 = doii Matsushita, 1933
 Genus: Lepturalia Reitter, 1913
 nigripes (DeGeer, 1775)
 ssp. nigripes (DeGeer, 1775) **R:** NT CT ST WS AT ES **E:** AT RO SK
 PL NO SV FI EO LT LV BY UK KZ **A:** KZ

ssp. rufipennis (Blessig, 1873) **R:** WS AT ES SE FE SI **A:** KZ MG
CH KO
Genus: Strangalia Dejean, 1835
= Strangalina Aurivillius, 1912
attenuata (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **KU E:**
ES FR FRC IT LJ CR BH SS MN KD AL GR BG TR RO HU AT CH DE LU BE NL DK ?GB CE
SK PL NO SV FI EO LT LV BY UK UKC MD KZ **A:** GG AR AB IN TR KZ MG CH KO JP
takeuchii Matsushita et Tamanuki, 1935 **R:** KU **A:** JP
Genus: Rutpela Nakane et Ohbayashi, 1957
maculata (Poda 1761)
ssp. maculata (Poda 1761) **R:** CT ST CA WS(Orenburg) **E:** FR FRC
IT ITA LJ CR BH SS MN KD AL GR BG RO HU AT CH DE LU BE DK NL GB IR CE SK PL
NO SV FI EO LT LV BY UK MD KZ **A:** KZ
ssp. manca (Schaufuss, 1863) **R:** CA **E:** PT ES FR IT ITI UKC **A:**
GG AR AB IN TR SY
= nigricornis (Stielin, 1864)
Genus: Stenurella Villiers 1974
Subgenus: Stenurella Villiers 1974
melanura (Linnaeus, 1758) **R:** NT CT ST ?CA WS AT ES SE **E:** PT ES FR
IT LJ CR BH SS MN KD AL GR BG TR RO HU AT CH DE LU BE NL DK GB CE SK PL NO SV
FI EO LT LV BY UK ?UKC MD KZ **A:** ?GG ?AR ?AB IN TR KZ MG ?CH JP
ssp. melanura (Linnaeus, 1758) **R:** NT CT ST ?CA WS AT ES SE **E:**
PT ES FR IT LJ CR BH SS MN KD AL GR BG RO HU AT CH DE LU BE NL DK GB CE SK PL
NO SV FI EO LT LV BY UK ?UKC MD KZ **A:** ?GG ?AR ?AB IN KZ MG ?CH JP
Subgenus: Stenurelloides Özdikmen, 2013
novercalis (Reitter, 1901) **R:** CA **A:** GG TR
jaegeri (Hummel, 1825) **R:** RSC RSS CA **E:** UKC **A:** GG AR AB IN TR SY
Subgenus: Priscostenurella Özdikmen, 2013
bifasciata (Müller, 1776)
ssp. bifasciata (Müller, 1776) **R:** NT CT ST CA WS AT ES **E:** PT
ES FR FRC IT ITI ITA LJ CR BH SS MN KD AL GR BG RO HU AT CH DE LU BE NL CE SK
PL EO LT LV BY UK UKC MD KZ **A:** GG AR AB IN TR KZ
= sedakovi Mannerheim, 1852
septempunctata (Fabricius, 1793)
ssp. latenigra Pic, 1915 **R:** CA **E:** BG TR **A:** GG AR TR
Subgenus: Nigrostenurella Özdikmen, 2013
nigra (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT LJ CR BH
SS MN KD AL GR BG RO HU AT CH DE LU BE NL DK GB CE SK PL NO SV EO LT LV BY UK
UKC MD KZ **A:** GG AR AB ?IN TR
ssp. nigra (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT
LJ CR BH SS MN KD AL GR BG RO HU AT CH DE LU BE NL DK GB CE SK PL NO SV EO LT
LV BY UK UKC MD KZ **A:** TR
ssp. maesta Danilevsky, 2013 **R:** CA **A:** GG AR AB ?IN TR
Subfamilia: NECYDALINAE Latreille, 1825
Tribus: NECYDALINI
Genus: Necydalis Linnaeus, 1758
Subgenus: Necydalis Linnaeus, 1758
ulmi (Chevrolat, 1838) **R:** CA **E:** ES FR IT CR BH SS MN KD GR BG RO
HU AT CH DE CE SK PL ?LT ?LV BY ?MD UK **A:** GG AR IR TR
= mesembrina Plavilstshikov, 1936
major Linnaeus, 1758
ssp. major Linnaeus, 1758 **R:** NT CT ST WS AT ES SE FE SI **E:** ES
FR IT CR BH SS MN AL GR BG RO HU AT CH DE LU BE NL CE SK PL NO SV FI EO LT LV
BY UK UKC MD KZ **A:** AB GG TR KZ MG CH KO JP
= xantha Semenov, 1898
= aino Kusama, 1974
gigantea Kano, 1933 **R:** KU **A:** JP
ssp. gigantea Kano, 1933 **R:** KU **A:** JP
Subgenus: Necydalisca Plavilstshikov, 1936
= Eonecydalis Ohbayshi, 1961
pennata Lewis, 1879 **R:** SE FE SI KU **A:** KO CH JP
= morio Kraatz, 1879
= ebenina Bates, 1884
= pacifica Plavilstshikov, 1936

= ussuriensis Plavilstshikov, 1936
 = semenovi Plavilstshikov, 1936
 = eoa Plavilstshikov, 1936
 sachalinensis Matsumura et Tamanuki, 1927 **R:** SE FE SI **A:** KO CH JP
 Subfamilia: SPONDYLIDINAE Audinet-Serville, 1832
 = Aseminae Thomson, 1860
 Tribus: SAPHANINI Gistel, 1848
 Genus: Drymochares Mulsant, 1847
 starcki Ganglbauer, 1888
 ssp. starcki Ganglbauer, 1888 **R:** CA **A:** ?GG
 Tribus: ATIMIINI Le Conte, 1873
 Genus: Atimia Haldeman, 1847
 = Myctus Semenov et Plavilstshikov, 1937
 maculipuncta (Semenov et Plavilstshikov, 1937)
 ssp. nadezhdae Tsherepanov, 1973 **R:** FE
 Tribus: ASEMINI Thomson, 1860
 Genus: Nothorhina L. Redtenbacher, 1845
 punctata (Fabricius, 1798) **R:** NT CT ST WS ?AT **E:** PT ES FR IT ITI
 BH AL GR DE AT CE SK PL NO SV FI EO LT LV BY UK KZ **A:** KZ ?SY JP
 = muricata (Dalman, 1817)
 Genus: Megasemum Kraatz, 1879
 quadricostulatum Kraatz, 1879 **R:** SE FE SI KU **A:** KO CH JP
 Genus: Asemum Eschscholtz, 1837
 striatum (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:**
 ES FR IT LJ CR BH SS MN AL GR BG RO HU AT CH DE LU BE NL DK GB IR CE SK PL NO
 SE FI EO LT LV BY UK ?UKC MD KZ **A:** GG AR ?AB TR KZ KI MG CH KO JP
 = subsulcatum Motschulsky, 1860
 = amurense Kraatz, 1879
 tenuicorne Kraatz, 1879 **R:** CA **E:** ES IT ITI GR RO ?AT SV UKC **A:** GG
 TR
 ssp. tenuicorne Kraatz, 1879 **R:** CA **E:** ES IT ITI GR RO ?AT SV
 UKC **A:** GG TR
 punctulatum Blessig, 1872 **R:** SE FE SI KU **A:** KO CH JP
 Genus: Arhopalus Audinet-Serville, 1834
 Subgenus: Arhopalus Audinet-Serville, 1834
 = Criocephalum Dejean, 1835
 = Criocephalus Mulsant, 1839
 rusticus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:**
 ES FR FRC IT ITI LJ CR BH SS MN KD AL GR BG RO HU AT CH DE LU BE NL DK GB CE
 SK PL NO SV FI EO LT LV BY UK UKC MD RSN RSC RSS KZ **A:** GG AR AB TR IN KZ MG
 CH KO JP **N**
 = tristis Fabricius, 1787
 ?= coreanus Sharp, 1905
 ferus (Mulsant, 1839) **R:** NT CT ST CA WS AT ES SE **E:** PT ES FR FRC
 IT ITI ITA LJ CR BH SS MN KD GR GRC BG RO HU ?AT CH DE LU BE NL DK GB ?IR CE
 SK PL SV FI EO LT LV BY UK UKC MD KZ **A:** GG AR AB TR SY JO IS KZ CH
 Genus: Tetroplium Kirby 1837
 = Isarthron Dejean, 1835
 castaneum (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:**
 ES FR IT LJ CR BH SS MN AL BG GR RO HU AT CH DE LU BE NL DK GB CE SK PL NO SV
 FI EO LT LV BY UK UKC MD KZ **A:** GG AR AB TR KZ MG CH KO JP
 gabrieli Weise, 1905 **R:** ?CT (Kaliningrad Region) **E:** FR IT SL HU
 AU SZ GE GB IR LU BE NL DE LS CZ SK PL BY UK
 gracilicorne Reitter, 1889 **R:** CT WS AT ES SE FE SI **A:** KZ MG CH KO
 gracilicum Hayashi, 1983 **R:** FE KU **A:** CH JP
 aquilonium Plavilstshikov, 1940 **R:** NT WS **E:** SV FI
 danilevskiy Slama, 2005 **R:** ES
 fuscum (Fabricius, 1787) **R:** NT CT ST CA WS **E:** FR IT LJ BH SS BG
 RO HU AT CH DE BE NL DK CE SK PL NO SV FI EO LT LV BY UK MD KZ **A:** GG TR KZ
 Tribus: SPONDYLIDINI Audinet-Serville, 1832
 Genus: Spondylis Fabricius, 1775
 buprestoides (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **E:**
 PT ES FR FRC IT ITI LJ CR BH SS MN KD AL GR BG RO HU AT CH DE LU BE NL DK GB

CE SK PL NO SV FI EO LT LV BY UK UKC MD KZ **A:** GG AR AB IN TR AF KZ MG CH KO
 JP

Subfamilia: APATOPHYSEINAE Lacordaire, 1869
 Tribus: APATOPHYSEINI
 Genus: Apatophysis Chevrolat, 1860
 Subgenus: Apatophysis Chevrolat, 1860
 caspica Semenov, 1901 **R:** CA **A:** AB GG TM UZ KZ TR IN AF

Subfamilia: CERAMBYCINAE Latreille, 1802
 Tribus: HESPEROPHANINI
 Genus: Hesperophanes Dejean, 1835
 sericeus (Fabricius, 1787) **R:** CA **E:** PT ES FR FRC IT ITI ITA CR BH
 MN AL GR UKC **A:** GG AR AB TM IN TR JO IS IQ **N**

Genus: Trichoferus Wollaston, 1854
 holosericeus (Rossi, 1790) **R:** CA **E:** ES FR FRC CH IT ITI ITA MT LJ
 CR BH SS AL GR BG UKC **A:** GG AR AB TR IN **N**
 = cinereus Villers, 1789
 fasciculatus (Faldermann, 1837) **R:** CA **E:** PT ES FR FRC IT ITI ITA
 MT CR MN AL GR BG RO UK UKC **A:** GG AR AB TR IN **N**
 ssp. fasciculatus (Faldermann, 1837) **R:** CA **E:** PT ES FR FRC IT
 ITI ITA MT CR MN AL GR BG RO UK UKC **A:** GG AR AB TR IN
 griseus (Fabricius, 1793) **R:** ?CA **E:** PT ES FR FRC IT ITI ITA MT CR
 BH MN AL GR GRC BG RO CE UK UKC **A:** ?GG TR JO IS SY IQ **N**
 campestris (Faldermann, 1835) **R:** CT ST CA WS ES SE FE **E:** PL LT CE
 SK HU RO MD UK **A:** AB AR KZ KI UZ TD TM IN MG CH KO JP
 = turkestanicus Heyden, 1886
 pallidus (Olivier, 1790) **R:** ST CA **E:** ES FR FRC CR BH SS GR BG RO
 HU AT CE SK DE PL MD UKC

Genus: Stromatium Audinet-Serville, 1834
 auratum (Böber, 1793) **R:** ST CA **E:** PT ES FR FRC IT ITI ITA LJ DE
 MT CR BH SS MN KD AL GR GRC BG TR RO HU LV UK UKC **A:** GG AR AB TM TR IN IQ JO
 IS LE **N**
 = fulvum Villers, 1789
 = unicolor (Olivier, 1795)

Tribus: CERAMBYCINI
 Genus: Neocerambyx Thomson, 1860
 = Mallambyx Bates, 1873
 = Mesocerambyx Breuning et Hitzinger, 1943
 raddei Blessig, 1872 **R:** SE FE **A:** CH KO JP

Genus: Cerambyx Linnaeus, 1758
 Subgenus: Cerambyx Linnaeus, 1758
 cerdo Linnaeus, 1758
 ssp. cerdo Linnaeus, 1758 **R:** CT ?ST **E:** FR FRC IT ITI ITA LJ CR
 BH SS MN KD GR BG TR RO HU AT CH DE LU BE NL DK CE SK PL SV LT LV BY MD UK
 ssp. acuminatus Motschulsky, 1852 **R:** ?CT ?ST CA **E:** UK UKC **A:**
 GG AR AB IN TR SY JO IS
 = klinzigi Podaný 1964
 dux (Faldermann, 1837) **R:** CA **E:** KD BG GR UKC **A:** GG AR AB TR IN IQ
 SY JO LE IS
 nodulosus Germar, 1817 **R:** CA **E:** IT MT LJ CR BH SS MN KD AL GR BG
 TR RO UKC **A:** GG AR AB TR SY
 miles Bonelli, 1812 **R:** CA **E:** PT ES FR IT ITI MT LJ CR BH SS MN KD
 AL GR BG TR RO HU AT SK CH MD UKC **A:** GG AR AB IN TR SY **N**

Subgenus: Microcerambyx Miksic et Georgijevic, 1973
 = Mesocerambyx Zagaikévitch, 1991
 scopolii Fuesslin, 1775
 ssp. scopolii Fuesslin, 1775 **R:** NT CT ST CA **E:** PT ES FR FRC IT
 ITA MT LJ CR BH SS MN KD AL GR GRC BG TR RO HU AT CH DE LU BE NL DK ?GB CE SK
 PL NO SE ?EO LT ?LV BY MD UK UKC **A:** GG AR AB IN TR SY

Tribus: ROSALIINI
 Genus: Rosalia Audinet-Serville, 1834
 alpina (Linnaeus, 1758)
 ssp. alpina (Linnaeus, 1758) **R:** ST CA WS **E:** ES FR FRC IT ITI
 LJ CR BH SS MN KD AL GR BG TR RO HU AT CH DE CE SK PL BY MD UK UKC **A:** GG AR
 AB TR

coelestis Semenov, 1911 **R:** FE **A:** CH KO

Tribus: PURPURICENINI

Genus: Purpuricenens Dejean, 1821

kaehlerii (Linnaeus, 1758)

ssp. kaehlerii (Linnaeus, 1758) **R:** CT ST CA WS **E:** PT ES FR FRC

IT ITI LJ CR BH SS MN KD AL GR BG TR RO HU AT CH BE DE CE SK PL BY UK UKC MD

ssp. menetriesii Motschulsky, 1845 **R:** CA **A:** GG AR AB IN TR

= astrabadensis Pic, 1915

= caucasicus Pic, 1902

globulicollis Mulsant, 1839 **R:** CT ST WS **E:** ES FR IT ITI LJ CR BH

SS AL GR BG RO HU ?AT CH CE SK ?DE **A:** KZ

= tsherepanovae Tsherepanov, 1980

budensis (Götz, 1783) **R:** CT ST CA ?WS **E:** ES FR IT LJ CR BH SS MN

AL KD GR BG RO HU SK UK UKC **A:** GG AR AB IN TR SY IS

graecus Sláma, 1993

ssp. neocaucasicus Rapuzzi & Sama, 2014 **R:** CA **A:** GG ?AR AB TR

litoratus Ganglbauer, 1886 **R:** FE **A:** KO CH JP

= petasifer Fairmaire, 1888

sideriger Fairmaire, 1888 **R:** FE **A:** KO CH

ssp. sideriger Fairmaire, 1888 **R:** FE **A:** KO CH

Genus: Anoplites Audinet-Serville, 1834

= Asias Semenov, 1914

halodendri (Pallas, 1773)

= humeralis Olivier, 1795

= elaeagni Fischer-Waldheim, 1824

ssp. ephippium (Steven et Dalman, 1817) **R:** ST CA **E:** UK KZ **A:**

KZ

ssp. kasatkini Lazarev, 2014 **R:** ST

ssp. halodendri (Pallas, 1773) **R:** WS AT **A:** KZ

ssp. minutus Hammarström, 1893 **R:** ES **A:** MG CH

ssp. pirus (Arakawa, 1932) **R:** SE FE **A:** KO CH

tuvensis (Tsherepanov, 1978) **R:** ES **A:** MG

Genus: Amarysius Fairmaire, 1888

sanguinipennis (Blessig, 1872) **R:** CT WS ES SE FE **A:** KZ MG KO CH

JP

suturalis (Pic, 1906) **R:** FE **A:** CH

=grallator Baeckmann, 1924

altajensis (Laxmann, 1770)

ssp. altajensis (Laxmann, 1770) **R:** WS AT **A:** KZ CH

= sellatus Germar, 1824

= affinis Motschulsky, 1875

ssp. coreanum (Okamoto, 1924) **R:** ES SE FE **A:** MG CH KO

= ussuricus Tsherepanov, 1975

duplicatus Tsherepanov, 1980 **R:** WS AT ?ES SE FE **A:** KZ? MG CH ?KO

Tribus: CALLICHRMATINI

Genus: Aphrodisium Thomson, 1864

= Tomentaromia Plavilstshikov, 1934

faldermannii (Saunders, 1853)

ssp. faldermannii (Saunders, 1853) **R:**?ES ?SE **A:**?MG CH KO

Genus: Aromia Audinet-Serville, 1834

moschata (Linnaeus, 1758)

= thea Reitter, 1894

ssp. moschata (Linnaeus, 1758) **R:** NT CT ST CA **E:** FR FRC IT AL

LJ CR BH SS KD BG TR RO HU AT CH BE NL DK DE LU GB IR CE SK NO PL SV FI EO LV

LT BY UK UKC MD KZ **A:** GG KZ WS AT ES ?MG

ssp. ambrosiaca (Steven, 1809) **R:** CA **E:** PT ES IT ITI GR **A:** GG

AR AB TR IN SY IS LE JO IQ **N**

orientalis Plavilstshikov, 1932 **R:** ES SE FE SI **A:** MG CH KO JP

Genus: Chelidonium Thomson, 1864 U

zaitzevi Plavilstshikov, 1933 **R:** FE

Genus: Chloridolum Thomson, 1864

Subgenus: Chloridolum Thomson, 1864

sieversii (Ganglbauer, 1886) **R:** FE **A:** KO CH JP

= coreana Fairmaire, 1897

Genus: *Leontium* Thomson, 1864
viride Thomson, 1864 **R:** SI KU **A:** JP

Genus: *Polyzonus* Dejean, 1835
fasciatus (Fabricius, 1781) **R:** ES SE FE **A:**MG KO CH

Tribus: CALLIDIOPINI
Genus: *Stenygrinum* Bates, 1873
quadrinotatum Bates, 1873 **R:** FE **A:** CH KO JP

Tribus: GRACILIINI
Genus: *Gracilia* Audinet-Serville, 1834
minuta (Fabricius, 1781) **R:** NT CT ST CA WS **E:** PT ES FR FRC IT
ITI ITA MT LJ CR BH SS AL GR GRC BG TR RO HU AT CH DE LU BE NL DK GB ?IR CE
SK PL NO SV FI EO LT ?LV UK UKC MD KZ **A:** KZ GG AR AB IN TR **N**

Genus: *Penichroa* Stephens, 1839
fasciata (Stephens, 1831) **R:** CA **E:** PT ES FR FRC IT ITI ITA MT LJ
CR BH SS KD AL GR GRC BG TR UKC **A:** GG AR AB IN TR SY **N**

Genus: *Axinopalpis* Dejean, 1835
gracilis (Krynicky, 1832)
ssp. gracilis Krynicky, 1832 **R:** CT ST CA **E:** IT LJ CR BH SS MN
KD AL GR BG RO HU AT CE SK DE PL LA LT UK ?UKC MD **A:** GG TR SY

Genus: *Hybometopia* Ganglbauer, 1889
starcki Ganglbauer, 1889
ssp. starcki Ganglbauer, 1889 **R:** CA **A:** GG TR

Tribus: OBRIINI
Genus: *Obrium* Dejean, 1821
cantharinum (Linnaeus, 1767)
ssp. cantharinum (Linnaeus, 1767) **R:** NT CT ST CA WS AT ES SE
FE **E:** ES FR IT BH SS GR BG RO TR HU AT CH DE LU BE NL ?GB CE SK PL NO SV FI
EO LT LV BY MD UK ?UKC KZ **A:** GG AR AB TR KZ MN CH JP

brunneum (Fabricius, 1793) **R:**?NT ?CT ?ST CA **E:** ES FR IT LJ CR BH
SS AL GR BG RO HU AT CH DE LU BE NL DK GB CE SK PL SV EO LT LV BY MD UK UKC
A: GG AR AB TR IR

obscuripenne Pic,1904 **R:** FE SI ?KU **A:** KO CH JP
= *graciliforme* Lipp, 1939
= *gracile* Plavilstshikov, 1933
brevicornis Plavilstshikov, 1940 **R:** FE **A:** KO CH

Tribus: CERTALLINI
Genus: *Certallum* Dejean, 1821
= *Cartallum* Audinet-Serville, 1834
ebulinum (Linnaeus, 1767) **R:** ST CA **E:** PT ES FR IT ITI MT GR GRC
TR UK UKC **A:** GG AR AB IN TR SY LE JO IS **N**
= *ruficolle* Fabricius, 1781

Tribus: DEILINI
Genus: *Deilus* Audinet-Serville, 1834
fugax (Olivier, 1790) **R:** CT ST CA WS **E:** PT ES FR FRC IT ITI ITA
LJ CR BH MN GR GRC BG RO HU AT CH LU BE CE SK PL BY MD UK ?UKC KZ **A:** KZ GG AR
AB TR IN SY JO LE IS **N**

Tribus: STENOPTERINI
Genus: *Stenopterus* Illiger, 1804
rufus (Linnaeus, 1767)
ssp. rufus (Linnaeus, 1767) **R:** ST CA **E:** ES FR FRC IT ITI ITA
MT LJ RO BG HU AT CH DE LU BE NL CE SK PL MD UK UKC **A:** GG TR

ssp. geniculatus Kraatz, 1863 **R:** CA **E:** GR AL CR BH SS MN KD AT
HU BG **A:** GG AR AB IN TR

Genus: *Callimus* Mulsant, 1846
= *Callimellum* Strand, 1928
Subgenus: *Lampropterus* Mulsant, 1863
= *Callimomimus* Ienistea, 1952
femoratus (Germar, 1824) **R:** CA **E:** SS KD AL GR BG TR RO MD UK UKC
A: GG AR AB IN TR SY JO LE IS
= *adonis* Perrin, 1881
= *narcissus* Perrin, 1881
= *distinctus* Ienistea, 1952
Subgenus: *Procallimus* Pic,1907
= *Protocallimus* Plavilstshikov 1940

egregius Mulsant et Rey, 1863 **R:** ?CA **E:** UKC **A:** GG TR SY LE
 Genus: Callimoxys Kraatz, 1863
 gracilis (Brullé, 1832) **R:** ST CA **E:** LJ CR BH MN KD GR BG RO HU SK
 UKC **A:** GG AR AB TM TR IN
 Tribus: NATHRIINI
 Genus: Nathrius Brethes, 1916
 brevipennis (Mulsant, 1839) **R:** ST CA **E:** PT ES FR FRC IT ITI ITA
 MT LJ CR BH SS KD BG GR GRC TR RO HU AT CH CE SK DE GB ?IR BE NL DK GB PL NO
 SV FI ?LV MD UK UKC KZ **A:** KZ GG AR AB IN TR IS LE **N**
 Tribus: MOLORCHINI
 Genus: Leptepania Heller, 1924
 = Molorchinus Shabliovsky, 1936
 okunevi (Shabliovsky, 1936) **R:** FE **A:** MN
 = incognitus Tsherepanov, 1975
 Genus: Nadezhdiana Tsherepanov, 1976
 villosa Tsherepanov, 1976 **R:** FE
 Genus: Molorchus Fabricius, 1793
 Subgenus: Caenoptera Thomson, 1859
 minor (Linnaeus, 1758)
 ssp. minor (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI
 KU **E:** FR IT LJ CR BH SS AL GR BG RO HU AT CH DE LU BE NL DK GB CE SK PL NO SV
 FI EO LT LV BY MD UK ?UKC **A:** GR KZ MG KO JP CH TR
 = rufescens Kiesenwetter, 1879
 Subgenus: Molorchus Fabricius, 1793
 = Glaphyra Newman, 1840
 = Linomius Mulsant, 1862
 umbellatarus (Schreber, 1759)
 ssp. umbellatarus (Schreber, 1759) **R:** NT CT ST CA **E:** SP FR IT
 ITI SL CR BH SB MC AL GR BU TR RO HU AU SZ DE LU BE NL GE GB CZ SK NR PL SV
 EN LT LA BY MD UK UKC **A:** GG AR AB IR TR ?TM
 plagiatus Reiche, 1877 **R:** ?CT ST CA **A:** GG AR AB ?KZ IN TR
 kiesenwetteri Mulsant et Rey, 1861
 ssp. kiesenwetteri Mulsant et Rey, 1861 **R:** ST CA **E:** IT ?LJ CR
 SS CH ?DE AT ?PL HU ?RO BG UKC
 ssp. hircus Abeille de Perrin, 1881 **R:** CA **E:** TR **A:** GG AR AB IN
 TR SY LE IS
 = anatolicus Adlbauer, 1988
 schmidti Ganglbauer, 1883 **R:** CT ST CA WS (Orenburg) **E:** GR HU RO CE
 SK ?PL UK UKC MD KZ **A:** AB GR KZ TM UZ KI
 = salicicola Stiller, 1935
 = ?semenovi Plavilstshikov, 1940
 marmottani Brisout de Barneville, 1863
 ssp. marmottani Brisout de Barneville, 1863 **R:** CT ST **E:** ES FR
 IT CH BG AT DE CE SK PL **A:** TR
 starki Shabliovsky, 1936 **R:** FE **A:** KO CH ?JP
 ?= kojimai Matsushita, 1939
 = ussuriensis Plavilstshikov, 1940
 = ichikawai Niisato, 1988
 ishiharai Ohbayashi, 1936 **R:** FE SI KU **A:** ?KO JP
 = kunashiricus Tsherepanov, 1981
 kobotokensis Ohbayashi, 1963 **R:** FE **A:** KO JP
 Subgenus: Nathrioglaphyra Sama, 1995
 heptapotamicus Plavilstshikov, 1940 **R:** ST **A:** KZ KI UZ
 = amygdali Holzschuh, 1979
 Tribus: STENHOMALINI
 Genus: Stenhomalus White, 1855
 japonicus (Pic, 1904) **R:** KU **A:** JP
 = lighti Gressitt, 1935
 = vulcanus Tsherepanov, 1976
 Tribus: HYLOTRUPINI
 Genus: Hylotrupes Audinet-Serville, 1834
 bajulus (Linnaeus, 1758) **R:** NT CT ST CA WS CH **E:** PT ES FR FRC IT
 ITI ITA MT AL LJ CR BH SS MN KD GR GRC BG TR RO HU AT CH BE NL DK DE LU GB IE
 CE SK NO PL SV FI EO LV LT BY UK UKC MD **A:** GG AR AB IN TR SY LE JO IS **N**

Tribus: CALLIDIINI

Genus: Paraxylocrius Niisato, 2009
testaceus Niisato, 2009 **R:** SI
verigai Danilevsky, 2012 **R:** FE

Genus: Ropalopus Mulsant, 1839
= Rhopalopus L. Redtenbacher, 1845
Subgenus: Prorrhopalopus Plavilstshikov, 1921
signaticollis (Solsky, 1873) **R:** SE FE **A:** CH KO JP
speciosus (Plavilstshikov, 1915) **R:** FE **A:** CH KO
Subgenus: Pronocerodes Plavilstshikov, 1940
ruficollis (Matsumura, 1911) **R:** FE SI
aurantiicollis (Plavilstshikov, 1940) **R:** FE SI
Subgenus: Ropalopus Mulsant, 1839
insubricus (Germar, 1824)
ssp. fischeri (Krynicky, 1829) **R:** CT ST CA **E:** UK UKC
lederi (Ganglbauer, 1882) **R:** CA **E:** UKC **A:** GG AR AB IN TR ?SY
clavipes (Fabricius, 1775) **R:** NT CT ST CA WS **E:** ES FR IT MT LJ CR
BH SS MN KD AL GR GRC BG TR RO HU AT CH DE BE NL DK CE SK PL LT LV BY UK UKC
MD KZ **A:** GG AR AB KZ IN TR SY
macropus (Germar, 1824) **R:** CT ST CA **E:** LJ CR BH SS BG RO HU AT CH
DE CE SK PL LV BY UK UKC MD **A:** GG AR AB IN TR
?= caucasicus Desbrochers, 1873
femoratus (Linnaeus, 1758) **R:** ?CT **E:** ES FR IT LJ CR BH SS KD GR
BG TR RO HU AT CH DE BE CE SK PL SV ?LT LV UK

Genus: Pronocera Motschulsky, 1859
sibirica (Gebler, 1848) **R:** AT WS ES SE FE SI **A:** MG CH KO
= brevicollis Gebler, 1833
= daurica Motschulsky, 1859

Genus: Turanium Baeckmann, 1923
Subgenus: Turanium Baeckmann, 1923
scabrum (Kraatz, 1882) **R:** ST(Orenburg) WS(Orenburg) **A:** KZ TM KI
UZ TD

Genus: Leioderes L. Redtenbacher, 1849
kollari L. Redtenbacher, 1849 **R:** CT ST CA **E:** ES FR IT ITI LJ CR
BH SS KD AL GR BG RO HU AT CH DE CE SK PL NO SV LA LT BY UK ?UKC ?MD **A:** GG
ssp. kollari L. Redtenbacher, 1849 **R:** CT ST CA **E:** ES FR IT LJ
CR BH SS KD GR BG RO HU AT CH DE CE SK PL NO SV LA LT BY UK ?UKC ?MD **A:** GG

Genus: Callidiellum Linsley, 1940
rufipenne (Motschulsky, 1860) **R:** CA SI **E:** ES IT CR BG **A:** GG CH KO
JP

Genus: Semanotus Mulsant, 1839
undatus (Linnaeus, 1758) **R:** NT CT ?ST WS ES AT SE FE **E:** FR IT LJ
CR BH SS BG RO HU AT CH DE CE SK NO PL SV FI EO LV LT BY UK **A:** MG CH KO
russicus (Fabricius, 1777)
ssp. russicus (Fabricius, 1777) **R:** CA **E:** IT CR SS AL GR RO HU
BG AT SK UK UKC **A:** AR AB GG IN TR
bifasciatus (Motschulsky, 1875) **R:** FE **A:** CH KO JP

Genus: Callidium Fabricius, 1775
Subgenus: Palaeocallidium Plavilstshikov, 1940
coriaceum Paykull, 1800 **R:** NT CT ST WS FT ES FE **E:** FR IT LJ BH RO
HU AT CH LU CE SK DE PL NO SV FI EO LT LV BY UK **A:** MG CH KO JP
chlorizans (Solsky, 1871) **R:** WS AT ES SE FE SI **A:** MG CH KO JP
Subgenus: Callidium Fabricius, 1775
violaceum (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **E:** SP
FR IT LJ CR BH SS AL BG RO HU AT CH BE NL DK GB IR DE LU CE SK PL NO SV FI EO
LV LT BY UK UKC MD **A:** GG AR AB KZ MG CH KO JP

Subgenus: Callidostola Reitter, 1913
aeneum (DeGeer, 1775)
ssp. aeneum (DeGeer, 1775) **R:** NT CT ST WS AT ES SE FE SI **E:** UK
NT **A:** KZ MG CH
ssp. longipenne Plavilstshikov, 1940 **R:** CA **A:** GG AB

Genus: Oupyrrhidium Pic, 1900
cinnabarinum (Blessig, 1872) **R:** SE FE **A:** KO CH

Genus: Pyrrhidium Fairmaire, 1864

sanguineum (Linnaeus, 1758) **R:** NT CT ST CA **E:** PT ES FR IT ITI ITA
LJ CR BH SS MN AL GR GRC BG TR RO HU AT CH LU BE NL DK DE GB CE SK PL NO SE
FI EO ?LV LT BY UK UKC MD **A:** GG AR AB IN TR SY **N**

Genus: Phymatodes Mulsant, 1839

Subgenus: Phymatodes Mulsant, 1839

testaceus (Linnaeus, 1758) **R:** NT CT ST CA WS AT FE **E:** PT ES FR
FRC IT ITI ITA LJ CR BH SS MN KD AL GR GRC BG TR RO HU AT CH LU BE NL DK DE
GB CE SK PL NO SV FI EO LV LT BY UK UKC MD RSN RSC RSS KZ **A:** GG AR AB IN TR
SY IS KZ JP **N**

Subgenus: Melasmetus Reitter, 1913

femorialis (Ménétriés, 1832)

ssp. femoralis (Ménétriés, 1832) **R:** CA **A:** GG AR AB IN TR

Subgenus: Phymatoderus Reitter, 1913

= Reitteroderus Sama, 1991

lividus (Rossi, 1794) **R:** CT ST CA **E:** ES FR FRC IT ITI ITA ?LJ CR
BH MN GR GRC BG RO ?BE ?DE CE ?SK ?PL UK UKC **A:** GG ?AB TR SY IS **N**

puncticollis Mulsant, 1862 **R:** CT ST CA **E:** KD BG RO UK UKC KZ **A:**
KZ

pusillus (Fabricius, 1787)

ssp. rufipenne Stark, 1889 **R:** ST CA **E:** UK UKC **A:** GG AR AB IN
TR

glabratus (Charpentier, 1825) **R:** CA **E:** ES FR IT ITA CR BH SS GR
BG HU AT CH DE CE SK PL UK UKC **A:** GG

abietinus Plavilstshikov et Lurie, 1960 **R:** NT CT WS

Subgenus: Phymatodellus Reitter, 1913

rufipes (Fabricius, 1777)

ssp. rufipes (Fabricius, 1777) **R:** ST CA **E:** ES FR IT LJ CR BH
SS BG RO HU AT CH DE CE SK PL UK UKC MD

zemlinae (Plavilstshikov et Anufriev, 1964) **R:** FE **A:** KO CH

infasciatus (Pic, 1935) **R:** FE KU **A:** KO CH JP

= vandykei Gressitt, 1935

= ussuricus Plavilstshikov, 1940

Subgenus: Paraphymatodes Plavilstshikov, 1934

mediofasciatus Pic, 1933 **R:** SE FE **A:** KO CH JP

Subgenus: Poecilium Fairmaire, 1864

alni (Linnaeus, 1767)

ssp. alni (Linnaeus, 1767) **R:** NT CT ST CA **E:** MD UK **A:** KZ

ssp. pici Aurivillius, 1912 **R:** CA **A:** GG AR AB IN TR

= alnoides Reitter, 1913

ermolenkoi Tsherepanov, 1980 **R:** FE

maacki (Kraatz, 1879)

ssp. maacki (Kraatz, 1879) **R:** SE FE **A:** KO CH

ssp. viarius Danilevsky, 1988 **R:** SI KU **A:** JP

Tribus: ANAGLYPTINI

Genus: Paraclytus Bates, 1884

excultus Bates, 1884 **R:** KU **A:** JP

sexguttatus (Adams, 1817) **R:** CA **E:** BG **A:** GG AR AB IN TR

Genus: Anaglyptus Mulsant, 1839

simplicicornis Reitter, 1905 **R:** CA **A:** GG AR AB IN TR

arabicus (Küster, 1847) **R:** CA **A:** GG AR AB TR

Genus: Aglaophis Thomson, 1857

colobothoeoides Bates, 1884 **R:** FE **A:** KO CH JP

Genus: Oligoenoplus Chevrolat, 1863

rosti (Pic, 1911)

ssp. rosti (Pic, 1911) **R:** KU **A:** JP

Tribus: CLYTINI

Genus: Plagionotus Mulsant, 1842

detritus (Linnaeus, 1758)

ssp. detritus (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR
FRC IT CR BH SS AL GR GRC BG TR RO HU AT CH BE NL DE CE SK PL SV EO LV LT BY
UK UKC MD KZ **A:** KZ

ssp. caucasicola Plavilstshikov, 1940 **R:** CA **A:** GG AR AB IN TR
SY

pulcher (Blessig, 1872) **R:** SE FE SI KU **A:** KO CH JP

christophi (Kraatz, 1879) **R:** SE FE **A:** KO CH JP
arcuatus (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR IT ITI
 ITA LJ CR BH SS AL GR GRC BG TR RO HU AT CH LU BE NL DK DE ?GB CE SK PL NO SV
 FI ?EO LV LT BY UK UKC MD KZ **A:** KZ KI GG AR AB **N**
 ssp. arcuatus (Linnaeus, 1758) **R:** NT CT ST CA WS **E:** PT ES FR
 IT ITI ITA LJ CR BH SS AL GR GRC BG TR RO HU AT CH LU BE NL DK DE ?GB CE SK
 PL NO SV FI ?EO LV LT BY UK UKC MD KZ **A:** KZ GG AB **N**
 Genus: *Neoplacionotus* Kasatkin, 2005
 bobelayei (Brullé, 1832) **R:** ST CA **E:** ES KD GR BG TR RO UK UKC **A:**
 GG AR AB TM IN TR SY IS JO LE
 Genus: *Echinocerus* Mulsant, 1863
 = *Paraplacionotus* Kasatkin, 2005
 floralis (Pallas, 1773) **R:** NT CT ST CA WS AT ES **E:** ES FR IT LJ CR
 BH SS KD AL GR BG TR RO HU AT CH DE CE SK PL LV LT UK MD KZ **A:** GG AR AB KZ TM
 UZ TD KI IN TR SY IS LE JO
 Genus: *Teratoclytus* Zaitzev, 1937
 plavilstshikovi Zaitzev, 1937 **R:** FE SI **A:** KO CH JP
 Genus: *Epiclytus* Gressitt, 1935
 ussuricus (Pic, 1933) **R:** FE **A:** KO CH
 Genus: *Rhabdoclytus* Ganglbauer, 1889
 = *Hayashiclytus* Ohbayashi, 1963
 acutivittis (Kraatz, 1879)
 ssp. acutivittis (Kraatz, 1879) **R:** FE SI **A:** KO CH JP
 Genus: *Isotomus* Mulsant, 1863
 speciosus (Schneider, 1787) **R:** ST CA **E:** ?FR IT ?CH ?DE LJ CR BH
 SS KD AL GR BG RO HU AT CE SK PL UK MD **A:** GG AR AB TR
 ssp. speciosus (Schneider, 1787) **R:** ST CA **E:** ?FR IT ?CH ?DE LJ
 CR BH SS KD AL GR BG RO HU AT CE SK PL UK MD **A:** GG AR AB TR
 comptus (Mannerheim, 1825) **R:** ST CA **E:** UKC **A:** GG AR AB IN TR
 ssp. comptus (Mannerheim, 1825) **R:** ST CA **E:** UKC **A:** GG AR AB TR
 Genus: *Chlorophorus* Chevrolat, 1863
 Subgenus: *Immaculatus* Özdikmen, 2011
 varius (Müller, 1766)
 ssp. varius (Müller, 1766) **R:** CT ST CA WS **E:** ES FR FRC IT ITI
 ITA MT LJ CR BH SS MN KD AL GR BG TR RO HU AT CH DE SV CE SK PL LT BY UK UKC
 MD KZ **A:** GG AR AB KZ IN TR
 elaeagni Plavilstshikov, 1956 **R:** ST **A:** AB KZ TM UZ KI TD
 faldermanni (Faldermann, 1837) **R:** ST **A:** GG AR AB IN KZ TM UZ TD
 KI CH
 obliteratus (Ganglbauer, 1889) **R:** ES **A:** MG CH
 = *mongolicus* Pic, 1943
 = *kaszabi* Heyrovsky, 1970
 = *ubsanurensis* Tsherepanov, 1971
 simillimus (Kraatz, 1879) **R:** ES SE FE SI KU **A:** MG KO CH JP
 = *sexmaculatus* Motschulsky, 1859
 herbsti (Brahm, 1790) **R:** NT CT ST CA WS AT ?ES **E:** ES FR CR BH SS
 BG TR RO HU AT CH DE CE SK PL SV NO FI EO LV LT BY UK MD UK ?UKC KZ **A:** KZ
 Subgenus: *Humeromaculatus* Özdikmen, 2011
 figuratus (Scopoli, 1763) **R:** NT CT ST CA AT WS ES **E:** PT SP FR IT
 CR BH SB ME MC AL GR BU TR RO HU AU SZ LU GE CZ SK PL EN LA LT BY UK MD KZ **A:**
 GG AR AB KZ IN TR
 japonicus (Chevrolat, 1863) **R:** SI KU **A:** KO CH JP
 motschulskyi (Ganglbauer, 1886) **R:** ES SE FE SI **A:** MG CH KO
 = *latofasciatus* (Motschulsky, 1861)
 = *chasanensis* Tsherepanov, 1982
 diadema (Motschulsky, 1854)
 ssp. diadema (Motschulsky, 1854) **R:** FE **A:** KO CH ?MG
 ssp. inhirsutus Matsushita, 1933 **R:** KU **A:** JP
 tohokensis Hayashi, 1968 **R:** FE **A:** KO JP
 Subgenus: *Perderomaculatus* Özdikmen, 2011
 sartor (Müller, 1766) **R:** CT ST CA ?WS ?AT ?ES ?SE ?FE **E:** PT ES FR
 FRC IT ITI ITA LJ CR BH SS MN KD AL GR GRC BG TR RO HU AT CH LU DE CE SK PL
 ?LV BY UK UKC MD KZ **A:** GG AR AB TM KZ IN TR SY IS LE JO
 Genus: *Rhaphuma* Pascoe, 1858

gracilipes (Faldermann, 1835) **R:** NT CT ST WS ES AT SE FE SI KU **E:**
 PL ?RO ?LT BY ?UK **A:** KZ MG CH KO JP
 = *sachalinensis* Matsumura, 1911
diminuta (Bates, 1873)
 ssp. *diminuta* (Bates, 1873) **R:** FE **A:** JP KO
 Genus: *Demonax* Thomson, 1861
 savioi (Pic, 1924) FE **A:** CH KO
 Genus: *Xylotrechus* Chevrolat, 1860
 Subgenus: *Xylotrechus* Chevrolat, 1860
 antilope (Schönherr, 1817)
 ssp. *antilope* (Schönherr, 1817) **R:** CT ST CA **E:** PT ES FR IT ITI
 LJ CR BH SS AL GR BG TR RO HU AT CH DE CE SK PL NO SV LT BY UK UKC MD **A:** GG
 AR AB IN TR **N**
 arvicola (Olivier, 1795) **R:** NT CT ST CA **E:** PT ES FR FRC IT ITI
 ITA LJ CR BH SS MN KD AL GR BG TR RO HU AT CH LU BE NL DE CE SK PL EO LV LT
 BY UK UKC MD KZ **A:** GG AR AB KZ IN TR SY **N**
 rufilius Bates, 1884 **R:** FE SI KU **A:** KO CH JP
 = *irinae* Plavilstshikov, 1925
 = *magnicollis* Fairmaire, 1888
mixtus Plavilstshikov, 1940 **R:** FE
hircus (Gebler, 1825) **R:** WS AT ES SE FE SI **A:** KZ MG KO CH JP
cuneipennis (Kraatz, 1879) **R:** ES SE FE SI KU **A:** MG KO CH JP
pavlovskii Plavilstshikov, 1954 **R:** FE **A:** KO
polyzonus (Fairmaire, 1888) **R:** FE **A:** KO CH
capricornus (Gebler, 1830) **R:** CT ST WS AT **E:** SK AU CE PL UK KZ **A:**
 KZ
 = *capricornis* (Chevrolat, 1863)
 ibex (Gebler, 1825) **R:** NT CT ST WS AT ES SE FE **E:** DE PL FI BY KZ
A: KZ MG KO CH
 clarinus Bates, 1884 **R:** SI KU **A:** KO CH JP
 Subgenus: *Rusticoclytus* Vives, 1977
 salicis Takakuwa et Oda, 1978 **R:** ES SE FE **A:**?MG KO CH JP
 = *nadezhdae* Tsherepanov, 1982
 rusticus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:**
 PT ES FR LU IT ITA LJ CR BH SS MN KD AL GR BG TR RO HU AT CH DK DE CE SK PL
 EO LV LT BY UK UKC MD KZ **A:** GG AR AB IN TR KZ TM TD MG CH KO JP
 adspersus (Gebler, 1830) **R:** WS AT ES SE FE SI **A:** KZ MG CH KO JP
 pantherinus (Savenius, 1825) **R:** NT CT ST CA WS AT ES SE FE **E:** FR
 IT AT RO HU CE SK DE PL NO SV FI LT BY UK MD **A:** KZ MG KO CH
 = *jakowlewi* Semenov, 1899
 = *jakovlevi* Plavilstshikov, 1931
 Subgenus: *Ootora* Niisato et Wakejima, 2008
 villioni (Villard, 1892) **R:** KU **A:** JP
 Subgenus: *Xyloclytus* Reitter, 1913
 altaicus (Gebler, 1836) **R:** CT WS AT ES SE SI **A:** ?KZ MG CH ?KO
 chinensis Chevrolat, 1852
 ssp. *kurosawai* Fujita, 2010 **R:** ?KU **A:** JP
 Genus: *Cyrtoclytus* Ganglbauer, 1882
 capra (Germar, 1824) **R:** NT CT ST CA WS AT ES SE FE SI **E:** FR IT BH
 SS RO AT CH DE CE SK PL EO LV BY UK MD KZ **A:** AB KZ MG CH KO
 caproides (Bates, 1873)
 ssp. *caproides* (Bates, 1873) **R:** SI KU **A:** JP
 Genus: *Brachyclytus* Kraatz, 1879
 singularis Kraatz, 1879 **R:** SE FE SI KU **A:** KO CH JP
 Genus: *Pseudosphegesthes* Reitter, 1913
 brunnescens (Pic, 1897) **R:** CA **A:** GG AR AB ?IN TR
 = *circassica* Pic, 1905
 Genus: *Clytus* Laicharting, 1784
 Subgenus: *Clytus* Laicharting, 1784
 tropicus (Panzer, 1795) **R:** ST (Voronezh) **E:** ES FR FRC CR SS KD GR
 BG TR RO HU AT CH DE CE SK PL BY UK
 rhamni Germar, 1817
 ssp. *temesiensis* Germar, 1824 **R:** CT ST CA **E:** SS KD BG TR RO HU
 AT DE CE SK BY UK UKC MD KZ **A:** GG AR AB KZ TR IR SY IS LE SY

arietis (Linnaeus, 1758)
 ssp. oblitus Roubal, 1932 **R:** CA **A:** GG AR AB TR IR
 ssp. arietis (Linnaeus, 1758) **R:** NT CT ST CA **E:** PT ES FR FRC
 IT LJ CR BH SS KD AL GR BG TR RO HU AT CH LU BE NL DK DE GB ?IR CE SK PL NO
 SV FI EO LV LT BY UK UKC MD ?KZ
 arietoides Reitter, 1899 **R:** NT CT ?ST WS AT ES SE FE SI **A:** KZ MG
 CH KO JP
 = venustulus Plavilstshikov, 1940
 mayeti Théry, 1892 **R:** ?ES ?FE
 melaenus Bates, 1884 **R:** KU **A:** KO JP
 raddensis Pic, 1904 **R:** SE FE **A:** KO CH JP
 = hypocrita Plavilstshikov, 1940
 nigritulus Kraatz, 1879 **R:** SE FE **A:** KO CH
 = fulvohirsutus Pic, 1904
 Subgenus: Sphegoclytus Sama, 2005
 stepanovi Danilevsky et Miroshnikov, 1985 **R:** CA **A:** GG
 Subfamilia: LAMIINAE Latreille, 1825
 Tribus: CEROPLESINI
 Genus: Moechotypa Thomson, 1864
 diphysis (Pascoe, 1871) **R:** FE **A:** KO CH JP
 Tribus: PARMENINI
 Genus: Parmena Dejean, 1821
 pontocircassica Danilevsky et Miroshnikov, 1985 **R:** CA **E:** UKC **A:**
 GG AR AB IN TR
 Genus: Plectrura Mannerheim, 1852
 Subgenus: Phlyctidola Bates, 1884
 metallica Bates, 1884
 ssp. metallica Bates, 1884 **R:** SI KU **A:** KO CH JP
 = sachalinica Jacobson, 1899
 = mandshurica Jacobson, 1899
 Tribus: MESOSINI
 Genus: Mesosa Latreille, 1829
 Subgenus: Mesosa Latreille, 1829
 myops (Dalman, 1817) **R:** NT CT ST WS AT ES SE FE SI **E:** PL FI SV LT
 LV BY UK KZ **A:** KZ MG KO CH
 japonica Bates, 1873 **R:** SI KU **A:** JP
 curculionoides (Linnaeus, 1761) **R:** CT ST CA WS (Orenburg) **E:** PT ES
 FR FRC IT ITI ITA LJ CR BH SS KD AL GR BG TR RO HU AT CH DE CE SK PL NO SV LT
 LV BY UK UKC MD KZ **A:** GG AR AB KZ IN TR
 Subgenus: Aplocnemia Stephens, 1831
 = Aphelocnemia Stephens, 1832
 nebulosa (Fabricius, 1781)
 ssp. nebulosa (Fabricius, 1781) **R:** CT ST CA **E:** PT ES FR FRC IT
 ITI ITA LJ CR BH SS MN AL GR BG TR RO HU AT CH LU BE NL DK DE GB CE SK PL NO
 SV BY UK UKC MD **A:** GG AR AB TR
 senilis Bates, 1884 **R:** SI KU **A:** JP
 Subgenus: Perimesosa Breuning, 1939
 hirsuta Bates, 1884
 ssp. continentalis Hayashi, 1964 **R:** FE **A:** KO CH
 Tribus: MORIMONELLINI
 Genus: Morimonella Podaný, 1979 C
 bednariki Podaný, 1979 **R:** CA **A:** GG
 Tribus: BATOCERINI
 Genus: Apriona Chevrolat, 1852
 germari (Hope, 1831) **R:** ?ES FE **A:** KO CH ID
 = rugicollis Chevrolat, 1852
 = plicicollis Motschulsky, 1853
 Tribus: MONOCHAMINI
 Genus: Anoplophora Hope, 1839
 glabripennis (Motschulsky, 1854) **R:** ?SE ?FE **E:** FR DE AT CE IT **A:**
 KO CH
 Genus: Acalolepta Pascoe, 1858
 = Dihammus Thomson, 1864
 ussurica (Plavilstshikov, 1951) **R:** FE **A:** KO CH

fraudatrix (Bates, 1873)
 = cervina auct., nec Hope, 1831
 ssp. fraudatrix (Bates, 1873) **R:** FE KU **A:** KO CH JP
 sejuncta (Bates, 1873)
 ssp. sejuncta (Bates, 1873) **R:** FE SI KU **A:** KO CH JP
 luxuriosa (Bates, 1873)
 ssp. luxuriosa (Bates, 1873) **R:** KU **A:** JP
 seunghwani Danilevsky, 2013 **R:** FE **A:** KO CH
 Genus: Astynoscelis Pic, 1904
 degener (Bates, 1873) **R:** SE FE SI **A:** KO CH JP
 = longicornis Pic, 1904
 Genus: Monochamus Dejean, 1821
 Subgenus: Monochamus Dejean, 1821
 = Monochammus Dejean, 1835 (wrong subsequent spelling)
 guttulatus Gressitt, 1951 **R:** SE FE **A:** KO CH
 = guttatus Blessig, 1873
 impluviatus Motschulsky, 1859 **R:** NT CT WS AT ES SE FE SI **A:** MG KO
 CH
 saltuarius Gebler, 1830 **R:** NT CT WS AT ES SE FE SI **E:** IT LJ BH RO
 HU AT CE SK DE PL BY LV LT UK **A:** KZ MG KO CH JP
 galloprovincialis (Olivier, 1795)
 ssp. pistor (Germar, 1818) **R:** NT CT ST CA WS AT **E:** FRC IT LJ
 CR BH SS KD AL GR BG RO HU AT CH NL DE CE SK PL SV FI EO LV LT BY UK MD **A:** KZ
 KI
 = lignator Krynicki, 1832
 ssp. cinerascens (Motschulsky, 1860) **R:** WS ES SE FE **A:** MG CH
 = sibiricus Pic, 1908
 ssp. tauricola Pic, 1912 ["Taurus cilicien"] **R:** CA **A:** GG AR AB
 TR
 nitens Bates, 1884 **R:** SI KU **A:** KO JP
 grandis Waterhouse, 1881 **R:** KU **A:** JP
 urussovii (Fischer-Waldheim, 1805) **R:** NT CT ST CA WS AT ES SE FE
 SI KU **E:** CE PL NO SV FI EO LT LV BY UK **A:** ?GG KZ MG CH KO JP
 = rosenmuelleri auct., nec Cederhjelm, 1798
 sutor (Linnaeus, 1758)
 = rosenmuelleri Cederhjelm, 1798
 ssp. sutor (Linnaeus, 1758) **R:** NT CT ST CA WS AT **E:** ES FR IT
 LJ BH SS ME AL BG RO HU AT CH DE NL CE SK PL DK NO SV FI EO LT LV BY MD UK
 ?UKC **A:** AR GG KZ
 ssp. pellic (Germar, 1818) **R:** ES SE FE SI KU **A:** MG CH KO JP
 Tribus: LAMIINI
 Genus: Lamiomimus Kolbe, 1886
 gottschei Kolbe, 1886 **R:** FE **A:** KO CH
 Genus: Lamia Fabricius, 1775
 textor (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI KU **E:** ES
 FR IT ?ITI LJ CR BH SS MN KD AL GR BG TR RO HU AT CH LU BE NL DK DE GB IR CE
 SK PL NO SV FI EO LV LT BY UK ?UKC MD KZ **A:** GG AR AB IR TR KZ MG KO CH JP
 Genus: Morimus Brullé, 1832
 = Morinus Brullé, 1832 (misprint)
 verecundus (Faldermann, 1836) **R:** CA **E:** UKC **A:** GG AR AB TM TR IN
 = ficitor Bogachev, 1949
 Tribus: DORCADIONINI
 Genus: Dorcadion Dalman, 1817
 Subgenus: Carinatodorcadion Breuning, 1943
 = Dorcadodium Gistel, 1856
 carinatum (Pallas, 1771)
 ssp. carinatum (Pallas, 1771) **R:** CT ST CA **E:** MD UK UKC KZ **A:**
 KZ
 ssp. sunzhenum Danilevsky, 1998 **R:** CA
 ssp. cylindraceum Reitter, 1886 **R:** CA **A:** AB
 Subgenus: Cribridorcadion Pic, 1901
 = Pedestredorcadion Breuning, 1943
 = Autodorcadion Plavilstshikov, 1958
 = Dzhungarodorcadion Danilevsky, 1993

= Bergerianum Pesarini et Sabbadini, 2004
 pusillum Küster, 1847
 = otshakovi Suvorov, 1913
 ssp. tanaiticum Kasatkin, 2002 **R:** ST
 ciscaucasicum Jakovlev, 1899 **R:** CA
 ssp. ciscaucasicum Jakovlev, 1899 **R:** CA
 ssp. abramovi Lazarev, 2009 **R:** CA
 elegans Kraatz, 1873 **R:** ST CA WS **E:** UK KZ **A:** KZ
 sareptanum Kraatz, 1873
 ssp. sareptanum Kraatz, 1873 **R:** ST **E:** UK KZ **A:** KZ
 ssp. euxinum Suvorov, 1915 **R:** CA
 ssp. kubanicum Plavilstshikov, 1934 **R:** CA
 ssp. striatifforme Suvorov, 1913 **R:** CA
 cinerarium (Fabricius, 1787)
 ssp. cinerarium (Fabricius, 1787) **R:** ST CA **E:** UK
 ssp. panticapaeum Plavilstshikov, 1951 **R:** CA **E:** UKC
 ssp. sindorum Lazarev, 2011 **R:** CA
 ssp. veniamini Lazarev, 2011 **R:** CA
 ssp. papayense Lazarev, 2014 **R:** CA
 ssp. adygorum Lazarev, 2011 **R:** CA
 ssp. smetanai Lazarev, 2011 **R:** CA
 ssp. terkense Lazarev, 2011 **R:** CA
 holosericeum Krynicky, 1832
 ssp. holosericeum Krynicky, 1832 **R:** CT ST CA **E:** RO ?HU ?SK PL
 BY MD UK UKC KZ
 ssp. tristriatum Suvorov, 1913 **R:** CA **A:** GG
 = striatum Dalman, 1817 [HN]
 equestre (Laxmann, 1770)
 ssp. equestre (Laxmann, 1770) **R:** CT ST CA **E:** UK UKC **A:** GG
 apicerufum Breuning, 1943 **R:** ?CA **A:** GG AR AB TR
 beckeri Kraatz, 1873
 ssp. beckeri Kraatz, 1873 **R:** CA **A:** AB
 ssp. koenigi Jakovlev, 1897 **R:** CA
 Subgenus: Dorcadion Dalm. 1817
 = Compsodorcadion Ganglbauer, 1884
 glycyrrhizae (Pallas, 1773)
 ssp. nemkovi Danilevsky, 2006 **R:** ST **E:** KZ **A:** KZ
 ssp. korshikovi Danilevsky, 2006 **R:** WS **A:** KZ
 ssp. ishkarganum Danilevsky, 2009 **R:** WS
 ssp. striatum (Goeze, 1777) **R:** CT ST WS **E:** KZ **A:** KZ
 = rufifrons Motschulsky, 1860
 = ?iliense Plavilstshikov, 1937
 ssp. guberlense Danilevsky, 2006 **R:** ST
 ssp. dubianskii Jakovlev, 1906 **R:** WS **A:** KZ
 gebleri Kraatz, 1873
 = occidentale Breuning, 1947
 ssp. gebleri Kraatz, 1873 **R:** AT **A:** KZ CH
 Genus: Politodorcadion Danilevsky, 1996
 politum (Dalman, 1823)
 ssp. politum (Dalman, 1823) **R:** WS **A:** KZ
 = lydiae Plavilstshikov, 1929
 ssp. akmolense (Suvorov, 1911) **R:** WS **A:** KZ
 ssp. shapovalovi Danilevsky, 2006 **R:** WS **A:** KZ
 eurygyne (Suvorov, 1911)
 ssp. eurygyne (Suvorov, 1911) **R:** AT **A:** KZ CH
 Genus: Eodorcadion Breuning, 1946
 Subgenus Eodorcadion Breuning, 1946
 carinatum (Fabricius, 1781)
 ssp. carinatum (Fabricius, 1781) **R:** CT ST WS AT ES **A:** KZ
 ssp. blessigi (Ganglbauer, 1884) **R:** AT ?ES **A:** KZ
 ssp. bramsoni (Pic, 1901) **R:** AT
 = gassneri Breit, 1917
 ssp. involvens (Fischer-Waldheim, 1823) **R:** ES SE FE **A:** MG CH
 = vestita Jakovlev, 1901

= longjiangensis Wang, 2003
 ssp. kiahtenum Danilevsky, 2007 **R:** ES
 tuvense Plavilstshikov, 1958 **R:** ES
 ptyalopleurum (Suvorov, 1909) **R:** ES
 maurum (Jakovlev, 1889)
 ssp. quinquevittatum (Hammarström, 1893) **R:** ES
 ssp. sajanicum (Hammarström, 1893) **R:** ES
 = leucogrammmum Suvorov, 1909
 ssp. katharinae (Reitter, 1898) **R:** ES **A:** MG
 ssp. maurum (Jakovlev, 1889) **R:** ES **A:** MG
 = hirtipes Jakovlev, 1901
 = grumi Suvorov, 1909
 = boldi Heyrovsky, 1965
 = fortecostatum Heyrovsky, 1969
 Subgenus Ornatodorcadion Breuning, 1947
 brandti (Gebler, 1841) **R:** ?AT **A:** KZ CH
 = dux Jakovlev, 1894
 = nigrolineatum Reitter, 1897
 Subgenus: Humerodorcadion Danilevsky, Kasatkin, Rubenian, 2005
 humerale (Gebler, 1823)
 ssp. humerale (Gebler, 1823) **R:** ES **A:** MG
 ssp. impluviatum (Faldermann, 1833) **R:** ?ES **A:** MG
 = irroratum Reitter, 1893
 ssp. trabeatum (Jakovlev, 1901) **R:** SE FE **A:** CH ?KO
 = mogissemium Suvorov, 1909, unavailable
 = melan Suvorov, 1909, unavailable
 = quadrilineatum Breit, 1915
 = xingana Chiang et Wang in Wang, 2003
 lutshniki (Plavilstshikov, 1937)
 ssp. lutshniki (Plavilstshikov, 1937) **R:** ES
 ssp. burenum Danilevsky, 2007 **R:** ES
 ssp. bicoloratum Danilevsky, 2007 **R:** ES
 Tribus: ANCYLONOTINI
 Genus: Palimna Pascoe, 1862
 liturata (Bates, 1884)
 ssp. continentalis (Semenov, 1914) **R:** FE **A:** KO CH
 Tribus: DORCASHEMATINI
 Genus: Olenecamptus Chevrolat, 1835
 octopustulatus (Motschulsky, 1860)
 ssp. octopustulatus (Motschulsky, 1860) **R:** ES SE FE SI **A:** MG
 KO CH JP
 = mordkovitshi Tshernyshev et Dubatolov, 2000
 riparius Danilevsky, 2011b **R:** FE **A:** KO CH JP
 Tribus: PTEROPLIINI
 Genus: Pterolophia Newman, 1842
 Subgenus: Pterolophia Newman, 1842
 maacki (Blessig, 1873) **R:** FE **A:** KO CH
 angusta (Bates, 1873)
 ssp. multinotata Pic, 1931 **R:** ES SE FE **A:** MG CH KO
 = mandshurica Breuning, 1938
 = ussuriensis Plavilstshikov, 1954
 = burakowskii Heyrovsky, 1973
 = selengensis Ljamtzeva, 1979
 Subgenus: Ale Pascoe, 1865
 jugosa (Bates, 1873)
 ssp. jugosa (Bates, 1873) **R:** FE **A:** KO CH
 Genus: Egesina Pascoe, 1864
 = Baeckmanella Shabliovskiy, 1936
 Subgenus: Niijimaia Matsushita, 1933
 bifasciana (Matsushita, 1933)
 ssp. bifasciana (Matsushita, 1933) **R:** FE SI **A:** KO CH JP
 = iljinskyi Shabliovskiy, 1936
 Tribus: APOMECCYNINI
 Genus: Apomeccyna Dejean, 1829

Subgenus: Apomecyna Dejean, 1829
 histrion (Fabricius, 1793) **R:** ES **A:** ?MG KO CH JP ID
 Genus: *Microlera* Bates, 1873
 ptinoides Bates, 1873 **R:** KU **A:** JP
 Genus: *Asaperda* Bates, 1873
 agapanthina Bates, 1873
 ssp. *agapanthina* Bates, 1873 **R:** SI KU **A:** JP
 = "meridiana" sensu Krivolutzkaya, 1973 et auct., not
 Matsushita, 1931 (Taiwan)
 rufipes Bates, 1873
 ssp. *rufipes* Bates, 1873 **R:** FE **A:** ?KO ?CH JP
 stenostola Kraatz, 1873 **R:** AT ?WS ?ES SE FE **A:** KZ MG CH KO
 Tribus: PTERICOPTINI
 Genus: *Xylariopsis* Bates, 1884
 mimica Bates, 1884 **R:** FE **A:** KO CH JP
 Tribus: APODASYINI
 Genus: *Quasimesosella* Miroshnikov 2006
 = *Pseudomesosella* Miroshnikov, 1989
 ussuriensis (Tsherepanov, 1983) **R:** SE FE **A:** CH
 = *florovi* Tsherepanov, 1984
 Genus: *Deroplia* Dejean, 1835
 = *Stenidea* Mulsant, 1842
 genei (Aragona, 1830)
 ssp. *genei* (Aragona, 1830) **R:** CA **E:** ES FR FRC IT ITI LJ CR BH
 SS MN AL GR BG RO HU ?DE CE SK AT CH UK UKC **A:** GG AR ?AB IN TR IS JO
 Genus: *Sophronica* Blanchard, 1845
 sundukovi Danilevsky, 2009 **R:** FE **A:** KO
 Genus: *Anaesthetis* Dejean, 1835
 confossicollis Beckmann, 1903 **R:** ES SE FE **A:** MG CH KO
 flavipilis Beckmann, 1903 **R:** AT
 testacea (Fabricius, 1781)
 ssp. *testacea* (Fabricius, 1781) **R:** CT ST CA WS **E:** ES FR IT ITI
 ITA LJ CR BH SS AL BG TR RO HU AT CH LU BE NL DE CE SK PL SV BY EO LV LT UK
 UKC MD KZ **A:** KZ
 ssp. *rufescens* Beckmann, 1903 **R:** CA **A:** GG AR AB IN TR
 Genus: *Ussurella* Danilevsky, 1997
 = *Ussuria* Danilevsky, 1995
 napolovi (Danilevsky, 1995) **R:** FE **A:** CH
 Genus: *Cylindilla* Bates, 1884
 = *Pseudanaesthetis* Pic, 1929
 = *Anaesthetomorphus* Pic, 1929
 = *Ascoldatimura* Breuning, 1960
 grisescens Bates, 1884 **R:** FE SI KU **A:** CH KO JP
 = *apicalis* Pic, 1929
 = *ascoldensis* Heyden, 1884
 Genus: *Terinaea* Bates, 1884
 tiliae Murzin, 1983 **R:** FE **A:** CN KO
 Genus: *Mimectatina* Aurivillius, 1927
 = *Doius* Matsushita, 1933
 divaricata (Bates, 1884)
 ssp. *divaricata* (Bates, 1884) **R:** FE SI KU **A:** CH KO JP
 Genus: *Rhopaloscelis* Blessig, 1873
 maculata Bates, 1877 **R:** KU **A:** JP
 unifasciata Blessig, 1873 **R:** WS AT ES SE FE SI KU **A:** KZ MG CH KO
 JP
 Genus: *Arhopaloscelis* Murzin, Danilevsky et Lobanov, 1981 in Lobanov et
 al., 1981
 bifasciata (Kraatz, 1879) **R:** FE SI **A:** KO CH
 nipponensis (Pic, 1932) **R:** KU **A:** JP
 Genus: *Clytosemia* Bates, 1884
 pulchra Bates, 1884 **R:** KU **A:** JP
 Genus: *Miccolamia* Bates, 1884
 Subgenus: *Miccolamia* Bates, 1884
 cleroides Bates, 1884 **R:** KU **A:** JP

Subgenus: *Isomiccolamia* Ohbayashi, 1963
glabricula Bates, 1884
 ssp. *glabricula* Bates, 1884 **R:** SI KU **A:** JP
 = *verrucosa* auct. (not Bates, 1884)

Tribus: POGONOCHEIRINI
 Genus: *Parmenopsis* Ganglbauer, 1882
caucasica (Leder, 1879) **R:** CA **A:** GG TR

Genus: *Pogonocherus* Dejean, 1821
 Subgenus: *Pogonocherus* Dejean, 1821
hispidus (Linnaeus, 1758) **R:** NT CT ST CA **E:** PT ES FR FRC IT ITI
 LJ CR BH SS MN AL GR BG RO HU AT CH LU BE NL DK DE GB IR CE SK PL NO SV FI EO
 LV LT BY UK ?UKC **A:** GG AR AB IN TR **N**

hispidulus (Piller et Mitterpacher, 1783) **R:** NT CT ST CA **E:** PT ES
 FR FRC IT ITI LJ CR BH KD AL GR BG RO HU AT CH LU BE NL DK DE GB IR CE SK PL
 NO SV EO LV LT BY UK ?UKC MD **A:** GG AR AB IN KZ TR

dimidiatus Blessig, 1873 **R:** SE FE SI KU **A:** CH KO JP
 = *seminiveus* Bates, 1873
 = *tristiculus* Kraatz, 1879

perroudi Mulsant, 1839 **R:** CA **E:** ES FR FRC IT ITI ITA LJ CR AL GR
 GRC UKC **A:** GG TR IS LE **N**

Subgenus: *Pityphilus* Mulsant, 1863
fasciculatus (DeGeer, 1775)
 = *costatus* Motschulsky, 1859
 ssp. *fasciculatus* (DeGeer, 1775) **R:** NT CT ST CA WS AT ES SE
 FE SI **E:** ES FR FRC IT ITI LJ CR BH SS MN KD AL GR GRC BG RO HU AT CH LU BE NL
 DK DE GB CE SK PL NO SV FI EO LV LT BY UK UKC MD KZ **A:** GG AR AB IN TR KZ MG
 CH KO JP

decoratus Fairmaire, 1855 **R:** NT CT ST CA WS AT **E:** ES FR IT LJ CR
 BH SS AL GR BG HU AT CH BE NL DK DE CE SK PL NO SV FI EO LV LT BY UK UKC **A:**
 KZ

inermicollis Reitter, 1894 **R:** CA **A:** GG TR

Tribus: ACANTHODERINI
 Genus: *Aegomorphus* Haldeman, 1847
 = *Acanthoderes* auct. (not Audinet-Serville, 1835)
 = *Psapharochrus* auct. (not Thomson, 1874)
clavipes (Schrank, 1781) **R:** NT CT ST CA WS AT ES SE FE SI **E:** ES
 FR FRC IT ITI ITA LJ CR BH SS ?AL GR BG TR RO HU AT CH DK DE CE SK PL NO SV
 FI EO LV LT BY UK UKC MD KZ **A:** GG AR AB IN TR KZ MG CH KO JP **N**
 = *lucidus* Plavilstshikov, 1927 [Caucasus-Syrie]
obscurior (Pic, 1904) **R:** CT ST WS AT ES SE FE **E:** PL LV **A:** KZ MG
 = *wojtylai* Hilszczanski, Bystrowski, 2005

Genus: *Oplosia* Mulsant, 1862
 = *Hoplosia* Fairmaire, 1864
cinerea (Mulsant, 1839) **R:** NT CT ST CA **E:** FR IT CR RO HU AT CH DE
 CE SK PL DK NO SV FI EO LT ?LV BY UK
 = *fennica* Paykull, 1800
suvorovi (Pic, 1914) **R:** SE FE SI **A:** KO CH JP

Tribus: ACANTHOCININI
 Genus: *Acanthocinus* Dejean, 1821
 Subgenus: *Acanthocinus* Dejean, 1821
griseus (Fabricius, 1793) **R:** NT CT ST CA WS AT ES **E:** ES FR FRC IT
 LJ CR BH SS KD AL GR BG TR RO HU AT CH DE CE BE SK PL NO SV FI EO LV LT BY UK
 UKC MD KZ **A:** AR ?GG ?AB KZ ?MG

orientalis Ohbayashi, 1939 **R:** KU **A:** JP
carinulatus (Gebler, 1833) **R:** WS AT ES SE **A:** MG CH
 = *sibiricus* Motschulsky, 1860
sachalinensis Matsushita, 1933 **R:** ES SE FE SI KU **A:** CH KO ?MG
aedilis (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE SI **E:** PT
 ES FR IT LJ CR BH SS KD AL GR BG TR RO HU AT CH LU BE NL DK DE GB ?IR CE SK
 PL NO SV FI EO LV LT BY UK MD KZ **A:** GG ?AR ?AB KZ MG CH KO

Subgenus: *Acanthobatesianus* Wallin, Kvamme & Lin, 2012
guttatus (Bates, 1873) **R:** KU **A:** KO CH JP

Genus: *Leiopus* Audinet-Serville, 1835
 Subgenus: *Leiopus* Audinet-Serville, 1835

stillatus (Bates, 1884) **R:** FE SI KU **A:** KO CH JP
 nebulosus (Linnaeus, 1758)
 ssp. nebulosus (Linnaeus, 1758) **R:** CT [Kaliningrad] **E:** ?PT ?ES
 FR ?FRC IT ITI ?ME ?CR ?BH ?SS ?AL ?GR ?BG ?TR ?RO ?HU AT ?CH ?LU BE ?NL GE
 GB IR ?CZ ?SK ?PL NR SV FI EO ?LV LT ?BY UK ?UKC ?MD
 ssp. caucasicus Ganglbauer, 1887 **R:** CA **A:** GG AR AB **E:** MD UK IN
 TR
 linnei Wallin, Nylander & Kvamme, 2009 **R:** ?NT CT ST WS **E:** PT ?ES
 FR ?FRC ?IT ?ITI ?ME CR ?BH ?SS ?AL ?GR BU ?TR RO ?HU AU ?CH ?LU BE ?NL GE GB
 ?IR CZ SK PL NR SV ?FI EN LA LT BY UK ?UKC MD KZ **A:** ?KZ
 punctulatus (Paykull, 1800) **R:** NT CT **E:** ?FR CH AT DE HU CE SK PL
 SV EO LT LV BY UK
 femoratus Fairmaire, 1859 **R:** ST CA **E:** FR BE NL DE LU IT ITI SB ME
 HU BG TR UK UKC **A:** GG AR AB IN TR
 = pachymerus Ganglbauer, 1884
 albivittis Kraatz, 1879
 = ganglbaueri Csiki, 1901
 ssp. albivittis Kraatz, 1879 **R:** WS AT ES SE FE SI **A:** MG CH KO
 ssp. malaisei Aurivillius, 1928 **R:** ES
 Genus: Ostedes Pascoe, 1859
 kadleci Danilevsky, 1992 **R:** FE **A:** KO
 Genus: Rondibilis Thomson, 1857
 = Eryssamena Bates, 1884
 saperdina Bates, 1884 **R:** KU **A:** JP
 schabliovskiyi Tsherepanov, 1982 **R:** FE **A:** KO CH
 = shabliovskiyi, Tsherepanov, 1984
 Tribus: EXOCENTRINI
 Genus: Exocentrus Dejean, 1835
 Subgenus: Exocentrus Dejean, 1835
 lusitanus (Linnaeus, 1767) **R:** NT CT ST CA WS **E:** ES FR IT LJ CR BH
 SS AL GR BG RO HU AT CH DE CE SK PL DK NO SV FI EO LV LT BY UK UKC MD KZ **A:**
 GG AR AB KZ
 adpersus Mulsant, 1846 **R:** ST CA **E:** ES FR FRC IT ITI LJ CR BH SS
 AL GR BG TR RO HU AT CH LU BE DE CE SK PL SV UK UKC MD **A:** GG AR AB TR
 = alemdaghensis Breuning, 1981
 = ?hirsutulus Faldermann, 1837
 punctipennis Mulsant et Guill. 1856
 ssp. punctipennis Mulsant et Guillebeau, 1856 **R:** CT ST CA **E:**
 ?FR CH AT DE HU CE SK PL SV EO LT LV BY UK
 ssp. signatus Mulsant et Rey, 1863 **R:** CA **A:** GG ?AB TR
 stierlini Ganglbauer, 1884 **R:** ST CA WS AT ES SE FE **E:** CR SS RO HU
 ?AT ?CH CE SK PL UK MD **A:** ?KZ CH KO
 fasciolatus Bates, 1873 **R:** FE **A:** KO CH JP
 = curtipennis Pic, 1918
 tsushmanus Hayashi, 1968 **R:** FE **A:** KO CH JP
 = conjugatofasciatus Tsherepanov, 1973
 testudineus Matsushita, 1931 **R:** KU **A:** JP KO
 lineatus Bates, 1873 **R:** FE **A:** KO CH JP
 guttulatus Bates, 1873
 ssp. ussuricus Tsherepanov, 1973 **R:** FE **A:** KO CH
 marginatus Tsherepanov, 1973 **R:** FE **A:** KO CH
 ?= fisheri Gressitt, 1935
 Genus: Sciades Pascoe, 1864
 Subgenus: Miaenia Pascoe, 1864
 maritimus (Tsherepanov, 1979) **R:** FE **A:** KO
 Tribus: TETROPINI
 Genus: Tetrops Kirby in Kirby et Spence, 1826
 = Mimosophronica Breuning, 1943
 praeustus (Linnaeus, 1758)
 ssp. praeustus (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES **E:** PT
 ES FR IT ITI ITA LJ CR BH SS MN KD AL GR BG TR RO HU AT CH LU BE NL DK DE GB
 IR CE SK PL NO SV FI EO LV LT BY UK UKC MD RSN RSC RSS KZ **A:** GG AR AB TR IN
 SY KZ MG

starkii Chevrolat, 1859 **R:** CT ST CA **E:** ES FR IT LJ CR BH SS MD GR
 BG RO HU AT DE GB CE SK PL BE NL DK NO SV ES BY MD UK **A:** ?GG AB
 ssp. starkii Chevrolat, 1859 **R:** CT ST **E:** ES FR IT LJ CR BH SS
 MD GR BG RO HU AT DE GB CE SK PL BE NL DK NO SV ES BY MD UK **A:** ?GG ?AB
 ssp. aquilus Danilevsky, 2012 **R:** CA
 gilvipes (Faldermann, 1837) **A:** GG AR AB TM TR IN
 ssp. gilvipes (Faldermann, 1837) **R:** ST CA **A:** GG AR AB TR
 ssp. adlbaueri Lazarev, 2012 **R:** ?ST ?CT **E:** CE [probably most
 part of Europe]
 elaeagni Plavilstshikov, 1954 **R:** ST **E:** KZ **A:** KZ UZ TM
 = plaviltshikovi Kostin, 1973
 rosarum Tsherepanov, 1975 **R:** FE
 mongolicus Murzin, 1977 **R:** ES **A:** MG
Tribus: SAPERDINI
Genus: Eutetrappa Bates, 1884
 ocelota (Bates, 1873) **R:** KU **A:** JP
 sedecimpunctata (Motschulsky, 1860) **R:** SE FE SI KU **A:** KO CH JP
 = motschulskyi Plavilstshikov, 1915
 metallescens (Motschulsky, 1860) **R:** SE FE SI **A:** KO CH
 chrysochloris (Bates, 1879)
 ssp. chrysochloris (Bates, 1879) **R:** KU **A:** JP
Genus: Saperda Fabricius, 1775
 = Anaerea Mulsant, 1839
Subgenus: Saperda Fabricius, 1775
 carcharias (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE **E:** ES
 FR IT LJ CR BH SS KD AL GR BG TR RO HU AT CH LU BE NL DK DE GB CE SK PL NO SV
 FI EO LV LT BY UK ?UKC MD KZ **A:** GG AR AB TR KZ MG CH
 similis Laicharting, 1784 **R:** CT ST WS AT ES SE FE **E:** ES FR IT LJ
 CR SS KD AL BG RO HU AT CH BE DE CE SK PL NO SV FI ?LT LV EO BY UK KZ **A:** KZ
 KI TD UZ MG CH
Subgenus: Lopezcolonia Alonso-Zarazaga, 1998
 = Argalia Mulsant, 1862
 alberti Plavilstshikov, 1915 **R:** WS AT ES SE FE SI **A:** KZ MG CH KO
 JP
 perforata (Pallas, 1773) **R:** NT CT ST CA WS AT ES SE FE **E:** ES FR
 IT CR BH BG RO HU AT CH DE CE SK PL NO SV FI EO LV LT BY UK UKC MD KZ **A:** GG
 AR AB IN TR KZ MG CH **N**
 scalaris (Linnaeus, 1758)
 ssp. scalaris (Linnaeus, 1758) **R:** NT CT ST CA **E:** ES FR IT ITI
 LJ CR BH SS AL GR BG TR RO HU AT CH LU BE NL DK DE GB CE SK PL ?NO SV ?FI EO
 LV LT BY UK UKC MD KZ **A:** GG AR AB KZ TR **N**
 ssp. hieroglyphica (Pallas, 1773) **R:** NT CT ST WS AT ES SE FE
 SI **A:** KZ MG CH KO
 interrupta Gebler, 1825 **R:** WS AT ES SE FE SI KU **A:** MG CH KO JP
 subobliterata Pic, 1910 **R:** SE FE **A:** KO CH JP
 = mandschukuoensis Breuning, 1943
 = harbinensis Chiang, 1983
 octomaculata Blessig, 1873 **R:** ES SE FE SI KU **A:** MG CH KO JP
 octopunctata (Scopoli, 1772) **R:** CT ST CA **E:** ES FR IT LJ CR BH SS
 AL GR BG RO HU AT CH BE DE CE SK PL LT BY UK UKC MD **A:** GG AR AB IN TR
 punctata (Linnaeus, 1767) **R:** NT CT ST **E:** ES FR FRC IT ITI ITA MT
 LJ CR BH SS KD AL GR BG TR RO HU AT CH DE CE SK PL LV BY UK UKC MD KZ **A:** GG
 AR AB IN TR **N**
Subgenus: Compsidia Mulsant 1839
 populnea (Linnaeus, 1758) **R:** NT CT ST CA WS AT **E:** PT ES FR IT ITI
 LJ CR BH SS MN KD AL GR BG RO HU AT CH LU BE NL DK DE GB CE SK PL NO SV FI EO
 LV LT BY UK UKC MD KZ **A:** GG AR AB TR KZ MG **N**
 ssp. populnea (Linnaeus, 1758) **R:** NT CT ST CA WS AT **E:** PT ES
 FR IT ITI LJ CR BH SS MN KD AL GR BG RO HU AT CH LU BE NL DK DE GB CE SK PL
 NO SV FI EO LV LT BY UK UKC MD KZ **A:** GG AR AB TR KZ **N**
 ssp. balsamifera (Motschulsky, 1860) **R:** WS ES SE FE SI **A:** MG
 CH KO JP
 bilineatocollis Pic, 1924 **R:** SE FE **A:** CH
Genus: Eumecocera Solsky, 1871

impustulata (Motschulsky, 1860) **R:** WS AT ES SE FE **A:** MG CH KO
callosicollis (Breuning, 1943) **R:** SE FE **A:** CH KO
 Genus: *Stenostola* Dejean, 1835
dubia (Laicharting, 1784) **R:** NT CT ST CA **E:** FR IT LJ CR BH SS RO
 HU AT CH LU BE NL DK DE ?GB CE SK PL NO SV ?ES LV UK UKC MD **A:** GG AR AB
ferrea (Schrank, 1776)
 ssp. *ferrea* (Schrank, 1776) **R:** CT ST CA **E:** FR IT LJ CR BH BG
 RO HU AT CH LU BE DK DE ?GB CE SK PL NO FI EO LV LT BY UK UKC MD **A:** GG AR AB
 ssp. *maculipennis* Holzschuh, 1982 **R:** CA **?E:** ?UKC
nigerrima (Breuning, 1946) **R:** FE **A:** JP
 Genus: *Menesia* Mulsant, 1856
albifrons Heyden, 1886 **R:** AT ?ES SE FE **A:** KO CH
bipunctata (Zoubkoff, 1829) **R:** NT CT ST WS ?AT **E:** FR IT LJ BH SS
 RO HU AT CH DE CE SK PL EO LV LT BY UK KZ **A:** KZ
sulphurata (Gebler, 1825) **R:** ST WS AT ES SE FE SI KU **A:** KZ MG CH
 KO JP
flavotecta Heyden, 1886 **R:** ?ES SE FE SI KU **A:** ?MG CH KO
 Genus: *Paramenesia* Breuning, 1952
theaphia (Bates, 1884) **R:** KU **A:** JP
 Genus: *Cagosima* Thomson, 1864
sanguinolenta Thomson, 1864
 ssp. *sanguinolenta* Thomson, 1864 **R:** SE SI KU **A:** JP
 Genus: *Thyestilla* Aurivillius, 1923
gebleri (Faldermann, 1835) **R:** SE FE **A:** CH KO JP
 Tribus: GLENEINI
 Genus: *Glenea* Newman, 1842
 Subgenus: *Glenea* Newman, 1842
 relicta Pascoe, 1868
 ssp. *relicta* Pascoe, 1868 **R:** SI KU **A:** JP
 Tribus: PHYTOECIINI
 Genus: *Nupserha* Thomson, 1860
marginella (Bates, 1873) **R:** SE FE **A:** MG CH KO JP
sericans (Bates, 1884) **R:** KU **A:** JP
alexandrovi (Plavilstshikov, 1915) **R:** FE **A:** CH
 Genus: *Oberea* Dejean, 1835
 Subgenus: *Oberea* Dejean, 1835
 pupillata (Gyllenhal, 1817) **R:** NT CT ST **E:** ES FR IT LJ CR BH MN
 KD GR RO HU AT CH BE DE CE SK PL EO LV LT BY UK ?UKC MD
 kostini Danilevsky, 1988 **R:** CT WS AT ES **A:** KZ
 heyrovskyi Pic, 1927 **R:** SE FE **A:** KO CH
 depressa (Gebler, 1825) **R:** WS AT ES SE FE SI **A:** MG CH KO
 = *amurica* Suvorov, 1913
 = *transbaicalica* Suvorov, 1913
 oculata (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE **E:** PT ES
 FR IT ITI ITA LJ CR BH SS MN KD AL GR BG TR RO HU AT CH LU BE NL DK DE GB CE
 SK PL NO SV FI EO LV LT BY UK UKC MD KZ **A:** GG AR AB IN IQ TR KZ MG CH KO **N**
 linearis (Linnaeus, 1761) **R:** CT ST CA **E:** PT ES FR IT ?ITI ITA LJ
 CR BH SS AL GR BG RO HU AT CH LU BE NL DK DE CE SK PL NO SV LV BY UK UKC MD
A: GG AR AB TR IN
 morio Kraatz, 1879 **R:** ES SE FE **A:** MG CH
 scutellaroides Breuning, 1947 **R:** FE **A:** MG CH
 = *scutellaris* Fairmaire, 1888
 = *chinensis* Tsherepanov, 1985
 simplex Gressitt, 1942 **R:** FE **A:** KO CH
 herzi Ganglbauer, 1887 **R:** FE **A:** CH
 vittata Blessig, 1873
 ssp. *vittata* Blessig, 1873 **R:** ES SE FE **A:** MG CH KO JP
 japonica (Thunberg, 1787) **R:** FE **A:** CH JP
 Subgenus: *Amaurostoma* Müller, 1906
 euphorbiae (Germar, 1813) **R:** CT ST CA WS **E:** ?IT CH CR SS MN GR
 ?BG RO HU AT CE SK PL UK ?UKC MD KZ **A:** AR KZ
 donceeli Pic, 1907 **R:** ES SE **A:** MG CH
 erythrocephala (Schrank, 1776)

ssp. erythrocephala (Schrank, 1776) **R:** CT ST CA WS **E:** PT ES FR
IT MT LJ CR BH SS MN KD GR GRC BG TR RO HU AT CH DE CE SK PL LT BY UK UKC MD
KZ **A:** GG AR AB KZ TR IN LE **N**

Genus: Phytoecia Dejean, 1835
Subgenus: Pilemia Fairmaire, 1863
hirsutula (Frölich, 1793)
ssp. hirsutula (Frölich, 1793) **R:** ST CA WS **E:** IT CR BH SS KD
AL GR BG RO HU SK MD UK UKC KZ **A:** GG AR AB KZ IN TR SY
tigrina Mulsant, 1851 **R:** ?CA(Derbent) **E:** ?FR SS BG RO HU MD UK **A:**
AR TR

Subgenus: Cardoria Mulsant, 1863
scutellata (Fabricius, 1793) **R:** CT ST CA **E:** ?MD UK **A:** GG AR AB IN
TR

Subgenus: Helladia Fairmaire, 1864
millefolii (Adams, 1817)
ssp. millefolii (Adams, 1817) **R:** ST CA **E:** GR GRC BG UKC **A:** GG
AR AB TR IN

praetextata (Steven, 1817)
ssp. praetextata (Steven, 1817) **R:** CA **E:** BG RO UK UKC **A:** GG AR
AB IN TR

pretiosa Faldermann, 1837
ssp. pretiosa Faldermann, 1837 **R:** ?CA **A:** AR AB ?GG
Subgenus: Musaria Thomson, 1864
faldermanni Faldermann, 1837 **R:** ST CA **E:** UK UKC **A:** GG AR AB IN TR
KZ

wachanrui Mulsant, 1851 **R:** ?ST **A:** ?AB IN TR SY JO LE IS
argus (Frölich, 1793) **R:** CT ST **E:** IT CR BH GR BG AT RO HU CE SK
UK UKC MD

affinis (Harrer, 1784)
= nigripes Voet, 1778
= bipunctata Piller, 1783
ssp. affinis (Harrer, 1784) **R:** CT ST CA WS **E:** ES FR IT LJ CR
BH SS KD AL GR BG RO HU AT CH DE CE SK PL BY UK MD KZ **A:** KZ
ssp. nigropubescens Müller, 1948 **R:** CA **A:** GG AR TR
ssp. altaica Suvorov, 1913 **R:** WS AT **A:** KZ
ssp. volgensis Kraatz, 1884 **R:** ST **A:** ?KZ
ssp. boeberi Ganglbauer, 1884 **R:** CA **A:** GG AR AB IN TR
puncticollis Faldermann, 1837
ssp. puncticollis Faldermann, 1837 **R:** CA **A:** GG AR AB IN TR
Subgenus: Phytoecia Dejean, 1835
nigricornis (Fabricius, 1781) **R:** NT CT ST CA WS AT ES **E:** ES FR IT
ITI LJ BH SS KD AL GR BG TR RO HU AT CH LU BE DE CE SK PL SV FI EO LV LT BY
UK UKC MD KZ **A:** GG AR AB IN TR KZ
= julii Mulsant, 1863
ferrea Ganglbauer, 1887 **R:** ?WS ES SE FE **A:** MG CH
= analis Mannerheim, 1849
= mannerheimi Breuning, 1951
stenostoloides Breuning, 1943 **R:** ES SE FE **A:** CH
cylindrica (Linnaeus, 1758) **R:** NT CT ST CA WS AT ES SE FE **E:** PT
ES FR IT LJ CR BH SS GR BG TR RO HU AT CH LU BE NL DK DE GB CE SK PL NO SV FI
EO LV LT BY UK UKC MD KZ **A:** GG AR AB IN TR KZ

pustulata (Schrank, 1776)
ssp. pustulata (Schrank, 1776) **R:** CT ST CA **E:** PT ES FR IT LJ
CR BH SS MN KD AL GR BG TR RO HU AT CH DE CE SK PL LA BY UK UKC MD KZ **A:** GG
AR AB KZ KI UZ TD TR IN

ssp. pulla Ganglbauer, 1886 **R:** ST **A:** KZ KI UZ
= kryzhanovskii Kostin, 1973
rufiventris Gautier, 1870 **R:** ES SE FE SI KU **A:** MG CH KO JP
virgula (Charpentier, 1825) **R:** CT ST CA WS **E:** PT ES FR IT ITI LJ
CR BH SS KD AL GR BG TR RO HU AT CH DE CE SK PL LV LT BY UK UKC MD KZ **A:** GG
AR AB KZ TM UZ KI TD SY LE JO

rufipes (Olivier, 1795)
= sibirica Gebler, 1833

ssp. rufipes (Olivier, 1795) **R:** CT ST CA WS AT ?ES **E:** ES FR
 FRC IT ITI LJ CR ?AT CH UK UKC KZ **A:** ?GG TR KZ ?TM UZ TD KI **N**
 pubescens Pic, 1895 **R:** CA **E:** LJ CR BH KD GR BG **A:** GG AR AB IN TR
 = glaphyra K. Daniel, 1906
 icterica (Schaller, 1783) **R:** CT ST CA WS AT **E:** PT ES FR IT LJ CR
 BH SS MN ?AL GR BG TR RO HU AT CH DE ?BE CE SK PL UK UKC MD KZ **A:** ?GG ?AR ?AB
 KZ
 caerulea (Scopoli, 1772)
 ssp. caerulea (Scopoli, 1772) **R:** CT ST CA **E:** PT ES IT ITI CR
 BH SS KD AL GR BG TR RO HU AT CH CE SK ?LV BY UK UKC MD KZ **A:** GG AR AB IN TR
 KZ TM UZ TD SY
 Subgenus: Cinctophytoecia Breuning, 1947
 cinctipennis Mannerheim, 1849
 ssp. cinctipennis Mannerheim, 1849 **R:** WS ?AT ES SE FE **A:** MG CH
 sareptana Ganglbauer, 1888 **R:** SE FE **A:** CH KO
 Subgenus: Opsilia Mulsant, 1863
 coerulescens (Scopoli, 1763)
 ssp. coerulescens (Scopoli, 1763) **R:** CT ST CA WS **E:** PT ES FR
 FRC IT ITI ITA LJ CR BH SS MN KD AL GR BG TR RO HU AT CH LU BE NL DE CE SK PL
 ?LV ?BY UK UKC MD KZ **A:** GG AR AB KZ UZ KI TD SY LE **N**
 = ?tienschanica Fuchs, 1965
 varentzowi Semenov, 1896 **R:** CA **A:** GG AR AB IN KZ TM UZ TD KI
 = varentzovi Semenov, 1912 [unjustified emendation]
 uncinata W. Redtenbacher, 1842 **R:** CT ST **E:** FR ?IT LJ CR SS BG RO
 HU AT CE SK PL DE MD UK **A:** TM
 molybdaena (Dalman, 1817) **R:** ST CA WS **ES E:** PT SP FR IT ?ITI SB
 GR BU RO HU SZ GE CZ SK ?PL UK **A:** AR GG AB TM TR IN ?KZ **N**
 Tribus: AGAPANTHIINI
 Genus: Theophilea Pic, 1895
 subcylindricollis Hladil, 1988 **R:** CT ST WS CA **E:** SK HU RO MD UK
A: KZ
 Genus: Calamobius Guérin-Méneville, 1844
 filum (Rossi, 1790) **R:** ST CA **E:** PT ES FR FRC BE NL IT ITI ITA MT
 LJ CR BH SS MN KD AL GR GRC BG TR RO HU AT CH DE CE SK UK UKC MD **A:** GG AR AB
 IN TR IQ SY JO LE IS **N**
 Genus: Pseudocalamobius Kraatz, 1879
 japonicus (Bates, 1873)
 ssp. japonicus (Bates, 1873) **R:** SE FE SI **A:** CH KO JP
 Genus: Agapanthia Audinet-Serville, 1835
 Subgenus: Synthapsia Pesarini et Sabbadini, 2004
 kirbyi (Gyllenhal, 1817) **R:** CT ST CA ?WS **E:** ES FR IT BH SS KD AL
 GR BG TR RO HU UK UKC MD **A:** GG AR AB TM TR IN SY IS
 Subgenus: Eoptes Gistel, 1857
 = Agapanthiella Pesarini et Sabbadini, 2004
 asphodeli (Latreille, 1804) **R:** ST CA ?WS **E:** PT ES FR FRC IT ITI
 ITA MT CR BH KD AL GR RO CH ?SV UK UKC ?MD **A:** GG AR AB KZ TR SY IS LE **N**
 dahli (Richter, 1821)
 ssp. dahli (Richter, 1821) **R:** CT ST CA WS AT ES **E:** ES FR FRC
 BE LJ CR BH SS MN KD AL BG RO HU AT CH DE CE SK PL BY UK UKC MD KZ **A:** KZ TD
 UZ KZ ?MG
 ssp. ismailovae Lazarev 2013 **R:** CA **A:** AB
 alternans Fischer-Waldheim, 1842
 ssp. alternans Fischer-Waldheim, 1842 **R:** WS AT ES **A:** KZ MG
 = ganglbaueri Semenov, 1893
 altaica Plavilstshikov, 1933 **R:** AT
 cynarae (Germar, 1817)
 ssp. cynarae (Germar, 1817) **R:** ST CA WS ES **E:** IT LJ CR BH SS
 MN KD GR BG TU RO HU CE SK ?DE UK UKC ?MD RSS KZ **A:** GG AR AB KZ
 lederi Ganglbauer, 1884 **R:** CA **A:** GG AR AB IN TR
 = mesmini Pic, 1927
 = helianthi Plavilstshikov, 1935
 = lopatini Kaziuchitz, 1988
 subchalybaea Reitter, 1898 **R:** CA **A:** GG AB ?TR

villosoviridescens (DeGeer, 1775) **R:** NT CT ST CA WS AT ES **E:** PT
 ES FR FRC IT ITI LJ CR BH SS KD AL GR BG TR RO HU AT CH LU BE NL DK DE GB CE
 SK PL NO SV FI EO LV LT BY UK UKC MD KZ **A:** KZ ?MG
 daurica Ganglbauer, 1884 **R:** ES SE FE SI KU **A:** MG KO CH JP
 Subgenus: Homoblephara Pesarini et Sabbadini, 2004
 maculicornis (Gyllenhal, 1817) **R:** ST CA WS AT **E:** CR MN KD GR BG
 RO HU SK UK ?MD KZ **A:** KZ
 Subgenus: Agapanthia Audinet-Serville, 1835
 cardui (Linnaeus, 1767) **R:** CT ST CA WS **E:** PT ES FR IT ITI LJ CR
 BH SS MN KD AL GR BG TR RO HU AT CH DE BE CE SK PL UK UKC KZ **A:** KZ
 = pannonica Kratochvil, 1985
 Subgenus: Amurobia Pesarini et Sabbadini, 2004
 pilicornis (Fabricius, 1787)
 ssp. pilicornis (Fabricius, 1787) **R:** ES SE FE SI **A:** MG KO CH
 amurensis Kraatz, 1879 **R:** ES SE FE **A:** MG KO CH
 Subgenus: Smaragdula Pesarini et Sabbadini, 2004
 violacea (Fabricius, 1775) **R:** NT CT ST CA WS AT ?ES **E:** ES FR IT
 ITI ?LJ CR BH SS MN KD AL GR BG TR RO HU AT CH LU BE DE CE SK PL LA ?LV BY UK
 UKC MD **A:** GG AR AB KZ TR
 = mulsanti Plavilstshikov, 1930
 intermedia Ganglbauer, 1884 **R:** NT CT ST CA WS **E:** ES FR IT HU RO
 AT CH DE CE DK SK PL ?LV BY UK UKC MD KZ **A:** GG KZ
 Genus: Agapanthiola Ganglbauer, 1900
 leucaspis (Steven, 1817) **R:** CT ST CA WS AT ES **E:** CR SS MN KD GR
 BG TR RO HU AT CE SK UK UKC MD KZ **A:** GG AR AB KZ KI UZ TD MG TR IN
 = euterpe Ganglbauer, 1900