



Endian **UTM Mini**

(Suggested Users 5- 25) Endian UTM Mini is the ideal Unified Threat Management solution for remote offices and small businesses. Advanced security features such as stateful inspection, anti-virus, anti-spam, Web filtering, VoIP support and hotspot management.







All-in-One Network Security for Small Businesses and Branch Offices

Endian UTM Mini is the ideal Unified Threat Management (UTM) solution for remote offices and small businesses. Advanced security features such as stateful inspection, anti-virus, anti-spam, Web filtering, VoIP support and hotspot management are combined into a compact and powerful network appliance to offer comprehensive network protection. Endian designed UTM Mini to be easy to deploy and manage, providing an intuitive Web-based user interface to access all the integrated features. The result is an all-in-one network security solution that defends your business against emerging threats and maximizes your network connectivity, at an affordable price.

Hotspot Management

Endian Hotspot enables secure Internet access for wireless and wired systems in public areas such as airports, hotels, libraries, Internet cafés and more.

Dashboard

With the Endian Dashboard you'll get a quick overview of your network with detailed, realtime information presented through an eye-catching and highly functional interface.

Hassle-free VPN

Optimize communication with branch/remote offices or teleworkers through the secure connection provided by Endian: your own VPN is just a few clicks away.



Highlights

- Comprehensive protection keeps your network safe from emerging Internet threats
- Intuitive and functional Web interface deploys in minutes, not hours
- Quality of Service and Bandwidth Management to guarantee the best quality for VoIP calls and critical services in your network
- Always up-to-date with latest anti-spam, anti-spyware, anti-virus and content filtering services
- Centralized Management and Provisioning through Endian Network
- Instant Recovery minimizes downtime in case of a failure
- All-in-one means no additional software or hardware required
- Quiet and energy saving thanks to its fanless design and low power consumption

Performance

Suggested Users	5 - 25*
Firewall Throughput	200 Mbps*
Concurrent Connections	150,000
VPN Throughput	25 Mbps
E-mails per day	3,500*

 Throughput rates, suggested users and e-mails/day will vary depending on environment and configuration (activated proxies, VPN connections, IDS and Application Level Filters)



Endian UTM Mini

Endian UTM Mini Features

Endian Hotspot

- Captive Portal
- Wired/Wireless support
- Pre/Postpaid and free Tickets
- Integrated RADIUS service
- Connection Logging
- No additional software/hardware required
- Traffic-based Hotspot tickets and automatic user generation
- Hotspot Satellites
- SmartConnect

Network Security

- Stateful Packet Firewall
- Demilitarized Zone (DMZ)
- Intrusion Detection / Prevention
- Multiple Public IPs
- Quality of Service and Bandwidth
 Management
- VoIP/SIP support
- Portscan Detection
- DoS and DDoS ProtectionSYN/ICMP Flood Protection
- Anti-spoofing Protection
- SNMP support

Web Security

- HTTP & FTP proxies
- Anti-virus (100,000+ patterns)
- Transparent Proxy support
- Group-based content filtering and enhanced Web Security
- URL Blacklist
- Authentication: Local, RADIUS, LDAP, Active Directory
- NTLM Single Sign-On
- Group-based Access Control

Mail Security

- SMTP & POP3 proxies
- Anti-spam with Bayes, Pattern, SPF, Heuristics, Blacklists and Whitelists support
- Anti-virus (100,000+ patterns)
- Transparent Proxy support
- Spam Auto-learning
- Transparent e-mail Forwarding (BCC)
- Greylisting

VPN

- True SSL/TLS VPN (OpenVPN)
- IPSEC
- Encryption; DES, 3DES, AES 128-, 192-, 256-bit
- Authentication: Pre-shared Key, X.509, Certification Authority, Local
- PPTP Passthrough
- Native VPN Client for MS Windows, MacOSX and Linux

Management

- Easy Web-based Administration (SSL)
- Secure Remote SSH/SCP Access
- Serial Console
- Centralized Management through Endian Network (SSL)

High Availability

- Hot Standby (active/passive)
- Node Data/Configuration Synchronization

WAN Failover

- Automatic WAN Uplink Failover
- Monitoring of WAN Uplinks
- VPN Failover

Network Address Translation

- Static NAT (Port Translation)
- One-to-One NAT
- IPSec NAT Traversal
- Enhanced Network Address Translation (NAT)

Routing

- Static Routes
- Source-based Routing
- Destination-based Routing

Logging/Reporting

- Endian Dashboard
- Live Log Viewer (AJAX based)
- Detailed User-based Web Access Report
- Network/System/Performance Statistics
- Syslog: Local or Remote
- Event handling and notification

Updates and Backup

- Centralized Updates through Endian Network
- Anti-virus Definitions
- URL Blacklist Definitions
- Scheduled Automatic Backup
- Encrypted Backups via e-mail
- Instant Recovery/Backup to USB Stick

Optionals

- Sophos Anti-virus
- Commtouch RPD





Case Rack	Desktop	Hard Disk	40 GB	Dimension (HxWxD)	30mm x 214mm x 150mm
Power	External 12V 5A	Cooling	Fanless	Weight	1,2 kg
Memory	512 MB	PCI Slots	-	Hardware Warranty	12 months *
Ethernet	4 x 10 / 100 Mbps	LCD Display	-	Certifications	FCC/CE/ROHS

0

* Advanced Maintenance extends the Hardware Warranty for the Subscription Period

Endian Headquarters

Via Pillhof 47 / I-39010 Frangarto /Appiano (BZ) Tel: +39 0471 631 763 Fax:+39 0471 631 764 **E-mail:** info@endian.com / **Web:** www.endian.com

Endian International

Tel: +39 0471 631 763 **E-mail:** sales@endian.com

Endian Italia

Tel: +39 0473 200 169 **E-mail:** italy@endian.com

Endian Germany

Tel: +49 (0) 8106 30750 - 13 **E-mail:** germany@endian.com

Endian US

Tel:+1 832 431 3195 **E-mail:** us@endian.com

Endian Japan

Tel:+81 3 680 651 86 **E-mail:** japan@endian.com

© 2011 Endian SRL. Subject to change without notice. Endian and Endian UTM are trademarks of Endian SRL. All other trademarks and registered trademarks are the property of their respective owners.