

ALPINE®

Mobile Media Solutions



2008 Spring Catalogue

Driving Mobile Media Solutions™



Alpine does solutions.

Revolutionary solutions with cutting-edge technologies that make your drive pure joy.

Listen to iPod® music and watch iPod® videos in your car.

Keep your kids entertained with a full range of monitors, that connect to just about any available media source.

Bring portable navigation inside and dock it directly to one of our systems.

Use advanced processors that automatically customise your in-car sound like a pro.

And fill your car with high-power, top-quality sound.



Audio

Take Your iPod® for a Drive

Want to bring your iPod® into your car? We've got a wide variety of solutions, starting off with the iDA-X100. And if you want to upgrade your sound, Alpine has many head units that can be equipped with IMPRINT Sound processing, for music reproduction close to the original.



Video

Wow Your Riders

Alpine covers all your entertainment options, keeping all your passengers happy during the ride. The IVA-W205R lets you play DVDs and upgrade to other sources – even iPod® movies – while our lineup of overhead and rear seat monitors make sure all your riders stay satisfied.



Navigation

Guide Your Ride

We've got what it takes to get you to your destination in comfort, safety and style. Our Blackbird PMD-B200P hand-held navigation system docks directly into the IVA-W205R, giving you the best of both worlds – portable convenience with full-featured route guidance and in-dash control.



Communication

Stay Connected

Alpine has versatile connectivity solutions for every vehicle. Bring your iPod® along for the drive with our new eX-10 and get Bluetooth phone capability with hands-free operation and caller number display – without having to replace your factory radio.



Drive Assist

Drive Safe, Drive Sure

We've got a wide range of products to make sure your drive is comfortable and safe as well. Our HCE-C200R multi-view rear camera system and the HCE-C200F front camera extension lets you see the area around your car, helping you park in tight spots and navigate narrow roads and 'blind' corners.



INDEX



iPod Solutions
Pages 4 – 7



Full Speed
Head Units
Pages 8 – 11



Navigation
Solutions
Pages 12 – 15



Factory System
Upgrading
Pages 16 – 19



High-end Sound
Components
Pages 20 – 21



Sound System
Solutions
Pages 22 – 25



Rear Seat
Entertainment
Pages 26 – 28



Accessories
Page 29

Take Your iPod® for a Drive

The world's first head unit designed for iPod® is back – and now available in three different models. Featuring even easier and more intuitive controls, and many new, cool features.

Introducing the ultimate iPod® solution and the successor to the award-winning iDA-X001. This new iPod® controller provides seamless control of all your favourite media sources in your vehicle.



iDA-X100

DIGITAL MEDIA RECEIVER

• 4 x 50W High Power Amp • USB connection for iPod (iPod classic 5G/6G, iPod nano 1G-3G), selected MP3 players using MTP protocol or USB thumb drives • Full Speed connection for iPod touch and previous iPod models with dock connector • 2.2" high resolution TFT display • IMPRINT Ready • 24-Bit DAC • Bluetooth Ready • Double-Action Encoder • Quick Search • AI-NET • Steering Wheel Remote Control Ready • Vehicle Display Interface Ready • 2 illumination colours selectable (blue/red) • 3 PreOuts • 2 PreIns for PXA-H100 • MP3/AAC/WMA Playback • Remote Ready • CD Mechanism-less design

See Your Music

With its three viewing modes, advanced search functions, and super-high-resolution display – plus a cool clock and calendar – the iDA-X100 is the best and easiest way to use your iPod in your car.



Alpine Reinvents the Wheel

Selecting your iPod songs is exceptionally quick and easy with the large display and the all new double-action encoder.



All-digital Connection


Connect your iPod via USB for ultra-fast, all-digital data transfer – for the best sound quality possible, and instant access, including album artwork and song information.

24 bit
D/A CONVERTER



Best Possible In-car Sound with IMPRINT

Connect our PXA-H100 IMPRINT Sound Processor, to eliminate any acoustical distortion in your vehicle cabin and upgrade to awesome sound quality.



Easy control, super-fast music search and great sound – plus optional IMPRINT Sound tuning – make the iDA-X200 perfect for iPod® users.

iDA-X200

DIGITAL MEDIA RECEIVER

- 4 x 45W High Power Amp • USB connection for iPod (iPod classic 5G/6G; iPod nano 1G-3G), selected MP3 players using MTP protocol or USB thumb drives • ID3 tag index search for USB thumb drives • Full Speed connection for iPod touch and previous iPod models with dock connector • LCD display (3-colour) • IMPRINT Ready • Bluetooth Ready • Double-Action Encoder • Quick Search • AI-NET • Steering Wheel Remote Control Ready • 3 PreOuts • 2 PreIns for PXA-H100 • MP3/AAC/WMA Playback • Remote Ready • CD Mechanism-less design



The iDA-X300 is an exceptional value for iPod® users who want to connect their favourite media sources as well.

iDA-X300

DIGITAL MEDIA RECEIVER

- 4 x 45W High Power Amp • USB connection for USB thumb drives • ID3 tag index search for USB thumb drives • Full Speed connection for all iPod models with dock connector • LCD display • Bluetooth Ready • Rotary Encoder • Quick Search • AI-NET • Steering Wheel Remote Control Ready • 1 PreOut • MP3/AAC/WMA Playback • Remote Ready • CD Mechanism-less design



Get Up to Full Speed

Our Full Speed connection lets you use older model iPods and still get super-fast data access and top-quality sound. Simply connect the KCE-422i cable and enjoy all your iPod music in the car!

Bluetooth Ready

Bluetooth mobile phone users can add on the KCE-300BT Bluetooth Module, and connect to any of our Digital Media Receivers for hands-free mobile phone operation.



Works With Other MP3 Players

The built-in USB interface lets you connect and control selected MP3 players* (MTP standard) as well as USB memory sticks, enables convenient alphabetical ordering** and search functions, and provides Digital Rights Management (DRM10)* compatibility.



* iDA-X100/-X200 only ** iDA-X200/-X300 only

Not Forgetting CD and DVD Fans

Connect the DHA-S690 DVD/CD Changer or CHA-S634 CD Changer, and play up to six CDs – with easy control from the head unit. See pages 11 and 28 for more information.

Digital Media Receiver Overview

iDA-X100	●	●	●	●	●	●	●	●	●	●	●	4 x 50W MAX
iDA-X200	●	●	●	●	●	●	●	●	●	●	●	4 x 45W MAX
iDA-X300	●	●	●	●	●	●	●	●	●	●	●	4 x 45W MAX
Required Accessory	KCE-422i		ask your dealer		KCE-300BT	PXA-H100		ask your dealer		● = cable included		

* Latest generation iPods (iPod nano 3rd generation, iPod classic and iPod touch) are only partially supported as of December 2007. Please ask your Alpine dealer for more information on functionality and latest firmware status.

iPod® Solutions for Any Vehicle

The eX-10 lets you easily connect an iPod® to your original car stereo – giving you built-in Bluetooth phone operation, full control over your iPod® including Quick Search and a cool dash-mount display.

The easiest way to integrate your iPod® into your car stereo system – and get Bluetooth phone operation!

eX-10

ADVANCED iPod® CONTROLLER WITH Bluetooth

- 2.4" high-resolution TFT display
- Full Speed connection for all iPod models with dock connector
- Built-in high quality FM transmitter
- Works with any car radio
- Quick Search
- 3 viewing modes for iPod playback
- Album artwork display
- Built-in Bluetooth module for hands-free phone operation
- Compatible with many Bluetooth enabled mobile phones
- Caller's voice heard through vehicle speakers
- Caller number display
- Audio Streaming Ready
- AUX output (mini-jack)
- Included wireless remote control, wire harness, power adapters for cigarette lighter socket and microphone



Ready, Set, Go!

Everything about the eX-10 is simple and easy, including setup. Just put the monitor on your dashboard (no tools needed!), plug it into the cigarette lighter socket, then connect your iPod with the included cable – and you're ready to go!

Works With Any Radio

The innovative eX-10 features a built-in, top-quality FM transmitter, that broadcasts the iPod signal straight to your factory car radio. The result? Great sound quality and full integration of the iPod into your vehicle.

Stay Connected With Bluetooth

Built-in Bluetooth capability gives you wireless, hands-free operation of your Bluetooth-enabled phone, plus caller number display, and even streaming music playback.



The iPod® Edge

The eX-10 and its high-resolution display provides three different viewing modes, including album artwork display, and gives you advanced Quick Search features. The Full Speed connection means you can access all your iPod songs and info instantly!

KWE-155B FM ANTENNA SPLITTER FOR eX-10

- For use in countries that restrict usage of FM transmitters



iPod® Entertainment For All Your Passengers

If your car system has a monitor (or more) and you want to watch your iPod® movies, here's an ideal, inexpensive way to expand your entertainment – and satisfy ALL your passengers!



KCE-425i

iPod® VIDEO INTERFACE

- Universal iPod interface • USB connection for iPod • Supports iPod audio and video playback • Multi-language graphical user interface • Compatible with iPod classic (5G/6G), iPod nano (all generations) and iPod touch • Album artwork display • Touch Control Ready • S-Video & A/V output • Includes remote control • PAL/NTSC compatible • Photo access for iPod classic (4G-6G)



Easy-to-use User Interface



Album Artwork Display

This versatile add-on solution lets you connect your iPod to a monitor in your car – and enjoy all your iPod entertainment, including movies! The black-box KCE-425i not only brings your current system up-to-date for watching iPod movies, it gives you a gorgeous user interface that works similar to iPod, with the same convenience and ease of use. Listen to your iPod music on your car system, watch iPod videos – even listen to audiobooks and podcasts, too. It's the perfect solution for bringing the iPod into an existing mobile multimedia system.



Watch Your iPod® – In Three New Ways



Mobile Media Stations

If you've got a previous generation MMS that doesn't have iPod connectivity, this is the perfect upgrade. You can enjoy all your iPod music and videos in the car, and have comprehensive, easy control over them via Touch Screen operation.



Rear Seat Monitors

Do you have iPod movies and podcasts your kids want to watch in the car? The KCE-425i plugs in easily to Alpine rear seat and overhead monitors. The supplied remote control and easy-to-use interface make it simple for kids to use. Or get a touch screen monitor, and enjoy touch operation.



Factory Stereo System

If you've got a factory system with a colour display that you don't want to replace, the KCE-425i (combined with an optional third-party interface) lets you play iPod music and videos in the car. It's also an ideal upgrade for those who have the versatile Alpine VehicleHub or VehicleHub Pro system.

Awesome Sound for Your iPod®

Transform your car interior with Alpine's world famous IMPRINT Sound, and get all the music close to the original – for your iPod® and your CDs.


The CDA-9886R is built especially to handle the widest variety of sources, including your iPod®, USB memory sticks, CDs – even Bluetooth phones.



CDA-9886R

CD RECEIVER / USB AND iPod® CONTROLLER

• 4 x 50W High Power Amp • CD-R/-RW/MP3/AAC/WMA Playback • USB connection for USB thumb drives • Full Speed connection for iPod touch, iPod nano and all iPod models with dock connector • BioLite Display • IMPRINT Ready • Auto Volume • Bluetooth Ready • Full Speed AUX input • Quick Search • AI-NET • 2 illumination colours selectable (blue/red) • Steering Wheel Remote Control Ready • Vehicle Display Interface Ready • 3 PreOuts (4 volt) • 2 Preamplifiers for PXA-H100 • Remote Control Included



Your iPod® at Full Speed

Full Speed lets you use convenient Quick Search and Percentage Search features to browse your iPod music collection fast and easily. Full Speed also means excellent iPod sound in your car. Connect to all the latest iPod players too, as well as older models equipped with a dock connector.

Bluetooth Phone Ready

Bring your Bluetooth phone into the car, too. All our head units are Bluetooth ready; just connect the KCE-300BT Bluetooth Interface and get full operation of your Bluetooth-compatible mobile phone – without having to take your hands off the wheel.




Plays Music From USB Memory Sticks

You can also connect any USB memory stick containing music data. The head unit automatically picks out just your music files from the data on the stick, and provides convenient file and folder search functions so you can find your songs quickly and easily.

Built-in USB

You can connect your USB memory stick on the back of the unit, or store it safely away from damage or theft in the glove compartment (requires KCE-220UB USB Extension Cable).



USB PLAYBACK



CDA-9884R

CD RECEIVER / USB AND iPod® CONTROLLER

- 4 x 50W High Power Amp • CD-R/RW/MP3/AAC/WMA Playback • USB connection for USB thumb drives • Full Speed connection for iPod touch, iPod nano and all iPod models with dock connector • 2-line LCD Display • IMPRINT Ready • Bluetooth Ready • Full Speed AUX input • Quick Search • AI-NET • 4 illumination colours selectable (blue/green/red/amber) • Steering Wheel Remote Control Ready • Vehicle Display Interface Ready • 3 PreOuts (4 volt) • 2 Prens for PXA-H100 • Remote Control Ready




Experience True IMPRINT Sound

Alpine's amazing new IMPRINT Sound technologies have overcome all acoustic problems in the cabin – tuning your car interior's sonic environment to perfection and letting you hear music just as the artist intended.



IMPRINT Sound is a stunning new suite of sound processing technologies that let you sit in the producer's chair and hear music exactly as it was meant to be heard. It delivers sonic accuracy never before available in the car, and utilises sophisticated professional sound tuning technologies, including MultEQ, that measure your car's acoustics and process the sound – precisely and automatically! The CDA-9886R and CDA-9884R are IMPRINT Ready – simply connect our PXA-H100 processor and get full IMPRINT Sound in your car, easily and inexpensively. Using a laptop computer, your dealer can acoustically tune up your car in just minutes and with guaranteed optimum results.



AUDYSSEY
MULTEQ XT

PXA-H100

IMPRINT SOUND PROCESSOR

- Works with all IMPRINT Ready head units
- Audyssey MultEQ Sound Optimisation • 24-Bit DAC
- MediaXpander • 3 PreOuts (4 volt) • 7-band graphic EQ • 5-band parametric EQ • 3-way/ 2-way crossover
- 6-channel digital time correction • Subwoofer phase selector • AI-NET • IMPRINT sound calibration requires KTX-H100 – Ask your dealer for more information



Features built-in IMPRINT Sound processing – everything you need to experience music the way the artist intended.



CDA-9887R IMPRINT CD RECEIVER / iPod® CONTROLLER

- 4 x 60W High Power Amp • CD-R/RW/MP3/AAC/WMA Playback • Audyssey MultEQ built in • Full Speed connection for iPod touch, iPod nano and all iPod models with dock connector • BioLite Display • Bluetooth Ready • Full Speed AUX input • Quick Search • AI-NET • 4 illumination colours selectable • Steering Wheel Remote Control Ready • Vehicle Display Interface Ready • 3 PreOuts (4 volt) • Remote Control Included • IMPRINT sound calibration requires KTX-100EQ – Ask your dealer for more information



CDE-9882Ri

CD RECEIVER / USB AND iPod® CONTROLLER

- 4 x 50W High Power Amp • CD-R/-RW/MP3/AAC/WMA Playback • USB connection for USB thumb drives • Full Speed connection for iPod touch, iPod nano and all iPod models with dock connector (cable included) • 2-line LCD Display • Bluetooth Ready • Full Speed AUX input • Quick Search • 2 illumination colours selectable (blue/red) • Steering Wheel Remote Control Ready • 3 PreOuts • Remote Control Ready



iPod Full Speed cable included



CDE-9880R

CD RECEIVER / USB AND iPod® CONTROLLER

- 4 x 50W High Power Amp • CD-R/-RW/MP3/AAC/WMA Playback • USB connection for USB thumb drives • Full Speed connection for iPod touch, iPod nano and all iPod models with dock connector • 2-line LCD Display • Bluetooth Ready • Full Speed AUX input • Quick Search • 2 illumination colours selectable (green/amber) • Steering Wheel Remote Control Ready • 3 PreOuts • Remote Control Ready



CDE-9874RR

CD RECEIVER / iPod® CONTROLLER

- 4 x 45W High Power Amp • CD-R/-RW/MP3 Playback • Full Speed connection for iPod touch, iPod nano and all iPod models with dock connector • Front AUX input (mini jack) • LCD Display • Bluetooth Ready • Full Speed AUX input • Quick Search • Steering Wheel Remote Control Ready • 2 PreOuts • Rotary Encoder



CDE-9874R



CDE-9874RB



CDE-9872R

CD RECEIVER / iPod® CONTROLLER

- 4 x 45W High Power Amp • CD-R/-RW/MP3 Playback • Full Speed connection for iPod touch, iPod nano and all iPod models with dock connector • Bluetooth Ready • Full Speed AUX input • Quick Search • Steering Wheel Remote Control Ready • 1 PreOut



CDE-9872R

Three Popular Classics



DVA-9965R DVD TUNER

- DVD-R/CD-R/CD-RW/WMA/MP3 Playback • Bass Engine Pro • GlideTouch control • Vivid BioLite Display • Amp-less design • 24-bit DAC • Quick Search • Dolby Digital and DTS Playback • Multicolor Illumination • MediaXpander • 3 PreOuts (4 volt) • Steering Wheel Remote Control Ready • Vehicle Display Interface Ready • Ready for iPod with KCA-420i • Optical output



DVA-9861Ri DVD RECEIVER / iPod® CONTROLLER

- 4 x 50W High Power Amp • DVD-R/CD-R/CD-RW/WMA/MP3 Playback • Full Speed connection for iPod (cable included) • 24-bit DAC • Quick Search • Dolby Digital and DTS Playback • 2 illumination colours selectable (blue/red) • MediaXpander • 3 PreOuts (4 volt) • Steering Wheel Remote Control Ready • Vehicle Display Interface Ready • Optical output



CDA-9812RB CD RECEIVER

- 4 x 60W High Power Amp • CD-R/CD-RW/MP3/WMA Playback • Bass Engine Pro • MediaXpander • Motorised Swing Face • Quick Search • Ai-NET • Steering Wheel Remote Control Ready • 3 PreOuts (4 volt) • Remote Control Included

Add On and Build Up Your System

Alpine offers a wide variety of add-on components and products to give you even more features, functions and convenience.

KCE-300BT Bluetooth INTERFACE

- Hands-free operation with compatible Bluetooth phones
- Connects through Full Speed connection



KCE-422i

iPod FULL SPEED CONNECTION CABLE

- For connecting an iPod to a Full Speed Head Unit



CHA-S634

6-DISC CD / MP3 CHANGER

- Ai-NET Control • Mounting Angle 0°-90°

KCE-236B

FULL SPEED TO MINI-JACK ADAPTER

- For connecting a portable MP3 player or similar to a Full Speed Head Unit



KCA-235B

Ai-NET TO MINI-JACK INTERCONNECTOR

- To connect a portable MP3 player or similar to an Ai-NET Head Unit



KCE-220UB

USB EXTENSION CABLE

- To connect USB memory sticks



Steering Wheel Remote Control Ready

Control over your new Alpine system is always in reach with this convenient feature. You can upgrade to an Alpine head unit, yet still have the convenience and familiarity of using your existing steering wheel remote controls.



Vehicle Display Interface Ready

Get a new head unit, and still keep your display! Whatever car you own, Alpine has an interface that lets you see information from your iPod and other sources, including RDS information and other important settings.



Head Unit Model Overview

	FULL SPEED	MP3	Steering Remote Control Ready	Bluetooth Ready	Rotary Encoder	USB PLAYBACK	AAC	Ai-NET	VEHICLE DISPLAY INTERFACE	MP3/CD Ready	BioLite	Speaker
CDA-9887R	●	●	●	●	●	Requires KCA-620M	●	●	●	inside	●	4 x 60W MAX
CDA-9886R	●	●	●	●	●	●	●	●	●	●	●	4 x 50W MAX
CDA-9884R	●	●	●	●	●	●	●	●	●	●	●	4 x 50W MAX
CDE-9882Ri	●	●	●	●	●	●	●	●	●	●	●	4 x 50W MAX
CDE-9880R	●	●	●	●	●	●	●	●	●	●	●	4 x 50W MAX
CDE-9874R/RR/RB	●	●	●	●	●	●	●	●	●	●	●	4 x 45W MAX
CDE-9872R/RM	●	●	●	●	●	●	●	●	●	●	●	4 x 45W MAX
Required Accessory	KCE-422i		ask your dealer	KCE-300BT		KCE-220UB			ask your dealer	PXA-H100	● = cable included	

* Latest generation iPods (iPod nano 3rd generation, iPod classic and iPod touch) are only partially supported as of December 2007. Please ask your Alpine dealer for more information on functionality and latest firmware status.

Guide Your Ride

Two advanced components merge into one integrated navigation system. Just dock the PMD-B200P into the IVA-W205R and get portable navigation with a full-featured Mobile Media Station.

Get central control over all your media sources with PulseTouch operation – and add navigation features by docking the Blackbird PMD-B200P.



IVA-W205R

MOBILE MEDIA STATION

- 6.5" QVGA PulseTouch Display • 4 x 50W High Power Amp • DVD-R/RW/MP3/WMA Playback • 24-Bit DAC • Built-in PMD-B200P dock • Full Speed connection for all iPod models with dock connector • 1 A/V Input / 1 A/V Output • DVD-Audio 2ch down-mix • Quick Search • Processor Control Ready • Optical output • 3 PreOuts • Bluetooth Ready • Reversing camera input • Remote Control Ready • Steering Wheel Remote Control Ready • Vehicle Display Interface Ready

Direct Docking with PMD-B200P

The IVA-W205R is all ready to Dock 'n' Roll – with a built-in dock that lets you insert the PMD-B200P and equip your Mobile Media Station with navigation. All maps and menus are controllable from the large PulseTouch display, giving you the best of both worlds: portable convenience and operating ease.



Convenient PulseTouch Control

The large, high-resolution PulseTouch Display gives you full control over navigation menus and maps. Simply touch the on-screen buttons directly for quick, intuitive control of all operations and functions – including your music and DVD menus.

Your iPod® at Full Speed

Full Speed connection for your iPod means instant response and easy operation. The Quick Search and Percentage Search features let you browse your iPod music collection fast and easily, putting all your music at your fingertips.



Upgrade Your System

Give your passengers iPod video and convenient touch control with the KCE-425i. Upgrade to DVB digital TV for clear, high-quality TV broadcasts, install one of Alpine's multi-view camera systems, or equip the unit for hands-free Bluetooth mobile phone operation.

* Latest generation iPods (iPod nano 3rd generation, iPod classic and iPod touch) are only partially supported as of December 2007. Please ask your Alpine dealer for more information on functionality and latest firmware status.





PMD-B200P

PORTABLE NAVIGATION SYSTEM

- 4" Wide Touch Screen Display
- Direct Docking with IVA-W205R
- Built-in Bluetooth module for hands-free mobile phone operation
- 2D and 3D map display
- Turn-by-turn guidance selectable
- Split screen display
- Built-in TMC tuner with wide European coverage
- Broad European map coverage featuring NAVTEQ mapping data
- 7 digit UK postcode search
- Card slot for SD or MMC cards
- Built-in MP3 music player with Quick Search



For more information please visit: www.blackbirdnav.eu



Ready To Go Wherever You Go

Go wherever you want to go – Alpine and the PMD-B200P Blackbird will help you get there. This pocket-size navigation unit is the perfect travelling companion. Take it on a business trip, use it in a rental car, share it with your family – it provides all the guidance you need to get you safely to your destination.



Bluetooth Built-in

The PMD-B200P is ready to work with your Bluetooth-enabled mobile phone, giving you hands-free calling – either stand-alone or when docked. Docking with the IVA-W205R also lets you hear the caller's voice from the car speakers and use the built-in mic.



Touch Screen Operation

The high-resolution 4" monitor not only gives you bright, sharp view of maps and menus, it lets you control everything by simply touching the on-screen buttons, for faster, easier operation and more fun, too.

Three Ways To Go

Three different guidance modes/displays provide even greater navigation convenience – showing just what you want to see, the way you want to see it.



Map Display



Turn-by-Turn Display



Split Screen Display



IVA-W202R

MOBILE MEDIA STATION

- Same features as IVA-W205R but without built-in PMD-B200P dock



Available summer 2008:

PMD-DOK2

DOCKING STATION FOR PMD-B200P

- Enables docking of PMD-B200P to a Mobile Media Station without Direct Docking feature



Long time Alpine users, don't worry – you can still connect your Blackbird. If you already own an IVA-W202R or another legacy Mobile Media Station, use the PMD-DOK2 to connect PMD-B200P to your existing system.

Compact Size, Complete Control

Our compact 1DIN Mobile Media Stations give you full control over your entire system, large displays, plus a wealth of advanced entertainment features.

This comprehensive yet compact Mobile Media Station gives you surround sound capability and iPod® control, plus PulseTouch Display operation.



IVA-D105R

MOBILE MEDIA STATION

- 6.5" QVGA PulseTouch Display
- 4 x 50W High Power Amp
- DVD-R/-RW/MP3/WMA/AAC/DivX Playback
- 24-Bit DAC
- Built-in Dolby Digital, Dolby Pro Logic II and DTS decoder
- Motorised display
- Full Speed connection for all iPod models with dock connector
- 1 A/V Input / 1 A/V Output
- DVD-Audio 2ch down-mix
- Quick Search
- Processor Control Ready
- Optical output
- 6ch PreOut
- Bluetooth Ready
- Reversing camera input
- Remote Control Ready

Your Personal Mobile Cinema

Featuring DVD playback plus built-in Dolby Digital and DTS decoders, the IVA-D105R gives you virtually everything you need right out of the box to turn your car into a mobile cinema!



Your iPod® at Full Speed

Get super-fast data access and top-quality sound. Full Speed connection is also compatible with previous iPod models – for accessing all your songs, podcasts and audiobooks, too.



Navigation Touch Control

Connect the NVE-N099P DVD navigation system and get full touch control over navigation functions and data entry, with the on-screen virtual keyboard and other controls.



PulseTouch Display Convenience

The large, clear and bright display features on-screen buttons with tactile feedback – enabling quick, intuitive control of all functions, including total system control over your iPod as well as DVD menus.

* Latest generation iPods (iPod nano 3rd generation, iPod classic and iPod touch) are only partially supported as of December 2007. Please ask your Alpine dealer for more information on functionality and latest firmware status.



If you're looking for the most accurate, most feature-filled, most comprehensive navigation system, your search is over. Alpine leads the way in navigation, and this is our best system ever.

DVD CAR NAVI

NVE-N099P

DVD CAR NAVIGATION SYSTEM

- 28 Western and Eastern European Countries covered on DVD*
- Built-In TMC Tuner providing Advanced TMC Functions for 11 European Countries* • TMC Event List and Event Voice • High Quality Voice Guidance in 12 Languages* • 3D Motorway Junction Guidance in 12 European Countries* • Lane Guidance in large Cities* • Compatible with PulseTouch Displays and Touch Screen Monitors • Integrated Gyro Sensor • Remote Control included

* For detailed information, visit: www.alpine-europe.com



Fast and Accurate

Powerful navigation processor performs complex calculations in just seconds. No waiting, unrivaled accuracy – you're always given the best route.

NVD-Z004

SMART MAP PRO NAVIGATION SOFTWARE

3D Landmark Icons

Alpine helps you recognise the on-screen navigation 'landscape' with 3D Landmark Icons for many major buildings and famous sights.

Smart City Map

Distinguishes between types of streets and shows their names, making it much easier to see where you are and follow your route.



Smart City Map

Large POI Database

Huge database includes hundreds of thousands of POIs (Points Of Interest) all over Europe – hotels, restaurants, sightseeing spots and much more.

Intersection Zoom

Shows a close-up of the upcoming intersection so you can drive with greater confidence.

3D View

Shows the area ahead as if seen from an elevated position for easy understanding, and includes zooming for more details.



3D View

Comprehensive TMC Coverage

Get TMC throughout Western Europe, with Traffic Vision (alerting to conditions ahead), Highway Mode (upcoming restaurants, parking, etc.), and Dynamic Route Guidance (automatic route changes when TMC detects trouble).

3D Motorway Junction Guidance

Shows junctions in a 3D view beforehand, ensuring you make the right turn. A Dual Display feature lets you choose two different displays for viewing.



3D Motorway Junction Guidance

Map Coverage	Guidance Languages	
A	AND	CZECH
B	CH	GERMAN
CZ	D	DANISH
DK	E	HUNGARIAN
F	FIN	SPANISH
FL	GB	FRENCH
H	I	ENGLISH
IRL	L	ITALIAN
MC	N	POLISH
NL	P	DUTCH
PL	RSM	SWEDISH
S	SK	SLOVAKIAN
V	RO	
HR	SLO	

IVA-D310RB

MOBILE MEDIA STATION

- 7" QVGA PulseTouch Display • 4 x 50W High Power Amp • DVD-RV-RW/MP3/WMA Playback • 24-Bit DAC • Motorised display
- MediaXpander • Ready for iPod with KCE-425i • 1 A/V Input / 1 A/V Output • Quick Search • Processor Control Ready • Optical output
- 3 PreOuts • Visual EQ • Vehicle Display Interface Ready • Remote Control Ready • VPE-S431 Video Switcher / Expansion Module Ready



IVA-D310R



Ultimate Factory System Upgrade

Are you getting everything you want out of your factory system? If not, Alpine gives you a great and easy way to build up your system for new features and better sound – and still keep your factory system intact.

VehicleHub Pro

Upgrade your current system for greater versatility, stay on top of the latest media and sources, and get easy, comprehensive control.



VPA-B222R

VEHICLEHUB PRO

- FM/MW/LW MaxTune Tuner • AI-NET Input • 4 x 50W High Power Amplifier • 1 Video Output and 2 A/V Inputs • VPE-S431 Video Switcher/Expansion Module Input • NAVI RGB Input and NAVI Voice Mix
- 3 PreOuts • ORB: Dual illumination

Full System Control with the ORB

VehicleHub Pro is the best way to equip your car with the latest components and greatest sound – and still keep your factory system's looks and functionality. Add any entertainment or navigation source you want, and control all your new components with the unique, easy-to-use ORB controller.



Fits Many Vehicles

Alpine has multimedia interfaces that let you connect the VehicleHub Pro to a wide range of factory head units having a built-in video display.



Upgrade to More Features, Better Sound

Add DVD navigation, digital TV, and other sources such as DVD or MP3, with the DHA-S690 DVD/CD Changer. Connect and control your iPod with the KCE-425i interface – then listen to your music and even watch iPod videos on your system. Add amps, speakers, subwoofers and audio processors as well, to get the biggest and best sound you can have in your car.



Want to add more sources to your system? Here's an affordable and highly flexible source manager that lets you connect virtually any source you want, and keep your system intact.

VehicleHub

VPA-B211P VEHICLEHUB

- Ai-NET Input • NAVI RGB Input and NAVI MIX • 1 A/V Output and 2 A/V Inputs • Dedicated Rear View Camera Input with Automatic Switching Function • VPE-S431 Video Switcher / Expansion Module Input • Included Remote Eye and Remote Control



Drive Assist Camera Systems


Alpine has helpful components that aid you in your daily driving. Our Drive Assist Camera Systems let you see what you can't see, such as objects in your 'blind spots' – making it easier to park, reverse and manoeuvre in tight spaces. Add on a front extension kit to monitor the front of the vehicle as well.



HCE-C200R

MULTI-VIEW REAR CAMERA SYSTEM

- Ultra wide angle camera with mounting kit • 4 viewing modes: corner view, top view, panorama view, rear view • Includes control switch and black-box



Provides better visibility when coming out of 'blind' alleys or around obstructed corners.



Lets you see right in front of your car to help in parallel parking and other situations.

HCE-C200F

MULTI-VIEW FRONT CAMERA EXTENSION KIT

- Requires HCE-C200R for operation • 3 viewing modes: corner view, top view, panorama view • Includes mounting kit

HCE-C100

REVERSING CAMERA • Super-Compact design for easy installation • Wide 138-degree Field of View • Size: 23.3mm x 23.4mm x 22.6mm

DVB Digital TV Tuners

Sharp, Noise-free Digital TV Reception

Alpine's DVB Digital TV Tuners deliver exceptionally clear picture quality and improved reception of high-quality digital TV broadcasts – and include convenient Auto Scan and Smart MFN functions for consistent reception.



TUE-T150DV

MOBILE DIGITAL TV RECEIVER (DVB-T)

- Multi Language On Screen Display
- Auto Search • EPG/Tele Text • 2 Ch Antenna Diversity System • Remote Control Included • 1 A/V Input • S-Video Output • DVB ID Number 4314 • Remote Out cable

TUE-T200DVB

MOBILE DIGITAL TV RECEIVER (DVB-T)

- Multi Language On Screen Display
- Auto Search • EPG / Tele Text • 2 Ch Antenna Diversity System • Remote Control Included • 2 x RCA Connectors for A/V Input • CI slot • DVB ID Number 3610

KAE-205DV ACTIVE DVB-T SCREEN ANTENNA SET

- Full VHF and UHF Reception (40-800MHz) • Amplification +16dB
- Two 5m cables with Angled F-Type Plugs

KAE-210DV ACTIVE DVB-T ANTENNA SET

- Full VHF and UHF Reception (174-230MHz, 470-863MHz) • Low Noise Amplifier • 5m cable with F-Type Plugs • LED Power Indicator • GSM Filter

Trademark of the DVB Digital Video Broadcasting Project (1991-1996)

Analogue TV Tuners

TUE-T252TX

MOBILE STEREO-TV TUNER (PAL/SECAM)

- Multi Language On Screen Display • Auto Memory • Tele Text • 4 Ch Antenna Diversity System
- Remote Control Included • RCA Connectors for A/V Input • Antenna Included

TUE-T112P

MOBILE TV-TUNER (PAL)

- Auto Memory • 4 Ch Antenna Diversity System • Remote Control Included • Two RCA Connectors for A/V Input • Headphones Output • Antenna Included

Make Any Car Sound Like an

No matter what your vehicle, you can fine-tune the acoustics to get the most accurate sound possible in your car. IMPRINT Sound gives you all of the music, virtually identical to the original.

Advanced acoustic correction and precise signal processing that cancels out in-car distortions – restoring the sound and improving the performance of any factory audio system.



PXE-H650

SYSTEM INTEGRATION AUDIO PROCESSOR

- Advanced factory audio system integration and tuning processor
- High/Low level, Auto-Ranging & Auto-Summing input
- 24-Bit DAC
- AntEQ sound correction
- Audyssey MultEQ XT sound optimisation
- Time Correction, Phase Correction, Parametric EQ & HP/BP/LP/Subsonic filters



All-in-one Solution

In the past, upgrading a factory radio to make a top-notch system required three devices: a level converter, and two processors, one to cancel the factory settings and the second to make new settings. The PXE-H650 does all of those jobs AND vastly improves the sound quality – inexpensively, too.



Connects to Any Factory Radio

Processing the factory radio signal requires conversion of the signal, a potentially complicated process. The PXE-H650 is capable of handling a wide range of input levels, from speaker level to pre amps, allowing you to easily connect to any factory radio system.

Audyssey MultEQ

The core of Alpine's IMPRINT technology is Audyssey MultEQ – a sophisticated processing system that corrects the acoustical problems in the car that conventional processors can't fix, for professional sounding clarity and imaging.



Awesome Result in Minutes



Even with its ultra-sophisticated technology, the PXE-H650 is remarkably easy to use, and makes your car sound perfectly tuned – as if a professional spent days working on it. Yet with IMPRINT, you can have the best sound possible in your car – in just minutes!



Acoustical Challenges in the Vehicle

The Music You Expect to Hear


You love music and you know good sound when you hear it. When you play your music on an audio system, you expect to be able to hear it with all the power, clarity and subtle expressive nuances of the original. Unfortunately, nothing dashes those expectations more thoroughly than the sonic environment of the car.



Poor Acoustics in the Car

The car interior is full of materials that actively distort and degrade the sound. Windows amplify and reflect high frequencies. Seat and dashboard coverings change certain frequencies. Carpets absorb and suppress mid frequencies. These problems are far too complex to be solved by simple equalisation. In addition, since the speakers are located at different distances from the listeners, the sound stage created in the car is unbalanced and asymmetrical.

IMPRINT Sound Optimisation




Getting the Sound Right

The acoustical problems inside the car are overwhelming, and no system has been able to truly correct them – until now. Alpine's sophisticated IMPRINT Sound technologies, including AntEQ and MultEQ, provide a hardware/software combination that not only solves these problems, but actually improves the sound stage, tonal balance and definition – automatically, in a matter of minutes!




The Technology behind IMPRINT Sound

Behind the innovative IMPRINT Sound processing is a key technology called MultEQ. It analyses the acoustic characteristics of your car interior, and then creates a set of equalisation filters to correct for frequency response and time delay problems for each speaker in your car. MultEQ applies processing to over 500 specific frequencies in the audio spectrum, correcting the sound to perfectly match your listening environment with incredible precision. The result is that everyone in the car hears the music with superb clarity and imaging.



Sample System



Enormous Power and Superior

Alpine has a full lineup of outstanding sound system solutions that provide huge power with top-of-the-line sound quality – high-end amp and speaker systems to transform your in-car entertainment experience.

Enormous Power in a Compact Size

Designed for the audio enthusiast, the ultra compact PDX series amplifiers deliver enormous power output and sound quality while operating at 90% efficiency.



switch-mode
DIGITAL

High Power, High Sound Quality

PDX amplifiers deliver exceptionally accurate, clear sound with high power. The advanced power supply, Class-D design, and switch-mode digital amplification allow these amps to stay extremely efficient at all power levels.



Small Footprint

For all the sound they put out, the PDX amps are incredibly compact – packing huge amount of power in a tiny amount of space for maximum installation flexibility.



Stack 'em Up

The PDX amplifiers feature a smart, unique stacking design, allowing them to be stacked vertically on top of one another – and save space in your car.

	PDX-1.1000	PDX-1.600	PDX-4.150	PDX-4.100	PDX-2.150
Output Channels	Mono	Mono	4 Channels	4 Channels	2 Channels
Max Power Output [@14.4V]	1 x 2200W	1 x 1500W	4 x 220W	4 x 200W	2 x 220W
RMS Power Output [@14.4V 1%THD]	1 x 1000W (2/4Ω)	1 x 600W (2/4Ω)	4 x 150W (2/4Ω) 2 x 300W (4Ω)	4 x 100W (2/4Ω) 2 x 200W (4Ω)	2 x 150W (2/4Ω) 1 x 300W (4Ω)
Amplification Circuit	Class-D	Class-D	Class-D	Class-D	Class-D

Common Features • Switch-Mode Digital Topology (Full Range models only) • Ultra Efficient, Compact Design • Stacking Installation Ready • Low Resistance, High Current Speaker Terminals



Step up to the best. The Type-X Series speakers and subwoofers utilise our top technology to give you the highest possible quality sound in your car.



Type-X PRO Series

Alpine's top-of-the-line Type-X PRO speakers provide flawlessly accurate, highly detailed reproduction of all types of music, with an ultra-high-end woofer, a ring radiator tweeter and an audiophile-grade network for ultimate sonic customisation.

	Peak Power	RMS Power	Nominal Impedance	Frequency Response
SPX-17PRO 6-1/2" (16.5cm) COMPONENT 2-WAY SPEAKER	300W	100W	4Ω	35Hz-60kHz
SPX-13PRO 5-1/4" (13cm) COMPONENT 2-WAY SPEAKER	240W	80W	4Ω	40Hz-60kHz

Common Features

- Cross-Cut Woofer Cone • Non-Resonant Suspension Coupling • 1.25" Ring Radiator Tweeter • Audiophile-Grade Network with compact design
- Allows for hundreds of possible tuning settings • Bi-amping capability



Type-X Reference Series

This series gives you Type-X quality in a more affordable system, with a reference woofer, ring dome tweeter and a reference-grade network for making detailed system settings.

	Peak Power	RMS Power	Nominal Impedance	Frequency Response
SPX-17REF 6-1/2" (16.5cm) COMPONENT 2-WAY SPEAKER	225W	75W	4Ω	35Hz-40kHz
SPX-13REF 5-1/4" (13cm) COMPONENT 2-WAY SPEAKER	180W	60W	4Ω	40Hz-40kHz

Common Features

- Cross-Rib Aluminium Cone • High-grade Neodymium magnet • Ring Dome Tweeter • Reference-Grade Network with compact design
- Allows for hundreds of possible tuning settings • Bi-amping capability

Component or Coaxial – Have It Your Way

Includes a special centre tweeter bridge that lets you easily turn your component speaker into a coaxial for greater installation flexibility.



Type-X Subwoofers

These top-of-the-line subwoofers deliver exceptionally powerful, yet tight and accurate bass. Their ultra-high performance and efficiency comes from an ultra-lightweight cone and large strontium magnet, and include a unique venting system for better cooling. High-amplitude Multi Roll Surround ensures maximum power and highest sound quality. Easy-access terminals make for easy installation while the concealed mount gaskets give a sleek, professional look.

	Peak Power	RMS Power	Nominal Impedance	Frequency Response
swx-1243D 12" (30cm) SUBWOOFER	3000W	1000W	4Ω+4Ω	20Hz-500Hz
swx-1043D 10" (25cm) SUBWOOFER	3000W	1000W	4Ω+4Ω	22Hz-500Hz

Common Features

- High-strength Kevlar-Rohacell Cone • Large Strontium magnet • High-Amplitude Multi-Roll Surround • Gold-plated Easy-Access Terminals for heavy-gauge speaker wires • Easy jumper configuration



Power Up Your Sound

Designed for high performance and value, Alpine's wide selection of sound system solutions provide powerful, high-quality sound for every vehicle.

Power up your system with Alpine's V-Power amplifiers. These amps provide outstanding power output, flexibility and value with a bold, stylish design.



Best Bass Performance

V-Power amps have a special Bass EQ function that boosts the bass frequencies and maximises the bass performance of your system.



Clean, Efficient Power

Alpine's high-power mono amp Class-D design makes for far greater efficiency, giving you more power, cleaner signal and a tighter, deeper bass.

Easy Upgrade and Other Cool Features

Keep your factory system and step up to Alpine sound. The V-Power speaker level inputs connect directly to any factory radio, without the need for external converters. The advanced Thermal Management Processor provides thermal protection, keeping the amp cool and letting you play long.

	MRP-M1000	MRP-M500	MRP-M352	MRP-F600	MRP-F300	MRP-F242	MRP-T222
Output Channels	Mono	Mono	Mono	4 Channels	4 Channels	4 Channels	2 Channels
Max Power Output [@14.4V]	1 x 1900W	1 x 1100W	1 x 700W	2 x 660W	2 x 320W	2 x 180W	1 x 250W
RMS Power Output [@14.4V 1%THD]	1 x 1000W (2Ω) 1 x 600W (4Ω)	1 x 500W (2Ω) 1 x 300W (4Ω)	1 x 350W (2Ω) 1 x 200W (4Ω)	4 x 150W (2Ω) 4 x 100W (4Ω) 2 x 300W (4Ω)	4 x 75W (2Ω) 4 x 50W (4Ω) 2 x 150W (4Ω)	4 x 50W (2Ω) 4 x 40W (4Ω) 2 x 100W (4Ω)	2 x 70W (2Ω) 2 x 50W (4Ω) 1 x 140W (4Ω)
Amplification Circuit	Class-D	Class-D	Class-D	Class-A/B	Class-A/B	Class-A/B	Class-A/B

Common Features • Speaker Level inputs • Sound Quality and Performance Value Design • Thermal Management Processor



Type-R speakers and subwoofers are designed and built to play loud and accurate, plus deliver excellent bass performance.



Type-R Component Series

Made to fit your car and your music, the Type-R Component Series play loud and deep with big bass. The included crossover network lets you install the tweeter where you want it and adjust it for the best level.

	Peak Power	RMS Power	Nominal Impedance	Frequency Response
SPR-17S 6-1/2" (16.5cm) COMPONENT 2-WAY SPEAKER	330W	110W	4Ω	65Hz-27kHz
SPR-13S 5-1/4" (13cm) COMPONENT 2-WAY SPEAKER	300W	100W	3.6Ω	70Hz-27kHz

Common Features

- Fine-tuned multi-layer cone
- Linear Drive motor structure
- Mounting adapters
- 1" swivel ring tweeter
- Professional grade network with 7-step tweeter level adjustments



Type-R Coaxial Series

Type-R Coaxial provides the same powerful, high-quality Type-R sound in an easy-to-install coaxial configuration. Get deep, powerful bass along with accurate high-frequency clarity.



	Peak Power	RMS Power	Nominal Impedance	Frequency Response
SPR-17C 6-1/2" (16.5cm) COAXIAL 2-WAY SPEAKER	300W	100W	4Ω	65Hz-27kHz
SPR-13C 5-1/4" (13cm) COAXIAL 2-WAY SPEAKER	270W	90W	3.6Ω	70Hz-27kHz
SPR-69C 6 x 9" (15x24cm) COAXIAL 2-WAY SPEAKER	300W	100W	4Ω	60Hz-27kHz

Common Features

- Fine-tuned multi-layer cone
- Linear Drive motor structure
- Heavy gauge custom stamped steel frame
- Swivel tweeter



Type-R Subwoofers

Advanced materials and design, along with efficient cooling technologies, give these subwoofers huge power handling capacity – for powerful, tight, accurate bass. Installation is clean and easy, thanks to the push terminals and concealed mount gasket.

Common Features

- Kevlar-Reinforced Carbon Fibre Cone
- Aluminium honeycomb
- Kevlar-reinforced pulp for maximum strength
- High-efficiency thermal management
- High-Amplitude Multi-Roll Surround
- Heavy-gauge push terminals

	Peak Power	RMS Power	Nominal Impedance	Frequency Response
SWR-1542D* SWR-1522D** 15" (38cm) SUBWOOFER	2000W	750W	*4Ω+4Ω **2Ω+2Ω	*20Hz-400Hz **18Hz-400Hz
SWR-1242D* SWR-1222D** 12" (30cm) SUBWOOFER	1500W	500W	*4Ω+4Ω **2Ω+2Ω	*25Hz-500Hz **23Hz-500Hz
SWR-1042D* SWR-1022D** 10" (25cm) SUBWOOFER	1500W	500W	*4Ω+4Ω **2Ω+2Ω	*26Hz-600Hz **24Hz-600Hz

Great Sound, Amazing Value

Want to upgrade your car to powerful, high-quality sound but not break the bank? Alpine has a wide range of easy-to-install speakers and subwoofers that give you excellent performance at an affordable price.

Tap into Alpine's advanced speaker technology and equip your car with superior sounding, powerful, yet inexpensive Type-S speakers and subwoofers.



Type-S Speakers

Stylish look, superb sound and the best value on the market – Type-S give you flexible mounting options and fit any vehicle with top-quality Alpine sound.

	Peak Power	RMS Power	Nominal Impedance	Frequency Response
SPS-171A 6-1/2" (16.5cm) COMPONENT 2-WAY SPEAKER	250W	50W	4Ω	35Hz-30kHz
SPS-69C3 6x9" (15x23cm) COAXIAL 3-WAY SPEAKER	250W	50W	4Ω	30Hz-30kHz
SPS-69C2 6x9" (15x23cm) COAXIAL 2-WAY SPEAKER	250W	50W	4Ω	30Hz-30kHz
SPS-57C2 5x7" (12.5x17.5cm) COAXIAL 2-WAY SPEAKER	250W	50W	4Ω	35Hz-30kHz
SPS-17C2 6-1/2" (16.5cm) COAXIAL 2-WAY SPEAKER	250W	50W	4Ω	35Hz-30kHz
SPS-13C2 5-1/4" (13cm) COAXIAL 2-WAY SPEAKER	175W	35W	4Ω	45Hz-30kHz

Common Features

- Advanced motor structure with 30mm voice coil, using rectangular wire for high power handling
- Multi-layer cone with high X-Max
- Many tweeter mounting options (SPS-171A)
- Swivel tweeter (Coaxial models)



Type-S Subwoofers

These subwoofers deliver exceptionally powerful, accurate bass, and feature a shallow design, allowing installation in even difficult locations.

	Peak Power	RMS Power	Nominal Impedance	Frequency Response
sws-1243D* / -1223D** 12" (30cm) SUBWOOFER	900W	300W	*4Ω+4Ω **2Ω+2Ω	26Hz-1kHz
sws-1043D* / -1023D** 10" (25cm) SUBWOOFER	900W	300W	*4Ω+4Ω **2Ω+2Ω	30Hz-1kHz

Common Features

- Aluminium coated cone
- Advanced airflow system
- Stamped steel basket with leg vents for cooling
- Push terminals
- Concealed mount gasket
- Shallow mounting depth

Powered Subwoofer Boxes



150W Peak Power

SWE-1000

- 8" (20cm) POWERED SUBWOOFER BOX
- Low Pass Filter: 50Hz-125Hz (-12dB/oct)



350W Peak Power

SWD-3000

- 12" (30cm) POWERED SUBWOOFER BOX
- Low Pass Filter: 35Hz-200Hz (-24dB/oct)



1500W Peak Power

SBR-1242SB

- READY TO USE SEALED SUBWOOFER BOX
- 500W RMS • 12" (30cm) Type-R Subwoofer
- SWR-1242D included
- Subwoofer designed and engineered in the USA



800W Peak Power

SBE-1243BR

- READY TO USE BASS REFLEX SUBWOOFER BOX (4Ω)
- 250W RMS • 12" Type-E Subwoofer
- Frequency Response: 28Hz - 200Hz
- Acrylic window with blue illumination



800W Peak Power

SBE-1243BP

- READY TO USE BAND-PASS SUBWOOFER BOX (4Ω)
- 250W RMS • 12" Type-E Subwoofer
- Frequency Response: 28Hz - 200Hz
- Acrylic window with blue illumination

Multi-Channel Products



SBS-05DC 1DIN CENTRE CHANNEL SPEAKER

- 150W Peak Power • 50W RMS • Frequency Response: 150Hz-30kHz
- 1DIN Enclosure with Installation Kit
- In-dash Mount Compatibility
- Removable Grill



RUX-C701 CONTROLLER FOR PXA-H701

- In-dash controller for use with PXA-H701 in stand-alone mode

PXA-H701 MULTIMEDIA MANAGER™

- Auto (with RUX-C701) and Manual Time Correction
- 31-Band Graphic EQ or 5-Band PEQ



MRA-F355 THEATRE AMPLIFIER 5 x 80W Max

- 5 x 50W RMS [4Ω@14.4V (0.08%THD)] S/N Ratio 100dB (IHF A-Weighted Reference at Rated Power into 4Ω)
- Manual Time Correction
- Parametric EQ
- Bass Management

The Type-E and Custom Fit speaker lineups provide excellent value, with high quality, performance and installation ease at affordable prices.



Type-E Speaker Series

Highly efficient, these speakers can be powered from the head unit, giving you excellent full-range performance – solid bass with crisp, clear highs. The extremely shallow design (SPE-17SF) allows mounting in any vehicle, even those with narrow doors.

		Peak Power	RMS Power	Nominal Impedance	Frequency Response
SPE-17SF	6-1/2" (16.5cm) COMPONENT 2-WAY SPEAKER	210W	25W	4Ω	35Hz-25kHz
SPE-17CS	6-1/2" (16.5cm) COMPONENT 2-WAY SPEAKER	210W	35W	4Ω	35Hz-25kHz
SPE-13CS	5-1/4" (13cm) COMPONENT 2-WAY SPEAKER	180W	30W	4Ω	50Hz-25kHz
SPE-69C3	6x9" (15x23cm) COAXIAL 3-WAY SPEAKER	210W	35W	4Ω	30Hz-25kHz
SPE-69C2	6x9" (15x23cm) COAXIAL 2-WAY SPEAKER	210W	35W	4Ω	30Hz-25kHz
SPE-17C2	6-1/2" (16.5cm) COAXIAL 2-WAY SPEAKER	210W	35W	4Ω	35Hz-25kHz
SPE-13C2	5-1/4" (13cm) COAXIAL 2-WAY SPEAKER	180W	30W	4Ω	50Hz-25kHz
SPE-10C2	4" (10cm) COAXIAL 2-WAY SPEAKER	120W	20W	4Ω	55Hz-25kHz



Type-E Subwoofers

Excellent bass performance plus high power handling and efficiency at a surprisingly affordable price.

		Peak Power	RMS Power	Nominal Impedance	Frequency Response
SWE-1243E	12" (30cm) SUBWOOFER	800W	250W	4Ω	28Hz-1kHz
SWE-1043E	10" (25cm) SUBWOOFER	500W	150W	4Ω	33Hz-1kHz
SWE-843E	8" (20cm) SUBWOOFER	400W	120W	4Ω	34Hz-1.5kHz

Custom Fit Speaker Series

The Custom Fit line are a great value for upgrading your factory system. They provide easy, do-it-yourself installation, including a complete kit with adapters, and are designed to fit in a wide range of cars with minimal installation.

		Peak Power	RMS Power	Nominal Impedance	Frequency Response
SXE-6925S	6x9" (15x23cm) COAXIAL 2-WAY SPEAKER	280W	45W	4Ω	40Hz-20kHz
SXE-5725S	5x7" (12.5x17.5cm) COAXIAL 2-WAY SPEAKER	200W	35W	4Ω	70Hz-20kHz
SXE-4625S	4x6" (10x15cm) COAXIAL 2-WAY SPEAKER	150W	20W	4Ω	90Hz-20kHz
SXE-1750S	6-1/2" (16.5cm) COMPONENT 2-WAY SPEAKER	280W	45W	4Ω	60Hz-20kHz
SXE-1350S	5-1/4" (13cm) COMPONENT 2-WAY SPEAKER	250W	40W	4Ω	60Hz-20kHz
SXE-1725S	6-1/2" (16.5cm) COAXIAL 2-WAY SPEAKER	220W	40W	4Ω	60Hz-20kHz
SXE-1325S	5-1/4" (13cm) COAXIAL 2-WAY SPEAKER	200W	35W	4Ω	70Hz-20kHz
SXE-1025S	4" (10cm) COMPONENT 2-WAY SPEAKER	180W	25W	4Ω	100Hz-20kHz
SXE-0825S	3-1/2" (8.6cm) COAXIAL 2-WAY SPEAKER	150W	20W	4Ω	120Hz-16kHz



Keep Your Kids Entertained

Alpine has a wide lineup of big, bright and beautiful monitors to fill every car entertainment need – headrest, overhead, even monitors with built-in sources.

Bright, extra-large display with ultra-high-resolution, built-in DVD player – the PKG-2000P has everything you need to keep all your passengers satisfied.

PKG-2000P

10.2" WVGA OVERHEAD MONITOR WITH DVD PLAYER

- 10.2" WVGA Screen LCD Colour Monitor (1.15 million pixels)
- Includes Single Source Wireless Headphone, Cable Harness and Installation Kit with Trim Ring
- 1 A/V Output and 3 A/V Inputs (1 Gameport in Monitor Enclosure)
- DVD-R/-RW Compatible



Bring All Your DVDs to the Car

Play all your DVD entertainment in the car, and give your rear-seat passengers control, too – with this overhead monitor and built-in DVD player. This full-featured system is truly an all-in-one solution for rear-seat entertainment!



Watch Your iPod® Videos in the Car

Your entertainment options keep getting better. The KCE-415i video interface lets you connect your iPod to any monitor in your car and let your kids enjoy iPod videos.

KCE-415i

iPod® VIDEO INTERFACE

- Provides Basic Control of an iPod with Video Playback Capability By Touch Screen or Remote Control
- S-Video or Composite Output



Versatile Gameport Connection

Long rides don't have to be boring. Alpine has many ways to entertain your riders. The built-in Gameport lets you connect a game console, a video camera (for watching videos you just took), a portable DVD player, or even an iPod for watching iPod videos.



These slim-design overhead monitors feature large, high-resolution displays, come with a headphone set for private listening, and have convenient panel buttons that give your passengers full control.

PKG-1000P

10.2" WVGA OVERHEAD MONITOR



- 10.2" WVGA Screen LCD Colour Monitor (1.15 million pixels)
- Includes Single Source Wireless Headphone, Cable Harness and Installation Kit with Trim Ring
- 1 A/V Output and 3 A/V Inputs (1 GamePort in Monitor Enclosure)



PKG-850P

8.5" WVGA OVERHEAD MONITOR



- 8.5" WVGA LCD Colour Monitor with 1.15 million pixels
- Includes Single Source Wireless Headphone, Remote Control and Installation Kit with Trim Ring
- 2 A/V inputs and 1 A/V output



Headrest Monitors



TME-M780

7" WIDE SCREEN MONITOR



- 7" VGA LCD Colour Monitor
- 3 A/V Inputs (1 A/V Output Selectable)
- Installation Kit Included
- IR Transmitter for Alpine Headphones

TME-M780EM: Add-on Display without Black-Box for Dual Monitor Upgrade



TME-M680

5.8" WIDE SCREEN MONITOR



- 5.8" QVGA LCD Colour Monitor
- 3 A/V Inputs (1 A/V Output Selectable)
- Installation Kit Included
- IR Transmitter for Alpine Headphones

TME-M680EM: Add-on Display without Black-Box for Dual Monitor Upgrade

Easy Upgrade with a Second Monitor

The black box that comes with the monitor has an output for a second monitor. Extra monitors (TME-M780EM/-M680EM) are available at reduced cost, making this an attractive option for upgrading.



Headphones



SHS-N100

SINGLE SOURCE MOBILE WIRELESS HEADPHONE

Single 1 channel IR headphone to use with PKG-1000P/-2000P/-850P.



SHS-N205

DUAL SOURCE MOBILE WIRELESS HEADPHONE

Dual source fold-flat wireless headphone.



SHS-N252

IR HEADPHONE (2 SET)

2 IR headphones + transmitter, 2 AUX inputs, Ch 1-2 independently selectable.



TME-M740BT

7" WVGA TOUCH SCREEN MONITOR 

- Built-in Bluetooth module for hands-free phone operation
- High resolution touch screen display
- Easy-to-use GUI
- Non-black box design

This wide screen monitor features a touch control display with on-screen controls for easy operation. The built-in Bluetooth module gives you hands-free operation of your Bluetooth-enabled mobile phone, with full control from the display. The TME-M740BT is also easy to install, since there's no additional black box to hide away.



TME-M860

 **PulseTouch Display**

8" WVGA HIGH QUALITY PULSETOUCH MONITOR 

- 8" WVGA PulseTouch Display with GUI Interface
- 1 AV Output and 3 AV Inputs
- NAVI RGB Input
- Headphone Output



TME-M710

6.5" WIDE SCREEN LCD MONITOR 

- 6.5" Wide Screen LCD Colour Monitor
- 2 AV Inputs
- Built-In Speaker and Amplifier
- Headphone Output
- NAVI RGB input

DHA-S690

6 DISC DVD CHANGER



- DVD-R/-RW/DivX/MP3/WMA/AAC Playback
- AI-NET and stand-alone operation
- 24-Bit DAC
- DVD-Audio 2-channel down-mix
- Dolby Digital and DTS compatible
- Remote control included
- Touch Control Ready
- Optical output



KCE-425i

iPod® USB VIDEO INTERFACE

For details, see page 7



DVE-5207

1DIN DVD PLAYER

- Stand Alone
- DVD-R/-RW Playback
- Video Output
- 2-channel down-mix PreOut



Accessories

Alpine#1Status

KCI-500B

Ai-NET/IONBUS CONVERTER



Converts IONBUS signals to Ai-NET signals. For control of Ai-NET CD Changers from the DVI-9990R.

KWI-204B

2 METER IONBUS CABLE



To connect two IONBUS units (example: PXI-H990 in dual mode).

KWE-205B

2 METER DVD-AUDIO LINK CABLE



For digital signal transfer between DVI-9990R and PXI-H990/DAI-C990.

IMPRINT

KTX-100EQ

IMPRINT SOUND CALIBRATION KIT



Includes calibration CD-ROM, high-end microphone, black-box and cables. For tuning of CDA-9887R.

KTX-H100

IMPRINT SOUND CALIBRATION KIT



Includes calibration CD-ROM, high-end microphone and cables. For tuning of PXA-H100.

Ai-NET

KCA-121B

INTERCONNECTOR FOR Ai-NET (MALE) TO RCA (FEMALE)



For Versatile Link compatible Ai-NET Head Units; makes RCA audio signal input from any audio source possible (TV tuner, game, etc).

AV/CAR NAVI

KCE-900E

RGB TO NTSC COMPOSITE AND MONO AUDIO



Multi purpose interface for DVD CAR NAVI NVE-N077P/PS-N099P to extract RCA AV signals from the RGB output and convert them to NTSC format.

KWE-663N

3.5 METER REPLACEMENT CABLE FOR TME-M770/S



3.5m monitor cable with special micro-connectors. For easy cable guidance through the seat and head-rest.

KCE-030N

RGB CABLE FOR CAR NAVI AND RCA INPUT MONITOR



To connect NVE-N077P/PS-N099P CAR NAVI to monitors with RCA signal input.

VPE-S431

VIDEO SWITCHER/ EXPANSION MODULE



2 Monitor outputs/ 3 AUX inputs. Touch control ready. Works best with IVA-D310R, VPA-B211P, VPA-B222R and TME-M770/S

Changer Applications

KAE-116C

6D SEE-THROUGH MAGAZINE



For CHA-S634, -S624, -S614, -S604, -S605, CHM-S630, -S620, -S611 and VPA-S001.

KAE-156C

6D MAGAZINE



DVD magazine for DHA-S680P (can also be used with KAE-116C compatible changers).

Subwoofer Accessories

KTE-10WG

10" SUBWOOFER GRILLE



Compatible with SWR-1022D/-1042D.

RUE-4202

WIRELESS REMOTE



Remote control for "Remote Ready" Head Units.

RUE-4203

WIRELESS REMOTE FOR MOBILE MEDIA STATIONS



Wireless remote control for use with all Remote Ready MMS.

RUE-4191

MULTI-FUNCTION WIRELESS REMOTE



Head Unit/CAR NAVI/DVD/Monitor/ TV tuner remote control.

KCA-420i

INTERFACE ADAPTER FOR iPod



Compatible with Ready for iPod Head Units/MMS and VehicleHub/Pro.

KCA-620M

USB ADAPTER FOR MP3



Ai-NET. Works with many USB storage devices. Quick Search Ready.

Others

Category	Model No.	Description	Application
Ai-NET	KCA-130B	Ai-NET - DIN ADAPTER	For connecting Ai-NET & M-BUS compatible changers such as CHA-S634, -S607, -S604, -S614 to a M-BUS Head Unit.
	KWA-200B	2 METER CONNECTION CABLE	Ai-NET connection cable (male, straight - male, L-shaped connector).
	KWA-350B	3.5 METER EXTENSION CABLE	For extension of an existing Ai-NET and power supply cable (male straight - female straight connector).
	KAX-552N	ACTIVE NAVIGATION SPEAKER FOR CAR NAVI	Lets you hear the CAR NAVI voice guidance louder and clearer than from the monitor speaker.
	KTE-120V	FLEXIBLE ARM FOR LCD MONITOR	Flexible goose-neck arm for free installation of monitors such as TME-M770, -M770S, -M710.
	KTE-600V	QUICK CONNECTOR FOR TME-M006SP	Monitor anti-theft device: allows quick detachment of your TME-M005P/006P/006SP monitor, incl. carrying pouch (not suitable for TME-M750, -M760, -M580, -M710).
	NVE-K200	Ai-NET SOUND INTERRUPTER	Lets you input audio signals into Ai-NET lines where no RCA input is available (for example if you want to hear the TV-tuner sound over your car speakers).
	NVE-K300	SPEED PULSE GENERATOR FOR CAR NAVI	Generates speed pulse signals by magnetising sections of a tyre (for cars without speed pulse signal).
	KCM-122B	INTERCONNECTOR FOR DIN (MALE) TO RCA (FEMALE)	Versatile Link adapter for M-BUS Head Units.
	KCM-123B	M-BUS TO MINI-JACK INTERCONNECTOR	For connecting a portable MP3 player or similar to an M-BUS Head Unit.
	KCA-410C	VERSATILE LINK TERMINAL BOX	Allows the connection of two changers and two AUX sources to an Ai-NET Head Unit.
	KCE-104V	EXPANSION BOX FOR CVA-1004R/RR/CVA-1014R/RB/RR	3 AUX inputs (AV), 2 AUX outputs (AV), 3 PreOuts, RGB in-/output.
	KRE-500E	REMOTE EYE FOR DVA-7996R/DVA-5210/DVE-5207	5m cable, to control DVD playback from the rear (DVA-7996R) or to control DVA-5210 via remote control.
	KRE-501E	REMOTE EYE ADAPTER	For connecting Head Units that are not Remote Control Ready to the KRE-500E to enable remote control ready status.
AV/CAR NAVI	KWE-309B	EXTENSION CABLE FOR IVA-D900R	For extending the original data cable between the IVA-D900R and its black box.
	KCE-420V	AV SWITCHER	AV source switcher with 4 inputs and 2 independently switchable outputs for rear seat entertainment systems (incl. 2 cable remote controllers).
	KCE-6090P	NOKIA 6090 ADAPTER FOR DVD CAR NAVI	For connecting Nokia car-phone 6090 to CAR NAVI NVE-N077PS, -N099P.
	TMC-001P	TMC RECEIVER BOX	TMC tuner box for NVE-N077PS, IVA-N033R/-N333R, -N333RS/RRS.
	KTE-775QR	MONITOR QUICK RELEASE FOR TME-M770/S	Monitor anti-theft device: allows quick detachment of TME-M770/S display.
	KWE-660N	CONNECTION CABLE FOR TME-M006SP	6m display connection cable for TME-M006P/-M006SP/-M005P (male - male connector).
	KWE-661N	CONNECTION CABLE FOR TME-M750	6m display connection cable for TME-M750 (male - male connector).
	KWE-662N	CONNECTION CABLE FOR TME-M760	6m display connection cable for TME-M760 (male - female connector).
	KWE-664N	EXTENSION CABLE FOR TME-M710	For extending the original TME-M710 display cable to 6 meters.
	KCE-200V	VIDEO SIGNAL SPLITTER (1-IN, 2-OUT)	Video splitter with buffer amplifier to use two monitors on one video output without losing picture quality (incl. 2 RCA video cables).
	KWE-303B	3 METER EXTENSION CABLE FOR IVA-D300R/RB	For extending the original data cable between the IVA-D300R/RB and its black-box.
	4311	SPEAKER OUT TO RCA (HIGH POWER)	Converts high power speaker output signals to pre-out level (2 channel).
	4312	DUAL AMP INPUT SIGNAL BALANCER	If you have only one pre-out pair and would like to control the balance between two amplifiers, this unit lets you adjust the RCA output signals between those two amps.
	Extension Cables	KWR-500R	5 METER OFC RCA CABLE
4916		6 METER OPTICAL FIBRE CABLE	For connecting units with digital, optical in-/outputs such as DVD players and processors.
Changer Applications	CRM-1652RF	CD CHANGER FM MODULATOR / REMOTE CONTROL	FM modulator with frequency selection and control pad, works with CHM-S630.
	CRA-1656SP	CD CHANGER CONTROLLER	For controlling an Alpine CD changer in stand-alone mode.
	KCA-430A	D2B CD CHANGER INTERFACE	For connecting an Alpine CD changer to a Mercedes Benz Audio 10 CC/CD, COMAND 2.0/2.5, APS 30 via D2B optical data-bus.
Subwoofer Accessories	CHM-S630	6-DISC M-BUS CD CHANGER	Free mounting angle (0°-90°).
	KTE-12WG	12" SUBWOOFER GRILLE	Compatible with SWR-1222D/-1242D.
Others	KWE-450B	VEHICLE DISPLAY INTERFACE EXTENSION CABLE	For extending the cable between Head Unit/MMS and a vehicle display interface.
	KWE-061M	0.6 METER Y-CABLE FOR KCE-511M	For controlling 2 or more 2005 V12 amplifiers via KCE-511M.
	KCE-511M	2005 AMPLIFIER LINK INTERFACE	Needed to control 2005 V12 amplifiers by Amplifier Link Ready Control Units.
	KWE-131E	Y-CABLE FOR SIMULTANEOUS USE OF AMPLIFIER LINK AND VEHICLE DISPLAY INTERFACE	Needed to connect KCE-510M/-511M and a Vehicle Display Interface to a Head Unit.
	KTE-770V	MONITOR INSTALLATION KIT	For headrest installation of TME-M770/-M770S/-M710.
	KTE-771D	2-DIN MONITOR INSTALLATION KIT	Universal 2-DIN installation kit for TME-M770/-M770S/-M710.
KWE-155B	FM ANTENNA SPLITTER FOR eX-10	For use in countries that restrict usage of FM transmitters.	

Digital Media Receivers



	iDA-X100	iDA-X200	iDA-X300	Required Accessory
Full Speed Connection				KCE-422i
USB Port for Storage Device				
MP3/AAC/WMA Playback				
AI-NET				
Steering Remote Control Ready				ask your dealer
Bluetooth Ready				KCE-300BT
IMPRINT Ready				PXA-H100
USB Connection for iPod				
MTP / DRM 10 Ready				
Double-Action Encoder				
24-Bit DAC				
Colour TFT Display				
Vehicle Display Interface Ready				ask your dealer
Built-in Amplifier	4 x 50W MAX	4 x 45W MAX	4 x 45W MAX	
RCA Outputs	3 PreOuts (2V)	3 PreOuts (2V)	1 PreOut (2V)	

Head Units



	CDA-9887R	CDA-9886R	CDA-9884R	CDE-9882Ri	CDE-9880R	CDE-9874R/RR/RB	CDE-9872R/RM	Required Accessory
Full Speed Connection				Cable included				KCE-422i
MP3 Playback								
Steering Wheel Remote Control Ready								ask your dealer
Full Speed AUX input								KCE-236B
Subwoofer Level Control								
Quick Search								
Bluetooth Ready with Audio Streaming								KCE-300BT
Rotary Encoder								
Flip Down Face								
USB Connection (non iPod)								KCE-220UB
WMA/AAC Playback								
Remote Ready								RUE-4202
AI-NET								
Vehicle Display Interface Ready								ask your dealer
IMPRINT Ready	Built-in							PXA-H100
BioLite Display								
Remote Control Included								
Auto Volume								
Built-in Amplifier	4 x 60W MAX	4 x 50W MAX	4 x 50W MAX	4 x 50W MAX	4 x 50W MAX	4 x 45W MAX	4 x 45W MAX	
RCA Outputs	3 PreOuts (4V)	3 PreOuts (4V)	3 PreOuts (4V)	3 PreOuts (2V)	3 PreOuts (2V)	2 PreOuts (2V)	1 PreOut (2V)	

Mobile Media Stations



IVA-W205R	IVA-W202R	IVA-D105R	IVA-D310R/RB
Built-in PMD-B200P Dock		Built-in 5.1 Processor	
DVD-Audio 2Ch down-mix			
Full Speed Connection for iPod			iPod connection requires KCA-420i or KCE-425i
MP3/WMA Playback		DivX/MP3/WMA/AAC Playback	MP3/WMA Playback
PMD-DOK1/2 Ready			
24-Bit DAC			
PulseTouch Display			
Vehicle Display Interface Ready			Vehicle Display Interface Ready
Steering Wheel Remote Control Ready			
4 x 50W MAX			
3 PreOuts		6Ch PreOut	3 PreOuts
1 A/V Output / 1A/V Input			
Remote Control Ready			
DVD±R/±RW/-VR/CD-R/-RW Playback			DVD-R/-RW/CD-R/-RW Playback
AI-NET			
SwingFace Design			Anti-Theft Detachable Face Plate
Optical Digital Output			

Amplifier Specifications



PDX					V-Power™								Theatre Amplifier
Mono		4/3/2 Ch		2/1 Ch	Mono			4/3/2 Ch			2/1 Ch	5 Ch	
PDX-1.1000	PDX-1.600	PDX-4.150	PDX-4.100	PDX-2.150	MRP-M1000	MRP-M500	MRP-M352	MRP-F600	MRP-F300	MRP-F242	MRP-T222	MRA-F355	
1 x 1000W 1 x 1000W	1 x 600W 1 x 600W	4 x 150W 4 x 150W 2 x 300W	4 x 100W 4 x 100W 2 x 200W	2 x 150W 2 x 150W 1 x 300W	1 x 600W 1 x 1000W	1 x 300W 1 x 500W	1 x 200W 1 x 350W	4 x 100W 4 x 150W 2 x 300W	4 x 50W 4 x 75W 2 x 150W	4 x 40W 4 x 50W 2 x 100W	2 x 50W 2 x 70W 1 x 140W	5 x 50W	
1 x 2200W	1 x 1500W	4 x 220W	4 x 200W	2 x 220W	1 x 1900W	1 x 1100W	1 x 700W	2 x 660W	2 x 320W	2 x 180W	1 x 250W	5 x 80W	
MOS-FET Power Supply													
DC DC PWM Power Supply													
Selectable Subsonic Filter					Fixed Subsonic Filter							HPF	
					Variable Bass EQ			Bass EQ	Variable Bass EQ			P.EQ	
Front Panel Controls					Side Panel Controls								
PreOut								PreOut			PreOut		
					Speaker Level Input								
Rear Terminal					Dual Sided Terminal								

RMS Continuous Power at 14.4V, 20Hz-20kHz (mono 20Hz-200Hz)
MAX Power
• Per Channel into 4Ω (1% THD)
• Per Channel into 2Ω (1% THD)
• Bridged 4Ω (1% THD)
• Stereo
• Bridged (except Mono)

Speaker Specifications



	Model Number	Size	Type	Peak Power (Watt)	RMS Power (Watt)	Frequency Response (Hz)	Sensitivity (dB, 1W/1m)	Installation Diameter (mm)	Depth (mm)
	SPX-17PRO	6-1/2" (16.5cm)	Component 2-way	300	100	35-60k	89.5	134	63
	SPX-13PRO	5-1/4" (13cm)	Component 2-way	240	80	40-60k	88	116	59
	SPX-17REF	6-1/2" (16.5cm)	Component 2-way	225	75	35-40k	89.5	134	63
	SPX-13REF	5-1/4" (13cm)	Component 2-way	180	60	40-40k	88	116	59
	SPR-17S	6-1/2" (16.5cm)	Component 2-way	330	110	65-27k	87	136	59
	SPR-13S	5-1/4" (13cm)	Component 2-way	300	100	70-27k	86	117	55
	SPR-69C	6x9" (15x23cm)	Coaxial 2-way	300	100	60-27k	89	146 x 216	75
	SPR-17C	6-1/2" (16.5cm)	Coaxial 2-way	300	100	65-27k	87	136	59
	SPR-13C	5-1/4" (13cm)	Coaxial 2-way	270	90	70-27k	86	117	55
	SPS-171A	6-1/2" (16.5cm)	Component 2-way	250	50	35-30k	90	140	64
	SPS-571A	5x7" (12.5x17.5cm)	Component 2-way	200	40	35-30k	90	126 x 183	64
	SPS-69C3	6x9" (15x23cm)	Coaxial 3-way	250	50	30-30k	92	150 x 222	77
	SPS-69C2	6x9" (15x23cm)	Coaxial 2-way	250	50	30-30k	92	150 x 222	77
	SPS-57C2	5x7" (12.5x17.5cm)	Coaxial 2-way	250	50	35-30k	92	126 x 183	64
	SPS-17C2	6-1/2" (16.5cm DIN)	Coaxial 2-way	250	50	35-30k	92	140	56
	SPS-13C2	5-1/4" (13cm)	Coaxial 2-way	175	35	45-30k	92	111	50
	SPE-17SF	6-1/2" (16.5cm DIN)	Component 2-way	210	25	35-25k	86	139	38
	SPE-17CS	6-1/2" (16.5cm)	Component 2-way	210	35	35-25k	91	140	61
	SPE-13CS	5-1/4" (13cm)	Component 2-way	180	30	50-25k	91	110	43
	SPE-69C3	6x9" (15x23cm)	Coaxial 3-way	210	35	30-25k	92	150 x 222	68
	SPE-69C2	6x9" (15x23cm)	Coaxial 2-way	210	35	30-25k	92	150 x 222	68
	SPE-17C2	6-1/2" (16.5cm)	Coaxial 2-way	210	35	35-25k	91	140	61
	SPE-13C2	5-1/4" (13cm)	Coaxial 2-way	180	30	50-25k	91	110	43
	SPE-10C2	4" (10cm)	Coaxial 2-way	120	20	55-25k	90	90	43
	SXE-6925S	6x9" (15x23cm)	Coaxial 2-way	280	45	40-20k	92	150 x 219	68
	SXE-5725S	5x7" (12.5x17.5cm)	Coaxial 2-way	200	35	70-20k	91	126 x 183	56
Custom Fit Speaker	SXE-4625S	4x6" (10x15cm)	Coaxial 2-way	150	20	90-20k	91	85 x 142	37
	SXE-1025S	4" (10cm)	Coaxial 2-way	180	25	100-20k	90	95	43
	SXE-1750S	6-1/2" (16.5cm DIN)	Component 2-way	280	45	60-20k	90	142	46
	SXE-1350S	5-1/4" (13cm)	Component 2-way	250	40	60-20k	90	114	49
	SXE-1725S	6-1/2" (16.5cm DIN)	Coaxial 2-way	220	40	60-20k	92	142	46
	SXE-1325S	5-1/4" (13cm)	Coaxial 2-way	200	35	70-20k	92	114	49
	SXE-0825S	3-1/2" (8.6cm)	Coaxial 2-way	150	20	120-16k	89	85	36

Subwoofer Specifications



	Model Number	Maximum Peak Power (Watt)	Maximum RMS Power (Watt)	Impedance (Ω)	Sensitivity (dB, 1W/1m)	Frequency Response (Hz)	Woofers Mounting Depth (mm)	Cut-out Diameter (mm)	Recommended Amplifier (Mono)
	SWX-1243D	3000	1000	4 + 4	86	20-500	219	277	PDX-1.1000
	SWX-1043D	3000	1000	4 + 4	83	22-500	218	231	PDX-1.1000
	SWR-1542D	2000	750	4 + 4	87	20-400	234	349	PDX-1.1000
	SWR-1522D	2000	750	2 + 2	87	18-400	234	349	PDX-1.1000
	SWR-1242D	1500	500	4 + 4	85	25-500	196	275	PDX-1.600
	SWR-1222D	1500	500	2 + 2	85	23-500	196	275	PDX-1.600
	SWR-1042D	1500	500	4 + 4	83	26-600	172	231	PDX-1.600
	SWR-1022D	1500	500	2 + 2	83	24-600	172	231	PDX-1.600
	SWS-1223D	900	300	2 + 2	86	26-1k	130	271	MRP-M1000
	SWS-1243D	900	300	4 + 4	86	26-1k	130	271	MRP-M1000
	SWS-1023D	900	300	2 + 2	84	30-1k	110	227	MRP-M1000
	SWS-1043D	900	300	4 + 4	84	30-1k	110	227	MRP-M1000
	SWE-1243E	800	250	4	90	28-1k	172	278	MRP-M500
	SWE-1043E	500	150	4	88	33-1k	139	235	MRP-M500
	SWE-843E	400	120	4	87	34-1.5k	111	183	MRP-M500



Driving Mobile Media Solutions™

www.alpine-europe.com

ALPINE ELECTRONICS (EUROPE) GmbH
Frankfurter Ring 117, 80807 München, Germany
Tel : +49 / (0) 89-32 42 64-0 Fax : +49 / (0) 89-32 42 64-241

ALPINE ELECTRONICS, INC. (Main Office & Plant)
20-1 Yoshima Kogyo Danchi, Iwaki, Fukushima Pref. 970-1192, Japan
Tel : +81-246-36-4111 Fax : +81-246-36-8309

<http://www.alpine.com>

Apple, the Apple logo, and iPod are trademarks of Apple, Inc., registered in the U.S. and other countries. The words "Dolby Digital", "Pro Logic", "Dolby", and the "Double-D" symbol are trademarks of Dolby Laboratories. Windows Media and the Windows logo are trademarks, or registered trademarks of Microsoft Corporations in the United States and/or other countries. "DTS", "DTS DIGITAL Surround" are registered trademarks of DTS, Inc. "DTS2.0 + Digital Out" is a trademark of DTS, Inc. TMC is a registered trademark of Grundig Aktiengesellschaft. Traffic information in the UK provided by ITIS Holding Plc. V-Traffic information in France provided by Mediamobile company. TMC PRO and traffic are registered trademarks of T-Mobile Traffic GmbH. All Rights Reserved. NAVTEQ on board is a registered trademark of NAVTEQ. All rights reserved. Audyssey MultEQ is a registered trademark of Audyssey Laboratories Inc. Design, specifications and availability of the products are subject to change without notice. No liability for printing errors is assumed. Alpine catalogues are printed on chlorine-free paper.