ISSN 2319 - 5746 EISSN 2319 - 5754

Diversity of Fish Fauna in Kadalundi Estuary, Kozhikode, Kerala

Rejna KP, Rahana Moideenkoya VK, Shabna VC

Publication History

Received: 19 December 2014 Accepted: 22 January 2015 Published: 31 January 2015

Citation

Rejna KP, Rahana Moideenkoya VK, Shabna VC. Diversity of Fish Fauna in Kadalundi Estuary, Kozhikode, Kerala. Species, 2015, 12(36), 117-121

ABSTRACT

Kadalundi estuary is one of the unique wetland of north Kerala. This study was intended to assess the diversity of fish fauna in Kadalundi estuary and was carried out over a period of six months (january 2014- june 2014). The fishes were collected personally and also with the help of fisherman. Identification was made with the help of experts and by referring books. A total of 34 species of fishes belonging to 24 families, under 8 orders (Perciformes, Siluriformes, Clupeiformes, Scorpaeniformes, mugiliformes, Beloniformes, Pleuronectiformes and Anguilliformes). The order perciformes represented by 23 species belonging to 15 families, were most abundant, followed by the order Siluriformes and Clupeiformes (3 species from 2 family). Four species were recorded from the family Carangidae, 3 species from Lutjanidae, 2 species each from Ambassidae, Gerreidae, Sciaenidae, Ariidae, and Engraulidae and the other families are represented by single species only. Kadalundi estuary rich in fish diversity due to edge effect. Fresh water, brackish and marine fishes were reported from the estuary. Several anthropogenic interventions like Waste dumping, Coir retting industry and Mining of sand and lime is responsible for considerable environmental change in water quality which cause the reduction in the number of fishes. Over fishing by local people and interference of tourists also lead to pollution hence deteriorate the health of ecosystem. The appropriate conservation measures like the implementation of strict laws, frequent monitoring and provide awareness to the local people should be taken to protect this fragile and most productive ecosystem.

Key words: Kadalundi, Estuary, Mangrove, Sanctuary, Wet land, Microhabitat.

1. INTRODUCTION

Fishes are the most numerous vertebrates living on this earth. There are about 28100 species of fishes known to science. Fishes constitute almost half the numbers of vertebrates in the world. They live in almost all conceivable aquatic habitats. 21,723 living species of fish have been recorded out of 39,900 species of vertebrates (Jayaram, 1999). Of these, 8,411 are fresh water species and 11,650 are marine. In India, there are 2,500 species of fishes of which 930 live in freshwater and 1,570 are marine (Kar, 2003).

Kerala is the land of rivers having fourty four perinnial rivers of which fourty one are west flowing and three east flowing. All these rivers originates from the western Ghats. Kadalundi rivers is one of the four most important rivers flowing through Malappuram district in the Indian state of Kerala. This river serve as a border line between the Kozhikkode and Malappuram district is 130kms in length with a drainage area of 1099km². The Kadalundi estuary located at the mouth of the river Kadalundi that drains into the Arabian sea on the west coast of the Kerala.

Kadalundi bird sanctuary is officially known as the Kadalundi - Vallikkunnu community reserve. For the convenience of study, the Kadalundi estuary is divided into three microhabitats; Microhabitat I, Microhabitat II. Microhabitat II. Microhabitat I, where the Kadalundi river meet the Arabian Sea (nearby Kadalundi kadavu bridge). Microhabitat II, approximately 500m away from Microhabitat I (area nearby Kadalundi railway bridge). Microhabitat III, approximately 500m away from Microhabitat II.

2. METHODOLOGY

For the faunestic study the fishes were collected during the months of January 2014 to June 2014. The fishes were collected personally and also with the help of fisherman using cast net, Kandadi vala and choonda. Also using another method like 'thada' in river. After collection as far as possible, the collected specimens were preserved at the fishing site itself using of 10% formalin. The fish fauna were classified up to species level as per the key of Day (1878), Talwar and Jhingar (1991), Jayaram (1999). To measure the density of the species, each species were enumerated in the collection.

3. RESULT

A total of 34 fish species were recorded from kadalundi estuary. The species of fishes belongs to eight orders (Perciformes, Siluriformes, Scorpaeniformes, Clupeiformes, Mugiliformes, Beloniformes, Pleuronectiformes and Anguilliformes) under twenty four families.

Table 1 Fishes of Kadalundi estuary

SI No	Scientific Name	Family	Order
1.	Caranx ignobilis	Carangidae	Perciformes
2.	Carangoides malabaricus	Carangidae	Perciformes
3.	Alepes djedaba	Carangidae	Perciformes
4.	Alepes melanoptera	Carangidae	Perciformes
5.	Lutjanus argentimaculatus	Lutjanidae	Perciformes
6.	Lutjanus fulviflamma	Lutjanidae	Perciformes
7.	Lutjanus johnii	Lutjanidae	Perciformes
8.	Ambassis gymnocephalus	Ambassidae	Perciformes
9.	Ambassis macracanthus	Ambassidae	Perciformes
10.	Gerres filamentosus	Gerreidae	Perciformes
11.	Gerres erythrourus	Gerreidae	Perciformes
12.	Daysciaena albida	Sciaenidae	Perciformes
13.	Johnius belangerii	Sciaenidae	Perciformes
14.	Glossogobius giuris	Gobiidae	Perciformes
15.	Eleutheronema tetradactylum	Polynemidae	Perciformes
16.	Sillago sihama	Sillaginidae	Perciformes
17.	Scatophagus argus	Scatophagidae	Perciformes
18.	Sphyraena barracuda	Sphyraenidae	Perciformes
19.	Terapon jarbua	Terapontidae	Perciformes
20.	Etroplus suratensis	Cichlidae	Perciformes
21.	Epinephelus malabaricus	Serranidae	Perciformes
22.	Leiognathus equulus	Leiognathidae	Perciformes
23.	Acanthocybium solandri	Scombridae	Perciformes
24.	Arius arius	Ariidae	Siluriformes
25.	Arius jella	Ariidae	Siluriformes
26.	Mystus gulio	Bagridae	Siluriformes
27.	Thryssa mystax	Engraulidae	Clupeiformes
28.	Stolephorus commersonii	Engraulidae	Clupeiformes
29.	Anodontostoma chacunda	Clupeidae	Clupeiformes

	7
7	
7	J.
	Рас

30.	Platycephalus indicus	Platycephalidae	Scorpaeniformes
31.	Mugil cephalus	Mugilidae	Mugiliformes
32.	Hyporhamphus limbatus	Hemiramphidae	Beloniformes
33.	Cynoglossus macrolepidotus	Cynoglossidae	Pleuronectiformes
34.	Ariosoma mellissii	Congridae	Anguilliformes



Rejna et al. Diversity of Fish Fauna in Kadalundi Estuary, Kozhikode, Kerala, Species, 2015, 12(36), 117-121,





Figure 1: Family wise Distribution of Fishes at Kadaludi Estuary





The fishes are differently distributed in the three microhabitats of Kadalundi estuary.

Microhabitat I – In the present study, Arius arius are most abundant here.

Microhabitat II – This microhabitat has abundantly found following species. They are *Arius arius, Sillago sihama, Ambassis gymnocephalus, Caranx ignobilis, Terapon jarbua, Platycephalus indicus* and *Daysciaena albida*.

Microhabitat III - In the present study, Mugil cephalus are most abundant here.

Official records say the reserve hosts 43 species of fish, today the fish production is under the decline. Several biotic interferences are prevalent in the estuary, notably dumping of waste, house waste and animal waste, mining of sand and lime and retting of coconut husk, etc. The fish fauna of Kadalundi estuary derived mainly from the sea; most of them can harbour both in marine and estuarine water.

REFERENCES

- Ajithkumar, C.R, K. Remadevi, K. Raju Thomas and C.R Biju. 1999. Fishfauna, abundance and distribution in chalakudy river, Kerala. J.Bombay nat Hist.Soc.96(2); 244-254.
- 2. Day, F. 1865:The fishes of Malabar. Bernard Quaritch, London.
- 3. Hora, S.L. and N.C. Law 1941. The fresh water fishes of Travancore. Rec.Indian Mus XLIII; 233-256.
- Jayaram, K.C. 1981. Freah water fishes of India handbook. Zoological survey of India. Culcutta.
- Kurup, B.M and C.T Samual. 1985. Fish and fisheries resouces of Vambanad lake.Proc. Symp. Harvest Tech. Fish. 77-82.
- Easa, P.S and C.P Shaji. 1997. Fresh water fish diversity in Kerala part of the Nilgiri Biosphere Reserve. Current Sciense, Vol.73, no.2, 25 July 1997.