

German Marine Gastrotricha

by A. Schmidt-Rhaesa & M.A. Todaro (May 2006)

sources:

Clausen (1965): Sarsia 20: 9-13; Clausen (1967): Sarsia 29: 349-370; Forneris (1961): Kieler Meeresforsch. 17: 206-218; Mock (1979): Mikrofauna des Meeresbodens 78: 1-107; Potel & Reise (1987): Microfauna Marina 3: 363-376; Reise & Ax (1979): Mar.Biol. 54: 225-237; Remane (1924): Zool. Anz. 61: 289-297; Remane (1925): Zool. Anz. 64: 309-314; Remane (1926): Z. Morph. Ökol. Tiere 5: 625-754; Remane (1928): Zool. Jahrb. Syst. 54: 203-242; Remane (1934): Schriften Naturwiss. Verein Schleswig-Holstein 20: 473-479; Remane (1936): In Bronns Klassen und Ordnungen des Tierreichs; Remane, (1943): Zool. Anz. 141: 237-240; Remane (1951): Kieler Meeresforsch. 8: 102-105; Riemann (1966): Arch. Hydrobiol. 31 Suppl.: 1-279; Schmidt & Teuchert (1969): Mar. Biol. 4: 4-23 ; Teuchert (1967): Mar. Biol. 1: 110-112

MACRODASYIDA

DACTYLOPODOLIDAE

Dactylopodola baltica (Remane, 1926)

Helgoland, Sylt (North Sea); Boknis & Kieler Bucht (Baltic Sea)

Dactylopodola cornuta Swedmark, 1956

Helgoland, Sylt (North Sea)

Dactylopodola typhle Remane, 1928

Helgoland (North Sea); Boknis (Baltic Sea)

LEPIDODASYIDAE

Cephalodasys maximus Remane, 1926

Helgoland, Sylt (North Sea); Boknis, Kieler Bucht (Baltic Sea)

Cephalodasys turbanelloides Boaden, 1960

Sylt (North Sea)

Dolichodasys elongatus Gagne, 1977

Sylt (North Sea)

Lepidodasys martini Remane, 1926

Helgoland, Sylt (North Sea); Boknis, Kieler Bucht (Baltic Sea)

Megadasys sterreri (Boaden, 1974)

Sylt (North Sea)

Mesodasys laticaudatus Remane, 1951

Sylt (North Sea); Boknis, Kieler Bucht (Baltic Sea)

Paradasys subterraneus Remane, 1934

Sylt (North Sea); Schilksee (Baltic Sea, ground water)

Pleurodasys helgolandicus Remane, 1928

Helgoland, Sylt (North Sea);

MACRODASYIDAE

Macrodasys affinis Remane, 1936

Helgoland, Sylt (North Sea)

Macrodasys buddenbrocki Remane, 1924

Elba estuary, Sylt (North Sea); Boknis, Kieler Bucht (Baltic Sea)

Macrodasys caudatus Remane, 1927

Sylt (North Sea)

Macrodasys cephalatus Remane, 1927
Helgoland (North Sea)
Macrodasys affinis Remane, 1936
Helgoland, Sylt (North Sea)
Urodasys mirabilis Remane, 1926
Sylt (North Sea); Boknis & Kieler (Baltic Sea)

THAUMASTODERMATIDAE

Acanthodasys aculeatus Remane, 1928
Helgoland, Amrum, Sylt (North Sea);
Platydasys maximus Remane, 1927
Helgoland (North Sea);
Platydasys rarus Forneris, 1961
Helgoland (North Sea);
Pseudostomella roscovita Swedmark, 1956
Helgoland, Sylt (North Sea); Kieler Bucht (Baltic Sea)
Ptychostomella ommatophora Remane, 1928
Boknis, Kieler Bucht (Baltic Sea)
Ptychostomella pectinata Remane, 1926
Kieler Bucht (Baltic Sea)
Tetranchyroderma apum Remane, 1928
Helgoland (North Sea)
Tetranchyroderma hystrix Remane, 1926
Kieler Bucht (Baltic Sea)
Tetranchyroderma megastomum Remane, 1927
Helgoland, Sylt (North Sea); Boknis (Baltic Sea)
Tetranchyroderma polyacanthum Remane, 1927
Helgoland (North Sea); Boknis, Kieler Bucht (Baltic Sea)
Tetranchyroderma tribolosum Clausen, 1965
Helgoland (North Sea)
Thaumastoderma heideri Remane, 1926
Sylt, Helgoland (North Sea); Boknis, Kieler Bucht (Baltic Sea)

TURBANELLIDAE

Dinodasys minor Remane, 1936
Helgoland, Sylt (North Sea)
Dinodasys mirabilis Remane, 1927
Helgoland, Sylt (North Sea)
Paraturbanella teissieri Swedmark, 1954
Sylt (North Sea)
Turbanella ambronensis Remane, 1943
Amrum, Sylt (North Sea)
Turbanella bocqueti Kaplan, 1958
Sylt (North Sea)
Turbanella cornuta Remane, 1925
Elbe estuary, Helgoland, Sylt (North Sea); Boknis, Greifswald, Kieler Bucht (Baltic Sea)
Turbanella hyalina Schultze, 1853
Neuwerk, Amrum (North Sea); Kieler Bucht (Baltic Sea),
Turbanella lutheri Remane, 1952
Kieler Bucht (Baltic Sea, ground water)
Turbanella remanei Forneris, 1961

Eckernförde (Baltic Sea)

Turbanella subterranea Remane, 1934

Sylt (North Sea); Schilksee (Baltic Sea, ground water)

CHAETONOTIDA

MULTITUBULATINA

NEODASYIDAE

Neodasys chaetonotoideus Remane, 1927

Helgoland, Amrum, Sylt (North Sea)

Neodasys uchidai Remane, 1961

Helgoland, Amrum, Sylt (North Sea)

PAUCITUBULATINA

CHAETONOTIDAE

Aspidiophorus bisquamosus Mock, 1979

Sylt (North Sea)

Aspidiophorus marinus Remane, 1926

Helgoland (North Sea); Kieler Bucht (Baltic Sea)

Aspidiophorus mediterraneus Remane, 1927

Sylt (North Sea)

Aspidiophorus ornatus Mock, 1979

Sylt (North Sea)

Chaetonotus atrox Wilke, 1954

Sylt (North Sea)

Chaetonotus balticus Remane, 1926

Kieler Bucht (Baltic Sea)

Chaetonotus condensus Mock, 1979

Sylt (North Sea)

Chaetonotus lacunosus Mock, 1979

Sylt (North Sea)

Chaetonotus somniculosus Mock, 1979

Sylt (North Sea)

Chaetonotus tempestivus Mock, 1979

Sylt (North Sea)

Chaetonotus variosquamatus Mock, 1979

Sylt (North Sea)

Caudichthyidium hummoni (Ruppert, 1977)

Sylt (North Sea)

Caudichthyidium rupperti (Mock, 1979)

Sylt (North Sea)

Caudichthyidium supralitorale (Mock, 1979)

Sylt (North Sea)

Halichaetonotus aculifer (Gerlach, 1953)

Sylt (North Sea)

Halichaetonotus batillifer (Luporini & Tongiorgi, 1972)

Sylt (North Sea)

Halichaetonotus decipiens (Remane, 1926)

Helgoland, Sylt (North Sea); Kieler Bucht (Baltic Sea)

Halichaetonotus paradoxus (Remane, 1927)

Kieler Bucht (Baltic Sea)

Halichaetonotus jucundus (d'Hondt, 1971)
Sylt (North Sea)
Halichaetonotus pleuracanthus (Remane, 1926)
Sylt, Helgoland (North Sea); Kieler Bucht (Baltic Sea)
Halichaetonotus schromi Kisielewski, 1974
Sylt (North Sea)
Halichaetonotus spinosus Mock, 1979
Sylt (North Sea)
Heterolepidoderma axi Mock, 1979
Sylt (North Sea)
Heterolepidoderma dubium Remane, 1926
Helgoland, Kieler Bucht (Baltic Sea)
Heterolepidoderma grandiculum Mock, 1979
Sylt (North Sea)
Heterolepidoderma marinum Remane, 1926
Aquaria in Zoological Institute of University Kiel

XENOTRICHULIDAE

Draculiciteria tesselata (Renaud-Mornant, 1968)
Sylt (North Sea)
Heteroxenotrichula affinis (Remane, 1934)
Sylt (North Sea); Schilksee (Baltic Sea, ground water)
Heteroxenotrichula pygmaea (Remane, 1934)
Sylt (North Sea); Schilksee (Baltic Sea, ground water)
Heteroxenotrichula squamosa Wilke, 1954
Sylt (North Sea)
Heteroxenotrichula wilkei Ruppert, 1979
Sylt (North Sea)
Xenotrichula bispina Roszczak, 1939
Sylt (North Sea)
Xenotrichula intermedia Remane, 1934
Sylt (North Sea); Schilksee (Baltic Sea, ground water)
Xenotrichula micracanthus (Remane, 1926)
Helgoland (North Sea)
Xenotrichula punctata Wilke, 1954
Sylt (North Sea)
Xenotrichula syltensis Ruppert, 1979
Sylt (North Sea)
Xenotrichula simplex Mock, 1979
Sylt (North Sea)
Xenotrichula subterranea Remane, 1934
Schilksee (Baltic Sea, ground water)
Xenotrichula velox Remane, 1927
Sylt (North Sea); Kieler Bucht (Baltic Sea)