

HBBCGANGE BOOK

your complete your excessory Leisure Accessory Wholesaler

www.groveproducts.co.uk



Grove Products Ltd Broadway, Hyde Cheshire, SK14 4QF

Tel: 0161 367 7070 Fax: 0161 367 7303

Email: sales@groveproducts.co.uk Web: www.groveproducts.co.uk

Welcome to the latest Grove catalogue. Inside you will again find many new products and product ranges.

We trust that the information in this catalogue is as current as possible, including more sizes and specifications for your convenience. All steps have been taken to ensure that the information is as complete as possible, but your comments are always very welcome.

Our on-line facility is becoming more popular for obtaining new product information and special offers. Setting up an account only takes minutes and allows you to check stock availability and prices at any time. If you are not already using this facility please speak to your sales contact for more information.

Thank you for your continued support!

The Grove team

CONTENTS

Chassis & Towing Section A Security Section B Section C Electrical Satellite & TV Section D Waste & Water Section E Sanitation Section F Section G Gas & Safety Cooking & Heating Section J Section K Refrigeration Section L Tableware & Outdoor Dining Housewares Section M Caravan cleaning Section N **Rooflights & Ventilators** Section P Workshop Section Q Section R Steps & legs Section S Automotive & Motorhome Camping, Tent & Awning Section T **Books & Toys** Section U

Large enough to cope small enough to care

Furniture

Section V

13 pin electrics	A8
7 pin electrics	A8, A9
7-shot cleaners	N3
A	
Adapters 12v	C1, C2
Adhesives	Q2, Q3
Adapt-its	C2
Aerials FM & TV	D8
Aerial masts	D5
A-frame covers	A4
Air beds & pumps	Т9
Air conditioning units	P4, P5
Airers	M6
Alan rogers	U1
Alarms, security	В6
Alarms, safety	G6
Alcosense	G5
Al-Ko Secure	B2, B3
Al-Ko Stabilisers	A6
Alloy wheels	A1
Aprons	M7
Aqua Kem / rinse	F1
Aquarolls and accessories	E1, E2
Assorment boxes	Q5
Automatic satellite systems	D1 - D3
Awning accessories	T5 - T7,
Awning bags	T10, T11
Awning cleaners	T1
and reproofers	T3
Awning companion Awning curtains	T5
Awnings Dometic	S12
Awnings Fiamma	S4, S6, S9,
	S10
Awning lamps	C19, C21, C22
Awning rail	Q15, T4
Awning rail care	T4
Awning spares Eurovent / Trio	T4 - T10, T11
Awning tie down kits	S5, S8, T3, T4
Axle stands	A2
В	
Barbecues	L6 - L8
Barrel locks	B5
Basins	E16 - E17
Batteries, 12v	C14
Batteries, dry cell	C12
Battery chargers	C9 - C12
Battery lights & torches	C23 - C26
Beam converters	A11
Berker sockets	C2
DUINCI GOOKELG	CE

Bike covers	S2
Bike racks	S1, S2
Bins	M5, M7
Black streak remover	N1-N3
B-line	M5
Bolts, High tensile	A3, A9
Books	U1, U2
Bottle holders	M7
Bowls, Sinks	M5
Bowls, melamine	L1 - L3
Bowls, sinks	E16, E17, J3
Brake cleaner	Q1
Breakaway cables	A3
Bulbs	C5, C20, Q6
Bumper protection	A9
С	
Cabinet heaters	J8
Cable keepers	C8
Cable ties	Q7, Q9
Cables	C8
Cables, coiled	A8, A9
Cadac barbecues	L6, L7
Camos satellite	D3
Camping toasters	T7
Candles	L3, N5
Caravan cleaners	N1 - N3, Q3
Caravan covers	A16
Caravan movers	A15
Caravan weight control	A11
Carbon monoxide	G6
Carpet protector	N6
Cartridge gun	Q1
Cassette toilets	F5
Catches	Q11 - Q13
Cavagna	G2
regulators	
CBE	C4, C9, C10, C11
Chairs	V1 - V2
Chargers	C9, C10, C11
Chemical toilets	F4, F5
Chocks	A4
Citronella candles	L3
Clipsal plugs & sockets	C3
Cloths	N4
Cluster lamps	A12
Coat hangers	M6
Coffee makers	M9
Coil spring assisters	A11

Combicool RC range K4 Combinationlamps Af1 Combination units J2 Comficarpet matting T7 Cookers J1, J2, L6, L6, L7 Cool boxes K4, K5 Copper tube G3 Cord wheel C8 Corner bowls E16 Corner steady A3 Corner steady nuts A3 Coupling heads A3 Coupling heads A3 Crank up satellite systems D3 Crystal Mk 2 E4, E5 C-Tek C12 Cup and plate racks M5, M7 Cupboard catches Q11, Q13 Cuptoard stays Q15, M7 Cutlery M1 Cutlery M1 Cutlery M1 Cutlery M1 Cutlery M1 Cutlery M5 Digits A14 DIN plugs and ct, C2, cy, C7 C1 Sockets C4, C7 Dish & treat		
Combination units J2 Comficarpet matting T7 Compressors A2 Cookers J1, J2, L6, L7 Cool boxes K4, K5 Copper tube G3 Cord wheel C8 Corner bowls E16 Corner steady braces A3 Corner steady nuts A3 Coupling heads A3 Crank up satellite systems D3 Crystal Mk 2 E4, E5 C-Tek C12 Cup and plate racks M5, M7 Cupboard catches Q11 - Q13 Cuptain track & fittings Q15 Curtain track & fittings Q15 Cutlery M1 Cutlery my M1 Cutlery trays M5, M7 Cycle carriers \$1, 52 D Digits A14 DIN plugs and c1, C2, C2 C4, C7 Dish & treat M5 Dog leashes T12 Dometic air conditioning P4, P5 Dometic awnings<		K4
Comficarpet matting T7 Compressors A2 Cookers J1, J2, L6, L7 Cool boxes K4, K5 Copper tube G3 Cord wheel C8 Corner bowls E16 Corner steady braces A3 Corner steady nuts A3 Coupling heads A3 Crank up satellite systems D3 Crystal Mk 2 E4, E5 C-Tek C12 Cup and plate racks M5, M7 Cupboard catches Q11 - Q13 Cupboard stays Q11, Q12 Curtain track & rittings Q15 Curtains, awning T5 Cutlery M1 Cutlery M1 Cutlery M5, M7 Cycle carriers S1, S2 D Digits A14 DIN plugs and stays C1, C2, C2, C4, C7 Dish & treat M5 Distribution panels C9 - C11 Dog leashes T12 Dometic awnings	Combinationlamps	A11
matting T7 Compressors A2 cookers J1, J2, L6, L7 Cool boxes K4, K5 Copper tube G3 Corner bowls E16 Corner steady Praces A3 Corner steady Praces A3 Coupling heads A3 Crank up satellite Systems D3 Crystal Mk 2 E4, E5 C-Tek C12 Cup and plate racks M5, M7 Cupboard catches Q11 - Q13 Cupboard stays Q11, Q12 Curtain track & fittings Q15 Curtains, awning T5 Cutlery M1 Cutlery M5, M7 Cycle carriers S1, S2 D Digits A14 DIN plugs and sockets C1, C2, Sockets Digits A14 DIN plugs and sockets C9 - C11 Dog leashes T12 Dometic awnings S12 Dometic awnings S12	Combination units	J2
Cookers J1, J2, L6, L6, L7 Cool boxes K4, K5 Copper tube G3 Corner bowls E16 Corner steady braces A3 Corner steady nuts A3 Coupling heads A3 Crank up satellite systems D3 Crystal Mk 2 E4, E5 C-Tek C12 Cup and plate racks M5, M7 Cupboard catches Q11 - Q13 Cupboard stays Q11, Q12 Curtain track & fittings Q15 Curtain track & fittings M5, M7 Cutlery M1 Cutlery M1 Cutlery trays M5, M7 Cycle carriers S1, S2 D D Digits A14 DIN plugs and c1, C2, sockets C4, C7 Dish & treat M5 Distribution panels C9 - C11 Dog leashes T12 Dometic air conditioning P4, P5 Dometic awnings S12 Dometic air conditioni	•	T7
COOKER'S L7 Cool boxes K4, K5 Copper tube G3 Corner bowls E16 Corner steady braces A3 Corner steady nuts A3 Coupling heads A3 Crank up satellite systems D3 Crystal Mk 2 E4, E5 C-Tek C12 Cup and plate racks M5, M7 Cupboard catches Q11 - Q13 Cupboard stays Q11, Q12 Curtain track & fittings Q15 Curtains, awning T5 Cutlery M1 Cutlery trays M5, M7 Cycle carriers S1, S2 D D Digits A14 DIN plugs and cliptory C1, C2, C2, C4, C7 Dish & treat M5 Dish & treat M5 Distribution panels C9 - C11 Dog leashes T12 Dometic air C4, C7 Dometic awnings K2, K3 Door locks B5	Compressors	A2
Copper tube G3 Cord wheel C8 Corner bowls E16 Corner steady braces A3 Corner steady nuts A3 Coupling heads A3 Crank up satellite systems D3 Crystal Mk 2 E4, E5 C-Tek C12 Cup and plate racks M5, M7 Cupboard catches Q11 - Q13 Cupboard stays Q11, Q12 Curtain track & fittings Q15 Curtains, awning T5 Cutlery M1 Cutlery trays M5, M7 Cycle carriers S1, S2 D Digits A14 DIN plugs and cl, C2, csockets C4, C7 Dish & treat M5 Distribution panels C9 - C11 Dog leashes T12 Dometic air conditioning P4, P5 Dometic awnings S12 Dometic awnings S12 Door netainers Q11, Q12 Door petainers Q11, Q12	Cookers	
Cord wheel C8 Corner bowls E16 Corner steady braces A3 Coupling heads A3 Crank up satellite systems D3 Crystal Mk 2 E4, E5 C-Tek C12 Cup and plate racks M5, M7 Cupboard catches Q11 - Q13 Cupboard stays Q15, Q12 Curtain track & rittings Q15 Curtains, awning T5 Cutlery M1 Cutlery trays M5, M7 Cycle carriers S1, S2 D C1, C2, S00 Sockets C4, C7 Digits A14 DIN plugs and C1, C2, S00 C4, C7 Dish & treat M5 Distribution panels C9 - C11 Dog leashes T12 Dometic air Conditioning P4, P5 Dometic awnings S12 Dometic awnings S12 Door locks B5 Door retainers Q11, Q12 Doors, service F6	Cool boxes	K4, K5
Corner bowls E16 Corner steady braces A3 Corner steady nuts A3 Coupling heads A3 Crank up satellite systems D3 Crystal Mk 2 E4, E5 C-Tek C12 Cup and plate racks M5, M7 Cupboard catches Q11 - Q13 Cupboard stays Q11, Q12 Curtain track & fittings M5, M7 Cutlery M1 Cutlery M1 Cutlery trays M5, M7 Cycle carriers S1, S2 D Digits A14 DIN plugs and C1, C2, sockets C4, C7 Dish & treat M5 Distribution panels C9 - C11 Dog leashes T12 Dometic air conditioning P4, P5 Dometic awnings S12 Dometic arefrigerators R5, S3 Door netainers Q11, Q12 Conditioning P4, P5 Door service F6 Downlighters, 12v C19 - C21 Drain down system, Floe E9 Drainers M5 Drinkware L4 Drop plates A3 Dry-bag M10, M5, M6 Dukdalf furniture V1	Copper tube	G3
Corner steady braces Corner steady nuts Coupling heads Coupling heads Crank up satellite systems Crystal Mk 2 C-Tek C12 Cup and plate racks Cupboard catches Cupboard stays Curtain track & fittings Curtains, awning Cutlery Mi Cutlery Mi Cutlery trays M5, M7 Cycle carriers Distribution panels Distribution panels Cy-C11 Dog leashes T12 Dometic air conditioning Dometic awnings Dometic awnings Cupand stays Door locks Door netainers Door service F6 Downlighters, 12v Cip - C21 Drain down system, Floe Drainers Drinkware L4 Drop plates A3 Asserbidge M5, M7 Cycle carriers C1, C2, Sockets C4, C7 Dish & treat M5 Door locks B5 Door retainers C12 C19 - C21 C19 -	Cord wheel	C8
braces Corner steady nuts Coupling heads Caystems Crystal Mk 2 C-Tek C-Tek Cup and plate racks Cupboard catches Curtain track & fittings Curtains, awning Cutlery Mi Cutlery Mi Cutlery trays M5, M7 Cycle carriers Digits A14 DIN plugs and Sockets C-4, C7 Dish & treat Distribution panels Dometic air conditioning Dometic air conditioning Dometic awnings Door locks Door nats Door retainers Door retainers Doors, service F6 Downlighters, 12v Cip Cay Drain down system, Floe Drainers Drainers Drainers Drainers Drainers Drainers Draing racks Draing racks M5, M7 Cycle carriers C4, C7 Dish & treat M5 Distribution panels C9 - C11 Dog leashes T12 Dometic air conditioning Dometic awnings Dometic R2, K3 Door retainers C11, C12 C19 - C21 Drain down System, Floe E9 Drainers Drainers M5 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1	Corner bowls	E16
nuts Coupling heads A3 Crank up satellite systems Crystal Mk 2 Ctype and plate racks Cup and plate racks Cupboard catches Curtain track & fittings Curtains, awning Cutlery Mi Cutlery Mi Cutlery trays Ms, M7 Cycle carriers Digits A14 DIN plugs and ct, cz, sockets Ctype and panels Dish & treat Dish & treat Dog leashes T12 Dometic air conditioning Dometic awnings Cuphoric wings S12 Dometic awnings Cuphoric wings S2 Dometic awnings S12 Dometic awnings Conditioning Conditioning Conditioning Conditioning Cuphoric wings	•	АЗ
Crank up satellite systems Crystal Mk 2 C-Tek C12 Cup and plate racks Cupboard catches Cupboard stays Curtain track & fittings Curtains, awning Cutlery M1 Cutlery trays M5, M7 Cutlery M1 Cutlery trays M5, M7 Cycle carriers S1, S2 D Digits A14 DIN plugs and c1, C2, sockets C4, C7 Dish & treat Distribution panels Cy-C11 Dog leashes T12 Dometic air conditioning Dometic awnings Dometic refrigerators Cx2, K3 Door locks B5 Door mats N5 Door retainers C19 - C11 Doors, service F6 Downlighters, 12v C19 - C21 Drain down system, Floe Drainers M5 Drill bits C7 Drinkware L4 Drop plates A3 Dry-bag M15, M6 Dukdalf furniture V1	=	A3
systems Crystal Mk 2 C-Tek C12 Cup and plate racks M5, M7 Cupboard catches Q11 - Q13 Cupboard stays Q15, Q15 Curtain track & fittings Curtains, awning Cutlery M1 Cutlery trays M5, M7 Cycle carriers D1 D1 D1 D1 D1 D1 D1 D1 D1 D	Coupling heads	АЗ
C-Tek C12 Cup and plate racks M5, M7 Cupboard catches Q11 - Q13 Cupboard stays Q11, Q12 Curtain track & fittings T5 Curtains, awning T5 Cutlery M1 Cutlery trays M5, M7 Cycle carriers S1, S2 D D Digits A14 DIN plugs and C1, C2, sockets C4, C7 Dish & treat M5 Distribution panels C9 - C11 Dog leashes T12 Dometic air conditioning P4, P5 Dometic awnings S12 Dometic awnings S12 Dometic arefrigerators K2, K3 Door locks B5 Door nats N5 Door retainers Q11, Q12 Doors, service F6 Downlighters, 12v C19 - C21 Drain down system, Floe E9 Drainers M5 Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1	•	D3
C-Tek C12 Cup and plate racks M5, M7 Cupboard catches Q11 - Q13 Cupboard stays Q11, Q12 Curtain track & fittings T5 Curtains, awning T5 Cutlery M1 Cutlery trays M5, M7 Cycle carriers S1, S2 D D Digits A14 DIN plugs and C1, C2, sockets C4, C7 Dish & treat M5 Distribution panels C9 - C11 Dog leashes T12 Dometic air conditioning P4, P5 Dometic awnings S12 Dometic awnings S12 Dometic arefrigerators K2, K3 Door locks B5 Door nats N5 Door retainers Q11, Q12 Doors, service F6 Downlighters, 12v C19 - C21 Drain down system, Floe E9 Drainers M5 Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1		E4, E5
Cup and plate racks Cupboard catches Q11 - Q13 Cupboard stays Q11, Q12 Curtain track & fittings Curtains, awning T5 Cutlery M1 Cutlery trays M5, M7 Cycle carriers S1, S2 D Digits A14 DIN plugs and C1, C2, sockets C4, C7 Dish & treat M5 Distribution panels C9 - C11 Dog leashes T12 Dometic air conditioning P4, P5 Dometic awnings S12 Dometic refrigerators K2, K3 Door locks B5 Door mats N5 Door retainers Q11, Q12 Downlighters, 12v C19 - C21 Drain down system, Floe E9 Drainers M5 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1	S .	•
Cupboard stays Q11, Q12 Curtain track & fittings Curtains, awning T5 Cutlery M1 Cutlery trays M5, M7 Cycle carriers S1, S2 D Digits A14 DIN plugs and C1, C2, sockets C4, C7 Dish & treat M5 Distribution panels C9 - C11 Dog leashes T12 Dometic air conditioning P4, P5 Dometic awnings S12 Dometic awnings S12 Dometic awnings S12 Dometic awnings S12 Donetic Ceffigerators R5 Door locks B5 Door retainers Q11, Q12 Doors, service F6 Downlighters, 12v C19 - C21 Drain down System, Floe E9 Drainers M5 Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1		M5, M7
Curtain track & fittings Curtains, awning Cutlery Mi Cutlery trays M5, M7 Cycle carriers Digits M5 Digits A14 DIN plugs and c1, C2, sockets C4, C7 Dish & treat M5 Distribution panels C9 - C11 Dog leashes T12 Dometic air conditioning P4, P5 Dometic awnings S12 Dometic awnings Door locks B5 Door nats N5 Door retainers Q11, Q12 Downlighters, 12v C19 - C21 Drain down system, Floe Drainers M5 Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Dying racks M5, M6 Dukdalf furniture V1	Cupboard catches	Q11 - Q13
fittings Curtains, awning Cutlery Cutlery Cutlery trays Cycle carriers Cycle carr	Cupboard stays	Q11, Q12
Curtains, awning T5 Cutlery M1 Cutlery trays M5, M7 Cycle carriers S1, S2 D D Digits A14 DIN plugs and C1, C2, sockets C4, C7 Dish & treat M5 Distribution panels C9 - C11 Dog leashes T12 Dometic air conditioning P4, P5 Dometic awnings S12 Dometic refrigerators K2, K3 Door locks B5 Door mats N5 Door retainers Q11, Q12 Downlighters, 12v C19 - C21 Drain down system, Floe E9 Drainers M5 Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1		Q15
Cutlery M1 Cutlery trays M5, M7 Cycle carriers S1, S2 D D Digits A14 DIN plugs and C1, C2, sockets C4, C7 Dish & treat M5 Distribution panels C9 - C11 Dog leashes T12 Dometic air conditioning P4, P5 Dometic awnings S12 Dometic awnings S12 Dometic refrigerators K2, K3 Door locks B5 Door mats N5 Door retainers Q11, Q12 Doors, service F6 Downlighters, 12v C19 - C21 Drain down system, Floe E9 Drainers M5 Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1		T5
Cycle carriers S1, S2 D Digits A14 DIN plugs and C1, C2, sockets C4, C7 Dish & treat M5 Distribution panels C9 - C11 Dog leashes T12 Dometic air conditioning P4, P5 Dometic awnings S12 Dometic awnings S12 Dometic refrigerators K2, K3 Door locks B5 Door mats N5 Door retainers Q11, Q12 Doors, service F6 Downlighters, 12v C19 - C21 Drain down system, Floe E9 Drainers M5 Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1	· -	M1
Digits A14 DIN plugs and C1, C2, sockets C4, C7 Dish & treat M5 Distribution panels C9 - C11 Dog leashes T12 Dometic air conditioning P4, P5 Dometic awnings S12 Dometic awnings S12 Dometic awnings S12 Donetic avnings S12 Door locks B5 Door locks B5 Door retainers Q11, Q12 Doors, service F6 Downlighters, 12v C19 - C21 Drain down system, Floe E9 Drainers M5 Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1	Cutlery trays	M5, M7
Digits A14 DIN plugs and C1, C2, sockets C4, C7 Dish & treat M5 Distribution panels C9 - C11 Dog leashes T12 Dometic air conditioning P4, P5 Dometic awnings S12 Dometic refrigerators K2, K3 Door locks B5 Door mats N5 Door retainers Q11, Q12 Downlighters, 12v C19 - C21 Drain down system, Floe E9 Drainers M5 Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1	Cycle carriers	S1, S2
DIN plugs and sockets C1, C2, sockets C4, C7 Dish & treat M5 Distribution panels C9 - C11 Dog leashes T12 Dometic air conditioning P4, P5 Dometic awnings S12 Dometic refrigerators K2, K3 Door locks B5 Door mats N5 Door retainers Q11, Q12 Downlighters, 12v C19 - C21 Drain down system, Floe E9 Drainers M5 Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Dukdalf furniture V1	D	
sockets C4, C7 Dish & treat M5 Distribution panels C9 - C11 Dog leashes T12 Dometic air conditioning P4, P5 Dometic awnings S12 Dometic refrigerators K2, K3 Door locks B5 Door nats N5 Door retainers Q11, Q12 Doors, service F6 Downlighters, 12v C19 - C21 Drain down system, Floe E9 Drainers M5 Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1	Digits	A14
Dish & treat M5 Distribution panels C9 - C11 Dog leashes T12 Dometic air conditioning P4, P5 Dometic awnings S12 Dometic refrigerators K2, K3 Door locks B5 Door mats N5 Door retainers Q11, Q12 Doors, service F6 Downlighters, 12v C19 - C21 Drain down system, Floe E9 Drainers M5 Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1	. •	
Distribution panels C9 - C11 Dog leashes T12 Dometic air conditioning P4, P5 Dometic awnings S12 Dometic refrigerators K2, K3 Door locks B5 Door mats N5 Door retainers Q11, Q12 Downlighters, 12v C19 - C21 Drain down system, Floe E9 Drainers M5 Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1		-
Dog leashes T12 Dometic air conditioning P4, P5 Dometic awnings S12 Dometic refrigerators K2, K3 Door locks B5 Door mats N5 Door retainers Q11, Q12 Doors, service F6 Downlighters, 12v C19 - C21 Drain down system, Floe E9 Drainers M5 Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1		
Dometic air conditioning Dometic awnings Dometic refrigerators Door locks Door nats Door retainers Doors, service Downlighters, 12v C19 - C21 Drain down system, Floe Drainers M5 Drinkware L4 Drop plates Dry-bag M5, M6 Dukdalf furniture S12 P4, P5 K2, K3 K3, K3 K2, K3 K3, M5 Dukdalf furniture V1	•	
Dometic awnings S12 Dometic refrigerators K2, K3 Door locks B5 Door mats N5 Door retainers Q11, Q12 Doors, service F6 Downlighters, 12v C19 - C21 Drain down system, Floe E9 Drainers M5 Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1	Dometic air	
Dometic refrigerators K2, K3 Poor locks B5 Door mats N5 Door retainers Q11, Q12 Doors, service F6 Downlighters, 12v C19 - C21 Drain down system, Floe Drainers M5 Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1		C12
Door locks B5 Door mats N5 Door retainers Q11, Q12 Doors, service F6 Downlighters, 12v C19 - C21 Drain down system, Floe E9 Drainers M5 Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1	Dometic	
Door mats N5 Door retainers Q11, Q12 Doors, service F6 Downlighters, 12v C19 - C21 Drain down system, Floe E9 Drainers M5 Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1		R5
Door retainers Q11, Q12 Doors, service F6 Downlighters, 12v C19 - C21 Drain down system, Floe E9 Drainers M5 Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1		
Doors, service F6 Downlighters, 12v C19 - C21 Drain down system, Floe E9 Drainers M5 Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1		
Downlighters, 12v C19 - C21 Drain down system, Floe E9 Drainers M5 Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1		
Drain down system, Floe E9 Drainers M5 Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1		
Drainers M5 Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1	Drain down	
Drill bits Q7 Drinkware L4 Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1		M5
Drop plates A3 Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1	Drill bits	Q7
Dry-bag M10 Drying racks M5, M6 Dukdalf furniture V1	Drinkware	L4
Drying racks M5, M6 Dukdalf furniture V1	Drop plates	АЗ
Dukdalf furniture V1	Dry-bag	M10
	Drying racks	M5, M6
Dust pan M7	Dukdalf furniture	V1
	Dust pan	M7

E	
EFOY	C17
Electrical terminals	C6, Q6
Elixir rooflight	P1
Elsan toilet chemicals	F2
Eurovent spares	T11
Event shelter	T8
Extension leads, 12v	C1, C2
Extension leads, 230v	C8
Extract and light	P6
Extractor fans	J3, J6, P6
Eyelets	Q10, T2, T6
F	
Fabsil	T1
Farecia	Q4
Fenwicks	
- Awning range	T1
- Cleaning range - Toilet chemicals	N1, Q3 F3
Fiamma	622
- Awning lights - Bi-pot	C22 F4
- Bike cover	S2
- Caravanstore	S3, S4
- CS accessories - Caravanstore Zip	S5 S3, S9
- Carry-Bike	S1, S2
- Drip stop	S2
- F45 - F45 accessories	S3, S6 S7, S8
- Pack organisers	S11
- Privacy Room	S7
- Privacy CS light - Rooflights	S4 P3
- Ultra-box	S11
- Utility pockets	S11
- Zip	S3, S10
Fill up tubes	E1, E2
Filler caps	E3
Filters, water	E5, E9, E10
Fires, gas	J6 - J8
Fire blankets	G6
Fire extinguishers	G6
First aid kits	G6
Floe	E9
Fluorescent lighting, 12v	C18, C20
Fluid, toilet	F1 - F3, N1
FM Aerials	D8
Food covers	M4
Foot pumps	T9
Foot switches	E11
Freshlight	P2
Fresh-up sets	F5
Friction pads	A5, A6
Fridge fans	A3, A0 K6
Fridges	K1 - K3

Fridge vents	К6
Front marker	
lamps	A13
Fuel	C17, G5, L5
Fuel cells	C17
Furniture	V1, V2
Furniglyde	Q15
Fuses	C5, Q6
G	
Gas alarms	G6
Gas cartridges	G5, L5
Gas cookers	J1, J2, L6, L7
Gas fires	J6 - J8
Gas fittings	G3
Gas hose	G1 - G3
Gas lanterns	L5
Gas level indicators	G4
Gas lighter refill	M8
Gas lighters	M8
Gas manifolds	G3
Gas outlet boxes	G4
Gas Pigtails	G1
Gas regulators	G1, G2
Gas stoves	L5, L8
Gloves	N5, Q10
Glues and adhesives	Q2, Q3
Grease	Q1
Griddle	M2
Grill pans	M2
Grip track	A4, A5
Groundsheets	T7
Guides, site	U1
Н	
Hairdryer	М9
Halogen heaters	J8
Hammers	Q8, Q10
Handy cleaning products	N4
Handy mirrors, towing	A10
Hang tabs	N6
Happy bowl	F3
Haynes manuals	U1
Headlamp converters	A11
Heaters, space	J6 - J8
Heaters, water	J4, J5
-,	9 1, 98 P2
Heki rooflights	
Heki rooflights Hercules	T3
Hercules	
Hercules High viz vests	G5
Hercules	
Hercules High viz vests Hinges Hitch heads	G5 Q11, Q12 A3
Hercules High viz vests Hinges	G5 Q11, Q12

Holding tanks	F5
Hooks	N7
Hook-up adaptors	C7
Hose clips	E7, G3, Q7, Q11
Hoses, gas	G1 - G3
Hoses, water and	
waste	E6
Hot plates	J1, J2
I	
Ice packs	K5
In-line water filters	E9
In-line water pumps	E10, E11
Inner tents	T5
Insect protection	T8
Interior lights	C18 - C21
Inverters	C13
Ironing	M6
I-spy books	U2
J	
J-strip	T5
Jacks	A2
Jack pads	A4
Jerrycans	E3
Jockey wheels	A7
Jumbo mover	A15
K	
Kettles	M8, M9
Keys	B5
Kilrock	M10
Kitchen gadgets	M4
Kitchen stand	T7
Kitchen utensils	M1 - M4
Knives, trimming	Q7, Q9,
	Q7, Q9, Q10
L	Q10
L Labcraft	Q10 C20, C21
L	Q10 C20, C21 R2
L Labcraft	Q10 C20, C21
L Labcraft Ladders	Q10 C20, C21 R2 C19, C21,
L Labcraft Ladders Lamps, Awning	Q10 C20, C21 R2 C19, C21, C22 C22, C23,
Labcraft Ladders Lamps, Awning Lamps, Battery	C20, C21 R2 C19, C21, C22 C22, C23, C25, C26
Labcraft Ladders Lamps, Awning Lamps, Battery Lamps, Interior Lamps, Marker	C20, C21 R2 C19, C21, C22 C22, C23, C25, C26 C18 - C21
L Labcraft Ladders Lamps, Awning Lamps, Battery Lamps, Interior Lamps, Marker lights Lamps, Number plate Lamps, Rear	Q10 C20, C21 R2 C19, C21, C22 C22, C23, C25, C26 C18 - C21 A13
L Labcraft Ladders Lamps, Awning Lamps, Battery Lamps, Interior Lamps, Marker lights Lamps, Number plate Lamps, Rear combination	C2O, C21 R2 C19, C21, C22 C22, C23, C25, C26 C18 - C21 A13 A12 A12
L Labcraft Ladders Lamps, Awning Lamps, Battery Lamps, Interior Lamps, Marker lights Lamps, Number plate Lamps, Rear combination Lamps, Spot	C20, C21 R2 C19, C21, C22 C22, C23, C25, C26 C18 - C21 A13 A12 A12 C18, C19
L Labcraft Ladders Lamps, Awning Lamps, Battery Lamps, Interior Lamps, Marker lights Lamps, Number plate Lamps, Rear combination Lamps, Spot Lanterns, Battery	C20, C21 R2 C19, C21, C22 C22, C23, C25, C26 C18 - C21 A13 A12 A12 C18, C19 C23, C25, C25
L Labcraft Ladders Lamps, Awning Lamps, Battery Lamps, Interior Lamps, Marker lights Lamps, Number plate Lamps, Rear combination Lamps, Spot Lanterns, Battery Lanterns, Gas Lanterns,	C20, C21 R2 C19, C21, C22 C22, C23, C25, C26 C18 - C21 A13 A12 A12 C18, C19
Labcraft Ladders Lamps, Awning Lamps, Battery Lamps, Interior Lamps, Marker lights Lamps, Number plate Lamps, Rear combination Lamps, Spot Lanterns, Battery Lanterns, Gas Lanterns, rechargeable	C2O, C21 R2 C19, C21, C22 C22, C23, C25, C26 C18 - C21 A13 A12 A12 C18, C19 C23, C25 L5 C24
L Labcraft Ladders Lamps, Awning Lamps, Battery Lamps, Interior Lamps, Marker lights Lamps, Number plate Lamps, Rear combination Lamps, Spot Lanterns, Battery Lanterns, Gas Lanterns, rechargeable Laundry	C20, C21 R2 C19, C21, C22 C22, C23, C25, C26 C18 - C21 A13 A12 C18, C19 C23, C25 L5 C24 M6
Labcraft Ladders Lamps, Awning Lamps, Battery Lamps, Interior Lamps, Marker lights Lamps, Number plate Lamps, Rear combination Lamps, Spot Lanterns, Battery Lanterns, Gas Lanterns, rechargeable	C2O, C21 R2 C19, C21, C22 C22, C23, C25, C26 C18 - C21 A13 A12 A12 C18, C19 C23, C25 L5 C24

Levelling Aids	A4, A5
Lighter type plugs & sockets	C1 - C4, C7
Lighting, 12v	C18 - C25
Lighting, 230v	C22, C23, C25
Lighting, gas	L5
Locks, door	B4, B5
Luggage elastic	T4
Lumo	C18 - C20
M	
Mains extension leads	C8
Mains hook-up adaptors	C7, C8
Mains installation kits	C9
Mains inlets & outlets	C7
Mains plugs and sockets	C7
Mains power supply	C9
Mains testing equipment	C8
Malaga	J4
Mallets	T2
Mantles	L5
Maps	U1
Marker lamps	A13
Mats	N6
Matting, awning	T7
Matting, non slip	N5
Mattress toppers	V2
Maxview satellite dishes	D1 - D4
Measuring tapes	Q9
Megascrew	T3
Melamine cleaners	L3
Melamine tableware	L1 - L3
Methanol	C17
Microwave ware	M1
Mirrors	A10
Mosquito netting	T8
Moisture absorbers	M10
Morco water heaters	J5
Motorhome cleaner	N1 - N3
Move control movers	A15
MPK rooflights	P1 - P3
Mugs	L1, L2
Multimeters	C6
Multisockets	C1, C2
Mushroom vents	P6

N	
Nilaqua	N8
Non slip matting	N6
Nose weight guages	A11
Number plates	A14
Number plate lamps	A12
Nylonglyde	Q15
0	
Onboard pumps	E10
One shot nuts	A3
Onedrywash	N2, Q3
Outdoorchef	L7
Oven gloves	M7
Oven shelves	J3
Ovens	J1
P	
Pampervan	N2
Panel trim	Q15
Pans	M1
Pegs	T2, T3
Pen knives	Q10
Pet cleaning	N8
Pet range	T12
Phone chargers	C6
Pigtails	G1, G2
Pipes, gas	G1 - G3
Pipes, plastic	E4, E6
Pipes, semi-rigid Pingi	E6 M10
Plugs, Towing	A8, A9
Plugs & sockets 12v	C1 - C4,
Plugs & sockets	C7
230v	
Plugs, sink	E7
Pole tensioners	T3
Polishing Reluplastic states	Q4
Polyplastic stays Porta Potti	Q14 F4
Portable satellite	D4
dishes Portable shower	E18, T7
Pots & pans	M1, M2
Power distribution	C8, C9,
Prewired sockets	A8, A9
Propex heatsource	J6
Propex water heaters	J4
Pumps, Tyre inflation	A2, T9
Pumps, water	E5, E10, E11
Pumps, air bed	T9
Purifiers, water	E8
Tarriers, Water	ĒO

Puriclean	E8
Push fit	E6
Push locks	Q14
R	
Radiators	J8
Ratchet straps	T4
Rear view lens	A11
Rectifiers	K5
Reflectors	A13
Refrigerators	K1 - K3
Regulator spanners	G2
Regulators	G1, G2
Relaxers	V1
Relays	A8
Remis spares	Q13
Repair adhesive	T1
Ring smartcharge	C12
Ring towing accessories	A8, A9
Rivets	Q6
Roadpro domes	QU D1
Rok straps	T4
Roof boxes	S11
Rooflights	P1 - P3
-	M6
Rotary dryer	IVIO
S	
Safes	B6
Satellite cables	D9, D10
Satellite dishes	D2 - D4
Satellite domes	D1
Satellite finders	D6, D7
Satellite receivers	D7
Satellite sockets	D9
Saucepans	M1, M2
Screw drivers	Q8 - Q10
Screws	Q5, Q11
Sealants	Q2, Q3
Sealing strip	Q1
Security devices	B1 - B4, B6
Security handles	B4
Secure wheel locks	B2, B3
Seitz blind spares	Q13
Service doors	F6
Shock absorbers	A4
Shower, portable	T7
Shower taps	E14, E15
Shower trays	E17
Shurflo pumps	E10
Side lift jack	A2
Signal boosters	D6
Silent gliss	Q15
Silicone kitchen equipment	МЗ
Silky	N3

Sink waste outlets	E7
Sinks	E16, E17, J2, J3
Sink wastes	E7
Site guides	U1
Site plugs 230v	C7
Sleeping bags	V2
Smart chargers	C12
Smart Tent	T8
Smev	E16, J1 - J3
Smoke alarms	G6
Socket assemblies	A8, A9
Socket covers	A9
Socket plates	A8, A9
Sockets, towing	A8, A9
Sockets 230v	C2 - C4
Soft dock	A3
Solar panels	C15 - C16
spacers	A3
Spanners	Q8, Q9
Spare wheel carriers	A2
Spatter screens	M2
Spot lamps	C23 - C24
Sponges	N4
Spray bottles	Q1
Spring assisters	A11
Stabilisers, Hitch type	A6
Stabilisers, leaf type	A5
Steamers	M2
Stellings	C9, C10
Steps	R1
Stick 'n' guard	N6
Stickers	A14
Sticky stuff remover	N3
Storage boxes	M9
Submersible pumps	E5, E11
Sweepers	N5
T	
Tables	V1 - V2
Table legs	R2
Table strip	Q15
Tableware	L1 - L3
Tank cleaner	E8, F1 - F3, L3, N3
Tapes	Q3
Taps, gas	G3
Taps, water	E11 - E15
Tea towels	M7
Teapots	M5
Telescopic	N4
brushes	

Tents	Т8
Tent and awning spares	T1 - T7, T10, T11
Terminals	C6, Q6
Thetford Chemicals	F1
Thetford common spares	F6
Thetford refrigerators	K1
Thetford Toilets	F4, F5
Tie down kits	S5, S8, T3
Tip-up sinks	E17
Toilet accessories	E18
Toilet chemicals	F1 - F3
Tool boxes	Q8
Tool kits	Q7 - Q9
Tools	Q7 - Q10
Top boxes	S11
Torches	C23 - C26
Torque wrenches	Q7
Towball bolts	A3
Towball boots	АЗ
Towballs	A3, A6
Towing electrics	A8, A9
Towing mirrors	A10
Towing protectors	A16
Toys	U2
Trailer boards	A9
Trailer wheels	A1
Transformer/ chargers	C9 -C12
Travel safety	G5, G6
Trays	L1 - L3
Triangles, reflective	A11, A13
Trigano Activ	F3
Trio spares	T11
Tripods, satellite	D5
Trolleys	E2, M9
Truma fans	J6, J7
Truma regulators	G1, G2
Truma water heaters	J4 - J6
Truma water systems	E4, E5
Trumatic heaters	J7
Turbo-vent	P3
TV aerials	D8
TV cables	D9, D10
TV sockets	D9
Tyre guages	A2
U	
Ultraflow	E4, E5
Ultraheat	J7
Ultrastore	J4
Umefa	T10

V	
Vacuum cleaners	N5
Vanity bowls	E16, E17
Vanity cabinets	E17
Velcro	N7
Ventilators	P6
Visa tape & track	Q15
Vistron receivers	D7
Voltage testers	C6
W	
	C5, C6,
W4 stand packages	D10, E6, Q12, Q13,
,	T6
Waeco	K2, K3
refrigerators	·
Warning triangles	A11
Washing machine	M6
Waste bins	M5, M7
Waste containers	E1, E3
Waste pipe	E6
Wastemasters and accessories	E1
Water containers	E1, E3
Water filters	E5, E9
	E6, E7,
Water fittings	Q11
Water heaters	J4 - J6
Water hose	E2, E4
Water level	C11, E1
sensors	
Water inlets	E3, E4, E11
Water pipe	E6
Water proofing	N1, T1
Water pumps	E5, E10,
Water purifys	E11
Water purification	E8
Water taps	E11 - E14
Weight control	A11
Wheel carriers	A2
Wheel chocks	A4
Wheel clamps	B1 - B3
Wheel covers	A1
Wheel rims	A1
Wheel trims	A1
Wheel wrench	A3
Widney fires	J8
Windbreaks	T5
Window stays	Q14
Window trim	Q15
Windowize	N1
Winterban	E8
Wipes	N5
Witter cycle carriers	S2
Z	
Zig	C10, C11
4 19	C10, C11

Wheel Rims



Prins LD1361 rim 4.5J x 13" 4 Stud 005016 Prins LD1360 rim 5J x 13" 4 Stud 005004



Prins LD1362 rim 4.5J x 13" - B + B **005038**



Lemmerz rim 5.5J x 14" 4 stud



005020



Lemmerz rim 5.5J x 14" 5 stud (silver) **005025** 005030 6J x 15" 5 stud

Trailer wheels & tyres Wheel rim with 4 ply tyre

400-8" No cut out **005048** 500-10" 005050



Wheel Trims $\,$ - Caravan wheel trims available singly or 12 per outer



Alaska Supplied in pairs 13" White/chrome 14" White



006020 006021



Tourer Supplied in pairs 13" Silver 006000 13" Ivory **006001**



Alaska

Supplied boxed in a set of 4 13" Silver 006016 14" Silver 006017



Motorhome wheel trims

Supplied boxed -in a set of 4 15" Silver 006022 16" Silver 006024

Alloy Wheel Rims



Alloy rim

Dion 5.5J x 14" 5 stud 112mm p.c.d. 775kg load per wheel Tyre range: 165R 14, 175R 14, 185R 14, 195R 14, 175/65R 14, 175/70R 14, 185/70R 14, 195/65R 14, 195/70R 14 **005145**



Alloy wheel lock nuts M12 Set of 4 005148



Alloy wheel bolt STW M12R 005147

Wheel cover protectors

Protect your investment by protecting your wheel and tyre from UV, wind and rain. Available in assorted colours. Usually available in blue, green and burgundy please specify if colour is important. Sold individually

Single axle 007347 007348 Twin axle





Spare wheel accessories

AL-KO side lift jack

Can be fitted to all caravans manufactured after 1980. The jack is easy to position and operate and is supplied with mounting brackets which are bolted to the main chassis members immediately behind the wheel. The jack can also be used as an aid to levelling. Can be lowered to 85mm and raised to 375mm. The mounting bracket design ensures correct positioning and operation. WARNING: When in use the caravan must be attached to the towing vehicle.

AL-KO 800kg side lift jack

Maximum load 1600kg, static load 800kg AL-KO side lift jack in a bag **007364** AL-KO side lift jack boxed **007351**

AL-KO 1000kg side lift jack

Maximum load 2000kg, static load 1000kg 007357

AL-KO 2 tonne scissor jack

For caravans manufactured after 1980 on AL-KO chassis with a maximum total weight of 2000kg. Static load 1000kg. Maximum load 2000kg Specifically developed for use on tandem axle caravans **007359**

Side lift jack bracket kit

Suitable for use only with Al-Ko Side Lift Jack or 2 Tonne Jack. Comprises of 2 x galvanised mounting brackets and fixing kit 007403

Spare bracket

007402

Spare wheel carriers

AL-KO spare wheel carriers

For AL-KO chassis with fixing holes. Check AL-KO technical brochure for wheel size compatibility. Telescopic action for easy wheel removal and replacement. AL-KO part no. 241859 for chassis with a distance between the main members of 1260mm - 1515mm **004004**

AL-KO part no. 241860 for chassis with a distance between the main members of 1510mm - 1815mm $\,$ 004015

AL-KO part no. 1287/80 for chassis with a distance between the main members of 1410mm - 1715mm. Pre-assembled 004006









Stack Jack axle stands

Set of 4 aluminium axle stands. Max capacity 2722kg per jack. Extends 28-43cm.

For stabilizing only - Not for lifting **007358**

Tyre gauges



Digital tyre keyring gauge

• LED light
Available singly or 8 per outer **007377**



Digital tyre & tread gauge

- 360° connection
- Tread depth gauge
 Available singly or 6 per outer 007373



Programmable digital tyre & tread gauge

- 360° connection
- Automatically stores recommended tyre pressure
- Tread depth gauge Available singly or 6 per outer **007374**



Rolson digital tyre gauge

- Simple push button operation
- LCD display in PSI and bar 007366

Compressors



Air compressor inflater/deflater

12v digital air compressor for tyre inflation and inflator for air beds & other leisure accessories. Preset pressure mode with automatic cut off. High intensity LED white light. Handy storage case and a tyre deflation valve. Inflates a tyre to 35psi in under 3 minutes 017304



Cordless air compressor

Rechargeable version of 017304 with the addition of a removable tyre pressure gauge 017306



Digital air compressor

12v. Preset pressure mode with automatic cut off. Red light for SOS and high intensity LED light. Handy storage case and a tyre deflation valve. Inflates a tyre to 35psi in under 3 minutes

017303



Digital air compressor

12v 120psi. Self select pressure mode with automatic switch off. Complete with 2 piece adapter kit. Fitted with fused cigarette lighter plug and approximately 3.3m of cable. Built in white light for direction and red light for alert/SOS. Flexible air hose with screw set. Available singly or 6 per outer

017305

Towball accessories



Towball

50mm ball. 'E' approved. Available singly or 10 per outer 007062



AL-KO towball kit

Extended necked towball includes 2 x 50mm nuts, bolts and spring washers 008003



AL-KO towball boot

Black plastic 008006



Towball boot

Black plastic Loose (50) 012191 Packaged 014460



Towball boot with reflector

Black plastic 014465



High tensile bolt sets

Available singly or 10 per outer 007073 55mm (in Ring Packaging) 014475 65mm 007084 75mm 007095 75mm (in Ring Packaging) 014478 100mm 007085



Ring towball cover

Chrome 014452 014455 Black



AL-KO soft ball

Supplied in a display box of 24 012200 Red Black



W4 Cover-up

Tow ball cover with grease reservoir. Supplied in a counter display box of 20 pieces 012205



Drop plates

007007 51mm 76mm 007018 100mm adjustable 007029



AK300 coupling head

The AL-KO AK300 is designed for a draw shaft of 50mm. Spacers are available for smaller draw shafts - See AL-KO spares in section 1 of the spares section

007361



AL-KO soft dock

Can be used on AL-KO coupling heads AK7, AK10/2 and AK252. Supplied in a display box of 12 007159

Chassis spares

007040

007051

Spacers

13mm

25mm

Note: More chassis spares can be found in the spares section of the catalogue WOW Bulk offers of 50 or



Corner steady nuts 007428 16mm thread Ø

007429

20mm thread ø

more are available

One shot nuts

Supplied 10 per outer 20mm thread ø 007662 25mm thread ø 007689

Breakaway cables

Note: Cables should be connected as per instructions to ensure effective operation.



AL:KO

A - Standard 007130 **B** - Detachable 007135

(WA)

Available singly or 10 per outer. Polybagged and header carded.

- **C** Breakaway cable 007118 D - Plastic coated cable 007120
- Cable with split ring - Easy fit cable

007125 007127



Corner steady braces & wheel wrenches



Budget corner steady brace 007167

Grove extension sockets

For use with cordless drills for lowering and raising corner steadies. Available singly or 10 per outer

30cm 45cm



Budget wheel brace 007166

Master wheel wrench



Chrome plated carbon steel body with 17/19mm vanadium socket. Telescopic handle gives adjustable length of 375-495mm. TUV/GS approved. Available singly or 10 per outer

Hitch covers



W4 hitch tidy

White P.V.C. weather - proofing cover with drawstring for secure fixing.

Available singly or 10 per outer 007335



W4 'A' Frame cover

Hard-wearing cover which protects the hitch, handbrake mechanism and cable storage

Available singly or 5 per outer 007336



PVC hitch cover

Supplied 10 per outer 007337 Black 007338 White



AL-KO deluxe hitch cover

To cover the towing hitch/stabiliser Suitable for the AKS2004/3004 stabiliser 007350



Nylon hitch cover

PVC coated green nylon cover with drawstring. Available singly or 10 per outer

007340

Printed with your company name and logo. Minimum order of 100 pieces. Alternative colours also available 007341







National hitch covers

PVC coated nylon cover with drawstring. Available singly or 10 per outer Scotland 007343 England **007342**

CARAVAN

Wales 007344

Heritage "Keep Calm and Caravan" hitch cover 100% cotton canvas hitch cover with drawstring. Wet and rotproof. High quality desirable product

Also available in cost effective nylon







The Heritage range also available in a mains cable bag (see section C) 016177 and a

peg bag (see section T) 109563 WOW Heritage range. Choose your colour, change the crown for your logo or even display your phone number? - all for the same unit cost. Minimum order quantity - 50. Please speak to your sales contact for more details. For personalised product please allow 6 weeks for first

time orders and 4 weeks for repeat orders to receive your delivery. Hitch cover 007346

Shock absorbers Octagon shock absorbers

Designed to complement AL-KO Euro Axles. Colour coded for easy weight identification provides the ultimate in road holding and ride comfort.

Set of 2.



	Axle		•			
weights (gvw)		Single		Tandem		Part No.
	Green	Up to 900kg		Up to 1600kg		007425
	Blue	901 - 1300kg		1601 - 2600kg		007426
	Red	1301 - 1800kg		2501 - 3500kg	3	007427
	Rlack	1801 - 1000ka		3501 - 7500kc	1	007/12/

Levelling accessories



Wheel chock

A vital safety device when Available singly or parking up or changing a wheel. Available singly or 24 per outer 007312



10 per outer 007295



Levelling device W4 Target level

Circular spirit level for 360° levelling indication. Self adhesive 007297 10 per outer 007298 Magnetic Available singly or 10 per outer



3 piece level set

Available singly or 12 per outer 007293



Stabilizer jack pads Set of four plastic jackpads 007380



W4 grip trak Ridged on both sides of track for maximum wheel to ground traction 007368



Jumbo foot jack pads

Budget priced set of four pads and pins Green. Available singly or 10 per outer 007385 Spare jumbo foot and pin green 007384 Black. Available singly or 10 per outer 007379 Spare jumbo foot and pin black 007378

Levelling accessories







007328

Level PRO (2)

Dimensions (mm) 430 x 170. Maximum height 90. Maximum axle weight 5 tons.

Available singly or 6 per outer 007320

Anti slip plate (2)

To help prevent slipping on paved surfaces. Suitable for all blocks except Level System Jumbo. Grey 007328



Kit Level Up (2)

As above with washable Polyester carry bag. Easy to carry with comfortable shoulder strap with velcro **007316**

Level Plate (2)

Dimensions (mm) 570 x 200.

Maximum height 130. Maximum

axle weight 5 tons. Grey 007326

Level Up (2)

Anti skid system for installation on Fiamma level up. It increase traction, avoiding skids and slipls on smooth surfaces and helps to prevent sinking on soft ground. Grey

007329



Level System® Magnum (2)

Dimensions (mm) 500 x 200. Maximum height 90.

Maximum axle weight 8 tons Available singly or 6 per outer 007322

Jumbo (2)

Dimensions (mm) 600 x 260. Maximum height 120. Maximum axle weight 12 tons

007323

Kit Level Up Jumbo (2)

Dimensions (mm) 580 x 240. Maximum height 140. Maximum axle weight 8 tons. Grey. Comes with washable Polyester carry bag. Easy to carry with comfortable shoulder strap

007318



Level bag S

For level pro (007320), magnum (007322) and wheel saver (007331) 007332

Level bag For level up (007326) 007333



Wheel savers

Ideal for long stays or storage. Suitable for wheels up to 70cm diameter. Dimensions (mm) 460 x 210. Maximum height 60. Grey



Chock level (2)

Lightweight chock for use with Level up, Pro and Magnum on longer stays. Comes with 2 steel hooks to firmly fasten two chocks when used on levels 007327

Leaf type stabilisers













4 Hole car plate

2 Hole car plate 007805

TC car plate 007808

Clamp on adaptor 007816

Toggle screw 007819

Driver stabiliser

Comes with quick release kit, 4.5" friction discs and standard L bracket to suit AL-KO and similar taperline chassis

007800

007825



4.5" Friction discs



4" Friction discs 007824



007804

Extended L Slipper block

007822



Quick release kit



007834

Tommy bar 10mm 007828

Stronghold stabiliser

2 year mechanical warranty, with quick release mechanism and fast fit 'L' bracket that clamps onto the chassis which eliminates drilling. Fitted with 2 x 4" friction discs. Supplied with canvas carry bag.

007775





Stabilisers & Spares



AL-KO AKS 1300 stabiliser

The AKS 1300 stabiliser has been developed for caravans and trailers up to a maximum gross weight of 1360kg

AKS 1300 Stabiliser AKS 1300 security device Integral barrel lock

007950 007960 002118

AKS 1300 Triple pack consisting of stabiliser, security device, towball and safety ball 007970



Friction pads 1300 stabilisers - side 007957



AL-KO MkII AKS 3004 stabiliser

The MkII AKS 3004 stabiliser has been developed for caravans and trailers from 200kg up to a maximum gross weight of 3000ka

AKS 3004 Stabiliser AKS 3004 Security device

007940 MkII AKS 3004 Triple pack consisting of stabiliser, security device, towball and safety ball

007939



AKS security barrel and two keys 007723

007938



Winterhoff WS3000 stabiliser

The arrangement of the front and rear friction elements reduces the unpleasant pitching movement of the car/trailer combination. The slender design guarantees excellent angular flexibility for manoeuvring. WS 3000 stabiliser

007850

Robstop security device

007860



Friction pads

For Winterhoff WS3000 Stabiliser from Aug 2002 onwards 007852



Side friction pads

To 1993 for 2000/2500 stabilisers 008004

From 1994 2004/3004 stabilisers 008005



Towball kit 008003



Towball cover 008006



AKS 1300

fittings

007960

security device

Comes with necessary

Front/rear friction pads

2004 stabilisers 007935

> 3004 stabilisers 007936





AKS 3004 security device

Fits all models of 2004/3004 stabilisers 007940



AKS 2700 security device 008007



Winterhoff Robstop security device

Supplied complete with safety ball 007860



Stronghold Winterhoff hitchlock

Designed for Winterhoff WS3000. Sold secure and insurance approved. Comes with carry case. Weight 2.6kg 001705



Stronghold AL-KO hitchlock

Designed for Alko Hitches, AK130, AK160, AKS1300, AKS2004 and AKS3004. Sold Secure and Insurance Approved. Comes with carry case. Weight 2.6kg 001703



AL-KO deluxe hitch cover To cover the towing hitch. Suitable for

all AKS2004/3004 stabilisers **007350**



AL-KO Safety ball

Locks into hitch head for extra security. Supplied in a display box of 24 002120



AKS 3004 4x4 handle

Replacement handle for 4x4's to avoid fouling of the rear door 007934



AL-KO soft ball

Supplied in a display box of 24

Red 012200 012201 Black 012202 Blue

Jockey wheels

AL-KO 48mm jockey assembly

Budget priced jockey assembly. Available singly or 5 per outer 007194



AL-KO heavy duty assemblies

48mm ø stem With soft wheel With pneumatic wheel





AL-KO jockey assembly

48mm ø stem plastic wheel rubber tyre

007195



AL-KO pin stop lock jockey assembly

007191 48mm ø stem



Pneumatic jockey wheel and clamp

007174 48mm ø stem



48mm ø stem

wow Demonstration DVD available

Reich Easy Wheel set

and easy assembly / disassembly.





Jockey wheel and clamp

34mm ø stem

007170





AL-KO manoeuvring handle

For use with caravan and trailer jockey wheel assemblies with 48mm diameter stems 007250

AL-KO Premium jockey wheel 48mm

Incorporates weight gauge. Maximum dynamic load (230 x 80mm).

007193B Boxed

bearing capacity 300kg with static capacity 180kg. Tube diameter 48mm with a grooved rubber wheel

Spare wheels



For 34mm jockey assembly

Overall ø 160mm Spindle hole length 60mm 007171



For std 48mm jockey assembly

Overall ø 195mm Spindle hole length 60mm 007173



Al-Ko Soft wheel

Overall ø 240mm Spindle hole length 90mm 007196



Transform your existing jockey wheel into a double jockey

wheel. Increase your manoeuvrability on any surface. Quick

Al-Ko pneumatic wheel & tyre

Overall ø 250mm Spindle hole length 90mm 007199

AL-KO jockey wheel clamps

Pressed steel for 161S & 251S assemblies

Pressed steel for 90S/3 assembly



007210

Pneumatic wheel & tyre

Overall ø 250mm Spindle hole length 90mm 007189

Jockey wheel clamps



Jockey wheel clamp Suitable for 48mm

tube 007276



Cast clamp for 161S & 251S assemblies Cast clamp for 161S & 251S assemblies (inc bolts) 007620 007642



W: www.groveproducts.co.uk

E: sales@groveproducts.co.uk

A7

007639

007619

007640

F: 0161 367 7303

13 pin electrics - Please note that all UK caravans produced from Sept 2008 have a 13 pin plug fitted as standard



13 pin plugAvailable singly or
10 per outer
012037



7 pin 12N plug to 13 pin socket Available singly or 10

per outer 012044




13 pin socket Available singly or 10 per outer 012038



13 pin plug to 7 pin 12N socket Available singly or 10 per outer 012043



tool
A simple tool to re-align
the pins when the plug
and socket have not
separated correctly.
Available singly or 10 per
outer
012050



Available singly or 25 per outer

Socket cover black
Socket cover grey

Available singly or 50 per outer

Plug and ball cover holder **012058**Available singly or 10 per outer

Socket gasket **012047**Available singly or 20 per outer

AL-KO 7/13 Pin plug holder Suitable for either 7 or 13 pin plugs **012060**







13 pin socket to 7 pin 12N/12S plugs

Enables a car with 12N and 12S sockets to connect to a caravan with a 13 pin plug Available singly or 10 per outer 012041



012042 012045 13 pin plug to 7 pin 12N/12S trailing sockets

Enables a car with a 13 pin socket to connect to a caravan with 12N / 12S plugs

Prewired sockets

Please see additional prewired sockets on page A9



Wiring kit 12N **014006**



Wiring kit 128 014017



Wiring kit Twin 014028





Coiled cable kits

Consists of a length of cable which extends to 1.2m and has a 7 pin plug on each end. Kit contains a 7 pin socket to mount on caravan A frame.

12N **014310** 12S **014311**

Relays



W4 Combi Master

Combined fridge power supply and charging relay enabling the fridge to operate and an auxiliary battery to be charged whilst towing **014076**

The same specification as the Combi Master but with the addition that it senses the vehicles battery level - switching off when there is insufficient power available. So the vehicles power can continue to be used when the engine is switched off without worrying that the auxiliary battery or fridge will be draining your vehicles battery **014077**

W4 Self Switching Combi Master






Ring relays Combination

Split charge relay for charging auxiliary battery & operating a refrigerator whilst towing. With automatic cut off **014405**

Audible

Rear mounting sensor relay **014407**



Automotive relays
12V 40A
Centre pin not used

ERL11 12V 20/30A ERL7

Socket mounting and bumper protection



Socket mounting plates

Manufactured from mild steel plate.

012087 Double straight 012096 Double 'T' 012105 Available singly or 25 per outer







Bumper protection

Protects your vehicle whilst hitching up With two socket mounting points 012109

Mini bumper protection plates Available singly or 10 per outer

012110



3' Trailer board

H135 x W915 x D70mm 4m cable 12N plug 015248



4' Trailer board

H140 x W1230 x D70mm 4m cable 12N plug 015259



Towing accessories

WOW All relays are easy to select from the 'Which relay do I need?' chart on the pack. They are easy to fit using the full instructions provided. Suitable for 12V negative earthed vehicles



Combination relay

Split charge relay for charging auxiliary battery or operating a refrigerator whilst towing 014405



Audible relay Rear mounting sensor relay 014407



Plastic plugs 12N **014313**

12S **014329** Available singly or 10 per outer



Metal plugs 12N **014314**

12S **014332**



Plastic sockets

12N **014312** 12S **014328** Available singly or 10 per outer



Metal sockets

12N **014315** 12S **014330**

Socket seal kit

Available singly or 10 per outer



Socket cover Black **014457**



Towball covers Chrome 014452 Black **014455**



WOW Comprehensive 18 page 'Towing Electrics' guide with each kit giving handy tips on legal requirements and wiring diagrams



Single socket

N type with fog cut out 014390 S type **014392**



Twin socket With fog cut out **014395**



High tensile bolts

2 per pack 55mm **014475** 75mm **014478** Available singly or 10 per outer



Socket plates Single **014445**

Twin **014450** Available singly or 10 per outer



Ask your sales contact for details 014479



Trailer lamps Small square 014424



Towball boots Black **014460** Black with reflector 014465

Towing mirrors



HANDY mirror range

This range of "E" marked mirrors feature the unique "Handy" ratchet system which gives minimal vibration and maximum stability. Simple to install and remove:

the unique "Handy" ratchet allows a tight fit to the existing mirror every time. Attaching to the vehicle's existing mirror these universal fitting mirrors are suitable for most vehicles and include models suitable for vans and motorhomes as well as cars, and will fit left or right hand mirrors.

Glass size 190mm x 120mm. All available singly or 6 per outer.



Handy XL standard mirror

Arm length 310mm **120140**



Handy XL extended mirror

As per the XL version this mirror has extended arms for a wider field of vision.

Arm length 370mm

120142



Handy Super Flex mirror

This model has wide angle arms to make it suitable for most vans and motor homes. Arm length 230mm

120144

Standard towing mirror

Excellent value clip-on 'E' marked extension mirror. Glass size 150mm x 110mm. Arm length 220mm Available singly or 20 per outer

Spare straps 120153

120154



Excellent view towing mirror

After initial set up the bracket can be left on, head and extension mirror can be removed. Virtually vibration free with excellent visibility. 'E' marked. Glass size 185mm x 120mm. Arm length 270mm Available singly or 20 per outer 120168

Available singly or 10 per outer **With blind spot 120167** Spare straps **120169**



WOW The XXL fits vehicles with tall wing mirrors such as the Ford Transit

XXL towing mirror

Large head for improved vision and safety, extra long securing straps make this mirror suitable for vehicles with large wing mirrors. 'E' marked. Glass size 185mm x 120mm. Arm length 200mm Available singly or 20 per outer 120158



Reich Mirror Control

The Reich MIRROR CONTROL enables you to adjust the caravan's clip-on mirrors from inside the vehicle without any other

assistance. With infrared remote control, the mirror can be adjusted regardless of horizontal or vertical installation. The adjustment is done by the use of electromotors fed by the internal batteries supplied.

Available to order



Towing mirrors

All mirrors are "E" approved, quick and easy to fit to most vehicles and are available singly or 10 per outer.



RV98T towing mirror

Adjustable arms, mirror head ajustable through 360° and shatterproof glass. **120148**



RV3100 towing mirror

Adjustable arms, mirror head ajustable through 360°, shatterproof glass and complete with built-in blind spot. **120150**



RV3200 towing mirror

Removeable arm, mirror head adjustable through 360°, shatterproof glass and complete with built-in blind spot. 120151

Towing safety

Caravan Weight Control

The Caravan Weight Control (CWC) gives you 100% control over the total weight and the partial weights of the individual wheels. Using the handy balance may easily prevent excess and uneven loads which may have a negative impact on vehicle handling.

- Can measure the load per wheel up to 1000kg yellow or 1500kg orange
- Totals the weight once measured on either a single or twin axle vehicle
- Can be used as a nose weight gauge
- Requires 3 x AAA batteries (not included)
- Simple to use
- Weighs 1 Kg

1500Kg orange **007304** 1000Kg yellow **007305**



TLC Towbar load control



A new, accurate digital gauge for measuring the weight of the hitch on the towball. The unit is both lightweight and compact. The TLC's accuracy and reliability is due to the use of load cell technology. The TLC is small and light enough to take with you. The twin version will automatically take into account the different load distribution involved.

- Digital read out in 1Kg steps
- Clear to read
- Safe function without spring
- Maximum nose weight 100Kg

Requires 2 x AA batteries (not included)

Single axle **007306** Twin axle **007308**

NOTE: The TLC MUST be removed before towing



W4 weigh-it extra

Calibrated in both pounds and kilograms. Measures nose weight up to 250lbs/115kg **007310**



Warning triangle

E approved. Available singly or 10 per outer **007387**



WOW Simple to use - Accurate, lightweight and compact

Beam converters

Headlamp beam adaptor for continental driving. By law, at any time - day or night, when driving in Europe you must convert your headlamps to avoid dazzling other road users.

015606

Rear view lens

Manufactured from optical grade PVC with viewing angles of upward 13° sideways 25° and downward 28°, these lenses help eliminate the blind spot and therefore make reversing safer.

9"x 7" **120137** 10" x 8" **120138** 14" x 11" **120139**



Grayston coil spring assisters

To stiffen and raise suspension by approximately 38mm. To measure the size - jack the vehicle up to take weight from springs then measure the gap between two parts of the spring

GE13	18mm-25mm	008019
GE14	26mm-38mm	008008
GE15	39mm-51mm	008027
GE15A	52mm-65mm	008036



Combination lights



Jokon wrap round

Combines stop/tail, flasher, reverse and fog lamp. 385mm x 112mm 015007



Hella wrap round/reverse

Combines stop/tail flasher and reverse 015011



Jokon combination lamps

Combines stop/tail, flasher and fog lamp

Left hand lamp 015012 015023 Spare lens Right hand lamp 015034 Spare lens 015045



Jokon wrap round small

Combines stop/tail, flasher and fog lamp. 305mm x 112mm 015004



Hella mini wrap round/reverse

Combines stop/tail, flasher and reverse 015009



Britax 9002 lamp 015056



Jokon wrap round

Combines stop, tail, flasher and fog lamp. 385mm x 112mm

015006



Hella wrap round

Combines stop/tail flasher and fog lamp 015010



Britax 9300 wrap round

Combines stop/tail, flasher, fog and reverse. 382mm x 130mm 015050

Caraluna caravan



MK1 left hand 015001



MK1 Right hand, fog light No longer available



MK2 left hand 015000



MK2 right hand, fog light 015003



Caraluna motorhome

MK1 left hand No longer available



MK2 left hand, reversing light 015013



MK1 Right hand, fog light No longer available



MK2 Right hand, fog light 015014

MK2 left hand, fog light 015017



MK2 left hand fog clear lens



MK2 right hand clear lens 015020

Number plate lamps



Britax number plate lamp Small 015476



Hella number plate lamp 015479 Small

Caraluna modular

Dimensions (HxWxD): 612 x 163 x 92mm

Left hand 014490

Right hand (as illustrated) 014491

Caraluna vertical



Dimensions (HxWxD): 406 x 168 x 80mm

Left hand - Includes fog 014493

Right hand - Includes reverse 014494



Hella number plate lamp 015483 Large

Marker lamps Front



Hella oblong front marker Lamp 015461



Jokon EL61 front marker Lamp 015457 Lens 015458



Britax 881 front marker Lamp 015438



Jokon front marker Lamp 015465 Lens 015466



Hella oval front marker Lamp 015444



Jokon PL96 front marker Lamp 015454 Lens 015455



Britax 814 front marker Lamp 015384



Britax 764 front marker Lamp 015337





Hella oblong side marker Lamp 015463



Jokon EL61 side marker Lamp 015459 Lens 015460



Britax 883 side marker Lamp 015440



Jokon side marker Lamp 015467 Lens 015468



Hella oval side marker Lamp 015446



Jokon PL96 side marker Lamp 015456



Jokon side marker Lamp 015472



Jokon side marker with screw on lens 015473



Jokon side marker Lamp 015470 Lens 015471



Jokon oblong side marker red/white 015474

Rear



Hella oblong rear marker Lamp 015464



Jokon EL61 rear marker Lamp 015452 Lens 015453



Britax 882 rear marker Lamp 015442

Reflectors



Self adhesive reflectors 105 x 50mm. 79mm hole centres.

10 per outer Red 015268 Amber 015277 White 015286



Reflective red triangle (2) Screw on, pack of 2. Height max: 155mm, Width max: 135mm, Hole centres: 70mm. Available singly or 10 per outer 015492



Britax 813 side marker Lamp 015404



Hella front marker Lamp 015375



Britax 536 front marker Lamp 015450



250 x 70mm

Headlight reflective repair tape (silver vinyl) Red lens repair tape (red vinyl) clear lens repair tape (clear vinyl) Orange lens repair tape (amber vinyl) 10 per outer

Repair stickers

013620 013621 013623 013622

Number plates

Reflective yellow Reflective white 013313 100 per outer



Scottish yellow 013311 Scottish white 013310



Acrylic plates

50 per outer Oblong 25 per outer

013306

Square 013315

Bordered yellow 013303 Bordered white 013322 100 per outer



Border Scottish yellow 013309 100 per outer

123456789ABC DEFGHJKLMNO PORSTUVWXYZ

Digit starter pack

100 of each digit

013407

Individual digits (100)

013408

Followed by number or letter 3D digits (50)

013409


Followed by number or letter



Euro GB yellow 013304 Euro GB white 013323 100 per outer



Cymru yellow 013312 100 per outer



Bordered Euro GB yellow 013314

Bordered Euro GB white 013318

100 per outer

Square yellow 013317 100 per outer

Staticlean fluid

Apply to the acrylic sheet (and to the reflective if required) before use in order to reduce static

013512 Sponge pad bottle 013421

Adhesive pads 20 per outer 1mm 013523 6mm 013524 Bulk 150 per outer 013525 1mm

013526

Euro GB Rectangle 60 x 48mm 013607





Euro GB Large oval 180 x 135mm 013604



Euro GB 122 x 88mm (W4) 013605



Euro Scotland 122 x 88mm (W4) 013575



6mm

Euro Cymru 122 x 88mm (**W4**) 013580



Euro plate stickers 40 x 110mm

013608



(WA)

Adapt your number plate for European driving SC₀ 013578 Ireland 013589



Scotland flag Medium rectangle 110 x 65mm (W4) 013577



Wales flag Medium rectangle 110 x 65mm (W4) 013582



Ireland flag Medium rectangle 110 x 65mm (W4) 013588

CYMRU

Large oval (W4)

140 x 100mm



GB

Kernow flag Medium rectangle 110 x 65mm (W4) 013596



Kernow Large oval 140 x 100mm (W4) 013595



AA GB Magnetic badge

Large oval 180 x 135mm 013598



GB sticker Large oval 180 x 135mm 013603

SC₀

Large oval (W4)

140 x 100mm



GB sticker Large oval 140 x 100mm (W4) 013602



GB sticker inside Large oval 140 x 100mm (W4) 013606



GB sticker Small oval 100 x 62mm (W4) 013601



Small oval 80 x 58mm 013600



NI Large oval (W4) 140 x 100mm 013586

Fresh water

60 x 55mm (**W4**)



60mph 013609



Tracking fitted 100mm ø **W4** 110 x 65mm **W4** 013613 Motorhome Caravan 013614



Cymru

013581

Vital statistics 60 x 48mm **W4** 013619





Tyre pressure 60 x 48mm (W4) 013615



small 75mm 0 013616

No smoking Round (W4)

LPG sticker 100 x 100mm (W4) 013610



013618

Move Control Jumbo by Reich


Moving your caravan could cause backache and even injury. Let Move Control Jumbo take care of the heavy work

- Designed to ISO 9001:2000 CE / TÜV approved
- One model to fit the majority of single axle caravans (with or without shock absorbers). Transfers to new caravan easily
- Fitting brackets available for non standard chassis and to accommodate spare wheel carrier and jacking points
- TWIN axle version is 4-wheel drive
- Motor and gearbox inside the chassis and not in spray area of the
- Longer rollers the grooved area covers the complete tread on any tyre for better traction in wet conditions
- Softstart and softstop electronics for smooth operation no stress on chassis - exact positioning for easy connection to towing vehicle
- Remote control as standard but can be hard wired with cable provided if problems with radio interference or battery failure
- Cross actuation as standard, rollers can be put on/off from one side of the caravan with a hand brace or cordless power tool - no effort required
- 5 year warranty Single axle 006900 006925 Twin axle

Reich Move Control Eco-Line

- Softstart and Softstop operation
- Aluminium rollers
- Individual operation of each driving unit with optimum force •
- Motor drive (automatic engagement)
- Perfect ground clearance by design
- Max vehicle weight: Single axle 1800kg Twin axle 2800kg
- Weight: Single axle 36kg Twin axle 75kg
- 5 year warranty

Single axle 006926 Twin axle 006927



following Reich Move Control movers: Comfort single axle S00126 Comfort twin axle S00130

Cross single axle Cross twin axle

Comfort twin axle with motor drive

S00125 S00129 S00124 S00128 S00127 S00131



cruma

The Truma mover

Truma manoeuvring assistant

- Very light Weighs just 34kg
- Low-wear aluminium rollers
- Softstart and Softstop for jerk-free manoevering
- Cross actuation as standard (manual engagement and disengagement of aluminium rollers from one side)
- No drilling or welding of chassis required (no need for TUV approval)
- Power consumption: Max 120A, Average 20A
- Max vehicle weight 1800kg (on a 15% gradient)
- 5 year warranty

Single axle 006800



Caravan mover spares

Note: More mover spares can be found in the spares section of the catalogue



Reich manual engagement Handset

Single axles 006930 Twin axle 006932



Battery isolator switch Max rating 100A - can withstand 500A for 5 seconds 010325

Battery isolator switch key 10 per outer **010015**



Housing for isolator switch 006960



Wheel carrier bracket GB To allow the Al-Ko spare wheel carrier to be moved to fit Reich movers 006978

Towing protectors



Tow pro lite - New universal fit towing protectorFits caravans up to 2.5m with 2 awning rails

towprolite specialised covers

Waterproof – Strong – Impact absorbing – Durable – Soft non-scratch fleece – UV protected material

The next generation of universal fit protective towing covers. One piece construction with "T-FIT system" for quick and easy fitting. Double vented design for enhanced fit. Protects lower van front windows from impact damage, over 85% of van covered. Duo-tone, black and grey. Hi-viz reflective strips for added visibility on the road. Exclusive fitted, push operated and removeable "LED eye lights" for day and night use whilst towing. 8 x strap and click system for easy adjustability. Strap loops hold your straps in place whilst towing. A-frame strap and click system. A-frame seal stretches to adjust to different A-frames. Steadies strap and click system stops dirt going behind the cover from the undercarriage. Velcro fastening for extra fit. Uses awning channels to secure the cover to the van. Accessories pack included to enable

Front marker lights shine through side pieces Accessories pack included 2 LED eye lights included

you to expose the front marker lights neatly.

Designed to fit a wide variety of new and used caravans 106701

Caravan Covers 🌃 🌃

Maypole caravan top covers

- Superior top cover offering protection for your caravan top
- Water resistant heavy duty silver polyester material
- Ideal for winter storage
- UV stable material ensuring long product life
- Elasticated straps with nylon coated steel hooks
- Elasticated hem for tailored fit
- Storage bag included
- Additional straps supplied to allow different fitment options
- 12 months warranty

Caravan top cover up to 14' 106830 Caravan top cover 14-17' 106831 Caravan top cover 17-19' 106833 Caravan top cover 21-23' 106834 Caravan top cover 23-25' 106835



Maypole caravan covers

- Breathable material allows condensation to evaporate
- Superior cover offering excellent water resistance
- Easy to fit (fitting instructions included)
- Ideal for winter storage
- UV stable
- Nylon straps for a secure fit
- Elasticated hem for tailored fit
- Storage bag included
- 2 zips for easy access
- 12 months warranty

Technical specification

_ayers: 4

Composition: SB+SB+FILM+SB***
Bond Pattern: rectangle oval

Weight: 163gm/m2

Water resistance: 1000mm

Rain test: <0.1

***SB = Spunbound polypropylene

***Film = Better water resistance than a membrane

Caravan Cover	12-14'	106801
Caravan Cover	14-17'	106802
Caravan Cover	17-19'	106803
Caravan Cover	19-21'	106804
Caravan Cover	21-23'	106805
Caravan Cover	23-25'	106806





Wheel clamps

Stronghold wheel clamps come with a 2 year mechanical warranty. All clamps have high security pick free locks supplied with 3 keys giving thousands of key combinations. High visibility yellow units. Wheel clamps are supplied in robust plastic carry storage





The alloy wheel

• Fits 13" to 15" rim sizes

• Fits 165mm to 205mm tyre

• Easy fit onto security wheel

Robust case hardened anti-

Supplied with 10mm allen key

bolt within 20 seconds

saw steel construction

clamp

sizes

001722

Sold Secure



The Scimitar alloy wheel clamp

- 50mm alloy wheel spoke gap required
- Fits wheel size 13"-15
- Fits tyre sizes 165mm-205mm
- Easy fitment in under 30 seconds
- Case hardened with patented lock
- Weight 6kgs
- Colour fitting instructions 001730

The strongarm wheel

Sold Secure

clamp

- Fits 12" to 14" rim sizes
- Fits 155mm to 190mm tyre sizes
- Easy fit onto security wheel bolt/nut within 5 seconds
- Locks onto the wheel instead of over the tyre
- Robust steel construction
- Case hardened anti-saw bar feature
- Fits over bolt on wheel trims 001714

The wheel clamp

- Fully adjustable for wheel diameter and width
- Covers wheel nuts, wheel trims and alloy wheels
- Electro-plated arms for rust protection
- Robust heavy duty steel construction

8"-10" fits 100-175 tyre **001716** 10"-14" fits 155-205 tyre **001718** 14"-16" fits 185-250 tyre 001720

Hitchlocks and security devices

Stronghold hitchlocks come with a 2 year mechanical warranty. The hitchlocks can be fitted hitched or unhitched. All locks have high security pick freelocks, supplied with 3 keys giving millions of key combinations. Supplied with robust plastic carry storage cases and colour pictorial fitting instructions.DO NOT USE WHILST TOWING



Stronghold AL-KO hitchlock

- Sold Secure
- Fits Alko Hitches, AK130, AK160, AKS1300, AKS2004 and AKS3004 (all versions)
- Easy fit in under 10 seconds
- High visibility yellow
- Case hardened steel body and locking bolt

001703



Strongbox hitchlock

- Fits Alko, Albe, Winterhoff, Harrison, B&B and most other original open handle hitch types
- High visibility yellow
- Robust steel construction
- Anti-prising lip
- 001701



Stronghold Winterhoff hitchlock

- Sold Secure
- Fits Winterhoff WS3000 hitches
- Easy fit in under 10 seconds
- Supplied with steel security ball for the un-hitched position
- Case hardened anti-saw location pins 001705



- 2 year mechanical warranty Electro-plated for rust protection Robust heavy duty steel construction
 - Dual locking system
 - Supplied with 3mm allen key and hexagon adjustor key







AKS 1300 security device

Comes with necessary fittings 007960



AKS 3004 security device

Fits all models of 2004/3004 stabilisers 007940



AKS 2700 security device 008007



Winterhoff Robstop


Sold Secure GOLD security device to fit the Winterhoff WS3000 stabiliser. Supplied complete with safety ball

007860

WOW More trailer hitch locks on page B4



Locks into hitch head for extra security. Supplied in a dispaly box of 24 002120




AL-KO Secure wheel clamps

The AL-KO Secure Wheel lock has proven itself year after year to be a superb caravan security device. Available as a standard fitment to many 2006 caravans onwards it has been tested to Diamond standard from SOLD Secure and is **the only product on the market with this level of security**.

Years of research and development into the methods and practices employed by caravan thieves ensures that AL-KO Secure protects your caravan. The AL-KO Secure Lock provides over 30,000 security combinations together with a drill resistant lock and anti-pick tumbler mechanism ensuring that your caravan is safer than it has ever been from theft. At home, on site or in storage, there is no better product to protect your investment.

There are 3 models - Compact kit, Plus kit & Premium kit - plus the option of buying the lozenge insert on it's own. Some locks are not available in all models. Where the item is not held in stock the AL-KO number is shown to assist identification.



Lozenge insert only

For use where owners change their caravan and own a Secure wheel lock. Simply use the existing barrel with the new lozenge insert and re-register.

Compact kit

For use on AL-KO chassis vehicles with the receiver plate pre-fitted. Lozenge with full instructions and key registration documents supplied.

Plus kit - must be professionally installed

For use on AL-KO chassis vehicles where no receiver plate is pre-fitted, but the brake drum is pre-drilled. Lozenge and receiver plate with full instructions and key registration documents supplied.

Premium kit-must be professionally installed

For use on AL-KO chassis vehicles with no receiver plate pre-fitted and brake drum is not pre-drilled. Brake drum (2051) plate, lozenge and receiver with full instructions and key registration documents supplied.

Where the Grove Number is "special" please speak to your sales contact for current price and availability













	Lozenge No. 20 - Pageant 6 14" Used only by Bailey on Pageant series 6 models
	Grove No. AL-KO No.
Lozenge insert	Special 1550532
Compact Kit	001882 1289576
Plus Kit	Special 1289578
Premium kit	
	•







Lozenge No. 21 - Lunar Venus 14" Used by Lunar and Avondale

Grove No. AL-KO No.

Lozenge insert Special 1550918

Compact Kit 001888 1288559

Plus Kit Premium kit



Lozenge No. 19 - Hawk 15"

Used by various manufacturers

Grove No. AL-KO No.

 Lozenge insert
 Special 1389048

 Compact Kit
 001908 1287990

 Plus Kit
 Special 1287725

Premium kit **001943** 1287736



Lozenge No. 14 - Debut 14"

Used only by Swift

Grove No. AL-KO No.

 Lozenge insert
 Special 1389052

 Compact Kit
 001897 1287991

 Plus Kit
 001918 1287668

Premium kit **001950** 1287738



Lozenge No. 16 - Rimfire 14"

Used by Swift on GTS, Vogue Cameo & Spectrum models

Grove No. AL-KO No.

 Lozenge insert
 Special 1389817

 Compact Kit
 001909 1287993

 Plus Kit
 001917 1287997

Premium kit



Lozenge No. 4 - Mirage 15" Used by Swift

Grove No. AL-KO No.

 Lozenge insert
 Special 1389044

 Compact Kit
 001905 1287645

 Plus Kit
 Special 1287718

 Premium kit
 Special 1287730



Lozenge No. 23 - Roven 14"

Used by Swift on a range of models

Grove No. AL-KO No.

Lozenge insert Special 1551985

Compact Kit 001894 1289106

Plus Kit Special 1289107

Premium kit Special 1289108



Lozenge No. 10 - Dion 14"

Used by Avondale

Grove No. AL-KO No.

Lozenge insert Special 1389049

Compact Kit **001902** 1287649

Plus Kit **001911** 1287722 Premium Kit **001940** 1287735



Lozenge No. 29 - Vortex 14" Used by Coachman

Grove No. AL-KO No.

Lozenge insert **Special** 1553574

Compact Kit **001885** 1289825

Plus Kit Premium kit



Lozenge No. 15 - Challenger 14"

Used by Swift on Challenger & Conqueror models

Grove No. AL-KO No.

 Lozenge insert
 Special 1389816

 Compact Kit
 001892 1287992

 Plus Kit
 Special 1287996

Premium kit



Lozenge No. 17 - Rimfire 15"

Used by Swift on GTS, Vogue Cameo & Spectrum models

Grove No. AL-KO No.

Lozenge insert Special 1389818

Compact Kit 001896 1287994

Plus Kit Special 1287998

Premium kit Special 1288328



Lozenge No. 3 - Star 14"

Used by Swift on a range of models

Grove No. AL-KO No.

 Lozenge insert
 Special 1389046

 Compact Kit
 001898 1287643

 Plus Kit
 001912 1287720

 Premium Kit
 001949 1287732



Lozenge No. 25 - Storm 14" Used by Swift

on a range of models

Grove No. AL-KO No.

 Lozenge insert
 Special 1552663

 Compact Kit
 001890 1289487

 Plus Kit
 001921 1289488

Premium kit



Lozenge No. 2 - Hawk 14"

Used by various manufacturers

Grove No. AL-KO No.

Plus Kit **001910** 1287667 Premium kit **001942** 1287728



Lozenge No. 30 - Vortex 15" Used by Coachman

Grove No. AL-KO No.

Lozenge insert **Special** 1553575

Compact Kit **001886** 1289826

Plus Kit Premium kit



Lozenge No. 6 - Challenger 15"

Used by Swift on Challenger & Conqueror models

Grove No. AL-KO No.

 Lozenge insert
 Special 1389053

 Compact Kit
 001893 1287652

 Plus Kit
 Special 1287726

Premium kit **Special** 1287739



Lozenge No. 5 - Mirage 14"

Used by Swift

Grove No. AL-KO No.

 Lozenge insert
 Special 1389043

 Compact Kit
 001906 1287644

 Plus Kit
 001914 1287717

 Premium Kit
 001946 1287729



Lozenge No. 18 - Star 15"

Used by Swift on a range of models

Grove No. AL-KO No.

 Lozenge insert
 Special 1389819

 Compact Kit
 001899 1287995

 Plus Kit
 Special 1287999

 Premium kit
 Special 1288329



- Storm 15" Used by Swift

on a range of models

Grove No. AL-KO No.

 Lozenge insert
 Special 1552664

 Compact Kit
 001891 1289489

 Plus Kit
 001920 1289490

Premium kit

FIAMMA SECURITY

Security handles

Security device made from solid painted aluminium with 30mm diameter and 2mm thickness. It also serves as a conventional handle to make entering and exiting the vehicle easier. Adapts to all doors opening both

to the right and to the left

Security 31

31cm white **001201** 31cm grey **001200**

Security 46

46cm white **001203** 46cm grey **001202**



Security 46 PRO

Special version of Security for motor home doors or for applications where a strong structure is required. Made in light but solid aluminium. Delivered with Kit Security Lock that offers major safety and strength thanks to a third fastening point on the door

46cm white **001204**





SAFE DOOR®

Safe Door®

Safety block for motor home or caravan door. It works as an anti-theft device as it is made from sturdy anodized aluminium without plastic parts. It is easily installed to the vehicle wall with bolts and internal support brackets

white 001205



Safe Door® Frame

A Safe Door® that is installed on the side frame of the door or garage compartment with self-tapping screws. White **001207**







Safe Door® Magnum

A Safe Door® with extended length to 20cm in order to cover the locks of camper doors
White 001211





Trailer hitchlocks



AL-KO coupling lock A compact and sturdy universal 50mm ball coupling lock. Available singly or 5 per outer 002092



Grayston hitchlock
To fit 50mm ball couplings.
Supplied with 2 keys
002087



Trailerlock Mk2

Fits into hitch head. Comes with allen key and 2 keys. Suitable for 50mm ball couplings 002090



AL-KO AKS 1300 lock

Integral lock for the AKS1300 stabiliser. Comes with 2 keys $\bf 002118$



AL-KO AK 10 lock

Integral lock for Al-Ko AK 7, 9 + 10 hitches. Comes with 2 keys.

Available singly or 10 per outer **002105**



AL-KO AK 13 lock

Integral lock for Al-Ko AK13, AK21 and AKS 2700 stabiliser. Comes with 2 keys **002116**

Locks and keys Exterior door locks

WOW A left hand lock fits on a door with the hinges on the left as you look from the outside











W4 external locker door lock

Replacement door lock assembly complete with WD lock and 2 keys. Used by manufacturers on external lockers

001169



7adi round door lock

Zaui i oui iu uooi	IUCK
Right hand black	001131
Left hand black	001132
R/H cream	001133
L/H cream (black interior	or) 001134



Left hand complete Right hand complete Left hand interior only Right hand interior only





Compartment lock assembly

Complete assembly and 2 keys 001168

Keys

All keys are supplied individually packed in outers of 3

MC keys

To fit Caraloc door locks 1-80 001147 followed by key number

WD keys

72 keys numbered between 1 and 199.

001155 followed by key number

Zadi key

70 keys numbered between 9600 and 9800.

001152 followed by key number



Key merchandisers

MC 1-40 **001149**

MC 41-80 **001150**

number

Includes 3 keys of each available



W4 Identitags (4) 10 per outer 001135

Caraloc

Spare barrel

Supplied with 2 MC keys

001130

Security barrel

To replace caraloc and WD standard barrels with a high security lock with over 1000 combinations. Comes with removal tool and 4 keys



WD Series Spare barrelS

Supplied with 2 WD keys

WD standard barrel with 001164 removal tool



WD short barrel 001166



A short WD barrel lock with a female thread to enable attachment to gas locker door mechanisms.





As used on Hartel doors and Vecam lock assemblies

Spare barrel

Zadi

Supplied with 2 Zadi keys

001154




Snake-Cut Lock

Replacement barrel lock cylinder, complete with one fold-away key fob and one over-moulded key. As used by Coachman Caravans

001170





Locker locks

1 Black oblong 50mm

Black square 45mm

001161

001180





Alarm systems

IDM4 Alarm kit

A keypad operated alarm system utilising the latest power saving technology. The system is able to operate for many months from its integral battery, thus removing reliance on the leisure battery. The main features are:

- Stylish keypad with 10,000 possible codes, sensor and battery test functions and programmable settings
- 3 possible power sources plug-top charger, leisure battery, solar panel (optional extra) 002174

IDM alarm spares



IDM PIR sensor Fits IDM 2, 3 & 4 002173



IDM charger Fits IDM 2, 3 & 4 002171




IDM battery Fits IDM 2, 3 & 4 002172



002176

RF100 advanced alarm system

A keyfob operated alarm system utilising the latest power saving technology. The system is able to operate for many months from its integral battery, thus removing reliance on the leisure battery. The main features are:



- PIR, tilt/movement and contact sensors
- Low battery consumption
- Charging via leisure battery, mains or optional solar panel
- Outputs for triggering paging and tracking systems

Caravan alarm system

Two multifunction, 4 button easy to use remote key fobs. Micro processing tilt/motion sensor. Advanced interior movement sensor. Auto charging battery back up siren. Visual or non visual status LED illumination. Easy connection design 002150

Safes & padlocks



AL-KO Personal effects safe

Complete with removable internal shelf, mounting plate, with all fixing and 2 keys. External Dimensions: 300 x 240 x 200mm, Internal Volume: 14 Litres, Outer wall thickness: 3mm, Weight: 8.5kgs

002165

Waterproof

10 per display outer

65mm

001174

padlock



Security cable and lock



Rolson heavy duty chain and padlock

3 per outer **001178**



Key rock

Waterproof

laminated

Available singly

or 20 per outer

padlock

001177





Safe Can

Store your valuables where the thief won't find them. All labels and cans are 100% genuine and supplied by the manufacturer under licence. Recognised by Police Forces, Neighbourhood Watch groups and Insurance Companies worldwide as an excellent deterrent to theft, the Safe Can is an ideal place to hide money, jewellery and valuables. Just unscrew one end to reveal a great hiding place. Supplied 10 per outer Key rock 002256 Soup 002252 Beans 002253

Supplied 50 per outer

Assorted soup, beans, spagnetti 002250



Corner steady lock For use with AL-KO

premium corner steady 007436





Other security

Detects human movement - 110° arc. 105dB alarm. Activated by remote control (2 with batteries supplied). The P.I.R. is also battery powered (4 x AA not supplied). Can be used free standing or wall mounted **002160**

Solar powered dummy camera



Solar panel with rechargeable batteries. Flashing red light. Robust and weather proof body. Indoor and outdoor use. Operational during day and night.

Wall mountable with 360° rotating base 002216

Personal alarm with LED



Super bright 1 LED 13000-15000 MCD. Supplied with 4 AG13 batteries. 102dB alarm. When pin is pulled out alarm will sound. 002167



Engraver 3V Rolson pen style engraver. Security

mark your valuables for easy identification. 002260



Plugs, sockets, multisockets and testers

Ring 12v MultiSockets & testers



Enables multiple use of 12v appliances with cigar lighter plugs. All come with battery status indicator with the

exception of 011701 & 011710. All are blister packed with euro slot





Can Multi-Socket & tester

10 amp 12v DC can shaped multi socket with USB MultiSocket battery analyser, width adjusting fitment collar, charging adaptor guide light rings and coiled cable. Available singly or 12v USB charging socket 10 per outer

Twin with twin USB Triple

011714 011716



Twin MultiSocket & tester

Available singly or 10 per outer



suitable for MP3 and mobile phone recharging. Available singly or 10 per outer 011710



Triple MultiSocket & tester

Available singly or 10 per outer 011703



Twin MultiSocket Available singly or 10 per outer 011701



4-way MultiSocket & tester

Available singly or 10 per outer 011704



Twin MultiSocket 12v/USB & tester

Allows the recharging of MP3 players and mobile phones. Available singly or 10 per outer **011712**

12/24v plugs and sockets



Lighter type socket

12/24v, surface mounted, heavy-duty socket. 20amp 011695



Universal plug

12/24v. Heavy duty suitable for use in both lighter type sockets and single pole sockets. 8 amp fused 011665



Coiled extension lead

12/24v. 8amp fused universal plug with coiled cable (0.6 to 3m) **011699**



Lighter type socket & cap

12/24v. Panel mounted, with a dust and splash proof cap. Push fit mounting. 20amp



Universal plug

12/24v. Heavy duty suitable for use in both lighter type sockets and single pole sockets. 16 amp fused, built in power indication LED



Lighter socket extension 3.6m

12/24v. Heavy-duty extension lead rated to 20amps. Lighter-type plug on one end, lighter-type socket on the other. Length 12 feet, 3.6 metre 011682



DIN to Lighter type converter

12/24v. Converts any single pole socket to a lighter-type socket. No fuse. 8amp



Bendable universal plug

A heavy duty plug similar to 011665 but can be angled at up to 90° . 8 amp fused 011696



DIN socket & cap

surface mounted with a

dust & splash-proof cap.

pole socket

Single

Standard DIN plug

12/24v basic single pole plug without a fuse. Rated 8amp



DIN multisocket

12/24v. Three single pole sockets mounted on a 90 x 36mm panel, 16amp 011693



011689



Standard DIN plug

A high-quality single pole plug without a fuse. Rated 15amp 011697



4-way multi-plug power adaptor

Provides 12v power from a lighter type socket to appliances. Contains the following plugs: 1 x 2.5mm mini jack & 1 x 3.5mm mini jack and 1 x 2.1mm power & 2.5mm power connections 011688

Plugs, sockets, multisockets and testers



W4 illuminated cigar socket

Flush fitting in 28mm round hole. 12v 011671



W4 surface mounted lighter socket

Flush mounted socket for permanent fixing. 10 per outer 011669



W4 lighter socket Inline socket. 10amp. 10

per outer 011649



W4 fused lighter Plug

With 5amp fuse. 10 per outer 010647



W4 2-way adaptor

Converts a lighter type socket to a double socket internally fused at 15amps. Available singly or 10 per outer 011685



W4 cigar plug/socket lead

Adaptor lead to extend lighter type sockets to a distance of 2 or 5 metres. Fuse (5 amp) built into plug. Available singly or 10 per outer 2m 011675 5m 011680



W4 Dual USB charging point

Available singly or 10 per outer 011720



W4 DIN socket

Single pole flush fitting socket **011631**



W4 DIN plug & socket

Single pole 8A plug & socket. 10 per outer



Hella plug and socket

Single pole plug. Available singly or 10 per outer 011635

Single pole socket & cap 011646



W4 adapt-it

2 pin 12v plug to lighter type socket adaptor. 10amp. Available singly or 5 per outer **011650**



W4 adapt-it 2

3 pin 12v plug to lighter type socket adaptor. 2amp. Available singly or 5 per outer 011652



W4 adapt-it 3

Parallel pin 12v plug to lighter type socket adaptor. 10amp. Available singly or 5 per outer 011654



W4 adapt-it 4

2 fully insulated crocodile clips to lighter type socket adaptor with 1 metre cable. 10amp. Available singly or 5 per outer **011655**



W4 adapt-it 5

Single pole plug to lighter type socket adaptor. 8 amp. Hella type. Available singly or 5 per outer 011657

Berker sockets



















230V 13A socket

038800 Anthracite 038801



White 038828 Anthracite 038829 038802 Brown 038830

Rocker switch twin

White 038832 Anthracite 038833 Brown **038834**

12V single

pole socket White 038808 Anthracite 038809 Brown **038810**

TV aerial point

White 038812 Anthracite 038813 Brown 038814

TV/satellite point

White 038816 Anthracite 038817 Brown 038818 Brown

Satellite

point

White 038820 Anthracite 038821 038822

038866



USB charging 12V cigar point

White 038824 Anthracite 038825 Brown 038826



socket Anthracite 038805



Single frames

Granite 038851 White 038852 Anthracite 038853 Brown 038854 038855 Chrome White & lid (IP44) 038870 Anthracite & lid (IP44) 038871



Back box 038850



Double frames

038860 Granite White 038861 Anthracite 038862 Brown 038863 038864 Chrome



Anthracite

Clipsal plugs, sockets and switches

Beige

Please note: Clipsal beige plugs and sockets have been discontinued by the manufacturer. Products shown are currently still available. Unfortunately other Clipsal beige items are not available even by special request



2 pin plug 10 amp polarised plug 038610 W4 2 pin 12 volt

outer 038609

10 per

plug.



2 pin Socket 15 amp polarised socket 75mm x 32mm 038615



Single Switch 75mm x 32mm 038625



Coax socket 75mm x 32mm 038620



Mounting box For units measuring 86mm x 32mm 038650



Coax and 2 pin socket 86mm x 32mm 038635



Double Switch 230v 10 amp two gang 1 way/2 way. 86mm x 32mm 038640



Illuminated single switch 86mm x 32mm 038645



2 pin Socket 15 amp polarised socket 87mm x 87mm 038617



2 pin Socket and coax 87mm x 87mm 038678



Fused switch with neon 230v 13 amp fused switch with neon indicator



COAX SOCKET 87mm x 87mm 038622



Plug 13 amp **038672**



Blanking plate 038686



3 pin plug 2 amp 038600



3 pin socket 2 amp 038605

Black / Brown/ silversand



2 pin plug 12v polarised plug 038613



2 pin Socket 12v polarised socket. 75mm x 32mm 038614



038675

Single Switch 10 amp switch. 75mm x 32mm 038633



Coax and 2 pin socket 86mm x 32mm 038638



Double switch 10 amp. Two gang switch. 86mm x 32mm **038643**



Single gang socket Brown and silver sand 038682



2 pin

038681

SOCKET

and COAX

12v 2 pin polarised
socket and coax
socket 87mm x

87mm



Silver sand surround only 038684



Single surface mounting box 89mm x



Divided boxFor two single sockets. Dimensions
Overall: 175mm x 85mm
Recess: 165mm x 75mm
038669



flush mounting box 89mm x 89mm x 30mm 038662

Single



Single flush mounting box With push on black trim. 89mm x 89mm x 30mm 038664



Twin flush mounting box With push on black trim. 149mm x 89mm x 30mm 038674



W4 mains backing boxes

Suitable for flush fitting of most 13 amp sockets. Box simply pushes into cavity, Integral lugs click into position to retain box and clamp on partition when pulled forward. Self adjusting for material thickness 1-10mm. Available singly or 10 per outer

Single **038723**Double **038724**Twin **038725**

CBE sockets and switches



WOW CBE switches and sockets are supplied in three parts. Please order the support frame and "ni" frame as well as the switch or socket required.



Single support frame grey 86x78mm **038500**



Double support frame grey 139x78mm **038503**



Triple support frame grey

Dark grey **038524**

192x78mm 038506



Light grey 038509

Single module "nl" frame

Double module "ni" frame

Triple module "nl" frame





12V Switch 2 way. Grey **038527**



12V Switch & LED Grey **038530**



12V Double switch 2 way. Grey **038533**



12/24V Switch & 3 position step switch

2 way. Grey 038563



12V Single pole socket Grey **038551**



USB charging socket Grey **038539**

Pump & light

switch

Greu **038560**



230V uk socket Comes with back box Grey **038536**



12V lighter

type, TV &

Grey **038554**

satellite socket

12V lighter type socket Grey **038545**



12V single pole, TV & satellite socket Grey **038557**

12V watertight

lighter type

socket Grey **038548**



CO detector Grey **038572**



LPG detector Grey **038575**



TV & satellite socket Grey **038542**



12V battery Waste & fresh water level 4 level indication. indicator

4 level fresh and full indication waste. Includes 2 x 4m cables, frame, spacer and probes. Grey 038566



Fresh water level indicator

4 level indication. Includes 4m cable, frame, spacer and probe. Grey 038578



Waste water level indicator

4 level indication. Includes 4m cable, frame, spacer and probe. Grey 038581



Fuse holder 4 fuse Grey **038590**



Includes frame and

Digital clock LCD 65x32x11mm 038584

tester



Fuse holder 50A 038587



Back box 50mm 34mm depth 038593 45mm 22mm depth 038596

C4

(W4) Electrical 1 - Bulb and Fuse

Complete stand

Complete with 10 packs of 48 of the best selling items in this range. Items

marked * are not included on the stand 010700 All sold in outers of 10 unless otherwise stated

d = Double contact s = Single contact WOW All W4 pack-it items can be ordered loose at a preferential rate.



12v 4W Ba9s Side/No. plate 010511



12v 10W Ba9s Halogen Side/No. plate 010650 *



12v 5W capless Tail/side 010556



12v 5W Ba15s Tail/side 010512



12v 21W Ba15s Indicator 010510



Please speak to your sales contact for details.

12v 21W Ba15s Amber, Indicator 010564 Offset pins 010595



E = Eddison screw fitting

GU = Twist lock Bi-pin connector

12v 21/5W Ba15d Stop/tail 010509



12v Ba15d Tail/interior 5W **010550** 21W **010553**



12v G4 Halogen (2) Interior 5W **010543** 10W **010563** 20W **010591**



240v 25W G9 halogen Interior 010544



12V G4 30° MR11 dichroic Interior 10W **010533** 20W 010534



12V GX5.3 36° MR16 dichroic Interior 10W **010651** 20W 010652



Bulb terminoligy

Ba = bayonette fitting

G/GX = Bi-pin connector

MR16 dichroic Interior. Available singly 15 LED 010655 *

20 LED 010656 *



Interior. Available singly 20W 010588 * 50W 010589 *



230v LED GU10 40° dichroic Interior. Available singly 15 LED 010657 * 20 LED 010658 *



12v Ba15s Interior 10W **010551** 15W **010552**



12v Ba15s Halogen Interior 5W **010558 *** 10W 010559 *



12v 24W R22d Interior 010560 *



12v E14 Interior 15W 010554 * 25W 010555 *



230v B22d Globe bulb Interior 25W 010590 * 40W 010596 *



230V 25W E14 Pigmy bulb Interior 010561 *



230v 25W E14 Golf ball bulb Interior 010562 *



12v Festoon Interior/Awning 5W **010508** 10W **010513** 18W **010557**



10A in-line fuse holder 010516



Blade fuse holder 010642



4 Way blade fuse box 010594



LED Blade fuses (3) LED glows when fuse blown

010670 * 10A 010671 * 15A 010672 * 010673 * 20A



Mini blade fuses mixed (8) 2 x 5A, 10A, 15A & 20A 010631 *

Mini blade fuses (3) 010605 5A 10A 010610 15A 010615 20A **010620**



Blade fuses mixed (10) 2 x 3A, 5A, 10A, 15A & 20A 010633 *

Blade fuses (3) 010634 ЗА 5A 010635 7.5A **010636** 010637 10A 010638 15A 20A 010639 25A 010640 010641 30A



Bulb and fuse kits


30 x 6.35mm fuses (3) 010519 3A 5A 010520 10A 010521

15A

010518

Mains fuses 30mm mixed (6) 2 x 3A, 5A & 13A

010644



mixed (6) 2 x 8A, 16A & 25A 010643



20 x 5mm fuses (3) 1A 010632 010522 2A 3.15A **010523** 010524 010525





W4 Inside/outside bulb W4 Budget bulb and and fuse kit

Contents: 20mm fuses (1A, 2A, 3A, 5A & 10A) 30mm fuses (5A, 10A & 15A) Mains fuses (5A & 13A) Blade fuses (3A, 5A, 10A & 15A) 12v bulbs x 9 (Stop and tail, flasher/ fog, no. plate, tail, 10W spot, 15W spot, 10W G4, 5W festoon & 10W festoon). Available singly or 25 per outer 010800



fuse kit

Contents: 12V bulbs x 7 (5W festoon, 4W Ba9s, 5W capless bulb, 5W Ba15s, 10W Ba15s, 21W Ba15s & 5/21W Ba15s) Blade fuses (10A, 15A) 010801

W4 Motor home headlight kits

Contents: 12V bulbs x 7 (5W festoon, 4W Ba9s, 5W capless bulb, 5W Ba15s, 10W Ba15s, 21W Ba15s & 5/21W Ba15s) Blade fuses (10A, 15A & 20A) Mini blade fuses (10A & 15A) Plus the following H1 headlight bulb 010803 H4 headlight bulb 010804

H7 headlight bulb 010805

Universal bulb kit Contents: H1, H4 & H7 headlight

bulbs. 11 assorted bulbs, 3 assorted blade fuses and 2 assorted mini blade fuse 010802

(W4) Electrical 2

Complete stand

Complete with 10 each of the 48 best selling items in this range. Including the W4 fused lighter plug on page C2 and the TV pack-it range on page D10 010598 All sold in outers of 10

Workshop bulk packs can be found in section Q

WOW Cable terminals are colour coded for easy identification

Red for fitting to 0.5-1.5mm² cables Blue for fitting to 1.5-2mm² cables

Yellow for fitting to 4-6mm² cables









6.35mm





Blue 6mm Ø 010578

Self stripping cable connectors (4) Yellow 8mm Ø 010579 Blue 010506

Push-On terminal (3) Push-On terminal (3) Push-On terminal (3) Piggy back terminal (3) Push-on terminal & Male 6.35mm Red **010569** Blue **010570**





2A Terminal strip



Cable clip (10)

Flat 10mm

010501



Cable clip round (10)

6mm 010502

10mm**010565**



010526 190 x 4.8 mm (3)



Releasable cable ties (3) 300 x 4.8 mm **010593**



30A Terminal strip 15A Terminal strip 6 way 12 wau 010500 010504





Bolt set (3)

For towing sockets Microswitch





Crocodile clips (pair) 5A **010517**

Crocodile clips (pair) 50A **010529** 25A **010530**

(Pair) 010645

Brass battery Press switch 010514 terminals

M5 x 35mm 010515

for taps 010583

PVC insulation Cable tie base (3) Cable clip (3) tape 19m x 4.5mm 010528 010507

WOW All W4 pack-it items can be ordered loose at a preferential rate. Please speak to your sales contact for details.

Self adhesive 010592

Voltage testers



W4 Battery tester

Useful gadget for checking power in all sizes of dry cell batteries.

Available singly or 10 per outer 016093

W4 Compact digital

Tests AC/DC voltage, DC current,

resistance. Audible continuity

check. Automatic low battery

indicator. Available singly or 10

multimeter

per outer 016094



DC voltage tester

6-24v DC tester with neon indicator complete with 1 metre lead and crocodile clip. Available singly or 10 per outer 016041



W4 Digital multimeter

AC/DC voltage, Tests current and resistance, diode & transformer check. Audible continuity check. Auto polarity indication. With Impact resistant holder and plug in leads. Battery supplied. Available singly or 10 per outer 016096



The intelligent screwdriver

Tests voltage, continuity, bulbs, fuses and much more. Availabe singly or 10 per outer 016092



Rolson Digital multimeter

Tests AC/DC voltage, DC current, decibel ratios, continuity, diode & transistors. With plug in leads. Battery supplied. Available singly or 24 per outer **016097**



Digital voltage tester

This product is easy, safe, quick and accurate to use. It will detect AC voltage, is a neutral checker and performs earthline connection checks

20 per outer 016091



Battery, bulb & fuse tester

Checks power level of most 1.5V & 9V batteries. Also checks power level of most fuses and bulbs. Easy to read meter. Requires 9V battery. Available singly or 12 per outer 019210

Emergency power

4 in 1 Universal power adapter



230V, 12V and USB charging system. Adaptors for iPhone (4 generations), Blackberry, PSP and others.

4 per outer 017101

3 in 1 Universal power adapter



12V and USB charging system. Adaptors for iPhone (4 generations), Blackberry, PSP and others.

5 per outer 017102

Emergency phone charger



Suitable for charging Nokia, Samsung, lphone, lood and Motorola. Includes mini

USB adaptor. Supplied with AA battery. 12 per outer 011750

5 in 1 charger



Comes with five different adaptors to charge various phone brands such as Siemens, Nokia and Sony Ericsson

through car cigarette socket. 6 per outer 017100

230v plugs, sockets and accessories



Mains site plug

230v male 3 pole 16A plug 230v female 3 pole 16A plug complying with BS4343 and IEC complying with BS4343 and IEC

Available singly or 10 per outer W4 packed **016007** Bulk loose 016008



Mains coupler

309 CEE17

Available singly or 10 per outer W4 packed **016018** Bulk loose **016019**



U.K.

connected to a 13A 3 pin socket Available singly or 10 per outer W4 packed **016118**



Mains hook-up adaptor Mains hook-up adaptor continental

Enables a mains lead to be Enables a mains lead to be connected to a continental 13A 2 pin socket

Available singly or 10 per outer W4 packed **016125**



13A trailing socket

230v male site plug with 13A Surface mounted 230v male 230v male 3 pole 16A mains inlet 10 per outer **016090**



W4 Mains angled inlet

trailing socket. Available singly or 3 pole 16A inlet complying with BS4343 and IEC 309 CEE17 016029



W4 flush mains inlet

with lever release in an IP44 housing.

Installation hole: 100x100x80mm (HxWxD). Available singly or 10 per outer. White 016045



Cover and pins

Fits 016036, 016038, 016039 and 016043 (by cutting fins). 160 x 100mm

016040



Oblong flush mains inlet

230v male 3 pole 16A mains inlet in an IP44 housing. Installation hole: 150x92x65mm (HxWxD) 016036



W4 flush mains outlet

230v female 13A socket in an IP44 socket housing. Installation hole: 150x92x65mm (HxWxD) 016039



W4 waterproof flush

IP55 230v 13A socket in an IP44 housing. Installation hole: 150x92x65mm (HxWxD) 016043



W4 flush dual 230v/12v outlet

230v female 13A socket & 12v lighter type socket in an IP44 housing. Installation hole: 150x92x65mm (HxWxD) **016038**



Garage socket 230V female 3 pole 16A mains outlet. IP44 016049



W4 waterproof socket 230v 13A socket IP55

016044



Travel adaptor

UK 3 pin socket to Euro 2 pin plug 7.5A capacity. Available singly or 10 per outer **016130**

230v mains testing equipment





W4 mains testerFor electrical safety. Considered essential on the continent.

Tests Earth, Live and Neutral. Available singly or 5 per outer **016099**



W4 mains testing kit

For checking the polarity directly from site electrical post. Components can be used separately

016095



W4 Universal mains testing kit

All you need to test the site supply at source, both in the UK and Europe. Especially useful for testing for polarity reversal **016100**

230v mains leads and accessories

Heritage "Keep Calm and Caravan" mains cable bag



100% cotton canvas hitch cover with drawstring. Wet and rotproof. High quality desirable product **016177**Also available in more economical Nylon **016176**

WOW Heritage range. Choose your colour, change the crown for your logo or even display your phone number?
- all for the same unit cost. Minimum order quantity - 50.
Please speak to your sales contact for more details.
For personalised product please allow 6 weeks for first time orders and 4 weeks for repeat orders to receive your delivery. Mains cable bag 016178

The Heritage range also available in a hitch cover (see section A) **007345** and a peg bag (see section T) **109563**

Mains extension lead



Specification 16A 230V cable to BS6500

10m lead **016171** 25m lead **016172**

Mains cable 100m roll **016175**





Mains lead bag Reinforced nylon bag 016174 Printed bags

WOW Printed bags have the same unit cost as

standard bags (for single colour printing) minimum

quantity 100. Please speak to your sales contact for

more details. For personalised product please allow 6

weeks for first time orders and 4 weeks for repeat

orders to receive your delivery.

Minimum 100 016173

W4 cable keeper & storage bag 016267



W4 cable keeper Will hold up to 25 metres of cable 016266



Cord wheel

Stores up to 45 meters of cable, cord, rope or flat hose keeping it tangle free and ready for use.

6 per outer **016268**



Cable connecting case

Waterproof safety box for housing the connection when using 2 mains cables 016170





Priced per metre. Sold in rolls.

7 core Black PVC sheath with PVC insulated cores - 21 x 0.2mm 100m roll
7 core Black PVC sheath with PVC insulated cores - BS 16452004/5 100m roll
7 core Grey PVC sheath with PVC insulated cores - 6 of 21 x 0.3mm and 1 of 35 x 0.3mm 30m roll
7 win flat Twin core flat cable 2 x 32/0.2, 8 amp, (1.0mm²) black sheath, 30m roll
7 with orange outer sheath 100m roll
7 core Black PVC sheath with PVC insulated cores - 85 16452004/5 100m roll
7 core Black PVC sheath with PVC insulated cores - 85 16452004/5 100m roll
7 core Black PVC sheath with PVC insulated cores - 85 16452004/5 100m roll
7 core Black PVC sheath with PVC insulated cores - 10 x 0.3mm and 1 of 35 x 0.3mm 30m roll
7 core Black PVC sheath with PVC insulated cores - 85 16452004/5 100m roll
7 core Black PVC sheath with PVC insulated cores - 85 16452004/5 100m roll
7 core Grey PVC sheath with PVC insulated cores - 85 16452004/5 100m roll
7 core Grey PVC sheath with PVC insulated cores - 85 16452004/5 100m roll
7 core Grey PVC sheath with PVC insulated cores - 6 of 21 x 0.3mm and 1 of 35 x 0.3mm 30m roll
7 core Grey PVC sheath with PVC insulated cores - 6 of 21 x 0.3mm and 1 of 35 x 0.3mm 30m roll
7 core Grey PVC sheath with PVC insulated cores - 85 16452004/5 100m roll
7 core Grey PVC sheath with PVC insulated cores - 85 16452004/5 100m roll
7 core Grey PVC sheath with PVC insulated cores - 85 16452004/5 100m roll
7 core Grey PVC sheath with PVC insulated cores - 85 16452004/5 100m roll
7 core Grey PVC sheath with PVC insulated cores - 85 16452004/5 100m roll
7 core Grey PVC sheath with PVC insulated cores - 6 of 21 x 0.3mm and 1 of 35 x 0.3mm 30m roll
7 core Grey PVC sheath with PVC insulated cores - 85 16452004/5 100m roll
7 core Grey PVC sheath with PVC insulated cores - 85 16452004/5 100m roll
7 core Grey PVC sheath with PVC insulated cores - 85 16452004/5 100m roll
7 core Grey PVC sheath with PVC insulated cores - 85 16452004/5 100m roll
7 core Grey PVC sheath with PVC insulated cores - 85 16452004/5 100m roll
7 core Grey PVC sheath with PVC insulated cor

Mains power supply



CEC mains unit 225SPN

Fully insulated enclosure containing a 40A RCD and two single pole, neutral switched MCB's (10A and 6A). Used in conjunction with a charging system and distribution panel the 225SPN can supply and protect all aspects of power supply to a caravan or motor home.

Dimensions: 183x118x104mm (HxWxD) 017050



CBE DS120 mains distribution unit

The DS120 is a RCD main switch with a double pole 13A MCB to control and protect various mains circuits. 138x180x85mm

017004

Stellings



W4 mains electrical pack

Contains all the necessary components for a safe and efficient mains installation in a caravan. Full fitting instructions supplied 016277

Mains and 12v power supply



STE48 Mains consumer unit

Charger Specification

- 230v AC Input 1.5A 50/60HZ
- 18A Maximum output current
- 14.5v Maximum output voltage
- Protected from output faults
- Operating temp. -25°C to +50°C Main Unit Specification
- 0-16A 230v AC Input (Site Limited)
- 3 x 10A MCB 40A RCD Protected
- Water & Space Heater Outputs
- BS EN 60335-2-29 Approved Available singly or 5 per outer

017125

Wiring harness adapters





017127 STE48 to Nord NE143DU

WOW All Stellings products have a 2 year guarantee.

CEC PMS 3

Power management system combining mains/12V distribution and protection with a 18A battery charger. Terminal block connections for easy installation. 40A RCD, 3 resettable MCBs (10A, 6A & 6A), polarity indicator, pump switch, battery selector switch and battery condition indicator

Vertical **017040**



Horizontal 017041



CEC PMS 4

A combined mains 230v AC and 12v DC distribution unit. Earth leakage protection via 40A RCD device. Over current protection via 3 x MCB devices (10A, 6A & 6A). Reverse polarity 240v neon indicator. 12A or 18A charger with overcurrent, short circuit and thermal protection. Six fused outputs via automotive blade fuses. Connecting kit with all necessary plugs and sockets provided. Dimensions: 225x335x115mm



017051

CEC ESM 2000/2 supply module

Designed to operate on a mains supply of 185-265 volts AC. The 40A RCD gives protection against earth faults and also acts as the main switch. Includes 3 resettable MCBs, to protect against overcurrent.

Allocation of the MCBs is as follows:

MCB1 (10A) - Sockets / heater

MCB2 (6A) - Water heater / Lights

MCB3 (6A) - Fridge / Charger

Includes a transformer/charger. Provides 12V circuits with power and charges the 12V battery when connected to the mains supply. 18A maximum output.

Dimensions: 225x123x255mm (HxWxD)

017045



CBE DS300 12V distribution unit With 9 fused circuits



017006

Mains and 12v power supply continued...

CF8 charger



Fully automatic electronic plus 230/12v conversion. 12A max charge depending on battery state. Up to 4.5A continuous current on transformer. Features include 3 x 10A switched and fused outlets. for the vehicle accessories,



battery condition monitor, automatic self re-setting, current overload and thermal trip. Dimensions: 162x206x110 (HxWxD)

Black **017024** Brown **017026**

CF9 charger



Fully automatic electronic charging plus 230/12v conversion. 12A max charge depending on battery state. Up to



4.5A continuous current on transformer, switched selection of source, car or auxiliary battery. Double pole illuminated mains switch. Safety - the C9 incorporates no less than 8 protection devices to eliminate overheating and over current problems. Dimensions: 105x300x140mm (HxWxD)

Brown 017028

Chargers



CBE chargers

Designed specifically for the caravan, motorhome and marine markets. These chargers have thermal protection from overheating and short circuit and reverse polarity protection on 12V. For lead acid and gel batteries. TUV approved. Available in 10A or 16A maxiumum charge versions. Automatic operation, once voltage is reached it will continue to charge for 90mins (lead acid) or 8hrs (gel). Continuous maintenance 13.5V (lead acid) and 13.8V (gel). After 10 hours of maintenance the charger will switch to standby and charge again only when the battery drops below 13V. Dimensions: 180x140x85mm (LxWXD) 10A CB510 **017000**

16A CB516 **017001**





STE47 3 stage charger 18A

- 230v AC Input 1.5A 50/60HZ
- 18A maximum output current
- 14.5V maximum output voltage
- Protected from output faults
- Operating temp. -25°C to +50°C
- BS EN 60335-2-29 Approved Available singly or 5 per outer 017138

3 stage 18A open charger

Specification as 017138 without cover 017124





X70 ce charger 12.5A

A lightweight compact battery charger and power supply with a stabilised output for maximum efficiency and control. L195 x W115mm x H70mm 017020





X80 ce charger 16.5A

A lightweight 230V AC low noise forced cool battery charger and power supply with increased power for additional accessories. L195mm x W115mm x H90mm



CEC 3 stage charger 18A

A light weight and efficient leisure battery charger. Thermal, short circuit and overload protection. Fan protection. 3-stage charging - bulk mode, absorption mode and float mode - charges your battery to 100% capacity. Operates from 184v to 264v AC. Temperature operation -25°C to +50°C. Dimensions: 176x162x74mm (LxWxD) 017053

Open charger for CEC 18A

This open charger can be used on all CEC units. May need slight adjustment on the fixing points on



older models. If you are using this on an ESM2000 make sure the small switch on the side is pointing at "FLOAT" not "3 stage". Dimensions: 167x113x59mm (LxWxD)

017052

Impulse battery charger



The Impulse is a fully automatic computer controlled and safeguarded power supply and charger. TUV/ GS approved, designed with double insulation. Operates in low voltage situations (e.g. 200v) to help prevent damage the leisure battery

- High frequency technique
- Weight 1.5Kg
- Can be used as a power supply without battery
- Suitable for lead acid and gel batteries
- Automatic overheating reset
- LED fault finding

10 amp **017070**

Control panels and indicators



Zig VM4 voltmeter

Only two connections required for accurate up to date battery condition. The meter's scale reads from 8 to 15 Volts with warning Black **017030**



CEC Custom volt meter

Provides a useful indication of the voltage available at your battery terminals 017055



CBE 12V battery tester

4 level LED indication. Includes frame and spacer. Grey **038569**



Zig CPX7 control panel

The ZIG CPX7 battery condition meter allows Three way switched and fused 12v distribution both car and caravan battery voltages to be monitored from the caravan depending areas either side of the optimum voltage, on which is being used to supply power. 017032 Dimensions 60x95x50mm. Black 017034



CEC KT9SCU distribution panel

Switch the power from car/cab batteries and van/auxiliary batteries or isolate both. Includes pump isolation switch which will inhibit the inboard or outboard water pump. Pump running indicator displays water pump activity 017057



Zig MK1 control panel

panel, analogue battery condition monitor and power source selector switch. Black



Zig WG4 water gauge

12v water guage suitable for all water tanks. It can also be fitted to portable water carriers. At the push of a button the gauge provides an accurate reading. Dimensions: 65x85x60mm (HxWxD) Probe: 8 Inches (cut to size)

Black **017036** Brown **017038**



CBE Waste & fresh water level indicator

4 level fresh and full indication waste. Includes 2 x 4m cables, frame, spacer and probes. Grey 038566



CBE Fresh water level indicator

4 level indication. Includes 4m cable, frame, spacer and probe. Grey 038578



CBE Waste water level indicator 4 level indication. Includes 4m cable, frame,

spacer and probes. Grey 038581



Truma text control

Control your Truma heaters with the Text Control that allows you to turn on and off your Truma product by simple text message. 017130



CBE PC200 control panel

LCD control panel only. Microprocessor controlled digital system. Includes: Clock, battery (car and aux) level indication, fresh water level indication (%), internal and external temperature display, and controls for lights, water pump, fridge, car battery charging and exterior lights. Fuse protection and save battery function. Dimensions: 192x78mm

017003

WOW To make up a PC200 kit add the following items to the control panel.

017006 DS300 12V distribution and fuse protection

017000 10A charger or 017001 16A charger

Fresh water tank probe **017007** 400mm or **017009** 300mm

017010 Waste water tank probes

017012 Cables for probes - please order 1 for fresh and 1 for waste if necessary

- not illustrated

017013 Cables for control panel - not illustrated

017015 Cables with internal and external temperature sensors

038587 50A fuse and fuse holder



017006

017000 or 017001



017015







017010 038587

017007 or 017009

More chargers



CTEK chargers

Charges all types of batteries to the maximum capacity. Lightweight and portable. Enables the leisure battery to provide as much as 25% more power than the 'on board' system. Can significantly prolong a battery's life. Can help prevent a 'dead' battery. Can be permanently connected to ensure perfect battery condition. Guaranteed for 2 years

MXS 3.6 charger 3.6A (Battery size 1.2ah to 120ah) **010025** MXS 5.0 charger 5.0A (Battery size 1.2ah to 160ah) 010026

MXS 7.0 transformer/charger 7.0A (Battery size 14ah to 225ah) 010027





Smart battery charging

Diagnostics

Repair and maintenance

Smartcharge+ fully automatic chargers, ideal for charging 12v batteries. Supplied with 230v 13A plug. Connect and forget, can be left permanently connected. De-sulphation and recondition battery maintenance tools and LED display. Includes USB charging socket (except +8) LED light and hook. Fast, safe battery charging with multiple charge rates



Smartcharge+8 2 to 8A Dimensions: 259x133x70mm (HxWxD) 010047



Smartcharge+12 2 to 12A Dimensions: 259x133x70mm (HxWxD) 010049



Smartcharge+16 2 to 16A Dimensions: 335x160x92mm (HxWxD)

Ring Standard Charge 8

12v, 8A fully automatic battery charger. Fast (8A) and slow (3.7A) charge rate settings. Easy to read LED



indicators clearly show charger status. Reverse polarity indicating LED. Ideal for DIY, enthusiasts and standard battery charging. Dimensions: 215x260x100mm (HxWxD). For leisure batteries up to 120Ah

Ring Standard Charge 12

12A fully automatic batteru charger. LED display screen shows battery voltage and

charge rate applied. Fast (12A) and slow (3.7A) charge rate settings. Reverse polarity indicating LED. Ideal for DIY, enthusiasts and standard battery charging.

Dimensions: 215x260x100mm (HxWxD). For leisure batteries up to 180Ah 010056

Ring Workshop Charge 20

12v, 20A fully automatic battery charger. Tough metal

and rubber construction for professional use. Fast (20A) and slow (3A) charge rate settings. 80A jump start function. High quality professional battery chargers. Dimensions: 215x265x230mm (HxWxD).

010058

010054

Dru cell batteries Counter display stand 019150













Duracell alkaline batteries

Size AA MN 1500 (4) Size AA MN 1500 (2 Size AAA MN 2400 (4) Size C MN 1400 (2) Size D MN 1300 (2) Size 9v MN 1604

20 per outer 20 per outer 10 per outer 10 per outer 10 per outer 10 per outer

019126 019135 019140 019117 019108

019144















Zinc Chloride batteries High quality dry cell batteries at a budget price.

019204 Size AA (4) 24 per outer Size C (2) 24 per outer 019202 Size D (2) 12 per outer 019200 Size 9V 24 per outer 019206 Clock battery MN9100 (2) 12 per outer 019145 Hob/igniter battery E23A 019147 10 per outer

Please note that the image is for illustration purposes only the manufacturer will change periodically.

inverters



PowerSource inverters

The PowerSource modified sine inverters are internally protected by a fuse. For extra peace of mind the cigar lighter plug is also fused. An audible alarm sounds when the input voltage drops to 10.6v. The PowerSource will automatically shut down when the input voltage exceeds 15v DC. If the battery voltage drops below 10.0v the PowerSource will automatically cut off, leaving enough voltage to crank/restart the vehicle. The inverter will automatically shut down if draw exceeds the maximum rating of the PowerSource. If the internal temperature reaches 65°C the PowerSource will shut down automatically. Made from light weight durable ABS

150w/ 1 x AC socket & 1 x 2.1A USB 017215 300W 1 x AC socket & 1 x 2.1A USB 017230 500w 1 x AC socket & 1 x 2.1A USB 017234



MP:75 Mininverter **75W**

Transform your vehicle into a mobile office or home from home and never be caught short of electrical power



again! Simply insert the MP:75 into your car's cigarette lighter socket and plug in any appliance upto 75w e.g. laptop

017212

E:Can Inverter 150w

12v DC to 230v AC can sized modified sine inverter suitable for cup holders, 150w power suitable for laptop computers, video game consoles, MP3 players and many other applications, USB charging point to allow the recharging of electronic devices, coiled DC lead. Max Power Rating: 150W. Peak Power Rating: 240W. Operates from 10-15 volts. Low battery shutdown protection, over voltage protection, overload protection and temperature protection







PowerSourcePro Inverters

High quality modified sine inverters, ideal for the professional user requiring mains power for heavy duty applications. Power shown is the continuous power rating (for 12 hours). Includes USB charging port. Digital display shows application wattage and battery voltage. Both 2100W and 3100W versions include a wired remote control.



1100W **017238**

Applications

Domestic TV, games consoles, refrigerator, pro drill, jigsaw, strimmer, office laptop, PC & monitor, fan



Applications

Domestic TV, games consoles, refrigerator, toaster, hairdryer, pro drill, jigsaw, strimmer, circular saw, angle grinder, office laptop, PC & monitor, fan,

fan heater



3100W **017243**

Applications

Domestic TV, games consoles, refrigerator, toaster, hairdryer, kettle, oil filled radiator,pro drill, jigsaw, strimmer, circular saw, angle grinder, hot air gun, pressure washer, office laptop, PC & monitor, fan, fan heater



Provides convenient remote on/off control of the 1100W PowerSource Inverter.

017245

Wire5

A pair of multi-wire battery connectors. For round batteru terminal posts. Connect up to 5 cables. Simply tighten the screws onto wires. 017tbc



Battery box deluxe

Features a 100A battery isolation switch, a battery power meter (at a touch of a button test the battery's condition), a 12v lighter type socket, external connections, and an adjustable carry handle. Made from impact



resistant polypropylene. Accommodates all batteries up to (LxWxH) 356x208x228mm. 010322

Battery boxes Acid resistant plastic

boxes. Comes with battery strap, 2 retainers and a buckle. Internal Dim (mm): 270x195x190

010320 410x200x200 010321





W4 battery strap retainers

2 per pack. 10 packs per outer 010324



Lift-Off battery clamps

Suitable for all standard round battery terminals. Colour coded. Pair (packed). Available singly or 10 per outer

010009

Bulk pack, 150 pairs per outer 200100

Battery isolator switch

12v 100A. Max rating 500A for 5 seconds 010325

Isolator switch housing only 006960

Isolator switch key only

10 per outer **010015** F: 0161 367 7303



Leisure batteries

Note: All batteries are despatched from a local distribution depot. Please check when ordering for current lead times.

Powerstart batteries Minimum order quantity of 5 assorted.



XV24MF - 86ah

Weight 18.8kg 010300

Sealed leisure battery with dual post terminals, magic eye indicator, reinforced case, advance plate technology and a 3 year guarantee Dimensions: (mm) L257 x W172 x H220



LV22MF - 75ah

Leisure battery with magic eye indicator and a 2 year guarantee Dimensions: (mm) L266 x W175 x H225 Weight 16.9kg **010302**



XV27MF - 96ah

Sealed leisure battery with dual post terminals, magic eye indicator, reinforced case, advance plate technology and a 3 year guarantee Dimensions: (mm) L302 x W172 x H220 Weight 21.2kg 010304



LV25MF - 90ah low box

Sealed leisure battery with magic eye indicator and a 2 year guarantee Dimensions: (mm)
L354 x W175 x H190
Weight 21.1kg 010309



XV31MF - 110ah

Sealed leisure battery with dual post terminals, magic eye indicator, reinforced case, advance plate technology and a 3 year guarantee Dimensions: (mm) L330 x W172 x H242 Weight 23.3kg 010306



LV26MF - 100ah

Leisure battery with magic eye indicator and a 2 year guarantee Dimensions: (mm) L302 x W172 x H225 Weight 21.1kg 010308

UK Giant batteries Minimum order quantity of 5 assorted (UK Giant and Platinum - subject to geographic limitations)

Built with extra deep cycle plates and glass fibre seperators to prolong life. Durability is increased with the use of anti-vibration glue and plate locks to help combat damage by vibration.



UK Giant 75ah

Leisure battery with magic eye indicator and a 2 year guarantee Dimensions: (mm) L267 x W172 x H222 Weight 16.3kg **010315**



UK Giant 100ah - low box

Sealed leisure battery with magic eye indicator and a 2 year guarantee Dimensions: (mm)
L351 x W174 x H188
Weight 22.6kg **010317**



UK Giant 110ah

Leisure battery with magic eye indicator and a 2 year guarantee Dimensions: (mm) L350 x W175 x H225 Weight 24.9kg **010316**

Platinum batteries Minimum order quantity of 5 assorted (UK Giant and Platinum - subject to geographic limitations)

Envelope and fibre glass separation for longer life. Thick Grid Technology for greater capacity and deep cycle durability. Fast charge capability.



Platinum 75ah

Leisure battery with magic eye indicator and a 2 year guarantee Dimensions: (mm) L267 x W172 x H222 Weight 16.3kg **010310**



Platinum 100ah - low box

Sealed leisure battery with magic eye indicator and a 2 year guarantee Dimensions: (mm)
L351 x W174 x H188
Weight 22.6kg **010313**



Platinum 110ah

Leisure battery with magic eye indicator and a 2 year guarantee Dimensions: (mm) L350 x W175 x H225 Weight 24.9kg **010311**

Solar panels

Watt-peak (Wp) is a measure of the nominal power of a photovoltaic solar panel under laboratory illumination conditions. It is important to buy a quality product that is guaranteed to give you many years of service. Solar Technology panels are based on the finest crystalline technology, which is more efficient than amorphous or other film technologies. Solar Technology panels are all accredited with the internationally recognised IEC 61215 certification that guarantees robust construction and high performance in all weather conditions. 10 year module warranty – 20 year cell output warranty.









18Wp **010356**

28Wp **010357**

43Wp **010359**

	Power (Watt peak)	Size (mm)	Weight (kg)	Amps per hour	Amps per day
010356	18	638 x 278 x 25	2.2	1.21	Up to 8.47
010357	28	559 x 407 x 25	2.8	1.71	Up to 11.90
010359	43	634 x 534 x 35	4.3	2.5	Up to 17.50

Caravan panel kits

Complete With all necessary cables, connectors, charge control and fitting instructions

18Wp **010356** 28Wp **010357** 43Wp **010359**





120Wp **010366**



Solar panel stand Universal stand to suit every panel size up to 43Wp 010362



WOW Display stand
Free of charge with the purchase
of 2x18Wp, 3x 28Wp and 2x 43Wp
panels 010363

	Power (Watt peak)	Size (mm)	Weight (kg)	Amps per hour	Amps per day
010364	80	1198×534×35	7.9	5	Up to 35.00
010366	120	1483×671×35	11.5	7.93	Up to 55.51

Motorhome panel kits

Complete with all necessary cables, connectors, charge control, digital multi meter, sikaflex adhesive, angled fixing brackets and fitting instructions

80Wp **010364** 120Wp **010366**

Solar panels







Folding solar panel kits

The new PV Logic range of folding solar panels are perfect for anyone looking for a highly portable system which is quick and easy to use. Each panel has it's own integrated stand, charge controller and battery connectors, so all you need to do is open it up, stand it up and connect it to your battery for instant power.

These rugged weather proof panels are supplied with a premium padded carry bag. Available singly or 5 per outer

40W **010351** 60W **010352** 90W **010353**

	Power	Size closed(mm)	Weight (kg)	Typical Watts per day
010351	40	500 x 353 x 76	7	260
010352	28	500 x 500 x 76	8.5	390
010353	43	700 x 520 x 76	11.5	585



Solar briefcase panel 13w

Made with a high impact plastic case and built-in stand, flashing LED and internal cable storage. Magnetic catches on handles keep panel closed when not in use. Dimensions: 510mm x 37mm closed. Weight 4.5kg. Output 13W, 1.08A/hour in best conditions. Overcast approximately 50% loss.

Available singly or 5 per outer 010350

Solar autotrickle charger 12v

Designed for motorhomes when in storage to send a maintenance level charge to the battery, helping prevent flat batteries. Simply sits on the dashboard or windscreen and connects to the 12v cigar lighter socket.

Complete with suction cups (for windscreen mounting), LED charge indicator, 12V DC power plug, battery clips and 2.7 metre lead. Can be left connected overnight.

- ullet Solar panel trickle charger to manage battery drain in parked vehicles.
- Can be connected to the cigarette lighter or directly to the battery.
- Will not overcharge or damage batteries.
- Charging voltage 13-14V, open circuit 22V.
- Applicable for all types of 12v batteries



Power 1.5W Power 2.4W Power 6W Dimension: 520x170x30mm (HxWxD) **010370** Dimension: 525x265x35mm (HxWxD) **010373** Dimension: 580x385x60mm (HxWxD) **010377**





If you want to use electrical power in your leisure vehicle exactly the way you do at home, you'll find mobile power sources quickly show their limitations. The EFOY COMFORT fuel cells are the solution for

people who don't want to do without all the conveniences of home. These fuel cells will keep your batteries charged even in winter and allow you to park wherever you want - regardless of the weather and the season.

How does the EFOY work?

The EFOYs built in regulator constantly monitors the battery voltage. If the voltage drops below 12.3V, it will automatically switch on to recharge the

battery. Once it's recharged, the EFOY will revert automatically to standby mode. You don't have to worry about a thing. EFOY makes sure that your battery will always be charged.











Grove No. Efoy No.





EFOY°COMFORT

The best energy supply for your travel enjoyment

WOW New longer fuel lead for more installation options

Accessories

Description

Ref

EFOY COMFORTs are supplied with all necessary accessories required for installation.

Α	Control panel for EFOY 600-2200	010332	157 077 003
В	Control panel for EFOY COMFORT		157 077 053
С	Data Line		157 077 033
D	Insulated exhaust hose	010326	151 904 003
E	Surface mounting panel for EFOY 600-2	200	
		010333	157 077 020
F	Surface mounting panel for EFOY COMFO	ORT	157 077 054
G	External face plate		151 903 013
Н	Off heat elbow		151 903 014
1	Off heat flange		151 903 023
J	Off heat tube	010327	151 904 001
K	Fuel cartridge holder		151 905 021
L	Belt for fuel cartridge holder		151 908 003
M	Mounting plate for EFOY COMFORT		151 908 020
N	Belt for mounting plate		151 908 022
0	Connecting line to EFOY		151 906 004
P	Battery fuse 2A-sense line		151 906 007
Q	Battery fuse 15A-power line		151 906 024
R	Complete charge line		151 906 034
S	Power line extension 8m	010328	151 906 006
T	Sense line extension 8m	010329	151 906 005
U	Service fluid	010334	150 903 001

Grove No. 010336 010340 010342 **EFOY COMFORT** 210 80 140 Maximum power 40 W 72 W 105 W Charge capacity / day 80 Ah 140 Ah 210 Ah Nominal voltage 12 V 12 V 12 V Charge current@ 12 V 3.3 A 6.0 A 8.8 A Nominal 0.9 l 091 091 consumption / kWh 12 V rechargeable lead Connectable batteries batteries (lead acid, lead get or AGM) 7.5 kg Weight 7.0 ka 8.2 ka Dimensions (L x W x H) 44.3 x 20.2 x 28.8 cm Operating temperature -20 to +40 °C Warrantu¹ 2 years² 2 years² 5 years

M10 010348

11.1 kWh/925 Ah

10 l

8.4 kg

19 x 14.5 x 28.3 cm 23 x 19.3 x 31.8 cm

 30^{3}

Technical data

5 l

4.3 kg

5.5 kWh/460 Ah

³ Based on experience; actual days of utilisation depending on the usage pattern

Fuel cartridge M5 010347

capacity

Volume

Weight

Dimensions

Capacity in days 153

(LxWxH)

WOW Items		/e numbers can be pecials	e ordered as
Per (a)	B	C	O
E	F	G	H
	J	K	EFOY L
		0	gent Tro

M

N

0

Р

S

T

R

U

¹ The valid warranty conditions apply

² Warranty can be extended to 5 years as an option

unclighting Interior lighting

lighting on the move

Fluorescent wall / ceiling lights



Lumo 1

12v 8W switched fluorescent Available singly or 10 per outer 018046 Clear/white 018049 Satin ends 018048 Silver sand ends



Lumo 3

12v 2 x 8W switched fluorescent Clear/white 018057



Lumo XL

12v 8W switched fluorescent Available singly or 10 per outer 018060 Satin



12v 13W switched fluorescent Clear/white 018062

specifically designed for use in caravans and motorhomes



Ellipse

Stylish elliptical 12v 2 x 8W switched fluorescent, wall or ceiling light Silver Sand 018276



LED tubes

T5 LED30 tube 018044 Includes instructions on how to replace an 8W fluorescent tubes with an LED tube. Under no circumstances should the tube be simply swapped. It must be wired directly to the 12v d.c. supply. Available singly

Halogen wall / ceiling lights



umelighting

Coronet

Discreet 12v switched wall or ceiling light. 10W G4

Silver sand 018273



ume lighting

Crown

12v switched ceiling light. 20W G4

Silver sand

018260 Satin (illustrated) 018258



umelighting

Coronet

Discreet 12v switched wall or ceiling light.

Chrome 9W 018274



me lighting Crown

12v switched ceiling light. Chrome Ice 9W

Halogen spot lights and down lights



MiniSpot

12v switched. 10W halogen MR11 dichroic

White 018350 018359 Satin/Chrome 018360 Black 018362 Silver Sand



Dora SpotLite

12v switched. 10W halogen MR11 dichroic

Brushed Nickel 018370



EyeLite

12v. 5W G4. Ideal bunk light, surface mount or recess. Push diffuser to switch on/off

Satin 018016



Saturn DownLite


switched surface mount or recess 10W G4 halogen Satin 018375



PL-S tubes

Replacement 4-pin tubes in cool white

7W 019528 019533 9W 019537 11VV





Replace your traditional bulbs with low energy LED bulbs...

Replace halogen in down lights with:

A LED12 TransAx 018024

Replace halogen in spot lights with: 018014 **B** LED1 Capsule

C LED12 MR11 018013 Available singly or 10 per outer



umelighting



LED Rigid StripLite

Can be cut to size every 3 LEDs. 300mm **017978** 18 LED 30 LED 500mm **017979**



LED24 StripLite

2W LED Switched. Available singly or 10 per outer satin 018000



2W LED rotating head, switched

018001

LED20 RotaLite Mini

2.4W LED rotating head, switched Satin **017999**



LED01 ecospot

1W LED, switched 017984 Brushed Nickel



LED01 Lily spot light

1W LED, switched 017983 Brushed Nickel



Grey

LED01 Teoni

1W LED, switched Brushed Nickel 018023



LED01 SpotLite

1W LED, switched Chrome **018010**



LED01 FlexSpot

1W LED, switched Brushed Nickel 018022



LED9 CeilingLite

0.75W LED, switched. Surface mount or recess Satin 018009



Ciara Eyeball DownLite

1W LED, switched Chrome **017980**



LED01AD DownLite

1W LED Brushed Nickel **018008**



LED021L DownLite

2W 21LEDs. Warm White Brushed Nickel 018004



LED09 Touch DownLite

2W 9LEDs. Warm White Brushed Nickel 017991



LED21 Sensor CupboardLite Satin **017997**



LED Coronet

Discreet 12v switched wall or ceiling light 3.5W LED. Chrome 018019



LED Crown

12v switched wall or ceiling light 3.5W LED.

Satin 018017 WOW Ask your sales contact about the superb lumo LED Lighting sales unit 018380



LED MouseLite 1W LED, switched Satin 018005



LED21 CeilingLite

1.75W unswitched with 'dimming facility', water-resistant White 018002

Satin 018003



LED AwningLite In the Lead of the Lead of

Easy to install, smooth, stylish water-resistant external light 10W halogen + LED

With 'Find-Me' day/night photocell controlled LED giving security with low battery drain

White 018390 018392 Satin

LED12 Consuming only 3W

018391 White Satin 018393



LED Theo awning light 30 LED 2.4W 018395





abcraft

Interior lighting



Labcraft linear



Budget range. 12v switched fluorescent. Low profile, low energy - only 4.5A @ 12v with tough polycarbonate lens. 351 x 78 x 24mm

8W 018215 018220 16W

Labcraft pearl

12v switched fluorescent



Labcraft trilite KL8



12v switched flurescent, 8W. Supplied with one 8w tube but up to two more tubes can be added. Long bulb life -10,000 hours. 381 x 78 x 24mm 018240



Labcraft DL



12v switched fluorescent DL9 8w light 353 x 58mm **018172**

DL9 diffuser 018194 DL14 13w light 582 x 58mm **018183** DL14 diffuser 018205



8W White 427 x 45 x 35mm 018210

13W White 655 x 45 x 35mm **018212**

LED lights - with 2 year guarantee



Nebula LED strip light

12v switched. The Nebula incorporates the Orizon LED strip in a tough aluminium housing to provide a bright low profile surface mounted solution. Length 625mm

12v. Budget light with 24 high intensity

018025



LED pole light

12v. Length 600mm. The LED pole light is the perfect solution for illuminating areas such as inside cupboards and wardrobes (strong enough for hanging purposes). Low energy 2.2W



light bulb using only $^{1}\!/_{_{\! 4}}$ of the energy normally required. The tube will also

last up to 4 times longer than a 100w

Square light 018322 Spare tube 018331

Callisto downlighter

Labcraft XL 16

lumens of light 018162

liaht.

Square light

of only 16w

but output

equivalent

to a 100w

light bulb.

12V with input

12v 2 x 8w recessed switched

fluorescent. Strong durable unit. 800 lumens (2 x 8W tubes emit 800



12v. Super bright Power LED. Ideal for use in bathrooms, chilled/refrigerated areas and as an external light source 018039

Common replacement interior bulbs

Note: For more bulbs see C4.

Orizon LED striplight

LEDs in a weather proof casing. 522mm x 17mm x 10mm **018028**



Fluorescent tubes



(2) 10 per

5W **010543**

10W **010563**

20W **010591**

outer

Replacement 8W tube Replacement 13W tube 018249 018257



12v G4 Halogen 240v 25W G9 halogen. 10 per outer 010544



LED12 TransAx 018024



LED tubes

12V G4 30° MR11 dichroic. 10 per outer 10W **010533** 20W **010534**



12v Ba15d 10 per outer 5W **010550**

12V GX5.3

36° MR16

outer

dichroic. 10 per

10W **010651**

20W **010652**



12V LED GX5.3 36° MR16 dichroic. Available singly or 5 per outer 15 LED **010655** 20 LED 010656



12v Ba15s 15W **010552**



Labcraft 018331

Available singly

010587 Available singly or 10 per outer

2D bulb 4 pin 12v 16W W4

> 230V GU10 40° dichroic, 10 per outer 20W **010588** 50W **010589**



230V LFD GU10 40° dichroic. Available singly or 5 per outer 15 LED **010657** 20 LED **010658**



12v Ba15s Halogen. 10 per outer 5W **010558** 10W **010559**



12v Festoon 10 per outer 5W **010508** 10W **010513** 18W **010557**



LED1 Capsule Available singly or 10 per outer 018014





umelighting

018044



LED 12 018013

singly or 10 per

12V G4 MR11

outer

Assorted interior lighting



LED sticky light set

Bright white LED that can last up to 100 hours on a single set of batteries. Simply stick to any surface. Push to activate the 3 LEDs. Each light requires 3 x AAA batteries (not supplied) 8 per display box 019740



W4 LED handy lamp

Powered by USB lead (supplied) or 3 x AA batteries (not supplied). Available singly or 10 per outer 019498



W4 LED instant light

Ideal for cupdoards or drawers. Powered by 3 x AG13 batteries supplied. 10 per outer 019497



W4 Clip-on LED light

Powered by 3 x LR44 batteries supplied. 10 per outer 019495

> High power halogen reading light. Fully enclosed dichroic

Zoe light



bulb, gives 30% more light than conventional downlighters. CE approved. 12v with quick release 10W bulb 30° MR11 G4 dichroic 018335

Silver sand (illustrated) Matt chrome 018336 Spare bulb 10W MR11 018339 Available singly or 10 per outer

Fixed awning lights

AwningLite @@lighting









Easy to install, smooth, stylish waterresistant external light

10W halogen + LED

With 'Find-Me' day/night photocell controlled LED giving security with low battery drain

018390 White Satin 018392 LED12

Consuming only 3w White 018391 Satin 018393



LED Theo awning light 018395 30 LED 2.4W



Astro LED awning light

12v. 24 high intensity LEDs encapsulated in a weatherproof casing. Low energy only 2.2 W. 2 year guarantee. Total length 592mm **018043**





LED awning light 31 LED 12v light made of solid painted aluminium.

Dim: 574x36x32mm (LxDxH)

018500



LED garage light

Similar to 018500 but complete with switch 018511



LED sensor light

Similar to 018500 but complete with light and movement sensors. It only lights up in the dark and will stay lit for 60 seconds when activated

018508

Ultra awning light **@**



Ultra awning light

Self-sealing weatherproof diffuser and multi-point fixing for easy replacement of existing awning lamp.

018431



Ultra security light

A unique security awning light with built in PIR movement detector. Offers automatic dusk to dawn activation for security and as a welcome light for occupants. Wide angle detector of 110°, detecting movement in a 7m range. 30 second "on" timer provides security without excessive battery drain

018435

Replacement lens 018433



Britax 891 awning lamp

12V switched light. Can be used as interior or awning lamp. Complete with 10W festoon bulb. Dimensions: 133 x 133mm

891 awning light 018404 018415 Spare lens 018388 Spare switch



Britax 896 awning lamp

12V switched light. With rubber seal. Complete with 10W festoon bulb. Dimensions: 200 x 70mm

896 awning light 018386 018387 Spare lens 018388 Spare switch

Tent and awning lights

193

0

Link light RING

30cm solid 27 LED tent/awning light. Velcro or clip attachment for universal fitting. More add on units can be added for bespoke lighting solutions. Light output: 155 lumens per length.



Starter kit comes with 12V and 230V adaptors and 2m cables.

Add on unit (requires starter kit) has 2m additional cable **019647**



Flexi light

90cm flexi 90 LED tent/ awning light. Comes with 12V and 230V adaptors and 2m cables. Velcro or clip attachment for universal fitting. Light output: 294 lumens. Available singly or 6 per outer **019653**

Assorted lighting



Mercury clip-on light

Useful addition at a very low cost. 230v light with spring clip. Available singly or 10 per outer 018381



Mains awning lamp

230v external impact resistant light with double insulation. Complete with pole fixing clips, 5 metres of cable and fitted with a 13A fused domestic plug. 60w ES bulb. Available singly or 6 per outer **018450**





Tent and awning lights

Shower proof battery powered LED tent light. Comes with pegs to attach to poles, and packaging is complete with test button.

• Light output: 45 lumens 2pk

● Run time: 60 lumens 3pk

7hrs 3pk

• Operates from: 4 x AA supplied Available singly or 6 per outer

2 Lights **019640** 3 Lights **019642**



Rafter LED

12v switched telescopic rafter with 17 LED lights for use on all F45 awnings. Comes with switching bracket that allows power to the light as soon as the rafter is fitted. The bracket requires installation. Variable length (142-265cm).

018505



Awning arms LED

 2×2 LED light kits containing 9 LED lights on each 30cm length (17x7mm). Each length comes with 5m of cable. For permanent mounting on the arms of any F45, F65 or ZIP awning.

018503



Kit cables rail

Ideal for hiding supply cables. 2 x Self adhesive lengths of 1225x13xx3mm. Made from PVC 018514



Kit awning LED

018501

12v switched LED light with 2 \times 10 LED lengths. Can be installed on F45 or F65 (including older versions). Comes with 5m of cable. Simply clicks into the front bar



LED warning solar lights (2)

Kit of 2 lights (LxWxH) 8x5.5x2.5cm which automatically turn on at twilight. 6 red intermittent signals continue for hours and recharge around 500 times. Can be used on tie down straps, steps, bike carriers, and much more...

018520

Rechargeable lanterns



Bright, effective lighting with the added benefit of operating from batteries (sold separately) or the CPX 6V Rechargeable Power Cartridge (sold separately). The large format combined with LED bulbs are perfect for group camps or working at home.



CPX 6V Rechargeable power cartridge (RPC)

Run any CPX 6 product with this rechargeable battery cartridge. LED changes from red to green when fully charged, mains and 12v adapters included.

Dimensions: 28 x 34 x 33mm (HxWxD)

100823



CPX 6 Display stand

Ask your sales contact for details

109825A



CPX Duo LED lantern

Light panels have individual on/off switches

• Light output: Lantern -216 lumens

Panel - 91 lumens

• Beam distance: Lantern - 10 metres

Panel - 8 metres

• Run time: Lantern - 56hrs

Panel - 2.5hrs

• Operates from: 4D batteries or 6v RPC

• Size: 26.7cm H x 16.5cm W

• Weight: 1915g (with batteries)

กอยาว



CPX Portable electronics charger

Charge your phone or other small electrical devices with this energy pack. Flexible power, storage compartment for cables, 5V and USB connections, up to 500mA.

- Operates from: 4D batteries or 6v RPC
- Size:9.7cm H x 11.1cm W x 15.5cm D
- Weight: 913g (with batteries)

109824



CPX Pivoting LED work light

• Light output: 158 lumens

Beam distance: 241m

Run time: 82hrs

• Operates from: 4D batteries or 6v RPC

• Size: 28cm H x 12.1cm W x 14.2cm D

• Weight: 1199g (with batteries)



CPX Easy hanging LED lantern

Can be hung in multiple orientations - even sideways - incredibly bright portable, overhead lighting.

• Light output: High -141 lumens

Low - 58 lumens

• Beam distance: High -8 metres

Low - 5 metres

• Run time: High - 65hrs

Low - 155hrs

• Operates from: 4D batteries or 6v RPC

• Size: 24.9cm H x 12.9cm W

Weight: 1310g (with batteries)

109809



CPX Heavy duty LED flashlight

• Light output: 172 lumens

Beam distance: 347 metres

• Run time: 94hrs

• Operates from: 4D batteries or 6v RPC

• Size: 18.3cm H x 19.3cm W x 11.7cm D

• Weight: 1125g (with batteries)

109822



CPX led classic lantern

• Light output: High -115 lumens

Low - 72 lumens

• Beam distance: High - 7 metres

Low - 5 metres High - 85hrs

Low - 122hrs

Operates from: 4D batteries or 6v RPCSize: 25.7cm H x 16cm W

Weight: 1128g (with batteries)

109814

• Run time.



CPX Ultra high power LED spotlight

Light output: 273 lumensBeam distance: 403 metres

• Run time: 50hrs

• Operates from: 4D batteries or 6v RPC

• Size: W

• Weight: 1199g (with batteries)

109821

Assorted rechargeable and wind-up products



Ventus eco lantern

- •5 x LED natural white light
- •2 x LED amber night light
- •12V, wind up (1mins winding = 20 mins light) or USB rechargeable
- •Hanging, table top or wall mounted.

019779



Ring Mini eco lantern

- Eco friendly, Self wind lantern with 9 super bright LEDs
- Convex reflector for increased light output. Rechargeable with a 12v charger (included) 85mm x 175mm.

6 per outer

019590



Ventus eco safety station

Mains power station with automatic floodlight and audio alert when power fails

- 3 x powerful LED torches
- Also wind up (1 mins winding = 30 mins light) rechargeable

019774



Ventus My Magic torch and phone charger

impact resistant.

Ventus eco mini

Wind up (1 mins winding = 60

High/low beam LED, tough,

mins light) or USB rechargeable.

torch

019770

Wind up (1 mins winding = 30 mins light), and USB rechargeable. Emergency phone charger. NO power? Just wind the handle whilst connected to your phone. Includes adaptors for Nokia, Motorola, Samsung, & iPhone and carry pouch

Silver 019771 Black 019772



Rechargeable lantern with remote

High quality plastic body lantern, with bright fluorescent light and long life rechargeable 6V battery. One full charge of approximately 18 hours will provide up to 5 hours of operating time. Supplied with replaceable 9W PL tube, remote control key fob, 12V and mains chargers. 6 per outer

019594



Coleman Classic LED rechargeable lantern

- Charges from 230v AC or 12v DC (both chargers included)
- 12v charger can be stored in lantern base
- Weather resistant
- Light output: 64 lumens
- Beam distance: 6 metres
- Run time: 12 hrs
- Dimensions: 33.5 x 18 cm Ø
- Weight: 2.8 kg

2 per outer



Rolson 4 LED windup dyno lantern

Soft rubberised finish and simple on/off push button. One minute of winding can generate up to 7-8 minutes of light Ideal for camping, boating, hiking, and emergencies

12 per display box

019592



Rolson 1 million candle power torch

- Battery type 6V-4Ah rechargeable lead acid.
- Lens size 82mm.
- Locking trigger switch for safety.
- Rubberised lens protector and grip.
- Built in hanging lanyard.
- 12V DC charger & 230V 50Hz AC adaptor.
- Halogen bulb.
- One full charge of 10-15 hours with AC charger provides 30mins of continuous operation

4 per outer 019758



Rolson 30 LED rechargeable spotlight

- 30 LEDs with 12000mcd Lum
- Rechargeable Ni-MH battery 12v 500mAh
- Durable ABS housing and PC transparent lens
- Charge time 6 hours approx
- Operates for approx 1.5 hours on one full charge
- Red and green charge indicator light
- Auto shutoff prevents full battery run down
- Lighting mode on/flash/off Supplied with 12v DC charger and 12v in car adaptor

6 per display box 019753



Rolson Dyno torch 3 LED

Super bright 3LED 13000MCD. Wind up 1 minute can generate 7-8 minutes of bright light. batteries required With wrist strap, 12 per display outer 019726



Ring Cyba-lite windup LED torch

Eco torch wind for 60 seconds for 5 minutes of super bright light. With 3 super bright LEDs! 019605

Battery lights



Rolson 24 LED bright light

Super bright 24 LED, with simple on/off push button operation, complete with hanging ring Ideal for camping or as a patio table light Supplied with 4 x D batteries. 6 per display box

019733



Rolson 6 LED camping light

Ultra bright 6 LED lantern, with simple push button operation. Super bright 6 LED, 11000-13000LCD. Supplied with 3 \times AA batteries.

3 per display box

019751



Rolson 30 LED multifunction lantern

Super bright 2 x 15 LED. Panels individually switched and rotated. 3D batteries supplied. 2 per display box 019749



Rolson 72 LED camping light

Super bright 72 LED light with three strong magnets on reverse for mounting on most metal objects, along with swivel hook for hanging. Supplied with 4 x AA batteries.

5 per display box

019730



Rolson 15 LED lantern with dimmer switch

Built in compas. 195mm high. 12000mcd. 3 x AA batteries supplied. 4 per display box

019593



Rolson 12 LED pocket light

Super bright 4 LED front light. 8 LED side light. 3 x AAA batteries supplied. 7 per display box 019722



Rolson 9 LED Aluminium lantern/ torch

Handy sturdy torch which doubles as a lantern 10 per display box **019596**



Rolson 1 LED aluminium keyring torch

Pink and green assorted 24 per display box 019724



Rolson 4 LED Aluminium torch

Super bright 4 LED torch 12000-15000MCD. Rubber ON/OFF push button. Overall size 43 X 25mm. 16 per display box **019727**



Rolson LED keyring torch

Bright white LED 22000 MCD. Zinc alloy keyring. Supplied with 2 x CR 2016 button cell batteries. 10 per display box 019725



Coleman Focusing LED flashlight

Light output:

83 lumens narrow

93 lumens wide

• Beam distance: 110 metres narrow

21 metres wide

• Run time:

up to 7hrs

• Operates from: 3 x AAA supplied

• Size: 14.1cm L x 3.4cm ø

 Weight: 157g (with batteries) 109829



9 super bright white LEDs. LED burn

Ring LED rubber torches

Shock proof rubber body, 3 super bright white LEDs, burn time up to 100,000 hours. Batteries included. 8 per outer Small (2 x AA) 019540

Large (2 x D)

0000

019542

time up to 100,000 hours. Handy carry strap. 3x AAA batteries included. Ideal impulse buy to sit on counter top. 12 per display box

S00117

Work lights and assorted lights



Rolson 24 LED multipurpose light
Super bright LED. 3 x AA

Super bright LED. 3 x AA batteries supplied.
5 per display box
019734



Rolson 28 + 4 LED work light

Swivel head 28 + 4 LED worklight. Super bright white LEDs 13000-15000 MCD with magnet and swivel hook on reverse. 3 x AAA batteries supplied. 4 per display box 019599



Rolson 24 LED lamp with hook & magnet

Super bright 70mm 24 LED light requires 3 x AAA batteries. Ideal for garage, camping, emergency, household and numerous other applications. Complete with magnet on reverse and swivel hook to assist with hands free operation. 10 per display box



Rolson 3 piece 10 LED headlight

- 3 mode switch 4 LED on, 10 LED on, 10 LED flash and off
- Super bright LED light 12000 MCD
- Adjustable head band
- Supplied with 9 x AAA batteries

3 per outer **019765**



Rolson Flexi LED torch 7.5"

Reflector tube system for extra brightness. Shock proof and water resistant, anodized metal casing with 108mm flexible shaft. Pocket clip and three button cell batteries. 6 per outer **019729**



Rolson 20 LED work light

Ultra bright 20 LED lantern, with soft grip handle. 8LED's at front of torch. 12LED's on base stand gives hand free illumination Supplied with 4 x AA batteries.
6 per display box

6 per display box **019755**

Workshop lights

Ring LED inspection lamp



Rechargeable and cordless for convenient use

- Charging indicator
- Compact design
- Suitable for professional, trade and DIY use
- Integral belt clip
- 15 High intensity LEDs
- Precision reflector providing wide angle light output
- Virtually unbreakable polycarbonate lens
- AC Charging point

Specifications: Light Output: 650 lux at 0.5m Battery: 1800mAH NiMH Mains adapter: Input 230v - 50Hz. Output 6v - 500mA LED: Class 1 Approved

019597



Rolson 36 LED inspection lamp on stand

- Manufactured from ABS.
- Light mode push button once for 0.5W torch / off / 36 LED light / off.
- Magnetic function: Two magnets on base of stand, one magnet on back.
- Plastic hanging hook with easy 360° rotation.
- Operates from 3 x AA batteries supplied.
- 36 LED 15000 18000 mcd.

4 per display box 019598

Satellite TV on the move

One of the most common questions we get asked is: "What satellite TV channels can I get for free?" The answer is thousands. Choosing the receiver. It won't matter which receiver you buy, the footprint (the area in which the satellite signal can be received) remains the same. What's the difference between Free-to-air, Freesat, and subscription boxes such as a SKY Digibox? Free-to-air receivers will receive all channels that are not subscription (subject to reception), the program guide will be "Now & Next". On Freesat you will get most of the same channels (although not all), with a 7 day TV guide allowing you to plan your viewing. A subscription box is designed for home use and will often be pre programmed for UK satellite reception and can become complicated to set up, especially abroad, but would receive all the channels that you would get at home (subject to geographical limitations). All our receivers have 12v inputs, are Free-to-air and are designed for mobile use. If you get a picture on the screen, then the receiver is working. Issues with the type of channels found are problems with dish alignment and / or geographical limitations.

Choosing the dish. There are many types of satellite systems: portable kits, crank-up manual and automatic systems, as well as roof mounted automatic domes. Put simply the larger the dish the further toward the edges of the footprint you will receive a signal, although planar dishes such as the Camos flat-sat are more efficient and so can be slightly smaller than a conventional dish equivalent. In the UK, all our systems should be able to pick up your favourite channels.

Satellite footprints. The footprint will vary for each dish and each satellite, and so should be used as a rough guide only. When travelling abroad the channels that you receive will vary, but most satellites will have some English language channels such as BBC World News, CNN, Bloomberg etc. To connect to the Astra 2 range of satellites (which broadcasts most of the UK's main channels) in much of continental Europe would require a much larger dish than would be practical on the move. Below is a map of the predicted reception area of a RoadPro 40cm Sat Dome.



Astra 2F/E/G

By the end of 2013, all BBC, ITV, Channel 4 and Five TV channels as well as BBC radio stations will have moved to Astra 2E and Astra 2F.

Astra 2F/E/G Pan European

It is possible, and some say probable, that some of SKY's subscription channels will be broadcast on this beam when they are moved from their previous positions.

Thanks to RoadPro for the information on satellite reception!

WOW Many changes were made to the satellite broadcast network in 2012 and many more are to come in 2013 and 2014. The situation is constantly changing, and so the area in which you will receive certain channels may change at any time, therefore it is difficult to give definitive information at this time.

For listings of which TV channels are broadcast on which satellites try visiting www.kingofsat.net.

Roof mounted satellite systems Automatic dome satellite systems



RoadPro domes powered by Wiworld

Complete protection against wind and weather. Roadpro domes offer the widest range of models of any sat-dome manufacturer. Average satellite search times of 30 seconds. One button operation, just switch it on!

- Operating voltage 12V
- Fixes to the roof with sikaflex and / or screws (mounting kit for neater installation available 039999)
- Space required for operation: 76cm diameter including mounting feet
- Search controller dimensions H x W x D mm: 42 x 245 x 146
- Search options: Astra 2 (N & S), Eurobird 1, Astra 1, Hotbird, Sirius, Atlantic bird 3, Hispasat
- Off-set dish inside a protective plastic cover
- All weather resistant white dome casing, can be painted
- Can be used with any satellite receiver including Freesat, Free to air & SKY receivers (not included)
- 3 year guarantee

Sat dome foot Now sold individually 20cm x 13 cm 039999 WOW Choose 30cm model where height is an issue - 40cm model for maximum coverage abroad. Use twin LNB version to use pause, record, or other functions of a recording receiver or to use 2 receivers at once. In motion versions allow passengers to watch TV or the driver to listen to the radio when travelling.

Part	Dish size (W x H cm)	LNB type	Weight approx. kg (Dish & motor)	Dome height cm	Current consumption Amps approx.		
Number					During search	In use (search complete)	
Static models							
039990	46 x 25	Single universal	9.5	30	1.5	< 0.1	
039992A	46 x 25	Twin universal	9.7	30	1.5	< 0.1	
039992	46 x 35	Single universal	9.5	40	1.5	< 0.1	
039990A	46 x 35	Twin universal	9.7	40	1.5	< 0.1	
In motion models							
039993	46 x 35	Single universal	9.7	40	2.5	1.8	

Automatic satellite systems



Maxview domes

The Maxview dome is a fully automatic dome satellite system which will remove the need for any manual tuning.

- Ideal for use in both the UK and Europe.
- Fast satellite acquisition with a typical search time for acquiring the satellite of between 30 to 60 seconds.
- Twin LNB version is ideal for use with PVR's, SKY+ or 2 receivers at the same time
- Receives transmissions from Astra1, Astra 2, Hotbird and more
- Lightweight, designed to be permanently mounted to a vehicle roof
- Kit includes: Clear and easy to use control box (receiver not included)
- Very easy to install only connect the coaxial cable(s) to the control box, no need to connect a separate power supply to the dome
- All weather resistant and fully tested dome casing
- Compatible with all DVB-S std and high definition satellite receivers including SKY
- 3 year guarantee

- LNB Output: Single 1 Twin 2
- LNB Type: Universal
- Polarisation: H & V
- Frequency Range: 10.7GHz 12.75GHz
- Antenna Gain: 33dBi
- Elevation Range: 18° 64°
- Azimuth Range: Single unlimited Twin 540
- Tracking Speed: 50°/s
- Search Time: Typically 30-60 sec
- Temperature Range: -20°C to +60°C
- Dome Weight: 9kg
- Dish size: Equivalent performance to a 40cm dish
- Dome Height: 40cm
 Dome Base: 70cm ∅
 Single LNB
 040055
 TWin LNB
 040056

Control box specification

- Power supply: 12-24V
- RS 232 upgrade port: Yes
- On/Off power switch: Yes
- 1 button search operation: Yes
- Satellites Programmed: Astra 2N, Astra 2S, Astra 1, Hotbird, Sirrius, AB3, Hispasat

Maxview Omnisat Seeker Wireless

Maxview's Omnisat Seeker Wireless system has been designed with the user in mind. Simple to use, easy and flexible installation options with elegant and modern styling. The ultimate in convience along with its latest features surpass any other automatic satellite system available on the market. The unique wireless backlit LCD control panel features animated display icons feeding back antenna status to the user at all times. The wireless feature allows unlimited mounting options and easy installation, making unsightly cable runs and fixing problems a thing of the past. The control box comes with unique versitile mounting brackets offering flexible installation options and can be coupled with any satellite receiver (not supplied) to give the ultimate package.

- 12V operation
- Maximum 2A consumption during search
- Average search time: 30-60 seconds typical
- Automatic lowering ignition safety system
- High quality 0.2db universal twin LNB
- Stores up to 15 satellites
- Pre-programmed with satellites including Astra 19.2E, Hotbird and Astra 28.2E
- Control box allows any satellite receiver to be connected
- Full customer service back up and support
- Low streamline profile 17cm
- Complete with all installation cables and accessories plug and play

WIRELESS CONTROL PANEL:

- Wireless or hard wired (included) as standard
- Backlit LCD display
- Stand alone or magnetic wall mount bracket (included)
- Simple to operate
- Clock/Temperature display

CONTROL BOX:

- Compact size
- Future proof design USB updates available for future satellites
- Universal mount
- Intergral easy access fuse







Available with either a 65cm satellite dish for use with receiving Freesat channels in the UK and Central Europe, or the larger 85cm version for an extended coverage area.

040050 Omnisat Seeker 65

- Antenna unit weight 10kg
- 65cm offset aluminium antenna
- 36dB gain

040052 Omnisat Seeker 85

- Antenna unit weight 11kg
- 85cm offset aluminium antenna
- 38.1dB gain

Manual crank up satellite systems

Camos flat-sat

Instead of a conventional dish, the Flat-Sat uses a planar antenna to catch a satellite's beam. This is a very efficient method and enables the "dish" to be much smaller, taking up less room on a vehicle's roof and making it easier both to install and use. The "flat-sats" have a performance of a larger diameter conventional dish and when it's in the parked position the unit's height is just 12cm.

The antenna's design makes it much more resistant to wind than a normal dish, allowing it to be used in conditions where other systems would have to be lowered for safety.

The dish is controlled from inside the vehicle using a ceiling-mounted cranking handle. It is essential to use a satellite signal finder for ease of use, see page D6.

Also available twin LNB enabling the functionality of Sky+ or other similar satellite receivers so that two channels can be watched at the same time.

If you are visiting Spain, Germany, Italy or Eastern Europe we recommend one of the larger crank-up "plus" satellite dishes

 Flat sat
 039995

 Flat sat "plus"
 039996

 Flat sat twin LNB
 039997

 Flat sat "plus" twin LNB
 039998





Maxview Omnisat 65 crank-up

Simply adjust the system from the comfort of your vehicle with the easy to operate direction unit, effortlessly raising and rotating the dish to locate and lock onto your favourite UK TV channels, anywhere in the UK and across into Europe.

- Improved handle design with clear and precise elevation display
- Low streamline profile, only 17cm in height in park position
- Elegant modern styling design
- No through the roof mast required, thus giving maximum flexibility on roof installations
- Designed for easier and improved installation
- Cable entry junction box allows for the system to be fitted in the most convenient position on roof
- Easy to align using the ceiling mounted 'Crank Up" handle and elevation zone map
- Twin LNB as standard Designed for use with SKY +/HD or free to air receiver with hard drive recording. Alternatively can be used to feed two separate receivers for independent working
- All weather resistant construction
- Designed for permanent mounting, but can be transferred to another vehicle
- Complete with Operation and Set Up Guide
- 3 year guarantee
- When in park position, the system is compact and hidden out of view and only a little higher than most sky lights
- Antenna unit weight 9kg
- 65cm Offset aluminium antenna
- 36dB gain

040014

Remote control portable satellite kits



Maxview's Omnisat VuQube remote controlled satellite system has been designed with the user in mind. Simple to use, easy and flexible. Portable, ultra lightweight with ergonomically designed carry handle. Dynamic dish levelling allows the system to be placed on uneven surfaces. Easily elevate & rotate the dish to locate the required signal with heavy duty LCD display wireless remote control (works to 15m). Complete with operation manual, Compass & set up guide

- Weighs only 4.5kg
- Twin LNB
- 37cm dish equivalent to 54cm offset dish
- All weather resistant casing
- Includes 2 x 10M of cable allowing easy positioning
- Dimensions H:46cm W:42cm
- Powered by your receiver
- 2 year guarantee

040054



Portable satellite kits





Maxview 54cm kit

Complete kit to receive all available Digital satellite TV and radio channels when used with a compatible satellite receiver. Ideal for use in the UK and central Europe. Designed specifically for touring vehicles. Suitable for a tent or awning (although signal quality may deteriorate under wet canvas). Can be used with any Free to air, Freesat or Sky receiver.

Includes: Portable satellite dish with folding LNB arm, 10m coaxial cable, tripod stand, satellite finder, satellite compass, easy to use zone map, holdall and all required fixings.

- Weight: Under 9kg
- Universal LNB: 10,70-12,75GHz
- LNB noise figure: 0,3dB typical
- 2 year guarantee

54cm **040001** 66cm **040002**

WOW Upgrade your existing satellite kit to enable functions like Pause, Rewind and record on modern receivers

Twin LNB upgrade kit

Upgrade your single LNB version for use with SKY+ and other hard drive recording receivers with the Twin LNB upgrade kit. Can also be used with 2 receivers for independent viewing. Includes low noise 0.2dB LNB, adapter and 10m twin coaxial cable. Designed specifically for use with Maxview satellite dishes **040004**



Multimo mobile satellite dish



This compact portable satellite dish is suitable for use with analogue or digital transmissions. The Multimo can be used with any satellite receiver including SKY digiboxes. Although only 40cm wide, it performs like a 55cm dish and can be used Europe wide. Mounted on a base for use on a flat surface, it also has a clamp to attach it to a shelf, step, pole or tripod. Used with the Zehnder sat finder it only takes minutes to set up Sinlge LNB 039980 TWin LNB 039981

Multimo carry bag



Made of hard-wearing, water-resistant nylon material and has a strong fabric handle and two zipped compartments: one for the dish itself and one for accessories and cable **039980A**

Multimo magnetic mounting foot



A powerful magnet which can be used with MULTIMO satellite dishes. It can be glued to the inside of the base and because it is slightly above the level of the base, it will not scratch the mounting surface. Glue is not supplied but we recommend an epoxy type such as Araldite. Please bear in mind

that the efficacy of any magnet will be affected by paint or other materias! which come between it and the steel surface on which it is being used ${\tt 039980B}$

Satellite tripods



Maxview tripod

Suitable for satellites up to 90cm with a universal mast fitting. Upper mast section rotates freely for ease of use to aid satellite alignment. Folds together for compact storage **040003**



Maxview deluxe tripod

Suitable for satellites up to 90cm with a universal mast fitting. Upper mast section rotates freely for ease of use to aid satellite alignment. Retractable upper mast section to lengthen the mast by up to 500mm. Helps to mount the dish clear of possible obstructions. Long legs and additional locking device ensure stability. Folds together for compact storage. Includes carry holdall **040005**

TV aerial masts



Maxview Unimax mounting mast

For mouning a TV aerial to the side of a vehicle. Can be permanently fixed using screw holes or temporarily fixed using the self adhesive backing. Designed for quick and easy installation. Lightweight design. Length 58cm **040089**



Maxview jockey wheel mast

For mouning a TV aerial to the jockey wheel. Light weight aluminium mast with universal fixing bracket. Designed for quick and easy installation. Complete in 5 sections. For temporary fixing only. Combined height of all 5 sections 360cm

040114



Mercury mast and clamp

Provides three 3' masts and a jockey wheel clamp. Suitable for use with both the Overlander and Tourer aerials and other aerials with a conventional 'V' bolt fixing 040112



W4 Jockey wheel satellite pole

A sturdy 30° pole complete with two specially designed brackets for safe attachment to the caravan jockey wheel. Also supplied with a 'U' bolt for the fixing of the satellite dish. Keeps the dish in a safe and unobtrusive area, no tripod to trip over! 040119



Maxview Unimax brackets

For mouning a TV aerial to the side of a vehicle. Can be permanently fixed using screw holes or temporarily fixed using the self adhesive backing.

Blister packed (2) **040017** Loose **040086**



W4 aerial pole clamps

One pair of specially designed clamps. For safe attachment of an aerial pole to the jockey wheel. **040117**




W4 aerial pole kit

Fully telescopic lightweight pole kit extendable to 3.2m. Helps to receive a full range of TV signals with its infinite variety of height adjustments. Can be fitted to the jockey wheel with the special clamps provided

040115

Signal boosters and finders





Easy boost

Variable gain signal booster. Available as 2 or 4 outlet version. 12/24v operation. 2 Outlets **040063** 4 Outlets **040064**



Easy tune

Uniquely combines a TV booster with signal finder, so TV signal level is "visible" when setting gain. Available as 2 or 4 outlet version, 12/24v operation. 2 Outlets **040060** 4 Outlets **040061**



UHF TV signal finder

Designed and developed by a caravanner for the leisure market. 9v battery supplied 040057



Worldwide UHF/VHF signal finder

For use anywhere in the world. 9v battery supplied 040058



Pro TV and satellite signal finder

Used by professional aerial installers and now available to the leisure market. 9v battery supplied **040059**



Maxview digital TV signal finder

Optimise signal reception before auto tuning TV/receiver. Assists aerial alignment for the best digital reception. Essential for use with a directional touring TV aerial. Ideal for Freeview / DVB-T. Includes battery and velcro mounts, 2 year guarantee 040048

Maxview 12v/24v signal

Boosts digital and analogue signals

in weaker signal areas. Variable gain

to optimise strength. Professional

gold plated "F" connectors for

improved corrosion resistance and signal performance. 2 year

booster

guarantee 040062



- 1. Connect the aerial lead into the appropriate socket
- 2. Turn on the power switch
- 3. Rotate the aerial/dish until the greatest number of LEDs are lit. This indicates the strongest signal and the best position for your aerial or dish
- 4. Disconnect the finder and reconnect the aerial lead to your TV



Maxview satellite compass

Alignment window to help locate the satellite signal zone for Astra and Hotbird satellites quickly and easily. Can be used as a normal navigation compass. Includes neck strap and user instructions 040013



Maxview digital compass

Satellite alignment zone to help locate the direction of the satellite signal for all the main European satellites. Distortion feature to identify magnetic fields causing possible error to compass accuracy. Can be calibrated to maintain accuracy when placed near iron objects. All major European satellite positions pre-programmed, available at the press of a button. Modes ASTRA 1, 2 Hotbird, Digital Compass, time & Thermometer with back lid LCD display 040018



W4 satellite finder

Easy to read analogue dial as well as an audible signal. Enables effective, quick and reliable satellite alignment for optimum reception. Adjustable gain and sensitivity to suit all situations 040009



Maxview satellite finder

Varying audible tone and ascending visual LED display to help align satellite dish to the satellite. Signal sensitivity control for ease of satellite adjustment and alignment. Complete with flylead and full instructions. 040011



Zehnder HP480 satellite finder

Varying audible tone and ascending visual LED display to help align satellite dish to the satellite. Signal sensitivity control for ease of satellite adjustment and alignment. Complete with flylead 040010

Satellite and TV receivers

Vistron satellite receivers are designed and made in Germany and we think they are of excellent quality.

There are three models in the range and they cover several options. We've made sure that they work perfectly with any 12V satellite system and that they are easy & straightforward for your customers to use.

WOW Vistron satellite receivers are preset with the channels in a sensible order. BBC1, BBC2, ITV, C4 etc. ideal for touring caravans and motorhomes. Other receivers will as standard put the list in the order in which the channels are found.



Vistron VT101 a 12V Free-to-air satellite receiver which receives thousands of TV and radio programs. 2 x Scart outputs. **039988**



Vistron V201 a 12V Free-to-air satellite receiver which receives thousands of TV and radio programs. Scart & HDMI outputs. 039982



Vistron V230 a 12V HD Free-to-air satellite receiver with HD output and the ability to record onto a USB or external hard drive, HDMI & phono outputs. **039986**



Maxview free-to-air satellite receiver Receives thousands of TV and radio programs. Mains and 12V leads supplied as standard **040020**



with "Easy find" LNB

Built in satellite signal finder which receives
thousands of TV and radio programs.

Mains and 12V leads supplied as standard

040020A

Maxview free-to-air satellite receiver



Maxview receiver bracket



USB Freeview receiver 039987

Specification	VT101	VT201	VT230	Maxview	Maxview with Easy find LNB
Type of receiver	Free-to-air	HD Free-to-air	HD Free-to-air	Free-to-air	Free-to-air
Power supply	12V	12V	12V	12v or 230v	12v or 230v
Scart socket	Yes x 2	Yes	No	Yes x 2	Yes x 2
HDMI socket	No	Yes	Yes	No	No
Phono socket	No	No	Yes	No	No
Electronic Programme guide	Now and Next	Now and Next	Now and Next	Now and Next	Now and Next
Available channel positions	4000	6000	6000	Thousands	Thousands
Timer function	Sleep timer	Yes	Yes 10 positions	Yes 10 positions	Yes 10 positions
Preprogrammed for satellites	Astra 1, Astra 2, Hotbird, Turksat 1C	Astra 1, Astra 2, Hotbird, Turksat 1C	Astra 1, Astra 2, Hotbird, Turksat 1C	Astra 1, Astra 2, Eutelstat, Hot- bird & more	Astra 1, Astra 2, Eutelstat, Hot- bird & more
Remote control	Yes	Yes	Yes	Yes	Yes
Remote control sensor	Yes	Yes	Yes	Yes	Yes
Power consumption	12W, 1A at 12V	16.8W, 1.4A at 12V	30W, 2.5A at 12V	5W 0.5W on standy	5W 0.5W on standby
Dimensions H x W x D	35 x 190 x 140mm	35 x 230 x 140mm	35 x 230 x 140mm	40 x 230 x 140mm	40 x 210 x 135mm
Weight (approx.)	450g	450g	580g	660g	660g
Comes with	12V lead, remote control, remote sensor, receiver	12V lead, remote control, remote sensor, receiver	12V lead, remote control, remote sensor, receiver	12V lead, mains lead, remote control, remote sensor, receiver	12V lead, mains lead, remote control, remote sensor, receiver, Easy find LNB
Part no.	039988	039982	039986	040020	040020A

TV aerials

Maxview Gazelle aerial

Streamlined Omni-directional aerial designed to receive all available analogue and digital terrestrial UHF TV, FM and DAB signals through 360°. Designed specifically for use on any touring or HGV vehicle. Includes: variable gain signal booster, 5m co-axial cable and fitting instructions. Frequency range 40-860MHz. 2 year guarantee **040008**



Omni-directional aerial designed to receive all available analogue and digital terrestrial UHF TV, FM and DAB signals through 360°. Designed specifically for use on any touring or HGV vehicle. Includes: variable gain signal booster, 5m co-axial cable and fitting instructions. Can be used on a pole, suction base, magnetic base or permanently mounted. Frequency range 40-860MHz. 2 year guarantee **040006**




Maxview suction base

Use to temporarily mount the Maxview Omnimax Touring aerial to the top of a flat roof of a touring or HGV vehicle. Designed with 4 heavy duty suction pads **040080**



Maxview magnetic base

Use to temporarily mount the Maxview Omnimax Touring aerial to the top of a flat steel roof of a touring or HGV vehicle. Designed with a very strong magnet **040081**



Maxview Mobile Digital touring aerial kit

Designed to receive all available digital and analogue terrestrial UHF TV channels. Designed specifically for use on any touring or HGV vehicle. Digital Freeview compatible. Includes: 5m co-axial cable,5m coaxial cable, fixing accessories, Unimax mast and full instructions. Frequency range 470-860MHz. 1 year guarantee 040043



Maxview Digital Tourer high gain aerial

Ideal for receiving all available digital and analogue terrestrial UHF TV channels. Mast shown not included. Designed for weak signal areas. Directional Aerial. Compact size for easy, tidy storage - breaks down into 4 sections. Digital Freeview compatible. Includes: 5m co-axial cable, boom clamp and fitting instructions. Frequency range 470-860MHz. 1 year guarantee **040110**



Maxview Compact high gain aerial

Designed to receive all available digital and analogue terrestrial UHF TV channels. Mast shown not included. Digital Freeview compatible. Includes: 5m co-axial cable, fixing accessories and full instructions. 1 year guarantee 040045



Mercury Overlander aerial

Wideband aerial for high gain. A unique clamp enables

aerial to tilt, swivel and rotate through 360° without adjusting the mast. Fixes with three suction pads for stability and easy removal **040105**



Mercury Digital Outdoor aerial

For reception of digital TV and radio programmes. mobile Suitable for applications such as caravanning, camping and marine use. Waterproof and UV resistant. Plug and play. High gain - low noise

on all programme channels. Supplied with mounting kit 040107



Mobile digital TV aerial

Designed for caravanning, camping and marine use. The aerial has a built in amplifier. Can be mounted on a pole up to 38mm diameter using the clamp supplied. 040106



Magic wand aerial

Covers all UHF TV signals, both analogue and digital. Amplified, hiah gain,

omni-directional & multi-positional. Battery powered with 500 hours continuous use from 2xAA Alkaline batteries. Optional DC input (7 -24vDC) on/off switch with LED 040102



aerial which gives 400hrs continuous use from 4 x AA alkaline batteries. For use inside metal or concrete



Maxview Truvison set top aerial

Compatible with terrestrial digital receivers. Freeview HD compatible. Ready to use. Folds flat for easy storage. 2m Co-ax cable. 1 year guarantee 040046



Ring FM aerial

Compact design 12v electronic leisure aerial. Telescopic with six sections - overall length 39cm **040129**

D8

buildings 040100

TV sockets and cables











Maxview weatherproof sockets

Provides a neat external, weatherproof cable entry point into a vehicle or boat. Complete with self adhesive foam seal and screws for easy installation. Unobtrusive design. 3m cable length. White.

Single socket with "F" connector Single socket with co-axial connector

Twin socket with an "F" and a co-ax connector Twin socket with 2 x "F" connectors A 040023 B 040095

C 040015 D 040022

Maxview waterproof cable entry point

Provides a neat external, waterproof cable entry point into a vehicle or boat. Complete with self adhesive foam seal with the option of fixing with the 4 screw fixing holes. Waterproof IP66 double membrane seals. For 5-9mm ø cables. Can take up to 2 cables. Easy installation - cable simply pushes through seals

E 040034



Scart lead scart to scart 0.8m 040016 1.5m 040025



Multimedia cable
0.8m 040085
1.5m 040037



Standard coaxial fly lead 2m 040027 4m 040028

040084

10m



Digital coaxial fly lead 2m 040026 4m 040083 10m 040029



fly lead 2m 040038 4m 040039 10m 040040

"F" to "F" plug



Fast fit coaxial plugs (2)
Plastic 040030



Alloy coaxial plugs (2)



Back to back connectors (2)



Coaxial connecting kit 040033



Splitter 040035



Push on "F" connector 040090



"F" connector



Back to back "F" connector



Satellite cable connecting kit 040036



"F" to coax adaptor 040042



WOW Ask your sales contact about the superb Maxview display stand deal. **040098**

W4 Pack-it TV range



Surface TV point Co-ax socket 040546



Co-ax plug



Co-ax coupler



/ satellite point Co-ax and F socket

Surface co-ax



2-way coax splitter 040586



Surface satellite point F socket 040576



Satellite 'F' plug 040577



Satellite lead 2m F to F plug 040585



2 pin plug 12V 10A 040535



2 pin socket 12v 10A 040536



Aerial lead 2m male to male 040547



Co-ax cable 5m **040542**



2 pin flush fitting socket & plug 12V 10A 040537



TV Universal Power Lead 040595

WOW All W4 pack-it items can be ordered loose at a preferential rate. Please speak to your sales contact for details.

Other TV accessories



W4 digital TV hook up lead

Connect directly to the site TV point with this purpose made 25 metre lead. Just hook up, tune in, watch and relax!

- High quality WF100 cable
- Solid copper centre conductor
- Water tight physical foam dielectric injected with nitrogen gas
- Twin screened with copper foil and braid
- Robust outer sheath for added protection
- Factory tested
- Reel enables easy rewind and storage

040541



Through window cable adaptor

Because satellite co-ax cable can be damaged if squashed it's usually not advisable to pass cable through a closed window. This adaptor kit includes a special flat cable which can be used in just this situation and connects at either end to regular cable. All necessary connectors and instructions included. **039985A**



Flat screen TV carrier
Nylon bag with carrying handles.

Nylon bag with carrying nandles. Suitable for up to 15" TV **040177** Suitable for up to 19" TV **040176**



Mercury co-ax plug (2)



Mercury aerial lead

2m male to male **040325**

Aquaroll® and Wastemaster™ products





Aquaroll® and Wastemaster™ products



Aquaroll® mains adaptor

Designed to give caravans the benefit of running water where mains supply is available. Can be used with any caravan, with no expensive alterations needed. A quantity of water is held in the Aquaroll. As there is no mains pressure inside the caravan, the danger of flooding is eliminated. Easy to fit ball valve. 7.5 metres of food quality hose. Snap-on, 1/2" and 3/4" threaded tap connectors included. Snap-on connector to ball valve. Fits both 29L and 40L Aquarolls that have a side cap **050187**



7. M M M Ta Ba

7.5m Extension hose
Mains adaptor hose connectors kit
Mains extension connectors kit
Tap connector seals kit
Ball valve only
Ball valve service kit

Aquaroll® mains adaptor storage bag

Made from water resistant heavy duty PVC coated nylon. With all round zip **050189**



050221



050222



050220





W4 fill-ups

Suitable for a variety of tap sizes.

Available singly or 25 per outer Fill-up 1 (1.25m hose) 050240

Available singly or 15 per outer Fill-up 2 (2m hose) 050241

Available singly or 10 per outer Fill-up 5 (5m hose) 050242



W4 Tap swirler

Suitable for a variety of tap sizes. 10 per outer **104845**



W4 Aquaduct

To connect water supply to hose socket on caravan, with integral non return valve

051444



W4 Aqua cap

Dust cap for use with plastic water containers. Available singly or 10 per outer **050049**



Aqua Baq 40ltr

PVC coated nylon storage bag with drawstring **050186**

Printed bags

PVC coated nylon storage bags. 100 per outer **050191**



Insulated Aquaroli bag

Designed to reduce the risk of freezing in winter. Reversible with reflective lining to keep water cooler in summer. Clever wrap-round design to remove the need to lift the full container **050194**

Rolson Folding trolley trucks

Sponge grip handle. Light weight aluminium frame. Easily folds compactly for ease of storage. Toe plate and wheels open simultaneously.

Tubing: 50mm diameter. Wheel: 177mm diameter

Load max 80kg

Height: 1m (open) 736mm (closed) Width: 482mm **050267** Load max 60kg

Height: 1m (open) 736mm (closed) Width: 390mm **050269** Load max **45kg**

Height: 965cm (open) 690mm (closed) Width: 390mm 050266

Fresh water containers



Jerrycan 25 litre **050055** Available singly or 12 per outer

10 litre **050077** Available singly or 12 per outer Spare cap **050079**

Cap with integrated tap 050109



Compact carrier

Folding jerrycan with tap. Capacity 20 litres. Available singly or 24 per outer **050170**



Jerrycans with taps

The tap is held inside the jerrycan for transport, protecting it from damage.

25 litre 050096 Available singly or 6 per outer 10 litre 050078 Available singly or 12 per outer Cap with integrated tap 050109



Fiamma 70L fresh water tank

<u> Fiamma</u>

Constructed from nontoxic materials. It can be installed either vertically or horizontally. Complete with all fittings for installation. Water inlet pipe 38mm ø, with air outlet of 13mm Dimensions: (LxDxH) 70x47x24cm **050050**



Fiamma fresh water roll tank

Convenient portable 23 litre water tank with discharge cap at base. Supplied with an extra blanking cap.

Weight 3kg 050054 Spare cap 050056 050057 Discharge cap



Fiamma waste water roll tank

Practical and portable 23 litre tank for waste water with discharge cap at base. Weight 3kg 050051

Spare cap 050056 050057 Discharge cap



Collapsible jerrycan

Space saving concertina shape with tap. Capacity 10 litres. Available singly or 12 per outer 050172

Waste water containers



Waste container

23ltr capacity container which has a large cap on the side to take two waste pipes. 6 per outer **050033** Cap **050032**



Grove take-a-waste

Designed to fit under most caravans and trailer tents. Capacity 23 litres. Breather hole on shoulder to allow air to escape for problem free filling.

4 per outer **050007** Сар 050020 050029 Bung




Jerrycan with filler spout

10 litre **050115** 20 litre **050116** Available singly or 12 per outer



Fiamma roll tank flex kit 23w

Drain kit for waste tank 23 (050051) below, complete with threaded cap and level indicator, 30mm diameter flexible hose which can be extended up to 90cm **050060**





Water filler cap

78mm Ø, 25 (+22)mm depth Black **050064**

White 050062



Water filler assemblu

Dimensions: 38mm Ø outlet, with 10mm Ø overflow, 118mm overall 0,85mm 0 cut out

Black **050066** White **050068**



Reich water tank connector

Designed to fit a hosepipe directly to an external fitting. 75mm Ø Twist fit 050059



Fiamma water filler cap assembly

Locking water cap which complies with European closure system standards. Dim: Overall 112mm Ø, Internal 80mm ø, Pipes: large 60mm small 10mm.

Black **050052** White **050053**

truma Water systems

Housings









Crystal 2 filter housing assembly

Complete with crystal 2 filter and blanking plug.

White **801467**Lid and pins only white **605359**Vory **N/A**Lid and pins only Ivory **605358**Hinge pins only(2) **605376**





Ultraflow filter housing assembly

Complete with Ultraflow active carbon filter and blanking plug. The ultraflow housing comes with an exterior accessory point which can be connected (via optional connector) to allow the use of the exterior shower set (optional). Template size: 108mm x 163mm

White **846011** Lid only white **846961** lid only lyory **846962** Grey **846061** Lid only lyory **846962**



Compact housing



The Ultraflow compact housing / winter kit is the standard housing

for a pump assembly that does not include a filtration system,

accessory point or blanking plug. Dimensions: 143 x 105mm, bore

Lid only white 846974

WOW The comapct shower outlet looks the same as this but has no electrical terminals. See below

Crystal 2 winter kit

No longer available please use Compact conversion kit below. Lid only white 605375 Lid only Ivory 605374 Hinge pins only(2) 605376



conversion kit

The Ultraflow compact housing with an Ultraflow pistol grip pump connector to allow the user to utilse their existing pump assembly. Dimensions: 143 x 105mm, bore hole 50mm diameter

White **846034** Ivory **846035**



lvory 846032 Lid only lvory 846973 Conversion kits

hole 50mm diameter White **846031**

To convert Crystal Mk2 to Ultraflow system whilst enabling the use of the original pump assembly. Kits consist of Ultraflow housing, pistol grip pump connector and filter. Template size: 108mm x 163mm

White **846014** Ivory **846015**



Crystal / ultraflow adaptor plate

Adaptor plate that allows you to convert a Mk1 Crystal housing to the Ultraflow system using the conversion kit

846979



Outdoor shower set

The pistol grip of the Outdoor Shower is simply plugged in to the Ultraflow filter housing. After fitting the connector it is ready for use. For pressurised water systems only **846080** Replacement Ultraflow bridge connector

846967

Shower head only 896800



Compact shower

Exterior shower housing. For pressurised water systems only White **846071** Lid only white **846975**

Ivory **846072** Lid only ivory Shower head only **896800**

846975 846976



Surge damper

The surge damper with integrated pressure switch. The electronically controlled pressure switch has an intelligent control sequence turning the pump on and off when the tap is opened and closed whilst maintaining an even water flow **846050**

Mains water adaptors



Crystal Waterline

A 15 metre 'food quality' hose pipe which comes complete with fittings and a special pressure reducing adaptor which allows caravanners to connect their water system directly to a mains water supply without modification. Compatible with the Crystal filter and Crystal compact water systems, simply by being locked on to the external Crystal housing 802679



Mk2 - Mk3 Waterline converter

Convert a Crystal Waterline to a Mk3 system with this adaptor **854500**



Ultraflow Waterline

A 15 metre 'food quality' hose pipe which comes complete with fittings and a special pressure reducing adaptor which allows caravanners to connect their water system directly to a mains water supply without modification. Compatible with the Ultraflow filter and Ultraflow compact water systems, simply by being plugged into the Ultraflow housing **846090**

Water inlets and pump assemblies



Ultraflow inlet hose Compatible with any Ultraflow housing **846340**



Ultraflow pump assembly

Ths 12v water pump with ergonomically shaped pistol grip is plugged into the Ultraflow filter or compact housing. 9 litres per minute at 3m head at 1.5bar. Tube length 800mm **846041**



Crystal mk2 pump assembly

Maxi pump comes complete with hose, container cover, storage clip and hose connector. Self priming and extremely quiet in operation. 9 litres per minute at 3m head at 1.5bar. This pump fits any MK2 crystal housing 801927



only 9 litres per minute at 3m head at 1.5bar. 801928

Accessories



Pistol grip pump connector 846977



Blanking plug and 0 ring 846966



Ultraflow pump connector 0 rings (4) 846729



Non return valves John Guest 12mm **846880** Flexible hose 846900



Ultraflow push fit to flex adaptor 846999



Mk2 hose adaptor plug 801038



Mk2 blanking plug



Pump connector 0 rings (2) Mk2 o ring 801023 Mk3 o ring 802421

Mk2 crystal retaining pegs (2) 10 per outer **802530**



Crystal cut blue hose 801017

Filters

WOW A complete range of Truma spares are available in the spares section



Crystal 2 filter cartridge 12 per outer **801256**



Removal tool for MK2 filter For easy removal

801257



Filter only 12 per outer **846020**



Ultraflow filter Ultraflow filter + mk2 cap Blue filter cap Filter and MK2 Crystal cap to allow the and O ring filter to be used in Crystal 2 housings 846964 846021



Hoses

Sold by the metre priced by the roll



Non toxic hose ½" 30m roll 051339



Non toxic hose 3/8" 30m roll **051317** 1/2" 30m roll 051325 3/4" 30m roll **051348**



Reinforced non toxic hose 1/2" 30m roll 051356



Flexible waste hose 20mm 30m roll 051360



Convoluted waste hose 23.5mm 50m roll 051365 28.5mm 25m roll 051368



Tube 12 x 8.5mm Blue 25m **055200**



Tube 12 x 8.5mm Red 25m 055201



E6

Flat hose 15m 051310

W4 push fit fittings

Individually packed push fittings for semi rigid tube - All packed 5 per outer



Equal tee 12mm **055202** 15mm **055302**



Two way adaptor

12mm 055275



Equal straight 12mm 055204



Straight reducer 12-8mm **055205**

12-10mm **055220** 15-12mm **055312**



Equal elbow 12mm **055203** 15mm **055303**



Elbow reducer 12-10mm **055221**



Stem adaptor male

%"bsp-12mm 055263 ½"bsp-12mm 055264



Straight adaptor female

%"f-12mm 055238 ½"f-12mm 055232



Bulkhead connector

12mm **055212**



Shut off valve 12mm **055270**



Collet clip 12mm Blue (5) **055292**

Red (5) **055293**



End plug 12mm 055208 15mm **055308**



Stem enlarger

Female to male 12-15mm **055216**



Stem elbow 12mm **055222** 15mm **055322**



Stem

reducer

Female to male

12-10mm **055210**

Straight adaptor male

34"bsp-12mm **055213** ½"bsp-12mm **055214**



Tank fitting assembly 12mm 055266



Stem shut off valve

12mm **055272**



Tube cutters Light duty 055295



Straight adaptor 12mm-1/2" 055206



In-line filter/ strainer 055294



Non return check valve 12mm **055273**



Mounting clips 12mm (5) **055265**

WOW All W4 water fittings are suitable for contact with foodstuffs and drinking water. ISO 9001 and ISO 14001 certified. FDA and WRAS approved. Complying with the requirements of UK water regulation.

Push fit system stand


Not illustrated. Complete with 5 packs of 24 of the best selling items in this range 055299

Water fittings





28.5mm **051139**



W4 easi 2 drain



For caravans with two 28.5mm

waste outlets. Pre-assembled

Available singly or 10 per outer





Sink top clip

051239 10 per outer

7 piece 'Y' kit

Versatile kit to allow different combinations of outlets be reduced into 1. For 28.5mm hose 051380

Available singly or 10 per outer



10 per outer

1/2" 051128

3/4" O51137

Y connectors





051138



P clips (5) 34" 051284 1" 051293 10 per outer



Straight connectors









Herbie hose clips (2)

Re-usable hose clips in heat resistant nylon. Will not rust or corrode and can be fitted with pipe in place. Depending on size withstands up to 160°C and 120psi

½ " 051205 ¾ " 051216

10 per outer





reducer

051371

28.5 - 20mm

Takes 28.5mm down to

20mm plus enables smell

trap to be connected to

20mm hose. 10 per outer





Enables 28.5mm hose to fit 11/4" sink wastes. 10 per outer 051369



Hose sealing sleeves

Enables a better fit between the hose and the connector. 23.5mm hose sealing sleeves also allow 23.5mm hose to be connected to 20.5mm fittings 10 per outer

23.5mm 051366 28.5mm 051367



Tap connector

Suitable for use 1/2 (12mm)round taps. Adjustable hose

clip, ABS plastic, frost resistant and shatterproof gaiter grip clamp to fit ½" hose. 25 per display box 051305



Hose socket with flap

051394 3/4" 051405 28mm **051408** 5 per outer





Dust caps 34" / ½" **051416** 051427 10 per outer



Drain taps

Fresh water food grade. 28mm 051373

Waste water. 28mm 051374



Grove packaged. 10 per outer 000/M00

(8-16mm) 070249 (12-22mm) 051246 051268 $\cap X$ (16-27mm) W4 packaged. 10 per outer

104832 000/M00 (8-16mm) 00 (12-22mm) 104833 104834 OX (16-27mm) 1X (25-45mm) 104836 Hose clips bulk

Supplied 100 per bag

000/M00

00

Sink and shower waste outlets



1¼" straight waste outlet 34" outlet

28mm outlet 5 per outer





1¼" angled waste outlet



Sink waste plug



051385

11/4" 051075

10 per outer



Sink waste plug (2)

36 " O51227 10 per outer





Designed to fit onto 28mm waste water fittings. Fits rigid or flexible convoluted hose. Detachable cap gives access to remove debris

(8-16mm)

(12-22mm)

070255

051257

Plastic top Stainless steel top 051097

5 per outer

F: 0161 367 7303

¾"straight waste outlet 051086

¾" angled waste outlet 051108 Plastic top Stainless steel top 051119 5 per outer

Water purification



WOW AquaStar 1+2 and 3 are designed to work in harmony with one another and unfold their full potential when used as a set



AquaStar 1+2

The professional installation cleaning system, specifically designed for recreational vehicles.

AquaStar 1 - tough on lime scale.

For maintaining installations preventing the build up of limescale.

AquaStar 2 - shows no mercy to germs.

For a germ free water installation. AquaStar 2 unleashes its two phase action using active oxygen and silver, the oxygen dissolves the biofilm, whilst the silver ions kill any bacteria lurking in it

AquaStar 1+2 052040

AquaStar 3

Transforms water into drinking water. For water sterilisation and preservation.

- Uses active oxygen to inactivate bacteria and germs within 1 hour
- Uses silver ions to protect water against contamination, algae and bad smells for up to 6 months

AquaStar 3 **052041**

Floor display stand **052044** Counter display **052044**



Elsan fresh water tank clean

Leaves the tank free from microorganisms and black spot. It also removes calcium and other deposits that can eventually clog the system. Tank Clean contains no chlorine.

litre 050035 12 per outer

Winterban



Prevents freezing pipes and other damage by winterising your motor home or caravan. Winterban replaces the water in the water system and is safe for fresh water plumbing.

It is a propylene glycol solution (1 part winterban to 1 part water protects down to -46°C) which has a dramatically lower burst point than water. This is the point at which the liquid expands when frozen, thus protecting the system from frost damage. It is recommended that you drain as much water from your system as possible (use the Floe drain

down system on E9). Any excess water will be absorbed by the solution and prevents damage to pipes, taps and water heaters through expansion of frozen water. 6 per outer. 1 gallon per bottle **052050**



Clear pure water kit

Each Kit Contains Puriclean 100g to clean the water tank and system and 6 Aqua Clean Tabs to purify the water **052026**



Puriclean

Cleanses water systems and tanks

100g tub **052002** 400g tub **052024**



Aqua Sol

Aqua Sol is a powerful biocide which destroys all water borne bacteria and viruses. In addition it removes tastes and odours caused by plastics, chlorine, GRP and metals, keeping water fresh for a very long time. Aqua Sol is approved by the D.O.E. The 250ml size will treat 625 litres of water. Aqua Sol 250ml. 6 per outer **052030**



Waste Guard

Waste Guard provides rapid control of odour producing waste products. It selectively reacts to oxidise odours from many sources and does not emit harmful by products. 300ml. 6 per outer **052039**



Aqua clean tabs

Water purification tablets. One tablet per 5 gallons of Water. 32 tablets per pack. 12 packs per outer **052013**



Aqua tabs mini

Water purification tablets. One tablet per 1 litre of Water. 40 tablets per pack. 18 packs per outer **052012**



Aqua mega tabs

Aqua Mega Tabs are rapid dissolving effervescent water purifying tablets. For use with water storage tanks with a capacity of 50 gallons or more. 12 per outer **052015**



Puri Sol

Cleans, sterilises and deodorises in one action, leaving no taint or odour. Clean, disinfect and deodorise water storage tanks, pipe work and fittings. 300ml. 6 per outer **052032**

Drain down system floe

The floe system is a simple and cost saving way to drain your water system, protecting it from winter frosts and reducing risk of infection from stagnant water throughout the year. With the simple step by step instructions,

you will be guided through the quick and easy process, enabling you to use your leisure vehicle all year round. A matter of minutes draining down your water system will give you peace of mind whatever the season.

The Drainage kits all come with 1 x Drain down, relevant adaptors and an instruction DVD showing a drain down demonstration.

Drainage kits

Truma Ultraflow 051980 Truma Crystal 2 051982 051984 Whale U.K. Motorhomes 051990 European Motorhomes 051988

Drain down only

Homes, static caravans, and holidau 051996



WOW Practical Caravan Tourer of the year awards 2012. Recommended Best accessory





Water filters



Grove purawater filter

The filter should be replaced every season or after filtering 4500 litres of water. Original is suitable for connection to %" flexible hose or standard 12mm semi rigid connectors. Now available with 15mm ends for connection to 15mm semi rigid or $\frac{1}{2}$ " flexible hose. Available singly or 10 per outer

12mm filter **055066**

12mm adaptor kit (2 x 12mm straight push fit connectors) 055068

15mm filter **055067**





Reich aqua filter

To ensure a constant filter performance it should be replaced every season or after 4500 litres (approximately) have been filtered. The agua filter has threaded ends and is supplied complete with screw on copper nozzles for ease of fitting into flexible hose **054350**



3M replacement filter

The filter reduces unpleasant taste and odour and removes sediment, dirt, rust, sand and silt to 5 micron size. It also incorporates a bacteria inhibitor. With a capacity of over 7,500 litres.

Replacement filter 055105 Filter and housing 055100



Universal portable water filter

Versatile, compact and lightweight filter for any tap. As easy to fit as push on, then pull off. Filters up to 10,000 litres (or 12 months) with normal potable water quality and usage. Max pressure 22psi (1.5 bar). Max flow rate 3 litres per minute. Fits taps up to 19mm / 3/4" diameter. Produces healthy remineralised water, whilst substantially reducing chemical levels for safer drinking water. Ceramic spheres can be recycled in the garden to help soil drainage and improve plant growth 054350

WOW Ideal for camping. Filter your water when filling your Aquaroll or Jerrycan.

Onboard pumps and accessories



	Trail King 7	Trail King 7	Trail King 10	Trail King 10	Trail King 10
Voltage	12V	12V	12V	12V	24V
Flow rate (I/min)	7	7	10.6	7	10.6
Pressure	20 p.s.i. 1.1 Bar	30 p.s.i. 2.1 Bar	30 p.s.i. 2.1 Bar	45 p.s.i. 3 Bar	30 p.s.i. 2.1 Bar
Max current	4.5A	4.5A	4A	4A	3 . 5A
Weight	1.9kg	1.9kg	1.9kg	1.9kg	1.9kg
Part No.	053017	053018	053020	053021	053023

Shurflo pumps

- Range of fully automatic triple diaphragm positive displacement freshwater pumps with integral pressure switch
- Heavy duty die cast alloy lower housing with twin ball bearing drive
- Motors have internal circuit breaker for electrical overload protection
- Run dry without damage
- Low amp draw and extremely quiet in operation
- Barbed hose adaptor and inlet side strainer supplied with pump



Shurflo filter Screw-on filter for attachment to Shurflo pumps 053035



Shurflo filter Screw-on filter for attachment to Shurflo pumps With wing nut 053036



filter
For use with all
types of water
pump 053042



Pump fittings ½" elbow and straight connectors 053053

WOW A complete range of Shurflo spare parts can be found in the Spares section



Fiamma aqua 8 pump

Includes anti-vibration silent plate. Will pump water vertically over 3m with no priming. The stainless steel filter prevents impurities from entering. An automatic pressure switch starts and stops the pump. The pump is resistant to limestone deposits and oxidation. Can run dry without damage. Angle and straight connectors for 13mm0 pipes standard delivered Pressure switch kit 053028

	Fiamma Aqua 8	Fiamma Aqua 8
Voltage	12V	12V
Flow rate (I/min)	7	10
Pressure	21.75 p.s.i. 1.5 Bar	21.75 p.s.i. 1.5 Bar
Operating current	1.4A	3.4A
Weight	1.5kg	1.5kg
Noise	55/60 db	65/70 db
Part No.	053025	053026



Fiamma A20 expansion tank

Ideal addition to Aqua 8, previous models and all other types of pressure switch pumps. Eliminates the pulsating operation of pressure switch pumps and supplies a constant flow of water in the required quantity. Extends the life of the pump and boiler as well as cutting water consumption. The internal pressurised diaphragm provides a smooth, surgefree flow. Can be adapted to all pressure switch pumps on the market **053030**

Dometic PowerPump



Dometic PowerPump series pressurised water pumps are specially designed for leisure vehicles. Created by comfort specialist Dometic, the pumps excel with their well thought-out practical features, their durability and extremely quiet running. Powerful in performance they make economical use of energy. Dometic PowerPumps can run dry without

damage and feature vibration-absorbing mounts.

Self priming pumps with an integrated pressure switch, which means they can be placed above the water tank. Their unique four-chamber diaphragm design ensures maintenance-free operation over the whole service lifetime.

Thanks to a patented click system the pump strainer and the three different $\frac{1}{2}$ -inch hose connectors included in each set are quick and easy to install. These pumps are available in two performance categories each: 7 or 10 litres per minute.

WOW PowerPumps have a 4 chamber diaphragm with independent operation. This allows the pump to continue to function when one or more of the chambers are faulty

	Power Pump PP127	Power Pump PP1210
Voltage	12V	12V
Flow rate (I/min)	7	10
Pressure	20 p.s.i. 1.4 Bar	30 p.s.i. 2.1 Bar
Operating current	2 . 2A	3.OA
Weight	2.2kg	2.2kg
Part No.	053010	053011

Submersible pumps and accessories



Reich and Bohler pumps are especially durable and powerful. Their durability is enhanced by special high-tech sealing. A patented vent in many pumps speeds delivery once submerged. All pumps are extremely quiet in use and the housing material is resistant to dirt and this makes them easier to clean when necessary. For Truma submersible pumps please see E5.

Reich 15 litre slimline



12v submersible pump. 1 bar. 40mm ø. Available singly or 10 per outer **055010**

Reich pump and hose assembly

A 76cm length of twin tube blue hose attached to 055010 Available singly or 10 per outer 055030



Reich twin 19 litre

12v twin submersible pump. 1.4 bar with automatic vent, strainer and non return valve. If one pump fails the TWIN pump will continue to work with reduced power 055017

Truma Thames pump. It has the same dimensions and specifications.

Reich 14 litre Easy amua



12v submersible pump. 0.5 bar. 43mm ø **055003** Bulk 25 per outer 055003B

Reich 18 litre

WOW 055010 15I slimline pump can be used as a direct replacement for the old Carver



12v submersible pump. 0.9 bar with automatic vent and strainer. 45mm ø. Available singly or 10 per outer **055014**

Reich 15 litre In-line



12v booster pump. 0.5 bar. 48mm ø. Available singly or 10 per outer 055020

Bohler 8 litre



12v submersible pump. 0.6 bar. 46mm ø 055001

Reich 12 litre



12v submersible pump. 0.5 bar with automatic vent. 45mm ø 055009

Reich Poweriet 22 litre



submersible pump. 1.8 bar with automatic vent. 55mmø 055018

Comet exterior water inlet 12v



Complete with plug set for pump cable and sealing cap for water spout. 58mm x 58mm x 55mm 053005

Spare plug set 053006

Pump protector



Attach to the lower awning rail to keep your pump off the ground whilst refilling your water container. 10 per outer **055059**



Beige plastic 12v switch suitable 61mm Ø **053001**

Reich non return valves





With 2 x 12mm push fit connectors 054367

Comet foot switch



for pump control.

Reich 12v foot switch



Brown plastic 12v switch suitable for pump control. 57mm x 45mm 054366

Single taps



Comet Novo single tap

Complete with microswitch. Cable length 300mm. Overall tap height 40mm. Maximum pressure 3 bar

Two tone beige 053970 053971 Brown/beige Spare spout beige 053974 Microswitch 053979



Mini deluxe single tap

With a slightly smaller control knob and same spout as standard deluxe. Installation hole 16mm (standard deluxe is 20mm)

Matt nickel 054215 054274 Microswitch



Deluxe single tap

Complete with microswitch. Cable length 300mm. Overall tap height 40mm. Maximum pressure 3 bar. Installation hole 20mm

Matt nickel 054222 054223 White Beige 054224 Microswitch 054274 Spare spout matt nickel 054067

Fold down mixer taps



Comet Novo mixer tap

Mixer tap complete with microswitches. Cable lengths 300mm. Overall tap height 40mm. Maximum pressure 3 bar

Two tone beige 053972 053973 Brown/beige Spare spout beige 053974 Microswitch 053979



Style 2005

Single lever mixer complete with micro-switch. Cable length 300mm. Overall tap height 40mm. Maximum pressure 3 bar. Installation hole 20mm

Chrome 054270 Matt nickel 054271 Microswitch 054274 Spare spout matt nickel 054320 Spare spout chrome 054321



Twist

Single lever mixer tap complete with microswitch. Cable length 600mm. The spout raises and lowers vertically. Ceramic cartridge. Overall tap height 43mm. Maximum pressure 6 bar. Installation hole 50mm. Right hand illustrated

Matt nickel left hand	054301
Matt nickel right hand	054296
Chrome left hand	054302
Chrome right hand	054304
Microswitch	054303
Spare spout matt nickel	054320
Spare spout chrome	054321



Deluxe mixer tap

Mixer tap complete with microswitch. Cable length 300mm. Overall tap height 40mm. Maximum pressure 3 bar Matt nickel 054233

White 054234

Beige 054235 054274 Microswitch Spare spout matt nickel 054067



Keramik style

Single lever mixer tap complete with microswitch. Cable length 600mm. The spout raises and lowers vertically. Ceramic cartridge. Overall tap height 40mm. Maximum pressure 6 bar. Installation hole 33mm

054306 Chrome Matt nickel 054305 Microswitch 054274 Spare spout matt nickel 054320 Spare spout chrome 054321



Twist 90° elbow

Spare spout chrome

Single lever mixer tap complete with microswitch. Cable length 600mm. The spout raises and lowers vertically. Ceramic cartridge. Overall tap height 40mm. Maximum pressure 6 bar. Installation hole 39mm. Left hand Chrome left hand - 90° elbow 054297 Microswitch 054303 054321





Smev / Comet Florenz

Single lever mixer complete with microswitch. Cable length 600mm. Overall tap height 40mm. Maximum pressure 3 bar. Installation hole 33mm 091240



Keramik deluxe

Note: will fit Smev sinks. Single lever mixer. Same features as Twist but has ceramic sealing and regulating discs instead of a ceramic cartridge.

Chrome 054307 Microswitch 054274



Trend A

Single lever mixer complete with microswitch. Cable length 600mm. Overall tap height 40mm. Maximum pressure 3 bar. Installation hole 27mm

Chrome 054260 Microswitch 054274

WOW More Reich tap spare parts can be found in the spares section of the catalogue



Spare spout Chrome 054321 Matt nickel 054320



'0' ring Spare 'o' ring for spout 054247

Mixer taps caraflo

WOW All Caraflo taps are supplied without tails to enable the customer to select which tails they require - see page E14. They are designed for a pressure-switched system. *Spout length is measured from the front of the tap to the centre of the flow of water along the horizontal.



Milana

Single lever basin mixer tap. Installation hole 30mm

Colour	Part No.
Chrome	054400
Chrome	054403
Chrome	054406
Nickel	054409
Chrome	054412
	Chrome Chrome Chrome Nickel



Kami

90mm

Single lever basin mixer tap and 120mm solid metal extension for tails. Installation hole 30mm ø Spout length* Colour Part No.

Chrome

054421



Keramik concept S

Single lever mixer tap with a flat spout that avoids dripping of residual water. Spout swivels 360°. Comes with microswitch. Cable length 600mm. Maximum pressure 6 bar. Installation hole 33mm

Chrome **054313**Microswitch **054287**



Keramik cascada

Single lever mixer tap with a height of 162.5mm. Generates a very soft water jet ideal for hand wash basins. Maximum pressure 6 bar. Comes with microswitch. Cable Length 600mm. Spout length 110mm. Installation hole 33mm

Chrome 054308 Microswitch 054311



Modesta

Single lever basin mixer tap. Installation hole 30mm

Spout length*	Colour	Part No
160mm	Chrome	054415



Charisma

Single lever mixer tap with a 160mm outlet spout that rotates 360°. Complete with microswitch. Cable length 600mm. Ceramic cartridge. Maximum pressure 6 bar. Installation hole 30-35mm

Chrome 054293 Microswitch 054295



Kama

Single lever mixer tap complete with microswitch. Cable length 600mm. Ceramic cartridge. Installation hole 33mm

Chrome 054275
Installation hole 27mm
Chrome 054279



Trend S

Single lever mixer tap featuring premium plastic parts for lightness and brass lever and spout for the highest quality finish. Spout rotates 360°. Comes with microswitch. Cable length 600mm. Maximum pressure 6 bar. Spout length 315mm. Installation hole 33mm

Chrome **054266** Microswitch **054311**



Anzia

Single lever basin mixer tap. Installation hole 30mm.

Spout length*	Colour	Part No.
90mm	Chrome	054418



Pelikan

Single lever mixer tap complete with microswitch. Cable length 600mm. Spout rotates 360° for versatility. Ceramic cartridge. Maximum pressure 6 bar. Installation hole 33mm

Chrome **054290** Microswitch **054311**



Trend E

Single lever mixer tap with a brass lever and a lightweight plastic body. Ceramic cartridge can be replaced without removing the tap. Complete with microswitch. Cable length 600mm. Maximum pressure 6 bar. Spout length 134mm. Installation hole 33mm

Chrome 054268 Spout chrome 054269 Microswitch 054311



Trend B

Single lever mixer tap supplied with a 360° swivelling metal spout. Spout length 200mm. Folds down into bowl to a height of 40mm Comes with microswitch. Cable length 600mm. Maximum pressure 3 bar. Installation hole 27mm

Chrome 054263 Microswitch 054274

Shower taps





Elisa Single lever pull out mixer tap. Installation hole 40mm Chrome 054430



Mila
Single lever shower mixer tap.
Installation hole 30mm
Chrome 054427



Moda Single lever shower mixer tap. Installation hole 30mm Chrome 054424

Comet Novo



Shower mixer tap complete with microswitches. Cable lengths 300mm. Overall tap height 40mm. Maximum pressure 3 bar Shower tap only.

Brown and beige **053975**

Shower tap, 1.5 metre hose, adjustable shower head for jet or spray and a wall bracket. As illustrated. White **053977**



Kama with Julia shower

Single lever mixer shower tap complete with microswitch with 600mm cable. Can be used as a normal tap or shower tap. Maximum pressure 6 bar

Chrome **054285**Microswitch **054287**



Twist - table top - ui

Twist - under table top

Single lever mixer tap that can be used with a variety of shower sets. Any stardard $\frac{1}{2}$ " hose will connect to the outlet. Complete with microswitch. Cable length 600mm. Maximum pressure 6 bar. Installation hole 39mm

Table top version 054299
Under table top version 054298
Microswitch 054303

Tap accessories



Caraflo tails

Model Connection Length Part No. SP200 054440 12mm male nylon 350mm SP210 12mm cone (1/2") SS 220mm **054443** 12mm female nylon SP220 350mm 054446 SP230 15mm female nylon 390mm **054449**

Adaptor plates



Useful plate when replacing other taps with Reich, or to neaten any installation

Single (as illustrated) 113mm x 55mm Chrome 054315 Matt nickel 054316 Double 163mm x 55mm Chrome 054318 Matt nickel 054319

Turbo spray plus



Designed to reduce water used by improving the power of the spray. Ideal for caravans. Improves the flow

of the water jet without costly new pumps. Screws into the rosette of most caravan taps.

Ceramic cartridge Caraflo 35mm Ø 054452



Ceramic cartridge Reich 35mm Ø 054312 Reich 25mm Ø 054312A

054390

Shower heads and accessories





Carisma

Plastic lever shower head 054325

O ring for Carisma shower head









Konus Wall bracket 054331

Duett swivelling shower set

Includes the duett shower spout, a 1.5m high quality shower hose and a swivelling konus bracket. Maximum pressure 3 bar. Installation hole for bracket 33mm Chrome **054283**

Shower head & hose Chrome single setting plastic shower head with 1.5m hose 054510

Shower head & hose Chrome three settings plastic shower head with 1.5m hose 054512





Sun shower rail set

Riser rail, 1.5m hose, and Sun shower head plastic 054459

Sun shower wall set

Wall bracket, 1.5m hose, and Sun shower head plastic 054462

Sun shower hose Double lock 1.5m metal shower hose 054475

Ecocamel shower heads **ECOCAMEL** POWERFUL PRODUCTS POWERFUL SAVINGS

Water and energy saving shower heads. Patented technology increases the water flow from the showerhead. You get the same powerful shower as a full flow shower, but you use up to 45% less water. Using less water means you automatically use less energy to heat it - so you can help save the environment, whilst cutting your bills in the process. Fantastic for caravans and motorhomes!

- Reduce the need to refill water tanks, or to empty waste tanks.
- makes this equal to a 14-20L tank.



Sinks



Corner bowl

11" corner bowls are pre-drilled to take any 3/4" sink wastes, 14" bowls are pre-drilled to take 1 1/4" sink wastes (not supplied)

White 11" 050816 11" 050818 Ivory

14" 050860 14" **050861**



Vanity bowls

Pre-drilled to take any 3/4" sink wastes Dimensions: 508mm x 286mm lvory **050777** Beige **050773**



Vanity bowl

Sink waste not pre-drilled Dimensions: 520mm x 356mm x 138mm

White **050770**



Vehicle bowl

12" x 10½ " Stainless steel with lip. Bowl 050523



Stainless steel sink and drainer

213/4" x 14" 050534



Thetford Kitchen centre

Brushed stainless steel. W470mm x D360mm x H153mm. Sink bowl 11 litres. Weight 3.2 Kg with lid. Chinchilla glass - toughened, heat resistant cutting surface. Optional extras plastic bowl insert, plastic drainer, chopping board, cutlery rack (as illustrated). Prices on application **091160**



Thetford Rectangular bowl


Stainless steel. W400mm x D445mm x H145mm. Weight 2.9 Kg. Takes 11/4" sink wastes. Pre-drilled tap hole 33mm.

091158



Thetford Triangular bowl

Stainless steel. WxDxH: 400 x 445 x 145mm. Weight 2.9 Kg. Takes 11/4" sink wastes. Pre-drilled tap hole 33mm. Left hand 091155 Right hand 091156 as illustrated



Smev sinks with lid

integrated heat-resistant safety glass lid, AC 540 siphon, rubber seal and a predrilled tap hole (39mm)





8005

WxDxH: 420x370x145mm Built in dimensions W405mm x D355mm 091234



VA7306

ø 420mm Depth 148mm Built in dimensions ø 400mm 091231





Optional tap 091240

Smev 8306 sink and drainer



Integrated heat-resistant safety glass, stainless steel drainer, tap fitting inside, AC 540 siphon, rubber seal. W680mm x D440mm x H150mm 091233 Optional tap 091240

Thetford Argent sink



Stainless steel. W630mm x D470mm. Sink bowl 146mm deep. Weight 5.5kg. Chinchilla glass - toughened, heat resistant cutting surface Left hand 091153 as illustrated Right hand 091152

Vanity units

Perfecto wall unit



A contemporary design suitable for use in caravans, motorhomes & pleasure boats amongst others. Space saving design, with split level storage and door hinge option. Incorporates an inset mirror and stylish brush metal handle.

(excludes handle) Silver **050893** White **050891**



Perfecto tip up sink



Space saving design with removable bowl and tip to empty mechanism. Incorporates moulded shelf for tap installation.

Size HxWxD: 660h x 520 x 135 mm





Vanity unit

Manufactured from high impact polystyrene. Features a twin mirror sliding door with travel lock and useful shelf with retainer Size HxWxD: 550 x 515 x 100mm 050899

Shower trays



Tip up basin

Size HxWxD: Open: 345 x 500 x 170 mm Closed: 200 x 500 x 320 mm 050630

Perfecto pedestal

Ideal for tap mounting, hides pipework and looks fantastic in any toilet or shower. Dimensions: 750 x 300 x 90mm Silver **050647** White **050645**



Shower mats



Square shower mat

45cm square. Available singly or 24 per outer 050940



Rectangular bath mat

70 x 40cm. Available singly or 12 per outer 050941



Dimensions: 584mm x 584mm x 127mm

C200 shower trays

Moulded to fit the C200 range of cassette toilets Left hand as shown. Dimensions:1030 x 670mm 050932 Right hand. Dimensions: 1020 x 700mmm 050933

lvory **050930**

W4 Concept accessories



Towel ring

Designed with the confined space of caravan and boat washrooms in mind yet still large enough to hold a bath towel. Complete with screw covers and stainless steel screws. Available singly or 10 per outer **095596**



Toilet roll holder

Plastic holder with special mechanism to prevent roll unravelling whilst towing. Large self adhesive fixing pad. Available singly or 10 per outer **060351**



Towel rail

Compact rail with non slip covering and hanging hooks. Available singly or 10 per outer **095594**



3 way towel grip

Complete with screw covers and stainless steel screws. Available singly or 10 per outer **099041**



2 way robe hook

Complete with screw covers and stainless steel screws. Available singly or 10 per outer **099040**



4-way toothbrush holder

Compact 4 way toothbrush holder complete with screw covers and stainless steel screws. Available singly or 10 per outer **050916**



Soap holder

Keeps the soap bar in place when on the move, comes with clip on drip tray. Complete with screw covers and stainless steel screws. Available singly or 10 per outer **050915**



Washroom beaker and holder

Invert beaker for storage or transit. Complete with screw covers and stainless steel screws. Available singly or 10 per outer **050914**



Mini loo brush 2

A compact brush and holder designed for use with caravan/boat toilets. The brush easily clips into the wall mounted holder to keep it secure in transit. Available singly or 10 per outer **060346**



Toilet brush & holder

White coated metal. Available singly or 6 per outer **060340**



Gripstrip hang it all

Brush type towel holder. 12 per outer **095603**



Hold steady

Stops tins, jars, pottles, aerosols from rolling around. Can be used vertically or horizontally **095883**



Fiamma toilet brush

Toilet brush with container for all types of toilet. Complete with self-adhesive strips **060347**



Ring portable shower 12v or drycell

Ideal for camping and leisure activities features an electric pump. Operates with 4 \times D cell batteries (not included) or via 12V power source. Adjustable water flow. Includes handy storage bag, suction cup and hanging hook. Available singly or 12 per outer **050920**



Shower curtain


White. Superior quality. Waterproof. Size 71" square. 6 per outer **050945**

THETFORD Aqua products

WOW Thetford Aqua products suppress unpleasant smells, reduce gas build up, stimulate the breakdown of solids and toilet paper making it easier to empty, keep the waste tank pure and clean, and protect moving parts to extend the lifespan of the toilet.

Aqua Kem blue

Thick non-drip toilet fluid, use 120ml per 20 litre holding tank capacity





1 litre Non-dosage 1 litre Dosage 2 litre

060295 12 per outer

060292 12 per outer **060301** 6 per outer

Aqua Kem green

Biological toilet fluid, use 150ml per 20 litre holding tank capacity

- Safe to empty in septic tank (Test ISO 11734)
- 4 days with average use
- It remains liquid up to -20°C and remains active after defrosting



375ml **060304** 24 per outer



Aqua Rinse plus

New improved formula. Use 100ml per 15 litre of flush tank capacity. Provides a more effective flush, and keeps the flush water fresh and clean. Septic tank safe.

- Leaves a protective film in the bowl that prevents deposit from forming
- The lubrication action makes the blade of the waste-holding tank easier to open and close



400ml **060275** 24 per outer



Aqua Kem sachets



One sachet per 20 litre holding tank capacity

- Easy to use: sachets completely dissolve in water
- Highly concentrated
- Suitable for winter camping
- One dose lasts 4 to 5 days with average use

060307 15 per pack, 6 packs per outer

Aqua Kem green sachets Biological action.



Environmentaly friendly. Safe for use in septic tanks. One sachet per 20 litre holding tank capacity

- Easy to use: sachets completely dissolve in water
- Highly concentrated
- Suitable for winter camping
- One dose lasts 4 days with average use

060306 10 per pack, 6 packs per outer

Aqua Soft tissue



Prevents clogging Easier to

Dissolves

- empty wasteholding tank Prevents
- malfunctions or damage to the wasteholding tank
- Super-soft

060312 4 per pack, 12 packs per outer 060312B 72 packs per pallet



WOW Please speak to your sales contact for current special offers on Thetford Aqua products. e.g. Duo pack 060298

THETF RD

Maintainence products





Seal Lubricant

- Protects, lubricates, ensures pliability
- For periodical care and maintenance
- Developed for safe lubricating of Thetford toilet parts • Absolutely safe for plastics, no colouring on plastic parts
- Ensures smooth operation of valve blades and other items 200ml **060355** 12 per outer



Toilet Bowl cleaner

- Removes hard water and soil deposits while safe for plastic and toilet seals
- Descaling qualities ensure a smooth surface of the toilet bowl, preventing build up of soil
- Provides optimal hygiene and creates shine and brilliance
- Thick concentrated formula coats the bowl for better cleaning and targets hard to reach areas
- Thoroughly cleans leaving a lovely fresh scent behind **050037** 9 per outer

Bathroom cleaner

- Powerful cleaning agent for daily maintenance
- Safe for all plastics surfaces, including the outside of the
- Guarantees perfect hygiene
- Active foam removes calcium deposits
- Gives a lovely shine **098320** 9 per outer



Cassette Tank cleaner

- Thoroughly cleans the inside of the waste-holding tank
- Easily removes stubborn calcium deposits
- No scrubbing required
- Prolongs life span wasteholding tank
- Pleasant fresh scent 1 litre **060325** 12 per outer



Tank Freshener

50ml per 25 litre tank capacity

- Reduces deposits and grease contamination in your waste water tank and tubing.
- Prevents unpleasant smells
- Improves hygiene
- Promotes trouble-free discharge of your tank
- Safe for all plastics 1.5 litres **050038** 6 per outer

Elsan chemical toilet products



Elsan Blue

Elsan Blue's powerful anti-bacterial formula kills germs and eliminates odours. British Standard 2893:2005 2 litre **060362** 8 per outer 4 litre **060373** 4 per outer



Elsan Pink

Elsan Pink keeps the toilet fresh and removes bad odours when the toilet is flushed. It is anti-bacterial so it prevents algae build-up in your flush tank. It also lubricates and cleans the bowl.

2 litre **060365** 8 per outer



Elsan Organic toilet fluid

Elsan Organic has been developed with brand new biological technology which works in a completely different way to conventional toilet fluids. By dissolving waste and removing odours naturally, the chemical smell has at last been eliminated and replaced with a delightful mild fragrance. It can be used in both flush and waste tanks. And because it is biodegradable and free from harsh chemicals, it can be safely emptied into a septic tank.

400ml **060356** 24 per outer 2L organic and FREE 750ml Toilet bowl cleaner **060359** 4 per outer

Elsan Double

Double concentrated to give you the same Elsan performance and reliability on which you've always relied. Now however you only need to use half the quantity giving you a big saving on each dose. British Standard 2893:2005



Double Blue 400ml **060376** 24 per outer 1 litre **060378** 12 per outer



Double Rinse 400ml **060377** 24 per outer 1 litre **060379** 12 per outer



Double BOGOF
2L blue double concentrate and 2L rinse double concentrate fluid
060375 4 per outer



Elsan Tank clean

Leaves the fresh water tank free from micro-organisms and black spot. It also removes calcium and other deposits that can eventually clog the system. Tank Clean contains no chlorine.

1 litre **050035** 12 per outer



Elsan Toilet Bowl cleaner

Leaves toilet bowls fresh and clean. Concentrated power to remove scale deposits. Especially made for caravan and motorhome toilets.

750ml **060381** 12 per outer



Elsan Blue bags

As the sachet comes in contact with water it quickly dissolves, killing the bacteria and eliminating odours whilst imparting a pleasant fragrance. And because each sachet contains an exact dose of concentrated powder, no measuring is required. Clean, safe and easy to use, Blue Bags provide the ultimate in performance and reliability.

060332 18 per pack, 12 packs per outer

Assorted chemical toilet products

TRIGANO ACTIV by THETFORD

WOW Manufactured by Thetford, the economical Activ range has the same advantages as the Thetford Aqua products, use a similar dose, but are effective for a slightly shorter period.



Activ rinse

Use 70ml per 10 litre of flush tank capacity. Provides a more effective flush, and keeps the flush water fresh.

- Leaves a protective film in the bowl that prevents deposit from forming
- The lubrication action makes the blade of the waste-holding tank easier to open and close
- 2 litre **060245** 6 per outer



Activ blue

Thick non-drip toilet fluid, use 60ml per 10 litre holding tank capacity

• One dose lasts 3-4 days with average use 2 litre **060246** 6 per outer



Activ green

Biological toilet fluid, use 60ml per 10 litre holding tank capacity

- Safe to empty in septic tank
- One dose lasts 3 days with average use
- It remains liquid up to -20°C and remains active after defrosting

2 litre **060247** 6 per outer



FIVE reasons why you will love 1. They're hygienic

- They're biodegradable
- 3. They reduce water usage
- 4. They reduce odour with a fast flush
 - 5. They work

Happy bowl liners

Biodegradable toilet bowl liners. Use them to line your caravan, motor home, or portable toilet. Simply flush the toilet after use, and the bowl liner and contents are flushed away, leaving your bowl clean and fresh. **060311** 50 per pack, 10 packs per outer





Fenwicks top & tail

A unique toilet fluid designed for use in both top and bottom tanks which makes it easier to use and more economical. 2.5 litres **060266** 8 per outer



Citrus fresh toilet cleaner

"Fresh coat" helps prevent marks and stains. Helps maintain seals, improves flush action and sanitises. 1 litre **060265** 15 per outer



Waste pipe & tank cleaner

Cleans shower and sink drains, toilet cassettes, and eliminates unpleasant odours.

1 litre **097063** 15 per outer



Mini loo brush 2

A compact brush and holder designed for use with caravan/boat toilets. The brush easily clips into the wall mounted holder to keep it secure in transit. Available singly or 10 per outer **060346**



Toilet brush & holder

White coated metal. Available singly or 6 per outer **060340**





Fiamma soft toilet tissue

It won't clog up tanks or waste valves. Special 2-ply soft toilet tissue, formulated for chemical toilets. Stronger and softer tissue dissolves quickly in water. 300 sheets per roll.

060388 6 per pack, 10 packs per outer



Fiamma toilet brush

Toilet brush with container for all types of toilet. Complete with self-adhesive strips

060347



Toilet roll holder

Plastic holder with special mechanism to prevent roll unravelling whilst towing. Large self adhesive fixing pad. Available singly or 10 per outer **060351**

Portable toilets

The Time Porta Potti range - 3 year warranty. Integrated cover lock for easy transportation, with recess for opening. The smooth lines and subtle curves are not just important to the appearance of the toilets, but also provide optimum comfort and ease of use. An improved blade opener. A new more comfortable handle on the waste holding tank.











	Part no.	Porta Potti Model	Body Colour	Dimensions H x W x D	Pump Type	Level Indicator	Waste tank	Flush Tank	Pack size
•	056966	Qube 145	White	330 x 383 x 427	Bellows	No	12L	15L	All Porta
Ð	056968	Qube 165	White	414 x 383 x 427	Bellows	No	21L	15L	Potti
	056970	Qube 335	White	315 x 342 x 382	Piston	Waste	10L	10L	toilets
	056971	Qube 345	White	330 x 383 x 427	Piston	Waste	12L	15L	are
	056973	Qube 365	White	414 x 383 x 427	Piston	Waste	21L	15L	available singly
	056000	Eveclopee	\	450 × 200 × 450	Dioton	Mosto (Chuch	241	451	or 5 per
	056980	Excellence	White	458 x 388 x 450	Piston	Waste/flush	21L	15L	outer
	056981	Excellence	White	458 x 388 x 450	Electric	Waste/flush	21L	15L	Catci



Porta Potti Excellence floor plate

Floor plate to enable you to mount the Porta Potti Excellence to the floor. Helps to prevent accidental movement of the toilet. The toilet simply detaches from the floor plate for emptying. Ideal for boats or home use **056983**



Bi-Pot

Bi-Pots are simple, self-contained fresh water flush portable toilets. A very simple system that is both strong and easy to clean. Compact, it can be completely dismantled, including the valve for thorough and total cleaning. Sturdy and solid handle for easy transportation. Large waste cap: no drainpipe, emptying is easy and hygienic, no clogging. Each tank is electronically tested for a perfect seal. Handy side clips to connect the upper and lower tanks.

- Sturdy piston pump guarantees 3 powerful rinsing jets
- \bullet Comfortable and wide seat for adults
- Scratch-resistant tank built in only one piece without seams to support more weight
- \bullet Sliding watertight valve with anti-odour seal
- Large and handy charge and discharge openings with semi-transparent lid for better level control
- No leakage and watertight



Bi-Pot 30HxWxD 300x345x435mm
Flush tank 10 litres
Waste tank 11 litres **056948**



Bi-Pot 34HXWXD 340X360X435mm
Flush tank 15 litres
Waste tank 13 litres **056949**



Bi-Pot 39HXWXD 392X360X435mm
Flush tank 15 litres
Waste tank 20 litres **056950**





Elsan bristol toilet

Near in height to a household toilet, the Bristol is made from high grade easy-to-clean plastic.

It features a removable inner container with close-fitting anti-spill lid, a strong, full size seat and lid together with quick release floor fixings, and strong nylon coated carrying handle.

HXWXD 432X362X437mm Capacity 21 litres **060205**



Dometic

Dometic 966 portable toilet

Full size seat and lid provide comfort and support. Sturdy construction with an easy to clean matt finish. Double sealed valve prevents leaks and odours. Large discharge opening. Flush tank 9.8 litres
Waste tank 19 litres

Waste tank 19 litres HxWxD 394x419x368mm Available singly or 10 per outer **056965**

Cassette toilets **THETF**

WOW For professional vehicle convertors and manufacturers please ask about the range of OEM toilets stocked by Grove. These are packaged for manufacturers and sold as individual parts to tailor the product to your individual needs.



Bench model toilet for caravans and motor homes.

- Electric touch button flush
- Waste holding tank on wheels with retractable hande
- LED display indicates when waste tank is full
- Flush tank capacity: 15L
- Waste tank capacity: 19.3L
- Dimensions (HxWxD mm): 512(847 with lid open)x670x400

A right hand toilet has the waste tank removed from the right hand side when sitting on the toilet

Right hand 060093 Left hand 060094



This version is designed to fit in vehicles with an on-board tank

- Electric flush
- Waste level indicator.
- No flush tank
- Waste tank capacity 17L
- Dimensions (HxWxD mm): 538 (822 with lid open) x 353 x 570

060095



Features a swivel bowl to free additional space when not in use. It is the most compact cassette type toilet on the market.

- Manual flush
- Waste level indicator.
- Flush tank capacity 7L
- Waste tank capacity 17LDimensions (HxWxD mm):
- 728 (822 with lid open) x 353 x 570

060100

WOW The C26o Cassette Toilet is the ultimate sanitary solution for your caravan or camper. With its contemporary design, the C26o has several exciting new and improved features.



Plastic bowl

060061

This version is designed to fit in vehicles with an on-board tank.

- Electric flush
- Waste-holding tank level indicator
- Waste-holding tank with integrated wheels and with easy pull-out handle
- No flush tank
- Waste tank capacity 17.5L
- Optimal use of space: 2 x 90 degrees rotating toilet bowl
- Dimensions (HxWxD mm): 750 (847 with lid open) x 417 x 603



Plastic bowl **060060** Ceramic bowl **060064**

This toilet is also available with a full ceramic bowl for a true domestic sanitary experience.

- User-friendly control panel
- Electric flush
 - Waste-holding tank level indicator
 - Waste-holding tank with integrated wheels and with easy pull-out handle
 - Flush tank capacity 8L
 - Waste tank capacity
- Optimal use of space: 2 x 90 degrees rotating toilet bowl
- Dimensions (HxWxD mm): 750 (847 with lid open) x 417 x 603

Fresh-up sets



Each fresh-up set contains a cassette holding tank, toilet seat and lid in white, cassette tank cleaner 1 litre, 2 x sample additives, flip chart manual for converting holding tank to left or right hand. Available singly or 5 per outer

C200 swivel type C250/260 swivel type C2/3/4 bench type C400 range bench type

Holding tanks only



Service doors

A comprehensive range of high grade UV resistant quality plastic doors suitable for cassette toilets or as service doors for gas bottles and water tanks. They can all be mounted vertically or horizontally

- Incorporate double seal to help waterproof locks and assist insulation
- Integrated hinges
- Suit wall thickness 24mm to 40mm



Door 3 Standard cassette toilet

Aperture: 330 x 280mm. Overall dimensions: 385 x 335mm

Cream 060102 White **060105**



Door 4

Gas and water tank door. Aperture: 630 x 330mm. Overall dimensions: 700 x 395mm

060098 Cream



Door 5

Water tank and general luggage door.

Aperture: 730 x 280mm. Overall dimensions: 785 x 340mm

Cream 060099



General luggage door for large objects. Aperture 980 x 400mm.

Overall dimensions: 1038 x 465mm

Cream 060097



General luggage door for large objects. Aperture 1051 x 282mm.

Overall dimensions: 1108 x 346mm

Cream 060106



Lock mkll door 2 060159



Lock door 3, 4, 5 060164



Lock cover 060162



Door 3/4/5 hinge pins 060111

Popular replacement parts



Dump Cap Yellow **060113**



Measuring Cap Yellow **057200**

White **057201**



Autovent 060110



Porta potti dump cap

White 060167



Cassette lip seal

To June 2000 060128 From June 2000 060101



WOW A complete range of Thetford spare parts are

available in the Spares section of the catalogue

Porta potti lip seal 060134

Cassette vent seal 060127



Cassette seat & lid 060130



Blade opener 060084



Slide cover 060141



Glass fuse 3amp 060132



Cassette switch 060119



LED indicator light C200

060082



Cassette mechanism C2, C3 060114



Manual pump C200 060085



Bezel/ switch assembly C200CWE 060086



Cassette Pump Except c250 060118



C250 Pump 057169



Porta potti bellows White 060123



C200 drain plug 060174



Waterfill funnel Cap 060158

Fixed regulators

truma



Truma fixed regulators

M20 x 1.5Kg/h, 30mbar with pressure protection, integrated 90° elbow and test point

8mm outlet **070520** 10mm outlet **070525**

WOW Cavagna fixed regulators are on G2



Elbow for Truma regulator 070526



Truma gas filter

Helps to prevent blocked regulators by filtering any oily residue in the gas.

Filter and housing **070555** Replacement filter **070556**

Fixed regulator equipment



RS3212:1991/2/6.3 Cavagna 500mm 070515 Cavagna 750mm 070518 Truma 450mm 070534 Truma 5/steel 450mm 070538 BS3212:1991/2/6.3 Cavagna 500mm 070514 Cavagna 750mm 070517 Truma 450mm 070533 Truma S/steel 450mm 070539



Pigtail washer W20



21mm butane clip-on adaptor

Truma **070542** EN1949 **070545**



27mm butane clip-on adaptor With 90° elbow Truma 070531



Campingaz adaptor

Truma **070541** EN1949 **070548**

DuoControl CS

The DuoControl can be retrofitted, and has a built in crash sensor (CS) and integrated test point. **Not** for use in commercial vehicles.

- Automatic changeover from empty to full gas cylinder.
- Visual display indicating the status of the operating cylinder (empty/full)
- Manual selection of operating cylinder using control knob
- Inlet M20
- Regulator capacity 1.5kg/h
- Crash sensor is easy to reset
- For vertical installation
- Crash sensor activation value: 3.5g +/- 0.5g
- Models available on request for horizontal installation

30 mbar 10/8mm **070377** 50 mbar 8mm **070378**

MonoControl CS

This safety gas pressure regulation system is ideally suited to ensuring safe heating whilst on the move. The MonoControl can be retrofitted, and has a built in crash sensor (CS) and integrated test point. Also for use in commercial vehicles in accordance with BGV D 34



- Inlet M20
- Regulator capacity 1.5kg/h
- Crash sensor is easy to reset
- For vertical installation
- Crash sensor activation value:
 3.5g +/- 0.5g
- Models also available on request for horizontal installation

WOW Can be upgraded to a 2 cylinder system by using the Truma DuoComfort changeover valve

30 mbar 10/8mm **070373** 50 mbar 8mm **070374**

For special gas tank mounting applications (not illustrated)

30 mbar 10/8mm 070371

DuoComfort

The addition of a DuoComfort turns any Truma single cylinder system into an automatic changeover system. Use with other brand regulators is not permitted. Also for use in commercial vehicles in accordance with BG-V D 34



- Compliant with all directives governing heating whilst towing (when used with a MonoControl CS)
- Visual display indicating the status of the operating cylinder (empty/full)
- Manual selection of operating cylinder using control knob

070370





Caravan / Motorhome regulators

30mbar double stage regulator with 1.5kg/h flow capacity. "UDS" is the standard built in safety device. With integrated test point. W20 inlet

Straight 8mm outlet 070399 Straight 10mm outlet 070400 90° 8mm outlet 070395 90° 10mm outlet 070396



Caravan / Motorhome auto changeover regulator

The Reca automatic changeover gas regulator (30mbar) with 1.5kg/h flow capacity. It combines an automatic changeover with a double stage regulator and an integrated "PRV" safety device. Therefore it is the most compact gas regulation system in Europe. W20 inlet

8mm outlet 070415 070416 10mm outlet

Standard regulators



Butane regulator

Outlet pressure 28mbar 1.3Kg/h. EN 12864 approved. Available singly or 10 per outer 070323



Gaz regulator

For use with Campingaz cylinders. Integral control valve. Outlet pressure 29mbar 0.8Kg/h. EN 12864 approved. Available singly or 10 per outer 070342



Clip-on regulator

21mm - Outlet pressure 29mbar 1Kg/h. EN 12864 approved. Available singly or 10 per outer 070350



Campingaz regulator

To operate campingaz® refillable cylinders. Simply screws onto 901, 904, & 907 cylinders 109919



Propane regulator

Outlet pressure 37mbar 1.5Kg/h. EN 12864 approved. Available singly or 10 per outer 070336



Patio gas regulator

27mm clip on regulator for Calor patio gas. Outlet pressure 37mbar. EN 12864 approved. Available singly or 10 per outer **070345**



Propane handwheel regulator

Outlet pressure 37mbar. 1.5Kg/h. EN 12864 approved. Available singly or 10 per outer 070337



BP Gas light regulator

Outlet pressure 37mbar. 1.5Kg/h. **070543**



Butane regulator & hose pre-pack

4.5Kg butane regulator comes pre-packed with 1m of HP hose and 2 hose clips. Available singly or 10 per outer **070324**



Propane regulator & hose pre-pack

Propane regulator comes pre-packed with 1m of HP hose and 2 hose clips. Available singly or 10 per outer 070335



Regulator washers(5)

10 per outer 070227



Regulator spanners

070221 Light weight loose Light weight packed 10 per outer 070220 Heavy duty 070222 Truma 070224

Gas manifolds



Straight quick acting valve 8mm 823110



2 way manifold valve 8mm 824111



3 way manifold valve 8mm 824131 10mm 824132



4 Way manifold valve 8mm 824151 10mm 824152

Gas fittings

ALL GAS FITTINGS AND ACCESSORIES SHOULD BE FITTED/CHECKED BY A QUALIFIED TECHNICIAN $\ensuremath{\mathsf{A}}$

5 packs per outer unless stated otherwise



Copper tube

Supplied in 30m rolls ¼"0.D. 070290 %"0.D. 070295 %"0.D. 070300



Gas hose BS3212

Composite low pressure black gas hose

%" bore x %" 50m 070234 High pressure orange gas hose %" bore 50m 070236 HOSES NOT SUPPLIED ON A REEL



Carded 10 per outer

Bulk 100 per bag

Hose clips

000 (2) W4 104832 000 (2) carded 070249 000 Bulk 070255 00 (2) carded 051246 00 Bulk 051257



Copper olives (5)

½" 070267 %" 070269 %" 070273



Straight couplings

%" 070004 56" 070006 38" 070008 8mm 070010 10mm 070012 15mm 070014

Reducers

%" - ¼" 070045 %" - ¼" 070051 %" - %" 070055 10-8mm 070057 15mm-%" 070059



bulkhead coupling 8-10mm 070144

Copper to taper 1/4"C - 1/4"M 070063



Line taps

Available singly 1/4" 070196 56" 070194

070198



Tee pieces

1 X 2 X 3 \(\frac{1}{2} \times \times \frac{1}{2} \times \frac{1}{2}



Elbows

%" 070180 %" 070181 8mm 070175 10mm 070177 Elbow reducers 10-8mm 070179



Floor mounted control tap

Available singly 4" 070185



Copper nozzles

 ½"
 070099

 %"
 070102

 ¾"
 070105

 15mm
 070146



Male nozzle 970120



Female nozzle

½" 070137 %" 070140



Three way nozzle 10 per outer 070174



Stop end 1/4" 070170



Blank nuts 1/4" 070183

Gas level indicator



Truma LevelCheck

Gas cylinder level indicator for all (LPG) steel or aluminium gas cylinders with a diameter of 200 to 350mm. The device measures whether there is liquefied gas in the cylinder at the measuring point (by horizontal connection) and indicates this.

- Reliable ultrasonic measurement
- Easy to use with 9v battery supplied
- Integrated LED torch with On/Off switch
- Status LED (green/red/orange) green = Gas, red = no gas, orange = indicates measuring process (also with audible tone)
- Under voltage display

*Not suitable for tank gas cylinders or fillable gas tanks

070560

Gas servicing equipment



Truma leak test device

For workshop use. Complete kit 070550 Volumiser canister 070552 Leak test hose 070551



Universal thermocouple

Thermostatic sensor device which will fit almost all gas appliances. 900mm length **070215**



Dometic GasChecker GC100

Indicator for identifying the fill level of all standard propane and butane gas bottles

- Reliable ultrasonic measurement
- Easy to use
- Suitable for all steel bottles 200-350mm 0 070562

Gas box equipment



Truma BBQ gas point

Enables external gas appliances to be connected. The only additional equipment you need is a gas pipe with an 8mm diameter White 070536 lvory **070537**



Reich gas supply box with lock and valve

Supply connection for gas, with safety valve and lock. 10mm inlet. Installation dimensions: 157x67mm **070465**



Gas outlet box and lid

Fits into outside wall of caravan for easy connection of BBQ. Cut out -60mm Ø 60mm depth. Finished - 90mm x 85mm

070463

Lid only 070461 Nozzle only 070462



W4 compression lock for gas locker

WD barrelled compression lock with lever attachments. As used by manufacturers including Explorer, Bailey and Coachman. Supplied with 2 keys 070318



Gas bottle holder

Keeps gas bottle fixed while in transit. Available singly or 10 per outer 070320



W4 gas bottle retaining kit

Gas bottle retaining kit secures up to 7kg gas bottle when travelling. 070321



W4 gas locker key

Replacement steel key for gas lockers (070319). Available singly or 10 per outer **070322**



W4 gas bottle locker lock

Lock supplied together with necessary fittings to enable easy installation into a variety of locker types. Supplied without keys 070319

Fuel



C206
Pierceable.
Contains 190g of butane/propane
mix. 36 per outer
109964



CV 300 Plus

High security selfsealing valve. Can be easily disconnected and reconnected even when not empty. Contains 240g of butane/propane mix. 24 per outer 109966



CV 470 Plus

High security selfsealing valve. Can be easily disconnected and reconnected even when not empty. Contains 450g of butane/propane mix. 12 per outer 109967



Coleman 250

Contains 220g of 70/30 butane/propane mix in threaded self-sealing cartridges with safety valve. Size: 0 105 x 90 mm. 24 per outer 109970



Coleman 500

Contains 445g of 70/30 butane/propane mix in threaded self-sealing cartridges with safety valve. Size: 0 105 x 160 mm. 12 per outer 109971



Propane nonrefillable cylinder

Thanks to physical properties of Propane, every last gram of gas in the cylinder is used to operate the appliance. It is also a cleaner combusting fuel, producing less carbon dioxide and as a result, less pollution. Coleman® Contains 465 g of propane. Size: 0 195 x 100 mm. Weight: 935 g. 12 per outer 109973



Coleman camp fuel

Coleman fuel is a liquid petroleum fuel (100% light hydrotreated distillate). It has an octane rating of 50 to 55 and a flammability similar to petrol. 1 litre 12 per outer. 109974



Stove cartridge

Cellophane wrapped

economical 4 pack of gas for camping

stoves. Resealable, can

be removed when part

full for convenient and

safe storage. 6 per

outer 109945

CP250

Contains 250g of Isobutane. For use with Bistro® type stoves. 12 per outer 109965



Cadac gas canister

190g Pierceable **070450** 36 per outer 500g Resealable **070456** 12 per outer



CG 1750

Taymar cartridge, for use with blowlamps and blowtorches. 175g. 12 per outer **109969**



Refil for gas lighters

250ml. 12 per outer **070480**





Alcosense breathalyser kit

It is a legal requirement when driving in France to carry a breathalyser kit in your vehicle. It has to have NF approval, therefore a UK breathalyser kit is not suitable for use in France. Alcosense meets NF approval, but also meets the level of 0.5%BAC which is adopted by most European countries. Available singly or 100 (singles) or 36 (twin) per outer Single pack 070598

070598 070599



AA euro travel kit

Euro travel kit includes: AA Glovebox Atlas Europe, AA Driving in Europe Guide – Essential Travel Information, hazard warning triangle, headlamp beam converters, magnetic GB plate, reflective emergency jacket, first aid kit **070621**



AA high viz vest

Reflective vest conforms to EN471 high visibility clothing. Wipe clean only **070602**



Emergency hooded poncho (3)

Light weight reusable emergency rain ponchos. 2 Adult and 1 child. 24 per outer **070603**

Gas safety





Dual sensor gas alarm

Specially designed for Home, Boat, Caravan & Motor home installation. HxWxD: 11.5cm x 7.5cm x 4cm

Detects:

- Carbon Monoxide (CO)
- Diethyl-ether ("knock-out" Gas)
- Butane and Propane LPG
- Coal gas
- Ultra compact design
- 12v DC or 230v AC
- Low current consumption (50mA @ 12v DC)
- Built in loud siren (90db @ 1M)
- Status LED's for power, triggering and sensor malfunction
- Test button with auto reset Available singly or 6 per outer 070660



FireAngel smoke alarm

Built-in nuisance alarm silencer, comes complete with battery. 5 year guarantee. NCC approved. Available singly or 10 per outer **070650**



Kidde carbon monoxide alarm

Comes complete with 3 x AA batteries, 5 year guarantee. Available singly or 12 per outer 070668

Anaf foam AB

extinguisher

• Fire Rating 34AB

• Ideal for kitchen, car,

0.85 litre. Available

singly or 6 per outer

garage, motorhome

• Rating A & B



FireAngel carbon monoxide alarm

Comes complete with 2 x AA batteries. 7 year guarantee. NCC approved. Available singly or 5 per outer 070665



Sleepsafe CO detector

Twin pack

- Colour change Carbon Monoxide detector
- Ideal for use in homes, offices, hotels, bedsits, caravans, boats and aircraft
- Reacts to low level Carbon Monoxide (<50ppm)
- Easy to use

070656

Anaf powder ABC extinguisher plus gauge

- Rating A, B, C & electrical
- Fire Rating 34AB 5A 34 BC CEN EN3 approved
- Marine approval
- Ideal for caravan, car, boat, home, motorhome

1kg 6 per outer 070635

Fire safety It is important to choose the right fire extinguisher

as specific extinguishers are designed for different types of fire. The UK recognizes six fire classes:

Class A fires involve organic solids such as paper and wood.

Class B fires involve flammable or combustible liquids, including petrol, grease, and oil.

Class C fires involve flammable gases.

Class D fires involve combustible metals.

Class E fires involving electrical appliances (no longer used as when the power supply is turned off an electrical fire can fall into any category). Class F fires involve cooking fat and oil (use blankets)



070630

Fire blanket Manufactured to BS6575. Supplied in wallet which can be hung on the wall. 1 m² blanket. Available singly or 10 per outer 070625



Fire bucket and lid

28cm tall. 22cm ø base. 26cm ø lid. Available singly or 20 per outer 070672



Fire blanket with holder

Manufactured to BS6575. Supplied in rigid plastic container which can be hung on the wall. 1 m² blanket. Available singly or 10 per outer 070627



First aid kits

Grove camping first aid pouch



Contents:

- 1 x Guidance on first aid leaflet
- 5 x Skin closure strips 75 x 3mm
- 2 x 20ml Eye/wound wash solution 1 x Roll-on insect repellent
- 1 x Medium powder free vinyl gloves
- 1 x Microporous tape 1.25cmx10m
- 5 x Sterile gauze swabs 8ply 5cm²
- 3 x Burnshield hydrogel 3.5ml sachet
- 1 x Foil survival blanket 56 x 84"
- 1 x Sterile eye pad dressing
- 1 x Triangular bandage 90x90x127cm with 2 pins
- 1 x Sterile medium dressing 120x120mm
- 1 x Sterile No. 16 Eye pad dressing
- 1 x Resuscitation face shield foil pack
- 4 x Alcohol-free moist wipes
- 1 x Small scissors green handle 4"
- 20 x Assorted transparent plasters

Grove caravan & motor home first aid kits Contents: 1 x Guidance on first aid leaflet 10 x Assorted transparent plasters 10 x Children's plasters

- 1 x 20ml Eye/wound wash solution
- 1 x Triangular bandage 90x90x127cm
- 2 x Safety pins
- 2 x Sterile medium dressing 120x120mm 1 x Sterile large dressing 180x180mm

10 x Alcohol-free moist wipes

- 1 x Medium powder free
- vinyl gloves
- 1 x Scissors 1 x Plastic tweezers

Box **070605** Pouch 070606



Grove first aid pouch



Contents include: Alcohol-free wipes, plasters, dressings, bandages, gloves, tape, scissors, emergency blanket, safety pins 070612

Oven only



Thetford Cara oven

- 34 litre capacity with 3 shelf positions
- Thermostatically controlled oven
- Grillbox compatible with Spinflo hobs
- Flame failure device
- Total heat input 1.5 KW
- W480 x D450 x H550mm. Excludes open door
- Internal: W375 x D360 x H252mm
- Operating pressure: Propane 37mbar, Butane 28mbar

091170



Thetford Duplex oven & grill

- 36 litre capacitu
- Total heat input: grill 1.6 KW
- Total heat input oven 1.6 Kw
- Flame failure device
- External: W456 x D440 x H408mm
- Built in: W445 x D505 x H424mm
- Weight: 13.5 Kg

Ovens with grills



Smev 30 litre oven & grill **FO311GT**

- Voltage 12v DC (electric ignition)
- Oven output 1.2kw
- Gas consumption oven 87g/h
- Grill output 1.6kw
- Gas consumption grill 116g/h
- Gas supply pressure. 30 mbar
- Total output 2.3kw
- Total consumption 203 g/h
- Oven capacity 30L
- Stainless steel
- Thermostatically controlled
- Interior lamp
- Overall: W530 x D415 x H430mm
- Built in: W500 x D460 x H410mm
- Weight 19.5 Kg
- Test Mark CE

091203



Thetford Duplex oven & grill with sliding door

As 091172 except that the door slides back into oven when open.

- Oven Capacity 32.4 litres
- External: W527 x D530 x H408mm
- Built in: W525 x D460 x H424mm
- Weight: 14.5 Kg

Smev 20 litre mini oven & grill **FO211GT**

- Same specification as 30 litre
- Oven capacity 20L
- Overall: W530 x D410 x H310mm
- Built in: W504 x D460 x H283mm
- Weight 13.2 Kg

091200



Thetford Midi Prima oven & separate grill

- Stainless steel
- Independent oven & grill
- Oven Capacity 36 litres
- Total heat input grill 1.6 KW
- Total heat input oven 1.5 Kw
- Flame failure device
- W445 x D490 x H826mm
- Weight: 19.5 Kg

091185

Oven, hob & grill



Thetford Triplex oven, grill and 3 burner hob

- 36 litre capacity
- Total heat input grill 1.6 KW
- Total heat input oven 1.6 Kw
- Total heat input hotplate 2 x 1.8 Kw + 1 x 2.4 Kw burners
- Flame failure device
- External: W463 x D500 x H468mm
- Weight 21.5 Kg

091177



Thetford Aspire oven, separate grill &

4 burner hob

- Capacity 42 litres 9.74W
- Total heat input grill 1.6 KW
- Total heat input oven 1.6 KW
- Hob: 2 x 2Kw, 1 x 1.5Kw & 1 x 1Kw burners • Flame failure with automatic gas shutoff on all burners
- W517 x D535 x H920
- Weight: 31.5 Kg

091187



Thetford Caprice Mk3 oven, separate grill & 4 burner hob

- 36 litre capacity
- Stainless steel
- Total heat input grill 1.6KW
- Total heat input oven 1.5Kw
- Total heat input hotplate 3 x 1.5 Kw +1 x 1 Kw burners
- Flame failure with automatic gas shutoff on all hotplate burners
- W513 x D500 x H844mm • Weight 27.5 Kg
- 091181

Combination units

Smev 9222 combi sink & lid



Supplied with hole for optional tap (39mm)

- Voltage 12v DC (electric ignition)
- Power rating Output 1x1kw, 1x1.8kw
- Gas consumption 204g/h
- Gas supply pressure 30 mbar
- 2 burners
- W900 x D370 x H152mm
- Built in dimensions W793 x D307mm
- Weight 5.8 Kg
- Test Mark CE

Left hand Right hand (as shown) Optional tap **091240** 091224 091223

Smev 2 and 3 burner combi unit



Supplied with hole for tap (39mm)

- Voltage 12v DC (electric ignition)
- Power rating 2.8kw (2 burner) 3.8kw (3 burner)
- Gas consumption 204 g/h (2 burner) 227 g/h (3 burner)
- Gas supply pressure 30 mbar
- W680 x D440 x H142mm
- Built in dimensions W666 x D426mm
- Weight 5.6 Kg
- Test Mark CE

Smev 8322 2 burner **091225 Smev 8323** 3 burner **091226** Optional tap **091240**

Smev combi sink & lid



Lid made from safety glass, piezo ignition. Supplied with hole for optional tap (39mm)

- Output 1.0 kw
- Gas consumption 73 g/h
- Gas supply pressure 30 mbar
- 1 burner
- W525 x 421 x H152mm
- Test Mark CE

Left hand O91222 Right hand (as shown) O91221 Optional tap O91240

Tap for Smev sinks 091240

Hobs

Thetford rectangular hob



- 12V electric spark ignition
- Stainless steel
- 2 x 1.5Kw burners
- 1 x rapid burner 2.5Kw
- 40mm black knobs
- W540 x D445 x H98.2mm
- Weight 5.6 Kg **091149**

Smev 8063 hob & lid



- Voltage 12v DC
- Output 4.6kw
- Gas consumption 335 g/h
- Gas supply pressure 30 mbar
- 3 burners
- W560mm x D440mm
- Test Mark CE

091219

Smev 8062 hob & lid



- Voltage 12v DC
- Output 2.8kw
- Gas consumption 204g/h
- Gas supply pressure 30 mbar
- 2 burners
- W480mm x D370mm
- Test Mark CE

091215

Thetford Topline 160 hob



No rattle design can also be surface mounted.

- 12V electric spark ignition
- Flame failure device
- Sealed, metal cast burners
- 2 x 1.5 kW, 1 x 2.5 kW burners
- Chinchilla glass lid
- 2 year limited warranty
- W546 x D482 x H105mm
- Weight 10.7 Kg
- 091164

Thetford triangular hob



- 12V electric spark ignition
- Stainless steel
- 3 x 1.5Kw burners
- 40mm black knobs
- W480 x D480 x H100.5mm
- Weight 4.1Kg

Left hand (as shown) Right hand 091146 091147

Thetford Argent 4 burner hob



- 12V electric spark ignition
- Gas hotplate 4 x 1.5Kw
- Stainless steel
- W470 x D570 x H110mm
- Weight 6.5 Kg
- Chinchilla glass-toughened, heat resistant cutting surface

Left hand (as shown)

091162 091161

Sinks

Smev 8306 sink & drainer



Integrated heat-resistant safety glass, stainless steel drainer, predrilled tap hole 39mm, AC 540 siphon, rubber seal. W680 \times D440 \times H150mm 091233

Optional tap 091240



Thetford Argent sink



- Stainless steel
- W630 x D470mm
- Sink bowl 157mm deep
- Weight 5.5 Kg
- Chinchilla glass toughened, heat resistant cutting surface Left hand 091153 as illustrated Right hand 091152

Smev 8005 sink & lid



Integrated heat-resistant safety glass, pre-drilled tap hole 39mm, AC 540 siphon, rubber seal. W420 x D370 x H145mm 091234 Optional tap 091240

Thetford Kitchen centre



- Brushed stainless steel
- W470 x D360 x H153mm
- Sink bowl 11 litres
- Weight 3.2 Kg with lid
- Chinchilla glass toughened, heat resistant cutting surface
- Optional extras plastic bowl insert, plastic drainer, chopping board, cutlery rack (as illustrated)
- Prices on application 091160

Smev 8006 sink & lid



Integrated heat-resistant safety glass lid, tap fitting inside, AC 540 siphon, rubber seal, pre-drilled tap hole 39mm W420 x D440 x H145mm. Built in dimensions W405 x D425mm. Weight 3.4 Kg 091232 Optional tap 091240

Thetford triangular bowl



- Stainless steel
- W400 x D445 x H145mm
- Weight 2.9 Kg
- Pre-drilled tap hole 33mm
- Waste takes 11/4" outlet Left hand **091155** Right hand (as shown) 091156

Smev VA7306 round sink & lid



Integrated heat-resistant safety glass lid, tap fitting inside, AC 540 siphon, rubber seal, pre-drilled tap hole 39mm W420 x D148mm. Built in dimensions 400mm. Weight 3.4Kg **091231** Optional tap 091240

Thetford rectangular bowl



- Stainless steel
- W400 x D445 x H145mm
- Weight 2.9 Kg
- Pre-drilled tap hole 33mm
- Waste takes 11/4" outlet 091158

Cooker hood

CK 2000 cooker hood display stand

Attractive shop merchandiser supplied free when you order 4 \times CK2000 cooker hoods **091301**

Oven shelves



Universal oven shelf

- Adjustable shelf
- for Suitable most ovens and fridges
- Min 350mm, max 560mm

091190



Stoves oven shelf

355mm x 308mm 091193



Oven shelf guard

Withstands temperatures up to 300°C. Supplied in pairs 091195

Dometic CK2000 cooker hood



- Lateral air suction ensures efficient performance - 50 m3/h
- Easy installation as no roof mounted ventilator is necessary
- 2 fan-speed regulation and integrated halogen lights
- Washable grease filter and exchangeable carbon filter
- Easy access to filters and lamps
- 2x10w 12v halogen lamps 091300



Storage water heaters

WOW A full range of spares for Truma and Propex water heaters are available in the spares section

Truma Electroboiler 14 Litre





Electric 14 litre capacity boiler using innovative insulation which maintains the temperature of the hot water for longer periods of time making it extremely energy efficient.

- With control panel, 2.5m connecting cable and safety drain valve
- Minimal heat loss (approx 1.1°C per hour) due to EPP foam insulation
- Short heating time from 15°C to 70°C in just 70 minutes
- 230v power supply
- 850w heating element (230v / 3.7A)
- Water pressure of up to 2.8bar
- Weight 3.0kg
- 40.5cm wide, 29.5cm in height
- Max water temp 70°C

871200



Truma Ultrastore



- Stainless steel water tank
- Space saving 10 litre tank only measuring 26cm in height
- Powerful 1.5kw gas burner
- Heating up time 35 minutes for 10 litres 50 minutes for 14 litres
- Reduces to 20 minutes with the gas and electric version (10 litres)
- Closed combustion system with wall flue
- Easy to operate temperature selection approximately 30°C 70°C
- Low battery load 12v ignition 0.17A heating up 0.08A stand-by 0.04A
- Suitable for all submersible and pressure pumps up to 2.8 bar

Four different models available:

871552 Rapid GE Gas and electric (450w) **871512** Gas only

871632 Rapid GE Gas and electric (450w) **871612** Gas only

871300 Ultrastore accessory pack stand

10 litre capacity Complete with control panel 10 litre capacity Complete with control panel 14 litre capacity Complete with control panel 14 litre capacity Complete with control panel



Malaga E water heater



- Capacity 13.5 litre
- Efficient gas burner for faster warm up
- 750W element use on its own or with the gas burner for speed
- Small flue terminal neat appearance outside the van
- Safe combustion products are completely sealed from the caravan interior
- Easy to fit and service
- Electronic control
- Resettable cut out
- Dimensions H250 x W325 xD445mm **070741**



Malaga flue terminal 070736



Cascade/ Malaga adaptor plate

For use when replacing a Carver Cascade water heater with a Malaga 070742

Propex water heater 10 Litre



The mounting bracket has range of securing options and can be screwed to the wall or floor. Supplied water hose connectors gives options of 12mm push fit female fitting or adapter to 12mm barbed hose connector

- Voltage: 220v
- Power: 900w
- Rated frequency: 50Hz/60Hz
- Current: 4.1A
- Pressure: 0.8MPa (116psi)
- Minimum start-up pressure: 0.05MPa (7psi)
- Water temperature: 75°C
- Fitted socket: 250V, 16A
- Heating efficiency: >90%
- 5 Year tank guarantee
- Dimensions 378 x 276 x 280mm
- Weight 6.5kg

070754

Storage water heaters

Truma Therme TT-2



The proven Truma Therme warms water up using heat from the heating system – a warm air duct runs directly through the device. The Therme also features an electric heating element (300w) so water can be warmed up even if you do not have the heating $\frac{1}{2}$

- Heating time (electrical operation) from approximately 15°C to approximately 60°C 50minutes
- Power supply 230v 50Hz
- Power consumption 1.3Amp (300w)
- Temperature limit 65°C
- W220 xD370 x H230mm
- Water capacity 5 litres
- Operating pressure (maximum) 1.2bar
- Weight 2Kg

842012

Drain valve **800400** Water container **801500**

Heating element **814200**

Control panel 819900

truma

Instantaneous water heaters









Morco G111E See table below.



Flue cowl Flue Pipe D61 070728 070730 G11 070710

WOW A full range of spares for Morco water heaters are available in the spares section

Model Number	D61B	D61E	G11E	
Hot water delivery @ 25°C temperature rise	6 litres/min	6 litres/min	11 litres/min	
Ignition type	Piezo	Electronic	Electronic	
Gas type and pressure	All models - Propane 37 mbar / Butane 28 mbar			
Minimum inlet water pressure required for operation with hot tap open 1 bar 1 bar 1 bar				
Maximum inlet water pressure	10 bar	10 bar	10 bar	
Maximum heat input	11.1KW	11.1KW	22.8kW	
Maximum heat output	9.4kW	9.4kW	19.2kW	
Dimensions (mm) Height	573	573	680	
Width	266	266	350	
Depth including controls knobs	225	225	265	
Excluding knobs	190	190	230	
Grove Part Number	070703	070705	070707	

Combination water and space heaters





Truma Combi 4 (E), Combi 6 (E)
LP gas and electric heater with water boiler. Heater (excluding exhaust duct) complete with room thermostat, control panel with 3 m cable, mounting parts, current-free frost control safety/drain valve and elbow fittings for 10 mm 0 water hoses. Models with water connections for semi-rigid piping (John Guest System) available on request.

Combi 4 **833700** Combi 4E **833710** Combi 6 **833800** Combi 6E **833810**

Technical details						
500*	540*		(please ensure tha	tion dimensions in mm It there is enough room for vicing work to be carried o		
Time to heat water up from approx.	Approx. 20 r	nin. (boiler), a	approx. 80 mi	n. (heater + b	oiler),	
15°C to approx. 60°C		nin. (electrica	l operation)			
Air flow rate	Max. 287 m ³	l/h				
Power consumption (12 V)						
(heater + boiler)		.1 A (0.2 – 5.	6 A), Combi 6	6 Ø 1.3 A (0.2	– 5.6 A)	
(heating up boiler)	0.4 A					
Power consumption (230 V)		3.9 A 7.8 A				
Rest current	0.001 A					
Water capacity	10 litres					
Water pressure	Max. 2.8 bar					
Weight without water	Con	nbi		Combi E		
Without peripherals	14.0	kg		15.1 kg		
With peripherals	14.5	14.5 kg 15.6 kg				
Product ID number	CE-0085BS0	085				
	Con	nbi 4		Combi 6		
Burner stage	1	2	1	2	3	
Rated thermal output	2000 W	4000 W	2000 W	4000 W	6000 W	
Gas consumption	160 g/h	320 a/h	160 a/h	320 g/h	480 a/h	

WOW A full range of spares for Truma and Propex water heaters are available in the spares section

Blown air space heaters



- The smallest of this type of heater on the market.
- One of the quietest combustion heaters in production
- Designed for reliable, maintenance-free operation
- Fast warm-up time
- Airflow sensing detects blocked or restricted flue pipes
- Self-diagnostic fault finding

2000W **090016**

2800W **090028**

Ducting 60mm per metre 090018 Outlet (no reducer) 090019 Reducer **090017**

Blown air heaters

*Gas and current consumption is calculated on a 'continuous running' basis

Heatsource 2000	Heatsource 2800
128g/hr	225g/hr
2kw	3kW
1.8kW	2.8kw
12v or 24v	12v or 24v
1.2A	1.9A
50 C.F.M.	85 C.F.M.
312×168×95	415x210x120
	2000 128g/hr 2kw 1.8kw 12v or 24v 1.2A 50 C.F.M.

Trumavent fans

For use with Trumatic S heaters circulates hot air throughout the vehicle.

- In all Trumavent fans a flap enables you to individually regulate the air output between the two warm air outlets to suit the room division
- On the TEB-2 / 3 with automatic speed control the air output adjusts to the respective thermal output
- High air flow rate of over 200,000 litres/h

Common spare parts

Motor for TEB 2 842000 Cable for TEB 2 control panel (case control) 800mm **845000**

Control panel (case control) TEB 2 846000 PCB for TEB 2 857100

	TEB 2	TEB 2	TN-2	TEB 3	TEB 3	TN-3	Multi- vent
Power Supply	12V	12V	230v	12V	12V	230v	12v
Current	0.3 - 1A	0.3 - 1A	0.5A	0.3 - 1A	0.3 - 1A	0.5A	0.23 - 0.5A
Power	4 - 13W	4 - 13W	65W	4 - 13W	4 - 13W	65W	3 - 6W
For use with	S3002	S3002	S5002	S3004	S3004	S5004	S2200 / Extractor
Control	Case control	Wall control	Wall control	Case control	Wall control	Wall control	
Part no.	841121	841122	841222	841241	841242	841251	841140







Multi-vent

Radiant heaters





Titanium Grey (aka Titan Grey)




WOW A contemporary new design for the Trumatic range of gas heaters from Truma. Please order the heater and front casing separately.

Trumatic \$3004 gas heater

Designed for use in average sized caravans

- Automatic ignition or piezo ignition
- Thermostat and installation box as standard
- Choice of colour on casing
- Uniform heat distribution with the addition of a Trumavent fan
- Exhaust duct via the roof
- Thermal output 3.5kW
- Gas consumption 30 280 g/h
- Please note cases to be ordered separately \$3004 gas heater with auto ignition 831380 \$3004 gas heater with piezo ignition 831390 Front case Titanium grey 830060TG Front case Pearl grey 830060PG



For large caravans and motor homes

- With automatic ignitor
- Exhaust duct via the roof
- Thermostat and installation box as standard
- Even heat distribution and full utilisation of the high heating capacity with Trumavent fan
- Thermal output 6kW, gas consumption 60 480 g/h
- Please note cases to ordered separately

S5004 heater **831570**

Front case Titanium grey **830070TG**Front case Pearl grey **830050PG**



Ultraheat electric heater

Additional electric heater with thermostat, control panel and 3 metre connecting cable. Installation is between the heat exchanger and installation box

IMPORTANT!! Installation must be carried out by an expert

- Power supply: 230v/50Hz
- Power consumption at power rating;

500w: 2.2A, 1000w: 4.5A, 2000w: 8.5A

Suitable for use with Trumatic S3002, S3002, S3002(P) after July 1981, Trumatic S5002 after April 1998 (with semicircular front design) and with the new Trumatic S3004 and S5004. Installation is between the heat exchanger and installation box

830401

Blown air accessories

WOW A full range of blown air ducting and outlets is shown in the spares section.



Awning warmer

For guiding the warm air from the existing caravan heater directly into the awning. Contents:

- Warm air outlet with cover
- 1 metre of ducting
- 65mm diameter straight connector
- T-pipe TS and duct shut-off SP2

White **840365**

Heater	Flue - Inner pipe	Flue - Outer pipe	Blown air distribution pipe	Insulating ducting
S2200	801536	801288		
S3002/S3004	801536	801288		
S5002/S5004	AE 5:30160-00	UR 5 :40250-00		
Combi / Combi E	AA 3:39320-00	ZR 80:39580-00	801288	801291
E2400	839420	ZR24:39440-00	839580	
E4000	AA 3:39320-00	ZR 80:39580-00	839550	180:39570-00
TEB 2/3			801288 or 839550	
TN 2/3			801288 or 839550	
Multivent			801288 or 839550	

Mobile heating



Radiant heater with clip-on regulator

- 4.2 Kw of heat output
- 3 heat settings
- Full anti-tilt safety device & oxygen analyser
- Peizo/pulse ignition system
- Sturdy lockable castors
- Revolutionary case design, door folds in when cylinder not fitted to save space
- Suits up to 15kg gas cylinders
- Colour: Black
- W460 x D390 x H775mm
- Weight 9.3 Kg
- Gas type LPG
- Fully CE approved BS EN449

WARNING

USE ONLY IN A WELL VENTILATED AREA 090089

Halogen heating Halogen heater



- Instant heat
- Safety cut off feature
- 2 heat settings -400W / 800W
- Voltage 230v - 50Hz
- Easily cleaned
- Simple controls
- Carry handle 090065



Radiant mini heater with clip-on regulator

- Simple, safe and silent operation
- Piezo/pulse ignition system
- Provides even distribution of heat quickly and efficiently
- Oxygen analyser
- Easy rolling swivel castors
- Powerful and efficient 4.2 Kw
- Suits up to 7kg gas cylinders
- W403x D367 x H625mm
- Weight 6.8 Kg
- Gas type LPG
- Fully CE approved BS EN449

USE ONLY IN A WELL VENTILATED AREA 090088



RADIATOR



Mini radiator 450W

- Overheat safety thermostat
- Built in carry handle

090092



Frost watcher 500w

- 230v heater
- Ideal for caravans to protect against frost over winter
- •Thermostatic control
- H 270 X W 245 X D 105mm Available singly or 6 per outer

090069

Oscillating halogen heater with remote control



Specification as 090066 with the addition of:

• Remote control on/off. timer, swing & power Available singly or 6 per outer 090067

Oscillating halogen heater



- Instant heat
- Voltage 230v -50Hz
- On/off oscillating facility
- 3 heat levels -400w / 800w / 1200W
- Safety cut off feature Thermofuse
- cut off Aviailable singly or 6 per outer 090066

Holiday home heating



WIDNEY

Modena gas fire

- 3.8 kw heat output
- Suitable for use on butane 28 mbar or propane 37
- Contemporary design compliments latest mantel/ marble settings
- Simple fixing
- Radiant heat output 090105

Ring car heater 12v



Compact design with hidden foldable handle to provide directional heating and defrosting. Fitted with fused 12V cigarette lighter plug 150W. Cooler fan and heater selector switch. LED light. 360° angle swivel base.

Available singly or 6 per outer 090071

THETF RD refrigerators - other models available for manufacturers only

N3080E - Absorption refrigerator with electric ignition and wheel arch cut out. Manual power source selection. White door bins and vegetable bin. Light grey framed door and control panel. Power cables and gas inlet tube are at the rear base of the refrigerator **089068**



81 litre with freezer compartment 10 litre freezer compartment		
230V AC / 50Hz 12V DC LPG 28 mbar butane, 37 mbar propane		
2.4 kWh / 24h 240 g / 24h		
486 x 821 x 543mm		
Yes		
LED		
22.5 Kg		

N3100E - Absorption refrigerator with electric ignition. Manual power source selection. White door bins and vegetable bin. Light grey framed door and control panel. Power cables and gas inlet tube are at the rear base of the refrigerator **089071**



Gross capacity		97 litre with freezer compartment 11 litre freezer compartment		
Energy supply		230v AC / 50Hz 12v DC LPG 28 mbar butane, 37 mbar propane		
Consumption	230v/12v Gas	2.8 kWh / 24h 330 g / 24h		
Dimensions W x H x D		525 x 821 x 543mm		
Wheel arch model		No		
Display		LED		
Weight		27 Kg		

N3112A - Absorption refrigerator with electric ignition. Automatic power source selection. White door bins and vegetable bin. Light grey framed curved door and control panel. Wheel arch cut out. Power cables and gas inlet tube are at the rear base of the refrigerator 089069





Gross capacity	113 litre with freezer compartment 14 litre freezer compartment	
Energy supply	230v AC / 50Hz 12v DC LPG 28 mbar butane, 37 mbar propane	
	7 2.6 kWh / 24h 6 270 g / 24h	
Dimensions W x H x D	525 x 821 x 628mm	
Wheel arch model	Yes	
Display	LCD / Touch control	
Weight	24 Kg	

N3145A - Absorption refrigerator with electric ignition. Automatic power source selection. Redesigned interface with touch control. Fade-in interior light. White door bins and vegetable bin. Black framed door and control panel. Power cables and gas inlet tube are at the rear base of the refrigerator 089073



Gross capacity		118 litre refrigerator compartment 23 litre freezer compartment		
Energy supply		230v AC / 50Hz 12v DC LPG 28 mbar butane, 37 mbar propane		
Consumption 23	80v/12v Gas	4 kWh / 24h 420 g / 24h		
Dimensions W x H x D		525 x 1245 x 543mm		
Wheel arch model		No		
Display		LCD / Touch control		
Weight		37 Kg		

Absorption refrigerators Dometic

Dometic provide the most comprehensive range of absorption refrigerators available in the caravan and motorhome market. These virtually silent appliances are more efficient and lighter than ever!

WOW Many more models available on request please speak to your sales contact for details,

How absorption cooling works

A concentrated ammonia solution is heated in a boiler and expelled as vapour. The pressurised ammonia gas is then liquified in a condenser. Supplied with hydrogen, it evaporates and extracts heat from the storage container. The ammonia gas then enters the absorber where it is re-absorbed in a weak solution of ammonia. Finally, the saturated solution flows back to the boiler where the whole cycle starts again.




ABSORPTION MODELS	RM122	RM123E	RF60	RM5310	RM5330	RM8401	RMS8401
Grove part number	088040	088042	088046	087995	087996	088006	088007
Ignition system	Piezo	Reignitor	12v battery	Battery	Battery	MES	MES
Gross capacity (L)	31	31	Approx. 60	60	70	90	80
Includes freezer compartment of (L)	-	-	-	5	5	8*	8*
Input rating 230V (Watts) 12V (Watts) Gas (g/h)	- 75 8.6	75 75 8.6	110 110 14.8	125 120 18.3	125 120 18.3	135 130 18.3	125 120 18.3
Consumption /24h 230V (kW/h) 12V (kW/h) Gas (g)	- 1.3 140	1.3 1.3 140	1.9 1.9 325 / 375	2.5 2.5 270	2.5 2.5 270	2 to 2.2 2 to 2.2 250 to 270	2 to 2.2 2 to 2.2 250 to 270
Cooling capacity Refrigerator/freezer temperature at ambient temperatures up to 32°C	Refrigerator +7°C	Refrigerator +7°C	Up to 30°C below ambient temperature	Refrigerator +7°C Freezer up to -12°C	Refrigerator +7°C Freezer up to -12°C	Refrigerator +7°C Freezer up to -12°C	Refrigerator +7°C Freezer up to -12°C
Insulation (PU foam all around)	No	No	Yes	Yes	Yes	Yes	Yes
Dimensions (W x H x D mm)	380x585x440	380x585x440	486x615x490	486x618x474	486x821x474	486x821x569	486x821x569
Stepped model to allow installation over a wheel arch	No	No	Not designed for installation	No	Yes	No	Yes
Weight	15	15	26	20	22	27.5	25
*These models have removable freezer compartments to allow increased refrigerator volume. In doing so the gross volume is increased by 5 litres							

Compressor refrigerators WEED

Premium built-in refrigerator in stainless steel finish for motor homes, caravans, yachts and boats. Interior light. Double lock door with magnetic seal. CRP40 has a detachable cooling unit (saving 182mm depth when installed separately)

How compressor cooling works

Compressor units operate using a refrigerant that changes from a liquid to a gaseous state in the evaporator. The evaporation extracts heat from the interior of the cooling unit - the temperature drops. The compressor draws in the refrigerant, compresses it and passes it on to the condenser. Here, the absorbed heat is released to the atmosphere. The refrigerant liquifies again and flows to the evaporator, where the cycle begins again.



COMPRESSOR MODELS	CRP40	CR50	CR80	CR110
Grove part number	087090	087091	087095	087097
Gross capacity (L)	39	48	80	108
Includes freezer compartment of (L)	5.3	5	7.9	10.2
Energy supply	12/24V	12/24V	12/24V	12/24V
Average power consumption (Watts)	40	40	48	50
Consumption (Ah/h) at +25°C +32°C With interior temperature at +5°C	0.77 1.77	1.4 1.7	1.8 2.1	2.2 2.5
Weight	18	19	23	28
Dimensions (W x H x D mm)	380 x 536 x 310 (+182)	380 x 534 x 500	475 x 640 x 528	520 x 745 x 558

Coolpower EPS100

Mains rectifier for hassle free connection of 12/24V cooling appliances to 230V mains. Suitable for Waeco CR range.

- Input voltage: 230 volts AC
- Output voltage: 25 volts DC
- Output power: 100 Watts
- Battery voltage: 12/24 volts DC
- Output current: 4 Amps
- Switch mode, automatic priority for mains operation

087110



RM122

Compact 31 litre refrigerator. Excellent size for small campervans. 12V and gas operation. Thermostatically controlled on gas **088040**



RM123E

Same specification as RM122 with addition of 230V operation with thermostatic control, and an electronic re-ignitor to re-light the flame if it blows out **088042**



RF60

High performance cooling. Not designed for permenant installation this 12V, 230V and gas model is ideal for use in well ventilated areas such as trailer tents, awnings or anywhere where permanent installation is impractical. MUST BE WELL VENTILATED! 088046

> WOW Please be aware that the 8 series fridges are not designed to have the hinge side swapped (other series are). The 8 series are supplied with a hinge on the left. Right hand can be supplied by special order.



RM5310

New look 5-series 3 way refrigerator. Under the counter model with user-friendly control panel and separate freezer compartment. Replaces RM4210 and RM4211 LM **087995**



RM5330

New look 5-series 3 way refrigerator. Wheel arch cut out model with userfriendly control panel and separate freezer compartment. Replaces RM4230 L 087996



RM8401

8-series 3 way refridgerator with easy to remove 8 litre freezer compartment giving excellent versatility and comfort 088006



RMS8401

8-series with same space requirements and similar specification to the RM8401 but with wheel arch cut out 088007



CRP40

Ideal where depth of installation is an issue, this compressor refrigerator has a cooling unit that can be installed separately 087090



CR50

Compact model compressor refrigerator, ideal for small campervans and conversions 087091



CR80

Under the counter model compressor refrigerator 087095



Compressor refrigerator used for installations up to the full height of the counter **087997**

Absorption chest coolers Dometic

Combicool RC range

Absorption chest coolers, 12v, 230v and gas operation. Piezo ignition, thermostat regulation in 230v mode, 3 stage flame regulation in gas mode. Vertical space for 1.5 and 2 litre bottles. Recessed integrated handles, includes ice cube tray. PU foam all around insulation

WOW Competitively priced 3 way absorption chest coolers

- 12v supply in the vehicle
- 230v mains supply at home or at the campsite
- Gas operation for remote locations

	RC1200	RC1600	RC2200
Pat number	089190	089191	089192
Gross Capacity (litres)	41	31	41
Input rating 230v (watts)	85	75	85
Input rating 12v (watts)	85	75	85
Input rating gas (g/h)	10.6	10.5	10.5
Temperature range (max cooling below ambient temperature °C)	25	30	33
Material	Coated sheet steel	Coated sheet steel	Aluminium
Colour	Silver/grey	Silver/grey	Aluminium/black
Dimensions (H x W x D mm)	441 x 500 x 508	444 x 500 x 443	444 x 500 x 487







12v / 230v Coolers



B40 12v / 230v hybrid cooler/freezer

Maintenance-free, fully hermetic cooling system, reinforced insulation, blue coated steel case, pale grey lid and cover, with all-round rubber seal and magnetic lock, quick-chill functionality thanks to powerful AC compressor.

- Cooling maximum 20°C below ambient temperature
- 230v compressor for AC operation, cooling from +12°C to -15°C
- 40 litre
- Coronet blue
- H x W x D mm: 450 x 520 x 510mm
- Weight 21 Kg

Available singly or 5 per outer 089200

WOW The powerful compressor means the B40 can also be used as a freezer at a competitive price





W40 12v / 230v cool box

Car and indoor use with dual voltage system, two sturdy wheels and multifunctional pull-out handle, fold-away side handles, split lid to minimise cold loss, cable compartment in lid, fits 2 litre bottles standing, 2 removable divider grids, double fan system.

- Cooling up to 18°C below ambient temperature
- 40 litre
- H x W x D mm: 420 x 560 x 380
- Weight 8.4 Kg

089157



Q40 12v / 230v cool box

Car and indoor use with dual voltage system, sturdy, unbreakable aluminium housing, fold-away side handles, split lid to minimise cold loss, cable compartment in lid, fits 2 litre bottles standing, 2 removable divider grids, double fan system.

- Cooling below ambient temperature -12v DC: up to 22°C below 230v AC: up to 20°C below
- 40 litre
- H x W x D mm: 440 x 580 x 390
- Weight 9.6 Kg

089159



V25 12v / 230v cool box

Car and indoor use with dual voltage system, carrier handle serves to either fix or support the lid, cable compartment in lid, fits 2 litre bottles standing, double fan system

- A peltier cell with 12v direct feed or 230v built in adaptor
- Cooling up to 18°C below ambient temperature
- H x W x D mm: 395 x 396 x 296
- Weight 4.0 Kg
- Capacity 24L

089169

12v / 230v Coolers

CAMPINGAZ

Powerbox® 28L Deluxe



Cools to 16°C below the ambient. temperature but it also heats to 65°C. An additional lightweight lid is also provided for extra convenience.

- Operates from 12v dc (or mains adaptor sold separately)
- Holds 2 x 1.5 litre bottles
- Handy drinks container in lid
- Comes with spare passive lid
- Brushless motor and battery control
- Cable storage compartment
- Integrated battery control system prevents car battery from draining
- Detachable and reversible plug for cooling or heating
- Capacity 28 litre
- Weight 4.3kg

089147

Passive coolers



Powerbox® 24L Classic



Cooling to 16°C below the ambient temperature.

- Cable storage compartment
- Operates from 12v dc (or mains, adaptor sold separately)
- Capacity 24 litre
- Weight 3.5kg
- 089145

Xtreme® coolers

Designed for the long haul, these Xtreme passive coolers have excellent insulation to allow you to keep food and drinks cool for the longest possible time

- Thermozone insulation
- Hinged lid with deep beverage holders
- Lid takes elastic cords for additional dry storage on top

50 Quart Xtreme® wheeled cooler

- Large wheels for easy manoeuvrability
- Telescopic handle
- Moulded handles for easier lifting and storing
- Capacity: 48L
- Dimensions H x W x D cm: 47.5 x 66 x 42

70 Quart Xtreme® cooler

- Two way handles for flexibilty
- Capacity: 66.2L
- Dimensions H x W x D cm: 46 x 74 x 37

089176



Cool box accessories



M10 185x95x30mm M20 200x168x28mm M30 254x200x30mm

Freez'Pack®

Can be used in any cool box or soft cooler to keep food and drinks cooler for longer. Simply freeze them, then put them inside the cooler with the food or drink. They're available in a range of sizes and the bigger they are the longer they stay cool.

M10 duo pack 12 per outer 089187 M20 18 per outer **089181** M30 12 per outer 089183



Dometic rectifier 230/12v

Running most 12V coolers from the 230V mains is no problem at all with this 230V AC to 12V DC adapter. 5amp - 60w. Available singly or 12 per outer 089152



Coleman Campingaz rectifier 230/12v

Running most 12V coolers from the 230V mains is no problem at all with this 230V AC to 12V DC adapter.

5amp - 60w **089140**

Ventilators and flue kits

Dometic ventilation system









Dometic turnbuttons for vent cover White 089014 Cream 089015

Dometic Flue Kit

The Dometic ventilation and extraction system ensures optimal performance from your absorption refrigerator. Includes: Upper and lower mounting frames, 2 x grilles (upper with flue insert), upper and lower winter covers and 4 imes turn buttons. The mounting frames fit 451mm imes 156mm apertures in the outer wall. The flue (not supplied) is integrated into the upper grille for a tidy appearance. Rainproof grilles are secured to the mounting frames by turnbuttons.

White **089010** Cream **089011** A1620 Vent System A1620 Winter Cover (2) White 089012 Cream 089013 White 089017 Cream 089018 A1620 Insert



Thetford fridge vent

Supplied singly with frame, vent and flyscreen. 448 x 158mm

White **089074** Cream 089075



Thetford winter cover

436 x 130mm White **089097** Cream 089098

MPK vents

Designed for aperture 342mm

Surface mounted vent 089031

x 117mm. Vent colour white.




Thetford winter cover large

Used on some Lunar, swift and Explorer caravans and mortorhomes, 480 x 233mm White 089101



Double refrigerator bar

Helps prevent movement of contents whilst travelling. 40cm closed. Extending to





Double cupboard bar

Useful addition to stop items falling if door opens in transit. 25cm closed. Extending to 45cm. 8.5 cm high **095689**



Improves fridge performance. Fully automatic. Easy installation. Maintenance free. Uses only television/ 0.25 amps. No radio interference. 10,000 hour continuous rated motor 089005



Thetford ventilation kit

Fits all models. Extra cooling performance for your Thetford fridge **089300**

WOW We carry a large selection of refrigerator spare parts. This is just a small selection of our most common items sold.

For more comprehensive information please see our spares section at the back of the catalogue.

Direct leisure vent kit Bianco white 384mm x 203mm Vent **089000** Cover **089004**

Recessed vent 089032 Vent cover (blushtone) 089033

Common refrigerator spares


















12V, 120W 088077



Melamine tableware

Contemporary designs and colours to complement the latest vehicle interiors



Black Onyx

Dinner set 16 piece	Singly or 6 per outer	081089
Dinner plate	6 per outer	081086
Side plate	6 per outer	081081
Soup/cereal bowl	6 per outer	081082
Mug	4 per outer	081080
Salad bowl	Singly or 6 per outer	081088
Rectangular platter	Singly or 6 per outer	081087



Heritage

Dinner set 16 piece	Singly or 6 per outer	081097
Dinner plate	6 per outer	081094
Side plate	6 per outer	081092
Soup/cereal bowl	6 per outer	081093
Mug	4 per outer	081091
Salad bowl	Singly or 6 per outer	081096
Rectangular platter	Singly or 6 per outer	081095



2011		
Dinner set 16 piece	Singly or 6 per outer	081167
Dinner plate	6 per outer	081163
Side plate	6 per outer	081161
Soup/cereal bowl	6 per outer	081162
Mug	4 per outer	081160
Salad bowl	Singly or 6 per outer	081166
Rectangular platter	Singly or 6 per outer	081165



Cappuccino

Dinner set 16 piece	Singly or 6 per outer	081177
Dinner plate	6 per outer	081173
Side plate	6 per outer	081171
Soup/cereal bowl	6 per outer	081172
Mug	4 per outer	081170
Salad bowl	Singly or 6 per outer	081176
Rectangular platter	Singly or 6 per outer	081175
3 piece container set	: Singly or 12 per outer	081178



		Pebbles	Pansy	Navy Pinstripe	Ribbons
Dinner set 16 piece	Singly or 6 per outer	081188	081214	081148	081195
Dinner plate	6 per outer			081145	
Side plate	6 per outer			081143	
Soup/cereal bowl	6 per outer			081144	
Mug	4 per outer	081185	081211	081142	
Salad bowl	Singly or 6 per outer	081187	081213	081147	081194
Rectangular platter	Singly or 6 per outer	081186	081212	081146	081193
3 piece container set	Singly or 12 per outer	081189	081215		



Swirl

White melamine tableware.
All available 12 per outer.
Dinner plate 081352
Side plate 081353
Cereal bowl 081354



Summer acrylic tableware

All available singly or 36 per outer Dinner plate 21cm Dinner plate 25cm Hi ball glass Wine glass Salad bowl 14cm

Olive

High quality heavy weight melamine with embossed olive pattern.

Dinner plate 300x210mm Bowl 160x142x65mm Mug Printed not embossed Salad plate 255x165mm Appetiser Tray 387x75mm Salad Bowl 300x195x125mm Round Platter 470x325mm 12 per outer 12 per outer 12 per outer 12 per outer 13 per outer 14 per outer 15 pe

6 per outer 081347





Salad bowl





Bowl



Child's dinner sets

Consists of a plate, a bowl, a tumbler, a fork and a spoon. Available singly or 12 per outer Oscars' kitchen 080300 Charlie & friends 080307

Child's tumbler sets

Consists of 4 different named acrylic tumblers. Available singly or 12 per outer Charlie & friends 080314



mugs. Available singly or 6 per outer 081300

Melamine cleaner



Thermo Clean

The ultimate way to remove stains and odours. 30 per outer **081410**



Melamine soak

Supplied in a tub of 20 tablets. 12 per outer **081409**



40 Shot Dish & treat

Low foaming washing up liquid that also acts as a tank cleaner. Just wash the dishes and let the washing up liquid clean and protect your pipes and tank. 10 per outer 095575



Tray with drainer

3 Assorted designs Small 13.5" x 10" Available singly or 24 per outer 081380

Large 17" x 13" Available singly or 12 per outer 081381



Hands free glass holder

Holds wine glasses on the grass or beach, made in the UK from 100% recycled polycarbonate. 4 per pack. 24 per outer

080162

Hands free glass holder stand 080163

citronella candles



Citronella rustic pillar

75 hours burn time **086134** 6 per outer



Citronella garden light

45 hours burn time **086133** 6 per outer



Tealights (30) 4.5 hours burn timé

086143 10 per outer



Maxi tealights (12)

10 hours burn time **086145** 6 per outer



XXL novelty citronella torches

8 hours burn time 24 per outer 086157



Garden torches citronella

2 hours burn time. 2 per pack 24 packs per outer

086155

Drinkware



Polycarbonate wine goblet boxed

2 per display carton. Available singly or 12 per outer Small **080119**



Wine goblet grey

10oz wine goblet with grey base. 4 per display carton. Available singly or





Alfresco wine goblet 4 per display carton. 8 per outer 080139



Acrylic wine goblets Small 12 per outer 080100 Large 6 per outer 080102



Acrylic tumblers clear Available singly or 24 per outer Tumbler **080090**

Available singly or 12 per outer Tall tumbler 080092



Bella goblets

14oz goblet suitable for wine, beer or juice. 4 per display carton. Available singly or 12 per outer 080089



Bella goblet grey

14oz goblet with grey base. Supplied in display carton of 4 pieces. Available singly or 12 per outer

080146



Alfresco juice/wine goblet 4 per display carton. 8 per outer 080137



Stackable goblet 2 per display carton. 24 per outer

080122



Beer mug Nonic beer tumbler

Inexpensive 1pt tumbler. 24 per outer 080095



Soda glass

Assorted Colours 12 per outer 080148



Slim jim tumblers grey

With grey base. 4 per display carton.

12 per outer.

080143



Alfresco tumblers

4 per display carton. 8 per outer Short **080138** as illustrated Hi-ball **080136**



Stackable tumbler

2 per display carton. 24 per outer Low **080126**

High 080128

Pilsner glass

Ideal for large gatherings where glass is dangerous. 500ml. Available singly or 12 per outer 080096



Beer stein 6 per outer

080097

12 per outer

Clear **080098**

Dimpled 080099

Outdoor lanterns

Lumostar plus lantern



New Easy Clic® Plus
connection. Ingenious
detachable globe system.
Easy access to mantle.
Durable. Operates from
Campingaz CV Plus
cartridges.
Power 80 Watt
Weight: 247g
Available singly or 10 per

outer 109946 Mantles(3) 070425 Globe 109961

Powerhouse 2 mantle lantern



Operates from unleaded petrol or Coleman® liquid fuel.
Run time: Up to 14h Weight: 1.72 kg 109884

Mantles (3) 109960

Northstar fuel lantern



Operates from unleaded petrol or Coleman® liquid fuel. Electronic ignition. Run time: Up to 14h. Weight: 1.8 kg 109886 Mantles (3) 109959

WOW Other torches and lanterns can be found in section C

Gas canisters can be found in section G

Campingaz mantles

Small mantle (3)



Fits Bleuet CV 270L, Bivouac, Camping 206L, Lumostar C, M and plus, and Stellia R 070425

Medium mantle (3)

Fits L470, Rhapsody 470, Soleio R, Sun Force, Symphony, Super Symphony and Frontier CPS 109956



Large mantle (3)

Fits Belvedere, GP 470, Lumogaz 270, N206, T206, R, RPZ, 470, RS180 and 900RL 109957

Instaclip (3)

Fits Single, Double and Powerhouse unleaded lanterns 109960

Instaclip tube (3)

Fits Northstar unleaded lanterns 109959

Fuel burning stoves Sportster Stove



The stove is efficient and robust, and as it runs from either Colemano fuel or unleaded petrol, you will never be hungry wherever you are.

- Operates off unleaded petrol or Coleman^c liquid fuel
- Power: 2500 W
- Run time: Up to 8 h 30 min
- Size: 15 x 12cm
- Weight: 1185g

109880

Generator for Sportster Stove 109881

Coleman camp fuel

Coleman fuel is a liquid petroleum fuel (100% light hydrotreated distillate). It has an octane rating of 50 to 55 and a flammability similar to petrol. 1 litre 10 per outer 109974

Unleaded 2 burner Stove



- Operates off unleaded petrol or Coleman liquid fuel
- Power 4225 watt
- Run time up to 2h
- Boil time 4 min
- Size 46 x 29 x 12cm
- Weight 5.3kg

109882

WOW More gas stoves and BBQs can be found later in secton L



Camp Bistro

- Power: 2200 watt
- Size: 35cm x 28cm
- Automatic piezo ignition
- Cartridge safety locking system
- Enamelled pan support
- Aluminium burner
- Convenient plastic carry case
- Operates off CP250 cartridge 109941



Portable Gas Stove

- Lightweight design and easy to carry
- Comes with storage and carrying case
- Suitable for picnics, camping, garden
- Requires butane gas cartridge 109943



Campingaz CP250

Contains 250g Isobutane. For use with Bistro® type stoves 12 per outer 109965



Stove cartridges (4)
For use with portable gas stoves
6 per outer
109945

WOW Rechargeable, battery and mains powered torches and lanterns can be found in section C

More gas stoves and BBQs can be found later in secton L

Other gas canisters can be found in section G

Outdoor dining



All tops are modular and interchangeable the burner pan has improved wind protection. There is a common deflector plate for the grill and barbecue, the skottel and grill have increased in

size and are simpler to use. All Carri chef barbecues are complete with a carry bag. All backed with a 2 year no quibble guarantee.



Grill "O" gas Braai

Robust design with a cast iron reversible 38cm top. Ribbed on one side smooth on the other. The cast iron ensures consistent, even heat distribution and retention. It comes with a stainless steel burner and a rust-proof, porcelain enamelled pan support. The unit operates from a hose and regulator (not included) connected to high pressure Camping Gaz or low pressure gas cylinders. Comes with carry bag. Supplied singly or 6 per outer **086077**



Safari chef

With 5 interchangeable cooking surfaces, a foldaway camping stove, mini BBQ, non-stick ribbed grill, non-stick flat grill and wok. BBQ lid doubles-up as a saucepan. Supplied in a carry bag, weighs less than 4kgs. Low pressure operated from LPG cylinder via regulator for better economy (hose and regulator not included) 086052

Safari chef roast pan 086056



Carri chef BBQ/grill combo

Comprising detachable legs, burner unit, double sided grill plate/barbecue top and carry bag. For connection to larger type refillable gas cylinders (hose and regulator not included). Dome top, skotel-wok, pot stand and other accessories can be added as optional extras (see below) 086081



Chef skottel - wok 086093



Chef roast pan



preparing roast chicken, vegetables etc 086087



Carri chef 'Grove' special

All-in-one outdoor cooking convenience, the carri chef Grove special includes 3 interchangeable cooking surfaces and a dome top, allowing for a variety of cooking options at an economical price. Using the convenient carry bags the unit is light enough to be taken anywhere and the legs are detachable. It has a condiment tray and a useful pot stand for boiling water. The unit operates from a hose and regulator (not included) connected to high pressure Camping Gaz or low pressure gas cylinders. Doesn't include skottel-wok 086086

Non stick skottel folie



The liner works without the use of cooking fats and oils. Easy to clean bu

simply rinsing with hot water or placing in a dishwasher 086088

Skottel food warmer



Vitreous enamelled food separators. 086095

Barbecue cover 086098





Carri chef deluxe

All-in-one outdoor cooking convenience, the carri chef deluxe includes 4 interchangeable cooking surfaces, the BBQ, skottel-wok, non stick reversible grill and a dome top, allowing for a variety of cooking options. Using the convenient carry bag the unit is light enough to be taken anywhere as the legs are detachable. It has a condiment tray, useful pot stand for boiling water and includes a FREE full colour recipe book to "Take your Taste buds on an Adventure". The unit operates from a hose and regulator (not included) connected to high pressure



Camping Gaz or low pressure gas

cylinders 086084

Cadac regulator assembly



Enables low pressure appliances to operate off gas cartridges. Includes a hose and tailpiece, tailpiece fits 1/4" BSP left hand. Available singly or 10 per outer 086120

Outdoor dining



The Outdoorchef City gas kettle barbecue has a flip funnel inside the kettle that eliminates flare-ups and unpleasant smoke

emission. It unites incredible barbecuing versatility and precision with healthy and delicious results. Positioning the funnel allows you to grill, roast, bake, or stir-fry.



Cast iron griddle 086009



Gourmet set Consists of a deep enamelled 18cm diameter pan and a pizza type grid 086011

Grilling - Cooking - Baking

For indirect barbecuing and baking, the upper funnel is placed inside the kettle with the large opening pointing upwards. The heat from the gas burner rises up along the sides of the kettle, distributing an even, indirect heat on all sides. With the lid on, there is no need to turn the food at all throughout the cooking process.



Cooking - Roasting

For arillina at very high temperatures or with the cast-iron griddle, the upper funnel is placed in the kettle the other way round . This creates high, concentrated heat in the middle of the cooking grid or the castiron griddle. The kettle lid is not absolutely necessary for this method of cooking.





City gas BBQ

The world's most compact Gas Kettle BBQ. Piezo ignition. Lid thermometer for perfect cooking temperatures.

4.3kW output. 315g/h consumption

With tripod legs H70cm 086001 With cradle H41cm 086002 Optional tripod legs 086003



City Gas bag 086010

WOW All Outdoorchef BBQs have an overall diameter of 42cm with a cooking diameter of 39.5cm.



City electro BBQ

A mains electric version of the City Gas. Approximate cooking height 70cm. Complete control over power (heat) settings. 7 settings up to 2kW 086005



Aluminium protection foils (3)

Protects the heat reflector. For use with City Electro only. 6 per outer 086012



City charcoal 420 BBQ A charcoal version of the City Gas Grill. Approximate cooking height 70cm 086007

BBQ Fuel

Cocochef briquettes



box made coconut husks. Renewable, gives even heat distribution and lights quickly. 086008


BBQ Cleaning





Cadac BBQ cleaner

Removes grease and food particles after baking, frying and grilling. Caution only use on black enameled parts and BBQ. Not suitable for aluminium, laquered or non stick coated items. 400ml aerosol. 12 per outer 086072





Outdoorchef **BBQ** cleaner

Dissolves burnt on food. Quick reaction time. Swiss quality product. 500ml. 12 per outer 086014

18 per outer **086125**

and after cooking. 750ml

Portable Stoves CAMPINGAZ



Campingaz fold 'n' go

Folding 2 burner stove.

- Independently adjustable 2 burners
- Compact with handles
- Large cooking area
- Aluminized steel cook top
- Power: 1375 W per burner
- Weight: 3.65 kg
- Operates from CV470 plus cylinders 109901



Cylinder 3 in 1 grill

- Large cooking surface 645cm²
- Removable cooktop/grease pan
- Compact and nesting unit
- Piezo ignition
- 1.5kW oval burner
- Porcelain coated lid
- Secure, locking catch
- Cooking surfaces lock down for storage
- Operates from CV plus, Campingaz® and other butane cylinders
- Weight: 5.6kg

109918



Camp Stove Oven

- Interstart piezo igniton
- Large oven (can fit a 30cm pizza) 370 x 340 x 140mm
- Oven: 900W/250°C
 - Stove: 2 x 1800W (fully adjustable)
- Operates from Campingaz® and other Butane cylinders
- Run Time: Oven 42 h (R907)
 Stove 10 ½ h (R907)
 Oven & stove 8h 20min (R907)
- Boil time: 7min
- Overall dimesions: 690 x 470 x 380mm
- Weight: 18.5kg

109920



Base camp with lid

2 burner with lid.

- Operates from Campingaz® and other butane cylinders
- Convenient lid for easy and clean storage
- Dimensions: 430 x 240 x 80 mm
- Weight: 1.9 kg

109911



Camping chef

2 burner stove and grill, packs into a briefcase for easy storage.

- Push and turn child safety knobs
- Power: Stove = 2x 2.3kW; Grill = 1.1kW
- Operates from Campingaz® and other butane cylinders
- Dimensions: L52.5 x W31 x H22cm
- Weight: 5.8kg

109909



Camping chef vario grill

2 burner stove and grill, packs into a briefcase for easy storage. With piezo ignition.

- Dimensions: L56.5 x W32.5 x H11 cm
- Operates from Campingaz® and other Butane culinders
- Weight: 4.5 kg

109903

Optional vario leg set

Raise your Camping Chef Vario to the perfect cooking height with the telescopic leg set. Clips into the base unit of the stove. 109904



Twister plus stove



New twister with new design and Easy Clic® plus connection.

- Power: 2.9kW
- Weight: manual 263g -Piezo 274g

Manual available singly or 10 per outer **109938** Piezo (PZ) **109939**

Super carena



Designed to take large heavy pans, it has an integrated windshield and carrying handle.

- Power: 3kW
- Weight: 600g

109937

Party grill stove and pouch



Piezo grill, griddle or stove, with detachable legs and a lockable lid.

- Non stick cooking area
- Includes carry bag
- Bowl to collect fat
- Power: 1.35kW
- Operates from CV plus cylinders
- Weight: 2.3kg

109915



Bistro 300

One burner stove and case with piezo ignition

- Operates from Campingaz® CV300 plus cylinders
- Power: 2.6kW
- Dimensions: 33 x 22 x 12 cm
- Weight: 1.5 kg

109942



2 Burner carry bag

Carry bag to store and carry Campingaz $^{\ensuremath{\mathbb{R}}}$ and other 2 burner stoves.

• Dimensions: L57 x W35 x H14cm **109912**

Microwave ware

WOW Polycarbonate is a superb material for microwave cookware. Tough, non stick, odour resistant and non staining. Completely transparent to cook faster and more evenly. Dishwasher safe.



Microwave saucepan and lid

Capacity O.6L. Available singly or 10 per outer **093039**



Microwave rice and veg steamer

The perfect design for cooking rice and steaming vegetables that retain flavour, vitamins and texture. Available singly or 6 per outer 093048



Microwave set

Set includes 1 litre saucepan with a whisk and a mini pot with sealable lid for storage. Available singly or 12 per outer 093041



093054



Microwave omelette pan

The hinged design makes folding omelettes easy. Available singly or 10 per outer 093043

Microwave multi-

Designed to raise food so

that it cooks more evenly and

allows any fat or liquid to drain

away. Has an extremely low

thermal conductivity. It also

stays much cooler than glass

and ceramics. Available singly

or 10 per outer 093050

purpose tray



Microwave egg poacher

The first microwave egg poacher designed to cook eggs in water to give traditional taste and texture. Available singly or 10 per outer 093045



Microwave plate cover

Designed to keep your microwave oven clean when re-heating or cooking. Available singly or 10 per outer 093052



Microwave mini pots (2)

Each mini pot has sidé handles which stay cool in the microwave for easy handling. The lid is vented for safety and gives better results than simply resting a storage lid on top. Cook two foods at the same time using Minipots. Available singly or 10 per outer



Cutlery set Huckleberry

16 piece set. Available singly or 6 per outer 095134



Palermo

16 piece cutlery set 6 per outer 095130



Venice

16 piece cutlery set 24 per outer 095131



Cutlery

16 piece set. Available singly or 10 per outer 095132



Translucent Green 16 piece cutlery set

Available singly or 8 per outer 095128



4 Piece cutlery set Assorted colours 24 per outer **095148**



Cutlery set

16 piece set. Available

singly or 6 per outer

Coconut

095133

24 piece set and stand . Available singly or 12 per outer Black 095137 Cream 095140



Folding cutlery set 3 piece camping set. Packed in display outers of 7 095150





Multipurpose bottle opener

Packed in display outers of 16 **105543**





12 per outer Teaspoon (6) 095152

Fork (4) 095154

Knife (4) 095153



Grill pans





094019

Grill pans

27 x 27 x 5cm

Complete with trivet and detachable handle.

Spare trivet 24 x 21cm **094021** 27 x 22 x 3cm Spare trivet 21 x 18cm Handle only



Stainless steel grill pan

Supplied with trivet. Dimensions: 28cm x 23cm. Available singly or 12 per outer **094016**



Folding handle grill pan

Vitreous enamel grill pan, durable non stick wire rack. Handle folds easy for storage. Dimensions 32cm x 20cm. Available singly or 10 per outer 094017



Spatter screens

Diameter: 29cm

Non stick coated mesh Available singly or 12 per outer

095009 Mesh

Available singly or 10 per outer 095005



Non stick grill pan

29cm². Available singly or 8 per outer **094051**



Cast aluminium griddle

Non stick interior and exterior, folding handle, deep ridged base. 20cm square 5mm gauge. Available singly or 12 per outer **094050**



Egg pan 14cm

Non stick egg pan. Available singly or 6 per outer Cream **093020** Purple **093021**

Pots, pans and cooking accessories



Stainless steel pan set

Good quality 3 piece set with one each 16, 18 and 20cm pans with lids in a full colour display box 093017



3 tier steamer

20cm. Stainless steel with glass lid. Available singly or 6 per outer 093037



Salad spinner 24.5cm

Available singly or 6 per outer 095448



Milk pan and frying pan

Non stick aluminium 2mm gauge PTFE silver exterior. Available singly or 12 per outer Milk pan 14cm 093032 Frying pan 20cm **093033**



Quickachips basket allows hot air to circulate to give your oven chips, garlic bread and pastries that perfect all-round

- Allows more even contact with the heat of the oven and therefore avoids soggy foods.
- Great for BBQ's and gives you control over your cooking

095013

Roaster bags



- Self basting oven bag
- 2 bags extra large size 45cm x 55cm approx with tie closures
- Suitable for microwaving, re-heating, boiling, freezing and storing meat and vegetables
- Helps meat to brown without having to baste
- Prevents fats from splashing helping to keep oven clean

095012

Toaster bags



- No fuss No mess!!
- Use each bag up to 50 times simply wash and re-use
- A tasty hassle free snack in just a few minutes
- 2 bags per pack

095010

Kitchen gadgets



Colander collapsible 20cm

Silicone. Available singly or 12 per outer

095200 Black Purple 095201



Silicone spatula

12 per outer 095212 Black 095213 Purple



Silicone spoon rest

Available singly or 24 per outer

095228 Black Purple 095229



Colander collapsible 22.5cm

Silicone. Available singly or 12 per outer

095208 Black Purple 095209



Silicone turner

12 per outer 095214 Black Purple 095215



Silicone trivet 17cm²

12 per outer 095230 Black Purple 095231



Colander collapsible 20cm with handle

Silicone. Available singly or 12 per outer

095204 Black Purple 095205



Silicone spoon

12 per outer 095218 Black Purple 095219



Silicone tongs

12 per outer 095220 Black Purple 095221



Kitchen tool set & stand 5pc

Available singly or 6 per outer 095305



Kitchen tool set 5рс

Available singly or 12 per outer 095307



Cushion Grip Scissors

3 piece 12 per outer 095424



All purpose scissors

8". Available singly or 12 per outer 095459



Kitchen tongs 12 per outer **095452**



Butterfly can opener

Available singly or 12 per outer **095425**



Corkscrew Chrome plated

Available singly or 12 per outer **095396**



Cutty vegetable knife

24 per display **095423**



Quick peeler 48 per display **095403**



Sidewinder can opener

18 per display **095421**

Kitchen gadgets



2 in 1 salt 'n' pepper mill

Twist one way for salt the other for pepper. 12 per outer White 095428 Black 095429



Sauce bottles Set of 2.12 per outer 095453



Rotary grater 12 per outer **095451**



Tea towel holders

Set of 2 - colours may vary 12 per outer **095458**



Tea towel holder 4 hole



Tablecloth clip (4)

095640

Available singly or 12 per outer

12 per outer **095455**



Sink strainer

Stainless steel. 12 per outer 095454



Sink mats

Can be trimmed to size for a perfect fit White 26 x 31cm **095535** White 32cm round 095536 Available singly or 6 per outer



Curtain/tablecloth

4 per pack. Available singly or 10 per outer 095632







Adjustable kitchen roll holder

Fits the majority of sizes available. 6 per outer 095461



Free standing. 6 per outer Cream **095500** Purple **095501**

Pop Up food cover

10 per outer **095462**

20cm

Weight 120g Dimensions 30 x



Bottle stoppers

12 per outer **095300**

Daisy food cover

12 per outer 30cm square Weight 100g 095463 48cm square Weight 200g 095464



Chef Aid food cover 095457



Kitchen towel holder 12 per outer **095460**



Fiamma omni stop

An innovative yet simple accessory, ideal to keep plates and items in place as you travel. Securing bar made from anodized aluminium 095697



Double refrigerator bar

Helps prevent movement of contents while travelling. 40cm closed. Extending up to 75cm. 8.5cm high **089065**



Double cupboard bar

Stop items falling if doors open in transit. 25cm closed. Extending up to 45cm. 8.5cm high 095689



Kitchen towel holder

Free standing. 6 per outer Cream **095505** Purple **095506**

Drying rack, bowls, drainers and canisters



Studio caddy

Cutlery drainer and holder



Studio drainer

Slim and compact, holds cups, plates and cutlery



Washing up bowls

Round 26cm Square 29cm



Cutlery tray

Dimensions: 357 x 242 x 45mm



Canister set
Tea, coffee and sugar

canister set



Can be cut to size 33cm x 26cm



Tip Top bin10 litre capacity

B-Line kitchen accessorie	Beige	Blue	Silver	Black	Plum	
All available singly or in outer quantities for a more competitive price.						
Studio caddy	10 per outer	095745	095747	095750	095746	095749
Studio drainer	12 per outer	095490	095492	095495	095491	095496
Cutlery tray	12 per outer	095775	095776	095779	095778	095780
Washing up bowl square	12 per outer	095540	095542	095544	095541	095545
Washing up bowl round	12 per outer	095556	095558	095561	095557	095562
Sink mat	12 per outer	095530	095532	095534	095533	N/A
Canister set	9 per outer	095645	095647	095646	095649	095650
Tip Top bin	5 per outer	095980	095982	095984	095983	095985

Drying racks and drainers













Mini dish drainer

Nylon coated wire measuring 30cm x 20cm White **095520** Chrome **095510** Available singly or 10 per outer

Wire plate wrack

Can be secured for safe transportation of plates. Measures 27cm wide x 20cm deep x 12cm high.

White **095521** Chrome **095511**

Available singly or 10 per outer

Wire mug holder

Can be secured for safe transportation of mugs or cups.Measuring 9cm square x 19cm high

White **095527** Chrome **095517**

Available singly or 10 per outer



40 Shot Dish & treat

Low foaming washing up liquid that also acts as a tank cleaner. Just wash the dishes and let the washing up liquid clean and protect your pipes and tank for up to 7 days. 10 per outer **095575**



Folding plate rack

Open dimensions (LXWXH): 37x27x27cm Chrome **095512** Available singly or 20 per outer



Dish drainer rack

- Very practical and functional
- Folds out. Can be used in two sizes according to need
- Complete with cutlery slots
- Space saving when foldedFolded (LxWxH): 36x28x7cm
- Open (LxWxH): 36x49x7cm

6 per outer **095488**



Over sink drainer & chopping board

Versatile food preparation space saver.

Basket 34x24cm.

Extends from 38-56cm when fully open.

Available singly or 4 per outer **095529**



Cutlery caddy cream

Available singly or 12 per outer **095740**

Laundry and ironing



Drying rack

Hooks over the edge of the caravan window providing 6 metres of drying space. Folds flat when not in use. Manufactured from medium gauge steel wire, nylon coated 4.5mm thick. Folded dimensions (WXD): 58 x 48cm

Available singly or 10 per outer 095477



Mini drying frame

Ideal for small washes, suitable for all radiators, baths, balconies. Dimensions 23" χ 5.5". 10 per outer **095479**



Adjustable drying frame

Multipurpose frame for drying clothes. Designed for small wash loads. Closed dimensions (WXDXH): 50 X 24 X 5 cm. 4 per outer **095478**



230v Travel steam iron

230V. 750W. Available singly or 6 per outer **095097**



Fiamma Easy Dry

Additional drying rack suitable for use on the folding rail of the Fiamma Carry-Bikes and other brands with a tube diameter of 35mm. You can also travel with the Easy Dry in situ. Complete with plasticized ropes and adjustable handles. Manufactured from anodized aluminium. Weight 1.2kg 095480



Rotary 3 arm dryer and tripod

Convenient clothes dryer, taking up little space when folded. **095465**



Folding ironing board

Folding legs, quality fabric cover,

Magic hanger

- Increases your wardrobe capacity by 100%
- Provides optimal use of all space
- Holds up to 5 hangers **095610** 10 per outer



Multihanger non-slip

- Multiple hanger with revolving hook
- Non-slip revolving bars with

095612 12 per outer



Laundry bag Available singly or 10 per outer 095486



Jumbo clothes pegs 36 per pack Assorted colours.

24 per outer **095487**



Twist washing line

Removes the need for clothes pegs. Available singly or 10 per outer **095483**



Adult coat hangers



Children's coat hangers

10 per pack. Budget priced



8 per pack. Budget priced. 24 per outer **095620**



24 per outer **095621**




Self powered washing machine. 4L capacity. Perfect for camping,

caravanning, power cuts or simply to use at home when you just need to soak, pre-wash, rinse or spin a small load.

- Use anuwhere
- Waste less water
- No energy costs
- Pedal powered
- Portable Available singly or 12 per outer





With 13 pegs, useful for drying

Sock dryer

Crockery and bottle holders



Stepped cup and plate rack

535mm x 90mm. Beige **095695** Ivory **095701**

Free standing cup and plate rack

525mm x 180mm x 90mm. Beige 095682 Ivory 095684

Cutlery trays

Three slot tray 370mm x 190mm x 50mm Beige **095752** Ivory **095759**

Waste bins



Garbina waste unit

Easily fixed to any vertical surface with bags held in place by a rubber strap 095920 Spare bags (25) **095935**



Snapsac bin

Lightweight holder for disposable waste bags. Snaps closed to seal in odours **095899** Spare bags (25) 095913



Bag bin

Wall fixing unit from which you suspend carrier bags 12 per outer **095995**



Glass and bottle holders

Manufactured from coated sprung steel Available singly or 10 per outer

Three glass 095850 Six glass 095858 Single bottle 095862 Two bottle **095872**

Three bottle 095880



B-Line tip top bin

10 litre capacity

095980 Beige Blue 095982 Silver 095984 Black 095983 Plum 095985

Available singly or 5 per outer of one colour



Cupboard door bin 4 per outer **095939**



Pedal bin

Metal coated white. 3L round. 4 per outer 095970

Best of British

Assorted kitchen items



Tea towels

Set of 3 24 per outer **095250**



glove

Available singly or 24 per outer 095251

Single oven



Apron

Available singly or 24 per outer **095252**



Recycle bags set 3

Each bag: 315 x 315 x 435mm. Available singly or 20 per outer 095999



Dust pan and brush long handle

Available singly or 48 per outer 096087





Kettles and teapots



Whistling kettle Stainless steel. Suitable for use on gas, electric, halogen or ceramic hobs. 2.2 litre. Available singly or 12 per outer



Whistling kettle Stainless steel. Available singly or 12 per outer 095028 1.35L 095029



Polished kettle 2 litre with hinged whistle, individually boxed. Available singly or 12 per outer **095019**



Whistling kettle 2 litre capacity Green 095038 Blue **095041** Red 095042 6 per outer of one colour



Whistling kettle 2.5L capacity. Available singly or 6 per outer 095046 Cream Purple 095047



De-luxe lacquer kettle 2 litre kettle with fixed whistle Blue **095033** Green **095036** Wine **095034** Flame **095037**

Brown **095035** Available singly or 6 per outer of



De-luxe lacquer kettle 1.5 litre with separate whistle Blue 095020 Green 095022 Wine **095021** Black **095023** Available singly or 6 per outer of one colour



Camping kettle

1 litre capacity with fixed whistle

Blue 095016 Polished 095015 Red 095017 095018 Green

Available singly or 12 per outer of one colour



De-luxe lacquer kettle

1.5 litre with separate whistle. Handle folds for easy storage Wine **095030** Blue **095031** Available singly or 6 per outer of



Teapot steel 32oz Available singly or 10 per

outer 094067



Teapot 900ml

Stainless steel. Available singly or 12 per outer



Piezo lighter 24 per display 070486



one colour

Cooker lighter pencil Assorted colours. Packed in display outers of 12 070490



Cooker lighter silver Packed in display outers of 12 070494



Cooker lighter bendable

Assorted colours. Packed in display outers of 24 070496



Refillable gas lighters

Also used for lighting pilot lights, gas stoves, fires. Each pack contains one short and one long reach lighter with adjustable flame. 12 per outer 070497



Gas safety lighter Long reach flame lighter 12 per outer **070498**



Refill for gas lighters 250ml 12 per outer **070480**

230v kettles



Kingavon travel kettle

- 0.5Ltr capacity
- ON/OFF indicator light
- Automatic switch off 095063



Kingavon cordless travel kettle

- Boil-dry protection
- ON/OFF Indicator Light
- 1Ltr capacity
- 900 watt, 230volt
- Automatic Switch Off

095064



Cafe-tea-er maker

- 230v
- 350w
- Complete with washable filter
- Includes 2 ceramic mugs 095080



Waeco one cup 12V coffee maker. 150ml capacity WxHxD 135 x190 x 110mm

095087

12/24v kettles



Car/truck jug kettle Compact design with water level gauge. Fitted with cigar

lighter plug. 6 per outer 12V **095086** 24V **095091**



Waeco car kettle

12V Kettle. 750ml capacity. WXHXD 190 X 205 X 125mm 095083



Coffee maker

- 12v
- Complete with washable filter
- Includes 2 ceramic mugs 095090



Beverage heater

- Ideal for camping, picnics & emergency use
- 12v plugs directly into cigar lighter socket
- For use with glass or ceramic containers

095089

Other 12v appliances

12v Hairdryer



- Plugs directly into cigar lighter socket
- Useful for defrosting windscreens
- Folding handle and hang loop for easy storage
- 8' power cord
- Rotating air vent outlet for better air flow 095100

Storage



Folding storage box

32 litre capacity. Measures 475 x 345×240 mm (43mm when closed). Assorted colours. Available singly or 10 per outer 095892



Stack 'n' store box

Capacity 30 litres. 450 x 355 x 250mm. 6 per outer **095895**



W4 elasticated storage pocket

Can be attached to the inside of cupboard doors. Ideal to store magazines, maps, toiletries etc. Dimensions 30cm x 17cm 095882



- Folds flat when not in use
- Lightweight, durable, rustproof with smooth rolling rubber wheels
- Extendable aluminium handle
- Dimensions: 380 x 330 x 360mm
- Capacity 25Kg 6 per outer **095888**

Moisture absorbers



Dry-Bag

An effective and economical product that is both simple and safe to use, eliminating condensation and damp problems. Protects interior fittings, fabrics, clothes, leather, electrical equipment from corrosion, rot, mould, mildew and odours. The Dry-Bag is manufactured using a cloth bag with lanyard and vertical window for hanging and monitoring, the colour will change from light brown to dark brown as it absorbs moisture. Each 1Kg bag can dehumidify an area of approximately 6-10 cubic metres

- Re-usable, simply dry out contents as per instructions
- Can be stored for up to 2 years
- 100% environmentally friendly
- Absorbs up to 75% of its dry weight
- Will not drip even when saturated
- Activated by removing from plastic bag

Dry-Bag 2 x 250g 110025 24 per outer Dry-Bag 2 x 500g 110050 12 per outer Dry-Bag 1 x 1000g 110100 15 per outer













Pingi drying bags

The Pingi moisture bags are easy to recharge in the microwave oven. When the patented indicator changes from blue to pink, full saturation has been reached and Pingi is ready to be recharged. Good for the environment and for your wallet. Within a few minutes, Pingi is ready for use again.

250g 100cc 110115 Available singly or 12 per outer 450g 180cc 110117 Available singly or 12 per outer

Pingi iDry

These incredibly durable and easy-to-use moisture absorbers remove damp without electricity or batteries. Time to recharge? It only takes a brief stay in the 230V power point.

iDry L 120cc 110121 Available singly or 6 per outer 200cc 110124 Available singly or 6 per outer iDry XL













Slimline moisture trap

Allows significantly more Air Flow than other traps in which the crystals sit very low and restricts air exposure

- Works immediately
- Suitable for all rooms
- No electricity or batteries required
- Easy fill top lid
- No spill sides
- Refill indicator

110170 12 per outer



Mini moisture trap

- Absorbs moisture
- Helps protects against damp
- Combats musty odour
- Improves air quality
- Last 6-8 weeks

110180 12 per outer



Moisture crystal refill

- Ideal for kitchen, caravans, boats and many more places where you need to keep the atmosphere dry
- Should be sufficient to dehumidify a closed room measuring up to 40 cubic metres (8ft x 12ft x 12ft)
- Excess moisture can cause mildew, wet rot, musty odours and other problems

500g **110172** 12 per outer 1kg **110175** 8 per outer 2.5kg 110177 4 per outer

Gel safe moisture trap



Damp is the main cause of damage to materials in the home, this regulates excess humidity, keeping it at the optimum level. This helps prevent damp, mould, mildew, bacteria and musty odours, improving overall air quality and comfort. The gel residue cannot be spilled, this makes it ideal for multi-purpose use i.e.: wardrobes, cupboards, caravans and boats

- Absorbs 400ml moisture and turns it to gel
- Controls excess humidity for 6-8 weeks
- Protects against damp
- Improves air quality
- Quick and easy to use
- Non spill and non leak **110185** 16 per outer

WOW Turns moisture into a gel, stored in a paper bag. By placing the bag in the bin, it makes disposal safe and easy.



Gel safe refill Extremely easy to replace 110187 12 per outer



FENWICKS Cleaning and proofing products



WOW The whole Fenwick's range has been designed with the needs of the caravan, motor home and car owner in mind. Many products have been created from specific requests by satisfied customers.

Fenwicks display stands

Please ask your sales contact for details 0980625 098062L



Caravan cleaner

Safe and economical to use one bottle will clean up to 40 average size caravans. It will safely remove black streaks, algae, moss, fungus, road and traffic film. Safe to use on acrylic windows, aluminium, rubber, decals, mastics, sealants etc.

1 litre **098056** 10 per outer 25 litre 098061



Motor home cleaner

Improved formula for use on motor homes. Contains corrosion inhibitors to protect steelwork. Power washers are often used so cleaning activity has been increased

1 litre **098057** 10 per outer



Bobby dazzler

A unique finishing product for caravans, motor homes, cars, vans and lorries. Provides a protective coating and enhances shine. Simply applied in the rinse water it protects against road traffic film, salt spray, acid rain, rust and air borne pollutants and it contains an algae and mould inhibitor to slow their return.

1 litre **098058** 10 per outer



Waste pipe & tank cleaner

Cleans shower and sink drains, toilet cassettes, and eliminates unpleasant odours. Formerly known as Fendox concentrate. Dilute to a 10:1 solution to clean work surfaces, cookers, fridges, sinks, wash basins, showers and toilets. Fully biodegradeable and food safe, kills e-coli, salmonella and other germs. Also removes limescale. nicotine. egg, formaldehyde, and other hard to remove stains

1 litre **097063** 15 per outer



Overwintering

Superb product to make spring cleaning easy. Simply coat the caravan or motor home with a dilution of over wintering to protect the surface from tree sap, bird droppings and general grime which accumulates over the winter months. Simply rinse with Fenwicks caravan or motorhome cleaner in the spring. Supplied in 1 litre bottles - enough to cover the average caravan twice **098054** 10 per outer



Windowize

An effective product to remove scratches from acrylic and plastic windows. When applied by hand it will remove scuff marks caused by trees as well as light scratches caused by dirt and grit.

100ml **098052** 10 per outer



Awning & Gazebo reproofer

Quickly restores waterproofing qualities to synthetic and canvas awnings, tents and gazebos. Protects against stains from dirt, grease, oil, food spills, and drinks. Deep penetrating, water based, non flammable formula. Can be applied in damp conditions, 1L covers up to 30m². Far safer than solvent based products, due to the biodegradeable and environmentally friendly properties.

108405 10per outer



Awning & gazebo cleaner

Quickly and effectively cleans awnings, tents and gazebos. Removes black streaks, green algae and general grime. Spray on, wash off formula.

1 litre 108401 10 per outer



Black streak remover

A 10 to 1 solution of caravan cleaner in a handy trigger spray for removing black streaks between washes

098055 10per outer



Multi-surface cleaner

Ideal for cleaning and sanitising plastic and hard surfaces.

1 litre **098051** 10 per outer



Citrus fresh toilet

"Fresh coat" helps prevent marks and stains. Helps maintain seals, improves flush action and sanitises 1 litre **060265** 15 per outer



Fenwicks top & tail

A unique toilet fluid designed for use in both top and bottom tanks which makes it easier to use and more economical.

2.5 litre **060266** 8 per outer

Cleaning



The revolutionary waterless way to clean your car, caravan, motor home, boat, motorbike, or any other metal, glass, or painted surface, even around the house on windows, mirrors, stainless steel and so much more.

Onedrywash is so easy to use. Simply spray on, spread with a soft cloth, working on one area at a time for a few seconds or longer depending on the ambient temperature. Then effortlessly polish to a shine with a second clean cloth. In very little time at all your surface is clean, polished and protected.











Cleaning kit

Kit contains: 1 x 500ml 1drywash with trigger 2 x microfirbre cloths Available singly or 10 per outer 098075



1 litre refill pack


Kit contains 2 x 500ml 1drywash with trigger Available singly or 10 per outer 098077



100ml Trial pack

Not tried 1drywash yet? Why not give it a go with our brilliant trial pack which gives you everything you need, including a comprehensive illustrated usage and top tips card to help you get the most from your first experience of our product. The trial pack bottle holds 100ml of 1drywash, which is enough to clean, shine & protect an average sized family car or caravan.

100ml 1drywash with trigger





Replacement trigger 098085

Upholstery cleaner



Upholstery cleaner is an effective 21st century surface cleaner for carpets, fabric, leather and vinyl, made completely from an enzyme of plant origins. Enzymes are proteins which act as a catalysts for chemical reactions and emulsifiers which suspend grease in an emulsion which is a safe water soluble solution. This makes it harmless to the environment unlike other cleaners as it contains no acids, bleaches, solvents, corrosives or abrasives and it's odour

free and totally biodegradable. All of this without losing effective cleaning power and does not harm your skin or damage your upholstery through mis use.

- 1. Adjust nozzle to produce a fine spray.
- 2. Spray lightly, working on small areas.
- 3. Spread with a soft cloth.500ml.

10 per outer

098082



Pampervan 1 litre

Pampervan is a 'dense gel' concentrate, 1 litre is sufficient to clean as many as 20 motorhomes and caravans. Cleans all types of caravan and motorhome bodywork and panels, winter build up, tar spots, tree sap, dead flies, and many more. The ideal solution for cleaning stained carpets and upholstery including leather. You will be amazed at the results.

098065 12 per outer

Tyre shine



Simply spray around the tyres and black rubber and leave to dry. Comes with trigger.

250ml. 10 per outer 098081



Display Stand Free of charge 098087



Kit contains: 2 x 1 litre 1drywash 12 x micro fibre cloths 1 x pressurised dispenser 12 x latex gloves 098069



Valeting pack refill 10 x 1 litre 1drywash. Very economical for own use! 098068

N2

WOW Manufactured and designed in the UK

7-shot

Save money and the environment - Buy concentrate. This simple idea provides 4.5L of cleaning solution. Supplied with 650ml of ready made solution and 120ml of concentrate that allows you to recharge the bottle a further 6 times. With the easy to use measuring device, you avoid over-dosing.



7-Shot Interior multiclean

Anti-bacterial multi-surface formula, with added anti-static agent. Leaves interior surfaces, showers, sinks, fridges and acrylic windows sparkling, and prevents mould and mildew build-up in your bathroom too! 10 per outer **098042**

7-Shot Upholstery cleaner

Cleans curtains, carpets and sofas, with built-in water softening agent to maximise performance in hard water areas. A great spot remover for cleaning up those accidental spillages. 10 per outer **098043**



7-Shot Black streak remover

Anti-static, multi-purpose spot remover for stubborn stains, black streaks and winter algae. Leaves a waxed showroom finish. 10 per outer **098048**



Sticky stuff remover

The modern answer for removing paint, oil, grease, adhesive, tar, sticker residue etc. 250ml **098095** 6 per outer 50ml 098096 12 per outer



Elsan anti-bacterial screen wash plus

This has been specificially designed to attack Legionnaires disease in the windscreen washer system and help eradicate this risk. It is also effective against other water bourne bacteria to sanitise the system and avoid all unnecessary risks.

097050 4 per outer 5 litre



Silky cream

A cleaner for all painted and synthetic surfaces. Non abrasive, 480ml **098063** 12 per outer



Dometic Seitz window cleaner set

All you need for appropriate cleaning of acrylic glass surfaces.

Includes: Acrylic glass cleaner - Antistatic cleaning and care product. Ideal for pre-treatment of acrylic glass surfaces prior to polishing. Acrylic glass polish - Effectively removes blind spots and scratches. Contains no wax. Special polishing cloth - Extremely soft and hard-wearing. Elastic, fluff-free and washable up to 40°C **098107**



40 Shot Dish & treat

Low foaming washing up liquid that also acts as a tank cleaner. Just wash the dishes and let the washing up liquid clean and protect your pipes and tank. 10 per outer **095575**



Melamine soak Supplied in a tub of 20 tablets.

12 per outer 081409

Cleaning apparatus



Kent telescopic brush

Flow through brush with long reach handle. Measures 105cm

when closed extending to 170cm 12 per outer

Display stand 097056

097058



Telescopic brush

Flow through handle with heavy duty brush head. Measures 100cm when closed extending to 170cm 18 per outer

097057



Telescopic brush

Budget flow through brush with long reach handle. Measures 100cm when closed extending to 170cm

12 per outer S00136



Extra long 3 section brush

Flow through handle with heavy duty brush head. Measures 130cm when closed extending to 330cm 097060



Heavy duty bucket

14.5 litre. Available singly or 12 per outer **097070**



Super jumpo car sponge

Available singly or 6 per outer **097005**



Rolson 4 piece cloth set

4 microfibre cloths, 12 per outer **097025**



Car wash glove

Microfibre mitt. Ideal for dusting, polishing and washing 097010



Microfibre duster

- Microfibre attracts and lifts dirt whilst protecting surfaces
- Soft and scratch free
- Works best on dry surfaces
- Machine washable

097045 6 per outer



leather

Wholeskin approximately 5sq ft. Available singly or 6 per outer 097040



Bug & tar remover sponge

Available singly or 12 per outer 097022



Laundered polish cloths Weight 10kg

097053



Microfibre cloths

- Made from microfibre
- Cleans without chemicals
- Lint and streak free results
- Machine washable and
- Environmentally friendly
- Magnetic to dust 12 per pack

097046 20 per outer



Kent cleaning cloths

- Made from microfibre
- Cleans without chemicals
- Lint and streak free results
- Machine washable and dry
- Environmentally friendly



Demister pad

24 per outer 097030



Kitchen cloth 097041 10 per outer

Glass cleaning cloth 097042 10 per outer





Multi purpose cleaning cloth 097043 10 per outer

Bathroom cleaning cloth 097044 10 per outer







ice scraper / snow brush 6 per outer 097024

Cleaning wipes



Glass wipes

Contains 50 large wipes which cut through grease and dirt on plastics, glass and other modern surfaces

098109 16 per outer



Bathroom wipes

Contains 50 large wipes which help combat the build up of limescale

098115 16 per outer



Toilet wipes

Contains 50 large wipes, helps combat salmonella, listeria and E coli; ideal for cleaning toilet lids and seats

098121 16 per outer



Auto interior wipes

Contains 50 large wipes which are ideal for cleaning all surface including glass, seats and dashboards

098135 16 per outer

Air fresheners



Plug-in-air fresher assorted

Orange blossom, Freesia & Jasmine and Fresh linen

098153 12 per outer



Scented candles assorted

Candles in 11 assorted fragrances. Each candle has a burn time of up to 30 hours

098159 24 per outer

Hand care



W4 handies

One size disposable latex gloves, powdered for easy fitting. 6 pairs per pack **098150** 10 per outer



Latex gloves

10 pairs per pack 098149 50 per outer



sanitizer

Comes in three assorted fragrances, wild berry, lemon & lime and non-perfumed 098140 12 per outer

Vacuums and sweepers



Ring handyvac

12V wet&dry vacuum cleaner

- Complete with detachable nozzle. crevice tool and squeegee
- Ideal to pick up small wet and dry spills in the home, car, garage and caravan
- Cable length approximately 3.5 metres
- 12 volts / 90 watt
- 'e' marked
- CE approved Available singly or 10 per outer

096090

Ring handyvac rechargeable

Mains rechargeable wet&dry vacuum cleaner

- Ideal to pick up small wet and dry spills in the home, car, garage and caravan
- Wall mounting charger base
- 4.8 volts/45 watt 230v
- CE approved Available singly or 4 per

outer 096091



Everyday cordless sweeper

Removable handle/visor for effective stair cleaning

- Easy empty dust tray
- Dynamic steering joint
- Low profile and long reach
- Run Time: up to 20 minutes (depending on floor surface)
- Power: 4.8V rechargeable batteries
- Weight: 1.3kg 096094



Deluxe cordless sweeper

From cleaning hard floors to removing stubborn pet hairs from carpets and upholstery, its multipatented design features an edge cleaning wheel, responsive steering and long reach telescopic handle. Weight: 1.6kg

096095



Waeco Powervac **PV-100**

Wet/dry vacuum cleaner with rechargeable battery. Includes hose, attachments for upholstery, rugs and narrow gaps, carrying strap, mains adapter, 12-volt charging cable and operating instructions.

Holds charge for 18 minutes of uninterrupted operation. 2.15kg. HxWxD 270 x 320 x 198mm

096093

Mats and runners



Rimini runner

- Machine washable to 40°C
- Latex backing and anti slip 57cm x 180cm, assorted colours 096029 12 per outer



Rimini mat

- Machine washable to 40°C
- Anti slip latex backing 40cm x 57cm, assorted colours **096028** 24 per outer



Door mat

- Ribbed pile
- Suitable for many locations
- Easy to keep clean with brush or vacuum

40cm x 60cm, assorted colours 096046 10 per outer



W4 mini mat extra

Ridged door mat with non-slip backing. 49 x 33cm 096044 10 per outer



Carpet mat stand

Please ask your representative for details 096049



Marled barrier mat

- Mixed fibre barrier mat
- Washable at 40°C
- Flexible non-slip backing
- Extremely durable, absorbs dirt and moisture
- Suitable for outdoor use 60 x 90cm

096027 10 per outer



Furness mat

- Machine washable at 40°C
- 70% cotton and 30% synthetic fibre
- Flexible PVC backing 40cm x 60cm

096032 16 per outer



Camco 12' x 12"

Rolson 125cm x 45cm

Camco non slip matting

Suitable for many applications. Supplied in 12" wide rolls. Available singly or 10 per outer

12' beige 096015 12' green 096016 12' burgundy 096017

Rolson non slip matting

Supplied in 45cm wide rolls. 30 per outer 125cm Black heavy duty **096020**



Carpet protector 30m roll

Plastic carpet protector 68cm wide 30 metres per roll 120124

Carpet protector pre-cut retail

- Suitable for use on carpets
- Supplied in carry home polybag

68cm x 175cm. Available singly or 17 per outer 120121



Magi-Mat

- Machine washable at 40°C
- Surface 100% woven polypropylene
- Stain resistant
- Easily cleaned with damp sponge or cloth
- Juice, coffee and wine wipe easily away
- Soft and comfortable to the touch 60cm x 140cm **096023** 8 per outer



Harmony barrier mat

- Pure, soft cotton pile
- Easy care, machine washable at 40°C
- Supplied in a pack of 4 mottled colours
- Ideal around the home, caravan or in pet beds
- 100% cotton pile
- Soft latex backing
- Retail packed with header and hanger 40cm x 60cm **096024** 12 per outer 50cm x 80cm **096035** 12 per outer



ldeal barrier mat

- Hardwearing polyproylene pile.
- Machine washable at 40°C
- Vinyl backing

40cm x 60cm, assorted colours 096025 16 per outer



Stick'n'Guard

Self adhesive protective carpet film - ideal for use in high traffic areas where carpets need temporarily protecting. Supplied in 10m x 60cm retail packs.

120125 6 rolls per outer 100 metres x 60cm **120126**

WOW Stick 'n' Guard is often used to protect sales vehicles when on display not just by workshops when working inside customers vehicles

Hooks, hangers and tape

WOW Hang, organise, decorate, fix until you want to take it down. Command™ Adhesive removes cleanly without damaging walls



Mini hooks Holds 0.225kg 6 per pack 099049



HOOKS



Small oval hooks 3 per pack

White **099011** Beige 099012 10 per outer





Small square hooks

4 per pack White **099019** Beige 099020 10 per outer



Small hooks

6 packs per outer

Holds 0.45kg 2 per pack 099050





Large oval hooks

2 per pack White **099015** Beige **099016** 10 per outer





Large square hooks

2 per pack White 099023 Beige 099024 10 per outer



Medium hooks

Holds 1.36kg 2 per pack 099051

6 packs per outer



Large hook

Holds 2.25kg Packed individually 099052

6 packs per outer



Jumbo hook

Holds 3.40kg Packed individually 099053

6 packs per outer



Double sided tape

Length 6ft 099000 10 per outer



Cup hook white

Tea cloth holder

099034

10 per outer

4 per pack 099027 10 per outer



Suction hook 099030

10 per outer



 $Velcro^{(R)}$ Velcro counter display unit 099439



Velcro® in handy dispensers

10 metre length, 20mm wide Stick 'N' Stick Ecru 099412 Stick 'N' Stick White 099413



Velcro® heavy duty tape 50mm x 5mtr

Extra Strong. Weather resistant adhesive. For Indoor and outdoor use 099415



Velcro® stick on coins

Self adhesive discs with many uses. 16 per pack **099423** 12 per outer



Velcro® heavy duty strips retail pack

Strong. Extra Weather resistant adhesive. For Indoor and outdoor use 099420 12 per outer



Velcro® sticky foam pads

Double sided sticky foam pads for permanent fixing, quick & easy to use

099429 12 per outer



Velcro® self-grip ties 30mm x 5mtr

Perfect for organising bulky heavyweight cables **099427** 6 per outer



Hang tabs

Repairs euro hook slots when damaged. 500

per box (10 x 50) 099080

Personal grooming



Nilaqua's no rinse bathing products allow you to wash safely and effectively without using any water whatsoever! This range of no rinse liquid soap shampoo's leave your body clean and fresh from head to toe

Simple, fast and effective.

These amazing products are liquid based and leave no sticky residues. Simply apply the liquid directly and generously to your body, massage to release dirt and grease, and then to remove simply thoroughly towel dry.

The perfect alternative to traditional bathing.

Nilaqua has many uses: e.g. for busy lifestyles to freshen up between washes or when there is a lack of water, for example travelling, festivals, camping, hiking, sports (cycling, marathons etc), yachting, truckers, military, etc. Many festival goers prefer to wash from the comfort and privacy of their tent, rather than queuing up for showers.

wow

- Paraben and alcohol free
 - Kind to the skin
- Simple and easy to use
- Safe perineal cleanser
- Moisturises as it cleans
- Microwaveable wipes and shampoo caps





Nilaqua body wash

- Ready to use
- No rinsing required
- Leaves skin clean, refreshed, and odour free
- No alcohol means no dryness
- Gentle on sensitive skin
- Safe and effective perineal cleaner
- Moisturises as it cleans

65ml **098414** 12 per outer 200ml **098415** 24 per outer



Nilaqua body wash wipes

- ●Contains 8 x premoistened 20cm² wipes
- •Leaves skin clean, refreshed, and odour
- No alcohol means no dryness
- Gentle on sensitive skin
- Safe and effective perineal cleaner
- Moisturises as it cleans
- Microwaveable for a warm luxurious wash

098409 24 per outer



Nilagua pet shampoo

- Ready to use
- No rinsing required
- Bathe your dog without stress or
- Apply massage to a lather and towel dry. No rinsing required
- PH balanced, contains no alcohol
- Recommended by vets and professional groomers
- Removes odours without masking. Lifts the dir up and away from the

098420 12 per outer 200ml **098421** 12 per outer 500ml



Nilaqua smilesaver toothbrush

The waterless disposable toothbrush with a single dose of toothpaste stored inside the handle. To use simply push the handle into the head to dispense the toothbrush and brush your teeth

- No rinsing required
- No foam no mess
- Fresh minty flavour

098419 30 per outer



Nilagua shampoo

- Ready to use
- No rinsing required
- Hospital tested and approved
- Completely cleans hair without water
- Just apply, massage to a lather, towel dru, and stule
- No alcohol means no dryness
- Leaves hair fresh, clean, and odour free

65ml **098400** 12 per outer 200ml **098401** 24 per outer 500ml **098402** 12 per outer



Nilagua shampoo shower caps

- Ready to use
- No rinsing required
- Hospital tested and approved
- Completely cleans hair without water
- Just place cap over hair, massage to a lather, towel dry, and style
- No alcohol means no dryness
- Leaves hair fresh, clean, and odour free **098418** 24 per outer

WOW Free counter display box 098425



Nilaqua conditioner

- A wonderful finish for any shampoo
- Ready to use
- No rinsing required, no residue, no areasiness
- Eliminates snarls and tangles while leaving hair soft and easy to manage
- No alcohol means no dryness
- Provides silkiness, softness, and lustre
- Just apply, massage into hair, comb, and style
- Can be rinsed like a traditional conditioner

65ml **098405** 12 per outer 20ml **098406** 12 per outer

Rooflights and accessories

MPK complete rooflights

Size mm (aperture)	Dome colour	Interior colour	Grove number
280 x 280	Opaque	Beige	102002
with flynet	Opaque	White	101972
360 x 320	Opaque	Beige	102008
with flynet	Opaque	White	101978
400 x 400	Opaque	Beige	102013
with flynet	Opaque	White	101983
MPK 420	Opaque	Beige	102016
400 x 400 with flynet	Opaque	White	101986
and blind	Clear	Beige	102028

MPK rooflights opaque



Multi-directional rooflight with opaque, flexible double skinned dome and frame available in two colours, beige or white. Telescopic arms allow the rooflight to be opened to any side. The dome skins have spacers between to guarantee free airflow that cannot be reduced by snow weight. Comes complete with removable flynet, and the 420 version comes with flynet and integrated roller blind.

MPK rooflight clear



- Large clear dome with snow protection frame
- With free airflow
- With flynet roller and roller blind
- Automatic pressure release locking device
- Covered fixing screws

Measures: Aperture: 400mm x 400mm, Size of dome: 560mm x 560mm.

Free airflow: 150cm

MPK replacement domes -**Opaque** Complete with handles

Dome colour	Handle colour	Grove number
Opaque	Beige	102005
Opaque White		101975
Opaque	Beige	102010
Opaque	White	101980
Opaque	Beige	102012
Opaque	White	101982
	Opaque Opaque Opaque Opaque	Opaque Beige Opaque White Opaque Beige Opaque White Opaque White Opaque Beige



Other rooflights



Rooflight domes

Manufactured from vacuum formed acrylic. The domes are not pre-drilled 14.5" x 14.5" **102055** 18" x 18" 102065



Elixir rooflight

Single glazed unit with one way wind up mechanism. Metal surround. To fit aperture size: 360mm x 360mm

White 102033 Spare dome White 102037

MPK flynets and blinds

Size mm (aperture)	Interior colour	Part	Grove number
280 x 280	Beige	Flynet	102019
200 X 200	White	Flynet	101989
290 x 290	Beige	Flynet	102020
290 X 290	White	Flynet	101990
360 x 320	Beige	Flynet	102021
	White	Flynet	101991
400 x 400	Beige	Flynet	102023
400 X 400	White	Flynet	101993
	Beige	Blind and flynet	102026
MPK 420 400 x 400	White	Blind and flynet	102024
	Beige	Roller blind only	102017



280 x 280mm



290 x 290mm



360 x 320mm



400 x 400mm



For MPK 420 400 x 400mm

Replacement roller blind

Stays




MPK rooflight catches

Catch to lock rooflight in open or closed position 420/430. 4 per pack (2 black and 2 grey) 102018



Brevette stays 2 per pack **102162**

	With	weather proof AS.	~	ts come comple		ne, blind and flyscree provide excellent pro		om the elements	
Model	Roof t	hickness mm Fits	Dimensions mm (cut out)	Installation area required mm	For caravans or motorhomes	With or without forced ventilation	Glazing	Features	Grove
					Caravan	Vent			1020
Mini Heki	42	25-42	400 - 400		Motorhome	No vent	Double	Lever opening	1020
plus		42.00	400 x 400	550 x 510	Caravan	Vent	glazed	' 5	1020
	60	43-60			Motorhome	No vent	ı		1020
Mini	42	23-42	400 x 400	500 x 500	Caravan	Vent	Single	Handle opening 5 position up to	1020
Heki S	60	43-60	400 X 400 S00 X 500 Callaval Verit	glazed	80mm	1020			
Midi Heki	30-34	25-34 up to 60 (with additional	700 x 500 880	880 x 650	Caravan	Vent	Double	Lever opening	1020
Wildi Ficiti	30 31	assembly kit)	700 x 500 880 x 650 Motorhome No vent				glazed	3 position to 45°	1020
Heki 2	27							Lever opening 3 positon to 55°	1020
Heki 2 Deluxe	25-32				Caravan	Vent		4 x 5W 12v integrated lights Lever opening 3 positon to 55°	1020
Heki 3 plus	25-32	up to 60 (with additional assembly kit)	960 x 655	1080 x 790			Double glazed	2 x 8W 12v integrated lights Crank opening variable position to 70°	1020
Heki 4 plus	25-32				Motorhome or caravan	No vent		2 x 8W 12v integrated lights Electric opening (with remote) variable position to 70° With rain sensor	1020




Seitz S4 windows - Dometic Seitz S4 windows are available to order from Grove Products. Usually delivered within 7 - 10 days, please speak to your sales contact for current prices and delivery time scales.

White

FIMM Rooflights

400 x 400 rooflights

The Fiamma range of 40 cm rooflights offers high quality and durability. Aerodynamic, thanks to its elegant external profile top, it does not require the use of the Spoiler. During high-speed testing, noise and vibrations were greatly reduced. Thanks to the new outside cover and exclusive patented rubber seal, a watertight system guarantees rain streams down without the possibility of it coming in. ABE approved. Made with high quality UV-resistant materials. Interchangeable with the old Fiamma Roof-lights 40x40 and with rooflights from 36x36cm to 42x42cm thanks to the reinforced frame. Supplied with permanent airflow ventilation.



Fiamma Vent

Manually operated opening with permanent air flow ventilation and mosquito screen.

Vent 40

White 102030W Crystal 102030C Spare dome

For all Fiamma 40 x 40cm rooflights

White 102031W Crystal 102031C



Turbo-Vent

Manually operated opening with permanent air flow ventilation and a big fan with a 12V DC variable speed motor with 10 blades. It changes and refreshes the air inside your vehicle within seconds. The electronic circuit allows a rapid, problem-free, change of rotation. The transparent grating permits maximum air circulation and filtering of light.

White 101092 Crystal 101091



Crystal

Universal extension kit

To suit all Fiamma roof lights **102036**



Fiamma handle extension 102034


Vent 28

28 x 28cm version of the Vent 40 rooflight, ideal for airing small spaces. Installation with sandwich technology with screws tightened inside the vehicle

White 101096 Crystal 101097 Spare dome

For vent 28

White 102033W Crystal 102033C



Rooflight accessories



Fiamma thermo vent 40

Insulated vent shield. Keeps your vehicle warmer in the winter and cooler in the summer. Suitable for all 40x40 rooflights. 40cm square 102032



Fiamma rollo kit 40 x 40 LED

Roller blind system suitable for 40 x 4 0cm rooflights, includes 4 LED lights, each with 9 warm white LED lamps

- Low consumption: 12 Vdc
- Absorbed power: 8.64 W
- Electric input: 0.72 A
- Complete with switch
- Easy installation without drilling 102029LED

Fiamma rollo kit 40 x 40

As above without the 12v LED lights 102029

Fiamma turbo kit

ENTILATION

Kit to convert your rooflight into a fan. Turbo kit 12V DC with telescopic hanging system allows installation on any rooflight from 40x40cm to 50x70cm when the vehicle is stationary and the roof is open. 24cm

diameter fan with 2 telescopic hangers adjustable from 36 to 48cm. Comes with 1 cable for lighter type socket and 1 cable for vehicles electric circuit. Can also work on 8 x D batteries not supplied.



- Low consumption: 12 Vdc
- Absorbed power: 4 W
- Electric input: 0.2 to 0.33 A
- Max air
 flow: 7.2m³/
 min
 101095



WOW Turns any rooflight (40x40cm to 50x70cm) into an extracting rooflight!



Fiamma rooflight spoiler

A universal aerodynamic roof spoiler, ideal for reducing vibrations and rooflight noise while travelling. Made of UV-ray resistant sturdy PVC material. It can be shortened to adapt itself to the different rooflights with dimension from 110cm to 28cm. Easy to install can be attached with suitable adhesives (Sika), no drilling needed. Dimensions 110 \times 20 \times 12cm 102039



Dometic Air conditioning units - roof air conditioners for 230V stationary operation





Freshjet 1700 102183

Freshjet 2200 102185



FreshLight 1600 102193

FreshLight 2200 102195





You can control all functions of your Dometic air conditioner easily by remote control. The digital display shows the selected settings, such as temperature, blower speed, battery status, timer etc.



WOW FreshLight - The world's first roof air conditioner with integrated roof window with active ventilation system and single-pleated blackout screen



DC2 Kit

Allows you to run an air conditioners through the 12V DC circuit whilst the vehicle is running. Travelling occupants of the living area can be air-conditioned and you can enjoy perfect climate inside when you get to your holiday destination. Includes charging current distributer **102170**

	Freshjet 1100 102181	Freshjet 1700 120183	Freshjet 2200 120185	Freshlight 1600 120193	Freshlight 2200 120195
Cooling capacity	1000 watts 3400 Btu/h	1700 watts 5800 Btu/h	2200 watts 7500 Btu/h	1550 watts 5300 Btu/h	2200 watts 7500 Btu/h
Heating capacity (230v mode only)		800 watts	2700 watts	2050 watts	2700 watts
Power consumption (cooling / heating)	430 / - watts	620 / 800 watts	950 / 1200 watts	620 / 800 watts	950 / 1200 watts
Input voltage	230 volts AC 50 Hz	230 volts AC 50 Hz			
Current consumption (cooling / heating)	2.0 / 0 Amps	2.7 / 3.5 Amps	4.1 / 5.2 Amps	2.7 / 3.5 Amps	4.1 / 5.2 Amps
Necessary circuit protection (cooling / heating)	3 / - Amps	4 / 4 Amps	5 / 6 Amps	3 / 4 Amps	5 / 6 Amps
No. of blower speeds	4	4	4	4	4
Remote control	Yes	Yes	Yes	Yes	Yes
External dimensions (W x H x D) mm	562 x 225 x 787	562 x 225 x 787	562 x 225 x 787	758 x 210 x 1105	758 x 210 x 1105
Internal dimensions (W x H x D) mm	480 x 47 x 535	480 x 47 x 535	480 x 47 x 535	550 x 53 x 880	550 x 53 x 880
Roof opening (W x D) mm	400 x 400	400 x 400	400 x 700	400 x 400	400 x 700
Roof thickness mm	25 to 60	25 to 60	25 to 60	25 to 60	25 to 60
Integrated lighting	LED	LED	LED	LED with dimmer	LED with dimmer
Can use DC2 Kit for 12V mobile operation	Yes optionally	Yes optionally	Yes optionally	Yes optionally	Yes optionally
Recommended max length of vehicle	5 metres	6 metres	7 metres	6 metres	7 metres
Weight approx. kg	22	29	32	40	42
Part no.	102181	102183	102185	120193	102195

Pruma Air conditioning units - roof air conditioners for 230V stationary operation


Aventa Comfort

Behind the Aventa Comfort air conditioning system are two powerful and efficient units. It cools and dehumidifies the interior on hot days and can be used as a heatsource through an energy saving heat pump on cooler evenings.

- Powerful cooling and exceptionally high air output
- Maximum efficiency in both cooling and heating operation
- Extremely light
- Sleep function for quiet cooling
- Practical timer function
- Retrofitting is very quick and easy

Choice of two interior colours, cream or grey





Aventa Eco

The Aventa Eco air conditioning system will provide you with the required temperature quickly with it's high cooling power. It uses such low power that it can be used on camp sites with the lowest fuse protection. Perfect for performance and economy

- Powerful cooling
- Extremely low power consumption
- Extremely light
- Sleep function for quiet cooling
- Practical timer function
- Retrofitting is very quick and easy

Choice of two interior colours, cream or grey

WOW Aventa Eco - Powerful cooling only (no heating function). Why pay for heating when it is already installed in the vehicle. Save weight, money and power!



- 1. On/off
- 2. Mode
- 3. Fan speed
- 4. temperature selection
- 5. Clock
- 6. Sleep
- 7. Interior lighting
- 8. Timer
- 9. Resend
- 11. Reset



IOLIOS		
	Aventa Comfort 102166	Aventa Eco 102163
Cooling capacity	2400 watts	1700 watts
Heating capacity	800 watts	
Input voltage	230 volts AC 50 Hz	230 volts AC 50 Hz
Current consumption (cooling / heating)	4.2 / 3.7 Amps	2.8 Amps
External dimensions (W x H x D) mm	650 x 235 x 980	650 x 235 x 980
Internal dimensions (W x H x D) mm	500 x 50 x 560	500 x 50 x 560
Roof opening (W x D) mm	400 x 400	400 x 400
Integrated lighting	Dimmable LED ambient lighting	Dimmable LED ambient lighting
Recommended max length of vehicle	7.5 metres	6 metres
Weight approx. kg	33	28
Part no.	102166	102163
Air distribution unit cream	102167	102164
Air distribution unti grey	102168	102165

Interior cream

Dometic Air conditioning units - under bench air conditioner



Is the under-bench storage space still free? Then there are a number of reasons to house the air conditioner there:

- No roof load, vehicle centre of gravity and height remain unaffected
- 3 separate outlets can be positioned individually

	FreshWell 2000 102197
Cooling capacity	1800 watts / 6100 Btu/h
Input voltage	230 volts AC 50 Hz
Current consumption	2.8 Amps
Dimensions (W x H x D) mm	400 x 286 x 560
Recommended max length of vehicle	6 metres
Weight approx. kg	20
Part no.	102197

Ventilators

Extract and light kit

12v extractor fan complete with an integral downlighter in white surround. Ideal for fitting in cupboard above hot plate or in a toilet compartment. Complete with exhaust ducting and external vent. Supplied blister packed with Euro slot. Can also stand on shelves. Comes complete with a G4 10w halogen bulb 103250

Extract and light loose

12v extractor fan complete with an integral downlighter. Supplied in bubble wrap with no external vent or exhaust ducting. 10 per outer White **103252**

Chrome 103253 Gold 103254





Dometic GY20 vent

A passive ventilator with easy push/pull closing action. Creates permanent ventilation to cut down condensation and musty smells 103202



Mushroom vent

White Dimensions: 110mm Ø, Height 50mm, Roof 22-54mm 103204



Roof cowl Truma AK3 801020

More truma cowls and vents in the spares section of the catalogue



MPK vent 5038

117mm diameter (overall) 109mm (vent) 103200



Hit and miss vent

White 9.5" x 3.5" 103101 Brown 9.5" x 3.5" 103112



Hit and miss vent and fluscreen

White 9.5" x 3.5" **103123** White 9.5" x 6.5" **103134**



Interior louvre vent

White 6.75" x 3.5" 103038 Brown 6.75" x 3.5" 103047



Exterior louvre vent

White 9.5" x 6.5" 103029



Exterior louvre vent and flyscreen

White 9.5" x 3.5" **103083** White 9.5" x 6.5" **103092**



Exterior louvre vent

White 9.5" x 3.5" 103011 Brown 9.5" x 3.5" 103020



MPK side wall vent

170mm x 50mm - aperture size 103201



Grille vent

White 6.75" x 3.5" 103145 Beige 6.75" x 3.5" 103156



3" hexagonal vent -pair

White 103167 Brown 103178 10 packs per outer

Consumables

WORK SHOP

WOW For workshop consumables please order in units of 1 to receive quantity in brackets.











Brake cleaner 500ml aerosols (6) SAS2 2.5 litre (4) SAS82

Zinc spray 500ml aerosols (6) **SAS24**

Clear fine oil 500ml aerosols (6) **SAS56**

Silicone spray 500ml aerosols (6) SAS8

Tyre foam 500ml aerosols (6) **SAS43**









500ml aerosol (6) SAS7

White grease PTFE Copper grease 500ml aerosols (6) **SAS17**

Clear grease 500ml aerosols (6) **SAS18**

Silicone grease 500ml aerosols (6) **SAS19**

Multi purpose EP grease 400g cartridges (12) VC181 5Kg tub VC182

Sealant strips W4 sealing strip

WOW New high performance formula in white available now!

Formulated for the sealing and re-bedding of caravan and trailer tent fittings. Suitable for use on aluminium mouldings, overlap joints, awning rails, exterior lights, window surrounds, grab handles and most external trims.

Retail packs

19mm x 2.5mm x 5m Grey 107089 White 107092 32mm x 2.5mm x 5m Grey **107090** White 107093 45mm x 2.5mm x 5m White 107094



Containers

Chemical sprayer

Not suitable for solvents including brake cleaner. 600ml CAN8





Solvent sprayer

Polyamid pump with viton seals. Polyethylene, 1 litre container. Can be used with brake cleaner CAN12



Pressol chemical sprayer

Heavy duty polyethylene. 750ml capacity. Fully adjustable nozzle. Suitable for use with cleaning fluids, lubricants and penetrating agents



Solvent sprayer With viton seals. 1 litre

container. Can be used with brake cleaner CAN7



Grease gun metal

Metal bodied with extension pipe and 4 jaw coupler. 1/8" bsp 2.0cc/ stroke. Withstands pressure to 10,000psi. Takes 400g cartridges TL922



Rolson caulking gun

Steel skeleton frame, handle with plunger and release lever. Suitable for most 380-425ml cartridges. Available singly or 12 per outer 107087



Cartridge gun

Heavy duty for 400ml sealant or grease cartridges TL885



Workshop packs

19mm x 2.5mm x 19m



Sealants & adhesives















Dekaphon 9735

An under body and wheel arch proctection coating. It does not spray mist when applied, very good resistance to water and abrasion. Can be used on plywood, wood and metal. 500ml aerosol

Black 107038

Available singly or 12 per outer

Dekaphon 9750

An under body and wheel arch proctection coating, that can also be used as a wood primer. It is a water based product that has very good resistance to water and abrasion, an excellent primer for MS-Polymer. Can be used on plywood, wood and metal. 1 litre Black 107040

Available singly or 12 per outer



Dekapur 2K-90

Flexible polyurethane plastic repair adhesive. Can be used on ABS, PMMA, wood, metals, PVC, Polyester and painted metal. Very fast cure, 5 minutes! Easy and cost effective repair.

50ml Black 107042

Available singly or 24 per outer

Dekapur 2K-6000

A 2 part polyurethane construction adhesive, used for bonding sandwich panels. Can be used on wood, plywood, aluminium, polyester and stony materials. Solventfree, short pressing time of 5 hours, with high gap filling properties. 5kg tub + 0.85kg tin.

Beige 107044 Available singly



Dekasyl MS2

A multi-purpose adhesive / sealant. Based on MS polymer, it's ideal for fitting equipment such as solar panels, satellite systems, etc to vehicle roofs. It has very high U.V. stability and excellent performance with no need for a primer before application. 310ml cartridge

Black 107020 Grey 107021 White 107022

Available singly or 12 per outer



Sikaflex 512 caravan

Multi purpose non-sag elastic one-part sealant. Resistant to UV radiation, ageing and weathering. Bonds well to many substrates. 310ml cartridge

White 107082 12 per outer



Sikaflex 221

Fast setting one part polysulphide adhesive and sealant. Hardens to a flexible rubber-like consistency. 310ml cartridge

White 107080 Black 107081 12 per outer



MK40

Polyurethane sealant and adhesive in one. 310ml cartridge White 107079 12 per outer

Dekaseal 8936

A permanently slightly sticky, nonhardening, sealant. Surplus amounts can be easily dabbed away, saving time and avoiding the risk of damaging side panels. Common uses are for sealing of windows, sun-roofs and overlaps and joints in vehicle construction. Excellent UV-resistance and ageing properties without any pre-treatment. 310ml cartridge

Black 107025 Anthracite 107026

Light Grey 107027

Available singly or 12 per outer

IDL mastic sealant

Non-drying bedding sealant. 380ml cartridge

Cream 107077 White 107078 15 per outer



Hodgsons seamseal CV sealant

Non-drying bedding sealant. 380ml cartridge

White 107015

Available singly or 24 per outer




Hodgsons silfix

Silicone sealant for many uses in and around the leisure vehicle e.g. sealing around toilets, shower trays etc. 310ml cartridge

White 107066 Clear 107067 Available singly or 25 per outer

Dekalin



- Use Dekaphon for enhancement and protection. Seals under-carriages and wheel arches, protecting againts water ingress from below. Dekaphon 9750 can also be used as a primer for wood.
- Use Dekapur for bonding sandwich panels and plastic repairs.
- Use Dekaseal for sealing any fixture that may have to be removed in the future for repair or replacement such as windows, access doors, rooflights and panel overlaps.
- Use Dekasyl for fitting equipment such as solar panels, satellite domes and TV aerials to vehicle roofs. Extremely high bond strength and elasticity.

WOW Ask your sales contact about the useful Dekalin application chart

















Adhesives and glues



Evo-stik strong bond

Clear adhesive. Multi purpose 32g 107140

6 per outer



Evo-stik impact

Instant contact adhesive. Multi purpose 30g **107145** 6 per outer



Evo-stik instant

Hard plastic adhesive. Instant bond 3g 107155 6 per outer



Super glue

20g bottle SAS4950 5g bottles (5) SAS495/5 Accelerates



SAS activator aerosol

3g tubes (5) SAS401/5 bonding of super glues. For use on PVCU, metal, glass and plastic. 200ml **SAS325**



Loctite 401 instant adhesive 20g bottle

VC906



Super glue

3g. 2 per pack 107152 48 per outer



Araldite rapid adhesive 2x15ml tubes (2) VC393



Araldite rapid adhesive 24ml syringe VC394



Captain Tolley's Creeping Crack Cure

Multi-purpose sealant that finds and fixes leaks and seals hairline cracks. Compatible with caravan building materials. Does not dissolve polystyrene

107290

12 per outer



Geocel clear marine sealant

Permanently flexible and waterproof clear silicone rubber sealant 78g tube 107005

6 per outer




Rolson glue gun

230v 75W. Takes 11mm ø alue sticks 100mm long. 6 per outer 107160

Rolson glue sticks (10)

11mm ø glue sticks 100mm long, Glues most plastics, wood, fabric, paper etc 12 per outer 107161





for fast bonding metals,

glass, most plastics and other materials 24ml

Tapes and packaging



Delamination kit

Stretchfilm pallet wrap

Clear 400mm x 300 metres 203034 Black 400mm x 300 metres

203035



Duct tape

Multi-purpose heavy duty tape indoor for outdoor use. metres silver. 24 per outer 107316



Gaffa tape

heavy duty tape for indoor or outdoor use. Silver Available singly 10 metres **107300** Available singly or 24 per outer 50 metres 107315



AL-KO red sealant

Used for marking the nut position **107008**



Double sided tape tape (10)

Non-foam type. 12mm x 50 metres VC406

25mm x 50 metres VC408



Double sided adhesive foam tape

Green backing. General purpose tape. Suitable for interioir and exterior use. 25mm x 10 metres VC404



PVC insulation

Flectrical insulation tape. Black. Flame retardent to BS 3924 1980 Category 2.19mm x 20 metres **EPT1**



Advance AT7 (10)

Electrical insulation tape. Black. Flame retardent to BS EN6054, self extinguishing. 19mm x 20 metres



Carton sealing tape

50mm x 66 metres 6 per outer 203031



Fragile

50mm x 66

6 per outer

metres

sealing tape



Airsafe bubble wrap

1.5 metres x 100 metres 203036



PTFE tape (10) 12mm x 12 metres GLU5

W: www.groveproducts.co.uk



Q3

Professional surface finishing



WOW Ask your sales contact about the useful Farecla application chart

G mop back plate



6"Advanced back plate with interface pad for use with 6" industrial applicators. 14mm thread size.

AGMPIP

G mop lambswool pad 6"



Hook & loop allows rapid fitting and removal from backing plate. Gives a greater cut than foam. Leaves few swirl marks and polishes to a high gloss **AGMLWP**

Profile 300

Profile 300 can be used to rejuvenate or remove scratches from your caravan windows either by machine or by hand



Directions - By hand. Lightly dampen a lint-free cloth and apply 4 pea-sized amounts of Profile 300 to the cloth. Rub the cloth across the window using a straight back and forth motion starting left to right and then switching to up and down. Apply even pressure and repeat until a desired finish is achieved. Remove residue and buff with a soft dry cloth or microfiber finishing cloth.

Where there is deep ground in dirt such as roofs of the caravan a polishing machine might be required. Profile 300 in conjunction with a lambswool mop will offer a greater cut and high gloss.

Directions - By machine. Using backplate attach a lambswool pad to the polishing machine. Apply a small amount of Profile 300 to the pad and use the pad and polishing machine to spread the product before starting the machine. Then start the machine at low speed and polish the surface using even pressure. Gradually increase the machine speed to 1500rpm. Once the product is used up wipe the surface clean using a microfibre cloth Reapply product if more work is required.

1 litre bottle **PR03001400** 6 per outer 200ml bottle **PR0300200** 12 per outer

Workshop cleaning



Hand gel red beaded 5 litres VC505



Paper wipes 2 ply blue. VC537 Paper wipes stand VC526

Profile Caravan wash

Profile wash can be diluted or used as a neat product on the surface without any detriment to the surface. The wash leaves no streaks after use.



Directions - Rinse caravan thoroughly to remove excess dirt. Shake bottle well and pour 10-30ml Profile Power Wash into a bucket of warm water. Apply Power Wash with a clean sponge working from the top of the caravan downwards. Rinse thoroughly with clean water and wipe dry with a clean microfiber cloth for a streakfree, high shine finish. Can also be used neat on heavy stains without any detriment to the surface.

1 litre bottle PPW101 6 per outer



Profile Gelcoat restorer & wax

Profile Gelcoat Restorer & Wax is the perfect product for rejuvenating faded caravan surfaces by hand.



Directions - Lightly dampen a lint-free cloth and apply a small amount of Profile Gelcoat Restorer & Wax to the cloth. Rub the cloth across the faded caravan surface using a straight back and forth motion starting left to right and then switching to up and down. Apply even pressure and repeat until a desired finish is achieved. Remove residue and buff with a soft dry cloth or microfibre finishing cloth.

1 litre bottle PGC501 12 per outer

Profile Polymer wax

Profile Polymer Wax is a high gloss water resistant product with an even application. Can be applied either by hand or machine under most conditions.



Directions - Shake bottle well before use. Pour a small amount of Profile Polymer Wax onto a soft lint-free cloth (not directly onto the vehicle) and apply in a circular overlapping motion being careful to avoid contact with plastic trim. Allow to dry to a haze, then using a clean and soft lint-free or microbibre cloth, simply buff off for a beautiful high gloss waterresistant finish. Apply extra layers for maximum shine and protection.

1 litre bottle **PPW106** 6 per outer

Fenwicks commercial caravan cleaner



One litre will clean up to 40 average size caravans. It will safely remove black streaks, algea, moss, fungus, road and traffic film. Safe to use on acrylic windows, aluminium, rubber, decals, mastics, sealants etc. 25 litres

098061

1Drywash commercial valeting pack



Kit contains: 2 x 1 litre Idrywash, 12 x micro fibre cloths, 1 x pressurised dispenser, 12 x latex gloves **098069**

Valeting pack refill

10 x 1 litre 1drywash

098068

Assortment boxes



'0' rings metric 404 pieces AB100



'0' rings imperial 382 pieces AB101



'0' rings metric 325 pieces **AB81**



Heat shrink tubing 50mm lengths 172 pieces AB103



Nylon lock nuts metric 300 pieces **AB15**



Heat shrink tubing 200mm lengths 30 per pack **AP33**



Fastener assortment

Includes Zinc high tensile setscrews, steel nuts & flat washers

M5 440 pieces AB163 M6 415 pieces AB128 M8 220 pieces AB129 M10 145 pieces AB130



Repair washers 240 pieces **AB22**



Machine screws

Body screws. Pan head

Pozi metric (zinc) 250 pieces

AB134

Flat washers imperial 'Table 4" Heavy 530 pieces **AB109** "Table 3" Heavy 1000 pieces

AB20



Rivets aluminium Black 200 pieces AB112



Display rack For 10 assortement boxes ABR



Split pins 1000 pieces **AB32**



'R' clips 75 pieces **AB88**



Insulated terminals Blue 280 pieces **AB161**



Screws and miscellaneous





Self tapping screws

Counter sunk . Pozi- Zinc 200 per pack No.6 ⁵/₈" 16mm **HTC6/5** No.6 ¾" 19mm **HTC6/6** No.6 1" 25mm **HTC6/8** No.6 1½" 38mm No.8 5/8" 16mm HTC6/12 HTC8/5 No.8 ¾" 19mm **HTC8/6** No.8 1" 25mm **HTC8/8** No.8 1½" 38mm HTC8/12





Pan head screws

Pozi - stainless steel 200 per pack No.6 x ½" 13mm **HTA6/4** No.6 x ¾" 19mm **HTA6/6** No.6 x 1" 25mm **HTA6/8** No.8 x ½" 13mm No.8 x ¾" 19mm **HTA8/4 HTA8/6** No.8 x 1" 25mm **HTA8/8**

Repair washers



M6 x 19mm i.d 1/4" x o.d. 3/4" 200 per pack HRW14

Flat washers



Zinc gold "Form C" metric M8. i.d 8.4mm o.d. 21mm.Thickness 1.6mm 500 per pack HFW61

Split pins



500 per pack $3/_{32}$ "X1½" HŠP4 250 per pack 5/2"X15/ HSP12

Clevis pins



50 per pack 3/₁₆" x 5/₈" HCP1

Flange nuts



Serrated zinc metric M8 200 per pack HSN58

Rivets

Steel rivets



Standard flange 100 per pack

4.8 x 12mm 4.8 x 16.5mm

PRS4


PRS5

Peel back rivets



100 per pack 4.8 x 12mm PR47 4.8 x 19mm **PR48**

Avex (multigrip) rivets



500 per pack 4 x 12mm

Aluminium rivets

Black large flange 100 per pack 3.2 x 10mm

PRB21

Relaus Electrically operated switch that can be used to isolate the auxilliary battery from the vehicle battery.





12v 20/30A Normally open contact ERL7





PR3

12V 40A Normally open contact ERL11

Fuses and bulbs

Standard blade fuses



50 per pack EFX3 3amp 4amp EFX4 5amp EFX5 7.5amp **EFX7.5**

10amp **EFX10** 15amp **EFX15** 20amp **EFX20** 25amp **EFX25**

30amp **EFX30**

Blade fuses



50 per pack 1amp EFB1 2amp EFB2 EFB30 30amp

Side & tail bulb

BA15s single contact 10 per pack Carlex bulbs 5w **EB207** 10w **EB245** Ring bulbs 10W **ER245**

Side & tail bulb

BA15d double contact 10 per pack Carlex bulbs 10w **EB209**



Capless bulb

W2 x 4.6D 10 per pack Carlex bulbs 1.2W **EB286**



Stop or flasher bulb

BA15s single contact 10 per pack Carlex bulbs 21W **EB382**



Stop or flasher bulb

BAu15s single contact Amber 10 per pack Carlex bulbs 21W **EB581**



Stop/tail & daylight running bulb

BAY15d double contact 10 per pack Ring bulbs 21/5W ER380



Cable connectors

Yellow fits 4 to 6mm² ø cable - 📶 fits 1.5 to 2mm² ø cable - Red fits 0.5 to 1.5mm² ø cable



Push-on female

100 per pack Red 6.3mm ET6 Blue 6.3mm ET7 Yellow 6.3mm ET8 Yellow 9.5mm ET12



Bullets

100 per pack Blue 5mm ET16



Heat shrink butt connectors

Adhesive lined Red 3.7mm 25 per pack Blue 5mm25 per pack Yellow 6.5mm 10 per pack

ET91 ET92 ET92



Scotchlok connectors

3M no. 560 100 per pack ESL₂



insulated female

100 per pack Red 6 3mm Blue 6.3mm ET10 Yellow 6.3mm ET11



Push-on male

100 per pack Red 6.3mm **ET36** Blue 6.3mm ET37 Yellow 6.3mm ET38



Receptacle socket

100 per pack Blue 5mm ET19



Ring terminals

100 per pack Blue 6.4mm **ET26** Yellow 8.4mm **ET30** Yellow 10.5mm **ET32**



Butt connector

100 per pack Red 3 3mm **ET33** Blue 4.0mm ET34



Terminal block

12 way 10 per pack 5amp ETB5 15amp ETB15 30amp ETB30





Copper tube terminals

10 per pack

35mm x 8mm **ET73** 35mm x 10mm **ET74**

Tools



Hose clip driver 175mm shaft, 7mm nut spanner TL923



Trimming knife Metal bodied, heavy duty with snap-off

18mm blade **TL675**



Trimming knife blades only

Snap-off 18mm for TL675. 10 blades per pack, 10 packs per outer **TL666**



Blade dispenser With 100 heavy duty blades TL658



Crimping pliers Heavy duty TL934



Teng Torque wrenches 1/2" drive

- For both tightening and final checking of torque
- Reversible with lever (right hand action for torque checking only)
- Angular gauge for after tightening
- Graduated in Nm and lbs/ft
- Lockable setting
- Accuracy +/- 4%
- Degree scale for after tightening of cylinder heads
- Satin finish with rubber handle

Range 40-200 Nm, 30-150ft.1b. Length 465mm TG1281 Range70-350 Nm, 50-250ft.1b. Length 632mm TG1282



Tubeless valve

Type TR418. Fits 11.5mm hole. Length 61.5mm. Complete with caps. 25 per pack TY127

Sizes up to 10mm



File set

Each with detachable ABS handle. Second cut BS498. 4 pieces in wallet - 2 x Hand 8", 1 x Halfround 8", 1 x Round 8" TL766



Emery roll

Blue twill. 50mm width 80 grit. 50 metre roll WER30

Jobber twist drill bits

10 per pack	·						
1mm	DRM1						
1.5mm	DRM1.5						
2mm	DRM2						
2.5mm	DRM2.5						
3mm	DRM3						
3.2mm	DRM3.2						
3.3mm	DRM3.3						
3.5mm	DRM3.5						
4mm	DRM4						
4.5mm	DRM4.5						
4.8mm	DRM4.8						

Sizes 10.5mm+	5 per pack
10.5mm	DRM10.5
11mm	DRM11
11.5mm	DRM11.5
12mm	DRM12
12.5mm	DRM12.5
13mm	DRM13

5mm	DRM5
5.5mm	DRM5.5
6mm	DRM6
6.5mm	DRM6.5
7mm	DRM7
7.5mm	DRM7.5
8mm	DRM8
8.5mm	DRM8.5
9mm	DRM9
9.5mm	DRM9.5
10mm	DRM10

HSS "sprint" DIN 338



Torque wrench 1/2" drive

- Heat treated steel ratchet head.
- Fully hardened and tempered.
- Chrome plated for corrosion resistance.
- Micrometer type torque range adjustment with flip reverse ratchet mechanism.

Range 27-200 Nm, 20-150ft.1b. Length 465mm Available singly or 10 per outer 105535

Clips and ties



Hellermann cable ties

Black 100 per pack T30R 150mm x 3.5mm **ECT35** 100mm x 2.5mm **ECT81**



Cable tie base

Self adhesive with 2 screw holes 50 per pack 4.8mm **EAC4**



P clips

4.8mm 100 per pack **EAC405** 6.0mm 100 per pack **EAC406** 9.0mm 100 per pack **EAC409** 12.0mm 100 per pack **EAC412** 19.1mm 50 per pack **EAC419**



'0'-clips

Double ear 25 per pack OC3 11-13mm 13-15mm 0C4 15-18mm **0C5**



Cable clips

Self adhesive 50 per pack 8mm EAC2 14mm EAC3



Eurolok cable ties

Silver-grey 100 per pack

295 x 4.8mm **ECTG53**



Tool Sets



WOW Display stand available please ask your sales contact for details 60cm Cardboard **105651**

Screwdriver, pliers, & bits tool set (45 pieces)



Consists of a screwdriver handle with magnetic bit holder, 6 x screwdrivers supplied on wall rack, 6 x precision screwdriver, 30 x 25mm screwdriver bits. 150mm combination pliers, and 150mm side cutting pliers. 8 per display unit **105519**

Screwdriver tool kit (15 pieces)



Consists of a 2 in 1 screwdriver handle with box, 1 x spirit level, 5 x 25mm bits: PH1, PH2, SL4, SL5 and SL6, 1 x 1m tape measure, 1 x adaptor and 4 x drive socket 7, 8, 9 and 10mm.

8 per display unit 105571

Mechanics tool kit (52 pieces)



Ideal roadside emergency tool kit. Contents: 150mm long nose pliers, 150mm diagonal pliers, 150mm adjustable wrench, 125mm lock wrench pliers, 8 piece star key set, $^3/_8$ " Dr ratchet, ratchet spin disc, 75mm extension bar, 1 x $^3/_8$ " 11 Dr adaptor, 3 x 11 Dr 8 point sockets, 4 x 11 Dr sockets, 28 x 11 Dr sockets, and hard case. Available singly or 8 per outer **105575**

Mini trifold tool kit (26 pieces)



Contents: 10 x 25mm bit assortment, magnetic tip screwdriver bit handle, mini long nose pliers, mini side cutting pliers, tweezers, $4 \times 10^{\circ}$ Dr sockets, 75mm extension bar, $6 \times 10^{\circ}$ precision screwdrivers, and hard case. Available singly or 40 per outer 105573

Household tool kit



Contents: Stubby claw hammer, 150mm combination pliers, 22pc precision screwdriver set, 2pc spirit level, 2pc snap off blade knife, 3m tape measure, 2pc screwdriver, 2pc precision screwdriver + 600 piece house hold assortment. Available singly or 8 per outer **105576**

Tool kit (161 pieces)



Consists of a 8oz stubby claw hammer with magnetized tip, 4 in 1 pistol grip ratchet screwdriver with bit storage in handle (includes 4 x 25mm screwdriver bits - slot 4, 5, crosspoint PH2, PZ2), magnetic wrist band, 6.5mm masonry drill bit, 3mtr x 16mm tape measure (with pause button on side and base, thumb operated lock, wrist strap and belt clip on reverse) and mini spirit level. Supplied with 65pc picture hanging, and 90pc hardware assortment. 6 per display outer

Yellow/black **105578** Pink **105579**

Bicycle tool kit



The ultimate bicycle repair and maintenance kit. 32 in 1. Consists of box wrenches, spoke wrenches, hex keys, socket wrench, crosspoint and slot screwdrivers. Complete with puncture repair kit, and two tyre levers. Supplied with canvas type pouch. Available singly or 4 per outer 105586

50cm tool box



Complete with lift out tote tray. Outer dimensions 485 x 261 x 225mm. Available singly or 12 per display unit 105577

rolson Hand tools



Mini folding star driver

With LED & D-Ring. T8, T9, T10, T15, 1 LED torch (11000-13000MCD), supplied with 4 x AG1 batteries. Overall size folded 50 x 28×17 mm 105509



Box joint pliers

Manufactured from drop forged carbon steel. Hardened and tempered. Insulated grips, with seven position positive locking head. Length 250mm. 6 per display outer 105529



Folding hex key set

With LED & D-Ring. HEX: 1.5, 2, 2.5, 3, 4.5mm. 1 LED torch (11000-13000MCD), supplied with 4 x AG1 batteries. Overall size folded 50 x 28 x 17mm 105549



8" combination plier

Drop forged. Fully polished heads. Double dipped cushion handles. Length 200mm. 10 per display outer **105527**



Hex key set (10 pieces)

Chemically blackened.

Sizes 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, and 10.0mm. Available singly or 10 per outer **105550**



Side cutting pliers

Drop forged. Fully polished heads. Double dipped cushion handles. Length: 180mm. 20 per outer 105531



10" adjustable wrench

Drop forged. Heat treated steel. Fully polished jaw faces. Rubber dipped comfort grip handle.

6 per display outer 105533



Combination spanner set (5 pieces)

Drop forged, heat treated, and chrome plated (8, 10, 12, 13, 17mm) Supplied on plastic storage rack. 12 per display outer **105560**



Stubby screwdriver set (38 pieces)

Consists of stubby ratchet screwdriver. Sizes include Star T10, T15, T20, T25, T27, T30, T40. Square 1, 2, 3. PZ0, PZ1, PZ2 x 2pcs, PZ3. PH0, PH2 x 2pcs, PH3 Hex H2, 3, 4, 5, 6, 1/8", 5/32", 3/16", 7/32", 1/4" Slot 3, 4, 5, 6, 7mm. 6 per display outer 105516



Ratchet screwdriver (16 pieces)

Consists of a ratchet screwdriver, 50mm V_4 " Dr socket extension, 10 x 25mm screwdriver bits (slot 4, 5, 6mm, PH1, PH2, PH3, PZ1, PZ2, PZ3, V_4 " Dr adaptor), and 4 x V_4 " Dr sockets (5, 6, 10, 11mm). 10 per display outer **105515**



Cushion handle screwdriver set (2 pieces)

Consists of: 1 x 100mm crosspoint PH2 and 1 x 100mm slotted 6. Manufactured with Chrome Vanadium shaft and soft cusion grip. 10 per display outer 105517



Screwdriver set (4 pieces)

Manufactured from carbon steel, with plastic handles. 1 \times 75mm slot 5, 1 \times 38mm slot 6, 1 \times 75mm crosspoint PH1, and 1 \times 38mm crosspoint PH2. 20 per display outer **105510**



Screwdriver set (7 pieces)

Manufactured from chrome vandium, with cushion grip handles and magnetic tips. 1 x 100mm slot 5.5, 1 x 38mm slot 6.5, 1 x 75mm slot 3, 1 x 100mm PZ2, 1 x 38mm PZ2, 1 x 75mm PH1 and 1 x 38mm PH2. 6 per display outer 105511



6 in 1 precision screwdriver

Simply select the desired bit and engage the blade by pushing the black button to the tip of the driver. Contains 6 x 25mm screwdriver bits (slot 1.5, 2, 2.5, crosspoint PH1, PH00, PH0). Available singly or 12 per outer 105518



LED precision screwdriver

Aluminium screwdriver handle with LED straw light, 1500 MCD with pocket clip. Contains 6 \times 25mm screwdriver bits (slot 1.5, 2, 3, crosspoint PH1, PH00, PH0). 4 \times LR41 cell batteries supplied. 8 per outer **105514**



Precision screwdriver set

Contains 6 x precision screwdrivers (slot 1.4, 1.8, 2.3, 3, crosspoint PHO, PHI). 20 per display outer **105513**

rolson

Tools and Accessories



3 LED magnetic pick up tool

Easily retrieves small objects from confined areas. With 3 bright LED's to help retrieve metallic objects. Adjustable length extends from 170 to 545mm. Maximum weight capacity 2.27kg. Supplied with 3 x LR44 button cell batteries. 12 per outer 105588



Safety utility knife

Spring activated blade that automatically returns to case after use. 12 per outer 105545



Knife blade set

Standard two notch blades supplied in plastic containers. 20 pieces per pack. 24 packs per outer 105546



9 function multi tool

Manufactured from stainless steel, with rubber inserts on grip. Nine functions include: knife, saw, nail file, bottle opener, hammer head, combination pliers, wire stripper, slotted screwdriver, crosspoint screwdriver. Complete with canvas type carry pouch. 6 per display unit 105523



Stubby claw hammer

Extra strong high grade carbon steel. Soft rubber grip. Magnetized nail holder. Weight 8oz. 12 per display unit 105501



3.6kg magnetic pick up tool with LED

Adjustable length extends to over 700mm. Maximum weight capacity 3.6kg. Simply twist magnetic end to turn on/off LED. 12 per outer 105584



Tape measure with key ring spirit level

3m x 16mm width blade. Impact resistant. With carry strap and belt clip, and thumb lock. 12 per outer 105537



Multi tool 12 in 1

Folds down to 100mm. Tools include: pliers, wire cutters, file, saw, small and large slotted screwdriver, knife, crosspoint screwdriver, fish scaler, hook, ruler, and canvas belt pouch. 6 per display unit 105522



Mini multi tool set

Contains: Mini multi tool - 6 functions include: knife, bottle opener, saw, cross point screwdriver, pliers, and belt clip carabiner. Mini multi knife - 10 functions include: can opener, knife, scissors, bottle opener, slotted screwdriver, crosspoint screwdriver, corkscrew, nail file/cleaner, and supplied with key ring facility. 7 per display unit 105521



Stoning hammer 1Kg

Fibreglass shaft and rubber handle. 6 per outer 105505



Telescopic inspection mirror

Stainless steel tube with ABS protected mirror head. Mirror 42 x 65mm. Adjustable from 29 to 87cm. 2 LEDs on mirror head. Batteries supplied. 12 per outer **105589**



Tape measure with rubber cover

Automatic blade lock, push button retrieval, and belt clip. 12 per outer 5m x 19mm 105539
7.5m x 25mm 105540



Multi function pocket knife

Contains: can opener, saw, scaler, hook, scissors, slotted and crosspoint screwdriver, bottle opener, corkscrew, needle, nail file, bradawl, knife, and canvas type pouch. 6 per display unit 105548



9 in 1 Multi tool with axe

Manufactured from stainless steel, with wooden inserts. Nine functions include hammer, nut holder sizes 16 & 12mm, axe, cross point screwdriver, mini saw, file, ruler, and knife. Folded size 165mm, complete with canvas type pouch. 5 per display unit 105524



Stubby camping axe

450g. Manufactured from carbon steel. Ground cutting edge and TPR handle. 8 per outer **105504**



Tools and Accessories



3 function pocket tool

Handy pocket tool that contains two double ended 45mm screwdriver bits (slot 3, 5, PZI, PZ2). Item is flat on one side and has a built in spirit level. Complete with magnetic bit holder, LED light and pocket clip. 24 per display outer 105520



Aluminium hacksaw

Easy release mechanism for removing and inserting blades. Aluminium alloy frame. Comfortable rubber handle. Blade adjusts to 6 cutting positions. Available singly or 40 per outer 105557



Cable tie pack (150 pieces)

Nylon. Includes: 2.5 x 100mm (100), 2.5 x 160mm (25), 4.8 x 190mm (25). Available singly or 48 per outer 105559



Spectacle repair kit

Contains: 4 x nose pads, 4 x side screws, and 4 x nose screws, double ended screwdriver (crosspoint and slot) and resealable container. 12 per display unit **105587**



Grommet assortment

For use in replacing worn or broken grommets in leaky taps, noses and more. Black PVC construction. 140 assorted pieces. Includes: 30 x 6.4mm, 30 x 8.0mm, 30 x 9.5mm, 20 x 11.0mm, 20 x 12.5mm, 4 x 15.9mm, 3 x 22.2mm, 3 x 25.4mm. 6 per outer **105564**



Washer assortment

250 assorted pieces. Copper washer:10 \times 04, 10 \times 05, 10 \times 06, 10 \times 08, 5 \times 010, 5 \times 012. Lock washer: 30 \times 04, 25 \times 05, 15 \times 06, 15 \times 08, 10 \times 010, 5 \times 012. Flat washer: 30 \times 04, 25 \times 05, 15 \times 06, 15 \times 08, 10 \times 010, 5 \times 012. 6 per outer **105563**



Rolson 4 piece caulking tool kit

Complete with nylon brush with scraper & 3 piece sealant finishing tool. 8 per display outer 107086



Rolson silicone scraper & tool

6 per display outer **107085**



Rigger glove

Heavy duty cuff and manufactured with protective leather on palm and fingers along with reflective strip across knuckle. 12 pairs per display outer 105555



Gel knee pads

Industrial strength cap for easy movement. Thick memory foam for extreme comfort. Neoprene strap fastens below knee, one size fits all. Loop straps for extra secure fit. Available singly or 12 per outer 105556



WOW Amazing value

Bike kit (5pc)

Contains: One 5 LED front light (3 x AA batteries not supplied), one 5 LED back light (2 x AAA batteries not supplied), one 10mm x 650mm PVC coated lock with 2 keys and two reflective bands with buckles (30 x 180mm)

Available singly or 4 per outer 106368



7" eyelet plier set

Designed to punch and secure eyelets into many materials including sheeting, tarpaulins, and cloth. Complete with 100pc x 7mm eyelets. Length 190mm. 10 per display outer **105502**



Drain cleaner

For clearing blocked waste pipes, fully plated steel probe with integrated handle.
6mm² length 1800mm. 12 per outer 105553



Fill no spill funnel

Simply clip on necks of most commonly used bottles for simple pouring of liquid without spillage. 12 per display unit 105590




Wire brush

Heavy duty wire brush with brassed steel wire. Comfortable grip handle. 12 per outer **105595**

W4 fixings range

'Pack-it' stand complete with 10 of all 24 items below Part no. **103470**


All supplied 10 packs per outer



F	S	ize	Stainless Steel
1/2"	No.4	13 x 2.9mm	103432
1/2"	No.6	13 x 3.5mm	103433
3/4"	No.6	19 x 3.5mm	103434
3/4"	No.8	19 x 4.2mm	103435
3/4"	No.10	19 x 4.8mm	103444
1"	No.6	25 x 3.5mm	103436
1"	No.8	25 x 4.2mm	103437
1"	No.10	25 x 4.8mm	103438

Self-Tapping Pan Head (5)

0	S	ize	Stainless Steel
1/2"	No.4	13 x 2.9mm	103418
1/2"	No.6	13 x 3.5mm	103419
1/2"	No.8	13 x 4.2mm	103439
3/4"	No.6	19 x 3.5mm	103420
3/4"	No.8	19 x 4.2mm	103421
3/4"	No.10	19 x 4.8mm	103441
1"	No.6	25 x 3.5mm	103422
1"	No.8	25 x 4.2mm	103423
1"	No.10	25 x 4.8mm	103424







Lever release
Black 104797

Grey 104796 White 104795

Quick release barrel Black 104798

Grey 104798G





W4 metal barrel

To fit door thickness 27-31.8mm **104799**

W4 plastic barrel

To fit door thickness 27-31.8mm 104800

Polytop Pins (10)

%" (20mm) plated 103427 %" (20mm) plated bulk (500) 013427B 1" (25mm) plated 103428

1" (25mm) plated bulk (500) 1" (25mm) s/steel

WOW All W4 pack-it items can be ordered loose at a preferential rate. Please speak to your sales contact for details.

103416 Beige 103447 Cavity fixer rubber (2)

Plastic. To fit

screw size 6

to 8, 4.2mm,

Screw Covers (5)

Cavity fixer metal (2)

Peel Rivet (5)

³/₁₆" X ³/₁₆". 4.8 X

30mm

103446

Catches and water

'Pack-it' stand complete with all 48 items below (except *) Part no. **104849** All supplied 10 packs per outer

Viva door

Roller catch

Flush hinge (2)

2" Bronze 50mm

11/2" Brass 38mm

MARKET MARKET

straight

Hose connector

1/2" (12mm) 104838

3/4" (19mm) **104841**

retainer


104848

Brown

104821

104826

104844





Nylon door retainer 104801



Double roller catch (2)

Brown **104817**



Plastic turnbuckle 104810



Push-in vent (2) Beige 104815



Gas bottle locker catch plus padlock 104808



Combination padlock 104813



103428B

103429

Plastic door retainer



Rocker catch White 104818



Metal turnbuckle 104811



Hexagonal vent (2) Beige 104816



Sink top retainer 104812



150mm **104846**

Target leveller
Adhesive 007297
Magnetic 007298 *

Air bed plugs
109480



Veneta door retainer 104803



Panco catch White 104819



Plastic hinge (2) Brown 1¾" (45mm) 104825



Pipe clip (5)

½" (amm) 104828 5%" (16mm) 104829 ¾" (9mm) 104830 1" (25mm) 104831 1½" (31mm) 104809



Cupboard stay 23.5mm **104806** 150mm **104846** 28.5mm **104807**



Universal tap connector 104845



Extended Viva door retainer 104847



Mini latch



Cranked hinge (2) 2" Bronze 50mm 104827



051139 *



28.5mm

Hose connector elbow



Hose connector T ½" (12mm) 104840 ¾" (19mm) 104843



Magnetic catch 104823



Magnetic catch heavy duty 104824



Sliding door gliders (tombstone) 104835



Hose clip (2) 000/M00 (8-16mm) 104832 00 (12-22mm)

104833 0X (16-27mm) 104834 1X (25-45mm) 104836



reducer 3/8" x ½"(10 x 12mm) 104837



T: 0161 367 7070

Catches and fittings 2

'Pack-it' stand complete with 10 of all 24 items below Part no. 104898 All supplied 10 packs per outer



Table support catch 104855



Flush hinge with finials (2) Brass 2" (50mm) 104864



Double roller catch Metal 104857



Flush hinge with finials (2) Bronze 2" (50mm) 104865



Pegaline catch 104856



Flush hinge Brass 2" (50mm) 104862



Decmo catch 104860



Cranked flush hinge (2) Brass 2" (50mm) 104863



Nylon hinge (2) 2" (50mm) 104868



Wardrobe rail support end (2) 5/8" (16mm)



Barrel hinge (2) 104867



Concealed hinge (2) 12mm 104881



Brass bolt 2" (50mm) 104872



Brass necked bolt 2" (50mm) 104873



Turnbuckle set 104870



Turnbuckle spacer 104869



Single turnbutton (2) 104852



Identitags (4) 001135



Metal cupboard stay 140mm **104853**



Locker stay (1) 130mm **104861**



Lock cover (2) 104854



Cupboard door stops (12) 104871



Suction cup and hook 2 per pack **104859**

Catches, hinges and fasteners

WOW All packaged with Grove logo • 10 packs per outer



Nylon door retainer 104002



Turn button, spacer & striker Beige 104030 Ivory 104033



Metal cupboard hinge 104200



Stable door bolt 104176



Viva door retainer 104004



Plastic turnbuckle 104037



Metal overhead stay 104202



Greenfield latch 104132





Plastic door

retainer

104011

Metal

104048

turnbuckle

Sink top clip



Cupboard stay

150mm **104301**

051239





104077



Roller catch Brown 104106 White 104107



External catch

104790

104015





Kitchen flap support bracket 104323



Double roller

Table storage bracket (2) 104187



Anti rattle fastener (2) 104019



Butt hinge (2) Flush hinge (2) Bronze 2" (50mm) With stainless steel pin 2" (50mm) 104220 104229



Plastic flap hinge (2) 104209



Cranked flush hinge (2) 50mm 104222

Push Locks



Push lock Single

With one side opening. Cupboard catch opens from outside only White

103500 Brown 103502 Matt Nickel 103504

Rose 38mmØ x H 7.5mm Chrome 103528 Brown 103530 103532 Brass

Matt Nickel 103534



Mini push lock single Push lock double

With one side opening. Cupboard catch opens from outside only

103522 White Brown 103524 Matt Nickel 103526




With dual side opening. Toilet door catch opens from both sides White 103512 Brown 103514



Push lock with rod

3 point locking. For long cupboards, use single side opening. For toilet doors, use dual side opening.

Includes fittings. Rod length 2m 103506 White Single Sided White Double sided 103518 Brown Single Sided 103508 Brown Double sided 103520 Matt Nickel Single sided 103510



Button 23mmØ x H 19mm



Mini button and rose

Button 16mmØ x H 16mm Rose 24.5mmØ x H 7mm Matt Nickel 103536 Brown 103538



REMIS Blind and rooflight spares



Remis clip grey

Closing clip for Remismart 105200



Remis clip grey

Closing clip for Remistar rooflight 105222



Remis end cap

Left 105202 Right 105204



Remis end cap covers

105206



Remis spring mechanism

105216



Remis insert type 1

Remis insert type 2 105212



Remis additional Remis repair kit spare parts

105220



105214

Remis mechanism end supports

105218



Remis mechanism (2) 105208



Window blind spares



Retaining knob 105224





Blind lock long





Retaining hook Guides

















End cap cover Left 105228

Right 105230



Rail end Left 105248 Right 105250



End piece 105240



Clip beige 105244



105234

Mechanism (end) 105236



Spring 295mm 105246

Spring 360mm 105238

Window fittings and accessories

All polyplastic window fittings are available in either a 'standard' screw-on fitting or the more recent variant of the slide-on 'Polyfix' design.

The slide-on 'Polyfix' design are easily recognisable by the deep groove moulded into the back of the window fitting. It is this that slides over the adaptor fitted to the window.



Moulded groove

How to measure

End detail

Stay lengths are found by measuring between points A and B as shown here.







All Polyplastic window stays are sold blister packed in pairs unless otherwise stated.



Screw on fitting Supplied in pairs with all fittings unless otherwise stated

Tube stays with lever lock



Size Polyplastic no. 9.00.152.00.00. 200mm 9.00.154.00.00. 300mm

Grove no. 105300

105303

Tube stays with perma-fix end



*Right hand stay only no fittings Size Polyplastic no.

Grove no. 9.00.751.00.00. 105310

Auto stays with lever lock



Size Polyplastic no. 230mm 9.00.162.00.00. 280mm 9.00.164.00.00.

Grove no. 105305

End detail

105308

Grove no.

105312

End detail

Auto stays with perma-fix end



Size 210mm 300mm

140mm

Polyplastic no.

9.00.766.00.00. 9.00.768.00.00.

105315

Item Catch complete

Lever lock catch

Polyplastic no. 9.00.451.90.

Grove no. 105322

Polyfix slide on fitting Supplied in pairs of stays only - no fittings

Tube stays with lever lock



Size 200mm 300mm

Polyplastic no. 9.05.152.00.00. 9.05.154.00.00.

End detai Grove no. 105350

105353

Tube stays with perma-fix end



Polyplastic no. 9.05.751.00.00.

End detail Grove no.

105360

Auto stays with lever lock



Size 230mm

140mm

Polyplastic no. 9.05.162.00.00.

End detail Grove no.

105355

Auto stays with perma-fix end



Size 200mm Polyplastic no. 9.05.766.00.00.

End detail Grove no.

105362

Lever lock catch

Item Catch only



Polyplastic no. 9.05.451.00.

Grove no. 105372

Other window accessories



200 series toggle catch Polyplastic no. Grove no. 9.00.440.90. 105320 Supplied as packed singles with all fittings



Lock plate (2) item Polyplastic no. Grove no. 9.00.715.00.00. 105326 Large Small 105324



Pop-out window stay Polyplastic no. Grove no. 9.00.715.00.00. 105318 Supplied as packed singles with all fittings



105398





End cap cover Loose, brown 105396

Curtain track and fittings



Furniglyde

Track (2.5m) 5 lengths per outer 105011 Gliders (20) 10 packs per outer 105033 Button hooks (20) 10 packs per outer 105022 End stops (2) 10 packs per outer 105044 Curtain hooks (25) 20 packs per outer 105055










Nylonglyde

Track (3m)
Gliders (10)
Curtain hooks (25)
End stops (2)
Brackets (5)
















Top track (2m) 5 lengths per outer 105005
Bottom track (2m) 5 lengths per outer 105006
Pop-it tape 25m roll 105009

Pop-it tape End stops (2) 25m roll **105009** 200m **105010**

20 packs per outer **105007**








Silent gliss

Top fix Alu track (2m) Face fix Alu track (2m) Gliders (25) Hooks (25) End stops (2)





Awning rail



Aluminium awning rail

2.12 metre lengths. 4mm opening. 9mm internal diameter, 12mm external. 10 lengths per outer 105099



Plastic awning rail

Pre-drilled 2.5 metre lengths 10 lengths per outer 105088



Sprite curtain clips (20)

For use with curtain wire 10 packs per outer **105077**


Panel Trims



Panel trim 15mm

With single lip. Supplied in 10m lengths


Brown **105184** Grey **105186**



Sealing panel trim 15mm

With sealing rubber. Supplied in 10m lengths


Brown **105188** Grey **105190**



Door sealing panel trim 15mm

With sealing bubble for doors. Supplied in 10m lengths

Brown **105192** Grey **105194**



Corner Trim 16mm

2.2m lengths Brown **105196** Grey **105198**

Table strip



Two part table hinge length 600mm **105167**

Window trim



White plastic supplied in 10m rolls. Please note that the trim is measured by the size of the wood that the trim fits over and not the size of the trim.

30mm - 1½" 105130 35mm - 12½" 105135 39mm - 1½" 105139 45mm - 1½" 105145

Battery box seal



Supplied in 2m lengths. Pre-masticated **105170**

Steps



Single step

Rigid metal based step light in weight but sturdy construction.

H260mm x W395mm x Overall depth 415mm. Capacity 150kg maximum total load. Available singly or 10 per outer 106198



Rigid metal based step light in weight but sturdy

H350mm x W440mm x Overall depth 760mm. Capacity 150kg maximum total load. Available singly or 5 per outer 106211



Folding step stool

Stool is designed to fold flat for easy carrying and storage, with a capacity up to 200lbs, also very sturdy and robust. 20 per outer 106220



Flat packed double step

Space saving double step, folds flat for easy storage when not in use. 12 connection points (no tools required) for extremely sturdy performance.

H350mm x W440mm Overall depth 760mm. Capacity 150kg maximum total load. Available singly or 5 per outer 106219



Steps and accessories



Fiamma magnum step

Oversized and reinforced step. HxWxD 24 x 58 x 40cm. Top surface - 48x28cm. Approved to hold 200kg. Colour platinum. Available singly or 10 per outer 106201P

Fiamma step mat

Made of soft and flexible anti-skid UV resistant rubber. Dimensions 45 x 27cm 106205

Fiamma LED step light 12v

Low consumption lighting system for the entrance of the motor home, to increase safety of the steps and step wells. Made from anodized aluminium, it can be shortened from 50 to 23 cm 106204




Fiamma table leg system

The 70cm table leg is made from sturdy anodised aluminium – the leg can be cut to reduce height. It is supplied with two plastic caps. The above floor and recessed bases are also aluminium and supplied with self-threading fixing screws. There is also a reinforced and more stable tripod base for outside use.

Table leg 70cm aluminium
Above floor base aluminium
Recessed base aluminium
Cap for recessed base
Tripod base brown

106001
106024
106036
106038
106039





Island table leg system

26" stainless steel **106004** 28" chrome plated **106014**




Island leg clip



Above floor base Silver 106025



Recess base Silver 106037





Free standing table legs

Folding table leg, powder coated steel 660mm high. Square section. Available singly or 5 per outer Silver sand 106091 Brown 106092



Folding table leg

Tubular steel leg 26". Available singly or 5 per outer 106099



Single table leg

27" but can be cut to size required. Available singly or 5 per outer **106115**


FIAMMA CARRY-BIKE®

Carry bike Pro

Specially reinforced for strength and with its telescope rail support, can be extended up to 74cm from the vehicle wall. Sturdy rail support in stainless steel. Standard version for 2 bikes (supplied



with bike blocks 1 & 3), addition of a further 2 rails means up to 4 bikes can be carried. Certified to carry up to 60kg 106353



Carry bike Pro C

More compact design than the pro C for a built to last premium quality carrier. Suitable for installation under the rear window with the removal of the upper part. Standard version for 2



Carry bike 200 DJ

For vans with double rear doors, not necessary to drill holes in the vehicle except for the security screws. Rear door can be opened without removing the bikes. Can be combined with the Deluxe 6



DJ ladder. Supplied with 2 premium rails, 2 bike blocks (106362 bike blocks 1 & 2, 106364 bike blocks D1 x 2), a rack holder, installation bracket and fixingbar. Certified to carry up to 35kg



Fiat Ducato after June 2006 **106362** Fiat Ducato, Peugeot Boxer, Citroen Jumper/Relay and Ford Transit after

2000. Also Mercedes Sprinter before 06/2006 106364

Carry bike UL

Universal bike carrier with compact dimensions, suitable for both caravans and motor homes. Supplied with bike block 3 and rack holder to carry 2 bikes. Can be cut and shortened or adjusted

to fit various installation heights. Certified to carry up to 55kg **106352**





Carry bike Trigano - CI - Roller Team

Provided with a fixed structure and height of 39.5cm it comes without the upper and lower fixing kit (with wheelbase of 60cm) that is already installed only on C1 & Roller Team. Supplied with 2 rail quick red, bike block 3, rack holder & security strip. Certified to





carry up to 50kg 106355

Carry bike L80 Laika

Special version of bike carrier Pro C with 80cm wheelbase, suitable for Laika motor homes. Supplied with 2 rail quick 128 red, 2 bike



blocks (1 & 3), 2 rack holder & security strip. Certified to carry up to 60kg **106357**



Carry bike caravan XL A

Fits all caravans with a standard A frame, Hobby type (with extended frame) and new AL-KO frame. Carries 2 bikes. Pivots forward allowing access to the storage compartment. The installation does not require drilling. Supplied with 2 fastening strips to fix the bikes. Certified to carry up to 35kg **106366**








Carry bike caravan XL A Pro 200

Carries 2 bikes. Pivots forward allowing access to the storage compartments, even with the bikes mounted. Supplied with 1 quick

and 2 mini rail, 1 Strip for the first bike, 1 Bike block 2 for the second bike. Certified to carry up to 50kg 106367







FIAMMA CARRY-BIKE accessories

Bike block Pro

New and improved rapid and safe bicycle fixing system. The quick front clasp with its large base adapts to all round and oval bike tubes having diameters of 25 to 100mm. Suitable for all Carry bike models.

Bike block 1 **106372**Bike block 2 **106373**Bike block 3 **106374**Bike block 4 **106375**



Rail quick 128 red



Sturdy rail 128cm in length with reinforced double thick base. Easy to install on the Carry bike thanks to its ready drilled holes. Complete with 2 sliding quick-safe strips 106386

Rail quick C red



Telescopic rail can be adjusted to the desired extension, adustable from 101 to 167cm. Supplied with 2 quick safe straps. Ideal to limit rail overhang. It can be easily installed on almost all bike carriers 106387



Fiamma quick-safe Sliding safety lock system. Can be installed only on original Carry bike reinforced rails. Will not rust 106390



Fiamma strip kit





Carry bike support Bar

Kit of 2 perforated smart bars to fix the carry bike on the walls of the motor homes. Made of sturdy and light anodized aluminium. Complete with through screws, internal fixing brackets and end caps. Dimensions 74 x 4cm 106393



Fiamma bike cover S

Reinforced polyester material. It is lightweight and waterproof. It adapts to load size thanks to its adjustable straps. Comes with a transparent pocket to insert the rear signal plate. Not suitable for roof mounted bike racks. Covers 2-3 bikes. Colour platinum 106370



Rear signal

For motorhomes, caravans and 4-wheel drive vehicles. Made from lightweight plastic material with 4 reflectors. 50 X 50cm **106395**



Bike rail end cap

Carry bike Top fixing kit 106394

T

Bicycle accessories



Bike kit (5pc)

WOW Amazing value


Contains: One 5 LED front light (3 \times AA batteries not supplied), one 5 LED back light (2 \times AAA batteries not supplied), one 10mm \times 650mm PVC coated lock with 2 keys and two reflective bands with buckles (30 \times 180mm)

Available singly or 4 per outer 106368



Deluxe bicycle cover

Water resistant nylon cover to protect up to two bikes. It has two Velcro flaps to allow it to be mounted on most bike carriers. Two webbing straps tighten the cover to reduce flapping when being transported. Dimensions 190cm x 140cm 106399



W4 Hi-vis cargo straps
A pair of highly visible, quick to use



W4 Cargo straps

A pair of retaining straps (3m approx) with durable nylon grip-lock buckles - won't mark or scratch 109513

Witter cycle carriers



ZX89

Fitted and removed in seconds, holds up to 3 or 4 cycles depending upon the type and size. Maximum load 65kg. Flanged bracket fits behind the towball, designed to be used whilst towing. Supplied complete with individual cycle retaining clamps 106301



ZX99

Specification as ZX89 but designed for vehicles with a rear mounted spare wheel and a small overhang (up to 110mm) e.g. Landrover Discovery 106303

WOW Display stand available. Please speak to your sales contact for more details.

Assorted accessories



Fiamma Drip stop

Prevents black streaks from forming on the side of the vehicle. Made from a wide based polyvinyl. Superior quality adhesive and aluminium reinforced strips guarantee long life and hold over time

75cm **108277** 300cm **108278**



Motorhome dirt skirt

Keeps the rear of the motor home including windows and cycles clean, protecting against dirt, splashes and slush. Kit contains 2 lengths of dirt skirt 122cm wide x 57cm deep 106400

NUTON
notive
(D
motor
home

6.	First Choice Canopies	F45 S (see page S6)	F45 L (see page S6)	Caravan- store (see page S4)	Fiamma Zip (see page S10)	Caravan- store Zip (see page S9)
<u> </u>	Motorhomes and Motorcaravans	•	•		•	
Vehicle	Caravan	•	•	•	•	•
>	Vans, 4x4s and cars	•				
	Maximum length cm	450	550	440	450	440
	Maximum extension cm	250	250	225	250	225
	Minimum weight kg	13	38.8	6.1	27.5	9.1
	Maximum weight kg	30	46.2	13	39	13.1
	Installation kit	•	•		•	
<u>S</u>	Winch opening	•	•		•	
rist	Manual opening			•		•
ctel	Support arms (to the wall)	•	•	•	•	•
Characteristics	Support legs (to the ground)	•	•	•	•	•
ਠ	Auto lock	•	•		•	
	Dual security	•	•		•	
	One way roll	•	•		•	
	Dual shock-absorber	•	•		•	
	Presto-fix	•	•		•	
	Double guide	•	•	•	•	•
Case	Aluminium box (Polar White or Titanium)	•	•		•	
g 2	Soft box, grey PVC			•		•
Canopy	Deuxe Grey or Blue Ocean	•	•	•	•	•
S S	Sahara, Evergreen, Bordeaux or Pearl Grey	• (special order)	(special order)			
ပ္သ	Enclosure (Privacy Room)	• (S7)	• (S7)	• (S4)	•	•
Enclosures	Blocker Pro	• (S7)	• (S7)	• (S5)		
SOS	Side blocker (Side W pro)	• (S7)	• (S7)	• (S5)		
ᇤ	Side blocker (Side W)	• (S7)	• (S7)	• (S5)		
	Standard	Canor	ou colours	 3		

Case colours





Case: in extra strong extruded aluminium. Very light yet highly resistant with external Polar White, Titanium or Deep Black coating.





The One Way Roll is an ingenious patented mechanism that prevents the fabric from wrapping the wrong way round the roller tube. You can't go wrong!



A second guide rail on the lead bar allows you to use 2 items requiring the use of this rail such as the Privacy room, Blocker Pro, or Tie Down S!

Canopy colours

Italian

Design anti-scratch canopies printed on both sides and along the whole length in vibrant colours, without seams and high resistance to UV rays.

*Deluxe Grey and Blue Ocean held in stock, other colours available by special order. Lead times will vary.



The legs are inside the rollertube, easy to take out and install as they are hinged and telescopic, so they cannot fall down or be lost.



Only Fiamma awnings have a silent opening TÜV certified Auto-Lock® self-locking winch safety system: with its long life Aluminium mechanical parts it offers a quality product vastly superior to other comparable mechanisms on the market. The security of Fiamma awnings is also guaranteed by the

Dual Security® system. The device indicates the correct closure of the facia by two small plastic flags inside the side end caps.



Anti-scratch coat



Only Fiamma has the new patented adjusting

system that enables you to adjust the closing of the facia. If over a period of time, one side should stop closing perfectly due to fabric and arm movements, you can use Presto Fix to realign it.





Only Fiamma has the Dual Shock-Absorber®

which protects both your vehicle and your awning. The arms are fixed with the certified double bolts system "Double Block" which grants more stability and ease of tensioning.



The easy to use, sturdy and lightweight bag awning with manual operation. The awning for caravans minivans with tubular rewind for wrinkle-free fabric. The Fiamma Caravanstore is easy to use and install: it takes only seconds to roll it out completely. The legs are inside the rollertube, easy to take out and install as they are hinged and telescopic, so they cannot fall down or be lost. The roller can be rolledup either way. Thanks to its patented wide roller

patented wide roller the Caravanstore is easy to unroll and proll up, and above all the fabric is wrinkle-free!









awning rail!				Side!		
	Awning length A	Canopy length B	Canopy Extension C	Weight kg	Deluxe Grey	Blue Ocean
Caravanstore 190	196 cm	162 cm	180 cm	5.4	108201/DG	108202/B0
Caravanstore 225	236 cm	202cm	225 cm	7.1	108203/DG	108204/B0
Caravanstore 255	266 cm	232 cm	225 cm	7.6	108205/DG	108206/B0
Caravanstore 280	288 cm	254 cm	225 cm	7.8	108207/DG	108208/B0
Caravanstore 310	318 cm	284 cm	225 cm	8.3	108209/DG	108210/B0
Caravanstore 360	369 cm	334 cm	225 cm	9.5	108211/DG	108212/B0
Caravanstore 410*	419 cm	384 cm	225 cm	10.1	108213/DG	108214/B0
Caravanstore 440**	449 cm	414 cm	225 cm	10.7	108215/DG	108216/B0

^{*}Caravanstore 410 comes with one caravanstore centre rafter included.

WOW For Caravanstore Zip see page S9



Easy installation. The side panels have large roller blind windows with mosquito nets. The front panel, with a large openable window and



mosquito screen, slides in the front rail of the roller tube and thanks to the auto-lubricant zippers it's easy to fasten the side panels. Standard delivered with the Fast Clip CS installation kit, pegs and elastic kit, Ocean curtains for the front windows and a mega bag light.

Privacy room CS Light	Length A	Height B	Part no.	Weight kg
Privacy 280	288 cm		108208P	11.6
Privacy 310	318 cm		108210P	11.8
Privacy 360	369 cm	240 to 260 cm	108212P	12.3
Privacy 410	419 cm	200 011	108214P	12.8
Privacy 440	449 cm		108200P	13.3

280 cm 310 cm 360 cm

410 cm

440 cm










Quick Lock



The Fast Clip CS is especially designed for Fiamma Privacy Room CS Light. It works using a sandwich system of hinged profiles locked in placed by a Quick Lock spring system. The side panels of the Privacy are quickly and easily joined with the fabric of the awning. Made from anodized aluminium.

^{**}Caravanstore 440 comes with one caravanstore centre rafter and one caravanstore support leg included.

Caravanstore blockers & sides CARAVANSTORE



Blocker Pro

The Blocker Pro is a front panel equipped with one large full light crsytal window and vinul extension to the floor. Simply slides along the guide rail of the canopy and ties onto the awning's legs for stability. It gives you more privacy and more protection from the wind. Made of anti-rot vinyl, washable fabric with UV protection. Comes with elastic hooks and pegs.



Side W Pro

The Side W Pro is a side panel made of anti-rot vinyl, washable fabric with UV protection. Equipped with one large full light crsytal window and vinyl extension to the floor. Simply attaches to the roof pole and ties onto the leg pole. Comes with telescopic tension rafter, elastic hooks and pegs..



Side W

The Side W Pro is a side panel made of anti-rot vinyl, washable fabric with UV protection. Equipped with one large full light crsytal window. Simply attaches to the roof pole and ties onto the leg pole. Comes with elastic hooks and peas.



Description	Canopy length A	Case length B	Height C	Part no.	Weight kg
Blocker Pro 255	235 cm	255 cm	225-280 cm	108302	2.7
Blocker Pro 280	255 cm	280 cm	225-280 cm	108301	3.0
Blocker Pro 310	285 cm	310 cm	225-280 cm	108303	3.2
Blocker Pro 360	335 cm	360cm	225-280 cm	108304	3.8
Blocker Pro 410	385 cm	400 cm	225-280 cm	108305	4.5
Blocker Pro 440	415 cm	440 cm	225-280 cm	108306	4.9
Side W Pro	Depth 2	10 cm	225-280 cm	108215	4.5
Side W	Depth 2	10 cm	225-280 cm	108216	3.9



Accessories Caravansion



Caravanstore rafter

Anodised aluminium with 30mm diameter Adjustable length: 142-265 cm. Suitable for extensions up to 250cm and for length up to 550 cm 108221



Fiamma rope kit 108223

Tie down kit S

Strap kit allowing a solid anchoring of the awning to the ground. Fits into the awning guide or the side clip of the Privacy Room. Includes: 2

adjustable black straps (3m), 2

stakes with 2 tension springs

and 2 front hooks 109502



Fiammastore plate

Ideal for fixing the front legs to the ground, in order to increase the resistance in case of strong wind and to protect the legs. Made with extra strong plastic. Dimensions: 20cm x 20cm 108226



Awning pegs kit

Range of screw pegs ideal for awnings, enclosures and mats. Made from UV resistant plastic. Kit includes drill chuck key, 8 x 20cm and 8 x 14cm screw pegs. 8 x hooks, 2 awning plates and carry bag 108309



Wall brackets Aluminium wall mounting brackets for support legs

108265



Caravanstore end stops

Prevents the Caravanstore moving in transit 108222



Repair kit plus

This kit makes DIY repairs so

easy with its 3 transparent

Mega bag light

Strong bag in lightweight material, suitable for transporting Privacy Light. Dimensions 140 x 25 x 25cm 108308



Caravanstore Hobby kit

Kit to fix Caravanstore to Hobby and other caravans 108139



Awning hangers kit

6 hooks to insert in the lead bar profile to hang light objects **109503**



F: 0161 367 7303

Caravanstore plastic leg pins 108224



rubber foot For the end of the

Caravanstore

Caravanstore rafter 108227



The easy-to-use awning which joins todays best technologies, service and quality! Constantly renewed, the F45 S awning is compact, functional, and of superior quality, assuring it to be the best choice for your holidays! The F45 L has the same specification with a larger roller tube and larger case.



Manual winch operation
















canopy always stays tight

Deluxe Grey and Blue Ocean readily available. Other colours available by special order. Please ask your sales contact for lead times.







WOW Standard delivered with installation brackets (Kit AS), other kits available see

page S8. For front blockers, side blockers, Privacy rooms and other accessories to fit the

F45 S please see pages S8 and S9.









F 45 <mark>8</mark>	Awning length A	Canopy length B	Canopy Extension C	Weight kg	Polar White Casing Deluxe Grey Canopy	Polar White Casing Blue Ocean Canopy	Titanium Casing Deluxe Grey Canopy	Titanium Casing Blue Ocean Canopy	Deep Black Casing Deluxe Grey Canopy
F45 S 260	263 cm	247 cm	200 cm	19.5	108233/PW/DG	108233/PW/B0	108233/T/DG	108233/T/B0	108233/B/DG
F45 S 300	308 cm	292 cm	250 cm	23	108240/PW/DG	108240/PW/B0	108240/T/DG	108240/T/B0	
F45 S 350	348 cm	331 cm	250 cm	25	108248/PW/DG	108248/PW/B0	108248/T/DG	108248/T/B0	
F45 S 400*	398 cm	381 cm	250 cm	27	108256/PW/DG	108256/PW/B0	108256/T/DG	108256/T/B0	1 70 3
F45 S 450*	448 cm	431 cm	250 cm	30	108257/PW/DG	108257/PW/BO	108257/T/DG	108257/T/B0	

^{*1} tension rafter made from anodised aluminium included

F 45 <u>0</u>	Awning length A	Canopy length B	Canopy Extension C	Weight kg	Polar White Casing Deluxe Grey Canopy	Polar White Casing Blue Ocean Canopy	Titanium Casing Deluxe Grey Canopy	Titanium Casing Blue Ocean Canopy
F45 L 450*	452 cm	435 cm	250 cm	38.8	108272/PW/DG	108272/PW/B0	108272/T/DG	108272/T/B0
F45 L 500*	502 cm	485 cm	250 cm	42.5	108273/PW/DG	108273/PW/B0	108273/T/DG	108273/T/B0


^{*1} tension rafter made from anodised aluminium included

The Fiamma Privacy Room is the only enclosure that allows full aeration on all windows. With the Privacy Room you can transform your awning into a comfortable living area. The side panels are quickly put together



with the exclusive patented Fast Clip that combines the canopy with the side walls. No other fixing system is as stable. A protective sponge is fitted, vertically, on the back part of the side panels along the support pole to guarantee a close fit. The front panel slides into

the guide rail of the awning and thanks to the auto-lubricant zippers it's easy to fasten the side panels. Standard delivered with the Fast Clip installation kit, pegs and elastic kit, Ocean curtains for the front windows and a mega bag light.





The Fast Clip for a quick and easy installation. It works using a sandwich system of hinged profiles locked in placed by a Quick Lock spring system. The side panels of the Privacy are quickly and easily joined with the fabric of the awning. Made from anodized aluminium.






Side door panel right



Privacy room	Length A	Height B	Extension C	Part no.	Weight kg
Privacy 300 Medium	300 cm		250 cm	108283	24.4
Privacy 350 Medium	350 cm		250 cm	108285	24.9
Privacy 400 Medium	400 cm	225 to 250 cm	250 cm	108287	25.4
Privacy 450 Medium*	450 cm	230 6111	250 cm	108289	25.9
Privacy 300 Large	300 cm		250 cm	108284	24.7
Privacy 350 Large	350 cm		250 cm	108286	25.2
Privacy 400 Large	400 cm	251 to	250 cm	108288	25.7
Privacy 450 Large*	450 cm	280 cm	250 cm	108291	26.2
Privacy 500 Large*	500 cm		250 cm	108293P	26.7
Side door panel right - Medium		225-250 cm	250 cm	108310	3.9
Side door panel right - Large		251-280 cm	250 cm	108311	4.5

^{*}Privacy Rooms 450 and larger come delivered with a vertical telescopic door pole

F45 blockers & sides F455



The Blocker Pro is a front panel equipped with one large full light crsytal window and vinyl extension to the floor. Simply slides along the guide rail of the canopy and ties onto the awning's legs for stability. It gives you more privacy and more protection from the wind. Made of anti-rot vinyl, washable fabric with UV protection. Comes with elastic hooks and pegs.

Side W Pro



The Side W Pro is a side panel made of anti-rot vinyl, washable fabric with UV protection. Equipped with one large full light crsytal window and vinyl extension to the floor. Simply attaches to the roof pole and ties onto the leg pole. Comes with telescopic tension rafter, elastic hooks and pegs.




Description	Canopy length A	Case length B	Height C	Part no.	Weight kg
Blocker Pro 250	235 cm	260 cm	225-280 cm	108302	2.7
Blocker Pro 260	247 cm	260 cm	225-280 cm	108300A	2.8
Blocker Pro 300	285 cm	300 cm	225-280 cm	108303	3.2
Blocker Pro 350	335 cm	350 cm	225-280 cm	108304	3.8
Blocker Pro 400	385 cm	400 cm	225-280 cm	108305	4.5
Side W Pro F45	Depth 2	:30cm	225-280 cm	108263	4.2



Adapters **F⁴⁵⁵** & **F⁴⁵⁰**

WOW All other adapters available on request by special order. Please speak to your sales contact for details.





AS120


Fiat ducato

108228C

For F45 and Fiamma Zip awnings, Standard delivered with 2.5m. - 4m awnings, Includes 2 x 12cm brackets and 1 x 8cm bracket



3 x 15cm brackets 108235






AS400

For F45 and Fiamma Zip awnings. Standard delivered with 4.5m & 5m awnings. Includes 2 x 40cm brackets and 1 x 12cm bracket 108230



Bailey Pegasus



Hymercamp

Hymercamp Swing, Starline, Hobby Van, Caravan Hobby '09.1 x 400cm bracket. Can be cut to size 108228D

Accessories F455 & F450

Also Citroen Jumper, Peugeot Boxer, High

roof. After 06/2006. 2 x 8cm brackets



F45 tension rafter Anodised aluminium. Adjustable

length: 142-265 cm. Suitable for extensions up to 250cm and for length up to 550 cm 108262

F45 Rafter Pro curved

The Rafter Pro is made of two

sturdy anodized aluminium

telescopic bars. Ideal for awnings with extension up to 250cm, it is adjustable in length from 144 to 265cm. Limit usage

at high temperatures as it

may affect the fabric tension.



Tie down kit S

Strap kit allowing a solid anchoring of the awning to the ground. Fits into the awning guide or the side clip of the Privacy Room. Includes: 2 adjustable (3m),straps stakes with 2 tension springs and 2 front hooks 109502



Fiammastore plate

Ideal for fixing the front legs to the ground, in order to increase the resistance in case of strong wind and to protect the legs. Made with extra strong plastic. Dimensions: 20cm x 20cm 108226



Awning pegs kit

Range of screw pegs ideal for awnings, enclosures and mats. Made from UV resistant plastic. Kit includes drill chuck key, 8 x 20cm and 8 x 14cm screw pegs. 8 x hooks, 2 awning plates and carry bag 108309







Repair kit plus

This kit makes DIY repairs so easy with its 3 transparent PVC strips 108271



Awning hangers kit

6 hooks to insert in the lead bar profile to hang light objects 109503



Mega bag light

Strong bag in lightweight material, suitable for transporting Privacy Light. Dimensions 140 x 25 x 25cm 108308



Wall brackets

Aluminium wall mounting brackets for support legs 108265



Convenient rubber guard to seal the space between the awning and the vehicle wall to prevent water from infiltrating. Can be installed without removing the awning. Priced by the metre sold in 5m lengths



Rain guard S For awnings installed with standard AS120 brackets on flat walls. Fits gaps up to 16mm 108282




Rain guard L For awnings mounted with adaptor spaced out from the wall up to 9cm or on curved walls 108280



108261

The Caravanstore ZIP comes complete with the canopy and the enclosure. The innovative Caravanstore ZIP system joins the side panels to the awning's fabric with two special sturdy zips. In a few instants the awning can be transformed into a complete enclosure, doubling your living





	Awning length A	Height B	Canopy Extension C	Canopy length D	Weight kg	Deluxe Grey	Blue Ocean
CS ZIP 280	288 cm		225 cm	254 cm	24.2	108195/DG	108189/B0
CS ZIP 310	318 cm		225 cm	284 cm	26.1	108196/DG	108190/B0
CS ZIP 360*	369 cm	240 to 260 cm	225 cm	334 cm	28.8	108197/DG	108191/BO
CS ZIP 410*	419 cm	CITI	225 cm	384 cm	31.8	108198/DG	108192/B0
CS ZIP 440**	449 cm		225 cm	414 cm	34.5	108199/DG	108193/BO

^{*}Caravanstore ZIP 360 and 410 come with one caravanstore support leg included.

Caravanstore ZIPs come delivered with:

The **canopy** (Caravanstore type) in either Deluxe Grey or Blue Ocean.



Mega Bag storage bag. Dimension: L:140xW:27xH:40cm. Colour: black/red.



The **Rapid Set** Caravanstore installation kit aluminium poles.



This fixing structure is composed of a horizontal rafter to be inserted in to the side panels and a telescopic vertical rafter next to the wall of the vehicle to increase the stability.


2 side panels with windows and mosquito nets



A **curtain Kit** for all 3 windows in Blue Ocean



A **front panel** with linterchangeable door and window with mosquito net



^{**}Caravanstore ZIP 440 comes with one caravanstore centre rafter and one caravanstore support leg included.



Fiamma ZIP is based on F45 awnings. The canopy has a ZIP system allowing a fast installation and perfect fit. The innovative Fiamma ZIP system joins the side panels to the fabric of the awning with two special sturdy zippers. The awning is transformed into a completely enclosed room in a few minutes.



Manual winch operation













Position the side walls!

ZIP S

Waterproof zips attach the walls to the roof! 0.7 mm

ZIP L

to sides!

Use the Rapid Set to secure frame and peg out!

in Deluxe Grey and Blue Ocean canopies only!

WOW Standard delivered with installation brackets (Kit AS), other kits available see page S8



Available in Polar White casing only!

ZIP.	Awning length A	Height B	Canopy Extension C	Weight kg	Deluxe Grey Canopy	Blue Ocean Canopy
ZIP S 300 Medium	306 cm	225-250 cm	250 cm	42.4	108294/DG	108294/B0
ZIP S 350 Medium	356 cm	225-250 cm	250 cm	46.3	108296/DG	108296/B0
ZIP L 400 Medium	406 cm	225-250 cm	250 cm	58.4	108298/DG	108298/B0
ZIP L 450 Medium	456 cm	225-250 cm	250 cm	62.4	108314/DG	108314/B0
ZIP S 300 Large	306 cm	251-280 cm	250 cm	42.6	108295/DG	108295/B0
ZIP S 350 Large	356 cm	251-280 cm	250 cm	46.5	108297/DG	108297/B0
ZIP L 400 Large	406 cm	251-280 cm	250 cm	58.6	108299/DG	108299/B0
ZIP L 450 Large	456 cm	251-280 cm	250 cm	62.6	108315/DG	108315/BO
Side door panel right (for Zip Medium)		251-280 cm	250 cm	4.1	108	312
Side door panel right (for Zip Large)		251-280 cm	250 cm	4.7	108	313

ZIP Medium delivered with 1 rafter included

Ocean.

ZIP Large delivered with 1 rafter and 1 door pole included

ZIPs come delivered with:

The awning (F45 type) in either Deluxe Grey or Blue



Mega Bag storage bag. Dimension: L:140 X W:27 xH:40cm. Colour: black/red.

The **Rapid Set** awning



installation kit aluminium poles. This fixing structure is composed of a horizontal

rafter to be inserted into the side panels and a telescopic vertical rafter next to the wall of the vehicle to increase stability.



panels with windows and mosquito nets.

A **curtain Kit** for all 3 windows in Blue Ocean

A front panel with inter-



changeable door and window with mosquito net.





Draft skirting (60cm tall). Includes



T: 0161 367 7070


wheel arch cover with press studs.

Roof and cycle carrier boxes

ULTRA-BOX

These boxes are made from superior quality ABS-PLUS, highly resistant to impacts and exposure to poor weather conditions. A completely reinforced aluminium structure with a watertight foam seal. High UV resistance to protect against deterioration. Supplied with installation brackets and rust proof stainless steel hinges. Colour: White.





Ultra-box 500



Note: Ultra-box 320 and 500 are supplied with brackets to allow them to be neatly installed on the Carry-Bike range



Ultra-box 320 12kg. 320 litre capacity **102256**



17kg. 500 litre capacity **102258**



Ultra-box 3 17kg. 520 litre capacity 102254



2 is supplied with 4 brackets and Ultrabox 3 with 6





Carry Kayak

Kit of 2 support brackets to easily transport canoes, kayaks and surfboards. Compact by easy to load thanks to its inclined design. Made of folding anodized aluminium tubes, standard delivered with soft coverings and fixing straps. Suitable for some cars with roof bars.


106401





Organisers and utility pockets





Pack organiser S



Pack organiser L

WOW Pack Organizer L and Pack Organizer S can be fixed in 3 different ways:

A) using the rail - B) using the eyelets (screws not supplied) - C) with Fix Organizer (optional 106408).



toiletry

Numerous pockets large storage compartment for transporting uour bathroom essentials. Made from waterproof polyester complete with hanging hook. Dimensions:

Open 30 x 118 x 11cm Closed 30 x 37 x 11cm 106410

Pack organiser seat


Attaches to seat back giving extra storage 106409



Multipurpose pocket made of scratch resistant plastic easy to install with the screws provided.

Pocket M White 106412 Pocket L White 106414 Pocket XL Grey 106416









Fix organiser The easy way to hang your organiser 106408

Dometic Premium Awnings

This new motor home awning eclipses its competitors by eliminating inconvenient support struts, just like your canopy at home. This means you can use the entire space in front of your recreational vehicle. It completely eliminates the awkward, time-consuming setup of conventional camping awnings. You're bound to use your Dometic Premium Awning even during short stops by the roadside thanks to it extending in only a few seconds. Particularly convenient and safe is the electric version with remote control and wind sensor.



Characteristics that make the Dometic Premium Awning stand out

- Comprehensive UV protection
- Scratch-resistant
- Non-bleaching colours
- Stain-proof
- Available in three housing colours white, silver and anthracite
- Fabric made of highly resistant vinyl with a transparent acrylic coating
- Fabric colours blue or silver

Arm Joint - made of forged steel, extremely strong, essential for convenient use without vertical struts

Tilt angle - the factory-set tilt angle of approximately 10° can be adjusted to approximately 17° at the arm joint

Comfort features

- Premium Awning
- Simply extend and enjoy no awkward setup
- No inconvenient struts, the entire space in front of the vehicle is yours to use
- Electric version comes with remote control and wind sensor
- Sturdy awning fabric with pattern on both sides
- Two tilt angles possible
- Top cover features integrated brush
- Additional accessories for both awning variants





Wind Sensor

Remote Control

Standard with Electric Version only Wind Sensor

As standard for the electric version. Awning automatically retracts in strong winds

Remote Control

As standard for the electric version. Convenient retraction and extension as well as stopping in any position at the touch of a button.

Sun Sensor

Optional for electric version: for optimal shade depending on sunlight; wall-mounted radio remote control for convenient operation at the location of your choice.

Electric version

Casing: Anthracite Colour: Silver

Casing: Anthracite Colour: Blue

Size	Part Number
3.1m	108130/A/S
3.5m	108131/A/S
4m	108132/A/S
4.7m	108133/A/S

Casing: Silver Colour: Silver

3.1m

3.5m

4m

4.7m

Size	
3.1m	108130/A/B
3.5m	108131/A/B
4m	108132/A/B
4.7m	108133/A/B

Casing: Silver Colour: Blue

3.1m

3.5m

4m

4.7m

Size	
3.1m	108134/S/S
3.5m	108135/S/S
4m	108136/S/S
4.7m	108137/S/S

Casing: Silver Colour: Silver

Manual version

3.1m

3.5m

4m

4.7m

Casing: Anthracite Colour: Silver

108134/A/S

108135/A/S

108136/A/S

108137/A/S

Casing: Anthracite Colour: Blue

108134/A/B

108135/A/B

108136/A/B

108137/A/B

·	
Size	
3.1m	108134/S/B
3.5m	108135/S/B
4m	108136/S/B
4.7m	108137/S/B

Casing: Silver Colour: Blue

Size	Part Number
3.1m	108130/S/B
3.5m	108131/S/B
4m	108132/S/B
4.7m	108133/S/B

Casing: Polar White Colour: Silver Casing: Polar White Colour: Blue

Size	Part Number
3.1m	108134/P/S
3.5m	108135/P/S
4m	108136/P/S
4.7m	108137/P/S

Size	Part Number
3.1m	108134/P/B
3.5m	108135/P/B
4m	108136/P/B
4.7m	108137/P/B

Casing: Polar White Colour: Silver

108130/S/S

108131/S/S

108132/S/S

108133/S/S

casing. I olai	William Colodi. Sil
3.1m	108130/P/S
3.5m	108131/P/S
4m	108132/P/S
4.7m	108133/P/S

Casing: Polar White Colour: Blue

Size	Part Number
3.1m	108130/P/B
3.5m	108131/P/B
4m	108132/P/B
4.7m	108133/P/B

Fabric Maintenance





The whole Fenwick's range has been designed with the needs of the caravan, motor home and car owner in mind. Many products have been created from specific requests by satisfied customers.

Awning & Gazebo reproofer

Quickly restores waterproofing qualities to synthetic and canvas awnings, tents and gazebos. Protects against stains from dirt, grease, oil, food spills, and drinks. Deep penetrating, water based, non flammable formula. Can be applied in damp conditions. 1L covers up to 30m². Far safer than solvent based products, due to the biodegradeable and environmentally friendly properties. 1 litre

108405 10 per outer



Awning & gazebo cleaner

Quickly and effectively cleans awnings, tents and gazebos. Removes black streaks, green algae and general grime. Spray on, wash off formula.

1 litre 108401 10 per outer





Waterproofs and mould proofs weathered canvas of all weights: cotton, nylon, terylene fabrics and unpainted leather. It preserves them and keeps them cleaner. As no film is formed the breathing of canvas fabrics and leather is retained. The tinned Fabsil contains a UV protector



1 litre Reproofer With UV protector 10 per outer



2.5 litre Reproofer With UV protector 6 per outer 108327



5 litre Reproofer With UV protector 3 per outer 108336



400ml Reproofer 12 per outer 108345



600ml Reproofer 12 per outer 108353



stands Single display stand 108379 Double display stand (back to back) 108380

Fabsil

display





108319

Universal fabric cleaner 1 litre. 6 per outer 108372



Clothing Superpruf Clothing reproofer 250ml spray. 12 per outer 108357



proofer Reproofer 250ml spray. 12 per outer 108360



cleaner Footwear foaming Footwear cleaner 250ml spray. 12 per outer 108363



Footwear deodorant

deodorant 250ml spray. 12 per outer 108365



Footwear proofer Footwear reproofer with

conditioner 250ml spray. 12 per outer 108367



Beeswax proofer Clothing reproofer

80g 24 per outer 108369



Stormseal repair adhesive

Permanent, flexible & waterproof, repairs natural and man-made fabrics. 12 per outer 109448



Seal repair adhesive 28g

Suitable for most types of fabric. Gives an extremely durable mend. Dries to a flexible finish. Easy to apply. 12 per outer 109449



Nylon repair tape kit

Self adhesive 7.5cm strips of ripstop nulon in assorted colours. For emergency repairs to tents, jackets and parkas, 4 strips per pack. 12 packs per outer **109450**



Fiamma repair kit plus

This kit makes DIY repairs so easy with its 3 transparent PVC strips 108271

Mallets etc



Mallet & peg puller

16oz. Available singly or 10 per outer **109431**

Awning



16oz. Metal shaft. Available singly or 10 per outer **109432**

Superstake

Rubber

mallet

109434

31oz. Available singly

or 24 per outer



Peg extractor

For easier removal of tent pegs. 10 per outer **109425**



Arro eyelets

Self sealing eyelet for plastic or canvas sheeting. 24 per outer **109130**



Tent accessory pack 6 x 6" metal pegs, 20m high visibility guy line, 1 x rubber mallet & 1 x peg extractor. Available singly or 20 per



ground

Type of peg (quantity per pack)	Size	Loose (quantity per outer)	Grove packaged (quantity per pack/ packs per outer)	W4 Packaged (quantity per pack/ packs per outer)	Hard case Available singly (outer quantity)
Plastic Grey groundsheet	3.5"	109422 (200)		108577 (5/10)	
Plastic Red	5.5"			108594 (5/10)	
Plastic Red	8"	109404 (200)		108570 (5/10)	
Plastic Grey	8"	901095 (singly)			
Plastic Red	12"	109413 (200)			
Wire	7"		109367 (10/10)	108593 (5/10)	
Wire	9"	109395 (250)	109389 (10/10)	108571 (5/10)	
Wire (25)	10"	901104 (singly)			
Metal Skewer (4)	8"	901098 (singly)			
Metal Skewer (4)	9"	901107 (singly)			
Steel Rippled	8"			108596 (3/10)	
Heavy Duty	8"			108597 (1/10)	
W4 Awning peg	8" + head	109483 (50)		109482 (5/8) (Display box)	
Rolson Superstake	28 cm	109415 (12)			
Hard ground pegs (20)	8"				109400
Half round pegs (20)	18 cm				109396 (24)
Tarzan rock pegs (20)	23 cm				109397 (24)

round

rock

Screw pegs Megascrew mKIII



WOW The Camping and Caravan club likes Megascrew - "sturdy pegs", "resilient plastic end" and "even a modest head torch is well reflected"

Screw tent pegs are a great way of securing your tent or awning to a variety of surfaces including har standing and grassed areas. You can hammer them into grass or use a drill with the drill bit for hard ground when required. Each megascrew utilises a soft seal to protect pegging rubbers and guy lines

Blue (25 pack) 109419 Blue (10 pack) 109417 Grey (25 pack) 109418 Grey (10 pack) 109416



13mm Drill bit Multi angle for ease of use 109420



Fiamma awning pegs kit

Range of screw pegs ideal for awnings, enclosures and mats. Made from UV resistant plastic. Kit includes drill chuck key, 8 x 20cm and 8 x 14cm screw pegs. 8 x hooks, 2 awning plates and carry bag 108309

Tie down kits



Fiamma tie down kit S

For use with Fiamma awnings. Composed of 2 black adjustable bands 300cm long, 2 stakes and 2 tension springs 109502



Fiamma tie down kit

To secure awnings in windy conditions. Available in Black strap or Yellow strap for extra visibility. Will fit awning up to 6 metres in length. Available singly or 10 per outer

Yellow strap 109501 Black strap 109500



W4 Reflect-a-line

Reflective strips to fit on guy lines for safety at night. 10 per outer 109423



Multi-purpose anchor

Suitable for use as a dog tether, tent or awning storm anchor, temporary land anchor for boats and many more uses.

W4 Screw-it. Available singly or 10 per outer 109021

Bulk 12 per outer 109021B



W4 quick release awning tie down kit

- Durable nylon buckle, easy to fit, quick to release
- Dual tensioners with 2 heavy duty elasticated cord and snap hooks for easy adjustment
- Two land anchors for secure fixing
- Supplied with 10 metres of high tensile strapping

Available singly or 10 per outer 109510



W4 porch tie down kit

Used to secure porch awnings during windy conditions. Featuring a shorter strap than standard tie down kits. 2 lightweight plastic yellow pegs. Available singly or 10 per outer 109509



W4 awning anti friction pads (2)

A pair of cushioned nylon pads that slide on to the strapping of most awning tie down kits to help prevent vibration and chafing. A simple answer to a constant problem 109511

Tent and awning tensioners

Awning companion

Designed especially for tensioning awning poles in seconds with one hand and without the hassle you will wonder how you ever managed without it.

Available singly or 6 per outer 109585



Hercules

Hook the Hercules to the pole at a distance of approximately 15cm from the screw. Let the steel loop rest on the nut. Now see how easy it is to tension your awning correctly 109580



Awning rail care

W4 awning rail lubricant



Makes awnings much easier to thread. Clean the awning channel before application. Can also be applied to ease the fitting and removal of toilet seals. 10 per outer 105100

Awning rail spreader

Simply insert into the awning rail and tap through any troublesome areas. The compact head is especially effective on awkward corners. per 10 outer 105104

Awning rail brush

Useful brush for cleaning or lubricating awning rail. Available singly or 5 per outer 105085

Awning rail care kit

Contains each awning rail lubricant, awning spreader rail and awning rail brush, supplied in a handy vinyl pouch 105105





Diverts rainwater away from the channel which also helps prevent black streaks. Supplied in 12m lengths 105107



Aluminium awning rail

2.12 metre lengths 10 lengths per outer 105099



Plastic awning rail

Pre-drilled 2.5 metre lengths 10 lengths per outer 105088

Luggage Elastic



W4 adjustable luggage elastic

1 metre length with 1 fixed and 1 self locking hook. 10 per outer 109519



W4 Multi hook luggage elastics

10 per outer 4 way **109520** 6 way 109521 8 way 109522



W4 Luggage elastic (2)

Meets BS AU 258. 10 per outer 46cm 109515 60cm 109516 76cm 109517 91cm 109518



Rolson D-ring bungee cord

1200 x 8mm bungee cord with easy to attach d-ring facility. Suitable for tying down on roof racks and trailers 109525



Rolson retractable ratchet tie down

25mm x 5 metre ratchet tie-down. With plastic handle retraction. Breaking strength 4901kg. Working load 245kg 109526



Rolson 4.2m ratchet tie down (2)

2 piece 25mm x 4.2 metre ratchet tie-down. Breaking strength 681kg. Working load 227kg. Aluminium alloy handle with PVC grip. High visibility webbing. 109524



Rolson 15ft ratchet tie down

1" strap . 136kg approx. tie down capacity. Trouble free, push button quick release mechanism. 12 packs per outer 109523



Multipurpose rope 30m

Working load limit of 175lbs. Working load limit is a guideline for the maximum allowable weight capacity of a new rope. 6 packs per outer 109436



WOW Double shank hoop for double strength. Plastic coated non-scratch hooks. Sewn-in hooks for increased strength. Rot resistant & UV protected materials for safer, longer working life. Flat cord resists rolling, increases strength and protects cargo. 100% natural rubber for superior stretch and tear resistance.



Part No.	ROK Strap	Size
109600	Standard	300mm x 20mm
109601	Standard	450mm x 20mm
109602	Standard	600mm x 20mm
109603	Standard	750mm x 20mm
109607	Standard	900mm x 25mm
109608	Standard	1200mm x 25mm
109609	Standard	1500mm x 25mm
109615	Adjustable	1500mm x 25mm
109616	Adjustable	3000mm x 25mm
109617	Adjustable	4500mm x 25mm



Awning accessories



W4 awning sucker

Replacement rubber suckers. Packed suckers are sold 2 per pack, available singly or 10 packs per outer. Bulk suckers are sold 20 per outer For pole size 3/4" (19mm)

109489 Packed Bulk 109488

For pole sizes %" (22mm) & 1" (25mm)

Packed 109487



Awning pads (3)

Simply glue to inner roof beading to hold awning poles and remove the need to screw awning brackets to the caravan. Available singly or 10 per outer 109040



W4 ease-it

A simple tool to make the erection of awnings easier. Attach the reinforced eyelet to your awning then pull through channel with the hooked pole. Available singly or 10 per outer 109490



W4 awning skirt wheel arch cover

Figure 8 and suckers ensure a neat result without drilling or screwing into the caravan wall. Both available singly, single axle version also available 10 per outer

Single axle 109498 Twin axle 109497



W4 figure 8 channel

Plastic double channel strip to join the wheel cover to the awning skirt. Available singly or 10 per outer

Length 750mm 109495 Length 1200mm 109496



Inner tent

Superior quality polyester for heavy use. Reinforced heavy duty PVC base with welded corner fasteners. The ultimate inner tent that is also rot proof

2 Berth 205x135x180cm 109975 3 Berth 205x205x190cm 109976



Inner tent tall annexe

Fits all tall annexes and includes a heavy duty reinforced base. 198x130x160cm 109980



J strip

Plastic strip for attachment of awning curtains. Supplied in 100m roll. Priced by the metre 109570



Awning curtains

Good quality polyester/cotton. Each one measures 33" x 60" approx. Fitted with clips and sewn in seam for curtain rods. Assorted designs 123455



Attachable awning windbreak

Heritage "Keep Calm and Caravan" peg bag

100% cotton canvas peg bag with zip. Wet and rotproof. High

18' long and 5' tall, manufactured from patented good quality rip-stop material. Rot proof and complete with awning beading to attach to the caravan.

7 pole 107790

quality desirable product 109563

Awning bags

A variety of storage bags which can be personalised with your own company details - minimum 100. All products are manufactured from heavy duty PVC coated nylon



Awning bag

Holds canvas from even the largest awning. Piped circular base for maximum strength. Available singly or 10 per outer 109550

Personalised 109551



The Heritage range also available in a mains



cable bag (see section C) 016177 and a hitch cover (see section A) 007345

WOW Heritage range. Choose your colour, change the crown for your logo or even display your phone number - all for the same unit cost. Minimum order quantity - 50. Please speak to your sales contact for more details. Please allow 6 weeks for first time orders and 4 weeks for repeat orders to receive your delivery. Peg bag printed 109564



Pole bag

For the storage of awning poles, but can also be used for small tents and poles. Available singly or 10 per outer 109553 Personalised 109554



Versatile bag for carrying awning, tent and groundsheet pegs or other small items. Available singly or 10 per outer 109561 Personalised 109562

Tent and awning spares - All packed 10 per outer



Brass eyelets %" (9.5mm) (20) 108559 ½" (13mm) (10) 108552



Awning rail screws (10) 108563



Awning brackets (2)



108572



Pole spike ³/," (19mm) 108568



Toggled tent band (5) 108579



Bunk bracket with stainless steel screws*







Heavy duty peg 108597



Eyelet closing tool ³/₈" (9.5mm) **108560**



Plastic guy line runners (5) 108595



Pole ends (2) (19mm) **108583** (22mm) **108584**





Rain cowls (2) 108589



Tent band large (3) 90mm 108574



Canopy hooks (3)* 108581

Tent peg -

plastic (5)*

5½" (140mm)



Tent pegs plastic (5) 8" (200mm) 108570



Tent pegs-steel (5) Rippled peg -9" (225mm) **108571** 7" (150mm) **108593** steel (3)* 8" (200mm) 108596



Awning skirt studs, poppers & screws (5) 108562

Metal guy line

runners slotted (5)



WOW All W4 pack-it items can be ordered loose at a preferential rate. Please speak to your sales contact for more details

Metal guy line runners bent (5)



Awning skirt

studs (5)

108561

21-23mm **108645** 25-28mm 108646



Gutter clamp (2)



108555

Pole C clips (2) (19mm) **108566** (22mm) 108567



Pole flanged foot Pole spring 19mm **108588** joiners (3) 22mm 108647 108558 25mm 108648



Tent band extra large (3) 150mm **108587**



Rope hooks (3)* 108582



Inner tent

bands (5)

suspension

Pole hanging hooks (3) 108565



Airbed plugs (3)* 109480



Replacement airbéd plugs. 10 per outer



Self adhesive awning stud (2)



Awning popper closing tool 108578



Guu line 6 metres 108569



108590

Inner tent clips (3)

3/" (19mm) **108551**

1[#] (25mm) **108641***

Cord lock (2)

109479



Pole clamps (2) (19mm) 108556 (22mm) **108557** 1"(25mm) 108586 1½"(29mm) 108580





Spring buttons (3) 108550



Ladder bands (5) 108573



Small padlock* 108564



Pole marking kit


Ball loops 75mm (3) 108549


108576




Pole ring with 2 pins (2) 108548











Grove packaged awning accessories



Awning hooks (3) 10 packs per outer 19mm 109047 23mm 109056



Pole adjusting clamps (2) 10 packs per outer 23mm 109102



Inner tent clips (6) Nylon 'C' clips (4)

For suspending inner tent in 10 packs per outer

awning, 10 packs per outer 19mm 109113

Awning brackets (3)

Supplied with screws. 10 packs per outer 109038

Camping accessories



Multi hook hanger Useful five hook plastic hanger for tent or awning poles. Available singly or 10 per outer 109010



Plastic hanger with 7 hooks Available singly or 10 per outer 109011



109082

Clip-on mirror Available singly or 10 per outer 109761



23mm 109124

Flock air bed repair kit Available singly or 12 per outer 109481



Emergency hooded ponchos Both lightweight and convenient, made from a reusable polyethylene.

Each pack contains 2 adult sizes and 1 childs

24 per outer 070603



3 Tier concertina workstation

Folds for easy storage, carry bag included. Detachable wind shield, 2 storage shelves 106cm x 61cm x 35cm

109755



Camp toaster Stainless steel wire grill, mesh, heat

diffuser, frame lock and folding wire handle 109646



Folding toaster

22cm diameter with four folding wire strut supports. Available singly or 12 per outer 109643



Egg holder Protective plastic case for carrying eggs 109649




Salt/pepper shaker

No spill flip caps. Bottoms remove for easy filling Available singly or 12 per outer 109648



Groundsheets





Length (2.5m width)	Grey	Blue
4m	107860	107862
5m	107865	107867
6m	107871	107873



Solar shower

20lt capacity gives you a 7 minute shower. Leave in the sun to heat water - will heat up to 40°C in 3 hours. Available singly or 24 per outer 109700



Breathable groundsheet

Breathable polyester coated groundsheet, hardwearing and rot proof. Easily folded and stored in its own water and mud proof nylon zipped bag. 3m x 2m black 107945

P.V.C. groundsheets



10' x 8'	108060
12' x 8'	108065
14' x 8'	108075
16' x 8'	108085
18' X 8'	108095
20' x 8'	108100

Supplied P.V.C. with brass eyelets and welded seams

Event Tents



Event shelter

Polyester flysheet 450mm PU aluminium coated steel poles. Living area: $20.25 m^2$. Headroom: 228 cm (centre) 190cm (sides). Dimensions: 450 cm x 450cm. Pack size: $102 \times 26 \times 20 cm$. Rectangular carry bag included. Weight 18kg 109781



Event shelter sunwall



Event shelter sunwall and door 109782



Sundome with UV guard

The perfect accessory for the beach. Polyester flysheet 500mm PU silver coated, Groundsheet: PE 110 g/m², zips 0N and 0FF to the flysheet. Fibreglass poles, headroom 118cm. Tubular carry bag including draw cord opening and sand pockets. Pack size: 55 x 10cm. Weight 1.8kg







Eurovent Mosquito Dome

Versatile and light weight 190T Polyester roof with mosquito net sides. 11mm diameter fibreglass roof poles, with 19mm diameter steel leg poles. Weight 10kg. 2.2m tall in centre

Approx. 20m² floor area

109777

smartent 🙎



Smart tent

A quick erecting tent that allows you to sleep off the ground. No more packing away a dirty groundsheet or water coming up through the floor. As simple as putting up a camp bed. Erects in 30 seconds.

- Off ground technology
- Outstanding durability
- Consistent quality throughout conditions
- UV resistent
- Naturally insulating
- Breathable
- Craftsmanship
- Locking device from inside

Weight - 12.2kg

Weight Limit tent - 120kg (18 Stone)

Dimensions:

217w x 70D x 31/105H cm

31cm - floor to bed, 105cm - top of tent to floor

Hydrostatic head rating - 2000mm

Green **108503**Orange **108501**

Mosquito protection



W4 mosquito netting

A useful range of pre-cut lengths of netting for use on windows or rooflights. Complete with fixing kit

 Im square
 101070

 Im x 1.5m
 101080

 Im x 2m
 101075

 Mosquito fixing kit 101085





Rolson magnetic door curtain/net

Mosquito screen for domestic use, consisting of 2 overlaping panels. Maximum size 215cm \times 97cm. Easily installed by sticking on velcro stips along the frame. **101090**

Fiamma mosquito net

Mosquito screen for motor home and caravan door consisting of 2 overlaping panels. Each panel is reinforced and stays taut and is 230cm high, 35cm wide. Easily installed by sliding onto wall track, adjustable height 101088

Air Beds



Coleman comfort airbeds

Airtight® system: patented Double Lock™ valve locks in air two ways. Repair kit included. Phthalate free Single: 188cm x 85cm x 22cm. Weight 2.3kg. Available singly or 6 per outer 109856 Double 188cm x 137cm x 22cm. Weight 3.7kg. Available singly or 4 per outer 109858



Coleman raised quickbed queen

Exclusive Wrap'N'Roll™ system. Double height for extra comfort 47 cm. Airtight® system: patented. Double-Lock™ valve locks in air. Repair kit included. Phthalate free.

213cm x 168cm x 47cm. Weight: 7.3 kg 2 per outer **109862**



Airbed plugs (3)
Replacement airbed plugs
10 packs per outer
109480





Campingaz quickbed airbeds

A reliable and comfortable inflatable bed for camping or to use as a spare bed. It is fitted with Airtight system making it leak free and more resilient. Repair kit included

Single 188cm x 74cm x 19cm. Weight 1.6kg 6 per outer **109848**Double 188cm x 137cm x 19cm. Weight 2.9kg 4 per outer **109849**



Aerobed Active airbeds

Powerful, rechargeable, cordless pump for inflation. Air coil system ensures a stable, even sleeping surface. Proven by experts to eliminate pressure points. Woosh™ Valve super-fast deflation in seconds. Smooth flocked sleep surface. Bed rolls up and stores compactly in a durable carry bag included. Non-allergenic - Hygenic and dust mite free sleeping surface.

Single: L198cm x W99cm x H23cm

109846

Double L198cm x W137cm x H23cm

109847

Air pumps





Campingaz 4D quickpump

2 separate functions: inflates and deflates. Operates on 4D/R20 batteries (not included) Running time: 30 minutes. Airflow: 340 litres per minute. Carry bag included. Weight 360g.

Available singly or 6 per outer 109868



Coleman 12v quickpump

2 separate functions: inflates and deflates. Operates from 12v DC. Air flow: 500 litres per minute. Carry bag included Weight 1.7 kg.

Available singly or 4 per outer 109870



Double foot pump with gauge

Fitted with 480mm flexible hose and thumb lock lever tyre connector. Gauge graduated in psi (range 0-100psi) and bar (0-7bar) Includes pre set indicator 109726


Tent and awning poles




A new range of camping poles. Excellent value!

Steel poles are zinc coated and Aluminium poles are anodised for excellent resistance to corrosion. All products are bagged and header carded with easy to read labelling to enable the consumer to buy without the need to ask busy sales staff.








Verandah bars

Pole clamp on both ends. Available singly or 10 per outer Steel 22/19mm 170-250cm 109160 109162 Steel 25/22mm 170-250cm Aluminium 25/22mm 120-200cm 109164 Aluminium 25/22mm 170-260cm 109166




Roof beams

Pole clamp on one end with pole hook on the other.

Available singly or 10 per outer

109170 Steel 22/19mm 170-250cm 109172 Steel 25/22mm 170-250cm Aluminium 25/22mm 170-260cm 109174




Pole spike with basic foot

Pole spike on one end with blanking plug foot on the other.

Available singly or 10 per outer

Steel 22/19mm 180-250cm 109180 Steel 22/19mm 110-200cm 109182 Aluminium 25/22mm 170-260cm 109184




Storm pole with flanged foot

Pole clamp on one end with flanged foot on the other.

Available singly or 10 per outer

Steel 22/19mm 170-250cm 109190 Aluminium 25/22mm 170-260cm 109192



Storm pole with foot

Available singly or 10 per outer Pole spike on one end with foot on the other.

Steel 22/19mm 170-250cm 109196


Pole spike on one end with angled foot on the other. 109198 Aluminium 25/22mm 170-250cm



Twistable storm pole

Pole spike on one end with spiked foot on the other. Twist to lock. Available singly or 5 per outer

Aluminium 28/25mm 90-230cm 109202




Stretching pole

Bent with clamps on both ends. Available singly or 5 per outer

Steel 22/19mm 165-255cm 109210 Aluminium 25/22mm 210-275cm 109212

Bent crossbeam pole Bent with clamps on both ends.



Available singly or 5 per outer Steel 22/19mm 170-250cm

109218

EUR©VENT Spares trio sport®



Power grip Reversible For fibre frames 901185



Centre plastic



Power grip For steel frames 901067



collar For aluminium frame 25mm 901060



Pole hook 20/22mm 901090



Pole end Eyelet 20/22mm 901187



Pole end Eyelet 25/28mm 901188



corner For steel frame 901066



Corner plastic bracket For new fibre frame used for either corner



Centre corner plastic bracket For new fibre frame 901178



Pole clip For new fibre frame 25/28mm 901190



Spiked foot For new fibre frame 20/22mm 901195



Canopy pole end For new fibre frame 20/22mm 901025



Metal washer 901035



901175

Trifix fixing bracket 901064



Awning bracket 901039



Plastic pole end 23-25mm 901049



Plastic pole end 25mm 901054



Grey feet 23-25mm 901084



Spiked foot 22mm 901078



Ball joint 6mm thread 901068



Pole hook 22mm 901087



Pole hook 25mm 901089



Plastic hooked clip 25mm 901092



Pole eye hook 22mm 901086



Pole end 20-22mm 901075



Roof lining / inner tent clip 901121



Pole clamp 25-32mm 901017



Pole clamp 25 - 32mm 901086



Spring button 901000



Spring button 22-25mm 901005



P shaped adjuster bolt 901023



Metalic collars (4) 20mm 901072



Angled pegs (25) 9011Ó4



Skewer pegs (4) 560114 **901098** 570258 **901107**



Grey plastic pegs 901095



Rubber rings 40 x 48 x 9mm 901131



Peg puller 901128 spring 901027



Connecting



Metal clip 20-22mm 901012



Guy line 5m 2.5mm 901044 901135



Adjustable

peg strap

901138



Curtain hook - annexe 901115



Curtain hooks 901117



Curtain rod end 901119



901057

Pet Range



Cable dog leash 6ft 182cm 12 per outer 124132



Reflective dog collar 24 per outer 124127



Adjustable LED dog collar 12 per outer 124126



Dog play balls (4) 24 per outer 124122



Doggy waste pick up tool 12 per outer 124120 Doggy waste refill kit 3 x 18 bags. 12 per outer 124121



Garden tie out stake 12 per outer 124020



2qt adjustable double diner 124111



ROK" Dog leashes



Just enough stretch to avoid jolts, but maintains great control. Padded hold-loops for comfort. Modern, stylish design & colour range. High quality manufacture. Unlike recoil-leads, ROK's progressive tension keeps you in control and signals your pet to stop - without the jolt. Solid natural rubber core with nylon outer braid extremely chew resistant. Built-in Traffic Leader and Car Restraint. Less jolts on you, and your pet's collar and neck. Unlike "bungees", has minimal recoil if released.





ROK Dog leash Small dog 54" For small pets upto 18kg

Blue/Black 124140

Pink Camo 124141



ROK Dog leash

Medium dog 54* For medium pets from 18-36kg Black/Orange 124148 Jungle 124149



ROK Dog leash Large dog 54" For large pets from 36kg+

Blue/Black 124156
Black/Reflective 124157



ROK Dog leash Large dog 36" For large pets from 36kg+

For large pets from 36kg Black/Green 124164 Black/Red 124165

Alan Rogers guides

All Alan Rogers books are available singly or 10 per outer.




selection









GB & Ireland

Covering over 550 selected camping and caravanning parks. 12018713

Europe

Covering over 900 selected campsites in 24 European countries. 12018813

France

Covering over 900 selected camping and caravanning parks.

Spain & Portugal

Covering over 260 selected camping and caravanning sites. 12019513

Covering over 320 selected camping and caravanning sites. Including Sicily and Sardinia. 12019613

Netherlands

Over 250 inspected and selected camping and caravanning sites in the Netherlands, Belgium and Luxembourg. 12019713

101 best camp sites

Great campsites across Europe perfect for your chosen hobby. Choose from these three titles.



101 Fishing Angling and sea fishing. 12018413



101 Golf Ideal for golfers. 12018513



101 You & Your Dog Where dogs are welcome. 12018113

WOW Country guides now include a FREE Alan Rogers Travel card with extra benefits and savings! These books offer a unique update facility - you can return unsold books to Grove Products and we will replace them free of charge with the new years book. Time barring applies please speak with your sales contact to make sure you don't miss out!

Manuals and Books




The caravan manual

Content includes guidance on maintaining older caravans as well as detailed information on recent developments 120175




The motorcaravan manual

This comprehensive illustrated manual is full of practical information and advice for both the novice and the experienced owner




Build your own motorcaravan book

The complete guide to van conversions, coachbuilds and major renovation projects 120178



The caravan & motor home handbook

This book contains information on all aspects of caravan and motorhome ownership 120173



AA road atlas GB

A3. Clear 4 miles to 1 inch scale. Fully updated, route planner and 8,000 places to visit. New speed camera locations. 10 per outer 120200



AA road atlas Europe

A4 Multi scale coverage of Europe, 45 countries, 34 city route maps. Available singly or 10 per outer 120202



AA road atlas France

A3. Clear scale, 20 town plans. Available singly or 10 per outer 120204

I-Spy books


All packed 6 per outer I-Spy Merchandiser **120265** Please ask your representative for details



Every Vehicle on the Road 120254



Car Badges



Cars 120242



Cool cars




WOW The perfect travelling companion for children

Sports & games 120230




Football grounds 120232




On a Car Journey



On a car Journey in France 120256



On the Motorway 120251



On a Road Trip 120255



Aircraft 120235



Camping 120247




In the Countryside 120252



At the Seaside 120246



Minerals, rocks & fossils 120233



On a Ferry 120253



On the water



Book of facts



Nature 120244



Birds 120241



Creepy Crawlies



Animals 120238



Dogs 120237



Dinosaurs 120234

Toys



Sea cruiser transporter 6 per display outer 124074



Jeep with leisure vehicle 6 per display outer 124072



Horse trailer 6 per display outer 124071



Motorhome & trailer
6 per display outer
124070



Holiday fun car & caravan 6 per display outer 124069

Dukdalf



The new Dukdalf camping furniture range is produced in the Netherlands. All of our Dukdalf chairs have a unique folding system using a sliding hinge and Italian designed upholstery.

WOW 4 year warranty on all items!



Seat: 47 x 44 cm. Seat-height: 45 cm. Backrest: 77 cm. Folded: 100 x 61 x 9 cm. Weight: 4 kg.

Maximum capacity 140 kg. Material: 70% PVC, 30% Polyester

A stable and compact chair with an ergonomically shaped back and seat. It can be folded to less than 9cm thickness and thanks to it's special design. The frame of double reinforced anodised oval aluminium tube makes the chair not only very strong but also very light. Thanks to the 10 position adjustable extra wide armrests, the chair can be used from comfortable chair to an almost horizontal relaxed recliner (using the optional leg rest).

Available singly or 4 per outer

Blue 107601

Grey (as illustrated) 107602



Seat: 47 x 44 cm. Seat-height: 50 cm. Backrest: 80 cm. Folded: 110 x 61 x 9 cm. Weight: 4.2 kg.

Maximum capacity 140 kg. Material: 70% PVC, 30% Polyester

Also a stable and compact chair with an ergonomically shaped back and seat. It has an extra tall back and higher seating position than the Dynamic. It can also be folded to less than 9cm thickness thanks to it's special design. The frame of double reinforced anodised oval aluminium tube makes the chair not only very strong but also very light. Thanks to the 10 position adjustable extra wide armrests, the chair can be used from comfortable chair to an almost horizontal relaxed recliner (using the optional leg rest).

Available singly or 4 per outer Blue (as illustrated) 107605 Grey 107606



Seat: 49 x 43 cm. Seat-height: 44 cm. Backrest: 78 cm. Folded: 108 x 60 x 10 cm. Weight: 2.8kg. Maximum capacity 100 kg. Material: 70% PVC, 30% Polyester

Very light weight, the Aspen chair has a round aluminium tubular frame. It can be folded to 10cm thickness and reclines in 8 positions. It features a high back with builtin head rest.

Available singly or 2 per outer

Blue 107617

Grey (as illustrated) 107618



Legrest DYNAMIC F

The ergonomic legrest fits all Dukdalf chairs and offers extra comfort. Simply lays across the sampler bar attached to each chair, turning a comfortable chair into a relaxer. Oval legs.

Dimensions folded: 86 x 49 x 8 cm Maximum capacity: 25 kg. Available singly or 4 per outer Blue **107613** Grey 107614



Legrest SAMPLER

The ergonomic legrest fits all Dukdalf chairs and offers extra comfort. Simply lays across the sampler bar attached to each chair, turning a comfortable chair into a relaxer. Tubular legs. Dimensions folded: 86 x 49 x 8 cm

Maximum capacity: 25 kg. Available singly or 4 per outer Blue 107621

Grey 107622



Camping table STABILIC

With a fast and stepless variable height, the table can almost easily be set at the correct height (56 - 72cm). The tables from the Stabilic series are equipped with a quality Sevelit table top, with up to 50 kg max load. Heat resistant up to 180°C, waterproof and easy to clean. Individually boxed.

Available in 2 sizes. Stabilic I 107650

80 x 60 x 56-72cm. 6 kg.

Stabilic II 107651

100 x 68 x 56-72cm. 9 kg.

Both tables are 4.5cm deep when folded

Chairs





Sling chair khaki W58cm x D72cm x H93cm 4 per pack 109805



Deck chair khaki W62cm x D55cm x H78cm 4 per pack **109801**



Deck chair khaki with table 4 per pack 109803

Relaxers



Relaxer chair large


Dimensions H115cm x W75cm x D73cm Weight 9kg 107466 Black/brown





Cup holder for relaxer chairs

Children's sleeping bags





America 8 per outer **123016**



Teddies 8 per outer 123017



Dalmation blue 8 per outer 123018 All adult bags are 52oz filling.

Dalmation red 8 per outer 123019



Dalmation pink 8 per outer 123020

Adult sleeping bags



Red check microfibre 6 per outer **123144**



Green check microfibre 6 per outer 123145



Inca maroon hollofibre

6 per outer 123116

WOW Reversible, zip any two of the same bag together to make a double bag



Sahara hollofibre 6 per outer Green 123122



Terracotta 123123 Lilac 123124

Mattress Toppers



Memory foam mattress topper

Orthopaedic, non allergenic, visco elastic memory foam. Temperature sensitive foam moulds to your body's heat & weight to provide the right amount of support your body needs to aid a restful nights sleep.

Single size 90cm x 190cm x 2.5cm

123295

Double size 135cm x 190cm x 2.5cm 123296