

HDT-I / HDT-IX

HD Radio / FM-Stereo / AM Set Top Box



- . HD digital radio along with AM / FM-Stereo.
- . PAD (Program Associated Data) service.
- . Information display for channel frequency, frequency name, service name, dynamic label, transmission mode and data rate.
- . Automatic multiplex re-configuration.
- . Automatic simulcast re-configuration.
- . Auto clock and date setting.

- . FM RBDS function with PS, PTY, RT and CT.
- . 40 preset stations.
- . Auto preset system.
- . Audio EQ selection.
- . Remote control.
- . Adjustable sleep timer.
- . Graphic display.
- . Program service preset.
- . SPDIF optical digital output (HDT-IX).
- . New user interface and remote control unit ($\ensuremath{\mathsf{HDT-IX}}$).



HDR-I

HD Radio / FM-Stereo / AM Table Top Receiver



- . HD digital radio along with AM / FM-Stereo.
- . PAD (Program Associated Data) service.
- . Information display for channel frequency, frequency name, service name, dynamic label, transmission mode and data rate.
- . Aux in socket to connect iPod or MP3 player.
- . Adjustable sleep timer.
- . Program service preset.

- . FM RBDS function with PS, PTY, RT and CT.
- . Large, easy to read LCD display.
- . Automatic multiplex re-configuration.
- . Automatic simulcast re-configuration.
- . Auto clock setting and alarm.
- . Audio EQ selection.
- . Auto preset system.
- . 142 preset stations. . Remote control.



DMS-16

DAB / FM-RDS / MW / CD / CD MP3 Compact Musical System



- . FM-RDS function with Radio Text, Program Type, Station Name, Program Identification and Time / Date.
- . Easy to read multi-function LCD display.
- . Support DAB electronic program guide.
- . 30W RMS 10% T.H.D. audio output power.
- . Automatic multiplex re-configuration.
- . 10 memory presets each wavebands.

- . Flat, Jazz, Rock, Classic and POP sound effect. . Alarm and sleep.
- . Auto ensemble seek.
- . Auto tuning list for program service.
- . Full function CD / MP3 player.
- . Detachable power Cord.
- . Multi-function infrared remote control.
- . PAD program associated data services.







DMS-18 Plus

DAB + / FM-RDS / CD MP3 / USB + SD / iPod Musical System





- . DAB + / FM wavebands.
- . Slot in CD MP3 / WMA playback ripping function to SD / USB.
- . RDS with radio text, program type, station name and auto clock time.
- . External F type DAB + / FM antenna terminal.
- . Optical output for connecting Hi-Fi system.
- . RMS 10% T.H.D. output power.

- . iPod cradle charges and plays iPods.
- . USB-B socket for software upgrade.
- . 20 station presets. . Aux in socket.
- . Touch panel device. . 25W \times 2.
- . Alarm and sleep timer.
- . Search and Manual tuning.
- . Stereo headphones socket.
- . Full function remote control.









DMS-26 Plus

DAB + / FM-RDS / Internet Radio / CD MP3 / WMA / USB + SD / iPod Compact Musical System







- . DAB + / FM-RDS waveband.
- . High tech touch panel.
- . Alarm and sleep timer.
- . Network music player.
- . Internet radio immediate access to over 16,000 radio stations.
- . RDS function.
- . Full function remote control.

- . Play music collection from computer.
- . Optical and coaxial output.
- . SD card / USB MP3 playback and recording.
- . Wire and wireless internet connection.
- . Flat, Jazz, Rock, Classic and POP EQ.
- . iPod cradle plays and charges iPods.
- . Large and easy to read multi-functional display.
- . External F type DAB + / FM antenna terminal.
- . Slot in CD MP3 / WMA playback, ripping function to SD / USB.





DDR-31 Plus

DAB + / FM-RDS Tabletop Wooden Cabinet Receiver





- . Easy to read multi-functional LCD display.
- . Menu display selection of major functions.
- . Information display for service data.
- . Full function remote control unit.
- . 5 station presets each audio band.

- . DAB + reception.
- . Aux in and Line out socket.
- . Stereo headphone socket.
- . Clock and alarm.
- . RDS with radio text, program type, auto time and station name.



DDR-33 Plus

DAB + / FM-RDS / AUX IN / iPod Dock Tabletop Musical System





- . Easy to read multi-functional LCD display.
- . RDS function with radio text, program type, auto clock and station name.
- . Information for service data.
- . 5 station presets each audio band.
- . Built-in passive speaker for rich bass.
- . Aux in / Stereo headphones sockets.
- . Full function remote control unit.

- . Stereo speakers.
- . Wooden cabinet.
- . Software upgradeable via USB-B socket.
- . Built-in iPod cradle for recharging iPod and music playback.
- . Alarm and sleep timers.
- . Clock corrected automatically by DAB + service.



DDR-43 Plus

DAB + / FM-RDS / CD MP3 / WMA / iPod Digital Stereo Receiver





- . Slot in CD MP3 / WMA playback.
- . RDS with radio text, program type, station name and auto clock time.
- . iPod cradle-plays and charges iPods.
- . High tech touch panel.
- . Search and Manual tuning.
- . External F-type DAB + / FM antenna terminal.

- . DAB + / FM wavebands.
- . Aux in socket.
- . Alarm and sleep timer.
- . Full function remote control.
- . Stereo headphone socket.
- . High-glossy piano black finish wooden cabinet.



DDR-53 Plus

DAB + / FM-RDS / CD MP3 / USB + SD / iPod Digital Stereo Receiver





- . DAB + / FM wavebands.
- . Slot in CD MP3 / WMA playback ripping function to SD / USB.
- . SD card / USB MP3 playback and recording.
- . iPod cradle charges and plays iPods.
- . Stereo headphones socket.
- . Optical output for connecting Hi-Fi system.
- . High-glossy piano black finish wooden cabinet.

- . Full function remote control.
- . Alarm and sleep timer.
- . External F type DAB + / FM antenna terminal.
- . Search and Manual tuning.
- . Aux in socket.
- . RDS with radio text, program type, station name and auto clock time.



DDR-63 Plus

Internet Radio / DAB + / FM-RDS / AUX IN / CD / USB / SD / iPod Cradle All In One Tabletop Wooden Cabinet Musical System







- . Internet radio / DAB + / FM wavebands.
- . MP3, AAC + and WMA compatible.
- . iPod cradle charges and plays iPods.
- . Aux in / Line out socket.
- . Stereo headphone socket.
- . Digital EQ control. . Network music player.
- . External F type DAB + / FM antenna terminal.
- . 10 station presets each audio band, 99 station presets on internet radio band.

- . Slot in CD MP3 / WMA Player ripping function to SD / USB.
- . Real time clock with Alarm and Sleep function, clock synchronizes from NTP (Network Time Protocol).
- . RDS with radio text, program type, auto clock and station name.
- . Optical SPDIF output for connecting Hi-Fi system.
- . Full function remote control unit. . Supports HCSD to 16 GB.
- . MP3 recordable to SD-card and USB media.
- . CD player supports bookmark function.
- . Play music stored in your computer.
- . Also WFR-63 for non-DAB + version of DDR-63 Plus, available Q1 2010.



DPR-25 Plus

DAB + / FM-RDS Digital Radio Stereo Receiver





- . Stereo speakers.
- . Supplied with switching type AC power adaptor (100 - 240 Volts).
- . Rechargeable with charging and low battery LED indicator.
- . Menu display selection of major functions.
- . 5 station presets each band.
- . Music and News tone control.

- . Information for service data.
- . Search / Manual tuning.
- . Stereo headphone socket.
- . Tuning control for Station / Menu selection.
- . Good battery life.
- . Line out socket to connect audio amplified speaker system.
- . Aux in socket to play MP3 player and CD Walkman.











DPR-34 Plus

DAB + / FM-RDS Hand-Held Receiver





- . Easy to read multi-functional LCD display.
- . Information for service data.
- . Manual / Search tuning.
- . RDS with radio text, program type, auto clock and station name.
- . 10 station presets each audio band.
- . Rechargeable with built-in lithium battery.

- . Built-in telescopic antenna.
- . Built-in speaker.
- . Signal strength indicator.
- . Battery power indicator.
- . Stereo headphone socket.
- . Selectable sleep timer.
- . Good battery life.

Rechargeable



DPR-69 Plus



DAB + / FM-RDS Digital Radio Receiver



- . Tuning control for Station / Menu selection.
- . Menu display selection of major functions.
- . Ultra compact.
- . 5 station presets each band.
- . Information for service data.
- . Search / Manual tuning.
- . Good battery life.
- . Stereo headphone socket.
- Rechargeable with charging and low battery LED indicator.



DPR-99 Plus



. Supplied with switching type AC power adaptor (100 - 240 Volts).

adaptor (100 - 240 Volts).

- . Tuning control for Station / Menu selection.
- . Menu display selection of major functions.
- . Ultra compact.
- . 5 station presets each band.
- . Information for service data.
- . Search / Manual tuning.
- . Good battery life.
- . Stereo headphone socket.
- . Rechargeable with charging LED indicator.



DAB + / FM-RDS



DCR-38 Plus

DAB + / FM-RDS / CD / USB / SD Recording Digital Clock Radio With iPod Cradle





- . Excellent reception and stereo audio performance.
- . Snooze and nap timers.
- . Search / Manual tuning.
- . Rotary volume control.
- . Slot in type CD player.
- . Snooze and nap timers.
- . Analog clock.
- . Audio EQ selection.

- . USB slot for CD / MP3 / WMA playback.
- . Radio Data System (RDS) with radio text, program type and station name.
- . SD card slot for MP3 playback and recording DAB + program with MP3 format.
- . Menu display selecting of major functions.
- . 10 station presets each audio band.
- . Information display for necessary service data.
- . Tuning control for station / menu selection.

- . iPod cradle charges and plays iPod.
- . Supplied with AC power adaptor.
- . Aux in socket. . 5 x alarm timers.
- . High tech touch panel.
- . External F-type antenna.
- . Easy to read multi-functional LCD display with backlight.
- . Stereo headphone socket.
- . Line out socket.



DCR-9 Plus

DAB + / FM-RDS Digital Clock Radio





- . Easy to read multi-functional LCD display.
- . RDS with radio text, program type, auto clock and station name.
- . 5 station presets each audio band.
- . Sleep and Snooze timers.
- . 2 x alarm timers.
- . Information for service data.

- . Manual / Search tuning.
- . Aux in / Stereo headphones sockets.
- . Clock corrected automatically by DAB + service.
- . Supplied with 100-240V AC power adaptor.
- . Menu display selection of major functions.
- . Line out socket to connect audio amplified speaker system.



DCR-89 Plus

DAB + / FM-RDS Digital Clock Radio





- . Easy to read multi-functional LCD display.
- . RDS with radio text, program type, auto clock and station name.
- . Clock corrected automatically by DAB + service.
- . Menu display selection of major functions.
- . Manual / Search tuning.
- . Sleep and Snooze timers.

- . Aux in / Stereo headphones sockets.
- . 5 station presets each audio band.
- . Information for service data.
- $.2 \times alarm timers.$
- . Supplied with AC power adaptor.
- . Line out socket to connect audio amplified speaker system.



WFR-ID Plus

DAB + / Internet Radio / Network Music Player / FM-RDS (RBDS) Digital Receiver







- . DAB + plays AAC+ / MP2 audio format.
- . Internet radio (iRadio).
- . Line out socket.
- . Network music player.
- . 30 station presets.
- . Stereo Headphone socket.
- . Fully upgradeable software.
- . Remote control. . Plug and Play.

- . FM-RDS radio text, program type, station name and auto clock time.
- . Immediate access to over 16,000 internet stations.
- . Information display for service label, dynamic label and data rate.
- . Play music stored on your computer.
- . Search by country, genre and my favorite radios
- . Real Audio, MP3, AAC+ and WMA compatible.



WFT-IDa Plus

DAB + / Internet Radio / Network Music Player / FM-RDS (RBDS) Set Top Box







- . DAB + plays AAC+ / MP2 audio format.
- . FM-RDS radio text, program type, station name and auto clock time.
- . Internet radio (iRadio).
- . Remote control.
- . Plug and Play.
- . Line out socket.
- . Stereo Headphone socket.
- . Network music player.

- . Immediate access to over 16,000 internet stations.
- . Information display for service label, dynamic label and data rate.
- . Search by country, genre and my favorite radios.
- . Real Audio, MP3, AAC+ and WMA compatible.
- . Optical output for connecting Hi-Fi system.
- . Fully upgradeable software.
- . Play music stored on your computer.
- . 30 station presets.



WFR-I

Internet Radio / Network Music Player / FM-RDS (RBDS) Digital Receiver



- . Internet radio (iRadio).
- . Immediate access to over 16,000 internet stations.
- . Information display for service label, dynamic label and data rate.
- . Plug and Play.
- . Play music stored on your computer.
- . Network music player. . 20 preset stations.
- . Real Audio, MP3, AAC + and WMA compatible.
- . Wooden cabinet with stereo speaker.

- . Fully upgradeable software.
- . Stereo Headphone socket.
- . Aux in / Line out.
- . FM-RDS / RBDS.
- . Remote control.
- . Search by country, genre and my favorite radios.
- . Optional DAB + band (WFR-ID plus), DAB + plays AAC + / MP2 audio format.



WFR-20

Internet Radio / Network Music Player

- . Listen to radio stations around the world.
- . Large, easy to read 3-line display.
- . Connect to Windows Shares or UPNP servers.
- . Audio formats: MP3 / WMA / AAC / WAV / AIFF / FLAC / REAL.
- . Operate from single rotary control or full function remote control.
- . Intuitive Menu system.
- . Aux in socket for iPod, MP3 player etc.
- . High quality full-range stereo speakers ($2 \times 5W$). Four alarm timers (radio or buzzer).

- . Play music collection from computer.
- . 12 or 24 hour clock format.
- . Line output socket.
- . Headphone socket.
- . Sleep timer with gentle fade.
- . High-glossy piano-black finish.
- . Wire and wireless connection.
- . Receive over 6000 radio stations.
- . Full display brightness adjustment.











WFT-I

Internet Radio / Network Music Player / FM-RDS (RBDS) Set Top Box



- . Internet radio (iRadio).
- . Immediate access to over 16,000 internet stations.
- . Information display for service label, dynamic label and data rate.
- . Play music stored on your computer.
- . Search by country, genre and my favorite radios.
- . Network music player.
- . Real Audio, MP3, AAC + and WMA compatible.

- . Stereo Headphone socket.
- . Fully upgradeable software.
- . FM-RDS / RBDS.
- . Plug and Play. . Line out socket.
- . 20 preset stations. . Remote control.
- . Optional DAB + band (WFT-ID plus), DAB + plays AAC + / MP2 audio format.



RCR-7 WF / RCR-8 WF

Internet Radio / FM-RDS Digital Clock Radio



- . Internet radio.
- . FM-RDS / RBDS.
- . Aux in / Line out sockets.
- . 10 preset stations.
- . 2 x alarm timers.
- . Sleep / snooze timers.
- . Wire and wireless connection.
- . Information display for service label, dynamiclabel and data rate.
- . Plug and play.

- . Real Audio, MP3, AAC + and WMA compatible.
- . Play music stored in your computer.
- . Immediate access to over 6,000 internet stations.
- . Search by country, genre and my favorite radios.
- . Full upgradeable software via internet.
- . USB / SD card socket for MP3 / WMA playback.
- . Also available for budget version RCR-8 WF (without Ethernet connection and without USB / SD card sockets for MP3 / WMA playback).



ATS-909

FM-Stereo / MW / LW / SW PLL Synthesized Receiver

- . 307 memories (261 in SW, 18 each in MW / FM, 9 in LW plus priority station).
- . Five Tuning methods-direct frequency tuning, auto scan, manual tuning, memory recall and rotary tuning.
- . ATS (Auto Tuning System) auto scan and preset in priority of signal strength in FM / MW / LW bands.
- . REC out and standby control output. . Adjustable sleep timer.
- . SSB (USB / LSB) 40Hz / step on fine tuning. . AM RF gain control.
- . Alarmed by radio or HWS (Humane Wake System) buzzer.
- . AM wide / narrow filter and FM mono / stereo selector.

- . Automatic search strongest signal station within SW station pages.
- . Battery and signal strength indicator.
- . FM-stereo via earphones.
- . EE PROM for memories back up.
- . RDS (Radio Data System) displays station name and clock time.
- . Dual conversion device.
- . Built-in 42 world cities time plus D.S.T. device.

ATS-505

FM-Stereo / MW / LW / SW PLL Synthesized Receiver



- . Professional digital multi-band world receiver.
- . Five tuning methods-direct frequency access, auto scan, manual tuning, memory recall and rotary tuning.
- . ATS (Auto Tuning System) auto scan and preset.
- . I kHz / step fine tune. . Memory scan. . 45 presets.
- . Tone control. . Short Wave dual conversion.
- . Continuous SW coverage 1711-29999 kHz.
- . Clock with 2 alarm timers (radio and buzzer).
- . SSB (SW band only). . Adjustable sleep timer.

ATS-404

FM-Stereo / MW / SW PLL Synthesized Receiver

- . Full Short Wave 14 meter bands.
- . Tone control (Music / Normal / News).
- . 10 key pad direct frequency tuning.
- . Alarmed by radio or buzzer.
- . SW meter band selection. . Auto scan.
- . 45 stations memory. . Local / dual time.
- . Adjustable sleep timer. . Lock switch.
- . Rotary volume control. . DC Jack.
- . Stereo / mono switch. . Memory scan.

SG-622

FM / MW / SW 1-10 World Receiver

- . SW band spread.
- . Ultra compact 12 bands set.
- . DC 4.5V jack.
- . Tuning LED.
- . Headphones jack.



ProTravel 10

FM-Stereo / AM / LW / SW I-9 World Receiver

- . DC Jack to connect AC power adaptor.
- . Stereo headphones jack.
- . Ultra compact.
- . Tuning LED.

ProTravel 50

Portable FM-Stereo / AM / SW 1-7 World Receiver With World Times

- . Built-in clock.
- . Alarm by radio or buzzer.
- . Sleep timer.
- . Low battery indicator.
- . Easy to select major world city times.







Sangean new ProTravel world receivers, most stylish, all with handy leather travel case. Small enough to fit in your suitcase. Looks as good as it performs.







ProTravel 80

Professional FM-Stereo / AM / LW / SW PLL Synthesized World Receiver

- . Continuous SW coverage 1711-29999 kHz.
- . ATS (Auto Tuning System) auto scan and preset.
- . SSB on the SW band.
- . 2 alarm timers.
- . I kHz fine tune.
- . Five tuning methods.
- . 45 presets.
- . Short Wave dual conversion.



PR-D3L

FM / AM / LW Portable PLL Synthesized Receiver

- . 15 preset stations, 5 each on AM, LW and FM bands.
- . Rotary tuning and volume control.
- . Treble / Bass tone control.
- . AC / DC operated.
- . Adjustable sleep timer.
- . Long distance AM reception.

- . Alarmed by radio or buzzer.
- . Auto scan stations.
- . PLL tuning.
- . Large LCD with back light.
- . 5 inches speakers with 1.8W output power for exceptional sound performance.



PR-D4

FM / AM / LW Portable PLL Synthesized Receiver

- . PLL Synthesized tuning system.
- . 10 memory presets (FM 5, AM 5).
- . LCD displays separately clock and radio information.
- . Two alarm timers (radio and buzzer).
- . Auto scan stations.
- . Snooze.
- . Long lasting battery operation.

- . Headphones jack.
- . Sleep (auto shut off).
- . Rotary volume control.
- . Battery power status indication.
- . DC 6V jack.
- . 3 inches full range speaker.
- . Optional LW band version PR-D4L.



PR-D5

FM-Stereo RDS / AM Digital Tuning Portable Receiver



- . PLL Synthesized tuning system.
- . 200mm ferrite AM antenna bar to allow best AM reception.
- . Battery power indicator.
- . Alarm by HWS buzzer or radio.
- . Radio Data System (RDS) function with radio text, station name and auto clock time.
- . Excellent reception and stereo audio performance.

- . Auto seek station.
- . Stereo / Mono switch.
- . Aux in socket.
- . DC jack.
- . 10 memory presets (FM 5, AM 5).
- . Headphones socket.
- . Rotary tuning control.
- . Rotary volume control.

PR-D7

FM / AM Digital Tuning Portable Receiver



- . PLL Synthesized tuning system.
- . Ultra compact good for traveling.
- . Powered by both rechargeable and dry cell batteries.
- . Alarm by radio or HWS buzzer.
- . Auto seek station.
- . Sleep & Snooze timer.
- . Headphone socket.
- . 10 memory presets (FM 5, AM 5).
- . DC in socket.



PR-D8

FM-Stereo / AM Receiver With MP3 Recorder And MP3 / WMA Player

- . 5 presets each wave band.
- . Rechargeable with battery power indicator.
- . 2 alarm timers Radio and Buzzer.
- . MP3 file browsing.
- . Music / Normal / News tone control.
- . Line out socket.
- . Headphone socket.
- . Auto recording level control.

- . Selectable bit rate for MP3 recording 64k / 128 kbps / 192 kbps.
- . Playback media format: WMA / MP3 sampling of 16 kbps 320 kbps.
- . Timer recording from AM / FM / Aux in / Build-in high sensitivity stereo Microphone.
- . Large and easy to read display with adjustable back light control.
- . MP3 recorder and player via SD card support SDHC up to 16 GB.





Powered by Dynamo

MMR-77

Multi-Powered FM / AM Radio Receiver

- . Tuning LED indicator.
- . Emergency buzzer.
- . Earphone socket.
- . AM / FM 2 bands.
- . Water resistant.
- . Illumination lamp.
- . DC in socket.
- . Charging LED indicator. . Rotary volume control.
- . Powered by Dynamo / battery / AC power adaptor.

DT-FI

Digital Tuning FM-Stereo PLL Synthesized Pocket Receiver

- . PLL Synthesized tuning system.
- . Low battery indicator.
- . DBB (Deep Bass Booster).
- . Auto seek.
- . Stereo earphones included.
- . 18 presets in 2 areas.

- . Neck string included.
- . Auto shut off.
- . Auto preset.
- . Auto seek.
- . DBB / Stereo / Mono switch.



DT-210

FM-Stereo / AM PLL Synthesized Pocket Receiver

- . PLL Synthesized tuning system.
- . 25 presets (FM I5, AM I0).
- . Stereo / Mono switch.
- . Low battery indicator.
- . DBB (Deep Bass Booster).
- . 90 minutes auto shut off.
- . Removable Belt clip. . Built-in speaker. . Auto Seek.
- . Optional 3 bands DT-210L to have LW band.



FM-Stereo / AM PLL Synthesized Pocket Receiver

- . PLL Synthesized tuning system.
- . Direct recall 15 presets (FM 10, AM 5).
- . FM-stereo via supplied earphones.
- . Turn off automatically after 90 minutes operation.
- . Stereo / Mono switch.
- . Auto search station. . DBB (Deep Bass Booster).
- . Lock key. . Battery power indicator.





DT-200X

FM-Stereo / AM Audio Digital Tuning Personal Receiver

- . PLL Synthesized tuning system.
- . 90 minutes auto shut off (option).
- . Stereo / mono / speaker switch.
- . Battery power indicator.
- . DBB (Deep Bass Booster).
- . For USA market only.

- . My favorite station.
- . Removable belt clip.
- . Auto seek station.
- . Built-in speaker.
- . Built-in clock.
- . 19 random presets.

SR-2

FM-Stereo / AM Pocket Receiver

- . Stereo / Mono switch.
- . Stereo earphones included.
- . Pocket size, as small as a lighter.
- . DBB (Deep Bass Booster).

SR-3

FM-Stereo / AM Pocket Receiver With Built In Speaker

- . Stereo / Mono switch.
- . Stereo earphones included.
- . Pocket size.
- . DBB (Deep Bass Booster).
- . Neck string included.
- . Built-in speaker.



SR-25

FM / AM Hand-Held Receiver With Built-In Speaker

- . AM / FM 2 bands.
- . Hand-held size.
- . Built-in speaker.
- . Earphones jack.
- . Excellent sound and reception.
- . Large dial scale with smooth tuning.
- . SR-25L to have LW band.

DT-250

FM-Stereo / AM Digital Tuning Personal Receiver

- . PLL Synthesized tuning system.
- . 90 minutes auto shut off.
- . 19 random presets. . Auto seek station.
- . Built-in speaker. . My favorite station.
- . Removable belt clip. . Built-in clock.
- . DBB (Deep Bass Booster).
- . Stereo / mono / speaker switch.



FM / AM Ultra Rugged Radio Receiver

- . Ultra Rugged and Water resistant (JIS 4).
- . Dynamic Bass Compensation for rich bass.
- . High sensitivity, excellent sound performance.
- . Rotary tuning and volume controls.
- . 6.5 inches 7W full range speaker.
- . Soft bended spring antenna. . 9-15V DC jack.
- . AC wire compartment. . LED illumination.
- . Soft precision tuning. . Aux in / Mic. in jack.
- . Tuning LED indicator. . Earphones jack.
- . Optional LW band version for UK.

U2

FM-Stereo / AM Radio Receiver

- . FM-stereo via earphones. . Soft precision tuning.
- . Dynamic Bass Compensation for rich bass.
- . DC jack for connecting AC power adaptor.
- . Two heavy-magnet 3 inches speakers create
- excellent sound. . Stereo earphones jack.
- . Soft bended spring antenna. . Tuning LED indicator.
- . Rugged and water-resistant. . Low Battery indicator.
- . Optional LW band version for UK.



U3

FM / AM Ultra Rugged Digital Tuning Radio Receiver

- . Ultra rugged and water resistant (JIS 4).
- . High sensitivity, excellent sound performance.
- . Rotary tuning and volume controls.
- . Two alarm timers (radio and buzzer).
- . DC output socket (5V, 500mA) for charging mobile phones.
- . Selectable auto shut off timer.
- . Dynamic Bass Compensation for rich bass.
- . LCD displays both clock and radio information.

- . PLL Synthesized tuning system.
- . AC wire compartment.
- . Rotary tone control.
- . Soft bended spring antenna.
- . Battery power indicator.
- . 10 memory presets (FM 5, AM 5).
- . 6.5 inches 7W full range speaker.

- . LCD backlight.
- . Auto scan station.
- . LED illumination.
- . 9-15V DC socket.
- . Earphones socket.
- . Aux in socket.
- . HWS alarm buzzer.

. Optional LW band version for UK.



WR-I

FM / AM Wooden Cabinet Receiver

- . AM / FM 2 bands.
- . Wooden cabinet.
- . 3 inches 7 Watts full range speaker with enlarged magnet.
- . Dynamic Bass Compensation.
- . REC out. . Aux in socket.
- . Internal / External antenna switch.
- . Rotary tuning and volume controls.

- . Detachable power Cord.
- . Tuning and Band indicators.
- . Headphone socket.
- . Soft and precise tuning.
- . External F type FM antenna terminal.
- . External AM antenna terminal (USA version).







WR-II

FM / AM Wooden Cabinet Receiver

- . AM / FM 2 bands.
- . Wooden cabinet.
- . 3 inches 7 Watts full range speaker with enlarged magnet.
- . REC out.
- . Aux in socket.
- . External F type FM antenna terminal.
- . Internal / External antenna switch.
- . Rotary tuning and volume controls.

- . Detachable power Cord.
- . Tuning and Band indicators.
- . Headphone socket.
- . Soft and precise tuning.
- . Dynamic Bass Compensation.
- . External AM antenna terminal (USA version).













. Optional LW band version for UK.



WR-2

FM-RDS / AM Wooden Cabinet Table Top Digital Tuning Receiver

- . Wooden cabinet with piano painting finish.
- . Clock and alarm (radio / buzzer).
- . Rotary tuning and volume control.
- . 3 inches 7W full range speaker with enlarged magnet.
- . 9-15 Voltage power adaptor socket for vehicle power.
- . Optional external AM antenna terminal (USA version).
- . Optional LW band version WR-2L.

- . Large easy to read multi-function LCD display.
- . External F type FM antenna terminal.
- . Multi-function infrared remote control.
- . 10 memory preset (FM 5, AM 5).
- . Record out socket.
- . Bass compensation for rich bass.
- . RDS featuring clock time, alternative frequency, traffic information, station name, program type and EON (Enhancement of Network).



- . Stereo headphones socket.
- . Aux in socket.
- . Detachable power Cord.
- . PLL Synthesized tuning system.
- . Rotary bass and treble control.



WR-3

FM-RDS / AM / CD MP3 / SD CARD + USB MP3 / WMA Playback Digital Stereo Receiver

- . Slot in CD MP3 playback.
- . SD card / USB MP3 playback.
- . Menu display selection of all major functions.
- . Radio Data System (RDS) with radio text, program type, station name and auto clock time. . Alarm and sleep timer.
- . FM / AM wavebands.
- . Rotary volume control.

- . External F type FM antenna terminal.
- . Multi-functional remote control.
- . 3D selectable audio effect.
- . Search and manual tuning.
- . Stereo Headphones socket.
- . Aux in socket. . Record out socket.



FM / AM PLL Synthesized Tuning Clock Radio With Radio Controlled Clock

- . PLL tuner.
- . 14 station presets (FM 7, AM 7).
- . Radio controlled clock (DCF 77).
- . HWS Buzzer (Humane Waking System).
- . NAP timer (10-120 minutes).
- . Sleep timer (15-120 minutes).
- . Adjustable alarm Buzzer level.
- . Easy to read LCD.

- . Snooze.
- . Week Day selection.
- . Time zone switch.
- . Headphones jack.

RCR-22

FM / AM PLL Synthesized Tuning Clock Radio With Radio Controlled Clock

- . PLL Tuner.
- . 14 station presets (FM 7, AM 7).
- . Adjustable sleep timer (15-120 minutes).
- . Adjustable nap timer (10-120 minutes).
- . HWS buzzer (Humane Waking System).
- . Radio Controlled clock available for CE, UK, USA or Japan.
- . Adjustable alarm buzzer level.
- . Easy to read LCD display.
- . Aux in socket.

- . Snooze.
- . Alarm set LED indicator.
- . Week Day selection.
- . Time zone switch.
- . Headphones socket.



FM / AM PLL Synthesized Tuning Clock Radio With Radio Controlled Clock

- . 14 station presets (FM 7, AM 7).
- . Radio Controlled clock available for DCF 77, MSF UK, JJY Japan and WWVB USA version.
- . Time display both on LCD and analog clock.
- . LCD with easy to read numbers for time, date, wake times, day of week, sleep time, nap time and frequency.
- . PLL tuner.
- . HWS (Humane Waking System).
- . Supplied with AC power adaptor.
- . Nap timer (10-120 minutes).
- . Sleep timer (15-120 minutes).
- . Display dimmer adjustment.
- . Auto preset system (APS).

- . Tone Control.
- . Aux in socket.
- . Snooze.
- . Adjustable alarm level.
- . Headphone socket.
- . 4 wake up timers (HWS buzzer / radio).



FM / AM Digital Clock Radio With CD / MP3 / WMA Playback And Radio Controlled Clock

- . LCD with easy to read numbers for time, date, wake times, day of week, sleep time, nap time and frequency.
- . Radio Data System (RDS) for radio text, program type, station name and auto clock time.
- . Supplied with AC power adaptor.
- . HWS (Humane Waking System).
- . Time display both on LCD and analog clock.
- . USB / SD card socket for MP3 / WMA playback.

- . Sleep timer (15-120 minutes).
- . Slot in CD playing CD / MP3 / WMA / WAV.
- . 5 wake up timers (HWS buzzer / radio).
- . EEPROM back up for preset stations.
- . 20 station presets (FM 10, AM 10).
- . Nap timer (10-120 minutes).
- . Aux in / Line out socket.
- . Radio Controlled clock available for DCF 77, MSF UK, ||Y |apan and WWVB USA version.

- . Stereo speakers.
- . Headphone socket.
- . Touch panel device.
- . Auto preset system (APS).
- . Display dimmer adjustment.
- . Audio EQ selection.
- . Adjustable alarm level.
- . PLL tuner.
- . Snooze.



FM / AM Digital Tuning Clock Radio

. Week day / weekend / daily / once timer selection. . Digital tuning.

. HWS buzzer. . Sleep timer (15-120 minutes).

. Nap timer (10-120 minutes). . 2 alarm timers.

. Snooze timer. . Supplied with AC power adaptor.

. Headphone socket. . 10 station presets (FM 5, AM 5).



H201

FM / AM PLL Digital Tuning Waterproof Radio

- . 10 presets (5 each wave band).
- . Waterproof up to JIS7 standard.
- . Easy to fix bracket and hanger.
- . Large and easy to read LCD display.
- . Waterproof 2 watts speaker.
- . LED illumination (Torch). . Clock.
- . Adjustable sleep timer.
- . Adjustable short timer.
- . Emergency Buzzer.
- . Auto seek stations.
- . Built-in AM / FM antenna.
- . Battery power indicator.



UCR-100

FM Digital Tuning Under Cabinet Clock Radio With Radio Controlled Time

- . PLL tuner.
- . High tech touch panel.
- . Auto preset station.
- . 2 x alarm timers(radio and HWS buzzer).
- . I-99 minutes short timer.
- . Adjustable auto off timer.
- . 6 preset stations.
- . 4 inches speaker.



MMC-96i

Remote Interactive iPod Dock With USB / SD WMA / MP3 Playback

- . SD / USB MP3 and WMA playback function. . Max 999 folders and 65536 files.
- . Supports FAT 16 / FAT 32 file system.
- . Supports SDHC to 16 GB.
- . IR remote control.
- . Sleep timer.

- . Line out socket connected to audio amplified speaker system.
- . Build-in iPod cradle for recharging iPod and music playback.







ANT-60

Portable Short Wave Antenna

- . Greatly improve reception power of portable shortwave receiver.
- . Portable for indoors / outdoors.
- . Suitable for all kinds of shortwave radios.
- . Easy hookup to snap onto telescoping rod antenna or plug into radio's external AM antenna jack extends to 7 meters (23 feet).

PS-100

Pillow Speaker

- . The pillow speaker for personal listening. . Deep Bass Enhancement.
- . Suitable for use with any radio, radio cassette, clock radio, CD player or other equipment fitted with a 3.5 mm headphone socket.

QSR-I

Voice - Activated Desktop Recorder With Standard And Quarter **Recording Speed**

- . Display and indicator for clock, timer and recording LED indicator.
- . Voice Activated recording.
- . Built-in Timer recording.
- . Built-in MIC recording.
- . Telephone recording.
- . External timer control recording.
- . Dual recording speed (Standard and Quarter speed).
- . Tape counter.















			HD	Radio								
		► MODEL	HDT-1	HDR-1			► MODEL	DMS-16	DMS-18+	DMS-26+	DDR-31+	DDR-33+
TUNING		Туре	PLL synthesized	PLL synthesized	TUNER	DAB	Band III Frequency (MHz)		174 - 240	174 - 240	174 - 240 (W/DAB+)	174 - 240 (W/DAB+)
		Memory Presets	40	20		FM	Frequency (MHz)	87.5 - 108	87.5 - 108	87.5 - 108	87.5 - 108	87.5 - 108
		Rotary Tuning		V			Stereo	Earphones / Speaker PS / PTY / CT / RT	Earphones / Speaker PS / PTY / CT / RT	Earphones / Speaker PS / PTY / CT / RT	Earphones PS/PTY/CT/RT	Earphones / Speaker PS / PTY / CT / RT
		Auto Tuning List		·		MW	Frequency (kHz)	522 - 1710	. 57 7 51.7111	. 57 , 617.111	. 3,1.1.,01,111	. 57 7 01 7 111
DISPLAY		Туре	LCD	LCD		Others	JEEE 000 44 h / - / 011			0.4.0.4005		
		Size (mm)	63.97 x 31.97	84.5 × 30		WiFi Ethernet	IEEE 802.11 b/g (GHz))		2.4 - 2.4835		
		Graphic Type	128 x 64 dots			Linemet	Internet Radio (iRadio)			✓ Tuner		
		Character Type		16 Characters x 2 Lines			Media Player (mPlayer)			V		-00
		Back light	V	V	MEDIA	Preset CD	CD/CDR/CDRW	30 CD / MP3 playback	20 CD / MP3 playback	20 + 99 (Wi-Fi) CD / MP3 playback	20	20
BAND	FM	Frequency (MHz)	87.5 - 108.1	87.5 - 108.1	IVILDIA	SD	CD / CDIT/ CDITW	OD / WII O Playback	✓ VIII o playback	✓ VIII o playback		
_,		Stereo	Line out	Earphone / Speaker		USB			V	~	Upgrade	Upgrade
		RDS	PI/PS/PTY/RT	PI/PS/PTY/RT		Aux - in Others		~	✓ iPod	iPod / SPDIF - in	~	✓ iPod
	MW	Frequency (kHz)	520 - 1710	520 - 1710	CLOCK		Radio control - DAB / RDS	3	DAB / FM	WiFi / DAB / FM	DAB / RDS	DAB / RDS
CLOCK	10100	Real time	✓	V	_	Alarm	Tuner / Media / Buzzer		Tuner / Buzzer	Tuner / Media	Tuner / Buzzer	Tuner / Media / Buzzer
OLOGIK		Alarm Radio		FM / AM / AUX IN		Sleep		<i>'</i>	V	~	~	V
		Alarm Buzzer		(HWS)		Nap Others						
		Snooze		(MWS)	DISPLAY		LCD / VFD	LCD	LCD	LCD	LCD	LCD
				· ·			View area (mm)	99.6 x 24.6	70 x 23.7	69 x 36.5	82.4 x 21.6	83 x 29.5
ALIDIO		Sleep		<i>V</i>			Graphic / Character type Back light	16 Characters x 2 Lines	Icon + 16 cha. x 2 Lines	Graphic 128 x 64 ✓	16 Characters x 2 Lines	Icon + 8 characters
AUDIO		EQ		<i>'</i>			Others					
		Treble control		V	FEATUR	E	Record - SD / Flash			~		
		Bass control		~			Rewind - SDRAM Charger					
		DBB					Software upgrade		Via USB	Via USB / Internet	Via USB - B	Via USB - B
OUTPUT		Speaker unit		2.5 inches 8 ohm x 2			Others		Touch key / Encoder	Touch key / Encoder		
		Buzzer			AUDIO	EQ	Tone control Treble / Bass control		V	V		
OUTPUT	POWER	AC / DC (Speaker)		5W + 5W			DBB					
		Batteries (Speaker)					EQ (Sound effect selection)	5	6	6		
		Earphones		5 + 5 mW	AMPLIF	ED	Others Speaker output (TYP)	25/1/ 25/1/	25W + 25W	50W + 50W	5W	2.5W + 2.5W
POWER:	SUPPLY	AC - USA	~	V	AWIFLIF	EN	Earphones output	5 + 5 mW	15 + 15 mW	100 + 100 mW (80hms)	5 + 5 mW	5 + 5 mW
		AC - CE					Others			Class D amplifier		
		DC in			SPEAKE	R	Size	4 inches x 2	Cabaa	Cabaaa	3 inches	2.25 inches x 2
		Batteries (Main power)					Impedance Magnetically shield	8 ohms	6 ohms	6 ohms	8 ohms	6 ohms
I/O SOCI	KET	DC in			-		Others					
		AC in	~	V	I/O Sock	æt	AC / DC - in	AC	AC	AC	DC	DC
		Earphones		V			Aux - in Line - out	V	V	V	V	V
		Line out	~				Digital - out	Optical SPDIF	V	Optical / Coaxial SPDIF OUT		
		Ext. Antenna	V	V			Earphones	~	<i>V</i>	V	~	~
		Digital out					SD USB		<i>V</i>	<i>V</i>	USB - B	USB-B
		Aux in		V			Ext. Antenna	F type	F type	~	000 0	F type
ACCESS	ORIES	AC Adapter			-		RJ - 45			V		
		AC Power cord	V				Others	Speaker - out x 2	iPod docking	Speaker - out x 2, SPDIF - in , iPod docking		iPod docking
		F - type Antenna	V	V	POWER	SUPPLY	AC	~	~	V		
		AM Antenna	V	V			DC				9V / 1A	12V / 1A
		Remote Control	V	V			Batteries Others					
		Earphones			ACCESS	SORIES	AC Adapter				9V / 1A	V
DIMENSI	IONS	Width (mm)	430	290			AC cord	V	V	V		_
DIIVILI NOI		Height (mm)	75.5	110			Remote control	~	~	~	~	V
				182			Earphones Ext. Antenna	F type	F type	WiFi / DAB / FM		F type
		Depth (mm)	256				CAT5E cable (Ethernet)	7 F -	71	~		915 -
DADTIC	II AD	Weight (g)	2599	3030	DINATES	IONE	Others	250	070	070	240	076
PARTICU		1			DIMENS	SIONS	Width (mm) Height (mm)	250 130	272 107.6	272 107.6	240	276 93
PERFOR	MANCE	2					Depth (mm)	250	261.6	261.6	181.1	213
		3					Weight (g)	4510	2900	2900	1750	1640



			DAB Radio								
DDR-43+	DDR-53+	DDR-63+	DPR-25+	DPR-34+	DPR-69+	DPR-99+	DCR-9+	DCR-38+	DCR-89+	WFR-1D+	WFT-1Da+
174 - 240 (W/DAB+)	174 - 240 (W/DAB+)	174 - 240 (W/DAB+)	174 - 240 (W/DAB+)	174 - 240 (W/DAB+)	174 - 240 (W/DAB+)	174 - 240 (W/DAB+)	174 - 240 (W/DAB+)	174 - 240 (W/DAB+)	174 - 240 (W / DAB+)	174 - 240 (W/DAB+)	174 - 240 (W/DAB+)
87.5 - 108	87.5 - 108	87.5 - 108	87.5 - 108	87.5 - 108	87.5 - 108	87.5 - 108	87.5 - 108	87.5 - 108	87.5 - 108	87.5 - 108	87.5 - 108
Earphones / Speaker	Earphones / Speaker	Earphones / Speaker	Earphones / Speaker	Earphones	Earphones	Earphones	Earphones	Earphones/Speaker	Earphones	Earphones / Speaker	Earphones
PS/PTY/CT/RT	PS/PTY/CT/RT	PS/PTY/CT/RT	PS/PTY/CT/RT	PS/PTY/CT/RT	PS/PTY/CT/RT	PS/PTY/CT/RT	PS/PTY/CT/RT	PS/PTY/CT/RT	PS/PTY/CT/RT	PS / PTY / RT	PS/PTY/RT
		2.4 - 2.4835								2.4 - 2.4835	2.4 - 2.4835
		V								V	V
		✓ Tuner								✓ Tuner	✓ Tuner
20	20	20 + 99 (Wi-Fi)	10		10	10	10	20	10	20 + 99 (Wi-Fi)	20 + 99 (Wi-Fi)
CD / MP3 playback	CD / MP3 playback	CD / MP3 playback						CD / MP3 / WMA playback			
	V	V						CD / MP3 / WMA playback		I be some also	
	V	<i>V</i>	V				V	CD / MP3 / WMA playback	V	Upgrade ✓	
/ iPod	✓ iPod	✓ iPod						iPod		<i>V</i>	
DAB / RDS	DAB / RDS	WiFi / DAB / FM	DAB / RDS	DAB / RDS	DAB / RDS	DAB / RDS	DAB / RDS	DAB / RDS	DAB / RDS	DAB / iRadio	DAB / iRadio
Tuner / Media / Buzzer	Tuner / Media / Buzzer	Tuner / Media / Buzzer	B/ B/ 1180	2,12,1120	57.57.150	5, 15, 1150	Tuner / Buzzer	Tuner / Media	Tuner / Buzzer	Tuner / Media / Buzzer	Tuner / Media / Buzzer
V	~	V		~			V	~	V	~	~
							V	V			
								Snooze / Clock movement		Snooze	Snooze
LCD	LCD	LCD	LCD	LCD	LCD	LCD	LCD	LCD	LCD	LCD	LCD
70 x 23.7	70 x 23.7	59 x 33.5	84.5 × 30	42.2 x 23.2	51 x 14.5 16 Characters x 2 Lines	84.5 x 30	82.4 x 21.6	99.6 x 24.6 16 Characters x 2 Lines	83 x 29.5 8 Characters x 1 Lines	59 x 33.5	59 x 33.5
lcon + 16 cha. x 2 Lines	Icon + 16 cha. x 2 Lines	Graphic 128 x 64 ✓	16 Characters x 2 Lines	16 Characters x 2 Lines	✓ Lines	16 Characters x 2 Lines	16 Characters x 2 Lines ✓	16 Characters x 2 Lines	V Characters x 1 Lines	Graphic 128 x 64 ✓	Graphic 128 x 64 ✓
	-	_			-				_	DAB+	DAB+
	V	V						SD			
					V	V					
Via USB	Via USB	Via USB / Internet		~	•	•				Via USB - B / Internet	Via / Internet
Touch key	Encoder	Touch key						Touch key		VIA USB - B / II ILEITIEL	via / iriterriet
		,									
		~								~	~
6	6	6						5		6	6
			New / Music								
7W + 7W	7W + 7W	7W + 7W	1W+1W	0.15W	0.5W	1W	0.8W	2W + 2W	0.5W	5W + 5W	
15 + 15 mW	15 + 15 mW	15 + 15 mW	5 + 5 mW	5 + 5 mW	5 + 5 mW	5 + 5 mW	5 + 5 mW	5 + 5 mW	5 + 5 mW	5 + 5 mW	5 + 5 mW
Class D amplifier	Class D amplifier	Class D amplifier	Class D amplifier		Class D amplifier	Class D amplifier					
2.5 inches	3 inches	3 inches x 2	2.5 inches	1.4 inches	2.2 inches	3 inches	3 inches	2.5 inches x 2	3 inches	3 inches x 2	
8 ohms	8 ohms	8 ohms	8 ohms	32	8 ohms	8 ohms	8 ohms	8 ohms	8 ohms	8 ohms	
AC	AC	AC	DC	DC	DC	DC	DC	DC	DC	AC	AC
<i>V</i>	<i>V</i>	V	V				V	V	V	V	~
	SPDIF OUT	SPDIF OUT									SPDIF OUT
V	V	V	V	v	~	V	~	v	V	v	V
	~	V						~			
	~	V						USB-A		USB - B	
		WiFi / DAB / FM						F type		WiFi / DAB / FM	WiFi / DAB / FM
iPod docking	iPod docking	✓ iPod docking						iPod docking		V	~
		Ŭ						ii od docking			
~	~	~	10)//10	51//0.54	7.5\/ / 0.0^	10)//10	7.5\//0.64	10)//10	CV//O.O.A	~	~
			12V / 1A	5V / 0.5A	7.5V / 0.8A	12V / 1A	7.5V / 0.8A	12V / 1A	6V / 0.8 A		
			6 x 1.5V (UM - 2)	Lipoly 3.7V / 1800mAH	4 X 1.3V (UIVI - 3)	6 x 1.5V (UM - 3)					
			12V / 1A	5V / 0.5A	7.5V / 0.8A	12V / 1A	7.5V / 0.8A	12V / 1A	6V / 0.8 A		
<i>V</i>	<i>y</i>	~								<i>'</i>	V
~	~	~								~	~
		W.E. (DAD (5)		~				Discharit		W.E. (DAD (5)	ME: (DAS (5))
		WiFi / DAB / FM ✓						Pig tail		WiFi / DAB / FM ✓	WiFi / DAB / FM
326	356	260	260	56	161	215	165	182	172	326	430
108 195	120 237	135 63	130 63	101.5 22.1	106 36.5	116 40	80 170	170 160	55.5 141.5	108 210	75.7 256
3000	4607	1010	838	120	36.5	574	938	2364	527	2946	2599
5000	7007	1010	1 000	1 120	0-10	1 0, 4	700		V-1	2370	2000









ороон	oation												
				V	Vi-Fi Radi	o						World F	Receiver
		► MODEL	WFR-1	WFR-20	WFT-1	RCR-7WF	RCR-8WF			► MODEL	ATS-909	ATS-505	ATS-404
TUNER	DAB	Band III Frequency (MHz)						TUNING	a	Туре	PLL synthesized	PLL synthesized	PLL synthesized
		L Band Frequency (MHz)								Memory Presets	306	54	45
	FM	Frequency (MHz)	87.5 - 108		87.5 - 108	87.5 - 108	87.5 - 108			Rotary Tuning	V	V	
		Stereo	Earphones / Speaker	Earphones / Speaker	Earphones	Earphones	Earphones			Auto Tuning System	~	~	~
		RDS / RBDS	PS/PTY/RT		PS/PTY/RT	PS/PTY/RT	PS/PTY/RT			10 - Key input	V	V	V
	MW WiFi	Frequency (kHz)	2.4 - 2.4835	2.4 - 2.4835	2.4 - 2.4835	2.4 - 2.4835	2.4 - 2.4835	DISPLA	Y	Type	LCD	LCD	LCD
	Ethernet	IEEE 802.11 b / g (GHz)	Z.4 - Z.4835	2.4 - 2.4835	∠.4 - ∠.4835	∠.4 - ∠.4835 ✓	2.4 - 2.4835			Size (mm)	82 x 42	72 x 32.5	52 x 24.4
	Ellieniel	Internet Radio (iRadio)	✓ Tuner	Reciva	✓ Tuner	Reciva	Reciva	_		Back light	~	~	V
		Media Player (mPlayer)	V Idirici	✓ (With UpnP)	V Idirici	✓ (With UpnP)	✓ (With UpnP)	BAND	FM	Frequency (MHz)	87.5 - 108 / 76 - 108	87.5 - 108	87.5 - 108 / 76 - 108
	Preset	Integral Indiger (Integral Indiger)	20	12	20	10	10	_,		Stereo (Via Headphone)	~	~	~
MEDIA	CD	CD/CDR/CDRW								RDS	PS/PI/CT		•
	SD					V			TV	Frequency CH	10/11/01		
	USB					V			WEATHER	Frequency CH			
	Aux-in		~	V		V	V		VVLAIIILIN	Alert			
	Others								1 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		150 510	150 070	
CLOCK	Real time	Radio control - DAB / iRadio	iRadio	iRadio	iRadio	iRadio	iRadio		LW	Frequency (kHz)	153 - 519	153 - 279	500 4710
	Alarm	Tuner / Media / Buzzer	Tuner / Media / Buzzer	iRadio / Buzzer	Tuner / Media / Buzzer	Tuner / Media / Buzzer	Tuner / Media / Buzzer		MW	Frequency (kHz)	520 - 1710	520 - 1710	520 - 1710
	Sleep		~	~	~	V	V		SW	Frequency (MHz)	1.711 - 29.999	1.711 - 29.999	2.3 - 26.1
	Nap					v	✓			Meter bands	120,90,75,60,49,	120,90,75,60,49,	120,90,75,60,49,
- IO-DI AV	Others	1.05 ().55	Snooze	100	Snooze	Snooze	Snooze	-			41,31,25,21,19,	41,31,25,21,19,	41,31,25,21,19
DISPLAY		LCD / VFD	LCD	LCD	LCD	LCD	LCD				16,15,13,11,	16,15,13,11,	16,15,13,11,
		View area (mm)	59 x 33.5	75 x 18	59 x 33.5	70 X 27.3	70 X 27.3	_	AM	SSB	USB / LSB	SSB	
		Graphic / Character type	Graphic 128 x 64 ✓	Graphic 128 x 32	Graphic 128 x 64	Graphic / Character	Graphic / Character	_		Dual coversion	~	SW	
		Back light Others	·	~	~	·	~	-		Wide / Narrow	~		
FEATUR	=	Record - SD / Flash						CLOCK		Real time	V	V	V
FEATOR	.⊑	Rewind - SDRAM								Dual / World time	World time	Dual time	Dual time
		Record - SD / Flash								Alarm Radio	~	V	V
		Program upgrade	Via USB - B / Internet		Via USB - B / Internet	Internet	Internet			Alarm Buzzer	HWS	HWS	HWS
		Others								Snooze	~		~
AUDIO	EQ	Tone control								Sleep	~	~	V
		Treble / Bass control	~	V	V			CASSETTE		NAP Timer	~		
		DBB								Radio control	RDS - CT		
		EQ (Sound effect selection)	6		6	6	6				ND3 - C1		
		Others								Play			
AMPLIFI	ER	Speaker output (TYP)	5W + 5W	5W + 5W		700 mW	700 mW			Recordable			
		Earphones output	5 + 5 mW	5 + 5 mW	5 + 5 mW	5+5 mW	5+5 mW	AUDIO		Tone control	✓ (Slide)	✓ (Slide)	🗸 (Slide)
	_	Others	2 inches v 2	2.5 inches x 2		0: 1 .	0: 1	OUTPUT DEVICES		DBB			
SPEAKE	:Н	Size	3 inches x 2			3 inches x 1	3 inches x 1			Speaker unit	3 inches 8 ohm	3 inches 8 ohm	2.5 inches 8 ohm
		Impedance	8 ohms	8 ohms		8 ohms	8 ohms			Buzzer	~		
		Magnetically shield Others	<i>V</i>						T POWER	AC / DC in (Speaker)			
I/O Sock	ret	AC / DC - in	AC	AC	AC	DC	DC	(TYPIC	AL)	Batteries (Speaker)	350 mW	350 mW	350 mW
1/C 30CK	.e.	Aux - in	~	~	AC	V	✓	_		Earphones	5 + 5 mW	5 + 5 mW	5 + 5 mW
		Line - out	~	·	V	V	V	POWER	SUPPLY	AC - USA			
		Digital - out	-	-	-	-	-			AC - EUR			
		Earphones	~	V	~	V	V			DC in	6V DC 400mA	6V DC 300mA	6V DC 300mA
		SD				V				Batteries (Main power)	4 x 1.5V (UM - 3)	4 x 1.5V (UM - 3)	4 x 1.5V (UM - 3)
		USB	USB - B		USB - B	USB - A				Batteries (Back up)	(7		\
		Ext. Antenna	WiFi / FM	WiFi	WiFi / FM	WiFi / FM	WiFi / FM	1/0 SOC	CKET	DC in	V	V	V
		RJ - 45	~	~	~	~		,, , , , , ,		AC in		-	
		Others								Earphones	~	~	V
POWER	SUPPLY	AC	~	~	~					Line out	~	-	-
		DC				~	~				AM	SW	
		Batteries								Ext. Antenna AUX in	/~IVI	UVV	
40050	ODIES	Others											
ACCESS	OHIES	AC Adapter				~	~			REC Standby	~		
		AC cord	V	V	V				000150	Charge in	_		
		Remote control Earphones	_	·				ACCES	SORIES	AC Adapter	~		
		Ext. Antenna	WiFi / FM	WiFi	WiFi / FM	WiFi / FM	WiFi / FM			Carrying pouch	~	~	~
		CAT5E cable (Ethernet) 3m	VVIFI / FIVI	VVII-I	VVIFI / FIVI	VVIFI / FIVI	VVICI / CIVI			Earphones	~	~	~
		Others		•		-				SW antenna	V		
DIMENS	IONS	Width (mm)	326	290	430	194	194	DIMENS	SIONS	Width (mm)	215	214	165
- IIVILI NO	.0.10	Height (mm)	108	110	75.7	77	77			Height (mm)	135	128	100
		Depth (mm)	210	182	256	165.8	165.8			Depth (mm)	37.5	38.5	34
		Weight (g)	2946	3030	2599	1050	1050			Weight (g)	718	583	375
		9(9/				1 000				9(3/			



















World F	Receiver (Pro	oTravel)				Portable Radio						
PT-10	PT-50	PT-80			► MODEL	PR-D3L	PR-D4	PR-D5	PR-D7	PR-D8		
Analogue	Analogue	PLL synthesized	TUNING	3	Туре	PLL synthesized	PLL synthesized	PLL synthesized	PLL synthesized	PLL synthesized		
		54			Memory Presets	15 / 20 (Option)	10 / 15 (Option)	10	10 (5+5) FM / AM	5 (FM) + 5 (AM)		
~	~					V						
			DISPLA	Y					-	LCD + Graphic LCM (128 x 64)		
	LCD									75 x 23 , 41.8 x 26.1		
								The state of the s		~		
	V	V	BAND	FM		87.5 - 108			87.5 - 108 / 76 - 90 CH1,2,3	87.5 - 108		
87.5 - 108	87.5 - 108	87.5 - 108					~	<u> </u>		~		
V	~	V						PS/RT/CT				
					-							
				WEATHER								
152 270		152 270					1 1 1	500 4740 / 500 4000	500 4740 /500 4000	500 4740 / 500 4000		
	530 - 1710					520 - 1/10 / 522 - 1629	520 - 1/10 / 522 - 1629	520 - 1/10 / 522 - 1629	520 - 1710 / 522 - 1629	520 - 1710 / 522 - 1629		
										SD / MMC		
				MEDIA						MP3 (64K / 128K / 192K bps)		
41,31,25,22,19,	22,19,16,	41,31,25,21,19,								MD0 (MAAA / 40, 000// hara		
16,13,		16,15,13,11,								MP3 / WMA / 16 - 320K bps		
		SSB	01.001	,						<i>V</i>		
		SW	CLOCK	•		V			<i>V</i>			
										v		
							· ·			HWS		
								HVV5		₩S		
							· ·			<i>v</i>		
		11000				V		V	V	V		
	~	~						DDC CT				
			ALIDIO	TONE		Race Troble (Potany)		ND3 - C1		Music / Normal / New (Slide Sw)		
			AODIO	TONE		bass, lieble (holary)				IVIUSIC / NOITHAL / New (Slide Sw)		
			OLITPL	IT DEVICES		5 inches 4 ohm	3 inches 4 ohm	2.5 inches v 2.8 ohm	3 inches 8 ohm	1.57 x 4.53 inches 8 ohm		
			00110	OI DEVICES	<u>'</u>	3 11 10 10 3 4 0 11 11	3 II ICI IC3 4 01 II I	2.5 110103 X 2 0 01111	O INCINCO O OFFITE	1.37 × 4.33 10103 3 0 1111		
		✓ (Slide)	OUTPU	IT POWER		2000 mW (AC.)		1W + 1W	1.6W (DC - IN)	1.2W (DC - IN)		
2 inches 4 chm	2 inches 4 ohm	2 inches 9 ohm				` '	700 mW			700 mW 6V (BTL)		
2 ITICHES 4 OHITI	2 Inches 4 Orini	3 ITICITES 6 OFFITT	(, (L)	, , ,				' '	5 + 5 mW (16 ohm)		
			POWER	SUPPLY			0 1 0 11111	0 1 0 11111	0 1 0	0 1 0 1111 (10 0 1111)		
100 mW	100 mW	350 mW										
5 + 5 mW	5 + 5 mW	5 + 5 mW					6V DC 400mA	9V DC 500mA	12V DC 500mA	9V DC 700mA		
						4 x 1.5V (UM - 1)				4 x 1.5V (UM - 2)		
			CHARG	E.BT	, ,			0		4 x 1.2V (UM - 2)		
					~	✓ (Option) charge in	V	V	V	V		
2 x 1.5V (UM - 3)	2 x 1.5V (UM - 3)	4 x 1.5V (UM - 3)	·		AC in	V						
					Earphones	V	~	V	V	V		
•					Line out	✓ (Option)				v		
V	v	~			Ext. Antenna	AM (Option)						
					AUX in		v	~		V		
					DC output	✓ (Option)						
					Timer out	✓ (Option)						
			ACCES	SORIES	Carrying pouch							
					Earphones							
					SW antenna							
~	V	~	DIMEN	SIONS	Width (mm)	280	237	260	215	232		
					Height (mm)	170	148	135	116	132		
	120	105			Height (mm) Depth (mm)							
150	130	185			Depth (mm)	92	62	63	40	54.5		
	130 87 33	185 119 39	PARTIC	CULAR								
	PT-10 Analogue Analogue 87.5 - 108 153 - 279 520 - 1710 SW1 - 9 75,49, 41,31,25,22,19, 16,13, 2 inches 4 ohm 100 mW 5 + 5 mW	PT-10 Analogue Analogue Analogue LCD 36 x 29 V 87.5 - 108 87.5 - 108 V 153 - 279 520 - 1710 530 - 1710 SW1 - 9 SW1 - 7 75,49, 49,41,31,25, 41,31,25,22,19, 16,13, World time V HWS V I IOD MW 5 + 5 mW 3 - 6V DC 300mA 2 x 1.5V (UM - 3) V V V V V V V V V V V V V V V V V V	Analogue	PT-10	PT-10 PT-50 PT-80 Analogue Analogue PLL synthesized 54 ✓ ✓ ✓ ✓ ✓ ✓ ✓ BOISPLAY DISPLAY DISPLAY PARTICLE BAND FM TV WEATHER 153 - 279 S20 - 1710 S30 - 279 S20 - 1710 S30 - 1710 S20 - 1710 S30 - 1710 S	PT-10	PT-10	PT-50	PR-10	PT-10		



















						Perso	onal Stereo I	Radio			
		► MODEL	MMR-77	DT-F1	DT210	DT-120	DT-200X	DT-250	SR-2	SR-25	SR-3
TUNING		Туре	Analogue	PLL synthesized	PLL synthesized	PLL synthesized	PLL synthesized	PLL synthesized	Analogue	Analogue	Analogue
		Memory Presets		18 / 36 (Option)	25 / 30 (Option)	15 / 20 (Option)	19 (MIXED)	19 (MIXED)			
		Rotary Tuning				V			V	~	V
		Auto Tuning System		~							
		10 - Key input									
DISPLAY	<i>'</i>	Туре		LCD	LCD	LCD	LCD	LCD			
		Size (mm)		22.4 x 18.4	30 x 22	29.6 x 15	34 x 16	34 x 16			
		Back light	V				✓	V			
BAND	FM	Frequency (MHz)	87.5 - 108	87.5 - 108	87.5 - 108	87.5 - 108	87.5 - 108	87.5 - 108	87.5 - 108	87.5 - 108	87.5 - 108
		Stereo (Via Headphone)		V	✓	~	~	V	V		V
		RDS									
	TV	Frequency CH						2 - 13 CH (Option)			
	WEATHER	Frequency CH									
		Alert									
	LW	Frequency (kHz)			153 - 279 (Option)					153 - 279 (Option)	
	MW	Frequency (kHz)	520 - 1710		520 - 1710 / 522 - 1629	520 - 1710 / 522 - 1629	520 - 1710 / 522 - 1629	520 - 1710 / 522 - 1629	530 - 1710	520 - 1710	520 - 1710
	SW	Frequency (MHz)									
		Meter bands									
	AM	SSB									
		Dual coversion									
		Wide / Narrow									
LIGHT		Light	V								
	CRANKER	Hand . Cranker	V								
CLOCK		Real time					Option	Option			
		Dual / World time									
		Alarm Radio									
		Alarm Buzzer									
		Snooze									
		Sleep			V						
		NAP Timer									
		Radio control									
AUDIO T	ONE	Tone control									
		DBB		V	V	✓	✓	V	~		V
OUTPUT	DEVICES	Speaker unit Buzzer	18/9 inches 8 ohm		13/8 inches 8 ohm		13/8 inches 4 ohm	1 3/8 inches 4 ohm		2 1 / 4 inches 8 ohm	13/8 inches 8 ohm
OUTPUT	POWER	AC / DC in (Speaker)									
(TYPICA	AL)	Batteries (Speaker)	100 mW		100 mW		70 mW	70 mW		120 mW	70 mW
		Earphones	5 mW	0.5 + 0.5 mW	2 + 2 mW	0.5 + 0.5 mW	1 + 1 mW	1 + 1 mW	0.5 + 0.5 mW	5 mW	2.5 + 2.5 mW
POWER	SUPPLY	AC - USA									
		AC - EUR									
		DC in	3V DC 200 mA								
		Batteries (Main power)	2 x 1.5V (UM - 3)	1 x 1.5V (UM - 4)	2 x 1.5V (UM - 4)	1 x 1.5V (UM - 4)	2 x 1.5V (UM - 3)	2 x 1.5V (UM-3)	1 x 1.5V (UM - 4)	2 x 1.5V (UM - 3)	1 x 1.5V (UM - 4)
CHARGE	E.BT	Charge. BT	2 x 1.2V (UM - 4)								
O SOC	KET	DC in	~								
		AC in									
		Earphones		~	~	~	~	~	~	V	~
		Line out									
		Ext. Antenna					FM wire antenna	FM wire antenna			
		AUX in									
		DC output									
		Timer out									
CCESS	SORIES	Carrying pouch									
		Earphones		V	~	V	V	~	V		
		SW antenna									V
DIMENS	IONS	Width (mm)	167	40	61	49	64	64	79	70	47
		Height (mm)	90	90	103	92.5	106.5	106.5	41	123	86
		Depth (mm)	53	15	21	17.5	30	30	15	31	18
		Weight (g)	352	45	110	56	108	108	36	167	58
PARTICL	JLAR	1	* WATER RESISTANCE					-			
	RMANCE		JIS - 3								
		2	* Hand cranker power								
			generator								
			90.10.4.01	I .	1	l .	1	l .	l .		















		1 411		10.55. (moth 2000) 107							
			Utility Radio)					ver		
	► MODEL	U1	U2	U3			► MODEL	WR-1	WR-11	WR-2	WR-3
a	Type	Analogue	Analogue	PLL synthesized	TUNIN	G	Type	Analogue	Analogue	PLL synthesized	PLL synthesized
-						_				· ·	FMx10 / AMx10
-	-	V	V					V	V		1 110110 / 7 110110
-			•					•	•	-	
-				<u> </u>							
v				LCD	DIODI 4	43.7		DIAL COALE	DIAL COALE	CTNLLOD	STN LCD
•					DISPLA	-41		DIAL SCALE	DIAL SCALE		
		4									84.5 × 30
= N /			97.5 109					· ·	· ·		~
101		07.5 - 100		07.5 - 100	BAND	FM		87.5 - 108	87.5 - 108		87.5 - 108
			V								~
D /							RDS			PS/PI/CT/AF/TI/EON	PS/PTY/RT/C
						TV	Frequency CH				
WEATHER						WEATHER	Frequency CH				
							Alert				
						IW	Frequency (kHz)	153 - 279 (Option)	153 - 279 (Option)	153 - 279 (Option)	
		520 - 1710	522 - 1710							,	520 - 1710 / 522 - 1
				~	CLOC				2_00		V
					CLOCK	`				-	-
	Alarm Radio			V			-			1.04/0	1.04/0
	Alarm Buzzer			HWS							HWS
	Snooze			V							
	Sleep			V							~
	NAP Timer						Sleep			V	•
	Radio control						NAP Timer				
MEDIA PALYER							Radio control			RDS - CT	RDS - CT
					DIGITAL I	MEDIA PALYER	CD				SLOT - IN (MP3/W
TONE				✓ (Rotany)			SD / USB				(MP3/WMA)
·OIL				· (Tiotaly)	ALIDIO	TONE				Bass, Treble	Bass, Treble
T DEVICES		6.5 inchos 9 ohm	2 inchae 9 ohm v 2	6.5 inches 9 ohm	, (02.0						
1 DEVICES		0.5 11101105 0 011111	3110105 00111172	0.5 ITICITES 6 OTHER	OLITRI	IT DEVICES		2 inches 9 ohm	2 inches 9 ohm	2 inches 9 ohm	3 inches 8 ohm
T DOWED		7/// / / / / / / / / / / / / / / / / /	1 1\\\	7M (AC / DC)	COTFC	DI DEVICES		3 ITICITES O OTTITI	3 ITICITES O OTHER	3 Inches 6 Orlin	3 IIICHES O OHIII
				. ,	OLITE:	T DOMES		7/4/(40/00)	7147 (40 (50)	7147 (40 (50)	0)4/ . 0)4/ / 4 0)
AL)								/W (AC/DC)	/W (AC/DC)	7W (AC / DC)	8W + 8W (AC)
OLIDBIA		1 7	0 + 0 IIIVV		(TYPIC	CAL)					
SUPPLY											5 + 5 mW
					POWE	R SUPPLY		120V 60 Hz	120V 60 Hz	120V 60 Hz	120V 60 Hz
							AC-EUR	230V 50 Hz	230V 50 Hz	230V 50 Hz	230V 50 Hz
		6 x 1.5V (UM-1)	4 x 1.5V (UM-2)	6 x 1.5V (UM-1)			DC in	12V DC 1A	12V DC 1A	12V DC 1A	
							Batteries (Main power)				
CKET		~	V	V			Batteries (Back up)				
	AC in	V			I/O SO	CKET		V	V	<i>-</i>	
	Earphones	~	~	✓	,, 0 00						V
	Line out										V
	Ext. Antenna						'				V
	AUX in	AUX IN & MIC IN		V							
	DC output			✓ 5V 500 mA							FM
	Charge in							~	~	<i>V</i>	~
SORIES	AC Adapter		V				·				
							Charge in				
					ACCES	SSORIES	AC Adapter				
							Remote Control			~	•
SIONS	Width (mm)	260	160	260			Earphones				
5.5.40	Height (mm)	370	245	370			SW antenna				
		250	200	250	DIMEN	ISIONS	Width (mm)	240	240	240	356
		1 (:)()	200				Height (mm)	115	115	115	120
	Depth (mm)		2079	1011							
	Weight (g)	4244	3078	4244 + Danie Bana							
ULAR		4244 * Deep Bass	* Deep Bass	* Deep Bass	-		Depth (mm)	153	153	183	237
ULAR RMANCE	Weight (g)	* Deep Bass Compensation	* Deep Bass Compensation	* Deep Bass Compensation	DA DT		Depth (mm) Weight (g)	153 2356	153 2356	183 2568	237 4954
	Weight (g)	* Deep Bass Compensation * ILLUMINATED LED	* Deep Bass Compensation * WATER RESISTANCE	* Deep Bass Compensation * WATER RESISTANCE	PARTIC		Depth (mm)	153 2356 * Deep Bass	153 2356 * Deep Bass	183 2568 * Deep Bass	237 4954 * Deep Bass
	Weight (g)	* Deep Bass Compensation	* Deep Bass Compensation	* Deep Bass Compensation	-	DULAR DRMANCE	Depth (mm) Weight (g)	153 2356	153 2356	183 2568	237 4954
	WEATHER WEATHER WINDER TONE T DEVICES T POWER AL) SUPPLY CKET	Memory Presets Rotary Tuning Auto Tuning System 10-Key input Y Type Size (mm) Back light FM Frequency (MHz) Stereo (Via Headphone) RDS TV Frequency CH Alert Alert Alert Alert Alert Alert Alarm Frequency (kHz) Frequency (kH	Type Analogue Memory Presets Rotary Tuning Auto Tuning System 10-Key input Type Size (mm) Back light Frequency (MHz) Stereo (Via Headphone) RDS V Frequency CH WEATHER Frequency (HHz) Alert W Frequency (kHz) MW Frequency (kHz) Real time Dual / World time Alarm Buzzer Snooze Sleep NAP Timer Radio control MEDIA PALYER TONE AC / DC in (Speaker) Batteries (Speaker) Batteries (Speaker) Batteries (Main power) Batteries (Back up) DC in Batteries (Back up) DC output Charge in AUX IN & MIC IN DC output Charge in SORIES W Analogue Analogu	Type	Type	Type	Type	Mode	Fire	No. No.	MODEL U1 U2 U3 V3 V3 V4 V4 V4 V4 V4 V











				D	igital Clock Rad	io				
		► MODEL	RCR-2	RCR-22	RCR-3	RCR-4	RCR-5			► MODEL
UNING	a	Туре	PLL synthesized	PLL synthesized	PLL synthesized	PLL synthesized	PLL synthesized	TUNING	à	Type
		Memory Presets	14 / 21 (Option)	14 / 21 (Option)	14	20	10			Memory Preset
		Rotary Tuning	11, 21 (option)	11, 21 (Option)						Rotary Tuning
		Auto Tuning System			APS					Auto Tuning Syste
		10-Key input			7.1.0					10 - Key input
DISPLA			LCD	LCD	LCD	SNT LCD	LCD	DISPLA	<u></u>	
JISPLA	T	Type						DISPLA	T	Type
		Size (mm)	79 x 37	99 x 24.5	81 x 21	84.5 × 30	94 x 21.2			Size (mm)
	T	Back light	~	~	DUAL COLOR	~	~			Back light
BAND	FM	Frequency (MHz)	87.5-108 / 76-90 CH1,2,3 (JAPAN)	87.5-108 / 76-90 CH1,2,3 (JAPAN)	87.5-108 / 76-90 CH1,2,3 (JAPAN)	87.5-108		BAND	FM	Frequency (MHz
		Stereo (Via Headphone)				V	V			Stereo (Via Headphor
		RDS				PS/PTY/RT/CT				RDS
	TV	Frequency CH							TV	Frequency CH
	WEATHER	Frequency CH							WEATHER	Frequency CH
		Alert								Alert
	LW	Frequency (kHz)	153 - 279 (Option)						LW	Frequency (kHz
	MW	Frequency (kHz)	522 - 1629 / 520 - 1710	522 - 1629 / 520 - 1710	522 - 1629 / 520 - 1710	522 - 1629 / 520 - 1710	522 - 1629 / 520 - 1710		MW	Frequency (kHz
CLOCK		Real time	V	V	222 - 1029 / 320 - 17 10	✓	V	CLOCK		Real time
		Dual / World time	-	-	-	-	-	CLOCK		Dual / World time
					LBAC					
		Alarm Radio	/	V	HWS	<i>V</i>	<i>'</i>			Alarm Radio
		Alarm Buzzer	HWS	HWS	HWS	~	·			Alarm Buzzer
		Snooze	V	~	~	V	V			Snooze
		Sleep	V	·	V	~	V			Sleep
		NAP Timer	~	V	V	V	V			NAP Timer
		Radio control	DCF/WWVB/MSF/JJY	DCF / WWVB / MSF / JJY	DCF / WWVB / MSF / JJY	V				Radio control
IGITAL M	IEDIA PALYER	CD				SLOT - IN (MP3 / WMA / WAV)		CASSE	ITE	Play
		SD/USB				(MP3/WMA)		0, 1002		Recordable
AUDIO .	TONE	Tone control			Bass, Treble	EQ (4 SECTIONS)		AUDIO		Tone control
ODIO	IONE	DBB			bass, fieble	EQ (4 SECTIONS)		AODIO		DBB
DUTPU	T DEVICES		3 inches x 4 inches illipse 8 ohm	3 inches x 4 inches illipse	3 inches x 4 inches illipse 8 ohm	2.5 inches x 2 8 ohm	3 inches 8 ohm	OUTPU	T DEVICES	
	. 521.626	Buzzer	C III C I C I I I C I C C C C I I I C C C C C I I I C		O II IO I CO X T II IO I CO I III DOO O O II II I	2.0 11.01.00 // 2 0 0 1 11.1	0 1101100 0 01111			Buzzer
NITDI I	T POWER	AC / DC in (Speaker)	800 mW (AC)	800 mW (AC)	1.2W (12V DC)	1.5 + 1.5W	300 mW	OUTDU	T POWER	AC / DC in (Speaker
			300 IIIW (AC)	800 111W (AC)	1.200 (120 DC)	1.5 + 1.5**	30011100			
TYPIC	AL)	Batteries (Speaker)	5 . 5 . 14/4	W//	15.5.44	W	5 . 5 . 11/	(TYPIC	AL)	Batteries (Speaker
		Earphones	5 + 5 mW (monaural)	5 + 5 mW (monaural)	5 + 5 mW	5 + 5 mW	5 + 5 mW (monaural)			Earphones
OWER	SUPPLY	AC-USA	120V 60 Hz	120V 60 Hz				POWER	SUPPLY	AC-USA
		AC-EUR	230V 50 Hz	230V 50 Hz						AC-EUR
		DC in			12V DC 0.7A	12V 1A	6V 400mA			DC in
		Batteries (Main power)								Batteries (Main pow
		Batteries (Back up)								Batteries (Back up
o soc	CKET	DC in			v	V	V	I/O SOC	CKET	DC in
		AC in								AC in
		Earphones	·	_	~	~	V			Earphones
		Line out	-	*	-	V	-			Line out
						•				
		Ext. Antenna								Ext. Antenna
		AUX in			V	·	·			AUX in
		DC output								DC output
		Charge in								Charge in
CCES	SORIES	AC Adapter			V	V	V	ACCES	SORIES	AC Adapter
		Remote Control								Remote Contr
		Earphones								Earphones
		SW antenna								SW antenna
IMENS	SIONS	Width (mm)	165	165	163.8	182	172	DIMENS	SIONS	Width (mm)
VILLING	3.3.40		80	80	163.85	170	55.5	DIVILIA	2.0.40	Height (mm)
		Height (mm)								- ' '
		Depth (mm)	170	170	114	160	141.5			Depth (mm)
		Weight (g)	938	938	964	2364	578			Weigh (g)
ARTIC		1			* Deep Bass Compensation	* Deep Bass Compensation		PARTIC		1
PERFO	RMANCE							PERFO	RMANCE	
		2				* EEPROM memory Back - up				2
						,				
		3				* EC Touch panel				3









Waterproof Radio				Kitchen Radio				Other
H201			► MODEL	UCR-100		► MODEL	QSR-1	MMC-96i
PLL synthesized	TUNING	a	Type	PLL synthesized	Function	Main Feature	cassette recorder	iPod docking
FM×5/AM×5	10111110	•	Memory Presets	6	DISPLAY	Туре	LCD	LCD
			Rotary Tuning		B.O. B ()	Size (mm)	50 x 19	52 x 15
			Auto Tuning System				30 X 19	
LCD	DISPLA	~	10 - Key input	LCD		Back light		~
85 x 36	DISPLA	ıT	Type Size (mm)	91 x 17	PERFORMANCE	Stereo (Via Headphone) INTERNAL MICROPHONE	~	·
~			Back light	V	1		~	
87.5 - 108	BAND	FM	Frequency (MHz)	87.5 - 108		1 / 4 TAPE SPEED	~	
			Stereo (Via Headphone)			V.A.R.	~	
		T) (RDS			TELEPHONE RECORDING	V	
		TV WEATHER	Frequency CH Frequency CH			TAPE COUNTER	~	
		VVLATTILIT	Alert			REC INDICATOR	<i>V</i>	
		LW	Frequency (kHz)			Real time	v	
520 - 1710 / 522 - 1629		MW	Frequency (kHz)		01 0014	TIMER RECORD		
V	CLOCK		Real time	V	CLOCK	Į.	~	
			Dual / World time			Play	V	
			Alarm Radio Alarm Buzzer	<i>V</i>	CASSETTE	Recordable	~	
			Snooze			Tone control		
~			Sleep	V	AUDIO	DBB		
V			NAP Timer	V		Speaker unit	3 inches 8 ohm	
			Radio control	DCF	OUTPUT DEVICE	Buzzer		
	CASSE	TTE	Play		333232	AC / DC in (Speaker)	400 mW	
	ALIDIO		Recordable Tone control		OUTPUT POWER		400 mW	
	AUDIO		DBB			Batteries (Speaker)		
3 inches 8 ohm	OUTPUT DEVICES			4 inches 4 ohm	(TYPICAL)	Earphones	3 + 3 mW	5 + 5 mW
	0011 01 0211020		Buzzer			AC - USA		
400 mW	OUTPUT POWER		AC / DC in (Speaker)	1.5W (AC)	POWER SUPPLY	AC - EUR		
400 mW	(TYPIC	AL)	Batteries (Speaker)			DC in	6V DC 400 mA	7.5V / 0.8A
	POWER	SUPPLY	Earphones AC-USA			Batteries (Main power)	4 x 1.5V (UM-2)	
	1 OVVEI	(OOI I LI	AC-EUR	230V 50Hz		Batteries (Back up)		
3V DC 300 mA			DC in			DC in	~	V
2 x 1.5V (UM-1)			Batteries (Main power)		I/O SOCKET	AC/DC	DC	DC
			Batteries (Back up)		I/O GOOKET			·
<i>'</i>	1/O SOC	CKET	DC in AC in	V		Earphones		
			Earphones			Line out (PLAY OUT)	~	<i>-</i>
			Line out			TIMER OUT	V	
			Ext. Antenna			BEEP OUT	~	
			AUX in	<i>V</i>		LINE IN	~	
			DC output			MIC IN	~	
	ACCES	eODIE6	Charge in AC Adapter		=	Others	~	D - SUB (Option)
	ACCES	SORIES	Remote Control		ACCESSORIES	AC Adapter		7.5V / 0.8A
			Earphones			Remote Control		V
			SW antenna			Others		3.5¢ TO RCA / Audio out Cab
235	DIMENS	SIONS	Width (mm)	313		Others		
140 56			Height (mm)	62.32				(3.5¢ TO 3.5¢)
1040			Depth (mm) Weigh (g)	175.8 1300	DIMENSIONS	Width (mm)	245	110
* Siren.	PARTIC	ULAR	1	* EC Touch panel.		Height (mm)	58	43.2
		RMANCE		1000		Depth (mm)	160	118
* Torch.			2			Weight (g)	1200	202
* WATER RESISTANCE JIS - 7					PARTICULAR	1		
			3	t control of the cont			1	