Driving Mobile Media Solutions



www.alpine-usa.com

ALPINE ELECTRONICS OF AMERICA, INC. 19145 Gramercy Place, Torrance, California 90501

ALPINE ELECTRONICS OF CANADA, INC. 777 Supertest Road, Toronto, Ontario M3J 2M9

Alpine, Driving Mobile Media Solutions, IMPRINT, Bass Engine, Bass Engine Pro, Versattle Link, V-Power, MaxTune, MaxTune Digital, BioLite Display, SmartView, i-Personalize, MediaXpander, PulseTouch, Linear Drive Magnet, SwingFace, Visual EO, Full Speed, and AntEO are registered trademarks of Alpine Electronics, Inc. All Processors (and Superior International Conference on Confe

"PIPS", "DTS DIGITAL Surround" are registered trademarks of DTS, Inc., "DTS2.0 + Digital Out" is a trademark of DTS, Inc. Dolby, Pro Logic, MLP Lossless, and the double-D symbol are trademarks of Diby Laboratories. Place and the Disposa are registered trademarks of Diby Laboratories. Place and the Disposa are registered trademarks of Disput Digital Corporation. The Bluetooth Iogo is owned by the Bluetooth SIG, Inc. Windows Media, MSN direct and the Windows logo are registered trademarks of Microsoft Corporation in the United States and/or other countries. Audyssey Multic 0 is a registered trademark of demarks of Indignity Digital Corporation. The Bluetooth Iogo is owned by the Bluetooth SIG, Inc. Windows Media, MSN direct and the Windows logo are registered trademarks of Microsoft Corporation in the United States and/or other countries. Audyssey Multic 0 is a registered trademark of Audyssey Laboratories Inc. NAVTEO Traffic RDS and NAVTEO on Board are registered trademarks of NAVTEO. All Rights Reserved. "Innovations" logo is a registered mark of the Consumer Electronics Association (CEA) all rights reserved.

Product information, please visit www.alpine-usa.com.








Printed in the United States of America 08 SPR CAT

Guide Your Ride

Portable. dockable or advanced DVD-based systems-Alpine has the perfect navigation solution for you.



Sophisticated, yet easy-to-use guidance features and intuitive user interface.







msn. Direct

updated with traffic data, helping you avoid showing at your local theaters and when— latest local gas prices, and shows you current temperature, today's highs and then have the PND-K3msn guide you there! where you can fill up your car for less. lows, three-day forecasts, and more.



Get a better view: The 3D View feature shows Find it fast: The PND-K3 makes searching Always find the right exit: Freeway Junction Intelligent mapping: Automatic map zoom position, providing a clearer picture.

congestion and traffic problems.



clearly defined categories. interchanges for a better view.



you the road ahead as if from an elevated your Points of Interest fast and easy with View automatically zooms in on freeway has close-up view when driving slow and zooms out as driving speed increases.



4" Wide LCD Touch Screen • Direct Docking with IVA-W505 and IVA-W205 Ready • Built-in Traffic Receiver (requires optional NAVTEQ Traffic RDSTM subscription) • Pre-loaded maps of USA & Canada (including Hawaii, Alaska, Puerto Rico & Virgin Islands) . Clear and Concise Turn-by-Turn guidance . Uses Alpine's award winning navigation HMI . 6 Million Points of Interest (POI's) • 6 POI Map Icons • 2D & 3D map views • Bluetooth hands-free calling • SD Card Slot for MP3/WMA Music Player • Optional Remote Control (RUE-4140) • Street Name Input • Selectable English, Spanish and French Voice Announcements and on-screen text

PORTABLE NAVIGATION SYSTEM

Portable or in-dash? Get both!

Get ready to dock, and enjoy portable navigation with a full in-dash system. Our Blackbird PMD-B200 docks directly into the IVA-W505 or IVA-W205 Mobile Multimedia Station. You get improved visibility with the larger display, better performance with greater accuracy, and a more convenient solution.



Built-in Bluetooth

Bring your Bluetooth-enabled mobile phone to the car and get hands-free calling, with Phonebook access, Speed Dial and more. You can conveniently hear the caller's voice over your audio system and speak into the built-in microphone.

PMD-DOK2

DOCKING STATION FOR PMD-B200

Enables docking of Blackbird to a Mobile Multimedia Station without Direct Docking feature

PVD-**B102**

SOFTWARE UPDATE FOR PMD-B100 and PMD-B100T

- Updated map and POI database 3D map view 2 map color options POI keyword search Menu and quidance announcements in English. French and Spanish • Traffic incidents displayed on current route
- Automated traffic warning messages* Improved route guidance and stability
- * Requires ontional NAVTEO Traffic RDS subscription



State-of-the-art Road Guidance

For those who want the most comprehensive, most sophisticated navigation system, here's the perfect solution: Alpine's awardwinning, high-end NVE-N872A. This DVD-based navigation system is packed with advanced features, and also lets you easily add on XM or SIRIUS Traffic Service for realtime satellite data.

XM(NAVTRAFFIC



HCE-100XM XM NavTraffic RECEIVER MODULE

XM Tuner for real-time reception of XM NavTraffic data service and weather forecasts



NVD-**A802**

SMART MAP PRO DVD ROM

Full Coverage of US, Canada and Hawaii • Zagat Ratings Guide • Smart City Map • Over 9 Million POIs • 3D Freeway Junction View • Selectable English, Spanish and French Voice Announcements and on-screen text • 3D Mapping • Updated maps and expanded coverage • Additional voice-commands • Traffic-Alerts alert drivers to traffic congestion along their chosen route • Supports SIRIUS and XM Weather Reports • New voice recognition features • POI Brand icons for hotels/ motels and 7-Elevens • Supports SIRIUS gas prices, movie times, and ski resort information • Simplified Place Type Search

Take Your iPod® for a Drive

The iPod® is a great way to listen to your favorite music and Alpine has the best solutions for integrating it into your vehicle—with superior sound quality and full control.









Easy control, super-fast music search and great sound-plus optional IMPRINT Sound tuning -make the iDA-X200 perfect for iPod® users.

DIGITAL MEDIA RECEIVER

16W RMS / 45W MAX x 4 • USB connection for iPod (iPod classic 5G/6G, iPod nano 1G-3G), selected MP3 players using MTP protocol and USB memory sticks • Full Speed Connection for iPod touch and previous iPod models with dock connector • 2.2" 2-color 2-line LCD display • IMPRINT Ready • Percentage Search and Alphabet Search • Bluetooth Ready with Audio Streaming • Double-Action Encoder • Quick Search • Ai-NET • HD Radio Ready • SAT Radio Ready • Steering Wheel Remote Control Ready • 3 PreOuts • Dual Input capable • MP3/AAC/WMA Playback • Remote Ready • CD mechanism-less design



The iDA-X300 is an exceptional value for the iPod® user who wants to connect other favorite media sources as well.

iDA-X300

DIGITAL MEDIA RECEIVER

16W RMS / 45W MAX x 4 • USB connection for USB memory sticks • Full Speed Connection for all iPod models with dock connector • 2.2" 2-line LCD display • Bluetooth Ready with Audio Streaming • Rotary Encoder • Quick Search • Ai-NET • HD Radio Ready • SAT Radio Ready Percentage Search • 1 PreOut • MP3/AAC/WMA Playback • Remote Ready



iPod® Solution for Any Car Stereo

This solution gives you iPod® control, superior sound, and a high-quality display, as well as hands-free operation for Bluetooth-enabled phones—and makes a perfect upgrade to any car stereo system.





eX-10

ADVANCED iPod® CONTROLLER WITH BLUETOOTH

2.4" high-resolution TFT display • Full Speed Connection for all iPod models with dock connector • Built-in high quality FM transmitter · Works with any car radio · Quick Search · 3 viewing modes for iPod playback . Album Art display . Built-in Bluetooth module for hands-free phone operation . Compatible with many Bluetooth enabled mobile phones . Phonebook access . Caller's voice heard through vehicle sneakers • Caller ID display • Audio Streaming Ready · AUX output (minijack) · Included wireless remote control, wire harness, power adapters for cigarette lighter socket and microphone







See Your Music

Super-sharp display with three display modes shows you all your iPod® music, album art and music information, while the ultra-slim convenient remote control lets you find your songs quickly and easily.



Bluetooth Built-in

Enjoy wireless, hands-free communication while on the road with your Bluetooth cell phone, and talk with the caller over your audio system. Also get auto-answer, Phonebook access and caller ID display, and even stream music stored on your phone to your audio system.



05

Stay In Control

Alpine has a wide variety of solutions to control and enhance your vehicle's entertainment system —with intuitive user interfaces and easy operation, plus even more information at your fingertips.



This full-featured AV head unit has an exceptionally easy-to-use interface with touch screen control, and can be used as the control center for all your favorite media

IVA-W505

2DIN MOBILE MULTIMEDIA STATION

18W RMS / 50W MAX x 4 • 7" WVGA Touch Screen Display • DVD-R/-RW/MP3/ AAC/WMA/DivX Playback • USB connection for iPod (iPod classic 5G/6G, iPod nano 1G-3G), selected MP3 players using MTP protocol and USB memory sticks • iPod video content playback and album artwork display • Built-in PMD-B200 dock • Full Speed Connection for iPod touch and previous iPod models with dock connector • IMPRINT Ready • 24-Bit DAC • Bluetooth Ready with Audio Streaming • Visual enhancement system • Full Speed AUX Input • Quick Search • Ai-NET • HD Radio Ready (with iTunes Tagging) • SAT Radio Ready • Steering Wheel Remote Control Ready • 3 PreOuts • Dual Input capable • Remote Control Included • 1 AUX input/ 1 rear camera input / 1 AUX output



Our all new user interface provides two convenient operating modes, giving you a choice of what and how much information you want to see.

Step Up To IMPRINT Sound

The PXA-H100 IMPRINT Sound Processor automatically adjusts for in-vehicle acoustical problems, and

provides manual tuning controls for precisely correcting and enhancing the sound yourself.





Discover New Music

Add on the HD Radio module, and when you hear a song you like, simply press a button on the screen. This iTunes Tagging feature lets you tag songs you hear on HD Radio™ stations so you can later purchase and download them from iTunes.





→ blacHbird

HD) Radio®

Upgrade your system with navigation (has built-in dock for PMD-B200). Bluetooth and Satellite Radio—enjoy full Touch Screen control, too.







Superior Sound for Your iPod® and CDs

Alpine offers many different components to bring your iPod® and CDs into your vehicle with great sound and easy operation. They also provide flexible sound tuning controls and play all your favorite sources.







18W RMS / 50W MAX x 4 • CD-R/-RW/MP3/AAC/WMA Playback • IMPRINT Sound with MultEQ Acoustic Correction (requires KTX-100EQ for calibration) • 24-Bit DAC • BioLite Display • Full Speed Connection for iPod with Percentage Search • MediaXpander • 6Ch. Adjustable Digital Time Correction • 6-Position HP/LP Digital Crossover • 7 Band Graphic EQ or 5 Band Digital Parametric EQ • 3 PreOuts (4 Volts) • Bluetooth Ready • HD Radio Ready with Multicasting • SAT Radio Ready • Quick Search • Remote Control Included



CD RECEIVER / iPod® CONTROLLER

18W RMS / 50W MAX x 4 ● CD-R/-RW/MP3/AAC/WMA Playback ● Full Speed Connection for all iPod models with dock connector ● IMPRINT Ready ● Bluetooth Ready • Full Speed AUX input • Quick Search • Ai-NET • SAT Radio Ready • HD Radio Ready with Multicasting • Steering Wheel Remote Control Ready • 3 PreOuts • Dual Input capable • Dual Illumination (Blue/Red) • Remote Control Ready • Spanish language compatible • KCE-422i Full Speed Cable included



18W RMS / 50W MAX x 4 • CD-R/-RW/MP3/AAC/WMA Playback • USB connection for USB memory sticks • Full Speed Connection for iPod touch, iPod nano and all iPod models with dock connector • BioLite Display • IMPRINT Ready • Bluetooth Ready • Full Speed AUX input • Quick Search • Ai-NET • SAT Radio Ready • HD Radio Ready with Multicasting • Steering Wheel Remote Control Ready • 3 PreOuts (4 Volts) • Dual Input capable • Black Out • Remote Control Included • Spanish language compatible • KCE-422i Full Speed Cable included

CDE-9874

selectable rear/subwoofer output

CD RECEIVER / iPod® CONTROLLER 16W RMS / 45W MAX x 4 • CD-R/-RW/MP3/AAC/WMA Playback

 Full Speed Connection for all iPod models with dock connector . Bluetooth Ready . Front AUX input (mini jack) . Full Speed AUX input · Quick Search · Rotary Encoder · Subwoofer level control · 2 PreOuts with



ลล เกรมครร

CD RECEIVER / iPod® CONTROLLER

CDE-9872 CD RECEIVER / iPod® CONTROLLER

16W RMS / 45W MAX x 4 • CD-R/-RW/MP3 Playback · Full Speed Connection for all iPod models with dock connector • Full Speed AUX input • Quick Search · Subwoofer level control · 1 PreOut with selectable full range or subwoofer output

All-in-one Mobile Multimedia Stations

Alpine's AV head units give you superior sound and complete control over your iPod®, DVDs and CDs. The large Touch Screen displays make operation easier than ever.



1DIN MOBILE

MULTIMEDIA STATION

18W RMS / 50W MAX x 4 ● 7" QVGA Touch Screen Display DVD-R/-RW/MP3/AAC/WMA/DivX Playback Full Speed Connection for all iPod models with dock connector • iPnd video playback • IMPRINT Ready • 24-Rit DAC DVD-Audio 2Ch. down-mix Bluetooth Ready with Audio Streaming • Quick Search • Ai-NET • HD Radio Ready with Multicasting . SAT Radio Ready . Steering Wheel Remote Control Ready • 3 PreOuts • Dual Input capable Remote Control Included Rear camera input 1 ALIX innut/ 1 ALIX outnut





PXA-H100

AUDYSSEY IMPRINT AUDIO PROCESSOR

Works with all IMPRINT Ready head units • Audyssey MultEQ® XT Sound Ontimization (requires KTX-H100 for calibration) • 24-B DAC • MediaXpander • 3 PreOuts (4 Volts) • 7-band graphic EQ or 5-band parametric FQ . 3-way/ 2-way Crossover . 6-chann Digital Time Correction . Subwoofer phase selector . Ai-NET



KTP-445 HEAD UNIT POWER PACK

45W RMS x 4 • Works with all 2005 - present Alpine head units • Plug & Play installation (no additional wiring required) . Compact size (fits easily inside dashboard of most vehicles)



IVA-W205 2DIN MOBILE SOURCE iPod VISUAL SETUP MULTIMEDIA STATION

18W RMS / 50W MAX x 4 • 6.5" QVGA PulseTouch Display • DVD-R/-RW/MP3/WMA Playback • Builtin PMD-B200 dock • Full Speed Connection for all iPod models with dock connector . 24-Bit DAC DVD-Audio 2Ch. down-mix Bluetooth Ready with Audio Streaming • Quick Search • Ai-NET • HD Radio Ready with Multicasting . SAT Radio Ready • Steering Wheel Remote Control Ready • 3 PreOuts · Remote Control Included · Rear camera input

• 1 ALIX input / 1 ALIX output

KCE-300BT BLUETOOTH® INTERFACE

9/13 0 3'56"

Hands-free Operation with Compatible Bluetooth phones • Caller's voice heard through system speakers On-screen display Caller ID Missed Calls Dialed Calls Received Calls 12-Key direct number input Auto-answer ready • Streaming Audio ready • Connects through Full Speed connection • Full Speed pass-thru



KCE-422i 2M FULL SPEED CONNECTION CABLE FOR iPod® Works with all Full Speed Head Units/ Mobile Multimedia Stations



Radio® TUA-T550HD HD RADIO TUNER Allows for HD Radio reception with HD Radio Ready head units • Ai-NFT • Crystal Clear Digital Quality





Works with SIRIUS Connect™ Vehicle Tuner or Vehicle Dock plus Compatible Portable SIRIUS Tuner • Game Alert Ready • Song Alert Ready • Artist and Song Search Ready • Instant Replay Ready, depending on portable unit (play/pause/rewind) • Ai-NET Pass-thru

High Quality & Huge Power

Alpine has a full line-up of outstanding sound system solutions that provide top-of-the-line sound quality with huge power—high-end amp and speaker systems that will transform your in-vehicle entertainment experience.









Type-X PRO Component Speakers

Alpine's top-of-the-line Type-X PRO speakers provide flawlessly accurate, highly detailed reproduction of all types of music, with an ultra-high-end woofer, a ring radiator tweeter and an audiophile-grade network for ultimate sonic customization.



CEA-2031 Speaker Rating	Maximum RMS	Peak Power Handling	Nominal Impedance	Frequency Response
SPX-17PRO 6-1/2" COMPONENT 2-WAY SPEAKER	100W	300W	4Ω	35Hz-60kHz
SPX-13PRO 5-1/4" COMPONENT 2-WAY SPEAKER	80W	240W	4Ω	40Hz-60kHz



Standard Features

Cross-Rib Hybrid Glass Fiber Cone • Non-Resonant Suspension Coupling • High Grade Neodymium magnet
• 1.25" Ring Radiator Tweeter • Audiophile-Grade Network with compact design • Allows for hundreds of
possible tuning settings • Bi-amping capability • Selectable phase link jumpers to tune output to fit the vehicle

Type-X REF Component Speakers Unbelievable sound quality that tops higher-priced speakers, in a

Unbelievable sound quality that tops higher-priced speakers, in compact package engineered to work in your vehicle.

Includes a special center tweeter mount that lets you easily turn your component system into a coaxial for greater installation flexibility.



CEA-2031 Speakers Rating	Maximum RMS	Peak Power Handling	Nominal Impedance	Frequency Response
SPX-17REF 6-1/2" COMPONENT 2-WAY SPEAKER	75W	225W	4Ω	35Hz-40kHz
SPX-13REF 5-1/4" COMPONENT 2-WAY SPEAKER	60W	180W	4Ω	40Hz-40kHz

Standard Features

Cross-Rib Aluminum Cone • High-grade Neodymium magnet • Ring Dome Tweeter • Reference-Grade Network with compact design • Allows for Detailed Tuning • Bi-amping capability

Type-X Subwoofers

These top-of-the-line 2nd generation Type-X subwoofers deliver exceptionally powerful, yet extremely tight and accurate bass. Their superior performance and efficiency comes from an ultra-lightweight cone and large strontium magnet, with a 6-layer voice coil for better cooling. The High-Amplitude Multi Roll (HAMR) Surround ensures maximum excursion and highest output. Easy-access terminals simplify installation while the concealed mount gaskets give your installation a sleek, professional look.

CEA-2031 Speakers Rating	Maximum RMS	Peak Power Handling	Nominal Impedance	Frequency Response
SWX-1243D 12" SUBWOOFER	1000W	3000W	4Ω+4Ω	20Hz-500Hz
swx-1043D 10" SUBWOOFER	1000W	3000W	4Ω+4Ω	22Hz-500Hz



Standard Features

High-strength Kevlar-Rohacell® Cone • Large Strontium magnet • High-Amplitude Multi-Roll Surround • Gold-plated Easy-Access Terminals for heavy-gauge speaker wires • Easy jumper configuration

Powerful Sound Upgrades

Designed for high performance and value, Alpine's wide selection of sound system solutions provide powerful, accurate sound.



Type-R speakers and subwoofers are designed and built to play loud and accurate, delivering excellent bass performance, and vocal clarity.



6-1/2" COMPONENT SPR-17S 2-WAY SPEAKER

330W Peak Power Handling, Nominal Impedance 4Ω 300W Peak Power Handling, Nominal Impedance 3.6Ω • Frequency Response: 65Hz-27kHz • Ring Tweeter

SPR-17C 6-1/2" COAXIAL 2-WAY SPEAKER

300W Peak Power Handling, Nominal Impedance 4Ω Frequency Response: 65Hz-27kHz

SPR-69C 6x9" COAXIAL 2-WAY SPEAKER

CFA-2031 Speaker rating: 100W Maximum RMS CFA-2031 Speaker rating: 100W Maximum RMS 300W Peak Power Handling, Nominal Impedance 4Ω 300W Peak Power Handling, Nominal Impedance 4Ω Frequency Response: 60Hz-27kHz

SPR-13S 5-1/4" COMPONER
2-WAY SPEAKER

5-1/4" COMPONENT

CEA-2031 Speaker rating: 110W Maximum RMS, CEA-2031 Speaker rating: 100W Maximum RMS, • Frequency Response: 70Hz-27kHz • Ring Tweeter

SPR-13C 5-1/4" COAXIAL 2-WAY SPEAKER CEA-2031 Speaker rating: 100W Maximum RMS, CEA-2031 Speaker rating: 90W Maximum RMS, 270W Peak Power Handling, Nominal Impedance 3.6Ω

• Frequency Response: 70Hz-27kHz SPR-57C 2-WAY SPEAKER

Frequency Response: 70Hz-27kHz



swr-1222D*

swr-1522D* swr-1542D**

15" SUBWOOFER (*2Ω+2Ω) (**4Ω+4Ω)

RMS • Frequency Response:

swr-1242D** swr-1042D** 10" SUBWOOFER

(*2Ω+ 2Ω) (**4Ω+4Ω)

24Hz-500Hz

1500W Peak Power • 500W

12" SUBWOOFER (*2Ω+ 2Ω) (**4Ω+4Ω) 2000W Peak Power • 750W 1500W Peak Power • 500W RMS • Frequency Response: RMS • Frequency Response: 23Hz-500Hz

Standard Features

18Hz-500Hz

Cast Aluminum Frame with Integrated Perimeter Venting and Heat Transfer Plate • Mirrored Progressive Nomex® Spider • Keylar-reinforced pulp for maximum strength • High-Amplitude Multi-Roll Surround . Heavy-gauge push terminals



Great Sound, Cool Design, Enormous Value

The Type-S speakers and subwoofers are easy to install and sound great! Choose from multiple sizes designed to fit almost any vehicle—the ideal upgrade for your factory speakers.



SPS-600 6-1/2" COAXIAL 2-WAY SPEAKER

SPS-507 5x7" COAXIAL 2-WAY SPEAKER

SPS-406 4x6" COAXIAL 2-WAY SPEAKER

Frequency Response: 93Hz-22kHz

• Frequency Response: 70Hz-22kHz

CEA-2031 Speaker rating: 80W Maximum RMS

Peak Power Handling, Nominal Impedance 3.6Ω

CEA-2031 Speaker rating: 45W Maximum RMS, 140W

240W Peak Power Handling, Nominal Impedance 4Ω

SPS-600C 6-1/2" COMPONENT 2-WAY SPEAKER

CEA-2031 Speaker rating: 80W Maximum RMS, 240W Peak Power Handling, Nominal Impedance 4Ω

SPS-609 6X9" COAXIAL 3-WAY SPEAKER

CEA-2031 Speaker rating: 85W Maximum RMS, 260W CEA-2031 Speaker rating: 75W Maximum RMS, 230W Peak Power Handling, Nominal Impedance 3.6Ω Frequency Response: 65Hz-23kHz

SPS-500 5-1/4" CUAXIAL 2-WAY SPEAKER CEA-2031 Speaker rating: 55W Maximum RMS, 170W

Peak Power Handling, Nominal Impedance 3.6Ω Peak Power Handling, Nominal Impedance 3.6Ω Frequency Response: 80Hz-22kHz

SPS-400 4" COAXIAL 2-WAY SPEAKER

Frequency Response: 97Hz-22kHz

CEA-2031 Speaker rating: 45W Maximum RMS, 140W Peak Power Handling, Nominal Impedance 3.6Ω



sws-1223D* sws-1243D** 12" SUBWOOFER (*2Ω+2Ω) (**4Ω+4Ω)

CEA-2031 Speaker rating: 300W Maximum RMS, 900W Peak Power Handling, Nominal Impedance 2Ω+2Ω*/4Ω+4Ω** • Frequency Response: 26Hz-1kHz

sws-1023D* sws-1043D*

10" SUBWOOFER (*2Ω+2Ω) (**4Ω+4Ω) CFA-2031 Speaker rating: 300W Maximum RMS. 900W Peak Power Handling, Nominal Impedance 2Ω+2Ω*/4Ω+4Ω** • Frequency Response: 30Hz-1kHz

Type-E gives you Big Bass for any budget

SWF-1243 12" SUBWOOFER (4Ω)

> CFA-2031 Speaker rating: 250W Maximum RMS. 750W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 28Hz-1kHz

10" SUBWOOFER (4Ω) CEA-2031 Speaker rating: 250W Maximum RMS, 750W Peak Power Handling, Nominal Impedance 4O • Frequency Response: 30Hz-1kHz



Exceptionally Easy Upgrade

Keep your factory system and step up to Alpine sound. The V-Power's speaker level inputs connect directly to any head unit, without the need for external converters.

High Performance High Value V-Power amps give you unbeatable watt-per-dollar value and Alpine quality sound, along with Bass EQ for maximizing bass performance



	CEA 2006 Power Ratings	M0000	M4000	MEOO	F600	F200
- //	(4Ω@14.4V≤1%THD+N)	MRP- M2000	MRP- M1000	MRP- M 500	мкр- F600	MRP- F300
I -POWER™	Output Channels	Mono	Mono	Mono	4 Channels	4 Channels
<i>,,,</i> , , , , , , , , , , , , , , , , ,	Watts RMS [4Ω@14.4V]	1500W x 1	600W x 1	300W x 1	100W x 4	50W x 4
	Watts RMS [2Ω@14.4V]	2000W x 1	1000W x 1	500W x 1	150W x 4	75W x 4
	S/N Ratio [ref:1W into 4Ω]	80dBA	75dBA	75dBA	80dBA	80dBA

Standard Features • Speaker Level inputs • Sound quality and performance value design • Thermal Management processor

Multi-Channel Solutions

For those who want to hear their music and movies in full, luxurious 5.1-channel surround sound, Alpine has a variety of high-quality components for building a total multi-channel system that rivals home theaters.



PXA-H701 MULTIMEDIA MANAGERTM Digital Time Correction . Dolby® Digital, DTS® Official Surround

Decoding and Dolby Pro Logic II . 31 Band/Ch Graphic EQ or 5 Band/Ch Parametric EQ • Digital Crossovers • Stand-alone Operation with RUX-C701

1DIN CONTROLLER FOR PXA-H701 For Stand-alone Operation of PXA-H701



SBS-05DC 1DIN CENTER CHANNEL SPEAKER

50W RMS • 150W Peak Power • Frequency Response: 150Hz-30kHz • 1DIN Enclosure with Installation Kit • In-dash Mount Compatibility • Removable Grill



DOLBY dts

MRA-F350 THEATER AMPLIFIER

CEA-2006 Power Rating: 50W RMS x 5 [4Ω @14.4V < 1% THD+NI S/N: 80dBA (ref: 1W into 4Ω) • Requires Processor Control Ready Head Unit or MMS for Operation . Dolby® Digital, DTS® Official Surround Decoding and Dolby Pro Logic II . Digital Time Correction . Digital Crossovers

Alpine Performance For Any Car

No matter what type of vehicle you have, you can upgrade your factory system with the PXE-H650 or Rear Seat Entertainment components, and enjoy the quality only Alpine can provide.









Keep Everyone Entertained

Let your rear-seat passengers in on the fun, and entertain them on those long drives. Alpine's rear-seat systems fit any vehicle and handle virtually any entertainment source.



PKG-KSE2 DVD REAR SEAT ENTERTAINMENT PACKAGE

10.2" WVGA Overhead Monitor with 1.15 Million Pixels • Built-in DVD Player • Includes 1 pair of headphones and Remote Control • S-Video Input • iPod video contents playback (requires KCF-415i) • Auto-DVD Play • 2 ALIX inputs/1 ALIX output



PKG-M780 DUAL 7" HEADREST MONITOR PACKAGE

Includes: 2 x TME-M780 Monitors with 1.15 Million Pixels, 2 x SHS-N205 Dual Source Fold-flat Wireless Headphones, Installation Kits, Control Box

SHS-N252 DUAL SOURCE WIRELESS HEADPHONE SYSTEM

Includes 2 Headphones and IR Transmitter • Independent Source Selection
• Extended Bass Driver

SHS-N205 DUAL SOURCE WIRELESS HEADPHONE Independent Source Selection • For use with PKG-RSE2 or PKG-M780 • Independent Source Selection

SHS-N100 SINGLE SOURCE WIRELESS HEADPHONE



Touch Screen Control Plus Bluetooth

Watch movies and control your mobile phone with this touch screen monitor equipped for Bluetooth operation.





тме-**M740BT**

7" WVGA TOUCH SCREEN MONITOR
Built-in Bluetooth module for handsfree phone operation • High quality
touch screen disiplay • Easy-to-use user
interface

Convenient Phone Use

View phone information on the screen with your Bluetooth enabled cell phone. You'll see Caller ID, Phonebook, Missed Calls, Dialed Calls and Received Calls. Make calls easily with the on-screen

phonebook and 12-key direct number input. You can also use the features of your phone with support for Voice-Tag dialing and auto-answer.







ксе-415і

iPod® VIDEO INTERFACE

Provides Basic Control of an iPod with Video Playback Capability By Touch Screen or Remote Control • S-Video or Composite Output • Compatible with iPod Classic 5G

Easy iPod Video Solution

With just a few connections, the KCE-415i links an iPod Video to a Mobile Multimedia Station, rear seat or overhead monitor. It provides both composite and S-Video outputs. The connection is activated simply by pressing Play on the monitor or the remote. Another benefit is that the iPod charges after being connected.



Get Loud on the Water

Alpine has all the components you need to build a high-performance sound system for your boat, with iPod® and Satellite Radio sources. Engineered to perform in harsh Marine environments, you get great sound quality, excellent durability, and easy system control.



All Alpine Marine products meet rigorous UV, Salt/Fog, and water resistance standards—combining to create a durable, long-lasting Marine sound system for any application.

Comprehensive System Control Build You

This new MC1 controller gives you multi-zone control for all your sources—view and control all your sources on the large, two-line display that's easily visible even under direct sunlight.



MC1 WIRED REMOTE COMMANDER

High contrast display • IPx6 waterproof design allows installation anywhere • Compatible with CDA-9886M and iDA-X100M

Build Your System

Combine an Alpine Marine head unit with multiple remote controls, amps and speakers for multi-source flexibility from anywhere in the boat. These rugged, efficient sound system components play loud!









IDA-X100M MARINE DIGITAL MEDIA RECEIVER

Alpine introduces the ultimate iPod® solution for your boat: the iDA-X100M. This new iPod® controller provides seamless, quick and easy control of all your favorite media sources, including Satellite Radio—for the best sound experience on water!

18W RMS / 50W MAX x 4 • USB connection for iPod (iPod classic 5G/6G, iPod nano 1G-3G) , MP3 players using MTP protocol and USB memory sticks • Full Speed Connection for iPod touch and previous iPod models with dock connector • 2.2" high resolution TFT display • 24-Bit DAC • Bluetooth Ready with Audio Streaming • Double-Action Encoder • Quick Search • Ai-NET • HD Radio Ready (with iTunes Tagging) • SAT Radio Ready • Dual Illumination (Blue/Red) • 3 PreOuts • MP3/AAC/WMA Playback • CD mechanism-less design • Customizable display background • Steering wheel remote ready • Sub display output for use with MC1 Marine Commander • Salt/Fog (ASTM B117) Tested; UV (ASTM D4329) Tested

Alpine's Complete Line for Marine System Building

Our complete line of component choices equip your boat entertainment system and give you powerful, high-quality sound—all built for the serious Marine audio enthusiast.



CDA-9886M

MARINE CD RECEIVER / iPod® CONTROLLER

18W RMS / 50W MAX x 4 • CD-R/-RW/MP3/AAC/WMA Playback • USB connection for USB memory sticks • Full Speed Connection for iPod touch, iPod nano and all iPod models with dock connector • BioLite Display • Bluetooth Ready • Full Speed AUX input • Quick Search • Ai-NET • SAT Radio Ready • HD Radio Ready with Multicasting • 3 PreQuts (4V) • Remote Control Included • Steering wheel remote ready • Sub display output for use with MC1 Marine Commander • KCE-422i Full Speed Cable included • Salt/ Fog (ASTM B117) Tested; UV (ASTM D4329) Tested



RUE-M1RF

RF REMOTE CONTROL FOR MARINE APPLICATIONS Includes transmitter and receiver • Water resistant • Up to 100ft range • Compatible with all steering wheel remote ready HU's • Controls up to 8 remotes

RUE-M1EX

EXTRA REMOTE FOR RUE-M1RF

Add on remote for RUE-M1RF • Water resistant • Up to 100ft range



PDX-1.600M

MARINE MONO POWER DENSITY DIGITAL AMPLIFIER

CEA-2006 Power Rating: 600W RMS x 1[4/22@14.4V≤1% THD+N] S/N: 80dBA (ref: 1W into 452) • UV resistant materials / finish • Corrosion resistant hardware • See page 8 for PDX series standard features



PDX-**4.100M**

MARINE 4/3/2 CH. POWER DENSITY DIGITAL AMPLIFIER

CEA-2006 Power Rating: 100W RMS x 4[4/2 Ω @14.4V \leq 1% THD+N] S/N: 76dBA (ref: 1W into 4 Ω • UV resistant materials / finish • Corrosion resistant hardware • See page 8 for PDX series standard features



spr-**M700**

7" COAXIAL 2-WAY MARINE SPEAKER

CEA-2031 Speaker rating: 50W Maximum RMS, 150W Peak Power Handling, Nominal Impedance 452 • Frequency Response: 45Hz-22Hdt • Ultra UV Resistant Grill • Magnitudly Shielded Basket • Swivel Tweeter Mount Destin • 1" Thanim Dome Tweeter



SPS-M600

6.5" COAXIAL 2-WAY MARINE SPEAKER

CEA-2031 Speaker rating: 30W Maximum RMS, 100W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 60Hz-22kHz • Ultra UV Resistant Grill • Magnetically Shielded Basket • Water Resistant Cone • Rubber Surround



SWR-M100

10" MARINE SUBWOOFERCEA-2031 Speaker rating: 300W Maximum RMS,

900W Peak Power Handling, Nominal Impedance 4Q • Frequency Response: 35Hz-700Hz • Infinite baffle design • Gold-plated 2-way spade/insert terminals