

Article

Marine and estuarine fish fauna of Tamil Nadu, India

H.S. Mogalekar^{1,2}, J. Canciyal³, D.S. Patadia¹, C. Sudhan¹

¹Fisheries College and Research Institute, Thoothukudi - 628 008, Tamil Nadu, India

²College of Fisheries, Dholi, Muzaffarpur - 843 121, Bihar, India

³Central Inland Fisheries Research Institute, Barrackpore, Kolkata - 700 120, West Bengal, India

E-mail: mogalekar.hs10@gmail.com

Received 20 June 2018; Accepted 25 July 2018; Published 1 December 2018



Abstract

Varied marine and estuarine ecosystems of Tamil Nadu endowed with diverse fish fauna. A total of 1656 fish species under two classes, 40 orders, 191 families and 683 genera reported from marine and estuarine waters of Tamil Nadu. In the checklist, 1075 fish species were primary marine water and remaining 581 species were diadromus. In total, 128 species were reported under class Elasmobranchii (11 orders, 36 families and 70 genera) and 1528 species under class Actinopterygii (29 orders, 155 families and 613 genera). The top five order with diverse species composition were Perciformes (932 species; 56.29% of the total fauna), Tetraodontiformes (99 species), Pleuronectiforms (77 species), Clupeiformes (72 species) and Scorpaeniformes (69 species). At the family level, the Gobiidae has the greatest number of species (86 species), followed by the Carangidae (65 species), Labridae (64 species) and Serranidae (63 species). Fishery status assessment revealed existence of 1029 species worth for capture fishery, 425 species worth for aquarium fishery, 84 species worth for culture fishery, 242 species worth for sport fishery and 60 species worth for bait fishery. Threat status assessment as per IUCN Red List comprises of 3.75% threatened fish species, 50.25% non threatened fish species and 46.01% of fish species have not yet been assessed for their conservation status by IUCN. An updated checklist with note on habitat, fishery and conservation status might support the rational development, management and conservation of fishery resources in coastal areas of Tamil Nadu.

Keywords marine; estuarine; ichthyofauna; fishery and conservation status; Tamil Nadu.

Proceedings of the International Academy of Ecology and Environmental Sciences
ISSN 2220-8860
URL: <http://www.iaeess.org/publications/journals/piaeess/online-version.asp>
RSS: <http://www.iaeess.org/publications/journals/piaeess/rss.xml>
E-mail: piaeess@iaeess.org
Editor-in-Chief: WenJun Zhang
Publisher: International Academy of Ecology and Environmental Sciences

1 Introduction

Tamil Nadu is the southern most state in India, flanked by Andhra Pradesh, Karnataka on the North / North West; Indian Ocean on the south; Kerala on the west and Bay of Bengal on the east. The coastline of Tamil Nadu has a length of about 1076 kms (Ramesh et al., 2008; Barman et al., 2011), constitutes about a 15% of

the total coastal length of India and stretches along Bay of Bengal, Arabian Sea and Indian Ocean. The state has 1076 kms of coastal length and 0.19 lakh sq km of exclusive economic zone (EEZ) up to 200 nautical miles from the shore (Ramesh et al., 2008; Barman et al., 2011). The total estuarine area of Tamil Nadu was estimated to be 56000 ha, which accounts 3.88 % of the total estuarine area of India (De, 2011). The estuaries and brackish water wetlands in Tamil Nadu were Adyar, Agniar, Alangkulam, Ambuliyar, Araniar, Arasalar, Athankarai, Coleroon, Cooum, Edaiyur-Sadras, Ennore, Gadilum, Giriyampeta, Gulf of Mannar lagoon, Gundar, Kaliveli lagoon, Kallar, Kanjirankudi, Karumeniyar (Manapadu), Kaveri, Kollidam, Kottakarayar, Kuduvaiyar, Manakudy, Manimuttar, Muthupet lagoon, Muttukadu backwaters, Muttukadu lagoon, Nambiyar, Nandalar, Palayakayal, Pambar, Pantri, Pazhayar, Pichavaram, Ponnaiyar, Pulicat lake (South) lagoon, Pullavazhi, Punnakayal, Sayalkudi, Thengapattinam, Thirumullaivasal, Uppanar, Uppar, Vaigai, Vaipar, Valliyar, Velankanni, Vellar, Vembar, Vennar, Vettar and Yedayanthittu (Ramesh et al., 2008; Mogalekar et al., 2017).

Tamil Nadu has a very rich marine and estuarine fish fauna and its ichthyofauna is characterized by unique elements of Indian Ocean origin (Barman et al., 2011; Gopi and Mishra, 2015). Since the 1849, ichthyologists have investigated fish fauna in coastal and estuarine areas of Tamil Nadu and a large amount of information has been published on taxonomic, biological and biogeographical aspects. Jerdon (1849) was the first to describe fishes of Tamil Nadu. In the present article, we collected and synthesized these scattered data from relevant literature including Jeyaseelen and Krishnamurthy (1980), Ramaiyan et al. (1987), Venkataraman et al. (2002), Mishra and Krishnan (2003), Remadevi et al. (2004), Ramanujam (2005), Ramanujam and Anbarasan (2008), Ramesh et al. (2008), Barman et al. (2011), Varghese et al. (2011), Jawahar et al. (2013), Kannappan and Karthikeyan (2013), Ramanujam et al. (2014), Theivasigamani and Subbiah (2014), Murugan et al. (2014), Bharadhirajan et al. (2015), Khan (2015), Mahesh and Saravanakumar (2015), Pavinkumar et al. (2015), Raju et al. (2015), Govindan and Ravichandran (2016), Joshi et al. (2016), Karuppasamy (2016), Mogalekar et al. (2017), Varghese et al. (2017). The updated, complete, scientific database of fish diversity still lacks in marine and estuarine ecosystems of Tamil Nadu. The present study aims to provide an authentic checklist of fishes so far known from marine and estuarine waters of Tamil Nadu for increasing awareness of fish taxonomy, together with conservation, management and sustainable utilization of fishery resources.

2 Methodology

The updated checklist of marine and estuarine fish fauna from different localities of of Tamil Nadu was prepared by extensive survys in slected fish landing centers, and reviewing and analyzing the old publications as described in Table 1. The reported localities of marine and estuarine areas in Tamil Nadu are indicated in Figure 1. The literature on marine and estuarine fish fauna of Tamil Nadu was collected by online browsing using key words like marine fish fauna of Tamil Nadu, estuarine fish fauna of Tamil Nadu, marine fish diversity of Tamil Nadu, estuarine fish diversity of Tamil Nadu, fish diversity of estuaries from Tamil Nadu, fish diversity of coastal waters of Tamil Nadu. Details on locality, habitat and fishery information of all the fish species were obtained by retrieving species level information from published literature as well as Fishbase (Froese and Pauly, 2013). Classification of all taxa follows Talwar and Kacker (1984) and fishbase (Froese and Pauly, 2013) and the valid nomenclature of species was adopted as per the Catalogue of Fishes of the California Academy of Sciences (Eschmeyer et al., 2018). Orders of fish species in checklist were treated in an alphabetical sequence and within families, genera and species are treated in an alphabetical sequence. Information on the conservation status was retrieved from the International Union for Conservation of Nature and Natural Resources (IUCN) Red List Categories and criteria (IUCN, 2018). While preparing checklist, we

have not considered any species that has published in predatory journals in which the peer review is compromised (Raghavan et al., 2014).




Fig. 1 Selected marine and estuarine habitats of Tamil Nadu, India.

3 Results

The present checklist includes 1656 species of fishes as inhabiting marine and estuarine habitats in Tamil Nadu, distributed across 2 classes, 40 orders, 191 families and 683 genera. In the checklist, 1075 fish species were primary marine water and remaining 581 species were diadromus (Table 2). A total of 128 species were reported belonging to class Elasmobranchii, which distributed as 11 different orders, 36 families and 70 genera (Table 4). The order Carcharhiniformes was dominant in class Elasmobranchii with 40 species or 31.25% of the total species recorded under the chondrichthyes. The second highest number of species was recorded under the order Myliobatiformes with 39 species (30.47% of total species under chondrichthyes) (Table 3). Under the class Actinopterygii, the total number of species recorded were 1528 distributed as 29 different orders, 155 families and 613 genera (Table 4). Dominant in the overall fish fauna was the order Perciformes with 932 species or 56.29% of the total fauna follows Tetraodontiformes with 99 species (5.98% of total). Other orders with noteworthy numbers of species were the Pleuronectiforms (77 species or 4.65% of total), Clupeiformes (72 species or 4.35% of total), Scorpaeniformes (69 species or 4.17% of total) and Anguilliforms (51 species or 3.07% of total) (Table 3). The top four families with the highest number of species were the Gobiidae (86 species), Carangidae (65 species), Labridae (64 species) and Serranidae (63 species) (Table 2).

Fishery status of marine and estuarine fish fauna of Tamil Nadu revealed existence of 1029 species worth for capture fishery, 425 species worth for aquarium fishery, 84 species worth for culture fishery, 242 species worth for sport fishery and 60 species worth for bait fishery (Table 2). Threat status assessment of the marine

and estuarine fish fauna of Tamil Nadu comprises of four species under critically endangered (CR) category facing an extremely high risk of extinction in the wild, 13 species were under endangered (EN) category facing a very high risk of extinction in the wild, 45 species were under vulnerable (VU) category facing a high risk of extinction in the wild, 46 species are under near threatened (NT) category is likely to qualify for a threatened category in the near future, 699 species are under least concern (LC) category included in widespread and abundant taxa, 87 species are under data deficient (DD) category and 762 species has not yet been evaluated against the criteria (Table 2).

Table 1 Reports on Marine and estuarine fishes of Tamil Nadu.

Source	Habitats, collecting stations and locality of Fishes	No. of Species
Jeyaseelen and Krishnamurthy (1980)	Mangrove forests of Pichavaram	67
Ramaiyan et al. (1987)	Parangipettai (Porto Novo) coastal waters	404
Venkataraman et al. (2002)	Gulf of Mannar Biosphere Reserve	530
Mishra and Krishnan (2003)	Pondichery and Karaikal	312
Remadevi et al. (2004)	Pulicat Lake	82
Ramanujam (2005)	Kaliveli floodplain and Uppukalli creek	36
Ramanujam & Anbarasan (2008)	Yedayanthittu Estuary	70
Ramesh et al. (2008)	Coastal and estuarine waters of Tamil Nadu	808
Barman et al. (2011)	Coastal waters of Tamil Nadu	775
Varghese et al. (2011)	Gulf of Mannar	183
Jawahar et al. (2013)	Thoothukudi coast, Gulf of Mannar	107
Kannappan & Karthikeyan (2013)	Manakudy estuary	24
Ramanujam et al. (2014)	Adyar Wetland complex, Chennai	53
Theivasigamani and Subbiah (2014)	Gulf of Mannar	63
Murugan et al. (2014)	Vellar Estuary	92
Bharadhirajan et al. (2015)	Coleroon estuary	57
Khan (2015)	Vellar Estuary	89
Mahesh & Saravanakumar (2015)	Pichavaram mangrove ecosystem	45
Pavinkumar et al. (2015)	Manakudy estuary	77
Raju et al. (2015)	Arasalar estuary	6
Govindan and Ravichandran (2016)	Pulicat Lagoon	82
Joshi et al. (2016)	Gulf of Mannar ecosystem	1123
Karuppasamy (2016)	Wadge Bank	423
Mogalekar et al. (2017)	Estuarine waters of Tamil Nadu	319
Varghese et al. (2017)	Keelakarai, Gulf of Mannar	98

4 Discussion

An authentic and updated checklist of the marine and estuarine fishes of Tamil Nadu is presented, along with their classification, habitat, fisheries status and IUCN Red List conservation status (Table 2). An authentic assessment of fish diversity from marine and estuarine habitats of Tamil Nadu recognizes an estimated 1656 valid species distributed across 2 classes, 40 orders, 191 families and 683 genera. The fish fauna of India is highly diverse in nature with 3231 valid species of freshwater and marine fishes (Gopi and Mishra, 2015). The fish diversity of India constitutes 9.30% of the total number of about 34,725 species of fish known from the world (Eschmeyer et al., 2018). The marine and estuarine fish diversity of Tamil Nadu constitute about 51.25% to the total fish diversity of India (Gopi and Mishra, 2015) and 4.76% to the total fish diversity of world (Eschmeyer et al., 2018). The fish families and genera are expanding with newly described species from Tamil Nadu. The increase in species year after year indicates that there are many new yet to discover from the diverse marine and estuarine ecosystems (Gopi and Mishra, 2015). Of this total marine and estuarine fish diversity of Tamil Nadu, primary marine fishes (1075 species) constitute 44.0 percent to the total marine fish diversity of India (Gopi and Mishra, 2015). Recent information compiled by Mogalekar et al (2017) reveals

that 330 species of fishes are recognized from 13 estuaries of Tamil Nadu. The estimated 581 brackish cum marine water fish species recognized from Tamil Nadu is much higher than the total estuarine fish diversity of Tamil Nadu (Mogalekar et al., 2017).

It is observed that the checklist dominated by the orders: Perciformes (56.29%), Tetraodontiformes (5.98%), Pleuronectiforms (4.65%), Clupeiformes (4.35%), Scorpaeniformes (4.17%) and Anguilliforms (3.07%); and families: Gobiidae (5.2%), Carangidae (3.93%), Labridae (3.87%) and Serranidae (3.8%). Similar dominance of perciformes and clupeiformes were indicated by Ramaiyan et al. (1987), Venkataraman et al. (2002), Mishra and Krishnan (2003), Ramesh et al. (2008), Barman et al. (2011), Gopi and Mishra (2015), Joshi et al. (2016), Karuppasamy (2016), Mogalekar et al. (2017). As numbers of capture, ornamental, sports, cultivable and bait fishes are high, commercial and recreational fishing providing livelihood to coastal people. The broodstock development of fast growing fish from wild for captive breeding, seed production and coastal aquaculture could be additional source of income to coastal people. Only 3.75% of the marine and estuarine fishes of Tamil Nadu were listed as threatened and 50.25% of the fishes were listed under non threatened category in the IUCN Red List. However, 46.01% of fish species occurring in the marine and estuarine waters of Tamil Nadu have not yet been evaluated for their conservation status by IUCN due to lack of scientific investigations. The broodstock development, captive breeding, seed production and ranching of threatened fishes might help to overcome the problems of species endangerment.

5 Conclusions

Unique marine and estuarine ecosystems of Tamil Nadu blessed with diverse fish fauna useful for livelihood of coastal people. The existing data indicated the insufficient scientific studies on marine and estuarine fishes from the different locality of Tamil Nadu. Henceforth, further research need to be conducted on fish identification, taxonomic diversity, patterns of distribution and conservation status in Tamil Nadu for planning appropriate conservation strategies.

Table 2 Marine and estuarine fish fauna of Tamil Nadu with note on habitat, fishery status and conservation status.

Taxa	Habitat	Locality of fishes	Fishery Status	IUCN Status	References for Locality of fishes
Phylum: Chordata					
Class: Elasmobranchii					
Order: Carcharhiniformes					
Family: Carcharhinidae					
<i>Carcharhinus altimus</i> (Springer 1950)	M	S8	Capture	DD	22
<i>Carcharhinus amboinensis</i> (Müller & Henle 1839)	M	S8	Capture, Sport	DD	22
<i>Carcharhinus amblyrhynchos</i> (Whitley 1934)	M	S8, S10	Capture	NT	14, 22, 23
<i>Carcharhinus amblyrhynchos</i> (Bleeker 1856)	M	S8, S10	Capture, Sport	NT	22, 23
<i>Carcharhinus brevipinna</i> (Valenciennes 1839)	M	S8, S10	Capture, Sport	NT	22, 23
<i>Carcharhinus dussumieri</i> (Valenciennes 1839)	M	S5, S8, S10, S11	Capture	NT	4, 8, 9, 22, 23
<i>Carcharhinus falciformis</i> (Bibron 1839)	M	S8, S10	Capture	NT	22, 23
<i>Carcharhinus hemiodon</i> (Müller & Henle 1839)	M, B	S5, S8, S11	Capture	CR	4, 8, 9, 22
<i>Carcharhinus leucas</i> (Valenciennes 1839)	M, F, B	S8	Capture, Sport	NT	14, 22
<i>Carcharhinus limbatus</i> (Valenciennes 1839)	M, B	S6, S8, S10, S11	Capture, Sport	NT	2, 8, 9, 14, 22, 23
<i>Carcharhinus longimanus</i> (Poey 1861)	M	S8, S11	Capture, Sport	VU	8, 22
<i>Carcharhinus maculoti</i> (Müller & Henle 1839)	M	S6, S8, S10, S11	Capture	NT	2, 8, 9, 22, 23
<i>Carcharhinus melanopterus</i> (Quoy & Gaimard 1824)	M, B	S8, S10, S11	Capture, Aquarium	NT	3, 8, 9, 14, 22, 23
<i>Carcharhinus obscurus</i> (Lesueur 1818)	M, B	S8	Capture, Sport	VU	22
<i>Carcharhinus plumbeus</i> (Nardo 1827)	M, B	S8	Capture, Sport	VU	22
<i>Carcharhinus sealei</i> (Pietschmann 1913)	M, B	S8, S11	Capture, Sport	VU	8, 22
<i>Carcharhinus sorrah</i> (Valenciennes 1839)	M, B	S5, S6, S8, S10, S11	Capture	NT	2, 3, 4, 9, 14, 22, 23

<i>Galeocerdo cuvier</i> (Péron & Lesueur 1822)	M, B	S5, S6, S8, S10, S11	Capture, Sport	NT	2, 3, 4, 8, 9, 14, 22, 23
<i>Lamniopsis temminckii</i> (Müller & Henle 1839)	M, B	S5, S8, S11	Capture	EN	4, 9, 14, 22
<i>Loxodon macrorhinus</i> Müller & Henle 1839	M	S8, S11	Capture, Sport	LC	8, 9, 14, 22
<i>Negaprion acutidens</i> (Rüppell 1837)	M, B	S8, S11	Capture	VU	8, 9, 22
<i>Prionace glauca</i> (Linnaeus 1758)	M, B	S8	Capture, Sport	NT	22
<i>Rhizoprionodon acutus</i> (Rüppell 1837)	M, F, B	S6, S8, S10, S11	Capture, Sport	LC	2, 8, 9, 14, 22, 23
<i>Rhizoprionodon oligolinx</i> Springer 1964	M	S8, S11	Capture	LC	3, 8, 9, 14, 22
<i>Scoliodon laticaudus</i> Müller & Henle 1838	M, B	S6, S8, S10, S11	Capture, Bait	NT	2, 3, 8, 9, 15, 14, 22, 23, 24
<i>Triaenodon obesus</i> (Rüppell 1837)	M	S8	Capture, Sport	NT	22
Family: Hemigaleidae					
<i>Chaenogaleus macrostoma</i> (Bleeker 1852)	M	S8, S11	Capture	VU	9, 14
<i>Hemigaleus microstoma</i> Bleeker 1852	M	S11	Capture	VU	9
<i>Hemipristis elongata</i> (Klunzinger 1871)	M	S8, S11	Capture	VU	8, 9, 3, 14
Family: Proscylliidae					
<i>Eridacnis radcliffei</i> Smith 1913	M	S11	-	LC	9
Family: Scyliorhinidae					
<i>Atelomycterus marmoratus</i> (Anonymous [Bennett] 1830)	M	S11	Capture	NT	8, 9
<i>Bythaelurus hispidus</i> (Alcock 1891)	M	S8	-	DD	14
Family: Sphyrnidae					
<i>Eusphyra blochii</i> (Cuvier 1816)	M, B	S8, S11	Capture	EN	8, 9, 14, 22
<i>Sphyra lewini</i> (Griffith & Smith 1834)	M, B	S6, S8, S10, S11	Capture, Sport	EN	2, 3, 8, 9, 14, 22, 23
<i>Sphyra mokarran</i> (Rüppell 1837)	M, B	S6, S8, S10	Capture	EN	2, 14, 22, 23
<i>Sphyra zygaena</i> (Linnaeus 1758)	M, B	S6, S8, S10, S11	Capture, Sport	VU	2, 3, 9, 14, 22, 23
Family: Triakidae					
<i>Iago omanensis</i> (Norman 1939)	M	S8	Capture	LC	14
<i>Mustelus canis</i> (Mitchill 1815)	M, B	S1, S11	Capture, Sport	NT	21, 24
<i>Mustelus mosis</i> Hemprich & Ehrenberg 1899	M	S8, S11	Capture, Sport	DD	9, 14
<i>Mustelus manazo</i> Bleeker 1855	M	S6	Capture, Sport	DD	2
Order: Chimaeriformes					
Family: Chimaeridae					
<i>Hydrolagus africanus</i> (Gilchrist 1922)	M	S8	-	DD	22
Family: Rhinochimaeridae					
<i>Neohariotta pinnata</i> (Schnakenbeck 1931)	M	S8, S10	-	DD	22, 23
<i>Rhinochimaera pacifica</i> (Mitsukuri 1895)	M	S8	-	LC	22
Order: Heterodontiformes					
Family: Heterodontidae					
<i>Heterodontus zebra</i> (Gray 1831)	M	S8	Capture, Aquarium	LC	22
Order: Hexanchiformes					
Family: Hexanchidae					
<i>Hexanchus griseus</i> (Bonnaterre 1788)	M	S8	Capture, Sport	NT	22
Order: Lamniformes					
Family: Alopiidae					
<i>Alopias pelagicus</i> Nakamura 1935	M	S8, S10	Capture, Sport	VU	22, 23
<i>Alopias superciliosus</i> Lowe 1841	M	S8, S10	Capture, Sport	VU	22, 23
<i>Alopias vulpinus</i> (Bonnaterre 1788)	M	S6, S8, S11	Capture, Sport	VU	2, 9, 14, 22
Family: Lamnidae					
<i>Carcharodon carcharias</i> (Linnaeus 1758)	M, B	S8	Capture, Sport	VU	22
<i>Isurus oxyrinchus</i> Rafinesque 1810	M	S6, S8, S10, S11	Capture, Sport	VU	2, 8, 9, 14, 22, 23
<i>Lamna nasus</i> (Bonnaterre 1788)	M	S8	Capture, Sport	VU	22
Family: Odontaspidae					
<i>Carcharias tricuspidatus</i> Day 1878	M	S11	Capture	NE	9
Family: Pseudocarchariidae					
<i>Pseudocarcharias kamoharai</i> (Matsubara 1936)	M	S8	Capture	NT	22
Order: Myliobatiformes					
Family: Dasyatidae					
<i>Bathyrajia centroura</i> (Mitchill 1815)	M, B	S8	Capture	NE	14
<i>Bathyrajia lata</i> (Garman 1880)	M	S11	-	NE	8
<i>Brevitrygon imbricata</i> (Bloch & Schneider 1801)	M, F, B	S5, S6, S8, S10, S11	Capture	NE	1, 2, 3, 4, 8, 9, 14, 22, 23, 24
<i>Brevitrygon walga</i> (Müller & Henle 1841)	M	S8, S11	Capture	NE	3, 8, 9, 14, 22
<i>Dasyatis pastinaca</i> (Linnaeus 1758)	M, B	S8	Capture, Sport	DD	14
<i>Himantura fava</i> (Annandale 1909)	M	S8, S11	-	NE	3, 8, 9
<i>Himantura marginata</i> (Blyth 1860)	M, B	S8, S11	Capture	DD	9, 14, 22
<i>Himantura uarnak</i> (Gmelin 1789)	M, B	S5, S6, S8, S10, S11	Capture, Sport	VU	2, 3, 4, 8, 9, 10, 15, 14, 22, 23, 24

<i>Himantura undulata</i> (Bleeker 1852)	M	S8, S10	Capture	VU	22, 23
<i>Maculabatis gerrardi</i> (Gray 1851)	M, B	S8, S10, S11	Capture, Sport	NE	8, 14, 22, 23
<i>Megatrygon microps</i> (Annandale 1908)	M, B	S8	-	NE	14, 22
<i>Neotrygon kuhlii</i> (Müller & Henle 1841)	M	S5, S8, S10, S11	Capture	DD	3, 4, 8, 9, 10, 14, 22, 23, 25
<i>Pastinachus sephen</i> (Forsskål 1775)	M, F, B	S6, S8, S10, S11	Capture, Aquarium	DD	1, 2, 3, 8, 9, 10, 14, 22, 23, 24
<i>Pateobatis bleekeri</i> (Blyth 1860)	M, B	S8, S10, S11	Capture	NE	3, 9, 14, 22, 23
<i>Pateobatis jenkinsii</i> (Annandale 1909)	M, B	S6, S8, S10	Capture	NE	2, 14, 22, 23
<i>Pteroplatytrygon violacea</i> (Bonaparte 1832)	M	S8	-	LC	14, 22
<i>Taeniura lymna</i> (Forsskål 1775)	M	S8	Capture, Sport, Aquarium	NT	14, 22
<i>Taeniurops meyenii</i> (Müller & Henle 1841)	M	S8	Capture, Sport	VU	14, 22
<i>Telatrygon zugei</i> (Müller & Henle 1841)	M, B	S5, S6, S8, S10, S11	Capture	NE	2, 4, 8, 9, 14, 22, 23
<i>Urogymnus asperrimus</i> (Bloch & Schneider 1801)	M, B	S8, S11	Capture	VU	3, 8, 9, 14, 22
<i>Urogymnus granulatus</i> (Macleay 1883)	M, B	S8	Capture	NE	22
Family: Gymnuridae					
<i>Gymnura japonica</i> (Temminck & Schlegel 1850)	M	S8, S10, S11	-	DD	8, 9, 14, 22, 23
<i>Gymnura micrura</i> (Bloch & Schneider 1801)	M, B	S5, S8, S10, S11	Capture	DD	3, 4, 9, 14, 22, 23
<i>Gymnura poecilura</i> (Shaw 1804)	M	S1, S5, S6, S8, S10, S11	Capture	NT	2, 3, 4, 8, 9, 14, 21, 22, 23, 24
Family: Myliobatidae					
<i>Aetobatus flagellum</i> (Bloch & Schneider 1801)	M, B	S8, S10	Capture	EN	14, 22, 23
<i>Aetobatus narinari</i> (Euphrasen 1790)	M, B	S5, S6, S8, S10, S11	Capture, Sport	NT	2, 4, 8, 9, 10, 14, 22, 23
<i>Aetomylaeus maculatus</i> (Gray 1834)	M, B	S8, S11	Capture	EN	3, 8, 9, 22
<i>Aetomylaeus milvus</i> (Valenciennes 1841)	M	S11	-	NE	8
<i>Aetomylaeus nichofii</i> (Bloch & Schneider 1801)	M, B	S6, S8, S11	Capture	VU	2, 8, 9, 14, 22
Family: Mobulidae					
<i>Mobula birostris</i> (Walbaum 1792)	M	S8, S10, S11	Capture	VU	9, 14, 22, 23
<i>Mobula diabolus</i> (Shaw 1804)	M	S6, S8, S11	-	EN	2, 3, 8, 22
<i>Mobula kuhlii</i> (Valenciennes 1841)	M	S8, S11	Capture	DD	9, 14
<i>Mobula japanica</i> (Müller & Henle 1841)	M	S8,	Capture	NT	14
<i>Mobula mobular</i> (Bonnaterre 1788)	M	S8, S10	-	EN	22, 23
<i>Mobula tarapacana</i> (Philippi 1892)	M	S8	Capture	VU	14
<i>Mobula thurstoni</i> (Lloyd 1908)	M	S8	Capture	NT	14, 22
Family: Plesiobatidae					
<i>Plesiobatis daviesi</i> (Wallace 1967)	M	S8	Capture	LC	14
Family: Rhinopteridae					
<i>Rhinoptera javanica</i> Müller & Henle 1841	M, B	S8, S10, S11	Capture, Sport	VU	3, 8, 9, 10, 14, 22, 23
<i>Rhinoptera jayakari</i> Boulenger 1895	M	S8	-	NE	22
Order: Orectolobiformes					
Family: Ginglymostomatidae					
<i>Nebris ferruginea</i> (Lesson 1831)	M	S8, S11	Capture, Sport	NE	9, 22
Family: Hemiscylliidae					
<i>Chiloscyllium arabicum</i> Guanov 1980	M	S10	Capture	NT	23
<i>Chiloscyllium indicum</i> (Gmelin 1789)	M, F, B	S8, S10, S11	Capture	NT	3, 9, 14, 22, 23
<i>Chiloscyllium griseum</i> Müller & Henle 1838	M, B	S5, S6, S8, S10, S11	Capture	NT	2, 4, 8, 9, 14, 22, 23
<i>Chiloscyllium plagiosum</i> (Anonymous [Bennett] 1830)	M	S11	Capture	NT	8, 9
Family: Parascylliidae					
<i>Cirrhoscyllium expolitum</i> Smith & Radcliffe 1913	M	S8	-	DD	22
Family: Rhincodontidae					
<i>Rhincodon typus</i> Smith 1828	M	S6, S8, S11	Capture	EN	2, 9, 14, 22
Family: Stegostomatidae					
<i>Stegostoma fasciatum</i> (Hermann 1783)	M, B	S6, S8, S11	Capture, Sport	EN	2, 3, 8, 9, 14, 22
Order: Rajiformes					
Family: Rajidae					
<i>Raja miraletus</i> Linnaeus 1758	M, B	S10	Capture, Sport	LC	23
Order: Rhinopristiformes					
Family: Pristidae					
<i>Anoxypristes cuspidata</i> (Latham 1794)	M, F, B	S8, S11	Capture, Sport	EN	8, 9, 14, 22
<i>Pristis pectinata</i> Latham 1794	M, F, B	S8	Capture, Sport	CR	22
<i>Pristis pristis</i> (Linnaeus 1758)	M, F, B	S6, S8, S11	Capture	CR	2, 3, 8, 9, 14, 22
<i>Pristis zijsron</i> Bleeker 1851	M, F, B	S8, S11	Capture, Sport	CR	3, 8, 9, 14, 22
Family: Rhinidae					
<i>Rhina ancylostoma</i> Bloch & Schneider 1801	M	S6, S8, S10, S11	Capture	VU	2, 3, 8, 9, 14, 22, 23
<i>Rhynchobatus djiddensis</i> (Forsskål 1775)	M, B	S6, S8, S11	Capture, Sport	VU	2, 3, 8, 9, 10, 14, 22

			Aquarium		
Family: Rhinobatidae					
<i>Acroteriobatus variegatus</i> (Nair & Lal Mohan 1973)	M	S8, S11	-	DD	9, 22
<i>Glaucostegus granulatus</i> (Cuvier 1829)	M	S5, S6, S8, S10, S11	Capture	VU	2, 3, 4, 8, 9, 14, 22, 23
<i>Glaucostegus obtusus</i> (Müller & Henle 1841)	M	S2, S5, S6, S8, S11	-	NE	2, 4, 9, 14, 13, 22, 24
<i>Glaucostegus thouin</i> (Anonymous [Lacepède] 1798)	M	S8, S11	Capture	VU	3, 8, 9
<i>Rhinobatos annandalei</i> Norman 1926	M, B	S8	-	VU	22
<i>Rhinobatos lionotus</i> Norman 1926	M, B	S11	Capture	DD	8
<i>Rhinobatos punctifer</i> Compagno & Randall 1987	M	S10	-	DD	23
Order: Squaliformes					
Family: Squalidae					
<i>Squalus acanthias</i> Linnaeus 1758	M, B	S8	Capture, Sport	VU	22
<i>Squalus blainville</i> (Risso 1827)	M, B	S8	Capture	DD	22
Family: Centrophoridae					
<i>Centrophorus granulosus</i> (Bloch & Schneider 1801)	M	S8	Capture	DD	22
<i>Centrophorus moluccensis</i> Bleeker 1860	M	S8	Capture	DD	22
<i>Centrophorus uyato</i> (Rafinesque 1810)	M	S8	Capture	DD	22
Family: Echinorhinidae					
<i>Echinorhinus brucus</i> (Bonnaterre 1788)	M	S8, S10	Capture, Sport	DD	22, 23
Family: Somniosidae					
<i>Somniosus microcephalus</i> (Bloch & Schneider 1801)	M, B	S2, S11	Capture, Sport	NT	13, 24
Order: Torpediniformes					
Family: Narcinidae					
<i>Narcine brunnea</i> Annandale 1909	M	S5, S6, S8, S11	-	NE	2, 3, 4, 8, 9, 22
<i>Narcine maculata</i> (Shaw 1804)	M	S8, S11	-	DD	3, 8
<i>Narcine timlei</i> (Bloch & Schneider 1801)	M	S1, S5, S6, S8, S11	Aquarium	DD	2, 3, 4, 8, 9, 21, 22, 24
Family: Narkidae					
<i>Narke dipterygia</i> (Bloch & Schneider 1801)	M	S5, S6, S8, S11	Capture	DD	2, 3, 4, 8, 9, 22
Family: Torpedinidae					
<i>Torpedo marmorata</i> Risso 1810	M, B	S8	Aquarium	DD	22
<i>Torpedo sinuspersici</i> Olfers 1831	M, B	S10	Sport	DD	23
<i>Torpedo panthera</i> Olfers 1831	M	S11	-	DD	9
Class: Actinopterygii (Osteichthyes)					
Order: Albuliformes					
Family: Albulidae					
<i>Albula argentea</i> (Forster 1801)	M	S8	-	DD	22
<i>Albula vulpes</i> (Linnaeus 1758)	M, B	S2, S8, S11	Capture, Sport, Bait	NT	3, 8, 9, 13, 22, 24
Order: Anguilliforms					
Family: Anguillidae					
<i>Anguilla bengalensis</i> (Gray 1831)	M, F, B	S4, S6, S8, S9, S11	Capture, Cultivable, Sport	NT	2, 3, 6, 8, 9, 12, 22, 24
<i>Anguilla bicolor</i> McClelland 1844	M, F, B	S3, S2, S6, S8, S9, S11	Capture	NT	2, 3, 7, 8, 9, 12, 15, 13, 17, 19, 22, 24
<i>Anguilla nebulosa</i> McClelland 1844	M, F, B	S8	Capture	NE	22
Family: Congridae					
<i>Ariosoma anago</i> (Temminck & Schlegel 1846)	M	S5, S8, S11	-	NE	3, 4, 8, 9, 22
<i>Ariosoma anagoides</i> (Bleeker 1853)	M	S8	-	NE	22
<i>Ariosoma bowersi</i> (Jenkins 1903)	M	S8, S11	-	NE	8, 22
<i>Bathyuroconger vicinus</i> (Vaillant 1888)	M	S10	-	LC	23
<i>Conger cinereus</i> Rüppell 1871	M, B	S6, S8, S9, S11	Capture, Sport, Aquarium	NE	16, 19, 22, 24
<i>Conger japonicus</i> Bleeker 1879	M	S8	-	NE	22
<i>Paraconger macrops</i> (Günther 1870)	M	S8	-	DD	22
<i>Paraconger notialis</i> Kanazawa 1961	M	S8	Capture	LC	22
<i>Rhynchoconger nitens</i> (Jordan & Bollman 1890)	M	S8	-	LC	22
<i>Uroconger lepturus</i> (Richardson 1845)	M	S5, S6, S8, S10, S11	Capture	NE	2, 3, 4, 8, 9, 22, 23
<i>Xenomystax trucidans</i> Alcock 1894	M	S10	-	DD	23
Family: Moringuidae					
<i>Moringua raitaborua</i> (Hamilton 1822)	F, B	S6, S8, S11	-	NE	2, 3, 9, 24
Family: Muraenidae					
<i>Echidna nebulosa</i> (Ahl 1789)	M	S8, S11	Capture, Aquarium	NE	9, 11, 22
<i>Enchelycore octaviana</i> (Myers & Wade 1941)	M	S8	-	LC	22
<i>Gymnomuraena zebra</i> (Shaw 1797)	M	S8, S11	Capture, Aquarium	NE	9, 22
<i>Gymnothorax favagineus</i> Bloch & Schneider 1801	M, B	S6, S8, S11	Capture, Aquarium	NE	2, 9, 10, 11, 22, 25

<i>Gymnothorax flavimarginatus</i> (Rüppell 1830)	M	S8	Capture, Aquarium	NE	22
<i>Gymnothorax javanicus</i> (Bleeker 1859)	M	S8	Capture, Aquarium	NE	22
<i>Gymnothorax meleagris</i> (Shaw 1795)	M, F, B	S8	Capture, Aquarium	NE	22
<i>Gymnothorax pictus</i> (Ahl 1789)	M, B	S8, S11	Capture	NE	9, 22
<i>Gymnothorax pseudothyrsoideus</i> (Bleeker 1853)	M	S6	-	NE	2
<i>Gymnothorax punctatofasciatus</i> Bleeker, 1863	M	S5, S8, S11	-	NE	4, 9, 10, 25
<i>Gymnothorax punctatus</i> Bloch & Schneider 1801	M	S6,	-	NE	2
<i>Gymnothorax reticularis</i> Bloch 1795	M	S1, S5, S11	-	NE	4, 9, 21, 24
<i>Gymnothorax rueppelliae</i> (McClelland 1844)	M, B	S8	Aquarium	NE	22
<i>Gymnothorax thyrsoideus</i> (Richardson 1845)	M	S8, S11	-	NE	9, 22
<i>Gymnothorax undulatus</i> (Lacepède 1803)	M, B	S8, S11	Capture, Aquarium	NE	9, 22,
<i>Strophidon sathete</i> (Hamilton 1822)	M, F, B	S5, S8, S11	Capture, Sport	NE	3, 4, 8, 9, 22
<i>Uropterygius concolor</i> Rüppell 1838	M, B	S8	Aquarium	NE	10, 22
Family: Muraenesocidae					
<i>Congresox talabonoides</i> (Bleeker 1852)	M, B	S6, S8, S11	Capture	NE	2, 3, 8, 9, 22
<i>Congresox talabon</i> (Cuvier 1829)	M, B	S3, S8, S11	Capture	NE	3, 7, 9, 22, 24
<i>Muraenesox bagio</i> (Hamilton 1822)	M, B	S1, S3, S5, S6, S8, S11	Capture, Sport	NE	1, 3, 4, 5, 7, 8, 9, 22, 24
<i>Muraenesox cinereus</i> (Forsskål 1775)	M, F, B	S1, S6, S8, S11	Capture, Cultivable, Sport, Bait	NE	2, 3, 8, 9, 21, 22, 24
Family: Ophichthidae					
<i>Bascanichthys deraniyagalai</i> Menon 1961	M, B	S3, S5, S11	-	NE	4, 7, 9, 24
<i>Caecula pterygera</i> Vahl 1794	M, B	S8	Bait	NE	22
<i>Callechelys catostoma</i> (Schneider 1801)	M	S11	-	NE	8
<i>Cirrhimuraena playfairii</i> (Günther 1870)	M	S11	-	NE	8
<i>Lamnostoma orientale</i> (McClelland 1844)	M, F, B	S6, S8, S11	Capture, Bait	LC	2, 8, 9, 22, 24
<i>Leiuranus semicinctus</i> (Lay & Bennett 1839)	M, B	S11	-	NE	8
<i>Muraenichthys schultzei</i> Bleeker 1857	M	S11	Capture, Bait	NE	8
<i>Myrichthys colubrinus</i> (Boddaert 1781)	M	S11	-	NE	8
<i>Myrichthys maculosus</i> (Cuvier 1816)	M	S11	Aquarium	NE	8
<i>Neenchelys buitendijki</i> Weber & de Beaufort 1916	M	S11	Capture, Bait	NE	8
<i>Ophichthus apicalis</i> (Anonymous [Bennett] 1830)	M, B	S8, S11	-	NE	3, 8, 9
<i>Ophichthus cephalozona</i> Bleeker 1864	M	S5, S11	-	NE	4, 9
<i>Pisodonophis boro</i> (Hamilton 1822)	M, F, B	S2, S6, S8, S11	Capture, Bait	LC	1, 2, 3, 8, 13, 9, 22, 24
<i>Pisodonophis cancrivorus</i> (Richardson 1848)	M, F, B	S6, S8, S11	Capture	NE	2, 3, 8, 9, 22, 24
<i>Scolecenchelys macroptera</i> (Bleeker 1857)	M	S11	-	NE	8
Order: Atheriniformes					
Family: Atherinidae					
<i>Atherinomorus duodecimalis</i> (Valenciennes 1835)	M, B	S2, S6, S8, S11	Bait	LC	1, 3, 5, 8, 9, 22, 24
<i>Atherinomorus forskalii</i> (Rüppell 1838)	M	S2, S8, S11	-	NE	1, 22, 24
<i>Atherinomorus lacunosus</i> (Forster 1801)	M, F, B	S2, S6, S8, S11	Capture, Bait	NE	2, 9, 22, 24
<i>Hypoatherina temminckii</i> (Bleeker 1854)	M	S6, S8	Capture, Bait	NE	5, 24
Order: Ateleopodiformes					
Family: Ateleopodidae					
<i>Ateleopus indicus</i> Alcock 1891	M	S8	-	NE	22
<i>Ijimaia loppei</i> Roule 1922	M	S8	-	LC	22
Order: Aulopiformes					
Family: Chlorophthalmidae					
<i>Chlorophthalmus agassizi</i> Bonaparte 1840	M, B	S8	Capture	LC	22
<i>Chlorophthalmus corniger</i> Alcock 1894	M	S8	Capture	NE	22
Family: Synodontidae					
<i>Harpodon nehereus</i> (Hamilton 1822)	M, B	S1, S5, S6, S8, S10, S11	Capture	NE	2, 4, 8, 9
<i>Saurida gracilis</i> (Quoy & Gaimard 1824)	M	S5, S6, S8, S10, S11	Capture	LC	2, 3, 8, 9, 22
<i>Saurida isarankurai</i> Shindo & Yamada 1972	M	S10	Capture	NE	2
<i>Saurida micropectoralis</i> Shindo & Yamada 1972	M	S6, S8, S10, S11	Capture	NE	3, 8, 9
<i>Saurida longimanus</i> Norman 1939	M	S10	Capture	NE	22
<i>Saurida pseudotumbil</i> Dutt & Sagar, 1981	M	S6, S11	-	DD	3, 8, 9
<i>Saurida tumbil</i> (Bloch 1795)	M	S8, S11	Capture	LC	2, 3, 4, 5, 8, 9, 10, 22, 23, 24
<i>Saurida undosquamis</i> (Richardson 1848)	M	S5, S6, S8, S10, S11	Capture	LC	2, 3, 4, 8, 9, 22, 23
<i>Synodus hoshinonis</i> Tanaka 1917	M, B	S11	Capture	LC	23
<i>Synodus indicus</i> (Day 1873)	M	S6, S8, S10	Capture	NE	2, 3, 8, 9, 22, 23
<i>Synodus jaculum</i> Russell & Cressey 1979	M	S1, S6, S8, S11	Capture	LC	23
<i>Synodus sageneus</i> Waite 1905	M	S6, S8, S11	Capture	NE	18, 24

<i>Synodus variegatus</i> (Lacepède 1803)	M	S6, S8, S11	Capture	LC	8, 9, 11
<i>Trachinocephalus myops</i> (Forster 1801)	M	S1, S11	Capture	LC	2, 3, 4, 8, 9, 10, 22, 23
Order: Batrachoidiformes					
Family: Batrachoididae					
<i>Allenbatrachus grunniens</i> (Linnaeus 1758)	M, B	S8	-	NE	22
<i>Allenbatrachus reticulatus</i> (Steindachner 1870)	M	S8	-	NE	22
<i>Batrachomoeus trispinosus</i> (Günther 1861)	M, B	S8	Capture	NE	22
<i>Colletteichthys dussumieri</i> (Valenciennes 1837)	M	S8, S11	Capture	NE	9, 22
<i>Colletteichthys occidentalis</i> Greenfield 2012	M	S8	-	NE	22
<i>Perulibatrachus aquilonarius</i> Greenfield 2005	M	S8	-	NE	22
Order: Beloniformes					
Family: Adrianichthyidae					
<i>Oryzias melastigma</i> (McClelland 1839)	F, B	S3, S4, S11	-	LC	6, 7, 24
Family: Belonidae					
<i>Ablennes hians</i> (Valenciennes 1846)	M, B	S6, S8, S11	Capture, Sport	LC	2, 3, 8, 9, 22
<i>Platybelone argalus</i> (Lesueur 1821)	M	S8	Capture	LC	22
<i>Strongylura incisa</i> (Valenciennes 1846)	M	S11	Capture	NE	8
<i>Strongylura leiura</i> (Bleeker 1850)	M, B	S6, S8, S11	Capture, Sport	NE	1, 2, 3, 9, 10, 18, 22, 24
<i>Strongylura scapularis</i> (Jordan & Gilbert 1882)	M	S8	Capture	LC	22
<i>Strongylura strongylura</i> (van Hasselt 1823)	M, B	S1, S3, S4, S5, S6, S8, S11	Capture	NE	1, 3, 4, 6, 7, 8, 9, 21, 22, 24
<i>Tylosurus acus</i> (Lacepède 1803)	M	S8, S11	Capture, Sport	LC	3, 8, 9
<i>Tylosurus choram</i> (Rüppell 1837)	M	S8	Capture	NE	22
<i>Tylosurus crocodilus</i> (Péron & Lesueur 1821)	M	S5, S6, S8, S9, S10, S11	Capture, Sport	LC	2, 4, 8, 9, 10, 19, 22, 23, 24
<i>Tylosurus melanotus</i> (Bleeker 1850)	M, F, B	S8, S11	Capture	NE	3, 8, 22
<i>Xenentodon cancila</i> (Hamilton 1822)	M, F, B	S1, S3, S9, S11	Capture, Aquarium	LC	5, 7, 19, 24
Family: Exocoetidae					
<i>Cheilopogon cyanopterus</i> (Valenciennes 1847)	M	S1, S8, S11	Capture	LC	3, 8, 9, 21, 24
<i>Cheilopogon furcatus</i> (Mitchill 1815)	M	S8, S11	-	LC	3, 8, 9, 22
<i>Cheilopogon spilopterus</i> (Valenciennes 1847)	M	S8, S11	Capture	NE	3, 8, 9, 22
<i>Cypselurus comatus</i> (Mitchill 1815)	M	S8	Capture	LC	22
<i>Cypselurus oligolepis</i> (Bleeker 1865)	M	S8, S11	Capture	NE	8, 9, 22
<i>Cypselurus poecilopterus</i> (Valenciennes 1847)	M	S1, S6, S11	Capture, Sport	NE	2, 9, 21, 24
<i>Exocoetus monocirrhus</i> Richardson 1846	M	S8, S11	Capture	NE	8, 9, 22
<i>Exocoetus volitans</i> Linnaeus 1758	M	S6, S8, S11	Capture	LC	2, 3, 8, 9, 22
<i>Hirundichthys coromandelensis</i> (Hornell 1923)	M	S8, S11	Capture	NE	3, 8, 9, 22
<i>Hirundichthys oxycephalus</i> (Bleeker 1853)	M	S8, S11	Capture	NE	9, 22
<i>Parexocoetus brachypterus</i> (Richardson 1846)	M	S8	Capture	NE	22
<i>Parexocoetus mento</i> (Valenciennes 1847)	M	S5, S8, S11	Capture	NE	3, 4, 8, 9
<i>Prognichthys brevipinnis</i> (Valenciennes 1847)	M	S11	Capture	NE	9
Family: Hemiramphidae					
<i>Euleptorhamphus viridis</i> (van Hasselt 1823)	M	S5, S11	Capture	NE	4, 9
<i>Hemiramphus far</i> (Forsskål 1775)	M, B	S6, S8, S10, S11	Capture, Sport, Bait	NE	2, 3, 8, 9, 15, 16, 17, 18, 22, 23, 24
<i>Hemiramphus lutkei</i> Valenciennes 1847	M, B	S6, S8, S11	Capture	NE	2, 3, 8, 9, 22, 24
<i>Hemiramphus marginatus</i> (Forsskål 1775)	M	S8, S9, S11	-	NE	8, 19, 22, 24
<i>Hemiramphus robustus</i> Günther 1866	M, B	S8	Capture	NE	22
<i>Hyporhamphus dussumieri</i> (Valenciennes 1847)	M	S8, S11	Capture	NE	3, 8, 9, 22
<i>Hyporhamphus limbatus</i> (Valenciennes 1847)	M, F, B	S1, S3, S4, S5, S6, S11	Capture	LC	2, 4, 5, 6, 7, 8, 9, 17, 21, 24
<i>Hyporhamphus quoyi</i> (Valenciennes 1847)	M, F, B	S5, S6, S8, S11	Capture	NE	1, 3, 4, 9, 15, 22, 24
<i>Hyporhamphus xanthopterus</i> (Valenciennes 1847)	M, F, B	S6, S8, S11	Aquarium	VU	2, 3, 8, 9, 22, 24
<i>Rhynchorhamphus georgii</i> (Valenciennes 1847)	M, F, B	S6, S8, S11	Capture	NE	2, 3, 8, 9, 24
<i>Rhynchorhamphus malabaricus</i> Collette 1976	M	S8, S11	Capture, Cultivable	NE	3, 8, 9, 22
Order: Beryciformes					
Family: Berycidae					
<i>Beryx decadactylus</i> Cuvier 1829	M	S8	Capture	LC	22
<i>Centroberyx gerrardi</i> (Günther 1887)	M	S8	Capture	NE	22
<i>Centroberyx rubricaudus</i> Liu & Shen 1985	M	S8	-	NE	22
Family: Holocentridae					
<i>Myripristis adusta</i> Bleeker 1853	M	S8, S11	Capture	LC	8, 22
<i>Myripristis botche</i> Cuvier 1829	M	S5, S8, S11	Capture, Aquarium	LC	4, 9, 11
<i>Myripristis murdjan</i> (Forsskål 1775)	M	S8, S11	Capture, Aquarium	LC	3, 8, 9, 10, 11, 22
<i>Myripristis berndti</i> Jordan & Evermann 1903	M	S8	Capture, Aquarium	LC	22

<i>Myripristis violacea</i> Bleeker 1851	M	S10	Capture	LC	23
<i>Neoniphon sammara</i> (Forsskål 1775)	M	S8, S11	Capture, Aquarium, Bait	LC	8, 22
<i>Ostichthys acanthorhinus</i> Randall, Shimizu & Yamakawa 1982	M	S10	-	NE	23
<i>Ostichthys kaianus</i> (Günther 1880)	M	S10	Capture	LC	23
<i>Sargocentron caudimaculatum</i> (Rüppell 1838)	M	S8	Capture, Aquarium	LC	22
<i>Sargocentron diadema</i> (Lacepède 1802)	M	S8	Capture, Aquarium	LC	22
<i>Sargocentron melanospilos</i> (Bleeker 1858)	M	S8, S10	-	LC	23, 25
<i>Sargocentron praslin</i> (Lacepède 1802)	M	S8, S10	Capture	LC	23, 25
<i>Sargocentron punctatissimum</i> (Cuvier, 1829)	M	S8	Aquarium	LC	22
<i>Sargocentron rubrum</i> (Forsskål 1775)	M	S6, S5, S8, S10, S11	Capture, Aquarium	LC	2, 4, 9, 10, 11, 22, 23
<i>Sargocentron spiniferum</i> (Forsskål 1775)	M	S8	Capture, Aquarium	LC	22
Family: Trachichthyidae					
<i>Hoplostethus mediterraneus</i> Cuvier 1829	M	S8	-	LC	22
Order: Clupeiformes					
Family: Chirocentridae					
<i>Chirocentrus dorab</i> (Forsskål 1775)	M, B	S5, S6, S8, S10, S11	Capture, Sport, Bait	NE	2, 3, 4, 8, 9, 10, 22, 23
<i>Chirocentrus nudus</i> Swainson 1839	M	S1, S5, S6, S8, S11	Capture	NE	2, 3, 4, 8, 9, 21, 22, 24
Family: Clupeidae					
<i>Amblygaster clupeoides</i> Bleeker 1849	M	S5, S8, S10, S11	Capture, Bait	NE	3, 4, 9, 22, 23, 23
<i>Amblygaster leiogaster</i> (Valenciennes 1847)	M	S8	Capture	NE	22
<i>Amblygaster sirm</i> (Walbaum 1792)	M	S5, S6, S8, S10, S11	Capture, Bait	NE	2, 4, 8, 9, 10, 22, 23
<i>Anodontostoma chacunda</i> (Hamilton 1822)	M, F, B	S1, S3, S5, S6, S8, S11	Capture	NE	1, 2, 3, 4, 5, 7, 8, 9, 15, 17, 18, 22, 24
<i>Dayella malabarica</i> (Day 1873)	M, F, B	S8	Capture	LC	22
<i>Ehirava fluviatilis</i> Deraniyagala 1929	M, F, B	S11	Capture	NE	9
<i>Escualosa thoracata</i> (Valenciennes, 1847)	M, F, B	S2, S5, S6, S8, S10, S11	Capture	NE	1, 2, 3, 4, 8, 9, 15, 13, 16, 17, 22, 23, 24
<i>Gudusia chapra</i> (Hamilton 1822)	F, B	S8	Capture	LC	22
<i>Herklotischthys quadrimaculatus</i> (Rüppell 1837)	M, F, B	S1, S11	Capture, Bait	NE	5, 8, 24
<i>Hilsa kelee</i> (Cuvier 1829)	M, F, B	S1, S2, S5, S6, S8, S9, S11	Capture, Bait	NE	2, 3, 4, 5, 8, 9, 12, 15, 13, 16, 17, 22, 24
<i>Nematalosa galatheae</i> Nelson & Rothman 1973	M, F, B	S8, S4, S11	Capture	LC	3, 6, 9, 24
<i>Nematalosa nasus</i> (Bloch 1795)	M, F, B	S1, S2, S3, S4, S5, S6, S8, S9, S11	Capture	LC	1, 2, 3, 4, 5, 6, 7, 8, 9, 15, 13, 16, 17, 19, 21, 22, 24
<i>Sardinella albella</i> (Valenciennes 1847)	M	S5, S6, S8, S9, S10, S11	Capture	LC	2, 3, 4, 8, 9, 10, 18, 19, 22, 23, 24
<i>Sardinella brachysoma</i> Bleeker 1852	M	S6, S8, S10, S11	Capture	NE	2, 3, 8, 9, 22, 23
<i>Sardinella dayi</i> Regan 1917	M	S5, S6, S8, S11	Capture	NE	2, 3, 4, 9, 22
<i>Sardinella fimbriata</i> (Valenciennes, 1847)	M, B	S5, S6, S8, S10, S11	Capture	NE	2, 3, 4, 8, 9, 15, 16, 18, 17, 22, 23, 24
<i>Sardinella gibbosa</i> (Bleeker, 1849)	M	S2, S5, S6, S8, S10, S11	Capture	NE	2, 3, 4, 8, 9, 10, 13, 22, 23, 24
<i>Sardinella longiceps</i> Valenciennes, 1847	M	S5, S6, S8, S10, S11	Capture	LC	2, 3, 4, 8, 9, 15, 16, 17, 22, 23, 24
<i>Sardinella melanura</i> (Cuvier 1829)	M	S5, S8, S10, S11	Capture, Bait	NE	4, 9, 22, 23
<i>Sardinella neglecta</i> Wongratana 1983	M	S8	Capture	NE	3
<i>Sardinella sindensis</i> (Day, 1878)	M	S5, S6, S10, S11	Capture	NE	4, 9, 15, 17, 23, 24
<i>Spratelloides gracilis</i> (Temminck & Schlegel 1846)	M	S8	Capture, Bait	LC	22
<i>Spratelloides delicatulus</i> (Bennett 1832)	M	S8	Capture, Bait	NE	22
<i>Tenualosa ilisha</i> (Hamilton, 1822)	M, F, B	S4, S5, S6, S8, S9, S11	Capture, Cultivable	LC	2, 3, 4, 6, 8, 9, 19, 22, 24
<i>Tenualosa toli</i> (Valenciennes 1847)	M, F, B	S5, S8, S11	Capture	NE	4, 8, 9, 22
Family: Dussumieriidae					
<i>Dussumieriia acuta</i> Valenciennes 1847	M, F, B	S5, S6, S8, S9, S10, S11	Capture	NE	2, 3, 4, 8, 9, 19, 22, 23, 24
<i>Dussumieriia elopsoides</i> Bleeker 1849	M	S8, S11	Capture	NE	3, 8, 9, 22
Family: Engraulidae					
<i>Coilia borneensis</i> Bleeker 1852	M, F, B	S8	-	NE	22
<i>Coilia dussumieri</i> Valenciennes 1848	M, F, B	S3, S5, S6, S8, S11	Capture	NE	2, 3, 4, 7, 8, 9, 15, 16, 17, 22, 24
<i>Coilia neglecta</i> Whitehead 1968	M, B	S8, S11	Capture	LC	8, 9, 22
<i>Coilia ramcarati</i> (Hamilton 1822)	M, B	S8	Capture	NE	3
<i>Coilia reynaldi</i> Valenciennes 1848	M, F, B	S6, S8, S11	Capture	NE	2, 3, 8, 9, 24

<i>Encrasicholina heteroloba</i> (Rüppell 1837)	M	S5, S8, S11	Capture, Bait	NE	3, 4, 8, 22
<i>Encrasicholina punctifer</i> Fowler 1938	M	S8, S10, S11	Capture, Bait	NE	8, 22, 23
<i>Setipinna melanochir</i> (Bleeker 1849)	M, F, B	S8	Capture	NE	22
<i>Setipinna taty</i> (Valenciennes 1848)	M, B	S5, S6, S8, S11	Capture	NE	2, 3, 4, 8, 9, 15, 17, 22, 24
<i>Setipinna tenuifilis</i> (Valenciennes 1848)	M, F, B	S8, S11	Capture	NE	3, 9, 22
<i>Stolephorus andhraensis</i> Babu Rao 1966	M	S1, S5, S8, S11	-	NE	3, 4, 8, 9, 5, 24
<i>Stolephorus baganensis</i> Delsman 1931	M, B	S8, S11	Capture	NE	3, 8, 9
<i>Stolephorus commersonni</i> Lacepède 1803	M, B	S1, S5, S6, S8, S9, S10, S11	Capture	NE	2, 3, 4, 8, 9, 15, 16, 17, 19, 21, 22, 23, 24
<i>Stolephorus dubiosus</i> Wongratana 1983	M, B	S8	Capture	NE	22
<i>Stolephorus indicus</i> (van Hasselt 1823)	M, B	S3, S5, S6, S8, S9, S10, S11	Capture, Bait	NE	2, 3, 4, 7, 8, 9, 18, 19, 22, 23, 24
<i>Stolephorus insularis</i> Hardenberg 1933	M, B	S8, S11	Capture, Bait	NE	3, 9
<i>Stolephorus waitei</i> Jordan & Seale 1926	M, F, B	S8, S10, S11	Capture	NE	3, 9, 22, 23
<i>Stolephorus tri</i> (Bleeker 1852)	M, B	S3, S11	Capture	NE	7, 24
<i>Thryssa baelama</i> (Forsskål 1775)	M, B	S6, S8, S11	Capture, Bait	NE	2, 9, 22
<i>Thryssa dayi</i> (Wongratana 1983)	M	S8, S11	-	NE	3, 8, 9, 22
<i>Thryssa dussumieri</i> (Valenciennes 1848)	M, B	S5, S6, S8, S10, S11	Capture	NE	2, 3, 4, 8, 9, 15, 16, 22, 23, 24
<i>Thryssa gautamiensis</i> Babu Rao 1971	M, B	S6, S11	Capture	DD	2, 24
<i>Thryssa hamiltonii</i> (Gray 1835)	M, B	S1, S5, S8, S11	Capture	NE	3, 4, 5, 8, 9, 22, 24
<i>Thryssa kammalensis</i> (Bleeker 1849)	M, B	S1, S8, S11	Capture	NE	3, 5, 24
<i>Thryssa kammalenosoides</i> (Wongratana 1983)	B	S8	Capture	NE	3
<i>Thryssa malabarica</i> (Bloch 1795)	M, B	S1, S2, S5, S6, S8, S11	Capture	NE	1, 3, 4, 5, 8, 9, 15, 13, 16, 17, 22, 24
<i>Thryssa mystax</i> (Bloch & Schneider 1801)	M, B	S1, S2, S3, S5, S6, S8, S10, S11	Capture	LC	1, 2, 3, 4, 5, 7, 8, 9, 15, 13, 16, 18, 17, 22, 23, 24
<i>Thryssa polybranchialis</i> Wongratana 1983	M	S8, S11	Capture	NE	3, 9
<i>Thryssa purava</i> (Hamilton 1822)	M, B	S1, S2, S3, S5, S6, S8, S11	Capture	NE	2, 3, 4, 5, 7, 8, 9, 13, 22, 24
<i>Thryssa setirostris</i> (Broussonet 1782)	M, B	S5, S6, S8, S10, S11	Capture, Bait	NE	2, 3, 4, 8, 9, 22, 23
<i>Thryssa vitrirostris</i> (Gilchrist & Thompson 1908)	M, B	S6, S8, S9, S11	Capture, Bait	NE	2, 3, 8, 9, 15, 16, 17, 19, 24
Family: Pristigasteridae					
<i>Ilisha elongata</i> (Anonymous [Bennett] 1830)	M, B	S5, S8, S11	Capture	NE	3, 4, 8, 9, 22
<i>Ilisha filigera</i> (Valenciennes 1847)	M, F, B	S11	Capture	NE	8, 9
<i>Ilisha kampeni</i> (Weber & de Beaufort, 1913)	M, F, B	S6, S8, S11	Capture	NE	1, 2, 3, 9, 15, 16, 17, 24
<i>Ilisha megaloptera</i> (Swainson 1838)	M, F, B	S5, S6, S8, S10, S11	Capture	NE	2, 3, 4, 8, 9, 22, 23
<i>Ilisha melastoma</i> (Bloch & Schneider 1801)	M, B	S5, S6, S8, S10, S11	Capture	NE	2, 3, 4, 8, 9, 15, 17, 22, 23, 24
<i>Ilisha obfuscata</i> Wongratana 1983	M, B	S5, S11	-	NE	4, 9
<i>Ilisha sirishae</i> Seshagiri Rao 1975	M, B	S8, S11	Capture	NE	3, 8, 9, 22
<i>Ilisha striatula</i> Wongratana 1983	M, B	S8, S11	Capture	NE	3, 8, 9, 22
<i>Opisthoterius tardore</i> (Cuvier 1829)	M, B	S5, S6, S8, S11	Capture	NE	2, 3, 4, 8, 9, 15, 17, 22, 24
<i>Pellona dayi</i> Wongratana 1983	M, B	S8, S11	Capture	NE	9, 22, 22
<i>Pellona ditchela</i> Valenciennes 1847	M, F, B	S5, S6, S8, S10, S11	Capture, Bait	LC	2, 3, 4, 8, 8, 9, 22, 23
<i>Raconda russeliana</i> Gray 1831	M, B	S6, S8, S11	Capture	LC	2, 3, 9, 22
Order: Cyprinodontiformes					
Family: Aplocheilidae					
<i>Aplocheilus panchax</i> (Hamilton 1822)	F, B	S8	Capture, Aquarium	LC	22
<i>Aplocheilus parvus</i> (Sundara Raj 1916)	F, B	S3, S11	Aquarium	NE	7, 24
Order: Cypriniformes					
Family: Cyprinidae					
<i>Catla catla</i> (Hamilton, 1822)	F, B	S2, S6, S11	Capture, Cultivable, Sport	LC	15, 13, 24
<i>Cyprinus carpio</i> Linnaeus, 1758	F, B	S6, S11	Capture, Cultivable, Sport, Aquarium	VU	15, 17, 24
<i>Esomus danricus</i> (Hamilton, 1822)	F, B	S2, S3, S11	Capture, Aquarium	LC	7, 13, 24
<i>Labeo rohita</i> (Hamilton, 1822)	F, B	S6, S11	Capture, Cultivable, Sport	LC	15, 17, 24
<i>Puntius sophore</i> (Hamilton, 1822)	F, B	S3, S4, S11	Aquarium	LC	6, 7, 24
<i>Puntius vittatus</i> Day, 1865	F, B	S3, S11	Aquarium, Bait	LC	7, 24
<i>Rasbora daniconius</i> (Hamilton 1822)	F, B	S3, S11	Capture, Aquarium	LC	7, 24
Order: Elopiformes					
Family: Elopidae					
<i>Elops saurus</i> Linnaeus 1766	M, B	S8	Capture, Sport, Bait	LC	22

<i>Elops machnata</i> (Forsskål 1775)	M, B	S2, S5, S6, S8, S9, S11	Capture, Sport	LC	1, 2, 3, 4, 8, 9, 12, 15, 13, 16, 18, 17, 19, 22, 24
Family: Megalopidae					
<i>Megalops cyprinoides</i> (Broussonet 1782)	M, F, B	S2, S3, S5, S6, S8, S9, S11	Capture, Cultivable, Sport	DD	2, 3, 4, 7, 8, 9, 15, 13, 16, 17, 19, 22, 24
Order: Gadiformes					
Family: Bregmacerotidae					
<i>Bregmaceros mcclellandi</i> Thompson 1840	M, B	S6, S8, S11	Capture	NE	2, 3, 8, 9, 22
Family: Macrouridae					
<i>Coelorinchus fasciatus</i> (Günther 1878)	M	S8	Capture	NE	22
<i>Coelorinchus flabellispinis</i> (Alcock 1894)	M	S8	-	NE	22
<i>Coelorinchus macrolepis</i> Gilbert & Hubbs 1920	M	S8	-	DD	22
<i>Hymenocephalus heterolepis</i> (Alcock 1889)	M	S8	-	NE	22
<i>Nezumia brevirostris</i> (Alcock 1889)	M	S8	-	NE	22
<i>Nezumia investigatoris</i> (Alcock 1889)	M	S8	-	NE	22
<i>Nezumia propinqua</i> (Gilbert & Cramer 1897)	M	S8	Capture	NE	22
<i>Nezumia semiquincunciata</i> (Alcock 1889)	M	S8	-	NE	22
<i>Ventrifossa petersonii</i> (Alcock 1891)	M	S8	Capture	NE	22
Order: Gasterosteiformes					
Family: Pegasidae					
<i>Eurypegasus draconis</i> (Linnaeus 1766)	M, B	S8, S11	-	DD	9, 22
<i>Pegasus laternarius</i> Cuvier 1816	M	S8	-	VU	22
<i>Pegasus volitans</i> Linnaeus 1758	M, B	S8, S11	-	DD	3, 8, 9, 22
Order: Gonorynchiformes					
Family: Chanidae					
<i>Chanos chanos</i> (Forsskål 1775)	M, F, B	S1, S2, S3, S4, S5, S6, S7, S8, S9, S11	Capture, Cultivable, Sport, Bait	NE	1, 2, 3, 4, 6, 7, 8, 9, 12, 15, 13, 16, 17, 18, 19, 20, 21, 22, 24
Order: Lampriformes					
Family: Regalecidae					
<i>Regalecus glesne</i> Ascanius 1772	M	S8	Capture, Sport	LC	22
Order: Lophiiformes					
Family: Antennariidae					
<i>Antennarius biocellatus</i> (Cuvier 1817)	M, F, B	S8	-	NE	22
<i>Antennatus coccineus</i> (Lesson 1831)	M	S11	Aquarium	NE	8
<i>Antennarius commerson</i> (Lacepède 1798)	M	S11	-	NE	8
<i>Antennarius hispidus</i> (Bloch & Schneider 1801)	M	S5, S6, S8, S11	-	NE	2, 4, 8, 9, 22
<i>Antennarius indicus</i> Schultz 1964	M	S8	-	NE	22
<i>Antennatus nummifer</i> (Cuvier 1817)	M	S5, S11	Aquarium	LC	4, 8, 9
<i>Antennarius pictus</i> (Shaw 1794)	M	S6, S8	-	NE	2, 10
<i>Antennarius striatus</i> (Shaw 1794)	M, B	S11	Aquarium	LC	8
<i>Histrio histrio</i> (Linnaeus 1758)	M	S8	Capture, Aquarium	LC	22
Family: Lophiidae					
<i>Lophiodes gracilimanus</i> (Alcock 1899)	M	S8	-	NE	22
<i>Lophiodes insidiator</i> (Regan 1921)	M	S8	-	NE	22
<i>Lophiodes lugubris</i> (Alcock 1894)	M	S6, S8	-	NE	2, 22
<i>Lophiodes mutilus</i> (Alcock 1894)	M	S10, S11	-	NE	9, 23
<i>Lophiomus setigerus</i> (Vahl 1797)	M	S8	Capture	NE	22
Family: Ogcocephalidae					
<i>Coelophrys micropa</i> (Alcock 1891)	M	S8	-	NE	22
<i>Dibranchus hystrix</i> Garman 1899	M	S8	-	NE	22
<i>Halieutaea fumosa</i> Alcock 1894	M	S8	-	NE	22
<i>Halieutaea coccinea</i> Alcock 1889	M	S8	-	NE	22
<i>Halieutaea indica</i> Annandale & Jenkins 1910	M	S8	-	NE	22
<i>Halieutaea nigra</i> Alcock 1891	M	S8	-	NE	22
<i>Halieutaea stellata</i> (Vahl 1797)	M	S6, S8, S11	-	NE	2, 9, 22
<i>Halieutopsis nasuta</i> (Alcock 1891)	M	S8	-	NE	22
Order: Myctophiformes					
Family: Myctophidae					
<i>Ceratoscopelus warmingii</i> (Lütken 1892)	M	S11	-	LC	22
<i>Diaphus effulgens</i> (Goode & Bean 1896)	M	S8, S11	-	LC	22
<i>Diaphus garmani</i> Gilbert 1906	M	S8	-	LC	22
<i>Diaphus perspicillatus</i> (Ogilby 1898)	M	S8, S11	-	LC	22
<i>Diaphus thiollierei</i> Fowler 1934	M	S8	-	NE	22
<i>Myctophum fissunovi</i> Becker & Borodulina 1971	M	S8	-	NE	22

<i>Myctophum obtusirostre</i> Tåning 1928	M	S8	-	LC	22
Order: Ophidiformes					
Family: Bythitidae					
<i>Hephthocara simum</i> Alcock 1892	M	S8	-	DD	9
Family: Carapidae					
<i>Carapus mourlani</i> (Petit 1934)	M	S8	-	NE	22
<i>Encheliophis homei</i> (Richardson 1846)	M	S8	-	NE	3, 8, 9, 22
<i>Onuxodon margaritiferae</i> (Rendahl 1921)	M	S8	-	NE	22
<i>Pyramodon ventralis</i> Smith & Radcliffe 1913	M	S8	-	NE	22
<i>Pyramodon lindas</i> Markle & Olney 1990	M	S8	-	LC	22
Family: Ophidiidae					
<i>Brotula multibarbata</i> Temminck & Schlegel 1846	M	S1, S6, S8	Capture, Sport	NE	2, 3, 8, 9
<i>Holcomycteronus pterotus</i> (Alcock 1890)	M	S8	-	NE	22
<i>Neobythites malayanus</i> Weber 1913	M	S8	-	NE	2
<i>Neobythites multistriatus</i> Nielsen & Quéro 1991	M	S8	-	NE	22
<i>Neobythites steatiticus</i> Alcock 1894	M	S8	-	NE	22
<i>Neobythites stefanovi</i> Nielsen & Uiblein 1993	M	S8	-	NE	22
<i>Neobythites unimaculatus</i> Smith & Radcliffe 1913	M	S8	-	NE	22
Order: Perciformes					
Family: Acanthuridae					
<i>Acanthurus bariene</i> Lesson 1831	M	S8	Capture, Aquarium	LC	22
<i>Acanthurus blochii</i> Valenciennes 1835	M	S8	Capture, Aquarium	LC	11, 22
<i>Acanthurus gahm</i> (Forsskål 1775)	M	S8	Aquarium	LC	10, 11, 22, 25
<i>Acanthurus leucosternon</i> Bennett 1833	M	S8, S11	Capture, Aquarium	LC	8, 9, 11, 22
<i>Acanthurus lineatus</i> (Linnaeus 1758)	M	S8, S10, S11	Capture, Aquarium	LC	8, 9, 10, 11, 22, 23, 25
<i>Acanthurus mata</i> (Cuvier 1829)	M	S1, S6, S8, S9, S11	Capture, Aquarium	LC	3, 8, 9, 10, 11, 17, 19, 21, 22, 24, 25
<i>Acanthurus nigricans</i> (Linnaeus 1758)	M	S8	Capture, Aquarium	LC	10, 11, 22, 25
<i>Acanthurus nigricauda</i> Duncker & Mohr 1929	M, B	S6, S11	Capture, Aquarium	LC	2, 8, 24
<i>Acanthurus nigrofasciatus</i> (Forsskål 1775)	M	S8, S10, S11	Capture, Aquarium	LC	3, 8, 9, 11, 23
<i>Acanthurus pyroferus</i> Kittlitz 1834	M	S8	Capture, Aquarium	LC	3, 22
<i>Acanthurus tennentii</i> Günther 1861	M	S8	Capture, Aquarium	LC	11
<i>Acanthurus triostegus</i> (Linnaeus 1758)	M	S8, S11	Capture, Aquarium	LC	3, 8, 9, 10, 11, 22, 25
<i>Acanthurus xanthopterus</i> Valenciennes 1835	M	S5, S6, S8, S10, S11	Capture, Aquarium	LC	2, 3, 4, 8, 9, 10, 22, 23, 24, 25
<i>Ctenochaetus strigosus</i> (Bennett 1828)	M	S8, S11	Aquarium	LC	8, 11
<i>Ctenochaetus striatus</i> (Quoy & Gaimard 1825)	M	S6, S8, S11	Capture, Aquarium	LC	18, 22, 24
<i>Naso brevirostris</i> (Cuvier 1829)	M	S8, S11	Capture, Aquarium	LC	9, 11, 22
<i>Naso elegans</i> (Rüppell 1829)	M	S10	Capture	LC	23
<i>Naso hexacanthus</i> (Bleeker 1855)	M, B	S8	Capture, Sport, Aquarium	LC	22
<i>Naso lituratus</i> (Forster 1801)	M	S8	Capture, Aquarium	LC	11, 22
<i>Naso tuberosus</i> Lacepède 1801	M, B	S5, S8, S11	-	DD	4, 9, 22
<i>Naso unicornis</i> (Forsskål 1775)	M	S8, S10, S11	Capture, Sport, Aquarium	LC	9, 11, 22, 23
<i>Paracanthurus hepatus</i> (Linnaeus 1766)	M	S8	Aquarium	LC	22
<i>Zebrasoma velifer</i> (Bloch 1795)	M	S8	Capture, Aquarium	LC	10, 22, 25
<i>Zebrasoma xanthurum</i> (Blyth 1852)	M	S8	Aquarium	LC	22
Family: Acropomatidae					
<i>Synagrops adeni</i> Kotthaus 1970	M	S2, S3, S4, S5, S6, S8, S11	Capture	NE	22
<i>Synagrops japonicus</i> (Döderlein, 1883)	M	S11	Capture	LC	22
Family: Ambassidae					
<i>Ambassis ambassis</i> (Lacepède, 1802)	M, F, B	S8, S11	-	LC	1, 2, 3, 4, 6, 7, 8, 9, 11, 15, 13, 16, 18, 17, 22, 24
<i>Ambassis buruensis</i> Bleeker 1856	F, B	S8, S11	-	NE	8
<i>Ambassis gymnocephalus</i> (Lacepède 1802)	M, F, B	S8, S11	Capture, Bait	LC	1, 2, 3, 4, 8, 9, 15, 17, 22, 24
<i>Ambassis interrupta</i> Bleeker 1853	M, F, B	S8, S11	Capture	LC	3, 8, 9
<i>Ambassis miops</i> Günther 1872	M, F, B	S2, S9, S11	-	LC	3, 8, 9
<i>Ambassis nalua</i> (Hamilton 1822)	M, F, B	S8, S11	-	LC	9, 22
<i>Ambassis urotaenia</i> Bleeker 1852	M, F, B	S2, S3, S11	-	LC	3, 8, 9
<i>Chanda nama</i> Hamilton, 1822	F, B	S6, S9, S11	Capture, Aquarium	LC	13, 19, 24
<i>Parambassis dayi</i> (Bleeker 1874)	F, B	S8, S11	Aquarium	LC	3, 8, 9, 22
<i>Parambassis ranga</i> (Hamilton, 1822)	F, B	S8	Capture, Aquarium	LC	7, 13, 24
Family: Ammodytidae					
<i>Bleekeria kallolepis</i> Günther 1862	M	S2, S3, S4, S6, S9,	-	NE	3, 8, 9, 22

		S11			
<i>Bleekeria murtii</i> Joshi, Zacharia & Kanthan 2012	M		-	NE	22
Family: Anabantidae					
<i>Anabas testudineus</i> (Bloch 1792)	F, B	S11	Capture, Cultivable, Aquarium	DD	6, 7, 12, 15, 13, 17, 24
Family: Apogonidae					
<i>Apogon coccineus</i> Rüppell 1838	M	S8	Aquarium	NE	8
<i>Apogon nitidus</i> (Smith, 1961)	M	S8	-	NE	8
<i>Apogon quadrisquamatus</i> Longley 1934	M	S6, S11	-	LC	2, 4, 8, 9, 22
<i>Apogonichthyooides heptastygma</i> (Cuvier 1828)	M	S5, S8, S11	-	NE	22
<i>Apogonichthyooides erdmanni</i> Fraser & Allen 2011	M	S8, S10	-	NE	22
<i>Apogonichthyooides niger</i> (Döderlein 1883)	M	S10	-	NE	15, 17, 24
<i>Apogonichthyooides nigripinnis</i> (Cuvier 1828)	M	S8, S10, S11	-	NE	3, 4, 8, 9, 22
<i>Apogonichthyooides pseudotaeniatus</i> (Gon 1986)	M	S8	-	NE	22, 23
<i>Apogonichthyooides sialis</i> (Jordan & Thompson 1914)	M	S8, S11	-	NE	23
<i>Apogonichthyooides taeniatus</i> (Cuvier 1828)	M	S10	-	NE	3, 8, 9, 23
<i>Apogonichthyooides umbratilis</i> Fraser & Allen 2010	M	S8	-	NE	22
<i>Apogonichthys ocellatus</i> (Weber 1913)	M	S8	-	LC	8, 9, 22
<i>Archamia bleekeri</i> (Günther 1859)	M	S8, S11	-	NE	23
<i>Cheilodipterus artus</i> Smith 1961	M	S8	-	NE	22
<i>Cheilodipterus macrodon</i> (Lacepède 1802)	M	S8	-	NE	22
<i>Cheilodipterus quinquefasciatus</i> Cuvier 1828	M	S11	Capture, Aquarium	NE	9, 22
<i>Fibramia lateralis</i> (Valenciennes 1832)	M, F, B	S8	-	LC	22
<i>Foa brachygramma</i> (Jenkins 1903)	M, F, B	S6, S8, S10	Aquarium	NE	22
<i>Fowleria aurita</i> (Valenciennes 1831)	M	S8	-	NE	9
<i>Fowleria marmorata</i> (Alleyne & Macleay 1877)	M	S5, S8, S10, S11	Capture	NE	22
<i>Jaydia ellioti</i> (Day, 1875)	M	S10	-	NE	2, 3, 22, 23
<i>Jaydia lineata</i> (Temminck & Schlegel 1843)	M	S8	-	NE	22
<i>Jaydia poeciloptera</i> (Cuvier 1828)	M, B	S8, S11	-	NE	3, 4, 8, 9, 23
<i>Jaydia queketti</i> (Gilchrist 1903)	M	S8, S11	-	NE	23
<i>Jaydia smithi</i> (Kotthaus 1970)	M	S8, S10, S11	-	NE	22
<i>Jaydia truncata</i> (Bleeker 1855)	M	S8	-	NE	8, 9, 22
<i>Lepidamia kalosoma</i> (Bleeker 1852)	M	S8, S11	-	NE	3, 8, 9
<i>Lepidamia multitaeniatus</i> (Cuvier 1828)	M	S11	-	NE	3, 8, 9, 23
<i>Neamia octospina</i> Smith & Radcliffe 1912	M	S8, S11	-	NE	22
<i>Nectamia bandanensis</i> (Bleeker 1854)	M	S8	-	NE	3, 8, 9
<i>Nectamia fusca</i> (Quoy & Gaimard 1825)	M	S5, S6, S8, S10, S11	-	LC	8
<i>Nectamia savayensis</i> (Günther 1872)	M	S8	-	NE	9, 22
<i>Ostorrhinchus apogonoides</i> (Bleeker 1856)	M	S8	-	NE	22
<i>Ostorrhinchus aureus</i> (Lacepède 1802)	M	S11	Capture, Aquarium	NE	2, 3, 4, 8, 9, 10, 22, 23
<i>Ostorrhinchus chrysotaenia</i> (Bleeker 1851)	M	S8, S11	-	NE	22
<i>Ostorrhinchus compressus</i> (Smith & Radcliffe 1911)	M	S8	Aquarium	LC	22
<i>Ostorrhinchus cookii</i> (Macleay 1881)	M	S8, S11	-	NE	8
<i>Ostorrhinchus cyanosoma</i> (Bleeker 1853)	M	S10	Aquarium	NE	8, 22
<i>Ostorrhinchus dispar</i> (Fraser & Randall 1976)	M	S8	-	NE	22
<i>Ostorrhinchus endekataenia</i> (Bleeker 1852)	M	S8	-	NE	8, 22
<i>Ostorrhinchus fasciatus</i> (Shaw 1790)	M	S8, S11	-	NE	23
<i>Ostorrhinchus fleurieu</i> Lacepède 1802	M, B	S8	-	LC	22
<i>Ostorrhinchus hoevenii</i> (Bleeker 1854)	M, B	S5, S8, S11	-	NE	22
<i>Ostorrhinchus nigripes</i> (Playfair 1867)	M	S8	-	NE	8, 9, 22
<i>Ostorrhinchus nigrofasciatus</i> (Lachner 1953)	M	S6, S8, S10	-	NE	22
<i>Ostorrhinchus novemfasciatus</i> (Cuvier 1828)	M	S8, S10, S11	-	NE	3, 4, 9, 22
<i>Ostorrhinchus quinquestriatus</i> (Regan 1908)	M	S8	-	NE	22
<i>Ostorrhinchus septemstriatus</i> (Günther 1880)	M	S11	-	NE	2, 22, 23
<i>Pristiapogon fraenatus</i> (Valenciennes 1832)	M	S11	-	NE	8, 22, 23
<i>Pristiapogon kallopterus</i> (Bleeker 1856)	M, B	S8, S11	Aquarium	NE	22
<i>Pristicon trimaculatus</i> (Cuvier 1828)	M	S8, S11	-	NE	8
<i>Sphaeramia orbicularis</i> (Cuvier 1828)	M	S10	Capture	NE	8
<i>Taeniamia lineolata</i> (Cuvier 1828)	M	S11	-	NE	3, 8, 9
<i>Taeniamia macroptera</i> (Cuvier 1828)	M	S8, S11	-	NE	3, 9, 22
<i>Taeniamia zosterophora</i> (Bleeker 1856)	M	S11	-	NE	23
<i>Yarica hyalosoma</i> (Bleeker 1852)	M, F, B	S8	-	LC	8

<i>Zoramia leptacantha</i> (Bleeker 1856)	M	S8	Aquarium	NE	8, 22
Family: Ariommataidae					
<i>Ariomma indicum</i> (Day 1871)	M	S8, S11	Capture	NE	3, 8, 9, 22
Family: Blenniidae					
<i>Andamia heteroptera</i> (Bleeker 1857)	M	S11	-	DD	8
<i>Atrosalarias fuscus</i> (Rüppell 1838)	M	S11	-	LC	8
<i>Blenniella bilitonensis</i> (Bleeker 1858)	M	S11	-	LC	8
<i>Blenniella cyanostigma</i> (Bleeker 1849)	M	S8, S11	-	LC	8, 22
<i>Blenniella leopardus</i> (Fowler 1904)	M	S11	-	LC	8
<i>Ecsenius bicolor</i> (Day 1888)	M	S8	Aquarium	LC	22
<i>Ecsenius frontalis</i> (Valenciennes 1836)	M	S8	Aquarium	LC	22
<i>Ecsenius lineatus</i> Klausewitz 1962	M	S11	-	LC	8
<i>Entomacrodus striatus</i> (Valenciennes 1836)	M	S8, S11	Aquarium	LC	8, 22
<i>Haptogenys bipunctata</i> (Day 1876)	M	S8	-	DD	22
<i>Istiblennius dussumieri</i> (Valenciennes 1836)	M, B	S11	-	LC	8, 9
<i>Istiblennius edentulus</i> (Forster & Schneider 1801)	M, B	S11	Aquarium	LC	8
<i>Istiblennius lineatus</i> (Valenciennes 1836)	M	S11	Aquarium	LC	8
<i>Omobranchus elongatus</i> (Peters 1855)	M, B	S8, S11	Aquarium	LC	3, 9, 22
<i>Omobranchus zebra</i> (Bleeker 1868)	M, B	S8, S11	-	LC	3, 8, 9, 22
<i>Petroscirtes breviceps</i> (Valenciennes 1836)	M, B	S8, S11	Aquarium	LC	9, 22
<i>Petroscirtes mitratus</i> Rüppell 1830	M	S11	Aquarium	LC	8
<i>Petroscirtes variabilis</i> Cantor 1849	M	S8, S11	-	LC	9, 22
<i>Rhabdoblennius snowi</i> (Fowler 1928)	M	S11	-	LC	8
<i>Salarias alboguttatus</i> Kner 1867	M	S11	-	LC	9
<i>Salarias fasciatus</i> (Bloch 1786)	M	S8, S11	Capture, Aquarium	LC	8, 9, 22
<i>Xiphasia setifer</i> Swainson 1839	M	S6, S8, S11	Aquarium	LC	2, 3, 8, 9
Famil: Bramidae					
<i>Brama brama</i> (Bonnaterre 1788)	M	S8	Capture	LC	22
<i>Taractes rubescens</i> (Jordan & Evermann 1887)	M	S11	Capture	LC	8
Family: Caesionidae					
<i>Caesio caerulea</i> Lacepède 1801	M	S6, S8, S11	Capture, Bait	LC	2, 9, 10, 22
<i>Caesio cuning</i> (Bloch 1791)	M	S8	Capture	LC	10, 22, 25
<i>Caesio varilineata</i> Carpenter 1987	M	S10	Capture, Bait	NE	23
<i>Caesio xanthonota</i> Bleeker 1853	M	S8, S10	Capture	LC	10, 23
<i>Dipterygonotus balteatus</i> (Valenciennes 1830)	M	S5, S11	Capture, Bait	LC	4, 9
<i>Gymnoaesio gymnoptera</i> (Bleeker 1856)	M	S11	Capture, Bait	LC	9
<i>Pterocaspio chrysozona</i> (Cuvier 1830)	M	S5, S6, S8, S10, S11	Capture, Bait	LC	2, 4, 9, 10, 22, 23
<i>Pterocaspio digramma</i> (Bleeker 1864)	M	S10	Capture	LC	23
<i>Pterocaspio tile</i> (Cuvier 1830)	M	S8	Capture, Bait	LC	22
Family: Callionymidae					
<i>Callionymus carebarens</i> Alcock 1890	M	S10	-	NE	23
<i>Callionymus filamentosus</i> Valenciennes 1837	M	S5, S8, S11	-	NE	3, 4, 9
<i>Callionymus japonicus</i> Houttuyn 1782	M	S5, S6, S8, S10, S11	-	NE	2, 3, 4, 8, 9, 23
<i>Callionymus marleyi</i> Regan 1919	M	S10, S11	Capture	NE	9, 23
<i>Eleutherrochir opercularis</i> (Valenciennes 1837)	M, B	S5, S8, S11	-	NE	3, 4, 8, 9
<i>Repomucenus fluviatilis</i> Day 1876	M, B	S10	Capture	NE	23
<i>Repomucenus sagitta</i> (Pallas 1770)	M, B	S6, S8, S11	-	LC	2, 3, 8, 9
<i>Synchiropus lineolatus</i> (Valenciennes 1837)	M	S6, S8, S11	-	NE	2, 3, 8, 9
Family: Carangidae					
<i>Alectis ciliaris</i> (Bloch 1787)	M	S1, S6, S8, S10, S11	Capture, Sport, Aquarium	LC	2, 3, 8, 9, 10, 15, 16, 17, 21, 22, 23, 24
<i>Alectis indica</i> (Rüppell 1830)	M, B	S1, S5, S6, S8, S10, S11	Capture, Sport, Aquarium	LC	2, 3, 4, 8, 9, 10, 11, 15, 16, 17, 21, 22, 23, 24
<i>Alepes djedaba</i> (Forsskål 1775)	M	S5, S6, S8, S10, S11	Capture, Sport	LC	2, 3, 4, 8, 9, 10, 18, 22, 23, 24
<i>Alepes kleinii</i> (Bloch 1793)	M	S1, S2, S4, S5, S6, S8, S11	Capture	LC	2, 6, 3, 4, 8, 9, 15, 13, 17, 21, 22, 24
<i>Alepes melanoptera</i> (Swainson 1839)	M, B	S6, S8, S10, S11	Capture	NE	2, 3, 8, 9, 22, 23
<i>Alepes vari</i> (Cuvier 1833)	M, B	S5, S6, S8, S11	Capture	LC	2, 3, 4, 9, 22
<i>Atropus atropos</i> (Bloch & Schneider 1801)	M	S5, S6, S8, S11	Capture	NE	2, 3, 4, 8, 9, 10, 22
<i>Atule mate</i> (Cuvier 1833)	M, B	S3, S5, S6, S8, S10, S11	Capture, Sport	LC	2, 3, 4, 7, 8, 9, 22, 23, 24
<i>Carangoides armatus</i> (Forsskål 1775)	M, B	S5, S6, S8, S11	Capture, Sport	NE	2, 3, 4, 9, 10, 22
<i>Carangoides bajad</i> (Forsskål 1775)	M	S8	Capture, Sport	LC	22
<i>Carangoides chrysophrys</i> (Cuvier 1833)	M, B	S3, S5, S6, S8, S11	Capture, Sport	LC	2, 3, 4, 7, 8, 9, 10, 22, 24
<i>Carangoides coeruleopinnatus</i> (Rüppell 1830)	M	S6, S8, S9, S11	Capture, Sport	LC	2, 8, 9, 10, 19, 22, 24

<i>Carangoides dinema</i> Bleeker 1851	M, B	S8, S11	Capture, Sport	LC	8, 22
<i>Carangoides equula</i> (Temminck & Schlegel 1844)	M	S8, S10	Capture, Cultivable, Sport	LC	22, 23
<i>Carangoides ferdau</i> (Forsskål 1775)	M, B	S6, S8, S9, S11	Capture, Sport	LC	2, 3, 8, 9, 19, 22, 24
<i>Carangoides fulvoguttatus</i> (Forsskål 1775)	M	S8, S10	Capture, Sport	LC	22, 23
<i>Carangoides gymnostethus</i> (Cuvier 1833)	M	S6, S8, S11	Capture, Sport	LC	2, 3, 8, 9, 22
<i>Carangoides hedlandensis</i> (Whitley 1934)	M	S8, S11	Capture, Sport	LC	3, 8, 9, 10, 22
<i>Carangoides malabaricus</i> (Bloch & Schneider 1801)	M	S3, S5, S6, S8, S10, S11	Capture, Sport	LC	2, 3, 4, 7, 8, 9, 15, 16, 17, 22, 23, 24
<i>Carangoides oblongus</i> (Cuvier 1833)	M	S8, S11	Capture, Sport	LC	3, 8, 9, 22
<i>Carangoides orthogrammus</i> (Jordan & Gilbert 1882)	M	S8, S10	Capture, Sport	LC	22, 23
<i>Carangoides plagiotaenia</i> Bleeker 1857	M	S8	Capture, Sport	LC	22
<i>Carangoides praeustus</i> (Anonymous [Bennett] 1830)	M	S5, S6, S8, S11	Capture, Sport	NE	2, 3, 4, 8, 9, 22, 24
<i>Carangoides talamparoides</i> Bleeker 1852	M	S6, S8, S10, S11	Capture	LC	2, 3, 8, 9, 22, 23
<i>Caranx heberi</i> (Bennett 1830)	M	S1, S5, S6, S8, S10, S11	Capture, Sport	LC	1, 2, 4, 8, 9, 10, 15, 17, 21, 22, 23, 24, 25
<i>Caranx hippos</i> (Linnaeus 1766)	M, B	S5, S8, S11	Capture, Sport	LC	3, 4, 8, 9, 10, 22
<i>Caranx ignobilis</i> (Forsskål 1775)	M, B	S2, S5, S6, S8, S9, S10, S11	Capture, Cultivable, Sport, Aquarium	LC	2, 3, 4, 8, 9, 15, 13, 17, 19, 22, 23, 24
<i>Caranx lugubris</i> Poey 1860	M	S8	Capture, Cultivable, Sport	LC	22
<i>Caranx melampygus</i> Cuvier 1833	M, B	S5, S8, S11	Capture, Cultivable, Sport, Aquarium	LC	4, 8, 9, 22
<i>Caranx papuensis</i> Alleyne & Macleay 1877	M, B	S8	Capture, Cultivable, Sport	LC	22
<i>Caranx sexfasciatus</i> Quoy & Gaimard 1825	M, F, B	S2, S5, S6, S8, S9, S11	Capture, Sport	LC	1, 2, 3, 4, 8, 9, 15, 13, 16, 17, 19, 22, 24
<i>Caranx tille</i> Cuvier 1833	M	S2, S5, S8, S11	Capture, Sport	LC	4, 9, 13, 22, 24
<i>Chloroscombrus chrysurus</i> (Linnaeus 1766)	M, B	S5	CaptureL	LC	4
<i>Decapterus akaadsi</i> Abe 1958	M	S10	Capture	NE	23
<i>Decapterus kurroides</i> Bleeker 1855	M	S8	Capture	NE	22
<i>Decapterus macarellus</i> (Cuvier 1833)	M	S8, S10	Capture, Sport, Bait	LC	22, 23
<i>Decapterus macrosoma</i> Bleeker 1851	M	S8, S10, S11	Capture, Bait	LC	8, 22, 23
<i>Decapterus russelli</i> (Rüppell 1830)	M	S5, S6, S8, S10, S11	Capture, Bait	LC	2, 3, 4, 8, 9, 22, 23
<i>Decapterus tabl</i> Berry 1968	M	S8	Capture, Bait	LC	22
<i>Elagatis bipinnulata</i> (Quoy & Gaimard 1825)	M	S6, S8, S10, S11	Capture, Sport	LC	2, 3, 8, 9, 22, 23
<i>Gnathanodon speciosus</i> (Forsskål 1775)	M	S6, S8, S10, S11	Capture, Cultivable, Sport, Aquarium	LC	2, 9, 10, 11, 22, 23
<i>Megalaspis cordyla</i> (Linnaeus 1758)	M, B	S5, S6, S8, S10, S11	Capture	LC	2, 3, 4, 8, 9, 10, 22, 23
<i>Naucrates ductor</i> (Linnaeus 1758)	M	S8, S11	Capture, Sport, Aquarium	LC	8, 22
<i>Parastromateus niger</i> (Bloch 1795)	M, B	S1, S5, S6, S8, S10, S11	Capture	NE	2, 3, 3, 4, 8, 9, 10, 15, 17, 21, 22, 23, 24
<i>Scomberoides commersonianus</i> Lacepède 1801	M, B	S5, S6, S8, S9, S10, S11	Capture, Sport	LC	2, 3, 4, 8, 9, 10, 15, 19, 22, 23, 24
<i>Scomberoides lysan</i> (Forsskål 1775)	M, B	S5, S8, S10, S11	Capture, Sport, Bait	LC	3, 4, 8, 9, 10, 22, 23
<i>Scomberoides tala</i> (Cuvier 1832)	M	S1, S5, S6, S8, S10, S11	Capture	LC	2, 3, 4, 8, 9, 10, 21, 22, 23, 24
<i>Scomberoides tol</i> (Cuvier 1832)	M, B	S5, S6, S8, S9, S11	Capture, Sport	LC	3, 4, 8, 9, 10, 15, 16, 17, 19, 22, 24
<i>Selar boops</i> (Cuvier 1833)	M	S8, S11	Capture	LC	8, 22
<i>Selar crumenophthalmus</i> (Bloch 1793)	M	S8, S10, S11	Capture, Sport, Bait	LC	3, 8, 9, 10, 22, 23
<i>Selaroides leptolepis</i> (Cuvier 1833)	M, B	S5, S6, S8, S10, S11	Capture	LC	2, 3, 4, 8, 9, 10, 22, 23
<i>Seriola rivoliana</i> Valenciennes 1833	M	S8	Capture, Sport	LC	22
<i>Seriola dumerili</i> (Risso 1810)	M	S8, S10	Capture, Cultivable, Sport, Aquarium	LC	22, 23
<i>Seriolina nigrofasciata</i> (Rüppell 1829)	M, B	S5, S8, S11	Capture, Sport	LC	3, 4, 8, 22
<i>Trachinotus africanus</i> Smith 1967	M, B	S9, S11	Capture, Sport,	NE	19, 24

			Aquarium		
<i>Trachinotus baillonii</i> (Lacepède 1801)	M, B	S6, S8, S11	Capture, Sport	LC	2, 8, 9, 22
<i>Trachinotus blochii</i> (Lacepède 1801)	M, B	S6, S8, S10, S11	Capture, Cultivable, Sport, Aquarium	LC	2, 8, 9, 22, 23, 24
<i>Trachinotus bottla</i> (Shaw, 1803)	M, B	S1, S6, S8, S11	Capture, Sport	NE	2, 9, 21, 22, 24
<i>Trachinotus copperniger</i> Günther 1884	M	S8	Capture	LC	22
<i>Trachinotus mookalee</i> Cuvier 1832	M	S5, S8, S11	Capture, Sport	NE	4, 8, 9, 22
<i>Trachurus novaezelandiae</i> Richardson 1843	M, B	S1, S11	Capture, Sport, Bait	NE	21, 24
<i>Ulua mentalis</i> (Cuvier 1833)	M	S8, S11	Capture, Sport	LC	9, 22
<i>Uraspis helvola</i> (Forster 1801)	M	S6, S8, S10, S11	Capture, Sport	LC	18, 22, 23, 24
<i>Uraspis secunda</i> (Poey 1860)	M	S8	Capture, Sport	LC	22
<i>Uraspis uraspis</i> (Günther 1860)	M	S8	Capture	LC	22
Family: Centrolophidae					
<i>Psenopsis cyanea</i> (Alcock 1890)	M	S10	Capture	NE	23
Family: Cepolidae					
<i>Acanthocepola abbreviata</i> (Valenciennes 1835)	M	S6, S8, S11	-	NE	2, 3, 8, 9, 17, 15, 22, 24
<i>Acanthocepola indica</i> (Day 1888)	M	S8, S11	-	NE	9, 22
<i>Acanthocepola limbata</i> (Valenciennes 1835)	M	S8	Capture	NE	3, 22
Family: Chaetodontidae					
<i>Chaetodon auriga</i> Forsskål 1775	M	S8, S11	Capture, Aquarium	LC	8, 9, 10, 11, 22, 25
<i>Chaetodon bennetti</i> Cuvier 1831	M	S8	Capture, Aquarium	DD	22
<i>Chaetodon citrinellus</i> Cuvier 1831	M	S8, S11	Capture, Aquarium	LC	8, 22
<i>Chaetodon collare</i> Bloch 1787	M	S8, S11	Aquarium	LC	3, 8, 9, 10, 11, 22, 25
<i>Chaetodon decussatus</i> Cuvier 1829	M	S5, S8, S10, S11	Aquarium	LC	3, 4, 8, 9, 10, 22, 23, 25
<i>Chaetodon falcula</i> Bloch 1795	M	S11	Aquarium	LC	8
<i>Chaetodon fasciatus</i> Forsskål 1775	M	S8	Aquarium	LC	22
<i>Chaetodon gardineri</i> Norman 1939	M	S8	Aquarium	LC	10, 22
<i>Chaetodon guttatissimus</i> Bennett 1833	M	S11	Aquarium	LC	8
<i>Chaetodon kleinii</i> Bloch 1790	M	S8	Capture, Aquarium	LC	22
<i>Chaetodon leucopleura</i> Playfair 1867	M	S8	Aquarium	LC	22
<i>Chaetodon lineolatus</i> Cuvier 1831	M	S8, S11	Capture, Aquarium	LC	8, 22
<i>Chaetodon lunula</i> (Lacepède 1802)	M	S8, S11	Capture, Aquarium	LC	8, 10, 22
<i>Chaetodon melanotus</i> Bloch & Schneider 1801	M	S8, S11	Aquarium	LC	8, 9, 22
<i>Chaetodon meyeri</i> Bloch & Schneider 1801	M	S11	Capture, Aquarium	LC	8
<i>Chaetodon octofasciatus</i> Bloch 1787	M	S8, S11	Aquarium	LC	3, 8, 9, 10, 22, 25
<i>Chaetodon oxycephalus</i> Bleeker 1853	M	S8	Aquarium	LC	22
<i>Chaetodon plebeius</i> Cuvier 1831	M	S8	Capture, Aquarium	LC	10, 22, 25
<i>Chaetodon semilarvatus</i> Cuvier 1831	M	S8	Aquarium	LC	22
<i>Chaetodon speculum</i> Cuvier 1831	M	S8	Capture, Aquarium	LC	22
<i>Chaetodon trifascialis</i> Quoy & Gaimard 1825	M	S8	Aquarium	NT	10, 22, 25
<i>Chaetodon trifasciatus</i> Park 1797	M	S6, S8, S11	Capture, Aquarium	LC	2, 8, 9, 10, 22
<i>Chaetodon triangulum</i> Cuvier 1831	M	S11	Aquarium	LC	8
<i>Chaetodon unimaculatus</i> Bloch 1787	M	S8	Capture, Aquarium	LC	11
<i>Chaetodon vagabundus</i> Linnaeus 1758	M	S8, S10, S11	Capture, Aquarium	LC	3, 8, 9, 10, 11, 22, 23, 25
<i>Chaetodon xanthocephalus</i> Bennett 1833	M	S8, S11	Aquarium	LC	8, 9, 10, 22, 25
<i>Heniochus acuminatus</i> (Linnaeus 1758)	M, B	S5, S6, S8, S10, S11	Capture, Aquarium	LC	2, 3, 4, 8, 9, 10, 11, 22, 23, 25
<i>Heniochus chrysostomus</i> Cuvier 1831	M	S8	Capture, Aquarium	LC	22
<i>Heniochus monoceros</i> Cuvier 1831	M	S8	Aquarium	LC	22
<i>Heniochus pleurotaenia</i> Ahl 1923	M	S8	Aquarium	LC	22
<i>Heniochus singularis</i> Smith & Radcliffe 1911	M	S8, S10	Capture, Aquarium	LC	22, 23
<i>Heniochus varius</i> (Cuvier 1829)	M	S8	Capture, Aquarium	LC	22
<i>Roa jayakari</i> (Norman 1939)	M	S10	Aquarium	LC	23
Family: Channidae					
<i>Channa orientalis</i> Bloch & Schneider 1801	F, B	S9	Capture, Aquarium	NE	12
<i>Channa punctata</i> (Bloch 1793)	F, B	S3, S4, S9, S11	Capture, Cultivable, Aquarium, Bait	LC	6, 7, 12, 19, 24
<i>Channa striata</i> (Bloch 1793)	F, B	S3, S4, S11	Capture, Cultivable, Aquarium	LC	6, 7, 24
Family: Cichlidae					
<i>Etreplus suratensis</i> (Bloch 1790)	B	S1, S3, S4, S5, S6, S8, S9, S11	Capture, Cultivable,	LC	1, 2, 3, 4, 5, 6, 7, 9, 11, 12, 15, 17, 18, 19, 21, 22, 24

			Aquarium		
<i>Oreochromis mossambicus</i> (Peters 1852)	F, B	S1, S2, S3, S4, S6, S7, S8, S9, S11	Capture, Cultivable, Sport, Aquarium	NT	1, 2, 5, 6, 7, 9, 12, 15, 13, 18, 17, 19, 20, 22, 24
<i>Oreochromis niloticus</i> (Linnaeus 1758)	F, B	S9, S11	Capture, Cultivable	NE	12, 24
<i>Pseudetroplus maculatus</i> (Bloch 1795)	F, B	S2, S3, S5, S6, S8, S9, S11	Capture, Aquarium	LC	2, 3, 4, 7, 9, 11, 12, 13, 16, 19, 22, 24
Family: Cirrhitidae					
<i>Cirrhitichthys aprinus</i> (Cuvier 1829)	M, B	S5, S11	Capture, Aquarium	LC	4, 9
<i>Cirrhitichthys aureus</i> (Temminck & Schlegel 1843)	M	S8, S11	-	NE	3, 8, 9
<i>Cirrhitus pinnulatus</i> (Forster 1801)	M	S11	Capture, Sport, Aquarium	LC	8
Family: Coryphaenidae					
<i>Coryphaena equiselis</i> Linnaeus 1758	M	S8, S10, S11	Capture, Sport	LC	8, 9, 22, 23
<i>Coryphaena hippurus</i> Linnaeus 1758	M, B	S5, S6, S8, S10, S11	Capture, Cultivable, Sport	LC	2, 3, 4, 9, 22, 23
Family: Datnioididae					
<i>Datnioides polota</i> (Hamilton 1822)	F, B	S8	Capture	LC	3
Family: Drepanteidae					
<i>Drepante longimana</i> (Bloch & Schneider 1801)	M, B	S5, S8, S10, S11	Capture, Aquarium	NE	3, 4, 9, 22, 23
<i>Drepante punctata</i> (Linnaeus 1758)	M, B	S1, S5, S6, S8, S10, S11	Capture, Aquarium	NE	1, 2, 3, 4, 5, 8, 9, 10, 11, 15, 16, 17, 22, 23, 24
Family: Echeneidae					
<i>Echeneis naucrates</i> Linnaeus 1758	M, B	S5, S6, S8, S10, S11	Capture, Sport, Aquarium	LC	2, 4, 8, 9, 22, 23
<i>Remora brachyptera</i> (Lowe 1839)	M	S1, S8, S11	-	LC	3, 8, 9, 21, 24
<i>Remora osteochir</i> (Cuvier 1829)	M	S8	-	LC	22
<i>Remora remora</i> (Linnaeus 1758)	M	S6, S8, S11	Capture	LC	2, 8, 9, 22
Family: Eleotridae					
<i>Bostrychus sinensis</i> Lacepède 1801	M, F, B	S11	Capture	LC	8
<i>Butis butis</i> (Hamilton 1822)	M, F, B	S11	Capture	LC	8,
<i>Butis humeralis</i> (Valenciennes 1837)	M, F, B	S6, S11	-	NE	1, 2, 24
<i>Butis koilomatodon</i> (Bleeker 1849)	M, F, B	S6, S8, S11	-	NE	1, 2, 3, 8, 9, 24
<i>Eleotris fusca</i> (Bloch & Schneider 1801)	M, F, B	S6, S8, S11	Capture, Aquarium	LC	2, 3, 8, 9, 24
<i>Eleotris melanosoma</i> Bleeker 1853	M, F, B	S8, S11	Capture	LC	3, 9
<i>Eviota distigma</i> Jordan & Seale 1906	M	S11	-	LC	8
<i>Giuris margaritaceus</i> (Valenciennes 1837)	M, F, B	S11	Capture	LC	8
Family: Ephippidae					
<i>Ephippus orbis</i> (Bloch 1787)	M	S1, S5, S6, S8, S11	Capture	NE	2, 3, 4, 8, 9, 10, 11, 21, 22, 24
<i>Platax orbicularis</i> (Forsskål 1775)	M, B	S5, S8, S11	Capture, Cultivable, Aquarium	NE	4, 9, 11, 22
<i>Platax pinnatus</i> (Linnaeus 1758)	M	S6, S8, S11	Capture, Aquarium	NE	2, 3, 8, 9, 22
<i>Platax teira</i> (Forsskål 1775)	M	S5, S8, S10, S11	Capture, Sport, Aquarium	NE	4, 9, 10, 11, 22, 23, 25
Family: Gempylidae					
<i>Gempylus serpens</i> Cuvier 1829	M	S8, S11	Capture, Bait	LC	9, 22
<i>Lepidocybium flavobrunneum</i> (Smith 1843)	M	S8	Capture	LC	22
<i>Nealotus tripes</i> Johnson 1865	M	S11	Capture	LC	9
<i>Neoepinnula orientalis</i> (Gilchrist & von Bonde 1924)	M	S8	Capture	NE	22
<i>Rexea bengalensis</i> (Alcock 1894)	M, B	S8, S11	Capture	NE	9, 22
<i>Rexea prometheoides</i> (Bleeker 1856)	M	S8, S10	Capture	NE	22, 23
<i>Ruvettus pretiosus</i> Cocco 1833	M	S8	Capture, Sport	LC	22
<i>Thyrsites atun</i> (Euphrasen 1791)	M, B	S8	Capture, Sport	NE	22
<i>Thyrsitoides marleyi</i> Fowler 1929	M	S8	Capture	NE	22
Family: Gerreidae					
<i>Gerres erythrourus</i> (Bloch, 1791)	M, B	S1, S3, S4, S6, S8, S9, S10, S11	Capture	LC	2, 3, 5, 6, 7, 8, 9, 11, 12, 15, 16, 17, 19, 22, 23, 24
<i>Gerres filamentosus</i> Cuvier 1829	M, F, B	S1, S2, S3, S5, S6, S8, S9, S10, S11	Capture	LC	1, 2, 3, 4, 5, 7, 8, 9, 11, 15, 13, 16, 18, 17, 19, 22, 23, 24
<i>Gerres limbatus</i> Cuvier 1830	M, B	S1, S5, S6, S8, S11	Capture	LC	1, 3, 4, 5, 8, 9, 15, 17, 21, 22, 24
<i>Gerres longirostris</i> (Lacepède 1801)	M, F, B	S1, S2, S3, S8, S10, S11	Capture	LC	3, 5, 7, 8, 9, 13, 23, 24
<i>Gerres macracanthus</i> Bleeker 1854	M, B	S8, S10, S11	-	NE	3, 8, 9, 23
<i>Gerres methueni</i> Regan 1920	M, B	S6, S11	Capture	NE	15, 17, 24

<i>Gerres oblongus</i> Cuvier 1830	M	S8, S10, S11	Capture	LC	3, 8, 9, 22, 23
<i>Gerres oyena</i> (Forsskål, 1775)	M, B	S1, S2, S6, S8, S9, S11	Capture	LC	2, 3, 5, 8, 9, 11, 13, 19, 22, 24
<i>Gerres setifer</i> (Hamilton 1822)	M, B	S1, S6, S8, S9, S11	Capture	NE	2, 3, 5, 9, 19, 24
<i>Pentaprion longimanus</i> (Cantor 1849)	M, B	S6, S8, S11	Capture	LC	2, 3, 8, 9, 22
Family: Gobiidae					
<i>Acentrogobius audax</i> Smith 1959	M, B	S6, S8, S11	-	LC	2, 22, 24
<i>Acentrogobius caninus</i> (Valenciennes 1837)	M, F, B	S8	-	LC	22
<i>Acentrogobius cyanomos</i> (Bleeker 1849)	M, B	S1, S6, S8, S11	-	NE	2, 3, 5, 8, 9, 24
<i>Acentrogobius ennorenensis</i> Menon & Rema Devi, 1980	M, B	S6, S8, S9, S11	-	NE	1, 8, 9, 19, 22, 24
<i>Acentrogobius griseus</i> (Day 1876)	M, F, B	S11	-	NE	8, 9
<i>Acentrogobius janthinopterus</i> (Bleeker 1853)	M, F, B	S8	-	NE	22
<i>Acentrogobius madraspatensis</i> (Day 1868)	M, F, B	S6, S8, S11	-	NE	1, 2, 8, 9, 22, 24
<i>Acentrogobius masoni</i> (Day 1873)	M, B	S8, S11	-	NE	9, 22
<i>Acentrogobius viridipunctatus</i> (Valenciennes 1837)	M, F, B	S1, S5, S6, S8, S11	-	NE	1, 2, 3, 3, 4, 5, 8, 9, 24
<i>Amblyeleotris diagonalis</i> Polunin & Lubbock 1979	M	S8	-	NE	22
<i>Amblyeleotris guttata</i> (Fowler 1938)	M	S8	Aquarium	NE	22
<i>Amblyeleotris gymnocephala</i> (Bleeker 1853)	M, B	S8, S11	Aquarium	NE	3, 9, 22
<i>Amblyeleotris steinitzi</i> (Klausewitz 1974)	M, B	S8	Aquarium	NE	22
<i>Amblyeleotris wheeleri</i> (Polunin & Lubbock 1977)	M	S8	Aquarium	LC	22
<i>Amblygobius albimaculatus</i> (Rüppell 1830)	M, B	S8, S11	Aquarium	NE	3, 8, 9, 22
<i>Amblygobius decussatus</i> (Bleeker 1855)	M, B	S8	Aquarium	NE	22
<i>Amblygobius phalaena</i> (Valenciennes 1837)	M	S8	Capture, Aquarium	NE	22
<i>Amblygobius sphynx</i> (Valenciennes 1837)	M, B	S8	Capture, Aquarium	LC	22
<i>Apocryptes bato</i> (Hamilton 1822)	M, F, B	S8, S11	Capture	NE	3, 8, 9
<i>Apocryptodon madurensis</i> (Bleeker 1849)	M, F, B	S6, S8, S11	-	NE	2, 3, 8, 9
<i>Arcygobius baluurus</i> (Valenciennes 1837)	M, B	S6, S11	-	DD	8, 18, 24
<i>Asterropteryx semipunctata</i> Rüppell 1830	M	S11	Aquarium	NE	8
<i>Awaous stamineus</i> (Eyraud & Souleyet 1850)	F, B	S8, S11	-	NE	3, 8
<i>Bathygobius cotticeps</i> (Steindachner 1879)	M, B	S8	-	NE	22
<i>Bathygobius fuscus</i> (Rüppell 1830)	M, F, B	S8, S11	Capture	LC	9, 22
<i>Boleophthalmus birdsongi</i> Murdy 1989	M, F, B	S8	-	NE	22
<i>Boleophthalmus boddarti</i> (Pallas 1770)	M, F, B	S1, S3, S5, S6, S8, S11	-	LC	1, 2, 3, 4, 5, 7, 8, 9, 22, 24
<i>Boleophthalmus dussumieri</i> Valenciennes 1837	M, F, B	S11	-	NE	8
<i>Brachygobius nunus</i> (Hamilton 1822)	F, B	S8, S11	-	NE	3, 9
<i>Callogobius hasseltii</i> (Bleeker 1851)	M, F, B	S8, S11	Aquarium	NE	8, 22
<i>Callogobius seshaiyai</i> Jacob & Rangarajan 1960	B	S6, S11	-	NE	2, 8, 9, 24
<i>Caragobius urolepis</i> (Bleeker 1852)	F, B	S8, S11	-	LC	3, 8, 9
<i>Drombus bontii</i> (Bleeker 1849)	M, B	S8, S11	Drombus globiceps	NE	8, 22
<i>Drombus globiceps</i> (Hora 1923)	M, F, B	S8, S11	-	LC	3, 8, 9, 24
<i>Exyrias puntang</i> (Bleeker 1851)	M, B	S11	Aquarium	LC	8
<i>Favonigobius reichei</i> (Bleeker 1854)	M, F, B	S1, S6, S8, S11	-	LC	2, 3, 5, 8, 9, 24
<i>Glossogobius bicirrhosus</i> (Weber 1894)	M, F, B	S11	-	LC	8,
<i>Glossogobius giuris</i> (Hamilton, 1822)	M, F, B	S1, S2, S3, S4, S5, S6, S8, S11	Capture, Cultivable, Aquarium	LC	2, 3, 4, 5, 6, 7, 8, 9, 13, 24
<i>Gobiodon citrinus</i> (Rüppell 1838)	M	S8, S11	Aquarium	NE	8, 22
<i>Gobioides broussonnetii</i> Lacepède 1800	M, F, B	S8	Capture, Bait	LC	22
<i>Gobiopsis quinquecincta</i> (Smith 1931)	M	S11	-	LC	8
<i>Gobiopsis woodsi</i> Lachner & McKinney 1978	M	S11	-	NE	8
<i>Gobiopтерus chuno</i> (Hamilton 1822)	F, B	S8, S11	-	DD	3, 8, 9
<i>Istigobius goldmanni</i> (Bleeker 1852)	M	S11	Aquarium	NE	8
<i>Istigobius ornatus</i> (Rüppell 1830)	M, B	S8, S11	Aquarium	LC	3, 8
<i>Mahidolia mystacina</i> (Valenciennes 1837)	M, B	S6, S8, S11	Aquarium	NE	2, 3, 8, 9
<i>Oligolepis acutipennis</i> (Valenciennes 1837)	M, F, B	S5, S6, S8, S11	-	DD	2, 3, 4, 8, 9, 22, 24
<i>Oligolepis cylindriceps</i> (Hora 1923)	B	S8, S11	-	NE	3, 8, 9
<i>Oligolepis formosanus</i> (Nichols 1958)	M, B	S8, S11	-	NE	3, 8, 9
<i>Olopomus caninoides</i> (Bleeker 1852)	M	S8, S11	-	NE	3, 8, 9
<i>Oxuderces dentatus</i> Eyraud & Souleyet 1850	F, B	S11	-	NE	8, 9
<i>Oxyurichthys microlepis</i> (Bleeker 1849)	M, B	S6, S8, S1, S11 S6, S11	Capture, Aquarium	LC	1, 2, 3, 5, 8, 9, 18, 24
<i>Oxyurichthys ophthalmonema</i> (Bleeker 1856)	M, F, B	S6, S11	-	LC	1, 18, 24
<i>Oxyurichthys papuensis</i> (Valenciennes 1837)	M, B	S5, S6, S11	Aquarium	NE	2, 4, 8, 9

<i>Oxyurichthys tentacularis</i> (Valenciennes 1837)	M, B	S6, S8, S11	-	DD	2, 3, 8, 9
<i>Parachaeturichthys polynema</i> (Bleeker 1853)	M	S1, S6, S8, S11	-	NE	1, 2, 3, 5, 8, 9, 22, 24
<i>Paragobioptis ostreicola</i> (Chaudhuri 1916)	M, F, B	S8, S11	-	DD	8, 9, 22
<i>Parapocryptes rictuosus</i> (Valenciennes 1837)	M, B	S5, S6, S8, S11	-	NE	1, 2, 3, 4, 8, 9, 24
<i>Parapocryptes serperaster</i> (Richardson 1846)	M, B	S8, S11	-	NE	3, 8, 9
<i>Paratrypauchen microcephalus</i> (Bleeker 1860)	M, B	S1, S11	Capture, Aquarium	LC	5, 8, 9, 24
<i>Periophthalmus argenteolineatus</i> Valenciennes 1837	M, F, B	S11	Aquarium	NE	8
<i>Periophthalmus barbarus</i> (Linnaeus 1766)	M, F, B	S6, S8, S11	Capture, Aquarium	LC	2, 3, 8, 24
<i>Periophthalmus chrysospilos</i> Bleeker 1853	M, B	S11	-	NE	8, 9
<i>Periophthalmus kalolo</i> Lesson 1831	M, B	S11	-	NE	8
<i>Periophthalmus malaccensis</i> Eggert 1935	M, F, B	S11	-	NE	8
<i>Periophthalmus novemradiatus</i> (Hamilton 1822)	M, B	S11	-	NE	8, 9
<i>Periophthalmus variabilis</i> Eggert 1935	M, B	S3, S8, S11	-	NE	3, 7, 8, 24
<i>Priolepis semidoliata</i> (Valenciennes 1837)	M	S8, S11	Aquarium	LC	8, 22
<i>Psammogobius biocellatus</i> (Valenciennes 1837)	M, F, B	S1, S5, S6, S8, S11	-	LC	2, 4, 5, 8, 9, 18, 22, 24
<i>Pseudapocryptes elongatus</i> (Cuvier 1816)	F, B	S1, S5, S6, S8, S11	Capture	LC	2, 3, 8, 4, 9, 21, 24
<i>Pseudogobius javanicus</i> (Bleeker 1856)	M, F, B	S8, S11	-	NE	3, 8, 9, 22
<i>Redigobius macrostoma</i> (Günther 1861)	M, F, B	S6, S11	-	NE	2, 9, 24
<i>Scartelaos cantoris</i> (Day 1871)	M	S11	-	DD	9
<i>Scartelaos histophorus</i> (Valenciennes 1837)	M, B	S11	Capture	NE	8
<i>Scartelaos tenuis</i> (Day 1876)	M	S11	-	NE	8
<i>Sicyopterus griseus</i> (Day 1877)	F, B	S8, S11	Aquarium	LC	3, 9
<i>Sicyopterus microcephalus</i> (Bleeker 1855)	M, F, B	S11	-	NE	8
<i>Stigmatogobius minima</i> (Hora 1923)	B	S6, S11	-	NE	2, 24
<i>Stigmatogobius sadanundio</i> (Hamilton 1822)	F, B	S11	Aquarium	NE	8
<i>Taenioides anguillaris</i> (Linnaeus 1758)	M, F, B	S5, S6, S8, S11	-	NE	2, 3, 4, 8, 9, 22
<i>Taenioides buchanani</i> (Day 1873)	M, B	S11	-	NE	8, 9
<i>Taenioides cirratus</i> (Blyth 1860)	M, F, B	S5, S6, S11	-	DD	1, 2, 4, 9, 24
<i>Tomiyamichthys russus</i> (Cantor 1849)	M	S6	-	NE	2
<i>Trypauchen vagina</i> (Bloch & Schneider 1801)	M, B	S5, S6, S8, S11	Capture	NE	1, 2, 3, 4, 8, 9, 24
<i>Yongeichthys criniger</i> (Valenciennes, 1837)	M, B	S1, S3, S11	-	NE	5, 7, 8, 9, 24
<i>Yongeichthys nebulosus</i> (Forsskål 1775)	M, F, B	S6, S8	-	NE	2, 3, 22
Family: Haemulidae					
<i>Diagramma picta</i> (Thunberg 1792)	M	S1, S5, S6, S8, S10, S11	Capture, Sport, Aquarium	NE	2, 4, 8, 9, 10, 11, 21, 22, 23, 24, 25
<i>Plectorhinchus albovittatus</i> (Rüppell 1838)	M, B	S8	Aquarium	NE	10
<i>Plectorhinchus chaetodonoides</i> Lacepède 1801	M, B	S11	Capture, Aquarium	NE	8
<i>Plectorhinchus cinctus</i> (Temminck & Schlegel 1843)	M	S6	Capture, Cultivable	NE	2
<i>Plectorhinchus diagrammus</i> (Linnaeus 1758)	M	S8, S10	Capture, Cultivable	NE	10, 23, 25
<i>Plectorhinchus flavomaculatus</i> (Cuvier 1830)	M	S8	Capture	NE	11, 22
<i>Plectorhinchus gaterinus</i> (Forsskål 1775)	M	S8, S11	Capture, Sport	NE	8, 10
<i>Plectorhinchus gibbosus</i> (Lacepède 1802)	M, F, B	S1, S6, S8, S9, S11	Capture, Sport	LC	2, 3, 8, 9, 11, 19, 21, 22, 24
<i>Plectorhinchus lineatus</i> (Linnaeus 1758)	M	S6, S8, S10	Capture, Aquarium	NE	2, 22, 23
<i>Plectorhinchus pictus</i> (Tortonese 1936)	M	S8, S11	Capture, Aquarium	NE	3, 8, 9, 10, 25
<i>Plectorhinchus polytaenia</i> (Bleeker 1853)	M	S8, S11	Capture	NE	8, 11
<i>Plectorhinchus schotaf</i> (Forsskål 1775)	M, B	S8, S11	Capture, Sport	NE	3, 9, 8, 10, 22, 25
<i>Plectorhinchus vittatus</i> (Linnaeus 1758)	M	S8, S11	-	NE	3, 8, 22
<i>Pomadasys argenteus</i> (Forsskål 1775)	M, F, B	S1, S6, S8, S11	Capture	LC	1, 2, 3, 5, 8, 9, 22, 24
<i>Pomadasys argyreus</i> (Valenciennes 1833)	M	S8, S11	Capture	NE	3, 8, 9, 22
<i>Pomadasys auritus</i> (Cuvier 1830)	M, B	S8	-	NE	22
<i>Pomadasys commersonnii</i> (Lacepède 1801)	M, B	S6, S8, S10, S11	Capture, Sport	NE	2, 22, 23, 24
<i>Pomadasys furcatus</i> (Bloch & Schneider 1801)	M	S8, S10, S11	Capture	NE	3, 8, 9, 23
<i>Pomadasys guoraca</i> (Cuvier 1829)	M, B	S6, S11	-	NE	2, 24
<i>Pomadasys jubelini</i> (Cuvier 1830)	M, F, B	S11	Capture	LC	8
<i>Pomadasys kaakan</i> (Cuvier 1830)	M, B	S1, S5, S6, S8, S11	Capture, Cultivable, Sport	NE	4, 5, 8, 9, 15, 16, 17, 18, 22, 24
<i>Pomadasys maculatus</i> (Bloch 1793)	M, B	S1, S5, S6, S8, S11	Capture	LC	2, 3, 4, 8, 9, 10, 15, 16, 17, 21, 22, 24
<i>Pomadasys olivaceus</i> (Day 1875)	M, B	S8	Capture, Bait	NE	22
<i>Pomadasys trifasciatus</i> Fowler 1937	M, B	S8	-	NE	22
Family: Istiophoridae					
<i>Istiophorus platypterus</i> (Shaw 1792)	M	S6, S8, S10, S11	Capture, Sport	LC	2, 3, 8, 9, 22, 23
<i>Istiompax indica</i> (Cuvier 1832)	M	S8, S11	Capture, Sport	DD	3, 9, 22
<i>Kajikia audax</i> (Philippi 1887)	M	S8	Capture, Sport	NT	22
<i>Makaira nigricans</i> Lacepède 1802	M	S8	Capture, Sport	VU	22

<i>Tetrapurus angustirostris</i> Tanaka 1915	M	S8	Capture, Sport	DD	22
Family: Kurtidae					
<i>Kurtus indicus</i> Bloch 1786	M, F, B	S5, S6, S8, S11	Capture	NE	2, 3, 4, 9
Family: Kyphosidae					
<i>Kyphosus cinerascens</i> (Forsskål 1775)	M	S5, S6, S8, S11	Capture	LC	2, 3, 4, 9, 22, 25
<i>Kyphosus vaigiensis</i> (Quoy & Gaimard 1825)	M	S1, S8, S11	Capture, Sport	LC	3, 9, 21, 22, 24
Family: Labridae					
<i>Anampsese lineatus</i> Randall 1972	M	S8	Aquarium	DD	22
<i>Bodianus diana</i> (Lacepède 1801)	M	S8	Capture, Aquarium	LC	22
<i>Bodianus macrourus</i> (Lacepède 1801)	M	S8	Capture	LC	22
<i>Bodianus neilli</i> (Day 1867)	M	S8	Aquarium	LC	22
<i>Cheilio inermis</i> (Forsskål 1775)	M	S8, S11	Capture, Aquarium	LC	8, 9, 22
<i>Cheilinus chlorourous</i> (Bloch 1791)	M	S8, S11	Capture, Aquarium	LC	8, 9, 10, 11, 22, 25
<i>Cheilinus fasciatus</i> (Bloch 1791)	M	S11	Capture, Aquarium	LC	8
<i>Cheilinus oxycephalus</i> Bleeker 1853	M	S8	Capture	LC	22
<i>Cheilinus trilobatus</i> Lacepède 1801	M, B	S8, S11	Capture, Aquarium	LC	8, 9, 22
<i>Cheilinus undulatus</i> Rüppell 1835	M	S8, S10, S11	Capture, Cultivable, Sport, Aquarium	EN	9, 10, 22, 23, 25
<i>Cheilodipterus quinquefasciatus</i> Cuvier 1828	M	S8	Capture, Aquarium	NE	22
<i>Choerodon anchorago</i> (Bloch 1791)	M	S11	Capture, Aquarium	LC	8
<i>Choerodon robustus</i> (Günther 1862)	M	S11	Capture	LC	9
<i>Coris aygula</i> Lacepède 1801	M	S8	Capture, Sport, Aquarium	LC	11
<i>Coris caudimacula</i> (Quoy & Gaimard 1834)	M	S8	Aquarium	LC	22
<i>Coris formosa</i> (Bennett 1830)	M	S8, S11	Capture, Aquarium	LC	9, 10, 11, 22
<i>Coris gaimard</i> (Quoy & Gaimard 1824)	M	S8	Capture, Aquarium	LC	11, 22
<i>Cymolutes lecluse</i> (Quoy & Gaimard 1824)	M	S11	Aquarium	LC	8
<i>Cymolutes praetextatus</i> (Quoy & Gaimard 1834)	M	S11	-	LC	8
<i>Epibulus insidiator</i> (Pallas 1770)	M	S8, S11	Capture, Aquarium	LC	8, 9, 22
<i>Gomphosus caeruleus</i> Lacepède 1801	M	S8, S11	Capture, Aquarium	LC	8, 22
<i>Halichoeres argus</i> (Bloch & Schneider 1801)	M	S11	Capture, Aquarium	LC	8
<i>Halichoeres chrysus</i> Randall 1981	M	S11	Aquarium	LC	8
<i>Halichoeres hartzfeldii</i> (Bleeker 1852)	M	S8	Aquarium	LC	22
<i>Halichoeres hortulanus</i> (Lacepède 1801)	M	S5, S8, S11	Capture, Aquarium	LC	4, 8, 9, 10, 22, 25
<i>Halichoeres leucurus</i> (Walbaum 1792)	M	S8	-	LC	22
<i>Halichoeres marginatus</i> Rüppell 1835	M	S11	Capture, Aquarium	LC	8
<i>Halichoeres margaritaceus</i> (Valenciennes 1839)	M	S11	Aquarium	LC	8
<i>Halichoeres melanurus</i> (Bleeker 1851)	M	S11	Aquarium	LC	8
<i>Halichoeres melanochir</i> Fowler & Bean 1928	M	S8	Aquarium	LC	22
<i>Halichoeres nebulosus</i> (Valenciennes 1839)	M	S8, S11	Aquarium	LC	3, 8, 9
<i>Halichoeres nigrescens</i> (Bloch & Schneider 1801)	M	S6, S8, S11	-	LC	2, 8, 9, 10, 22, 25
<i>Halichoeres scapularis</i> (Bennett 1832)	M	S11	Capture, Aquarium	LC	8
<i>Halichoeres timorensis</i> (Bleeker 1852)	M	S11	Aquarium	LC	8
<i>Halichoeres zeylonicus</i> (Bennett 1833)	M	S8	Aquarium	LC	10, 22, 25
<i>Hemigymnus fasciatus</i> (Bloch 1792)	M	S8	Capture, Aquarium	LC	22
<i>Hemigymnus melapterus</i> (Bloch 1791)	M	S8, S11	Capture, Sport, Aquarium	LC	8, 10, 22, 25
<i>Hologymnosus annulatus</i> (Lacepède 1801)	M	S8	Capture, Aquarium	LC	22
<i>Iniistius bimaculatus</i> (Rüppell 1829)	M	S8, S10	Capture	LC	22, 23
<i>Iniistius cyanifrons</i> (Valenciennes 1840)	M	S5	-	DD	4
<i>Iniistius dea</i> (Temminck & Schlegel 1845)	M	S8	Aquarium	LC	22
<i>Iniistius pavo</i> (Valenciennes 1840)	M	S6, S8, S11	Capture, Sport, Aquarium	LC	2, 3, 8, 9, 11, 22
<i>Iniistius pentadactylus</i> (Linnaeus 1758)	M	S8, S10, S11	Capture, Aquarium	LC	3, 8, 9, 23
<i>Macropharyngodon meleagris</i> (Valenciennes 1839)	M	S11	Aquarium	LC	8
<i>Novaculichthys taeniourus</i> (Lacepède 1801)	M	S11	Capture, Aquarium	LC	8
<i>Labroides dimidiatus</i> (Valenciennes, 1839)	M	S8, S10, S11	Aquarium	LC	8, 22, 23
<i>Oxycheilinus bimaculatus</i> (Valenciennes 1840)	M	S8, S11	Capture, Aquarium	LC	3, 8, 9, 22
<i>Oxycheilinus digramma</i> (Lacepède 1801)	M, B	S8, S11	Capture, Aquarium	LC	8, 9, 22
<i>Pseudochelidinus hexataenia</i> (Bleeker 1857)	M	S8	Aquarium	LC	11
<i>Stethojulis albovittata</i> (Bonnaterre 1788)	M	S11	Aquarium	LC	8
<i>Stethojulis balteata</i> (Quoy & Gaimard 1824)	M	S8, S11	Aquarium	LC	8, 22
<i>Stethojulis interrupta</i> (Bleeker 1851)	M	S8, S10, S11	Aquarium	LC	9, 22, 23
<i>Stethojulis strigiventer</i> (Bennett 1833)	M	S11	Aquarium	LC	8

<i>Stethojulis trilineata</i> (Bloch & Schneider 1801)	M	S8, S11	Capture, Aquarium	LC	8, 9, 22
<i>Thalassoma amblycephalum</i> (Bleeker 1856)	M	S11	, Aquarium	LC	8
<i>Thalassoma hardwicke</i> (Bennett 1830)	M	S8, S11	Capture, Aquarium	LC	8, 9, 22
<i>Thalassoma janssenii</i> (Bleeker 1856)	M	S8, S11	Aquarium	LC	8, 22
<i>Thalassoma lunare</i> (Linnaeus 1758)	M	S8, S10, S11	Capture, Aquarium	LC	8, 9, 10, 22, 23, 25
<i>Thalassoma quinquevittatum</i> (Lay & Bennett 1839)	M	S10, S11	Aquarium	LC	8, 23
<i>Thalassoma purpureum</i> (Forsskål 1775)	M	S8, S10, S11	Capture, Sport, Aquarium	LC	9, 22, 23
<i>Thalassoma trilobatum</i> (Lacepède 1801)	M	S8	Capture, Aquarium	LC	22
<i>Xanthichthys ringens</i> (Linnaeus 1758)	M	S8	Capture, Aquarium	LC	22
<i>Xanthichthys lineopunctatus</i> (Hollard 1854)	M	S10	Capture	NE	23
<i>Xyrichtys novacula</i> (Linnaeus 1758)	M	S8	Capture, Sport, Aquarium	LC	22
Family: Lactariidae					
<i>Lactarius lactarius</i> (Bloch & Schneider 1801)	M, B	S1, S5, S6, S8, S10, S11	Capture	NE	2, 3, 4, 5, 8, 9, 22, 23, 24
Family: Latidae					
<i>Lates calcarifer</i> (Bloch 1790)	M, F, B	S2, S5, S6, S8, S9, S11	Capture, Cultivable, Sport, Aquarium	NE	1, 2, 3, 4, 8, 9, 12, 15, 13, 16, 17, 18, 19, 22, 24
<i>Psammoperca waigiensis</i> (Cuvier 1828)	M, B	S6, S8, S11	Capture, Sport	NE	2, 8, 9, 10, 22, 24, 25
Family: Leiognathidae					
<i>Aurigequula fasciata</i> (Lacepède 1803)	M, B	S5, S8, S11	Capture	LC	3, 4, 8, 9, 22
<i>Equulites absconditus</i> Chakrabarty & Sparks 2010	M	S8	-	NE	22
<i>Equulites elongatus</i> (Günther 1874)	M	S5, S8, S10, S11	Capture	NE	4, 8, 9, 22, 23
<i>Equulites leuciscus</i> (Günther 1860)	M	S8, S11	Capture	NE	3, 8, 9, 22
<i>Equulites lineolatus</i> (Valenciennes 1835)	M	S5, S8, S10, S11	Capture	NE	3, 4, 8, 9, 23
<i>Eubleekeria jonesi</i> (James 1971)	M	S6, S8, S11	-	NE	2, 3, 22, 24
<i>Eubleekeria rapsoni</i> (Munro 1964)	M	S8	-	NE	22
<i>Eubleekeria splendens</i> (Cuvier 1829)	M, B	S1, S2, S3, S4, S5, S6, S8, S9, S10, S11	Capture	LC	2, 3, 4, 5, 6, 7, 8, 9, 15, 13, 16, 17, 19, 21, 22, 23, 24
<i>Gazza achlamys</i> Jordan & Starks 1917	M, B	S8, S10, S11	Capture	LC	9, 22, 23
<i>Gazza minuta</i> (Bloch 1795)	M, B	S1, S2, S3, S5, S6, S8, S10, S11	Capture	LC	2, 3, 4, 5, 7, 8, 9, 13, 22, 23, 24
<i>Karalla daura</i> (Cuvier 1829)	M	S1, S6, S8, S9, S11	Capture	NE	2, 3, 8, 5, 9, 19, 22, 24
<i>Karalla dussumieri</i> (Valenciennes 1835)	M, B	S1, S5, S6, S8, S10, S11	Capture	NE	2, 3, 5, 4, 8, 9, 22, 23, 24
<i>Leiognathus berbis</i> (Valenciennes 1835)	M, B	S5, S6, S8, S10, S11	Capture	NE	2, 3, 4, 8, 9, 22, 23
<i>Leiognathus brevirostris</i> (Valenciennes 1835)	M, B	S1, S3, S5, S8, S9, S11	Capture	NE	3, 4, 5, 7, 8, 9, 19, 24
<i>Leiognathus equula</i> (Forsskål 1775)	M, F, B	S1, S5, S6, S8, S10, S11	Capture, Cultivable	LC	1, 2, 3, 4, 5, 8, 9, 15, 16, 17, 18, 22, 23, 24
<i>Leiognathus ruconius</i> (Hamilton 1822)	M, F, B	S1, S2, S3, S5, S6, S8, S11	Capture	NE	1, 2, 3, 4, 5, 7, 8, 9, 15, 13, 17, 18, 22, 24
<i>Nuchequula blochii</i> (Valenciennes 1835)	M, B	S11	Capture	NE	8, 9
<i>Nuchequula manusella</i> Chakrabarty & Sparks 2007	M	S8	-	NE	22
<i>Nuchequula nuchalis</i> (Temminck & Schlegel 1845)	M, B	S8	Sport	NE	22
<i>Photopectoralis bindus</i> (Valenciennes 1835)	M, B	S6, S8, S10, S11	Capture	NE	2, 3, 8, 9, 15, 16, 17, 22, 23, 24
<i>Secutor insidiator</i> (Bloch 1787)	M, B	S1, S2, S3, S5, S6, S8, S9, S10, S11	Capture	NE	2, 3, 4, 5, 7, 8, 9, 15, 13, 16, 17, 18, 19, 21, 22, 23, 24
Family: Lethrinidae					
<i>Gymnocranius elongatus</i> Senta 1973	M	S10, S11	Capture	NE	8, 23
<i>Gymnocranius griseus</i> (Temminck & Schlegel 1843)	M	S5, S8, S10, S11	Capture, Sport	LC	4, 9, 10, 22, 23
<i>Lethrinus conchyliliatus</i> (Smith 1959)	M	S10	Capture	LC	23
<i>Lethrinus erythracanthus</i> Valenciennes 1830	M	S8	Capture	LC	3
<i>Lethrinus harak</i> (Forsskål 1775)	M, B	S8, S10, S11	Capture	LC	9, 10, 22, 23, 25
<i>Lethrinus laticaudis</i> Alleyne & Macleay 1877	M, B	S8	Capture, Sport	LC	22
<i>Lethrinus lentjan</i> (Lacepède 1802)	M, B	S8, S9, S10, S11	Capture	LC	3, 9, 10, 19, 22, 23, 24
<i>Lethrinus mahsena</i> (Forsskål 1775)	M	S8, S11	Capture, Sport	NE	9, 10, 22
<i>Lethrinus microdon</i> Valenciennes 1830	M	S8, S10, S11	Capture	LC	9, 10, 22, 23, 25
<i>Lethrinus miniatus</i> (Forster 1801)	M, B	S6, S8	Capture, Sport	LC	2, 10, 22, 25
<i>Lethrinus nebulosus</i> (Forsskål 1775)	M, B	S1, S5, S6, S8, S10, S11	Capture, Cultivable, Sport	LC	3, 4, 5, 8, 9, 10, 15, 17, 22, 23, 24, 25
<i>Lethrinus obsoletus</i> (Forsskål 1775)	M	S8, S11	Capture	LC	9, 22
<i>Lethrinus olivaceus</i> Valenciennes 1830	M	S10	Capture	LC	23
<i>Lethrinus ornatus</i> Valenciennes 1830	M	S8, S10, S11	Capture	LC	9, 10, 22, 23, 25

<i>Lethrinus reticulatus</i> Valenciennes 1830	M	S8	Capture	LC	22
<i>Lethrinus variegatus</i> Valenciennes 1830	M	S8, S11	Capture	LC	3, 9, 10, 22, 25
<i>Monotaxis grandoculis</i> (Forsskål 1775)	M	S8	Capture, Sport, Aquarium	LC	22
Family: Lobotidae					
<i>Lobotes surinamensis</i> (Bloch 1790)	M, B	S5, S6, S8, S11	Capture, Sport, Aquarium	LC	2, 3, 4, 9, 15, 17, 22, 24
Family: Lutjanidae					
<i>Aphareus furca</i> (Lacepède 1801)	M	S8, S11	Capture, Sport	LC	8, 22
<i>Aphareus rutilans</i> Cuvier 1830	M	S1, S8, S11	Capture, Sport	LC	8, 10, 21, 22, 24
<i>Aprion virescens</i> Valenciennes 1830	M	S8, S11	Capture, Sport, Aquarium	LC	8, 10, 22
<i>Etelis coruscans</i> Valenciennes 1862	M	S8	Capture, Sport, Bait	LC	22
<i>Etelis carbunculus</i> Cuvier 1828	M	S8	Capture, Sport	LC	22
<i>Lipocheilus carnolabrum</i> (Chan 1970)	M	S8, S10, S11	Capture	LC	8, 22, 23
<i>Lutjanus argentimaculatus</i> (Forsskål 1775)	M, F, B	S1, S3, S5, S6, S8, S9, S10, S11	Capture, Cultivable, Sport	LC	2, 3, 4, 5, 7, 8, 9, 10, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25
<i>Lutjanus bengalensis</i> (Bloch 1790)	M	S8, S10	Capture	NE	10, 22, 23
<i>Lutjanus biguttatus</i> (Valenciennes 1830)	M	S8, S11	Capture	LC	8, 22
<i>Lutjanus bohar</i> (Forsskål 1775)	M, F, B	S6, S8, S10, S11	Capture, Sport	LC	2, 3, 8, 9, 10, 22, 23, 25
<i>Lutjanus boutton</i> (Lacepède 1802)	M	S8	Capture	LC	22
<i>Lutjanus coeruleolineatus</i> (Rüppell 1838)	M	S8	Capture	NE	22
<i>Lutjanus decussatus</i> (Cuvier 1828)	M	S8, S10, S11	Capture, Aquarium	LC	3, 8, 9, 10, 22, 23, 25
<i>Lutjanus dodecanthoides</i> (Bleeker 1854)	M	S10	Capture	NE	23
<i>Lutjanus ehrenbergii</i> (Peters 1869)	M, F, B	S1, S8, S11	Capture	LC	21, 22, 24
<i>Lutjanus erythropterus</i> Bloch 1790	M	S5, S8, S10, S11	Capture, Cultivable	NE	4, 8, 9, 22, 23
<i>Lutjanus fulviflamma</i> (Forsskål 1775)	M, B	S3, S4, S5, S6, S8, S9, S10, S11	Capture, Sport, Aquarium	LC	2, 3, 4, 6, 7, 8, 9, 10, 11, 15, 16, 17, 19, 22, 23, 24, 25
<i>Lutjanus fulvus</i> (Forster 1801)	M, F, B	S5, S6, S8, S10, S11	Capture, Sport, Aquarium	LC	2, 3, 4, 9, 10, 11, 22, 23, 24, 25
<i>Lutjanus gibbus</i> (Forsskål 1775)	M	S8, S9, S10, S11	Capture, Sport, Aquarium	LC	8, 9, 10, 12, 22, 23, 24, 25
<i>Lutjanus guilcheri</i> Fourmanoir 1959	M	S8	Capture	NE	22
<i>Lutjanus indicus</i> Allen, White & Erdmann 2013	M, F, B	S8	-	NE	22
<i>Lutjanus jocu</i> (Bloch & Schneider 1801)	M, F, B	S1, S11	Capture, Aquarium	DD	21, 24
<i>Lutjanus johnii</i> (Bloch 1792)	M, B	S5, S6, S8, S9, S10, S11	Capture, Cultivable, Sport	LC	1, 2, 3, 4, 8, 9, 15, 17, 19, 22, 23, 24
<i>Lutjanus kasmira</i> (Forsskål 1775)	M	S1, S6, S8, S10, S11	Capture, Sport, Aquarium	LC	2, 5, 8, 9, 10, 11, 22, 23, 24, 25
<i>Lutjanus lemniscatus</i> (Valenciennes 1828)	M	S6, S8, S10, S11	Capture	NE	1, 8, 9, 10, 22, 23, 24, 25
<i>Lutjanus lunulatus</i> (Park 1797)	M	S6, S8, S11	Capture	LC	2, 8, 22
<i>Lutjanus lutjanus</i> Bloch 1790	M	S5, S6, S8, S10, S11	Capture	LC	2, 3, 4, 8, 9, 10, 22, 23, 24, 25
<i>Lutjanus madras</i> (Valenciennes 1831)	M	S8, S11	Capture	NE	8, 9, 10, 22
<i>Lutjanus malabaricus</i> (Bloch & Schneider 1801)	M, B	S6, S8, S10, S11	Capture, Sport, Aquarium	NE	2, 3, 8, 9, 22, 23
<i>Lutjanus monostigma</i> (Cuvier 1828)	M	S6, S8, S11	Capture, Cultivable	LC	2, 8, 22
<i>Lutjanus quinquelineatus</i> (Bloch 1790)	M	S8, S10, S11	Capture, Sport, Aquarium	LC	9, 10, 22, 23, 25
<i>Lutjanus rivulatus</i> (Cuvier 1828)	M	S5, S8, S10, S11	Capture, Cultivable, Sport	LC	4, 8, 9, 10, 22, 23, 25
<i>Lutjanus rufolineatus</i> (Valenciennes 1830)	M	S8	-	LC	22
<i>Lutjanus russellii</i> (Bleeker 1849)	M, B	S6, S8, S11	Capture, Cultivable	LC	2, 3, 8, 9, 10, 15, 17, 18, 24, 25
<i>Lutjanus sanguineus</i> (Cuvier 1828)	M	S6, S8, S11	Capture, Sport, Aquarium	NE	2, 3, 8, 9, 22, 24
<i>Lutjanus sebae</i> (Cuvier 1816)	M, B	S5, S6, S8, S10, S11	Capture, Cultivable, Sport, Aquarium	LC	2, 3, 4, 8, 9, 11, 22, 23
<i>Lutjanus vitta</i> (Quoy & Gaimard 1824)	M, B	S8, S10, S11	Capture, Aquarium	LC	8, 9, 10, 22, 23, 25
<i>Macolor niger</i> (Forsskål 1775)	M	S8	Capture, Sport, Aquarium	LC	11, 22
<i>Paracaesio sordida</i> Abe & Shinohara 1962	M	S8	Capture, Sport	LC	22
<i>Pinjalo pinjalo</i> (Bleeker 1850)	M	S1, S6, S8, S10, S11	Capture	NE	2, 9, 10, 21, 22, 23, 24
<i>Pinjalo lewisi</i> Randall, Allen & Anderson 1987	M	S8, S10	Capture	LC	22, 23
<i>Pristipomoides filamentosus</i> (Valenciennes 1830)	M	S8	Capture, Sport	LC	22
<i>Pristipomoides auricilla</i> (Jordan, Evermann &	M	S8	Capture, Sport	LC	22

Tanaka 1927)					
<i>Pristipomoides multidens</i> (Day 1871)	M	S8	Capture	LC	22
<i>Pristipomoides typus</i> Bleeker 1852	M	S8	Capture	LC	22
<i>Pristipomoides zonatus</i> (Valenciennes 1830)	M	S8	Capture, Sport	LC	22
Family: Malacanthidae					
<i>Hoplolatilus fronticinctus</i> (Günther 1887)	M	S8, S11	Aquarium	NE	3, 8, 9
<i>Malacanthus latovittatus</i> (Lacepède 1801)	M	S8	Capture, Aquarium	NE	10, 11, 22
Family: Menidae					
<i>Mene maculata</i> (Bloch & Schneider 1801)	M, B	S5, S6, S8, S9, S10, S11	Capture	NE	2, 3, 4, 9, 10, 11, 12, 22, 23, 24
Family: Monodactylidae					
<i>Monodactylus argenteus</i> (Linnaeus 1758)	M, F, B	S1, S5, S6, S8, S9, S11	Capture, Aquarium	NE	2, 3, 4, 8, 9, 11, 19, 21, 22, 24
<i>Monodactylus falciformis</i> Lacepède 1801	M, F, B	S11	Capture, Aquarium	LC	9
Family: Mugilidae					
<i>Chelon klunzingeri</i> (Day 1888)	M	S8	Capture	NE	22
<i>Chelon melinopterus</i> (Valenciennes 1836)	M, F, B	S8, S11	Capture	LC	3, 9, 22
<i>Chelon parsia</i> (Hamilton 1822)	M, F, B	S1, S2, S3, S4, S5, S6, S7, S8, S9, S10, S11	Capture, Cultivable	NE	1, 2, 3, 4, 5, 6, 7, 8, 9, 12, 15, 13, 16, 17, 18, 19, 20, 22, 23, 24
<i>Chelon planiceps</i> (Valenciennes 1836)	M, F, B	S1, S2, S6, S9, S10	Capture, Cultivable	NE	5, 12, 13, 16, 17, 19, 23
<i>Chelon tade</i> (Forsskål 1775)	M, F, B	S6, S8, S11	Capture, Cultivable	NE	2, 3, 8, 9, 15, 22, 24
<i>Crenimugil crenilabis</i> (Forsskål 1775)	M, B	S11	Capture, Cultivable, Bait	LC	8
<i>Ellochelon vaigiensis</i> (Quoy & Gaimard 1825)	M, F, B	S1, S8, S11	Capture, Cultivable, Aquarium, Bait	LC	3, 5, 8, 9, 22, 24
<i>Liza carinata</i> (Valenciennes 1836)	M, B	S5, S8, S11	Capture	NE	4, 8, 22
<i>Moolgarda bchanani</i> (Bleeker 1853)	M, F, B	S6, S8, S11	Capture	NE	2, 3, 8, 9, 22, 24
<i>Moolgarda cunnesius</i> (Valenciennes 1836)	M, F, B	S1, S5, S6, S8, S11	Capture, Bait	NE	1, 3, 4, 8, 9, 15, 21, 22, 24
<i>Moolgarda seholi</i> (Forsskål 1775)	M, F, B	S1, S3, S6, S8, S9, S11	Capture	NE	1, 2, 3, 5, 7, 8, 9, 10, 16, 17, 19, 21, 22, 24
<i>Moolgarda speigleri</i> (Bleeker 1858)	M, F, B	S6, S8, S11	Capture	NE	2, 3, 8, 9, 22, 24
<i>Mugil cephalus</i> Linnaeus 1758	M, F, B	S1, S2, S3, S4, S5, S6, S7, S8, S9, S10	Capture, Cultivable, Sport, Bait	LC	1, 2, 3, 4, 5, 6, 7, 8, 9, 15, 13, 17, 18, 19, 20, 21, 22, 23
<i>Planiliza alata</i> (Steindachner 1892)	M, F, B	S8	Capture, Sport	NE	22
<i>Planiliza macrolepis</i> (Smith 1846)	M, F, B	S2, S4, S6, S8, S10, S11	Capture, Cultivable, Sport	LC	1, 2, 3, 6, 8, 9, 15, 13, 16, 17, 18, 22, 23, 24
<i>Planiliza mandapamensis</i> (Thomson 1997)	M	S8	-	NE	22
<i>Planiliza subviridis</i> (Valenciennes 1836)	M, F, B	S1, S5, S4, S6, S8, S9, S11	Capture, Cultivable, Bait	NE	1, 2, 5, 4, 6, 8, 9, 15, 16, 17, 19, 22, 24
<i>Rhinomugil corsula</i> (Hamilton 1822)	F, B	S6, S8, S11	Capture, Cultivable	LC	2, 8, 22, 24
Family: Mullidae					
<i>Mulloidichthys flavolineatus</i> (Lacepède 1801)	M	S6, S8, S10, S11	Capture, Sport, Aquarium, Bait	LC	2, 8, 9, 10, 22, 23
<i>Mulloidichthys vanicolensis</i> (Valenciennes 1831)	M	S8, S10, S11	Capture, Sport	LC	3, 8, 9, 23
<i>Parupeneus barberinus</i> (Lacepède 1801)	M	S8, S11	Capture, Sport, Aquarium	LC	8, 9, 10, 22, 25
<i>Parupeneus chrysopleuron</i> (Temminck & Schlegel 1843)	M	S8	-	NE	22
<i>Parupeneus cyclostomus</i> (Lacepède 1801)	M	S8, S10, S11	Capture, Sport, Aquarium	LC	8, 22, 23
<i>Parupeneus forsskali</i> (Fourmanoir & Guézé 1976)	M, B	S8	Capture, Aquarium	NE	10, 22
<i>Parupeneus heptacanthus</i> (Lacepède 1802)	M, B	S8, S10, S11	Capture	LC	8, 9, 10, 22, 23, 25
<i>Parupeneus indicus</i> (Shaw, 1803)	M, B	S6, S8, S10, S11	Capture, Sport	LC	2, 3, 8, 9, 10, 11, 22, 23, 25
<i>Parupeneus macronemus</i> (Lacepède 1801)	M	S8, S10, S11	Capture, Aquarium	LC	8, 10, 23
<i>Parupeneus pleurostigma</i> (Bennett 1831)	M	S11	Capture, Sport, Aquarium	LC	8
<i>Parupeneus trifasciatus</i> (Lacepède 1801)	M	S8, S11	Capture	NE	8, 9, 22
<i>Upeneus guttatus</i> (Day 1868)	M	S11	-	NE	9
<i>Upeneus japonicus</i> (Houttuyn 1782)	M	S5, S8, S10, S11	Capture	NE	3, 4, 8, 22, 23
<i>Upeneus luzonius</i> Jordan & Seale 1907	M	S5, S8, S11	-	NE	3, 4, 8, 9, 22
<i>Upeneus moluccensis</i> (Bleeker 1855)	M, B	S5, S8, S9, S10, S11	Capture	LC	3, 4, 8, 9, 10, 19, 22, 23, 24
<i>Upeneus oligospilus</i> Lachner 1954	M	S8	-	LC	22
<i>Upeneus sulphureus</i> Cuvier 1829	M, B	S1, S2, S5, S6, S8, S10, S11	Capture, Aquarium	LC	2, 3, 4, 5, 8, 9, 15, 13, 17, 18, 22, 23, 24

<i>Upeneus sundaicus</i> (Bleeker 1855)	M, B	S8, S11	Capture	LC	8, 9, 22
<i>Upeneus taeniopterus</i> Cuvier 1829	M	S8, S11	Capture	LC	8, 9, 22
<i>Upeneus tragula</i> Richardson 1846	M, B	S8, S10, S11	Capture, Aquarium	LC	3, 8, 9, 10, 11, 22, 23, 25
<i>Upeneus vittatus</i> (Forsskål 1775)	M, B	S5, S6, S8, S11	Capture, Aquarium	LC	2, 3, 4, 8, 9, 10, 11, 22
Family: Nandidae					
<i>Nandus nandus</i> (Hamilton 1822)	F, B	S1, S11	Capture, Aquarium	LC	5, 24
Family: Nemipteridae					
<i>Nemipterus bipunctatus</i> (Valenciennes 1830)	M	S1, S5, S6, S8, S10, S11	Capture	NE	2, 3, 4, 8, 9, 11, 21, 22, 23, 24
<i>Nemipterus furcosus</i> (Valenciennes 1830)	M, B	S5, S8	Capture	LC	10, 4
<i>Nemipterus japonicus</i> (Bloch 1791)	M	S5, S6, S8, S10, S11	Capture	NE	2, 3, 4, 8, 9, 11, 22, 23
<i>Nemipterus mesoprion</i> (Bleeker 1853)	M	S8, S10, S11	Capture	NE	3, 8, 22, 23
<i>Nemipterus nematophorus</i> (Bleeker 1854)	M	S8, S10, S11	Capture	NE	9, 8, 22, 23
<i>Nemipterus peronii</i> (Valenciennes 1830)	M, B	S5, S6, S8, S10, S11	Capture	LC	2, 3, 4, 8, 9, 22, 23
<i>Nemipterus randalli</i> Russell 1986	M	S1, S8, S10, S11	Capture	NE	3, 8, 9, 21, 23, 24
<i>Nemipterus zyron</i> (Bleeker 1856)	M	S1, S8, S10, S11	Capture	LC	8, 21, 22, 23, 24
<i>Parascolopsis aspinosa</i> (Rao & Rao 1981)	M	S10	Capture	NE	23
<i>Parascolopsis baranesi</i> Russell & Golani 1993	M	S10	-	NE	23
<i>Parascolopsis boesemani</i> (Rao & Rao 1981)	M	S10	Capture	NE	23
<i>Parascolopsis eriomma</i> (Jordan & Richardson 1909)	M	S8, S10	Capture	NE	22, 23
<i>Parascolopsis inermis</i> (Temminck & Schlegel 1843)	M	S8, S10	Capture	NE	22, 23
<i>Scolopsis aurata</i> (Park 1797)	M	S11	Capture	NE	8
<i>Scolopsis bilineata</i> (Bloch 1793)	M	S11	Capture, Aquarium	LC	
<i>Scolopsis bimaculata</i> Rüppell 1828	M	S5, S8, S10, S11	Capture	NE	3, 4, 8, 9, 10, 11, 22, 23, 25
<i>Scolopsis ciliata</i> (Lacepède 1802)	M, B	S11	Capture	LC	8
<i>Scolopsis lineata</i> Quoy & Gaimard 1824	M	S11	Capture, Aquarium	LC	8
<i>Scolopsis margaritifera</i> (Cuvier 1830)	M	S11	Capture	LC	8
<i>Scolopsis taeniata</i> (Cuvier 1830)	M	S11	Capture	NE	8
<i>Scolopsis taenioptera</i> (Cuvier 1830)	M	S11	Capture	LC	8
<i>Scolopsis vosmeri</i> (Bloch 1792)	M	S5, S8, S10, S11	Capture, Sport	NE	3, 4, 8, 9, 10, 11, 22, 23
<i>Scolopsis xenochrous</i> Günther 1872	M	S10	Capture	NE	23
Family: Nomeidae					
<i>Cubiceps pauciradiatus</i> Günther 1872	M	S8	-	LC	22
<i>Cubiceps whiteleggi</i> (Waite 1894)	M	S8	Capture	NE	22
<i>Psenes cyanophrys</i> Valenciennes 1833	M	S8, S11	-	LC	3, 8, 9
Family: Opistognathidae					
<i>Opistognathus nigromarginatus</i> Rüppell 1830	M	S5, S6, S11	-	NE	2, 4, 9
<i>Opistognathus rosenbergii</i> Bleeker 1856	M	S5, S6, S8, S11	-	NE	2, 3, 4, 8, 9
Family: Osphronemidae					
<i>Pseudosphromenus cupanus</i> (Cuvier 1831)	F, B	S3, S11	, Aquarium	LC	7, 24
Family: Pempheridae					
<i>Pempheris malabarica</i> Cuvier 1831	M	S10	-	NE	23
<i>Pempheris molucca</i> Cuvier 1829	M, B	S8, S11 S8	-	NE	8, 9, 10, 22, 25
<i>Pempheris oualensis</i> Cuvier 1831	M	S8	Capture, Aquarium	NE	22
<i>Pempheris vanicolensis</i> Cuvier 1831	M	S8, S8, S10, S11	-	NE	3, 9, 22, 23
Family: Percophidae					
<i>Bembrops caudimacula</i> Steindachner 1876	M	S8, S11	-	NE	9, 22
<i>Bembrops curvatura</i> Okada & Suzuki 1952	M	S8	-	NE	2
<i>Bembrops platyrhynchus</i> (Alcock 1894)	M	S8	-	NE	22
<i>Chrionema chlorotaenia</i> McKay 1971	M	S8	-	NE	22
Family: Pinguipedidae					
<i>Parapercis alboguttata</i> (Günther 1872)	M	S10	-	NE	23
<i>Parapercis clathrata</i> Ogilby 1910	M	S11	-	NE	8
<i>Parapercis hexophtalma</i> (Cuvier 1829)	M	S11	Capture, Aquarium	NE	8
<i>Parapercis nebulosa</i> (Quoy & Gaimard 1825)	M	S11	Aquarium	NE	8
<i>Parapercis pulchella</i> (Temminck & Schlegel 1843)	M	S5, S8, S10, S11	, Aquarium	NE	3, 4, 8, 9, 23
<i>Parapercis punctulata</i> (Cuvier 1829)	M	S6, S8, S11	-	NE	2, 3, 8, 9
Family: Pomacanthidae					
<i>Abudefduf bengalensis</i> (Bloch 1787)	M	S8, S11	Capture	NE	8, 10, 22, 25
<i>Abudefduf natalensis</i> Hensley & Randall 1983	M	S11	Aquarium	NE	8
<i>Abudefduf notatus</i> (Day 1870)	M	S8	-	NE	22
<i>Abudefduf saxatilis</i> (Linnaeus 1758)	M	S8	Capture, Aquarium	LC	10, 22
<i>Abudefduf septemfasciatus</i> (Cuvier 1830)	M	S8, S9, S10, S11	Capture	NE	8, 10, 19, 22, 23, 24, 2
<i>Abudefduf sexfasciatus</i> (Lacepède 1801)	M	S8, S10	Capture, Aquarium	NE	11, 22, 23
<i>Abudefduf sordidus</i> (Forsskål 1775)	M, B	S8, S11	Capture, Aquarium	NE	8, 9, 22

<i>Abudedefduf vaigiensis</i> (Quoy & Gaimard 1825)	M	S8, S11	Capture, Aquarium	NE	8, 9, 10, 22, 25
<i>Amblypomacentrus breviceps</i> (Schlegel & Müller 1840)	M	S11	-	NE	8
<i>Amphiprion akallopisos</i> Bleeker 1853	M	S11	Aquarium	NE	8
<i>Amphiprion allardi</i> Klausewitz 1970	M	S8	Aquarium	NE	22
<i>Amphiprion clarkii</i> (Bennett 1830)	M	S8, S11	Capture, Aquarium	NE	8, 11, 22
<i>Amphiprion ephippium</i> (Bloch 1790)	M	S5, S11	Aquarium	NE	4, 8
<i>Amphiprion ocellaris</i> Cuvier 1830	M	S8, S11	Aquarium	NE	8, 22
<i>Amphiprion percula</i> (Lacepède 1802)	M	S8	Aquarium	NE	11, 22
<i>Amphiprion polymnus</i> (Linnaeus 1758)	M	S8, S11	Aquarium	NE	8, 22
<i>Amphiprion sebae</i> Bleeker 1853	M	S8, S11	Aquarium	NE	8, 9, 11, 22
<i>Apolemichthys xanthurus</i> (Bennett 1833)	M	S5, S6, S8, S10, S11	Aquarium	LC	2, 3, 4, 8, 9, 10, 22, 23
<i>Centropyge flavipectoralis</i> Randall & Klausewitz 1977	M	S8	Aquarium	LC	22
<i>Centropyge multispinis</i> (Playfair 1867)	M	S8	Aquarium	LC	11
<i>Chaetodontoplus melanosoma</i> (Bleeker 1853)	M	S8	Aquarium	LC	22
<i>Chaetodontoplus mesoleucus</i> (Bloch 1787)	M	S8	Capture, Aquarium	LC	22
<i>Chromis chromis</i> (Linnaeus 1758)	M	S8	Capture, Sport	LC	22
<i>Chromis chrysura</i> (Bliss 1883)	M	S11	-	NE	8
<i>Chromis dimidiata</i> (Klunzinger 1871)	M	S8	Aquarium	NE	22
<i>Chromis opercularis</i> (Günther 1867)	M	S8	-	NE	22
<i>Chromis ternatensis</i> (Bleeker 1856)	M	S8, S11	Aquarium	NE	8, 9, 11, 22
<i>Chromis viridis</i> (Cuvier 1830)	M	S8	Aquarium	NE	22
<i>Chrysiptera biocellata</i> (Quoy & Gaimard 1825)	M	S8, S11	Capture, Aquarium	NE	8, 9, 22
<i>Chrysiptera cyanea</i> (Quoy & Gaimard 1825)	M	S6, S8	Aquarium	NE	2, 22
<i>Chrysiptera glauca</i> (Cuvier 1830)	M	S11	Capture	NE	8
<i>Chrysiptera leucopoma</i> (Cuvier 1830)	M	S11	Capture, Aquarium	NE	8
<i>Chrysiptera unimaculata</i> (Cuvier 1830)	M	S8, S11	Capture, Aquarium	LC	8, 22
<i>Dascyllus aruanus</i> (Linnaeus 1758)	M	S8, S11	Aquarium	NE	8, 9, 22
<i>Dascyllus carneus</i> Fischer 1885	M	S11	Aquarium	NE	8
<i>Dascyllus trimaculatus</i> (Rüppell 1829)	M	S8, S10, S11	Capture, Aquarium	NE	8, 9, 11, 22, 23
<i>Dischistodus perspicillatus</i> (Cuvier 1830)	M, B	S11	Capture	NE	8
Family: Pomacentridae					
<i>Lepidozygus tapeinosoma</i> (Bleeker 1856)	M	S11	Aquarium	NE	8
<i>Neoglyphidodon melas</i> (Valenciennes 1830)	M	S8	Aquarium	NE	25
<i>Neopomacentrus cyanomos</i> (Bleeker 1856)	M	S6	-	NE	2
<i>Neopomacentrus filamentosus</i> (Macleay 1882)	M	S8	-	NE	22
<i>Neopomacentrus nemurus</i> (Bleeker 1857)	M	S8	Aquarium	NE	22
<i>Plectroglyphidodon dickii</i> (Liénard 1839)	M	S8	Capture, Aquarium	NE	22
<i>Pomacanthus annularis</i> (Bloch 1787)	M	S5, S6, S8, S10, S11	Aquarium	LC	2, 4, 8, 9, 11, 22, 23, 25
<i>Pomacanthus imperator</i> (Bloch 1787)	M	S8, S10, S11	Capture, Aquarium	LC	8, 9, 11, 22, 23
<i>Pomacanthus semicirculatus</i> (Cuvier 1831)	M	S8, S10, S11	Capture, Aquarium	LC	8, 9, 10, 11, 22, 23, 25
<i>Pomacentrus caeruleus</i> Quoy & Gaimard 1825	M	S8	-	NE	22
<i>Pomacentrus pavo</i> (Bloch 1787)	M	S8	Capture, Aquarium	NE	22
<i>Pomacentrus trilineatus</i> Cuvier 1830	M	S8	-	NE	22
<i>Pomacentrus tripunctatus</i> Cuvier 1830	M, B	S8, S11	Capture	NE	9, 22
<i>Pomacentrus vaiuli</i> Jordan & Seale 1906	M	S8	Aquarium	NE	22
<i>Premnas biaculeatus</i> (Bloch 1790)	M	S8	Aquarium	NE	22
<i>Pristotis obtusirostris</i> (Günther 1862)	M	S6, S8, S11	Capture, Aquarium	NE	2, 3, 8, 9
<i>Pygoplites diacanthus</i> (Boddaert 1772)	M	S11	Capture, Aquarium	LC	8
<i>Stegastes aureus</i> (Fowler 1927)	M	S8	-	NE	22
<i>Stegastes fasciolatus</i> (Ogilby 1889)	M	S8	Capture	NE	22
<i>Stegastes lividus</i> (Forster 1801)	M	S11	-	NE	8
<i>Stegastes nigricans</i> (Lacepède 1802)	M	S8	Capture, Aquarium	NE	22
Family: Polynemidae					
<i>Eleutheronema tetractylum</i> (Shaw 1804)	M, F, B	S5, S6, S8, S11	Capture, Cultivable	NE	1, 2, 3, 4, 8, 9, 15, 16, 17, 22, 24
<i>Filimanus heptadactyla</i> (Cuvier 1829)	M, B	S8, S11	-	NE	3, 8, 22
<i>Filimanus similis</i> Feltes 1991	M	S8, S11	Capture	NE	9, 22
<i>Filimanus xanthonema</i> (Valenciennes 1831)	M	S5, S11	-	NE	4, 9
<i>Leptomelanosoma indicum</i> (Shaw 1804)	M, B	S5, S6, S8, S10, S11	Capture, Sport	NE	2, 3, 4, 8, 9, 22, 23, 24
<i>Polydactylus microstoma</i> (Bleeker 1851)	M, B	S10, S11	-	LC	9, 23
<i>Polydactylus mullani</i> (Hora 1926).	M	S10	Capture	NE	23
<i>Polydactylus multiradiatus</i> (Günther 1860)	M, B	S8	-	LC	22
<i>Polydactylus plebeius</i> (Broussonet 1782)	M, B	S2, S5, S6, S8, S11	Capture, Cultivable, Sport	NE	2, 3, 4, 8, 9, 13, 22, 24

<i>Polydactylus quadrifilis</i> (Cuvier 1829)	M, F, B	S1, S11	Capture, Sport	LC	21, 24
<i>Polydactylus sexfilis</i> (Valenciennes 1831)	M, F, B	S8, S11	Capture, Cultivable, Sport, Aquarium	NE	3, 8, 9, 22
<i>Polydactylus sextarius</i> (Bloch & Schneider 1801)	M, B	S5, S6, S8, S11	Capture, Sport	NE	2, 3, 4, 8, 9, 22
<i>Polynemus dubius</i> Bleeker 1853	M, F, B	S8	-	NE	22
<i>Polynemus multifilis</i> Temminck & Schlegel 1843	F, B	S8	Capture, Aquarium	NE	22
<i>Polynemus paradiseus</i> Linnaeus 1758	M, F, B	S5, S8, S10, S11	Capture	NE	3, 4, 9, 22, 23
Family: Priacanthidae					
<i>Heteropriacanthus cruentatus</i> (Lacepède 1801)	M	S8, S11	Capture, Aquarium	LC	8, 9, 22
<i>Priacanthus blochii</i> Bleeker 1853	M	S8, S10	Aquarium	LC	22, 23
<i>Priacanthus hamrur</i> (Forsskål 1775)	M	S5, S6, S8, S10, S11	Capture, Aquarium	LC	2, 3, 4, 8, 9, 10, 22, 23
<i>Priacanthus macracanthus</i> Cuvier 1829	M	S8	Capture	LC	22
<i>Priacanthus tayenus</i> Richardson 1846	M	S8, S11	Capture	LC	3, 8, 9, 22
Family: Rachycentridae					
<i>Rachycentron canadum</i> (Linnaeus 1766)	M, B	S1, S5, S6, S8, S10, S11	Capture, Cultivable, Sport	LC	2, 3, 4, 8, 9, 10, 21, 22, 23, 24
Family: Scaridae					
<i>Bolbometopon muricatum</i> (Valenciennes 1840)	M	S8	Capture, Aquarium	VU	10, 22, 25
<i>Calotomus spinidens</i> (Quoy & Gaimard 1824)	M	S8	Capture, Aquarium	LC	22
<i>Cetoscarus bicolor</i> (Rüppell 1829)	M	S8	Capture, Aquarium	LC	22
<i>Chlorurus gibbus</i> (Rüppell 1829)	M	S8	Capture, Aquarium	LC	22
<i>Chlorurus japanensis</i> (Bloch 1789)	M	S8, S11	Capture, Aquarium	LC	3, 8
<i>Chlorurus oedema</i> (Snyder 1909)	M, B	S8	-	LC	22
<i>Chlorurus sordidus</i> (Forsskål 1775)	M, B	S8, S11	Capture, Aquarium	LC	8, 9, 22, 25
<i>Hipposcarus harid</i> (Forsskål 1775)	M	S8, S10, S11	Capture, Aquarium	LC	8, 22, 23
<i>Leptoscarus vaigiensis</i> (Quoy & Gaimard 1824)	M	S8, S11	Capture, Aquarium	LC	9, 10, 22
<i>Scarus arabicus</i> (Steindachner 1902)	M	S8	Capture	LC	22
<i>Scarus coeruleus</i> (Edwards 1771)	M	S8	Capture, Aquarium	LC	3, 11
<i>Scarus dubius</i> Bennett 1828	M	S8, S11	Aquarium	LC	3, 8
<i>Scarus ferrugineus</i> Forsskål 1775	M	S8	Capture	LC	22
<i>Scarus frenatus</i> Lacepède 1802	M	S11	Capture, Aquarium	LC	8
<i>Scarus ghobban</i> Forsskål 1775	M, B	S6, S8, S9, S10, S11	Capture, Aquarium	LC	2, 8, 9, 10, 19, 22, 23, 24, 25
<i>Scarus globiceps</i> Valenciennes 1840	M	S8	Capture, Aquarium	LC	22
<i>Scarus niger</i> Forsskål 1775	M	S8, S11	Capture, Aquarium	LC	8, 22
<i>Scarus prasiognathos</i> Valenciennes 1840	M	S11	Capture, Aquarium	LC	9
<i>Scarus psittacus</i> Forsskål 1775	M	S8, S10, S11	Capture, Aquarium	LC	9, 10, 22, 23, 25
<i>Scarus quoyi</i> Valenciennes 1840	M	S6, S11	Capture	LC	2, 9
<i>Scarus rivulatus</i> Valenciennes 1840	M	S8, S11	Capture	LC	9, 11
<i>Scarus rubroviolaceus</i> Bleeker 1847	M	S8, S11	Capture, Aquarium	LC	8, 22
<i>Scarus russelii</i> Valenciennes 1840	M	S8, S10, S11	Capture	LC	9, 22, 23
<i>Scarus tricolor</i> Bleeker 1847	M	S8	Capture, Aquarium	LC	22
Family: Scatophagidae					
<i>Scatophagus argus</i> (Linnaeus 1766)	M, F, B	S1, S2, S3, S4, S6, S8, S9, S11	Capture, Cultivable, Aquarium	LC	1, 2, 3, 6, 7, 8, 9, 11, 15, 13, 16, 17, 18, 19, 21, 22, 24
Family: Sciaenidae					
<i>Argyrosomus amoyensis</i> (Bleeker, 1863)	M	S8	Capture	NE	22
<i>Atrobucca nibe</i> (Jordan & Thompson 1911)	M	S8	Capture	NE	22
<i>Chrysichthys aureus</i> (Richardson 1846)	M, B	S8, S11	Capture	NE	3, 9
<i>Daysciaena albida</i> (Cuvier 1830)	M, B	S1, S5, S6, S8, S11	Capture	NE	1, 2, 3, 4, 5, 9, 22, 24
<i>Dendrophysa russelii</i> (Cuvier 1829)	M, F, B	S6, S8, S11	Capture	NE	1, 2, 3, 8, 9, 15, 17, 24
<i>Johnius amblycephalus</i> (Bleeker 1855)	M, F, B	S6, S8, S11	Capture	NE	2, 8, 9, 22
<i>Johnius belangerii</i> (Cuvier 1830)	M, B	S5, S6, S8, S10, S11	Capture	NE	2, 3, 4, 8, 9, 23
<i>Johnius borneensis</i> (Bleeker 1851)	M, F, B	S8, S11	Capture	NE	3, 8, 22
<i>Johnius carouna</i> (Cuvier 1830)	M, F, B	S8, S11	Capture	NE	3, 9, 22
<i>Johnius carutta</i> Bloch 1793	M, F, B	S5, S6, S8, S10, S11	Capture	NE	2, 3, 4, 8, 9, 15, 17, 22, 23, 24
<i>Johnius coitor</i> (Hamilton 1822)	M, F, B	S8, S11	Capture	LC	3, 8, 22
<i>Johnius dussumieri</i> (Cuvier 1830)	M, B	S5, S6, S8, S10, S11	Capture	NE	2, 3, 4, 8, 9, 22, 23
<i>Johnius elongatus</i> Lal Mohan 1976	M	S8, S10, S11	Capture	NE	3, 9, 22, 23
<i>Johnius glaucus</i> (Day 1876)	M	S8, S11 S10,	-	NE	3, 8, 9, 22, 23
<i>Johnius macropterus</i> (Bleeker 1853)	M	S6, S8, S11	Capture	NE	2, 3, 8, 9, 22
<i>Johnius macrorhynus</i> (Lal Mohan 1976)	M	S8, S10, S11	Capture	NE	3, 8, 9, 22, 23
<i>Johniusmannarensis</i> Lal Mohan 1971	M	S8	-	NE	22
<i>Johnius sina</i> (Cuvier 1830)	M, B	S5, S8, S11	Capture	NE	3, 4, 8, 22

<i>Kathala axillaris</i> (Cuvier 1830)	M	S6, S8, S10, S11	Capture	NE	2, 3, 8, 9, 15, 17, 22, 23, 24
<i>Nibea chui</i> Trewavas 1971	M	S8, S11	Capture	NE	3, 9
<i>Nibea coibor</i> (Hamilton 1822)	M	S8	Capture	NE	22
<i>Nibea maculata</i> (Bloch & Schneider 1801)	M	S1, S5, S6, S10, S11	Capture	NE	2, 4, 21, 23, 24
<i>Nibea soldado</i> (Lacepède 1802)	M, F, B	S6, S8, S11	Capture	NE	1, 2, 9, 22, 24
<i>Otolithes cuvieri</i> Trewavas 1974	M	S8, S10, S11	Capture	NE	3, 8, 9, 22, 23
<i>Otolithes ruber</i> (Bloch & Schneider 1801)	M, B	S5, S6, S8, S10, S11	Capture, Sport	NE	2, 3, 4, 8, 9, 22, 23
<i>Otolithoides biauritus</i> (Cantor 1849)	M	S8, S11	Capture	NE	3, 8, 9, 22
<i>Pama pama</i> (Hamilton 1822)	M, F, B	S8	Capture	NE	22
<i>Panna heterolepis</i> Trewavas 1977	M	S8	-	NE	22
<i>Panna microdon</i> (Bleeker 1849)	M	S6, S8, S11	Capture	NE	2, 3, 9, 22, 24
<i>Paranibea semiluctuosa</i> (Cuvier 1830)	M	S5, S8, S11	Capture	NE	3, 4, 8, 9
<i>Pennahia anea</i> (Bloch 1793)	M	S6, S8, S10, S11	Capture	NE	2, 3, 8, 9, 22, 23
<i>Protonibea diacanthus</i> (Lacepède 1802)	M, B	S5, S6, S8, S11	Capture, Cultivable	NE	2, 3, 4, 8, 9, 22
<i>Pterololithus maculatus</i> (Cuvier 1830)	M, B	S8, S11	-	LC	8, 22
Family: Scombridae					
<i>Acanthocybium solandri</i> (Cuvier 1832)	M	S8, S10, S11	Capture, Sport	LC	8, 9, 22, 23
<i>Auxis rochei</i> (Risso 1810)	M, B	S8, S10, S11	Capture, Sport	LC	8, 9, 22, 23
<i>Auxis thazard</i> (Lacepède 1800)	M	S8, S10, S11	Capture, Sport	LC	8, 9, 22, 23
<i>Euthynnus affinis</i> (Cantor 1849)	M	S1, S6, S8, S10, S11	Capture, Sport	LC	2, 3, 8, 9, 21, 21, 22, 23, 24
<i>Grammatocynus bicarinatus</i> (Quoy & Gaimard 1825)	M	S11	Capture, Sport	LC	8
<i>Katsuwonus pelamis</i> (Linnaeus 1758)	M	S8, S10, S11	Capture, Sport	LC	8, 9, 22, 23
<i>Rastrelliger saugnii</i> Matsui 1967	M	S8, S11	Capture, Sport	DD	3, 8, 9
<i>Rastrelliger kanagurta</i> (Cuvier 1816)	M	S5, S6, S8, S11	Capture, Sport, Bait	DD	2, 3, 4, 8, 9, 22
<i>Sarda orientalis</i> (Temminck & Schlegel 1844)	M	S8, S10, S11	Capture, Sport	LC	8, 9, 22, 23
<i>Scomberomorus commerson</i> (Lacepède 1800)	M	S5, S6, S8, S10, S11	Capture, Sport	NT	2, 3, 4, 8, 9, 17, 22, 23, 24
<i>Scomberomorus guttatus</i> (Bloch & Schneider 1801)	M, B	S1, S5, S6, S8, S10, S11	Capture, Sport	DD	2, 3, 4, 8, 9, 21, 22, 23, 24
<i>Scomberomorus koreanus</i> (Kishinouye 1915)	M	S8, S11	Capture, Sport	LC	3, 9
<i>Scomberomorus lineolatus</i> (Cuvier 1829)	M	S5, S8, S10, S11	Capture, Sport	LC	3, 4, 8, 9, 22, 23
<i>Thunnus alalunga</i> (Bonnaterre 1788)	M	S8	Capture, Sport	NT	22
<i>Thunnus albacares</i> (Bonnaterre 1788)	M, B	S8, S10, S11	Capture, Cultivable, Sport	NT	9, 22, 23
<i>Thunnus obesus</i> (Lowe 1839)	M	S8	Capture, Sport	VU	22
<i>Thunnus thynnus</i> (Linnaeus 1758)	M, B	S1, S11	Capture, Cultivable, Sport	EN	21, 24
<i>Thunnus tonggol</i> (Bleeker 1851)	M	S8, S11	Capture, Sport	DD	3, 9, 22
Family: Serranidae					
<i>Aethaloperca rogaa</i> (Forsskål 1775)	M	S11	Capture, Sport	DD	8
<i>Anyperodon leucogrammicus</i> (Valenciennes 1828)	M	S11	Capture, Sport	LC	8
<i>Aulacocephalus temminckii</i> Bleeker 1855	M	S8	-	LC	22
<i>Cephalopholis aurantia</i> (Valenciennes 1828)	M	S8, S10	Capture	DD	22, 23
<i>Cephalopholis argus</i> Schneider 1801	M	S8, S11	Capture, Sport, Aquarium	LC	8, 10, 22, 25
<i>Cephalopholis boenak</i> (Bloch 1790)	M	S6, S8, S11	Capture, Aquarium	LC	2, 3, 8, 9, 10, 22, 25
<i>Cephalopholis cyanostigma</i> (Valenciennes 1828)	M	S11	Capture	LC	8
<i>Cephalopholis formosa</i> (Shaw 1812)	M	S5, S8, S10, S11	Capture	LC	4, 8, 9, 10, 22, 23, 25
<i>Cephalopholis microprion</i> (Bleeker 1852)	M	S11	Capture	LC	8
<i>Cephalopholis miniata</i> (Forsskål 1775)	M	S8, S10, S11	Capture, Sport, Aquarium	LC	3, 8, 9, 22, 23
<i>Cephalopholis leopardus</i> (Lacepède 1801)	M	S8	Capture	LC	22
<i>Cephalopholis nigripinnis</i> (Valenciennes 1828)	M	S10	-	DD	23
<i>Cephalopholis polleni</i> (Bleeker 1868)	M	S8	Capture, Sport	LC	22
<i>Cephalopholis sonneratii</i> (Valenciennes 1828)	M	S5, S8, S11	Capture	LC	4, 8, 9, 10, 22
<i>Cephalopholis urodetata</i> (Forster 1801)	M	S11	Capture, Aquarium	LC	8
<i>Chelidoperca investigatoris</i> (Alcock 1890)	M	S10	-	NE	23
<i>Chelidoperca pleurospilus</i> (Günther 1880)	M	S10	-	NE	23
<i>Cromileptes altivelis</i> (Valenciennes 1828)	M	S11	Capture, Cultivable, Aquarium	VU	8
<i>Epinephelus areolatus</i> (Forsskål 1775)	M	S8, S10, S11	Capture, Cultivable	LC	3, 8, 9, 22, 23
<i>Epinephelus bleekeri</i> (Vaillant 1878)	M	S6, S8, S8, S11	Capture, Cultivable	NT	2, 3, 9, 16, 22, 24, 25
<i>Epinephelus chlorostigma</i> (Valenciennes 1828)	M	S8, S11	Capture	LC	8, 10, 22, 25

<i>Epinephelus coeruleopunctatus</i> (Bloch 1790)	M	S8, S11	Capture	LC	9, 8, 10, 22, 25
<i>Epinephelus coioides</i> (Hamilton 1822)	M, B	S10, S11	Capture, Cultivable	NT	8, 9, 23
<i>Epinephelus corallicolus</i> (Valenciennes 1828)	M, B	S8	Capture	DD	10
<i>Epinephelus diacanthus</i> (Valenciennes 1828)	M	S6, S8, S9, S10, S11	Capture	NT	2, 3, 8, 9, 19, 22, 23, 24, 25
<i>Epinephelus erythrurus</i> (Valenciennes 1828)	M, B	S11	Capture	DD	8
<i>Epinephelus fasciatus</i> (Forsskål 1775)	M, B	S6, S8, S11	Capture, Sport, Aquarium	LC	2, 8, 10, 22
<i>Epinephelus fasciatomaculosus</i> (Peters 1865)	M	S1, S11	Capture	DD	21, 24
<i>Epinephelus faveatus</i> (Valenciennes 1828)	M	S10	Capture	DD	23
<i>Epinephelus flavocaeruleus</i> (Lacepède 1802)	M	S8, S10, S11	Capture, Aquarium	LC	3, 8, 9, 10, 11, 22, 23, 25
<i>Epinephelus fuscoguttatus</i> (Forsskål 1775)	M	S8	Capture, Cultivable, Aquarium	NT	22
<i>Epinephelus hexagonatus</i> (Forster 1801)	M	S8	Capture, Sport	LC	11, 22
<i>Epinephelus lanceolatus</i> (Bloch 1790)	M, B	S1, S5, S6, S8, S10, S11	Capture, Cultivable, Sport, Aquarium	VU	2, 3, 4, 8, 9, 21, 22, 23, 24
<i>Epinephelus latifasciatus</i> (Temminck & Schlegel 1843)	M	S8, S11	Capture	DD	3, 8, 9
<i>Epinephelus longispinis</i> (Kner 1864)	M	S8, S10, S11	Capture	LC	8, 9, 10, 22, 23, 25
<i>Epinephelus macrospilus</i> (Bleeker 1855)	M	S11	Capture	LC	8
<i>Epinephelus maculatus</i> (Bloch 1790)	M	S8, S11	Capture, Aquarium	LC	8, 10
<i>Epinephelus malabaricus</i> (Bloch & Schneider 1801)	M, B	S1, S5, S8, S9, S10, S11	Capture, Cultivable, Sport	NT	3, 4, 5, 8, 9, 10, 11, 19, 22, 23, 24, 25
<i>Epinephelus melanostigma</i> Schultz 1953	M	S10, S11	Capture	DD	8, 23
<i>Epinephelus merra</i> Bloch 1793	M	S8, S10, S11	Capture, Cultivable, Sport, Aquarium	LC	8, 10, 11, 22, 23, 25
<i>Epinephelus miliaris</i> (Valenciennes 1830)	M	S10	Capture	LC	23
<i>Epinephelus morrhua</i> (Valenciennes 1833)	M	S1, S6, S8, S11	Capture, Sport	LC	2, 3, 5, 8, 9, 22, 24
<i>Epinephelus ongus</i> (Bloch 1790)	M, B	S11	Capture	LC	8
<i>Epinephelus poecilonotus</i> (Temminck & Schlegel 1843)	M, B	S10	Capture	LC	23
<i>Epinephelus polyphekadion</i> (Bleeker 1849)	M	S8, S10	Capture, Cultivable	NT	10, 22, 23, 25
<i>Epinephelus quoyanus</i> (Valenciennes 1830)	M	S10, S11	Capture	LC	8, 23
<i>Epinephelus radiatus</i> (Day 1868)	M	S10	Capture	LC	23
<i>Epinephelus retouti</i> Bleeker 1868	M	S1, S11	Capture, Sport	DD	21, 24
<i>Epinephelus rivulatus</i> (Valenciennes 1830)	M	S10	Capture	LC	23
<i>Epinephelus sexfasciatus</i> (Valenciennes 1828)	M	S8, S11	Capture	DD	8, 22
<i>Epinephelus spilotoceps</i> Schultz 1953	M	S11	Capture, Sport	LC	8
<i>Epinephelus tauvina</i> (Forsskål 1775)	M	S3, S6, S8, S9, S10, S11	Capture, Cultivable, Sport	DD	1, 2, 3, 7, 8, 9, 10, 15, 16, 17, 18, 19, 22, 23, 24, 25
<i>Epinephelus undulatus</i> (Quoy & Gaimard 1824)	M	S5, S8, S10, S11	Capture	DD	3, 4, 8, 9, 10, 11, 22, 23
<i>Grammistes sexlineatus</i> (Thunberg 1792)	M	S8	Capture, Aquarium	LC	22
<i>Hyporthodus octofasciatus</i> (Griffin 1926)	M	S10	Capture	DD	23
<i>Hyporthodus septemfasciatus</i> (Thunberg 1793)	M	S10	Capture, Cultivable	LC	23
<i>Odontanthias rhodopeplus</i> (Günther 1872)	M	S10	-	NE	23
<i>Pogonoperca ocellata</i> Günther 1859	M	S8, S10	-	NE	10, 23
<i>Pogonoperca punctata</i> (Valenciennes 1830)	M	S8	Capture	LC	22
<i>Pseudanthias marcia</i> Randall & Hoover 1993	M	S10	-	NE	23
<i>Pseudanthias pillai</i> Heemstra & Akhilesh 2012	M	S10	Capture	LC	23
<i>Pseudanthias squamipinnis</i> (Peters 1855)	M	S11	Capture, Aquarium	LC	8
<i>Variola louti</i> (Forsskål 1775)	M	S8, S11	Capture, Sport, Aquarium	LC	8, 22
Family: Siganidae					
<i>Siganus argenteus</i> (Quoy & Gaimard 1825)	M	S8,	Capture, Aquarium	LC	22
<i>Siganus canaliculatus</i> (Park 1797)	M, B	S5, S6, S8, S9, S10, S11	Capture, Cultivable	LC	2, 3, 4, 8, 9, 10, 11, 15, 16, 17, 18, 19, 22, 23, 24, 25
<i>Siganus corallinus</i> (Valenciennes 1835)	M	S8	Capture, Aquarium	LC	22
<i>Siganus guttatus</i> (Bloch 1787)	M, B	S8, S11	Capture, Cultivable, Aquarium	LC	3, 8, 9
<i>Siganus javus</i> (Linnaeus 1766)	M, B	S1, S2, S3, S4, S5, S6, S8, S9, S11	Capture, Aquarium	LC	1, 2, 3, 4, 6, 7, 8, 9, 10, 11, 15, 13, 16, 17, 18, 19, 21, 22, 24, 25,
<i>Siganus lineatus</i> (Valenciennes 1835)	M	S8, S9, S11	Capture, Aquarium	LC	10, 19, 22, 24, 25
<i>Siganus luridus</i> (Rüppell 1829)	M	S8	Capture	NE	22

<i>Siganus puillus</i> (Schlegel 1852)	M	S8	Capture, Aquarium	LC	22
<i>Siganus punctatus</i> (Schneider & Forster 1801)	M	S8	Capture	LC	22
<i>Siganus spinus</i> (Linnaeus 1758)	M	S6, S8, S11	Capture, Aquarium	LC	2, 3, 8, 9, 10, 22, 24, 25
<i>Siganus stellatus</i> (Forsskål 1775)	M	S8	Capture, Aquarium	NE	22
<i>Siganus vermiculatus</i> (Valenciennes 1835)	M, B	S1, S6, S8, S11	Capture, Cultivable, Aquarium	LC	2, 9, 11, 21, 22, 24
<i>Siganus virgatus</i> (Valenciennes 1835)	M, B	S8	Capture, Aquarium	NE	22
Family: Sillaginidae					
<i>Sillaginopodus chondropus</i> (Bleeker 1849)	M, B	S8, S11	Capture	NE	3, 8, 9
<i>Sillaginopsis domina</i> (Cuvier 1816)	M, F, B	S5, S8, S11	Capture	NE	3, 4, 9
<i>Sillago aeolus</i> Jordan & Evermann 1902	M	S8	Capture	NE	22
<i>Sillago intermedius</i> Wongratana 1977	M	S8	Capture	NE	22
<i>Sillago lutea</i> McKay 1985	M	S8, S11	Capture	NE	3, 8, 9, 22
<i>Sillago maculata</i> Quoy & Gaimard 1824	M, B	S8	Capture, Cultivable, Sport	NE	22
<i>Sillago sihama</i> (Forsskål 1775)	M, B	S1, S2, S3, S4, S5, S6, S7, S8, S9, S9, S10, S11	Capture, Cultivable	LC	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 15, 13, 16, 17, 19, 20, 22, 23, 24
<i>Sillago soringa</i> Dutt & Sujatha 1982	M	S11	-	NE	8, 9
<i>Sillago vincenti</i> McKay 1980	M, B	S1, S6, S8, S9, S11	Capture, Cultivable	NE	3, 5, 9, 18, 19, 22, 24
<i>Sillago vittata</i> McKay 1985	M	S8, S11	Capture	NE	8, 22
Family: Sparidae					
<i>Acanthopagrus berda</i> (Forsskål 1775)	M, F, B	S1, S5, S6, S8, S10, S11	Capture, Sport	LC	2, 3, 4, 5, 8, 9, 22, 23, 24
<i>Acanthopagrus latus</i> (Houttuyn 1782)	M, F, B	S6, S8, S11	Cultivable	DD	2, 3, 8, 9, 22
<i>Acanthopagrus sivicolus</i> Akazaki 1962	M, B	S9, S11	Capture, Cultivable	VU	19, 24
<i>Argyrops filamentosus</i> (Valenciennes 1830)	M	S8	Capture	LC	22
<i>Argyrops spinifer</i> (Forsskål 1775)	M	S5, S6, S8, S11	Capture	LC	2, 3, 4, 8, 8, 9, 22
<i>Crenidens crenidens</i> (Forsskål, 1775)	M	S1, S8, S11	Capture, Bait	LC	5, 8, 9, 22, 24
<i>Crenidens indicus</i> Day 1873	M	S8, S11	Capture, Bait	LC	3, 8
<i>Diplodus noct</i> (Valenciennes 1830)	M	S11	Capture	LC	8
<i>Rhabdosargus sarba</i> (Forsskål, 1775)	M, B	S1, S5, S6, S8, S10, S11	Capture, Cultivable, Sport	LC	2, 3, 4, 5, 8, 9, 22, 23, 24
<i>Sparidentex hasta</i> (Valenciennes 1830)	M, B	S8, S11	Capture	LC	3, 9, 22
Family: Sphyraenidae					
<i>Sphyraena acutipinnis</i> Day 1876	M, B	S11	Capture	NE	9
<i>Sphyraena barracuda</i> (Edwards 1771)	M, B	S6, S8, S10, S11	Capture, Sport, Aquarium	LC	2, 8, 9, 10, 15, 17, 22, 23, 24
<i>Sphyraena flavicauda</i> Rüppell 1838	M	S8, S10, S11	Capture	NE	3, 8, 9, 10, 22, 23
<i>Sphyraena forsteri</i> Cuvier 1829	M	S5, S8, S10, S11	Capture	NE	4, 8, 9, 22, 23
<i>Sphyraena jello</i> Cuvier 1829	M, B	S2, S5, S6, S8, S9, S10, S11	Capture, Sport	NE	1, 3, 4, 8, 9, 10, 15, 13, 16, 17, 18, 19, 22, 23, 24
<i>Sphyraena obtusata</i> Cuvier 1829	M, B	S5, S6, S8, S10, S11	Capture, Sport	NE	2, 3, 4, 8, 9, 22, 23
<i>Sphyraena putnamiae</i> Jordan & Seale 1905	M	S5, S8, S11	Capture, Sport	NE	3, 4, 9
Family: Stromateidae					
<i>Pampus argenteus</i> (Euphrasen 1788)	M	S5, S6, S8, S11	Capture	NE	2, 3, 4, 8, 9, 22
<i>Pampus chinensis</i> (Euphrasen 1788)	M, B	S5, S6, S8, S11	Capture	NE	2, 3, 4, 8, 9, 15, 17, 22, 24
Family: Symphisanodontidae					
<i>Symphisanodon typus</i> Bleeker 1877	M	S10	Capture	NE	23
Family: Terapontidae					
<i>Pelates quadrilineatus</i> (Bloch 1790)	M, B	S5, S6, S8, S9, S10, S11	Capture	NE	2, 3, 4, 8, 9, 18, 19, 22, 23, 24
<i>Terapon jarbua</i> (Forsskål 1775)	M, F, B	S1, S2, S3, S4, S5, S6, S8, S9, S10, S11	Capture, Cultivable	LC	2, 3, 4, 5, 6, 7, 8, 9, 11, 12, 15, 13, 16, 17, 18, 19, 21, 22, 23, 24
<i>Terapon puta</i> Cuvier 1829	M, F, B	S1, S2, S3, S5, S6, S8, S9, S10, S11	Capture	NE	1, 2, 3, 4, 5, 7, 8, 9, 11, 15, 13, 16, 17, 18, 19, 21, 22, 23, 24
<i>Terapon theraps</i> Cuvier 1829	M, F, B	S1, S4, S6, S8, S10, S11	Capture	LC	2, 3, 5, 6, 9, 10, 22, 23, 24
Family: Trichiuridae					
<i>Euplemurogrammus glossodon</i> (Bleeker 1860)	M	S10, S11	Capture	NE	8, 9, 23
<i>Euplemurogrammus muticus</i> (Gray 1831)	M, B	S6, S8, S10, S11	Capture	NE	2, 3, 8, 9, 22, 23
<i>Lepturacanthus pantului</i> (Gupta 1966)	M, B	S8	Capture	DD	3
<i>Lepturacanthus savala</i> (Cuvier 1829)	M, B	S1, S5, S6, S8, S10, S11	Capture	NE	2, 3, 4, 8, 9, 21, 22, 23, 24
<i>Trichiurus auriga</i> Klunzinger 1884	M	S8, S10	-	NE	22, 23

<i>Trichiurus gangeticus</i> Gupta 1966	M, B	S8	Capture	NE	3
<i>Trichiurus lepturus</i> Linnaeus 1758	M, B	S5, S6, S8, S10, S11	Capture, Sport	LC	2, 3, 4, 8, 9, 22, 23
Family: Trichonotidae					
<i>Trichonotus setiger</i> Bloch & Schneider 1801	M, B	S8, S11	Aquarium	LC	3, 8, 9
Family: Tripterygiidae					
<i>Enneapterygius abelii</i> (Klausewitz 1960)	M	S8	-	LC	22
<i>Enneapterygius fasciatus</i> (Weber 1909)	M	S11	-	LC	9
<i>Helcogramma ellioti</i> (Herré 1944)	M	S8	-	LC	22
<i>Helcogramma obtusirostris</i> (Klunzinger 1871)	M, B	S8	-	LC	22
Family: Uranoscopidae					
<i>Ichthyscopus inermis</i> (Cuvier 1829)	M	S5	-	NE	4
<i>Ichthyscopus lebecki</i> (Bloch & Schneider 1801)	M	S6, S10, S11	-	NE	2, 9, 23
<i>Uranoscopus cognatus</i> Cantor 1849	M	S5, S6, S8, S11	-	NE	2, 3, 4, 8, 9
<i>Uranoscopus dollfusi</i> Brüss 1987	M	S10	-	NE	23
<i>Uranoscopus guttatus</i> Cuvier 1829	M	S1, S5, S8, S10, S11	-	NE	3, 4, 5, 8, 9, 23, 24
Family: Xiphiidae					
<i>Xiphias gladius</i> Linnaeus 1758	M	S6, S8, S10, S11	Capture, Sport	LC	2, 9, 22, 23
Family: Zanclidae					
<i>Zanclus cornutus</i> (Linnaeus 1758)	M	S8, S10, S11	Capture, Aquarium	LC	9, 10, 11, 22, 23, 25
Order: Pleuronectiforms					
Family: Bothidae					
<i>Arnoglossus tapeinosoma</i> (Bleeker 1865)	M	S8	-	NE	22
<i>Arnoglossus waitei</i> Norman 1926	M	S8	-	NE	22
<i>Asterorhombus intermedius</i> (Bleeker 1865)	M	S8, S11	Capture	LC	3, 8, 9
<i>Bothus myriaster</i> (Temminck & Schlegel 1846)	M	S5, S6, S8, S10, S11	Capture	NE	2, 4, 8, 9, 22, 23
<i>Bothus pantherinus</i> (Rüppell 1830)	M	S5, S8, S10, S11	Capture	LC	3, 4, 8, 9, 22, 23
<i>Chascanopsetta lugubris</i> Alcock 1894	M	S8	Capture	LC	22
<i>Chascanopsetta prognatha</i> Norman 1939	M	S8	-	NE	22
<i>Crossorhombus azureus</i> (Alcock 1889)	M	S5, S6, S8, S11	-	NE	2, 3, 4, 8, 9
<i>Crossorhombus valderostratus</i> (Alcock 1890)	M	S5, S8, S10, S11	Capture	NE	3, 4, 8, 9, 23
<i>Engyprosopon grandisquama</i> (Temminck & Schlegel 1846)	M	S5, S6, S8, S10, S11	Capture	LC	2, 3, 4, 8, 9, 22, 23
<i>Engyprosopon macrolepis</i> (Regan 1908)	M	S8	-	LC	22
<i>Grammatobothus polyophthalmus</i> (Bleeker 1865)	M	S6, S10	Capture	LC	2, 23
<i>Kamoharaia megastoma</i> (Kamohara 1936)	M	S8	-	NE	22
<i>Laeops guentheri</i> Alcock 1890	M	S6, S8, S11	-	LC	2, 3, 8, 9
<i>Laeops kitaharae</i> (Smith & Pope 1906)	M	S8	-	DD	3
<i>Laeops natalensis</i> Norman 1931	M	S10	-	NE	23
<i>Laeops nigrescens</i> Lloyd 1907	M	S6	-	NE	2
<i>Laeops nigromaculatus</i> von Bonde 1922	M	S10	-	NE	23
Family: Citharidae					
<i>Brachypleura novaezealandiae</i> Günther 1862	M	S6, S8, S11	Capture	LC	2, 3, 8, 9
Family: Cynoglossidae					
<i>Cynoglossus arel</i> (Bloch & Schneider 1801)	M, B	S5, S6, S8, S9, S10, S11	Capture	NE	2, 3, 4, 8, 9, 15, 16, 18, 17, 19, 22, 23, 24
<i>Cynoglossus bilineatus</i> (Lacepède 1802)	M, B	S8, S10, S11	Capture	NE	3, 8, 9, 22, 23
<i>Cynoglossus brachycephalus</i> Bleeker 1870	M	S8	-	NE	22
<i>Cynoglossus carpenteri</i> Alcock 1889	M	S8, S10, S11	-	NE	8, 22, 23
<i>Cynoglossus cynoglossus</i> (Hamilton 1822)	M, B	S8, S11	Capture	NE	3, 9, 22
<i>Cynoglossus dispar</i> Day 1877	M	S8, S11	Capture	NE	3, 8, 9, 22
<i>Cynoglossus dubius</i> Day 1873	M	S8, S10, S11	Capture	NE	3, 8, 9, 22, 23
<i>Cynoglossus itinus</i> (Snyder 1909)	M	S5, S11	-	NE	4, 9
<i>Cynoglossus kopsii</i> (Bleeker 1851)	M	S11	-	NE	8, 9
<i>Cynoglossus lida</i> (Bleeker 1851)	M	S5, S6, S8, S11	Capture	NE	2, 3, 4, 8, 9, 15, 17, 22, 24
<i>Cynoglossus lingua</i> Hamilton 1822	M, F, B	S5, S8, S9, S11	Capture	NE	3, 4, 8, 9, 12, 22, 24
<i>Cynoglossus macrostomus</i> Norman 1928	M, B	S1, S8, S10, S11	Capture	LC	3, 8, 9, 21, 23, 24
<i>Cynoglossus macrolepidotus</i> (Bleeker 1851)	M	S5, S8	-	NE	4, 22
<i>Cynoglossus monopus</i> (Bleeker 1849)	M	S6, S8, S11	-	NE	2, 3, 9
<i>Cynoglossus puncticeps</i> (Richardson 1846)	M, F, B	S1, S5, S6, S8, S10, S11	Capture	NE	1, 2, 3, 4, 8, 9, 15, 16, 17, 21, 22, 23, 24
<i>Cynoglossus semifasciatus</i> Day 1877	M	S5, S6, S8, S10, S11	-	NE	2, 3, 4, 8, 9, 22, 23
<i>Paraplagusia bilineata</i> (Bloch 1787)	M, B	S6, S8, S11	Capture	NE	2, 3, 8, 9, 22
<i>Paraplagusia blochii</i> (Bleeker 1851)	M, B	S8, S11	Capture	NE	3, 8, 9, 22
<i>Syphurus macrophthalmus</i> Norman 1939	M	S8	-	NE	22
<i>Syphurus ocellatus</i> von Bonde 1922	M	S8	-	NE	22

<i>Syphurus trifasciatus</i> (Alcock 1894)	M	S8	-	NE	22
Family: Paralichthyidae					
<i>Paralichthys oblongus</i> (Mitchill 1815)	M	S1, S11	-	LC	21, 24
<i>Pseudorhombus annulatus</i> Norman 1927	M	S8	-	NE	22
<i>Pseudorhombus argus</i> Weber 1913	M	S6, S8, S10	-	NE	2, 1, 22, 23
<i>Pseudorhombus arsius</i> (Hamilton 1822).	M, B	S1, S3, S4, S8, S11	Capture, Sport	NE	3, 6, 7, 8, 9, 21, 24
<i>Pseudorhombus duplocellatus</i> Regan 1905	M	S6, S8, S10	Capture	NE	2, 22, 23
<i>Pseudorhombus elevatus</i> Ogilby 1912	M	S5, S6, S8, S10, S11	Capture	NE	2, 3, 4, 8, 9, 22, 23, 24
<i>Pseudorhombus javanicus</i> (Bleeker 1853)	M	S5, S8, S10, S11	Capture	NE	3, 4, 8, 9, 22, 23
<i>Pseudorhombus malayanus</i> Bleeker 1865	M	S6, S8, S11	Capture	NE	2, 3, 8, 9
<i>Pseudorhombus megalops</i> Fowler 1934	M	S8	-	NE	22
<i>Pseudorhombus micrognathus</i> Norman 1927	M	S8	-	NE	22
<i>Pseudorhombus natalensis</i> Gilchrist 1904	M	S8	Capture	NE	22
<i>Pseudorhombus triocellatus</i> (Bloch & Schneider 1801)	M	S5, S6, S8, S10, S11	Capture, Aquarium	NE	2, 3, 4, 8, 9, 22, 23
Family: Pleuronectidae					
<i>Glyptocephalus cynoglossus</i> (Linnaeus 1758)	M	S1, S11	Capture	NE	21, 24
Family: Psettodidae					
<i>Psettodes erumei</i> (Bloch & Schneider 1801)	M	S1, S5, S6, S8, S10, S11	Capture	NE	2, 3, 4, 9, 21, 22, 23, 24
Family: Samaridae					
<i>Samaris cristatus</i> Gray 1831	M, B	S5, S6, S8, S10, S11	Capture	NE	2, 4, 9, 22, 23
<i>Samariscus huysmani</i> Weber 1913	M	S8	-	DD	22
<i>Samariscus longimanus</i> Norman 1927	M	S8	-	NE	22
<i>Samariscus triocellatus</i> Woods 1960	M	S8	-	NE	22
Family: Soleidae					
<i>Aesopias cornuta</i> Kaup 1858	M	S5, S6, S8, S11	Capture	LC	2, 3, 4, 8, 9, 22
<i>Aseraggodes cyaneus</i> (Alcock 1890)	M	S6	-	NE	2
<i>Brachirus annularis</i> Fowler 1934	M	S8	-	NE	22
<i>Brachirus orientalis</i> (Bloch & Schneider 1801)	M, F, B	S1, S3, S6, S8, S9, S11	Capture	NE	2, 3, 5, 7, 8, 9, 19, 22, 24
<i>Brachirus pan</i> (Hamilton 1822)	M, F, B	S8, S11	-	LC	3, 9, 22
<i>Dagetichthys albomaculatus</i> (Kaup 1858)	M, B	S6, S8, S11	-	NE	2, 3, 8, 9, 24
<i>Dagetichthys commersonii</i> (Lacepède 1802)	M, B	S5, S6, S8, S11	Capture	NE	2, 3, 4, 8, 9, 22, 24
<i>Dagetichthys marginatus</i> (Boulenger 1900)	M, B	S8	Capture	NE	22
<i>Heteromycteris oculus</i> (Alcock 1889)	M	S5, S6, S8, S10, S11	Capture	NE	2, 4, 9, 8, 22, 23
<i>Pardachirus marmoratus</i> (Lacepède 1802)	M	S8, S11	Capture	NE	8, 22
<i>Pardachirus pavoninus</i> (Lacepède 1802)	M	S6, S8	Capture	LC	2, 10
<i>Pegusa nasuta</i> (Pallas 1814)	M, B	S11	-	NE	8
<i>Solea elongata</i> Day 1877	M	S8, S11	Capture	NE	3, 8, 9, 22
<i>Solea ovata</i> Richardson 1846	M	S6, S8, S11	Capture	NE	2, 3, 8, 9, 22
<i>Zebrias altipinnis</i> (Alcock 1890)	M	S5, S6, S8, S11	-	NE	2, 3, 4, 9
<i>Zebrias keralensis</i> Joglekar 1976	M	S10	-	NE	23
<i>Zebrias quagea</i> (Kaup 1858)	M	S1, S5, S6, S8, S10, S11	Capture	NE	2, 3, 4, 8, 9, 21, 22, 23, 24
<i>Zebrias synapturoides</i> (Jenkins 1910)	M	S6, S8, S10, S11	Capture	NE	2, 3, 8, 9, 22, 23
<i>Zebrias zebra</i> (Bloch 1787)	M, B	S8	Capture	NE	22
Order: Polymixiformes					
Family: Polymixiidae					
<i>Polymixia berndti</i> Gilbert 1905	M	S8	Capture	NE	22
<i>Polymixia busakhini</i> Kotlyar 1992	M	S8	-	NE	22
<i>Polymixia fusca</i> Kothaus 1970	M	S8	-	NE	22
<i>Polymixia nobilis</i> Lowe 1836	M	S8	Capture	LC	22
Order: Scorpaeniformes					
Family: Apistidae					
<i>Apistus carinatus</i> (Bloch & Schneider 1801)	M	S5, S6, S11	Capture	NE	2, 4, 8, 9
Family: Aplactinidae					
<i>Acanthosphex leurynnis</i> (Jordan & Seale 1905)	M	S6	-	NE	2
<i>Cocotropus roseus</i> Day 1875	M	S8, S11	-	LC	3, 8, 9
<i>Paraploactis taprobanensis</i> (Whitley 1933)	M	S11	-	NE	9
Family: Cottidae					
<i>Myoxocephalus octodecemspinosis</i> (Mitchill 1814)	M, B	S1, S11	-	NE	21, 24
Family: Dactylopteridae					
<i>Dactyloptena macracantha</i> (Bleeker 1855)	M	S5, S10, S11	Capture, Aquarium	NE	4, 9, 23

<i>Dactyloptena orientalis</i> (Cuvier 1829)	M	S6, S8, S10, S11	Capture, Aquarium	LC	2, 8, 9, 10, 23
<i>Dactyloptena papilio</i> Ogilby 1910	M	S10	-	NE	23
<i>Dactyloptena peterseni</i> (Nyström 1887)	M	S10	-	LC	23
Family: Platyccephalidae					
<i>Cociella crocodila</i> (Cuvier 1829)	M, B	S8, S11	-	NE	3, 8, 9, 10, 22
<i>Cociella punctata</i> (Cuvier 1829)	M	S8	Capture	LC	22
<i>Grammoplites scaber</i> (Linnaeus 1758)	M, B	S1, S5, S6, S8, S11	Capture	NE	2, 3, 4, 5, 8, 9, 22, 24
<i>Grammoplites suppositus</i> (Troschel 1840)	M	S8, S11	-	NE	3, 8, 9, 22
<i>Inegocia japonica</i> (Cuvier 1829)	M	S5, S8, S11	Capture	LC	3, 4, 8, 9, 22
<i>Kumococius rodericensis</i> (Cuvier 1829)	M	S8, S10, S11	Capture	LC	3, 8, 9, 22, 23
<i>Onigocia oligolepis</i> (Regan 1908)	M	S11	-	LC	8
<i>Platycephalus indicus</i> (Linnaeus 1758)	M, B	S1, S3, S5, S6, S8, S9, S10, S11	Capture, Cultivable, Sport	DD	1, 2, 3, 4, 5, 7, 8, 9, 16, 18, 19, 21, 22, 23, 24
<i>Rogadius asper</i> (Cuvier 1829)	M	S8, S10	Capture	LC	22, 23
<i>Rogadius serratus</i> (Cuvier 1829)	M	S5, S8, S11	-	LC	4, 9, 22
<i>Rogadius tuberculatus</i> (Cuvier 1829)	M	S5, S6, S8, S10, S11	Capture	NE	2, 3, 4, 8, 9, 22, 23
<i>Rogadius welanderi</i> (Schultz 1966)	M	S8	-	LC	22
<i>Sorsogona melanoptera</i> Knapp & Wongratana 1987	M	S5, S8, S11	-	NE	3, 4, 9
<i>Suggrundus macracanthus</i> (Bleeker 1869)	M	S8, S11	Capture	NE	9, 22
<i>Sunagocia carbunculus</i> (Valenciennes 1833)	M	S8, S11	-	NE	8, 9, 22
<i>Sunagocia otaitensis</i> (Cuvier 1829)	M	S8	Capture	LC	2
<i>Thysanophrys celebica</i> (Bleeker 1855)	M	S5, S11	-	LC	4, 8, 9
Family: Peristediidae					
<i>Peristedion miniatum</i> Goode 1880	M	S8, S10	-	LC	22, 23
<i>Satyrichthys laticeps</i> (Schlegel 1852)	M	S8, S10, S11	-	NE	9, 22, 23
Family: Scorpaenidae					
<i>Dendrochirus brachypterus</i> (Cuvier 1829)	M	S11	Capture, Aquarium	LC	8, 9
<i>Dendrochirus zebra</i> (Cuvier 1829)	M	S6, S8, S11	Capture, Aquarium	LC	2, 8, 9, 11, 22
<i>Minous dempsterae</i> Eschmeyer, Hallacher & Rama-Rao 1979	M	S10	-	LC	23
<i>Minous inermis</i> Alcock 1889	M	S8	-	NE	22
<i>Minous monodactylus</i> (Bloch & Schneider 1801)	M	S5, S6, S8, S10, S11	Capture	NE	2, 3, 4, 8, 9, 22, 23
<i>Parapterois heterura</i> (Bleeker 1856)	M	S8	Aquarium	NE	22
<i>Parascorpaena picta</i> (Cuvier 1829)	M	S11	-	LC	8
<i>Pteroidichthys amboinensis</i> Bleeker 1856	M	S11	-	LC	8
<i>Pterois antennata</i> (Bloch 1787)	M	S8, S11	Capture, Aquarium	LC	8, 22
<i>Pterois lunulata</i> Temminck & Schlegel 1843	M	S10	Aquarium	LC	2
<i>Pterois miles</i> (Bennett 1828)	M	S5, S8, S10, S11	Aquarium	NE	3, 4, 8, 9, 23
<i>Pterois mombasae</i> (Smith 1957)	M	S10, S11	Capture	LC	8, 9, 23
<i>Pterois radiata</i> Cuvier 1829	M	S8, S11	Capture, Aquarium	LC	8, 11
<i>Pterois russelii</i> Bennett 1831	M, B	S6, S8, S10, S11	Capture, Aquarium	LC	2, 3, 8, 9, 10, 22, 23, 25
<i>Pterois volitans</i> (Linnaeus 1758)	M	S5, S8, S11	Capture, Aquarium	LC	3, 4, 8, 9, 11, 22, 25
<i>Rhinopias eschmeyeri</i> Condé 1977	M	S8	Aquarium	NE	10, 22
<i>Scorpaenodes corallinus</i> Smith 1957	M	S8	-	LC	22
<i>Scorpaenodes guamensis</i> (Quoy & Gaimard 1824)	M	S6, S11	-	LC	2, 8
<i>Scorpaenodes parvipinnis</i> (Garrett 1864)	M	S8	Aquarium	LC	22
<i>Scorpaenopsis cirrosa</i> (Thunberg 1793)	M	S5, S11	Capture	NE	4, 8, 9
<i>Scorpaenopsis gibbosa</i> (Bloch & Schneider 1801)	M	S5, S8, S11	Capture	LC	4, 8, 9, 10, 22
<i>Scorpaenopsis venosa</i> (Cuvier 1829)	M	S5, S8, S11	-	LC	3, 8, 4, 9
<i>Sebastapistes strongia</i> (Cuvier 1829)	M	S8, S11	-	LC	3, 8, 9
Family: Synanceiidae					
<i>Choridactylus multibarbus</i> Richardson 1848	M	S5, S6, S8, S10, S11	Capture	NE	2, 3, 4, 8, 9, 23
<i>Inimicus didactylus</i> (Pallas 1769)	M, B	S10	Aquarium	NE	23
<i>Synanceia verrucosa</i> Bloch & Schneider 1801	M	S11	Capture, Aquarium	NE	8
<i>Trachicephalus uranoscopus</i> (Bloch & Schneider 1801)	M, B	S5, S8, S10, S11	Capture	NE	3, 4, 8, 9, 23
Family: Tetrarogidae					
<i>Ablabys binotatus</i> (Peters 1855)	M	S8	-	NE	10, 22
<i>Neovescicula depressifrons</i> (Richardson 1848)	M, F, B	S11	-	NE	8
<i>Paracentropogon longispinis</i> (Cuvier 1829)	M	S8, S11	Aquarium	NE	3, 8
<i>Pseudovesicula dracaena</i> (Cuvier 1829)	M	S11	-	NE	9
<i>Richardsonichthys leucogaster</i> (Richardson 1848)	M	S6	-	NE	2
<i>Tetraoge barbata</i> (Cuvier 1829)	M, F, B	S11	-	LC	8
<i>Tetraoge nigra</i> (Cuvier 1829)	M, F, B	S5, S8, S11	-	LC	3, 4, 8, 9
Family: Triglidae					

<i>Chelidonichthys capensis</i> (Cuvier 1829)	M	S8	Capture	NE	22
<i>Lepidotrigla faurei</i> Gilchrist & Thompson 1914	M	S10	-	NE	23
<i>Lepidotrigla omanensis</i> Regan 1905	M	S8, S11	-	LC	3, 8, 9
<i>Lepidotrigla longipinnis</i> Alcock 1890	M	S8, S11	-	NE	8, 9, 22
<i>Lepidotrigla spiloptera</i> Günther 1880	M	S8, S11	Capture	NE	3, 8, 9
<i>Pterygotrigla arabica</i> (Boulenger 1888)	M	S10	-	NE	23
<i>Pterygotrigla hemisticta</i> (Temminck & Schlegel 1843)	M	S8	Capture	LC	22
Order: Siluriformes					
Family: Ariidae					
<i>Arius arius</i> (Hamilton 1822)	M, B	S1, S2, S3, S5, S6, S8, S9, S10, S11	Capture	LC	1, 2, 3, 4, 5, 7, 8, 9, 15, 13, 16, 17, 19, 22, 23, 24
<i>Arius jella</i> Day 1877	M, B	S2, S5, S8, S9, S10, S11	Capture	NE	3, 4, 8, 9, 13, 19, 23, 24
<i>Arius maculatus</i> (Thunberg 1792)	M, F, B	S1, S2, S3, S6, S8, S9, S10, S11	Capture	NE	2, 3, 5, 7, 8, 9, 12, 13, 18, 19, 22, 23, 24
<i>Arius malabaricus</i> Day 1877	M, B	S8	-	NE	22
<i>Arius subrostratus</i> Valenciennes 1840	M, B	S3, S4, S6, S9, S11	Capture	NE	1, 2, 6, 7, 8, 9, 15, 16, 17, 19, 24
<i>Batrachocephalus mino</i> (Hamilton 1822)	M, B	S11	Capture	NE	8, 9
<i>Hemiarius sona</i> (Hamilton 1822)	M, B	S6, S8, S11	Capture	NE	2, 3, 8, 9, 22, 24
<i>Hemiarius sumatranaus</i> (Anonymous [Bennett] 1830)	M, F, B	S11	Capture	NE	8
<i>Hexanematicthys sagor</i> (Hamilton 1822)	M, B	S5, S8, S11	Capture	NE	4, 8, 9, 22
<i>Nemapteryx caelata</i> (Valenciennes, 1840)	M, B	S1	Capture	NE	5
<i>Nemapteryx macronotacantha</i> (Bleeker, 1846)	M, F, B	S6	-	NE	2
<i>Nemapteryx nenga</i> (Hamilton 1822)	M, B	S5, S6, S8, S11	-	NE	2, 3, 4, 8, 9, 22, 24
<i>Netuma thalassina</i> (Rüppell 1837)	M, F, B	S1, S4, S5, S6, S8, S9, S11	Capture, Sport	NE	2, 3, 4, 6, 8, 9, 12, 21, 22, 24
<i>Osteogeneiosus militaris</i> (Linnaeus 1758)	M, F, B	S6, S8, S11	Capture	ne	2, 3, 8, 9, 22
<i>Plicofollis argyroleuron</i> (Valenciennes, 1840)	M, B	S8	-	NE	22
<i>Plicofollis dussumieri</i> (Valenciennes 1840)	M, F, B	S6, S8, S9, S11	-	LC	2, 3, 8, 9, 12, 22, 24
<i>Plicofollis platystomus</i> (Day 1877)	M, B	S8, S11	-	LC	3, 8, 9, 22
<i>Plicofollis tenuispinis</i> (Day, 1877)	M, B	S6, S8, S11	Capture	NE	2, 3, 8, 9, 22
<i>Plicofollis tonggol</i> (Bleeker 1846)	M, B	S11	Capture	NE	9
Family: Bagridae					
<i>Hemibagrus microphthalmus</i> (Day 1877)	F, B	S8	Capture	LC	22
<i>Mystus armatus</i> (Day 1865)	F, B	S8	Capture, Aquarium	LC	22
<i>Mystus gulio</i> (Hamilton 1822)	F, B	S1, S2, S3, S4, S5, S6, S7, S8, S9, S11	Capture	LC	1, 2, 4, 5, 6, 7, 13, 19, 20, 22, 24
<i>Mystus vittatus</i> (Bloch 1794)	F, B	S3, S6, S8, S11	Capture, Aquarium	LC	2, 7, 22, 24
<i>Sperata seenghala</i> (Sykes 1839)	F, B	S4, S11	Capture, Cultivable, Sport	LC	6, 24
Family: Clariidae					
<i>Clarias batrachus</i> (Linnaeus 1758)	F, B	S1, S4, S9, S11	Capture, Cultivable, Aquarium	LC	6, 19, 21, 24
Family: Plotosidae					
<i>Plotosus abbreviatus</i> Boulenger 1895	M, B	S8	-	NE	22
<i>Plotosus canius</i> Hamilton 1822	M, F, B	S1, S3, S6, S8, S11	Capture	NE	1, 2, 3, 5, 7, 8, 9, 15, 16, 17, 18, 21, 22, 24
<i>Plotosus limbatus</i> Valenciennes 1840	M, F, B	S5, S6, S8, S10, S11	Capture	NE	2, 3, 4, 8, 9, 10, 22, 23
Family: Siluridae					
<i>Ompok bimaculatus</i> (Bloch, 1794)	F, B	S6, S11	Capture, Cultivable, Aquarium	NT	2, 24
<i>Wallago attu</i> (Bloch & Schneider, 1801)	F, B	S6, S11	Capture, Sport	NT	2, 15, 17, 24
Order: Stomiiformes					
Family: Stomiidae					
<i>Chauliodus sloani</i> Bloch & Schneider 1801	M	S8	-	LC	22
<i>Chauliodus pammelas</i> Alcock 1892	M	S8	-	NE	22
<i>Stomias nebulosus</i> Alcock 1889	M	S8	-	NE	22
Family: Sternopychidae					
<i>Argyropelecus affinis</i> Garman 1899	M	S8	-	LC	22
<i>Polyipnus asper</i> Harold 1994	M	S8	-	NE	22
<i>Polyipnus indicus</i> Schultz 1961	M	S8	-	NE	22
<i>Polyipnus omphus</i> Baird 1971	M	S8	-	NE	22

<i>Polyipnus spinosus</i> Günther 1887	M	S8	-	NE	22
Order: Synbranchiformes					
Family: Mastacembelidae					
<i>Macrognathus aral</i> (Bloch & Schneider 1801)	F, B	S3, S11	Capture	LC	7, 24
<i>Macrognathus pancalus</i> Hamilton 1822	F, B	S3, S11	Capture	LC	7, 24
Family: Synbranchidae					
<i>Ophisternon bengalense</i> McClelland 1844	F, B	S6, S11	-	LC	2, 24
Order: Syngnathiformes					
Family: Aulostomidae					
<i>Aulostomus chinensis</i> (Linnaeus 1766)	M	S8	Capture, Aquarium	LC	10
Family: Centriscidae					
<i>Aeoliscus punctulatus</i> (Bianconi 1854)	M	S8	Aquarium	DD	22
<i>Aeoliscus strigatus</i> (Günther 1861)	M	S8, S11	Aquarium	DD	8, 22
<i>Centriscops humerosus</i> (Richardson 1846)	M	S8	-	LC	22
<i>Centriscus scutatus</i> Linnaeus 1758	M, B	S6, S8, S10, S11	Aquarium	LC	2, 3, 8, 9, 22, 23
Family: Fistulariidae					
<i>Fistularia commersonii</i> Rüppell 1838	M	S10, S11	Capture, Aquarium	LC	8, 23
<i>Fistularia petimba</i> Lacepède 1803	M, B	S1, S5, S6, S8, S10, S11	Capture	LC	2, 3, 4, 8, 9, 10, 21, 22, 23, 24
<i>Solenostomus paradoxus</i> (Pallas 1770)	M	S8	Aquarium	LC	22
Family: Syngnathidae					
<i>Corythoichthys flavofasciatus</i> (Rüppell 1838)	M	S8	-	NE	11
<i>Corythoichthys intestinalis</i> (Ramsay 1881)	M	S11	Aquarium	LC	8
<i>Choeroichthys sculptus</i> (Günther 1870)	M	S11	-	LC	8
<i>Dunckerocampus dactyliophorus</i> (Bleeker 1853)	M	S11	Aquarium	DD	8
<i>Doryrhamphus excisus</i> Kaup 1856	M	S11	Aquarium	LC	8
<i>Hippichthys cyanospilos</i> (Bleeker 1854)	M, F, B	S8, S11	-	NE	3, 8, 9
<i>Hippichthys heptagonus</i> Bleeker 1849	F, B	S11	Aquarium	LC	8
<i>Hippichthys spicifer</i> (Rüppell 1838)	M, F, B	S11	-	LC	8
<i>Hippocampus fuscus</i> Rüppell 1838	M	S8	Capture	NE	22
<i>Hippocampus histrix</i> Kaup 1856	M	S8	Capture, Aquarium	VU	22
<i>Hippocampus kelloggi</i> Jordan & Snyder 1901	M	S8	-	VU	22
<i>Hippocampus kuda</i> Bleeker 1852	M, B	S6, S8, S10, S11	Capture, Cultivable, Aquarium	VU	2, 8, 9, 11, 22, 23
<i>Hippocampus spinosissimus</i> Weber 1913	M, B	S8	-	VU	22
<i>Hippocampus trimaculatus</i> Leach 1814	M	S8	Cultivable	VU	22
<i>Micrognathus brevirostris</i> (Rüppell 1838)	M	S8	-	LC	22
<i>Oostethus brachyurus</i> (Bleeker 1854)	M, F, B	S8, S11	Aquarium	LC	3, 8, 9
<i>Phoxocampus tetraphthalmus</i> (Bleeker 1858)	M	S11	-	LC	8
<i>Syngnathoides biaculeatus</i> (Bloch 1785)	M	S6, S8, S11	Aquarium	DD	2, 8, 9, 22, 24
<i>Trachyrhamphus longirostris</i> Kaup 1856	M	S6, S8, S11	-	LC	2, 8, 9, 22, 24
<i>Trachyrhamphus serratus</i> (Temminck & Schlegel 1850)	M	S5, S6, S8, S11	-	DD	2, 3, 4, 8, 9, 22, 24
Order: Tetraodontiformes					
Family: Balistidae					
<i>Abalistes stellaris</i> (Bloch & Schneider 1801)	M	S8, S11	Capture, Aquarium	NE	9, 22, 25
<i>Abalistes stellatus</i> (Anonymous 1798)	M	S5, S8, S10, S11	-	NE	3, 4, 8, 22, 23
<i>Balistapus undulatus</i> (Park 1797)	M	S8, S11	Capture, Aquarium	NE	8, 9, 11, 22
<i>Balistes ellioti</i> Day, 1889	M	S11	-	NE	9
<i>Balistes rotundatus</i> Marion de Procé 1822	M	S6, S8	-	LC	2, 22
<i>Balistes vetula</i> Linnaeus 1758	M	S8, S11	Capture, Sport, Aquarium	NT	3, 8
<i>Balistoides conspicillum</i> (Bloch & Schneider 1801)	M, B	S8	Capture, Aquarium	NE	22
<i>Balistoides viridescens</i> (Bloch & Schneider 1801)	M	S8, S10, S11	Capture	NE	8, 9, 10, 11, 22, 23, 25
<i>Canthidermis maculata</i> (Bloch 1786)	M	S8, S11	Capture	LC	8, 9, 22
<i>Melichthys niger</i> (Bloch 1786)	M	S1, S8, S11	Capture, Aquarium	LC	21, 22, 24
<i>Odonus niger</i> (Rüppell 1836)	M	S6, S8, S10, S11	Capture, Aquarium	NE	2, 9, 10, 11, 22, 23
<i>Pseudobalistes flavimarginatus</i> (Rüppell 1829)	M, B	S8, S11	Capture, Aquarium	NE	9, 22
<i>Pseudobalistes fuscus</i> (Bloch & Schneider 1801)	M	S8	Capture, Aquarium	NE	11, 22
<i>Rhinecanthus rectangularis</i> (Bloch & Schneider 1801)	M	S8	Capture, Aquarium	NE	22
<i>Sufflamen bursa</i> (Bloch & Schneider 1801)	M	S8	Capture, Aquarium	NE	22
<i>Sufflamen chrysopterum</i> (Bloch & Schneider 1801)	M	S8	Capture, Aquarium	NE	11, 22
<i>Sufflamen fraenatum</i> (Latreille 1804)	M	S5, S8, S10, S11	Capture, Aquarium	LC	4, 9, 10, 11, 22, 23
Family: Diodontidae					

<i>Cyclichthys orbicularis</i> (Bloch 1785)	M	S5, S8, S10, S11	Capture, Sport	NE	4, 9, 22, 23
<i>Cyclichthys spilostylus</i> (Leis & Randall 1982)	M	S8	-	NE	22
<i>Diodon holocanthus</i> Linnaeus 1758	M	S5, S8, S10, S11	Capture, Aquarium	LC	4, 9, 22, 23
<i>Diodon hystrix</i> Linnaeus 1758	M	S1, S6, S8, S10, S11	Capture, Aquarium	LC	2, 9, 11, 21, 22, 23, 24
<i>Lophiododon calori</i> (Bianconi 1854)	M	S8	-	NE	22
<i>Tragulichthys jaculiferus</i> (Cuvier 1818)	M	S10	-	NE	23
Family: Molidae					
<i>Masturus lanceolatus</i> (Liénard 1840)	M, B	S8	-	LC	22
<i>Mola mola</i> (Linnaeus 1758)	M	S8	Capture	VU	22
<i>Ranzania laevis</i> (Pennant 1776)	M	S8	-	LC	22
Family: Monacanthidae					
<i>Acanthaluterus spilomelanurus</i> (Quoy & Gaimard 1824)	M, B	S8	-	NE	22
<i>Acreichthys tomentosus</i> (Linnaeus 1758)	M	S6, S8, S11	Capture, Aquarium	LC	2, 9, 11, 10, 22
<i>Aluterus monoceros</i> (Linnaeus 1758)	M	S8, S10	Capture	LC	10, 22, 23
<i>Aluterus scriptus</i> (Osbeck 1765)	M	S6, S8, S10, S11	Sport, Aquarium	LC	2, 3, 8, 9, 22, 23
<i>Amanses scopas</i> (Cuvier 1829)	M	S8	Capture	LC	22
<i>Anacanthus barbatus</i> Gray 1830	M, B	S6, S8, S11	Capture	LC	2, 3, 8, 9, 22
<i>Cantherhines dumerili</i> (Holland 1854)	M	S8	Aquarium	LC	22
<i>Cantherhines fronticinctus</i> (Günther 1867)	M	S8	-	LC	22
<i>Cantherhines longicaudus</i> Hutchins & Randall 1982	M	S8	-	DD	22
<i>Cantherhines pardalis</i> (Rüppell 1837)	M	S8, S10, S11	Capture	LC	8, 9, 11, 22, 23
<i>Cantherhines rapanui</i> (de Buen 1963)	M	S8	-	NE	22
<i>Chaetodermis penicilligerus</i> (Cuvier 1816)	M	S8	-	NE	22
<i>Lalmohania velutina</i> Hutchins 1994	M	S10	-	NE	23
<i>Oxymonacanthus longirostris</i> (Bloch & Schneider 1801)	M	S8	Aquarium	VU	22
<i>Paralutereres prionurus</i> (Bleeker, 1851)	M	S8	-	LC	22
<i>Paramonacanthus arabicus</i> Hutchins 1997	M	S8	-	LC	22
<i>Paramonacanthus choirocephalus</i> (Bleeker 1851)	M	S5, S6, S8, S11	-	LC	2, 3, 4, 8, 9, 22
<i>Paramonacanthus frenatus</i> (Peters 1855)	M	S10	-	NE	23
<i>Paramonacanthus japonicus</i> (Tilesius 1809)	M	S8	-	LC	22
<i>Paramonacanthus nematophorus</i> (Günther 1870)	M	S11	-	NE	8
<i>Paramonacanthus oblongus</i> (Temminck & Schlegel 1850)	M	S8	-	NE	22
<i>Paramonacanthus otisensis</i> Whitley 1931	M	S8	-	NE	22
<i>Paramonacanthus pusillus</i> (Rüppell 1829)	M	S8	-	NE	22
<i>Paramonacanthus tricuspidis</i> (Holland 1854)	M	S8	-	NE	22
<i>Pervagor melanocephalus</i> (Bleeker 1853)	M	S8	Capture, Aquarium	LC	22
<i>Pseudalutarius nasicornis</i> (Temminck & Schlegel 1850)	M	S10	-	LC	23
<i>Pseudomonacanthus peroni</i> (Holland 1854)	M	S8	-	NE	22
<i>Stephanolepis auratus</i> (Castelnau 1861)	M	S8	-	NE	22
<i>Stephanolepis diaspros</i> Fraser-Brunner 1940	M	S8	Capture	NE	22
<i>Thamnaconus modestoides</i> (Barnard 1927)	M	S8	-	LC	22
<i>Thamnaconus striatus</i> (Kotthaus 1979)	M	S8	-	NE	22
Family: Ostraciidae					
<i>Lactoria cornuta</i> (Linnaeus 1758)	M, B	S5, S6, S8, S10, S11	Aquarium	NE	2, 4, 8, 9, 11, 22, 23, 25
<i>Lactoria fornasini</i> (Bianconi 1846)	M	S8	Aquarium	NE	11
<i>Ostracion cubicus</i> Linnaeus 1758	M	S8, S11	Capture, Aquarium	NE	8, 9, 10, 11, 22, 25
<i>Ostracion meleagris</i> Shaw 1796	M	S8, S11	Capture, Aquarium	NE	8, 9, 22
<i>Ostracion nasus</i> Bloch 1785	M	S6, S8, S10, S11	-	NE	2, 3, 8, 9, 22, 23
<i>Ostracion rhinorhynchos</i> Bleeker 1851	M	S8, S11	Aquarium	NE	9, 22
<i>Tetrosomus concatenatus</i> (Bloch 1785)	M	S8	-	NE	22
<i>Tetrosomus gibbosus</i> (Linnaeus 1758)	M	S5, S6, S8, S10, S11	Capture, Aquarium	LC	2, 3, 4, 8, 9, 10, 11, 22, 23
<i>Tetrosomus reipublicae</i> (Whitley 1930)	M	S8	-	NE	22
Family: Tetraodontidae					
<i>Arothron hispidus</i> (Linnaeus 1758)	M, B	S8, S10, S11	Capture, Aquarium	LC	3, 8, 9, 10, 11, 22, 23, 25
<i>Arothron immaculatus</i> (Bloch & Schneider 1801)	M, B	S8, S10, S11	Capture, Aquarium	LC	3, 8, 9, 22, 23
<i>Arothron leopardus</i> (Day, 1878)	M	S6, S8, S9, S11	-	DD	2, 3, 8, 9, 19, 22, 24
<i>Arothron mappa</i> (Lesson 1831)	M	S11	Capture	LC	8
<i>Arothron meleagris</i> (Anonymous 1798)	M	S11	Aquarium	LC	8
<i>Arothron nigropunctatus</i> (Bloch & Schneider 1801)	M	S8, S10, S11	Aquarium	LC	3, 8, 9, 11, 23
<i>Arothron reticularis</i> (Bloch & Schneider 1801)	M, B	S1, S6, S8, S11	-	LC	2, 3, 8, 9, 21, 22, 24
<i>Arothron stellatus</i> (Anonymous 1798)	M, B	S5, S6, S8, S10, S11	-	LC	2, 3, 4, 8, 9, 10, 22, 23, 25

<i>Canthigaster amboinensis</i> (Bleeker 1864)	M	S8	Aquarium	LC	22
<i>Canthigaster bennetti</i> (Bleeker 1854)	M	S8, S11	-	LC	8, 22
<i>Canthigaster margaritata</i> (Rüppell 1829)	M	S6, S8, S11	-	LC	2, 3, 9, 22
<i>Canthigaster solandri</i> (Richardson 1845)	M	S8, S11	Aquarium	LC	8, 11, 22
<i>Chelonodontops patoca</i> (Hamilton 1822)	M, F, B	S1, S5, S8, S11	Capture	LC	3, 4, 5, 8, 9, 21, 24
<i>Dichotomyctere fluviatilis</i> (Hamilton 1822)	F, B	S3, S4, S5, S8, S11	Aquarium	LC	3, 4, 6, 7, 8, 9, 24
<i>Geneion honckenii</i> (Bloch 1785)	M, B	S8	-	LC	22
<i>Lagocephalus cheesemani</i> (Clarke 1897)	M	S8, S10	-	DD	22, 23
<i>Lagocephalus guentheri</i> Miranda Ribeiro 1915	M	S8, S11	-	LC	8, 2
<i>Lagocephalus inermis</i> (Temminck & Schlegel 1850)	M	S1, S5, S8, S10, S11	-	LC	3, 4, 8, 9, 21, 23, 24
<i>Lagocephalus laevigatus</i> (Linnaeus 1766)	M, B	S8	Capture	LC	22
<i>Lagocephalus lagocephalus</i> (Linnaeus 1758)	M	S8	Capture, Sport	LC	22
<i>Lagocephalus lunaris</i> (Bloch & Schneider 1801)	M, B	S1, S5, S8, S10, S11	Aquarium	LC	3, 5, 4, 8, 9, 23, 24
<i>Lagocephalus sceleratus</i> (Gmelin 1789)	M	S5, S10, S11	Aquarium	LC	4, 8, 23
<i>Lagocephalus spadiceus</i> (Richardson 1845)	M, B	S6, S8, S11	-	LC	2, 3, 8, 9, 22, 24
<i>Leiodon cutcutia</i> (Hamilton 1822)	F, B	S1, S11	-	LC	5, 24
<i>Takifugu oblongus</i> (Bloch 1786)	M, B	S1, S5, S8, S11	-	LC	3, 4, 5, 8, 9, 21, 24
<i>Tetraodon lineatus</i> Linnaeus 1758	F, B	S1	-	LC	21
<i>Torquigenes florealis</i> (Cope 1871)	M	S5, S8, S11	-	LC	3, 4, 9
<i>Torquigenes hypselogeneion</i> (Bleeker 1852)	M, B	S11	-	LC	8, 9
Family: Triacanthidae					
<i>Pseudotriacanthus strigilifer</i> (Cantor 1849)	M, B	S6, S8, S11	Capture, Aquarium	NE	2, 3, 9, 22
<i>Triacanthus biaculeatus</i> (Bloch 1786)	M, B	S1, S2, S3, S5, S6, S8, S9, S10, S11	Capture	NE	2, 3, 4, 5, 7, 9, 11, 13, 19, 21, 22, 23, 24
<i>Triacanthus nieuhofii</i> Bleeker 1852	M	S10	Capture	NE	23
Family: Triacanthodidae					
<i>Triacanthodes anomalus</i> (Temminck & Schlegel 1850)	M	S8	-	NE	22
<i>Triacanthodes ethiops</i> Alcock 1894	M	S8, S11	-	NE	9, 22
Order: Zeiformes					
Family: Zeidae					
<i>Zenopsis conchifer</i> (Lowe 1852)	M	S8, S10	Capture	LC	22, 23

Abbreviations: Habitat: **M** = Marine-water, **B** = Brackish-water, **F** = Freshwater; **Locality of fishes:** **S1** = Pulicat lake in Thiruvallur district, **S2** = Adyar estuarine complex in Chennai Corporation, **S3** = Yeddayanthittu estuary in Villupuram district, **S4** = Kaliveli floodplain and Uppukalli creek in Pondicherry, **S5** = Pondicherry and Karaikal, **S6** = Coleroon-Pichavaram-Vellar Parangipettai estuarine complex in Cuddalore district, **S7** = Arasalar estuary in Tanjore district, **S8** = Gulf of Mannar Biosphere Reserve, **S9** = Manakudy estuary in Kanyakumari district, **S10** = Wadge Bank, **S11** = Coastal and estuarine waters of Tamil Nadu; **IUCN Status:** **CR** = Critically endangered, **EN** = Endangered, **VU** = Vulnerable, **NT** = Near threatened, **LC** = Least concern, **DD** = Data deficient, **NE** = Not evaluated; **References for Locality of fishes:** **1** = Jeyaseelen and Krishnamurthy (1980), **2** = Ramaiyan et al. (1987), **3** = Venkataraman et al. (2002), **4** = Mishra and Krishnan (2003), **5** = Remadevi et al. (2004), **6** = Ramanujam (2005), **7** = Ramanujam & Anbarasan (2008), **8** = Ramesh et al. (2008), **9** = Barman et al. (2011), **10** = Varghese et al. (2011), **11** = Jawahar et al. (2013), **12** = Kannappan & Karthikeyan (2013), **13** = Ramanujam et al. (2014), **14** = Theivasigamani and Subbiah (2014), **15** = Murugan et al. (2014), **16** = Bharadhirajan et al. (2015), **17** = Khan (2015), **18** = Mahesh & Saravanakumar (2015), **19** = Pavinkumar et al. (2015), **20** = Raju et al. (2015), **21** = Govindan and Ravichandran (2016), **22** = Joshi et al. (2016), **23** = Karuppasamy (2016), **24** = Mogalekar et al. (2017), **25** = Varghese et al. (2017).

Table 3 Diversity of marine and estuarine fishes of Tamil Nadu, India.

Sl.No.	Order	Family (No.)	Genera (No.)	Species (No.)
1	Carcharhiniformes	6	19	40
2	Chimaeriformes	2	3	3
3	Heterodontiformes	1	1	1
4	Hexanchiformes	1	1	1
5	Lamniformes	4	6	8
6	Myliobatiformes	6	20	39
7	Orectolobiformes	5	5	8
8	Rajiformes	1	1	1
9	Rhinopristiformes	3	7	13
10	Squaliformes	4	4	7
11	Torpediniformes	3	3	7
12	Albuliformes	1	1	2
13	Anguilliforms	6	29	51
14	Atheriniformes	1	2	4
15	Ateleopodiformes	1	2	2
16	Aulopiformes	2	5	16
17	Batrachoidiformes	1	4	6
18	Beloniformes	4	16	36
19	Beryciformes	3	7	19
20	Clupeiformes	5	23	72
21	Cyprinodontiformes	1	1	2
22	Cypriniformes	1	6	7
23	Elopiformes	2	2	3
24	Gadiformes	2	5	10
25	Gasterosteiformes	1	2	3
26	Gonorhynchiformes	1	1	1
27	Lampriformes	1	1	1
28	Lophiiformes	3	7	22
29	Myctophiformes	1	3	7
30	Ophidiformes	3	8	13
31	Perciformes	74	332	932
32	Pleuronectiforms	8	28	77
33	Polymixiformes	1	1	4
34	Scorpaeniformes	10	42	69
35	Siluriformes	5	15	30
36	Stomiiformes	2	3	8
37	Synbranchiformes	2	2	3
38	Syngnathiformes	4	15	28
39	Tetraodontiformes	8	49	99
40	Zeiformes	1	1	1
Total	40	191	683	1656

Table 4 Summary of marine and estuarine fishes of Tamil Nadu, India.

	Class	Order	Family	Genera	Species
1	Elasmobranchii	11	36	70	128
2	Actinopterygii	29	155	613	1528
Total	2	40	191	683	1656

References

- Barman RP, Mishra SS, Kar S, Mukherjee P, Saren SC. 2011. Marine and estuarine fish. Fauna of Tamil Nadu, State Fauna Series. Zoological Survey of India, 17(Part-2): 293-417
- Bharadhirajan P, Murugan S, Gopalakrishnan A, Murugesan P. 2015. Finfish diversity in Coleroon estuary, Southeast coast of India. Indian Journal of Geo-Marine Sciences, 44(1): 104-109
- De DK. 2011. Estuarine Fisheries. In: Handbook of Fisheries and Aquaculture (2nd ed) (Ayyappan A, Moza U, Gopalkrishnan A, et al., eds). 208-237, ICAR, New Delhi, India
- Eschmeyer WN, Fricke R, Van der Laan R 2018. Catalog of fishes: genera, species, references. (<http://researcharchive.calacademy.org/research/ichthyology/catalog/fishcatmain.asp>) (Accessed January 2018)
- Froese R, Pauly D. 2013. FishBase. World Wide Web electronic publication. www.fishbase.org, (Accessed January 2018)
- Gopi KC, Mishra SS. 2015. Diversity of Marine Fish of India. In: Marine Faunal Diversity in India. Taxonomy, Ecology and Conservation (Venkataraman K, Sivaperuman C, eds). 171-193, Elsevier Publ., Amsterdam, Netherlands
- Govindan S, Ravichandran R. 2016. Fish fauna diversity and conservation status of Pulicat Lagoon in Tamil Nadu. Annals of Aquatic Research, 3(2): 1018
- IUCN, 2018. The IUCN Red List of Threatened Species. Version 2015.2. IUCN, Gland, Switzerland and Cambridge, UK. <http://www.iucnredlist.org> (Accessed January 2018)
- Jawahar P, Brucelee G, Umamaheswari T. 2013. Marine ornamental ichthyofauna of Thoothukudi coast, Gulf of Mannar, India. Journal of the Bombay Natural History Society, 110(2): 156-162
- Jerdon TC. 1849. On the freshwater fishes of southern India. Madras Journal of Literature and Science, 15(1849): 302-346
- Jeyaseelen MJP, Krishnamurthy K. 1980. Role of mangrove forests of Pichavaram as fish nurseries. Proceedings of the Indian National Science Academy, 46(1): 48-53
- Joshi KK, Sreeram MP, Zacharia PU, Abdussamad EM, Varghese M, Mohammed OMMJ, Jayabalan K, Kanthan KP, Kannan K, Sreekumar KM, George G, Varsha MS. 2016. Check list of fishes of the Gulf of Mannar ecosystem, Tamil Nadu, India. Journal of the Marine Biological Association of India, 58(1): 34-54
- Kannappan T, Karthikeyan MM. 2013. Diversity of fishes in relation to physico-chemical properties of Manakudy estuary, Southwest coast of India. International Journal of Biodiversity and Conservation, 5(7): 396-407
- Karuppasamy K. 2016. Biodiversity of Fish Species Along The Wedge Bank, South India. MFSc. Thesis. Tamil Nadu Fisheries University, Nagapattinam, India
- Khan AS. 2015. Variations in the diversity of commercially important finfishes in Vellar Estuary, south-east coast of India. Indian Journal of Fisheries, 62(4): 116-119
- Mahesh R, Saravanakumar A. 2015. Temporal and spatial variability of fin fish assemblage structure in relation to their environmental parameters in Pichavaram mangrove ecosystem, India. Indian Journal of Geo-Marine Sciences, 44(6)
- Mishra SS, Krishnan S. 2003. Marine Fishes of Pondicherry and Karaikal, Records of Zoological Survey of India. Occ. Paper No. 216: 1-52
- Mogalekar HS, Canciyal J, Jawahar P, Patadiya DS, Sudhan C, Pavinkumar P, Prateek, Santhoshkumar S, Subburaj A. 2017. Estuarine fish diversity of Tamil Nadu, India. Indian Journal of Geo-Marine Sciences. 46(10): 1968-1985

- Murugan S, Ajmal Khan S, Lyla PS, Manokaran S, Raja S, Akbar John B. 2014. Spatial and temporal variability in fish diversity of Vellar Estuary (South East Coast of India). Annual Research & Review in Biology, 4(13): 2147-2162
- Pavinkumar P, Jawahar P, Mogalekar HS. 2015. Estuarine fish diversity of Manakudy estuary, Kanyakumari district, Tamil Nadu, India. Journal of Environment and Bio-Sciences, 29(2): 523-528
- Raghavan R, Dahanukar N, Knight JDM, Bijukumar A, Katwate U, Krishnakumar K, Ali A, Philip S. 2014. Predatory journals and Indian ichthyology. Current Science, 107: 740-742
- Raju C, Sridharan G, Mariappan P, Chelladurai G. 2015. Physico-chemical parameters and Ichthyofauna diversity of Arasalar estuary in southeast coast of India. Applied Water Science, 7(1): 445-450
- Ramaiyan V, Purushothaman A, Natarajan R. 1987. Check - list of estuarine and marine fishes of Parangipettai (Porto Novo) coastal waters. Matsya, 12-13: 1-19
- Ramanujam MA. 2005. A preliminary report on the ichthyofauna of Kaliveli floodplain and Uppukalli creek, Pondicherry, India, with some notes on habitat, distribution, status and threat. Zoos Print Journal, 20(9): 1967-1971
- Ramanujam ME, Anbarasan R. 2008. A priliminary report on the ichthyofauna of Yedeyanthittu Estuary (Tamil Nadu, India) and rivulets draining into it. Journal of Threatened Taxa, 1(5): 287-294
- Ramanujam ME, Devi KR, Indra TJ. 2014. Ichthyofaunal diversity of the Adyar Wetland complex, Chennai, Tamil Nadu, southern India. Journal of Threatened Taxa, 6(4): 5613–5635
- Ramesh R, Nammalwar P, Gowri VS. 2008. The Database on Coastal Information of Tamilnadu. Environmental Information System (ENVIS) Centre, Department of Environment, Government of Tamilnadu Chennai. Tamil Nadu Forest Department, India
- Remadevi K, Indra TJ, Raghunathan MB. 2004. Fishes of Pulicat Lake. Records of Zoological Survey of India, 102 (Part 3-4): 33-42
- Talwar PK, Kacker RK. 1984. Commercial Sea Fishes of India. Zoological Survey of India, Calcutta, India
- Theivasigamani M, Subbiah S. 2014. Elasmobranch fishery resources of Gulf of Mannar, Southeast Coast of India. World Journal of Fish and Marine Sciences. 6(1): 24-29
- Varghese M, Manisseri M, Ramamurthy N, Geetha PM, Thomas VJ, Gandhi A. 2011. Coral reef fishes of Gulf of Mannar, S.E of India. Fishing Chimes. 31(1): 38-40
- Varghese M, Ranjith L, Joshi KK. 2017. Diversity of reef fishes in trap fishery at Keelakarai, Gulf of Mannar, south-east coast of India. Indian Journal of Fishereis. 64(1): 23-30
- Venkataraman K, Srinivasan M, Satyanarayana C, Prabakar, D. 2002. Faunal diversity of Gulf of Mannar Biosphere Reserve, Conservation Area Series, 15: 1-77