











# Panasonic

BUSINESS






**Price list**  
**December 2015**








▼ IP Internal Domes

	<b>WV-SFN310A</b>	• 720p HD images up to 60 fps • Approximate 1/3 inches, high sensitivity MOS Sensor • Super high resolution at HD/1,280 x 720 created by high sensitivity MOS Sensor. High sensitivity with Day & Night(Electrical) function: 0.01 lx (Color), 0.008 lx (B/W) at F1.3	<b>Change</b>	560,00	4010869211529
	<b>WV-SFN311A</b>	• 720p HD images up to 60 fps • Approximate 1/3 inches, high sensitivity MOS Sensor • Super high resolution at HD/1,280 x 720 created by high sensitivity MOS Sensor. High sensitivity with Day & Night(IR) function: 0.01 lx (Color), 0.003 lx (B/W) at F1.3	<b>Change</b>	538,00	4010869211581
	<b>WV-SFN311L</b>	• 720p HD images up to 60 fps • Approximate 1/3 inches, high sensitivity MOS Sensor • Super high resolution at HD/1,280 x 720 created by high sensitivity MOS Sensor. High sensitivity with Day & Night function (IR LED): 0.01 lx (Color), 0.003 lx (B/W) at F1.6 (without IR LED) • IR LED equipped		750,00	4549077172600
	<b>WV-SFN531</b>	• 1080p Full HD images up to 60 fps • Approximate 1/3 inches, high sensitivity MOS image sensor • Super high resolution at Full HD/1,920x1,080 created by high sensitivity MOS image sensor • High sensitivity with Day/Night (ICR*) function: 0.07 lx (Color), 0.02 lx (B/W) at F1.6		750,00	4010869208352
	<b>WV-SFN611L</b>	• 1080p Full HD / 720p HD images up to 60 fps • Approximate 1/3 inches, high sensitivity MOS image sensor • High sensitivity with Day & Night (IR) function: 0.01 lx (Color), 0.003 lx (B/W) at F1.3		1.150,00	4010869240888
	<b>WV-SFN631L</b>	• 1080p Full HD / 720p HD images up to 60 fps • Super high resolution at Full HD/1,920 x 1,080 created by high sensitivity MOS Sensor • Approximate 1/3 inches, high sensitivity MOS image sensor • High sensitivity with Day & Night (IR) function: 0.01 lx (Color), 0.003 lx (B/W) at F1.3		1.250,00	4010869240895
	<b>WV-SF132</b>	• 720p HD images up to 30 fps (WV-SF135) • 0.32 Megapixel high sensitivity MOS Sensor • High sensitivity with Day & Night (Electrical) function: 2.0 lx (Color), 1.3 lx (B/W) at F2.9		360,00	4010869240116
	<b>WV-SF135</b>	• 720p HD images up to 30 fps (WV-SF135) • 1.3 Megapixel high sensitivity MOS Sensor • High sensitivity with Day & Night (Electrical) function: 0.8 lx (Color), 0.6 lx (B/W) at F2.2		314,00	4010869240123
	<b>WV-SF138</b>	• Wide coverage : Horizontal: 100 °, Vertical: 81 °(3 megapixels [4:3]) • Low profile design for discrete installation • 1080p HD images up to 30 fps • 3.1 Megapixel high sensitivity MOS Sensor • High sensitivity with Day & Night (Electrical) function:1.2 lx (Color),0.9 lx (B/W) at F2.2		450,00	4010869231794




▼ IP Internal 360° Domes and 4k 360°

	<b>WV-SFN480</b>	• 360° monitoring with a wide variety of transmission modes: Panorama, Double Panorama, Quad PTZ, Single PTZ, and Quad streams (H.264) • 9 M images up to 15 fps. • High sensitivity with Day/Night (Electrical) function: 0.3 lx (Color), 0.2 lx (B/W) at F1.9		1.550,00	4010869247313
	<b>WV-SF438</b>	• 360° monitoring with a wide variety of transmission modes: Panorama, Double Panorama, Quad PTZ, Single PTZ, and Quad streams (H.264/VGA) • 1080p Full HD images up to 30 fps. • High sensitivity with Day/Night (Electrical) function:1.5 lx (Color), 1.2 lx (B/W) at F2.4		791,40	4010869240130
	<b>WV-SF448E</b>	• 360° monitoring with a wide variety of transmission modes: Panorama, Double Panorama, Quad PTZ, Single PTZ, and Quad streams (H.264/VGA) • 1080p Full HD images up to 30 fps. • High sensitivity with Day/Night (Electrical) function: 1.5 lx (Color), 1.2 lx (B/W) at F2.4		900,00	5025232693146
	<b>WV-SMR10N3</b>	Network Microphone, 360-degree audio monitoring, Specifying a desired direction on a camera image, Synchronizing with the Network Disk Recorder, Vandal resistant mechanism for high reliability		2.200,00	4549077134288
	<b>WV-SMR10</b>	Network Microphone, 360-degree audio monitoring, Specifying a desired direction on a camera image, Synchronizing with the Network Disk Recorder, Vandal resistant mechanism for high reliability		1.500,00	4549077134271

▼ IP Internal VR Domes

	<b>WV-SFR310A</b>	• H.264 streaming up to 60 fps • HD images up to 1,280 x 720 • Day & Night Electrical • PoE or 12V DC	<b>Change</b>	646,00	4010869211543
	<b>WV-SFR311A</b>	• H.264 streaming up to 60 fps • HD images up to 1,280 x 720 • Day & Night IR • PoE or 12V DC	<b>Change</b>	660,00	4010869211536
	<b>WV-SFR531</b>	• 1080p Full HD images up to 60 fps • Approximate 1/3 inches, high sensitivity MOS image sensor • Super high resolution at Full HD/1,920 x 1,080 created by high sensitivity MOS image sensor • High sensitivity with Day/Night (ICR*) function: 0.07 lx (Color), 0.01 lx (B/W) at F1.6		800,00	4010869209342
	<b>WV-SFR611L</b>	• H.264 streaming up to 60 fps, Auto back Focus • 1.4 megapixel HD images up to 1,280 x 960 • 2.8 ~ 10mm lens • Build in IR-LED light (up to 30m.) with SCC function • PoE or 12V DC		1.204,00	4010569240901
	<b>WV-SFR631L</b>	• H.264 streaming up to 60 fps, Auto back Focus • 2.4 megapixel Full HD images up to 1,920 x 1,080 • 2.8 ~ 10mm lens • Build in IR-LED light (up to 30m.) with SCC function • PoE or 12V DC		1.526,00	4010869240918



▼ IP External VR Domes

	<b>WV-SFV310A</b>	• H.264 streaming up to 60 fps • HD images up to 1,280 x 720 • Day & Night Electrical • PoE or 12V DC	<b>Change</b>	904,00	4010869211550
	<b>WV-SFV311A</b>	• H.264 streaming up to 60 fps • HD images up to 1,280 x 720 • Day & Night IR • PoE or 12V DC	<b>Change</b>	870,00	4010869211512
	<b>WV-SFV531</b>	• 1080p Full HD images up to 60 fps • Approximate 1/3 inches, high sensitivity MOS image sensor • Super high resolution at Full HD/1,920 x 1,080 created by high sensitivity MOS image sensor. • High sensitivity with Day/Night (ICR*) function: 0.07 lx (Color), 0.01 lx (B/W) at F1.6		820,00	4010869208376
	<b>WV-SFV611L</b>	• H.264 streaming up to 60 fps, Auto back Focus • 1.4 megapixel HD images up to 1,280 x 960 • 2.8 ~ 10mm lens • Build in IR-LED light (up to 30m.) with SCC function • PoE or 12V DC		922,00	4010869240925
	<b>WV-SFV631L</b>	• H.264 streaming up to 60 fps, Auto back Focus • 2.4 megapixel Full HD images up to 1,920 x 1,080 • 2.8 ~ 10mm lens • Build in IR-LED light (up to 30m.) with SCC function • PoE or 12V DC		1.350,00	4010869240932
	<b>WV-SFV631LT</b>	• H.264 streaming up to 60 fps, Auto back Focus • 2.4 megapixel Full HD images up to 1,920 x 1,080 longer lens 9-22mm • Build in IR-LED light (up to 30m.) with SCC function • PoE or 12V DC		1.784,00	4010869245807

▼ IP 4k External Dome

	<b>WV-SFV781L</b>	• 4K (3,840 x 2,160) images up to 30 fps, 12M pixel (4,000 x 3,000) images up to 15 fps • Newly developed 1/1.7 type high sensitivity MOS image sensor, Day & Night (ICR*) function 0.3 lx (Color), 0.04 lx (B/W) at F1.6 • Ultrawide x6 zoom lens with the newly developed 3-drive lens system(Horizontal Angle: 100.0°(wide) to 17.0°(tele)) [4 : 3 mode]		3.006,00	4010869245807
---	-------------------	--	--	----------	---------------

▼ IP External 360° and 360° 4k Vandal Resistant Domes

	<b>WV-SFV481</b>	• 360° monitoring with a wide variety of transmission modes: Panorama, Double Panorama, Quad PTZ, Single PTZ, and Quad streams (H.264) • 9 M images up to 15 fps. High sensitivity with Day/Night (IR) function: 0.3 lx (Color), 0.04 lx (B/W) at F1.9 • PoE or 12V DC		1.946,00	4010869247320
	<b>WV-SW458</b>	• 360° monitoring with a wide variety of transmission modes: Panorama, Double Panorama, Quad PTZ, Single PTZ, and Quad streams (H.264) • 3.1 megapixel images up to 1920x1080 • Simple day/night - 1.5 lux in colour and 1.2 in black and white • PoE or 12V DC, IP66		892,50	4010869240369



WV-SW458M

• 360° monitoring with a wide variety of transmission modes: Panorama, Double Panorama, Quad PTZ, Single PTZ, and Quad streams (H.264) • 3.1 megapixel images up to 1920x1080 • Simple day/night - 1.5 lux in colour and 1.2 in black and white • M12 connector

1.060,00

4010869240376

▼ Compact IP External VR Domes

WV-SW152

• H.264 streaming up to 30 ips • VGA images up to 800x600 • Simple day/night - 0.6 lux in colour and 0.4 in black and white • Wide angle 1.95mm lens • PoE only

560,00

4010869240246

WV-SW152M

• H.264 streaming up to 30 ips • VGA images up to 800x600 • Simple day/night - 0.6 lux in colour and 0.4 in black and white • Wide angle 1.95mm lens • PoE only • M12 connector

608,00

4010869240253



WV-SW155

• H.264 streaming up to 30 ips • 1.3 megapixel images up to 1280x960 • Simple day/night - 0.6 lux in colour and 0.4 in black and white • Wide angle 1.95mm lens • PoE only

452,00

4010869240260

WV-SW155M

• H.264 streaming up to 30 ips • 1.3 megapixel images up to 1280x960 • Simple day/night - 0.6 lux in colour and 0.4 in black and white • Wide angle 1.95mm lens • PoE only • M12 connector

612,00

4010869240277

WV-SW158

• H.264 streaming up to 30 ips • 3.1 megapixel images up to 1980x1080P • Simple day/night - 1.2 lux in colour and 0.9 in black and white • Wide angle 1.95mm lens • PoE only

590,00

4010869231800

WV-SW115

• H.264 streaming up to 30 ips • 1.3 megapixel images up to 1280x960P • Day & Night (Electrical) function, 0.5 m<sup>-1</sup> lens • ATM Camera • PoE only

678,00

4010869243407

▼ IP Internal Box

BL-VP101E

• H.264 and MJPEG streaming up to 30 ips • VGA images up to 640x480 • 0.90 lux in colour and 0.6 in black & white mode • Recording software included for 16 camera • Power adaptor included

126,00

5025232656912

BL-VP104E

• H.264 and MJPEG streaming up to 30 ips • 1.0 megapixel images up to 1280x 720 • 0.90 lux in colour and 0.6 in black & white mode • Wireless capability • Power adaptor included

164,00

5025232656905

BL-VP104WE

• H.264 and MJPEG streaming up to 30 ips • 1.0 megapixel images up to 1280x 720 • 0.90 lux in colour and 0.6 in black & white mode • Wireless capability • Recording software included for 16 camera • Power adaptor included

224,00

5025232656899

BL-VT164E

• H.264 and MJPEG streaming up to 30 ips • 1.0 megapixel images up to 1280x 720 • 0.90 lux in colour • Remote pan and tilt • Recording software included for 16 camera • Power adaptor included

226,00

5025232656882

BL-VT164WE

• H.264 and MJPEG streaming up to 30 ips • 1.0 megapixel images up to 1280x 720 • 0.90 lux in colour • Remote pan and tilt • Recording software included for 16 camera • Power adaptor included

350,00

5025232656875

WV-ST162

• H.264 streaming up to 30 ips • 800x600 • 0.83 lux in colour • Remote pan and tilt • Recording software included for 16 camera • Power adaptor included

420,00

4010869240222

WV-ST165

• H.264 streaming up to 30 ips • 1.3 megapixel images up to 1280x960 • 0.83 lux in colour • Remote pan and tilt • Recording software included for 16 camera • PoE compatible

484,00

4010869240239

WV-SP105

• H.264 streaming up to 30 ips • 1.3 megapixel images up to 1280x960 • Simple day/night - 0.8 lux in colour and 0.4 in black and white • 3.54mm fixed lens • PoE or 12V DC

240,00

4010869240192

WV-NP502E

• H.264 streaming up to 30 ips • 3.0 megapixel images up to 2048x1536 • True day/night - 1.0 lux in colour and 0.08 in black and white • Lens and housing required • PoE or 12V DC

910,00

5025232513628

WV-SPN310A

• 720p HD images up to 60 fps\* • H.264 streaming • PoE or 12V DC

Change

520,00

4549077164759

WV-SPN311A

• 720p HD images up to 60 fps\* - Day & Night (IR) 0.01 lx (Color), 0.003 lx (B/W) at F1.4 - ABF (Auto Back Focus) • H.264 streaming • PoE or 12V DC

Change

557,50

4010869211574

WV-SPN531A

• 1080p Full HD images up to 60 fps, Day & Night (IR) function : 0.04 lx (Color), 0.01 lx (B/W) at F1.4, High Speed ABF (Auto Back Focus), PoE or 12V DC

Change

775,00

4010869211567

WV-SPN611

HD at up to 60fps, Day & Night (IR) 0.01 lx (Color), 0.003 lx (B/W) at F1.4 Lens and housing required, PoE or 12V DC

940,00

4902704047946

WV-SPN631

Full HD at up to 60fps, Day & Night (IR) 0.04 lx (Color), 0.01 lx (B/W) at F1.4 Lens and housing required, PoE or 12V DC

1.250,00

4902704047939

WV-SPN6FRL1

IR-LED unit for WV-SPN631/611

344,00

6942464802629

WV-SPN6R481

RS-485 Output unit for WV-SPN631/611

344,00

6942464802636

▼ IP 4k External Box



WV-SPV781L



• 4K (3,840 x 2,160) images up to 30 fps, 12M pixel (4,000 x 3,000) images up to 15 fps • Newly developed 1/1.7 type high sensitivity MOS image sensor, Day & Night (ICR\*) function 0.3 lx (Color), 0.04 lx (B/W) at F1.6 • Ultrawide x6 zoom lens with the newly developed 3-drive lens system (Horizontal Angle: 100.0°(wide) to 17.0°(tele)) [4 : 3 mode]

3.006,00

4010869208789

▼ IP External Box/Bullet Camera

WV-SW172

• H.264 streaming up to 30 ips • 800x600 • 0.83 lux in colour • Splash proof body IP55, remote pan and tilt • Recording software included for 16 camera • PoE compatible

526,00

4010869240284

WV-SW175

• H.264 streaming up to 30 ips • 1.3 megapixel images up to 1280x960 • 0.83 lux in colour • Splash proof body IP55, remote pan and tilt • Recording software included for 16 camera • PoE compatible

592,00

4010869240291

WV-SW174WE

• H.264 streaming up to 30 ips • 1.3 megapixel images up to 1280x960 • 0.83 lux in colour • Splash proof body IP55, remote pan and tilt • Recording software included for 16 camera

684,00

5025232680856

WV-SPW312L

720p HD images up to 30 fps, 0.02 lx (Color), 0.003 lx (B/W) at F1.6, IR LED equipped, ABF (Auto Back Focus) ensures easy installation. Newly developed lens with aperture control function realizes the best focus in any environment. Multi process NR & 3D-DNR ensures noise reduction in various conditions . VIQS (Variable Image Quality on Specified area)

NEW

390,00

4010869211253

WV-SPW532L

1080p Full HD images up to 30 fps, 0.027lx (Color), 0.003 lx (B/W) at F1.6, IR LED equipped, ABF (Auto Back Focus) ensures easy installation. Newly developed lens with aperture control function realizes the best focus in any environment. Multi process NR & 3D-DNR ensures noise reduction in various conditions . VIQS (Variable Image Quality on Specified area)

NEW

430,00

4010869211277

WV-SPW611

720p HD images up to 60 fps, 0.01 lx (Color), 0.003 lx (B/W) High Speed ABF (Auto Back Focus) and Motorized Zoom

1.140,00

4549077298171

WV-SPW611L

720p HD images up to 60 fps, 0.01 lx (Color), 0.003 lx (B/W), High Speed ABF (Auto Back Focus) and Motorized Zoom, IR LED equipped

1.125,00

4549077298164

WV-SPW631L

1080p Full HD images up to 60 fps, 0.04 lx (Color), 0.01 lx (B/W), High Speed ABF (Auto Back Focus) and Motorized Zoom, IR LED equipped

1.400,00

4549077298157

WV-SPW631LT

1080p Full HD images up to 60 fps, 0.06 lx (Color), 0.02 lx (B/W), High Speed ABF (Auto Back Focus) and Motorized Zoom, IR LED equipped

1.600,00

4549077298140































▼ IP Internal PTZ

	WV-SC384	• H.264 streaming up to 30 ips • 1.3 megapixel images up to 1280x960 • Simple day/night - 0.6 lux in colour and 0.5 in black and white • 4.7-84.6mm (18x) optical zoom • PoE or 12V DC	1.300,00	4010869240086
	WV-SC385	• H.264 streaming up to 30 ips • 1.3 megapixel images up to 1280x960 • True day/night - 0.5 lux in colour and 0.06 in black and white • 4.7-84.6mm (18x) optical zoom • PoE or 12V DC	1.500,00	4010869240093
	WV-SC387	• 720p HD images up to 30 ips • Super high resolution at HD / 1,280 x 720 created by 2.4 Megapixel high sensitivity MOS image sensor High sensitivity with Day & Night (ICR)* function: 0.3 lx (Color), 0.04 lx (B/W) at F1.6 * ICR: IR Cut filter Removal	1.738,00	4010869250030
	WV-SC588	• H.264 streaming up to 30 ips, endless dome • 3.1 megapixel images up to 1980x1080 • True day/night - 0.5 lux in colour and 0.06 in black and white • 4.3-129mm (30x) optical zoom • Advanced auto tracking • PoE	3.200,00	4010869233255
	WV-SW395A	• Rain-Wash-Coating • H.264 streaming up to 30 ips • 1.3 megapixel images up to 1280x960 • True day/night - 0.5 lux in colour and 0.06 in black and white • 4.7-84.6mm (18x) optical zoom • Standard auto tracking • PoE+ or 24V AC	2.125,00	5025232744312
	WV-SW397A	• Rain-Wash-Coating • H.264 streaming up to 30 ips, endless dome • Super high resolution at HD / 1,280 x 720 created by 2.4 Megapixel high sensitivity MOS image sensor, High sensitivity with Day & Night (ICR) function: 0.3 lx (Color), 0.04 lx (B/W) at F1.6* 45x extra optical zoom at 1,280 x 720 (30x optical zoom) 90x extra optical zoom at 640x360 resolution with 12x digital zoom enabling 1080x zoom • PoE+ or 24V AC	2.625,00	4010869250047
	WV-SW598	• H.264 streaming up to 30 ips, endless dome • 3.1 megapixel images up to 1980x1080 • True day/night - 0.5 lux in colour and 0.06 in black and white • 4.3-129mm (30x) optical zoom • Advanced auto tracking outdoor IP66+ PoE +	3.688,00	4010869202718
<b>▼ Thermal Camera</b>				
	TC0938450-015CE	Resolution 384x288, Frame Rate 9Hz, Lens Type 15mm, Sensitivity 50mK	6.000,00	4010869238519
	TC0938450-019CE	Resolution 384x288, Frame Rate 9Hz, Lens Type 18,5mm, Sensitivity 50mK	5.800,00	4010869238526
	TC0938450-025CE	Resolution 384x288, Frame Rate 9Hz, Lens Type 25 mm, Sensitivity 50mK	6.400,00	4010869238533
	TC0938450-045CE	Resolution 384x288, Frame Rate 9Hz, Lens Type 45 mm, Sensitivity 50mK	7.600,00	4010869238540
	TC0964070-025CE	Resolution 384x288, Frame Rate 9Hz, Lens Type 25 mm, Sensitivity 70mK	11.700,00	4010869238595
	TC0964070-045CE	Resolution 384x288, Frame Rate 9Hz, Lens Type 25 mm, Sensitivity 70mK	13.400,00	4010869238601
	TC2538450-015CE	Resolution 384x288, Frame Rate 25Hz, Lens Type 15 mm, Sensitivity 50mK	6.000,00	4010869238557
	TC2538450-019CE	Resolution 384x288, Frame Rate 25Hz, Lens Type 18.5mm, Sensitivity 50mK	5.800,00	4010869238564
	TC2538450-025CE	Resolution 384x288, Frame Rate 25Hz, Lens Type 25mm, Sensitivity 50mK	6.400,00	4010869238571
	TC2538450-045CE	Resolution 384x288, Frame Rate 25Hz, Lens Type 45mm, Sensitivity 50mK	7.600,00	4010869238588
	TC2564070-025CE	Resolution 640x480, Frame Rate 25Hz, Lens Type 25mm, Sensitivity 70mK	11.700,00	4010869238618
	TC2564070-045CE	Resolution 640x480, Frame Rate 25Hz, Lens Type 45mm, Sensitivity 70mK	13.400,00	4010869238625
<b>▼ IP Recording &amp; Control</b>				
	WJ-NV200	• 9, 16 or 24 video inputs, 9 alarm inputs and 1 alarm output • Real time recording up to 30ips • Simple setup and operation through GIU (mouse included) • Facial recognition for up to 16 faces* • HDMI output *When used with compatible SmartHD cameras	WJ-NV200CH16/4TB 1.397,40 WJ-NV200CH16/8TB Only Net price WJ-NV200CH24/4TB Only Net price WJ-NV200CH24/8TB Only Net price WJ-NV200CH9/4TB Only Net price WJ-NV200CH9/8TB Only Net price	4010869249072 4010869249058 4010869249089 4010869249096 4010869249065 4010869249041
	WJ-NVF20E	• Additional intelligence kit for the WJ-NV200 • People counting, gender age recognition H.264 and JPEG multi format	440,00	5025232633845
	WJ-NV300	• 9 network cameras can be connected and recorded as default. Up to 32 *1 network cameras can be connected and recorded. • Quick setup by automatic camera detection and simple setup wizard without the use of PC Referenced recording days is automatically calculated by frame rate, image quality and HDD capacity	WJ-NV300/4TB 2.792,00 WJ-NV300/8TB Only Net price	4010869245524 4010869245531
	WJ-NVE30W	Additional Camera Kit for WJ-NV300	948,00	4010869246064
	WJ-NVF30W	Additional Business Intelligence Kit for WJ-NV300	1.022,00	4010869246071
	WJ-ND400	• 64 video inputs, 32 alarm inputs and 1 alarm output • Real time recording up to 30ips • VMD search - When used with supported I-Pro cameras or a WJ-GXE500 • RAID 5 and 6 support, • Rack mount included • IP system controller*	WJ-ND400/12TB 9.736,00 WJ-ND400/20TB Only Net price WJ-ND400/28TB Only Net price WJ-ND400/36TB Only Net price	4010869165341 4010869165167 4010869248983 4010869248990
	WV-CU950/G	• Compatible with WV-ASM100E, WV-ASM200/WV-ASE201 • Compatible with WV-ASM970 *One copy of WV-ASM200 and WV-ASE201 software required per controller	1.542,00	5025232309030
	WJ-GXE100E	• 1 channel H.264 encoder • PTZ control via rs485 • Face detection	220,00	5025232704569
	WJ-GXE500E	• 4 channel H.264 encoder • PTZ control via coax • 3 VMD alarms, 3 camera alarms and 3 video loss alarms • WV-Q204/2 rack mount available separately (for 3x WJ-GXE500)	660,00	5025232543427
	WJ-GXD400/G	• HD video decoder • Up to 6 camera split screen • WV-Q204/1 rack mount available separately	2.400,00	5025232455812
<b>▼ Analogue Internal Domes</b>				
	WV-CF102E	• Up to 540 TVL • Simple day/night - 1.2 lux in colour and black and white • 2.5mm lens • 12V DC	126,00	5025232513611
	WV-CF304LE	• Up to 650 TVL • True day/night - 0.15 lux in colour and 0 lux black and white (IR LED on)* • 2.8mm lens • IR LED outreach 10 meter	206,00	5025232739820
	WV-CF314LE	• Up to 650 TVL • True day/night - 0.08 lux in colour and 0 lux black and white (IR LED on)* • 2.8-10mm (3.6x) lens • IR LED outreach 20 meter	276,00	5025232739813
	WV-CF344E	• Up to 650 TVL • Simple day/night - 0.08 lux in colour and 0.05 lux black and white • 2.8-10mm (3.6x) lens • 12V DC or 24V AC	142,00	5025232652624
	WV-CF354E	• Up to 650 TVL, Auto back focus • True day/night - 0.08 lux in colour and 0.008 lux black and white • 2.8-10mm (3.6x) lens • 12V DC or 24V AC	158,00	5025232652631
	WV-CF374E	• Up to 650 TVL • True day/night - 0.08 lux in colour and 0.008 lux black and white • 2.8-10mm (3.6x) lens • 12V DC or 24V AC	168,00	5025232652648
	WV-CF614E	• Up to 650 TVL • Simple day/night - 0.08 lux in colour and 0.05 in black and white • Lens and housing required • 12V DC or 24V AC	242,00	5025232692804
	WV-CF634E	• Up to 650 TVL • True day/night - 0.08 lux in colour and 0.008 in black and white • Lens and housing required • 12V DC or 24V AC	276,00	5025232692811
<b>▼ Analogue External VR Domes</b>				
	WV-CW334SE	• Up to 540 TVL • Simple day/night - 0.6 lux in colour and 0.4 in black and white • 2.8-10mm (3.6x) lens • 12V DC or 24V AC	276,00	5025232632466
	WV-CW364SE	• Up to 540 TVL • True day/night - 0.6 lux in colour and 0.05 in black and white • 2.8-10mm (3.6x) lens • 12V DC or 24V AC	286,00	5025232632459
	WV-CW500S/G	• Up to 700 TVL • True day/night - 0.1 lux in colour and 0.01 in black and white • 3.8-8mm (2x) lens • 220-240V AC	418,00	5025232528325
	WV-CW504SE	• Up to 700 TVL • True day/night - 0.1 lux in colour and 0.01 in black and white • 3.8-8mm (2x) lens • 12V DC or 24V AC	418,00	5025232528318
<b>▼ Analogue Internal Box</b>				
	WV-CP300/G	• Up to 650 TVL • Simple day/night - 0.08 lux in colour and 0.05 in black and white • Lens and housing required • 220-240V AC	108,00	5025232652587
	WV-CP304E	• Up to 650 TVL • Simple day/night - 0.08 lux in colour and 0.05 in black and white • Lens and housing required • 12V DC or 24V AC	108,00	5025232652594
	WV-CP310/G	• Up to 650 TVL • True day/night - 0.08 lux in colour and 0.008 in black and white • Lens and housing required • 220-240V AC	140,00	5025232652600
	WV-CP314E	• Up to 650 TVL • True day/night - 0.08 lux in colour and 0.008 in black and white • Lens and housing required • 12V DC or 24V AC	140,00	5025232652617

	WV-CP600/G	• Up to 650 TVL • Simple day/night - 0.08 lux in colour and 0.05 in black and white • Lens and housing required • 220-240V AC	234,00	5025232692767
	WV-CP604E	• Up to 650 TVL • Simple day/night - 0.08 lux in colour and 0.05 in black and white • Lens and housing required • 220-240V AC	230,00	5025232692774
	WV-CP620/G	• Up to 650 TVL • True day/night - 0.08 lux in colour and 0.008 in black and white • Lens and housing required • 220-240V AC	310,00	5025232692781
	WV-CP624E	• Up to 650 TVL • True day/night - 0.08 lux in colour and 0.008 in black and white • Lens and housing required • 12V DC or 24V AC	310,00	5025232692798
	WV-CP630/G	• High resolution : 700 TV lines typical • ABF (Auto Back Focus) and ABS (Adaptive Black Stretch) • High sensitivity with Day/Night function : 0.08 lx (Color), 0.008 lx (B/W) at F1.4	262,00	5025232800742
	WV-CP634E	• High resolution : 700 TV lines typical • ABF (Auto Back Focus) and ABS (Adaptive Black Stretch) • High sensitivity with Day/Night function : 0.08 lx (Color), 0.008 lx (B/W) at F1.4	262,00	5025232800759
	WV-CZ492E	• Up to 650 TVL • True day/night - 0.5 lux in colour and 0.04 in black and white • 3.3-119mm (36x) optical zoom • 12V DC	460,00	5025232637287
	WV-CLR934E	• Up to 570 TVL • True day/night - 0.9 lux in colour and 0.008 in black and white • RS485 control, lens (1/2") and housing required • 12V DC or 24V AC	620,00	5025232482658
<b>▼ Analogue External Box</b>				
	WV-CW304LE	• Up to 650 TVL • True day/night - 0.15 lux in colour and 0 lux black and white (IR LED on) • 2.8mm lens • IR LED outreach 10 meter	352,00	5025232739806
	WV-CW314LE	• Up to 650 TVL • True day/night - 0.08 lux in colour and 0 lux black and white (IR LED on) • 2.8-10mm (3.6x) lens • IR LED outreach 20 meter	426,00	5025232739790
	WV-CW324LE	• Up to 650 TVL • True day/night - 0.08 lux in colour and 0 lux black and white (IR LED on) • 9-22mm (2.4x) lens • IR LED outreach 50 meter	450,00	5025232739783
<b>▼ Analogue Internal PTZ</b>				
	WV-CS580/G	• Up to 650 TVL • True day/night - 0.5 lux in colour and 0.04 in black and white • 3.3-119mm (36x) optical zoom • Standard auto tracking • 220V-240V AC	1.438,00	5025232595648
	WV-CS584E	• Up to 650 TVL • True day/night - 0.5 lux in colour and 0.04 in black and white • 3.3-119mm (36x) optical zoom • Standard auto tracking • 24V AC	1.438,00	5025232595655
<b>▼ Analogue External PTZ</b>				
	WV-CW590C/G	• Up to 650 TVL • True day/night - 0.5 lux in colour and 0.04 in black and white • 3.3-119mm (36x) optical zoom • Standard auto tracking • 220V-240V AC	1.522,50	5025232726264
	WV-CW594E	• Up to 650 TVL • True day/night - 0.5 lux in colour and 0.04 in black and white • 3.3-119mm (36x) optical zoom • Standard auto tracking • 24V AC	1.686,00	5025232595631
<b>▼ Recording &amp; Control</b>				
	WJ-HD616	• 16 video inputs, alarm inputs and alarm outputs • Supports up to 12.5ips • PTZ control via coax (up to 8 channels) or RS485 (all channels) • 2x HDMI outputs • Rack mount included	WJ-HD616/12TB WJ-HD616/4TB WJ-HD616/8TB	Only Net price 3.202,00 Only Net price
	WJ-HD716	• 16 video inputs, alarm inputs and alarm outputs • Supports real time recording • PTZ control via coax (up to 8 channels) or RS485 (all channels) • 2x HDMI outputs • Rack mount included	WJ-HD716/12TB WJ-HD716/4TB WJ-HD716/8TB	Only Net price 3.538,00 Only Net price
	WV-CU650/G	• Analogue system controller	1.128,00	5025232309023
<b>▼ Software</b>				
	WV-ASM200W	• Management software for multi-recorder systems • 16 camera operator screen • SDHC based H.264 download support • N3R to MP4 converter • Supports 16:9 video stream and HD monitors • Management extension software for multi-recorder systems • Supports 16 camera split screen	630,00	4010869241113
	WV-ASE201W	• Operator, live and map screens • Supports 16:9 video stream and HD monitors • Support for WV-CU950 controller *A copy of WV-ASM200 is required to install	630,00	4010869241083
	WV-ASE202W	• Management extension software for multi-recorder systems • Supports 32/64 camera split screen • Operator, live and map screens • Supports 16:9 video stream and HD monitors *A copy of WV-ASM200/wv-ase201 is required to install	660,00	4010869241090
	WV-ASE203W	• Management extension software for multi-recorder systems • Supports 16:9 video stream and HD monitors • Connected recorder extension *A copy of WV-ASM200/wv-ase201 is required to install	660,00	4010869241106
	WV-ASE205	Extension software to improve weather conditions (e.g. fog, snowfall...)	8.500,00	4010869243360
	WV-ASE231W	Face Server Plug In for ASM200 and ASM970	970,00	-
	WV-ASE901	Software licence for Fire Alarm integration	1.280,00	4010869237895
	WV-ASE902	Extension software for System 970 to display up to 64 video sources and manage up to 2048 network and analog Cameras	1.080,00	-
	BB-HNP17CE	Network Camera Recorder with Viewer Software	410,00	5025232535545
	WV-SAE100W	Licence for face detection software in the camera	82,00	4010869241069
	WV-SAE200W	Licence for i-VMD + face detection in the 5series cameras	244,00	4010869241076
	WV-ASC970W	<b>Always order in combination with BDS-XE3-204S</b> Virtual matrix software wv-asc970 included server • Management extension software for multi-recorder systems • Supports 16:9 video stream and HD monitors • Server included FOR WV-ASC970 • Support for WV-CU950 controller	8.818,00	-
	WV-ASM970W	IP matrix client software - optional to WV-ASC970W and BDS-XE3-204S	14.838,00	-
	WV-ASF900W	Advanced face recognition server licence to provide Face search, Face Matching, people counting, age and gender statistics. Single server licence including 4 camera licences. (Max 20 cameras per server with additional licences.) Server hardware to be provided separately. Please refer to product specification sheet for further details.	11.300,00	4010869240413
	WV-ASFE901	1 new licence for Face Server WF-ASF900	940,00	6942256224653
	WV-ASFE904	4 new licences for Face Server WF-ASF900	3.100,00	4010869240420
<b>▼ Lenses</b>				
	WV-LZA61/2SE	• 3.5-8mm auto iris lens for cameras WV-CP300, WV-CP304, WV-CP310, WV-CP314, WV-CP600, WV-CP604, WV-CP620, WV-CP624, WV-CP630, WV-CP634, WV-SPN310A, WV-SPN311A, WV-SPN531A, WV-SPN611, WV-SPN631	106,00	5025232339686
	WV-LZ62/8SE	• 5-40mm auto iris lens for cameras WV-CP300, WV-CP304, WV-CP310, WV-CP314, WV-CP600, WV-CP604, WV-CP620, WV-CP624, WV-CP630, WV-CP634, WV-SPN310A, WV-SPN311A, WV-SPN531A, WV-SPN611, WV-SPN631	218,00	5025232339693
	YV2.7x2.2SA-SA2	• 2.2-6mm 3 megapixel auto iris lens for cameras WV-CP600, WV-CP604, WV-CP620, WV-CP624, WV-CP630, WV-CP634, WV-CP300, WV-CP304, WV-CP310, WV-CP314, WV-SPN310A, WV-SPN311A, WV-SPN531A, WV-SPN611, WV-SPN631	132,00	4010869176668
	YV3.3X15SA-SA2	• 15-50mm 3 megapixel auto iris lens for cameras WV-SPN310A, WV-SPN311A, WV-SPN531A, WV-SPN611, WV-SPN631, WV-CP300, WV-CP304, WV-CP310, WV-CP314, WV-CP600, WV-CP604, WV-CP620, WV-CP624, WV-CP630, WV-CP634	186,00	4010869138628
	YV4.3X2.8SA-SA2L	• 2.8-12mm 3 megapixel auto iris lens for camera WV-SPN310A, WV-SPN311A, WV-SPN531A, WV-SPN611, WV-SPN631, WV-CP300, WV-CP304, WV-CP310, WV-CP314, WV-CP600, WV-CP604, WV-CP620, WV-CP624, WV-CP630, WV-CP634	126,00	4010869210218


**Change  
(longer cable)**

	VY5X2.7R4B-SA2	• 2.7-13.5mm day/night auto iris lens		82,00	4010869155663
	VY10X5B-SA2	• 5-50mm auto iris lens for camera WV-CP300, WV-CP304, WV-CP310, WV-CP314, WV-CP600, WV-CP604, WV-CP620, WV-CP624, WV-CP630, WV-CP634		108,00	4010869138604
	VY10X5HR4A-SA2	• 5-50mm 1.3 megapixel auto iris lens for cameras WV-CP300, WV-CP304, WV-CP310, WV-CP314, WV-CP600, WV-CP604, WV-CP620, WV-CP624, WV-CP630, WV-CP634, WV-SPN310A, WV-SPN311A, WV-SPN531A, WV-SPN611, WV-SPN631		128,00	4010869178112
<b>▼ Additional Storage &amp; Recorder</b>					
	WJ-HDE400	• Expansion bay for the WJ-HD616, WJ-HD716 and WJ-ND400 • Up to 6 per WJ-HD616/WJ-HD716 and 5 per WJ-ND400 • Rack mount kit included	WJ-HDE400/12TB WJ-HDE400/20TB WJ-HDE400/28TB WJ-HDE400/36TB	5.116,00 Only Net price Only Net price Only Net price	tba 4010869165297 4010869165303
	WJ-HDU40K	HDD Canister WJ-HD616K/WJ-HD716K		62,00	4010869164665
	HDD201C	• 2TB storage with caddy for the WJ-HD616, WJ-HD716, WJ-ND400 and WJ-HDE400		483,87	4010869164665
	HDD203	• 2TB storage for SATA WJ-HD309A, WJ-HD316A, WJ-NV200, WJ-ND300A and WJ-HDE300		268,82	4010869166195
	HDD301	• 3TB storage for the WJ-NV200		408,60	4010869176255
	WJ-NDB301E	• RAID 5 board for the WJ-ND300A		5025232372799	4010869202725
	WJ-HDB601A	• RAID 5/6 board for the WJ-HD616 and WJ-HD716		1.044,00	4010869202725
	WJ-HDB611A	• Slot-in DVD writer for the WJ-HD616 and WJ-HD716		290,00	4010869202732
	17RTV	• 17" LCD monitor		554,00	4010869177214
	185LEDE	• 18,5" LCD monitor		390,00	4010869177238
	19RTVN	• 19" LCD monitor • BNC, VGA and HDMI inputs		630,00	4010869177221
	23LED-P	• 23" LCD monitor • BNC, DVI, VGA and HDMI inputs		1.588,00	4010869219334
<b>▼ Coaxial to LAN converter</b>					
	BY-HPE11KTCE	• Can be used up to 500m for PoE connections and 2000m for non-PoE connections • Transfer speeds of up to 35Mbps or over for TCP and 45Mbps or over for UDP • BY-HCA10 rack mount available separately (for 3x or 4x BY-HPE11KT)		380,00	5025232615988
	BY-HCA10CE	• Can be used for 4 times BY-HPE11KTCE • 19"rackmount for BY-HPE11KTCE		130,00	5025232615995
<b>▼ Matrix</b>					
	WJ-SX650/G	• 32 camera inputs and 16 monitor outputs up to 256x32 • 3 card slots per cage • Panasonic PTZ control via coax and RS485 • Up to 16x WV-CU650 controllers can be connected		5.012,00	5025232369157
	WJ-SX650U/G	• WJ-SX650 matrix expansion cage with 3 card slots (cards not included) • Up to 16x WV-CU650 controllers can be connected		2.010,00	5025232369164
	WJ-PB65E01	• network input board for the WJ-SX650		572,00	4010869202749
	WJ-PB65C32E	• 32 video input board for the WJ-SX650 and WJ-SX650U		1.868,00	5025232369171
	WJ-PB65M16E	• 16 monitor output board for the WJ-SX650		1.998,00	5025232369188
	WJ-CA65L07KA	• 0.7m matrix expansion cable kit		640,00	4010869202763
	WJ-CA65L20KA	• 2m matrix expansion cable kit		720,00	4010869237833
	WJ-CA68A	• 0.5m crimped 8 way loop out cables		230,00	4010869237840
<b>▼ Brackets &amp; Housings</b>					
	BW79-P	Pole /corner mount bracket - aluminium, powder codet in Panasonic silver, can be used as pole or ceiling mount for cameras WV-SW395, WV-SW397A, WV-SW395A, WV-SW397, WV-SW397A, WV-SW598, WV-CW590, WV-CW594	<b>new</b>	126,00	4010869248785
	BW-2PL	Aluminium Wallmount bracket for Panasonic PTZ camera powder codet in silver WV-SW395, WV-SW395A, WV-SW397, WV-SW397A, WV-SW598, WV-CW590, WV-CW594	<b>new</b>	102,00	4010869248778
	BW1-P	Ceiling mount bracket - aluminium, powder codet in silver for cameras WV-SW395, WV-SW395A, WV-SW397, WV-SW397A, WV-SW598, WV-CW590, WV-CW594	<b>new</b>	84,00	4010869248792
	BWEX8012-P	Ceiling/wall mount bracket, white - mounting for boxcameras - Aluminium, Silver length 20cm for cameras WV-CP300, WV-CP304, WV-CP310, WV-CP314, WV-CP600, WV-CP604, WV-CP620, WV-CP624, WV-CP630, WV-CP634, WV-SPN310A, WV-SPN311A, WV-SPN531A	<b>new</b>	52,00	4010869248846
	BR-DC500P/9003	Aluminium Wallmount Bracket Indoor/Outdoor for Fix Dome Cameras WV-SFN310A, WV-SFN311A, WV-SFN311L, WV-SFN531, WV-SFN611L, WV-SFN631L, WV-SFR310A, WV-SFR311A, WV-SFR531, WV-SFR611L, WV-SFR631L, WV-SFV310A, WV-SFV311A, WV-SFV531, WV-SFV611L, WV-SFV631L, WV-SFV631LT, WV-SFV781L, WV-SW458, WV-SW458MA, WV-SFV481, WV-SFV781L, WV-SW458, WV-SW458MA, WV-SFV481	<b>new</b>	60,00	4010869248914
	BW790-P/9003	Pole/cornermount bracket for cameras WV-SFN310A, WV-SFN311A, WV-SFN311L, WV-SFN531, WV-SFN611L, WV-SFN631L, WV-SFR310A, WV-SFR311A, WV-SFR531, WV-SFR611L, WV-SFR631L, WV-SFV310A, WV-SFV311A, WV-SFV531, WV-SFV611L, WV-SFV631L, WV-SFV631LT, WV-SFV781L, WV-SW458, WV-SW458MA, WV-SFV481	<b>new</b>	70,00	4010869248921
	CW960SN/S	• Swan neck bracket for cameras WV-SW395, WV-SW395A, WV-SW397, WV-SW397A, WV-SW598, WV-CW590, WV-CW594		156,00	4010869160636
	WV-430	• Ceiling/wall mount bracket Beige indoor for box cameras		22,00	4010869018647
	WV-430S	• Silver indoor wall/ceiling mount bracket silver - for box cameras WV-SP102, WV-SP105		22,00	4010869090438
	CKS605POE	• External housing for box cameras with heater (220-240V AC) for cameras WV-SPN310A, WV-SPN311A, WV-SPN531A, WV-SPN611, WV-SPN631, WV-CP300, WV-CP304, WV-CP310, WV-CP314, WV-CP600, WV-CP604, WV-CP620, WV-CP624, WV-CP630, WV-CP634		172,00	4010869238854
	CKS600	• External housing for box cameras with heater (220-240V AC) for cameras WV-CP300, WV-CP304, WV-CP310, WV-CP314, WV-CP600, WV-CP604, WV-CP620, WV-CP624, WV-CP630, WV-CP634, WV-SPN310A, WV-SPN311A, WV-SPN531A, WV-SPN611, WV-SPN631		136,00	4010869107334

	SP/A	• Pole adapter for thee CKS600, CKS604 and CKS601POE	44,00	4010869111553
	CSI202C	• External housing for WV-SC384,WV-SC385 cameras with heater (24V AC) and smoked cover and wall bracket	396,00	4010869119290
	CSI202S	• External housing for WV-SC384,WV-SC385 with heater (24V AC) and clear cover and wall bracket	396,00	4010869119306
	SA/B-S	• Corner adapter to be used in conjunction with the CSI202C and CSI202S	68,00	4010869122658
	SP/B-S	• Pole adapter to be used in conjunction with the CSI202C and CSI202S	90,00	4010869122641
	PS484S	• Shroud pendant adapter for the WV-NW502S, WV-CW500S and WV-CW504S,WV-SW352,WV-SW355,wv-sw558,wv-sw559	62,00	4010869179201
	PPM484S	• Shroud pendant adapter with gooseneck wall bracket and pole mount for the WV-NW502S, WV-CW500S and WV-CW504SWV-SW352,WV-SW355, wv-sw558,wv-sw559	194,00	4010869179225
	PCM484S	• Shroud pendant adapter with gooseneck and corner mount for the WV-NW502S, WV-CW500S and WV-CW504S, WV-SW352,WV-SW355,WV-SW558,WV-SW559	216,00	4010869179232
	PHM484S	• Shroud pendant adapter with ceiling mount for the WV-NW502S, WV-CW500S and WV-CW504S, WV-SW352,WV-SW355, WV-SW558,WV-SW559	156,00	4010869179249
	PWM484S	• Shroud pendant adapter with gooseneck wall bracket for the WV-NW502S, WV-CW500S and WV-CW504S,WV-SW352,WV-SW355, WV-SW558,WV-SW559	152,00	4010869154994
	WV-Q105A	Ceiling Mount bracket - Optional safety wire for cameras WV-SFN310A, WV-SFN311A, WV-SFN311L, WV-SFN531, WV-SFN611L, WV-SFN631L, WV-SFR310A, WV-SFR311A, WV-SFR531, WV-SFR611L, WV-SFR631L, WV-SF438, WV-SF448, WV-SFN480, WV-SFV310A, WV-SFV311A, WV-SFV531, WV-SFV611L, WV-SFV631L, WV-SFV631LT, WV-SC387, WV-SC588E	84,00	4010869238755
	WV-Q117A	• Pendant mount bracket for the WV-CS580, WV-CS584,	232,00	4010869239271
	WV-Q118B	• Wall mount bracket for the WV-CS580, WV-CS584, WV-SC386	206,00	4010869239288
	WV-Q119	Wall Mount Bracket for WV-SC588	186,00	4010869236690
	<b>WV-Q120A</b>		<b>100,00</b>	<b>4010869212915</b>
	WV-Q121B	Ceiling Mount Bracket WV-SW397/WV-SW397A, WV-SW598, WV-SW395A, WV-SW395, WV-CW590, WV-CW594	260,00	4010869250023
	WV-Q122A	• Wall mount bracket for cameras WV-SW395, WV-SW395A, WV-SW397, WV-SW397A, WV-SW598, WV-CW590, WV-CW594	294,00	4010869238762
	WV-Q124	Ceiling Mount Bracket for WV-SFV631L, WV-SFV631LT, WV-SFV611L, WV-SW559, WV-SW558, WV-SFV311, WV-SFV310, WV-SW355, WV-SW352	120,00	4010869248358
	WV-Q126A	• Embedded Ceiling Mount bracket for cameras WV-SC387, WV-SC588, WV-CS580 and WV-CS584	144,00	4010869238779
	WV-Q154C	• Clear dome wall mount bracket for the WV-SC385,WV-SC384	240,00	4010869235815
	WV-Q154S	• Smoked dome wall bracket for WV-SC385, WV-SC384	240,00	4010869235822
	WV-Q155C	• Clear dome embedded ceiling bracket for WV-SC385,WV-SC384	232,00	4010869235839
	WV-Q155S	• Smoked dome embedded ceiling mount bracket for the WV-SC385,WV-SC384	232,00	4010869235846
	WV-Q156C	• Clear dome embedded ceiling bracket for the WV-SC385,WV-SC384	124,00	4010869235853
	WV-Q156S	• Smoked dome embedded ceiling mount bracket for the WV-SC385,WV-SC384	124,00	4010869235860
	WV-Q157	• Inner dome cover for the WV-SC385, WV-SC384	48,00	4010869235877
	WV-Q169A	Embedded Ceiling Mount Bracket for WV-SFV631L, WV-SFV631LT, WV-SFV611L, WV-SFV310, WV-SFV531, WV-CW334, WV-CW364, WV-CW500, WV-CW504, WV-SFV310A, WV-SFV311A	270,00	4010869243377
	WV-Q174B	• Ceiling mount bracket for WV-SFN631L-611L, WV-SFR631L-611L, WV-SFN310A, WV-SFN311A, WV-SFN311L, WV-SFN531, WV-SFR310A, WV-SFR311A, WV-SFR531	80,00	4010869235761
	WV-Q175	Embedded Ceiling Mount Bracket WV-QF504	88,00	4010869235402
	WV-Q7118	• Sun shade for cameras WV-SFV310A, WV-SFV311A, WV-SFV531, WV-SFV611L, WV-SFV631L, WV-SFV631LT	100,00	4010869243391
	WV-Q204/1S	• Rack mount kit for one WJ-GXD400	214,00	4010869237857
	WV-Q204/2S	• Rack mount kit for two WJ-GXD400 or three WJ-GXE500	170,00	4010869239004
	WV-CW6SA	• Smoked dome for cameras WV-SF132, WV-SF135, WV-SF138, WV-SW152,WV-SW155, WV-SW155MA, WV-SW158	18,00	4010869235754
	WV-CS4SA	• Smoked dome for the WV-CS580 & WV-CS584	68,00	4010869235730
	WV-CW4SA	• Smoked dome for cameras WV-CW334, WV-CW364, WV-CW500, WV-CW504	66,00	4010869202756
	WV-CS5C	Clear dome Cover WV-SC588	102,00	4010869236676
	WV-CS5S	Smoke dome cover WV-SC588	102,00	4010869236683
	WV-CF5SA	Smoke dome cover WV-SFN310A, WV-SFN311A, WV-SFN311L, WV-SFN531, WV-SFN611L, WV-SFN631L	20,00	4010869243414
	WV-CR1S	Smoke dome cover WV-SFR310A, WV-SFR311A, WV-SFR531, WV-SFR611L, WV-SFR631L	48,00	4010869243421
	WV-CW7S	Smoke dome cover WV-SFV310A, WV-SFV311A, WV-SFV531, WV-SFV631LT, WV-SFV631L, WV-SFV611L	48,00	4010869243438
	WV-CW5HA	• Heater for the cameras WV-CW334, WV-CW364, WV-CW500, WV-CW504	102,00	4010869235747

The Panasonic logo is displayed in white, bold, sans-serif font against a black rectangular background with a subtle gradient.

## Contact us:



To discover more visit [business.panasonic.eu](http://business.panasonic.eu)

Professional Camera Solutions  
Panasonic System Communications company Europe  
A division of Panasonic Marketing Europe GmbH  
Hagenauer Strasse 43  
D-65203  
Wiesbaden  
Germany

20885-1-04/2013-IP-EN-V3

We expressly reserve the right to make reasonable changes to models, dimensions, colours as well as to make modifications that bring our products in line with state-of-the-art technology.



December 2015 - This list replaces any previous Panasonic price lists issued. All prices are exclusive of VAT and delivery. Prices, specifications and accreditation points accrued per model are subject to change without notice.

RRP €

EAN CODE