

**The Distribution of Oaks (*Quercus*) in Mexico
and Neighbouring Countries**
*A Consultative Document Produced For Participants of
The 6th International Oak Conference, Puebla,
October 2009*

Piers Trehane
2 Pye Corner, Wimborne,
Dorset, BH21 1UL, United Kingdom
e-mail: *piers.trehane@gmail.com*

Introduction

This short document aims to express all the accepted names of oaks within Mexico, together with their natural distribution by state. Where these taxa are indigenous to nearby countries, the wider distribution is also indicated. A few names in this listing represent questionable taxa for which further information is required.

Distribution is given by country and state running roughly from North to South and from West to East.

The distribution data was derived from a report generated from the Oak Names website which was originally compiled from three main published works:

1. Rafaël Govaerts & David Frodin, World Checklist and Bibliography of Fagales. Royal Botanic Gardens, Kew. (1998)
Revisions kept online at: <http://apps.kew.org/wcsp/advanced.do>
2. Susana Valencia-Avalos: **Diversidad del Género *Quercus* (Fagaceae) en México.** *Boletín de la Sociedad Botánica de México* 75: 33-53 (2004)
Available online at: <http://redalyc.uaemex.mx/redalyc/pdf/577/57707503.pdf>
3. Silvia Romero-Rangel: **Revisión Taxonómica del Complejo Actuifoliae de *Quercus* (Fagaceae) con Énfasis en su Representación en México.** *Acta Botanica Mexicana* 76: 1-45 (2006).
Available on-line at: <http://redalyc.uaemex.mx/src/inicio/ArtPdfRed.jsp?iCve=57407601>

It is hoped that this document will be stimulating and useful to those on field trips and as a background to the conference proceedings. The compiler will be particularly interested to hear of any omissions, errors, and other corrections, so that the data on the website might be continually revised and updated in the light of further knowledge and understanding.

Further information may be obtained through the search pages of the on-line version of the Oak Names Checklist available at: <http://www.oaknames.org>

Please send or give any feedback to the author.

Quercus acherdophylla Trel. (1924) MEXICO: (Hidalgo, Veracruz, Puebla)

Quercus aculcingensis Trel. (1922) MEXICO: (Veracruz)

Quercus acutangula Trel. (1934) *stat. dub.* MEXICO: (Guerrero)

Quercus acutifolia Née (1801) MEXICO: (Jalisco, Michoacán, México

State, Puebla, Guerrero, Oaxaca, Chiapas), BELIZE, GUATEMALA,
HONDURAS

Quercus aerea Trel. (1924) MEXICO: (Chihuahua, San Luis Potosí)

Quercus affinis Scheidw. (1837) MEXICO: (Nuevo León, Tamaulipas, San
Luis Potosí, Guanajuato, Querétaro, Hidalgo, Veracruz, Puebla, Guerrero,
Oaxaca)

Quercus agrifolia Née (1801) USA: (W & S California), MEXICO: (Baja
California del Norte)

Quercus ajoensis C. H. Mull. (1954) USA: (Arizona), MEXICO: (Baja
California del Norte)

Quercus albocincta Trel. (1924) MEXICO: (Sonora, Chihuahua, Sinaloa,
Durango)

Quercus alpescens Trel. (1924) MEXICO: (Nuevo León, Hidalgo)

Quercus aristata Hook. & Arn. (1841) MEXICO: (Sinaloa, Nayarit, Jalisco,
Aquascalientes)

Quercus arizonica Sarg. (1895) USA: (Arizona, New Mexico, W Texas),
MEXICO: (Sonora, Chihuahua, Coahuila, Durango)

Quercus ×basaseachicensis C. H. Mull. (1938) MEXICO: (Chihuahua,
Durango)

Quercus benthamii A. DC. (1864) MEXICO: (Guerrero, Chiapas),
GUATEMALA, EL SALVADOR, NICARAGUA, COSTA RICA,
PANAMA

Quercus berberidifolia Liebm. (1854) USA: (California), MEXICO: (Baja
California del Norte)

Quercus brandegeei Goldman (1916) MEXICO: (Baja California do Sul)

Quercus brenesii Trel. (1924) MEXICO: (Veracruz), NICARAGUA, COSTA
RICA

Quercus canbyi Trel. (1924) USA: (Texas), MEXICO: (Coahuila, Neuvo León,
Tamaulipas)

Quercus candicans Née (1801) MEXICO: (Chihuahua, Sinaloa, Durango,
Nayarit, Jalisco, Hidalgo, Veracruz, Michoacán, México State, México DF,
Morelos, Puebla, Guerrero, Oaxaca, Chiapas), GUATEMALA

Quercus carmenensis C. H. Mull. (1937) USA: (SW Texas), MEXICO:
(Coahuila)

Quercus castanea Née (1801) MEXICO: (Sonora, Sinaloa, Durango, San
Luis Potosí, Nayarit, Jalisco, Guanajuato, Hidalgo, Veracruz, Colima,
Michoacán, México State, México DF, Morelos, Puebla, Guerrero, Oaxaca,

- Chiapas), GUATEMALA, EL SALVADOR
- Quercus cedrosensis* C. H. Mull. (1962) MEXICO: (Baja California del Norte: Cedros Island)
- Quercus charcasana* Trel. ex A. Camus (1952) *stat. dub.* MEXICO: (San Luis Potosí)
- Quercus chartacea* Trel. (1924) *stat. dub.* MEXICO: (Oaxaca, Chiapas)
- Quercus chrysolepis* Liebm. (1854) USA: (Arizona, California, S Nevada, New MEXICO, W Oregon), MEXICO: (Baja California del Norte, NW Chihuahua)
- Quercus coahuilensis* Nixon & C. H. Mull. (1993) MEXICO: (Chihuahua, Coahuila)
- Quercus coffeicolor* Trel. (1924) MEXICO: (Sinaloa, Nayarit, Jalisco)
- Quercus conspersa* Benth. (1842) MEXICO: (Jalisco, Michoacán, México State, Guerrero, Oaxaca, Chiapas), GUATEMALA
- Quercus convallata* Trel. (1924) MEXICO: (Durango, Zacatecas, Nayarit, Jalisco)
- Quercus connazzettii* Trel. (1921) MEXICO: (Durango, Zacatecas, Nayarit, Jalisco, Oaxaca)
- Quercus cornelius-mulleri* Nixon & K. P. Steele (1981) USA: (California), MEXICO: (Baja California del Norte)
- Quercus corrugata* Hook. (1842) MEXICO: (Puebla, Guerrero, Oaxaca, Chiapas, Veracruz), BELIZE, GUATEMALA, EL SALVADOR, HONDURAS, COSTA RICA, PANAMA
- Quercus cortesii* Liebm. (1854) MEXICO: (Puebla, Chiapas), BELIZE, HONDURAS, NICARAGUA, COSTA RICA, PANAMA
- Quercus crassifolia* Bonpl. (1809) MEXICO: (Chihuahua, Durango, Zacatecas, San Luis Potosí, Jalisco, Guanajuato, Querétaro, Hidalgo, Veracruz, Michoacán, México State, México DF, Tlaxcala, Puebla, Guerrero, Oaxaca, Chiapas), GUATEMALA
- Quercus crassipes* Bonpl. (1809) MEXICO: (Jalisco, Guanajuato, Querétaro, Hidalgo, Colima, Michoacán, México State, México DF, Morelos, Tlaxcala, Puebla, Oaxaca)
- Quercus crispifolia* Trel. (1924) MEXICO: (Guerrero, Oaxaca, Chiapas), GUATEMALA ?, COLOMBIA ?
- Quercus crispipilis* Trel. (1924) MEXICO: (Chiapas), GUATEMALA
- Quercus cuelensis* L. M. González (2003) MEXICO: (Jalisco)
- Quercus deliquescens* C. H. Mull. (1979) MEXICO: (Chihuahua)
- Quercus depressa* Bonpl. (1809) MEXICO: (Hidalgo, Veracruz, Puebla, Oaxaca)
- Quercus depressipes* Trel. (1924) USA: (W Texas), MEXICO: (Chihuahua, Durango, S Zacatecas, N Jalisco)
- Quercus deserticola* Trel. (1924) MEXICO: (Querétaro)
- Quercus devia* Goldman (1916) MEXICO: (Baja California do Sul: Sierra de la Laguna, Cape Reg.)
- Quercus diversifolia* Née (1801) MEXICO: (México State, México DF, Puebla)
- Quercus dumosa* Nutt. (1842) USA: (California), MEXICO: (Baja California del Norte)

- Quercus durandii* Buckley (1861) USA: (Alabama, Arkansas, Florida, Georgia, Louisiana, Mississippi, North Carolina, Oklahoma, South Carolina, Texas), MEXICO: (Coahuila, Nuevo León, Tamaulipas)
- Quercus duratifolia* C. H. Mull. (1942) MEXICO: (Chiapas)
- Quercus durifolia* Seemen ex Loes. (1900) MEXICO: (Sonora, Chihuahua, Sinaloa, Durango)
- Quercus ×dysophylla* Benth. (1840) MEXICO: (Guanajuato, Hidalgo, Veracruz, Michoacán, México State, México DF, Tlaxcala)
- Quercus eduardii* Trel. (1922) MEXICO: (Chihuahua, Tamaulipas, Durango, Zacatecas, San Luis Potosí, Nayarit, Jalisco, Aquascalientes, Guanajuato, Querétaro, Hidalgo, Veracruz, Michoacán)
- Quercus edwardsiae* C. H. Mull. (1942) MEXICO: (Nuevo León)
- Quercus elliptica* Née (1801) MEXICO: (Sinaloa, Nayarit, Jalisco, Varacruz, Michoacán, México State, Guerrero, Oaxaca, Chiapas), BELIZE, GUATEMALA, EL SALVADOR, HONDURAS, NICARAGUA
- Quercus emoryi* Torr. (1848) USA: (Arizona, New Mexico, W Texas), MEXICO: (Sonora, Chihuahua, Coahuila, Nuevo León, Tamaulipas, Durango)
- Quercus engelmannii* Greene (1889) USA: (S California), MEXICO: (Baja California del Norte)
- Quercus eugeniifolia* Liebm. (1854) MEXICO: (Oaxaca, Puebla, Hidalgo, Veracruz), GUATEMALA, EL SALVADOR, COSTA RICA, PANAMA
- Quercus aff. eugeniifolia* MEXICO: (Hidalgo)
- Quercus floccosa* Liebm. (1854) *stat. dub.* MEXICO: (Veracruz)
- Quercus flocculenta* C. H. Mull. (1936) MEXICO: (Nuevo León)
- Quercus frutex* Trel. (1924) MEXICO: (Hidalgo, Michoacán, México State, México DF, Tlaxcala, Puebla, Oaxaca)
- Quercus fulva* Liebm. (1854) MEXICO: (Chihuahua, Sinaloa, Durango, Nayarit, Jalisco)
- Quercus furfuracea* Liebm. (1854) MEXICO: (San Luis Potosí, Puebla)
- Quercus fusiformis* Small (1903) USA: (SW Oklahoma, Texas), MEXICO: (Coahuila, Nuevo León, Tamaulipas)
- Quercus galeanensis* C. H. Mull. (1936) MEXICO: (Nuevo León)
- Quercus galeottii* M. Martens & Galeotti (1843) MEXICO: (Veracruz)
- Quercus gambelii* Nutt. (1847) USA: (Arizona, Colorado, Nevada, New Mexico, Oklahoma, Texas, Utah, Wyoming), MEXICO: (Sonora, Chihuahua, Coahuila)
- Quercus gentryi* C. H. Mull. (1942) MEXICO: (Chihuahua, Sinaloa, Zacatecas, Nayarit, Jalisco, Michoacán)
- Quercus germana* Schltdl. & Cham. (1830) MEXICO: (Tamaulipas, San Luis Potosí, Veracruz, Hidalgo, Puebla, Oaxaca)
- Quercus ghiesbreghtii* M. Martens & Galeotti (1843) *stat. dub.* MEXICO: (Veracruz)
- Quercus glabrescens* Benth. (1840) MEXICO: (San Luis Potosí, Hidalgo, Veracruz, Michoacán, México State, México DF, Tlaxcala, Puebla, Oaxaca)

- Quercus glaucescens* Bonpl. (1809) MEXICO: (Sinaloa, Nayarit, Jalisco, Veracruz, Michoacán, Guerrero, Oaxaca)
- Quercus glaucooides* M. Martens & Galeotti (1843) MEXICO: (Sinaloa, Zacatecas, San Luis Potosí, Nayarit, Jalisco, Guanajuato, Hidalgo, Michoacán, México State, Morelos, Puebla, Guerrero, Oaxaca)
- Quercus gravesii* Sudw. (1927) USA: (SW Texas), MEXICO: (Coahuila)
- Quercus greggii* (A. DC.) Trel. (1922) MEXICO: (Coahuila, Nuevo León, Tamaulipas, Durango, San Luis Potosí, Nayarit, Hidalgo, Veracruz, Puebla, Oaxaca)
- Quercus grisea* Liebm. (1854) USA: (Arizona, New Mexico, W Texas), MEXICO: (Sonora, Chihuahua, Coahuila, Nuevo León, Durango, Zacatecas, San Luis Potosí, Jalisco, Aquascalientes, Guanajuato, Veracruz)
- Quercus hinckleyi* C. H. Mull. (1951) USA: (Texas: Presidio County), MEXICO: (Sonora, N Chihuahua)
- Quercus hintonii* E. F. Warb. (1939) MEXICO: (Michoacán, México State)
- Quercus hintoniorum* Nixon & C. H. Mull. (1993) MEXICO: (Coahuila)
- Quercus hirtifolia* M. L. Vázquez *et al.* (2004) MEXICO: (Hidalgo, Puebla)
- Quercus hypoleucoides* A. Camus (1932) USA: (Arizona, SW New Mexico, W Texas), MEXICO: (Sonora, Chihuahua, Coahuila, Nuevo León, Durango)
- Quercus hypoxantha* Trel. (1924) MEXICO: (Coahuila, Nuevo León, San Luis Potosí)
- Quercus ignaciensis* C. H. Mull. (1942) MEXICO: (Sonora)
- Quercus iltisii* L. M. González (2003) MEXICO: (Jalisco, Colima)
- Quercus insignis* M. Martens & Galeotti (1843) MEXICO: (Veracruz, Oaxaca, Chiapas), BELIZE, GUATEMALA, HONDURAS, NICARAGUA, COSTA RICA, PANAMA:
- Quercus intricata* Trel. (1922) USA: (W Texas), MEXICO: (Chihuahua, Coahuila, Nuevo León, Durango, Zacatecas)
- Quercus invaginata* Trel. (1924) MEXICO: (Chihuahua, Coahuila, Nuevo León)
- Quercus jonesii* Trel. (1924) MEXICO: (Sonora, Chihuahua, San Luis Potosí, Nayarit, Jalisco)
- Quercus juergensenii* Liebm. (1854) *stat. dub.* MEXICO: (Puebla)
- Quercus ×knoblochii* C. H. Mull. (1942) *stat. dub.* MEXICO: (Chihuahua, Sonora)
- Quercus laceyi* Small (1901) USA: (Texas), MEXICO: (Coahuila, Nuevo León)
- Quercus laeta* Liebm. (1854) MEXICO: (Coahuila, Nuevo León, Sinaloa, Durango, Zacatecas, San Luis Potosí, Nayarit, Jalisco, Aquascalientes, Guanajuato, Hidalgo, Michoacán, México State, México DF, Oaxaca)
- Quercus laurina* Bonpl. (1809) MEXICO: (Jalisco, Guanajuato, Querétaro, Hidalgo, Veracruz, Michoacán, México State, México DF, Morelos, Tlaxcala, Puebla, Guerrero, Oaxaca), GUATEMALA
- Quercus laxa* Liebm. (1854) MEXICO: (Sinaloa, Nayarit, Jalisco, Colima, Michoacán)
- Quercus leiophylla* A. DC. (1864) MEXICO: (Hidalgo, Veracruz, Puebla, Oaxaca)

- Quercus liebmannii* Oerst. ex Trel. (1924) MEXICO: (Puebla, Guerrero, Oaxaca)
- Quercus macdougallii* M. Martínez (1964) MEXICO: (Oaxaca)
- Quercus macvaughii* Spellenb. (1992) MEXICO: (Sonora, Chihuahua, Durango)
- Quercus magnoliifolia* Née (1801) MEXICO: (Sinaloa, Nayarit, Jalisco, Hidalgo, Colima, Michoacán, México State, Morelos, Puebla, Guerrero, Oaxaca)
- Quercus manzanillana* Trel. (1924) *stat. dub.* MEXICO: (Puebla)
- Quercus martinezii* C. H. Mull. (1954) MEXICO: (Nayarit, Jalisco, Michoacán, México State, Guerrero, Oaxaca)
- Quercus mexicana* Bonpl. (1809) MEXICO: (Chihuahua, Nuevo León, Tamaulipas, San Luis Potosí, Querétaro, Hidalgo, Veracruz, México State, México DF, Tlaxcala, Puebla)
- Quercus microphylla* Née (1801) MEXICO: (Coahuila, Nuevo León, Tamaulipas, San Luis Potosí, Nayarit, Jalisco, Aquascalientes, Guanajuato, Querétaro, Hidalgo, Veracruz, Puebla, Oaxaca)
- Quercus miquihuanensis* Nixon & C.H. Mull. (1993) MEXICO: (Nuevo León, Tamaulipas)
- Quercus mohriana* Buckley ex Rydb. (1901) USA: (NE New Mexico, W Oklahoma, WC & W Texas), MEXICO: (Coahuila)
- Quercus muehlenbergii* Engelm. (1877) CANADA: (S Ontario), USA: (Alabama, Arkansas, Connecticut, Florida, Georgia, Illinois, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maryland, Massachusetts, Michigan, Minnesota, Mississippi, Missouri, Nebraska, New Jersey, New Mexico, New York, North Carolina, Ohio, Oklahoma, Pennsylvania, South Carolina, Tennessee, Texas, Vermont, Virginia, West Virginia, Wisconsin), MEXICO: (Coahuila, Nuevo León, Tamaulipas, Veracruz),
- Quercus mulleri* M. Martínez (1953) MEXICO: (Oaxaca)
- Quercus nixoniana* S. Valencia & Lozada-Pérez (2003) MEXICO: (Jalisco, Guerrero, Oaxaca)
- Quercus oblongifolia* Torr. (1853) USA: (Arizona, SW New Mexico, W Texas), MEXICO: (Sonora, Chihuahua, Coahuila, Durango)
- Quercus obtusanthera* Trel. (1934) *stat. dub.* MEXICO: (Guerrero)
- Quercus obtusata* Bonpl. (1809) MEXICO: (Nuevo León, Durango, Zacatecas, San Luis Potosí, Nayarit, Jalisco, Guanajuato, Querétaro, Hidalgo, Veracruz, Michoacán, México State, México DF, Morelos, Puebla, Guerrero, Oaxaca)
- Quercus oleoides* Schltdl. & Cham. (1830) MEXICO: (Tamaulipas, San Luis Potosí, Hidalgo, Veracruz, Puebla, Oaxaca, Chiapas, Tabasco, Campeche, Yucatán), CUBA, BELIZE, GUATEMALA, HONDURAS, NICARAGUA, COSTA RICA
- Quercus oleoides* Schltdl. & Cham. subsp. *oleoides* MEXICO: (Puebla, Oaxaca, Chiapas, Tabasco, Campeche, Yucatán), BELIZE, GUATEMALA, HONDURAS, COSTA RICA
- Quercus oocarpa* Liebm. (1854) MEXICO: (Nayarit, Jalisco, Guerrero, Chiapas), BELIZE ?, GUATEMALA, EL SALVADOR, HONDURAS,

NICARAGUA, COSTA RICA, PANAMA

Quercus opaca Trel. (1924) MEXICO: (Tamaulipas, Hidalgo, México State, Oaxaca)

Quercus xpachucana Zavala-Chávez (2000) *pro sp.* MEXICO: (Hidalgo)

Quercus palmeri Engelm. (1877) USA: (Arizona, S California), MEXICO: (Baja California del Norte)

Quercus xpastorensis C. H. Mull. (1936) MEXICO: (Nuevo León)

Quercus peduncularis Née (1801) MEXICO: (Nayarit, Jalisco, Veracruz, Colima, Michoacán, México State, Puebla, Guerrero, Oaxaca, Chiapas), BELIZE ?, GUATEMALA, HONDURAS

Quercus peninsularis Trel. (1924) MEXICO: (Baja California del Norte)

Quercus perpallida Trel. (1924) MEXICO: (Baja California del Norte, Sonora, Chihuahua)

Quercus pinnatifovenulosa C. H. Mull. (1936) MEXICO: (Nuevo León, Tamaulipas, San Luis Potosí, Querétaro, Veracruz)

Quercus planipocula Trel. (1924) MEXICO: (Sinaloa, Nayarit, Jalisco, Guerrero, Michoacán)

Quercus polymorpha Schltdl. & Cham. (1830) USA: (S Texas), MEXICO: (Nuevo León, Tamaulipas, San Luis Potosí, Hidalgo, Veracruz, Puebla, Oaxaca, Chiapas), GUATEMALA

Quercus potosina Trel. (1924) MEXICO: (Chihuahua, Durango, Zacatecas, San Luis Potosí, Jalisco, Aguascalientes, Guanajuato)

Quercus praeco Trel. (1924) MEXICO: (Zacatecas, Nayarit, Jalisco)

Quercus pringlei Seemen ex Loes. (1900) MEXICO: (Coahuila, Nuevo León, Zacatecas)

Quercus pungens Liebm. (1854) USA: (Arizona, New Mexico, Texas), MEXICO: (Chihuahua, Coahuila)

Quercus purulhana Trel. (1924) MEXICO: (Chiapas), BELIZE, GUATEMALA, HONDURAS, NICARAGUA

Quercus radiata Trel. (1921) MEXICO: (Durango, Zacatecas, Nayarit)

Quercus rekonis Trel. (1924) *stat. dub.* MEXICO: (Oaxaca)

Quercus repanda Bonpl. (1809) MEXICO: (Hidalgo, Tlaxcala, Puebla)

Quercus resinosa Liebm. (1854) MEXICO: (Durango, Zacatecas, San Luis Potosí, Nayarit, Jalisco, Aguascalientes, Guanajuato, Michoacán)

Quercus rubramenta Trel. (1934) MEXICO: (Guerrero, Oaxaca)

Quercus rugosa Née (1801) USA: (Arizona, New Mexico, Texas), MEXICO: (Sonora, Coahuila, Nuevo León, Durango, Zacatecas, San Luis Potosí, Jalisco, Aguascalientes, Guanajuato, Querétaro, Hidalgo, Veracruz, Colima, Michoacán, México State, México DF, Morelos, Puebla, Guerrero, Oaxaca, Chiapas), GUATEMALA, HONDURAS

Quercus rugosa La Encantada Form MEXICO: (Nuevo León)

Quercus rugosa La Siberica Form MEXICO: (Nuevo León)

Quercus rugosa Pinal de Arnoles Form MEXICO: (Nuevo León)

Quercus runcinatifolia Trel. & C. H. Mull. (1936) MEXICO: (Nuevo León)

Quercus rysophylla Weath. (1910) MEXICO: (Nuevo León, Hidalgo, Veracruz)

Quercus salicifolia Née (1801) MEXICO: (Guerrero, Jalisco, Michoacán), GUATEMALA, EL SALVADOR, HONDURAS

- Quercus saltillensis* Trel. (1924) MEXICO: (Coahuila, Nuevo León)
- Quercus sanchez-colinii* M. Martínez (1954) stat. dub. MEXICO: (Where?)
- Quercus sapotifolia* Liebm. (1854) MEXICO: (Hidalgo, Veracruz, Oaxaca, Chiapas), BELIZE, GUATEMALA, EL SALVADOR, HONDURAS, COSTA RICA, PANAMA
- Quercus schultzei* Trel. (1934) stat. dub. MEXICO: (Guerrero)
- Quercus scytophylla* Liebm. (1854) MEXICO: (Nayarit, Jalisco, Michoacán, México State, Puebla, Guerrero, Oaxaca)
- Quercus sebifera* Trel. (1924) MEXICO: (Nuevo León, Tamaulipas, San Luis Potosí, Hidalgo, Veracruz, Puebla, Oaxaca, Chiapas)
- Quercus segoviensis* Liebm. (1854) MEXICO: (Chiapas), BELIZE, GUATEMALA, HONDURAS, NICARAGUA
- Quercus sideroxyla* Bonpl. (1809) MEXICO: (Sonora, Chihuahua, Coahuila, Nuevo León, Tamaulipas, Durango, Zacatecas, San Luis Potosí, Nayarit, Jalisco, Aquascalientes, Guanajuato)
- Quercus skinneri* Benth. (1841) MEXICO: (Tamaulipas, Veracruz, Oaxaca, Chiapas), GUATEMALA, EL SALVADOR, HONDURAS
- Quercus splendens* Née (1801) MEXICO: (Nayarit, Jalisco, Michoacán, Guerrero, Oaxaca)
- Quercus striatula* Trel. (1924) MEXICO: (Chihuahua, Durango, Zacatecas)
- Quercus subspathulata* Trel. (1924) MEXICO: (Sonora, Chihuahua, Jalisco)
- Quercus supranitida* C. H. Mull. (1942) stat. dub. MEXICO: (Nuevo León)
- Quercus tarahumara* Spellenb. et al. (1995) MEXICO: (Sonora, Chihuahua, Sinaloa, Durango)
- Quercus tardifolia* C. H. Mull. (1936) USA: (Texas: Chisos Mts), MEXICO: (Coahuila)
- Quercus tinkhamii* C. H. Mull. (1942) MEXICO: (Nuevo León, San Luis Potosí)
- Quercus toumeyi* Sarg. (1895) USA: (SE Arizona, SW New Mexico, W Texas), MEXICO: (Sonora, Chihuahua)
- Quercus tuberculata* Liebm. (1854) MEXICO: (Baja California del Norte, Sonora, Chihuahua, Sinaloa, Durango, Nayarit, Michoacán)
- Quercus tuitensis* L. M. González (2003) MEXICO: (Jalisco)
- Quercus turbinella* Greene (1889) USA: (Arizona, California, Colorado, Nevada, New Mexico, Texas, Utah), MEXICO: (Baja California del Norte, Sonora, Chihuahua)
- Quercus undata* Trel. (1924) MEXICO: (Durango)
- Quercus ×undulata* Torr. (1828) USA: (where?), MEXICO: (Chihuahua)
- Quercus urbanii* Trel. (1921) MEXICO: (Sinaloa, Durango, Nayarit, México State, Guerrero)
- Quercus uxorius* McVaugh (1972) MEXICO: (Jalisco, Colima, Guerrero, Oaxaca, Chiapas)
- Quercus vallicola* Trel. (1924) stat. dub. MEXICO: (México DF)
- Quercus vaseyana* Buckley (1883) USA: (Texas), MEXICO: (Chihuahua, Coahuila, Nuevo León)
- Quercus verde* C. H. Mull. (1936) MEXICO: (Nuevo León)
- Quercus vicentensis* Trel. (1924) MEXICO: (Chiapas), GUATEMALA, EL

SALVADOR

Quercus viminea Trel. (1924) USA: (S Arizona), MEXICO: (Sonora, W Chihuahua, Sinaloa, Durango, Nayarit, Jalisco, Aquascalientes, Guanajuato)

Quercus wislizeni A. DC. (1864) USA: (California), MEXICO: (Baja California del Norte)

Quercus wislizeni subsp. *frutescens* (Engelm.) E. Murray (1983) USA: (s California), MEXICO: (Baja California del Norte)

Quercus wislizeni A. DC. subsp. *wislizeni* USA: (California), MEXICO: (Baja California del Norte)

Quercus xalapensis Bonpl. (1809) MEXICO: (Nuevo León, Tamaulipas, San Luis Potosí, Querétaro, Hidalgo, Veracruz, Puebla, Chiapas)