



# The Perfect AVNCD Solution: Alpine's Digital Media Station



Alpine has built on the success of its Digital Media Receivers with another breakthrough model. Introducing the iXA-W404R Digital Media Station featuring a new touch control interface with Scrollview. You just move your finger up and down the 4.3" screen to make selections. The customisable display is new, too: you can add elements to create just the kind of display you want.











# **Ready for Bluetooth Phones...and Future Phones**

Adding the KCE-400BT Bluetooth Module allows hands-free operation of most Bluetooth-enabled mobile phones, with full phonebook access and even A2DP music streaming. Parrot software updates provide support for Bluetooth phones.



# Always Know What's Behind the Vehicle

The HCE-C107D Reversing Camera is small for easy mounting. Installation is fast because the cable plugs directly into the back of the head unit. The picture is bright and clear, so you always know what is behind you, for easier manoeuvring and greater safety.



# **Full Music Enjoyment** The touch screen makes it easy to find iPod music fast by browsing through

13:45

albums and song information. Quick Search and Alphabet Search allow even speedier access. Fast USB2.0 connection with Alpine's Banking (indexing) function lets you use USB audio devices, also. The unit is IMPRINT Ready, so you can add the PXA-H100 for incredibly good sound quality.

# Easy Selection of iPod Videos

The interface also makes browsing and selecting iPod movies, TV shows and video podcasts a simple task. You can scroll guickly through menus to see videos on the high-resolution display.



You get a new operation feel for quicker, smooth access to music and videos. It's the best way yet to expand your system with an iPod and many other sources.



4 x 50W High Power Amp
Works with iPhone
USB connection for iPod (iPod 5th Gen. iPod nano 1st-4th Gen. iPod classic, iPod touch 1st-2nd Gen.) or USB sticks
iPod / USB adapter + 2.0m USB cable Included
4.3" high resolution touch screen
Dual Action Encoder
Quick Search with alphabet search
iPod video playback
Dual Zone Entertainment
Multi Information Display
Parrot Bluetooth Ready (with KCE-400BT)
Navigation Touch Control
Direct camera port (for HCE-C107D)
Standard RCA camera input
IMPRINT Ready with PXA-H100
24-Bit DAC
3 PreOuts
2 Preins for PXA-H100
1 A/V input
MP3/AAC/WMA Playback
Ai-NET
KTP-445
Power Pack Ready
Steering Wheel Remote Control Ready
CD Mechanism-less design

## New Touch Control Interface with Scrollview

With the new Alpine interface, moving your finger across the screen and touching it is all it takes to browse through menus and make selections. In addition to music and videos, choose navigation, Bluetooth phone or



navigation, Bluetooth phone or camera by touching the screen images, which are sharp and clear thanks to the 4.3" high resolution display.



Plays iPod Videos and Music Videos

The iXA-W404R will also play the video files on your iPod or

iPod touch. Simply select Movies, Video Podcasts or TV Shows

high-resolution display.

from the video list, the same way you select

songs. Best of all, you'll get super-sharp

resolution and gorgeous colours on the 4.3"

### Dual Action Encoder for Fast and Easy Operation



The Dual Action Encoder allows precise volume control and fast Page Scroll in Quick Search mode. When pushed in, it becomes a jog dial for single line scrolling through menus. The Search/Enter button is in the centre for quick access to all search functions.

Add the KCE-400BT Parrot Bluetooth Module and you're ready for hands-free operation of many

Parrot Bluetooth Ready



ready for hands-free operation of many Bluetooth-enabled phones. You get full phonebook access, on-screen display of user names, and easy touch-screen control. Parrot software updates provide support for future phones.

## Dual Zone Entertainment

Dual zone functionality keeps everyone in the car happy. With a rear seat monitor and headphones, the youngsters in the back can watch a movie, while at the same time you and a front seat passenger can enjoy your favourite music.



### Multi-Information Display

In addition to the usual display, you can add a variety of other display options: clock, world clock, calendar, sound controller, calculator and others. What's more, the display is fully customisable, so you can set it to look just the way you want it.



# Take Your iPhone for a Drive

Our Digital Media Receivers are better than ever. They let you make the most of your iPhone 3G and iPod, and will also play back music files from USB sticks. Plus, they are Parrot Bluetooth Ready.



This is the ultimate solution for enjoying your iPhone 3G in your car, and much more. Featuring USB connection and full iPod compatibility, the iDA-X305 gives you seamless control over your music sources.

DIGITAL MEDIA RECEIVER



• 4 x 50W High Power Amp • Works with iPhone • USB connection for iPod (Pod 5th Gen. iPod nano 1st-4th Gen. iPod classic, iPod touch 1st-2nd Gen. ) or USB sticks • iPod / USB adapter + 2.0m USB Cable Included • 2.2" high resolution TFT display with iPersonalize customization • IMPRINT Ready with PXA-H100 • 24-Bit DAC • Parrot Biuetooth Ready with KCE-400BT • Dual Action Encoder • Quick Search • Ai-NET • KTP-445 Power Pack Ready • Steering Wheel Remote Control Ready • Vehicle Display Interface Ready • 2 illumination colours selectable (blue/red) • AUX input (requires KCE-237B) • 3 PreOuts • 2 PreIns for PXA-H100 • MP3/AAC/WMA Playback • Remote Control Ready • CD Mechanism-less design



■ Made for ● iPod iPhone



# Enjoy iPod and iPhone in Your Car

Use your iPod in your car via USB connection and get convenient control and clear sound through your Alpine system.

2009

# Plays Music From USB Sticks

The USB connection lets you directly play back music files from your USB sticks. Songs from USB memory are automatically put in alphabetical order.





# Fast, Easy Operation

The Dual Action Encoder allows precise volume control and fast Page Scroll in Quick Search mode. When pushed in, it becomes a jog dial for single line scrolling through menus.

# **Full Colour Display**

Songs

Albums

Podcasts

The big, bright, beautiful colour display shows you at a glance all the important information from your iPod, and even displays the album cover art.

Five Winds



# 24-bit DAC

Rather than using the iPod for D/A conversion, the Digital Media

Receiver takes the digital signal from the iPod and converts it to analogue using its own 24-bit DAC for much higher signal quality.

### Improve Sound Quality with IMPRINT Sound

One of the major benefits of the IMPRINT Ready units is that they allow you to connect the PXA-H100 IMPRINT Sound Processor to greatly improve the sound in your vehicle.





# PXA-H100 IMPRINT SOUND PROCESSOR

The PXA-H100 features advanced sound processing technologies for achieving perfect IMPRINT Sound optimisation automatically, in just a few minutes. If you want hands-on sound tuning, you can use the built-in BassEngine Pro features, including MediaXpander, 5-Band Parametric EQ or 7-Band Graphic EQ, 3-Way/2-Way Crossover, 6-Channel Digital Time Correction, and Subwoofer Phase Selector.

Featuring iPhone 3G compatibility, this head unit also provides easy control with super-fast music search for your iPod and USB sticks, plus great sound. It's also IMPRINT Ready and Parrot Bluetooth Ready.



Here's an exceptional value for iPod users as well as music lovers who have their favourite tunes on USB sticks. These units are also ready for Parrot Bluetooth.



Sth Gen. Pod nano 1st-4th Gen. Pod mini, iPod classic, iPod touch 1st-2nd Gen.) • Full Speed Connection Cable Included • LCD display 24-Bit DAC • Parot Bluetouth Ready with KCE-40.0BT • Rotary Encoder • Quick Search • AI-NET • KTP-445 Power Pack Ready • AUX input (requires KCE-237B) • Steering Wheel Remote Control Ready • 1 PreOut • MP3/AAC/WMA Playback • Remote Control Ready • CD Mechanism-less design  4 x 45W High Power Amp
 USB Connection for USB sticks
 2.0m USB Cable Included
 Full Speed Connection for iPod (iPod 4th-5th Gen. iPod nano 1st-4th Gen. iPod mini, iPod classic, iPod touch 1st-2nd Gen.)
 Full Speed Connection Cable Included
 LCD display
 24-Bit DAC
 Parrot Bluetooth Ready with KCE-400BT
 Rotary Encoder
 Quick Search
 Ai-NET
 KTP-445 Power Pack Ready
 AUX input (requires KCE-237B)
 Steering Wheel Remote Control Ready
 1 PreOut
 MP3/AAC/WMA Playback
 Remote Control Ready
 CD Mechanism-less design

# Add-ons to Upgrade Your System for Parrot Bluetooth Connectivity and More Power.



A great system addition that gives you hands-free operation of your Bluetooth-enabled mobile phone with full phonebook access and A2DP AV streaming and AVRCP Device

Operation ready. Parrot software updates provide support for future phones.

Future Bluetooth firmware updates (for phone compatibility) will be available for the KCE-400BT. With the following Alpine products the Bluetooth Module KCE-400BT can be updated: iXA-W404R, IDA-X305/3033017301RR, CDE-W203R, CDA-105Ri, CDE-102Ri and CDE-101R/RM. For information on updating your Bluetooth firmware, please visit your local Alpine website or choose your country from the Alpine Europe top page (http://www.alpine-europe.com). For products not listed above, please contact your local official Alpine dealer or Alpine support for your country.





This compact upgrade instantly boosts the power of your system. Easy to install, it fits neatly behind your head unit, so there's no need for additional wiring or special installation. Also works with PXA-H100 IMPRINT Sound Processor. Available in Summer 2009.

Digital Media St	igital Media Station/Receiver Overview								Cable Included				
	Made for iPod	U Works with iPhone	USB PLAYBACK	AAC NP3	Bluetooth	24bit	READY	Power Pack READY	READY	Dual Action Encoder	iPod Video Playback	Finger Flick Quick Search	
iXA-W404R	0	9	9	0	9	$\bigcirc$	0	9	$\bigcirc$	$\bigcirc$	0	9	4 x 50W 3 PreOuts (2V)
iDA-X305	0	9	9	0	9	$\bigcirc$	$\bigcirc$	$\bigcirc$	$\bigcirc$	$\bigcirc$			4x50W 3 PreOuts (2V)
iDA-X303	0	9	0	$\bigcirc$	$\bigcirc$	$\bigcirc$	$\bigcirc$	9	$\bigcirc$	$\bigcirc$			4x45W 3 PreOuts (2V)
iDA-X301/RR	9		9	0	9	9	0	9					4x45W 1 PreOut (2V)
Required Accessory					KCE-400BT		Ask Your Dealer	KTP-445	PXA-H100				

# **IMPRINT** Sound for All Your Music

Your music will sound richer, clearer, and have better imaging when you add the magic of IMPRINT Sound Processing. The CDA-105Ri and CDA-9886R are IMPRINT Ready, while the CDA-9887R has an IMPRINT Sound Processor built in.





A great choice for enjoying music from an iPod or USB memory sticks, the CDA-105Ri also lets you use an iPhone, is Parrot Bluetooth Ready and can be easily upgraded for IMPRINT sound.

# CDA-1





• 4 x 50W High Power Amp • CD-R/-RW/MP3/AAC/WMA Playback • USB Connection for iPod (iPod 5th Gen. iPod nano 1st-4th Gen. iPod classic, iPod touch 1st-2nd Gen.) or USB sticks • Works with iPhone • 2.0m USB cable and iPod / USB adapter Included 16-Bit DAC 
 2-line LCD Display
 IMPRINT Ready with PXA-H100
 Parrot Bluetooth Ready with KCE-400BT
 AUX input (requires KCA-121B)
 Quick Search
 Ai-NET
 4 Illumination Colours Selectable (blue/green/red/amber)
 Steering Wheel Remote Control Ready 

Vehicle Display Interface Ready 

3 PreOuts 

2 PreIns for PXA-H100

Remote Control Ready



### **iPhone** ■ Made for ● iPod






# Plays Music From USB Sticks

You can easily play back music from your USB sticks. The head unit automatically picks out the music files from the data on the stick, and provides convenient file and folder





# USB Connection for iPhone and iPod

The CDA-105Ri lets you use an iPhone or iPod in your car via USB connection. Quick Search and Percentage Search make it easy to search functions so you can find songs quickly and easily.

# Parrot Bluetooth Ready

Readv These head units can be used with the KCE-400BT (page 9) to give you hands-free calling from Bluetooth-enabled mobile phones, full phonebook access and A2DP AV streaming. Parrot software updates provide support for future phones.





## Hide It Away

Connect the supplied USB cable on the back of the unit and run it into the glove compartment or other convenient location for connecting a USB stick.

# **KTP-445 HEAD UNIT POWER PACK**

This compact upgrade instantly boosts the power of your system. Easy to install with no additional wiring, it fits neatly behind your head unit.



4 X 100W MAX



• 4 x 100W MAX • Works with all 2005 - present Alpine head units • Plug & Play installation (no additional wiring required) . Compact size (fits easily inside dashboard of most vehicles) . Can also be used in PXA-H100 systems Available in Summer 2009.

Bluetooth

# **PDX Series Amplifiers**

Get the best, most accurate, clearest sound out of your sound system with our high-quality, ultra-compact PDX amplifiers (page 24).



Designed especially for high-quality playback of a wide variety of music sources.


# CDA-9886R CD RECEIVER / USB AND iPod CONTROLLER

4 x 50W High Power Amp 
 CD-R/-RWMP3/AACMMA Playback
 USB sticks
 Full Speed connection for iPod 4th-5th Gen.
 Pod nano 1st-4th Gen. iPod mini, iPod classic, iPod touch 1st-2nd Gen.
 Connection of iPod nano 4th Gen. and iPod touch 2nd Gen. requires 
 additional KCX-422TR
 - 2.0m USB Cable Included
 24-Bit DAC
 Biolaite
 Display
 IMPRINT Ready with PXA-H100
 - Auto Volume
 - Parrot Bluetooth
 Ready with KCE-400BT
 - Full Speed AUX input
 Ouck Search
 - Ainter
 Control Ready
 Vehicle
 Display
 Interface
 Ready
 Steining
 Wheel Remote
 Control Ready
 Vehicle
 Display
 Interface
 Ready
 - 3
 PreDust
 /
 Vehicle
 Display
 Interface
 Ready
 - 3
 Previsit
 /
 Vehicle
 Display
 Interface
 Ready
 - 4
 Previsit
 /
 Vehicle
 Display
 Interface
 Ready
 Steering
 /
 Previsit
 /
 Pr

# **Discover Sonic Perfection**

The CDA-105Ri, iXA-W404R, iXA-W407BT, IVA-W502R, IVA-W505R, iDA-X305 and iDA-X303 and CDA-9886R are all IMPRINT Ready. Add the PXA-H100 and its IMPRINT Sound processing technologies will automatically tune the sound in your car's interior to competition-level quality. If you prefer handson tuning, you can use the built-in BassEngine Pro features, including MediaXpander, 5-Band Parametric EQ or 7-Band Graphic EQ, 3-Way/2-Way Crossover, 6-Channel Digital Time Correction, and Subwoofer Phase Selector.







# PXA-H100



Works with all IMPRINT Ready Head Units
 Audyssey MultEQ Sound Optimisation
 42-Bit DAC
 MediaXpander
 BassEngine
 Pro features for self tuning
 3 PreOuts
 (4 volt)
 • 7-band graphic
 Cu
 5-band
 parametric
 EQ
 3-way/
 2-way
 crossover
 6-channel digital time correction
 Subwoofer phase selector
 Ai-NET
 IMPRINT sound calibration requires
 KTX-H100
 – Ask your dealer for more information

A built-in IMPRINT Sound Processor heads the list of many great features packed into this high-performance CD Receiver.



CDA-9887R

IMPRINT CD RECEIVER / iPod CONTROLLER



• 4 x 60W High Power Amp • CD-R/-RW/MP3/AAC/WMA Playback • Audyssey MultEO Built in • Full Speed connection for IPod 4th-5th Gen. IPod nano 1st-4th Gen. IPod mini, IPod classic, IPod touch 1st-2nd Gen. • Connection of IPod nano 4th Gen. and IPod touch 2nd Gen. requires additional KCX-422TR • 24-Bt DAC • BioLite Display • Parrot Bluetooth Ready with KCE-4008T • Full Speed AUX input • Quick Search • Ai-NET • 4 illumination colours selectable • Steering Wheel Remote Control Ready • Vehicle Display Interface Ready • 3 Pre-Outs (4 volt) • Remote Control Included • IMPRINT sound calibration requires KXX-100EQ - Ask your dealer for more information



# Built-in Bluetooth® Capability

These CD Receivers have built-in Parrot Bluetooth capability and work with both iPhone and iPod. A front USB port and AUX input allow convenient playback of additional music sources.





# CDE-104BTi

USB AND iPod CONTROLLER



4 x 50W High Power Amp 
 Built-in Parrot Bluetooth module 
 CD-R/-RW/
MP3/AACWMA Playback 
 Front USB port for USB sticks 
 Works with iPhone
 Full Speed connection for iPhone, iPod 5th Gen. iPod nano 1st-4th Gen.
 iPod classic, iPod touch 1st-2nd Gen. 
 Full Speed Connection Cable Included
 Front AUX input (3.5mm mini jack) 
 White LCD Display 
 Quick Search
 Steering Wheel Remote Control Ready 
 2 PreOuts
 Microphone Included



BLUETOOTH CD RECEIVER / USB AND iPod CONTROLLER



 4 x 50W High Power Amp • Built-in Parrot Bluetooth module • CD-R/-RW/MP3/ AAC/MMA Playback • Front USB port for USB sticks • Works with Phone • Full Speed connection for iPhone, iPod 5th Gen. iPod nano 1st-4th Gen. iPod classic, iPod touch 1st-2nd Gen. (Requires KCE-433W) • Front AUX input (3.5mm mini jack) • White LCD Display • Quick Search • 4 illumination colours selectable (blue/green/red/amber) • Steering Wheel Remote Control Ready • 2 PreOuts • Microphone Included

⊁ Bluetooth

Parrot

move wireless



# **Built-in Parrot Bluetooth**

Featuring Parrot Bluetooth capability, these CD Receivers give you hands-free operation of your Bluetooth-enabled mobile phone with full phonebook access. A noise cancellation function ensures that calls are heard clearly. Parrot software updates provide support for future phones.



## Front USB Port and AUX Input

Expand your listening choices by plugging your USB sticks into the front panel USB port. There's also a 3.5mm mini jack for MP3 players.







# Works With iPhone

Full Speed connection gives you access to music on your iPhone, or to your iPod files. Just plug it in and enjoy super-convenient control right from the head unit.



# Quick Search

Here's the best way to find your music fast. The rotary knob and Quick Search feature let you easily and quickly browse through your iPod music by playlist, artist, album, song, genre, podcast, audiobook or composer.



These Parrot Bluetooth Ready head units also let you enjoy your iPod or iPhone in the car with Full Speed connection.

# CDE-102Ri

CD RECEIVER / USB AND iPod CONTROLLER



iPod iPhone

 4 x 50W High Power Amp
 Parrot Bluetooth Ready with KCE-400BT CD-R/-RW/MP3/AAC/WMA Playback 
 Front USB port for USB sticks · Works with iPhone · Full Speed connection for iPhone, iPod 5th Gen. iPod nano 1st-4th Gen. iPod classic, iPod touch 1st-2nd Gen. • Full Speed Connection Cable Included . Front AUX input (3.5mm mini jack) . White LCD Display . Quick Search . Steering Wheel Remote Control Ready 2 PreOuts





• 4 x 50W High Power Amp • Parrot Bluetooth Ready with KCE-400BT • CD-R/-RW/MP3 Playback • Front USB port for USB sticks • Works with iPhone • Full Speed connection for iPhone, iPod 5th Gen. iPod nano 1st-4th Gen. iPod classic, iPod touch 1st-2nd Gen. (Requires KCE-433IV) • White LCD Display • AUX input (requires KCE-237B) Quick Search
 Steering Wheel Remote Control Ready
 1 PreOut

USB



Bluetooth

🛜 Ready

• 4 x 50W High Power Amp • Parrot Bluetooth Ready with KCE-400BT • CD-R/-RW/MP3 Playback • Front USB port for USB sticks • Works with iPhone • Full Speed connection for iPhone, iPod 5th Gen. iPod nano 1st-4th Gen. iPod classic, iPod touch 1st-2nd Gen. (Requires KCE-433iV) • White LCD Display • AUX input (requires KCE-237B) Quick Search • Steering Wheel Remote Control Ready • 1 PreOut

BI Front USB

The perfect solution for those who want to upgrade their factory system and get top-quality Alpine sound and control in a 2-DIN space.

# CDF-W203Ri

2-DIN CD RECEIVER / USB AND iPod CONTROLLER



B Front

• 4 x 50W High Power Amp • Parrot Bluetooth Ready with KCE-400BT • CD-R/-RW/MP3/AAC/WMA Plavback • Front USB port for USB sticks • Works with iPhone • Full Speed connection for iPhone, iPod 5th Gen. iPod nano 1st-4th Gen. iPod classic, iPod touch 1st-2nd Gen. • Full Speed Connection Cable Included • Front AUX input (3.5mm mini iack) • White LCD Display • Quick Search • Steering Wheel Remote Control Ready • 1 PreOut • Remote Control Ready







PARROT BLUETOOTH MODULE Works with Parrot Bluetooth Ready products
 Built-in Parrot Bluetooth module
 Compatible with a wide range of Bluetooth enabled phones
 Updateable to support future mobile

iPod Pod iPhone

Parrot 🚯 Bluetooth

phone models\* • HFP Hands-free Profile • A2DP Data streaming and AVRCP Device Operation Ready • Phonebook download • Voice dial • Auto-answer function • Call history • Included microphone • iPod Pass Through

Future Bluetooth firmware updates (for phone compatibility) will be available for the KCE-400BT. With the following Alpine products the Bluetooth Module KCE-400BT can be updated: IXA-W404R, IDA-X305/303/301/301RR, CDE-W203Ri, CDA-105Ri, CDE-102Ri and CDE-101R/RM. For information on updating your Bluetooth firmware, please visit your local Alpine website or choose you country from the Alpine Europe top page (http://www.alpine-europe.com). For products not listed above, please contact your local official Alpine dealer or Alpine support for your country.

This handy add-on is designed for our Parrot Bluetooth Ready products (from 2007-2009), allowing full operation of Bluetooth-enabled mobile phones. Since it's Parrot Bluetooth, it provides widest phone compatibility and software updates that ensure future compatibility. Phonebook downloading is fast, giving you immediate access to all your phone numbers. What's more, you can enjoy streaming audio from your phone with high sound quality.

# Performance and Quality You Can Trust

This classic head unit features DVD playback and iPod control.



# DVA-9861Ri DVD RECEIVER / iPod CONTROLLER

DVD Cable for iPod iPod Included

 4 x 50W High Power Amp
 DVD±R/±RW/CD-R/-RW/WMA/MP3 Playback • Full Speed connection for iPod 4th-5th Gen. iPod nano 1st-4th Gen. iPod classic iPod touch 1st-2nd Gen . Connection of iPod nano 4th Gen and iPod touch 2nd Gen, requires additional KCX-422TR • Full Speed Connection Cable Included • 24-bit DAC • Quick Search • Dolby Digital and DTS Playback • 2 illumination colours selectable (blue/red) • MediaXpander • 3 PreOuts (4 volt) • Steering Wheel Remote Control Ready • Vehicle Display Interface 

Two CD Receivers with proven quality and reliability.



 Parrot Bluetooth Beady with KCF-400BT • 2.0m USB Cable Included • Full Speed AUX input • Quick Search • 2 illumination colours selectable (blue/red) • 3 PreOuts • Steering Wheel Remote Control Ready • Remote Control Ready





# CDE-9880R CD RECEIVER / USB AND iPod CONTROLLER

• 4 x 50W High Power Amp • CD-R/-RW/MP3/AAC/WMA Playback USB connection for USB sticks • Full Speed connection for iPod 4th-5th Gen. iPod nano 1st-4th Gen. iPod classic, iPod touch 1st-2nd Gen. · Connection of iPod nano 4th Gen, and iPod touch 2nd Gen, requires additional KCX-422TB • 2-line I CD Display • Parrot Bluetooth Ready with KCE-400BT • 2.0m USB Cable Included • Full Speed AUX input • Quick Search • 2 illumination colours selectable (green/amaber) • 3 PreOuts • Steering Wheel Remote Control Ready • Remote Control Ready



Steering Wheel Remote Control Ready

Alpine is a leader in integrating our products with your original factory system, especially for steering wheel remote controls. We offer a wide and continually growing range of interfaces for many car models. Ask your dealer for details.



# Vehicle Display Interface Ready

Install an Alpine head unit and still retain the functionality of your vehicle display. Alpine interfaces let you see song names and other information from an iPod, as well as phone information and much more. Ask your dealer for details.

Alpine offers a wide variety of add-on components and products to give you even more features, functions and convenience.



## CHA-S634 6-DISC CD / MP3 CHANGER

Ai-NET Control • Mounting Angle 0°-90° • Anti-shock system • MP3 Playback • High speed disc changing mechanism
 Compact design

# Connection Cables for iPod

Head Unit Model Overview

### iPod ксе-422і iPod ксе-433iV KCE-USB3 FULL SPEED CONNECTION USB CONNECTION FULL SPEED CONNECTION CABLE FOR iPod CABLE FOR iPod CABLE · For connecting an iPod to CDA-9887R, · For connecting an iPod or iPhone to · 2 meter USB connection cable, includes CDE-103BT and CDE-101R/RM • Required CDE-9880R, IVA-W205R and IVA-W202R flush mount adapter and standard mount to use iPod with KCE-400BT Required for following iPod models KCE-400BT Connection Overview iPod touch These illustrations show how to connect your head unit. 2nd generation Bluetooth Module and mobile phone cradle. The connection 8GB 16GB 32GB cables to the head unit are included. The KCE-433iV Full Speed cable is required for connecting an iPod, but is iPod nano . 4th generation (video) included with many models. ■ Made for ● iPod 8GB 16GB KCX-422TR CHARGING CONVERTER FOR IPOd Connection cable KCE-433iV · Required to connect (and charge) iPod nano 4th Gen. and iPod touch 2nd Gen. to CDA-9887R, CDE-W203Ri, (included with CDE-102Ri. CDE-101R, CDA-9886R, CDE-9882Ri/RSi, CDE-9880R, DVA-9861Ri, IVA-D106R, IVA-W205R and IVA-W202R KCE-400BT) iDA-X301/RR Not required with KCE-400BT Connection cable Interconnection KCF-433iV CDA-9887B CDA-9886B cable (included (included with (KCE-422i can not be used) CDE-9882Ri/RSi, CDE-9880R, with KCE-400BT) KCE-400BT) CHARGING CONVERTER for iPod nano 4th Gen. and iPod touch 2nd Gen. It plugs in IVA-W205R, IVA-W202R conveniently between the connection cable and the iPod (not needed with KCE-400BT).

Find more information at www.alpine-europe.com

= Feature Ready

AAC USB Remote ))(( Bluetooth VEHICLE DISPLAY INTERFACE iPhone MI-NET 24 bit iPod Ret Nodewa Power Pack READY MP3 READY READY CDA-9887R 4 x 60W 0 0 0 0 0 0 0 built-in  $\bigcirc$ 3 PreOuts (4V) 4 x 50W CDA-9886R 0 0 0 0  $\bigcirc$ 0 0  $\bigcirc$  $\bigcirc$  $\bigcirc$ 3 PreOuts (4V) 4 x 50W CDA-105Ri 0 0 0  $\bigcirc$  $\bigcirc$  $\bigcirc$  $\bigcirc$  $\bigcirc$  $\bigcirc$ 3 PreOuts (2V) 4 x 50W CDE-104BTi 0 0 built-in 0  $\bigcirc$ 2 PreOuts (2V) 4 x 50W CDE-103BT 0 0 0 0 built-in  $\bigcirc$  $\bigcirc$ 2 PreOuts (2V) 4 x 50W 3 PreOuts (2V) CDE-9882Ri/-RSi 0 0 4 x 50W CDE-9880R 0  $\bigcirc$ O  $\bigcirc$  $\bigcirc$ 3 PreOuts (2V) 4 x 50W 2 PreOuts (2V) CDE-102Ri  $\bigcirc$  $\bigcirc$ 0 4 x 50W 1 PreOut (2V) CDE-W203Ri  $\bigcirc$  $\bigcirc$  $\bigcirc$  $\bigcirc$ 4 x 50W 1 PreOut (2V) CDE-101R/RM MP3 0  $\bigcirc$ 4 x 50W 3 PreOut (4V) DVA-9861Ri 0 0 0 0 0 0 0 See Chart on See Chart on page 31 KCE-400BT Ask your dealer KTP-445 Ask your dealer PXA-H100 Required Accessory page 31

# ксе-236В

FULL SPEED TO MINI-JACK ADAPTER

 For connecting a portable MP3 player or similar to CDA-9887R, CDA-9886R, CDE-9882Ri/RSi, CDE-9880R, DVA-9861Ri, IVA-D106R, IVA-W505R/-W502R and IVA-W205R/-W202R

# ксе-237В

FULL SPEED TO MINI-JACK ADAPTER

• For connecting a portable MP3 player or similar to CDA-105Ri, CDE-104BTi, CDE-103BT, CDE-102Ri, CDE-101R/RM and CDE-W203Ri

# Widescreen Enjoyment

You'll love watching videos on this 7" high-resolution display, which also gives you a clear view of menus, customisable information and album art. This 2DIN marvel is IMPRINT and Parrot Bluetooth Ready, and has two AUX inputs for system building.



# New User Interface with Scrollview

Alpine's newest and coolest interface with Scrollview is simple and fun to use: you just move and tap your finger to view menus and make selections. The large 7" high-resolution display makes finding songs and videos extremely



easy. Naturally, you can view album artwork also. And when





# ixa-W407B DIGITAL MEDIA STATION ■ Made for ● iPod USB Cable ⊁ Bluetooth

Five wr 1112510

• 4 x 50W High Power Amp • Works with iPhone USB connection fo iPod (iPod 5th Gen. iPod nano 1st-4th Gen. iPod classic, iPod touch 1st-2nd Gen.) or USB sticks • iPod / USB adapter + 2.0m USB Cable Included • 7 high resolution touch screen • Quick Search with alphabet search • Album artwork display • iPod video playback • Dual Zone Entertainment • Multi Information Display • Built-in Parrot Bluetooth • Navigation Touch Control • Direct camera port (for HCE-C107D) • Standard RCA camera input IMPRINT Ready with PXA-H100
 2.0m USB Cable Included
 24-Bit DAC 3 PreOuts
 2 PreIns for PXA-H100
 2 AV inputs
 MP3/AAC/WMA Playback • AI-NET • KTP-445 Power Pack Ready • Steering Wheel Remote Control Ready CD Mechanism-less design

....

USB

A 0 6 1

# **Fast Music Access**

The touch control interface makes it easy to find desired songs and videos. Just touch the screen to view content and make selections. Alphabet Search lets you jump to the first letter of your desired artist, album or song.



you use the KCE-635UB, you get Direct Touch control.

# **Play iPod Videos**

The iXA-W407BT will also play the video files on your iPod or iPod touch. Simply select Movies, Video Podcasts or TV Shows from the video list, the same way you select songs.



Best of all, you'll get super-sharp resolution and gorgeous colours on the 7" high-resolution display.

**Discover Sonic Perfection** The iXA-W407BT is IMPRINT Ready. Connect the PXA-H100 and its IMPRINT Sound processing technologies will automatically



tune the sound output for extraordinarily good imaging and clarity. For hands-on tuning, use the BassEngine Pro features, including MediaXpander, 5-Band Parametric EQ or 7-Band Graphic EQ. Time Correction and more.

# ⊁ Bluetooth°

# Parrot move wireless

# **Built-in Parrot Bluetooth**

The iXA-W407BT is ready to link up with many Bluetooth-enabled phones, giving you the convenience of hands-free operation. You get full phonebook access, on-screen display of user names, and easy touch-screen control. Parrot software updates provide support for future phones.

# **Dual Zone Entertainment**

Dual zone functionality keeps everyone in the car happy. With a rear seat monitor and headphones, the youngsters in the back can watch a movie, while at the same time you and a front seat passenger can enjoy your favourite music.

# Multi-Information Display

This super-convenient display lets you choose the information you want to see and how you want to see it.









# HCE-C107D DIRECT CONNECTION REVERSING CAMERA

Easy plug & play reversing camera • Compatible with iXA-W404R and iXA-W407BT • High image quality • 11 meter cable included • Non black box design • Day and night mode • Camera dimensions: W 23,3mm x H 23,4mm x D 22,6mm • Angle of field: horizontal 138°, vertical 105° • Automatic imaging function: metering and white balance adjustment • Mirror image (NTSC)

This tiny unit is easy to mount and install; it has no extra black box, just a cable that plugs directly into the back of the head unit. The picture is extremely bright and clear, so you always know what is behind you, for easier manoeuvring and greater safety. An 11-meter cable is included.

# KCE-635UB ADVANCED USB VIDEO INTERFACE

Works with any monitor, Digital Media Station and Mobile Media Station with A/V input • Compatible with USB media sticks and selected portable HDD • Easy to use user interface • Direct Touch Control Ready • Wireless remote control included • MPEG-1/2/4, Windows Media, DivX4/5 and AVI. format compatible • MP3 and AAC audio playback • Picture viewer

Here's a great way to upgrade any monitor or legacy Mobile Media Station (with Video AUX input). It lets you play music on USB sticks and portable HDD units, and provides a cool-looking, easy-to-use interface. You can also watch movies in MPEG-1/2/4, Windows Media,

DivX4/5 and AVI. What's more, it's got a built-in MP3 player with album art and a Picture Viewer. When used with the iXA-W404R or iXA-W407BT, you enjoy Direct Touch control.





# NVE-M300P NAVIGATION MODULE

Navigation module for Alpine Mobile Media Stations, Digital Media Stations and on-dash displays • Touch Control Ready • Excellent map coverage especially for eastern European countries\* • Includes one free map update after purchase of NVE-M300P • 2D and real 3D map display with hundreds of 3D landmark icons • User Interface with consistent structure • Lane guidance display • Personal POI (Point Of Interest) import • Built-in TMC tuner with wide European coverage\* • 7 digit UK postcode search \* For detailed information, visit: www.alpine-europe.com

This advanced navigation module with acceleration sensor offers high accuracy and many convenient functions. And because it doesn't require speed pulse I/F or reverse gear, installation is extremely easy.



# Powerful Map Software

Alpine's navigation software provides the widest, most detailed map coverage. It lets you import personal POIs and offers a text-to-speech function.





# Rothe Erde Werselen Frei Frei Frei Achen Wurselen, Autobahnkreuz Aachen

## Map Coverage

This software provides greatly extended map coverage, especially for Turkey, Greece and Eastern European countries.

### 3D View

The 3D display mode gives you hundreds of icons showing easily identifiable landmarks for better orientation. You can confirm your location at a glance.

### Lane Guidance

With this convenient feature, you not only know the next turn, but also which lane you should be in. You're never in danger of speeding past an exit.







# **Continuously High Accuracy**

Other navigation systems lose accuracy in tunnels and in big cities where the GPS signal is obstructed. Alpine uses an acceleration sensor and other technologies to ensure continuously high navigation accuracy.

### Improved User Interface

Alpine's new interface is so simple to use, you don't need to read the manual. Consistent menus and icon positions make operation much faster.

## Map Display

The map display is easy to read and full of information, including on-screen controls such as scrolling. You can also customise it, for example, choosing whether to see the distance or the time to the destination.

# **Direct Docking: Unique** Navigation Solution

Dock a Blackbird portable navigation unit for better vehicle integration without losing the convenience of portability.



# IVA-W50 2-DIN MOBILE MEDIA STATION Cable for iPod Included ■ Made for ● iPod

• 4 x 50W High Power Amp • 7" WVGA Touch Screen display • DVD+R/+RW/MP3/AAC/WMA/ DivX Playback • Built-in Blackbird PMD-B200P dock • USB connection for iPod (iPod 5th Gen. iPod classic, iPod touch 1st-2nd Gen. iPod nano 1st-4th Gen.) and USB sticks • iPod video content playback and album artwork display . Full Speed connection for iPod 4th-5th Gen. iPod nano 1st-4th Gen. iPod mini, iPod classic, iPod touch 1st-2nd Gen. . Connection of iPod nano 4th Gen. and iPod touch 2nd Gen, requires additional KCX-422TB • IMPRINT Ready • 2.0m USB Cable Included 24-Bit DAC • Parrot Bluetooth Ready with KCE-400BT • LLC Visual Enhancement system • Full Speed AUX Input • Quick Search • Ai-NET • 3 PreOuts • 2 PreIns for PXA-H100 • Remote Control Ready • 1 AUX input / 1 AUX output • Camera input • DVD-Audio 2ch down-mix • Steering Wheel Remote Control Ready • Vehicle Display Interface Ready • Optical Digital Output with KWE-610A



Bluetooth

## The Easy Way to Add Navigation

The IVA-W505R has a built-in dock for the PMD-B200P portable navigation unit. This gives you the benefits of easy touchscreen control, better map visibility on the large display and clear navigation voice guidance from your car speakers. You can also connect a Bluetooth-enabled phone.



Standard display

With Visual Enhancement

# Large, High-Resolution Display

Delivering WVGA resolution for stunning clarity and vivid colour, this is the best display Alpine has ever offered. Visual Enhancement technology provides a clear picture even in very dark or bright scenes.

## Parrot Bluetooth Ready

Readv The IVA-W505R can be used with the KCE-400BT to give you hands-free calling from Bluetooth-enabled mobile phones, full phonebook access and A2DP AV streaming.



### Play Your iPod Music and Movies

Bring your iPod along for the ride and enjoy your portable music collection on the road with the full clarity and power of your audio system. What's more, you can play your iPod movies and watch them in brilliant full colour on the high-resolution display.





### **Discover Sonic Perfection**

The IVA-W505R is IMPRINT Ready, so you can add the PXA-H100 and its IMPRINT Sound processing technologies will automatically tune the sound in your car's interior to competition-level quality. For hands-on tuning, use the BassEngine Pro features, including MediaXpander, 5-Band Parametric EQ or 7-Band Graphic EQ, 3-Way/2-Way Crossover, 6-Channel Digital Time Correction, and Subwoofer Phase Selector.

# Two Display Modes

Press the Style button to switch between two display modes. The Basic mode shows general information about the song and the album artwork. The Pro mode also shows the next five songs; if you want to skip ahead, just touch the song you want to hear.



# **blachbird** Portable navigation with instant in-dash integration for enhanced performance.



# 😵 Bluetooth°

# PMD-B200F

# PORTABLE NAVIGATION SYSTEM (SOFTWARE VERSION 2.0)

• 4" Wide Touch Screen Display • Direct Docking with IVA-W505R and IVA-W205R • Software version 2.0 • Built-in Bluetooth module for hands-free mobile phone operation • Drastically increased map coverage especially for eastern European countries\* • 2D and real 3D map display with hundreds of 3D landmark icons • New User Interface with consistent structure • Lane guidance display • Personal POI (Point Of Interest) import • Built-in TMC tuner with wide European coverage\* • 7 digit UK postcode search • Card slot for SD cards \* For detailed information, visit: www.alpine-europe.com

# Navigation Software Version 2.0

Alpine's new navigation software provides the widest possible, most detailed map coverage. It also lets you import personal POIs.



## Extended Map Coverage

This software provides greatly extended map coverage, especially for Turkey, Greece and Eastern European countries.

### **3D View**

The 3D display mode gives you hundreds of icons showing easily identifiable landmarks for better orientation. You can confirm your location at a glance.

### Lane Guidance

With this convenient feature, you not only know the next turn, but also which lane you should be in. You're never in danger of speeding past an exit.



P Destination

St Maitsmedia

FIDI

### Map Display

The map display is easy to read and full of information, including on-screen controls such as scrolling. You can also customise it, for example, choosing whether to see the distance or the time to the destination.

Alpine's new interface is so simple to use, you

don't need to read the manual. Consistent menus

and icon positions make operation much faster.

Direct Blackbird Docking The IVA-W205R has a built-in dock

iPod

Improved User Interface



### **Connect Your Mobile Phone**

Route

Phone

/ Settings

The PMD-B200P is ready to link up with many Bluetooth-enabled phones, giving you the convenience of hands-free operation. You get full phonebook access, on-screen display of user names, and easy touch-screen control. Once you have paired and synchronised your mobile phone with Blackbird, you can place and receive calls in addition to many other convenient features

Popular 2-DIN choice with built-in dock and Full Speed connection for iPod.



that lets you insert the PMD-B200P to instantly gain the convenience of a powerful navigation system and a Bluetooth module for handsfree mobile phone use.

# 2-DIN MOBILE MEDIA STATION

• 6.5" QVGA PulseTouch Display • 4 x 50W High Power Amp • DVD±R/±RW/MP3/WMA Playback • 24-Bit DAC • Built-in PMD-B200P dock • Full Speed connection for iPod 4th-5th Gen, iPod nano 1st-4th Gen, iPod mini, iPod classic, iPod touch 1st-2nd Gen, • Connection of iPod nano 4th Gen. and iPod touch 2nd Gen. requires additional KCX-422TR • 1 AV Input / 1 AV Output • DVD-Audio 2ch down-mix • Quick Search • Processor Control Ready • Optical output • 3 PreOuts • Parrot Bluetooth Ready with KCE-400BT • Camera input • Remote Control Ready • Steering Wheel Remote Control Ready • Vehicle Display Interface Ready

# **Total Multimedia Solution**

The IVA-W502R makes it easy to enjoy all of your favourite media and serves as the control centre when you want to expand your system.



# Top-of-the-Line Navigation Upgrade

The NVE-N099P is one of the fastest DVD navigations sytems on the market. You get easy touch control from any Mobile Media Station and great features like a built-in TMC Tuner and Voice Guidance in 12 languages.



## **Tune Your Car with IMPRINT Sound**

These IMPRINT Ready models connect to the PXA-H100 for automatic, pro-quality sound tuning. For hands-on tuning, use the BassEngine Pro features, including MediaXpander, Digital Time Correction, and more.

.....

## Parrot Bluetooth Readv

Your Mobile Media Station can be used with the KCE-400BT to give you hands-free calling from Bluetooth-enabled mobile phones, full phonebook access and A2DP AV streaming. You

can get software updates for future phones.

ľ



# **Dock Your Blackbird Navigation Unit**

Once you have your Mobile Media Station, Alpine makes it easy to add navigation capability. Use the PMD-DOK2 to dock a Blackbird



portable navigation unit; it's quick and easy.



# IVA-D106 **1DIN MOBILE MEDIA STATION**

video plavback

• 4 x 50W High Power Amp • 7" QVGA Touch Screen display • DVD±R/±RW/ MP3/AAC/WMA/DivX Playback • Full Speed connection for iPod 4th-5th Gen, iPod nano 1st-4th Gen, iPod mini, iPod classic, iPod touch 1st-2nd Gen, • Connection of iPod nano 4th Gen, and iPod touch 2nd Gen, requires additional KCX-422TR iPod video content playback • IMPRINT Ready • 24-Bit DAC • Parrot Bluetooth Ready with KCE-400BT • Visual EQ • Full Speed AUX Input • Quick Search • Ai-NET • 3 PreOuts • 2 PreIns for PXA-H100 • Remote Control Ready • 1 AUX input / 1 AUX output • Rear camera input • Steering Wheel Remote Control Ready • Optional iPod Full Speed cable for iPod audio/video playback available: KCE-430iV • Optical Digital Output

iPod CABLE FOR IVA-D106R

To connect an iPod to an IVA-D106R, including







m

11

iPod CABLE FOR IVA-D106R To connect an iPod to an IVA-D106R when using KCE-400BT, including video playback



Large 7" Touch Screen Display makes it easy to control a full multimedia system.



• 4 x 50W High Power Amp • 7" WVGA Touch Screen display • DVD±R/±RW/MP3/AAC/WMA/DivX Playback • USB connection for iPod (iPod 5th Gen. iPod classic, iPod touch 1st-2nd Gen. iPod nano 1st-4th Gen.) and USB sticks . iPod video content playback and album artwork display . Full Speed connection for iPod 4th-5th Gen. iPod nano 1st-4th Gen, iPod mini, iPod classic, iPod touch 1st-2nd Gen, Connection of iPod nano 4th Gen, and iPod touch 2nd Gen, requires additional KCX-422TR • IMPRINT Ready • 2.0m USB Cable Included • 24-Bit DAC • Bluetooth Ready with Audio Streaming • LLC Visual Enhancement system • Full Speed AUX Input • Quick Search • Ai-NET • 3 PreOuts • 2 PreIns for PXA-H100 • Remote Control Ready • 1 AUX input / 1 AUX output Rear camera input 

 DVD-Audio 2ch down-mix
 Steering Wheel Remote

 with KWE-610A

# Expand the Capabilities of Your System with Full Control from Your Mobile Media Station

The Mobile Media Stations are designed to be the centre of an extensive entertainment and information system. Alpine offers numerous ways for you to expand your system, taking advantage of the large, high-clarity display and convenient Touch Screen operation.



With a 6.5" PulseTouch Display, this 2-DIN model gives you a clear view and easy media control, plus Full Speed connection for iPod.



# Digital Media Station / Mobile Media Station Overview

### 🔵 = Feature Ready = Cable Included AAC DVD Audio ))(( 24bit Remote VEHICLE DISPLAY INTERFACE iPod Vide Playback Bluetooth **USB** PLAYEACK PMD-B200F DOCK iPod Display 2CH down mix Power Pack READY MP3 READY READY iXA-W404R 4.3" WVGA Touch Scree 4 x 50W MAX 3 PreOuts (2V) No Drive $\bigcirc$ 0 $\bigcirc$ $\bigcirc$ iXA-W407BT 7" WVGA Touch Scree 4 x 50W MAX 3 PreOuts (2V) No Drive 0 Built In 0 0 0 0 0 $\bigcirc$ $\bigcirc$ $\bigcirc$ 7" WVGA Touch Scree 4 x 50W MAX 3 PreOuts (2V) IVA-W505R $\bigcirc$ $\bigcirc$ $\bigcirc$ 0 0 0 0 $\bigcirc$ $\bigcirc$ 7" WVGA Touch Scree 4 x 50W MAX 3 PreOuts (2V) IVA-W502R 0 0 $\bigcirc$ $\bigcirc$ $\bigcirc$ 0 0 $\bigcirc$ 7" QVGA Touch Scree 4 x 50W MAX 3 PreOuts (2V) IVA-D106R 0 0 0 0 $\bigcirc$ 0 0 6.5" QVGA Touch Screer 4 x 50W MAX 3 PreOuts (2V) IVA-W205R 0 0 $\bigcirc$ $\bigcirc$ 0 $\bigcirc$ 0 0 0 6.5" QVGA Touch Scree 4 x 50W MAX 3 PreOuts (2V) IVA-W202R •• 0 0 0 Ask you dealer Ask you dealer \*KCE-430i\ \*\*KCE-422 **Required Accessory** KCE-400BT KTP-445 PXA-H100 KCE-430iV

IVA-W202

2-DIN MOBILE MEDIA STATION

Ready • Steering Wheel Remote Control Ready • Vehicle Display Interface Ready

• 6.5" QVGA PulseTouch Display • 4 x 50W High Power Amp • DVD±R/±RW/MP3/WMA Playback • 24-Bit DAC • Full Speed connection for iPod 4th-5th Gen. iPod nano 1st-4th Gen. iPod mini, iPod classic, iPod touch 1st-2nd Gen. • Connection of iPod nano 4th Gen, and iPod touch 2nd Gen, requires additional KCX-422TR • 1 A/V Input / 1 A/V Output • DVD-Audio 2ch down-mix • Quick Search • Processor Control Ready • Optical output • 3 PreOuts • Parrot Bluetooth Ready with KCE-400BT • Camera input • Remote Control

■ Made for iPod

# Drive the Alpine Way

How can you make every trip easier and more enjoyable? With Alpine DVD Navigation, TV Tuners and Drive Assist Cameras.

# DVD CAR NAVI



The ultimate in high-performance DVD navigation. You'll appreciate the ultra-fast route calculation, the high accuracy, the comprehensive map coverage, the built-in TMC Tuner and the many useful functions.

# NVE-N099P

### **DVD CAR NAVIGATION SYSTEM**

WILL V-TRAFIC ITME ... I r a f j c Trafficmaster"

28 Western and Eastern European Countries covered on DVD\*
 4 Built-In TMC Tuner providing Advanced TMC Functions for 11 European Countries\*
 TMC Event List and Event Voice
 High Quality Voice Guidance in 12 Languages\*
 3D Motorway
Junction Guidance in 12 European Countries\*
 Lane Guidance in large Cities\*
 Compatible with PulseTouch Displays and Touch Screen Monitors
 Integrated Gyro Sensor
 Remote Control included
 For detail information, visit: www.alpine-europe.com

# NVD-Z005 SMART MAP PRO NAVIGATION SOFTWARE

# Fast and Accurate

Powerful navigation processor performs complex calculations in just seconds. No waiting, unrivaled accuracy – you're always given the best route.



## **3D View**

Shows the area ahead as if seen from an elevated position for easy understanding, and includes zooming for more details.



**3D Motorway Junction Guidance** Shows junctions in a 3D view, for easier motorway entrance and exit. Dual Display shows you two different views.



# Smart City Map

Distinguishes between types of streets and shows their names, making it much easier to see where you are and follow your route.



# Intersection Zoom

Shows a close-up of the upcoming intersection so you can drive with greater confidence.

# Comprehensive TMC Coverage

Get TMC throughout Western Europe, with Traffic Vision (alerting to conditions ahead), Highway Mode (upcoming restaurants, parking, etc.), and Dynamic Route Guidance (automatic route changes when TMC detects trouble).

## Large POI Database

Huge database includes hundreds of thousands of POIs (Points Of Interest) all over Europe – hotels, restaurants, sightseeing spots and much more.

## **3D Landmark Icons**

Alpine helps you recognise the on-screen navigation 'landscape' with 3D Landmark lcons for many major buildings and famous sights.

# **DVB** Digital Tuners



Alpine's DVB Digital TV Tuners deliver exceptionally clear picture quality and improved reception of high-quality digital TV broadcasts - and include convenient Auto Scan as well as Alpine DVD player and KCE-635UB controls. Trademark of the DVB Digital Video Broadcasting Project (1991-1996)



# TUE-T150DV MOBILE DIGITAL TV RECEIVER (DVB-T)

 Multi Language On Screen Display 
 Auto Search · EPG/Tele Text · 2 Ch Antenna Diversity System • Remote Control Included • 1 AV Input • S-Video Output • DVB ID Number 4314 • Remote Out cable • Built-in Alpine DVD player controls

# кае-205DV

ACTIVE DVB-T SCREEN ANTENNA SET

- Full VHF and UHF Reception (40-800MHz) Amplification +16dB
- . Two 5m cables with Angled F-Type Plugs



# TUE-T200DVB MOBILE DIGITAL TV RECEIVER (DVB-T)

**D**igital **V**ideo

**B**roadcasting

Multi Language On Screen Display 
 Auto Search

- EPG / Tele Text 2 Ch Antenna Diversity System Remote Control Included 
   2 x RCA Connectors
- for AV Input CI slot DVB ID Number 3610
- Built-in Alpine DVD player controls

KAE-210DV ACTIVE DVB-T ANTENNA SET

• Full VHF and UHF Reception (174-230MHz, 470-863MHz) • Low Noise Amplifier • 5m cable with F-Type Plugs • LED Power Indicator • GSM Filter

# Analogue TV Tuners

TUE-T252TX MOBILE STEREO-TV TUNER (PAL/SECAM) • Multi Language On Screen Display • Auto Memory • Tele Text • 4 Ch Antenna Diversity System • Remote Control Included • RCA Connectors for A/V Input • Antenna Included

# TUE-T112P MOBILE TV-TUNER (PAL)

• Auto Memory • 4 Ch Antenna Diversity System • Remote Control Included • Two RCA Connectors for A/V Input Headphones Output 
 Antenna Included

# Drive Assist Camera Systems

These extremely useful upgrades show you what you normally cannot see, in all directions, making it easier and safer to park, reverse and manoeuvre in narrow spaces. The screen images are clear and the systems are easy to install. This is a great way to make the most of the large Mobile Media Station display.



Rear View



Provides better visibility when coming out of 'blind'

alleys or around obstructed corners.



Lets you see right in front of your car to help in parallel parking and other situations.



HCE-C200R MULTI-VIEW REAR CAMERA SYSTEM

metering and white balance adjustment . Mirror image (NTSC)

Front Camera

HCE-C200F MULTI-VIEW FR EXTENSION KIT

• Requires HCE-C200R for operation • 3 viewing modes: corner view, top view, panorama view • Includes mounting • kit Camera dimensions: W 23,4mm x H

23,4mm x D 21,3mm • Angle of field: horizontal 185°, vertical 144° • Automatic

imaging function: metering and white balance adjustment • 16:9 positive image (NTSC)

MULTI-VIEW FRONT CAMERA

Alpine monitors.

# HCE-C105 REVERSING CAMERA

The small size makes it very easy to mount. The cable plugs directly into the back of the head unit. High picture quality and wide field of view for safer driving. Automatic imaging function: metering and white balance adjustment, Mirror image (NTSC), Camera dimensions: W 23,3mm x H 23,4mm x D 22,6mm, Black box dimensions: W 100mm x H 50mm x D 25mm, Angle of field: horizontal 138°, vertical 105°.



Top View

# **Big Screen Entertainment**

Headed by the widescreen PKG-2000P, Alpine's line of overhead and headrest monitors will keep rear seat passengers entertained with their favourite movies, videos and games.

and see a

With its own DVD player built in, this ultra-high resolution 10.2" Overhead Monitor gives you car theatre at its best.

10.2″



# PKG-2000P 10.2" WVGA OVERHEAD MONITOR WITH DVD PLAYER

10.2" WVGA Screen LCD Colour Monitor (1.15 million pixels) 

 Includes
 Single Source Wireless Headphone, Cable Harness and Installation Kit with
 Trim Ring • 1 A/V Output and 3 A/V Inputs (1 S-Video, 1 Game port in
 Monitor Enclosure) • DVD-R/-RW Compatible



17 Days

/////LPINE

e Deserters / The Deserters

Music

Video Playlists

My Jukebox

Shuffle Songs

Now Playing

Settings

٧

monete KCE-425

# Bring All Your DVDs to the Car

Play all your DVD entertainment in the car, and give your rear-seat passengers control, too – with this overhead monitor and built-in DVD player. This full-featured system is truly an all-in-one solution for rear-seat entertainment!

# Versatile Gameport Connection

Long journeys don't have to be boring. Alpine has many ways to entertain your passengers. The built-in Gameport lets you connect a game console, a video Game port

camera (for watching videos you just took), a portable DVD player, or even an iPod for watching iPod videos.

## **Enjoy Your iPod Movies**

The KCE-425i connects your iPod to a monitor or legacy Mobile Media Station, letting you enjoy all your iPod entertainment, including movies! It also gives you a great user interface that works similar to iPod, with the same convenience and ease of use. Control your iPod via IR remote control, touch screen or the DVD control keys of your Alpine overhead monitor.



# KCE-425i ADVANCED VIDEO INTERFACE FOR IPOD

Universal Interface for iPod • Support of audio and video playback
 Wulti-language Graphical User Interface • Album artwork display
 Touch Control Ready • S-Video and AV output • Included Remote
 Control • PAL / NTSC compatible



These slim-design overhead monitors feature large, high-resolution displays, come with a headphone set for private listening, and have convenient panel buttons that give your passengers full control.



# Rear Seat Monitors



# <u></u>в″ тме-**М86**С

8" WVGA HIGH QUALITY PULSETOUCH MONITOR

• 8" WVGA PulseTouch Display with GUI Interface

1 A/V Output and 3 A/V Inputs 
 NAVI RGB Input
 Headphone Output





TME-M710 6.5" WIDE SCREEN LCD MONITOR

• 6.5" Wide Screen LCD Colour Monitor • 2 AV Inputs • Built-In Speaker and Amplifier • Headphone Output • Navi RGB input



TME-M780 7" WIDE SCREEN MONITOR

 • 7" VGA LCD Colour Monitor • 3 A/V Inputs (1 A/V Output Selectable) • Installation Kit Included • Builtin IR Transmitter for Alpine Headphones TME-M780EM: Add-on Display without Black box for Dual Monitor Llograde



TME-M680 5.8" WIDE SCREEN MONITOR

 5.8" OVGA LCD Colour Monitor • 3 AV Inputs (1 AV Output Selectable) • Installation Kit Included • Built-in IR Transmitter for Alpine Headphones TME-M680EM: Add-on Display without Black box for Dual Monitor Upgrade

## Easy Upgrade with a Second Monitor

The black box that comes with the monitor has an output for a second monitor. Extra monitors (TME-M780EM/-M680EM) are available at reduced cost, making this an attractive option for upgrading.



Headphones



SHS-N100 SINGLE SOURCE MOBILE WIRELESS HEADPHONE Single channel IR heaphone to use with PKG-1000P/-2000P/-850P. sнs-**N252** 

IR HEADPHONE (2 SET) 2 IR headphones + transmitter, 2 AUX inputs, Ch 1-2 independently selectable.

# SHS-N205 DUAL SOURCE MOBILE

WIRELESS HEADPHONE Dual source fold-flat wireless headphone.









Optional product: 6 disc DVD changer magazine KAE-158C



Stand Alone • DVD-H/-HW Playback • video Output • 2-channel down-mix Preof
 Diby Digital and DTS compatible • Remote Control included • Optical output



alone operation • 24-Bit DAC • DVD-Audio 2-channel down-mix • Dolby Digital and DTS compatible • Remote control included • Touch Control Ready • Optical output

# Ultimate Upgrade Tool

VehicleHub Pro is an amazingly versatile and convenient way to upgrade your factory system. It lets you add the components you want, and gives you a supremely easy way to control all of them.

ehicleHub Pro

Don't rip out your current system, upgrade it with exactly the components you want, including the latest AV media. Plus you get easy, comprehensive control.



# VPA-B222R

SOURCE

OVB-T

1Prin

CHING 01:23

FM/MW/LW MaxTune Tuner 
 Ai-NET Input 
 4 x 50W High Power Amplifier 
 1 Video
 Output and 2 AV Inputs 
 VPE-S431 Video Switcher/Expansion Module Input 
 NAVI
 RGB Input and NAVI Voice Mix 
 3 PreOuts 
 ORB: Dual illumination



# Fits Many Vehicles Alpine has multimedia interfaces that let you connect the VehicleHub Pro to a wide range of factory head units having a built-in video display.



# A Wealth of Upgrade Choices Awaits You

# Full System Control with the ORB Controller

Add all the navigation and entertainment sources you want, and don't worry about how you're going to control them. You can do it all with one hand using Alpine's exclusive, user-friendly ORB Controller.



VehicleHub Pro lets you decide what kind of system you want. Add navigation, rear seat entertainment with digital or analogue TV, and CD and/or DVD capability. Connect and control your iPod with the KCE-425i interface so you can hear your whole music library and watch videos. Boost sound output and quality with amps, speakers and subwoofers.

Want to add more sources to your system? Here's an affordable and highly flexible source manager that lets you connect virtually any source you want, and keep your system intact.



Select

Albums

Songs

MALPINE

Podcasts

Audiobooks

# VPA-B211P VEHICLEHUB



Ai-NET Input
 NAVI RGB Input and NAVI MIX
 1 A/V Output and 2 A/V Inputs
 Dedicated Rear View Camera Input with Automatic Switching Function
 VPE-S431 Video Switcher / Expansion
Module Input
 Included Remote Eye and Remote Control

The eX-10 is a great way to integrate your iPod into your system.

K-10 ADVANCED IPOd CONTROLLER

2.4" high-resolution TFT display • Full Speed connection for iPod 4th-5th Gen. iPod nano 1st-4th Gen. iPod mini, iPod classic, iPod touch 1st-2nd Gen. • Connection of iPod nano 4th Gen. and iPod touch 2nd Gen. requires additional KCX-422TR • Built-in high quality FM transmitter • Works with any car radio • Quick Search • 3 viewing modes for iPod playback • Album artwork display • Built-in Bluetooth module for hands-free phone operation
 Compatible with many Bluetooth enabled mobile phones • Caller's voice heard through vehicle speakers • Caller number display • Audio Streaming Ready • AUX output (mini-jack) • Included wireless remote control, wire harness, power adapters for cigarette lighter socket and microphone



# Works With Any Radio

The eX-10 uses a built-in, high quality FM transmitter to broadcast the iPod signal straight to your car radio. You enjoy great sound, along with a bright, full-colour display and convenient Quick Search.

Hands-Free Phone Operation Built-in Bluetooth capability gives

you wireless, hands-free operation of your Bluetooth-enabled phone, plus caller number display and streaming music.

# No matter how you want to improve and expand your factory system, Alpine has the answer: use your iPod and Bluetooth phone, add audio and video sources, improve the sound of your system, get the convenience of a drive assist camera, and more. We offer a large variety of custom-tailored solutions: Listen to your iPod and get hands-free calling with your Bluetooth mobile phone via your factory radio with the same Made for Pod superb controls as on your iPod. All you need is the eX-10 iPod Controller. Enjoy iPod video playback with convenient control via your Mercedes, Porsche or Rover factory display. Just use one of our Multi Media Interfaces with DVD Controls (i.e. APF-M211ME, -M211PO, -M211RO) and the KCE-425i video interface for iPod. • Bring your outdated BMW system into the 21st century with digital TV, DVD/MP3/AAC playback, and one of the market's most powerful navigation systems that gives you guidance commands and splash screens with intersection zoom in MP3 any mode, even while listening to radio via the factory system. Expand your system with the TUE-T150DV, DHA-S690, AAC NVE-N099P, KCE-211B and VPA-B211P. You are not too impressed with your multi-channel sound system? The PXE-H650 will sum up channels, clean the signal ))((( from all factory programmed equalisation, and overcome the acoustic limitations of the in-car environment with Alpine's IMPRINT technology.



 Tired of twisting your neck and still having difficulty manoeuvring in tight places? Add an Alpine HCE-C200R Rear Camera System, plus an HCE-C200F Front Camera for peeking around corners when pulling out of small alleys.

Time to Upgrade Your Factory System? Alpine Has All the Right Answers.

Advanced acoustic correction and precise signal processing that cancels out in-car distortions- restoring the sound and improving the performance of any factory audio system.





# PXE-H650

# SYSTEM INTEGRATION AUDIO PROCESSOR

Advanced factory audio system integration and tuning processor 
 High/Low level, Auto-Ranging & Auto-Summing input 
 24-Bit DAC 
 AntEQ sound correction 
 Audyssey MultEQ XT sound optimisation
 Time Correction, Phase Correction, Parametric EQ & HP/BP/LP/Subsonic filters

# All-in-one Solution

In the past, upgrading a factory radio to make a top-notch system required three devices: a level converter, a processor to cancel the factory settings, and another processor to make new settings. The PXE-H650 does all of those jobs AND vastly improves the sound quality, all at an inexpensive price.



# Connects to Any Factory Radio

Processing the factory radio signal requires conversion of the signal, a potentially complicated process. The PXE-H650 is capable of handling a wide range of input levels, from speaker level to preamps, allowing you to easily connect to any factory radio system.



# Calibration Kit

The core of Alpine's IMPRINT technology is Audyssey MultEQ, a sophisticated processing system that corrects the acoustical problems in the car that conventional processors can't fix, for professional sounding clarity and imaging.

## Awesome Result in Minutes

Even with its ultra-sophisticated technology, the PXE-H650 is remarkably easy to use. It perfectly tunes the sound in your car so it seems as if a professional spent days working on it, yet you can achieve this awesome sound in just minutes.



# Outstanding Power and Sound Quality

Building a powerful, high-quality sound system has never been easier. Alpine has amplifier solutions for every car, providing huge power and outstanding sound.





## **Ideal Amp Solutions**

The high-performance PDX amplifiers are powerful, yet extremely compact and convenient. Installation is easy with all controls on the front panel, and the selectable filters on the mono amps allows flexible system configuration.

20cm

# switch-mode

26cm

### High Power With Amazing Efficiency

All of the PDX amps take advantage of Switch-Mode Digital Amplification technology for exceptional efficiency at all power levels. You can drive them at high power for as long as you want, they'll never overheat.



# Large-size Terminals

These amps are designed and built to deliver massive amounts of power. The large-size terminals can accept the largest power supply and speaker cables. They are also gold-plated, for stable power and signal flow with minimal losses.



### Get More Power and Save Space

7cm

The PDX amplifiers feature a smart, unique stacking design, allowing them to be stacked vertically on top of one another, saving space in your car.

	PDX-1.1000	PDX-1.600	PDX-5	PDX-4.150	PDX-4.100	PDX-2.150
Output Channels	Mono	Mono	5 Channels	4 Channels	4 Channels	2 Channels
Max Power Output [@14.4V]	1 x 2200W	1 x 1500W	1200W (2/4Ω)	1200W	800W	440W
RMS Power Output [@14.4V 1%THD]	1 x 1000W (2/4Ω)	1 x 600W (2/4Ω)	4 x 75W (4Ω) 1 x 300W (2Ω)	4 x 150W (2/4Ω) 2 x 300W (4Ω)	4 x 100W (2/4Ω) 2 x 200W (4Ω)	2 x 150W (2/4Ω) 1 x 300W (4Ω)
Amplification Circuit	Class-D	Class-D	Class-D	Class-D	Class-D	Class-D

Common Features: Input Gain adjustment 0,2V-4V (Mono amps 0,1V-8V), Selectable Variable Filters HP&LP, Mono amps provides Variable LP and Selectable Subsonic Filters



V-Power amps deliver all the power you want with low distortion and high efficiency. They come in a variety of configurations for every system need.





### Best Bass Performance

V-Power amps have a special Bass EQ function that boosts the bass frequencies and maximises the bass performance of your system.



# Clean, Efficent Power

Alpine's high-power mono amp Class-D design makes for far greater efficiency, giving you more power, cleaner signal and tighter, deeper bass.

## Easy Upgrade and Other Cool Features

Keep your factory system and step up to Alpine sound. The V-Power speaker level inputs connect directly to any factory radio, without the need for external converters. The advanced Thermal Management Processor provides thermal protection, keeping the amp cool and letting you play long.

\*Available in Summer 2009.

	MRP-M2000*	MRP-M1000	MRP-M500	MRP-M352	MRP-F600	MRP-F300
Output Channels	Mono	Mono	Mono	Mono	4 Channels	4 Channels
Max Power Output	TBA	1900W	1100W	700W	1320W	640W
RMS Power Output [@14.4V 1%THD]	1 x 2000W (2Ω) 1 x 1500W (4Ω)	1 x 1000W (2Ω) 1 x 600W (4Ω)	1 x 500W (2Ω) 1 x 300W (4Ω)	1 x 350W (2Ω) 1 x 200W (4Ω)	4 x 150W (2Ω) 4 x 100W (4Ω) 2 x 300W (4Ω)	4 x 75W (2Ω) 4 x 50W (4Ω) 2 x 150W (4Ω)
Amplification Circuit	Class-D	Class-D	Class-D	Class-D	Class-A/B	Class-A/B

Common Features: Input Gain adjustment 0,2V–4V, Bass EQ, Selectable Variable Filters HP&LP (Mono amps: LP only), Speaker Level input, Thermal Management Processor



These new amplifiers give you Alpine power performance at an amazing price. And they're designed to fit easily in virtually any system.



### High Power, Great Value

Both amps deliver high output power and exceptional performance for their class. A great way to expand your sound system on a limited budget.



## **Uniform Power Output**

The PMX amplifiers deliver extremely uniform, consistent power output at all frequencies.



High Efficiency The power circuit is highly efficient due to a high performance MOSFET and capacitor, plus a specially tuned toroidal transformer.

## Additional Features for Greater Flexibility

Speaker-level inputs allow direct connection to head units that do not have preamp outputs, for easy upgrading of any factory

system. Bass EQ lets you boost or cut bass to maximise bass performance. High pass and low pass filters are also provided for easier system configuration.







		PMX-T320	PMX-F640
Output Channels	S	2-channel Power Amplifier	4-channel Power Amplifier
Power (@14.4V 1%THD)	14.4V, 4Ω	2 x 50W (4Ω)	4 x 50W (4Ω)
	14.4V, 2Ω	2 x 75W (2Ω)	4 x 75W (2Ω)
	BTL	1 x 150W (bridged)	2 x 150W (bridged)
Max Power Out	out	320W	640W
	Filter	OFF/LP/HP Selectable	OFF/LP/HP Selectable
	LP	80Hz 18dB/oct	80Hz 18dB/oct
Function	HP	80Hz 18dB/oct	80Hz 18dB/oct
	Bass EQ	0dB/6dB/12dB Selectable	0dB/6dB/12dB Selectable

Common Features: Input Gain adjustment 0,2V–4V, Bass EQ, Selectable Filters HP&LP, Speaker Level input

# Superior Sound for Your Car



Alpine's top-of-the-line, highly accurate Type-X Pro Series speakers ensure that you hear all the subtle details in your music. They are designed with a total emphasis on sound quality, with cross-cut woofer cones, ring radiator tweeters and audiophile-grade networks.


# Type-X PRO Series

Alpine's top-of-the-line, highly accurate Type-X Series speakers and subwoofers make sure you hear every detail and nuance in your music, so you get the absolute best out of your system.



	Peak Power Handling	RMS Power Handling	Nominal Impedance	Frequency Response
SPX-17PR0 6-1/2" (16.5cm) COMPONENT 2-WAY SPEAKER	300W	100W	4Ω	35Hz-40kHz
SPX-13PRO 5-1/4" (13cm) COMPONENT 2-WAY SPEAKER	240W	80W	4Ω	45Hz-40kHz

Common Features • Cross-Cut Woofer Cone • Non-Resonant Suspension Coupling • 1.25" Ring Radiator Tweeter • Audiophile-Grade Network with compact design • Allows for hundreds of possible tuning settings • Bi-amping capability




# Type-X Reference Series

This series gives you Type-X quality in a more affordable system, with a reference woofer, ring dome tweeter and a reference-grade network for making detailed system settings.

	Peak Power Handling	RMS Power Handling	Nominal Impedance	Frequency Response
SPX-17REF 6-1/2" (16.5cm) COMPONENT 2-WAY SPEAKER	225W	75W	4Ω	40Hz-40kHz
SPX-13REF 5-1/4" (13cm) COMPONENT 2-WAY SPEAKER	180W	60W	4Ω	50Hz-40kHz

Common Features • Cross-Rib Aluminium Cone • High-grade Neodymium magnet • Ring Dome Tweeter • Reference-Grade Network with compact design • Allows for hundreds of possible tuning settings • Bi-amping capability





The Type-X Reference Series features powerful woofers with cross-rib aluminium cones, ring dome tweeters and reference-grade networks. The component speaker system allows flexible installation, but if there is not enough room for components, use the Tweeter Bridge to configure them as coaxials.

# Type-X Subwoofers

These top-of-the-line subwoofers deliver exceptionally powerful, yet tight and accurate bass. Their ultra-high performance and efficiency comes from an ultra-lightweight cone and large strontium magnet, and they include a unique venting system for better cooling. High-Amplitude Multi-Roll Surrounds handle the subs' long excursion and high SPL levels. Easy-Access Terminals simplify installation, and the concealed mount gaskets give a sleek, professional look.

### Recommended enclosure sizes for optimum bass output.

Туре-Х	Sealed Enclosure		Vented Enclosure	
Recommended Enclosure	Recommended	Recommended Volume	Round Port Dia. x L (cm)	Slot Port W x H x L (cm)
SWX-1243D	25,5 L	51,0 L	10,2 x 40,6	35 x 2,33 x 40,6
SWX-1043D	18,4 L	39,7 L	8,9 x 44,5	30 x 2,1 x 44,5

Find more information at www.alpine-europe.com

			RMS Power	Nominal	Frequency	Dimens	ion (mm)
			Handling Impedance	Impedance	Response	Α	В
SWX-1243D	12" (30cm) SUBWOOFER	3000W	1000W	4Ω+4Ω	24Hz-200Hz	276,7	219,2
SWX-1043D	10" (25cm) SUBWOOFER	3000W	1000W	4Ω+4Ω	26Hz-200Hz	230,8	217,5

Common Features • High-strength Kevlar-Rohacell Cone • Large Strontium magnet • High-Amplitude Multi-Roll Surround • Gold-plated Easy-Access Terminals for heavy-gauge speaker wires • Easy jumper configuration






Bold and dynamic, the powerful Type-R Series speakers and subwoofers are designed to play loud with remarkable accuracy and clarity.

# Type-R Component Series

Made to fit your car and your music, the Type-R Component speakers play loud and deep with big bass. Installation is easy and the high-grade crossover network functions as a sound tuning tool.

	Peak Power Handling	RMS Power Handling	Nominal Impedance	Frequency Response
SPR-17S 6-1/2" (16.5cm) COMPONENT 2-WAY SPEAKER	330W	110W	4Ω	65Hz-27kHz
SPR-13S 5-1/4" (13cm) COMPONENT 2-WAY SPEAKER	300W	100W	3.6Ω	70Hz-27kHz

Common Features • Fine-tuned multi-layer cone • Linear Drive motor structure • Mounting adapters • 1" swivel ring tweeter • Professional grade network with 7-step tweeter level adjustments






# Type-R Coaxial Series

Type-R Coaxial provides the same powerful, high-quality Type-R sound in an easy-to-install coaxial configuration. Get deep, powerful bass along with accurate high-frequency clarity.



	Peak Power Handling	RMS Power Handling	Nominal Impedance	Frequency Response
SPR-17C 6-1/2" (16.5cm) COAXIAL 2-WAY SPEAKER	300W	100W	4Ω	65Hz-27kHz
SPR-13C 5-1/4" (13cm) COAXIAL 2-WAY SPEAKER	270W	90W	3.6Ω	70Hz-27kHz
SPR-69C 6 x 9" (16x24cm) COAXIAL 2-WAY SPEAKER	300W	100W	4Ω	60Hz-27kHz



# Type-R Subwoofers


Advanced materials and design, along with efficient cooling technologies, give these subwoofers huge power handling capacity – for powerful, tight, accurate bass. Installation is clean and easy, thanks to the push terminals and concealed mount gasket.

Type-R	Sealed Enclosure Vented Encl			osure	
Recommended Enclosure	Recommended	Recommended Volume	Round Port Dia. x L (cm)	Slot Port W x H x L (cm)	
SWR-1542D/-1522D	49,6 L	82,2 L	12,7 x 58,4	45 x 2,81 x 58,4	
SWR-1242D/-1222D	24,1 L	48,2 L	10,2 x 45,7	35 x 2,33 x 45,7	
SWR-1042D/-1022D	18,4 L	36,8 L	10,2 x 55,9	30 x 2,72 x 55,9	

Find more information at www.alpine-europe.com

	Peak Power	RMS Power	Nominal	Frequency	Dimension (mm)	
	Handling	Handling	Impedance	Response	Α	В
SWR-1542D*/-1522D** 15" (38cm) SUBW00FER	2000W	750W	*4Ω+4Ω **2Ω+2Ω	*20Hz-400Hz **18Hz-400Hz	348,6	234
SWR-1242D*/-1222D** 12" (30cm) SUBWOOFER	1500W	500W	*4Ω+4Ω **2Ω+2Ω	*25Hz-500Hz **23Hz-500Hz	275	195,1
SWR-1042D*/-1022D** 10" (25cm) SUBWOOFER	1500W	500W	*4Ω+4Ω **2Ω+2Ω	*26Hz-600Hz **24Hz-600Hz	231	172,2





# Built to Handle High Power

The new Type-G Series of component and coaxial speakers are designed and built to handle high power levels.



ann Highlin

They also deliver good sound quality, due to a soft dome tweeter, square voice coil wire with Kapton bobbin and an audio tuned capacitor.





**Good Sound Quality** They deliver good sound quality, due to a soft dome

		Peak Power	RMS Power	Nominal	Frequency		Dimensio	n (mm)	
		Handling	Handling	Impedance	Response	Α	В	C	D
SPG-17CS	COMPONENT 2-WAY SPEAKER	280W	70W	4Ω	68Hz-20kHz	155,6	7,6	60,2	140,3
SPG-13CS	COMPONENT 2-WAY SPEAKER	250W	65W	4Ω	65Hz-20kHz	139,3	8,2	42,2	109,9
SPG-17C2	COAXIAL 2-WAY SPEAKER	240W	60W	4Ω	68Hz-20kHz	155,6	9,9	60,2	140,3
SPG-13C2	COAXIAL 2-WAY SPEAKER	200W	50W	4Ω	82Hz-20kHz	139,3	8,2	42,2	109,9
SPG-69C3	COAXIAL 3-WAY SPEAKER	350W	90W	4Ω	65Hz-19kHz	167 x 119	12,2	75,6	149,9
SPG-69C2	COAXIAL 2-WAY SPEAKER	300W	75W	4Ω	65Hz-18kHz	167 x 119	12,2	75,6	149,9
SPG-10C2	COAXIAL 2-WAY SPEAKER	180W	45W	4Ω	101Hz-20kHz	117,1	13,5	42,5	90,4

Frequency crossover network: possible to be separated into two parts All dimensions in mm



Type-S subwoofers deliver powerful, accurate bass and have a shallow design that allows installation even in difficult locations.

## Recommended enclosure sizes for optimum bass output.

Type-S	Sealed Enclosure		Vented Enclosure	;
Recommended Enclosure	Recommended	Recommended Volume	Round Port Dia. x L (cm)	Slot Port W x H x L (cm)
SWS-1243D/-1223D	35 L	55 L	10,2 x 30	35 x 2,33 x 30
SWS-1043D/-1023D	28 L	40 L	10,2 x 40	30 x 2,72 x 10

Find more information at www.alpine-europe.com

	Peak Power	RMS Power	Nominal Impedance	Frequency Response	Dimension (mm)			
	Handling	Handling	Nominal impedance	riequency nesponse	А	В		
SWS-1243D*/-1223D** 12" (30cm) SUBWOOFER	900W	300W	*4Ω+4Ω **2Ω+2Ω	27Hz-700Hz	289	127		
SWS-1043D*/-1023D** 10" (25cm) SUBW00FER	900W	300W	*4Ω+4Ω **2Ω+2Ω	31Hz-700Hz	244	110		



Common Features • Aluminium coated cone • Advanced airflow system • Stamped steel basket with leg vents for cooling • Push terminals • Concealed mount gasket • Shallow mounting depth

# **High Power Handling**

The new Type-G Series of component and coaxial speakers are designed and built to handle high nower levels

## Ease of Installation

Snap Fit tweeter, swivel mount, and flush install bracket make installation easy. The crossover network is small and can be separated into two parts to further reduce size and allow use of factory wiring.

tweeter, square voice coil wire with Kapton VC and an audio tuned capacitor.



Alpine's Type-E Series lineup gives you high quality, excellent performance and easy installation. Their affordable prices make them a great value, too.

# Type-E Speaker Series

Highly efficient, these speakers can be powered from the head unit, giving you excellent full-range performance – solid bass with crisp, clear highs. The extremely shallow design allows mounting in any vehicle, even those with narrow doors.



# Custom Fit Speaker Series

The Custom Fit line are a great value for upgrading your factory system. They provide easy, do-it-yourself installation, including a complete kit with adapters, and are designed to fit in a wide range of cars with minimal installation.



	Peak Power	RMS Power	Nominal	Frequency	Din	nension (mm	)
	Handling	Handling	Impedance	Response	A (Tweeter)	B (Tweeter)	C
SXE-2035S COAXIAL 3-WAY SPEAKER	280W	45W	4Ω	40Hz-20kHz	198,0	74	181,6
SXE-6925S COAXIAL 2-WAY SPEAKER	280W	45W	4Ω	40Hz-20kHz	166,5 x 117,5	79,5	150 x 219
SXE-5725S COAXIAL 2-WAY SPEAKER	200W	35W	4Ω	70Hz-20kHz	125,5 x 102,7	62	126 x 183
SXE-4625S COAXIAL 2-WAY SPEAKER	150W	20W	4Ω	90Hz-20kHz	129 x 72	37	85 x 142
SXE-1750S Component 2-way speaker	280W	45W	4Ω	60Hz-20kHz	165 (30)	46 (17,5)	139
SXE-1350S Component 2-way speaker	250W	40W	4Ω	60Hz-20kHz	129 (30)	48,5 (17,5)	114
SXE-1725S COAXIAL 2-WAY SPEAKER	220W	40W	4Ω	60Hz-20kHz	165	46	139
SXE-1325S COAXIAL 2-WAY SPEAKER	200W	35W	4Ω	70Hz-20kHz	129	48,5	114
SXE-1025S COAXIAL 2-WAY SPEAKER	180W	25W	4Ω	100Hz-20kHz	100	43	92
SXE-0825S COAXIAL 2-WAY SPEAKER	150W	20W	4Ω	120Hz-16kHz	87	35.5	72

# Type-E Subwoofers


Excellent bass performance plus high power handling and efficiency at a surprisingly affordable price.

## Recommended enclosure sizes for optimum bass output.

Туре-Е	Sealed Enclosure		Vented Enclosur	e
Recommended Enclosure	Recommended	Recommended Volume	Round Port Dia. x L (cm)	Slot Port W x H x L (cm)
SWE-1243E	27,8 L	40 L	8,9 x 20	35 x 1,78 x 20
SWE-1043E	16,9 L	26,9 L	7,0 x 24	30 x 1,28 x 24
SWE-843E	15,3 L	25 L	7,0 x 20	25 x 1,53 x 20

Find more information at www.alpine-europe.com

	Peak Power	RMS Power	Nominal	Frequency	Dimen	sion (mm)
	Handling	Handling	Impedance	Response	Α	В
SWE-1243E/-1243IB* 12" (30cm) SUBWOOFER	800W/650W*	250W/200W*	4Ω	28Hz-1kHz/35Hz-1kHz*	278	169/152*
SWE-1043E/-1043IB* 10" (25cm) SUBWOOFER	500W	150W	4Ω	33Hz-1kHz/38Hz-1kHz*	235	141/131*
SWE-843E 8" (20cm) SUBW00FER	400W	120W	4Ω	34Hz-1.5kHz	183	111



 $^{\star}$  IB = Free-Air Woofer (no enclosure required)

# Powered Subwoofer Boxes

These ready-to-use subwoofers give you massive amounts of bass power, and you don't need to purchase a dedicated mono amp. They are all rugged and reliable...and look cool, too.

• 250W RMS • 12" Type-E Subwoofer • Frequency Response: 28Hz - 200Hz • MRP-M350 V-POWER Digital Amplifier • High quality bass reflex box • High quality wiring kit





High-Grade Components, Superior Circuit Design

0



150W Peak Power SWE-10000 • Low Pass Filter: 50Hz-125Hz (-12dB/oct) • SUBWOOFER BOX



SWD-3000

HIGH PERFORMANCE SUBWOOFER PACKAGE

12" (30cm) POWERED SUBWOOFER BOX

Ready-to-use subwoofer boxes



 SBE-1243BP
 800W Power Handling

 READY TO USE BAND-PASS SUBWOOFER BOX (4Ω)
 • 250W RMS • 12" Type-E Subwoofer • Frequency Response: 28Hz - 200Hz • Acrylic window with blue illumination



SBE-1243BR 800W Power Ha

READY TO USE BASS REFLEX SUBWOOFER BOX (4Ω)

 $\bullet$  250W RMS  $\bullet$  12" Type-E Subwoofer  $\bullet$  Frequency Response: 28Hz - 200Hz  $\bullet$  Acrylic window with blue illumination

# SBE-1043BR 500W Pov

· Acrylic window with blue illumination

READY TO USE BASS REFLEX SUBWOOFER BOX  $(4\Omega)$ 

150W RMS • 10" Type-E Subwoofer • Frequency Response: 30Hz - 200Hz
 Acrylic window with blue illumination

 SBE-843BR
 400W Power Handling

 READY TO USE BASS REFLEX SUBWOOFER BOX (4Ω)
 •

 • 120W RMS • 8" Type-E Subwoofer • Frequency Response: 34Hz - 200Hz

### V / Car Navi Acc

ксе-**030N** 



KCE-900E RGB TO NTSC COMPOSITE AND GUIDE SIGNAL

Category         Model No.         Description         Application           IMPRINT         IMPRINT Audioprocessor/ Bass Engine Pro upgrade         For IMPRINT Ready Units: CDA-105Ri, CDA-9886R, CDE-9884R, iDA-X303, iDA-X100, iDA-X200, IVA-W505R,	<i>,  ,</i> ,	iF Tr	CCE-435iV Pod CABLE FOR IVA-D106R o connect an iPod to an IVA-D106R /hen using KCE-400BT, including ideo playback.	To securely st when connect	DOCK FOR iPod tore any kind of iPod ed to a head unit or ledia Station (Does not	KCE-900E RGB TO NTSC COMPOSITE AND GUIDE SIGNAL Multi purpose interface for DVD CAR NAVI NVE-N077P/ PS/-N099P to extract RCA AV signals from the RGB output and convert them to NTSC format. Essential to separate Guide Signal for PXA-H700/701 with Pass-through for RGB.	KCE-U3UN RGB TO NTSC COMPOSITE AND GUIDE SIGNAL Multi Purpose Adapter to connect NVE-N099P to RCA compatible monitors or to extract Guide Signal from IVA-W208R and IVA-W208H with docked PMD-B200P for Audioprocessors (PXA-H100, PXA-H701).
IMPRINT         KTX-H100         IMPRINT SOUND CALIBRATION KIT         Includes calibration CD-R0M,high-end microphone and cables. For IMPRINT calibration of DX-9887R.           KTX-100EQ         IMPRINT SOUND CALIBRATION KIT         Includes calibration CD-R0M,high-end microphone and cables. For IMPRINT calibration of DX-9887R.           KCA-130B         Ai-NET ON ADAPTER         For connecting Ai-NET & M-BUS compatible changers such as CHA-S634, -S607, -S604, -S614 to a M-BUS Head Unit.           KCA-121B         Ai-NET AUX IN RCA         For Versatile Link compatible Ai-NET Head Units; makes RCA audio signal input from any audio source possible (TV tuner, game, etc).           Ai-NET         KWA-200B         2 METRE CONNECTION CABLE         For extension of an existing Ai-NET and power supply cable (male straight – from estraight – from estraight – from estraight – for extension, in the straight on any audio source possible (TV tuner, game, etc).           KWA-350B         3.5 METRE EXTENSION CABLE         For extension of an existing Ai-NET and power supply cable (male straight – from estraight connector).           KCC4-420I         INTERRACE FOR IPod TO AI-NET         Compatible with Read V for IPod Head Units/MMS and VehicleHub/Pro (may require KCX-422TR for IPods after September 2008).           AV/CAR NAVI         NVE-K200         Ai-NET SOUND INTERRIPTER         Lets you input audio signals into Ai-NET lines where no RCh input savailable (for example if you want to hear the TV-tuner sound over your car speakers).           VPE-K300         SPEED PLUSE GENERATON FOR CAR NAVI         Generat	Category	Model No.	Description			Application	
KTX-100EQ         IMPRINT SOUND CALIBRATION KIT         Includes calibration CD-R0M,high-end microphone and cables. For IMPRINT calibration of CDA-9867R.           KCA-130B         Ai-NET         DIN ADAPTER         For connecting Ai-NET & M-BUS compatible changers such as CHA-5634, -5607, -5604, -5614 to a M-BUS Head Unit.           KCA-121B         Ai-NET AUN IN RCA         For Versatile Link compatible Ai-NET Head Units; makes RCA audio signal input from any audio source possible (IV tuner, game, etc).           KWA-200B         2 METRE CONNECTION CABLE         Ai-NET Connection cable (male, straight - male, L-shaged connector).           KWA-350B         3.5 METRE EXTENSION CABLE         For versation of an existing Ai-NET and power supply cable (male straight - fernale straight connector).           KCA-420i         INTERFACE FOR Pod TO Ai-NET         Compatible with Ready for iPod Head Units/MMS and VehicleHub/Pro (may require KCX-422TR for iPods after September 2008).           AV/CAR NAVI         NVE-K200         VIDEO SIGNAL SPLITTER (1-IN, 2-OUT)         Video signals into Ai-NET inter swhere on RCA input is available (for example if you want to hear the TV-tuner sound over your car speakers).           NVE-K300         SPEED PULSE GENERATOR FOR CAR NAVI         Generates speed pulse signals ind ai-NET inter sound over your car speakers).           NVE-K300         SPEED PULSE GENERATOR FOR CAR NAVI         Generates speed pulse signals by magnetising sections of a tire (for cars without speed pulse signal).           CHA-S634         6-DISC MP3/CD CHANGER		PXA-H100	IMPRINT Audioprocessor/ Bass Engine P	ro upgrade	For IMPRINT Ready Units:	CDA-105Ri, CDA-9886R, CDE-9884R, iDA-X305, iDA-X303,	iDA-X100, iDA-X200, IVA-W505R, IVA-W502R.
KCA-130B         Ai-NET         DIN ADAPTER         For connecting Ai-NET & M-BUS compatible changers such as CHA-S634, -S607, -S604, -S614 to a M-BUS Head Unit.           Ai-NET         Ai-NET AUX IN RCA         For Versatile Link compatible Ai-NET Head Units; makes RCA audio signal input from any audio source possible (TV tuner, game, etc).           Ai-NET         Ai-NET CONNECTION CABLE         Ai-NET connection cable (male, straight – male, L-shaped connector).           KWA-350B         3.5 METRE EXTENSION CABLE         For extension of an existing Ai-NET and power supply cable (male straight – female straight connector).           KVAA-350B         3.5 METRE EXTENSION CABLE         For extension of an existing Ai-NET and power supply cable (male straight – female straight – fe	IMPRINT	KTX-H100	IMPRINT SOUND CALIBRATION KIT		Includes calibration CD-R	OM, high-end microphone and cables. For IMPRINT calibration	of PXA-H100.
KCA-121B         Al-NET AUX IN RCA         For Versatile Link compatible Al-NET Head Units; makes RCA audio signal input from any audio source possible (IV tuner, game, etc).           Ai-NET         KWA-200B         2 METRE CONNECTION CABLE         For versatile Link compatible Al-NET Head Units; makes RCA audio signal input from any audio source possible (IV tuner, game, etc).           KWA-200B         2 METRE CONNECTION CABLE         For extension of an existing Al-NET and power supply cable (male straight – female straight connector).           KCA-420i         INTERFACE FOR IPod TO Al-NET         Compatible with Ready for iPod Head Units/MMS and VehicleHub/Pro (may require KCX-422TR for iPods after September 2008).           KCE-200V         VIDEO SIGNAL SPLITTER (1-IN, 2-OUT)         Video splitter with buffer amplifer to use two monitors on one video output without losing picture quality (ind. 2 RCA video cables).           AV/CAR NAVI         NVE-K200         Al-NET SOUND INTERRUPTER         Lets you input audio signals into Al-NET lines where no RCA input is available (for example if you want to hear the TV-tuner sound over your car speakers).           WVE-K300         SPEED PLUSE GENERATOR FOR CAR NAVI         Generates speed pluse signals by magnetising sections of a tire (for cars without speed pulse signal).           CHA-S634         6-DISC M-BUS CD CHANGER         Free mounting angle (0°-90°).         Free mounting angle (0°-90°).           CHA-S634         6-DISC M-BUS CD CHANGER         Free mounting angle (0°-50°).         Free mounting angle (0°-50°).		KTX-100EQ	IMPRINT SOUND CALIBRATION KIT		Includes calibration CD-R	OM,high-end microphone and cables. For IMPRINT calibration	of CDA-9887R.
Ai-NET         KWA-200B         2 METRE CONNECTION CABLE         Ai-NET connection cable (male, straight - male, L-shaped connector).           KWA-350B         3.5 METRE EXTENSION CABLE         For extension of an existing Ai-NET and power supply cable (male straight - female straight connector).           KVA-420I         INTERFACE FOR IPOd TO AI-NET         Compatible with Ready for IPod Head Units/MMS and VehicleHub/Pro (may require KCX-422TR for iPods after September 2008).           AV/CAR NAVI         NVE-K200         Ai-NET SOUND INTERFINE (T-IN, 2-OUT)         Video splitter with buffer amplifier to use two monitors on one video output without losing picture quality (ind. 2 RCA video cables).           AV/CAR NAVI         NVE-K200         Ai-NET SOUND INTERFINIPTER         Lets you input audio signals into Ai-NET lines where no RCA input is available (for example if you want to hear the TV-tuner sound over your car speakers).           NVE-K300         SPEED PULSE GENERATOR FOR CAR NAVI         Generates speed pulse signals by magnetising sections of a tire (for cars without speed pulse signal).           CHA-S634         6-DISC MF3/CD CHANGER FOR AI-NET AND M-BUS         Free mounting angle (0°-90°).           CHA-S630         6-DISC MF3/CD CHANGER         Free mounting angle (0°-90°).           CHA-S630         6-DISC M-BUS CD CHANGER         Free mounting angle (0°-90°).           CHA-S630         6-DISC M-BUS CD CHANGER         Free mounting angle (0°-90°).           CHA-S630         6-DISC M-BUS CD CHANGER </th <td></td> <td></td> <td></td> <td></td> <td>÷.</td> <td></td> <td></td>					÷.		
KWA-350B         3.5 METRE EXTENSION CABLE         For extension of an existing AI-NET and power supply cable (male straight – female straight connector).           KCA-420i         INTERFACE FOR IPOd TO AI-NET         Compatible with Ready for iPod Head Units/MMS and VehicleHub/Pro (may require KCX-422TR for iPods after September 2008).           KCE-200V         VIDEO SIGNAL SPLITTER (1-IN, 2-OUT)         Video splitter with buffer amplifier to use two monitors on one video output without losing picture quality (ind. 2 RCA video cables).           AV/CAR NAVI         Ai-NET SOUDDI INTERRIPUPTER         Lets you input audio signals into Ai-NET lines where no RCA input is available (for example if you want to hear the TV-tuner sound over your car speakers).           NVE-K300         SPEED PULSE GENERATOR FOR CAR NAVI         Generates speed pulse signals by magnetising sections of a tire (for cars without speed pulse signal).           CHA-S634         6-DISC MP3/CD CHANGER FOR AI-NET AND M-BUS         Free mounting angle (0°-90°).           CHA-S630         6-DISC MP3/CD CHANGER         Free mounting angle (0°-90°).           CHA-S630         6-DISC M-BUS CD CHANGER         Free mounting angle (0°-90°).           CHA-S630         6-DISC M-RAUGH MAGAZINE         Free mounting angle (0°-90°).           CHA-S634         6-DISC M-RAUGH MAGAZINE         For CHA-S634, S605, CHM-S630, S620, S611 and VPA-S001.           KAE-116C         6D SEX M-RAUGH MAGAZINE         For CHA-S630, S600, S600, S600, S611 and VPA-S001.		KCA-121B	Ai-NET AUX IN RCA		For Versatile Link compati	ble Ai-NET Head Units; makes RCA audio signal input from ar	ny audio source possible (TV tuner, game, etc).
KCA-420i         INTERFACE FOR IPod TO AI-NET         Compatible with Ready for IPod Head Units/MMS and VehicleHub/Pro (may require KCX-422TR for IPods after September 2008).           KCB-200V         VIDEO SIGNAL SPLITTER (1-IN, 2-OUT)         Video splitter with buffer amplifier to use two monitors on one video output without losing picture quality (ind. 2 RCA video cables).           AV/CAR NAVI         NVE-K200         AI-NET SOUND INTERRUPTER         Lets you input audio signals into AI-NET lines where no RCA input is available (for example if you want to hear the TV-tuner sound over your car speakers).           NVE-K300         SPEED PULSE GENERATOR FOR CAR NAVI         Generates speed pulse signals by magnetising sections of a tire (for cars without speed pulse signals)           CHA-5634         6-DISC MP3/ CD CHANGER FOR AI-NET AND M-BUS         Free mounting angle (0°-90°).           CHA-6630         6-DISC M-BUS CD CHANGER         Free mounting angle (0°-90°).           Changer Applications         KAE-116C         6D MAGAZINE         For CHA-5630,-S602,-S611, and VPA-S001.           KAE-156C         6D MAGAZINE         DVD magazine for DHA-5680P (can also be used with KAE-116C compatible changers).	Ai-NET	KWA-200B	2 METRE CONNECTION CABLE		Ai-NET connection cable (ma	ıle, straight – male, L-shaped connector).	
KCE-200V         VIDEO SIGNAL SPLITTER (1-IN, 2-OUT)         Video splitter with buffer amplifier to use two monitors on one video output without losing picture quality (ind. 2 RCA video cables).           AV/CAR NAVI         NVE-K200         Ai-NET SOUND INTERRUPTER         Lets you input audio signals into Ai-NET lines where no RCA input is available (for example if you want to hear the TV-tuner sound over your car speakers).           NVE-K300         SPEED PULSE GENERATOR FOR CAR NAVI         Generates speed pulse signals by magnetising sections of a tire (for cars without speed pulse signal).           CHA-S634         6-DISC MP3/ CD CHANGER FOR Ai-NET AND M-BUS         Free mounting angle (0°-90°).           CHA-S630         6-DISC M-BUS CD CHANGER         Free mounting angle (0°-90°).           KAE-116C         6D SEE-THROUGH MAGAZINE         For CHA-S634, S624, S614, S604, S605, CHM-S630, S620, S611 and VPA-S001.           KAE-156C         6D MAGAZINE         DVD magazine for DHA-S680P (can also be used with KAE-116C compatible changers).		KWA-350B	3.5 METRE EXTENSION CABLE		For extension of an existin	ng Ai-NET and power supply cable (male straight - female stra	aight connector).
AV/CAR NAVI         NVE-K200         Ai-NET SOUND INTERRUPTER         Lets you input audio signals into Ai-NET lines where no RCA input is available (for example if you want to hear the TV-tuner sound over your car speakers).           NVE-K300         SPEED PULSE GENERATOR FOR CAR NAVI         Generates speed pulse signals by magnetising sections of a tire (for cars without speed pulse signal).           CHA-S634         6-DISC MP3/CD CHANGER FOR AI-NET AND M-BUS         Free mounting angle (0°-90°).           CHM-S630         6-DISC M-BUS CD CHANGER         Free mounting angle (0°-90°).           Changer Applications         KAE-116C         6D SEE-THROUGH MAGAZINE         Free Tor CHA-S630, S620, S611 and VPA-S001.           KAE-156C         6D MAGAZINE         DVD magazine for DHA-S680P (can also be used with KAE-116C compatible changers).		KCA-420i	INTERFACE FOR iPod TO Ai-NET		Compatible with Ready fo	r iPod Head Units/MMS and VehicleHub/Pro (may require KCX	-422TR for iPods after September 2008).
NVE-K300         SPEED PULSE GENERATOR FOR CAR NAVI         Generates speed pulse signals by magnetising sections of a tire (for cars without speed pulse signal).           CHA-S634         6-DISC MP3/ CD CHANGER FOR AI-NET AND M-BUS         Free mounting angle (0°-90°).           CHM-S630         6-DISC M-BUS CD CHANGER         Free mounting angle (0°-90°).           CHA-S630         6-DISC M-BUS CD CHANGER         Free mounting angle (0°-90°).           CHA-S630         6-DISC M-BUS CD CHANGER         Free mounting angle (0°-90°).           CHA-S634         6-DISC M-BUS CD CHANGER         Free mounting angle (0°-90°).           CHA-S634         6-DISC M-BUS CD CHANGER         Free mounting angle (0°-90°).           CHA-S634         6-DISC M-BUS CD CHANGER         Free mounting angle (0°-90°).           KAE-116C         6D SEE-THROUGH MAGAZINE         For CHA-S634,-S604,-S605, CHM-S630,-S620,-S611 and VPA-S001.           KAE-156C         6D MAGAZINE         DVD magazine for DHA-S680P (can also be used with KAE-116C compatible changers).		KCE-200V	VIDEO SIGNAL SPLITTER (1-IN, 2-OUT)		Video splitter with buffer amp	plifier to use two monitors on one video output without losing picture	e quality (incl. 2 RCA video cables).
CHA-S634         6-DISC MP3/ CD CHANGER FOR AI-NET AND M-BUS         Free mounting angle (0°-90°).           CHM-S630         6-DISC M-BUS CD CHANGER         Free mounting angle (0°-90°).           Changer Applications         KAE-116C         6D SEE-THROUGH MAGAZINE         For CHA-S634, S624, S614, S604, S605, CHM-S630, S620, S611 and VPA-S001.           KAE-156C         6D MAGAZINE         DVD magazine for DHA-S680P (can also be used with KAE-116C compatible changers).	AV/CAR NAVI	NVE-K200	Ai-NET SOUND INTERRUPTER		Lets you input audio signals	into Ai-NET lines where no RCA input is available (for example if you	want to hear the TV-tuner sound over your car speakers).
CHM-S630         6-DISC M-BUS CD CHANGER         Free mounting angle (0°-90°).           Changer Applications         KAE-116C         6D SEE-THROUGH MAGAZINE         For CHA-S634,-S614,-S604,-S605, CHM-S630,-S620,-S611 and VPA-S001.           KAE-156C         6D MAGAZINE         DVD magazine for DHA-S680P (can also be used with KAE-116C compatible changers).		NVE-K300	SPEED PULSE GENERATOR FOR CAR NA	VI	Generates speed pulse sig	gnals by magnetising sections of a tire (for cars without speed	l pulse signal).
KAE-116C         6D SEE-THR0UGH MAGAZINE         For CHA-S634, S624, S614, S604, S605, CHM-S630, S620, S611 and VPA-S001.           KAE-156C         6D MAGAZINE         DVD magazine for DHA-S680P (can also be used with KAE-116C compatible changers).		CHA-S634		D M-BUS		,	
KAE-156C 6D MAGAZINE DVD magazine for DHA-S680P (can also be used with KAE-116C compatible changers).							
	Changer Applications						
KAE-158C 6D MAGAZINE DVD magazine for DHA-S690.		KAE-156C	6D MAGAZINE		*		
		KAE-158C	6D MAGAZINE		DVD magazine for DHA-Se	690.	

HEC.

# iPod / Bluetooth Compatibility Chart

od Accossorio

KCE-430iV iPod CABLE FOR IVA-D106R To connect an IPod to an IVA-D106R, including video playback. iPods after Sep 2008 require KCX-422TR for charging.

												S KC	E-400BT	KCE-433
		iPod Connection	< iPod 4th Gen.	iPod mini	iPod 5th Gen.	iPod classic	iPod nano 1st Gen.	iPod nano 2nd Gen.	iPod nano 3rd Gen.	iPod nano 4th Gen.	iPod touch 1st Gen.	iPod touch 2nd Gen.	iPhone	iPhone 3G
iXA-W404R	iPod Connection	USB	X	X	×	× -	<b>1</b>			<b>1</b>	×	1	× .	×
IA-11404h	iPod Connection + Parrot Bluetooth	USB	X	×	9	9	9	9	9	•	9	•	9	9
iXA-W407BT	iPod connection + built-in Parrot Bluetooth	USB	X	X	× -	×	1	× -	× -	1	× .	1	× .	- 1
CDA-105Ri	Includes iPod USB Connection	USB	×	×	1	1	✓	1	1	1	× .	✓	×	<ul> <li>Image: A second s</li></ul>
CDA-105RI	Parrot Bluetooth	USB	X	X	9	9	9	9	9	9	9	•	9	•
CDE-104BTi	incl. KCE-433iV and built-in Parrot Bluetooth	Full Speed	×	×	×	× .	✓	× .	× .	✓	× .	✓	×	<ul> <li>Image: A second s</li></ul>
CDE-103BT	iPod connection + built-in Parrot Bluetooth	Full Speed	×	×	-	-	-	-	-	-	-	-	-	
CDE-102Ri	incl. KCE-433iV	Full Speed	×	×	×	✓	✓	×	×	1	× .	✓	×	
GDE-102RI	Parrot Bluetooth	Full Speed	×	×	9	9	9	9	9	9	9	9	9	9
CDE-101R/RM	iPod Connection	Full Speed	×	×	-	-	-	_	-	-	-	-	-	-
	iPod Connection + Parrot Bluetooth	Full Speed	X	X	Θ 📒	Θ 🗖	Θ 📒	9 🗖	9 🗖	Θ 🗖	9 🗖	Θ 📒	9 🗖	9
CDE-W203Ri	incl. KCE-433iV	Full Speed	X	×	× .	×	1	× .	×	✓	×	1	×	- 🗸
GDE-W203RI	Parrot Bluetooth	Full Speed	X	X	9	9	9	9	9	9	9	•	9	•
iDA-X305	Includes iPod USB Connection	USB	×	×	×	× .	✓	× -	× .	✓	× .	✓	×	<ul> <li>Image: A second s</li></ul>
IDA-X305	Parrot Bluetooth	USB	×	×	9	9	9	9	9	9	9	9	9	9
iDA-X303	Includes iPod USB Connection	USB	×	×	×	×	✓	×	✓	✓	×	✓	×	
TDA-X303	Parrot Bluetooth	USB	×	×	9	9	9	9	9	9	9	9	9	9
iDA-X301/RR	incl. KCE-433iV	Full Speed	×	1	✓	✓	1	×	×	1	✓	✓	×	×
TDA-X301/KK	Parrot Bluetooth	Full Speed	X	9	9	9	9	9	9	9	9	9	×	×

										KCE-400I	BT 🗧 KCE	-433iV < 🖗	(CE-422i 🚺	KCX-422TR
		iPod Connection	iPod 3rd Gen.	iPod Shuffle	< iPod 4th Gen.	iPod mini	iPod 5th Gen.	iPod classic	iPod nano 1st Gen.	iPod nano 2nd Gen.	iPod nano 3rd Gen.	iPod nano 4th Gen.	iPod touch 1st Gen.	iPod touch 2nd Gen.
	iPod Connection	Full Speed	X	X	X	\$	\$	\$	\$	\$	\$	• •	\$	•
CDA-9887R	iPod Connection + Parrot Bluetooth	Full Speed	X	X	X	Θ 📕	Θ 📒	Θ 📕	Θ 🗖	Θ 📕	Θ 📕	Θ 📕	Θ 📕	Θ 🗧
004 00000	iPod Connection	Full Speed	X	X	X	\$	\$	\$	\$	\$	\$	• •	\$	•
CDA-9886R	iPod Connection + Parrot Bluetooth	Full Speed	X	X	X	Θ 📕	Θ 📕	Θ 📕	Θ 📃	Θ 📕	Θ 📕	Θ 📕	Θ 📕	Θ 🗧
DVA-9861 Ri	incl. KCE-422i	Full Speed	X	X	X		1	1	1	1	1		1	
	incl. KCE-422i	Full Speed	X	X	X	1	<b>1</b>	1	1	1	1		1	
CDE-9882Ri/RSi	iPod Connection + Parrot Bluetooth	Full Speed	X	X	X	Θ 📕	Θ 📕	Θ 📕	Θ 📕	Θ 📕	Θ 📕	Θ 📕	Θ 📕	Θ 🗧
005 00000	iPod Connection	Full Speed	X	X	X	\$	\$	\$	\$	\$	\$	•	\$	• •
CDE-9880R	iPod Connection + Parrot Bluetooth	Full Speed	X	X	X	Θ 📕	Θ 📕	Θ 📕	Θ 📕	Θ 📕	Θ 📕	Θ 📕	Θ 📕	Θ 📕

							SKCE-	400BT 🔤 I	KCE-433iV	🔷 KCE-422i	🜔 KCX-42	22TR 🍵 K	CE-430iV	🖶 KCE-435iV
		iPod Connection	< iPod 4th Gen.	iPod mini	iPod 5th Gen.	iPod classic	iPod nano 1st Gen.	iPod nano 2nd Gen.	iPod nano 3rd Gen.	iPod nano 4th Gen.	iPod touch 1st Gen.	iPod touch 2nd Gen.	iPod 3rd Gen.	iPod Shuffle
	iPod Connection	USB	×		1	×	1	×	×	1	1	<ul> <li>Image: A second s</li></ul>	X	×
IVA-W505R	iPod Connection + Parrot Bluetooth	USB	×	Θ 🗖	9	•	•	•	•	•	9	•	×	×
IVA-W502R	iPod Connection	USB	×	\$	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	×	<ul> <li>Image: A second s</li></ul>	<ul> <li>Image: A second s</li></ul>	×	×	<ul> <li>Image: A second s</li></ul>	X	X
IVA-W502R	iPod Connection + Parrot Bluetooth	USB	×	Θ 🗖	•	•	•	•	•	•	9	•	×	×
IVA-D106R	iPod Connection	Full Speed	×	٠						🚺 🚖		🚺 🚖	X	X
IVA-D106R	iPod Connection + Parrot Bluetooth	Full Speed	×	9 🖶	9 🖶	9 🖶	9 🖶	9 🖶	9 🖨	9 🖶	9 🖨	9 🖨	×	X
	iPod Connection	Full Speed	×	\$	\$			\$		🚺 🔶	\$	🔰 🔷	×	X
IVA-W202R	iPod Connection + Parrot Bluetooth	Full Speed	×	Θ 🗖	Θ 🗖	Θ 📕	Θ 🗖	9 🗖	9 🗖	Θ 📕	9 🗖	Θ 📕	×	X
	iPod Connection	Full Speed	×	\$	\$	\$	\$	\$	\$	🚺 🔶	\$	🚺 🔷	×	X
IVA-W205R	iPod Connection + Parrot Bluetooth	Full Speed	×	Θ 🗖	Θ 📕	• =	•	Θ 🗖	9 📕	Θ 📕	Θ =	Θ 📕	х	×

# **Driving Mobile Media Solutions**

# www.alpine-europe.com

## ALPINE ELECTRONICS of U.K. Ltd.


http://www.alpine-electronics.co.uk Head Office, Alpine House, Fletchamstead Highway, Coventry, CV4 9TW, United Kingdom Tel : 0845 3131640 Fax : 0845 3131641 E-Mail: support@alpine-electronics.co.uk Customer Support Tel : 0845 3131660

### **ALPINE ELECTRONICS (EUROPE) GmbH**

Wilhelm-Wagenfeld-Straße 1-3, 80807 München, Germany Tel: +49 / (0) 89-32 42 64-0 Fax: +49 / (0) 89-32 42 64-241

### ALPINE ELECTRONICS, INC. (Main Office)

http://www.alpine.com 20-1 Yoshima Kogyo Danchi, Iwaki, Fukushima Pref. 970-1192, Japan Tel : +81-246-36-4111 Fax : +81-246-36-8309



iPod is a trademark of Apple Inc., registered in the U.S. and other countries. iPhone is a trademark of Apple Inc. "Made for iPod" means that an electronic accessory has been designed to connect specifically to iPhone and has been certified by the developer to meet Apple performance standards. "Works with iPhone" means that an electronic accessory has been designed to connect specifically to iPhone and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc. Parrot trademarks and logos in this document are the exclusive propriety of Parrot SA. The words "Dolby Digital", "Pro Logic", "Dolby", and the "Double-D" symbol are trademarks of Dolby Laboratories. Windows Media and the Windows logo are trademarks, or registered trademarks of DTS, Inc. "DTS2.0 + Digital Out" is a trademark of TS, Inc. TMC is a registered trademarks of Grundig Aktiengesellschaft. Traffic information in the Uhited States and/or other countries. "DTS" and "DTS Digital Surround" are registered trademarks of TMADE Trades and the Windows logo are trademark of TIS, Inc. TMC is a registered trademarks of TMADE blogital Traffic information in France provided by Mediamobile company. TMC PRO and traffic are registered trademarks of TAMDE Traffic GmbH. All rights reserved. NAVTEQ on board is a registered trademark of NAVTEQ. All rights reserved. NAVTEQ on board is a registered trademark for CAUSES are subject to change without notice. No liability for printing errors is assumed. Alpine catalogues are printed on chlorine-free paper.