Play just about anything..... on your TV





High Definition Multimedia Players




MED250X

The MED250X was developed by Sanji for those who demand the very best in picture and audio in a small and neat package. The MED250X offers a very low cost solution for users who want a compact Media Player that is ideal for the hosting of an internal 2.5" Hard Drive, SD Card, external USB Hard Drives, Travel and In Car Entertainment.

30-06



- Internal 2.5" Hard Drive Bay
- · Fanless design
- · Metal chassis solid design
- Thumbnail View
- SD Card slot
- Photo Grid Picture View
- Auto Scan HDD feature "Music" "Photo" "Movie"
- Media Library Multiple view options
- Photo slide show with background music
- Modern slim-line Remote Control





Processor: Realtek RTD1055 - 16MB NOR Flash - 128MB DDR2 SDRAM

Video Formats Supported: AVI / BDMV Light / BDISO Light / MKV / TS / TP / TRP / M2TS / MPG / MP4 / MOV / M4V / VOB / ISO / IFO / DAT / WMV / ASF / RM / RMVB / FLV resolution up to 720p / 1080i / 1080p

Video Codecs Supported: MPEG1-3 / MPEG-4 SP /ASP /AVC (H.264) / XviD / DivX / WMV9 (VC-1) / RealVideo 8/9/10 (up to 720P)

Audio Codec Supported: Mp3 / Mp2 / OGG Vorbis / PCM / LPCM / AAC / RA / Dolby True HD Passthrough / DTS - DTS-MA Passthrough / Dolby AC3 Downmix & Passthrough / FLAC up to 24bit 192Khz / WAV, WMA Standard (DRM, & Advanced Profile not supported)

Photo format Supported: JPEG, BMP, PNG File System Supported: FAT32, NTFS Video output resolution: NTSC, PAL, 480p, 576p, 720p, 1080i, 1080p, 1080p, 24hz Contents: MED250X, RC, 2 x AAA Batteries, AC Adapter, HDMI, AV Cables, Neoprene Carry Bag, User Instructions.

Specifications subject to change without notice.

*Only available for non EU regions

Input / Output

- HDMI 1.3, Composite Video
- Stereo RCA audio for analog audio connection
- SD / Sony Pro Duo Card Slot (with adapter)
- SPDIF Optical Output
- USB 2.0 HOST port x 2

General

- · Fanless design
- Media Search Facility
- Thumbnail View
- · Auto Scan HDD feature "Music" "Photo" "Movie"
- Firmware Update via USB
- Photo slide show with background music
- On-screen Music Playlist function
- On-screen Photo Album function
- File Manager
- Subtitle: SRT, SSA, SUB, SMI, PGS format
- Size: 140 X 105 X 36 mm











MED250X High Definition Multimedia Player



Great quality without all the fuss

MED300X

The MED300X was developed by Sanji for those who demand the best in picture and audio without all the fuss. Simple yet very functional in operation and design. The MED300X offers a very low cost solution for users who want a Multimedia Player that is ideal for large size internal 3.5" Hard Drives and hosting of external USB Hard Drives.

Start-b



- Internal 3.5" Hard Drive Bay up to 2TB
- Low Noise Fan Anti-Vibration TPE Mounts
- · Metal chassis solid design
- · Built in Search Facility



- Thumbnail View
- SD Card slot
- Auto scan HDD feature "Music" "Photo" "Movie"
- Media Library Multiple view options
- Photo slide show with background music
- Modern slim-line Remote Control



Processor: Realtek RTD1055 - 16MB NOR Flash - 128MB DDR2 SDRAM

Video Formats Supported: AVI / BDMV Light / BDISO Light / MKV / TS / TP / TRP / M2TS / MPG / MP4 / MOV / M4V / VOB / ISO / IFO / DAT / WMV / ASF / RM / RMVB / FLV resolution up to 720p / 1080i / 1080p

Video Codecs Supported: MPEG1-3 / MPEG-4 SP /ASP /AVC (H.264) / XviD / DivX / WMV9 (VC-1) / RealVideo 8/9/10 (up to 720P)

Audio Codec Supported: Mp3 / Mp2 / OGG Vorbis / PCM / LPCM / AAC / RA / Dolby True HD Passthrough / DTS - DTS-MA Passthrough / Dolby AC3 Downmix & Passthrough / FLAC up to 24bit 192Khz / WAV, WMA Standard (DRM, & Advanced Profile not supported)

Photo format Supported: JPEG, BMP, PNG File System Supported: FAT32, NTFS Video output resolution: NTSC, PAL, 480p, 576p, 720p, 1080i, 1080p, 1080p. 24hz Contents: MED300X, RC, 2 x AAA Batteries, AC Adapter, AV - HDMI - USB Cables, User Instructions

Specifications subject to change without notice.

*Only available for non EU regions



Input / Output

- HDMI 1.3. Composite Video
- · Stereo RCA audio for analog audio connection
- SD / Sony Pro Duo Card Slot (with adapter)
- SPDIF Optical Output & Co-Ax Digital Audio Output
- USB 2.0 HOST port x 2 / USB 2.0 SLAVE port x 1

General

- · Built in 40mm cooling fan TPE mounts for low noise
- Internal 3.5" Hard Drive Bay
- Media Search Facility
 Thumbnail View
- Auto Scan HDD feature "Music" "Photo" "Movie"
- Resume playback feature
- · Firmware Update via USB
- · Photo slide show with background music
- On-screen Music / Photo Playlist function
- File Manager Copying HDD, Card, USB, and Network
- Subtitle: SRT. SSA. SUB. SMI. PGS format
- Size: 140 X 105 X 36 mm









1/m
PLIST

Playlist Creation



Media Search Thumbnail View













Easily change the backgrounds yourself or download a community made skin.

The true performer..... compact and powerfull

MED400X2S



User programmable

The MED400X2S is based on the award winning MED400X2 that has proved to be a winner with reviewers and users worldwide. The MED400X2S offers a lower cost solution for users who want a compact Media Player that is ideal for Network Streaming, and hosting of SD Cards and external USB Hard Drives.



- · Fanless design
- Active Backlight Remote
- Remote Control Function Button
- Movie and Music JukeBox
- Watched Movie Indicator
- Built in Favourites Manager
- Internet Media Stream
- Built in Web Browser
- **Gbit Network Port**
- Optional USB / PCIE WiFi kit

Ergonomic IR remote with Active Backlighting.

Processor: Realtek RTD1185- 256MB SPI Flash - 256MB DDR2 SDRAM

Video Formats Supported: AVI / BDMV Light / BDISO Light / MKV / TS / TP / TRP / M2TS / MPG / MP4 / MOV / M4V / VOB / ISO / IFO / DAT / WMV / ASF / RM / RMVB / FLV resolution up to 720p / 1080i / 1080p

Video Codecs Supported: MPEG-1 / MPEG-2 / MPEG-4 SP /ASP /AVC (H.264) / XviD / WMV9 (VC-1) / RealVideo 8/9/10 (up to 720P)

Audio Codec Supported: Mp3 / Mp2 / OGG Vorbis / APE - APE Cue /PCM / LPCM / AAC / RA / Dolby True HD - DTS MA Passthrough on HDMI

Dolby AC3 - DTS Downmix & Passthrough / FLAC up to 24bit 192Khz (HDMI only) Flac Cue / WAV, WMA Standard (DRM, & Advanced Profile not supported)

Photo format Supported: JPEG, BMP, PNG

File System Supported: FAT32 (up to 2TB), NTFS (up to 3TB), MAC HFS+ Video output resolution: NTSC, PAL, 480p, 576p, 720p, 1080i, 1080p, 1080p, 24hz (other TV sizes not supported)

Specifications subject to change without notice

Input / Output

- HDMI 1.3. Component Video, Composite Video
- Stereo RCA audio for analogue audio connection
- SD / Sonv Pro Duo Card Slot (with adapter)
- SPDIF Optical Audio Output
- USB 2.0 HOST port x 2 RJ45 Network Connector

General

- Fanless design
 Mede8er Movie & Music JukeBox
- Watched Movie Indicator
 Folder Lock
- Built in NFS Client Time Bar FF/FR
- In folder JPEG preview Easy navigation button use
- · Photo slide show with background music
- Network Ethernet 10/100/1000 Mbps Optional Wi-Fi
- · A/V streaming via UPnP Media Server
- Internet Radio (SHOUTcast)
- · File Manager Copying Card, USB, and Network
- Subtitle: SRT, SSA, SUB, SMI, PGS format
- Size: 140 X 105 X 36 mm





ODC NEWS











Optional MED10WFB / MED20PCIE 802.11g/n WiFi KIT



Folder Lock















MEDX2KEY **USB** Wireless Keyboard (Optional)



MED400X2S High Definition Multimedia Player





Easily change the backgrounds yourself Award Winning or download a community made skin. Firmware

The peoples choice..... the professionals choice MED500X2

The MED500X2 has been designed for good solid media playback from a Hard Drive, USB device, SD Card, Internet or Local Network source. The MED500X2 has received numerous awards worldwide and has become the peoples choice and the professionals choice for the best value for money Media Player available today.

TRUETE

	M€D€ <mark>E</mark> ∋I	R				
High D	MED500X efuition Multimed	sia Player				
				RETURN		
						



- Internal Hard Drive Bay Up to 3TB
- · Low Noise Fan Anti-Vibration TPE Mounts
- · Metal chassis solid design
- Movie & Music Jukebox



Internet Radio (SHOUTcast)

SD Card slot

- Network Ethernet 10/100 /1000 Mbps
- Optional Wi-Fi (802.11b/g/n up to 300Mbps)
- Samba server NAS storage
- · Photo slide show with background music



Processor: Realtek RTD1185- 256MB SPI Flash - 256MB DDR2 SDRAM

Video Formats Supported: AVI / BDMV Light / BDISO Light / MKV / TS / TP / TRP / M2TS / MPG / MP4 / MOV / M4V / VOB / ISO / IFO / DAT / WMV / ASF / RM / RMVB / FLV resolution up to 720p / 1080i / 1080p

Video Codecs Supported: MPEG-1 / MPEG-2 / MPEG-4 SP /ASP /AVC (H.264) / XviD / WMV9 (VC-1) / RealVideo 8/9/10 (up to 720P)

Audio Codec Supported: Mp3 / Mp2 / OGG Vorbis / APE - APE Cue / PCM / LPCM / AAC / RA / Dolby True HD - DTS MA Passthrough on HDMI / Dolby AC3 - DTS Downmix & Passthrough / FLAC up to 24bit 192Khz (HDMI & Co-Ax Digital only) Flac Cue / WAV, WMA Standard (DRM, & Adv Profile not supported)

Photo format Supported: JPEG, BMP, PNG

File System Supported: FAT32 (up to 2TB), NTFS (up to 3TB), MAC HFS+

Video output resolution: NTSC, PAL, 480p, 576p, 720p, 1080i, 1080p, 1080p. 24hz Contents: MED500X2, RC, 2 x AA Batteries, AC Adapter, HDMI - AV - USB 3.0 -

Cables, User Instructions

Specifications subject to change without notice.

Input / Output

- HDMI 1.3, Component Video, Composite Video
- Stereo RCA audio for analogue audio connection
- · SD / Sony Pro Duo Card Slot (with adapter)
- SPDIF Optical Co-Ax Digital Audio Outputs
- USB 2.0 HOST port x 2 USB 3.0 Slave port
- RJ45 Network Connector

General

- 3.5" SATA Internal Hard Drive Bay up to 3TB compatible
- Built in 40mm cooling fan TPE mounts for low noise
- Video & Music Jukebox Local and Network support
- Favourites Manager BD Menu Non Java support
- Internet Browser (Flash / Video playback not supported)
- Parental Control Internet Radio
- Network Ethernet 10/100/1000* Mbps
- Optional Wi-Fi MED10WFB / MED20PCIE
- Samba server NAS storage
- File Copying Card, USB, HDD and Network
- Subtitle: SRT, SSA, SUB, SMI, PGS format
- Size: 225 X 160 X 60 mm





















Ultimate 3D MultiMedia Player

Mede8er has achieved the ultimate balance in design and functionality with the new MED1000X3D High Definition 3D Multimedia Player. It may look like an alien spaceship but we can assure you that it was designed and developed by very passionate people right here on Earth. Works on normal 2D and 3D TV's.









- · Aluminium Die Cast Casing Fanless Design
- Mede8er Developed Movie & Music Jukebox
- Community Skins & Backdrop Customization
- Full 3D HDMI 1.4 Play 3D BD-ISO
- Web Services, YouTube XL, Web Browser
- Built in Mede8er Favourites Manager
- Fast USB3.0 & Gbit Network Port
- HD Audio DTSMA & Dolby True HD

Ergonomic IR remote with Active Backlighting.



Processor: RTD1186 • 750Mhz • 512 SLC Flash • 512 DDR3 SDRAM

Video Formats Supported: AVI / BDMV Light / BDISO Light / MKV / TS / TP / TRP / M2TS / MPG / MP4 / MOV / M4V / VOB / ISO / IFO / DAT / WMV / ASF / RM / RMVB / FLV resolution up to 720p / 1080i / 1080p

3D Video: 3D BDISO, Side by Side, Top & Bottom, Frame Sequential, Frame Packing

Video Codecs Supported: MPEG-1-2 / MPEG-4 SP /ASP /AVC (H.264) / XviD / DivX / WMV9 (VC-1) / RealVideo 8/9/10 (up to 720P)

Audio Codec Supported: Mp3 / Mp2 / OGG Vorbis / PCM / LPCM / AAC / RA / Dolby True HD - DTS MA Passthrough on HDMI / AC3 - DTS 5.1 / FLAC up to 24bit 192Khz / WAV / WMA Standard (DRM, & Advanced Profile not supported)

Photo format Supported: JPEG, BMP, GIF, TIFF, PNG File System Supported: FAT32, NTFS, HFS+ Video output resolution: NTSC, PAL, 480p, 576p, 720p, 1080i, 1080p, 1080p 24hz Input /

Outputs: HDMI 1.4 • Component Video • Composite Video • Stereo RCA • SD • SDHC • Sony Pro Duo Card Slot • SPDIF Optical • Co-Ax Digital • Slave Port USB 3.0,

HOST Port x 2 USB 2.0 • IR Jack

Optional Hard Drive: Internal Hard Drive is optional unless

otherwise stated on the packaging.

Optional WiFi: MED10WFB or MED20PCIE (WiFi is optional unless otherwise stated on the packaging)







Easily change the backgrounds or download a community made skin.

General

- Video & Music Jukebox Local and Network support
- NAS storage File Manager BD Menu Non Java support
- Internet Browser (Flash / Video not supported)
- Parental Control Internet Radio Favourites Manager
- Network Ethernet 10/100/1000 Mbps
- Subtitle: SRT, SSA, SUB, SMI, PGS format
- Size: 230 X 180 X 60 mm

Contents: MED1000X3D, RC, 2 x AA Batteries, AC Adapter, HDMI 1.4 Cable, AV Cable, USB3.0 Cable, HDD Securing Screws.

Specifications subject to change without notice.



www.mede8erforum.com

www.mede8er.eu

de8er_range_2012_leaflet_v0

The Greatest Show On Earth





High Definition Multimedia Players

M€D€€€ЭR

Europe: IBDL BV. Fermiweg 9-11, 3208KT Spijkenisse, Netherlands. Tel: +31(10)7142861. Trade: sales@mede8er.eu Warranty and support: support@mede8er.eu Sanji Electronics (Pty) Ltd 12 Saddle Drive, Woodmead Office Park, Woodmead, Gauteng, South Africa. Tel: 2711 2028160 Email sales@mede8er.com